



ASBESTOS & SAFETY DURING RENOVATION AND REMODELING

ASBESTOS.UTAH.GOV

(801) 536-4000 • asbestos@utah.gov

Asbestos exposure may cause lung cancer, mesothelioma, and asbestosis.

Asbestos may be found in attic and wall insulation, flooring, roofing, wall and ceiling textures, pipe insulation, ducts, and gaskets among others.



UTAH DEPARTMENT of
ENVIRONMENTAL QUALITY
**AIR
QUALITY**

UTAH ASBESTOS RULE

ARE YOU A CONTRACTOR-FOR-HIRE?

Are you working on homes, commercial buildings, public buildings, or industrial complexes?

Are you an owner of a rental unit, commercial building, public building, or industrial complex?

Does your work involve:

- Disturbing more than 3 square/linear feet of a building material?
- Renovating or remodeling a building?
- Demolishing a building or part of a building?

STEPS TO STAYING IN COMPLIANCE

1. Have a Utah certified asbestos inspector perform an inspection.
2. If regulated asbestos-containing materials are found, have a Utah certified asbestos abatement contractor properly remove the materials.
3. If you are performing a demolition (removal, wreckage, or salvage of a load-supporting structural member), submit a demolition notification form to the Utah DAQ.

THIS RULE APPLIES TO YOU!

Only Utah Certified Asbestos Contractors are allowed to disturb regulated asbestos-containing materials!

The only way to know if you will be disturbing regulated asbestos-containing materials is to have it inspected and tested!



UTAH DEPARTMENT of
ENVIRONMENTAL QUALITY
**AIR
QUALITY**

UTAH DAQ: (801) 536-4000 • ASBESTOS.UTAH.GOV