

R309-510- 7 Source Sizing Tables

Table 510-1 Source Demand for Indoor Use		
Type of Connection	Peak Day Demand	Average Yearly Demand
Year-Round Use		
Residential	800 gpd/conn	146,000 gal./conn
ERC	800 gpd/ERC	146,000 gal./ERC
Seasonal / Non-Residential Use		
Modern Recreation Camp	60 gpd/person	(see note 1)
Semi-Developed Camp		
a. With pit privies	5 gpd/person	(See note1)
b. With flush toilets	20 gpd/person	(See note 1)
Hotels, Motel & Resort	150 gpd/unit	(See note1)
Labor Camp	50 gpd/person	(See note1)
Recreational Vehicle Park	100 gpd/pad	(See note1)
Roadway Rest Stop	7 gpd/vehicle	(See note1)
Recreational Home Development	400 gpd/conn	(See note1)

TABLE 510-2 Source Demand for Individual Establishments ^(a) (Indoor Use)	
Type of Establishment	Peak Day Demand (gpd)
Airports	
a. per passenger	3
b. per employee	15
Boarding Houses	
a. for each resident boarder and employee	50
b. for each nonresident boarders	10
Bowling Alleys, per alley	
a. with snack bar	100
b. with no snack bar	85
Churches, per person	5
Country Clubs	
a. per resident member	100
b. per nonresident member	25
c. per employee	15
Dentist's Office	
a. per chair	200
b. per staff member	35
Doctor's Office	
a. per patient	10
b. per staff member	35
Fairgrounds, per person	1
Fire Stations, per person	
a. with full time employees and food prep	70
b. with no full time employees and no food prep	5

TABLE 510-2, Continued Source Demand for Individual Establishments ^(a) (Indoor Use)	
Type of Establishment	Peak Day Demand
Gyms	
a. per participant	25
b. per spectator	4
Hairdresser	
a. per chair	50
b. per operator	35
Hospitals, per bed space	250
Industrial Buildings, per 8 hour shift, per employee (exclusive of industrial waste)	
a. with showers	35
b. with no showers	15
Launderette, per washer	580
Movie Theaters	
a. auditorium, per seat	5
b. drive-in, per car space	10
Nursing Homes, per bed space	280
Office Buildings & Business Establishments, per shift, per employee (sanitary wastes only)	
a. with cafeteria	25
b. with no cafeteria	15
Picnic Parks, per person (toilet wastes only)	5
Restaurants	
a. ordinary restaurants (not 24 hour service)	35 per seat
b. 24 hour service	50 per seat
c. single service customer utensils only	2 per customer
d. or, per customer served (includes toilet & kitchen wastes)	10
Rooming House, per person	40
Schools, per person	
a. boarding	75
b. day, without cafeteria, gym or showers	15
c. day, with cafeteria, but no gym or showers	20
d. day, with cafeteria, gym and showers	25
Service Stations (b), per vehicle served	10
Skating Rink, Dance Halls, etc., per person	
a. no kitchen wastes	10
b. additional for kitchen wastes	3
Ski Areas, per person (no kitchen waste)	10
Stores	
a. per public toilet room	500
b. per employee	11
Swimming Pools and Bathhouses(c), per person	10
Taverns, Bars, Cocktail Lounges, per seat	20
Visitors Centers, per visitor	5

Table 510-3 Source Demand for Irrigation (Outdoor Use)		
Map Zone	Peak Day Demand (gpm/irrigated acre)	Average Yearly Demand (AF/ irrigated acre)
1	2.26	1.17
2	2.80	1.23
3	3.39	1.66
4	3.96	1.87
5	4.52	2.69
6	4.90	3.26

R309-510-8 Storage Sizing Tables

Table 510-4 Storage Volume for Indoor Use	
Type	Volume Required(gallons)
Community Systems	
Residential; per single resident service connection	400
Non-Residential; per Equivalent Residential Connection (ERC)	400
Non-Community Systems	
Modern Recreation Camp; per person	30
Semi-Developed Camp; per person	
a. with Pit Privies	2.5
b. with Flush Toilets	10
Hotel, Motel, & Resorts; per unit	75
Labor Camp; per unit	25
Recreational Vehicle Park; per pad	50
Roadway Rest Stop; per vehicle	3.5
Recreational Home Development; per connection	400

R309-510-8(2)(b) Required equalization storage for indoor use is provided in Table 510-4. Storage requirements for non-community systems not listed in this table shall be determined by calculating the average day demands from the information given in Table 510-2.

Table 510-5 Storage Volume for Outdoor Use	
Map Zone	Volume Required (gallons/irrigated acre)
1	1,782
2	1,873
3	2,528
4	2,848
5	4,081
6	4,964