

**Table 1**  
**Monitoring Well Data and Analytical Results**  
**Triple Stop Chevron**  
**1034 West Gentile Street, Layton, Utah**  
**Release NUB; Facility ID 3000500**

| Sample ID   | DATE       | TPH-DRO | TPH-GRO | BENZENE | ETHYL-BENZENE | MTBE     | NAPH-THALENE | TOLUENE  | XYLENES  | FPT    | DTW    | Groundwater Elevation |
|-------------|------------|---------|---------|---------|---------------|----------|--------------|----------|----------|--------|--------|-----------------------|
|             | MM/DD/YY   | (mg/L)  | (mg/L)  | (mg/L)  | (mg/L)        | (mg/L)   | (mg/L)       | (mg/L)   | (mg/L)   | (feet) | (feet) | (feet)                |
| DERR ISL    |            | 1       | 1       | 0.005   | 0.7           | 0.2      | 0.7          | 1        | 10       |        |        |                       |
| DERR Tier 1 |            | 10      | 10      | 0.30    | 4             | 0.2      | 0.7          | 3        | 10       |        |        |                       |
| MW-1        | 02/26/19   | 1.3     | 17.6    | 10.60   | 1.28          | <0.005   | 0.101        | 0.416    | 1.63     | NM     | NM     | 4319.73               |
|             | 03/15/19   | 1.1     | 7.67    | 3.06    | 0.377         | <0.005   | 0.037        | 0.595    | 1.41     | 0.00   | 9.77   | 4319.73               |
|             | 09/04/19   | 1.06    | 18.00   | 6.70    | 0.551         | <0.00100 | 0.0440       | 2.41     | 3.18     | 0.00   | 10.46  | 4319.73               |
|             | 09/26/19   | 1.73    | 11.00   | 5.63    | 0.475         | <0.100   | <0.100       | 2.06     | 2.53     | 0.00   | 10.60  | 4319.59               |
|             | 01/06/20   | 0.912   | 25.50   | 4.38    | 0.578         | <0.100   | 0.0773       | 2.08     | 3.28     | 0.00   | 10.71  | 4319.48               |
|             | 04/01/20   | 0.440   | <100    | 1.08    | 0.167         | <0.200   | <1.00        | 0.337    | 0.688    | 0.00   | 10.45  | 4319.74               |
|             | 10/29/20   | 0.737   | 15.10   | 3.59    | 0.484         | <0.002   | 0.0385       | 2.040    | 2.110    | 0.00   | 11.20  | 4318.99               |
|             | 01/27/21   | 1.10    | 13.1    | 2.84    | 0.565         | <0.0250  | 0.0451       | 0.463    | 1.75     | 0.00   | 11.53  | 4318.66               |
|             | 04/07/21   | 1.50    | 2.79    | 2.89    | 0.0644        | <0.00500 | 0.00837      | 1.12     | 0.396    | 0.00   | 10.99  | 4319.20               |
|             | 07/15/21   | 1.17    | 132     | 4.24    | 0.781         | <0.200   | <1.00        | 1.3      | 5.58     | 0.00   | 11.27  | 4318.92               |
|             | 10/06/2021 | 0.784   | 7.68    | 1.86    | 0.386         | <0.0250  | 0.073        | 0.253    | 2.27     | 0.00   | 11.46  | -11.46                |
|             | 1/12/2022  | 0.305   | <12.5   | 0.244   | 0.207         | <0.0250  | <0.125       | 0.0362   | 0.686    | 0.00   | 10.67  | 4319.52               |
| MW-2        | 02/26/19   | <1.0    | 6.95    | 4.74    | <0.012        | <0.005   | 0.053        | <0.012   | 0.106    | NM     | NM     | 4319.91               |
|             | 03/15/19   | <1.0    | 2.4     | 1.24    | 0.03          | <0.005   | 0.028        | 0.018    | 0.086    | 0.00   | 10.10  | 4319.91               |
|             | 09/04/19   | <0.100  | 0.430   | 0.02    | 0.00398       | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 10.58  | 4319.43               |
|             | 01/06/20   | 0.0807  | 1.760   | 0.33    | 0.0522        | <0.00100 | 0.00473      | 0.000562 | 0.0182   | 0.00   | 10.92  | 4319.09               |
|             | 04/01/20   | 0.383   | 4.480   | 0.76    | 0.132         | <0.0100  | 0.0309       | 0.0134   | 0.6320   | 0.00   | 10.65  | 4319.36               |
|             | 10/29/20   | 0.636   | 9.050   | 1.12    | 0.370         | <0.001   | 0.0532       | 0.0226   | 1.2      | 0.00   | 11.28  | 4318.73               |
|             | 01/27/21   | 0.139   | 2.92    | 0.282   | 0.115         | <0.0100  | <0.0500      | 0.3220   | 0.584    | 0.00   | 11.61  | 4318.40               |
|             | 04/07/21   | 0.418   | 1.45    | 0.264   | 0.0441        | <0.0100  | <0.0500      | 0.0102   | 0.121    | 0.00   | 11.10  | 4318.91               |
|             | 07/15/21   | <0.100  | 0.575   | 0.00204 | 0.000733      | <0.00100 | <0.00500     | <0.00100 | 0.000697 | 0.00   | 11.27  | 4318.74               |
|             | 10/06/2021 | 0.403   | 7.67    | 0.527   | 0.307         | <0.0100  | 0.0492       | 0.0519   | 2.32     | 0.00   | 11.49  | -11.49                |
|             | 1/12/2022  | <0.100  | <5.0    | 0.0777  | 0.108         | <0.0100  | <0.0500      | 0.0145   | 0.333    | 0.00   | 10.98  | 4319.03               |
| MW-3*       | 03/15/19   | <1.0    | 2.71    | 0.550   | 0.073         | <0.005   | <0.012       | 0.027    | 0.813    | 0.00   | 9.51   | 4319.78               |

**Table 1**  
**Monitoring Well Data and Analytical Results**  
**Triple Stop Chevron**  
**1034 West Gentile Street, Layton, Utah**  
**Release NUB; Facility ID 3000500**

| Sample ID    | DATE       | TPH-DRO       | TPH-GRO       | BENZENE        | ETHYL-BENZENE  | MTBE       | NAPH-THALENE  | TOLUENE        | XYLENES         | FPT    | DTW    | Groundwater Elevation |
|--------------|------------|---------------|---------------|----------------|----------------|------------|---------------|----------------|-----------------|--------|--------|-----------------------|
|              | MM/DD/YY   | (mg/L)        | (mg/L)        | (mg/L)         | (mg/L)         | (mg/L)     | (mg/L)        | (mg/L)         | (mg/L)          | (feet) | (feet) | (feet)                |
| DERR ISL     |            | <b>1</b>      | <b>1</b>      | <b>0.005</b>   | <b>0.7</b>     | <b>0.2</b> | <b>0.7</b>    | <b>1</b>       | <b>10</b>       |        |        |                       |
| DERR Tier 1  |            | <b>10</b>     | <b>10</b>     | <b>0.30</b>    | <b>4</b>       | <b>0.2</b> | <b>0.7</b>    | <b>3</b>       | <b>10</b>       |        |        |                       |
| <b>MW-3</b>  | 03/19/19   | <1.0          | <0.125        | <0.005         | <0.012         | <0.005     | <0.012        | <0.012         | <0.012          | 0.00   | 8.72   | 4320.57               |
|              | 09/04/19   | <0.100        | <b>0.327</b>  | <0.00100       | <0.00100       | <0.00100   | <0.00100      | <0.00100       | <0.00100        | 0.00   | 9.74   | 4319.55               |
|              | 01/06/20   | <0.100        | <0.500        | <0.00100       | <0.00100       | <0.00100   | <0.00100      | <0.00100       | <0.00100        | 0.00   | 9.84   | 4319.45               |
|              | 04/01/20   | <0.100        | <0.500        | <b>0.00168</b> | <0.00100       | <0.00100   | <0.00500      | <0.00100       | <0.00100        | 0.00   | 9.54   | 4319.75               |
| <b>MW-4*</b> | 03/15/19   | <1.0          | <0.125        | <0.005         | <0.012         | <0.005     | <0.012        | <0.012         | <0.012          | 0.00   | 8.83   | 4321.22               |
| <b>MW-4</b>  | 03/19/19   | <1.0          | <b>1.23</b>   | <b>0.2560</b>  | <b>0.020</b>   | <0.005     | <0.012        | <0.012         | <b>0.302</b>    | 0.00   | 9.40   | 4320.65               |
|              | 09/04/19   | <0.100        | <b>0.351</b>  | <b>0.0050</b>  | <0.00100       | <0.00100   | <0.00100      | <0.00100       | <0.00100        | 0.00   | 10.35  | 4319.70               |
|              | 01/06/20   | <0.100        | <b>1.680</b>  | <b>0.3350</b>  | <b>0.00165</b> | <0.00100   | <0.00100      | <b>0.0149</b>  | <b>0.0103</b>   | 0.00   | 10.56  | 4319.49               |
|              | 04/01/20   | <0.100        | <b>0.259</b>  | <b>0.09860</b> | <0.00100       | <0.00100   | <0.00500      | <b>0.00319</b> | <0.00300        | 0.00   | 10.22  | 4319.83               |
|              | 10/29/20   | <0.100        | <b>0.0598</b> | <b>0.0110</b>  | <0.00100       | <0.00100   | <0.00500      | <0.00100       | <0.00300        | 0.00   | 11.00  | 4319.05               |
|              | 01/27/21   | <0.100        | <0.500        | <b>0.00222</b> | <0.00100       | <0.00100   | <0.00500      | <0.00100       | <0.00300        | 0.00   | 11.37  | 4318.68               |
|              | 04/07/21   | <b>0.0421</b> | <0.500        | <b>0.0101</b>  | <0.00100       | <0.00100   | <0.00500      | <0.00100       | <b>0.000772</b> | 0.00   | 10.80  | 4319.25               |
|              | 07/15/21   | <0.100        | <0.500        | <b>0.00301</b> | <0.00100       | <0.00100   | <0.00500      | <0.00100       | <0.00300        | 0.00   | 11.13  | 4318.92               |
|              | 10/06/2021 | <0.100        | <b>1</b>      | <b>0.237</b>   | <b>0.00154</b> | <0.00100   | <0.00500      | <b>0.00752</b> | <b>0.0413</b>   | 0.00   | 11.32  | 4318.73               |
|              | 1/11/2022  | 0.695         | <b>2.3</b>    | <b>0.446</b>   | <b>0.0118</b>  | <0.005     | <b>0.0145</b> | <b>0.00203</b> | <b>0.24</b>     | 0.00   | 10.67  | 4319.38               |
| <b>MW-5</b>  | 03/15/19   | <1.0          | <0.125        | <0.005         | <0.012         | <0.005     | <0.012        | <0.012         | <0.012          | 0.00   | 8.65   | 4325.22               |
|              | 01/13/22   | <0.100        | <0.5          | <0.00100       | <0.00100       | <0.00100   | <0.00500      | <0.00100       | <0.00300        | 0.00   | 10.93  | 4322.94               |
| <b>MW-6</b>  | 03/15/19   | <1.0          | <0.125        | <0.005         | <0.012         | <0.005     | <0.012        | <0.012         | <0.012          | 0.00   | 8.50   | 4325.62               |
| <b>MW-7</b>  | 03/15/19   | <1.0          | <0.125        | <0.005         | <0.012         | <0.005     | <0.012        | <0.012         | <0.012          | 0.00   | 8.51   | 4325.45               |

**Table 1**  
**Monitoring Well Data and Analytical Results**  
**Triple Stop Chevron**  
**1034 West Gentile Street, Layton, Utah**  
**Release NUB; Facility ID 3000500**

| Sample ID   | DATE       | TPH-DRO | TPH-GRO | BENZENE  | ETHYL-BENZENE | MTBE     | NAPH-THALENE | TOLUENE  | XYLENES  | FPT    | DTW    | Groundwater Elevation |
|-------------|------------|---------|---------|----------|---------------|----------|--------------|----------|----------|--------|--------|-----------------------|
|             | MM/DD/YY   | (mg/L)  | (mg/L)  | (mg/L)   | (mg/L)        | (mg/L)   | (mg/L)       | (mg/L)   | (mg/L)   | (feet) | (feet) | (feet)                |
| DERR ISL    |            | 1       | 1       | 0.005    | 0.7           | 0.2      | 0.7          | 1        | 10       |        |        |                       |
| DERR Tier 1 |            | 10      | 10      | 0.30     | 4             | 0.2      | 0.7          | 3        | 10       |        |        |                       |
| MW-8        | 03/15/19   | <1.0    | <0.125  | <0.005   | <0.012        | <0.005   | <0.012       | <0.012   | <0.012   | 0.00   | 9.07   | 4325.81               |
|             | 09/04/19   | <0.100  | 0.33    | <0.00100 | <0.00100      | <0.00100 | <0.00100     | <0.00100 | <0.00100 | 0.00   | 10.31  | 4324.57               |
|             | 01/06/20   | <0.100  | <0.500  | <0.00100 | <0.00100      | <0.00100 | <0.00100     | <0.00100 | <0.00100 | 0.00   | 10.16  | 4324.72               |
|             | 03/31/20   | <0.100  | <0.500  | <0.00100 | <0.00100      | <0.00100 | <0.00100     | <0.00100 | <0.00100 | 0.00   | 9.96   | 4324.92               |
|             | 10/29/20   | <0.0247 | <0.100  | <0.00100 | <0.00100      | <0.0001  | 0.00101      | <0.00100 | <0.00300 | 0.00   | 10.96  | 4323.92               |
|             | 01/27/21   | <0.100  | <0.500  | 0.000136 | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 11.04  | 4323.84               |
|             | 04/08/21   | <0.100  | <0.500  | <0.00100 | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 10.49  | 4324.39               |
|             | 07/13/21   | <0.100  | <0.500  | <0.00100 | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 10.90  | 4323.98               |
|             | 10/07/2021 | <0.100  | <0.500  | <0.00100 | <0.00100      | <0.00100 | 0.0171       | <0.00100 | <0.00300 | 0.00   | 11.26  | 4323.62               |
|             | 1/13/2022  | <0.100  | <0.500  | <0.00100 | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 10.37  | 4324.51               |
| MW-9        | 03/15/19   | 0.0379  | <0.125  | <0.005   | <0.012        | <0.005   | <0.012       | <0.012   | <0.012   | 0.00   | 8.95   | 4325.62               |
| MW-10       | 03/12/19   | 13.2    | 33.1    | 9.32     | 1.12          | <0.005   | 0.221        | 4.65     | 7.72     | 0.09   | 10.10  | 4324.43               |
|             | 03/15/19   | 11.8    | 78.0    | 14.5     | 2.32          | <0.005   | 0.394        | 25.1     | 18.1     | 0.00   | 10.00  | 4324.46               |
|             | 03/20/19   | 13.3    | 68.7    | 13.8     | 2.13          | <0.100   | 0.598        | 17.9     | 16.2     | 0.00   | 9.98   | 4324.48               |
|             | 04/08/21   | 10.8    | 23.1    | 0.0662   | 0.119         | <0.050   | 0.177        | 0.710    | 6.88     | 0.00   | 12.10  | 4322.36               |
|             | 10/08/2021 | 1.68    | 10.8    | 0.0741   | 0.309         | <0.0500  | 0.153        | 1.64     | 4.36     | 0.01   | 12.86  | -12.85                |
|             | 01/12/22   | 2.87    | 29      | <0.05    | 0.571         | <0.0500  | 0.174        | 0.802    | 9.83     | 0.01   | 12.01  | 4322.56               |
| MW-11       | 03/15/19   | <1.0    | <0.125  | <0.005   | <0.012        | <0.005   | <0.012       | <0.012   | <0.012   | 0.00   | 9.16   | 4325.53               |
|             | 01/11/22   | <0.100  | <0.500  | 0.000125 | <0.00100      | <0.00100 | <0.005       | 0.000429 | 0.000440 | 0.00   | 9.16   | 4325.53               |
| MW-12       | 02/27/19   | <1.0    | 4.54    | 0.32     | 0.019         | <0.005   | <0.012       | 0.125    | 0.069    | NM     | NM     | --                    |
|             | 03/15/19   | <1.0    | 4.92    | 0.1580   | 0.012         | <0.005   | <0.012       | 0.082    | 0.044    | 0.00   | 7.46   | 4325.03               |
|             | 09/05/19   | 0.0562  | 2.11    | 0.0746   | 0.00274       | <0.00100 | <0.00500     | 0.00673  | 0.0107   | 0.00   | 10.57  | 4321.92               |
|             | 01/08/20   | <0.100  | 0.193   | 0.0076   | <0.00100      | <0.00100 | <0.00500     | <0.00100 | 0.00110  | 0.00   | 9.49   | 4323.00               |
|             | 03/31/20   | <0.100  | 0.159   | 0.0036   | <0.00100      | <0.00100 | <0.00500     | <0.00100 | 0.00172  | 0.00   | 9.23   | 4323.26               |

**Table 1**  
**Monitoring Well Data and Analytical Results**  
**Triple Stop Chevron**  
**1034 West Gentile Street, Layton, Utah**  
**Release NUB; Facility ID 3000500**

| Sample ID   | DATE       | TPH-DRO | TPH-GRO | BENZENE  | ETHYL-BENZENE | MTBE     | NAPH-THALENE | TOLUENE  | XYLENES  | FPT    | DTW    | Groundwater Elevation |
|-------------|------------|---------|---------|----------|---------------|----------|--------------|----------|----------|--------|--------|-----------------------|
|             | MM/DD/YY   | (mg/L)  | (mg/L)  | (mg/L)   | (mg/L)        | (mg/L)   | (mg/L)       | (mg/L)   | (mg/L)   | (feet) | (feet) | (feet)                |
| DERR ISL    |            | 1       | 1       | 0.005    | 0.7           | 0.2      | 0.7          | 1        | 10       |        |        |                       |
| DERR Tier 1 |            | 10      | 10      | 0.30     | 4             | 0.2      | 0.7          | 3        | 10       |        |        |                       |
| MW-13       | 02/27/19   | 4.4     | 19.0    | 4.980    | 1.06          | <0.200   | <0.500       | 4.57     | 8.38     | NM     | NM     | 4324.82               |
|             | 03/15/19   | 2.1     | 10.7    | 2.29     | 0.464         | <0.005   | 0.039        | 1.27     | 3.06     | 0.00   | 8.00   | 4324.82               |
|             | 03/20/18   | 2.9     | 17.0    | 3.020    | 0.635         | <0.005   | 0.045        | 1.97     | 4.42     | 0.00   | 8.01   | 4324.81               |
|             | 09/05/19   | 2.5     | 57.3    | 2.530    | 1.53          | <0.00100 | 0.171        | 1.47     | 11.50    | 0.00   | 9.88   | 4322.94               |
|             | 01/08/20   | 0.655   | 4.09    | 0.225    | 0.133         | <0.100   | 0.0298       | 0.0127   | 0.756    | 0.00   | 10.02  | 4322.80               |
|             | 03/31/20   | 1.270   | 4.38    | 0.402    | 0.220         | <0.0100  | 0.0383       | 0.0317   | 1.340    | 0.00   | 9.78   | 4323.04               |
|             | 10/29/20   | 0.762   | 4.19    | 0.532    | 0.191         | <0.001   | 0.0688       | 0.0573   | 0.876    | 0.00   | 10.53  | 4322.29               |
|             | 01/27/21   | 0.146   | <0.500  | 0.00343  | 0.00280       | <0.001   | 0.00195      | <0.00100 | 0.00209  | 0.00   | 10.56  | 4322.26               |
|             | 04/08/21   | 0.267   | 0.272   | 0.00200  | 0.00305       | <0.00100 | <0.00500     | <0.00100 | 0.000462 | 0.00   | 10.12  | 4322.70               |
|             | 07/13/21   | 1.6     | 8.52    | 0.00349  | 0.524         | <0.00100 | 0.0881       | 0.091    | 3.88     | 0.00   | 10.39  | 4322.43               |
|             | 10/08/2021 | 3.35    | 9.96    | 0.0144   | 0.771         | <0.0500  | 0.146        | 0.214    | 4.03     | 0.00   | 10.81  | -10.81                |
|             | 1/12/2022  | 0.153   | 0.739   | 0.000456 | 0.0297        | <0.001   | 0.00251      | <0.00100 | 0.0122   | 0.00   |        | 4332.82               |
| MW-14       | 02/27/19   | 3.3     | 13.5    | 2.090    | 0.511         | <0.005   | 0.046        | 0.804    | 3.44     | NM     | NM     | --                    |
|             | 03/15/19   | 2.5     | 9.21    | 1.16     | 0.365         | <0.005   | 0.039        | 0.765    | 2.56     | 0.00   | 8.77   | 4324.09               |
|             | 03/20/19   | 2.1     | 11.0    | 2.380    | 0.341         | <0.005   | 0.034        | 1.44     | 2.43     | 0.00   | 8.77   | 4324.09               |
|             | 09/05/19   | 0.415   | 6.3     | 0.798    | 0.082         | <0.00100 | 0.0204       | 0.485    | 0.428    | 0.00   | 10.22  | 4322.64               |
|             | 01/08/20   | <0.100  | 1.02    | 0.018    | 0.00143       | <0.00100 | <0.00500     | 0.000857 | 0.00136  | 0.00   | 10.30  | 4322.56               |
|             | 03/31/20   | <0.100  | 0.811   | 0.032    | 0.00282       | <0.00100 | <0.00100     | 0.00119  | 0.00383  | 0.00   | 10.05  | 4322.81               |
|             | 10/29/20   | <0.247  | 0.375   | 0.000960 | 0.00019       | <0.0001  | <0.0050      | <0.00100 | 0.00048  | 0.00   | 11.01  | 4321.85               |
|             | 01/27/21   | <0.100  | <0.500  | 0.000308 | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 11.25  | 4321.61               |
|             | 04/08/21   | 0.0247  | 0.292   | <0.00100 | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 10.71  | 4310.90               |
|             | 07/13/21   | 0.0601  | 0.596   | <0.00100 | <0.00100      | <0.00100 | 0.00242      | <0.00100 | <0.00300 | 0.00   | 10.90  | 4321.96               |
|             | 10/08/2021 | <0.100  | <0.500  | 0.000383 | <0.00100      | <0.00100 | 0.013        | <0.00100 | <0.00300 | 0.00   | 11.24  | -11.24                |
|             | 1/12/2022  | <0.100  | <0.500  | 0.000169 | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   |        | 4332.86               |

**Table 1**  
**Monitoring Well Data and Analytical Results**  
**Triple Stop Chevron**  
**1034 West Gentile Street, Layton, Utah**  
**Release NUB; Facility ID 3000500**

| Sample ID    | DATE       | TPH-DRO | TPH-GRO | BENZENE  | ETHYL-BENZENE | MTBE     | NAPH-THALENE | TOLUENE  | XYLENES  | FPT    | DTW    | Groundwater Elevation |
|--------------|------------|---------|---------|----------|---------------|----------|--------------|----------|----------|--------|--------|-----------------------|
|              | MM/DD/YY   | (mg/L)  | (mg/L)  | (mg/L)   | (mg/L)        | (mg/L)   | (mg/L)       | (mg/L)   | (mg/L)   | (feet) | (feet) | (feet)                |
| DERR ISL     |            | 1       | 1       | 0.005    | 0.7           | 0.2      | 0.7          | 1        | 10       |        |        |                       |
| DERR Tier 1  |            | 10      | 10      | 0.30     | 4             | 0.2      | 0.7          | 3        | 10       |        |        |                       |
| <b>MW-15</b> | 02/27/19   | <1.0    | 3.28    | 0.3180   | <0.012        | <0.005   | <0.012       | <0.012   | 0.0130   | NM     | NM     | --                    |
|              | 03/15/19   | <1.0    | 0.334   | 0.038    | <0.012        | <0.005   | <0.012       | <0.012   | <0.012   | 0.00   | 9.43   | 4323.99               |
|              | 09/05/19   | <0.100  | 0.217   | 0.0018   | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 10.56  | 4322.86               |
|              | 01/08/20   | <0.100  | <0.500  | <0.00100 | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 10.60  | 4322.82               |
|              | 03/31/20   | <0.100  | <0.500  | <0.00100 | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 10.37  | 4323.05               |
| <b>MW-16</b> | 03/15/19   | <1.0    | <0.125  | <0.005   | <0.012        | <0.005   | <0.012       | <0.012   | <0.012   | 0.00   | 10.10  | 4318.11               |
|              | 09/04/19   | <0.100  | 0.323   | <0.00100 | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 10.30  | 4317.91               |
|              | 01/06/20   | <0.100  | <0.500  | <0.00100 | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 11.02  | 4317.19               |
|              | 04/01/20   | <0.100  | <0.500  | <0.00100 | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 10.71  | 4317.50               |
|              | 01/11/22   | <0.100  | <0.500  | <0.00100 | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 10.88  | 4317.33               |
| <b>MW-17</b> | 03/15/19   | <1.0    | <0.125  | <0.005   | <0.012        | <0.005   | <0.012       | <0.012   | <0.012   | 0.00   | 9.62   | 4318.29               |
| <b>MW-18</b> | 03/15/19   | <1.0    | <0.125  | <0.005   | <0.012        | <0.005   | <0.012       | <0.012   | <0.012   | 0.00   | 9.12   | 4318.62               |
|              | 09/04/19   | <0.100  | 0.324   | <0.00100 | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 9.45   | 4318.29               |
|              | 01/06/20   | <0.100  | <0.500  | 0.00159  | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 10.01  | 4317.73               |
|              | 04/01/20   | <0.100  | <0.500  | <0.00100 | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 9.71   | 4318.03               |
|              | 04/07/21   | 0.0531  | 0.150   | 0.0181   | <0.00100      | 0.000169 | <0.00100     | <0.00100 | 0.00117  | 0.00   | 10.26  | 4317.48               |
|              | 07/15/21   | <0.100  | <0.500  | 0.00731  | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 10.26  | 4317.48               |
|              | 10/06/2021 | <0.100  | <0.500  | <0.00100 | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 10.51  | 4317.23               |
|              | 1/11/2022  | <0.100  | <0.500  | <0.00100 | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 10.00  | 4317.74               |

**Table 1**  
**Monitoring Well Data and Analytical Results**  
**Triple Stop Chevron**  
**1034 West Gentile Street, Layton, Utah**  
**Release NUB; Facility ID 3000500**

| Sample ID   | DATE       | TPH-DRO | TPH-GRO | BENZENE  | ETHYL-BENZENE | MTBE     | NAPH-THALENE | TOLUENE  | XYLENES  | FPT    | DTW    | Groundwater Elevation |
|-------------|------------|---------|---------|----------|---------------|----------|--------------|----------|----------|--------|--------|-----------------------|
|             | MM/DD/YY   | (mg/L)  | (mg/L)  | (mg/L)   | (mg/L)        | (mg/L)   | (mg/L)       | (mg/L)   | (mg/L)   | (feet) | (feet) | (feet)                |
| DERR ISL    |            | 1       | 1       | 0.005    | 0.7           | 0.2      | 0.7          | 1        | 10       |        |        |                       |
| DERR Tier 1 |            | 10      | 10      | 0.30     | 4             | 0.2      | 0.7          | 3        | 10       |        |        |                       |
| MW-19       | 03/15/19   | <1.0    | 6.29    | 4.23     | 0.423         | <0.005   | 0.040        | 0.085    | 0.333    | 0.00   | 8.05   | 4319.07               |
|             | 09/04/19   | 1.47    | 10.30   | 8.130    | 0.81          | <0.00100 | 0.0548       | 0.0589   | 0.0589   | 0.00   | 8.46   | 4318.66               |
|             | 09/27/19   | 1.68    | 12.50   | 9.700    | 0.746         | <0.0400  | 0.0862       | 0.0464   | 1.51     | 0.00   | 8.61   | 4318.51               |
|             | 01/07/20   | 0.198   | 4.56    | 2.140    | 0.0558        | <0.00100 | 0.00401      | 0.00165  | <0.00300 | 0.00   | 8.83   | 4318.29               |
|             | 04/01/20   | 0.559   | 14.20   | 4.580    | 0.3720        | <0.00500 | <0.250       | <0.0500  | 0.0569   | 0.00   | 8.59   | 4318.53               |
|             | 10/29/20   | 0.371   | 5.59    | 1.190    | 0.2240        | <0.005   | <0.05        | 0.08530  | 0.517    | 0.00   | 9.23   | 4317.89               |
|             | 01/27/21   | 0.313   | 1.47    | 0.340    | 0.156         | <0.0100  | <0.0500      | 0.00886  | 0.00742  | 0.00   | 9.66   | 4317.46               |
|             | 04/07/21   | 2.04    | 36.4    | 3.98     | 0.998         | <0.00500 | 0.0521       | 4.06     | 4.22     | 0.00   | 9.10   | 4318.02               |
|             | 07/14/21   | 1.09    | 48.3    | 5.31     | 0.938         | <0.0500  | 0.0731       | 0.526    | 3.18     | 0.00   | 9.24   | 4317.88               |
|             | 10/06/2021 | 0.861   | 11.6    | 3.04     | 0.593         | <0.0100  | 0.0762       | 0.319    | 1.5      | 0.00   | 9.48   | -9.48                 |
|             | 1/12/2022  | 1.06    | 22.2    | 3.92     | 0.791         | <0.025   | 0.0851       | 0.511    | 3.85     | 0.00   |        | 4327.12               |
| MW-20       | 03/15/19   | <1.0    | <0.125  | <0.005   | <0.012        | <0.005   | <0.012       | <0.012   | <0.012   | 0.00   | 8.75   | 4318.61               |
|             | 04/07/21   | 0.0686  | 3.36    | 1.43     | 0.0210        | <0.0100  | 0.00222      | 0.0127   | 0.0169   | 0.00   | 9.72   | 4317.64               |
|             | 07/14/21   | 0.268   | 15.9    | 1.82     | 0.161         | <0.0200  | 0.0359       | 0.136    | 0.0888   | 0.00   | 9.76   | 4317.60               |
|             | 10/06/2021 | 0.117   | 0.598   | 0.132    | 0.0868        | <0.00100 | 0.00653      | 0.00223  | 0.00159  | 0.00   | 10.02  | -10.02                |
|             | 1/11/2022  | <0.100  | 0.136   | 0.00188  | 0.000185      | <0.00100 | <0.005       | <0.001   | <0.003   | 0.00   | 9.49   | 4317.87               |
| MW-21       | 03/15/19   | <1.0    | <0.125  | <0.005   | <0.012        | <0.005   | <0.012       | <0.012   | <0.012   | 0.00   | 9.55   | 4318.77               |
|             | 09/04/19   | <0.100  | 0.361   | <0.00100 | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 9.73   | 4318.59               |
|             | 01/06/20   | 0.19    | <0.500  | 0.00065  | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 10.35  | 4317.97               |
|             | 04/01/20   | <0.100  | <0.500  | 0.00756  | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 10.09  | 4318.23               |

**Table 1  
Monitoring Well Data and Analytical Results  
Triple Stop Chevron  
1034 West Gentile Street, Layton, Utah  
Release NUB; Facility ID 3000500**

| Sample ID    | DATE       | TPH-DRO | TPH-GRO | BENZENE  | ETHYL-BENZENE | MTBE     | NAPH-THALENE | TOLUENE  | XYLENES  | FPT    | DTW    | Groundwater Elevation |
|--------------|------------|---------|---------|----------|---------------|----------|--------------|----------|----------|--------|--------|-----------------------|
|              | MM/DD/YY   | (mg/L)  | (mg/L)  | (mg/L)   | (mg/L)        | (mg/L)   | (mg/L)       | (mg/L)   | (mg/L)   | (feet) | (feet) | (feet)                |
| DERR ISL     |            | 1       | 1       | 0.005    | 0.7           | 0.2      | 0.7          | 1        | 10       |        |        |                       |
| DERR Tier 1  |            | 10      | 10      | 0.30     | 4             | 0.2      | 0.7          | 3        | 10       |        |        |                       |
| <b>MW-22</b> | 02/27/19   | 6.7     | 41.4    | 6.32     | 2.12          | <0.200   | <0.500       | 10.4     | 16.9     | NM     | NM     | --                    |
|              | 03/20/19   | 1.1     | 2.35    | 0.42     | 0.116         | <0.005   | 0.016        | 0.182    | 0.665    | 0.00   | 11.60  | 4322.30               |
|              | 09/04/19   | 1.08    | 7.40    | 0.25     | 0.180         | <0.00100 | 0.0286       | 0.462    | 1.280    | 0.00   | 12.70  | 4321.20               |
|              | 01/07/20   | 1.85    | 29.50   | 6.81     | 1.11          | <0.00100 | 0.144        | 1.06     | 2.06     | 0.00   | 12.83  | 4321.07               |
|              | 03/31/20   | 1.45    | 15.90   | 3.62     | 0.495         | <0.100   | <0.500       | 1.58     | 2.08     | 0.00   | 12.59  | 4321.31               |
|              | 10/29/20   | 0.394   | 3.09    | 0.12     | 0.136         | <0.0001  | 0.02         | 0.0212   | 0.366    | 0.00   | 13.29  | 4320.61               |
|              | 04/08/21   | 0.664   | 0.997   | 0.00627  | 0.0408        | <0.00100 | 0.00714      | 0.0212   | 0.134    | 0.00   | 13.08  | 4320.82               |
|              | 07/16/21   | 0.207   | 1.46    | 0.00458  | 0.0328        | <0.00100 | 0.00335      | 0.00405  | 0.0429   | 0.00   | 13.35  | 4320.55               |
|              | 10/07/2021 | 0.0847  | 0.342   | 0.00327  | 0.00528       | <0.00100 | 0.00205      | 0.00103  | 0.00749  | 0.00   | 13.58  | -13.58                |
|              | 1/13/2022  | <0.1    | <0.500  | 0.00138  | 0.00225       | <0.00100 | <0.500       | 0.000729 | 0.0064   | 0.00   |        | 4333.90               |
| <b>MW-23</b> | 02/27/19   | 5.2     | 21.5    | 5.850    | 1.09          | <0.005   | <0.012       | 5.96     | 8.56     | NM     | NM     | --                    |
|              | 03/20/19   | <1.0    | 1.02    | 0.184    | 0.048         | <0.005   | <0.012       | 0.231    | 0.270    | 0.00   | 11.90  | 4321.77               |
|              | 09/26/19   | 0.917   | 1.96    | 0.728    | 0.143         | <0.00200 | 0.0668       | 0.417    | 0.382    | 0.00   | 11.92  | 4321.75               |
|              | 01/08/20   | 0.311   | 6.26    | 1.180    | 0.188         | <0.00100 | <0.00100     | 0.0602   | 0.412    | 0.00   | 13.02  | 4320.65               |
|              | 03/31/20   | 0.363   | 8.90    | 2.24     | 0.177         | <0.0250  | <0.125       | 0.971    | 0.538    | 0.00   | 12.75  | 4320.92               |
|              | 10/29/20   | <0.100  | 0.404   | 0.0151   | 0.0232        | <0.0001  | 0.00374      | 0.00058  | 0.00752  | 0.00   | 13.36  | 4320.31               |
|              | 01/28/21   | <0.100  | <0.500  | 0.000372 | 0.0014        | <0.00100 | <0.00500     | <0.00100 | 0.000610 | 0.00   | 13.72  | 4319.95               |
|              | 04/08/21   | 0.260   | 0.437   | 0.00889  | 0.0266        | <0.00100 | 0.00190      | 0.000575 | 0.0450   | 0.00   | 13.23  | 4320.44               |
|              | 07/16/21   | 0.453   | 15.7    | 0.0359   | 0.224         | <0.0250  | <0.125       | <0.0250  | 0.565    | 0.00   | 13.45  | 4320.22               |
|              | 10/07/2021 | 0.0533  | 0.116   | 0.00368  | 0.0272        | <0.00100 | 0.00168      | <0.00100 | 0.00234  | 0.00   | 13.69  | -13.69                |
|              | 1/13/2022  | <0.100  | 0.282   | 0.000248 | 0.00302       | <0.00100 | <0.00500     | <0.00100 | 0.00227  | 0.00   |        | 4333.67               |

**Table 1**  
**Monitoring Well Data and Analytical Results**  
**Triple Stop Chevron**  
**1034 West Gentile Street, Layton, Utah**  
**Release NUB; Facility ID 3000500**

| Sample ID    | DATE      | TPH-DRO | TPH-GRO | BENZENE  | ETHYL-BENZENE | MTBE     | NAPH-THALENE | TOLUENE  | XYLENES  | FPT    | DTW    | Groundwater Elevation |
|--------------|-----------|---------|---------|----------|---------------|----------|--------------|----------|----------|--------|--------|-----------------------|
|              | MM/DD/YY  | (mg/L)  | (mg/L)  | (mg/L)   | (mg/L)        | (mg/L)   | (mg/L)       | (mg/L)   | (mg/L)   | (feet) | (feet) | (feet)                |
| DERR ISL     |           | 1       | 1       | 0.005    | 0.7           | 0.2      | 0.7          | 1        | 10       |        |        |                       |
| DERR Tier 1  |           | 10      | 10      | 0.30     | 4             | 0.2      | 0.7          | 3        | 10       |        |        |                       |
| <b>MW-24</b> | 03/20/19  | 4.9     | 18.6    | 5.420    | 0.942         | <0.005   | 0.132        | 0.233    | 7.11     | 0.00   | 9.98   | 4323.34               |
|              | 09/04/19  | 0.0394  | 0.390   | 0.005    | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 11.61  | 4321.71               |
|              | 01/07/20  | 1.35    | 20.3    | 7.860    | 1.27          | <0.00100 | 0.0705       | 0.0304   | 1.18     | 0.00   | 11.66  | 4321.66               |
|              | 03/31/20  | 1.10    | <12.5   | 0.853    | 0.258         | <0.0250  | 0.0309       | 0.0161   | 0.754    | 0.00   | 11.42  | 4321.49               |
|              | 10/29/20  | 2.6     | 36.6    | 4.320    | 0.506         | <0.002   | 0.0942       | 0.32     | 5.660    | 0.00   | 12.22  | 4321.10               |
|              | 02/04/21  | 4.2     | 19.6    | 2.940    | 0.717         | <0.0250  | 0.120        | 0.241    | 4.28     | 0.00   | 12.35  | 4320.97               |
|              | 04/08/21  | 5.96    | 7.15    | 0.374    | 0.0891        | <0.0250  | 0.0379       | 0.0152   | 0.445    | 0.00   | 11.98  | 4321.34               |
|              | 07/13/21  | 1.07    | 16.8    | 0.569    | 0.206         | <0.0250  | 0.028        | 0.0533   | 0.708    | 0.00   | 12.22  | 4321.10               |
|              | 10/7/2021 | –       | 3.69    | 0.0438   | 0.548         | <0.0250  | 0.0649       | 0.0212   | 1.70     | 0.00   | 12.51  | 4320.81               |
|              | 1/13/2022 | 1.00    | <12.5   | 0.0119   | 0.00654       | <0.0250  | <0.125       | <0.0250  | 0.0696   | 0.00   | 12.51  | 4320.81               |
| <b>MW-25</b> | 03/20/19  | 1.5     | 5.53    | 1.25     | 0.298         | <0.005   | 0.028        | 0.243    | 2.06     | 0.00   | 9.01   | 4323.90               |
|              | 09/04/19  | <0.100  | 0.351   | 0.000668 | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 10.88  | 4322.03               |
|              | 01/07/20  | <0.100  | <0.500  | 0.00182  | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 10.94  | 4321.97               |
|              | 03/31/20  | <0.100  | <0.500  | 0.00136  | <0.00100      | <0.00100 | <0.00500     | <0.00100 | <0.00300 | 0.00   | 10.68  | 4322.23               |
|              | 04/08/21  | 0.0501  | <0.500  | 0.000130 | 0.00348       | <0.00100 | <0.00500     | 0.000415 | 0.00809  | 0.00   | 11.21  | 4321.70               |
| <b>MW-26</b> | 03/19/19  | <1.0    | 0.991   | 0.127    | <0.012        | <0.005   | <0.012       | 0.012    | 0.033    | 0.00   | 8.31   | 4324.36               |
| <b>MW-27</b> | 03/20/19  | <1.0    | 1.44    | 0.2810   | 0.056         | <0.005   | <0.012       | 0.618    | 0.334    | 0.00   | 13.37  | 4319.95               |
| <b>MW-28</b> | 03/20/19  | <1.0    | <0.125  | <0.005   | <0.012        | <0.005   | <0.012       | <0.012   | <0.012   | NM     | NM     | --                    |
| <b>MW-29</b> | 03/20/19  | <1.0    | <0.125  | 0.1200   | <0.012        | <0.005   | <0.012       | <0.012   | <0.012   | NM     | NM     | --                    |



**Table 1**  
**Monitoring Well Data and Analytical Results**  
**Triple Stop Chevron**  
**1034 West Gentile Street, Layton, Utah**  
**Release NUB; Facility ID 3000500**

| Sample ID    | DATE       | TPH-DRO       | TPH-GRO       | BENZENE         | ETHYL-BENZENE   | MTBE            | NAPH-THALENE   | TOLUENE      | XYLENES         | FPT    | DTW    | Groundwater Elevation |
|--------------|------------|---------------|---------------|-----------------|-----------------|-----------------|----------------|--------------|-----------------|--------|--------|-----------------------|
|              | MM/DD/YY   | (mg/L)        | (mg/L)        | (mg/L)          | (mg/L)          | (mg/L)          | (mg/L)         | (mg/L)       | (mg/L)          | (feet) | (feet) | (feet)                |
| DERR ISL     |            | <b>1</b>      | <b>1</b>      | <b>0.005</b>    | <b>0.7</b>      | <b>0.2</b>      | <b>0.7</b>     | <b>1</b>     | <b>10</b>       |        |        |                       |
| DERR Tier 1  |            | <b>10</b>     | <b>10</b>     | <b>0.30</b>     | <b>4</b>        | <b>0.2</b>      | <b>0.7</b>     | <b>3</b>     | <b>10</b>       |        |        |                       |
| <b>MW-30</b> | 03/20/19   | <1.0          | <b>0.978</b>  | <b>0.8200</b>   | <b>0.076</b>    | <0.005          | <0.012         | <b>0.014</b> | <b>0.068</b>    | NM     | NM     | --                    |
|              | 09/04/19   | <b>0.0784</b> | <b>0.516</b>  | <b>0.1390</b>   | <b>0.0584</b>   | <0.00100        | <0.0050        | <0.00100     | <0.00100        | 0.00   | 8.88   | 4317.98               |
|              | 01/07/20   | <0.100        | <0.500        | <b>0.0098</b>   | <0.00100        | <0.00100        | <0.0050        | <0.00100     | <0.00300        | 0.00   | 9.28   | 4317.58               |
|              | 04/01/20   | <0.100        | <0.500        | <b>0.00348</b>  | <0.00100        | <0.00100        | <0.0050        | <0.00100     | <0.00300        | 0.00   | 9.03   | 4317.83               |
|              | 10/29/20   | <0.0247       | <b>0.0932</b> | <b>0.02040</b>  | <0.00100        | <0.0001         | <0.0050        | <0.00100     | <0.00300        | 0.00   | 9.68   | 4317.18               |
|              | 01/27/21   | <0.100        | <0.500        | <b>0.000131</b> | <0.00100        | <0.00100        | <0.00500       | <0.00100     | 0.003000        | 0.00   | 10.15  | 4316.71               |
|              | 04/07/21   | <0.100        | <0.500        | <0.00100        | <0.00100        | <0.00100        | <0.00500       | <0.00100     | 0.003000        | 0.00   | 9.62   | 4317.24               |
|              | 07/15/21   | <b>0.0295</b> | <0.500        | <0.00100        | <0.00100        | <0.00100        | <0.00500       | <0.00100     | <0.00300        | 0.00   | 9.71   | 4317.15               |
|              | 10/06/2021 | <0.100        | <0.500        | <b>0.0253</b>   | <0.00100        | <0.00100        | <0.00500       | <0.00100     | <0.00300        | 0.00   | 9.93   | 4316.93               |
|              | 1/12/2022  | <b>0.0406</b> | <b>2.74</b>   | <b>0.938</b>    | 0.0022          | <0.00100        | <0.00500       | 0.00249      | 0.0205          | 0.00   |        | 4326.86               |
| <b>MW-31</b> | 03/27/19   | <1.0          | <0.125        | <0.005          | <0.012          | <0.005          | <0.012         | <0.012       | <0.012          | 0.00   | 8.36   | 4317.50               |
|              | 09/04/19   | <0.100        | <b>0.34</b>   | <0.00100        | <0.00100        | <0.00100        | <0.00100       | <0.00100     | <0.00100        | 0.00   | 8.85   | 4317.01               |
|              | 01/06/20   | <0.100        | <0.500        | <0.00100        | <0.00100        | <0.00100        | <0.00100       | <0.00100     | <0.00100        | 0.00   | 9.42   | 4316.44               |
|              | 04/01/20   | <0.100        | <b>0.134</b>  | <b>0.0342</b>   | <0.00100        | <0.00100        | <0.00100       | <0.00100     | <0.00100        | 0.00   | 9.13   | 4316.73               |
|              | 10/29/20   | <0.02         | <b>0.385</b>  | <b>0.3850</b>   | <0.00100        | <0.0001         | <0.00100       | <0.00100     | <0.00100        | 0.00   | 9.70   | 4316.16               |
|              | 01/27/21   | <0.100        | <b>0.836</b>  | <b>0.2480</b>   | <b>0.00355</b>  | <0.00100        | <0.00500       | <0.00100     | <b>0.000244</b> | 0.00   | 10.23  | 4315.63               |
|              | 04/07/21   | <b>0.0609</b> | <b>1.030</b>  | <b>0.3540</b>   | <b>0.000428</b> | <b>0.000123</b> | <0.00500       | <0.00100     | <b>0.000794</b> | 0.00   | 9.74   | 4316.12               |
|              | 07/14/21   | <b>0.0297</b> | <b>0.709</b>  | <b>0.0260</b>   | <b>0.00074</b>  | <b>0.000248</b> | <0.00500       | <0.00100     | <b>0.00146</b>  | 0.00   | 9.66   | 4316.20               |
|              | 10/04/2021 | <0.100        | <0.500        | <b>0.00126</b>  | <b>0.00148</b>  | <b>0.000205</b> | <b>0.00195</b> | <0.00100     | <b>0.000354</b> | 0.00   | 9.87   | 4315.99               |
|              | 1/11/2022  | <0.100        | <b>0.757</b>  | <b>0.432</b>    | <0.00100        | <0.00100        | <0.00500       | <0.00100     | <b>0.000605</b> | 0.00   | 9.38   | 4316.48               |

**Table 1**  
**Monitoring Well Data and Analytical Results**  
**Triple Stop Chevron**  
**1034 West Gentile Street, Layton, Utah**  
**Release NUB; Facility ID 3000500**

| Sample ID    | DATE       | TPH-DRO       | TPH-GRO      | BENZENE          | ETHYL-BENZENE  | MTBE            | NAPH-THALENE   | TOLUENE         | XYLENES         | FPT    | DTW    | Groundwater Elevation |
|--------------|------------|---------------|--------------|------------------|----------------|-----------------|----------------|-----------------|-----------------|--------|--------|-----------------------|
|              | MM/DD/YY   | (mg/L)        | (mg/L)       | (mg/L)           | (mg/L)         | (mg/L)          | (mg/L)         | (mg/L)          | (mg/L)          | (feet) | (feet) | (feet)                |
| DERR ISL     |            | <b>1</b>      | <b>1</b>     | <b>0.005</b>     | <b>0.7</b>     | <b>0.2</b>      | <b>0.7</b>     | <b>1</b>        | <b>10</b>       |        |        |                       |
| DERR Tier 1  |            | <b>10</b>     | <b>10</b>    | <b>0.30</b>      | <b>4</b>       | <b>0.2</b>      | <b>0.7</b>     | <b>3</b>        | <b>10</b>       |        |        |                       |
| <b>MW-32</b> | 03/27/19   | <1.0          | <0.125       | <0.005           | <0.012         | <0.005          | <0.012         | <0.012          | <0.012          | 0.00   | 8.74   | 4317.15               |
|              | 01/27/21   | <0.100        | <0.500       | <0.00100         | <0.00100       | <0.00100        | <0.00500       | <0.00100        | <0.00300        | 0.00   | 10.61  | 4315.28               |
|              | 04/07/21   | 0.0383        | <0.500       | 0.000110         | <0.00100       | <0.00100        | <0.00500       | <0.00100        | <0.00300        | 0.00   | 10.15  | 4315.74               |
|              | 07/14/21   | <0.100        | <0.500       | <0.00100         | <0.00100       | <b>0.000175</b> | <0.00500       | <0.00100        | <b>0.00037</b>  | 0.00   | 10.04  | 4315.85               |
|              | 10/04/2021 | <0.100        | <0.500       | <0.00100         | <0.00100       | <b>0.000194</b> | <0.00500       | <0.00100        | <0.00300        | 0.00   | 10.23  | -10.23                |
|              | 1/11/2022  | <0.100        | <0.500       | <0.00100         | <0.00100       | <0.00100        | <0.00500       | <0.00100        | <0.00300        | 0.00   | 9.79   | 4316.10               |
| <b>MW-33</b> | 03/27/19   | <1.0          | <0.125       | <0.005           | <0.012         | <0.005          | <0.012         | <0.012          | <0.012          | 0.00   | 8.06   | 4324.93               |
| <b>MW-34</b> | 03/27/19   | <1.0          | <0.125       | <0.005           | <0.012         | <0.005          | <0.012         | <0.012          | <0.012          | NM     | NM     | -                     |
|              | 09/04/19   | <0.100        | <b>0.336</b> | <b>0.00253</b>   | <0.00100       | <0.00100        | <0.00500       | <0.00100        | <0.00300        | 0.00   | 10.48  | 4321.30               |
|              | 01/07/20   | <0.100        | <0.500       | <0.00100         | <0.00100       | <0.00100        | <0.00500       | <0.00100        | <0.00300        | 0.00   | 10.45  | 4321.33               |
|              | 03/31/20   | <0.100        | <0.500       | <0.00100         | <0.00100       | <0.00100        | <0.00500       | <0.00100        | <0.00300        | 0.00   | 10.19  | 4321.59               |
|              | 01/13/22   | <0.100        | <0.500       | <0.00100         | <0.00100       | <0.00100        | <0.00500       | 0.000353        | 0.000458        | 0.00   |        | 4331.78               |
| <b>MW-35</b> | 04/02/19   | <1.0          | <b>1.84</b>  | <b>0.9270</b>    | <0.012         | <0.005          | <b>0.017</b>   | <b>0.078</b>    | <b>0.258</b>    | NM     | NM     | --                    |
|              | 09/04/19   | <b>0.262</b>  | <b>5.81</b>  | <b>1.5200</b>    | <b>0.0931</b>  | <0.00100        | <b>0.0121</b>  | <b>0.140</b>    | <b>0.558</b>    | 0.00   | 13.37  | 4318.82               |
|              | 01/08/20   | <b>0.161</b>  | <b>4.70</b>  | <b>1.0600</b>    | <b>0.0735</b>  | <0.00100        | <b>0.0255</b>  | <b>0.199</b>    | <b>0.203</b>    | 0.00   | 13.72  | 4318.47               |
|              | 03/31/20   | <b>0.0710</b> | <b>0.62</b>  | <b>0.0789</b>    | <b>0.0292</b>  | <0.00100        | <b>0.0125</b>  | <b>0.00267</b>  | <b>0.0673</b>   | 0.00   | 13.44  | 4318.75               |
|              | 07/16/21   | <0.100        | <0.500       | <b>0.0000966</b> | <0.00100       | <0.00100        | <0.00500       | <0.00100        | <0.00300        |        |        |                       |
|              | 10/07/2021 | <0.100        | <0.500       | <b>0.000434</b>  | <b>0.00117</b> | <0.00100        | <b>0.00385</b> | <0.00100        | <b>0.000651</b> | 0.00   | 14.00  | 4318.19               |
|              | 1/13/2022  | <0.100        | <b>0.21</b>  | <b>0.00215</b>   | <b>0.0115</b>  | <0.00100        | <b>0.00713</b> | <b>0.000904</b> | <b>0.0815</b>   | 0.00   |        | 4332.19               |
| <b>MW-36</b> | 04/02/19   | <1.0          | <0.125       | <b>0.026</b>     | <0.012         | <0.005          | <0.012         | <0.012          | <0.012          | NM     | NM     | -                     |
|              | 09/04/19   | <0.100        | <b>1.31</b>  | <b>0.193</b>     | <0.00100       | <0.00100        | <0.00500       | <0.00100        | <b>0.00352</b>  | 0.00   | 11.60  | 4321.66               |
|              | 01/07/20   | <0.100        | <0.500       | <0.00100         | <0.00100       | <0.00100        | <0.00500       | <0.00100        | <0.00300        | 0.00   | 11.74  | 4321.52               |
|              | 03/31/20   | <0.100        | <0.500       | <0.00100         | <0.00100       | <0.00100        | <0.00500       | <0.00100        | <0.00300        | 0.00   | 11.50  | 4321.76               |

**Table 1  
Monitoring Well Data and Analytical Results  
Triple Stop Chevron  
1034 West Gentile Street, Layton, Utah  
Release NUB; Facility ID 3000500**

| Sample ID    | DATE       | TPH-DRO       | TPH-GRO      | BENZENE         | ETHYL-BENZENE  | MTBE            | NAPH-THALENE   | TOLUENE         | XYLENES         | FPT    | DTW    | Groundwater Elevation |
|--------------|------------|---------------|--------------|-----------------|----------------|-----------------|----------------|-----------------|-----------------|--------|--------|-----------------------|
|              | MM/DD/YY   | (mg/L)        | (mg/L)       | (mg/L)          | (mg/L)         | (mg/L)          | (mg/L)         | (mg/L)          | (mg/L)          | (feet) | (feet) | (feet)                |
| DERR ISL     |            | <b>1</b>      | <b>1</b>     | <b>0.005</b>    | <b>0.7</b>     | <b>0.2</b>      | <b>0.7</b>     | <b>1</b>        | <b>10</b>       |        |        |                       |
| DERR Tier 1  |            | <b>10</b>     | <b>10</b>    | <b>0.30</b>     | <b>4</b>       | <b>0.2</b>      | <b>0.7</b>     | <b>3</b>        | <b>10</b>       |        |        |                       |
| <b>MW-37</b> | 04/02/19   | <1.0          | <0.125       | <b>0.0860</b>   | <0.012         | <0.005          | <0.012         | <0.012          | <0.012          | NM     | NM     | -                     |
|              | 09/04/19   | <0.105        | <b>0.334</b> | <0.00100        | <0.00100       | <0.00100        | <0.00100       | <0.00100        | <0.00100        | 0.00   | 9.58   | 4316.90               |
|              | 01/06/20   | <0.100        | <0.500       | <0.00100        | <0.00100       | <0.00100        | <0.00100       | <0.00100        | <0.00100        | 0.00   | 10.10  | 4316.38               |
|              | 04/01/20   | <0.100        | <0.500       | <0.00100        | <0.00100       | <0.00100        | <0.00100       | <0.00100        | <0.00100        | 0.00   | 9.84   | 4316.64               |
|              | 10/29/20   | <0.0329       | <0.100       | <0.00100        | <0.00100       | <0.00100        | <0.00100       | <0.00100        | <0.00100        | 0.00   | 10.36  | 4316.12               |
|              | 01/27/21   | <0.100        | <0.500       | <0.00100        | <0.00100       | <0.00100        | <0.00500       | <0.00100        | <0.00300        | 0.00   | 10.79  | 4315.69               |
|              | 04/07/21   | <0.100        | <0.500       | <0.00100        | <0.00100       | <0.00100        | <0.00500       | <0.00100        | <0.00300        | 0.00   | 10.40  | 4316.08               |
|              | 07/14/21   | <0.100        | <0.500       | <0.00100        | <0.00100       | <0.00100        | <0.00500       | <0.00100        | <0.00300        | 0.00   | 10.37  | 4316.11               |
|              | 10/04/2021 | <0.100        | <0.500       | <0.00100        | <0.00100       | <0.00100        | <0.00500       | <0.00100        | <0.00300        | 0.00   | 10.53  | 4315.95               |
|              | 1/11/2022  | <0.100        | <0.500       | <0.00100        | <0.00100       | <0.00100        | <0.00500       | <0.00100        | <0.00300        | 0.00   | 10.11  | 4316.37               |
| <b>MW-38</b> | 07/15/21   | <0.100        | <0.500       | <b>0.000262</b> | <0.00100       | <b>0.000402</b> | <0.00500       | <0.00100        | <b>0.000332</b> | 0.00   | 10.32  | 4315.53               |
|              | 10/04/2021 | <0.100        | <0.500       | <0.00100        | <0.00100       | <b>0.000765</b> | <0.00500       | <0.00100        | <b>0.000397</b> | 0.00   | 10.55  | -10.55                |
|              | 1/11/2022  | <0.100        | <0.500       | <0.00100        | <0.00100       | <b>0.000217</b> | <0.00500       | <0.00100        | <b>0.000222</b> | 0.00   | 10.04  | 4315.81               |
| <b>MW-39</b> | 07/15/21   | <0.100        | <0.500       | <b>0.000285</b> | <0.00100       | <0.00100        | <0.00500       | <0.00100        | <0.00300        | 0.00   | 10.20  | 4315.29               |
|              | 10/04/2021 | <0.100        | <0.500       | <0.00100        | <0.00100       | <b>0.000286</b> | <0.00500       | <0.00100        | <0.00300        | 0.00   | 10.46  | -10.46                |
|              | 1/11/2022  | <0.100        | <0.500       | <0.00100        | <0.00100       | <b>0.0002</b>   | <0.00500       | <0.00100        | <0.00300        | 0.00   | 10.02  | 4315.47               |
| <b>MW-40</b> | 10/07/2021 | <b>0.0794</b> | <b>1.11</b>  | <b>0.191</b>    | <b>0.064</b>   | <0.00100        | <b>0.0134</b>  | <b>0.0230</b>   | <b>0.245</b>    | 0.00   | 9.35   | 4318.12               |
|              | 1/12/2022  | <b>0.299</b>  | <b>4.16</b>  | <b>0.591</b>    | <b>0.301</b>   | <0.00100        | <b>0.0311</b>  | <b>0.0403</b>   | <b>0.713</b>    | 0.00   |        | 4327.47               |
| <b>MW-41</b> | 10/07/2021 | <0.200        | <b>0.135</b> | <b>0.0346</b>   | <b>0.00186</b> | <0.00100        | <b>0.0283</b>  | <b>0.000321</b> | <b>0.00284</b>  | 0.00   | 11.15  | 4317.68               |
|              | 1/12/2022  | 0.104         | <b>2.31</b>  | <b>0.948</b>    | <b>0.00063</b> | <0.00100        | <b>0.00914</b> | <b>0.00326</b>  | <b>0.0374</b>   | 0.00   |        | 4328.83               |
| <b>MW-42</b> | 10/07/2021 | <b>0.610</b>  | <b>13.3</b>  | <b>6.57</b>     | <b>0.576</b>   | <0.00100        | <b>0.0593</b>  | <b>1.06</b>     | <b>1.62</b>     | 0.00   | 9.90   | 4316.94               |
|              | 1/12/2022  | <b>0.292</b>  | <100         | <b>3.07</b>     | <b>0.384</b>   | <0.20           | <1.0           | <b>0.114</b>    | <b>0.203</b>    | 0.00   |        | 4326.84               |
| <b>EW-3</b>  | 03/31/20   | <b>12.2</b>   | <b>82.8</b>  | <b>4.14</b>     | <b>1.87</b>    | <0.0500         | <b>0.458</b>   | <b>4.290</b>    | <b>23.600</b>   | 0.00   | 10.43  | 4323.67               |
|              | 04/08/21   | <b>8.00</b>   | <b>20.4</b>  | <b>0.0123</b>   | <b>0.346</b>   | <0.0500         | <b>0.0777</b>  | <b>0.271</b>    | <b>2.11</b>     | 0.00   | 11.04  | 4323.06               |
| <b>EW-4</b>  | 04/08/21   | <b>7.38</b>   | <b>38.9</b>  | <0.100          | <b>0.462</b>   | <0.100          | <b>0.181</b>   | <b>0.129</b>    | <b>6.860</b>    | 0.00   | 11.74  | -                     |

**Table 1  
Monitoring Well Data and Analytical Results  
Triple Stop Chevron  
1034 West Gentile Street, Layton, Utah  
Release NUB; Facility ID 3000500**

| Sample ID   | DATE       | TPH-DRO | TPH-GRO | BENZENE | ETHYL-BENZENE | MTBE    | NAPH-THALENE | TOLUENE | XYLENES | FPT    | DTW    | Groundwater Elevation |
|-------------|------------|---------|---------|---------|---------------|---------|--------------|---------|---------|--------|--------|-----------------------|
|             | MM/DD/YY   | (mg/L)  | (mg/L)  | (mg/L)  | (mg/L)        | (mg/L)  | (mg/L)       | (mg/L)  | (mg/L)  | (feet) | (feet) | (feet)                |
| DERR ISL    |            | 1       | 1       | 0.005   | 0.7           | 0.2     | 0.7          | 1       | 10      |        |        |                       |
| DERR Tier 1 |            | 10      | 10      | 0.30    | 4             | 0.2     | 0.7          | 3       | 10      |        |        |                       |
| RW-1        | 09/18/19   | 5.81    | 54.3    | 1.21    | 1.22          | <0.100  | 0.246        | 3.53    | 10.6    | 0.00   | NM     | -                     |
|             | 04/02/20   | 2.49    | 14.4    | <0.100  | 0.36          | <0.100  | <0.500       | 0.644   | 3.14    | 0.00   | NM     | -                     |
| RW-2        | 09/18/19   | 6.23    | 143     | 11.60   | 2.20          | <0.500  | 0.303        | 18.5    | 16.7    | 0.00   | NM     | -                     |
|             | 04/02/20   | 3.81    | 79.7    | 4.08    | 1.51          | <0.0500 | 0.148        | 13.2    | 12.9    | 0.00   | NM     | -                     |
|             | 04/08/21   | 13.7    | 86.3    | 2.43    | 1.16          | <0.100  | 0.384        | 9.98    | 17.4    | 0.00   | NM     | -                     |
|             | 07/13/21   | 3.52    | 76.2    | 0.796   | 0.422         | <0.100  | 0.199        | 4.49    | 4.38    | 0.00   | NM     | -                     |
|             | 10/08/2021 | 6.57    | 31.2    | 0.982   | 1.04          | <0.100  | 0.363        | 7.04    | 7.95    | 0.00   | NM     |                       |
|             | 1/12/2022  | 4.6     | 23      | 0.0277  | 0.955         | <0.100  | 0.214        | 3.49    | 6.37    | 0.00   | NM     |                       |

**Notes:**

\* The sample labels for MW-3 & MW-4 were reversed on 3/15/19. Resampled on 3/19/19.

TPH -GRO = Total Petroleum Hydrocarbons as Gasoline

TPH--DRO = Total Petroleum Hydrocarbons as Diesel

DTW = Depth to groundwater

FPT = Free Product Thickness

DERR = Utah Division of Environmental Response and Remediation

ISL = Initial Screening Level

Tier 1 = Tier 1 Screening Level

mg/l = milligram/liter