

Dear Above Ground Storage Tank Owners,

The Utah Department of Environmental Quality (DEQ), Division of Environmental Response and Remediation (DERR) will begin regulating Above Ground Storage Tanks (AST) starting July 1, 2021.

What is a regulated AST? A petroleum storage tank greater than 500 gallons and meets one or both of the following:

- If the AST rests on soil or gravel
- If any portion of the piping is underground

ASTs not regulated include:

- Less than 501 gallons
- Commercial airport for fueling
- Used in farm or agriculture
- Petroleum distributor or refiner (SIC Code 2911 or 5171)
- Related to oil or gas production and gathering operations
- Used for heating oil on premises

Owners and Operators with regulated ASTs must notify the DERR by July 1, 2022. A Notification form can be found below . Please fill out the form to the best of your ability.

Either email it to: TankCompliance@utah.gov

or mail it to:

Division of Environmental Response and Remediation Underground Storage Tank Section P.O. Box 144840 Salt Lake City, Utah 84114-4840

State AST regulations require that owners and operators of regulated ASTs demonstrate financial responsibility to show they can pay the costs of cleanups and third-party claims for leaks from ASTs. A method of financial responsibility must be in place by July 1, 2023. Financial Responsibility can be found in Section IX of the form. Indicate the method you think you will use. This does not obligate you.

Also, beginning May 5, 2021, all ASTs that are now regulated by DERR will be required to submit a closure plan for any closures, upgrades, line replacement, etc. And, releases from regulated ASTs will now be regulated by the DERR and the Underground Storage Tank reporting requirements and cleanup standards will apply.

Please sign and date the form and return it to the DERR. If you have questions please contact us at 801-536-4100.

Utah Notif	fication for Ab	ovegr	ound Petrole	um St	orage Tanks				
Division of Environmental Response and Remediation Underground Storage Tank Section P.O. Box 144840			Phone # (801) 536-410 Fax # (801) 359-8853 I: <u>TankCompliance@uta</u> Web site: deq.utah.gov	ah.gov	STATE USE ONLY Facility ID #: Date Received: Data Entry Clerk Initials:				
Salt Lake City, Utah 84114-4840									
This form must be completed by the State of Utah.	l for each location contai	ining above	eground petroleum sto	rage tanks	(APSTs) that are regulated				
I. O	wnership of tank(s)		Ш.	Loc	ation of tank(s)				
Owner Name			Facility ID # (unless new I	ocation)					
Mailing Address			Facility Name	×	<u></u>				
City State Zip			Street Address						
Contact			County City Zip						
Phone # Cell #			Facility Phone #						
E-mail			Latitude:		Longitude:				
Ш. Т	ype of Notification			IV.	Other				
New Notification A Located on land within an or on other Indian trust la Name of Tribe:			Federally regulated underground storage tanks are at this location. If so, please enter the Facility ID assigned the space above under Section II.						
V. Type of Owner	VI.	Туре	of Facility		VII. Exempt				
CommercialAuto DealershipPrivateContractorFederal GovernmentFederal – Non-miliState GovernmentFederal – MilitaryLocal GovernmentGas StationTribal GovernmentIndustrial				Commercial Airport(<i>fueling</i>) Farm/Agriculture Petroleum Distributor/Refiner (<i>sic</i> <i>Code 2911 or 5171</i>) Oil or Gas Production and Gathering Heating Oil used on premises Less than 501 gallons					
	VIII.	Contact Pe	erson in Charge of Tank						
Name: Job Title:	E-mail:		Address:		Phone Number (Include Area Code):				
	IX.	Finan	cial Responsibility						
I plan to meet the financial res	sponsibility requirements	by using t	he following mechanism	n(s): (check a	ll that apply)				
			nt Financial Test		ety Bond				
Commercial Insurance Risk Retention			roup	Trust F	Trust Fund				
Guarantee Self-insura			nancial Test)	Other I	ther Method (explain)				
Letter of Credit State Fund (Petro			roleum Storage Tank Fund)						
X. Certification (Read and sign after completing ALL SECTIONS of this notification form)									
I certify under penalty of law that I have personally examined and am familiar with the information submitted in Sections I through XI of this notification form and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, believe that the submitted information is true, accurate, and complete.									
Authorized representative (Prin		31	Shature		Date Signed				

	XI. Description of Above	ground Petroleu	m Storage Tank	s (complete for each	tank at this location	n)
	entification Number (use additional pages han 5 APSTs)	Tank #	Tank #	Tank #	Tank #	Tank #
1.	Tank system description (check all that apply) (if either of these apply, the ApST is regulated) Rests directly on soil (including gravel)					
	Any portion of piping buried or touches soil (including gravel)					
2.	Status of Tank (check only one)					
	Currently in Use					
	Temporarily Closed					
3.	Date of Installation					
4. 5.	Capacity (501 gallons and greater) Tank Attributes (check all that apply)					
.	Asphalt Coated or Bare Steel				N.	
	Cathodically Protected Steel (impressed current)					
	Cathodically Protected Steel (sacrificial anodes)					
	Composite (steel clad with non-corrodible material)					
	Concrete					
	Double Walled					
	Manifolded					
	Compartmentalized					
	Field – constructed					
	Steel Secondary Containment					
	Concrete Secondary Containment					
	Earthen Secondary Containment					
	Tank rests on cradles					
	UL Listed APST					
	Connected to an Emergency Generator					
	Other, Specify Here					
6.	Overfill Protection (check all that apply)			(
	Automatic Shutoff					
	High-level Alarm					
7.	Spill Prevention Single Walled					
	Dry Connect Fitting					
	Other, Specify Here					
		I	· '			I

	1	1	1	
8. Vapor Recovery Attributes (check all that apply)				
Pressure Vent Valve on Vent Pipe				
Coaxial Drop Tube at Tank				
Two Point Vapor Recovery at Tank				
Emergency Venting				
9. Piping Attributes (check all that apply)				
Bare Steel				
Galvanized Steel Fiberglass Reinforced Plastic				
Flexible Plastic				
Copper				
Cathodically Protected				
(impressed current)				
Cathodically Protected (sacrificial anodes)				
Double Walled				
Secondary Containment				
Airport Hydrant Piping				
Unknown				
Other, specify Here	 			
10. Piping Flexible Connectors (tank end)				
10. Piping Flexible Connectors (tank end) Containment sump				/
10. Piping Flexible Connectors (tank end) Containment sump Booted				
10. Piping Flexible Connectors (tank end) Containment sump Booted Not in contact with soil				
10. Piping Flexible Connectors (tank end) Containment sump Booted Not in contact with soil Cathodically Protected (impressed current)				
10. Piping Flexible Connectors (tank end) Containment sump Booted Not in contact with soil Cathodically Protected				/
10. Piping Flexible Connectors (tank end) Containment sump Booted Not in contact with soil Cathodically Protected (impressed current) Cathodically Protected (sacrificial anodes) 11. Piping Flexible Connectors (dispenser end)				
10. Piping Flexible Connectors (tank end) Containment sump Booted Not in contact with soil Cathodically Protected (impressed current) Cathodically Protected (sacrificial anodes) 11. Piping Flexible Connectors (dispenser end) Containment sump				
10. Piping Flexible Connectors (tank end) Containment sump Booted Not in contact with soil Cathodically Protected (impressed current) Cathodically Protected (sacrificial anodes) 11. Piping Flexible Connectors (dispenser end) Containment sump Booted				
10. Piping Flexible Connectors (tank end) Containment sump Booted Not in contact with soil Cathodically Protected (impressed current) Cathodically Protected (sacrificial anodes) Cathodically Protected 11. Piping Flexible Connectors (dispenser end) Containment sump Booted Not in contact with soil				
10. Piping Flexible Connectors (tank end) Containment sump Booted Not in contact with soil Cathodically Protected (impressed current) Cathodically Protected (sacrificial anodes) 11. Piping Flexible Connectors (dispenser end) Containment sump Booted				
10. Piping Flexible Connectors (tank end) Containment sump Booted Not in contact with soil Cathodically Protected (impressed current) Cathodically Protected (sacrificial anodes) 11. Piping Flexible Connectors (dispenser end) Containment sump Booted Not in contact with soil Cathodically Protected Containment sump Booted Not in contact with soil Cathodically Protected (impressed current) Cathodically Protected (impressed current)				
10. Piping Flexible Connectors (tank end) Containment sump Booted Not in contact with soil Cathodically Protected (impressed current) Cathodically Protected (sacrificial anodes) 11. Piping Flexible Connectors (dispenser end) Containment sump Booted Not in contact with soil Cathodically Protected (impressed current) Containment sump Booted Not in contact with soil Cathodically Protected (impressed current) Cathodically Protected (impressed current)				
10. Piping Flexible Connectors (tank end) Containment sump Booted Not in contact with soil Cathodically Protected (impressed current) Cathodically Protected (sacrificial anodes) 11. Piping Flexible Connectors (dispenser end) Containment sump Booted Not in contact with soil Cathodically Protected Containment sump Booted Not in contact with soil Cathodically Protected (impressed current) Cathodically Protected (impressed current)				
10. Piping Flexible Connectors (tank end) Containment sump Booted Not in contact with soil Cathodically Protected (impressed current) Cathodically Protected (sacrificial anodes) 11. Piping Flexible Connectors (dispenser end) Containment sump Booted Not in contact with soil Cathodically Protected (impressed current) Containment sump Booted Not in contact with soil Cathodically Protected (impressed current) Cathodically Protected (impressed current) Cathodically Protected (impressed current) Cathodically Protected (sacrificial anodes) 12. Piping Delivery Type				
10. Piping Flexible Connectors (tank end) Containment sump Booted Not in contact with soil Cathodically Protected (impressed current) Cathodically Protected (sacrificial anodes) 11. Piping Flexible Connectors (dispenser end) Containment sump Booted Not in contact with soil Cathodically Protected (impressed current) Cathodically Protected Safe Suction (no valve at tank)				

ſ	13. Substance										
	Gasoline - Regular (up to 10% ethanol)										
Gasoline - Midgrade (up to 10% ethanol)											
	Gasoline - Premium (up to 10% ethanol)										
	Gasoline – Ethanol Free										
	Gasoline Containing > 10% ethanol (specify amount of ethanol and grade of product)										
	Diesel										
	Off Road Diesel										
	Biodiesel										
1	Diesel Containing > 20% biodiesel (specify amount of biodiesel)										<u> </u>
ĺ	Kerosene										
	Avgas							\backslash			
	Jet Fuel										
	New Oil										
	Used Oil										
	Other, specify here										
-	14. Release Detection (check all that apply)	Tank	Pipe	 Tank	Pipe	 Tank	Pipe	Tank	Pipe	 Tank	Pipe
-			Fipe	Talik	Fipe	Talik	Fipe	Talik	Fipe	Talik	Fipe
	Tank Tightness Testing Automatic Tank Gauging										
ŀ	Interstitial Monitoring			\ \							
┢	Statistical Inventory Reconciliation										1
ŀ	Automatic Line Leak Detectors										7
ŀ	Line Tightness Testing										
L	Line rightness resting	Y.									

Comments