

**Initial Screening Levels
March 31, 2005**

Contaminants*	Groundwater (mg/L)	Soil (mg/kg)
Benzene	0.005	0.2
Toluene	1.0	9
Ethylbenzene	0.7	5
Xylenes	10.0	142
Naphthalene	0.7	51
Methyl t-butyl ether (MTBE)	0.2	0.3
Total Petroleum Hydrocarbons (TPH) as gasoline	1	150
Total Petroleum Hydrocarbons (TPH) as diesel	1	500
Oil and Grease or Total Recoverable Petroleum Hydrocarbons (TRPH)	10	1000

**Tier 1 Screening Criteria
March 31, 2005**

Tier 1 Screening Levels are applicable only when the following site conditions are met:

- 1.) *No buildings, property boundaries or utility lines within 30 feet of the highest measured concentration of any contaminant that is greater than the initial screening levels but less than or equal to the Tier 1 screening levels AND,*
- 2.) *No water wells or surface water within 500 feet of highest measured concentration of any contaminant that is greater than the initial screening levels but less than or equal to the Tier 1 screening levels.*

Contaminants *	Groundwater (mg/L)	Soil (mg/kg)
Benzene	0.3	0.9
Toluene	3	25
Ethylbenzene	4	23
Xylenes	10	142
Naphthalene	0.7	51
Methyl t-butyl ether (MTBE)	0.2	0.3
Total Petroleum Hydrocarbons (TPH) as gasoline	10	1500
Total Petroleum Hydrocarbons (TPH) as diesel	10	5000
Oil and Grease or Total Recoverable Petroleum Hydrocarbons (TRPH)	10	10000