ATTACHMENT I

Wasteload Analysis and Anti-degradation Review

WASTELOAD ANALYSIS [WLA] Addendum: Statement of Basis SUMMARY Discharging Facility: Alton Coal Development, Coal Hollow UPDES No: UT-0025992 1.75 cfs Current Flow: 1.13 MGD 1.75 cfs Design Flow 1,13 MGD Lower Robinson Ck, Sink Valley Wash Receiving Water: Stream Classification: 2B, 3C, 4 Permit Flow Minimum Stream Flows [cfs]: 0.0 Summer (July-Sept) **Permit Flow Minimum** 0.0 Fall (Oct-Dec) Permit Flow Minimum 0.0 Winter (Jan-Mar) Permit Flow Minimum 0.0 Spring (Apr-June) 1.0 Average 300.0 Summer (July-Sept) Average Stream TDS Values: Average 300.0 Fall (Oct-Dec) 300.0 Winter (Jan-Mar) Average 300.0 Spring (Apr-June) Average WQ Standard: **Effluent Limits:** 1.13 MGD Design Flow Flow, MGD: 5.0 Indicator BOD, mg/l: 25.0 Summer 5.0 30 Day Average 5.0 Summer Dissolved Oxygen, mg/l Varies Function of pH and Temperature TNH3, Chronic, mg/l: 7.6 Summer 1200.5 Summer TDS, mg/l: **Modeling Parameters:** Acute River Width: 50.0% Chronic River Width: 100.0% Antidegradation Level II Review is NOT Required Date: 4/29/2013

Permit Writer:			
WLA by:	This	M UM	5-13-13
WQM Sec. Approval:	of :		
TMDL Sec. Approval:			

WASTELOAD ANALYSIS [WLA]
Addendum: Statement of Basis

29-Apr-13 4:00 PM

UPDES No: UT-0025992

Facilities:

Alton Coal Development, Coal Hollow

Lower Robinson Ck, Sink Valley Wash

I. Introduction

Discharging to:

Wasteload analyses are performed to determine point source effluent limitations necessary to maintain designated beneficial uses by evaluating projected effects of discharge concentrations on in-stream water quality. The wasteload analysis also takes into account downstream designated uses [R317-2-8, UAC]. Projected concentrations are compared to numeric water quality standards to determine acceptability. The anti-degradation policy and procedures are also considered. The primary in-stream parameters of concern may include metals (as a function of hardness), total dissolved solids (TDS), total residual chlorine (TRC), un-ionized ammonia (as a function of pH and temperature, measured and evaluated interms of total ammonia), and dissolved oxygen.

Mathematical water quality modeling is employed to determine stream quality response to point source discharges. Models aid in the effort of anticipating stream quality at future effluent flows at critical environmental conditions (e.g., low stream flow, high temperature, high pH, etc).

The numeric criteria in this wasteload analysis may always be modified by narrative criteria and other conditions determined by staff of the Division of Water Quality.

II. Receiving Water and Stream Classification

Lower Robinson Ck, Sink Valley Wasl 2B, 3C, 4

Antidegradation Review: Antidegradation Level II Review is NOT Required

III. Numeric Stream Standards for Protection of Aquatic Wildlife

Total Ammonia (TNH3)

Varies as a function of Temperature and pH Rebound. See Water Quality Standards

Chronic Total Residual Chlorine (TRC)

0.011 mg/l (4 Day Average) 0.019 mg/l (1 Hour Average)

Chronic Dissolved Oxygen (DO)

5.00 mg/l (30 Day Average) N/A mg/l (7Day Average) 3.00 mg/l (1 Day Average

Maximum Total Dissolved Solids

1200.0 mg/l

Acute and Chronic Heavy Metals (Dissolved)

	4 Day Average (Chronic)	1 Hour Average (Acute) Standard			
Parameter	Concentration	Load*	Concentration		Load*
Aluminum	87.00 ug/l**	0.820 lbs/day	750.00	ug/l	7.067 lbs/day
Arsenic	190.00 ug/l	1.790 lbs/day	340.00	ug/l	3.204 lbs/day
Cadmium	0.61 ug/l	0.006 lbs/day	6.51	ug/l	0.061 lbs/day
Chromium III	211.82 ug/l	1.996 lbs/day	4431.63	ug/l	41.756 lbs/day
ChromiumVI	11.00 ug/l	0.104 lbs/day	16.00	ug/l	0.151 lbs/day
Copper	23.84 ug/l	0.225 lbs/day	39.39	ug/l	0.371 lbs/day
Iron	Ü	•	1000.00	ug/l	9.422 lbs/day
Lead	12.87 ug/l	0.121 lbs/day	330.36	ug/l	3.113 lbs/day
Mercury	0.0120 ug/l	0.000 lbs/day	2.40	ug/l	0.023 lbs/day
Nickel	132.07 ug/l	1.244 lbs/day	1187.86	ug/l	11.192 lbs/day
Selenium	4.60 ug/l	0.043 lbs/day	20.00	ug/l	0.188 lbs/day
Silver	N/A ug/l	N/A lbs/day	25.02	ug/i	0.236 lbs/day
Zinc	303.79 ug/l	2.862 lbs/day	303.79	ug/l	2.862 lbs/day
		•		_	

^{*} Allowed below discharge

**Chronic Aluminum standard applies only to waters with a pH < 7.0 and a Hardness < 50 mg/l as CaCO3

Metals Standards Based upon a Hardness of 299.83 mg/l as CaCO3

^		rn-sti-i	
огga	nics	[Pesticion of the control of the con	ues

•	4 Day Average (Chronic) Standard		1 Hour Average (Acute) Standard			
Parameter	Concentra	ation	Load*	Concentration		Load*
Aldrin				1.500	ug/l	0.014 lbs/day
Chlordane	0.004 u	ıg/l	0.041 lbs/day	1.200	ug/l	0.011 lbs/day
DDT, DDE	0.001 u	ig/l	0.009 lbs/day	0.550	ug/l	0.005 lbs/day
Dieldrin	0.002 u	ıg/l	0.018 lbs/day	1.250	ug/l	0.012 lbs/day
Endosulfan	0.056 u	ıg/l	0.528 lbs/day	0.110	ug/l	0.001 lbs/day
Endrin	0.002 u	ıg/l	0.022 lbs/day	0.090	ug/l	0.001 lbs/day
Guthion				0.010	ug/l	0.000 lbs/day
Heptachlor	0.004 u	ıg/l	0.036 lbs/day	0.260	ug/l	0.002 lbs/day
Lindane	0.080 u	ig/l	0.754 lbs/day	1.000	ug/l	0.009 lbs/day
Methoxychlor	•			0.030	ug/l	0.000 lbs/day
Mirex				0.010	u g /l	0.000 lbs/day
Parathion	8			0.040	ug/l	0.000 lbs/day
PCB's	0.014 u	ıg/l	0.132 lbs/day	2.000	ug/l	0.019 lbs/day
Pentachlorophenol	13.00 u	ıg/l	122.560 lbs/day	20.000	u g /l	0.188 lbs/day
Toxephene		ıg/l	0.002 lbs/day	0.7300	ug/l	0.007 lbs/day

IV. Numeric Stream Stan	dards for Protection of A	Agriculture			
4	Day Average (Chronic) S	Standard	1 Hour Average (Acute) Standard		
	Concentration	Load*	oad* Concentration Loa		
Arsenic			100.0 ug/l	lbs/day	
Boron			750.0 ug/l	lbs/day	
Cadmium			10.0 ug/l	0.05 lbs/day	
Chromium			100.0 ug/l	lbs/day	
Copper			200.0 ug/l	lbs/day	
Lead			100.0 ug/l	lbs/day	
Selenium			50.0 ug/l	lbs/day	
TDS, Summer			1200.0 mg/l	5.65 tons/day	

V. Numeric Stream Standards for Protection of Human Health (Class 1C Waters)

4	4 Day Average (Chronic) S	1 Hour Average (Acute) Standard		
Metals	Concentration	Load*	Concentration	Load*
Arsenic			ug/l	lbs/day
Barium			ug/l	lbs/day
Cadmium			ug/l	lbs/day
Chromium			ug/l	lbs/day
Lead			ug/l	lbs/day
Merċury			ug/l	lbs/day
Selenium			ug/l	lbs/day
Silver			ug/l	lbs/day
Fluoride (3)			ug/l	lbs/day
to			ug/l	lbs/day
Nitrates as N			ug/l	lbs/day
Chlorophenoxy Herbici	des			
2,4-D			ug/l	lbs/day
2,4,5-TP			ug/l	lbs/day
Endrin			ug/l	lbs/day
ocyclohexane (Lindane)			ug/l	lbs/day
Methoxychlor			ug/l	lbs/day
Toxaphene			ug/i	lbs/day

VI. Numeric Stream Standards the Protection of Human Health from Water & Fish Consumption [Toxics]

Maximum Conc., ug/l - Acute Standards

	Class 1C		(Class 3	A, 3B
Toxic Organics	[2 Liters/Day for 70 Kg	Person over 70 Yr.]	[6.5 g	for 70	Kg Person over 70 Yr.]
Acenaphthene	ug/l	lbs/day	2700.0	ug/l	25.45 lbs/day
Acrolein	ug/l	lbs/day	780.0	ug/l	7.35 lbs/day
Acrylonitrile	ug/l	lbs/day	0.7	ug/l	0.01 lbs/day
Benzene	ug/l	lbs/day	71.0	ug/l	0.67 lbs/day
Benzidine	ug/l	lbs/day	0.0	ug/l	0.00 lbs/day
Carbon tetrachloride	ug/l	lbs/day	4.4	ug/l	0.04 lbs/day
Chlorobenzene	ug/l	lbs/day	21000.0	ug/l	197.98 lbs/day
1,2,4-Trichlorobenzene					
Hexachlorobenzene	ug/l	lbs/day	0.0	ug/l	0.00 lbs/day
1,2-Dichloroethane	ug/l	lbs/day	99.0	ug/l	0.93 lbs/day

4.4.4 Triable roothopo						
1,1,1-Trichloroethane	ug/l	lhe	s/day	8.9	ua/l	0.08 lbs/day
Hexachloroethane	ugn	ID.	si day	0.0	ug/i	,
1,1-Dichloroethane	ug/l	lhe	s/day	42.0	ua/l	0.40 lbs/day
1,1,2-Trichloroethane	•		s/day	11.0	-	0.10 lbs/day
1,1,2,2-Tetrachloroethai	ug/l	IDA	3/ day		ug/l	0.00 lbs/day
Chloroethane	uall	libe	s/day		ug/l	0.01 lbs/day
Bis(2-chloroethyl) ether	ug/l		s/day		ug/l	0.00 lbs/day
2-Chloroethyl vinyl ether	ug/l		s/day s/day		ug/l	40.54 lbs/day
2-Chloronaphthalene	ug/l		s/day s/day	6.5	ug/l	0.06 lbs/day
2,4,6-Trichlorophenol	ug/i	ID:	5/uay	0.0	ug/l	0.00 lbs/day
p-Chloro-m-cresol	/!	lhe	s/day	470.0	ug/l	4.43 lbs/day
Chloroform (HM)	ug/l		s/day s/day	400.0	_	3.77 lbs/day
2-Chlorophenol	ug/l		s/day s/day	17000.0	_	160.27 lbs/day
1,2-Dichlorobenzene	ug/l		s/day s/day	2600.0	ug/l	24.51 lbs/day
1,3-Dichlorobenzene	ug/l		s/day s/day	2600.0	ug/l	24.51 lbs/day
1,4-Dichlorobenzene	ug/l		s/day s/day	0.1	ug/l	0.00 lbs/day
3,3'-Dichlorobenzidine	ug/l		s/day s/day	3.2	_	0.03 lbs/day
1,1-Dichloroethylene	ug/l		s/day s/day		ug/l	0.00 lbs/day
1,2-trans-Dichloroethyle	ug/l		s/day s/day	790.0		7.45 lbs/day
2,4-Dichlorophenol	ug/l		s/day s/day	39.0	_	0.37 lbs/day
1,2-Dichloropropane	ug/l		s/day s/day	1700.0	-	16.03 lbs/day
1,3-Dichloropropylene	ug/l		s/day s/day	2300.0	_	21.68 lbs/day
2,4-Dimethylphenol	ug/l		s/day	9.1	ug/l	0.09 lbs/day
2,4-Dinitrotoluene	ug/l		s/day		ug/l	0.00 lbs/day
2,6-Dinitrotoluene	ug/l		s/day		ug/i	0.01 lbs/day
1,2-Diphenylhydrazine	ug/l		s/day	29000.0	_	273.40 lbs/day
Ethylbenzene	ug/l		s/day	370.0	_	3.49 lbs/day
Fluoranthene	ug/l	ID	s/uay	370.0	ug/i	5. 10 IB5/44J
4-Chlorophenyl phenyl ether						
4-Bromophenyl phenyl ether		lla	o/dov	170000.0	ua/l	1602.71 lbs/day
Bis(2-chloroisopropyl) e	ug/l		s/day		ug/l	0.00 lbs/day
Bis(2-chloroethoxy) met	ug/l		s/day	1600.0	ug/l	15.08 lbs/day
Methylene chloride (HM	ug/l		s/day s/day	0.0	ug/l	0.00 lbs/day
Methyl chloride (HM)	ug/l		s/day s/day	0.0	_	0.00 lbs/day
Methyl bromide (HM)	ug/l		s/day	360.0	_	3.39 lbs/day
Bromoform (HM)	ug/l		s/day	22.0	_	0.21 lbs/day
Dichlorobromomethane	ug/l		s/day		ug/l	0.32 lbs/day
Chlorodibromomethane	ug/l		s/day		ug/l	0.47 lbs/day
Hexachlorobutadiene(c)	ug/l		s/day	17000.0		160.27 lbs/day
Hexachlorocyclopentadi	ug/l		os/day os/day	600.0	-	5.66 lbs/day
Isophorone	ug/l	16	Jaruay	000.0	ug/i	2.22
Naphthalene	ua/l	Ih	os/day	1900.0	ua/l	17.91 lbs/day
Nitrobenzene	ug/l		os/day		ug/l	0.00 lbs/day
2-Nitrophenol	ug/l		os/day os/day		ug/l	0.00 lbs/day
4-Nitrophenol	ug/l		os/day os/day	14000.0	_	131.99 lbs/day
2,4-Dinitrophenol	ug/l		os/day os/day	765.0		7.21 lbs/day
4,6-Dinitro-o-cresol	ug/l		os/day os/day		ug/l	0.08 lbs/day
N-Nitrosodimethylamine	ug/l		os/day os/day		ug/l	0.15 lbs/day
N-Nitrosodiphenylamine	ug/l		os/day os/day		ug/l	0.01 lbs/day
N-Nitrosodi-n-propylami	ug/l		os/day		ug/l	0.08 lbs/day
Pentachlorophenol	ug/l	II.	Jorday	5.2	~g/ '	5.55 ,

Phenol	ug/l	lbs/day	4.6E+06	ua/l	4.34E+04 lbs/day
Bis(2-ethylhexyl)phthala	ug/l	lbs/day		ug/l	0.06 lbs/day
Butyl benzyl phthalate	ug/l	lbs/day	5200.0		49.02 lbs/day
Di-n-butyl phthalate	ug/l	lbs/day	12000.0		113.13 lbs/day
Di-n-octyl phthlate	ug/i	ibarday	12000.0	ug/i	115.15 lb3/day
Diethyl phthalate	ug/l	lbs/day	120000.0	ua/l	1131.32 lbs/day
Dimethyl phthlate	ug/l	lbs/day	2.9E+06		2.73E+04 lbs/day
Benzo(a)anthracene (P/	ug/l	lbs/day		ug/l	0.00 lbs/day
Benzo(a)pyrene (PAH)	ug/l	lbs/day		ug/l	0.00 lbs/day
Benzo(b)fluoranthene (F	ug/l	lbs/day		ug/l	0.00 lbs/day
Benzo(k)fluoranthene (F	ug/l	lbs/day		ug/i	0.00 lbs/day
Chrysene (PAH)	ug/l	lbs/day		ug/l	0.00 lbs/day
Acenaphthylene (PAH)	ug/i	ibbruay	0.0	ug/i	0.00 lb3/day
Anthracene (PAH)	ug/l	lbs/day	0.0	ua/l	0.00 lbs/day
Dibenzo(a,h)anthracene	ug/l	lbs/day	0.0	ug/l	0.00 lbs/day
Indeno(1,2,3-cd)pyrene	ug/l	lbs/day	0.0	ug/l	0.00 lbs/day
Pyrene (PAH)	ug/l	lbs/day	11000.0	ug/i	103.70 lbs/day
Tetrachioroethylene	ug/l	lbs/day	8.9	ug/l	0.08 lbs/day
Toluene	ug/l	lbs/day	200000	ug/l	1885.54 lbs/day
Trichloroethylene	ug/l	lbs/day	81.0	ug/l	0.76 lbs/day
Vinyl chloride	ug/l	lbs/day	525.0		4.95 lbs/day
Villy Chloride	ugn	ibsiday	525.0	ugn	lbs/day
Pesticides					lbs/day
Aldrin	ug/l	lbs/day	0.0	ua/l	0.00 lbs/day
Dieldrin	ug/l	lbs/day	0.0		0.00 lbs/day
Chlordane	ug/l	lbs/day	0.0		0.00 lbs/day
4,4'-DDT	ug/l	lbs/day		ug/l	0.00 lbs/day
4,4'-DDE	ug/l	lbs/day		ug/l	0.00 lbs/day
4,4'-DDD	ug/l	lbs/day		ug/l	0.00 lbs/day
alpha-Endosulfan	ug/i	lbs/day		ug/l	0.00 lbs/day
beta-Endosulfan	ug/l	lbs/day		ug/l	0.02 lbs/day
Endosulfan sulfate	ug/l	lbs/day		ug/i	0.02 lbs/day
Endrin	ug/l	lbs/day		ug/l	0.02 lbs/day
Endrin aldehyde	ug/l	lbs/day		ug/l	0.01 lbs/day
Heptachlor	ug/l	lbs/day		ug/l	0.00 lbs/day
Heptachlor epoxide	ug/i	155rday	0.0	ugn	0.00 lb3/day
1 Topido ino Topoxido					
PCB's					
PCB 1242 (Arochior 124	ug/l	lbs/day	0.0	ua/l	0.00 lbs/day
PCB-1254 (Arochlor 12t	ug/l	lbs/day	0.0		0.00 lbs/day
PCB-1221 (Arochlor 122	ug/l	lbs/day	0.0		0.00 lbs/day
PCB-1232 (Arochlor 12)	ug/l	lbs/day	0.0	_	0.00 lbs/day
PCB-1248 (Arochlor 124	ug/l	lbs/day	0.0	_	0.00 lbs/day
PCB-1260 (Arochlor 126	ug/l	lbs/day	0.0		0.00 lbs/day
PCB-1016 (Arochlor 10°	ug/l	lbs/day	0.0	-	0.00 lbs/day
,				-5	5.55 .25.4dy
Pesticide					
Toxaphene	ug/l		0.0	ug/l	0.00 lbs/day
	-			-	•
Dioxin					
Dioxin (2,3,7,8-TCDD)	ug/l	lbs/day			

Metals Antimony	ug/l	lbs/day		
Arsenic	ug/l	lbs/day	4300.00 ug/l	40.54 lbs/day
Asbestos	ug/l	lbs/day		
Beryllium				
Cadmium				
Chromium (III)				
Chromium (VI)				
Copper				
Cyanide	ug/l	lbs/day	2.2E+05 ug/l	2074.09 lbs/day
Lead	ug/l	lbs/day		
Mercury	= 1		0.15 ug/l	0.00 lbs/day
Nickel			4600.00 ug/l	43.37 lbs/day
Selenium	ug/l	lbs/day		
Silver	ug/l	lbs/day		
Thallium			6.30 ug/l	0.06 lbs/day
Zinc				

There are additional standards that apply to this receiving water, but were not considered in this modeling/waste load allocation analysis.

VII. Mathematical Modeling of Stream Quality

Model configuration was accomplished utilizing standard modeling procedures. Data points were plotted and coefficients adjusted as required to match observed data as closely as possible.

The modeling approach used in this analysis included one or a combination of the following models.

- (1) The Utah River Model, Utah Division of Water Quality, 1992. Based upon STREAMDO IV (Region VIII) and Supplemental Ammonia Toxicity Models; EPA Region VIII, Sept. 1990 and QUAL2E (EPA, Athens, GA).
- (2) Utah Ammonia/Chlorine Model, Utah Division of Water Quality, 1992.
- (3) AMMTOX Model, University of Colorado, Center of Limnology, and EPA Region 8
- (4) Principles of Surface Water Quality Modeling and Control. Robert V. Thomann, et.al. Harper Collins Publisher, Inc. 1987, pp. 644.

Coefficients used in the model were based, in part, upon the following references:

(1) Rates, Constants, and Kinetics Formulations in Surface Water Quality Modeling. Environmental Research Laboratory, Office of Research and Development, U.S. Environmental Protection Agency, Athens Georgia. EPA/600/3-85/040 June 1985.

(2) Principles of Surface Water Quality Modeling and Control. Robert V. Thomann, et.al. Harper Collins Publisher, Inc. 1987, pp. 644.

VIII. Modeling Information

The required information for the model may include the following information for both the upstream conditions at low flow and the effluent conditions:

Flow, Q, (cfs or MGD)

D.O. mg/l

Temperature, Deg. C.

Total Residual Chlorine (TRC), mg/l

pН

Total NH3-N, mg/l

BOD5, mg/l

Total Dissolved Solids (TDS), mg/l

Metals, ug/l

Toxic Organics of Concern, ug/l

Other Conditions

In addition to the upstream and effluent conditions, the models require a variety of physical and biological coefficients and other technical information. In the process of actually establishing the permit limits for an effluent, values are used based upon the available data, model calibration, literature values, site visits and best professional judgement.

Model Inputs

The following is upstream and discharge information that was utilized as inputs for the analysis. Dry washes are considered to have an upstream flow equal to the flow of the discharge.

Current Upstream Information Stream

	Critical Low							
	Flow	Temp.	pН	T-NH3	BOD5	DO	TRC	TDS
	cfs	Deg. C		mg/l as N	mg/I	mg/l	mg/l	mg/l
Summer (Irrig. Season)	0.0	20.0	8.1	0.03	0.10	10.06	0.00	300.0
Fall	0.0	12.0	8.0	0.03	0.10	(mmm)	0.00	300.0
Winter	0.0	5.0	8.0	0.03	0.10		0.00	300.0
Spring	0.0	12.0	8.1	0.03	0.10	***	0.00	300.0
Dissolved	Al	As	Cd	Crlll	CrVI	Copper	Fe	Pb
Metals	ug/l	ug/l	ug/l	ug/l	ug/l	ug/i	ug/l	ug/l
All Seasons	1.59*	0.53*	0.053*	0.53*	2.65*	0.53*	0.83*	0.53*
Dissolved	Hg	Ni	Se	Ag	Zn	Boron		
Metals		ug/l	ug/l	ug/l	ug/l	ug/l		
All Seasons	0.0000	0.53*	1.06*	0.1*	0.053*	10.0	*	1/2 MDL

Projected Discharge Information

Season	Flow, MGD	Temp.	TDS mg/l	TDS tons/day
Summer	1.13000	NA	1200.00	5.65339
Fall	1.13000	NA		
Winter	1.13000	NA		
Spring	1.13000	NA		

All model numerical inputs, intermediate calculations, outputs and graphs are available for discussion, inspection and copy at the Division of Water Quality.

IX. Effluent Limitations

Current State water quality standards are required to be met under a variety of conditions including in-stream flows targeted to the 7-day, 10-year low flow (R317-2-9).

Other conditions used in the modeling effort coincide with the environmental conditions expected at low stream flows.

Effluent Limitation for Flow based upon Water Quality Standards

In-stream criteria of downstream segments will be met with an effluent flow maximum value as follows:

Season	Daily Averag	е
Summer	1.130 MGD	1.748 cfs
Fall	1.130 MGD	1.748 cfs
Winter	1.130 MGD	1.748 cfs
Spring	1.130 MGD	1.748 cfs

Flow Requirement or Loading Requirement

The calculations in this wasteload analysis utilize the maximum effluent discharge flow of 1.13 MGD. If the discharger is allowed to have a flow greater than 1.13 MGD during 7Q10 conditions, and effluent limit concentrations as indicated, then water quality standards will be violated. In order to prevent this from occuring, the permit writers must include the discharge flow limitiation as indicated above; or, include loading effluent limits in the permit.

Effluent Limitation for Whole Effluent Toxicity (WET) based upon WET Policy

Effluent Toxicity will not occur in downstream segements if the values below are met.

WET Requirements	LC50 >	EOP Effluent	[Acute]
•	IC25 >	99.9% Effluent	[Chronic]

Effluent Limitation for Biological Oxygen Demand (BOD) based upon Water Quality Standards or Regulations

In-stream criteria of downstream segments for Dissolved Oxygen will be met with an effluent BOD limitation as follows:

Season	Concentration	
Summer	-25.0 mg/l as BOD5	235.6 lbs/day
Fall	25.0 mg/l as BOD5	235.6 lbs/day
Winter	25.0 mg/l as BOD5	235.6 lbs/day
Spring	25.0 mg/l as BOD5	235.6 lbs/day

Effluent Limitation for Dissolved Oxygen (DO) based upon Water Quality Standards

In-stream criteria of downstream segments for Dissolved Oxygen will be met with an effluent D.O. limitation as follows:

Concentration
5.00
5.00
5.00
5.00

Effluent Limitation for Total Ammonia based upon Water Quality Standards

In-stream criteria of downstream segments for Total Ammonia will be met with an effluent limitation (expressed as Total Ammonia as N) as follows:

Seas	on				
	Concenti	Concentration			
Summer	4 Day Avg Chronic	7.6	mg/l as N	71.7	lbs/day
	1 Hour Avg Acute	61.3	mg/l as N	578.0	lbs/day
Fall	4 Day Avg Chronic	7.6	mg/l as N	71.7	lbs/day
	,1 Hour Avg Acute	61.3	mg/l as N	578.0	lbs/day
Winter	4 Day Avg Chronic	7.6	mg/l as N	71.7	lbs/day
	1 Hour Avg Acute	61.3	mg/l as N	578.0	lbs/day
Spring	4 Day Avg Chronic	7.6	mg/l as N	71.7	lbs/day
	1 Hour Avg Acute	61.3	mg/l as N	578.0	lbs/day

Acute limit calculated with an Acute Zone of Initial Dilution (ZID) to be equal to 100.%.

Effluent Limitation for Total Residual Chlorine based upon Water Quality Standards

In-stream criteria of downstream segments for Total Residual Chlorine will be met with an effluent limitation as follows:

Seas	on	Concentra	ation	Load	I
Summer	4 Day Avg Chronic	0.011	mg/l	0.10	lbs/day
	1 Hour Avg Acute	0.019	mg/l	0.18	lbs/day
Fall	4 Day Avg Chronic	0.011	mg/l	0.10	lbs/day
	1 Hour Avg Acute	0.019	mg/l	0.18	lbs/day
Winter	4 Day Avg Chronic	0.011	mg/l	0.10	lbs/day
	1 Hour Avg Acute	0.019	mg/l	0.18	lbs/day
Spring	4 Day Avg Chronic	0.011	mg/l	0.00	lbs/day
	1 Hour Avg Acute	0.019	mg/l	0.00	lbs/day

Effluent Limitations for Total Dissolved Solids based upon Water Quality Standards

Season		Concentration		Load	
Summer Fall Winter Spring	Maximum, Acute Maximum, Acute Maximum, Acute 4 Day Avg Chronic	1200.5 1200.5 1200.5 1200.5	mg/l mg/l mg/l mg/l	5.66 5.66 5.66 5.66	tons/day tons/day tons/day tons/day
Colorado S	alinity Forum Limits	Determine	d by Permi	tting Section	

Effluent Limitations for Total Recoverable Metals based upon Water Quality Standards

In-stream criteria of downstream segments for Dissolved Metals will be met with an effluent limitation as follows (based upon a hardness of 299.83 mg/l):

		4 Day Ave	rage		1 Hour	Average		
	Concen	-	Load	l	Concentration		Load	
Aluminum	N/A		N/A		750.4	ug/l	7.1	lbs/day
Arsenic	190.11	ug/l	1.2 lb	s/day	340.2	ug/l	3.2	ibs/day
Cadmium	0.61	ug/l	0.0 lb	s/day	6.5	ug/l	0.1	lbs/day
Chromium III	211.94	ug/l	1.3 lb	s/day	4,434.2	ug/l	41.8	lbs/day
Chromium VI	11.00	ug/l	0.1 lb	s/day	16.0	ug/l	0.2	lbs/day
Copper	23.85	•	0.1 lb	s/day	39.4	ug/l	0.4	lbs/day
Iron	N/A	· ·	N/A	•	1,000.6	ug/l	9.4	lbs/day
Lead	12.88	ug/l	0.1 lb	s/day	330.5	ug/l	3.1	lbs/day
Mercury	0.01	ug/l	0.0 lb	s/day	2.4	ug/l	0.0	lbs/day
Nickel	132.14	•	0.8 lb	s/day	1,188.5	ug/l	11.2	lbs/day
Selenium	4.60	0	0.0 lb	s/day	20.0	ug/l	0.2	lbs/day
Silver	N/A	-	N/A lb	•	25.0	ug/l	0.2	lbs/day

Zinc	303.96 ug/l	1.9 lbs/day	304.0	ug/l	2.9 lbs/day
Cyanide	5.20 ug/l	0.0 lbs/day	22.0	ug/l	0.2 lbs/day

Effluent Limitations for Heat/Temperature based upon Water Quality Standards

Summer	22.0 Deg. C.	71.6 Deg. F
Fall	14.0 Deg. C.	57.2 Deg. F
Winter	7.0 Deg. C.	44.6 Deg. F
Spring	14.0 Deg. C.	57.2 Deg. F

Effluent Limitations for Organics [Pesticides] Based upon Water Quality Standards

In-stream criteria of downstream segments for Organics [Pesticides] will be met with an effluent limit as follows:

	4 Day Av	erage	1 Hour A	verage	
	Concentration	Load	Concentration	•	Load
Aldrin			1.5E+00	ug/l	2.19E-02 lbs/day
Chlordane	4.30E-03 ug/l	4.05E-02 lbs/day	1.2E+00	ug/l	1.75E-02 lbs/day
DDT, DDE	1.00E-03 ug/l	9.42E-03 lbs/day	5.5E-01	ug/l	8.02E-03 lbs/day
Dieldrin	1.90E-03 ug/l	1.79E-02 lbs/day	1.3E+00	ug/l	1.82E-02 lbs/day
Endosulfan	5.60E-02 ug/l	5.28E-01 lbs/day	1.1E-01	ug/l	1.60E-03 lbs/day
Endrin	2.30E-03 ug/l	2.17E-02 lbs/day	9.0E-02	ug/l	1.31E-03 lbs/day
Guthion	0.00E+00 ug/l	0.00E+00 lbs/day	1.0E-02	ug/l	1.46E-04 lbs/day
Heptachlor	3.80E-03 ug/l	3.58E-02 lbs/day	2.6E-01	ug/l	3.79E-03 lbs/day
Lindane	8.00E-02 ug/l	7.54E-01 lbs/day	1.0E+00	ug/l	1.46E-02 lbs/day
Methoxychlor	0.00E+00 ug/l	0.00E+00 lbs/day	3.0E-02	ug/l	4.37E-04 lbs/day
Mirex	0.00E+00 ug/l	0.00E+00 lbs/day	1.0E-02	ug/l	1.46E-04 lbs/day
Parathion	0.00E+00 ug/l	0.00E+00 lbs/day	4.0E-02	ug/l	5.83E-04 lbs/day
PCB's	1.40E-02 ug/l	1.32E-01 lbs/day	2.0E+00	ug/l	2.92E-02 lbs/day
Pentachlorophenol	1.30E+01 ug/l	1.22E+02 lbs/day	2.0E+01	ug/l	2.92E-01 lbs/day
Toxephene	2.00E-04 ug/l	1.88E-03 lbs/day	7.3 E-0 1	ug/l	1.06E-02 lbs/day

Effluent Targets for Pollution Indicators Based upon Water Quality Standards

In-stream criteria of downstream segments for Pollution Indicators will be met with an effluent limit as follows:

	1 Hour Average		
	Concentration	Loading	
Gross Beta (pCi/l)	50.0 pCi/L		
BOD (mg/l)	5.0 mg/l	47.1 lbs/day	
Nitrates as N	4.0 mg/l	37.7 lbs/day	
Total Phosphorus as P	0.05 mg/l	0.5 lbs/day	
Total Suspended Solids	90.0 mg/l	848.0 lbs/day	

Note: Pollution indicator targets are for information purposes only.

Effluent Limitations for Protection of Human Health [Toxics Rule] Based upon Water Quality Standards (Most stringent of 1C or 3A & 3B as appropriate.)

In-stream criteria of downstream segments for Protection of Human Health [Toxics] will be met with an effluent limit as follows:

	Maximum Concentration			
	Concentration	Load		
Toxic Organics				
Acenaphthene	2.70E+03 ug/l	2.55E+01 lbs/day		
Acrolein	7.80E+02 ug/l	7.35E+00 lbs/day		
Acrylonitrile	6.60E-01 ug/l	6.22E-03 lbs/day		
Benzene	7.10E+01 ug/l	6.69E-01 lbs/day		
Benzidine	ug/l	lbs/day		
Carbon tetrachloride	4.40E+00 ug/l	4.15E-02 lbs/day		
Chlorobenzene	2.10E+04 ug/l	1.98E+02 lbs/day		
1,2,4-Trichlorobenzene				
Hexachlorobenzene	7.70E-04 ug/l	7.26E-06 lbs/day		
1,2-Dichloroethane	9.91E+01 ug/l	9.33E-01 lbs/day		
1,1,1-Trichloroethane				
Hexachloroethane	8.91E+00 ug/l	8.39E-02 lbs/day		
1,1-Dichloroethane				
1,1,2-Trichloroethane	4.20E+01 ug/l	3.96E-01 lbs/day		
1,1,2,2-Tetrachloroethane	1.10E+01 ug/l	1.04E-01 lbs/day		
Chloroethane				
Bis(2-chloroethyl) ether	1.40E+00 ug/l	1.32E-02 lbs/day		
2-Chloroethyl vinyl ether				
2-Chloronaphthalene	4.30E+03 ug/l	4.05E+01 lbs/day		
2,4,6-Trichlorophenol	6.50E+00 ug/l	6.13E-02 lbs/day		
p-Chloro-m-cresol				
Chloroform (HM)	4.70E+02 ug/l	4.43E+00 lbs/day		
2-Chlorophenol	4.00E+02 ug/l	3.77E+00 lbs/day		
1,2-Dichlorobenzene	1.70E+04 ug/l	1.60E+02 lbs/day		
1,3-Dichlorobenzene	2.60E+03 ug/l	2.45E+01 lbs/day		

1,4-Dichlorobenzene	2.60E+03 ug/l	2.45E+01 lbs/day
3,3'-Dichlorobenzidine	7.70E-02 ug/l	7.26E-04 lbs/day
1,1-Dichloroethylene	3.20E+00 ug/l	3.02E-02 lbs/day
1,2-trans-Dichloroethylene1		
2,4-Dichlorophenol	7.90E+02 ug/l	7.45E+00 lbs/day
1,2-Dichloropropane	3.90E+01 ug/l	3.68E-01 lbs/day
1,3-Dichloropropylene	1.70E+03 ug/l	1.60E+01 lbs/day
2,4-Dimethylphenol	2.30E+03 ug/l	2.17E+01 lbs/day
2,4-Dinitrotoluene	9.11E+00 ug/l	8.58E-02 lbs/day
2,6-Dinitrotoluene	5.172 ° 55 ° 49.1	0.002 02 120/449
1,2-Diphenylhydrazine	5.40E-01 ug/l	5.09E-03 lbs/day
Ethylbenzene	2.90E+04 ug/l	2.73E+02 lbs/day
Fluoranthene	3.70E+02 ug/l	-
	3.70E+02 ug/i	3.49E+00 lbs/day
4-Chlorophenyl phenyl ether		
4-Bromophenyl phenyl ether	4.705.05	4 005 . 00 15 - (-1
Bis(2-chloroisopropyl) ether	1.70E+05 ug/l	1.60E+03 lbs/day
Bis(2-chloroethoxy) methane		
Methylene chloride (HM)	1.60E+03 ug/l	1.51E+01 lbs/day
Methyl chloride (HM)		Tá .
Methyl bromide (HM)		
Bromoform (HM)	3.60E+02 ug/l	3.39E+00 lbs/day
Dichlorobromomethane(HM)	2.20E+01 ug/l	2.07E-01 lbs/day
Chlorodibromomethane (HM)	3.40E+01 ug/l	3.21E-01 lbs/day
Hexachlorocyclopentadiene	1.70E+04 ug/l	1.60E+02 lbs/day
Isophorone	6.00E+02 ug/l	5.66E+00 lbs/day
Naphthalene	9	•
Nitrobenzene	1.90E+03 ug/l	1.79E+01 lbs/day
2-Nitrophenol	3	,
4-Nitrophenol		
2,4-Dinitrophenol	1.40E+04 ug/l	1.32E+02 lbs/day
4,6-Dinitro-o-cresol	7.65E+02 ug/l	7.21E+00 lbs/day
N-Nitrosodimethylamine	8.10E+00 ug/i	7.64E-02 lbs/day
N-Nitrosodiphenylamine	1.60E+01 ug/l	1.51E-01 lbs/day
N-Nitrosodi-n-propylamine	1.40E+00 ug/l	1.32E-02 lbs/day
Pentachlorophenol	8.20E+00 ug/l	7.73E-02 lbs/day
Phenol	4.60E+06 ug/l	4.34E+04 lbs/day
Bis(2-ethylhexyl)phthalate	5.90E+00 ug/l	5.56E-02 lbs/day
	_	4.90E+01 lbs/day
Butyl benzyl phthalate	5.20E+03 ug/l 1.20E+04 ug/l	-
Di-n-butyl phthalate	1.20E+04 ug/l	1.13E+02 lbs/day
Di-n-octyl phthlate	4.005.05	4.40[00 /-
Diethyl phthalate	1.20E+05 ug/l	1.13E+03 lbs/day
Dimethyl phthlate	2.90E+06 ug/l	2.73E+04 lbs/day
Benzo(a)anthracene (PAH)	3.10E-02 ug/l	2.92E-04 lbs/day
Benzo(a)pyrene (PAH)	3.10E-02 ug/l	2.92E-04 lbs/day
Benzo(b)fluoranthene (PAH)	3.10E-02 ug/l	2.92E-04 lbs/day
Benzo(k)fluoranthene (PAH)	3.10E-02 ug/l	2.92E-04 lbs/day
Chrysene (PAH)	3.10E-02 ug/l	2.92E-04 lbs/day
Acenaphthylene (PAH)		
Anthracene (PAH)		
Dibenzo(a,h)anthracene (PAH)	3.10E-02 ug/l	2.92E-04 lbs/day
Indeno(1,2,3-cd)pyrene (PAH)	3.10E-02 ug/l	2.92E-04 lbs/day
	•	•

Donata (DALI)	4.405+04.06/	1.04E+02 lbs/day
Pyrene (PAH)	1.10E+04 ug/l	8.39E-02 lbs/day
Tetrachloroethylene	8.91E+00 ug/l	1.89E+03 lbs/day
Toluene	2.00E+05 ug/l	-
Trichloroethylene	8.10E+01 ug/l	7.64E-01 lbs/day
Vinyl chloride	5.25E+02 ug/l	4.95E+00 lbs/day
Pesticides		
Aldrin	1.40E-04 ug/l	1.32E-06 lbs/day
Dieldrin	1.40E-04 ug/l	1.32E-06 lbs/day
Chlordane	5.90E-04 ug/l	5.56E-06 lbs/day
4,4'-DDT	5.90E-04 ug/l	5.56E-06 lbs/day
4,4'-DDE	5.90E-04 ug/l	5.56E-06 lbs/day
4,4'-DDD	8.40E-04 ug/l	7.92E-06 lbs/day
alpha-Endosulfan	2.00E+00 ug/l	1.89E-02 lbs/day
beta-Endosulfan	2.00E+00 ug/	1.89E-02 lbs/day
Endosulfan sulfate	2.00E+00 ug/l	1.89E-02 lbs/day
Endrin	8.10E-01 ug/l	7.64E-03 lbs/day
Endrin aldehyde	8.10E-01 ug/l	7.64E-03 lbs/day
Heptachlor	2.10E-04 ug/l	1.98E-06 lbs/day
Heptachlor epoxide		
PCB's		
PCB 1242 (Arochlor 1242)	4.50E-05 ug/l	4.24E-07 lbs/day
PCB-1254 (Arochlor 1254)	4.50E-05 ug/l	4.24E-07 lbs/day
PCB-1221 (Arochlor 1221)	4.50E-05 ug/l	4.24E-07 lbs/day
PCB-1232 (Arochlor 1232)	4.50E-05 ug/l	4.24E-07 lbs/day
PCB-1232 (Arochlor 1232)	4.50E-05 ug/l	4.24E-07 lbs/day
PCB-1246 (Arochlor 1246) PCB-1260 (Arochlor 1260)	4.50E-05 ug/l	4.24E-07 lbs/day
PCB-1200 (Arochlor 1200)	4.50E-05 ug/l	4.24E-07 lbs/day
,	•	
Pesticide	7.505.04	7 07F 00 lb=/do
Toxaphene	7.50E-04 ug/l	7.07E-06 lbs/day
Metals		
Antimony	ug/l	lbs/day
Arsenic	ug/l	lbs/day
Asbestos	ug/l	lbs/day
Beryllium		
Cadmium		
Chromium (III)		
Chromium (VI)		
Copper	ug/l	lbs/day
Cyanide	ug/l	lbs/day
Lead	_	
Mercury	ug/l	lbs/day
Nickel	ug/l	lbs/day
Selenium		
Silver	_	n 73
Thallium	ug/I	lbs/day
Zinc		

Dioxin

Dioxin (2,3,7,8-TCDD)

1.40E-08 ug/l

1.32E-10 lbs/day

Metals Effluent Limitations for Protection of All Beneficial Uses Based upon Water Quality Standards and Toxics Rule

290	Class 4 Acute Agricultural ug/l	Class 3 Acute Aquatic Wildlife ug/l	Acute Toxics Drinking Water Source ug/l	Acute Toxics Wildlife ug/l	1C Acute Health Criteria ug/l	Acute Most Stringent ug/l	Class 3 Chronic Aquatic Wildlife ug/l
Aluminum		750.4				750.4	N/A
Antimony				4302.5		4302.5	
Arsenic	100.1	340.2			0.0	100.1	190.1
Barium						0.0	
Beryllium						0.0	
Cadmium	10.0	6.5			0.0	6.5	0.6
Chromium (III)		4434.2			0.0	4434.2	211.9
Chromium (VI)	100.1	16.0			0.0	16.01	11.00
Copper	200.1	39.4				39.4	23.9
Cyanide		22.0	220125.9			22.0	5.2
Iron		1000.6				1000.6	
Lead	100.1	330.5			0.0	100.1	12.9
Mercury		2.40		0.15	0.0	0.15	0.012
Nickel		1188.5		4602.6		1188.5	132.1
Selenium	50.0	20.0			0.0	20.0	4.6
Silver		25.0			0.0	25.0	
Thallium				6.3		6.3	
Zinc		304.0				304.0	304.0
Boron	750.4					750:4	

Summary Effluent Limitations for Metals [Wasteload Allocation, TMDL]

[If Acute is more stringent than Chronic, then the Chronic takes on the Acute value.]

	WLA Acute	WLA Chronic	
	ug/l	ug/l	
Aluminum	750.4	N/A	
Antimony	4302.46		
Arsenic	100.1	190.1	Acute Controls
Asbestos	0.00E+00		
Barium			
Beryllium			
Cadmium	6.5	0.6	
Chromium (III)	4434.2	212	
Chromium (VI)	16.0	11.0	
Copper	39.4	23.9	

Cyanide	22.0	5.2
Iron	1000.6	
Lead	100.1	12.9
Mercury	0.150	0.012
Nickel	1188.5	132
Selenium	20.0	4.6
Silver	25.0	N/A
Thallium	6.3	
Zinc	304.0	304.0
Boron	750.43	

Other Effluent Limitations are based upon R317-1.

E. coli

126.0 organisms per 100 ml

X. Antidegradation Considerations

The Utah Antidegradation Policy allows for degradation of existing quality where it is determined that such lowering of water quality is necessary to accommodate important economic or social development in the area in which the waters are protected [R317-2-3]. It has been determined that certain chemical parameters introduced by this discharge will cause an increase of the concentration of said parameters in the receiving waters. Under no conditions will the increase in concentration be allowed to interfere with existing instream water uses.

The antidegradation rules and procedures allow for modification of effluent limits less than those based strictly upon mass balance equations utilizing 100% of the assimilative capacity of the receiving water. Additional factors include considerations for "Blue-ribbon" fisheries, special recreational areas, threatened and endangered species, and drinking water sources.

An Antidegradation Level I Review was conducted on this discharge and its effect on the receiving water. Based upon that review, it has been determined that an Antidegradation Level II Review is NOT Required

XI. Colorado River Salinity Forum Considerations

Discharges in the Colorado River Basin are required to have their discharge at a TDS loading of less than 1.00 tons/day unless certain exemptions apply. Refer to the Forum's Guidelines for additional information allowing for an exceedence of this value.

XII. Summary Comments

The mathematical modeling and best professional judgement indicate that violations of receiving water beneficial uses with their associated water quality standards, including important downstream segments, will not occur for the evaluated parameters of concern as discussed above if the effluent limitations indicated above are met.

XIII. Notice of UPDES Requirement

This Addendum to the Statement of Basis does not authorize any entity or party to discharge to the waters of the State of Utah. That authority is granted through a UPDES permit issued by the Utah Division of Water Quality. The numbers presented here may be changed as a function of other factors. Dischargers are strongly urged to contact the Permits Section for further information. Permit writers may utilize other information to adjust these limits and/or to determine other limits based upon best available technology and other considerations provided that the values in this wasteload analysis [TMDL] are not compromised. See special provisions in Utah Water Quality Standards for adjustments in the Total Dissolved Solids values based upon background concentration.

Utah Division of Water Quality 801-538-6052 File Name: Alton_Coal_WLA_4-29-13

APPENDIX - Coefficients and Other Model Information

CBOD	CBOD	CBOD	REAER.	REAER.	REAER.	NBOD	NBOD
Coeff.	Coeff.	Coeff.	Coeff.	Coeff.	Coeff.	Coeff.	Coeff.
(Kd)20	FORCED	(Ka)T	(Ka)20	FORCED	(Ka)T	(Kn)20	(Kn)T
1/day	(Kd)/day	1/day	(Ka)/day	1/day	1/day	1/day	1/day
2.000	0.000	0.806	3060.102	0.000	1913.360	0.400	0.087
Open	Open	NH3	NH3	NO2+NO3	NO2+NO3	TRC	TRC
Coeff.	Coeff.	LOSS		LOSS		Decay	
(K4)20	(K4)T	(K5)20	(K5)⊤	(K6)20	(K6)T	K(CI)20	K(CI)(T)
1/day	1/day	1/day	1/day	1/day	1/day	1/day	1/day
0.000	0.000	4.000	1.611	0.000	0.000	32.000	10.095
BENTHIC DEMAND (SOD)20 gm/m2/day 1.000	BENTHIC DEMAND (SOD)T gm/m2/day 0.287						
K1 CBOD {theta} 1.0	K2 Reaer. {theta} 1.0	K3 NH3 {theta} 1.1	K4 Open {theta} 1.0	NH3 Loss	K6 NO2+3 {theta} 1.0	K(CI) TRC {theta} 1.1	S Benthic {theta} 1.1

Review by:		EI43/2042
•		
•		
•		
•		
4		
•		