

**APPENDIX G**

**Plant and Wildlife Species List**

<b>Species</b>	<b>Common Name</b>	<b>Habitats for Species Observed on TEAD-S*</b>
<b>REPTILES</b>		
<b>Family Iguanidae</b>		
<i>Gambelia wislizenii</i>	Leopard Lizard	
<i>Crotaphytus insularis</i>	Great Basin Collard Lizzard	
<i>Sceloporus occidentalis</i>	Western Fence Lizzard	
<i>Sceloporus graciosus</i>	Sagebrush Lizard	D
<i>Uta stansburiana</i>	Side-blotched Lizard	
<i>Phrynosoma platyrhinos</i>	Desert Horned Lizard	
<b>Family Scincidae</b>		
<i>Eumeces skiltonianus</i>	Great Basin Skink	
<b>Family Teiidae</b>		
<i>Cnemidophorus tigris</i>	Great Basin Whiptail	
<b>Family Colubridae</b>		
<i>Pituophis melanoloucus</i>	Great Basin Gopher Snake	D
<i>Masticophis taeniatus</i>	Western Striped Racer	
<i>Coluber constrictor</i>	Western Yellow-bellied Racer	
<i>Rhinocheilus lecontei</i>	Western Long-nosed Snake	
<i>Hypsiglena torquata</i>	Night Snake	
<b>Family Viperidae</b>		
<i>Crotalus viridis</i>	Great Basin Rattlesnake	
<b>AMPHIBIANS</b>		
<b>Family Bufonidae</b>		
<i>Bufo woodhousei</i>	Western Woodhouse Toad	
<b>Family Pelobatidae</b>		
<i>Scaphiopus intermentanus</i>	Great Basin Spadefoot Toad	
<b>Family Ranidae</b>		
<i>Rana pipiens</i>	Northern Leopard Frog	

Species	Common Name	Habitats for Species Observed on TEAD-S*
<b>MAMMALS</b>		
<b>Family Soricidae</b>		
<i>Sorex merriami</i>	Merrim's Shrew	
<i>Sorex palustris</i>	Water Shrew	
<i>Sorex vagrans</i>	Vagrant Shrew	
<b>Family Vespertilionidae</b>		
<i>Antrozous pallidus</i>	Pallid Bat	
<i>Eptesicus fuscus</i>	Big Brown Bat	
<i>Euderma maculatum</i>	Spotted Bat	
<i>Lasionycteris noctivagans</i>	Silver-haired Bat	
<i>Myotis evotis</i>	Long-eared Myotis	
<i>Myotis lucifugus</i>	Little Brown Myotis	
<i>Myotis subulatus</i>	Small-footed Myotis	
<i>Myotis volans</i>	Long-legged Myotis	
<i>Nycteris cinereus</i>	Hoary Bat	
<i>Plecotus townsendii</i>	Townsend's Big-eared Bat	
<b>Family Molossidae</b>		
<i>Tadarida brasiliensis</i>	Brazilian Free-tailed Bat	
<b>Family Leporidae</b>		
<i>Lepus californicus</i>	Black-tailed Jackrabbit	GF, AP, RB, D, SS
<i>Sylvilagus auduboni</i>	Desert Cottontail	GF, D
<i>Sylvilagus nuttalli</i>	Mountain Cottontail	
<b>Family Sciuridae</b>		
<i>Ammospermophilus leucurus</i>	Antelope Ground Squirrel	
<i>Eutamias dorsalis</i>	Cliff Chipmunk	
<i>Eutamias minimus</i>	Least Chipmunk	D
<i>Eutamias umbrinus</i>	Uinta Chipmunk	
<i>Marmota flaviventris</i>	Yellow-Bellied Marmot	
<i>Spermophilus lateralis</i>	Golden-Mantled Ground Squirrel	
<i>Spermophilus townsendii</i>	Townsend's Ground Squirrel	
<i>Spermophilus variegatus</i>	Rock Squirrel	
<b>Family Geomyidae</b>		
<i>Thomomys talpoides</i>	Northern Pocket Gopher	
<i>Thomomys umbrinus</i>	Pygmy Pocket Gopher	
<b>Family Heteromyidae</b>		
<i>Dipodomys microps</i>	Chisel-toothed Kangaroo Rat	
<i>Dipodomys ordii</i>	Ord's Kangaroo Rat	GW, D, BS
<i>Microdipodops megacephalus</i>	Dark Kangaroo Mouse	
<i>Perognathus longimembris</i>	Little Pocket Mouse	
<i>Perognathus parvus</i>	Great-Basin Pocket Mouse	GW

<b>Species</b>	<b>Common Name</b>	<b>Habitats for Species Observed on TEAD-S*</b>
<b>Family Cricetidae</b>		
<i>Peromyscus crinitus</i>	Canyon Mouse	
<i>Peromyscus maniculatus</i>	Deer Mouse	GW, AGF
<i>Peromyscus truei</i>	Pinyon Mouse	
<i>Reithrodontomys megalotis</i>	Western Harvest Mouse	
<i>Lagurus curtatus</i>	Sagebrush Vole	
<i>Microtus longicaudus</i>	Long-tailed Vole	
<i>Microtus montanus</i>	Mountain Vole	
<i>Microtus pennsylvanicus</i>	Meadow Vole	
<i>Neotoma cinerea</i>	Bushy-tailed Wood Rat	
<i>Neotoma lepida</i>	Desert Wood Rat	
<i>Onychomys leucogaster</i>	Northern Grasshopper Mouse	
<b>Family Muridae</b>		
<i>Rattus norvegicus</i>	Norway Rat	
<i>Mus musculus</i>	House Mouse	
<b>Family Erethizontidae</b>		
<i>Erethizon dorsatum</i>	Porcupine	
<b>Family Zapodidae</b>		
<i>Zapus princeps</i>	Western Jumping Mouse	
<b>Family Canidae</b>		
<i>Canis latrans</i>	Coyote	D, RB
<i>Urocyon cinereoargenteus</i>	Gray Fox	
<i>Vulpes macrotis</i>	Kit Fox	
<i>Vulpes vulpes</i>	Red Fox	
<b>Family Procyonidae</b>		
<i>Bassariscus astutus</i>	Ring-Tail	
<i>Procyon lotor</i>	Raccoon	
<b>Family Mustelidae</b>		
<i>Mephitis mephitis</i>	Stripped Skunk	
<i>Spilogale putorius</i>	Spotted Skunk	
<i>Mustela erminea</i>	Ermine	
<i>Mustela frenata</i>	Long tail Weasel	
<i>Taxidea taxus</i>	Badger	GF
<b>Family Felidae</b>		
<i>Felis concolor</i>	Mountain Lion	
<i>Felis rufus</i>	Bobcat	
<b>Family Cervidae</b>		
<i>Cervus elephas</i>	Elk	
<i>Odocoileus hemionus</i>	Mule Deer	D

<b>Species</b>	<b>Common Name</b>	<b>Habitats for Species Observed on TEAD-S*</b>
<b>Family Antilocarpridae</b>		
<i>Antilocapra americana</i>	Pronghorn Antelope	GF
<b>BIRDS</b>		
<b>Family Podicipedidae</b>		
<i>Aechmophorus occidentalis</i>	Western Grebe	RL, ML
<b>Family Pelecanidae</b>		
<i>Pelecanus erythrorhynchos</i>	American White Pelican	RL
<b>Family Anhingidae</b>		
<i>Phalacrocorax auritus</i>	Double Breasted Cormorant	RL
<b>Family Anatidae</b>		
<i>Branta canadensis</i>	Canada Goose	GF
<i>Anas platyrhynchos</i>	Mallard	CWHA
<i>Anas strepera</i>	Gadwald	CWHA
<i>Anas crecca</i>	Green-winged Teal	CWHA
<b>Family Rallidae</b>		
<i>Fulica americana</i>	American Coot	CWHA
<b>Family Recurvirostridae</b>		
<i>Recurvirostra americana</i>	American Avocet	CWHA
<b>Family Charadriidae</b>		
<i>Charadrius alexandrinus</i>	Snowy Plover	
<i>Charadrius vociferous</i>	Killdeer	SGR, ML
<b>Family Scolopacidae</b>		
<i>Numenius americanus</i>	Long-billed Curlew	
<b>Family Cathartidae</b>		
<i>Cathartes aura</i>	Turkey Vulture	BS
<b>Family Accipitridae</b>		
<i>Aquila chrysaetos</i>	Golden Eagle	GF, D, S, RT
<i>Haliaeetus leucocephalus</i>	Bald Eagle	GF, D, RT, MC, AL, RL
<i>Circus cyaneus</i>	Northern Harrier	GF, SS, RB, AP
<i>Accipiter cooperii</i>	Cooper's Hawk	
<i>Accipiter striatus</i>	Sharp-shinned Hawk	
<i>Buteo jamaicensis</i>	Red-tailed Hawk	BS, SS
<i>Buteo swainsoni</i>	Swainson's Hawk	
<i>Buteo lagopus</i>	Rough-legged Hawk	SGR, GF, D, S
<i>Buteo regalis</i>	Ferruginous Hawk	S

<b>Species</b>	<b>Common Name</b>	<b>Habitats for Species Observed on TEAD-S*</b>
<b>Family Falconidae</b>		
<i>Falco sparverius</i>	American Kestrel	S
<i>Falco columbarius</i>	Merlin	RL
<i>Falco mexicanus</i>	Prairie Falcon	GF
<i>Falco peregrinus</i>	Peregrine Falcon	
<b>Family Phasianidae</b>		
<i>Phasianus colchicus</i>	Ring-necked Pheasant	
<i>Centrocercus urophasianus</i>	Sage Grouse	
<i>Alectoris chukar</i>	Chukar	
<b>Family Columbidae</b>		
<i>Columba livia</i>	Rock Dove	S
<i>Zenaida macroura</i>	Mourning Dove	D
<b>Family Strigidae</b>		
<i>Bubo virginianus</i>	Great Horned Owl	S
<i>Asio otus</i>	Long-eared Owl	
<i>Asio flammeus</i>	Short-eared Owl	GW
<i>Athene cunicularia</i>	Burrowing Owl	
<b>Family Caprimulgidae</b>		
<i>Chordeiles minor</i>	Common Nighthawk	GF
<b>Family Trochilidae</b>		
<i>Selasphorus platycercus</i>	Broad-tailed Hummingbird	
<i>Selasphorus rufus</i>	Rufus Hummingbird	
<b>Family Picidae</b>		
<i>Colaptes auratus</i>	Northern Flicker	RG
<b>Family Tyrannidae</b>		
<i>Tyrannus verticalis</i>	Western Kingbird	BS, RG
<i>Myiarchus cinerascens</i>	Ash-throated Flycatcher	
<i>Sayornis saya</i>	Say's Phoebe	GF
<b>Family Alaudidae</b>		
<i>Eremophila alpestris</i>	Horned Lark	BS, GF, GW, AP, D
<b>Family Hirundinidae</b>		
<i>Tachycineta thalassina</i>	Violet-green Swallow	
<i>Hirundo rustica</i>	Barn Swallow	GW, BS
<i>Petrochelidon pyrrhonota</i>	Cliff Swallow	
<i>Riparia riparia</i>	Bank Swallow	

<b>Species</b>	<b>Common Name</b>	<b>Habitats for Species Observed on TEAD-S*</b>
<b>Family Corvidae</b>		
<i>Aphelocoma coerulescens</i>	Scrub Jay	
<i>Gymnorhinus cyanocephalus</i>	Pinyon Jay	
<i>Pica pica</i>	Black-billed Magpie	GF, RG
<i>Corvus corax</i>	Common Raven	GF, RB,D, SS,
<b>Family Troglodytidae</b>		
<i>Troglodytes aedon</i>	House Wren	
<b>Family Muscicapidae</b>		
<i>Sialia currucoides</i>	Mountain Bluebird	GF, SS, RG
<i>Myadestes townsendi</i>	Townsend's Solitaire	RG
<i>Turdus migratorius</i>	American Robin	
<b>Family Laniidae</b>		
<i>Lanius ludovicianus</i>	Loggerhead Shrike	BS, SGR
<i>Lanius excubitor</i>	Northern Shrike	BS
<b>Family Mimidae</b>		
<i>Mimus polyglottos</i>	Northern Mockingbird	
<i>Oreoscoptes montanus</i>	Sage Thrasher	BS, GW
<b>Family Bombycillidae</b>		
<i>Bombycilla garrulus</i>	Bohemian Waxwing	
<i>Bombycilla cedrorum</i>	Cedar Waxwing	
<b>Family Sturnidae</b>		
<i>Sturnus vulgaris</i>	European Starling	D, S
<b>Family Vireonidae</b>		
<i>Vireo solitarius</i>	Solitary Vireo	
<b>Family Emberizidae</b>		
<i>Vermivora celata</i>	Orange-crowned Warbler	
<i>Dendroica petechia</i>	Yellow Warbler	
<i>Dendroica coronata</i>	Yellow-rumped Warbler	
<i>Hesperiphona vespertina</i>	Evening Grosbeak	
<i>Pipilo chlorurus</i>	Green-tailed Towhee	
<i>Ammodramus savannarum</i>	Grasshopper Sparrow	GW
<i>Passerculus sandwichensis</i>	Savannah Sparrow	GF
<i>Pooecetes gramineus</i>	Vesper Sparrow	GF
<i>Chondestes grammacus</i>	Lark Sparrow	AGF
<i>Spizella breweri</i>	Brewer's Sparrow	
<i>Spizella passerina</i>	Chipping Sparrow	GF
<i>Amphispiza belli</i>	Sage Sparrow	
<i>Junco hyemalis</i>	Dark-eyed Junco	
<i>Zonotrichia leucophrys</i>	White-crowned Sparrow	GF
<i>Melospiza lincolni</i>	Lincoln's Sparrow	

<u>Species</u>	<u>Common Name</u>	<u>Habitats for Species Observed on TEAD-S*</u>
<b>Family Emberizidae continued</b>		
<i>Sturnella neglecta</i>	Western Meadowlark	BS, GF, SS, GW, RB, D
<i>Agelaius phoeniceus</i>	Red-winged Blackbird	D
<i>Euphagus cyanocephalus</i>	Brewer's Blackbird	GF
<i>Molothrus ater</i>	Brown-headed Cowbird	ML
<i>Icterus glabula</i>	Northern Oriole	
<i>Piranga ludoviciana</i>	Western Tanager	
<b>Family Fringillidae</b>		
<i>Spinus tristis</i>	American Goldfinch	
<i>Carpodacus cassinii</i>	Cassin's Finch	GW
<b>Family Passeridae</b>		
<i>Passer domesticus</i>	House Sparrow	GF, S

**\* Habitat/Vegetation Abbreviations**

Upland Shrub Habitat

BS = big sagebrush

SRG = big sagebrush, greesewood, rabbitbrush

Upland Grass Habitat

GF = bunchgrass, annual forbs

AGF = annual grass and forbs

Salt Shrub Habitat

SS = saltbush

GW = greesewood

Alkali Meadow Habitat

AP = alkali pan with salt blite

ML = ephemeral marshland

Human Altered Habitats

RG = reseeded grasslands with tree plantings

S = human-made structures

D = disturbed lands

RT = roost tree (on-site)

Off-site Observations

CWHA = Clover Wildlife Habitat Area

RL = Rush Lake

MC = Mercur Creek

AL = Athens Lake



Species	Taxonomic Reference	Common Name
<b>Cupressaceae</b>		<b>Cypress Family</b>
<i>Sabina osteosperma</i>	(Torrey) Antoine	Utah Juniper
<b>Pinaceae</b>		<b>Pine Family</b>
<i>Pinus monophylla</i>	Torrey	Single Needled Pinyon Pine
<b>Ephedraceae</b>		<b>Ephedraceae</b>
<i>Ephedra viridis</i>	Coville	Mormon Tea
<b>Ranunculaceae</b>		<b>Buttercup Family</b>
<i>Clematis virginiana</i>	L.	Virgin's Bower
<i>Ranunculus testiculatus</i>	Crantz. Small	Buttercup
<b>Ulmaceae</b>		<b>Elm Family</b>
<i>Ulmus pumila</i>	L.	Chinese Elm
<b>Cactaceae</b>		<b>Cactus Family</b>
<i>Opuntia sp.</i>	Prickly Pear	
<b>Chenopodiaceae</b>		<b>Goosefoot Family</b>
<i>Allenrolferia occidentalis</i>	L.	Iodine Bush
<i>Atriplex confertifolia</i>	(Torrey & Fremont) Watson	Shad-scale
<i>Atriplex gardneri</i>	(Moquin) Stanley	Shad-scale
<i>Atriplex rosea</i>	L.	Shad-scale, Saltbrush
<i>Ceratoides lanata</i>	(Pursh) Howell	Winter Fat
[= <i>Eurotia lanata</i> ]		
<i>Kochia americana</i>	Watson	
<i>Kochia scoparia</i>	Bournmueller	
<i>Salsola iberica</i>	Sennen & Pau.	
<i>Sarcobatus vermiculatus</i>	(Hooker) Torrey	Greasewood
<b>Polygonaceae</b>		<b>Buckwheat Family</b>
<i>Eriogonum ovalifolium var. nevadensis</i>	Gandoger	Wild Buckwheat
<i>Eriogonum umbellatum</i>	Torrey	Sulfur-flower
<i>Rumex crispus</i>	L.	Curly Dock
<b>Malvaceae</b>		<b>Mallow Family</b>
<i>Sphaeralcea coccinea ssp. dissecta</i>	(Nuttall) Kearney	Copper Mallow
<b>Tamaricaceae</b>		<b>Tamarix Family</b>
<i>Tamarix pentandra</i>	L.	Tamarisk

Species	Taxonomic Reference	Common Name
<b>Loasaceae</b>		
<i>Acrolasia albicaulis</i> [= <i>Mentzelia albicaulis</i> ]	(Douglas) Rydberg Dougl.]	<b>Stickleaf Family</b>
<b>Brassicaceae</b>		
<i>Capsella bursa-pastoris</i>	(L.) Medikus	<b>Mustard Family</b> Shepard's Purse
<i>Cardaria draba</i>	(L.) Desv.	Whitetop
<i>Chorispora tenella</i>	(Pallas) de Candolle	Purple Mustard
<i>Conringia orientalis</i>	(L.) Dumortier	Hare's Ear
<i>Descurainia pinnata</i>	(Walter) Britton	Tansy Mustard
<i>Erysimum aperum</i>	(Nuttall) de Candolle	Wallflower
<i>Hutchinsia procumbens</i>	(L.) Desv.	
<i>Lepidium densiflorum</i>	Schrader	Peppergrass
<i>Lepidium montanum</i>	Nuttall	Peppergrass
<i>Lepidium perfoliatum</i>	L.	Clasping Pepper-Grass
<i>Lesquerella occidentalis</i>		
<i>Sisymbrium altissimum</i>	L.	Tumbling Mustard
<i>Stanleya pinnata</i>	(Pursh) Britton	Prince's Plume
<i>Thelypodopsis vermicularis</i>		
<i>Thelypodium saquitatum</i>		
<b>Rosaceae</b>		
<i>Prunus virginiana</i> var. <i>melanocarpa</i> [= <i>Padus virginiana</i> ]	(A. Nels) Sarg.-Gates	<b>Rose Family</b> Choke-Cherry
<i>Purshia tridentata</i>	(Pursh) de Candolle	Bitterbrush
<i>Purshia mexicana</i> var. <i>stansburyaner</i>		Bitterbrush
<b>Fabaceae</b>		
<i>Astragalus bekwith</i>		<b>Bean Family</b>
<i>Astragalus calvcosus</i>		
<i>Astragalus converlonius</i>		
<i>Lathyrus brachycalyx</i>		
<i>Lupinus caudatus</i>	Kellogg	
<i>Melilotus alba</i>	Desrousseaux	Sweet Clover
<i>Robina pseudo-acacia</i>	L.	Black Locust
<b>Elaeagnaceae</b>		
<i>Shepherdia argentea</i>	(Pers) Nutt.	<b>Oleaster Family</b> Buffaloberry
<b>Onagraceae</b>		
<i>Oenothera caespitosa</i>	Nuttall	<b>Evening Primrose Family</b> Evening-Primrose
<i>Oenothera biennis</i>	L.	Common Evening Primrose
<b>Geraniaceae</b>		
<i>Erodium cicutarium</i>	(L.) L'Heritier	<b>Geranium Family</b> Crane's Bill, Filaree
<b>Convolvulaceae</b>		
<i>Convolvulus arvensis</i>	L.	<b>Morning Glory Family</b> Creeping-Jenny

Species	Taxonomic Reference	Common Name
<b>Polemoniaceae</b>		
<b>Polemonium Family</b>		
<i>Gilia aggregata</i>	(Pursh.) Spreng.	Gilia
<i>Gilia leptomenia</i>	A. Gray	Gilia
<i>Phlox hoodii ssp. canescens</i>	(Rich), (Torrey & Gray) Wherry	Hood's Phlox
<i>Phlox longifolia</i>	Nuttall	Long-leaved Phlox
<b>Boraginaceae</b>		
<b>Borage Family</b>		
<i>Cynoglossum officinale</i>	L.	Hound's Tongue
<i>Cryptantha humulis</i>		
<i>Heliotropium curassavicum</i>	L.	Salt Heliotrope
<b>Verbeneaceae</b>		
<b>Vervain Family</b>		
<i>Verbena bracteata</i>	Lagasca & Rodriguez	Vervain
<b>Lamiaceae</b>		
<b>Mint Family</b>		
<i>Marrubium vulgare</i>	L.	Horehound
<i>Nepeta cataria</i>	L.	Catnip
<b>Scrophulariaceae</b>		
<b>Figwort Family</b>		
<i>Verbascum thapsus</i>	L.	Mullein
<b>Dipsacaceae</b>		
<b>Teasel Family</b>		
<i>Dipsacus fullonum</i>	L.	Teasel
<b>Asteraceae</b>		
<b>Sunflower Family</b>		
<i>Artemisia pygmaea</i>		Pigmy Sagebrush
<i>Artemisia spinescens</i>	D.C. Eton	Spiny Sage
<i>Artemisia tridentata</i>	Artemisia tridentata Nuttall	Big Sagebrush
<i>Chaenactis stevioides</i>	Chaenactis stevioides Hooker & Arnott	Pincushion
<i>Chrysothamnus nauseosus</i>	(Pallas) Britton	Rabbitbrush
<i>Cirsium vulgare</i>	Cirsium vulgare (Savi) Tenore	Bull Thistle
<i>Crepis occidentalis</i>	Crepis occidentalis Nuttall	American Hawksbeard
<i>Erigeron engelmannii</i>	Erigeron engelmannii Nelson	Daisy
<i>Erigeron flagellaris</i>	Erigeron flagellaris Gray	Daisy
<i>Grindelia squarrosa var. serrulata</i>	(Pursh), (Dun.) Rydb.	Gumweed
<i>Gutierrezia sarothrae</i>	(Pursh) Britt. & Rusby	Snakeweed
<i>Haplopappus acaulis</i>	(Nutt.) Gray	Stemless Goldenweed
<i>Helianthus annuus</i>	Helianthus annuus L.	Common Sunflower
<i>Lactuca serriola</i>	Lactuca serriola L.	Prickly Lettuce
<i>Psilochenia occidentalis</i>	Nuttall	
<i>Senecio multicapitatus</i>	Greenman	Butterweed
<i>Stenotus acaulis</i>	Nuttall	
<i>Tetradymia canescens</i>	D.C.	Horsebrush
<i>Tetradymia glabrata</i>		
<i>Tetradymia spinosa</i>	Hooker & Arnott	Cottonthorn
<i>Tragopogon dubius ssp. major</i>	(Scopoli), (Jacquin) Vollmann	Oyster-plant

Species	Taxonomic Reference	Common Name
<b>Juncaceae</b>		
<i>Juncus balticus</i> ssp. <i>vallicola</i> [= <i>Agropyron desertorum</i> ]	(Willd.) Rydb.	<b>Rush Family</b> Baltic Rush
<b>Poaceae</b>		
<i>Agropyron cristatum</i>	(L.) Gaertn.	<b>Grass Family</b> Crested Wheatgrass
<i>Bromus tectorum</i>	L.	Cheatgrass
<i>Distichlis spicata</i>	(L.) Greene	Saltgrass
<i>Elymus elymoides</i>	(Rafinesque) Swezey	Wild Rye
<i>Elymus spicatus</i>		
<i>Oryzopsis hymenoides</i>	(R. & S.) Ricker	Indian Ricegrass
<i>Poa bulbosa</i>	L.	Bulbous Bluegrass
<i>Poa compressa</i>	L.	Canada Bluegrass
<i>Poa fendleriana</i>	(Steudel) Vasey	Muttongrass
<i>Poa secunda</i>	Presl.	Bluegrass
<i>Stipa hymenoides</i>		
<b>Liliaceae</b>		
<i>Allium nevadense</i>	Watson	<b>Lily Family</b> Onion
<i>Calochortus nuttallii</i>	Torrey & Gray	Mariposa