

Tot/Diss	Assu med		RESULT	QUAL	DETLIM	RL	Det Limit	
	Ived	Not From Lab Report					ID	unitID
diss				8			2	2
diss				8			2	2
diss				10			2	2
diss				8			2	2
diss				8			2	2
diss				1			2	2
diss			<1				2	2
diss	X			13			2	2
diss	X		<1				2	2
diss				12		1	1	1
diss	X		<1				2	2
diss	X			1			1	1
diss			<0.001				2	2
diss	X		<0.2				3	2
diss	X		<0.2		0.2		3	2
Diss				0.9			3	2
diss	X		2.1E-09		2E-10		4	1
Diss			0.000000001		2E-10		4	1
diss	X		9E-10		2E-10		4	1
diss	X		1.2		0.2		3	2
diss	X		0.0016		0.2		3	2
diss	X		1.5E-09		0.2		1	1
diss	X		6E-10		2E-10		4	1
diss				1.1		0.2	3	2
diss				3E-10		0.3	1	1
diss				4E-10		0.3	1	1
diss				7E-10		0.3	1	1
diss	X			7E-10		0.3	1	1
diss				7E-10		0.3	1	1
diss				7E-10		0.3	1	1
diss				6E-10		0.3	1	1
diss				3E-10		0.3	1	1
diss				2.7E-10	2E-10		4	1
diss				1.1E-09	2E-10		4	1
diss				8E-10	2E-10		4	1
diss				5.3E-10	2E-10		4	1
diss				1.6E-09	2E-10		4	1
diss			<2.0e-10		2E-10		4	1
diss				4.06E-09	2E-10		4	1
diss				6.77E-10	2E-10		4	1
diss				2.03E-10	2E-10		4	1
diss				1.35E-09	2E-10		4	1
diss				0.003	0.0000003		2	2
diss				1.35E-09	0.0000003		5	1
diss			<2.0E-10		2E-10		4	1
diss				5.42E-10	0.0000003		5	1

diss		ND	2E-10	4	1
diss		<2.0E-10	0.0000003	5	1
diss	X	6.8E-10	2E-10	4	1
diss	X	4.74E-10	0.0000003	5	1
diss		1.35E-09	0.0000003	5	1
diss	X	0.002	0.0003	2	2
diss		3.25E-08	0.0003	5	1
diss		<2.0E-10		5	1
diss	X	<0.0003	0.0003	2	2
diss		<2.0e-10	2E-10	5	1
diss	X	0.0047	0.0003	2	2
diss	X	0.001	0.0003	2	2
diss	X	0.0005	0.0003	2	2
Diss		0.001	0.0003	2	2
diss	X	<0.0003	0.0003	2	2
diss	X	0.001	0.0003	2	2
diss	X	0.001	0.0003	2	2
diss	X	0.0007	0.0003	2	2
diss	X	0.0006	0.0003	2	2
diss	X	0.0012	0.0003	2	2
diss	X	0.0019	0.0003	2	2
diss	X	0.0007	0.0003	2	2
diss	X	0.019	0.0003	2	2
diss	X	0.0004	0.0003	2	2
diss	X	0.0008	0.0003	2	2
diss	X	0.001	0.0003	2	2
diss	X	0.0008	0.0003	2	2
diss	X	0.0004 DUP	0.0003	2	2
diss	X	0.0007	0.0003	2	2
diss	X	0.0022	0.0003	2	2
diss	X	0.0005	0.0003	2	2
diss	X	0.0007	0.0003	2	2
diss	X	0.00098	0.0003	2	2
diss	X	0.0005	0.0003	2	2
Diss		<1.0	1	1	1
diss		0.0034	0.0003	2	2
diss		0.0007	0.0003	2	2
diss		0.00004	0.0003	2	2
diss		0.4	0.3	1	1
diss		0.4	0.3	1	1
diss		<1.0	1	1	1
diss		0.4	0.3	1	1
diss		<1.0	1	1	1
diss		<1.0	1	1	1
diss		<1.0	1	1	1
diss		<1.0	1	1	1
diss		<0.3	0.3	1	1
diss		<0.3	0.3	1	1
diss		1.27	0.3	1	1
diss		0.71	0.3	1	1

Norm Det Limit (ug/L)	UNITS	Norm Values	Norm Values	Units	VALUE (back calc to mass)	DUP averages	FINAL U VALUE (ug/L)
	0 MG/L	8000		8 ug/L	2	8.00	8.00
	0 MG/L	8000		8 ug/L	2	8.00	8.00
	0 MG/L	10000		10 ug/L	2	10.00	10.00
	0 MG/L	8000		8 ug/L	2	8.00	8.00
	0 MG/L	8000		8 ug/L	2	8.00	8.00
	0 MG/L	1000		1 ug/L	2	1.00	1.00
	0 MG/L	0.5		0.5 ug/L	2	0.50	0.50
	0 MG/L	13000		13 ug/L	2	13.00	13.00
	0 MG/L	0.5		0.5 ug/L	2	0.50	0.50
	1 ug/L	12		12 ug/L	2	12.00	12.00
	0 mg/L	0.5		0.5 ug/L	2	0.50	0.50
	0 ug/L	1		1 ug/L	2	1.00	1.00
	0 mg/L	0.5		0.5 ug/L	2	0.50	0.50
	0 pCi/L	0.2		0.1 pCi/L	1	0.15	1.27
0.298507	pCi/L	0.2		0.1 pCi/L	1	0.15	0.15
	0 pCi/L	0.9		0.9 pCi/L	1	1.34	1.34
0.298507	uCi/ml	2.1		2.1 pCi/L	1	3.13	3.13
0.298507	uCi/ml	1		1 pCi/L	1	1.49	1.49
0.298507	uCi/ml	0.9		0.9 pCi/L	1	1.34	1.34
0.298507	pCi/L	1.2		1.2 pCi/L	1	1.79	1.79
0.298507	MG/L	1.6		1.6 ug/L	2	1.60	1.60
	0.2 uCi/ml	1.5		1.5 pCi/L	1	2.24	2.24
0.298507	uCi/ml	0.6		0.6 pCi/L	1	0.90	0.75
0.298507	pCi/L	1.1		1.1 pCi/L	1	1.64	1.72
	0.3 uCi/ml	0.3		0.3 pCi/L	1	0.45	0.45
	0.3 uCi/ml	0.4		0.4 pCi/L	1	0.60	0.60
	0.3 uCi/ml	0.7		0.7 pCi/L	1	1.04	1.04
	0.3 uCi/ml	0.7		0.7 pCi/L	1	1.04	1.04
	0.3 uCi/ml	0.7		0.7 pCi/L	1	1.04	1.04
	0.3 uCi/ml	0.7		0.7 pCi/L	1	1.04	1.04
	0.3 uCi/ml	0.6		0.6 pCi/L	1	0.90	0.90
	0.3 uCi/ml	0.3		0.3 pCi/L	1	0.45	0.45
0.298507	uCi/ml	0.27		0.27 pCi/L	1	0.40	0.46
0.298507	uCi/ml	1.1		1.1 pCi/L	1	1.64	1.64
0.298507	uCi/ml	0.8		0.8 pCi/L	1	1.19	1.19
0.298507	uCi/ml	0.53		0.53 pCi/L	1	0.79	0.79
0.298507	uCi/ml	1.6		1.6 pCi/L	1	2.39	2.39
0.298507	uCi/ml	0.2		0.1 pCi/L	1	0.15	0.15
0.298507	uCi/ml	4.06		4.06 pCi/L	1	6.06	5.56
0.298507	uCi/ml	0.677		0.677 pCi/L	1	1.01	1.01
0.298507	uCi/ml	0.203		0.203 pCi/L	1	0.30	0.30
0.298507	uCi/ml	1.35		1.35 pCi/L	1	2.01	2.01
	0.0003 mg/L	3		3 ug/L	2	3.00	3.00
	0.0003 uCi/ml	1.35		1.35 pCi/L	1	2.01	2.01
0.298507	uCi/ml	0.2		0.1 pCi/L	1	0.15	0.15
	0.0003 uCi/ml	0.542		0.542 pCi/L	1	0.81	0.81

0.298507 uCi/ml	0.2	0.1 pCi/L	1	0.15		0.15
0.0003 uCi/ml	0.2	0.1 pCi/L	1	0.15		0.15
0.298507 uCi/ml	0.68	0.68 pCi/L	1	1.01		1.01
0.0003 uCi/ml	0.474	0.474 pCi/L	1	0.71		0.71
0.0003 uCi/ml	1.35	1.35 pCi/L	1	2.01	1.08	1.08
0.3 mg/L	2	2 ug/L	2	2.00		2.00
0.3 uCi/ml	32.5	32.5 pCi/L	1	48.51		48.51
0 uCi/ml	0.2	0.1 pCi/L	1	0.15		0.15
0.3 mg/L	0.3	0.15 ug/L	2	0.15		0.15
2E-07 uCi/ml	0.2	0.1 pCi/L	1	0.15		0.15
0.3 mg/L	4.7	4.7 ug/L	2	4.70		4.70
0.3 mg/L	1	1 ug/L	2	1.00	2.15	2.15
0.3 mg/L	0.5	0.5 ug/L	2	0.50		0.50
0.3 mg/L	1	1 ug/L	2	1.00		1.00
0.3 mg/L	0.3	0.15 ug/L	2	0.15		0.15
0.3 mg/L	1	1 ug/L	2	1.00		1.00
0.3 mg/L	1	1 ug/L	2	1.00		1.00
0.3 mg/L	0.7	0.7 ug/L	2	0.70		0.70
0.3 mg/L	0.6	0.6 ug/L	2	0.60		0.60
0.3 mg/L	1.2	1.2 ug/L	2	1.20		1.20
0.3 mg/L	1.9	1.9 ug/L	2	1.90		1.90
0.3 mg/L	0.7	0.7 ug/L	2	0.70		0.70
0.3 mg/L	19	19 ug/L	2	19.00		19.00
0.3 mg/L	0.4	0.4 ug/L	2	0.40		0.40
0.3 mg/L	0.8	0.8 ug/L	2	0.80		0.80
0.3 mg/L	1	1 ug/L	2	1.00		1.00
0.3 mg/L	0.8	0.8 ug/L	2	0.80		0.80
0.3 mg/L	0.4	0.4 ug/L	2	0.40		0.40
0.3 mg/L	0.7	0.7 ug/L	2	0.70		0.70
0.3 mg/L	2.2	2.2 ug/L	2	2.20		2.20
0.3 mg/L	0.5	0.5 ug/L	2	0.50		0.50
0.3 mg/L	0.7	0.7 ug/L	2	0.70		0.70
0.3 mg/L	0.98	0.98 ug/L	2	0.98		0.98
0.3 mg/L	0.5	0.5 ug/L	2	0.50		0.50
1 ug/l	0.5	0.5 ug/L	2	0.50		0.50
0.3 mg/L	3.4	3.4 ug/L	2	3.40		3.40
0.3 mg/L	0.7	0.7 ug/L	2	0.70		0.70
0.3 mg/L	0.04	0.04 ug/L	2	0.04		0.04
0.3 ug/l	0.4	0.4 ug/L	2	0.40		0.40
0.3 ug/l	0.4	0.4 ug/L	2	0.40		0.40
1 ug/l	0.5	0.5 ug/L	2	0.50		0.50
0.3 ug/l	0.4	0.4 ug/L	2	0.40		0.40
1 ug/l	0.5	0.5 ug/L	2	0.50		0.50
1 ug/l	0.5	0.5 ug/L	2	0.50		0.50
1 ug/l	0.5	0.5 ug/L	2	0.50		0.50
1 ug/l	0.5	0.5 ug/L	2	0.50		0.50
0.3 ug/l	0.3	0.15 ug/L	2	0.15		0.15
0.3 ug/l	0.15	0.15 ug/L	2	0.15		0.15
0.3 ug/l	1.27	1.27 ug/L	2	1.27		1.27
0.3 ug/l	0.71	0.71 ug/L	2	0.71		0.71

Notes	GWQS	GWCL
	30 No	7.5
	30 No	7.5
hand written " <sup>3</sup> O <sub>8</sub> " after U	30 No	7.5
	30 No	7.5
	30 No	7.5
	30 No	7.5
	30 No	7.5
	30 No	7.5
	30 No	7.5
* out of order, det. Limits switched?	30 No	7.5
	30 No	7.5
Report Date, not sample date	30 No	7.5
	30 No	7.5
	30 No	7.5
	30 No	7.5
	30 No	7.5
	30 No	7.5
MWM-5	30 No	7.5
	30 No	7.5
	30 No	7.5
Date relinquished to lab, Det. Limit in pCi/L	30 No	7.5
Det limit in ug/L	30 No	7.5
	30 No	7.5
Recieved by lab date	30 No	7.5
Reporting limit in ug/l	30 No	7.5
Reporting limit in ug/l	30 No	7.5
Reporting limit in ug/l	30 No	7.5
Reporting limit in ug/l	30 No	7.5
Recieved by lab date / Reporting limit in ug/L	30 No	7.5
Relinquished to lab date / Reporting limit ug/L	30 No	7.5
Recieved by lab date / Reporting limit in ug/L	30 No	7.5
Relinquished to lab date / Reporting limit ug/L	30 No	7.5
WMMW-5	30 No	7.5
WMMW-5	30 No	7.5
WMMW-5	30 No	7.5
WMMW-5	30 No	7.5
WMMW-5	30 No	7.5
WMMW-5	30 No	7.5
WMMW-5	30 No	7.5
WMMW-5	30 No	7.5
WMMW-5A	30 No	7.5
WMMW-5B / Pump test to compare to earlier slug t	30 No	7.5
WMMW-5	30 No	7.5
WMMW-5 / hand written value "2.03E-9" after U	30 No	7.5
WMMW-5/ det limit in ug/ml	30 No	7.5
WMMW-5	30 No	7.5
WMMW-5 / det limit in ug/ml	30 No	7.5





