Uranium One History of Enforcement							
Date of Enforcement	Enforcement Type	Regulations	Violations / Issues	Severity Level	Civil Penalty	Civil Penalty Paid	Date of Closeout Letter
August 2, 2007	NONC	Water Quality	1. The 2006 Groundwater Monitoring Report for Shootaring Canyon Uranium Mill was missing field data sheets and laboratory reports for the 2006 groundwater sampling events.	NA	NA	NA	October 30, 2007
March 30, 2009	NOV - UGW09-01	Water Quality	1. Failure to analyze six (6) groundwater samples within the 7 day holding day requirement for TDS. This is a violation of Part I.E.1(a) of the Permit and QAP Table 3.	NA	\$3,866.57	June 5, 2009	September 8, 2009
			2. Failure to analyze six (6) groundwater samplings with Reporting Limits less than the GWCL's or QAP requirements, This is a violation of Part I.E.1.e.ii.B of the Permit.				
			3. Failure to analyze 50 groundwater samples by the analytical methods found in the QAP. This is is in violation of Part I.E.1(a) of the Permit and Section 5.2 and Table 3 of the QAP.				
			4. Failure to complete groundwater well purging and field parameter stabilization before sample collection for three samples. This is in violation of Part I.E.1(a) of the Permit and Section 3.3.5 of the QAP.				
			5. Failure to provide an adequate and representative evaluation of Data Quality Assurance in the Uranium One 1st Half, 2008 Semi-Annual Ground Water Monitoring Report. This is in violation of Part I.G.1.b.3. of the Permit.				
February 11, 2010	CAL	Water Quality	1 . January 20, 2010 Remedial Action Report and Outstanding Issues Regarding Clean-up of the 2007 Diesel Spill.	NA	NA	NA	
June 2, 2010	NOED	Water Quality	1. Failure to analyze for TDS in sample RM-19 collected on September 29, 2009 within the 7 day holding day requirement. This is a violation of Part I.E.1(a) of the Permit and QAP Table 3.	NA	NA	NA	August 10, 2010
			2. Sample RM-19 collected on August 24, 2009 had a TDS balance (1.33) greater than the acceptable range (0.80 - 1.20).				
			3. Lab Blanks had detections above the Laboratory Reporting Limit (i.e. Bicarbonate in 4 samples, Selenium in 1 sample and Uranium in 1 sample).				