

CHAPTER 4: LAKE AND RESERVOIR ASSESSMENTS



2016 Final Integrated Report

[This page is intentionally left blank].



Final 2016 Integrated Report: Lakes and Reservoirs 305(b) and 303(d)

Watershed Management Unit	Assessment Unit ID	Assessment Unit Name	Assessment Unit Description	Assessment Unit Category	Category Description	Impaired Parameter	Impaired Beneficial Uses	Total Maximum Daily Load Development Priority	IR Cycle First Listed	Lake Acres
Bear River	UT-L-16010202-002_00	Cutler Reservoir	Cutler Reservoir	4A	TMDL Approved	Dissolved Oxygen	3B		2004	1,355
						Total Phosphorus	3B		2004	1,355
Bear River	UT-L-16010203-005_00	Hyrum Reservoir	Hyrum Reservoir	5	Not Supporting	Temperature	3A	Low	1994	445
					TMDL Approved	Dissolved Oxygen	3A		1998	445
						Total Phosphorus	3A		1998	445
Bear River	UT-L-16010204-033_00	Mantua Reservoir	Mantua Reservoir	5	Not Supporting	Temperature	3A	Low	2008	513
					TMDL Approved	Dissolved Oxygen	3A		1998	513
						pH	3A		1998	513
						Total Phosphorus	3A		1998	513
Bear River	UT-L-16010202-013_00	Newton Reservoir	Newton Reservoir	5	Not Supporting	Temperature	3A	Low	2006	146
					TMDL Approved	Dissolved Oxygen	3A		1998	146
						Total Phosphorus	3A		1998	146
Bear River	UT-L-16010203-009_00	Porcupine Reservoir	Porcupine Reservoir	5	Not Supporting	Temperature	3A	Low	2008	179
Bear River	UT-L-16010203-012_00	Tony Grove Lake	Tony Grove Lake	5	Not Supporting	Dissolved Oxygen	3A	Low	1996	25
						pH	3A	Low	2004	25
						Temperature	3A	Low	2006	25
Bear River	UT-L-16010201-003_00	Bear Lake	Bear Lake	2	No Evidence of Impairment					35,374
Bear River	UT-L-16010101-002_00	Birch Creek	Birch Creek	2	No Evidence of Impairment					62
Bear River	UT-L-16010101-007_00	Little Creek Reservoir	Little Creek Reservoir	2	No Evidence of Impairment					67
Bear River	UT-L-16010101-030_00	Whitney Reservoir	Whitney Reservoir	2	No Evidence of Impairment					129
Bear River	UT-L-16010101-001_00	Woodruff Reservoir	Woodruff Reservoir	2	No Evidence of Impairment					92

* Please refer to the 2012/2014 and 2016 IR data files for the sub-category 3 details.

** Big East Lake is also identified as having insufficient data with exceedances in the harmful algal bloom assessment



Final 2016 Integrated Report: Lakes and Reservoirs 305(b) and 303(d)

Watershed Management Unit	Assessment Unit ID	Assessment Unit Name	Assessment Unit Description	Assessment Unit Category	Category Description	Impaired Parameter	Impaired Beneficial Uses	Total Maximum Daily Load Development Priority	IR Cycle First Listed	Lake Acres
Cedar/Beaver	UT-L-16030007-020_00	Kents Lake	Kents Lake	4A	TMDL Approved	Dissolved Oxygen	3A		1998	39
						Total Phosphorus	3A		1998	39
Cedar/Beaver	UT-L-16030007-027_00	LaBaron Lake	LaBaron Lake	4A	TMDL Approved	Dissolved Oxygen	3A		1998	22
						Total Phosphorus	3A		2014	22
Cedar/Beaver	UT-L-16030007-028_00	Puffer Lake	Puffer Lake	4A	TMDL Approved	Dissolved Oxygen	3A		1998	58
						pH	3A		2014	58
Cedar/Beaver	UT-L-16030007-011_00	Minersville Reservoir	Minersville Reservoir	5	Not Supporting	Temperature	3A	Low	1994	1,071
					TMDL Approved	Dissolved Oxygen	3A		1998	1,071
						pH	3A		2014	1,071
						Total Phosphorus	3A		1998	1,071
Cedar/Beaver	UT-L-16030006-008_00	Newcastle Reservoir	Newcastle Reservoir	5	Not Supporting	Mercury in Fish Tissue	3A	Low	2010	159
						Temperature	3A	Low	2012	159
						Temperature	3A	Low	2012	159
					TMDL Approved	Dissolved Oxygen	3A		1996	159
						Total Phosphorus	3A		1996	159
Cedar/Beaver	UT-L-16030006-019_00	Red Creek Reservoir (Iron Co)	Red Creek Reservoir (Iron Co)	5	Not Supporting	Total Phosphorus	3A	Low	2006	59
Cedar/Beaver	UT-L-16030007-025_00	Three Creeks Reservoir	Three Creeks Reservoir	5	Not Supporting	pH	3A	Low	2006	55
Cedar/Beaver	UT-L-16030006-002_00	Upper Enterprise Reservoir	Upper Enterprise Reservoir	5	Not Supporting	Dissolved Oxygen	3A	Low	2014	353
						pH	3A	Low	2016	353
						Temperature	3A	Low	2012	353
Cedar/Beaver	UT-L-16030007-024_00	Anderson Meadow Reservoir	Anderson Meadow Reservoir	2	No Evidence of Impairment					8
Cedar/Beaver	UT-L-16030006-017_00	Yankee Meadow Reservoir	Yankee Meadow Reservoir	2	No Evidence of Impairment					56

* Please refer to the 2012/2014 and 2016 IR data files for the sub-category 3 details.

** Big East Lake is also identified as having insufficient data with exceedances in the harmful algal bloom assessment



Final 2016 Integrated Report: Lakes and Reservoirs 305(b) and 303(d)

Watershed Management Unit	Assessment Unit ID	Assessment Unit Name	Assessment Unit Description	Assessment Unit Category	Category Description	Impaired Parameter	Impaired Beneficial Uses	Total Maximum Daily Load Development Priority	IR Cycle First Listed	Lake Acres
Colorado River Southeast	UT-L-14080201-002_00	Blanding City Reservoir	Blanding City Reservoir	5	Not Supporting	Temperature	3A	Low	2012	92
Colorado River Southeast	UT-L-14070006-001_00	Lake Powell	Lake Powell	5	Not Supporting	pH	3B	Low	2016	150,027
Colorado River Southeast	UT-L-14080203-002_00	Monticello Lake	Monticello Lake	5	Not Supporting	Dissolved Oxygen	3A	Low	2016	5
Colorado River Southeast	UT-L-14080203-002_00	Monticello Lake	Monticello Lake	5	Not Supporting	pH	3A	Low	2006	5
Colorado River Southeast	UT-L-14080201-007_00	Recapture Reservoir	Recapture Reservoir	3	Insufficient Data*					221
Colorado River Southeast	UT-L-14030004-001_00	Dark Canyon Lake	Dark Canyon Lake	2	No Evidence of Impairment					5
Colorado River Southeast	UT-L-14030005-004_00	Kens Lake	Kens Lake	2	No Evidence of Impairment					77
Colorado River Southeast	UT-L-14080203-009_00	Lloyds Reservoir	Lloyds Reservoir	2	No Evidence of Impairment					90

* Please refer to the 2012/2014 and 2016 IR data files for the sub-category 3 details.

** Big East Lake is also identified as having insufficient data with exceedances in the harmful algal bloom assessment



Final 2016 Integrated Report: Lakes and Reservoirs 305(b) and 303(d)

Watershed Management Unit	Assessment Unit ID	Assessment Unit Name	Assessment Unit Description	Assessment Unit Category	Category Description	Impaired Parameter	Impaired Beneficial Uses	Total Maximum Daily Load Development Priority	IR Cycle First Listed	Lake Acres
Colorado River West	UT-L-14070003-019_00	Forsyth Reservoir	Forsyth Reservoir	4A	TMDL Approved	Dissolved Oxygen	3A		1998	165
						Total Phosphorus	3A		1998	165
Colorado River West	UT-L-14070003-010_00	Johnson Valley Reservoir	Johnson Valley Reservoir	4A	TMDL Approved	Total Phosphorus	3A		1998	671
Colorado River West	UT-L-14060007-005_00	Scofield Reservoir	Scofield Reservoir	4A	TMDL Approved	Dissolved Oxygen	3A		1998	2,668
						pH	3A		2014	2,668
Colorado River West	UT-L-14070003-044_00	Lower Bowns Reservoir	Lower Bowns Reservoir	5	Not Supporting	Total Phosphorus	3A	High	1998	2,668
						Dissolved Oxygen	3A	High	2010	108
Colorado River West	UT-L-14070003-044_00	Lower Bowns Reservoir	Lower Bowns Reservoir	5	Not Supporting	pH	3A	Low	2006	108
						Temperature	3A	Low	2012	108
Colorado River West	UT-L-14060007-004_00	Mill Meadow Reservoir	Mill Meadow Reservoir	5	Not Supporting	Total Phosphorus	3A	Low	2010	64
						pH	3A	Low	2012	160
Colorado River West	UT-L-14070005-011_00	Wide Hollow Reservoir	Wide Hollow Reservoir	5	Not Supporting	Total Phosphorus	3A		1998	160
						Dissolved Oxygen	3A	Low	2010	156
Colorado River West	UT-L-14070005-011_00	Wide Hollow Reservoir	Wide Hollow Reservoir	5	Not Supporting	pH	3A	Low	2008	156
						Temperature	3A	Low	2008	156
Colorado River West	UT-L-14060009-017_00	Joes Valley Reservoir	Joes Valley Reservoir	3	Insufficient Data*					1,051
Colorado River West	UT-L-14060009-024_00	Cleveland Reservoir	Cleveland Reservoir	2	No Evidence of Impairment					146
Colorado River West	UT-L-14070003-018_00	Cook Lake	Cook Lake	2	No Evidence of Impairment					10
Colorado River West	UT-L-14070003-027_00	Donkey Reservoir	Donkey Reservoir	2	No Evidence of Impairment					24
Colorado River West	UT-L-14060009-004_00	Duck Fork Reservoir	Duck Fork Reservoir	2	No Evidence of Impairment					42
Colorado River West	UT-L-14060009-025_00	Electric Lake	Electric Lake	2	No Evidence of Impairment					450
Colorado River West	UT-L-14060007-001_00	Fairview Lakes	Fairview Lakes	2	No Evidence of Impairment					104
Colorado River West	UT-L-14060009-001_00	Ferron Reservoir	Ferron Reservoir	2	No Evidence of Impairment					54
Colorado River West	UT-L-14070003-006_00	Fish Lake	Fish Lake	2	No Evidence of Impairment					2,585
Colorado River West	UT-L-14060009-034_00	Huntington Lake North	Huntington Lake North	2	No Evidence of Impairment					235
Colorado River West	UT-L-14060009-018_00	Huntington Reservoir	Huntington Reservoir	2	No Evidence of Impairment					163
Colorado River West	UT-L-14060009-023_00	Miller Flat Reservoir	Miller Flat Reservoir	2	No Evidence of Impairment					160
Colorado River West	UT-L-14060009-026_00	Millsite Reservoir	Millsite Reservoir	2	No Evidence of Impairment					367
Colorado River West	UT-L-14070005-008_00	Posy Lake	Posy Lake	2	No Evidence of Impairment					12

* Please refer to the 2012/2014 and 2016 IR data files for the sub-category 3 details.

** Big East Lake is also identified as having insufficient data with exceedances in the harmful algal bloom assessment



Final 2016 Integrated Report: Lakes and Reservoirs 305(b) and 303(d)

Watershed Management Unit	Assessment Unit ID	Assessment Unit Name	Assessment Unit Description	Assessment Unit Category	Category Description	Impaired Parameter	Impaired Beneficial Uses	Total Maximum Daily Load Development Priority	IR Cycle First Listed	Lake Acres
Great Salt Lake only	UT-L-16020310-003_00	Bear River Bay open water north of the Union Pacific Causeway and below 4208 feet, excluding transitional wetlands below 4208 feet, National Wildlife Refuges, and State Waterfowl Management Areas	Bear River Bay open water north of the Union Pacific Causeway and below 4208 feet, excluding transitional wetlands below 4208 feet, National Wildlife Refuges, and State Waterfowl Management Areas	3	Assessment Methods in Development					67,254
Great Salt Lake only	UT-L-16020310-004_00	Farmington Bay open water south of the Antelope Island Causeway and below 4208 feet, excluding transitional wetlands below 4208 feet and State Waterfowl Management Areas	Farmington Bay open water south of the Antelope Island Causeway and below 4208 feet, excluding transitional wetlands below 4208 feet and State Waterfowl Management Areas	3	Assessment Methods in Development					77,198
Great Salt Lake only	UT-L-16020310-001_00	Gilbert Bay open water south of the Union Pacific Causeway and below 4208 feet, excluding all of Farmington Bay, transitional wetlands below 4208 feet, and State Waterfowl Management Areas	Gilbert Bay open water south of the Union Pacific Causeway and below 4208 feet, excluding all of Farmington Bay, transitional wetlands below 4208 feet, and State Waterfowl Management Areas	3	Assessment Methods in Development					559,187
Great Salt Lake only	UT-L-16020310-002_00	Gunnison Bay open water north of the Union Pacific Causeway and below 4208 feet, excluding transitional wetlands below 4208 feet and State Waterfowl Management Areas	Gunnison Bay open water north of the Union Pacific Causeway and below 4208 feet, excluding transitional wetlands below 4208 feet and State Waterfowl Management Areas	3	Assessment Methods in Development					386,723

* Please refer to the 2012/2014 and 2016 IR data files for the sub-category 3 details.

** Big East Lake is also identified as having insufficient data with exceedances in the harmful algal bloom assessment



Final 2016 Integrated Report: Lakes and Reservoirs 305(b) and 303(d)

Watershed Management Unit	Assessment Unit ID	Assessment Unit Name	Assessment Unit Description	Assessment Unit Category	Category Description	Impaired Parameter	Impaired Beneficial Uses	Total Maximum Daily Load Development Priority	IR Cycle First Listed	Lake Acres
Jordan River	UT-L-16020204-024_00	Lake Mary	Lake Mary	2	No Evidence of Impairment					19
Jordan River	UT-L-16020204-026_00	Little Dell Reservoir	Little Dell Reservoir	2	No Evidence of Impairment					221

* Please refer to the 2012/2014 and 2016 IR data files for the sub-category 3 details.

** Big East Lake is also identified as having insufficient data with exceedances in the harmful algal bloom assessment



Final 2016 Integrated Report: Lakes and Reservoirs 305(b) and 303(d)

Watershed Management Unit	Assessment Unit ID	Assessment Unit Name	Assessment Unit Description	Assessment Unit Category	Category Description	Impaired Parameter	Impaired Beneficial Uses	Total Maximum Daily Load Development Priority	IR Cycle First Listed	Lake Acres
Lower Colorado River	UT-L-15010008-001_00	Gunlock Reservoir	Gunlock Reservoir	4A	TMDL Approved	Dissolved Oxygen	3B		1998	221
						Total Phosphorus	3B		1998	221
Lower Colorado River	UT-L-15010008-008_00	Baker Dam Reservoir	Baker Dam Reservoir	5	Not Supporting	Temperature	3A	Low	1992	44
					TMDL Approved	Dissolved Oxygen	3A		1998	44
						Total Phosphorus	3A		2002	44
Lower Colorado River	UT-L-15010008-024_00	Quail Creek Reservoir	Quail Creek Reservoir	3	Insufficient Data*					588
Lower Colorado River	UT-L-15010008-018_00	Kolob Reservoir	Kolob Reservoir	2	No Evidence of Impairment					238
Lower Colorado River	UT-L-15010008-025_00	Sand Hollow Reservoir	Sand Hollow Reservoir	2	No Evidence of Impairment					1,261

* Please refer to the 2012/2014 and 2016 IR data files for the sub-category 3 details.

** Big East Lake is also identified as having insufficient data with exceedances in the harmful algal bloom assessment



Final 2016 Integrated Report: Lakes and Reservoirs 305(b) and 303(d)

Watershed Management Unit	Assessment Unit ID	Assessment Unit Name	Assessment Unit Description	Assessment Unit Category	Category Description	Impaired Parameter	Impaired Beneficial Uses	Total Maximum Daily Load Development Priority	IR Cycle First Listed	Lake Acres
Sevier River	UT-L-16030002-011_00	Koosharem Reservoir	Koosharem Reservoir	4A	TMDL Approved	Total Phosphorus	3A		1998	341
Sevier River	UT-L-16030001-006_00	Panguitch Lake	Panguitch Lake	4A	TMDL Approved	Dissolved Oxygen	3A		2000	1,182
						Total Phosphorus	3A		2000	1,182
Sevier River	UT-L-16030002-005_00	Lower Box Creek Reservoir	Lower Box Creek Reservoir	5	Not Supporting	pH	3A	Low	2010	22
					TMDL Approved	Dissolved Oxygen	3A		2004	22
						Total Phosphorus	3A		1998	22
Sevier River	UT-L-16030003-006_00	Manning Meadow Reservoir	Manning Meadow Reservoir	5	Not Supporting	pH	3A	Low	2016	85
						Total Phosphorus	3A	Low	1994	85
Sevier River	UT-L-16030001-001_00	Navajo Lake	Navajo Lake	5	Not Supporting	Dissolved Oxygen	3A	Low	1996	631
						pH	3A	Low	2016	631
Sevier River	UT-L-16030004-001_00	Ninemile Reservoir	Ninemile Reservoir	5	Not Supporting	Dissolved Oxygen	3A	Low	1998	185
						pH	3A	Low	2008	185
						Temperature	3A	Low	2008	185
						Total Phosphorus	3A	Low	1996	185
Sevier River	UT-L-16030002-004_00	Otter Creek Reservoir	Otter Creek Reservoir	5	Not Supporting	pH	3A	Low	2006	2,493
						Temperature	3A	Low	1994	2,493
					TMDL Approved	Total Phosphorus	3A		1998	2,493
Sevier River	UT-L-16030004-005_00	Palisade Lake	Palisade Lake	5	Not Supporting	Temperature	3A	Low	1992	80
Sevier River	UT-L-16030002-007_00	Pine Lake	Pine Lake	5	Not Supporting	pH	3A	Low	2016	85
Sevier River	UT-L-16030001-011_00	Piute Reservoir	Piute Reservoir	5	Not Supporting	Temperature	3A	Low	2008	2,151
						Total Phosphorus	3A	Low	2006	2,151
Sevier River	UT-L-16030003-007_00	Sevier Bridge Reservoir (Yuba Lake)	Sevier Bridge Reservoir (Yuba Lake)	3	Insufficient Data*					8,972
Sevier River	UT-L-16030002-002_00	Tropic Reservoir	Tropic Reservoir	3	Insufficient Data*					182
Sevier River	UT-L-16030003-005_00	Barney Lake	Barney Lake	2	No Evidence of Impairment					21
Sevier River	UT-L-16030005-026_00	D.M.A.D. Reservoir	D.M.A.D. Reservoir	2	No Evidence of Impairment					773
Sevier River	UT-L-16030005-021_00	Gunnison Bend Reservoir	Gunnison Bend Reservoir	2	No Evidence of Impairment					497
Sevier River	UT-L-16030004-002_00	Gunnison Reservoir	Gunnison Reservoir	2	No Evidence of Impairment					1,257
Sevier River	UT-L-16030003-012_00	Redmond Lake	Redmond Lake	2	No Evidence of Impairment					240
Sevier River	UT-L-16030003-016_00	Rex Reservoir	Rex Reservoir	2	No Evidence of Impairment					35

* Please refer to the 2012/2014 and 2016 IR data files for the sub-category 3 details.

** Big East Lake is also identified as having insufficient data with exceedances in the harmful algal bloom assessment



Final 2016 Integrated Report: Lakes and Reservoirs 305(b) and 303(d)

Watershed Management Unit	Assessment Unit ID	Assessment Unit Name	Assessment Unit Description	Assessment Unit Category	Category Description	Impaired Parameter	Impaired Beneficial Uses	Total Maximum Daily Load Development Priority	IR Cycle First Listed	Lake Acres
Uinta Basin	UT-L-14060004-001_00	Strawberry Reservoir	Strawberry Reservoir	4A	TMDL Approved	Dissolved Oxygen	3A		1998	15,602
						Total Phosphorus	3A		1998	15,602
Uinta Basin	UT-L-14060003-230_00	Big Sand Wash Reservoir	Big Sand Wash Reservoir	5	Not Supporting	Dissolved Oxygen	3A	Low	2010	386
						Temperature	3A	Low	2010	386
Uinta Basin	UT-L-14040107-004_00	Bridger Lake	Bridger Lake	5	Not Supporting	Dissolved Oxygen	3A	Low	1996	19
						pH	3A	Low	2016	19
Uinta Basin	UT-L-14060010-002_00	Brough Reservoir	Brough Reservoir	5	Not Supporting	Temperature	3A	Low	2008	136
					TMDL Approved	Dissolved Oxygen	3A		1998	136
Uinta Basin	UT-L-14060003-293_00	Butterfly Lake	Butterfly Lake	5	Not Supporting	pH	3A	Low	2016	5
Uinta Basin	UT-L-14040106-034_00	Calder Reservoir	Calder Reservoir	5	Not Supporting	pH	3A	Low	2016	94
						Temperature	3A	Low	2010	94
						Tier II	3A	Low	2016	94
					TMDL Approved	Dissolved Oxygen	3A		1998	94
						Total Phosphorus	3A		1998	94
Uinta Basin	UT-L-14040107-006_00	China Lake	China Lake	5	Not Supporting	Dissolved Oxygen	3A	Low	1996	27
						Temperature	3A	Low	2000	27
Uinta Basin	UT-L-14060004-004_00	Lake Canyon Lake	Lake Canyon Lake	5	Not Supporting	Arsenic, Dissolved	1C	Low	2016	29
						Boron, Total	4	Low	2016	29
						pH	3A	Low	2016	29
						Total Dissolved Solids	4	Low	2016	29
Uinta Basin	UT-L-14040107-005_00	Lyman Lake	Lyman Lake	5	Not Supporting	Dissolved Oxygen	3A	Low	1996	35
Uinta Basin	UT-L-14040106-033_00	Matt Warner Reservoir	Matt Warner Reservoir	5	Not Supporting	Temperature	3A	Low	1996	364
					TMDL Approved	Dissolved Oxygen	3A		1998	364
						Total Phosphorus	3A		1998	364
Uinta Basin	UT-L-14060010-001_00	Pelican Lake	Pelican Lake	5	Not Supporting	pH	3B	Low	2004	1,114
						Total Phosphorus	3B	Low	2012	1,114
Uinta Basin	UT-L-14060010-008_00	Red Fleet Reservoir	Red Fleet Reservoir	5	Not Supporting	Temperature	3A	Low	2010	478
					TMDL Approved	Dissolved Oxygen	3A		1998	478
Uinta Basin	UT-L-14060010-006_00	Steinaker Reservoir	Steinaker Reservoir	5	Not Supporting	Temperature	3A	Low	2008	744
					TMDL Approved	Dissolved Oxygen	3A		1998	744
					Not Supporting	Selenium, Dissolved	3B	Low	2016	155
Uinta Basin	UT-L-14060010-009_00	Stewart Lake	Stewart Lake	5	Not Supporting					
Uinta Basin	UT-L-14040106-026_00	Crouse Reservoir	Crouse Reservoir	3	Insufficient Data*					111
Uinta Basin	UT-L-14060004-007_00	Currant Creek Reservoir	Currant Creek Reservoir	3	Insufficient Data*					274
Uinta Basin	UT-L-14060010-007_00	East Park Reservoir	East Park Reservoir	3	Insufficient Data*					178
Uinta Basin	UT-L-14040106-021_00	Flaming Gorge Reservoir	Flaming Gorge Reservoir	3	Insufficient Data*					12,519
Uinta Basin	UT-L-14040106-001_00	Hoop Lake	Hoop Lake	3	Insufficient Data*					171
Uinta Basin	UT-L-14040106-032_00	Long Park Reservoir	Long Park Reservoir	3	Insufficient Data*					300
Uinta Basin	UT-L-14060003-112_00	Moon Lake	Moon Lake	3	Insufficient Data*					786
Uinta Basin	UT-L-14060010-005_00	Oaks Park Reservoir	Oaks Park Reservoir	3	Insufficient Data*					338
Uinta Basin	UT-L-14060003-297_00	Paradise Park Reservoir	Paradise Park Reservoir	3	Insufficient Data*					147
Uinta Basin	UT-L-14060004-003_00	Red Creek Reservoir	Red Creek Reservoir	3	Insufficient Data*					147
Uinta Basin	UT-L-14060004-006_00	Starvation Reservoir	Starvation Reservoir	3	Insufficient Data*					3,340
Uinta Basin	UT-L-14060010-003_00	Ashley Twin Lakes	Ashley Twin Lakes	2	No Evidence of Impairment					32
Uinta Basin	UT-L-14040106-031_00	Beaver Meadow Reservoir	Beaver Meadow Reservoir	2	No Evidence of Impairment					106
Uinta Basin	UT-L-14040106-019_00	Browne Lake	Browne Lake	2	No Evidence of Impairment					48
Uinta Basin	UT-L-14060003-012_00	Hoover Lake	Hoover Lake	2	No Evidence of Impairment					19
Uinta Basin	UT-L-14040107-003_00	Marsh Lake	Marsh Lake	2	No Evidence of Impairment					42

* Please refer to the 2012/2014 and 2016 IR data files for the sub-category 3 details.

** Big East Lake is also identified as having insufficient data with exceedances in the harmful algal bloom assessment



Final 2016 Integrated Report: Lakes and Reservoirs 305(b) and 303(d)

Watershed Management Unit	Assessment Unit ID	Assessment Unit Name	Assessment Unit Description	Assessment Unit Category	Category Description	Impaired Parameter	Impaired Beneficial Uses	Total Maximum Daily Load Development Priority	IR Cycle First Listed	Lake Acres
Uinta Basin	UT-L-14060003-011_00	Marshall Lake	Marshall Lake	2	No Evidence of Impairment					19
Uinta Basin	UT-L-14040107-001_00	Meeks Cabin Reservoir	Meeks Cabin Reservoir	2	No Evidence of Impairment					17
Uinta Basin	UT-L-14060003-006_00	Mirror Lake	Mirror Lake	2	No Evidence of Impairment					53
Uinta Basin	UT-L-14060003-003_00	Pyramid Lake	Pyramid Lake	2	No Evidence of Impairment					15
Uinta Basin	UT-L-14060003-002_00	Scout Lake	Scout Lake	2	No Evidence of Impairment					19
Uinta Basin	UT-L-14040106-016_00	Sheep Creek Lake	Sheep Creek Lake	2	No Evidence of Impairment					81
Uinta Basin	UT-L-14040106-002_00	Spirit Lake	Spirit Lake	2	No Evidence of Impairment					42
Uinta Basin	UT-L-14040107-007_00	Stateline Reservoir	Stateline Reservoir	2	No Evidence of Impairment					274
Uinta Basin	UT-L-14060003-296_00	Upper Stillwater Reservoir	Upper Stillwater Reservoir	2	No Evidence of Impairment					301

* Please refer to the 2012/2014 and 2016 IR data files for the sub-category 3 details.

** Big East Lake is also identified as having insufficient data with exceedances in the harmful algal bloom assessment



Final 2016 Integrated Report: Lakes and Reservoirs 305(b) and 303(d)

Watershed Management Unit	Assessment Unit ID	Assessment Unit Name	Assessment Unit Description	Assessment Unit Category	Category Description	Impaired Parameter	Impaired Beneficial Uses	Total Maximum Daily Load Development Priority	IR Cycle First Listed	Lake Acres
Utah Lake	UT-L-16020202-002_00	Big East Lake	Big East Lake	5	Not Supporting	Dissolved Oxygen	3A	Low	1996	26
						Temperature	3A	Low	2012	26
						Total Phosphorus**	3A	Low	2012	26
Utah Lake	UT-L-16020203-001_00	Deer Creek Reservoir	Deer Creek Reservoir	5	Not Supporting	Temperature	3A	Low	2006	2,560
						TMDL Approved			1998	2,560
Utah Lake	UT-L-16020203-003_00	Jordanelle Reservoir	Jordanelle Reservoir	5	Not Supporting	pH	3A	Low	2016	2,987
Utah Lake	UT-L-16020203-004_00	Mill Hollow Reservoir	Mill Hollow Reservoir	5	Not Supporting	pH	3A	Low	1992	18
						Total Phosphorus	3A	Low	1992	18
Utah Lake	UT-L-16020201-004_02	Provo Bay portion of Utah Lake	Provo Bay portion of Utah Lake	5	Not Supporting	PCB in Fish Tissue	3B	Low	2010	3,609
						pH	3B	Low	2016	3,609
						Total Ammonia	3B	Low	2016	3,609
						Total Phosphorus	3B	Low	1994	3,609
Utah Lake	UT-L-16020202-001_00	Salem Lake	Salem Lake	5	Not Supporting	E. coli	2A	Low	2016	19
Utah Lake	UT-L-16020201-004_01	Utah Lake other than Provo Bay	Utah Lake other than Provo Bay	5	Not Supporting	Harmful algal blooms	2B	Low	2016	87,929
						PCB in Fish Tissue	3B	Low	2010	87,929
						Total Dissolved Solids	4	Low	2006	87,929
						Total Phosphorus	3B	Low	1994	87,929
Utah Lake	UT-L-16020201-001_00	Mona Reservoir	Mona Reservoir	3	Insufficient Data*					1,561
Utah Lake	UT-L-16020201-006_00	Silver Lake Flat Reservoir	Silver Lake Flat Reservoir	2	No Evidence of Impairment					33
Utah Lake	UT-L-16020201-005_00	Tibble Fork Reservoir	Tibble Fork Reservoir	2	No Evidence of Impairment					11
Utah Lake	UT-L-16020203-002_00	Trial Lake	Trial Lake	2	No Evidence of Impairment					62
Utah Lake	UT-L-16020203-006_00	Wall Lake	Wall Lake	2	No Evidence of Impairment					72
Utah Lake	UT-L-16020203-005_00	Washington Lake	Washington Lake	2	No Evidence of Impairment					107

* Please refer to the 2012/2014 and 2016 IR data files for the sub-category 3 details.

** Big East Lake is also identified as having insufficient data with exceedances in the harmful algal bloom assessment



Final 2016 Integrated Report: Lakes and Reservoirs 305(b) and 303(d)

Watershed Management Unit	Assessment Unit ID	Assessment Unit Name	Assessment Unit Description	Assessment Unit Category	Category Description	Impaired Parameter	Impaired Beneficial Uses	Total Maximum Daily Load Development Priority	IR Cycle First Listed	Lake Acres
Weber River	UT-L-16020102-020_00	East Canyon Reservoir	East Canyon Reservoir	5	Not Supporting	Temperature	3A	Low	2012	639
					TMDL Approved	Dissolved Oxygen	3A		1998	639
						Total Phosphorus	3A		1988	639
Weber River	UT-L-16020101-001_00	Echo Reservoir	Echo Reservoir	5	Not Supporting	Temperature	3A	Low	2012	1,336
					TMDL Approved	Dissolved Oxygen	3A		1996	1,336
						Total Phosphorus	3A		1994	1,336
Weber River	UT-L-16020102-014_00	Pineview Reservoir	Pineview Reservoir	5	Not Supporting	Temperature	3A	Low	1994	3,008
					TMDL Approved	Dissolved Oxygen	3A		1998	3,008
						Total Phosphorus	3A		1998	3,008
Weber River	UT-L-16020101-002_00	Rockport Reservoir	Rockport Reservoir	5	Not Supporting	Temperature	3A	Low	2012	1,055
					TMDL Approved	Dissolved Oxygen	3A		2006	1,055
Weber River	UT-L-16020102-021_00	Causey Reservoir	Causey Reservoir	2	No Evidence of Impairment					126
Weber River	UT-L-16020101-003_00	Lost Creek Reservoir	Lost Creek Reservoir	2	No Evidence of Impairment					369
Weber River	UT-L-16020101-005_00	Smith and Morehouse Reservoir	Smith and Morehouse Reservoir	2	No Evidence of Impairment					207
Weber River	UT-L-16020102-004_00	Willard Bay Reservoir	Willard Bay Reservoir	2	No Evidence of Impairment					10,103

* Please refer to the 2012/2014 and 2016 IR data files for the sub-category 3 details.

** Big East Lake is also identified as having insufficient data with exceedances in the harmful algal bloom assessment



Final 2016 Integrated Report: Lakes and Reservoirs 305(b) and 303(d)

Watershed Management Unit	Assessment Unit ID	Assessment Unit Name	Assessment Unit Description	Assessment Unit Category	Category Description	Impaired Parameter	Impaired Beneficial Uses	Total Maximum Daily Load Development Priority	IR Cycle First Listed	Lake Acres
West Desert / Columbia	UT-L-16020304-003_00	Stansbury Lake	Stansbury Lake	5	Not Supporting	Total Dissolved Solids	4	Low	2016	91
West Desert / Columbia	UT-L-16020304-004_00	Settlement Canyon Reservoir	Settlement Canyon Reservoir	3	Insufficient Data*					26
West Desert / Columbia	UT-L-16020304-005_00	Grantsville Reservoir	Grantsville Reservoir	2	No Evidence of Impairment					95
West Desert / Columbia	UT-L-16020304-002_00	Rush Lake	Rush Lake	2	No Evidence of Impairment					242

* Please refer to the 2012/2014 and 2016 IR data files for the sub-category 3 details.

** Big East Lake is also identified as having insufficient data with exceedances in the harmful algal bloom assessment



Final 2016 Integrated Report: Lakes and Reservoirs Delistings

Watershed Management Unit	Assessment Unit ID	Assessment Unit Name	Assessment Unit Description	Assessed Parameter	EPA Cause ID	Cycle Delisted	EPA Justification Code	EPA Justification Name	DWQ De-listing Comment
Cedar/Beaver	UT-L-16030006-017_00	Yankee Meadow Reservoir	Yankee Meadow Reservoir	Dissolved Oxygen	322	2016	2	Attaining WQS with new data.	
Colorado River Southeast	UT-L-14080201-007_00	Recapture Reservoir	Recapture Reservoir	Cause Unknown	Cause Unknown	2016	4	Attaining WQS due to change in assessment methodology.	Listing was in error. Let 2016's Period of Record data and applicable assessment methods determine assessment of UT-L-14080201-007_00.
Colorado River West	UT-L-14060007-004_00	Lower Gooseberry Reservoir	Lower Gooseberry Reservoir	Dissolved Oxygen	322	2016	2	Attaining WQS with new data.	
Colorado River West	UT-L-14060007-004_00	Lower Gooseberry Reservoir	Lower Gooseberry Reservoir	pH	441	2016	2	Attaining WQS with new data.	
Sevier River	UT-L-16030003-006_00	Manning Meadow Reservoir	Manning Meadow Reservoir	Dissolved Oxygen	322	2016	4	Attaining WQS due to change in assessment methodology.	
Uinta Basin	UT-L-14040107-003_00	Marsh Lake	Marsh Lake	Cause Unknown	Cause Unknown	2016	4	Attaining WQS due to change in assessment methodology.	Listing was in error. Let 2016's Period of Record data and applicable assessment methods determine assessment of UT-L-14040107-003_00.
Uinta Basin	UT-L-14040106-016_00	Sheep Creek Lake	Sheep Creek Lake	pH	441	2016	2	Attaining WQS with new data.	
Uinta Basin	UT-L-14060004-006_00	Starvation Reservoir	Starvation Reservoir	Dissolved Oxygen	322	2016	2	Attaining WQS with new data.	
Uinta Basin	UT-L-14060004-006_00	Starvation Reservoir	Starvation Reservoir	Temperature	388	2016	2	Attaining WQS with new data.	
Utah Lake	UT-L-16020201-004_02	Provo Bay portion of Utah Lake	Provo Bay portion of Utah Lake	Total Dissolved Solids	399	2016	2	Attaining WQS with new data.	



Final 2016 Integrated Report: Lakes and Reservoirs Assessment Unit Splits

Watershed Management Unit	Original Assessment Unit ID	New Assessment Unit ID	New Assessment Unit Name	New Assessment Unit Description	DWQ Comment
Utah Lake	UT-L-16020201-004_00	UT-L-16020201-004_01	Utah Lake other than Provo Bay	Utah Lake other than Provo Bay	
Utah Lake	UT-L-16020201-004_00	UT-L-16020201-004_02	Provo Bay portion of Utah Lake	Provo Bay portion of Utah Lake	