



Westinghouse Electric Company  
 Nuclear Fuel  
 Western Zirconium  
 10,000 West 900 South  
 Ogden, Utah 84404-9760  
 USA

Mr. Mark Novak  
 Division of Water Quality  
 Utah Department of Environmental Quality  
 P.O. Box 144870  
 Salt Lake City, Utah 84114-4870

Direct tel: (801) 732-2385  
 Direct fax: (801) 732-2338  
 e-mail: cunlifra@westinghouse.com

Your ref: Request for Information (GWDP)  
 5-18-2009

March 5, 2011

Dear Mr. Novak:

Western Zirconium (WZ) is providing this Groundwater Discharge Permit Application as required by your letter dated April 14, 2008. This application provides general facility information, general discharge information, and incorporates numerous environmental reports and plans by reference. A signed certification page is provided at the end of this application.

**Part A - General Facility Information**

General Facility Information required by UAC-R317-6-6.3 for this application is summarized below in Table A-1 and Figures 1-1 and 1-2.

**Administrative Information.**

Facility Name: Western Zirconium / Hafnium Production Plant

Mail Address: 10,000 West 900 South, Ogden, Utah 84404-9760  
 (Number & Street, Box and/or Route, City, State, Zip Code)

Facility Legal Location\* County: Weber

T. 6N, R. 3W, Sec. 18, NE 1/4  
 Lat. 41 ° 15 ' 25.648 "N Long. 112 ° 13 ' 46.157 "W

\*Note: A topographic map or detailed aerial photograph should be used in conjunction with a written description to depict the location of the facility, points of ground water discharge, and other relevant features/objects.

Contact's Name: Kent Bradford Phone No.: (801) 732-2205  
 Title: Manager EHS

**Owner/Operator Information.**

Owner Name: Westinghouse Electric Company LLC Phone No.: (801) 732-2262

Mail Address: 10,000 West 900 South, Ogden, Utah 84404-9760  
 (Number & Street, Box and/or Route, City, State, Zip Code)

Operator Name: \_\_\_\_\_ Phone No.: ( ) \_\_\_\_\_  
 (If different than Owner's above)

Mail Address: \_\_\_\_\_  
 (Number & Street, Box and/or Route, City, State, Zip Code)

Official Representative: Glenn Galer Phone No.: (801) 732-2200

Title: Plant Manager

Western Zirconium is an existing industrial facility. The SIC/NAICA code is 3356 (rolling, drawing and extruding of non ferrous metals except copper and aluminum). The Western Zirconium facility operates under a Title V Air permit #5700006002, and has RCRA ID # UTD092024934.

The principle process used at the Western Zirconium facility consists of purifying dissolved zirconium oxychloride crystals by a chemical separation process to produce zirconium oxide. The zirconium oxide is chlorinated to provide zirconium tetrachloride. Reduction of the zirconium tetrachloride with magnesium produces zirconium metal and magnesium chloride. The zirconium metal is fabricated into plate, bar, wire, trex, and extruded tubeshell products.

**Evaporation Pond Information.**

Evaporation ponds hold waste water, which primarily contains ammonium chloride, calcium chloride, sodium sulfite and sodium hypochlorite solutions. Currently, there are seven evaporation ponds in use: two Ammonium Chloride Ponds (A1 and A2), two Calcium Chloride Ponds (C1 and C2), one Sodium Chloride Pond (S1), an emergency or upset pond (U1), and one Zirconium Raffinate Pond (Z1). These seven evaporation ponds are shown on Figure 1-2.

The Western Zirconium evaporation ponds were constructed in approximately 1979 using earthwork excavations and dikes. The ponds were lined with approximately two feet of locally available clays that were compacted along the pond bottoms and built up in the central portions of the berms. All seven ponds are approximately eight feet deep with one to three feet of freeboard. The surface area freeboard acreages of the evaporation ponds are as follows:

- A1 – 22.9 acres
- A2 – 23.0 acres
- C1 – 12.7 acres
- C2 – 22.7 acres
- S1 – 6.0 acres
- U1 – 8.1 acres
- Z1 – 1.1 acres

The total acreage of the evaporation ponds at the Western Zirconium facility is approximately 95.1 acres. The calculated volumes of the evaporation ponds at their respective freeboard elevations are as follows:

- A1 – 133.0 acre feet
- A2 – 149.8 acre feet
- C1 – 87.9 acre feet
- C2 – 146.5acre feet
- S1 – 16.4 acre feet
- U1 – 37.6 acre feet
- Z1 – 7.8 acre feet

The evaporation ponds are designed to hold approximately 570 acre feet or over 185 million gallons of water.

As reported in the “Phase I RFI Report” (February 2003), native soils underlying the Western Zirconium evaporation ponds are typically made up of fine grained silty sands in the shallow subsurface and silty clays and clays in the deeper subsurface. These fine grained low permeability deeper subsurface soils act as a barrier to subsurface fluid flow from the evaporation ponds. However, impacts to the shallow aquifer

adjacent to the evaporation ponds may result from horizontal groundwater flow through the shallow subsurface silty sands. Therefore, Western Zirconium intends to install a subsurface barrier wall surrounding the evaporation ponds.

### **General Design of the Subsurface Barrier Wall and Dike**

The general design of the subsurface barrier wall and dike includes a soil-sepiolite containment trench, sepiolite slurry, interlocking high density polyethylene (HDPE) sheet piles, and low permeability soil dike. All materials selected for the subsurface barrier have been engineered to be physically and chemically compatible with evaporation pond wastewaters containing high concentrations of sodium, calcium and ammonium chlorides. The preferred alignment of the subsurface barrier wall is shown on Figure 1-3.

Using slurry trench technology, a 3-foot wide slurry trench will be excavated through a minimum of 10 feet of the deeper subsurface low permeability soils that underlie the pond system and adjacent area. The trench will be kept full of slurry during the excavation process to maintain trench stability. The trench bottom will be between 15 to 40 feet (25 feet average) below the existing ground surface.

Excavated soils will be mixed with sepiolite clay to produce a low permeability backfill material. The low permeability backfill material will be placed into the trench in a controlled fashion to displace the slurry and result in the installation of a continuous low permeability soil-sepiolite barrier around the evaporation ponds. Following backfill placement, interlocking HDPE sheet piles will be driven through the soil-sepiolite backfill using a steel guided mandrel. The resulting barrier wall will meet long-term permeability requirements when subjected to the chemical compositions of evaporation pond water. The HDPE sheeting will extend above ground surface to an elevation of 4219 feet above mean sea level (amsl) where the a dike will be built up around the interlocking sheet piles.

Following the installation of the subsurface barrier wall, the new dike will be constructed along the alignment to 4220 feet amsl, providing 1 foot freeboard above the top elevation of the barrier wall. The average height of the new dike is approximately 5 feet above the current ground surface. The width of the dike will be approximately 10 feet wide. The evaporation pond side of the dike will use compacted low permeability core material placed against the HDPE sheet piles to protect above grade portions of the sheet pile and maintain composite construction similar to that installed in the slurry trench. The exterior section of the new dike will consist of compacted granular soils with erosion protection rock on the inboard (pond) slope. The compacted new dike will meet Dam Safety regulations. Potential seasonal accumulations of precipitation within the secondary containment area will be pumped back to the ponds, as needed. The additional spill protection is sufficient to contain a breach event of the largest pond at its maximum operational level.

### **Nearby Water Sources**

A list of all water sources (i.e., well/spring, water usage, water bodies, drainages, well-head protection areas, drinking water source protection zones, man-made structures) within 1 mile radius of the point of discharge are provided in Table A-1 and Figure 1-2.

### **Part B - General Discharge Information**

General Discharge Information required by UAC-R317-6-6.3 for this application is summarized in Table B-1 and Figure 1-4.

### **Part C - Accompanying Reports and Plans**

Several environmental studies have been performed at the Western Zirconium facility, and copies of these studies have been provided to the Division of Water Quality over a period of many years. Much of the

information required for the Groundwater Discharge Permit Application is already provided in these existing documents. Therefore, the documents that contain the relevant information have been included by reference in this application.

#### C.1 Hydrogeologic Reporting

A detailed analysis of the environmental setting of the Western Zirconium facility is provided in the "Phase I RFI Report" (February 2003), which includes discussions of groundwater, geology and soils, surface water, and climate. A more detailed analysis of the hydrogeological regime at the facility is provided in the "Phase II RFI Report" (August 2004), which includes a conceptual site model, and a determination of the background chemical concentrations in soil and groundwater at the site. All chemical data generated for compliance purposes at Western Zirconium are collected and analyzed in accordance with the "Quality Assurance Project Plan", (November 2002), or in accordance with project-specific workplans that have been approved by the Division of Water Quality. Assessments of health risks to human and ecological receptors at the facility are documented in the "Human Health Risk Assessment of the Evaporation Ponds Area" (June 2007), the "Ecological Risk Assessment" (January 2008), and the "RCRA Facility Investigation Non-Pond SWMUs/AOCs Baseline Risk Assessment" (March 2008). All of the documents referenced above were reviewed and approved by the Division of Water Quality.

#### C.2 Ground Water Discharge Control Plan

The evaporation ponds at Western Zirconium are currently discharging evaporation pond water into groundwater at an unknown rate. To remedy this discharge, Western Zirconium is designing a barrier wall to interrupt the discharge. In addition, the design will provide limited secondary containment for the evaporation ponds which currently does not exist. The barrier wall design incorporates regulatory feedback from several agencies, including the Division of Water Quality. The final design will be submitted to the Division of Water Quality for approval prior to construction. Western Zirconium is investigating other facility upgrades which will ultimately reduce the volume of water that is discharged to the evaporation ponds.

#### C.3 Compliance Monitoring Plan

Western Zirconium has an existing network of monitoring wells that are used for monitoring discharge from the evaporation ponds. The wells are located within the known area of contamination, along the perimeter of the evaporation ponds, and at sentry locations beyond the extent of the contamination plume. These wells are sampled in accordance with Western Zirconium's Ongoing Monitoring Plan (January 2006). This monitoring plan has been approved by the Division of Water Quality. Western Zirconium's barrier wall design documents include monitoring plans that will be followed to verify the performance of the wall.

#### C.4 Closure and Post Closure Plan

Western Zirconium has performed a RCRA Corrective Measures Study to determine appropriate corrective actions for contaminated areas of the site (January 2010). This study is based on the findings of the Human Health and Ecological Risk Assessments, which included future post-closure scenarios. In addition, Western Zirconium has submitted a draft RCRA Site Management Plan (March 2009) that describes how contaminated areas will be managed now, and how they will be addressed in the future. Western Zirconium also has submitted the "Western Zirconium Little Mountain Facility: Decontamination and Decommissioning Cost Estimate" (May 15, 2006) to the UDEQ, and has set aside the funding to pay for necessary site closure, as required by the Division of Radiation Control.

Once the RCRA Corrective Measures Study has been approved, Western Zirconium will prepare a RCRA Corrective Action Plan, which will be submitted to the Division of Water Quality for approval. The Corrective Action Plan will provide specific details pertaining to the management of contaminated areas.

C.5 Contingency and Corrective Action Plans

Western Zirconium will continue to monitor the surface waters and groundwater at the site, and the performance of the barrier wall, in accordance with approved plans. In the future, Western Zirconium will follow the requirements of the RCRA Site Management Plans, and the RCRA Corrective Action Plans at such time that they have been approved by the regulatory agencies.

Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

KENT BRADFORD EHS MANAGER  
NAME & OFFICIAL TITLE (type or print)

801-732-2205  
PHONE NO. (area code & no.)

  
SIGNATURE

4/6/11  
DATE SIGNED




Figure 1-4. Schematic exposure model of the Western Zirconium evaporation ponds and surrounding area.

<b>Schematic Exposure Model</b>
<b>Groundwater Discharge Permit</b>
<b>Figure 1-4</b>
<b>Western Zirconium</b> <i>Ogden, Utah</i>

URS

Table A-1. Water Sources

Name	Location		Description	Status	Usage
	Easting	Northing			
0135005M0	395365.000	4567333.000	Non-Production Well	Underground	Present
0335006M0	396803.000	4568213.000	Non-Production Well	Underground	Present
0435004M0	397201.000	4568759.000	Non-Production Well: Monitor	Underground	Present
0435004M0	397229.000	4569171.000	Non-Production Well: Monitor	Underground	Present
0435004M0	397506.000	4568759.000	Non-Production Well: Monitor	Underground	Present
0435004M0	397808.000	4569446.000	Non-Production Well: Monitor	Underground	Present
0435004M0	397954.000	4568542.000	Non-Production Well: Monitor	Underground	Present
0535004M0	395336.000	4567719.000	Non-Production Well: Monitor	Underground	Present
0535004M0	395367.000	4567695.000	Non-Production Well: Monitor	Underground	Present
0535004M0	395370.000	4567738.000	Non-Production Well: Monitor	Underground	Present
0535004M0	395373.000	4567707.000	Non-Production Well: Monitor	Underground	Present
0535004M0	395382.000	4567686.000	Non-Production Well: Monitor	Underground	Present
0635008M0	395229.000	4567805.000	Non-Production Well: Monitor	Underground	Present
0635008M0	395287.000	4567756.000	Non-Production Well: Monitor	Underground	Present
0635008M0	395321.000	4567780.000	Non-Production Well: Monitor	Underground	Present
0635008M0	395345.000	4567728.000	Non-Production Well: Monitor	Underground	Present
0635008M0	395361.000	4567753.000	Non-Production Well: Monitor	Underground	Present
0635008M0	395367.000	4567704.000	Non-Production Well: Monitor	Underground	Present
0635021M0	395228.000	4567805.000	Non-Production Well: Monitor	Underground	Present
0635021M0	395286.000	4567756.000	Non-Production Well: Monitor	Underground	Present
0635021M0	395319.000	4567780.000	Non-Production Well: Monitor	Underground	Present
0635021M0	395324.000	4567750.000	Non-Production Well: Monitor	Underground	Present
0635021M0	395376.000	4567701.000	Non-Production Well: Monitor	Underground	Present
0635021M0	395382.000	4567713.000	Non-Production Well: Monitor	Underground	Present
0635021M0	395382.000	4567738.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395061.000	4567339.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395070.000	4567416.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395091.000	4567388.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395106.000	4567437.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395109.000	4567361.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395116.000	4567391.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395128.000	4567416.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395158.000	4567471.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395323.000	4567778.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395335.000	4567717.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395353.000	4567791.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395375.000	4567739.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395387.000	4567803.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395402.000	4567708.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395402.000	4567711.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395414.000	4567693.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395420.000	4567751.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395423.000	4567684.000	Non-Production Well: Monitor	Underground	Present
9835002M0	397290.000	4568670.000	Non-Production Well	Abandoned Well	Past
9835002M0	397534.000	4567817.000	Non-Production Well	Underground	Present

**Table A-1. Water Sources**

Name	Location		Description	Status	Usage
	Easting	Northing			
S2	397341.691	4569056.719	Monitoring Well	Existing	Present
S3	397662.101	4569047.557	Monitoring Well	Existing	Present
S4	398116.140	4568976.720	Monitoring Well	Existing	Present
S5	398188.046	4568532.151	Monitoring Well	Existing	Present
S6	398261.870	4568100.691	Monitoring Well	Existing	Present
S7	398250.431	4567623.964	Monitoring Well	Existing	Present
S8	397953.140	4567504.067	Monitoring Well	Existing	Present
S9	397519.633	4567565.256	Monitoring Well	Existing	Present
P1	397196.708	4567693.642	Piezometer	Existing	Present
P2	397371.837	4567537.408	Piezometer	Existing	Present
P3	397631.509	4567582.666	Piezometer	Existing	Present
P4	397968.907	4567612.405	Piezometer	Existing	Present
P5	398348.793	4567829.108	Piezometer	Existing	Present
P6	398317.808	4568152.211	Piezometer	Existing	Present
P7	398293.360	4568633.199	Piezometer	Existing	Present
P8	398191.768	4568965.500	Piezometer	Existing	Present
P9	397974.554	4569049.008	Piezometer	Existing	Present
P10	397763.689	4569055.769	Piezometer	Existing	Present
P11	397512.295	4569060.158	Piezometer	Existing	Present
P12	397426.099	4569061.438	Piezometer	Existing	Present
P13	397080.409	4569071.918	Piezometer	Abandoned	Past
P14	397517.768	4568964.041	Piezometer	Existing	Present
P15	397523.618	4568871.823	Piezometer	Existing	Present
P16	397524.200	4568782.235	Piezometer	Existing	Present
TP1	397269.694	4568998.271	Piezometer	Abandoned	Past
TP2	397677.464	4568868.194	Piezometer	Existing	Present
TP3	397972.497	4568829.973	Piezometer	Existing	Present
TP4	397862.811	4568736.445	Piezometer	Existing	Present
TP5	398548.808	4569019.289	Piezometer	Existing	Present
TP6	398551.332	4568734.356	Piezometer	Existing	Present
TP7	398551.036	4568475.863	Piezometer	Existing	Present
TP8	398079.810	4568464.503	Piezometer	Existing	Present
TP9	398183.041	4568242.428	Piezometer	Existing	Present
TP10	398141.855	4567537.908	Piezometer	Existing	Present
TP11	397780.465	4567559.416	Piezometer	Existing	Present
TP12	397286.764	4567840.999	Piezometer	Existing	Present
TP13	397398.637	4568035.576	Piezometer	Existing	Present
TP14	397148.479	4568345.486	Piezometer	Existing	Present
TP15	397148.795	4568604.031	Piezometer	Abandoned	Past
TP16	397886.307	4567836.410	Piezometer	Existing	Present
TP17	397888.317	4567808.441	Piezometer	Existing	Present
TP18	397889.667	4567792.900	Piezometer	Existing	Present
TP19	397288.500	4568665.359	Piezometer	Existing	Present
TP20	397447.114	4568662.337	Piezometer	Existing	Present
TP21	397529.495	4568462.164	Piezometer	Existing	Present



**Table A-1. Water Sources**

Name	Location		Description	Status	Usage
	Easting	Northing			
PI-3	396701.799	4568494.923	Monitoring Well	Existing	Present
PI-1	396704.799	4568500.923	Monitoring Well	Existing	Present
PI-8	396786.795	4568561.921	Monitoring Well	Existing	Present
MIBK-1	396924.795	4568381.926	Monitoring Well	Existing	Present
MIBK-2	396955.794	4568384.926	Monitoring Well	Existing	Present
MIBK-4	396973.794	4568343.927	Monitoring Well	Existing	Present
MIBK-5	396972.794	4568313.928	Monitoring Well	Existing	Present
MIBK-7	396991.793	4568381.926	Monitoring Well	Existing	Present
MIBK-3	396969.793	4568373.926	Monitoring Well	Existing	Present
MIBK-6	396954.795	4568336.927	Monitoring Well	Existing	Present
MIBK-8	396992.793	4568340.927	Monitoring Well	Existing	Present
MIBK-9	396970.793	4568386.926	Monitoring Well	Existing	Present
PI-6	396730.798	4568496.923	Monitoring Well	Existing	Present
PI-7	396727.799	4568454.924	Monitoring Well	Existing	Present
LM-001B	333925.804	1794775.952	Monitoring Well	Existing	Present
LM-001C	333926.066	1794776.123	Monitoring Well	Existing	Present
LM-006B	333386.463	1795237.513	Monitoring Well	Existing	Present
LM-006C	333386.183	1795237.411	Monitoring Well	Existing	Present
LM-033A	333807.099	1794830.220	Monitoring Well	Existing	Present
LM-033B	333807.246	1794830.473	Monitoring Well	Existing	Present
LM-033C	333807.388	1794830.238	Monitoring Well	Existing	Present
LM-034B	333756.007	1794878.869	Monitoring Well	Existing	Present
LM-034C	333755.888	1794879.170	Monitoring Well	Existing	Present
LM-036A	333676.478	1794829.530	Monitoring Well	Existing	Present
LM-036B	333676.200	1794829.548	Monitoring Well	Existing	Present
LM-036C	333676.314	1794829.779	Monitoring Well	Existing	Present
LM-037B	332998.668	1795121.537	Monitoring Well	Existing	Present
LM-037C	332998.515	1795121.809	Monitoring Well	Existing	Present
LM-736	334262.662	1795084.477	Monitoring Well	Existing	Present
LM-735	334285.505	1795066.091	Monitoring Well	Existing	Present
LM-734	334309.463	1795050.086	Monitoring Well	Existing	Present
LM-733	334334.346	1795033.570	Monitoring Well	Existing	Present
LM-738	334360.303	1795067.943	Monitoring Well	Existing	Present
LM-737	334324.388	1795094.433	Monitoring Well	Existing	Present

Source Water Data: Utah Division of Water Rights, WRPOD (<http://nrwrt1.nr.state.ut.us/>) February 2009

URS Phase I RFI Report February 2003

MWH Plant Area RFI Report March 2006

**Table B-1. General Discharge Information**

Name	Location		Type of Fluid to be Discharged or	Discharge Volumes	Potentail Discharge	Means of Discharge or Potential Discharge	Discharge Effluent Characteristics
	Easting	Northing					
A1	397641.447	4568306.322	Process Water	Unknown	Unknown	evaporation pond	See table from RFI report 4-3 through 4-9
A2	397746.319	4567960.991	Process Water	Unknown	Unknown	evaporation pond	See table from RFI report 4-3 through 4-9
U1	397335.674	4568198.230	Process Water	Unknown	Unknown	evaporation pond	See table from RFI report 4-3 through 4-9
C1	397418.111	4568596.231	Process Water	Unknown	Unknown	evaporation pond	See table from RFI report 4-3 through 4-9
C2	397849.668	4568306.111	Process Water	Unknown	Unknown	evaporation pond	See table from RFI report 4-3 through 4-9
S1	397337.118	4568695.959	Process Water	Unknown	Unknown	evaporation pond	See table from RFI report 4-3 through 4-9
Z1	397214.795	4568309.737	Process Water	Unknown	Unknown	evaporation pond	See table from RFI report 4-3 through 4-9
Inactive Recirculation Pond	397233.299	4568762.788	Process Water	Unknown	Unknown	surface impoundment	See RFI report
Storm Water Holding Area	397199.270	4568927.966	Process Water	Unknown	Unknown	surface impoundment	See RFI report
SWB-3	397199.270	4568927.966	Surface Water	Unknown	Unknown	surface water body	See RFI report
SWB-6	397309.310	4568018.971	Surface Water	Unknown	Unknown	surface water body	See RFI report
SWB-7	397142.325	4568384.647	Surface Water	Unknown	Unknown	surface water body	See RFI report
SWB-8	397141.802	4568242.188	Surface Water	Unknown	Unknown	surface water body	See RFI report
SWB-9	397315.758	4568050.551	Surface Water	Unknown	Unknown	surface water body	See RFI report
SWB-10	397198.852	4568928.265	Surface Water	Unknown	Unknown	surface water body	See RFI report
SWB-11	397198.770	4569157.910	Surface Water	Unknown	Unknown	surface water body	See RFI report

See Validation Report or the 2002 URS RFI report.



Westinghouse Electric Company  
 Nuclear Fuel  
 Western Zirconium  
 10,000 West 900 South  
 Ogden, Utah 84404-9760  
 USA



Mr. Mark Novak  
 Division of Water Quality  
 Utah Department of Environmental Quality  
 P.O. Box 144870  
 Salt Lake City, Utah 84114-4870

Direct tel: (801) 732-2385  
 Direct fax: (801) 732-2338  
 e-mail: cunlifra@westinghouse.com  
 Your ref: Request for Information (GWDP)  
 5-18-2009

March 5, 2011

Dear Mr. Novak:

Western Zirconium (WZ) is providing this Groundwater Discharge Permit Application as required by your letter dated April 14, 2008. This application provides general facility information, general discharge information, and incorporates numerous environmental reports and plans by reference. A signed certification page is provided at the end of this application.

**Part A - General Facility Information**

General Facility Information required by UAC-R317-6-6.3 for this application is summarized below in Table A-1 and Figures 1-1 and 1-2.

**Administrative Information.**

Facility Name: Western Zirconium / Hafnium Production Plant

Mail Address: 10,000 West 900 South, Ogden, Utah 84404-9760  
 (Number & Street, Box and/or Route, City, State, Zip Code)

Facility Legal Location\* County: Weber

T. 6N, R. 3W, Sec. 18, NE 1/4

Lat. 41 ° 15 ' 25.648 "N Long. 112 ° 13 ' 46.157 "W

\*Note: A topographic map or detailed aerial photograph should be used in conjunction with a written description to depict the location of the facility, points of ground water discharge, and other relevant features/objects.

Contact's Name: Kent Bradford Phone No.: (801) 732-2205

Title: Manager EHS

**Owner/Operator Information.**

Owner Name: Westinghouse Electric Company LLC Phone No.: (801) 732-2262

Mail Address: 10,000 West 900 South, Ogden, Utah 84404-9760  
 (Number & Street, Box and/or Route, City, State, Zip Code)

Operator Name: \_\_\_\_\_ Phone No.: (\_\_\_\_) \_\_\_\_\_  
 (If different than Owner's above)

Mail Address: \_\_\_\_\_  
 (Number & Street, Box and/or Route, City, State, Zip Code)

Official Representative: Glenn Galer Phone No.: (801) 732-2200

Title: Plant Manager

Western Zirconium is an existing industrial facility. The SIC/NAICA code is 3356 (rolling, drawing and extruding of non ferrous metals except copper and aluminum). The Western Zirconium facility operates under a Title V Air permit #5700006002, and has RCRA ID # UTD092024934.

The principle process used at the Western Zirconium facility consists of purifying dissolved zirconium oxychloride crystals by a chemical separation process to produce zirconium oxide. The zirconium oxide is chlorinated to provide zirconium tetrachloride. Reduction of the zirconium tetrachloride with magnesium produces zirconium metal and magnesium chloride. The zirconium metal is fabricated into plate, bar, wire, trex, and extruded tubeshell products.

#### **Evaporation Pond Information.**

Evaporation ponds hold waste water, which primarily contains ammonium chloride, calcium chloride, sodium sulfite and sodium hypochlorite solutions. Currently, there are seven evaporation ponds in use: two Ammonium Chloride Ponds (A1 and A2), two Calcium Chloride Ponds (C1 and C2), one Sodium Chloride Pond (S1), an emergency or upset pond (U1), and one Zirconium Raffinate Pond (Z1). These seven evaporation ponds are shown on Figure 1-2.

The Western Zirconium evaporation ponds were constructed in approximately 1979 using earthwork excavations and dikes. The ponds were lined with approximately two feet of locally available clays that were compacted along the pond bottoms and built up in the central portions of the berms. All seven ponds are approximately eight feet deep with one to three feet of freeboard. The surface area freeboard acreages of the evaporation ponds are as follows:

- A1 – 22.9 acres
- A2 – 23.0 acres
- C1 – 12.7 acres
- C2 – 22.7 acres
- S1 – 6.0 acres
- U1 – 8.1 acres
- Z1 – 1.1 acres

The total acreage of the evaporation ponds at the Western Zirconium facility is approximately 95.1 acres. The calculated volumes of the evaporation ponds at their respective freeboard elevations are as follows:

- A1 – 133.0 acre feet
- A2 – 149.8 acre feet
- C1 – 87.9 acre feet
- C2 – 146.5 acre feet
- S1 – 16.4 acre feet
- U1 – 37.6 acre feet
- Z1 – 7.8 acre feet

The evaporation ponds are designed to hold approximately 570 acre feet or over 185 million gallons of water.

As reported in the “Phase I RFI Report” (February 2003), native soils underlying the Western Zirconium evaporation ponds are typically made up of fine grained silty sands in the shallow subsurface and silty clays and clays in the deeper subsurface. These fine grained low permeability deeper subsurface soils act as a barrier to subsurface fluid flow from the evaporation ponds. However, impacts to the shallow aquifer

adjacent to the evaporation ponds may result from horizontal groundwater flow through the shallow subsurface silty sands. Therefore, Western Zirconium intends to install a subsurface barrier wall surrounding the evaporation ponds.

### **General Design of the Subsurface Barrier Wall and Dike**

The general design of the subsurface barrier wall and dike includes a soil-sepiolite containment trench, sepiolite slurry, interlocking high density polyethylene (HDPE) sheet piles, and low permeability soil dike. All materials selected for the subsurface barrier have been engineered to be physically and chemically compatible with evaporation pond wastewaters containing high concentrations of sodium, calcium and ammonium chlorides. The preferred alignment of the subsurface barrier wall is shown on Figure 1-3.

Using slurry trench technology, a 3-foot wide slurry trench will be excavated through a minimum of 10 feet of the deeper subsurface low permeability soils that underlie the pond system and adjacent area. The trench will be kept full of slurry during the excavation process to maintain trench stability. The trench bottom will be between 15 to 40 feet (25 feet average) below the existing ground surface.

Excavated soils will be mixed with sepiolite clay to produce a low permeability backfill material. The low permeability backfill material will be placed into the trench in a controlled fashion to displace the slurry and result in the installation of a continuous low permeability soil-sepiolite barrier around the evaporation ponds. Following backfill placement, interlocking HDPE sheet piles will be driven through the soil-sepiolite backfill using a steel guided mandrel. The resulting barrier wall will meet long-term permeability requirements when subjected to the chemical compositions of evaporation pond water. The HDPE sheeting will extend above ground surface to an elevation of 4219 feet above mean sea level (amsl) where the a dike will be built up around the interlocking sheet piles.

Following the installation of the subsurface barrier wall, the new dike will be constructed along the alignment to 4220 feet amsl, providing 1 foot freeboard above the top elevation of the barrier wall. The average height of the new dike is approximately 5 feet above the current ground surface. The width of the dike will be approximately 10 feet wide. The evaporation pond side of the dike will use compacted low permeability core material placed against the HDPE sheet piles to protect above grade portions of the sheet pile and maintain composite construction similar to that installed in the slurry trench. The exterior section of the new dike will consist of compacted granular soils with erosion protection rock on the inboard (pond) slope. The compacted new dike will meet Dam Safety regulations. Potential seasonal accumulations of precipitation within the secondary containment area will be pumped back to the ponds, as needed. The additional spill protection is sufficient to contain a breach event of the largest pond at its maximum operational level.

### **Nearby Water Sources**

A list of all water sources (i.e., well/spring, water usage, water bodies, drainages, well-head protection areas, drinking water source protection zones, man-made structures) within 1 mile radius of the point of discharge are provided in Table A-1 and Figure 1-2.

### **Part B - General Discharge Information**

General Discharge Information required by UAC-R317-6-6.3 for this application is summarized in Table B-1 and Figure 1-4.

### **Part C - Accompanying Reports and Plans**

Several environmental studies have been performed at the Western Zirconium facility, and copies of these studies have been provided to the Division of Water Quality over a period of many years. Much of the

information required for the Groundwater Discharge Permit Application is already provided in these existing documents. Therefore, the documents that contain the relevant information have been included by reference in this application.

### C.1 Hydrogeologic Reporting

A detailed analysis of the environmental setting of the Western Zirconium facility is provided in the "Phase I RFI Report" (February 2003), which includes discussions of groundwater, geology and soils, surface water, and climate. A more detailed analysis of the hydrogeological regime at the facility is provided in the "Phase II RFI Report" (August 2004), which includes a conceptual site model, and a determination of the background chemical concentrations in soil and groundwater at the site. All chemical data generated for compliance purposes at Western Zirconium are collected and analyzed in accordance with the "Quality Assurance Project Plan", (November 2002), or in accordance with project-specific workplans that have been approved by the Division of Water Quality. Assessments of health risks to human and ecological receptors at the facility are documented in the "Human Health Risk Assessment of the Evaporation Ponds Area" (June 2007), the "Ecological Risk Assessment" (January 2008), and the "RCRA Facility Investigation Non-Pond SWMUs/AOCs Baseline Risk Assessment" (March 2008). All of the documents referenced above were reviewed and approved by the Division of Water Quality.

### C.2 Ground Water Discharge Control Plan

The evaporation ponds at Western Zirconium are currently discharging evaporation pond water into groundwater at an unknown rate. To remedy this discharge, Western Zirconium is designing a barrier wall to interrupt the discharge. In addition, the design will provide limited secondary containment for the evaporation ponds which currently does not exist. The barrier wall design incorporates regulatory feedback from several agencies, including the Division of Water Quality. The final design will be submitted to the Division of Water Quality for approval prior to construction. Western Zirconium is investigating other facility upgrades which will ultimately reduce the volume of water that is discharged to the evaporation ponds.

### C.3 Compliance Monitoring Plan

Western Zirconium has an existing network of monitoring wells that are used for monitoring discharge from the evaporation ponds. The wells are located within the known area of contamination, along the perimeter of the evaporation ponds, and at sentry locations beyond the extent of the contamination plume. These wells are sampled in accordance with Western Zirconium's Ongoing Monitoring Plan (January 2006). This monitoring plan has been approved by the Division of Water Quality. Western Zirconium's barrier wall design documents include monitoring plans that will be followed to verify the performance of the wall.

### C.4 Closure and Post Closure Plan

Western Zirconium has performed a RCRA Corrective Measures Study to determine appropriate corrective actions for contaminated areas of the site (January 2010). This study is based on the findings of the Human Health and Ecological Risk Assessments, which included future post-closure scenarios. In addition, Western Zirconium has submitted a draft RCRA Site Management Plan (March 2009) that describes how contaminated areas will be managed now, and how they will be addressed in the future. Western Zirconium also has submitted the "Western Zirconium Little Mountain Facility: Decontamination and Decommissioning Cost Estimate" (May 15, 2006) to the UDEQ, and has set aside the funding to pay for necessary site closure, as required by the Division of Radiation Control.

Once the RCRA Corrective Measures Study has been approved, Western Zirconium will prepare a RCRA Corrective Action Plan, which will be submitted to the Division of Water Quality for approval. The Corrective Action Plan will provide specific details pertaining to the management of contaminated areas.

C.5 Contingency and Corrective Action Plans

Western Zirconium will continue to monitor the surface waters and groundwater at the site, and the performance of the barrier wall, in accordance with approved plans. In the future, Western Zirconium will follow the requirements of the RCRA Site Management Plans, and the RCRA Corrective Action Plans at such time that they have been approved by the regulatory agencies.

Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

KENT BRADFORD EHS MANAGER

NAME & OFFICIAL TITLE (type or print)

801-732-2205

PHONE NO. (area code & no.)



SIGNATURE

4/6/11

DATE SIGNED




Figure 1-4. Schematic exposure model of the Western Zirconium evaporation ponds and surrounding area.

<b>Schematic Exposure Model</b>
<b>Groundwater Discharge Permit</b>
<b>Figure 1-4</b>
<b>Western Zirconium Ogden, Utah</b>



File: X:\Projects\WesternZirconium\SMPI\Fig-4\_Schematic\_Model.mxd



Table A-1. Water Sources

Name	Location		Description	Status	Usage
	Easting	Northing			
0135005M0	395365.000	4567333.000	Non-Production Well	Underground	Present
0335006M0	396803.000	4568213.000	Non-Production Well	Underground	Present
0435004M0	397201.000	4568759.000	Non-Production Well: Monitor	Underground	Present
0435004M0	397229.000	4569171.000	Non-Production Well: Monitor	Underground	Present
0435004M0	397506.000	4568759.000	Non-Production Well: Monitor	Underground	Present
0435004M0	397808.000	4569446.000	Non-Production Well: Monitor	Underground	Present
0435004M0	397954.000	4568542.000	Non-Production Well: Monitor	Underground	Present
0535004M0	395336.000	4567719.000	Non-Production Well: Monitor	Underground	Present
0535004M0	395367.000	4567695.000	Non-Production Well: Monitor	Underground	Present
0535004M0	395370.000	4567738.000	Non-Production Well: Monitor	Underground	Present
0535004M0	395373.000	4567707.000	Non-Production Well: Monitor	Underground	Present
0535004M0	395382.000	4567686.000	Non-Production Well: Monitor	Underground	Present
0635008M0	395229.000	4567805.000	Non-Production Well: Monitor	Underground	Present
0635008M0	395287.000	4567756.000	Non-Production Well: Monitor	Underground	Present
0635008M0	395321.000	4567780.000	Non-Production Well: Monitor	Underground	Present
0635008M0	395345.000	4567728.000	Non-Production Well: Monitor	Underground	Present
0635008M0	395361.000	4567753.000	Non-Production Well: Monitor	Underground	Present
0635008M0	395367.000	4567704.000	Non-Production Well: Monitor	Underground	Present
0635021M0	395228.000	4567805.000	Non-Production Well: Monitor	Underground	Present
0635021M0	395286.000	4567756.000	Non-Production Well: Monitor	Underground	Present
0635021M0	395319.000	4567780.000	Non-Production Well: Monitor	Underground	Present
0635021M0	395324.000	4567750.000	Non-Production Well: Monitor	Underground	Present
0635021M0	395376.000	4567701.000	Non-Production Well: Monitor	Underground	Present
0635021M0	395382.000	4567713.000	Non-Production Well: Monitor	Underground	Present
0635021M0	395382.000	4567738.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395061.000	4567339.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395070.000	4567416.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395091.000	4567388.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395106.000	4567437.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395109.000	4567361.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395116.000	4567391.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395128.000	4567416.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395158.000	4567471.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395323.000	4567778.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395335.000	4567717.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395353.000	4567791.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395375.000	4567739.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395387.000	4567803.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395402.000	4567708.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395402.000	4567711.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395414.000	4567693.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395420.000	4567751.000	Non-Production Well: Monitor	Underground	Present
0735026M0	395423.000	4567684.000	Non-Production Well: Monitor	Underground	Present
9835002M0	397290.000	4568670.000	Non-Production Well	Abandoned Well	Past
9835002M0	397534.000	4567817.000	Non-Production Well	Underground	Present

Table A-1. Water Sources

Name	Location		Description	Status	Usage
	Easting	Northing			
9835002M0	397930.000	4567787.000	Non-Production Well	Underground	Present
9835002M0	397930.000	4568427.000	Non-Production Well	Abandoned Well	Past
31-5197	396280.000	4565992.000	Great Salt Lake	Surface	Present
35-1017	397588.000	4566858.000	Underground Water Well	Underground	Present
35-11235	398852.000	4566569.000	Unnamed Drain	Surface	Present
35-11571	399041.000	4567166.000	Shallow Well	Underground	Present
35-1177	397255.000	4568547.000	Underground Water Well	Underground	Present
35-1178	399494.000	4568812.000	Underground Water Well	Underground	Present
35-1201	397376.000	4570066.000	Underground Water Well	Underground	Present
35-12432	397076.000	4566809.000	Underground Water Well	Underground	Present
35-162	396735.000	4569710.000	Underground Water Well	Underground	Present
35-162	397377.000	4568514.000	Underground Water Well	Underground	Present
35-162	398089.000	4567545.000	Underground Water Well	Underground	Present
35-162	399061.000	4567922.000	Underground Water Well	Underground	Present
35-2730	397375.000	4569808.000	Underground Water Well	Underground	Present
35-2731	398315.000	4569169.000	Underground Water Well	Underground	Present
35-2733	398675.000	4570297.000	Underground Water Well	Underground	Present
35-2734	397921.000	4566527.000	Underground Water Well	Underground	Present
35-2737	398089.000	4567545.000	Underground Water Well	Underground	Present
35-289	397076.000	4566809.000	Underground Water Well	Underground	Present
35-3851	397932.000	4566695.000	Underground Water Well	Underground	Present
35-3852	397900.000	4566826.000	Underground Water Well	Underground	Present
35-398	397963.000	4570234.000	Underground Water Well	Underground	Present
35-441	397988.000	4567425.000	Underground Water Well	Underground	Present
35-5373	394912.000	4569476.000	Underground Water Wells	Underground	Present
35-940	397526.000	4567200.000	Underground Water Well	Underground	Present
35-9703	399492.000	4566963.000	Drain Ditch	Drain	Present
35-12432	396649.000	4567105.000	Underground Water Well	Underground	Present
4A	397860.604	4568565.051	Monitoring Well	Existing	Present
5B	397986.197	4568241.208	Monitoring Well	Existing	Present
5C	397987.812	4568441.135	Monitoring Well	Existing	Present
5D	397990.352	4567940.746	Monitoring Well	Existing	Present
6A	397632.035	4567819.609	Monitoring Well	Existing	Present
6B	397887.378	4567823.789	Monitoring Well	Existing	Present
7A	397388.047	4568096.722	Monitoring Well	Existing	Present
7C	397419.020	4567848.620	Monitoring Well	Existing	Present
8A	397152.682	4568180.472	Monitoring Well	Existing	Present
8B	397247.170	4568097.793	Monitoring Well	Existing	Present
N1	397082.422	4568849.445	Piezometer	Existing	Present
N2	397919.376	4568977.440	Piezometer	Existing	Present
R1	397362.505	4567686.073	Monitoring Well	Existing	Present
R2	397521.812	4568722.667	Monitoring Well	Existing	Present
R3	397654.218	4568678.947	Monitoring Well	Existing	Present
R4	397694.718	4568622.699	Monitoring Well	Existing	Present
S1	397124.215	4568506.412	Monitoring Well	Existing	Present

Table A-1. Water Sources

Name	Location		Description	Status	Usage
	Easting	Northing			
S2	397341.691	4569056.719	Monitoring Well	Existing	Present
S3	397662.101	4569047.557	Monitoring Well	Existing	Present
S4	398116.140	4568976.720	Monitoring Well	Existing	Present
S5	398188.046	4568532.151	Monitoring Well	Existing	Present
S6	398261.870	4568100.691	Monitoring Well	Existing	Present
S7	398250.431	4567623.964	Monitoring Well	Existing	Present
S8	397953.140	4567504.067	Monitoring Well	Existing	Present
S9	397519.633	4567565.256	Monitoring Well	Existing	Present
P1	397196.708	4567693.642	Piezometer	Existing	Present
P2	397371.837	4567537.408	Piezometer	Existing	Present
P3	397631.509	4567582.666	Piezometer	Existing	Present
P4	397968.907	4567612.405	Piezometer	Existing	Present
P5	398348.793	4567829.108	Piezometer	Existing	Present
P6	398317.808	4568152.211	Piezometer	Existing	Present
P7	398293.360	4568633.199	Piezometer	Existing	Present
P8	398191.768	4568965.500	Piezometer	Existing	Present
P9	397974.554	4569049.008	Piezometer	Existing	Present
P10	397763.689	4569055.769	Piezometer	Existing	Present
P11	397512.295	4569060.158	Piezometer	Existing	Present
P12	397426.099	4569061.438	Piezometer	Existing	Present
P13	397080.409	4569071.918	Piezometer	Abandoned	Past
P14	397517.768	4568964.041	Piezometer	Existing	Present
P15	397523.618	4568871.823	Piezometer	Existing	Present
P16	397524.200	4568782.235	Piezometer	Existing	Present
TP1	397269.694	4568998.271	Piezometer	Abandoned	Past
TP2	397677.464	4568868.194	Piezometer	Existing	Present
TP3	397972.497	4568829.973	Piezometer	Existing	Present
TP4	397862.811	4568736.445	Piezometer	Existing	Present
TP5	398548.808	4569019.289	Piezometer	Existing	Present
TP6	398551.332	4568734.356	Piezometer	Existing	Present
TP7	398551.036	4568475.863	Piezometer	Existing	Present
TP8	398079.810	4568464.503	Piezometer	Existing	Present
TP9	398183.041	4568242.428	Piezometer	Existing	Present
TP10	398141.855	4567537.908	Piezometer	Existing	Present
TP11	397780.465	4567559.416	Piezometer	Existing	Present
TP12	397286.764	4567840.999	Piezometer	Existing	Present
TP13	397398.637	4568035.576	Piezometer	Existing	Present
TP14	397148.479	4568345.486	Piezometer	Existing	Present
TP15	397148.795	4568604.031	Piezometer	Abandoned	Past
TP16	397886.307	4567836.410	Piezometer	Existing	Present
TP17	397888.317	4567808.441	Piezometer	Existing	Present
TP18	397889.667	4567792.900	Piezometer	Existing	Present
TP19	397288.500	4568665.359	Piezometer	Existing	Present
TP20	397447.114	4568662.337	Piezometer	Existing	Present
TP21	397529.495	4568462.164	Piezometer	Existing	Present

Table A-1. Water Sources

Name	Location		Description	Status	Usage
	Easting	Northing			
TP22	397513.301	4568139.862	Piezometer	Existing	Present
TP23	397892.952	4568083.793	Piezometer	Existing	Present
TP24	397756.428	4568486.452	Piezometer	Existing	Present
TP25	397750.435	4568125.031	Piezometer	Existing	Present
TP26	397360.734	4568265.259	Piezometer	Existing	Present
TP27	397160.645	4568507.092	Piezometer	Existing	Present
TP28	397142.045	4568507.092	Piezometer	Existing	Present
TP29	397127.186	4568506.822	Piezometer	Existing	Present
TP30	397113.168	4568507.202	Piezometer	Existing	Present
TP31	397382.464	4568753.637	Piezometer	Existing	Present
TP32	397382.054	4568768.596	Piezometer	Existing	Present
TP33	397381.774	4568779.986	Piezometer	Existing	Present
TP34	397401.111	4568872.962	Piezometer	Existing	Present
A1	397641.000	4568306.000	Evaporation Pond	Existing	Present
A2	397746.000	4567961.000	Evaporation Pond	Existing	Present
U1	397336.000	4568198.000	Evaporation Pond	Existing	Present
C1	397418.000	4568596.000	Evaporation Pond	Existing	Present
C2	397850.000	4568306.000	Evaporation Pond	Existing	Present
S1	397337.000	4568696.000	Evaporation Pond	Existing	Present
Z1	397215.000	4568310.000	Evaporation Pond	Existing	Present
Inactive	397233.000	4568763.000	Pond	Inactive	Present
Storm Wat	397199.000	4568928.000	Pond	Existing	Present
SWB-3	397148.034	4568822.898	Surface Water Body	Existing	Present
SWB-6	397330.338	4568108.767	Surface Water Body	Existing	Present
SWB-7	397984.339	4567520.548	Surface Water Body	Existing	Present
SWB-9	397709.937	4569046.533	Surface Water Body	Existing	Present
SWB-10	397728.099	4569160.823	Surface Water Body	Existing	Present
SWB-11	397199.268	4569157.538	Surface Water Body	Existing	Present
SWB-8	398258.711	4567732.908	Surface Water Body	Existing	Present
S10	397242.000	4568953.000	Monitoring Well	Existing	Present
S11	397808.000	4569239.000	Monitoring Well	Existing	Present
NP1R	397181.000	4568743.000	Piezometer	Existing	Present
NP2R	397959.000	4568541.000	Piezometer	Existing	Present
NP3	397968.000	4567850.000	Piezometer	Existing	Present
NP4	397171.000	4568150.000	Piezometer	Existing	Present
NP5	397171.000	4568150.000	Piezometer	Existing	Present
R3	397649.769	4568676.918	Monitoring Well	Existing	Present
A3	396951.793	4568410.925	Monitoring Well	Existing	Present
A2	396991.792	4568411.925	Monitoring Well	Existing	Present
A8	397066.791	4568378.926	Monitoring Well	Existing	Present
A10	397055.790	4568401.925	Monitoring Well	Existing	Present
A5	397052.789	4568473.923	Monitoring Well	Existing	Present
A9	397049.788	4568520.922	Monitoring Well	Existing	Present
A1	396981.791	4568475.923	Monitoring Well	Existing	Present
PI-5	396690.799	4568499.923	Monitoring Well	Existing	Present

Table A-1. Water Sources


Name	Location		Description	Status	Usage
	Easting	Northing			
PI-3	396701.799	4568494.923	Monitoring Well	Existing	Present
PI-1	396704.799	4568500.923	Monitoring Well	Existing	Present
PI-8	396786.795	4568561.921	Monitoring Well	Existing	Present
MIBK-1	396924.795	4568381.926	Monitoring Well	Existing	Present
MIBK-2	396955.794	4568384.926	Monitoring Well	Existing	Present
MIBK-4	396973.794	4568343.927	Monitoring Well	Existing	Present
MIBK-5	396972.794	4568313.928	Monitoring Well	Existing	Present
MIBK-7	396991.793	4568381.926	Monitoring Well	Existing	Present
MIBK-3	396969.793	4568373.926	Monitoring Well	Existing	Present
MIBK-6	396954.795	4568336.927	Monitoring Well	Existing	Present
MIBK-8	396992.793	4568340.927	Monitoring Well	Existing	Present
MIBK-9	396970.793	4568386.926	Monitoring Well	Existing	Present
PI-6	396730.798	4568496.923	Monitoring Well	Existing	Present
PI-7	396727.799	4568454.924	Monitoring Well	Existing	Present
LM-001B	333925.804	1794775.952	Monitoring Well	Existing	Present
LM-001C	333926.066	1794776.123	Monitoring Well	Existing	Present
LM-006B	333386.463	1795237.513	Monitoring Well	Existing	Present
LM-006C	333386.183	1795237.411	Monitoring Well	Existing	Present
LM-033A	333807.099	1794830.220	Monitoring Well	Existing	Present
LM-033B	333807.246	1794830.473	Monitoring Well	Existing	Present
LM-033C	333807.388	1794830.238	Monitoring Well	Existing	Present
LM-034B	333756.007	1794878.869	Monitoring Well	Existing	Present
LM-034C	333755.888	1794879.170	Monitoring Well	Existing	Present
LM-036A	333676.478	1794829.530	Monitoring Well	Existing	Present
LM-036B	333676.200	1794829.548	Monitoring Well	Existing	Present
LM-036C	333676.314	1794829.779	Monitoring Well	Existing	Present
LM-037B	332998.668	1795121.537	Monitoring Well	Existing	Present
LM-037C	332998.515	1795121.809	Monitoring Well	Existing	Present
LM-736	334262.662	1795084.477	Monitoring Well	Existing	Present
LM-735	334285.505	1795066.091	Monitoring Well	Existing	Present
LM-734	334309.463	1795050.086	Monitoring Well	Existing	Present
LM-733	334334.346	1795033.570	Monitoring Well	Existing	Present
LM-738	334360.303	1795067.943	Monitoring Well	Existing	Present
LM-737	334324.388	1795094.433	Monitoring Well	Existing	Present

Source Water Data: Utah Division of Water Rights, WRPOD (<http://nrwt1.nr.state.ut.us/>) February 2009  
 URS Phase I RFI Report February 2003  
 MWH Plant Area RFI Report March 2006


**Table B-1. General Discharge Information**

Name	Location		Type of Fluid to be Discharged or	Discharge Volumes	Potential Discharge	Means of Discharge or Potential Discharge	Discharge Effluent Characteristics
	Easting	Northing					
A1	397641.447	4568306.322	Process Water	Unknown	Unknown	evaporation pond	See table from RFI report 4-3 through 4-9
A2	397746.319	4567960.991	Process Water	Unknown	Unknown	evaporation pond	See table from RFI report 4-3 through 4-9
U1	397335.674	4568198.230	Process Water	Unknown	Unknown	evaporation pond	See table from RFI report 4-3 through 4-9
C1	397418.111	4568596.231	Process Water	Unknown	Unknown	evaporation pond	See table from RFI report 4-3 through 4-9
C2	397849.668	4568306.111	Process Water	Unknown	Unknown	evaporation pond	See table from RFI report 4-3 through 4-9
S1	397337.118	4568695.959	Process Water	Unknown	Unknown	evaporation pond	See table from RFI report 4-3 through 4-9
Z1	397214.795	4568309.737	Process Water	Unknown	Unknown	evaporation pond	See table from RFI report 4-3 through 4-9
Inactive Recirculation Pond	397233.299	4568762.788	Process Water	Unknown	Unknown	surface impoundment	See RFI report
Storm Water Holding Area	397199.270	4568927.966	Process Water	Unknown	Unknown	surface impoundment	See RFI report
SWB-3	397199.270	4568927.966	Surface Water	Unknown	Unknown	surface water body	See RFI report
SWB-6	397309.310	4568018.971	Surface Water	Unknown	Unknown	surface water body	See RFI report
SWB-7	397142.325	4568384.647	Surface Water	Unknown	Unknown	surface water body	See RFI report
SWB-8	397141.802	4568242.188	Surface Water	Unknown	Unknown	surface water body	See RFI report
SWB-9	397315.758	4568050.551	Surface Water	Unknown	Unknown	surface water body	See RFI report
SWB-10	397198.852	4568928.265	Surface Water	Unknown	Unknown	surface water body	See RFI report
SWB-11	397198.770	4569157.910	Surface Water	Unknown	Unknown	surface water body	See RFI report

See Validation Report or the 2002 URS RFI report.



**STATE INDEX**



**Regional Overview Map**

Groundwater Discharge Permit

Figure 1-1

**Western Zirconium**  
Ogden, Utah



URS








- Water Sources and Surface Water Bodies**
- Evaporation Pond
  - Drain Ditch
  - Monitoring Well
  - Great Salt Lake
  - Non-Production Well
  - Non-Production Well: Monitor
  - Piezometer
  - Shallow Well
  - Underground Water Well
  - Pond
  - Underground Water Wells
  - Unnamed Drain

Western Zirconium Property Boundary

Source Water Data: Utah Division of Water Rights, WRPOD (<http://nrwt1.nr.state.ut.us/>) February 2009




Water Sources Within One Mile Buffer of Site  
Groundwater Discharge Permit

Figure 1-2

Western Zirconium  
Ogden, Utah








Source: aerial photograph: AGRC, High Resolution Ortho-Imagery, 2009, 1-foot

 Proposed Subsurface Barrier Wall Alignment



Proposed Subsurface Barrier Wall Alignment

Groundwater Discharge Permit

Figure 1-3

 Western Zirconium  
Ogden, Utah 





**WESTINGHOUSE ELECTRIC COMPANY**  
**Western Zirconium Plant**

**PROPOSED**  
**POST BARRIER WALL**  
**ONGOING MONITORING PLAN**

**April 2011**

TABLE OF CONTENTS

1.0 INTRODUCTION ..... 1

1.1 OBJECTIVE AND SCOPE ..... 1

1.2 PROJECT BACKGROUND..... 1

1.2.1 Site Description .....1

1.2.2 Waste Water Pond Descriptions.....2

1.2.3 Previous Site Investigations .....2

1.3 SITE PHYSICAL CHARACTERISTICS ..... 3

1.3.1 Geology .....3

1.3.2 Ground Water .....3

1.3.3 Surface Water .....4

1.3.4 Aqueous Matrix Interaction.....5

1.3.5 Subsurface Barrier Wall System Concept .....5

2.0 SAMPLING PROGRAM..... 7

2.1 SITE-SPECIFIC RISK-BASED CRITERIA ..... 7

2.2 GROUND WATER MONITORING..... 7

2.3 SURFACE WATER MONITORING ..... 7

2.4 CHANGES FROM THE PREVIOUS OMP..... 7

3.0 WATER SAMPLING..... 12

3.1 GROUND WATER SAMPLING ..... 12

3.1.1 Purpose of Ground Water Sampling.....12

3.1.2 Monitoring Well Locations .....12

3.1.3 Ground Water Sample Designation.....12

3.1.4 Ground Water Sampling Equipment .....12

3.1.5 Monitoring Well Sampling Methods and Procedures .....13

3.1.6 Decontamination Procedures.....13

3.1.7 Documentation Procedures.....13

3.2 SURFACE WATER BODY SAMPLING..... 14

3.2.1 Purpose of Surface Water Sampling.....14

3.2.2 Surface Water Sampling Locations .....14

3.2.3 Surface Water Sample Designation.....14

3.2.4 Surface Water Sampling Equipment .....14

3.2.5 Surface Water Sampling Methods and Procedures .....14

3.2.6 Decontamination Procedures.....15

3.2.7 Documentation Procedures.....15

4.0 QA/QC SAMPLING ..... 16

4.1 PURPOSE OF QA/QC SAMPLING ..... 16

4.2 QA/QC SAMPLE DESIGNATION ..... 16

4.3 QA/QC SAMPLING EQUIPMENT ..... 16

4.4 QA/QC SAMPLING METHODS AND PROCEDURES ..... 16

4.4.1 Temperature Blanks .....17

4.4.2 Blind Duplicates .....17

4.5 DECONTAMINATION PROCEDURES..... 17

4.6 DOCUMENTATION PROCEDURES..... 17

5.0 SAMPLE HANDLING, LABELING, AND SHIPPING..... 18

5.1	SAMPLE LABELING .....	18
5.2	SAMPLE SHIPPING .....	18
5.3	CUSTODY SEALS.....	19
6.0	CHAIN-OF-CUSTODY PROCEDURES.....	20
7.0	ANALYTICAL METHODS .....	21
8.0	STATIC WATER LEVEL MEASUREMENTS.....	22
8.1	PURPOSE OF GROUND WATER ELEVATION MEASUREMENT.....	22
8.2	STATIC WATER LEVEL MEASUREMENT EQUIPMENT .....	22
8.3	STATIC WATER LEVEL MEASUREMENT PROCEDURE.....	22
8.4	DECONTAMINATION PROCEDURES.....	22
8.5	DOCUMENTATION PROCEDURES.....	22
9.0	DECONTAMINATION PROCEDURES.....	23
10.0	DOCUMENTATION PROCEDURES .....	24
11.0	DATA MANAGEMENT .....	26
11.1	DATA VALIDATION.....	26
11.2	DATABASE MANAGEMENT.....	26
11.3	REPORT SUBMITTALS .....	26
12.0	REFERENCES .....	28

## **LIST OF FIGURES**

Figure 1 – Regional Overview Map

Figure 2 – Monitoring Points

## **LIST OF TABLES**

Table 1 – Sampling Summary

Table 2 – Ground Water Analyses and Sampling Requirements

Table 3 – Surface Water Analyses and Sampling Requirements

Table 4 – Well Construction Details and Selected Data

## **LIST OF APPENDICES**

Appendix A – Examples of Field Logs

Appendix B – Sentry Well Monitoring, Data Evaluation, and Replacement



## LIST OF ACRONYMS AND ABBREVIATIONS

amsl	above mean sea level
AOC	Area of Concern
bgs	below ground surface
CD	data compact disc
COC	chain-of-custody
DSHW	Utah Division of Solid and Hazardous Waste
DWQ	Utah Division of Water Quality
EDD	electronic data deliverable
EPA	United States Environmental Protection Agency
GPS	global positioning system
ID	identification
L	liter
LCS	laboratory control samples
MAROS	Monitoring and Remediation Optimization System
mg/L	milligrams per liter
mL	milliliter
MD	method duplicate
MDL	Minimum Detection Limit
MS	matrix spike
MSD	matrix spike duplicate
NAD 27	North American Datum of 1927
NTU	Nephelometric Turbidity Units
OMP	Ongoing Monitoring Plan
PARCC	precision, accuracy, representativeness, comparability and completeness
PDF	portable document format
PID	photoionization detector
PVC	polyvinyl chloride
QAPP	Quality Assurance Project Plan
QA/QC	quality assurance/quality control
RCRA	Resource Conservation and Recovery Act
RFI	RCRA Facility Investigation
SS RBC	Site-Specific Risk-Based Criteria
STL	Severn Trent Laboratory
SVOC	semivolatile organic compound
SWMU	Solid Waste Management Unit
TDS	total dissolved solids
UDEQ	Utah Department of Environmental Quality (references to UDEQ include the Utah divisions of Radiation Control, Solid and Hazardous Waste, and Water Quality)
USDA	United States Department of Agriculture
UTM	Universal Transverse Mercator
VOC	volatile organic compound
°C	degrees Centigrade

## 1.0 INTRODUCTION

The methods and procedures by which fieldwork will be conducted during the ongoing monitoring program at Western Zirconium are described in this *Ongoing Monitoring Plan* (OMP). This document provides the requirements for performing and documenting the OMP-related activities.

### 1.1 OBJECTIVE AND SCOPE

The objective of the ongoing monitoring program is to monitor the effectiveness of the pond barrier wall in preventing leakage from the evaporation ponds entering the environment. The program will also monitor chemical changes in site ground water and surface water that were previously contaminated by leakage from the evaporation ponds. Sentry well data will be used to determine if the facility is in compliance with the permit-specific ground water protection levels. The ongoing monitoring program sampling plan is summarized in Table 1 of this OMP.

All other Western Zirconium activities are beyond the scope of this document. The objectives and scope of other environmental activities at Western Zirconium will be detailed in other project-specific work plans. All Western Zirconium investigation and monitoring activities will be performed in accordance with the Utah Division of Solid and Hazardous Waste (DSHW) Stipulation and Consent Agreement, and the Utah Division of Water Quality (DWQ) Settlement Agreement.

This OMP will be used in conjunction with the Western Zirconium Quality Assurance Project Plan (QAPP, Westinghouse, 2002). The QAPP details procedures that will ensure the quality and integrity of the samples, accuracy and precision of the analyses, representativeness of the results, and completeness of the information obtained.

### 1.2 PROJECT BACKGROUND

Quarterly ground water monitoring was initiated in response to permit requirements. During the course of quarterly monitoring, there began to be indications that the evaporation ponds were releasing contaminants to ground water. As a result, a contamination investigation, a Resource Conservation and Recovery Act (RCRA) facility investigation (RFI), and risk assessments have been completed through consent agreements (described above) with the Utah Department of Environmental Quality (UDEQ). A summary of the site description, previous investigations, and physical setting are provided in the following subsections.

#### 1.2.1 Site Description

Western Zirconium is an operating unit of the Nuclear Fuels Business Unit of Westinghouse Electric Company. The facility is located at the eastern base of Little Mountain approximately 12 miles west of Ogden, Utah. The site address is 10,000 West 900 South, Ogden, Utah 84404-9799 (Figure 1). Western Zirconium encompasses 1,100 acres of land and has about 50 buildings. Evaporation ponds cover approximately 110 acres of the site (Figure 2). Western Zirconium extracts zirconium and hafnium metals from raw materials, and then fabricates these metals into products used primarily by the nuclear fuels industry.

### 1.2.2 Waste Water Pond Descriptions

Western Zirconium operates six active waste water evaporation ponds, and a seventh evaporation pond that will be utilized to control the level of any water that may accumulate in the interstitial space between the ponds and the containment wall. The six evaporation ponds are the Calcium Chloride Pond #1 (C1) and Calcium Chloride Pond #2 (C2) which receive waste waters from the Chlorination, Reduction, and Fabrication processes. The Ammonium Chloride Pond #1 (A1) and the Ammonium Chloride Pond #2 (A2) receive waste water from the Separation Department. The Sodium Chloride Pond (S1) which receives waste water from the Chlorination process caustic scrubber and blow down from the plant Cooling Towers. The Upset Pond (U1) which receives waste water from the Separation Process air pollution control pad.

The seventh evaporation pond is the Reclaimed Pond. This pond was originally two ammonium chloride ponds that are no longer actively receiving plant waste waters. Western Zirconium anticipates that this pond will be used to contain waters that will collect in the interstitial space between the outer dikes of the evaporation pond complex and the containment wall. These waters will come both from precipitation and waste water that currently leaks out of the toes of the existing evaporation ponds. Water will be periodically pumped from this interstitial space to the reclaimed pond to minimize the level of water in this space. This is so the area can act as secondary containment of the evaporation pond waste waters in case of a breach of one of the pond outer dikes.

The six active waste water ponds have a surface area of 95.1 acres at their maximum operating level. Maximum operating volume of the ponds is 571.1 acre feet.

The existing evaporation ponds were constructed in the late 1970's and early 1980's. The ponds were constructed by building 12 foot high dikes upon the existing ground surface forming the ponds. The original pond drawings and specifications called for 1 to 2 feet of compacted impervious silt to line the bottom of the ponds and to extend to form the body of the dikes. A 3 foot wide cutoff trench constructed of the same material was to extend from the bottom of the dike into the existing gumbo clays underlying the dike. There are no independent verifications that the liners were actually constructed as designed.

### 1.2.3 Previous Site Investigations

Ground water monitoring has been conducted around the evaporation ponds since 1979. In addition, recent studies to assess contamination in the evaporation pond area have been completed and are summarized below.

- During October and November 2002, a Phase I RFI (URS, 2003a) of the evaporation pond area to assess potential contamination at ten solid waste management units (SWMUs) and one area of concern (AOC).
- From December 2003 through June 2004, a Phase II RFI (URS, 2004b) of the evaporation pond area to complete the characterization of the evaporation pond area.

- From 2002 through 2005, human health risk-based criteria for the Western Zirconium evaporation pond area were developed (URS, 2004c). A human health risk assessment was completed in 2005 (URS, 2005b) and was submitted to UDEQ for approval.
- From 2004 to 2005, ecological risk-based criteria for Western Zirconium were developed (URS, 2004a). An ecological risk assessment was completed in 2005 (URS, 2005c) and was submitted to UDEQ for approval.

### 1.3 SITE PHYSICAL CHARACTERISTICS

#### 1.3.1 Geology

The physical setting of the monitoring area consists of an alkali flat situated along the eastern flank of Little Mountain. The Western Zirconium property slopes from a high elevation of 4,664 feet above mean sea level (amsl) just below the peak of Little Mountain on the west side, to a low elevation of approximately 4,208 feet amsl near the eastern portion of the property.

The eastern side of the property is located within the historic shoreline zone of the Great Salt Lake. Partial erosion of the historic shoreline zone east of Little Mountain has produced knob-and-swale topography (Currey, 1980). Knob-and-swale topography generally is characterized by low mounds or rounded hills separated by lowland shallow depressions, which generates undulating topography. The soils forming in the bottom of the swales are highly saline and highly alkaline (United States Department of Agriculture, USDA, 1968). Alkali soils form on relatively flat terrain and consist of soils that are encrusted with alkali salts that have become concentrated over time by evaporation and poor drainage. Alkali soils are typically poorly drained, and form in arid and semi-arid regions. The resulting surface water quality is typically highly saline and highly alkaline. The northern boundary area and the eastern portions of Western Zirconium's property are comprised entirely of knob-and-swale topography.

Little Mountain is located within the Basin and Range physiographic province, which is characterized by north-trending mountain ranges separated by linear valleys. The bedrock of Little Mountain represents an eroded remnant of Cretaceous thrusting, uplifted by Basin and Range faulting. An eastward-dipping normal fault trends roughly north and south at the eastern flank of Little Mountain and projects beneath Western Zirconium's property at a location and depth that are not known with certainty (Feth et al., 1966). Thermal water is discharged along this fault at Hooper Hot Springs, located approximately 10 miles south of Western Zirconium. There are many seeps that produce sodium chloride-rich water, which are located on a northwest-trending line between Hooper Hot Springs and Little Mountain. These seeps may be influenced by ground water migrating up this fault zone (Feth et al., 1966).

#### 1.3.2 Ground Water

Western Zirconium is located within the Little Mountain sub district of the Weber Delta hydro geologic district as described by Feth et al. (1966). Ground water in this sub district is saline due to dominant chemical constituents consisting of sodium and chloride, and is generally highly mineralized with high levels of total dissolved solids (TDS). Feth et al. (1966) suggest that the majority of TDS is picked up by ground water as it slowly seeps upward through the confining silts and clays between shallower and deeper aquifers. Ground water and spring discharges

along a nearby major fault zone may contain TDS greater than 10,000 milligrams per liter (mg/L).

Throughout the Salt Lake Valley, ground water occurs in shallow unconfined aquifers and in deeper confined aquifers. On a regional basis, the deep aquifer is beneficial as a drinking water source, although less so near the Great Salt Lake. The shallow aquifer throughout the East Shore area is not suitable for potable use. Water quality is related to the overall regional flow patterns. The principal recharge areas for deeper confined aquifers are the high-level bench gravels along the front of the Wasatch Mountains, which occur from approximately 4,800 to 5,200 feet amsl. From this recharge area, flow in the deeper aquifers is toward the west and produces a vertical gradient from deeper to shallower aquifers. Information available from the State of Utah Department of Natural Resources water rights database indicate that wells used for irrigation and stock watering in the vicinity of the Western Zirconium site penetrate the deep aquifer at depths greater than 100 feet below ground surface (bgs).

Shallow unconfined ground water near Western Zirconium is part of the overall ground water system, but it is not used due to its high TDS concentration, generally poor water quality, and low yield. The shallow water is derived from recharge and ground water flow from the Wasatch Mountains, local infiltration, upward flow of ground water due to artesian pressure, and possible recharge from Little Mountain. Shallow ground water varies in depth across the site from near ground surface to as deep as 20 feet bgs in the plant area. The Phase II RFI identified a northwest to southeast trending ground water divide located within one mile east of the evaporation ponds (URS, 2004b).

### **1.3.3 Surface Water**

Western Zirconium is located just north of the Weber River Delta in an undeveloped area on the plains just east of the Great Salt Lake, which is known as the East Shore Area. Little Mountain forms a natural barrier between the Western Zirconium site and the Great Salt Lake, forcing surface water in the area to flow either northward or southward around Little Mountain.

The Weber River drainage is the nearest fluvial system to the Western Zirconium site, located to the east and south of the property. The Weber River originates in the Western Uinta Mountains at 11,200 feet amsl and enters the Wasatch Front through Weber Canyon. The total watershed drainage area consists of about 2,345 square miles in Weber, Davis, Morgan, and Summit Counties. The North Fork of the Weber River is located approximately 1.5 miles to the south of Western Zirconium. The Weber River flows into Ogden Bay, where it has formed a delta, known as the Weber River Delta. The delta is the site of the Ogden Bay State Waterfowl Management Area, the closest protected wildlife habitat area to the Western Zirconium site.

Due to the topography of Little Mountain, which has its highest elevations and widest extent near the southern part of the Western Zirconium site, surface water drains northward via storm water ditch that drains to the storm water holding area surface water body SWB-3. SWB-3 has formed behind the fill material associated with the construction of the railroad just north of the property boundary. Its extent and volume vary seasonally. In the past, when the water level in SWB-3 reached a high enough elevation it could flow through culverts northward beneath the railroad to

the alkali flat north of the railroad. However, in the summer of 2002 Western Zirconium bermed the areas near the culverts to prevent storm water runoff from leaving the property.

Currently most surface water in this part of the site accumulates in several lowland locations, particularly during the winter and spring seasons. The source of this water is primarily storm water and snow melt, which accumulates and persists at the surface due to the poorly drained nature of native soils, high water table, and flat topography. Most of this water evaporates during drier, warmer periods.

#### **1.3.4 Aqueous Matrix Interaction**

Seepage from the evaporation ponds is a substantial source of ground water contamination in the immediate vicinity of the evaporation ponds. Evaporation pond water enters the aquifer via leakage through the lined evaporation pond bottoms and surrounding dikes, which are a blend of native silt, clay, and sand from the site. Flow and transport are mainly horizontal, away from the elevated head in the evaporation ponds. Vertical flow and contaminant transport are impeded by the confining clay beneath the evaporation pond liners, the surficial aquifer, and the slight upward vertical gradient beneath the site.

Over time, a broad ground water mound has formed beneath the collective evaporation pond area. The ground water flow direction, and thus the contaminant transport direction, is radially away in all directions from the mound. These flow directions gradually bend to coincide with the vicinity ground water gradient at some distance from the evaporation ponds. The leakage into ground water, and movement of contaminated ground water, are occurring at a slow rate. This is qualitatively evidenced by the fact that the evaporation ponds have been in operation since 1978, and in approximately 26 years the plume has not yet reached some sentry well locations, which are located from 700 to 1,500 feet outside of the evaporation pond dikes at various locations (see Figure 2). The attenuation of contaminants over time is also preventing them from reaching sentry locations.

Localized areas of ground water contamination north of the property, which have been difficult to correlate with the evaporation pond ground water plume, are believed to be attributable to overland flow and infiltration of contaminated surface water. In the summer of 2002, Western Zirconium constructed berms at all culverts along the northern property boundary to prevent surface water from leaving the site. Also, a berm was constructed across a swale area north of the evaporation ponds to stop overland surface water flow before it can get to the eastern-most of the culverts. There are no known culverts along the southern or eastern property boundary that would allow surface water to flow off of the property and cause similar problems.

#### **1.3.5 Subsurface Barrier Wall System Concept**

The proposed cutoff wall system design concept will use a composite soil-sepiolite slurry/HDPE barrier cutoff wall within a new small containment dike and stabilized foundation/work pad, outside the existing ponds, to contain existing and future groundwater and surface water contamination. The low permeability of the cutoff wall will prevent lateral migration of groundwater leakage from the ponds. By constructing the wall to an adequate depth, vertical migration of groundwater will also be controlled. By including a small dike, surface seepage is controlled. By including a stabilized foundation/work pad, construction access is provided and

long term seismic stability is obtained. The wall alignment was selected to contain seepage areas immediately outside the existing ponds where the highest concentrations of contaminants exist. This area reflects a substantial portion of seepage given relatively slow outward migration in low permeability natural clayey soils. The system offers the following features:

- The barrier wall depth takes advantage of the underlying native clays to cutoff vertical seepage under the wall;
- The alignment setback from the existing pond dikes allows barrier wall and dike construction without affecting existing dike stability;
- The alignment setback exposes the wall to lower seepage concentrations and gradients while containing the areas with the highest concentrations of prior seepage contamination adjacent to the existing ponds;
- The new perimeter dike creates additional secondary spill containment for the total pond system; and
- The work pad in combination with a small dike provides construction access in the wet soft marshy site and cost effective long-term static and seismic foundation stability.

The constructed subsurface barrier wall is to meet the following minimum requirements:

- The wall is to have a permeability of  $1 \times 10^{-7}$  cm/sec or less.
- The wall depth must penetrate low permeable soils which will perform as a vertical cutoff, preventing groundwater from passing underneath the wall.
- The wall must be constructible with the various site constraints.
- The wall materials must be compatible with the existing pond waters.
- The wall must perform as a system, designed for a minimum of 20 years.

## 2.0 SAMPLING PROGRAM

Many years of quarterly ground water monitoring have been performed at Western Zirconium, and a large volume of historic data exists for many locations at the site. Over time, the ongoing monitoring program has evolved to include additional sampling locations and a broad range of analytes. The sampling program detailed in this OMP is based on the results of many years of site investigation and on previous agreements with UDEQ.

### 2.1 SITE-SPECIFIC RISK-BASED CRITERIA

Site-specific human health and ecological risk-based criteria (SS RBC) have been developed and approved for the Western Zirconium site. These site-specific levels will be used as the basis for data comparison in the quarterly monitoring reports prepared for this program.

### 2.2 GROUND WATER MONITORING

The sampling schedule for the ongoing monitoring program is summarized in Table 1. A summary of the required analytical methods is provided in Table 2. Key elements of the OMP are summarized below.

- Sentry wells will be sampled quarterly for ammonia, nitrate, nitrate+nitrite, total and dissolved metals (including uranium), radium 226, radium 228, pH, and TDS.
- Pond wells will be sampled quarterly for ammonia, nitrate, nitrate+nitrite, total and dissolved metals (including uranium), radium 226, radium 228, pH, and TDS.

### 2.3 SURFACE WATER MONITORING

Surface water bodies SWB-3, SWB-6, SWB-7, SWB-8, and SWB-9 will be sampled for ammonia, nitrate, nitrate+nitrite, total and dissolved metals (including uranium), and pH on a quarterly basis. A summary of the sampling program is provided in Table 1. A summary of analytical methods is provided in Table 3.

### 2.4 CHANGES FROM THE PREVIOUS OMP

- The sentry wells S2, S3, S4, S5, S6, S7, S8, and S9 will be sampled quarterly for ammonia, nitrate, nitrate+nitrite, and total and dissolved metals (including uranium), radium 226, radium 228, TDS and pH. The limited suite of analytes (general chemistry parameters, radiological parameters, metals, and chloroform) that were sampled for once per year before installation of the barrier wall will no longer be sampled. Site Specific Risk Based Criteria have been established for each of the above analytes in ground water as shown below. All analytical values will be compared to these limits.



<b>Groundwater Analyte</b>	<b>SSRBC</b>	<b>Units</b>
Aluminum	12313	mg/L
Ammonia as N	307	mg/L
Arsenic	0.57	mg/L
Barium	137	mg/L
Cadmium	0.72	mg/L
Calcium	NA	mg/L
Chromium	1.1	mg/L
Copper	456	mg/L
Iron	2271	mg/L
Lead	7.7	mg/L
Magnesium	NA	mg/L
Mercury	5.9	mg/L
Nickel	95	mg/L
Nitrate	19701	mg/L
Nitrate-Nitrite	19701	mg/L
pH	NA	none
Potassium	NA	mg/L
Ra-226	413	pCi/L
Ra-228	429	pCi/L
Selenium	61.6	mg/L
Silver	9.4	mg/L
Sodium	NA	mg/L
Uranium	37	mg/L
Vanadium	6.86	mg/L
Zinc	4393	mg/L
Zirconium	62	mg/L

There is no SS RBC for nitrate+nitrite in groundwater. The SS RBC for nitrate is used for nitrate+nitrite for comparison purposes.

Plume well S3 will now be sampled as a sentry well. Sentry wells S10 and S11 will no longer be sampled. Both of these wells are located to the north of Western Zirconium's Property. Sentry wells S2, S3, and S4 are located between the evaporation ponds and the northern edge of the property. These wells will be used to monitor pond contamination north of the ponds.

Ground water protection standards will be established as part of a Ground Water Discharge permit to be issued by the Division of Water Quality after completion of the barrier wall. The sentry wells will be the point of compliance for the ground water protection standards.

- Surface water bodies SWB-3, SWB-6, SWB-7, SWB-8, and SWB-9 will be sampled quarterly for ammonia, nitrate, nitrate+nitrite, and total dissolved metals (including uranium), and pH. The Full Suite list of analytes (general chemistry parameters, radiological parameters, metals, volatile organic compounds, and semi-volatile organic compounds) previously sampled for quarterly will no longer be analyzed. Site Specific

Risk Based Criteria have been established for each of the above analytes in surface water as shown below. All analytical values will be compared to these limits.

<b>Surface Water Analyte</b>	<b>SSRBC</b>	<b>Units</b>
Aluminum-TOTAL	42640	mg/L
Ammonia as N	68224	mg/L
Arsenic	0.082999997	mg/L
Barium	370	mg/L
Cadmium	1.919999957	mg/L
Calcium	NA	mg/L
Chromium	3	mg/L
Copper	1578	mg/L
Iron	25584	mg/L
Lead	20	mg/L
Magnesium	NA	mg/L
Mercury	1.600000024	mg/L
Nickel	272	mg/L
Nitrate	68224	mg/L
Nitrate-Nitrite	68224	mg/L
pH	NA	none
Potassium	NA	mg/L
Selenium	213	mg/L
Silver	25	mg/L
Sodium	NA	mg/L
Total Uranium	128000	ug/L
Vanadium	18	mg/L
Zinc	16256	mg/L
Zirconium	213	mg/L

There is no SS RBC for ammonia or nitrate-nitrite in surface water. The SS RBC for nitrate is used for comparison purposes.

SWB-10 and SWB-11 will no longer be sampled. These surface water bodies have been isolated from other surface bodies on the Western Zirconium property by a set of dikes constructed along the northern edge of the property. SWB-3 and SWB-9 will be used to monitor surface water contamination north of the ponds.

Analytical data from surface water bodies will be used for historical comparison purposes only. Surface water bodies will not be considered a point of compliance.

- Plume wells 4A, 5B, 5C, 5D, 6A, 6B, 7A, 7C, 8A, 8B, N1, N2, R1, R2, R3, R4, and S1 will be abandoned and removed. The majority of these wells lie in the footprint of the barrier wall. The plume wells not impacted by the wall should not be used due to their utilization of bentonite as a well seal to prevent surface water from entering the well casing. Compatibility testing during design of the barrier wall showed that bentonite is not compatible with the inorganic salts present in the ponds or as contaminants in the surface and ground waters. The plume wells will be replaced with a new class of wells called pond wells that will be located in approximately the same areas and depths. These

wells will utilize sepiolite to seal the well cases from intrusion by surface water. Sepiolite has been shown to be compatible with the inorganic salts in the surface and ground waters.

- Pond wells PW1, PW2, PW3, PW4, PW5, PW6, PW7, and PW8 will be sampled quarterly for ammonia, nitrate, nitrate+nitrite, total and dissolved metals (including uranium), radium 226, radium 228, pH, and TDS. Site Specific Risk Based Criteria have been established for each of the above analytes in groundwater as shown below. All analytical values will be compared to these limits.

<b>Groundwater Analyte</b>	<b>SSRBC</b>	<b>Units</b>
Aluminum	12313	mg/L
Ammonia as N	307	mg/L
Arsenic	0.57	mg/L
Barium	137	mg/L
Cadmium	0.72	mg/L
Calcium	NA	mg/L
Chromium	1.1	mg/L
Copper	456	mg/L
Iron	2271	mg/L
Lead	7.7	mg/L
Magnesium	NA	mg/L
Mercury	5.9	mg/L
Nickel	95	mg/L
Nitrate	19701	mg/L
Nitrate-Nitrite	19701	mg/L
pH	NA	none
Potassium	NA	mg/L
Ra-226	413	pCi/L
Ra-228	429	pCi/L
Selenium	61.6	mg/L
Silver	9.4	mg/L
Sodium	NA	mg/L
Uranium	37	mg/L
Vanadium	6.86	mg/L
Zinc	4393	mg/L
Zirconium	62	mg/L

There is no SS RBC for ammonia or nitrate+nitrite in surface water. The SS RBC for nitrate is used for comparison purposes.

The pond wells will be installed upon completion of the barrier wall. The wells will be installed as close as practically possible to the outboard side of the new barrier wall. The exact location of the wells will be determined after completion of the wall. The walls will be installed to a depth of approximately 20 feet, with the last ten feet of the well casing screened. Specific details for new well installation are contained in Appendix B, attachment A.

- New piezometers will be installed at approximately equal distances around the barrier wall. In general, these will be paired with the new pond wells. One of the pair will be installed inside the wall and the other of the pair will be installed directly across the wall on the outside. The ground water level in the piezometers will be measured quarterly. It is expected that mounding of the ground water will occur inside the barrier wall, and that a difference in water level should become established between the paired piezometers. Data from the piezometers will be used for comparison purposes only and as an indication of the walls effectiveness. The piezometers will not be utilized as a point of compliance.

Western Zirconium has historically monitored 48 piezometers for ground water elevations surrounding the ponds. The data indicates that ground water has mounded under the ponds and that ground water elevations generally drop off in a radial manner from the ponds. A distinctive ground water gradient also exists with higher ground water levels occurring on the west side of the property adjacent to Little Mountain and falling off to the west.

Ground water elevation measurements will no longer be taken from the 48 piezometers. Several of the piezometers lie in the footprint of the barrier wall and will need to be abandoned and closed. Those piezometers inside the wall represent potential pathways for contaminant migration and will also be removed. The new piezometers will act as measurement points to indicate ground water mounding expected to occur inside the barrier wall.

- Nested piezometers NP1R, NP2R, NP3, NP4, and NP5 will continue to be monitored quarterly for ground water elevations. These piezometers have historically been sampled quarterly and elevations analyzed to determine the ground water gradient under the ponds. Historically a slight upward gradient has existed. This ground water gradient monitoring will continue.

### 3.0 WATER SAMPLING

Ground water and surface water monitoring at Western Zirconium will be performed according to the methods and procedures described in this section. All monitoring activities will be completed in accordance with the Western Zirconium Health and Safety Plan located in the Phase II RFI Work Plan (URS, 2003b).

#### 3.1 GROUND WATER SAMPLING

##### 3.1.1 Purpose of Ground Water Sampling

Data obtained from the sampling of monitoring wells will be used to evaluate ground water quality beneath the site and compliance with water quality protection standards. The types of data to be obtained from ground water monitoring include laboratory analytical results and water quality parameters. Wells that are part of a ground water compliance-monitoring network will be monitoring wells constructed in accordance with R317-6-6.3.1.6.

##### 3.1.2 Monitoring Well Locations

Figure 2 shows the locations of monitoring wells and other sampling locations at the Western Zirconium facility. Table 4 contains a summary of well construction information for all wells. Table 1 is a summary of the ongoing monitoring schedule.

##### 3.1.3 Ground Water Sample Designation

Ground water samples will be identified by their media type, location identification (ID), and date of sample collection in the format of media-location ID-date. For ground water, the media will be identified by GW. The location ID is the alphanumeric well identification, and the date is a two-digit month followed by a two-digit day followed by a two-digit year.

Example: A ground water sample collected from well S2 on June 1, 2006 would be designated as GW-S2C-060106.

##### 3.1.4 Ground Water Sampling Equipment

Monitoring wells will continue to be purged and sampled with dedicated bladder pumps. If dedicated pumps are not functioning properly they will be repaired prior to sampling, or a portable bladder pump will be used to collect the sample. Ground water samples will be collected in sample containers as specified in Table 2.

Ground water quality parameters will be measured in the field (e.g., pH, conductivity, temperature, Eh, and turbidity) with portable instruments, such as a Horiba U-22. Static water level will be measured with an electronic water-level meter. All field instruments will be calibrated according to the manufacturer's recommendations prior to use and documented on the Equipment Calibration Form (see Appendix A).

If at any time a well that is currently part of the monitoring program is found to be unusable, it will be evaluated to see if it can be returned to usefulness by the next sampling event. If it is determined that the well cannot be restored to usefulness, a substitute well will be selected and the UDEQ will be contacted for approval.

### 3.1.5 Monitoring Well Sampling Methods and Procedures

Wherever possible, monitoring wells will be purged and sampled using “low-stress” techniques (United States Environmental Protection Agency, EPA, 1993). Each monitoring well will be purged and sampled at a rate of  $\leq 0.3$  liters per minute until field-measured parameters stabilize to ensure ground water is representative of the aquifer before samples are collected. At a minimum, the parameters of turbidity, pH, conductivity, and temperature will be monitored during purging using portable meters. Parameters will be measured every three minutes during purging.

At least two consecutive field measurements made three minutes apart shall fall within the ranges stated below before well purging will be considered complete:

- turbidity =  $\pm 10$  percent or  $< 5$  nephelometric turbidity units (NTUs),
- pH =  $\pm 0.2$  units,
- temperature =  $\pm 1$  degrees Centigrade ( $^{\circ}\text{C}$ ),
- conductivity =  $\pm 10$  percent, and
- Eh =  $\pm 10$  percent.

Because a long history of ground water analyses at Western Zirconium indicates only low concentrations of chemicals, and because low-stress purging generates minimal volumes of water, purge water will be discharged to the ground surface. Purge water will be discharged at least ten feet away from the wellhead. With the exception of low-yield monitoring wells, ground water samples will be collected immediately after field-measured parameters have stabilized. Ground water samples will be collected in appropriate sample containers supplied by the analytical laboratory. Pumped samples that require field filtration will be filtered by attaching an in-line filter directly to the discharge line. A new filter and new or dedicated pump tubing will be used at each monitoring well. Ground water samples will be placed in the appropriate sample containers. Sample container and filtration requirements are indicated in Table 2. Samples requiring cooling will be stored in an ice-chilled cooler.

If at any time a monitoring well will not sustain an adequate purge rate to allow the low stress sampling technique to be performed, the well will not be sampled. Western Zirconium will notify UDEQ of the problem with the well and will propose an appropriate solution.

### 3.1.6 Decontamination Procedures

All non-dedicated or non-disposable sampling equipment that directly contacts ground water will be decontaminated prior to each use. Decontamination procedures are described in detail in Section 9.0.

### 3.1.7 Documentation Procedures

A Monitoring Well Sampling Form will be completed at each ground water sampling location at the time of sampling. An example Ground Water Sampling Log form is included in Appendix A. Full chain-of-custody (COC) protocol will be employed from sample collection

through analysis and data reporting (see Section 6.0). The documentation procedures described in Section 10.0 will be followed.

## **3.2 SURFACE WATER BODY SAMPLING**

### **3.2.1 Purpose of Surface Water Sampling**

Data obtained from the sampling of surface water bodies will be used to evaluate surface water quality at the site. The types of data to be obtained from surface water sampling include laboratory analytical results and water quality parameters. The data will be used to evaluate the contaminant types that potentially are being introduced into the ground water plume by the surface water bodies.

### **3.2.2 Surface Water Sampling Locations**

Figure 2 shows the locations of surface water bodies and sampling locations at the Western Zirconium facility. Table 1 is a summary of the proposed ongoing monitoring schedule.

### **3.2.3 Surface Water Sample Designation**

Surface water samples will be identified by their media type, location ID, and date of sample collection in the format of media-location ID-date. For surface water, the media will be identified by SW. The location ID is the surface water body identification number, and the date is a two-digit month followed by a two-digit day followed by a two-digit year.

Example: A surface water sample collected from SWB-3 on March 5, 2006 would be designated as SWB-3-030506.

### **3.2.4 Surface Water Sampling Equipment**

Surface water bodies will be sampled with a portable peristaltic pump. The peristaltic pump will be used to draw the surface water through a 0.45-micron filter to collect sample aliquots that require field filtration. Surface water samples will be collected in sample containers as specified in Table 3. Surface water quality data that will be collected in the field (e.g., pH, conductivity, temperature, Eh, and turbidity) will be measured using portable instruments, such as a Horiba U-22.

### **3.2.5 Surface Water Sampling Methods and Procedures**

Sample aliquots will be collected with a portable peristaltic pump and filled from dedicated Teflon lined tubing. For sample aliquots that require field filtration, a portable peristaltic pump will be used to draw surface water from the dipper through a 0.45-micron filter and into the sample containers. At a minimum, the parameters of turbidity, pH, conductivity, Eh, and temperature of the surface water will be measured with portable meters.

All field instruments will be calibrated according to the manufacturer's recommendations prior to use and documented on the Equipment Calibration Form (see Appendix A). If at any time a surface water body is dry during a quarter that sampling was scheduled to occur it will be bypassed and sampled during the next scheduled quarterly event.

### **3.2.6 Decontamination Procedures**

All non-dedicated or non-disposable sampling equipment that directly contacts surface water will be decontaminated prior to each use. Decontamination procedures are described in detail in Section 9.0.

### **3.2.7 Documentation Procedures**

A Surface Water Sampling Log form will be completed for each surface water sampling point (some of the requested information on this form will not apply to surface water samples). An example of the Surface Water Sampling Log form is included in Appendix A. Full COC protocol will be employed from sample collection through analysis and data reporting (see Section 6.0). The documentation procedures described in Section 10.0 will be followed.



## 4.0 QA/QC SAMPLING

To ensure overall data quality, the following quality assurance/quality control (QA/QC) samples will be collected during this sampling program, or as required by specific analytical test methods:

<u>QA/QC Samples</u>	<u>Requirement</u>
Temperature Blank	One in each sample cooler where the preservation criterion of $4^{\circ}\text{C} \pm 2^{\circ}\text{C}$ is required
Blind Duplicate	Ten percent of the total number of environmental samples for each matrix and analysis

### 4.1 PURPOSE OF QA/QC SAMPLING

The accuracy of laboratory performance with respect to the analytical system will be monitored with laboratory control samples (LCSs). Blind duplicate samples will be collected to measure the precision of sampling and analysis. Representativeness of ground water samples will be ensured by sampling after field-measured parameters have stabilized during purging and by decontaminating all non-dedicated equipment between samples. Completeness will be assured by analyzing for all pertinent analytes. The use of standard approved sampling and analytical methods and analysis of QA/QC samples will ensure the comparability of the data. The QA/QC procedures will aid in determining sample validity.

### 4.2 QA/QC SAMPLE DESIGNATION

Blind duplicates will be designated using a fictitious ID number and sample collection time on the COC record and on the sample label. The actual well designation for the blind duplicate will be noted on the appropriate sampling log form.

### 4.3 QA/QC SAMPLING EQUIPMENT

QA/QC samples for water samples will be collected with the same equipment as that described for the collection of environmental samples for each respective program.

### 4.4 QA/QC SAMPLING METHODS AND PROCEDURES

QA/QC samples will be collected during this OMP to enable data quality evaluation and validation. In general, QA/QC samples are collected using the same procedures as those for the collection of environmental samples, with notable exceptions as described in the following subsections.

#### **4.4.1 Temperature Blanks**

Temperature blanks consist of a 40 milliliter (mL) glass vial filled with reagent-grade water. The temperature of this sample is measured at the time the samples are received by the laboratory. Temperature blanks will be used to assess whether the preservation criterion of  $4^{\circ}\text{C} \pm 2^{\circ}\text{C}$  has been met.

#### **4.4.2 Blind Duplicates**

A blind duplicate sample is a second sample collected at the same location and time as the original sample. Blind duplicate samples are collected simultaneously or in immediate succession using identical techniques. Blind duplicates will be collected at selected locations to provide estimates of the total sampling and analytical precision. At least one duplicate sample will be analyzed from each group of ten environmental samples of the same matrix. Blind duplicate samples will be analyzed for all analyses required for the original sample. The blind duplicates will be handled and analyzed in the same manner as all environmental samples; however, the COC forms will not indicate which samples are duplicates. A record of the duplication will be made on the appropriate sampling log form.

### **4.5 DECONTAMINATION PROCEDURES**

Decontamination procedures for QA/QC sampling equipment are the same as those described for the associated environmental sample. Decontamination procedures are described in detail in Section 9.0.

### **4.6 DOCUMENTATION PROCEDURES**

The identification of all QA/QC samples will be documented on the associated sampling log form. Full COC procedures will be employed from sample collection through analysis and data reporting (see Section 6.0). Documentation procedures are described in detail in Section 10.0.

## **5.0 SAMPLE HANDLING, LABELING, AND SHIPPING**

All samples collected during the OMP will be handled according to the procedures described in this section. All sampling activities will be completed in accordance with the Western Zirconium Health and Safety Plan located in the Phase II RFI Work Plan (URS, 2003b).

### **5.1 SAMPLE LABELING**

All sample containers will be labeled at the time of sample collection. Labels will be completed legibly with permanent ink. The following information will be recorded on the sample label:

- Sample designation,
- Date and time of collection,
- Place of collection,
- Name of collector, and
- Analysis requested and preservative.

### **5.2 SAMPLE SHIPPING**

Samples will be packaged and delivered or shipped by the sampler within 24 hours of sample collection. Ground water and surface water samples will be placed on ice in an insulated cooler for shipment and cooled to the required temperature of  $4^{\circ}\text{C} \pm 2^{\circ}\text{C}$  as quickly as possible.

Sampling personnel will deliver samples to local laboratories, or will deliver samples to a shipping carrier for overnight delivery to non-local laboratories. Authorized laboratory personnel will acknowledge receipt of shipment by signing and dating the COC form and returning a copy to the Project Manager or designate. If the samples are shipped via an overnight carrier, the following procedure will be used for packaging:

- Inert cushioning material will be placed in the bottom of the cooler,
- The cooler will be lined with a large plastic bag,
- Each sample container will be sealed in a resealable plastic bag and placed upright in the cooler,
- Wet ice and additional packaging materials will be placed around the containers,
- Wet ice will be double bagged,
- A temperature blank will be included in each cooler,
- Pertinent paperwork such as the COC form will be placed in a resealable plastic bag and taped to the inside lid of the cooler,
- Signed custody seal will be attached to the cooler in two places and covered with clear tape in such a way that the custody seal must be broken to open the cooler,
- The cooler will be sealed with packaging tape, and

- A shipping label will be affixed to the outside of the cooler.

### 5.3 CUSTODY SEALS

Custody seals will be attached to all shipping containers before the samples leave the custody of sampling personnel. Custody seals will bear the signature of the collector and the date signed. Signed and dated seals will be attached so that they must be broken in order to open shipping containers. Samples will be shipped to:

Test America Laboratory  
4955 Yarrow Street  
Arvada, Colorado 80002-4517  
Contact: Kae Yoder (303)-736-0190

## 6.0 CHAIN-OF-CUSTODY PROCEDURES

The possession and handling of all environmental samples will be traceable from the time of collection, through analysis, until final disposition. Documentation of the sample history is referred to as the COC. Required components of the COC program include:

- Sample designation,
- Date and time of collection,
- Matrix type,
- Number of containers,
- Analyses requested,
- Remarks section to relay potential hazards or other information to the laboratory,
- Name and signature of collector,
- Signature of persons involved in the chain of possession,
- Date and time of each change of custody,
- Internal temperature of container when opened at the laboratory, and
- Condition of samples when received by laboratory.

A COC record will be completed and will accompany every sample shipment. In addition, a sample or shipping container is considered to be in a person's custody if it is:

- In a person's physical possession,
- In view of the person after he or she has taken possession,
- Secured by the person so that no one can tamper with it, or
- In a secured area.

## 7.0 ANALYTICAL METHODS

The analytical methods to be used for the analysis of the OMP samples are provided in Tables 2 and 3. The following analytical laboratories will be contracted to complete the monitoring program analyses:

STL-Denver, in Denver, Colorado

The laboratory will have current certification for all analytical and preparation methods used which are covered under the Utah Environmental Laboratory Certification Program. When analytical methods are updated, the most current equivalent method will be used. All changes to the analytical method used or the use of an updated method must be documented in writing and mutually agreed to by Western Zirconium and the laboratory conducting the analysis. All such changes must be approved by the UDEQ prior to implementation.

## **8.0 STATIC WATER LEVEL MEASUREMENTS**

Ground water elevations in monitoring wells will be measured quarterly for use in the development of potentiometric surface contour maps. All monitoring activities will be completed in accordance with the Western Zirconium Health and Safety Plan located in the Phase II RFI Work Plan (URS, 2003b).

### **8.1 PURPOSE OF GROUND WATER ELEVATION MEASUREMENT**

Ground water elevation measurements will be used to determine ground water flow direction and gradients, and to aid in predicting chemical migration directions and rates. The data will be used to support site characterization and corrective action, as appropriate.

### **8.2 STATIC WATER LEVEL MEASUREMENT EQUIPMENT**

Ground water levels will be measured quarterly in all piezometers and monitoring wells with an electronic water level indicator. The Static Water Level Log form is included in Appendix A.

### **8.3 STATIC WATER LEVEL MEASUREMENT PROCEDURE**

The water level in all wells must be measured before any wells are purged. This is typically accomplished by measuring the water levels in all the wells one day and beginning the purging and sampling of the wells the following day. The water level indicator will be lowered into the well until a change in conductivity indicates that ground water has been encountered. The depth to water will be measured from the reference point at the top of the well casing. If the reference point cannot be located, the depth will be measured from the top north side of the casing. All measurements will be made to  $\pm 0.01$  foot. Field measurements will be used in conjunction with the surveyed elevations of the top of each well or piezometer casing to determine the ground water surface elevation above mean sea level.

### **8.4 DECONTAMINATION PROCEDURES**

All down-hole measuring equipment will be decontaminated before each use by washing it with non-phosphate detergent and triple rinsing with deionized or distilled water. Decontamination procedures are described in detail in Section 9.0.

### **8.5 DOCUMENTATION PROCEDURES**

All water level measurements will be identified by the monitoring well or piezometer designation and recorded on the appropriate Ground Water Sampling Log form, and/or a Static Water Level Log form. Examples of Ground Water Sampling Log forms and Static Water Level Log forms are shown in Appendix A. Documentation procedures are described in detail in Section 10.0.

## 9.0 DECONTAMINATION PROCEDURES

All dedicated, non-dedicated, and/or non-disposable sampling equipment will be thoroughly decontaminated before each use, between each location, and at the completion of the sampling program. All sampling activities will be completed in accordance with the Western Zirconium Health and Safety Plan located in the Phase II RFI Work Plan (URS, 2003b). The following procedures will be used:

- Clean equipment thoroughly in non-phosphate detergent solution using brushes as necessary,
- Rinse thoroughly with tap water,
- Rinse thoroughly with deionized or distilled water, and
- Allow equipment to air dry.

Between use, equipment will be stored in plastic bags or dedicated cases to prevent contamination from dust or soil.

All downhole equipment will be thoroughly steam cleaned to remove any visible soil, sediment, or residue prior to use at each location. Downhole equipment includes the drill rig, all drill pipe, pumps, and any tools. Equipment, tools, and supplies will be placed on racks, sawhorses, or plastic sheeting while they are being steam-cleaned. Items will be steam cleaned until they are free of visible debris, and wash water dripping from items appears to be clear. Steam-cleaned items will remain off the ground until they are used. URS's on-site representative will supervise and approve decontamination activities.

All downhole measuring equipment will be decontaminated before each use by washing with a non-phosphate detergent solution and triple rinsing with deionized or distilled water. If a non-dedicated pump is necessary to evacuate a well, it will be flushed thoroughly with potable water and decontaminated according to the above procedure between each well. New or dedicated tubing will be used at each sample location.



## 10.0 DOCUMENTATION PROCEDURES

Entries will be recorded on sampling log sheets each time activities are conducted in the field. All data generated during monitoring and any comments or other notes will be entered directly into the appropriate sampling log forms using permanent, indelible ink. All corrections will follow the error correction protocol of one line through the error and initial and date of correction.

Sampling situations vary widely. No general rules can specify the extent of information that must be recorded on the field log forms. However, records will contain sufficient information so that someone can reconstruct the sampling activity without relying on the collector's memory. Photographs also may be taken to document field activities. All sampling log sheets and field logs will be kept under strict control and stored in a location so as to make it accessible to the Project Manager. Typical field log form entries may include the following:

- Location, description, and photographs, if applicable of the sampling point,
- Details of the sampling site (e.g., the elevation of the casing, casing diameter and depth, integrity of the casing),
- Documentation of procedures for preparation of reagents or supplies which become an integral part of the sample (e.g., filters and absorbing reagents),
- Documentation of calibration procedures for field instruments,
- Identification of sampling crew members,
- Type of sample (e.g., ground water, or soil),
- Number and volume of sample taken,
- Sampling methodology,
- Sample preservation,
- Date and time of collection,
- Collector's sample identification number(s),
- Sample distribution and transportation method,
- References such as maps of the sampling site,
- Field observations,
- Any field measurements made (e.g., pH, temperature, conductivity, and water depth),
- Decontamination procedures, and
- Signature and date by the personnel responsible for observations.

Activity-specific field forms must be completed during field sampling activities. Examples of these types of forms are presented in Appendix A:

- Static Water Level Log,
- Surface Water Sampling Log,
- Ground Water Sampling Log,
- Equipment Calibration Log, and
- COC Record.

## 11.0 DATA MANAGEMENT

The data management procedures that will be followed are outlined in Section 15.0 of the QAPP (Westinghouse, 2002). The following subsections discuss the data validation, database management, and quarterly report submittal requirements specific to the OMP.

### 11.1 DATA VALIDATION

The laboratory scope-of-work has been developed by the project chemist and includes QA/QC sample requirements and performance criteria, the process for method non-compliance, data package and electronic deliverable requirements, and penalties for late or rejected data. These requirements and procedures to fulfill the requirements are described in the QAPP (Westinghouse, 2002).

All analytical data will be validated and all decisions and recommendations will be based upon validated data. Data validation procedures are described in the QAPP (Westinghouse, 2002) and will be performed by the project chemist. The process through which data will be accepted or rejected will be based upon specific data validation criteria. The data will be validated in accordance with the criteria contained in EPA's Functional Guidelines (EPA, 1994 and EPA, 1999), as pertinent to the SW-846 analytical methods and QA acceptance criteria contained in the QAPP. Data assessment procedures in accordance with precision, accuracy, representativeness, comparability and completeness (PARCC) parameters are described in detail in Section 13.0 of the QAPP (Westinghouse, 2002).

A data validation report will be completed for each quarterly analytical data set. The validation report will discuss the validation methodology and findings. Data qualifiers will be imported into the project database and checked to ensure data completeness.

### 11.2 DATABASE MANAGEMENT

Analytical data will be received from the laboratory in both electronic and hardcopy formats. The electronic data deliverable (EDD) will be delivered to URS in a format specified by the project Database Manager. All analytical data will be electronically uploaded into the project database. The data received will be checked against the COCs to ensure accuracy of laboratory sample log in, and to ensure that the data received is complete. The analytical data in the database will be further cross-checked with the hardcopy data reports to ensure accuracy. Any discrepancies will be resolved prior to document or database submittals.

### 11.3 REPORT SUBMITTALS

The quarterly monitoring report for each quarterly event will be prepared and submitted to UDEQ 30 days prior to the start of the next quarterly sampling event, as detailed in Table 1. However, if submittal of the summary report is delayed due to circumstances beyond Western Zirconium's control, (e.g., laboratory missed required delivery date) the start date for the next quarter of sampling shall not be delayed. A quarterly monitoring report will be prepared to present the analytical results following each quarter.




The quarterly monitoring report will include a statistical analysis of the quarterly analytical results. The statistical analysis will be performed to evaluate whether a confirmed detection has occurred at a sentry well location. Criteria for the statistical analysis are provided in Appendix B.

## 12.0 REFERENCES

- Currey, D. R., 1980. Coastal Geomorphology of the Great Salt Lake and Vicinity, Utah Geological and Mineral Survey, Bulletin 116, P. 69-82.
- EPA, 1993. Ground Water Sampling – A Workshop Summary; Dallas, Texas; November 30 – December 2, 1993 (EPA/600/R-94/205).
- EPA, 1994. USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review. Office of Emergency and Remedial Response, Washington, D.C. EPA/540/R-94/013. February 1994.
- EPA, 1999. USEPA Contract Laboratory Program National Functional Guidelines for Organic Data Review. Office of Emergency and Remedial Response, Washington, D.C. EPA/540/R-99/008. October 1999.
- Feth, J. H., D.A. Barker, L. G. Moore, R. L. Brown, and C. E. Veirs, 1966. Lake Bonneville: Geology and Hydrogeology of the Weber Delta District, including Ogden, Utah, U.S.G.S. Professional Paper 518, 76 pp.
- URS, 2003a. Phase I RCRA Facility Investigation Report for Pond Solid Waste Management Units and Area of Concern Lowlands East of the Plant. February 2003.
- URS, 2003b. Phase II RCRA Facility Investigation Work Plan for Pond Solid Waste Management Units and Area of Concern Lowlands East of the Plant. May 2003.
- URS, 2004a. Ecological Risk Assessment Criteria for Western Zirconium. March 2004.
- URS, 2004b. Phase II RCRA Facility Investigation Report for Pond Solid Waste Management Units and Area of Concern Lowlands East of the Plant. August 2004.
- URS, 2004c. Human Health Risk Assessment Criteria, Western Zirconium Evaporation Ponds Area. October 2004.
- URS, 2005a. Optimization of The Monitoring Well Network For Western Zirconium. April 2005.
- URS, 2005b. Human Health Risk Assessment Western Zirconium Evaporation Ponds Area. June 2005.
- URS, 2005c. Western Zirconium Ecological Risk Assessment. November 2005.
- USDA, 1968. Soil Survey of Davis-Weber Area, Utah, United States Department of Agriculture, Soil Conservation Service, in cooperation with Utah Agricultural Experiment Station.
- Westinghouse, 2002. Quality Assurance Project Plan. November 2002.

**FIGURES**

# STATE INDEX




## Regional Overview Map

*Proposed Post Barrier Wall  
Ongoing Monitoring Locations*





Westinghouse

**URS**



- Pond Wells
- ⊖ Piezometer
- ⊕ Sentry Wells
- ⊗ Nested Piezometer
- Surface Water Sampling Locations
- Proposed Subsurface Barrier Wall Alignment
- ⊞ Property Boundary



**Barrier Wall  
Ongoing Monitoring Locations**

*Proposed Post Barrier Wall  
Ongoing Monitoring Locations*





**TABLES**

**Table 1: Western Zirconium Proposed Post Barrier Wall Ongoing Monitoring Program Summary**

**Ongoing Monitoring Plan Schedule**

<b>Event</b>	<b>First Quarter</b>	<b>Second Quarter</b>	<b>Third Quarter</b>	<b>Fourth Quarter</b>	<b>Comments</b>
Sampling	March	June	September	December	Sampling will begin the week that includes the first day of the sampling month.
Submit Report to UDEQ	May	August	November	February	The report will be submitted 30 days prior to the start of the next quarter of sampling.

**Ongoing Monitoring Program Sampling Requirements**

<b>Sampling Locations</b>	<b>First Quarter Analytical Samples</b>	<b>Second Quarter Analytical Samples</b>	<b>Third Quarter Analytical Samples</b>	<b>Fourth Quarter Analytical Samples</b>	<b>Comments</b>
Sentry Wells <sup>a</sup>	Ammonia, Nitrate, Nitrate+Nitrite, Dissolved Metals, Total Metals, Uranium, Radium 226, Radium 228, pH, TDS	Ammonia, Nitrate, Nitrate+Nitrite, Dissolved Metals, Total Metals, Uranium, Radium 226, Radium 228, pH, TDS	Ammonia, Nitrate, Nitrate+Nitrite, Dissolved Metals, Total Metals, Uranium, Radium 226, Radium 228, pH, TDS	Ammonia, Nitrate, Nitrate+Nitrite, Dissolved Metals, Total Metals, Uranium, Radium 226, Radium 228, pH, TDS	Wells will be sampled quarterly for at least 8 consecutive samplings after installation of the barrier wall to establish a base line. Sampling frequency will be re-evaluated after that period.
Pond Wells <sup>b</sup>	Ammonia, Nitrate, Nitrate+Nitrite, Dissolved Metals, Total Metals, Uranium, Radium 226, Radium 228, pH, TDS	Ammonia, Nitrate, Nitrate+Nitrite, Dissolved Metals, Total Metals, Uranium, Radium 226, Radium 228, pH, TDS	Ammonia, Nitrate, Nitrate+Nitrite, Dissolved Metals, Total Metals, Uranium, Radium 226, Radium 228, pH, TDS	Ammonia, Nitrate, Nitrate+Nitrite, Dissolved Metals, Total Metals, Uranium, Radium 226, Radium 228, pH, TDS	Wells will be sampled quarterly for at least 8 consecutive samplings after installation of the barrier wall to establish a base line. Sampling frequency will be re-evaluated after that period.
Surface Water Bodies <sup>c</sup>	Surface Water, Ammonia, Nitrate, Nitrate+Nitrite, Dissolved Metals, Total Metals, Uranium, pH	Surface Water, Ammonia, Nitrate, Nitrate+Nitrite, Dissolved Metals, Total Metals, Uranium, pH	Surface Water, Ammonia, Nitrate, Nitrate+Nitrite, Dissolved Metals, Total Metals, Uranium, pH	Surface Water, Ammonia, Nitrate, Nitrate+Nitrite, Dissolved Metals, Total Metals, Uranium, pH	Surface water bodies will be sampled quarterly for at least 8 consecutive samplings after installation of the barrier wall to establish a base line. Sampling frequency will be re-evaluated after that period.

<sup>a</sup> Sentry Wells are monitoring wells S2, S3, S4, S5, S6, S7, S8, and S9

<sup>b</sup> Pond Wells are monitoring wells PW1, PW2, PW3, PW4, PW5, PW6, PW7, and PW8

<sup>c</sup> Surface Water Bodies are SWB-3, SWB-6, SWB-7, SWB-8, and SWB-9

**Table 2: Ground Water Analyses and Sampling Requirements**

<b>Analytes</b>	<b>Analytical Method</b>	<b>Sampling Container<sup>1</sup></b>	<b>Preservative</b>	<b>Filter</b>
<b>Well Analyses – All Quarters</b>				
<b>General Chemistry</b>				
Ammonia	EPA350.1	Amber glass, 1 x 500 mL	pH<2 sulfuric acid, refrigerate at 4°C	None
Nitrate+Nitrite	EPA353.2			
Nitrate	SW-846 9056/ EPA353.2	Polyethylene, 1 x 500 mL	None, refrigerate at 4°C	None
pH	SW-846 9040B	Polyethylene, 1 x 125 mL	None, refrigerate at 4°C	None
TDS	SM 2540C	Polyethylene, 1 Liter	None, refrigerate at 4°C	None
<b>Radiological</b>				
Radium 226 and Radium 228	EPA903.0-M (radium 226) and EPA904.0-M (radium 228)	Polyethylene, 2 x 1 gallon cubitainer	pH<2 nitric acid	0.45 micron filter
<b>Metals</b>				
Total and Dissolved Metals	SW-846 6010B/ 6020	Polyethylene, 1 x 500 mL	pH<2 nitric acid, refrigerate at 4°C	None
Mercury	SW-846 7470A			

<sup>1</sup> All containers require Teflon-lined caps to minimize container cross-contamination and loss of analyte. Containers are typically provided by the laboratory and may differ from the type and size indicated.  
 Total and dissolved metals include aluminum, arsenic, barium, cadmium, calcium, chromium, copper, iron, lead, magnesium, mercury, nickel, potassium, selenium, silver, vanadium, sodium, zinc, uranium, and zirconium.  
 mL – milliliter  
 °C – degrees Centigrade

**Table 3: Surface Water Analyses and Sampling Requirements**

<b>Analytes</b>	<b>Analytical Method</b>	<b>Sampling Container<sup>1</sup></b>	<b>Preservative</b>	<b>Filter</b>
<b>Well Analyses – All Quarters</b>				
<b>General Chemistry</b>				
Ammonia	EPA350.1	Amber glass, 1 x 500 mL	pH<2 sulfuric acid, refrigerate at 4°C	None
Nitrate+Nitrite	EPA353.2			
Nitrate	SW-846 9056/ EPA353.2	Polyethylene, 1 x 500 mL	None, refrigerate at 4°C	None
pH	SW-846 9040B	Polyethylene, 1 x 125 mL	None, refrigerate at 4°C	None
<b>Metals</b>				
Total and Dissolved Metals <sup>2</sup>	SW-846 6010B/ 6020	Polyethylene, 1 x 500 mL	pH<2 nitric acid, refrigerate at 4°C	None
Mercury	SW-846 7470A			

<sup>1</sup> All containers require Teflon-lined caps to minimize container cross-contamination and loss of analyte. Containers are typically provided by the laboratory and may differ from the type and size indicated.

<sup>2</sup> Total metals include aluminum, arsenic, barium, cadmium, calcium, chromium, copper, iron, lead, magnesium, mercury, nickel, potassium, selenium, silver, vanadium, sodium, zinc, uranium, and zirconium.

mL – milliliter

L – liter

°C – degrees Centigrade

**Table 4: Well Construction Details and Selected Data**

<b>Location ID</b>	<b>Location Easting</b>	<b>Location Northing</b>	<b>Top of Casing Elevation (feet amsl)</b>	<b>Ground Surface Elevation (feet amsl)</b>	<b>Well Stickup (feet)</b>	<b>Reported Well Depth<sup>1</sup> (feet bgs)</b>
PW1						
PW2						
PW3						
PW4						
PW5						
PW6						
PW7						
PW8						
S2	397403.92	4568849.81	4219.70	4217.20	2.50	20
S3	397724.32	4568840.60	4216.55	4215.40	1.15	18
S4	398178.39	4568769.81	4218.43	4216.00	2.43	20
S5	398250.29	4568325.23	4217.93	4215.40	2.53	20
S6	398324.11	4567893.76	4216.60	4214.60	2.00	17.3
S7	398312.66	4567417.02	4217.05	4214.50	2.55	20
S8	398015.36	4567297.12	4220.80	4218.10	2.70	20
S9	397581.84	4567358.31	4218.94	4216.60	2.34	20

amsl - above mean sea level

bgs - below ground surface

<sup>1</sup> Based on information provided by Western Zirconium.

Detailed data for the PW wells will be supplied upon completion.

**APPENDIX A**  
**EXAMPLES OF FIELD LOGS**

## Western Zirconium Static Water Level Log

Location ID	Date	Time	Depth to Water (ft)	Location ID	Date	Time	Depth to Water (ft)
<b>Monitoring Wells</b>				<b>Piezometers</b>			
PW1				PP1A			
PW2				PP1B			
PW3				PP2A			
PW4				PP2B			
PW5				PP3A			
PW6				PP3B			
PW7				PP4A			
PW8				PP4B			
S2				PP5A			
S3				PP5B			
S4				PP6A			
S5				PP6B			
S6				PP7A			
S7				PP7B			
S8				PP8A			
S9				PP8B			
				PP9A			
				PP9B			
				PP10A			
				PP10B			
				PP11A			
				PP11B			
				PP12A			
				PP12B			





# Western Zirconium Surface Water Sampling Log

## General Information

Sample Identification: \_\_\_\_\_

Date Sampled: \_\_\_\_\_

Sampler: \_\_\_\_\_

Climate: \_\_\_\_\_

Ambient Temperature: \_\_\_\_\_

## Sampling Information

Area Sampled: \_\_\_\_\_

Sample Location: \_\_\_\_\_

Sampling Equipment: \_\_\_\_\_

Filtered Aliquots: \_\_\_\_\_

Sampling Method: \_\_\_\_\_

Sampling Start Time: \_\_\_\_\_

Sampling End Time: \_\_\_\_\_

QA/QC Sampling: \_\_\_\_\_

## Observations / Remarks:

---

---

---

---

---

---

---

---

---

---

# Western Zirconium Ground Water Sampling Log

**General Information**

Well Identification: \_\_\_\_\_  
 Sampler: \_\_\_\_\_  
 Date Sampled: \_\_\_\_\_  
 Climate: \_\_\_\_\_  
 Ambient Temperature: \_\_\_\_\_  
 \_\_\_\_\_

**Well Evacuation**

Purge Method: \_\_\_\_\_  
 Purge Rate: \* \_\_\_\_\_  
 Time Start Purge: \_\_\_\_\_  
 Time End Purge: \_\_\_\_\_  
 Total Volume Purged: \_\_\_\_\_  
 Static Water Level: \_\_\_\_\_

**Sampling Information**

Sampling Rate: \* \_\_\_\_\_  
 Time Start Sampling: \_\_\_\_\_  
 Time End Sampling: \_\_\_\_\_  
 QA/QC Sampling: \_\_\_\_\_  
 Filtered Aliquots: \_\_\_\_\_

**Well Condition / Remarks:**

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**Purge Measurements**

Parameter	Reading 1	Reading 2	Reading 3	Reading 4	Reading 5	Reading 6
Time						
Water Level (ft btoc)						
pH						
Conductivity (mS/cm)						
Turbidity (NTU)						
Temperature (°C)						
Eh/Redox (mV)						

Parameter	Reading 7	Reading 8	Reading 9	Reading 10	Reading 11	Reading 12
Time						
Water Level (ft btoc)						
pH						
Conductivity (mS/cm)						
Turbidity (NTU)						
Temperature (°C)						
Eh/Redox (mV)						

**Stabilization**

Turbidity: +/- 10% or < 5 NTU  
 pH: +/- 0.2  
 Temperature: +/- 1 °C  
 Conductivity: +/- 10 %  
 Eh/Redox: +/- 10 %

\*Standard maximum purge and sampling rate = 0.3 liters per minute  
 btoc – below top of casing

## Western Zirconium Equipment Calibration Log

Project: \_\_\_\_\_  
 Date: \_\_\_\_\_  
 Personnel: \_\_\_\_\_  
 Weather: \_\_\_\_\_  
 Temperature: \_\_\_\_\_  
 Humidity: \_\_\_\_\_

**Instrument (√):**

DO Meter \_\_\_\_\_  
 OVM/OVA \_\_\_\_\_  
 Explosimeter \_\_\_\_\_  
 pH Meter \_\_\_\_\_  
 HNU \_\_\_\_\_  
 Hydrolab \_\_\_\_\_  
 Conductivity \_\_\_\_\_  
 Turbidity \_\_\_\_\_  
 Eh meter \_\_\_\_\_  
 Other \_\_\_\_\_

### CALIBRATION AND CONTINUING CALIBRATION LOG

Time	Calibration Standard	Calibration Standard Expiration Date	Calibration Standard Concentration	Meter Reading	Observations/Comments



**APPENDIX B**

**SENTRY WELL MONITORING, DATA EVALUATION, AND REPLACEMENT**

## APPENDIX B

### B1.0 SENTRY WELL MONITORING, DATA EVALUATION, AND REPLACEMENT

Criteria for evaluating sentry well data to determine if the facility is in compliance with the permit-specific ground water protection levels.

#### B1.1 MONITORING

The function of sentry wells is to provide an early warning of ground water contamination to allow ample time to assess the cause and source of the contamination and implement corrective actions.

Sentry wells are sampled in accordance with the requirements and schedule specified in the *Ongoing Monitoring Plan* (OMP, Westinghouse, 2011). Sentry wells will be sampled quarterly for eight consecutive quarters after installation of the barrier wall to establish a chemical baseline, and to evaluate whether the plume has reached the sentry location. After eight quarters, the sampling of new wells will be re-evaluated.

#### B1.2 DATA EVALUATION

The purpose of sentry well data evaluation is to determine if an out-of-compliance status exists with any of the ground water protection levels or any other applicable permit limit:

**Probable Out-of-Compliance Status** – A probable out-of-compliance status will be deemed to occur if the value of a single analysis of any compliance parameter in any compliance monitoring sample exceeds an applicable permit limit.

If a probable out-of-compliance situation occurs Western Zirconium will:

1. Notify the Executive Secretary in writing within 30 days of receipt of data;
2. Immediately initiate monthly sampling if the value exceeds both the background concentration of the pollutant by two standard deviations and an applicable permit limit, unless the Executive Secretary determines that other periodic sampling is appropriate, for a period of two months or until the compliance status of the facility can be determined.

**Out-of-Compliance Status** – A out-of-compliance status will be deemed to occur if the value for two consecutive samples from a compliance monitoring point exceeds

1. One or more permit limits; and
2. The background concentration for that pollutant by two standard deviations (the standard deviation and background (mean) being calculated using values for the ground water pollutant at that compliance monitoring point) unless the existing permit limit was derived from the background pollutant concentration plus two standard deviations;  
or

3. The concentration value of any pollutant in two or more consecutive samples is statistically significantly higher than the applicable permit limit. The statistical significance shall be determined using the statistical methods described in Statistical Methods for Evaluating Ground Water Monitoring Data from Hazardous Waste Facilities, Vol. 53, No. 196 of the Federal Register, Oct. 11, 1988 and supplemental guidance in Guidance For Data Quality Assessment (EPA/600/R-96/084 January 1998).

If an out-of-compliance status is confirmed Western Zirconium will:

- 1) Notify the Executive Secretary of the out of compliance status within 24 hours after detection of that status, followed by a written notice within 5 days of the detection.
- 2) Initiate monthly sampling, unless the Executive Secretary determines that other periodic sampling is appropriate, until the facility is brought into compliance.
- 3) Prepare and submit within 30 days to the Executive Secretary a plan and time schedule for assessment of the source, extent and potential dispersion of the contamination, and an evaluation of potential remedial action to restore and maintain ground water quality and insure that permit limits will not be exceeded at the compliance monitoring point and best available technology will be reestablished.

## ATTACHMENTS

<b>Attachment A</b>	<b>Monitoring Well Drilling and Installation</b>
<b>Attachment B</b>	<b>Site Survey</b>

**ATTACHMENT A**  
**MONITORING WELL DRILLING AND INSTALLATION**



## **ATTACHMENT A**

### **I MONITORING WELL DRILLING AND INSTALLATION PROCEDURES**

Methods and procedures to be followed for installing new monitoring wells at Western Zirconium are described in this Attachment, along with the required drilling equipment, well design and development, and decontamination procedures. Procedures for the abandonment of monitoring wells that are no longer useful for water quality monitoring or water level observation are also included.

### **II PURPOSE OF MONITORING WELLS**

Stratigraphic data obtained during drilling of new monitoring wells will be used to evaluate the hydrogeology of the area. Information obtained from subsurface soil sampling activities includes a soil description using the Unified Soil Classification System at each sampling point. Ground water sampling of additional monitoring wells will be used to determine the movement of existing ground water plumes.

### **III PROPOSED LOCATIONS**

New monitoring wells may be used to characterize the up-gradient “background” quality of ground water moving onto the site, identify the nature of ground water in areas of specific concern, and to monitor potential off-site migration of contamination. New monitoring well locations and depths will be based on data obtained in the field, and on agreements with oversight agencies. After drilling and well construction activities are completed, all new wells will be surveyed for location and elevation (see Attachment B of this Appendix).

### **IV MONITORING WELL DESIGN AND DESIGNATION**

Existing wells at Western Zirconium have a numeral and letter designation (e.g., R1, 4A, S1). Future monitoring wells will be designated in a similar manner.

### **V DRILLING AND WELL INSTALLATION EQUIPMENT AND PROCEDURES**

The monitoring wells will be drilled from the ground surface to total depth using hollow-stem augers or other techniques, as specified in the project-specific work plan. Monitoring well borings in soil will be continuously sampled with a split spoon to ensure detection of water-bearing units. A sample catcher may be placed at the end of the sampler so that unconsolidated soils are not lost as the sampler is retrieved from the borehole. The sampler will be driven with a standard 140-pound hammer falling 30 inches. No circulating fluid, drilling mud, or other additives will be used during hollow-stem auger drilling without pre-approval of the Western Zirconium Project Manager. During drilling activities, soil samples for chemical and/or geotechnical analysis may be collected from the borehole prior to well installation. All cuttings will be properly disposed of, in accordance with the project-specific work plan.

To prevent collapse of the borehole wall, the monitoring wells will be installed through the inside of the hollow-stem augers as they are retracted from the boring. Monitoring wells will typically be constructed of Schedule 40 polyvinyl chloride (PVC) screen and blank casing. Well screens typically will have 0.01-inch slots and will be ten feet long. However, the actual casing type, diameter, depth, slot size, and screened interval will be determined in the field and will be based on site-specific observations made during installation of the borehole. Monitoring well construction details will be specified in project-specific work plans. The PVC blank casing will extend from the top of the screen to approximately two feet above the ground surface. The annular space between the PVC and the borehole will be filled with silica sand from the bottom of the borehole to two feet above the top of the screen. A 1-foot layer of granular bentonite will be placed above the sand pack and the remainder of the annulus will be filled with neat cement. No accelerators, such as calcium chloride, will be added to the cement. A locking protective steel casing will be placed over the PVC well casing and will be set in a concrete pad.

## **VI MONITORING WELL DEVELOPMENT EQUIPMENT AND PROCEDURES**

The monitoring wells will be developed in an effort to return the nearby formation to natural conditions and ensure that the well will produce samples representative of the aquifer. The monitoring wells will be developed using a surge block, pump, bailer, or a combination of these tools. Development will consist of surging to loosen sediments that may have been smeared along the borehole wall while drilling, and to settle the sand pack (which increases the filtering abilities of the sand by decreasing its porosity). A pump or bailer will then be used to purge the well of sediments dislodged while surging. The monitoring wells will be developed no sooner than 24 hours after grouting and well construction is completed. Development will continue until the turbidity of the purge water is <5 Nephelometric Turbidity Units (NTUs), or until turbidity measurements have stabilized. Turbidity will be considered to be stable if five borehole volumes have been removed and three consecutive turbidity measurements are within  $\pm 10$  percent of each other. Because a long history of ground water analyses indicate only low concentrations of chemicals exist even in close proximity to the evaporation ponds, development water will be discharged to the ground surface at least ten feet away from the well. Development water from wells installed at locations that are not on Western Zirconium's property will be disposed at the plant Jacuzzi. An example Well Development Log form is included in this Attachment.

## **VII MONITORING WELL ABANDONMENT PROCEDURES**

If any of the monitoring points being utilized under this program are deemed to require permanent abandonment for any reason, Western Zirconium will notify Utah Department of Environmental Quality (UDEQ), and the abandonment will be performed according to the procedures described in this section. The determination to permanently abandon a monitoring well will be documented in project-specific work plans, or during the annual reassessment of the monitoring program. To properly abandon wells or piezometers that are no longer useful for ground water monitoring or water level observation, the following procedures typically will be followed:

- Remove concrete plugs, if present,

- Remove the concrete apron and protective casing, if present,
- Pull casing from ground, if possible,
- If the entire casing can be removed from the ground, fill the exposed borehole up to the ground surface with neat cement grout or granular bentonite,
- If the casing cannot be removed from the ground, fill the casing to the surface with neat cement grout or granular bentonite, and
- All abandonment activities will be performed by a Utah licensed well driller in accordance with UAC R655-4-11.4.

## VIII DECONTAMINATION PROCEDURES

All downhole equipment will be thoroughly steam cleaned to remove any visible soil, sediment, or residue prior to use at each location. Downhole equipment includes the drill rig, all drill pipe, pumps, and any tools. Equipment, tools, and supplies will be placed on racks, sawhorses, or plastic sheeting while they are being steam-cleaned. Items will be steam-cleaned until they are free of visible debris, and wash water dripping from items appears to be clear. Steam-cleaned items will remain off the ground until they are used. URS's on-site representative will supervise and approve decontamination activities. Decontamination procedures are described in detail in this *Ongoing Monitoring Plan* (OMP).

After a monitoring well is completed, the drill rig will be moved a distance of 50 to 100 feet from the borehole. At this location, any mud or grease that has accumulated during drilling will be removed by steam cleaning. If muddy conditions exist, the tires of the drill rig and any other equipment will be cleaned before the equipment is moved to the next location. This procedure will minimize the potential for cross-contamination from one site to another.

## IX DOCUMENTATION PROCEDURES

Boring Log forms will be used to record descriptions of the subsurface stratigraphy encountered during drilling, the depth and type of samples collected, and the water level. In addition, photoionization detector (PID) readings will be recorded. The field geologist will prepare boring logs during drilling operations. Well construction details will be recorded in the associated boring log. An example Boring Log form is included in this Attachment. Documentation procedures are described in detail in this OMP.

<b>Project:</b> <b>Project Location:</b> <b>Project Number:</b>	<b>Log of: _____</b>				
	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:50%;">North: _____</td> <td style="width:50%;">East: _____</td> </tr> <tr> <td>Surf Elev: _____</td> <td>Casing Elevation: _____</td> </tr> </table>	North: _____	East: _____	Surf Elev: _____	Casing Elevation: _____
North: _____	East: _____				
Surf Elev: _____	Casing Elevation: _____				

Date(s) Drilled	Logged By	Approved By
Drilling Method	Diameter of Borehole	Approximate Ground Water Elevation
Drill Rig Type	Drilling Company	Total Depth
Driller's Name	Sampler Type	
Comments		

Depth, Feet	PID	Blow Count	Percent Recovery	USCS Class	LITHOLOGIC DESCRIPTION <small>(USCS NAME; COLOR; SIZE AND ANGULARITY OF EACH COMPONENT OR PLASTICITY; DENSITY; MOISTURE CONTENT; ADDITIONAL FACTS)</small>	REMARKS/ OTHER TESTS	WELL			Depth, Feet
							Well Material		Pack Material	
0										0
5										5
10										10
15										15



**Project:**  
**Project Location:**  
**Project Number:**

**Log of:** \_\_\_\_\_

North: \_\_\_\_\_ East: \_\_\_\_\_  
 Surf Elev: \_\_\_\_\_ Casing Elevation: \_\_\_\_\_

Depth, Feet	PID	Blow Count	Percent Recovery	USCS Classification	LITHOLOGIC DESCRIPTION <small>(USCS NAME; COLOR; SIZE AND ANGULARITY OF EACH COMPONENT OR PLASTICITY; DENSITY; MOISTURE CONTENT; ADDITIONAL FACTS)</small>	REMARKS/ OTHER TESTS	WELL		Depth, feet
							Well Material	Pack Material	
15									15
20									20
25									25
30									30

Sheet \_\_\_\_ of \_\_\_\_



**ATTACHMENT B**  
**SITE SURVEY**

## **ATTACHMENT B**

### **I SITE SURVEY PROCEDURES**

Survey data will be used to accurately locate sampling locations. Elevation data will be used to determine ground water flow direction and gradient. These data will be used in production of site maps and for site characterization. Project-specific work plans will specify whether land survey or global positioning system (GPS) survey is required.

### **II SURVEY PROCEDURES**

New wells, or other new sample locations, will be surveyed by a land surveyor licensed in the state of Utah. The survey will include horizontal coordinates, ground surface elevation, and top-of-casing elevation. Elevation measurements will be made to within 0.1 foot for horizontal control, and to within 0.01 foot for vertical control. To enable correlation between past, present, and future surveys, survey data will be reported in the Universal Transverse Mercator (UTM) Zone 12 North American Datum of 1927 (NAD 27) Coordinate System.



tmpAnalyticalResultsOverTime

LocationID	LogDate	Analyte	DataQualif	Result	MDL	PQL	RL	Variance	Units	Dilution	DataFlag	Selected Surface Water ESL	units
SWB-10	3/4/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		NA	
SWB-10	5/24/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1			
SWB-10	12/1/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1			
SWB-10	3/3/2005	1,1,1,2-Tetrachloroethane	<		0.17			1	ug/L	1			
SWB-10	6/2/2005	1,1,1,2-Tetrachloroethane	<		0.17			1	ug/L	1			
SWB-10	9/1/2005	1,1,1,2-Tetrachloroethane	<		0.17			1	ug/L	1			
SWB-10	3/2/2006	1,1,1,2-Tetrachloroethane	<		0.68			4	UG/L	4			
SWB-10	6/2/2006	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-10	3/1/2007	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-10	3/7/2008	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-10	6/5/2008	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-10	3/2/2009	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-10	6/4/2009	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-10	3/2/2010	1,1,1,2-Tetrachloroethane	<		0.21			1	UG/L	1			
SWB-11	3/4/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1			
SWB-11	5/24/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1			
SWB-11	12/1/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1			
SWB-11	3/1/2005	1,1,1,2-Tetrachloroethane	<		0.17			1	ug/L	1			
SWB-11	6/2/2005	1,1,1,2-Tetrachloroethane	<		0.17			1	ug/L	1			
SWB-11	3/2/2006	1,1,1,2-Tetrachloroethane	<		1.7			10	UG/L	10			
SWB-11	6/1/2006	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-11	3/1/2007	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-11	3/7/2008	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-11	6/5/2008	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-11	3/2/2009	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-11	6/4/2009	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-11	3/1/2010	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1			
SWB-11	6/2/2010	1,1,1,2-TETRACHLOROETHANE	<		0.21			1	UG/L	1			
SWB-3	10/29/2002	1,1,1,2-Tetrachloroethane	<		0.28			1	ug/L	1			
SWB-3	3/4/2003	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1			
SWB-3	6/3/2003	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1			
SWB-3	9/4/2003	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1	UJ		
SWB-3	12/2/2003	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1			
SWB-3	3/1/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1			
SWB-3	6/1/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1			
SWB-3	9/1/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1			
SWB-3	12/1/2004	1,1,1,2-Tetrachloroethane	<		0.35			1.7	ug/L	1.66			
SWB-3	3/3/2005	1,1,1,2-Tetrachloroethane	<		0.17			1	ug/L	1			
SWB-3	6/2/2005	1,1,1,2-Tetrachloroethane	<		0.17			1	ug/L	1			
SWB-3	9/1/2005	1,1,1,2-Tetrachloroethane	<		0.17			1	ug/L	1			
SWB-3	12/1/2005	1,1,1,2-Tetrachloroethane	<		0.34			2	UG/L	2			
SWB-3	3/2/2006	1,1,1,2-Tetrachloroethane	<		0.68			4	UG/L	4			
SWB-3	6/2/2006	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-3	9/5/2006	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-3	12/4/2006	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-3	3/1/2007	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-3	6/1/2007	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-3	12/3/2007	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-3	3/6/2008	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-3	6/9/2008	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-3	12/4/2008	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-3	3/2/2009	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-3	6/4/2009	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-3	12/1/2009	1,1,1,2-Tetrachloroethane	<		0.17			1	UG/L	1			
SWB-3	3/1/2010	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1			
SWB-3	3/1/2010	1,1,1,2-Tetrachloroethane	<		0.42			2	ug/L	1	DNR		

tmpAnalyticalResultsOverTime

SWB-3	6/1/2010	1,1,1,2-TETRACHLOROETHANE	<	0.21	0.21	1	UG/L	1 DNR
SWB-3	6/1/2010	1,1,1,2-TETRACHLOROETHANE	<	0.84	0.84	4	UG/L	1
SWB-3	9/9/2010	1,1,1,2-TETRACHLOROETHANE	<	0.21	0.21	1	UG/L	1 UJ
SWB-4	11/15/2002	1,1,1,2-Tetrachloroethane	<		0.28	1	ug/L	1
SWB-5	10/29/2002	1,1,1,2-Tetrachloroethane	<		0.28	1	ug/L	1
SWB-6	3/4/2003	1,1,1,2-Tetrachloroethane	<		0.21	1	ug/L	1
SWB-6	6/3/2003	1,1,1,2-Tetrachloroethane	<		0.42	2	ug/L	2
SWB-6	12/3/2003	1,1,1,2-Tetrachloroethane	<		0.42	2	ug/L	2
SWB-6	3/5/2004	1,1,1,2-Tetrachloroethane	<		0.21	1	ug/L	1
SWB-6	6/1/2004	1,1,1,2-Tetrachloroethane	<		0.21	1	ug/L	1
SWB-6	12/1/2004	1,1,1,2-Tetrachloroethane	<		0.21	1	ug/L	1
SWB-6	3/7/2005	1,1,1,2-Tetrachloroethane	<		0.17	1	ug/L	1
SWB-6	6/1/2005	1,1,1,2-Tetrachloroethane	<		0.17	1	ug/L	1
SWB-6	12/2/2005	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-6	3/1/2006	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-6	6/1/2006	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-6	12/5/2006	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-6	3/2/2007	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-6	3/6/2008	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-6	12/5/2008	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-6	6/9/2008	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-6	3/2/2009	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-6	6/5/2009	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-6	3/2/2010	1,1,1,2-Tetrachloroethane	<	1	0.21	1	UG/L	1
SWB-6	6/2/2010	1,1,1,2-TETRACHLOROETHANE	<	0.21	0.21	1	UG/L	1
SWB-7	3/4/2003	1,1,1,2-Tetrachloroethane	<		0.21	1	ug/L	1
SWB-7	6/3/2003	1,1,1,2-Tetrachloroethane	<		0.21	1	ug/L	1
SWB-7	3/1/2004	1,1,1,2-Tetrachloroethane	<		0.21	1	ug/L	1
SWB-7	5/24/2004	1,1,1,2-Tetrachloroethane	<		0.21	1	ug/L	1
SWB-7	12/1/2004	1,1,1,2-Tetrachloroethane	<		0.21	1	ug/L	1
SWB-7	3/7/2005	1,1,1,2-Tetrachloroethane	<		0.17	1	ug/L	1
SWB-7	6/1/2005	1,1,1,2-Tetrachloroethane	<		0.17	1	ug/L	1
SWB-7	9/1/2005	1,1,1,2-Tetrachloroethane	<		0.17	1	ug/L	1
SWB-7	12/1/2005	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-7	3/1/2006	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-7	6/2/2006	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-7	9/5/2006	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-7	12/5/2006	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-7	3/2/2007	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-7	6/1/2007	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-7	9/7/2007	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-7	12/3/2007	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-7	3/6/2008	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-7	6/6/2008	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-7	9/8/2008	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-7	12/5/2008	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-7	3/2/2009	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-7	6/5/2009	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-7	9/9/2009	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-7	12/1/2009	1,1,1,2-Tetrachloroethane	<		0.17	1	UG/L	1
SWB-7	3/2/2010	1,1,1,2-Tetrachloroethane	<	1	0.21	1	UG/L	1
SWB-7	6/1/2010	1,1,1,2-TETRACHLOROETHANE	<	0.21	0.21	1	UG/L	1 DNR
SWB-7	6/1/2010	1,1,1,2-TETRACHLOROETHANE	<	0.84	0.84	4	UG/L	1
SWB-7	9/9/2010	1,1,1,2-TETRACHLOROETHANE	<	0.21	0.21	1	UG/L	1 UJ
SWB-7	12/1/2010	1,1,1,2-TETRACHLOROETHANE	<	0.21	0.21	1	UG/L	1
SWB-8	3/5/2004	1,1,1,2-Tetrachloroethane	<		0.21	1	ug/L	1
SWB-8	3/7/2005	1,1,1,2-Tetrachloroethane	<		0.17	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-8	6/1/2005	1,1,1,2-Tetrachloroethane	<	0.17	1	ug/L	1	
SWB-8	3/1/2006	1,1,1,2-Tetrachloroethane	<	0.17	1	UG/L	1	
SWB-8	3/7/2008	1,1,1,2-Tetrachloroethane	<	0.17	1	UG/L	1	
SWB-8	3/3/2009	1,1,1,2-Tetrachloroethane	<	0.17	1	UG/L	1	
SWB-9	3/4/2003	1,1,1,2-Tetrachloroethane	<	0.21	1	ug/L	1	
SWB-9	12/3/2003	1,1,1,2-Tetrachloroethane	<	0.42	2	ug/L	2	
SWB-9	3/5/2004	1,1,1,2-Tetrachloroethane	<	0.21	1	ug/L	1	
SWB-9	5/27/2004	1,1,1,2-Tetrachloroethane	<	0.21	1	ug/L	1	
SWB-9	12/1/2004	1,1,1,2-Tetrachloroethane	<	0.21	1	ug/L	1	
SWB-9	3/3/2005	1,1,1,2-Tetrachloroethane	<	0.17	1	ug/L	1	
SWB-9	6/2/2005	1,1,1,2-Tetrachloroethane	<	0.17	1	ug/L	1	
SWB-9	9/1/2005	1,1,1,2-Tetrachloroethane	<	0.17	1	ug/L	1	UJ
SWB-9	12/1/2005	1,1,1,2-Tetrachloroethane	<	0.17	1	UG/L	1	
SWB-9	3/2/2006	1,1,1,2-Tetrachloroethane	<	0.68	4	UG/L	4	
SWB-9	6/1/2006	1,1,1,2-Tetrachloroethane	<	0.17	1	UG/L	1	
SWB-9	12/4/2006	1,1,1,2-Tetrachloroethane	<	0.17	1	UG/L	1	
SWB-9	3/5/2007	1,1,1,2-Tetrachloroethane	<	0.17	1	UG/L	1	
SWB-9	3/6/2008	1,1,1,2-Tetrachloroethane	<	0.17	1	UG/L	1	
SWB-9	6/5/2008	1,1,1,2-Tetrachloroethane	<	0.17	1	UG/L	1	R
SWB-9	12/5/2008	1,1,1,2-Tetrachloroethane	<	0.17	1	UG/L	1	
SWB-9	3/2/2009	1,1,1,2-Tetrachloroethane	<	0.17	1	UG/L	1	
SWB-9	6/2/2009	1,1,1,2-Tetrachloroethane	<	0.17	1	UG/L	1	
SWB-9	3/1/2010	1,1,1,2-Tetrachloroethane	<	1	0.21	1	ug/L	1
SWB-9	6/1/2010	1,1,1,2-TETRACHLOROETHANE	<	0.21	0.21	1	UG/L	1 DNR
SWB-9	6/1/2010	1,1,1,2-TETRACHLOROETHANE	<	0.84	0.84	4	UG/L	1
SWB-9	12/1/2010	1,1,1,2-TETRACHLOROETHANE	<	0.21	0.21	1	UG/L	1
SWB-10	3/4/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	0.011 mg/L
SWB-10	5/24/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
SWB-10	12/1/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
SWB-10	3/3/2005	1,1,1-Trichloroethane	<	0.18	1	ug/L	1	
SWB-10	6/2/2005	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
SWB-10	9/1/2005	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
SWB-10	3/2/2006	1,1,1-Trichloroethane	<	0.64	4	UG/L	4	
SWB-10	6/2/2006	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-10	3/1/2007	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-10	3/7/2008	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-10	6/5/2008	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-10	3/2/2009	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-10	6/4/2009	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-10	3/2/2010	1,1,1-Trichloroethane	<	1	0.16	1	UG/L	1
SWB-11	3/4/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
SWB-11	5/24/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
SWB-11	12/1/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
SWB-11	3/1/2005	1,1,1-Trichloroethane	<	0.18	1	ug/L	1	
SWB-11	6/2/2005	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
SWB-11	3/2/2006	1,1,1-Trichloroethane	<	1.6	10	UG/L	10	
SWB-11	6/1/2006	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-11	3/1/2007	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-11	3/7/2008	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-11	6/5/2008	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-11	3/2/2009	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-11	6/4/2009	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-11	3/1/2010	1,1,1-Trichloroethane	<	1	0.16	1	ug/L	1
SWB-11	6/2/2010	1,1,1-TRICHLOROETHANE	<	0.16	0.16	1	UG/L	1
SWB-3	10/29/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
SWB-3	3/4/2003	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
SWB-3	6/3/2003	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	9/4/2003	1,1,1-Trichloroethane	<		0.16	1	ug/L	1 UJ
SWB-3	12/2/2003	1,1,1-Trichloroethane	<		0.16	1	ug/L	1
SWB-3	3/1/2004	1,1,1-Trichloroethane	TR	0.29	0.16	1	ug/L	1 J
SWB-3	6/1/2004	1,1,1-Trichloroethane	<		0.16	1	ug/L	1
SWB-3	9/1/2004	1,1,1-Trichloroethane	<		0.16	1	ug/L	1
SWB-3	12/1/2004	1,1,1-Trichloroethane	<		0.27	1.7	ug/L	1.66
SWB-3	3/3/2005	1,1,1-Trichloroethane	<		0.18	1	ug/L	1
SWB-3	6/2/2005	1,1,1-Trichloroethane	<		0.16	1	ug/L	1
SWB-3	9/1/2005	1,1,1-Trichloroethane	<		0.16	1	ug/L	1
SWB-3	12/1/2005	1,1,1-Trichloroethane	<		0.32	2	UG/L	2
SWB-3	3/2/2006	1,1,1-Trichloroethane	<		0.64	4	UG/L	4
SWB-3	6/2/2006	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-3	9/5/2006	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-3	12/4/2006	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-3	3/1/2007	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-3	6/1/2007	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-3	12/3/2007	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-3	3/6/2008	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-3	6/9/2008	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-3	12/4/2008	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-3	3/2/2009	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-3	6/4/2009	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-3	12/1/2009	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-3	3/1/2010	1,1,1-Trichloroethane	<	1	0.16	1	ug/L	1
SWB-3	3/1/2010	1,1,1-Trichloroethane	<	2	0.32	2	ug/L	1 DNR
SWB-3	6/1/2010	1,1,1-TRICHLOROETHANE	<	0.16	0.16	1	UG/L	1 DNR
SWB-3	6/1/2010	1,1,1-TRICHLOROETHANE	<	0.64	0.64	4	UG/L	1 UJ
SWB-3	9/9/2010	1,1,1-TRICHLOROETHANE	<	0.16	0.16	1	UG/L	1 UJ
SWB-4	11/15/2002	1,1,1-Trichloroethane	<		0.32	1	ug/L	1
SWB-5	10/29/2002	1,1,1-Trichloroethane	<		0.32	1	ug/L	1
SWB-6	3/4/2003	1,1,1-Trichloroethane	<		0.16	1	ug/L	1
SWB-6	6/3/2003	1,1,1-Trichloroethane	<		0.32	2	ug/L	2
SWB-6	12/3/2003	1,1,1-Trichloroethane	<		0.32	2	ug/L	2
SWB-6	3/5/2004	1,1,1-Trichloroethane	<		0.16	1	ug/L	1
SWB-6	6/1/2004	1,1,1-Trichloroethane	<		0.16	1	ug/L	1
SWB-6	12/1/2004	1,1,1-Trichloroethane	<		0.16	1	ug/L	1
SWB-6	3/7/2005	1,1,1-Trichloroethane	<		0.18	1	ug/L	1
SWB-6	6/1/2005	1,1,1-Trichloroethane	<		0.16	1	ug/L	1
SWB-6	12/2/2005	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-6	3/1/2006	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-6	6/1/2006	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-6	12/5/2006	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-6	3/2/2007	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-6	3/6/2008	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-6	12/5/2008	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-6	6/9/2008	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-6	3/2/2009	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-6	6/5/2009	1,1,1-Trichloroethane	<		0.16	1	UG/L	1
SWB-6	3/2/2010	1,1,1-Trichloroethane	<	1	0.16	1	UG/L	1
SWB-6	6/2/2010	1,1,1-TRICHLOROETHANE	<	0.16	0.16	1	UG/L	1 UJ
SWB-7	3/4/2003	1,1,1-Trichloroethane	<		0.16	1	ug/L	1
SWB-7	6/3/2003	1,1,1-Trichloroethane	<		0.16	1	ug/L	1
SWB-7	3/1/2004	1,1,1-Trichloroethane	<		0.16	1	ug/L	1
SWB-7	5/24/2004	1,1,1-Trichloroethane	<		0.16	1	ug/L	1
SWB-7	12/1/2004	1,1,1-Trichloroethane	<		0.16	1	ug/L	1
SWB-7	3/7/2005	1,1,1-Trichloroethane	<		0.18	1	ug/L	1
SWB-7	6/1/2005	1,1,1-Trichloroethane	<		0.16	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-7	9/1/2005	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
SWB-7	12/1/2005	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-7	3/1/2006	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-7	6/2/2006	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-7	9/5/2006	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-7	12/5/2006	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-7	3/2/2007	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-7	6/1/2007	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-7	9/7/2007	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-7	12/3/2007	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-7	3/6/2008	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-7	6/6/2008	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-7	9/8/2008	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-7	12/5/2008	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-7	3/2/2009	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-7	6/5/2009	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-7	9/9/2009	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-7	12/1/2009	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-7	3/2/2010	1,1,1-Trichloroethane	<	1	0.16	UG/L	1	
SWB-7	6/1/2010	1,1,1-TRICHLOROETHANE	<	0.16	0.16	UG/L	1	1 DNR
SWB-7	6/1/2010	1,1,1-TRICHLOROETHANE	<	0.64	0.64	UG/L	4	1 UJ
SWB-7	9/9/2010	1,1,1-TRICHLOROETHANE	<	0.16	0.16	UG/L	1	1 UJ
SWB-7	12/1/2010	1,1,1-TRICHLOROETHANE	<	0.16	0.16	UG/L	1	1
SWB-8	3/5/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
SWB-8	3/7/2005	1,1,1-Trichloroethane	<	0.18	1	ug/L	1	
SWB-8	6/1/2005	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
SWB-8	3/1/2006	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-8	3/7/2008	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-8	3/3/2009	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-9	3/4/2003	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
SWB-9	12/3/2003	1,1,1-Trichloroethane	<	0.32	2	ug/L	2	
SWB-9	3/5/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
SWB-9	5/27/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
SWB-9	12/1/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
SWB-9	3/3/2005	1,1,1-Trichloroethane	<	0.18	1	ug/L	1	
SWB-9	6/2/2005	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
SWB-9	9/1/2005	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	1 UJ
SWB-9	12/1/2005	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-9	3/2/2006	1,1,1-Trichloroethane	<	0.64	4	UG/L	4	
SWB-9	6/1/2006	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-9	12/4/2006	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-9	3/5/2007	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-9	3/6/2008	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-9	6/5/2008	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	1 R
SWB-9	12/5/2008	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-9	3/2/2009	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-9	6/2/2009	1,1,1-Trichloroethane	<	0.16	1	UG/L	1	
SWB-9	3/1/2010	1,1,1-Trichloroethane	<	1	0.16	ug/L	1	
SWB-9	6/1/2010	1,1,1-TRICHLOROETHANE	<	0.16	0.16	UG/L	1	1 DNR
SWB-9	6/1/2010	1,1,1-TRICHLOROETHANE	<	0.64	0.64	UG/L	4	1 UJ
SWB-9	12/1/2010	1,1,1-TRICHLOROETHANE	<	0.16	0.16	UG/L	1	
SWB-10	3/4/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	0.61 mg/L
SWB-10	5/24/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
SWB-10	12/1/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
SWB-10	3/3/2005	1,1,2,2-Tetrachloroethane	<	0.16	1	ug/L	1	
SWB-10	6/2/2005	1,1,2,2-Tetrachloroethane	<	0.2	1	ug/L	1	
SWB-10	9/1/2005	1,1,2,2-Tetrachloroethane	<	0.2	1	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-10	3/2/2006	1,1,2,2-Tetrachloroethane	<		0.8	4	UG/L	4
SWB-10	6/2/2006	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-10	3/1/2007	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-10	3/7/2008	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-10	6/5/2008	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-10	3/2/2009	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-10	6/4/2009	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-10	3/2/2010	1,1,2,2-Tetrachloroethane	<	1	0.21	1	UG/L	1
SWB-11	3/4/2004	1,1,2,2-Tetrachloroethane	<		0.21	1	ug/L	1
SWB-11	5/24/2004	1,1,2,2-Tetrachloroethane	<		0.21	1	ug/L	1
SWB-11	12/1/2004	1,1,2,2-Tetrachloroethane	<		0.21	1	ug/L	1
SWB-11	3/1/2005	1,1,2,2-Tetrachloroethane	<		0.16	1	ug/L	1
SWB-11	6/2/2005	1,1,2,2-Tetrachloroethane	<		0.2	1	ug/L	1
SWB-11	3/2/2006	1,1,2,2-Tetrachloroethane	<		2	10	UG/L	10
SWB-11	6/1/2006	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-11	3/1/2007	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-11	3/7/2008	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-11	6/5/2008	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-11	3/2/2009	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-11	6/4/2009	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-11	3/1/2010	1,1,2,2-Tetrachloroethane	<	1	0.21	1	ug/L	1
SWB-11	6/2/2010	1,1,2,2-TETRACHLOROETHANE	<	0.21	0.21	1	UG/L	1
SWB-3	10/29/2002	1,1,2,2-Tetrachloroethane	<		0.5	1	ug/L	1
SWB-3	3/4/2003	1,1,2,2-Tetrachloroethane	<		0.21	1	ug/L	1
SWB-3	6/3/2003	1,1,2,2-Tetrachloroethane	<		0.21	1	ug/L	1
SWB-3	9/4/2003	1,1,2,2-Tetrachloroethane	<		0.21	1	ug/L	1 UJ
SWB-3	12/2/2003	1,1,2,2-Tetrachloroethane	<		0.21	1	ug/L	1
SWB-3	3/1/2004	1,1,2,2-Tetrachloroethane	<		0.21	1	ug/L	1
SWB-3	6/1/2004	1,1,2,2-Tetrachloroethane	<		0.21	1	ug/L	1
SWB-3	9/1/2004	1,1,2,2-Tetrachloroethane	<		0.21	1	ug/L	1
SWB-3	12/1/2004	1,1,2,2-Tetrachloroethane	<		0.35	1.7	ug/L	1.66
SWB-3	3/3/2005	1,1,2,2-Tetrachloroethane	<		0.16	1	ug/L	1
SWB-3	6/2/2005	1,1,2,2-Tetrachloroethane	<		0.2	1	ug/L	1
SWB-3	9/1/2005	1,1,2,2-Tetrachloroethane	<		0.2	1	ug/L	1
SWB-3	12/1/2005	1,1,2,2-Tetrachloroethane	<		0.4	2	UG/L	2
SWB-3	3/2/2006	1,1,2,2-Tetrachloroethane	<		0.8	4	UG/L	4
SWB-3	6/2/2006	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-3	9/5/2006	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-3	12/4/2006	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-3	3/1/2007	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-3	6/1/2007	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-3	12/3/2007	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-3	3/6/2008	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-3	6/9/2008	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-3	12/4/2008	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-3	3/2/2009	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-3	6/4/2009	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-3	12/1/2009	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1
SWB-3	3/1/2010	1,1,2,2-Tetrachloroethane	<	1	0.21	1	ug/L	1
SWB-3	3/1/2010	1,1,2,2-Tetrachloroethane	<	2	0.42	2	ug/L	1 DNR
SWB-3	6/1/2010	1,1,2,2-TETRACHLOROETHANE	<	0.21	0.21	1	UG/L	1 DNR
SWB-3	6/1/2010	1,1,2,2-TETRACHLOROETHANE	<	0.84	0.84	4	UG/L	1
SWB-3	9/9/2010	1,1,2,2-TETRACHLOROETHANE	<	0.21	0.21	1	UG/L	1 UJ
SWB-4	11/15/2002	1,1,2,2-Tetrachloroethane	<		0.5	1	ug/L	1
SWB-5	10/29/2002	1,1,2,2-Tetrachloroethane	<		0.5	1	ug/L	1
SWB-6	3/4/2003	1,1,2,2-Tetrachloroethane	<		0.21	1	ug/L	1
SWB-6	6/3/2003	1,1,2,2-Tetrachloroethane	<		0.42	2	ug/L	2

tmpAnalyticalResultsOverTime

SWB-6	12/3/2003	1,1,2,2-Tetrachloroethane	<	0.42	2	ug/L	2	
SWB-6	3/5/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
SWB-6	6/1/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
SWB-6	12/1/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
SWB-6	3/7/2005	1,1,2,2-Tetrachloroethane	<	0.16	1	ug/L	1	
SWB-6	6/1/2005	1,1,2,2-Tetrachloroethane	<	0.2	1	ug/L	1	
SWB-6	12/2/2005	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-6	3/1/2006	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-6	6/1/2006	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-6	12/5/2006	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-6	3/2/2007	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-6	3/6/2008	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-6	12/5/2008	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-6	6/9/2008	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-6	3/2/2009	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-6	6/5/2009	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-6	3/2/2010	1,1,2,2-Tetrachloroethane	<	1	0.21	1	UG/L	1
SWB-6	6/2/2010	1,1,2,2-TETRACHLOROETHANE	<	0.21	0.21	1	UG/L	1
SWB-7	3/4/2003	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
SWB-7	6/3/2003	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
SWB-7	3/1/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
SWB-7	5/24/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
SWB-7	12/1/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
SWB-7	3/7/2005	1,1,2,2-Tetrachloroethane	<	0.16	1	ug/L	1	
SWB-7	6/1/2005	1,1,2,2-Tetrachloroethane	<	0.2	1	ug/L	1	
SWB-7	9/1/2005	1,1,2,2-Tetrachloroethane	<	0.2	1	ug/L	1	
SWB-7	12/1/2005	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-7	3/1/2006	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-7	6/2/2006	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-7	9/5/2006	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-7	12/5/2006	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-7	3/2/2007	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-7	6/1/2007	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-7	9/7/2007	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-7	12/3/2007	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-7	3/6/2008	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-7	6/6/2008	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-7	9/8/2008	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-7	12/5/2008	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-7	3/2/2009	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-7	6/5/2009	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-7	9/9/2009	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-7	12/1/2009	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-7	3/2/2010	1,1,2,2-Tetrachloroethane	<	1	0.21	1	UG/L	1
SWB-7	6/1/2010	1,1,2,2-TETRACHLOROETHANE	<	0.21	0.21	1	UG/L	1 DNR
SWB-7	6/1/2010	1,1,2,2-TETRACHLOROETHANE	<	0.84	0.84	4	UG/L	1
SWB-7	9/9/2010	1,1,2,2-TETRACHLOROETHANE	<	0.21	0.21	1	UG/L	1 UJ
SWB-7	12/1/2010	1,1,2,2-TETRACHLOROETHANE	<	0.21	0.21	1	UG/L	1
SWB-8	3/5/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
SWB-8	3/7/2005	1,1,2,2-Tetrachloroethane	<	0.16	1	ug/L	1	
SWB-8	6/1/2005	1,1,2,2-Tetrachloroethane	<	0.2	1	ug/L	1	
SWB-8	3/1/2006	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-8	3/7/2008	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-8	3/3/2009	1,1,2,2-Tetrachloroethane	<	0.2	1	UG/L	1	
SWB-9	3/4/2003	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
SWB-9	12/3/2003	1,1,2,2-Tetrachloroethane	<	0.42	2	ug/L	2	
SWB-9	3/5/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-9	5/27/2004	1,1,2,2-Tetrachloroethane	<		0.21	1	ug/L	1	
SWB-9	12/1/2004	1,1,2,2-Tetrachloroethane	<		0.21	1	ug/L	1	
SWB-9	3/3/2005	1,1,2,2-Tetrachloroethane	<		0.16	1	ug/L	1	
SWB-9	6/2/2005	1,1,2,2-Tetrachloroethane	<		0.2	1	ug/L	1	
SWB-9	9/1/2005	1,1,2,2-Tetrachloroethane	<		0.2	1	ug/L	1	UJ
SWB-9	12/1/2005	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1	
SWB-9	3/2/2006	1,1,2,2-Tetrachloroethane	<		0.8	4	UG/L	4	
SWB-9	6/1/2006	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1	
SWB-9	12/4/2006	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1	
SWB-9	3/5/2007	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1	
SWB-9	3/6/2008	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1	
SWB-9	6/5/2008	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1	R
SWB-9	12/5/2008	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1	
SWB-9	3/2/2009	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1	
SWB-9	6/2/2009	1,1,2,2-Tetrachloroethane	<		0.2	1	UG/L	1	
SWB-9	3/1/2010	1,1,2,2-Tetrachloroethane	<	1	0.21	1	ug/L	1	
SWB-9	6/1/2010	1,1,2,2-TETRACHLOROETHANE	<	0.21	0.21	1	UG/L	1	DNR
SWB-9	6/1/2010	1,1,2,2-TETRACHLOROETHANE	<	0.84	0.84	4	UG/L	1	
SWB-9	12/1/2010	1,1,2,2-TETRACHLOROETHANE	<	0.21	0.21	1	UG/L	1	
SWB-11	6/2/2010	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	<	0.42	0.42	3	UG/L	1	NA
SWB-3	6/1/2010	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	<	0.42	0.42	3	UG/L	1	DNR
SWB-3	6/1/2010	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	<	1.7	1.7	12	UG/L	1	
SWB-3	9/9/2010	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	<	0.42	0.42	3	UG/L	1	
SWB-6	6/2/2010	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	<	0.42	0.42	3	UG/L	1	
SWB-7	6/1/2010	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	<	0.42	0.42	3	UG/L	1	DNR
SWB-7	6/1/2010	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	<	1.7	1.7	12	UG/L	1	
SWB-7	9/9/2010	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	<	0.42	0.42	3	UG/L	1	
SWB-7	12/1/2010	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	<	0.42	0.42	3	UG/L	1	
SWB-9	6/1/2010	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	<	0.42	0.42	3	UG/L	1	DNR
SWB-9	6/1/2010	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	<	1.7	1.7	12	UG/L	1	
SWB-9	12/1/2010	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	<	0.42	0.42	3	UG/L	1	
SWB-10	3/4/2004	1,1,2-Trichloroethane	<		0.27	1	ug/L	1	1.2 mg/L
SWB-10	5/24/2004	1,1,2-Trichloroethane	<		0.27	1	ug/L	1	
SWB-10	12/1/2004	1,1,2-Trichloroethane	<		0.27	1	ug/L	1	
SWB-10	3/3/2005	1,1,2-Trichloroethane	<		0.24	1	ug/L	1	
SWB-10	6/2/2005	1,1,2-Trichloroethane	<		0.32	1	ug/L	1	
SWB-10	9/1/2005	1,1,2-Trichloroethane	<		0.32	1	ug/L	1	
SWB-10	3/2/2006	1,1,2-Trichloroethane	<		1.3	4	UG/L	4	
SWB-10	6/2/2006	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-10	3/1/2007	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-10	3/7/2008	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-10	6/5/2008	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-10	3/2/2009	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-10	6/4/2009	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-10	3/2/2010	1,1,2-Trichloroethane	<	1	0.27	1	UG/L	1	
SWB-11	3/4/2004	1,1,2-Trichloroethane	<		0.27	1	ug/L	1	
SWB-11	5/24/2004	1,1,2-Trichloroethane	<		0.27	1	ug/L	1	
SWB-11	12/1/2004	1,1,2-Trichloroethane	<		0.27	1	ug/L	1	
SWB-11	3/1/2005	1,1,2-Trichloroethane	<		0.24	1	ug/L	1	
SWB-11	6/2/2005	1,1,2-Trichloroethane	<		0.32	1	ug/L	1	
SWB-11	3/2/2006	1,1,2-Trichloroethane	<		3.2	10	UG/L	10	
SWB-11	6/1/2006	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-11	3/1/2007	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-11	3/7/2008	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-11	6/5/2008	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-11	3/2/2009	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-11	6/4/2009	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	



tmpAnalyticalResultsOverTime

SWB-11	3/1/2010	1,1,2-Trichloroethane	<	1	0.27	1	ug/L	1
SWB-11	6/2/2010	1,1,2-TRICHLOROETHANE	<	0.27	0.27	1	UG/L	1
SWB-3	10/29/2002	1,1,2-Trichloroethane	<		0.41	1	ug/L	1
SWB-3	3/4/2003	1,1,2-Trichloroethane	<		0.27	1	ug/L	1
SWB-3	6/3/2003	1,1,2-Trichloroethane	<		0.27	1	ug/L	1
SWB-3	9/4/2003	1,1,2-Trichloroethane	<		0.27	1	ug/L	1 UJ
SWB-3	12/2/2003	1,1,2-Trichloroethane	<		0.27	1	ug/L	1
SWB-3	3/1/2004	1,1,2-Trichloroethane	<		0.27	1	ug/L	1
SWB-3	6/1/2004	1,1,2-Trichloroethane	<		0.27	1	ug/L	1
SWB-3	9/1/2004	1,1,2-Trichloroethane	<		0.27	1	ug/L	1
SWB-3	12/1/2004	1,1,2-Trichloroethane	<		0.45	1.7	ug/L	1.66
SWB-3	3/3/2005	1,1,2-Trichloroethane	<		0.24	1	ug/L	1
SWB-3	6/2/2005	1,1,2-Trichloroethane	<		0.32	1	ug/L	1
SWB-3	9/1/2005	1,1,2-Trichloroethane	<		0.32	1	ug/L	1
SWB-3	12/1/2005	1,1,2-Trichloroethane	<		0.64	2	UG/L	2
SWB-3	3/2/2006	1,1,2-Trichloroethane	<		1.3	4	UG/L	4
SWB-3	6/2/2006	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-3	9/5/2006	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-3	12/4/2006	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-3	3/1/2007	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-3	6/1/2007	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-3	12/3/2007	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-3	3/6/2008	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-3	6/9/2008	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-3	12/4/2008	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-3	3/2/2009	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-3	6/4/2009	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-3	12/1/2009	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-3	3/1/2010	1,1,2-Trichloroethane	<	1	0.27	1	ug/L	1
SWB-3	3/1/2010	1,1,2-Trichloroethane	<	2	0.54	2	ug/L	1 DNR
SWB-3	6/1/2010	1,1,2-TRICHLOROETHANE	<	0.27	0.27	1	UG/L	1 DNR
SWB-3	6/1/2010	1,1,2-TRICHLOROETHANE	<	1.1	1.1	4	UG/L	1
SWB-3	9/9/2010	1,1,2-TRICHLOROETHANE	<	0.27	0.27	1	UG/L	1 UJ
SWB-4	11/15/2002	1,1,2-Trichloroethane	<		0.41	1	ug/L	1
SWB-5	10/29/2002	1,1,2-Trichloroethane	<		0.41	1	ug/L	1
SWB-6	3/4/2003	1,1,2-Trichloroethane	<		0.27	1	ug/L	1
SWB-6	6/3/2003	1,1,2-Trichloroethane	<		0.54	2	ug/L	2
SWB-6	12/3/2003	1,1,2-Trichloroethane	<		0.54	2	ug/L	2
SWB-6	3/5/2004	1,1,2-Trichloroethane	<		0.27	1	ug/L	1
SWB-6	6/1/2004	1,1,2-Trichloroethane	<		0.27	1	ug/L	1
SWB-6	12/1/2004	1,1,2-Trichloroethane	<		0.27	1	ug/L	1
SWB-6	3/7/2005	1,1,2-Trichloroethane	<		0.24	1	ug/L	1
SWB-6	6/1/2005	1,1,2-Trichloroethane	<		0.32	1	ug/L	1
SWB-6	12/2/2005	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-6	3/1/2006	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-6	6/1/2006	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-6	12/5/2006	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-6	3/2/2007	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-6	3/6/2008	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-6	12/5/2008	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-6	6/9/2008	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-6	3/2/2009	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-6	6/5/2009	1,1,2-Trichloroethane	<		0.32	1	UG/L	1
SWB-6	3/2/2010	1,1,2-Trichloroethane	<	1	0.27	1	UG/L	1
SWB-6	6/2/2010	1,1,2-TRICHLOROETHANE	<	0.27	0.27	1	UG/L	1
SWB-7	3/4/2003	1,1,2-Trichloroethane	<		0.27	1	ug/L	1
SWB-7	6/3/2003	1,1,2-Trichloroethane	<		0.27	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-7	3/1/2004	1,1,2-Trichloroethane	<		0.27	1	ug/L	1	
SWB-7	5/24/2004	1,1,2-Trichloroethane	<		0.27	1	ug/L	1	
SWB-7	12/1/2004	1,1,2-Trichloroethane	<		0.27	1	ug/L	1	
SWB-7	3/7/2005	1,1,2-Trichloroethane	<		0.24	1	ug/L	1	
SWB-7	6/1/2005	1,1,2-Trichloroethane	<		0.32	1	ug/L	1	
SWB-7	9/1/2005	1,1,2-Trichloroethane	<		0.32	1	ug/L	1	
SWB-7	12/1/2005	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-7	3/1/2006	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-7	6/2/2006	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-7	9/5/2006	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-7	12/5/2006	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-7	3/2/2007	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-7	6/1/2007	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-7	9/7/2007	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-7	12/3/2007	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-7	3/6/2008	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-7	6/6/2008	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-7	9/8/2008	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-7	12/5/2008	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-7	3/2/2009	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-7	6/5/2009	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-7	9/9/2009	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-7	12/1/2009	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-7	3/2/2010	1,1,2-Trichloroethane	<	1	0.27	1	UG/L	1	
SWB-7	6/1/2010	1,1,2-TRICHLOROETHANE	<	0.27	0.27	1	UG/L	1	DNR
SWB-7	6/1/2010	1,1,2-TRICHLOROETHANE	<	1.1	1.1	4	UG/L	1	
SWB-7	9/9/2010	1,1,2-TRICHLOROETHANE	<	0.27	0.27	1	UG/L	1	UJ
SWB-7	12/1/2010	1,1,2-TRICHLOROETHANE	<	0.27	0.27	1	UG/L	1	
SWB-8	3/5/2004	1,1,2-Trichloroethane	<		0.27	1	ug/L	1	
SWB-8	3/7/2005	1,1,2-Trichloroethane	<		0.24	1	ug/L	1	
SWB-8	6/1/2005	1,1,2-Trichloroethane	<		0.32	1	ug/L	1	
SWB-8	3/1/2006	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-8	3/7/2008	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-8	3/3/2009	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-9	3/4/2003	1,1,2-Trichloroethane	<		0.27	1	ug/L	1	
SWB-9	12/3/2003	1,1,2-Trichloroethane	<		0.54	2	ug/L	2	
SWB-9	3/5/2004	1,1,2-Trichloroethane	<		0.27	1	ug/L	1	
SWB-9	5/27/2004	1,1,2-Trichloroethane	<		0.27	1	ug/L	1	
SWB-9	12/1/2004	1,1,2-Trichloroethane	<		0.27	1	ug/L	1	
SWB-9	3/3/2005	1,1,2-Trichloroethane	<		0.24	1	ug/L	1	
SWB-9	6/2/2005	1,1,2-Trichloroethane	<		0.32	1	ug/L	1	
SWB-9	9/1/2005	1,1,2-Trichloroethane	<		0.32	1	ug/L	1	UJ
SWB-9	12/1/2005	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-9	3/2/2006	1,1,2-Trichloroethane	<		1.3	4	UG/L	4	
SWB-9	6/1/2006	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-9	12/4/2006	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-9	3/5/2007	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-9	3/6/2008	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-9	6/5/2008	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	R
SWB-9	12/5/2008	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-9	3/2/2009	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-9	6/2/2009	1,1,2-Trichloroethane	<		0.32	1	UG/L	1	
SWB-9	3/1/2010	1,1,2-Trichloroethane	<	1	0.27	1	ug/L	1	
SWB-9	6/1/2010	1,1,2-TRICHLOROETHANE	<	0.27	0.27	1	UG/L	1	DNR
SWB-9	6/1/2010	1,1,2-TRICHLOROETHANE	<	1.1	1.1	4	UG/L	1	
SWB-9	12/1/2010	1,1,2-TRICHLOROETHANE	<	0.27	0.27	1	UG/L	1	
SWB-4	11/15/2002	1,1-Biphenyl, 4,4-difluoro-	TI		4.7		ug/L	1	NJ NA

tmpAnalyticalResultsOverTime

SWB-10	3/4/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1	0.047 mg/L
SWB-10	5/24/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1	
SWB-10	12/1/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1	
SWB-10	3/3/2005	1,1-Dichloroethane	<	0.24	1	ug/L	1	
SWB-10	6/2/2005	1,1-Dichloroethane	<	0.16	1	ug/L	1	
SWB-10	9/1/2005	1,1-Dichloroethane	<	0.16	1	ug/L	1	
SWB-10	3/2/2006	1,1-Dichloroethane	<	0.64	4	UG/L	4	
SWB-10	6/2/2006	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-10	3/1/2007	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-10	3/7/2008	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-10	6/5/2008	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-10	3/2/2009	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-10	6/4/2009	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-10	3/2/2010	1,1-Dichloroethane	<	0.22	1	UG/L	1	
SWB-11	3/4/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1	
SWB-11	5/24/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1	
SWB-11	12/1/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1	
SWB-11	3/1/2005	1,1-Dichloroethane	<	0.24	1	ug/L	1	
SWB-11	6/2/2005	1,1-Dichloroethane	<	0.16	1	ug/L	1	
SWB-11	3/2/2006	1,1-Dichloroethane	<	1.6	10	UG/L	10	
SWB-11	6/1/2006	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-11	3/1/2007	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-11	3/7/2008	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-11	6/5/2008	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-11	3/2/2009	1,1-Dichloroethane	<	0.16	1	UG/L	1	UJ
SWB-11	6/4/2009	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-11	3/1/2010	1,1-Dichloroethane	<	0.22	1	ug/L	1	
SWB-11	6/2/2010	1,1-DICHLOROETHANE	<	0.22	1	UG/L	1	
SWB-3	10/29/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1	
SWB-3	3/4/2003	1,1-Dichloroethane	<	0.22	1	ug/L	1	
SWB-3	6/3/2003	1,1-Dichloroethane	<	0.22	1	ug/L	1	
SWB-3	9/4/2003	1,1-Dichloroethane	<	0.22	1	ug/L	1	UJ
SWB-3	12/2/2003	1,1-Dichloroethane	<	0.22	1	ug/L	1	
SWB-3	3/1/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1	
SWB-3	6/1/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1	
SWB-3	9/1/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1	
SWB-3	12/1/2004	1,1-Dichloroethane	<	0.37	1.7	ug/L	1.66	
SWB-3	3/3/2005	1,1-Dichloroethane	<	0.24	1	ug/L	1	
SWB-3	6/2/2005	1,1-Dichloroethane	<	0.16	1	ug/L	1	
SWB-3	9/1/2005	1,1-Dichloroethane	<	0.16	1	ug/L	1	
SWB-3	12/1/2005	1,1-Dichloroethane	<	0.32	2	UG/L	2	
SWB-3	3/2/2006	1,1-Dichloroethane	<	0.64	4	UG/L	4	
SWB-3	6/2/2006	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-3	9/5/2006	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-3	12/4/2006	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-3	3/1/2007	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-3	6/1/2007	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-3	12/3/2007	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-3	3/6/2008	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-3	6/9/2008	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-3	12/4/2008	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-3	3/2/2009	1,1-Dichloroethane	<	0.16	1	UG/L	1	UJ
SWB-3	6/4/2009	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-3	12/1/2009	1,1-Dichloroethane	<	0.16	1	UG/L	1	
SWB-3	3/1/2010	1,1-Dichloroethane	<	0.22	1	ug/L	1	
SWB-3	3/1/2010	1,1-Dichloroethane	<	0.44	2	ug/L	1	DNR
SWB-3	6/1/2010	1,1-DICHLOROETHANE	<	0.22	1	UG/L	1	DNR

tmpAnalyticalResultsOverTime

SWB-3	6/1/2010	1,1-DICHLOROETHANE	<	0.88	0.88	4	UG/L	1
SWB-3	9/9/2010	1,1-DICHLOROETHANE	<	0.22	0.22	1	UG/L	1 UJ
SWB-4	11/15/2002	1,1-Dichloroethane	<		0.29	1	ug/L	1
SWB-5	10/29/2002	1,1-Dichloroethane	<		0.29	1	ug/L	1
SWB-6	3/4/2003	1,1-Dichloroethane	<		0.22	1	ug/L	1
SWB-6	6/3/2003	1,1-Dichloroethane	<		0.44	2	ug/L	2
SWB-6	12/3/2003	1,1-Dichloroethane	<		0.44	2	ug/L	2
SWB-6	3/5/2004	1,1-Dichloroethane	<		0.22	1	ug/L	1
SWB-6	6/1/2004	1,1-Dichloroethane	<		0.22	1	ug/L	1
SWB-6	12/1/2004	1,1-Dichloroethane	<		0.22	1	ug/L	1
SWB-6	3/7/2005	1,1-Dichloroethane	<		0.24	1	ug/L	1
SWB-6	6/1/2005	1,1-Dichloroethane	<		0.16	1	ug/L	1
SWB-6	12/2/2005	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-6	3/1/2006	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-6	6/1/2006	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-6	12/5/2006	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-6	3/2/2007	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-6	3/6/2008	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-6	12/5/2008	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-6	6/9/2008	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-6	3/2/2009	1,1-Dichloroethane	<		0.16	1	UG/L	1 UJ
SWB-6	6/5/2009	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-6	3/2/2010	1,1-Dichloroethane	<	1	0.22	1	UG/L	1
SWB-6	6/2/2010	1,1-DICHLOROETHANE	<	0.22	0.22	1	UG/L	1
SWB-7	3/4/2003	1,1-Dichloroethane	<		0.22	1	ug/L	1
SWB-7	6/3/2003	1,1-Dichloroethane	<		0.22	1	ug/L	1
SWB-7	3/1/2004	1,1-Dichloroethane	<		0.22	1	ug/L	1
SWB-7	5/24/2004	1,1-Dichloroethane	<		0.22	1	ug/L	1
SWB-7	12/1/2004	1,1-Dichloroethane	<		0.22	1	ug/L	1
SWB-7	3/7/2005	1,1-Dichloroethane	<		0.24	1	ug/L	1
SWB-7	6/1/2005	1,1-Dichloroethane	<		0.16	1	ug/L	1
SWB-7	9/1/2005	1,1-Dichloroethane	<		0.16	1	ug/L	1
SWB-7	12/1/2005	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-7	3/1/2006	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-7	6/2/2006	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-7	9/5/2006	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-7	12/5/2006	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-7	3/2/2007	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-7	6/1/2007	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-7	9/7/2007	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-7	12/3/2007	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-7	3/6/2008	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-7	6/6/2008	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-7	9/8/2008	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-7	12/5/2008	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-7	3/2/2009	1,1-Dichloroethane	<		0.16	1	UG/L	1 UJ
SWB-7	6/5/2009	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-7	9/9/2009	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-7	12/1/2009	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-7	3/2/2010	1,1-Dichloroethane	<	1	0.22	1	UG/L	1
SWB-7	6/1/2010	1,1-DICHLOROETHANE	<	0.22	0.22	1	UG/L	1 DNR
SWB-7	6/1/2010	1,1-DICHLOROETHANE	<	0.88	0.88	4	UG/L	1
SWB-7	9/9/2010	1,1-DICHLOROETHANE	<	0.22	0.22	1	UG/L	1 UJ
SWB-7	12/1/2010	1,1-DICHLOROETHANE	<	0.22	0.22	1	UG/L	1
SWB-8	3/5/2004	1,1-Dichloroethane	<		0.22	1	ug/L	1
SWB-8	3/7/2005	1,1-Dichloroethane	<		0.24	1	ug/L	1
SWB-8	6/1/2005	1,1-Dichloroethane	<		0.16	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-8	3/1/2006	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-8	3/7/2008	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-8	3/3/2009	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-9	3/4/2003	1,1-Dichloroethane	<		0.22	1	ug/L	1
SWB-9	12/3/2003	1,1-Dichloroethane	<		0.44	2	ug/L	2
SWB-9	3/5/2004	1,1-Dichloroethane	<		0.22	1	ug/L	1
SWB-9	5/27/2004	1,1-Dichloroethane	<		0.22	1	ug/L	1
SWB-9	12/1/2004	1,1-Dichloroethane	<		0.22	1	ug/L	1
SWB-9	3/3/2005	1,1-Dichloroethane	<		0.24	1	ug/L	1
SWB-9	6/2/2005	1,1-Dichloroethane	<		0.16	1	ug/L	1
SWB-9	9/1/2005	1,1-Dichloroethane	<		0.16	1	ug/L	1 UJ
SWB-9	12/1/2005	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-9	3/2/2006	1,1-Dichloroethane	<		0.64	4	UG/L	4
SWB-9	6/1/2006	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-9	12/4/2006	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-9	3/5/2007	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-9	3/6/2008	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-9	6/5/2008	1,1-Dichloroethane	<		0.16	1	UG/L	1 R
SWB-9	12/5/2008	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-9	3/2/2009	1,1-Dichloroethane	<		0.16	1	UG/L	1 UJ
SWB-9	6/2/2009	1,1-Dichloroethane	<		0.16	1	UG/L	1
SWB-9	3/1/2010	1,1-Dichloroethane	<	1	0.22	1	ug/L	1
SWB-9	6/1/2010	1,1-DICHLOROETHANE	<	0.22	0.22	1	UG/L	1 DNR
SWB-9	6/1/2010	1,1-DICHLOROETHANE	<	0.88	0.88	4	UG/L	1
SWB-9	12/1/2010	1,1-DICHLOROETHANE	<	0.22	0.22	1	UG/L	1
SWB-10	3/4/2004	1,1-Dichloroethene	<		0.23	1	ug/L	1
SWB-10	5/24/2004	1,1-Dichloroethene	<		0.23	1	ug/L	1
SWB-10	12/1/2004	1,1-Dichloroethene	<		0.23	1	ug/L	1
SWB-10	3/3/2005	1,1-Dichloroethene	<		0.27	1	ug/L	1
SWB-10	6/2/2005	1,1-Dichloroethene	<		0.14	1	ug/L	1
SWB-10	9/1/2005	1,1-Dichloroethene	<		0.14	1	ug/L	1
SWB-10	3/2/2006	1,1-Dichloroethene	<		0.56	4	UG/L	4
SWB-10	6/2/2006	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-10	3/1/2007	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-10	3/7/2008	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-10	6/5/2008	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-10	3/2/2009	1,1-Dichloroethene	<		0.14	1	UG/L	1 UJ
SWB-10	6/4/2009	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-10	3/2/2010	1,1-Dichloroethene	<	1	0.23	1	UG/L	1
SWB-11	3/4/2004	1,1-Dichloroethene	<		0.23	1	ug/L	1
SWB-11	5/24/2004	1,1-Dichloroethene	<		0.23	1	ug/L	1
SWB-11	12/1/2004	1,1-Dichloroethene	<		0.23	1	ug/L	1
SWB-11	3/1/2005	1,1-Dichloroethene	<		0.27	1	ug/L	1
SWB-11	6/2/2005	1,1-Dichloroethene	<		0.14	1	ug/L	1
SWB-11	3/2/2006	1,1-Dichloroethene	<		1.4	10	UG/L	10
SWB-11	6/1/2006	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-11	3/1/2007	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-11	3/7/2008	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-11	6/5/2008	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-11	3/2/2009	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-11	6/4/2009	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-11	3/1/2010	1,1-Dichloroethene	<	1	0.23	1	ug/L	1
SWB-11	6/2/2010	1,1-DICHLOROETHENE	<	0.23	0.23	1	UG/L	1
SWB-3	10/29/2002	1,1-Dichloroethene	<		0.31	1	ug/L	1
SWB-3	3/4/2003	1,1-Dichloroethene	<		0.23	1	ug/L	1
SWB-3	6/3/2003	1,1-Dichloroethene	<		0.23	1	ug/L	1
SWB-3	9/4/2003	1,1-Dichloroethene	<		0.23	1	ug/L	1 UJ

tmpAnalyticalResultsOverTime

SWB-3	12/2/2003	1,1-Dichloroethene	<		0.23	1	ug/L	1
SWB-3	3/1/2004	1,1-Dichloroethene	<		0.23	1	ug/L	1
SWB-3	6/1/2004	1,1-Dichloroethene	<		0.23	1	ug/L	1
SWB-3	9/1/2004	1,1-Dichloroethene	<		0.23	1	ug/L	1
SWB-3	12/1/2004	1,1-Dichloroethene	<		0.38	1.7	ug/L	1.66
SWB-3	3/3/2005	1,1-Dichloroethene	<		0.27	1	ug/L	1
SWB-3	6/2/2005	1,1-Dichloroethene	<		0.14	1	ug/L	1
SWB-3	9/1/2005	1,1-Dichloroethene	<		0.14	1	ug/L	1
SWB-3	12/1/2005	1,1-Dichloroethene	<		0.28	2	UG/L	2
SWB-3	3/2/2006	1,1-Dichloroethene	<		0.56	4	UG/L	4
SWB-3	6/2/2006	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-3	9/5/2006	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-3	12/4/2006	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-3	3/1/2007	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-3	6/1/2007	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-3	12/3/2007	1,1-Dichloroethene	<		0.14	1	UG/L	1 UJ
SWB-3	3/6/2008	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-3	6/9/2008	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-3	12/4/2008	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-3	3/2/2009	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-3	6/4/2009	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-3	12/1/2009	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-3	3/1/2010	1,1-Dichloroethene	<	1	0.23	1	ug/L	1
SWB-3	3/1/2010	1,1-Dichloroethene	<	2	0.46	2	ug/L	1 DNR
SWB-3	6/1/2010	1,1-DICHLOROETHENE	<	0.23	0.23	1	UG/L	1 DNR
SWB-3	6/1/2010	1,1-DICHLOROETHENE	<	0.92	0.92	4	UG/L	1
SWB-3	9/9/2010	1,1-DICHLOROETHENE	<	0.23	0.23	1	UG/L	1 UJ
SWB-4	11/15/2002	1,1-Dichloroethene	<		0.31	1	ug/L	1
SWB-5	10/29/2002	1,1-Dichloroethene	<		0.31	1	ug/L	1
SWB-6	3/4/2003	1,1-Dichloroethene	<		0.23	1	ug/L	1
SWB-6	6/3/2003	1,1-Dichloroethene	<		0.46	2	ug/L	2
SWB-6	12/3/2003	1,1-Dichloroethene	<		0.46	2	ug/L	2
SWB-6	3/5/2004	1,1-Dichloroethene	<		0.23	1	ug/L	1
SWB-6	6/1/2004	1,1-Dichloroethene	<		0.23	1	ug/L	1
SWB-6	12/1/2004	1,1-Dichloroethene	<		0.23	1	ug/L	1
SWB-6	3/7/2005	1,1-Dichloroethene	<		0.27	1	ug/L	1
SWB-6	6/1/2005	1,1-Dichloroethene	<		0.14	1	ug/L	1
SWB-6	12/2/2005	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-6	3/1/2006	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-6	6/1/2006	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-6	12/5/2006	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-6	3/2/2007	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-6	3/6/2008	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-6	12/5/2008	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-6	6/9/2008	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-6	3/2/2009	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-6	6/5/2009	1,1-Dichloroethene	<		0.14	1	UG/L	1
SWB-6	3/2/2010	1,1-Dichloroethene	<	1	0.23	1	UG/L	1
SWB-6	6/2/2010	1,1-DICHLOROETHENE	<	0.23	0.23	1	UG/L	1
SWB-7	3/4/2003	1,1-Dichloroethene	<		0.23	1	ug/L	1
SWB-7	6/3/2003	1,1-Dichloroethene	<		0.23	1	ug/L	1
SWB-7	3/1/2004	1,1-Dichloroethene	<		0.23	1	ug/L	1
SWB-7	5/24/2004	1,1-Dichloroethene	<		0.23	1	ug/L	1
SWB-7	12/1/2004	1,1-Dichloroethene	<		0.23	1	ug/L	1
SWB-7	3/7/2005	1,1-Dichloroethene	<		0.27	1	ug/L	1
SWB-7	6/1/2005	1,1-Dichloroethene	<		0.14	1	ug/L	1
SWB-7	9/1/2005	1,1-Dichloroethene	<		0.14	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-7	12/1/2005	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-7	3/1/2006	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-7	6/2/2006	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-7	9/5/2006	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-7	12/5/2006	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-7	3/2/2007	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-7	6/1/2007	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-7	9/7/2007	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-7	12/3/2007	1,1-Dichloroethene	<		0.14	1	UG/L	1	UJ
SWB-7	3/6/2008	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-7	6/6/2008	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-7	9/8/2008	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-7	12/5/2008	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-7	3/2/2009	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-7	6/5/2009	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-7	9/9/2009	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-7	12/1/2009	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-7	3/2/2010	1,1-Dichloroethene	<	1	0.23	1	UG/L	1	
SWB-7	6/1/2010	1,1-DICHLOROETHENE	<	0.23	0.23	1	UG/L	1	DNR
SWB-7	6/1/2010	1,1-DICHLOROETHENE	<	0.92	0.92	4	UG/L	1	
SWB-7	9/9/2010	1,1-DICHLOROETHENE	<	0.23	0.23	1	UG/L	1	UJ
SWB-7	12/1/2010	1,1-DICHLOROETHENE	<	0.23	0.23	1	UG/L	1	
SWB-8	3/5/2004	1,1-Dichloroethene	<		0.23	1	ug/L	1	
SWB-8	3/7/2005	1,1-Dichloroethene	<		0.27	1	ug/L	1	
SWB-8	6/1/2005	1,1-Dichloroethene	<		0.14	1	ug/L	1	
SWB-8	3/1/2006	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-8	3/7/2008	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-8	3/3/2009	1,1-Dichloroethene	<		0.14	1	UG/L	1	UJ
SWB-9	3/4/2003	1,1-Dichloroethene	<		0.23	1	ug/L	1	
SWB-9	12/3/2003	1,1-Dichloroethene	<		0.46	2	ug/L	2	
SWB-9	3/5/2004	1,1-Dichloroethene	<		0.23	1	ug/L	1	
SWB-9	5/27/2004	1,1-Dichloroethene	<		0.23	1	ug/L	1	
SWB-9	12/1/2004	1,1-Dichloroethene	<		0.23	1	ug/L	1	
SWB-9	3/3/2005	1,1-Dichloroethene	<		0.27	1	ug/L	1	
SWB-9	6/2/2005	1,1-Dichloroethene	<		0.14	1	ug/L	1	
SWB-9	9/1/2005	1,1-Dichloroethene	<		0.14	1	ug/L	1	UJ
SWB-9	12/1/2005	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-9	3/2/2006	1,1-Dichloroethene	<		0.56	4	UG/L	4	
SWB-9	6/1/2006	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-9	12/4/2006	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-9	3/5/2007	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-9	3/6/2008	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-9	6/5/2008	1,1-Dichloroethene	<		0.14	1	UG/L	1	R
SWB-9	12/5/2008	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-9	3/2/2009	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-9	6/2/2009	1,1-Dichloroethene	<		0.14	1	UG/L	1	
SWB-9	3/1/2010	1,1-Dichloroethene	<	1	0.23	1	ug/L	1	
SWB-9	6/1/2010	1,1-DICHLOROETHENE	<	0.23	0.23	1	UG/L	1	DNR
SWB-9	6/1/2010	1,1-DICHLOROETHENE	<	0.92	0.92	4	UG/L	1	
SWB-9	12/1/2010	1,1-DICHLOROETHENE	<	0.23	0.23	1	UG/L	1	
SWB-10	3/4/2004	1,1-Dichloropropene	<		0.19	1	ug/L	1	NA
SWB-10	5/24/2004	1,1-Dichloropropene	<		0.19	1	ug/L	1	
SWB-10	12/1/2004	1,1-Dichloropropene	<		0.19	1	ug/L	1	
SWB-10	3/3/2005	1,1-Dichloropropene	<		0.14	1	ug/L	1	
SWB-10	6/2/2005	1,1-Dichloropropene	<		0.15	1	ug/L	1	
SWB-10	9/1/2005	1,1-Dichloropropene	<		0.15	1	ug/L	1	
SWB-10	3/2/2006	1,1-Dichloropropene	<		0.6	4	UG/L	4	

tmpAnalyticalResultsOverTime

SWB-10	6/2/2006	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-10	3/1/2007	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-10	3/7/2008	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-10	6/5/2008	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-10	3/2/2009	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-10	6/4/2009	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-10	3/2/2010	1,1-Dichloropropene	<	1	0.19	1	UG/L	1
SWB-11	3/4/2004	1,1-Dichloropropene	<		0.19	1	ug/L	1
SWB-11	5/24/2004	1,1-Dichloropropene	<		0.19	1	ug/L	1
SWB-11	12/1/2004	1,1-Dichloropropene	<		0.19	1	ug/L	1
SWB-11	3/1/2005	1,1-Dichloropropene	<		0.14	1	ug/L	1
SWB-11	6/2/2005	1,1-Dichloropropene	<		0.15	1	ug/L	1
SWB-11	3/2/2006	1,1-Dichloropropene	<		1.5	10	UG/L	10
SWB-11	6/1/2006	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-11	3/1/2007	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-11	3/7/2008	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-11	6/5/2008	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-11	3/2/2009	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-11	6/4/2009	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-11	3/1/2010	1,1-Dichloropropene	<	1	0.19	1	ug/L	1
SWB-11	6/2/2010	1,1-DICHLOROPROPENE	<	0.19	0.19	1	UG/L	1 UJ
SWB-3	10/29/2002	1,1-Dichloropropene	<		0.29	1	ug/L	1
SWB-3	3/4/2003	1,1-Dichloropropene	<		0.19	1	ug/L	1
SWB-3	6/3/2003	1,1-Dichloropropene	<		0.19	1	ug/L	1
SWB-3	9/4/2003	1,1-Dichloropropene	<		0.19	1	ug/L	1 UJ
SWB-3	12/2/2003	1,1-Dichloropropene	<		0.19	1	ug/L	1
SWB-3	3/1/2004	1,1-Dichloropropene	<		0.19	1	ug/L	1
SWB-3	6/1/2004	1,1-Dichloropropene	<		0.19	1	ug/L	1
SWB-3	9/1/2004	1,1-Dichloropropene	<		0.19	1	ug/L	1
SWB-3	12/1/2004	1,1-Dichloropropene	<		0.32	1.7	ug/L	1.66
SWB-3	3/3/2005	1,1-Dichloropropene	<		0.14	1	ug/L	1
SWB-3	6/2/2005	1,1-Dichloropropene	<		0.15	1	ug/L	1
SWB-3	9/1/2005	1,1-Dichloropropene	<		0.15	1	ug/L	1
SWB-3	12/1/2005	1,1-Dichloropropene	<		0.3	2	UG/L	2
SWB-3	3/2/2006	1,1-Dichloropropene	<		0.6	4	UG/L	4
SWB-3	6/2/2006	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-3	9/5/2006	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-3	12/4/2006	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-3	3/1/2007	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-3	6/1/2007	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-3	12/3/2007	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-3	3/6/2008	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-3	6/9/2008	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-3	12/4/2008	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-3	3/2/2009	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-3	6/4/2009	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-3	12/1/2009	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-3	3/1/2010	1,1-Dichloropropene	<	1	0.19	1	ug/L	1
SWB-3	3/1/2010	1,1-Dichloropropene	<	2	0.38	2	ug/L	1 DNR
SWB-3	6/1/2010	1,1-DICHLOROPROPENE	<	0.19	0.19	1	UG/L	1 DNR
SWB-3	6/1/2010	1,1-DICHLOROPROPENE	<	0.76	0.76	4	UG/L	1 UJ
SWB-3	9/9/2010	1,1-DICHLOROPROPENE	<	0.19	0.19	1	UG/L	1 UJ
SWB-4	11/15/2002	1,1-Dichloropropene	<		0.29	1	ug/L	1
SWB-5	10/29/2002	1,1-Dichloropropene	<		0.29	1	ug/L	1
SWB-6	3/4/2003	1,1-Dichloropropene	<		0.19	1	ug/L	1
SWB-6	6/3/2003	1,1-Dichloropropene	<		0.38	2	ug/L	2
SWB-6	12/3/2003	1,1-Dichloropropene	<		0.38	2	ug/L	2



tmpAnalyticalResultsOverTime

SWB-6	3/5/2004	1,1-Dichloropropene	<		0.19	1	ug/L	1
SWB-6	6/1/2004	1,1-Dichloropropene	<		0.19	1	ug/L	1
SWB-6	12/1/2004	1,1-Dichloropropene	<		0.19	1	ug/L	1
SWB-6	3/7/2005	1,1-Dichloropropene	<		0.14	1	ug/L	1
SWB-6	6/1/2005	1,1-Dichloropropene	<		0.15	1	ug/L	1
SWB-6	12/2/2005	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-6	3/1/2006	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-6	6/1/2006	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-6	12/5/2006	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-6	3/2/2007	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-6	3/6/2008	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-6	12/5/2008	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-6	6/9/2008	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-6	3/2/2009	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-6	6/5/2009	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-6	3/2/2010	1,1-Dichloropropene	<	1	0.19	1	UG/L	1
SWB-6	6/2/2010	1,1-DICHLOROPROPENE	<	0.19	0.19	1	UG/L	1 UJ
SWB-7	3/4/2003	1,1-Dichloropropene	<		0.19	1	ug/L	1
SWB-7	6/3/2003	1,1-Dichloropropene	<		0.19	1	ug/L	1
SWB-7	3/1/2004	1,1-Dichloropropene	<		0.19	1	ug/L	1
SWB-7	5/24/2004	1,1-Dichloropropene	<		0.19	1	ug/L	1
SWB-7	12/1/2004	1,1-Dichloropropene	<		0.19	1	ug/L	1
SWB-7	3/7/2005	1,1-Dichloropropene	<		0.14	1	ug/L	1
SWB-7	6/1/2005	1,1-Dichloropropene	<		0.15	1	ug/L	1
SWB-7	9/1/2005	1,1-Dichloropropene	<		0.15	1	ug/L	1
SWB-7	12/1/2005	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-7	3/1/2006	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-7	6/2/2006	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-7	9/5/2006	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-7	12/5/2006	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-7	3/2/2007	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-7	6/1/2007	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-7	9/7/2007	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-7	12/3/2007	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-7	3/6/2008	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-7	6/6/2008	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-7	9/8/2008	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-7	12/5/2008	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-7	3/2/2009	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-7	6/5/2009	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-7	9/9/2009	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-7	12/1/2009	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-7	3/2/2010	1,1-Dichloropropene	<	1	0.19	1	UG/L	1
SWB-7	6/1/2010	1,1-DICHLOROPROPENE	<	0.19	0.19	1	UG/L	1 DNR
SWB-7	6/1/2010	1,1-DICHLOROPROPENE	<	0.76	0.76	4	UG/L	1 UJ
SWB-7	9/9/2010	1,1-DICHLOROPROPENE	<	0.19	0.19	1	UG/L	1 UJ
SWB-7	12/1/2010	1,1-DICHLOROPROPENE	<	0.19	0.19	1	UG/L	1
SWB-8	3/5/2004	1,1-Dichloropropene	<		0.19	1	ug/L	1
SWB-8	3/7/2005	1,1-Dichloropropene	<		0.14	1	ug/L	1
SWB-8	6/1/2005	1,1-Dichloropropene	<		0.15	1	ug/L	1
SWB-8	3/1/2006	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-8	3/7/2008	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-8	3/3/2009	1,1-Dichloropropene	<		0.15	1	UG/L	1
SWB-9	3/4/2003	1,1-Dichloropropene	<		0.19	1	ug/L	1
SWB-9	12/3/2003	1,1-Dichloropropene	<		0.38	2	ug/L	2
SWB-9	3/5/2004	1,1-Dichloropropene	<		0.19	1	ug/L	1
SWB-9	5/27/2004	1,1-Dichloropropene	<		0.19	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-9	12/1/2004	1,1-Dichloropropene	<	0.19	1	ug/L	1	
SWB-9	3/3/2005	1,1-Dichloropropene	<	0.14	1	ug/L	1	
SWB-9	6/2/2005	1,1-Dichloropropene	<	0.15	1	ug/L	1	
SWB-9	9/1/2005	1,1-Dichloropropene	<	0.15	1	ug/L	1	UJ
SWB-9	12/1/2005	1,1-Dichloropropene	<	0.15	1	UG/L	1	
SWB-9	3/2/2006	1,1-Dichloropropene	<	0.6	4	UG/L	4	
SWB-9	6/1/2006	1,1-Dichloropropene	<	0.15	1	UG/L	1	
SWB-9	12/4/2006	1,1-Dichloropropene	<	0.15	1	UG/L	1	
SWB-9	3/5/2007	1,1-Dichloropropene	<	0.15	1	UG/L	1	
SWB-9	3/6/2008	1,1-Dichloropropene	<	0.15	1	UG/L	1	
SWB-9	6/5/2008	1,1-Dichloropropene	<	0.15	1	UG/L	1	R
SWB-9	12/5/2008	1,1-Dichloropropene	<	0.15	1	UG/L	1	
SWB-9	3/2/2009	1,1-Dichloropropene	<	0.15	1	UG/L	1	
SWB-9	6/2/2009	1,1-Dichloropropene	<	0.15	1	UG/L	1	
SWB-9	3/1/2010	1,1-Dichloropropene	<	1	0.19	1	ug/L	1
SWB-9	6/1/2010	1,1-DICHLOROPROPENE	<	0.19	0.19	1	UG/L	1 DNR
SWB-9	6/1/2010	1,1-DICHLOROPROPENE	<	0.76	0.76	4	UG/L	1 UJ
SWB-9	12/1/2010	1,1-DICHLOROPROPENE	<	0.19	0.19	1	UG/L	1
SWB-10	3/4/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	NA
SWB-10	5/24/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-10	12/1/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-10	3/3/2005	1,2,3-Trichlorobenzene	<	0.34	1	ug/L	1	
SWB-10	6/2/2005	1,2,3-Trichlorobenzene	<	0.18	1	ug/L	1	
SWB-10	9/1/2005	1,2,3-Trichlorobenzene	<	0.18	1	ug/L	1	
SWB-10	3/2/2006	1,2,3-Trichlorobenzene	<	0.72	4	UG/L	4	
SWB-10	6/2/2006	1,2,3-Trichlorobenzene	<	0.18	1	UG/L	1	
SWB-10	3/1/2007	1,2,3-Trichlorobenzene	<	0.18	1	UG/L	1	
SWB-10	3/7/2008	1,2,3-Trichlorobenzene	<	0.18	1	UG/L	1	
SWB-10	6/5/2008	1,2,3-Trichlorobenzene	<	0.18	1	UG/L	1	
SWB-10	3/2/2009	1,2,3-Trichlorobenzene	<	0.18	1	UG/L	1	
SWB-10	6/4/2009	1,2,3-Trichlorobenzene	<	0.18	1	UG/L	1	
SWB-10	3/2/2010	1,2,3-Trichlorobenzene	<	1	0.21	1	UG/L	1
SWB-11	3/4/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-11	5/24/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-11	12/1/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-11	3/1/2005	1,2,3-Trichlorobenzene	<	0.34	1	ug/L	1	
SWB-11	6/2/2005	1,2,3-Trichlorobenzene	<	0.18	1	ug/L	1	
SWB-11	3/2/2006	1,2,3-Trichlorobenzene	<	1.8	10	UG/L	10	
SWB-11	6/1/2006	1,2,3-Trichlorobenzene	<	0.18	1	UG/L	1	
SWB-11	3/1/2007	1,2,3-Trichlorobenzene	<	0.18	1	UG/L	1	
SWB-11	3/7/2008	1,2,3-Trichlorobenzene	<	0.18	1	UG/L	1	
SWB-11	6/5/2008	1,2,3-Trichlorobenzene	<	0.18	1	UG/L	1	
SWB-11	3/2/2009	1,2,3-Trichlorobenzene	<	0.18	1	UG/L	1	
SWB-11	6/4/2009	1,2,3-Trichlorobenzene	<	0.18	1	UG/L	1	
SWB-11	3/1/2010	1,2,3-Trichlorobenzene	<	1	0.21	1	ug/L	1
SWB-11	6/2/2010	1,2,3-TRICHLOROBENZENE	<	0.21	0.21	1	UG/L	1
SWB-3	10/29/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
SWB-3	3/4/2003	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-3	6/3/2003	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-3	9/4/2003	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	UJ
SWB-3	12/2/2003	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-3	3/1/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-3	6/1/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-3	9/1/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-3	12/1/2004	1,2,3-Trichlorobenzene	<	0.35	1.7	ug/L	1.66	
SWB-3	3/3/2005	1,2,3-Trichlorobenzene	<	0.34	1	ug/L	1	
SWB-3	6/2/2005	1,2,3-Trichlorobenzene	<	0.18	1	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	9/1/2005	1,2,3-Trichlorobenzene	<		0.18	1	ug/L	1
SWB-3	12/1/2005	1,2,3-Trichlorobenzene	<		0.36	2	UG/L	2
SWB-3	3/2/2006	1,2,3-Trichlorobenzene	<		0.72	4	UG/L	4
SWB-3	6/2/2006	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-3	9/5/2006	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-3	12/4/2006	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-3	3/1/2007	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-3	6/1/2007	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-3	12/3/2007	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-3	3/6/2008	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-3	6/9/2008	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-3	12/4/2008	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-3	3/2/2009	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-3	6/4/2009	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-3	12/1/2009	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-3	3/1/2010	1,2,3-Trichlorobenzene	<	1	0.21	1	ug/L	1
SWB-3	3/1/2010	1,2,3-Trichlorobenzene	<	2	0.42	2	ug/L	1 DNR
SWB-3	6/1/2010	1,2,3-TRICHLORO BENZENE	<	0.21	0.21	1	UG/L	1 DNR
SWB-3	6/1/2010	1,2,3-TRICHLORO BENZENE	<	0.84	0.84	4	UG/L	1
SWB-3	9/9/2010	1,2,3-TRICHLORO BENZENE	<	0.21	0.21	1	UG/L	1 UJ
SWB-4	11/15/2002	1,2,3-Trichlorobenzene	<		0.62	1	ug/L	1
SWB-5	10/29/2002	1,2,3-Trichlorobenzene	<		0.62	1	ug/L	1
SWB-6	3/4/2003	1,2,3-Trichlorobenzene	<		0.21	1	ug/L	1
SWB-6	6/3/2003	1,2,3-Trichlorobenzene	<		0.42	2	ug/L	2
SWB-6	12/3/2003	1,2,3-Trichlorobenzene	<		0.42	2	ug/L	2
SWB-6	3/5/2004	1,2,3-Trichlorobenzene	<		0.21	1	ug/L	1
SWB-6	6/1/2004	1,2,3-Trichlorobenzene	<		0.21	1	ug/L	1
SWB-6	12/1/2004	1,2,3-Trichlorobenzene	<		0.21	1	ug/L	1
SWB-6	3/7/2005	1,2,3-Trichlorobenzene	<		0.34	1	ug/L	1
SWB-6	6/1/2005	1,2,3-Trichlorobenzene	<		0.18	1	ug/L	1
SWB-6	12/2/2005	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-6	3/1/2006	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-6	6/1/2006	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-6	12/5/2006	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-6	3/2/2007	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-6	3/6/2008	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-6	12/5/2008	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-6	6/9/2008	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-6	3/2/2009	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-6	6/5/2009	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-6	3/2/2010	1,2,3-Trichlorobenzene	<	1	0.21	1	UG/L	1
SWB-6	6/2/2010	1,2,3-TRICHLORO BENZENE	<	0.21	0.21	1	UG/L	1
SWB-7	3/4/2003	1,2,3-Trichlorobenzene	<		0.21	1	ug/L	1
SWB-7	6/3/2003	1,2,3-Trichlorobenzene	<		0.21	1	ug/L	1
SWB-7	3/1/2004	1,2,3-Trichlorobenzene	<		0.21	1	ug/L	1
SWB-7	5/24/2004	1,2,3-Trichlorobenzene	<		0.21	1	ug/L	1
SWB-7	12/1/2004	1,2,3-Trichlorobenzene	<		0.21	1	ug/L	1
SWB-7	3/7/2005	1,2,3-Trichlorobenzene	<		0.34	1	ug/L	1
SWB-7	6/1/2005	1,2,3-Trichlorobenzene	<		0.18	1	ug/L	1
SWB-7	9/1/2005	1,2,3-Trichlorobenzene	<		0.18	1	ug/L	1
SWB-7	12/1/2005	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-7	3/1/2006	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-7	6/2/2006	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-7	9/5/2006	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-7	12/5/2006	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-7	3/2/2007	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1
SWB-7	6/1/2007	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	9/7/2007	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	
SWB-7	12/3/2007	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	
SWB-7	3/6/2008	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	
SWB-7	6/6/2008	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	
SWB-7	9/8/2008	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	
SWB-7	12/5/2008	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	
SWB-7	3/2/2009	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	
SWB-7	6/5/2009	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	
SWB-7	9/9/2009	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	
SWB-7	12/1/2009	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	
SWB-7	3/2/2010	1,2,3-Trichlorobenzene	<	1	0.21	1	UG/L	1	
SWB-7	6/1/2010	1,2,3-TRICHLORO BENZENE	<	0.21	0.21	1	UG/L	1	DNR
SWB-7	6/1/2010	1,2,3-TRICHLORO BENZENE	<	0.84	0.84	4	UG/L	1	
SWB-7	9/9/2010	1,2,3-TRICHLORO BENZENE	<	0.21	0.21	1	UG/L	1	UJ
SWB-7	12/1/2010	1,2,3-TRICHLORO BENZENE	<	0.21	0.21	1	UG/L	1	
SWB-8	3/5/2004	1,2,3-Trichlorobenzene	<		0.21	1	ug/L	1	
SWB-8	3/7/2005	1,2,3-Trichlorobenzene	<		0.34	1	ug/L	1	
SWB-8	6/1/2005	1,2,3-Trichlorobenzene	<		0.18	1	ug/L	1	
SWB-8	3/1/2006	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	
SWB-8	3/7/2008	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	
SWB-8	3/3/2009	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	
SWB-9	3/4/2003	1,2,3-Trichlorobenzene	<		0.21	1	ug/L	1	
SWB-9	12/3/2003	1,2,3-Trichlorobenzene	<		0.42	2	ug/L	2	
SWB-9	3/5/2004	1,2,3-Trichlorobenzene	<		0.21	1	ug/L	1	
SWB-9	5/27/2004	1,2,3-Trichlorobenzene	<		0.21	1	ug/L	1	
SWB-9	12/1/2004	1,2,3-Trichlorobenzene	<		0.21	1	ug/L	1	
SWB-9	3/3/2005	1,2,3-Trichlorobenzene	<		0.34	1	ug/L	1	
SWB-9	6/2/2005	1,2,3-Trichlorobenzene	<		0.18	1	ug/L	1	
SWB-9	9/1/2005	1,2,3-Trichlorobenzene	<		0.18	1	ug/L	1	UJ
SWB-9	12/1/2005	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	
SWB-9	3/2/2006	1,2,3-Trichlorobenzene	<		0.72	4	UG/L	4	
SWB-9	6/1/2006	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	
SWB-9	12/4/2006	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	
SWB-9	3/5/2007	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	
SWB-9	3/6/2008	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	
SWB-9	6/5/2008	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	R
SWB-9	12/5/2008	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	
SWB-9	3/2/2009	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	
SWB-9	6/2/2009	1,2,3-Trichlorobenzene	<		0.18	1	UG/L	1	
SWB-9	3/1/2010	1,2,3-Trichlorobenzene	<	1	0.21	1	ug/L	1	
SWB-9	6/1/2010	1,2,3-TRICHLORO BENZENE	<	0.21	0.21	1	UG/L	1	DNR
SWB-9	6/1/2010	1,2,3-TRICHLORO BENZENE	<	0.84	0.84	4	UG/L	1	
SWB-9	12/1/2010	1,2,3-TRICHLORO BENZENE	<	0.21	0.21	1	UG/L	1	
SWB-10	3/4/2004	1,2,3-Trichloropropane	<		0.33	1	ug/L	1	NA
SWB-10	5/24/2004	1,2,3-Trichloropropane	<		0.33	1	ug/L	1	
SWB-10	12/1/2004	1,2,3-Trichloropropane	<		0.33	1	ug/L	1	
SWB-10	3/3/2005	1,2,3-Trichloropropane	<		0.26	1	ug/L	1	
SWB-10	6/2/2005	1,2,3-Trichloropropane	<		0.27	1	ug/L	1	
SWB-10	9/1/2005	1,2,3-Trichloropropane	<		0.27	1	ug/L	1	
SWB-10	3/2/2006	1,2,3-Trichloropropane	<		1.1	4	UG/L	4	
SWB-10	6/2/2006	1,2,3-Trichloropropane	<		0.27	1	UG/L	1	
SWB-10	3/1/2007	1,2,3-Trichloropropane	<		0.27	1	UG/L	1	
SWB-10	3/7/2008	1,2,3-Trichloropropane	<		0.77	1	UG/L	1	
SWB-10	6/5/2008	1,2,3-Trichloropropane	<		0.77	1	UG/L	1	
SWB-10	3/2/2009	1,2,3-Trichloropropane	<		0.77	1	UG/L	1	
SWB-10	6/4/2009	1,2,3-Trichloropropane	<		0.77	1	UG/L	1	
SWB-10	3/2/2010	1,2,3-Trichloropropane	<	1	0.33	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-11	3/4/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
SWB-11	5/24/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
SWB-11	12/1/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
SWB-11	3/1/2005	1,2,3-Trichloropropane	<	0.26	1	ug/L	1	
SWB-11	6/2/2005	1,2,3-Trichloropropane	<	0.27	1	ug/L	1	
SWB-11	3/2/2006	1,2,3-Trichloropropane	<	2.7	10	UG/L	10	
SWB-11	6/1/2006	1,2,3-Trichloropropane	<	0.27	1	UG/L	1	
SWB-11	3/1/2007	1,2,3-Trichloropropane	<	0.27	1	UG/L	1	
SWB-11	3/7/2008	1,2,3-Trichloropropane	<	0.77	1	UG/L	1	
SWB-11	6/5/2008	1,2,3-Trichloropropane	<	0.77	1	UG/L	1	
SWB-11	3/2/2009	1,2,3-Trichloropropane	<	0.77	1	UG/L	1	
SWB-11	6/4/2009	1,2,3-Trichloropropane	<	0.77	1	UG/L	1	
SWB-11	3/1/2010	1,2,3-Trichloropropane	<	1	0.33	1	ug/L	1
SWB-11	6/2/2010	1,2,3-TRICHLOROPROPANE	<	0.33	0.33	1	UG/L	1
SWB-3	10/29/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
SWB-3	3/4/2003	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
SWB-3	6/3/2003	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
SWB-3	9/4/2003	1,2,3-Trichloropropane	<	0.33	1	ug/L	1 UJ	
SWB-3	12/2/2003	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
SWB-3	3/1/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
SWB-3	6/1/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
SWB-3	9/1/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
SWB-3	12/1/2004	1,2,3-Trichloropropane	<	0.55	1.7	ug/L	1.66	
SWB-3	3/3/2005	1,2,3-Trichloropropane	<	0.26	1	ug/L	1	
SWB-3	6/2/2005	1,2,3-Trichloropropane	<	0.27	1	ug/L	1	
SWB-3	9/1/2005	1,2,3-Trichloropropane	<	0.27	1	ug/L	1	
SWB-3	12/1/2005	1,2,3-Trichloropropane	<	0.54	2	UG/L	2	
SWB-3	3/2/2006	1,2,3-Trichloropropane	<	1.1	4	UG/L	4	
SWB-3	6/2/2006	1,2,3-Trichloropropane	<	0.27	1	UG/L	1	
SWB-3	9/5/2006	1,2,3-Trichloropropane	<	0.27	1	UG/L	1	
SWB-3	12/4/2006	1,2,3-Trichloropropane	<	0.27	1	UG/L	1	
SWB-3	3/1/2007	1,2,3-Trichloropropane	<	0.27	1	UG/L	1	
SWB-3	6/1/2007	1,2,3-Trichloropropane	<	0.27	1	UG/L	1	
SWB-3	12/3/2007	1,2,3-Trichloropropane	<	0.27	1	UG/L	1	
SWB-3	3/6/2008	1,2,3-Trichloropropane	<	0.77	1	UG/L	1	
SWB-3	6/9/2008	1,2,3-Trichloropropane	<	0.77	1	UG/L	1	
SWB-3	12/4/2008	1,2,3-Trichloropropane	<	0.77	1	UG/L	1	
SWB-3	3/2/2009	1,2,3-Trichloropropane	<	0.77	1	UG/L	1	
SWB-3	6/4/2009	1,2,3-Trichloropropane	<	0.77	1	UG/L	1	
SWB-3	12/1/2009	1,2,3-Trichloropropane	<	0.77	1	UG/L	1	
SWB-3	3/1/2010	1,2,3-Trichloropropane	<	1	0.33	1	ug/L	1
SWB-3	3/1/2010	1,2,3-Trichloropropane	<	2	0.66	2	ug/L	1 DNR
SWB-3	6/1/2010	1,2,3-TRICHLOROPROPANE	<	0.33	0.33	1	UG/L	1 DNR
SWB-3	6/1/2010	1,2,3-TRICHLOROPROPANE	<	1.3	1.3	4	UG/L	1
SWB-3	9/9/2010	1,2,3-TRICHLOROPROPANE	<	0.33	0.33	1	UG/L	1 UJ
SWB-4	11/15/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
SWB-5	10/29/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
SWB-6	3/4/2003	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
SWB-6	6/3/2003	1,2,3-Trichloropropane	<	0.66	2	ug/L	2	
SWB-6	12/3/2003	1,2,3-Trichloropropane	<	0.66	2	ug/L	2	
SWB-6	3/5/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
SWB-6	6/1/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
SWB-6	12/1/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
SWB-6	3/7/2005	1,2,3-Trichloropropane	<	0.26	1	ug/L	1	
SWB-6	6/1/2005	1,2,3-Trichloropropane	<	0.27	1	ug/L	1	
SWB-6	12/2/2005	1,2,3-Trichloropropane	<	0.27	1	UG/L	1	
SWB-6	3/1/2006	1,2,3-Trichloropropane	<	0.27	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-6	6/1/2006	1,2,3-Trichloropropane	<		0.27	1	UG/L	1	
SWB-6	12/5/2006	1,2,3-Trichloropropane	<		0.27	1	UG/L	1	
SWB-6	3/2/2007	1,2,3-Trichloropropane	<		0.27	1	UG/L	1	
SWB-6	3/6/2008	1,2,3-Trichloropropane	<		0.77	1	UG/L	1	
SWB-6	12/5/2008	1,2,3-Trichloropropane	<		0.77	1	UG/L	1	
SWB-6	6/9/2008	1,2,3-Trichloropropane	<		0.77	1	UG/L	1	
SWB-6	3/2/2009	1,2,3-Trichloropropane	<		0.77	1	UG/L	1	
SWB-6	6/5/2009	1,2,3-Trichloropropane	<		0.77	1	UG/L	1	
SWB-6	3/2/2010	1,2,3-Trichloropropane	<	1	0.33	1	UG/L	1	
SWB-6	6/2/2010	1,2,3-TRICHLOROPROPANE	<	0.33	0.33	1	UG/L	1	
SWB-7	3/4/2003	1,2,3-Trichloropropane	<		0.33	1	ug/L	1	
SWB-7	6/3/2003	1,2,3-Trichloropropane	<		0.33	1	ug/L	1	
SWB-7	3/1/2004	1,2,3-Trichloropropane	<		0.33	1	ug/L	1	
SWB-7	5/24/2004	1,2,3-Trichloropropane	<		0.33	1	ug/L	1	
SWB-7	12/1/2004	1,2,3-Trichloropropane	<		0.33	1	ug/L	1	
SWB-7	3/7/2005	1,2,3-Trichloropropane	<		0.26	1	ug/L	1	
SWB-7	6/1/2005	1,2,3-Trichloropropane	<		0.27	1	ug/L	1	
SWB-7	9/1/2005	1,2,3-Trichloropropane	<		0.27	1	ug/L	1	
SWB-7	12/1/2005	1,2,3-Trichloropropane	<		0.27	1	UG/L	1	
SWB-7	3/1/2006	1,2,3-Trichloropropane	<		0.27	1	UG/L	1	
SWB-7	6/2/2006	1,2,3-Trichloropropane	<		0.27	1	UG/L	1	
SWB-7	9/5/2006	1,2,3-Trichloropropane	<		0.27	1	UG/L	1	
SWB-7	12/5/2006	1,2,3-Trichloropropane	<		0.27	1	UG/L	1	
SWB-7	3/2/2007	1,2,3-Trichloropropane	<		0.27	1	UG/L	1	
SWB-7	6/1/2007	1,2,3-Trichloropropane	<		0.27	1	UG/L	1	
SWB-7	9/7/2007	1,2,3-Trichloropropane	<		0.27	1	UG/L	1	
SWB-7	12/3/2007	1,2,3-Trichloropropane	<		0.27	1	UG/L	1	
SWB-7	3/6/2008	1,2,3-Trichloropropane	<		0.77	1	UG/L	1	
SWB-7	6/6/2008	1,2,3-Trichloropropane	<		0.77	1	UG/L	1	
SWB-7	9/8/2008	1,2,3-Trichloropropane	<		0.77	1	UG/L	1	
SWB-7	12/5/2008	1,2,3-Trichloropropane	<		0.77	1	UG/L	1	
SWB-7	3/2/2009	1,2,3-Trichloropropane	<		0.77	1	UG/L	1	
SWB-7	6/5/2009	1,2,3-Trichloropropane	<		0.77	1	UG/L	1	
SWB-7	9/9/2009	1,2,3-Trichloropropane	<		0.77	1	UG/L	1	
SWB-7	12/1/2009	1,2,3-Trichloropropane	<		0.77	1	UG/L	1	
SWB-7	3/2/2010	1,2,3-Trichloropropane	<	1	0.33	1	UG/L	1	
SWB-7	6/1/2010	1,2,3-TRICHLOROPROPANE	<	0.33	0.33	1	UG/L	1	DNR
SWB-7	6/1/2010	1,2,3-TRICHLOROPROPANE	<	1.3	1.3	4	UG/L	1	
SWB-7	9/9/2010	1,2,3-TRICHLOROPROPANE	<	0.33	0.33	1	UG/L	1	UJ
SWB-7	12/1/2010	1,2,3-TRICHLOROPROPANE	<	0.33	0.33	1	UG/L	1	
SWB-8	3/5/2004	1,2,3-Trichloropropane	<		0.33	1	ug/L	1	
SWB-8	3/7/2005	1,2,3-Trichloropropane	<		0.26	1	ug/L	1	
SWB-8	6/1/2005	1,2,3-Trichloropropane	<		0.27	1	ug/L	1	
SWB-8	3/1/2006	1,2,3-Trichloropropane	<		0.27	1	UG/L	1	
SWB-8	3/7/2008	1,2,3-Trichloropropane	<		0.77	1	UG/L	1	
SWB-8	3/3/2009	1,2,3-Trichloropropane	<		0.77	1	UG/L	1	
SWB-9	3/4/2003	1,2,3-Trichloropropane	<		0.33	1	ug/L	1	
SWB-9	12/3/2003	1,2,3-Trichloropropane	<		0.66	2	ug/L	2	
SWB-9	3/5/2004	1,2,3-Trichloropropane	<		0.33	1	ug/L	1	
SWB-9	5/27/2004	1,2,3-Trichloropropane	<		0.33	1	ug/L	1	
SWB-9	12/1/2004	1,2,3-Trichloropropane	<		0.33	1	ug/L	1	
SWB-9	3/3/2005	1,2,3-Trichloropropane	<		0.26	1	ug/L	1	
SWB-9	6/2/2005	1,2,3-Trichloropropane	<		0.27	1	ug/L	1	
SWB-9	9/1/2005	1,2,3-Trichloropropane	<		0.27	1	ug/L	1	UJ
SWB-9	12/1/2005	1,2,3-Trichloropropane	<		0.27	1	UG/L	1	
SWB-9	3/2/2006	1,2,3-Trichloropropane	<		1.1	4	UG/L	4	
SWB-9	6/1/2006	1,2,3-Trichloropropane	<		0.27	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-9	12/4/2006	1,2,3-Trichloropropane	<		0.27	1	UG/L	1		
SWB-9	3/5/2007	1,2,3-Trichloropropane	<		0.27	1	UG/L	1		
SWB-9	3/6/2008	1,2,3-Trichloropropane	<		0.77	1	UG/L	1		
SWB-9	6/5/2008	1,2,3-Trichloropropane	<		0.77	1	UG/L	1	R	
SWB-9	12/5/2008	1,2,3-Trichloropropane	<		0.77	1	UG/L	1		
SWB-9	3/2/2009	1,2,3-Trichloropropane	<		0.77	1	UG/L	1		
SWB-9	6/2/2009	1,2,3-Trichloropropane	<		0.77	1	UG/L	1		
SWB-9	3/1/2010	1,2,3-Trichloropropane	<	1	0.33	1	ug/L	1		
SWB-9	6/1/2010	1,2,3-TRICHLOROPROPANE	<	0.33	0.33	1	UG/L	1	DNR	
SWB-9	6/1/2010	1,2,3-TRICHLOROPROPANE	<	1.3	1.3	4	UG/L	1		
SWB-9	12/1/2010	1,2,3-TRICHLOROPROPANE	<	0.33	0.33	1	UG/L	1		
SWB-10	3/4/2004	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1		NA
SWB-10	5/24/2004	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1	UJ	
SWB-10	12/1/2004	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1		
SWB-10	3/3/2005	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1		
SWB-10	6/2/2005	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1		
SWB-10	9/1/2005	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1		
SWB-10	3/2/2006	1,2,4,5-Tetrachlorobenzene	<		2	10	UG/L	1		
SWB-10	6/2/2006	1,2,4,5-Tetrachlorobenzene	<		2	10	UG/L	1		
SWB-10	3/1/2007	1,2,4,5-Tetrachlorobenzene	<		2	10	UG/L	1		
SWB-10	3/7/2008	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1		
SWB-10	6/5/2008	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1		
SWB-10	3/2/2009	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1		
SWB-10	3/2/2009	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	R	
SWB-10	6/4/2009	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1		
SWB-10	3/2/2010	1,2,4,5-Tetrachlorobenzene	<	9.3	1.6	9.3	UG/L	1		
SWB-11	3/4/2004	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1		
SWB-11	5/24/2004	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1	UJ	
SWB-11	12/1/2004	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1		
SWB-11	3/1/2005	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1		
SWB-11	6/2/2005	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1		
SWB-11	3/2/2006	1,2,4,5-Tetrachlorobenzene	<		2	10	UG/L	1		
SWB-11	6/1/2006	1,2,4,5-Tetrachlorobenzene	<		2	10	UG/L	1		
SWB-11	3/1/2007	1,2,4,5-Tetrachlorobenzene	<		2	10	UG/L	1		
SWB-11	3/7/2008	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1		
SWB-11	6/5/2008	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1		
SWB-11	3/2/2009	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1		
SWB-11	6/4/2009	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1		
SWB-11	3/1/2010	1,2,4,5-Tetrachlorobenzene	<	9.4	1.6	9.4	ug/L	1		
SWB-11	6/2/2010	1,2,4,5-TETRACHLORO BENZENE	<	1.6	1.6	9.5	UG/L	1		
SWB-3	10/29/2002	1,2,4,5-Tetrachlorobenzene	<		1.8	10	ug/L	1		
SWB-3	3/4/2003	1,2,4,5-Tetrachlorobenzene	<		1.8	10	ug/L	1		
SWB-3	6/3/2003	1,2,4,5-Tetrachlorobenzene	<		1.8	10	ug/L	1		
SWB-3	9/4/2003	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1	UJ	
SWB-3	12/2/2003	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1		
SWB-3	3/1/2004	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1		
SWB-3	6/1/2004	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1		
SWB-3	9/1/2004	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1		
SWB-3	12/1/2004	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1		
SWB-3	3/3/2005	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1		
SWB-3	6/2/2005	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1		
SWB-3	9/1/2005	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1		
SWB-3	12/1/2005	1,2,4,5-Tetrachlorobenzene	<		2	10	UG/L	1	UJ	
SWB-3	3/2/2006	1,2,4,5-Tetrachlorobenzene	<		2	10	UG/L	1		
SWB-3	6/2/2006	1,2,4,5-Tetrachlorobenzene	<		2	10	UG/L	1		
SWB-3	9/5/2006	1,2,4,5-Tetrachlorobenzene	<		2	10	UG/L	1		
SWB-3	12/4/2006	1,2,4,5-Tetrachlorobenzene	<		2	10	UG/L	1		

tmpAnalyticalResultsOverTime

SWB-3	3/1/2007	1,2,4,5-Tetrachlorobenzene	<	2	10	UG/L	1
SWB-3	6/1/2007	1,2,4,5-Tetrachlorobenzene	<	2	10	UG/L	1
SWB-3	6/1/2007	1,2,4,5-Tetrachlorobenzene	<	2	10	UG/L	1 R
SWB-3	12/3/2007	1,2,4,5-Tetrachlorobenzene	<	2	10	UG/L	1
SWB-3	3/6/2008	1,2,4,5-Tetrachlorobenzene	<	1.7	10	UG/L	1
SWB-3	6/9/2008	1,2,4,5-Tetrachlorobenzene	<	1.7	10	UG/L	1
SWB-3	12/4/2008	1,2,4,5-Tetrachlorobenzene	<	1.7	10	UG/L	1
SWB-3	3/2/2009	1,2,4,5-Tetrachlorobenzene	<	1.7	10	UG/L	1
SWB-3	3/2/2009	1,2,4,5-Tetrachlorobenzene	<	1.7	10	UG/L	1 R
SWB-3	6/4/2009	1,2,4,5-Tetrachlorobenzene	<	1.7	10	UG/L	1
SWB-3	12/1/2009	1,2,4,5-Tetrachlorobenzene	<	1.7	10	UG/L	1
SWB-3	3/1/2010	1,2,4,5-Tetrachlorobenzene	<	9.7	1.7	ug/L	1 UJ
SWB-3	6/1/2010	1,2,4,5-TETRACHLORO BENZENE	<	1.6	1.6	UG/L	1
SWB-3	6/1/2010	1,2,4,5-TETRACHLORO BENZENE	<	1.6	1.6	UG/L	1 DNR
SWB-3	9/9/2010	1,2,4,5-TETRACHLORO BENZENE	<	1.6	1.6	UG/L	1
SWB-4	11/15/2002	1,2,4,5-Tetrachlorobenzene	<	1.8	10	ug/L	1
SWB-5	10/29/2002	1,2,4,5-Tetrachlorobenzene	<	1.8	10	ug/L	1
SWB-6	3/4/2003	1,2,4,5-Tetrachlorobenzene	<	1.8	10	ug/L	1
SWB-6	6/3/2003	1,2,4,5-Tetrachlorobenzene	<	1.8	10	ug/L	1
SWB-6	12/3/2003	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
SWB-6	3/5/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
SWB-6	6/1/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
SWB-6	12/1/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
SWB-6	3/7/2005	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
SWB-6	6/1/2005	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
SWB-6	12/2/2005	1,2,4,5-Tetrachlorobenzene	<	2	10	UG/L	1 UJ
SWB-6	3/1/2006	1,2,4,5-Tetrachlorobenzene	<	2	10	UG/L	1
SWB-6	6/1/2006	1,2,4,5-Tetrachlorobenzene	<	2	10	UG/L	1
SWB-6	12/5/2006	1,2,4,5-Tetrachlorobenzene	<	2	10	UG/L	1
SWB-6	3/2/2007	1,2,4,5-Tetrachlorobenzene	<	2	10	UG/L	1
SWB-6	3/6/2008	1,2,4,5-Tetrachlorobenzene	<	1.7	10	UG/L	1
SWB-6	12/5/2008	1,2,4,5-Tetrachlorobenzene	<	1.7	10	UG/L	1
SWB-6	12/5/2008	1,2,4,5-Tetrachlorobenzene	<	1.7	10	UG/L	1 R
SWB-6	6/9/2008	1,2,4,5-Tetrachlorobenzene	<	1.7	10	UG/L	1
SWB-6	3/2/2009	1,2,4,5-Tetrachlorobenzene	<	1.7	10	UG/L	1
SWB-6	3/2/2009	1,2,4,5-Tetrachlorobenzene	<	1.7	10	UG/L	1 R
SWB-6	6/5/2009	1,2,4,5-Tetrachlorobenzene	<	1.7	10	UG/L	1
SWB-6	3/2/2010	1,2,4,5-Tetrachlorobenzene	<	9.1	1.6	UG/L	1
SWB-6	6/2/2010	1,2,4,5-TETRACHLORO BENZENE	<	1.6	1.6	UG/L	1 DNR
SWB-6	6/2/2010	1,2,4,5-TETRACHLORO BENZENE	<	1.6	1.6	UG/L	1
SWB-7	3/4/2003	1,2,4,5-Tetrachlorobenzene	<	1.8	10	ug/L	1
SWB-7	6/3/2003	1,2,4,5-Tetrachlorobenzene	<	1.8	10	ug/L	1
SWB-7	3/1/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
SWB-7	5/24/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
SWB-7	12/1/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
SWB-7	3/7/2005	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1 UJ
SWB-7	6/1/2005	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
SWB-7	9/1/2005	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
SWB-7	12/1/2005	1,2,4,5-Tetrachlorobenzene	<	2	10	UG/L	1 UJ
SWB-7	3/1/2006	1,2,4,5-Tetrachlorobenzene	<	2	10	UG/L	1
SWB-7	6/2/2006	1,2,4,5-Tetrachlorobenzene	<	2	10	UG/L	1
SWB-7	9/5/2006	1,2,4,5-Tetrachlorobenzene	<	2	10	UG/L	1 UJ
SWB-7	12/5/2006	1,2,4,5-Tetrachlorobenzene	<	2	10	UG/L	1
SWB-7	3/2/2007	1,2,4,5-Tetrachlorobenzene	<	2	10	UG/L	1
SWB-7	6/1/2007	1,2,4,5-Tetrachlorobenzene	<	2	10	UG/L	1
SWB-7	9/7/2007	1,2,4,5-Tetrachlorobenzene	<	2	10	UG/L	1
SWB-7	12/3/2007	1,2,4,5-Tetrachlorobenzene	<	2	10	UG/L	1



tmpAnalyticalResultsOverTime

SWB-7	3/6/2008	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	
SWB-7	6/6/2008	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	
SWB-7	9/8/2008	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	
SWB-7	12/5/2008	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	
SWB-7	12/5/2008	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	R
SWB-7	3/2/2009	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	
SWB-7	3/2/2009	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	R
SWB-7	6/5/2009	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	
SWB-7	9/9/2009	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	
SWB-7	12/1/2009	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	
SWB-7	3/2/2010	1,2,4,5-Tetrachlorobenzene	<	9.5	1.6	9.5	UG/L	1	
SWB-7	6/1/2010	1,2,4,5-TETRACHLORO BENZENE	<	1.7	1.7	9.6	UG/L	1	DNR
SWB-7	6/1/2010	1,2,4,5-TETRACHLORO BENZENE	<	1.7	1.7	10	UG/L	1	R
SWB-7	9/9/2010	1,2,4,5-TETRACHLORO BENZENE	<	1.7	1.7	9.6	UG/L	1	
SWB-7	12/1/2010	1,2,4,5-TETRACHLORO BENZENE	<	1.6	1.6	9.3	UG/L	1	
SWB-8	3/5/2004	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1	
SWB-8	3/7/2005	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1	
SWB-8	6/1/2005	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1	
SWB-8	3/1/2006	1,2,4,5-Tetrachlorobenzene	<		2	10	UG/L	1	
SWB-8	3/7/2008	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	
SWB-8	3/3/2009	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	
SWB-8	3/3/2009	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	R
SWB-9	3/4/2003	1,2,4,5-Tetrachlorobenzene	<		1.8	10	ug/L	1	
SWB-9	12/3/2003	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1	
SWB-9	3/5/2004	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1	
SWB-9	5/27/2004	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1	UJ
SWB-9	12/1/2004	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1	
SWB-9	3/3/2005	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1	
SWB-9	6/2/2005	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1	
SWB-9	9/1/2005	1,2,4,5-Tetrachlorobenzene	<		2	10	ug/L	1	
SWB-9	12/1/2005	1,2,4,5-Tetrachlorobenzene	<		2	10	UG/L	1	UJ
SWB-9	3/2/2006	1,2,4,5-Tetrachlorobenzene	<		2	10	UG/L	1	
SWB-9	6/1/2006	1,2,4,5-Tetrachlorobenzene	<		2	10	UG/L	1	
SWB-9	12/4/2006	1,2,4,5-Tetrachlorobenzene	<		2	10	UG/L	1	
SWB-9	3/5/2007	1,2,4,5-Tetrachlorobenzene	<		2	10	UG/L	1	
SWB-9	3/6/2008	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	
SWB-9	6/5/2008	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	
SWB-9	12/5/2008	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	
SWB-9	12/5/2008	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	R
SWB-9	3/2/2009	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	
SWB-9	3/2/2009	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	R
SWB-9	6/2/2009	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	
SWB-9	6/2/2009	1,2,4,5-Tetrachlorobenzene	<		1.7	10	UG/L	1	DNR
SWB-9	3/1/2010	1,2,4,5-Tetrachlorobenzene	<	9.2	1.6	9.2	ug/L	1	
SWB-9	6/1/2010	1,2,4,5-TETRACHLORO BENZENE	<	1.6	1.6	9.4	UG/L	1	DNR
SWB-9	6/1/2010	1,2,4,5-TETRACHLORO BENZENE	<	1.6	1.6	9.5	UG/L	1	
SWB-9	12/1/2010	1,2,4,5-TETRACHLORO BENZENE	<	1.6	1.6	9.3	UG/L	1	
SWB-10	3/4/2004	1,2,4-Trichlorobenzene	<		0.21	1	ug/L	1	0.11 mg/L
SWB-10	3/4/2004	1,2,4-Trichlorobenzene	<		0.9	10	ug/L	1	
SWB-10	5/24/2004	1,2,4-Trichlorobenzene	<		0.21	1	ug/L	1	
SWB-10	5/24/2004	1,2,4-Trichlorobenzene	<		0.9	10	ug/L	1	UJ
SWB-10	12/1/2004	1,2,4-Trichlorobenzene	<		0.21	1	ug/L	1	
SWB-10	12/1/2004	1,2,4-Trichlorobenzene	<		0.9	10	ug/L	1	
SWB-10	3/3/2005	1,2,4-Trichlorobenzene	<		0.32	1	ug/L	1	
SWB-10	3/3/2005	1,2,4-Trichlorobenzene	<		1.5	10	ug/L	1	UJ
SWB-10	6/2/2005	1,2,4-Trichlorobenzene	<		0.32	1	ug/L	1	
SWB-10	6/2/2005	1,2,4-Trichlorobenzene	<		1.5	10	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-10	9/1/2005	1,2,4-Trichlorobenzene	<	0.32	1	ug/L	1	
SWB-10	9/1/2005	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
SWB-10	3/2/2006	1,2,4-Trichlorobenzene	<	1.3	4	UG/L	4	
SWB-10	3/2/2006	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1	
SWB-10	6/2/2006	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-10	6/2/2006	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1	
SWB-10	3/1/2007	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-10	3/1/2007	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1	
SWB-10	3/7/2008	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-10	3/7/2008	1,2,4-Trichlorobenzene	<	0.28	10	UG/L	1	
SWB-10	6/5/2008	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-10	6/5/2008	1,2,4-Trichlorobenzene	<	0.28	10	UG/L	1 UJ	
SWB-10	6/5/2008	1,2,4-Trichlorobenzene	<	0.1	5	UG/L	1 UJ	
SWB-10	3/2/2009	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-10	3/2/2009	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1	
SWB-10	3/2/2009	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1 R	
SWB-10	6/4/2009	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-10	6/4/2009	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1	
SWB-10	3/2/2010	1,2,4-Trichlorobenzene	<	1	0.21	1	UG/L	1
SWB-10	3/2/2010	1,2,4-Trichlorobenzene	<	3.7	0.26	3.7	UG/L	1
SWB-11	3/4/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-11	3/4/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
SWB-11	5/24/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-11	5/24/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1 UJ	
SWB-11	12/1/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-11	12/1/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
SWB-11	3/1/2005	1,2,4-Trichlorobenzene	<	0.32	1	ug/L	1	
SWB-11	3/1/2005	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1 UJ	
SWB-11	6/2/2005	1,2,4-Trichlorobenzene	<	0.32	1	ug/L	1	
SWB-11	6/2/2005	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
SWB-11	3/2/2006	1,2,4-Trichlorobenzene	<	3.2	10	UG/L	10	
SWB-11	3/2/2006	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1	
SWB-11	6/1/2006	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-11	6/1/2006	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1	
SWB-11	3/1/2007	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-11	3/1/2007	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1	
SWB-11	3/7/2008	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-11	3/7/2008	1,2,4-Trichlorobenzene	<	0.28	10	UG/L	1	
SWB-11	6/5/2008	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-11	6/5/2008	1,2,4-Trichlorobenzene	<	0.28	10	UG/L	1	
SWB-11	3/2/2009	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-11	3/2/2009	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1	
SWB-11	6/4/2009	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-11	6/4/2009	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1	
SWB-11	3/1/2010	1,2,4-Trichlorobenzene	<	1	0.21	1	ug/L	1
SWB-11	3/1/2010	1,2,4-Trichlorobenzene	<	3.7	0.26	3.7	ug/L	1
SWB-11	6/2/2010	1,2,4-TRICHLORO BENZENE	<	0.21	0.21	1	UG/L	1
SWB-11	6/2/2010	1,2,4-TRICHLORO BENZENE	<	0.27	0.27	3.8	UG/L	1
SWB-3	10/29/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1	
SWB-3	10/29/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
SWB-3	3/4/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-3	3/4/2003	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
SWB-3	6/3/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-3	6/3/2003	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
SWB-3	9/4/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1 UJ	
SWB-3	9/4/2003	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1 UJ	
SWB-3	12/2/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	12/2/2003	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
SWB-3	3/1/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-3	3/1/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
SWB-3	6/1/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-3	6/1/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
SWB-3	9/1/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-3	9/1/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
SWB-3	12/1/2004	1,2,4-Trichlorobenzene	<	0.35	1.7	ug/L	1.66	
SWB-3	12/1/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
SWB-3	3/3/2005	1,2,4-Trichlorobenzene	<	0.32	1	ug/L	1	
SWB-3	3/3/2005	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1 UJ	
SWB-3	6/2/2005	1,2,4-Trichlorobenzene	<	0.32	1	ug/L	1	
SWB-3	6/2/2005	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
SWB-3	9/1/2005	1,2,4-Trichlorobenzene	<	0.32	1	ug/L	1	
SWB-3	9/1/2005	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
SWB-3	12/1/2005	1,2,4-Trichlorobenzene	<	0.64	2	UG/L	2	
SWB-3	12/1/2005	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1 UJ	
SWB-3	3/2/2006	1,2,4-Trichlorobenzene	<	1.3	4	UG/L	4	
SWB-3	3/2/2006	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1	
SWB-3	6/2/2006	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-3	6/2/2006	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1	
SWB-3	9/5/2006	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-3	9/5/2006	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1	
SWB-3	12/4/2006	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-3	12/4/2006	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1	
SWB-3	3/1/2007	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-3	3/1/2007	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1	
SWB-3	6/1/2007	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-3	6/1/2007	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1	
SWB-3	6/1/2007	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1 R	
SWB-3	12/3/2007	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-3	12/3/2007	1,2,4-Trichlorobenzene	<	0.45	10	UG/L	1	
SWB-3	3/6/2008	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-3	3/6/2008	1,2,4-Trichlorobenzene	<	0.28	10	UG/L	1	
SWB-3	6/9/2008	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-3	6/9/2008	1,2,4-Trichlorobenzene	<	0.28	10	UG/L	1	
SWB-3	12/4/2008	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-3	12/4/2008	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1	
SWB-3	3/2/2009	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-3	3/2/2009	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1	
SWB-3	3/2/2009	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1 R	
SWB-3	6/4/2009	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-3	6/4/2009	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1	
SWB-3	12/1/2009	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-3	12/1/2009	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1	
SWB-3	3/1/2010	1,2,4-Trichlorobenzene	<	1	0.21	1	ug/L	1
SWB-3	3/1/2010	1,2,4-Trichlorobenzene	<	2	0.42	2	ug/L	1 DNR
SWB-3	3/1/2010	1,2,4-Trichlorobenzene	<	3.9	0.27	3.9	ug/L	1 UJ
SWB-3	6/1/2010	1,2,4-TRICHLOROENZENE	<	0.21	0.21	1	UG/L	1 DNR
SWB-3	6/1/2010	1,2,4-TRICHLOROENZENE	<	0.84	0.84	4	UG/L	1
SWB-3	6/1/2010	1,2,4-TRICHLOROENZENE	<	0.26	0.26	3.7	UG/L	1
SWB-3	6/1/2010	1,2,4-TRICHLOROENZENE	<	0.26	0.26	3.8	UG/L	1 DNR
SWB-3	9/9/2010	1,2,4-TRICHLOROENZENE	<	0.21	0.21	1	UG/L	1 UJ
SWB-3	9/9/2010	1,2,4-TRICHLOROENZENE	<	0.26	0.26	3.7	UG/L	1
SWB-4	11/15/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1	
SWB-4	11/15/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
SWB-5	10/29/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-5	10/29/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
SWB-6	3/4/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-6	3/4/2003	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
SWB-6	6/3/2003	1,2,4-Trichlorobenzene	<	0.42	2	ug/L	2	
SWB-6	6/3/2003	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
SWB-6	12/3/2003	1,2,4-Trichlorobenzene	<	0.42	2	ug/L	2	
SWB-6	12/3/2003	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
SWB-6	3/5/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-6	3/5/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
SWB-6	6/1/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-6	6/1/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
SWB-6	12/1/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-6	12/1/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
SWB-6	3/7/2005	1,2,4-Trichlorobenzene	<	0.32	1	ug/L	1	
SWB-6	3/7/2005	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1 UJ	
SWB-6	6/1/2005	1,2,4-Trichlorobenzene	<	0.32	1	ug/L	1	
SWB-6	6/1/2005	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
SWB-6	12/2/2005	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-6	12/2/2005	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1 UJ	
SWB-6	3/1/2006	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-6	3/1/2006	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1	
SWB-6	6/1/2006	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-6	6/1/2006	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1	
SWB-6	12/5/2006	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-6	12/5/2006	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1	
SWB-6	3/2/2007	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-6	3/2/2007	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1	
SWB-6	3/6/2008	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-6	3/6/2008	1,2,4-Trichlorobenzene	<	0.28	10	UG/L	1	
SWB-6	12/5/2008	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-6	12/5/2008	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1	
SWB-6	6/9/2008	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-6	6/9/2008	1,2,4-Trichlorobenzene	<	0.28	10	UG/L	1	
SWB-6	12/5/2008	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1 R	
SWB-6	3/2/2009	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-6	3/2/2009	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1	
SWB-6	3/2/2009	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1 R	
SWB-6	6/5/2009	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-6	6/5/2009	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1	
SWB-6	3/2/2010	1,2,4-Trichlorobenzene	<	1	0.21	1	UG/L	1
SWB-6	3/2/2010	1,2,4-Trichlorobenzene	<	3.6	0.26	3.6	UG/L	1
SWB-6	6/2/2010	1,2,4-TRICHLORO BENZENE	<	0.21	0.21	1	UG/L	1
SWB-6	6/2/2010	1,2,4-TRICHLORO BENZENE	<	0.26	0.26	3.8	UG/L	1 DNR
SWB-6	6/2/2010	1,2,4-TRICHLORO BENZENE	<	0.27	0.27	3.8	UG/L	1
SWB-7	3/4/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-7	3/4/2003	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
SWB-7	6/3/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-7	6/3/2003	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
SWB-7	3/1/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-7	3/1/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
SWB-7	5/24/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-7	5/24/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
SWB-7	12/1/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-7	12/1/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
SWB-7	3/7/2005	1,2,4-TRICHLORO BENZENE	<	0.32	1	ug/L	1	
SWB-7	3/7/2005	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1 UJ	
SWB-7	6/1/2005	1,2,4-Trichlorobenzene	<	0.32	1	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-7	6/1/2005	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
SWB-7	9/1/2005	1,2,4-Trichlorobenzene	<	0.32	1	ug/L	1	
SWB-7	9/1/2005	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
SWB-7	12/1/2005	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-7	12/1/2005	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1 UJ	
SWB-7	3/1/2006	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-7	3/1/2006	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1	
SWB-7	6/2/2006	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-7	6/2/2006	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1	
SWB-7	9/5/2006	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-7	9/5/2006	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1 UJ	
SWB-7	12/5/2006	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-7	12/5/2006	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1	
SWB-7	3/2/2007	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-7	3/2/2007	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1	
SWB-7	6/1/2007	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-7	6/1/2007	1,2,4-Trichlorobenzene	<	1.5	10	UG/L	1	
SWB-7	9/7/2007	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-7	9/7/2007	1,2,4-Trichlorobenzene	<	0.45	10	UG/L	1	
SWB-7	12/3/2007	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-7	12/3/2007	1,2,4-Trichlorobenzene	<	0.45	10	UG/L	1	
SWB-7	3/6/2008	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-7	3/6/2008	1,2,4-Trichlorobenzene	<	0.28	10	UG/L	1	
SWB-7	6/6/2008	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-7	6/6/2008	1,2,4-Trichlorobenzene	<	0.28	10	UG/L	1 UJ	
SWB-7	6/6/2008	1,2,4-Trichlorobenzene	<	0.1	5	UG/L	1 UJ	
SWB-7	9/8/2008	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-7	9/8/2008	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1	
SWB-7	12/5/2008	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-7	12/5/2008	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1	
SWB-7	12/5/2008	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1 R	
SWB-7	3/2/2009	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-7	3/2/2009	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1	
SWB-7	3/2/2009	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1 R	
SWB-7	6/5/2009	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-7	6/5/2009	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1	
SWB-7	9/9/2009	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-7	9/9/2009	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1	
SWB-7	12/1/2009	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	
SWB-7	12/1/2009	1,2,4-Trichlorobenzene	<	0.28	4	UG/L	1	
SWB-7	3/2/2010	1,2,4-Trichlorobenzene	<	1	0.21	1	UG/L	1
SWB-7	3/2/2010	1,2,4-Trichlorobenzene	<	3.8	0.27	3.8	UG/L	1
SWB-7	6/1/2010	1,2,4-TRICHLORO BENZENE	<	0.21	0.21	1	UG/L	1 DNR
SWB-7	6/1/2010	1,2,4-TRICHLORO BENZENE	<	0.84	0.84	4	UG/L	1
SWB-7	6/1/2010	1,2,4-TRICHLORO BENZENE	<	0.27	0.27	3.8	UG/L	1 DNR
SWB-7	6/1/2010	1,2,4-TRICHLORO BENZENE	<	0.28	0.28	4	UG/L	1 R
SWB-7	9/9/2010	1,2,4-TRICHLORO BENZENE	<	0.21	0.21	1	UG/L	1 UJ
SWB-7	9/9/2010	1,2,4-TRICHLORO BENZENE	<	0.27	0.27	3.9	UG/L	1
SWB-7	12/1/2010	1,2,4-TRICHLORO BENZENE	<	0.21	0.21	1	UG/L	1
SWB-7	12/1/2010	1,2,4-TRICHLORO BENZENE	<	0.26	0.26	3.7	UG/L	1
SWB-8	3/5/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
SWB-8	3/5/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
SWB-8	3/7/2005	1,2,4-Trichlorobenzene	<	0.32	1	ug/L	1	
SWB-8	3/7/2005	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1 UJ	
SWB-8	6/1/2005	1,2,4-Trichlorobenzene	<	0.32	1	ug/L	1	
SWB-8	6/1/2005	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
SWB-8	3/1/2006	1,2,4-Trichlorobenzene	<	0.32	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-8	3/1/2006	1,2,4-Trichlorobenzene	<		1.5	10	UG/L	1	
SWB-8	3/7/2008	1,2,4-Trichlorobenzene	<		0.32	1	UG/L	1	
SWB-8	3/7/2008	1,2,4-Trichlorobenzene	<		0.28	10	UG/L	1	
SWB-8	3/3/2009	1,2,4-Trichlorobenzene	<		0.32	1	UG/L	1	
SWB-8	3/3/2009	1,2,4-Trichlorobenzene	<		0.28	4	UG/L	1	
SWB-8	3/3/2009	1,2,4-Trichlorobenzene	<		0.28	4	UG/L	1	R
SWB-9	3/4/2003	1,2,4-Trichlorobenzene	<		0.21	1	ug/L	1	
SWB-9	3/4/2003	1,2,4-Trichlorobenzene	<		1.5	10	ug/L	1	
SWB-9	12/3/2003	1,2,4-Trichlorobenzene	<		0.42	2	ug/L	2	
SWB-9	12/3/2003	1,2,4-Trichlorobenzene	<		0.9	10	ug/L	1	
SWB-9	3/5/2004	1,2,4-Trichlorobenzene	<		0.21	1	ug/L	1	
SWB-9	3/5/2004	1,2,4-Trichlorobenzene	<		0.9	10	ug/L	1	
SWB-9	5/27/2004	1,2,4-Trichlorobenzene	<		0.21	1	ug/L	1	
SWB-9	5/27/2004	1,2,4-Trichlorobenzene	<		0.9	10	ug/L	1	UJ
SWB-9	12/1/2004	1,2,4-Trichlorobenzene	<		0.21	1	ug/L	1	
SWB-9	12/1/2004	1,2,4-Trichlorobenzene	<		0.9	10	ug/L	1	
SWB-9	3/3/2005	1,2,4-Trichlorobenzene	<		0.32	1	ug/L	1	
SWB-9	3/3/2005	1,2,4-Trichlorobenzene	<		1.5	10	ug/L	1	UJ
SWB-9	6/2/2005	1,2,4-Trichlorobenzene	<		0.32	1	ug/L	1	
SWB-9	6/2/2005	1,2,4-Trichlorobenzene	<		1.5	10	ug/L	1	
SWB-9	9/1/2005	1,2,4-Trichlorobenzene	<		0.32	1	ug/L	1	UJ
SWB-9	9/1/2005	1,2,4-Trichlorobenzene	<		1.5	10	ug/L	1	
SWB-9	12/1/2005	1,2,4-Trichlorobenzene	<		0.32	1	UG/L	1	
SWB-9	12/1/2005	1,2,4-Trichlorobenzene	<		1.5	10	UG/L	1	UJ
SWB-9	3/2/2006	1,2,4-Trichlorobenzene	<		1.3	4	UG/L	4	
SWB-9	3/2/2006	1,2,4-Trichlorobenzene	<		1.5	10	UG/L	1	
SWB-9	6/1/2006	1,2,4-Trichlorobenzene	<		0.32	1	UG/L	1	
SWB-9	6/1/2006	1,2,4-Trichlorobenzene	<		1.5	10	UG/L	1	
SWB-9	12/4/2006	1,2,4-Trichlorobenzene	<		0.32	1	UG/L	1	
SWB-9	12/4/2006	1,2,4-Trichlorobenzene	<		1.5	10	UG/L	1	
SWB-9	3/5/2007	1,2,4-Trichlorobenzene	<		0.32	1	UG/L	1	
SWB-9	3/5/2007	1,2,4-Trichlorobenzene	<		1.5	10	UG/L	1	
SWB-9	3/6/2008	1,2,4-Trichlorobenzene	<		0.32	1	UG/L	1	
SWB-9	3/6/2008	1,2,4-Trichlorobenzene	<		0.28	10	UG/L	1	
SWB-9	6/5/2008	1,2,4-Trichlorobenzene	<		0.32	1	UG/L	1	R
SWB-9	6/5/2008	1,2,4-Trichlorobenzene	<		0.28	10	UG/L	1	UJ
SWB-9	6/5/2008	1,2,4-Trichlorobenzene	<		0.1	5	UG/L	1	UJ
SWB-9	6/5/2008	1,2,4-Trichlorobenzene	<		0.5	25	UG/L	5	
SWB-9	12/5/2008	1,2,4-Trichlorobenzene	<		0.32	1	UG/L	1	
SWB-9	12/5/2008	1,2,4-Trichlorobenzene	<		0.28	4	UG/L	1	
SWB-9	12/5/2008	1,2,4-Trichlorobenzene	<		0.28	4	UG/L	1	R
SWB-9	3/2/2009	1,2,4-Trichlorobenzene	<		0.32	1	UG/L	1	
SWB-9	3/2/2009	1,2,4-Trichlorobenzene	<		0.28	4	UG/L	1	
SWB-9	3/2/2009	1,2,4-Trichlorobenzene	<		0.28	4	UG/L	1	R
SWB-9	6/2/2009	1,2,4-Trichlorobenzene	<		0.32	1	UG/L	1	
SWB-9	6/2/2009	1,2,4-Trichlorobenzene	<		0.28	4	UG/L	1	
SWB-9	6/2/2009	1,2,4-Trichlorobenzene	<		0.28	4	UG/L	1	DNR
SWB-9	3/1/2010	1,2,4-Trichlorobenzene	TR	0.35	0.21	1	ug/L	1	J
SWB-9	3/1/2010	1,2,4-Trichlorobenzene	<	3.7	0.26	3.7	ug/L	1	
SWB-9	6/1/2010	1,2,4-TRICHLOROENZENE	<	0.21	0.21	1	UG/L	1	DNR
SWB-9	6/1/2010	1,2,4-TRICHLOROENZENE	<	0.84	0.84	4	UG/L	1	
SWB-9	6/1/2010	1,2,4-TRICHLOROENZENE	<	0.26	0.26	3.8	UG/L	1	
SWB-9	6/1/2010	1,2,4-TRICHLOROENZENE	<	0.26	0.26	3.8	UG/L	1	DNR
SWB-9	12/1/2010	1,2,4-TRICHLOROENZENE	<	0.21	0.21	1	UG/L	1	
SWB-9	12/1/2010	1,2,4-TRICHLOROENZENE	<	0.26	0.26	3.7	UG/L	1	
SWB-10	3/4/2004	1,2,4-Trimethylbenzene	<		0.15	1	ug/L	1	NA
SWB-10	5/24/2004	1,2,4-Trimethylbenzene	<		0.15	1	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-10	12/1/2004	1,2,4-Trimethylbenzene	<		0.15	1	ug/L	1
SWB-10	3/3/2005	1,2,4-Trimethylbenzene	<		0.28	1	ug/L	1
SWB-10	6/2/2005	1,2,4-Trimethylbenzene	<	1	0.14	1	ug/L	1 U
SWB-10	9/1/2005	1,2,4-Trimethylbenzene	<		0.14	1	ug/L	1
SWB-10	3/2/2006	1,2,4-Trimethylbenzene	<		0.56	4	UG/L	4
SWB-10	6/2/2006	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-10	3/1/2007	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-10	3/7/2008	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-10	6/5/2008	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-10	3/2/2009	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-10	6/4/2009	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1 UJ
SWB-10	3/2/2010	1,2,4-Trimethylbenzene	<	1	0.15	1	UG/L	1 UJ
SWB-11	3/4/2004	1,2,4-Trimethylbenzene	<		0.15	1	ug/L	1
SWB-11	5/24/2004	1,2,4-Trimethylbenzene	<		0.15	1	ug/L	1
SWB-11	12/1/2004	1,2,4-Trimethylbenzene	<		0.15	1	ug/L	1
SWB-11	3/1/2005	1,2,4-Trimethylbenzene	<		0.28	1	ug/L	1
SWB-11	6/2/2005	1,2,4-Trimethylbenzene	<		0.14	1	ug/L	1
SWB-11	3/2/2006	1,2,4-Trimethylbenzene	<		1.4	10	UG/L	10
SWB-11	6/1/2006	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-11	3/1/2007	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-11	3/7/2008	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-11	6/5/2008	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-11	3/2/2009	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-11	6/4/2009	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1 UJ
SWB-11	3/1/2010	1,2,4-Trimethylbenzene	<	1	0.15	1	ug/L	1 UJ
SWB-11	6/2/2010	1,2,4-TRIMETHYLBENZENE	<	0.15	0.15	1	UG/L	1 UJ
SWB-3	10/29/2002	1,2,4-Trimethylbenzene	<		0.3	1	ug/L	1
SWB-3	3/4/2003	1,2,4-Trimethylbenzene	<		0.15	1	ug/L	1
SWB-3	6/3/2003	1,2,4-Trimethylbenzene	<		0.15	1	ug/L	1
SWB-3	9/4/2003	1,2,4-Trimethylbenzene	<		0.15	1	ug/L	1 UJ
SWB-3	12/2/2003	1,2,4-Trimethylbenzene	<		0.15	1	ug/L	1
SWB-3	3/1/2004	1,2,4-Trimethylbenzene	<		0.15	1	ug/L	1
SWB-3	6/1/2004	1,2,4-Trimethylbenzene	<		0.15	1	ug/L	1
SWB-3	9/1/2004	1,2,4-Trimethylbenzene	<		0.15	1	ug/L	1
SWB-3	12/1/2004	1,2,4-Trimethylbenzene	<		0.25	1.7	ug/L	1.66
SWB-3	3/3/2005	1,2,4-Trimethylbenzene	<		0.28	1	ug/L	1
SWB-3	6/2/2005	1,2,4-Trimethylbenzene	<		0.14	1	ug/L	1
SWB-3	9/1/2005	1,2,4-Trimethylbenzene	<		0.14	1	ug/L	1
SWB-3	12/1/2005	1,2,4-Trimethylbenzene	<		0.28	2	UG/L	2
SWB-3	3/2/2006	1,2,4-Trimethylbenzene	<		0.56	4	UG/L	4
SWB-3	6/2/2006	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	9/5/2006	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	12/4/2006	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	3/1/2007	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	6/1/2007	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	12/3/2007	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	3/6/2008	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	6/9/2008	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	12/4/2008	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	3/2/2009	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	6/4/2009	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1 UJ
SWB-3	12/1/2009	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	3/1/2010	1,2,4-Trimethylbenzene	<	1	0.15	1	ug/L	1 UJ
SWB-3	3/1/2010	1,2,4-Trimethylbenzene	<	2	0.3	2	ug/L	1 DNR
SWB-3	6/1/2010	1,2,4-TRIMETHYLBENZENE	<	0.15	0.15	1	UG/L	1 DNR
SWB-3	6/1/2010	1,2,4-TRIMETHYLBENZENE	<	0.6	0.6	4	UG/L	1 UJ
SWB-3	9/9/2010	1,2,4-TRIMETHYLBENZENE	<	0.15	0.15	1	UG/L	1 UJ

tmpAnalyticalResultsOverTime

SWB-4	11/15/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
SWB-5	10/29/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
SWB-6	3/4/2003	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
SWB-6	6/3/2003	1,2,4-Trimethylbenzene	<	0.3	2	ug/L	2	
SWB-6	12/3/2003	1,2,4-Trimethylbenzene	<	0.3	2	ug/L	2	
SWB-6	3/5/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
SWB-6	6/1/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
SWB-6	12/1/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
SWB-6	3/7/2005	1,2,4-Trimethylbenzene	<	0.28	1	ug/L	1	
SWB-6	6/1/2005	1,2,4-Trimethylbenzene	<	0.14	1	ug/L	1	
SWB-6	12/2/2005	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-6	3/1/2006	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-6	6/1/2006	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-6	12/5/2006	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-6	3/2/2007	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-6	3/6/2008	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-6	6/9/2008	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-6	12/5/2008	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-6	3/2/2009	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-6	6/5/2009	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1 UJ	
SWB-6	3/2/2010	1,2,4-Trimethylbenzene	<	1	0.15	1	UG/L	1 UJ
SWB-6	6/2/2010	1,2,4-TRIMETHYLBENZENE	<	0.15	0.15	1	UG/L	1 UJ
SWB-7	3/4/2003	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
SWB-7	6/3/2003	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
SWB-7	3/1/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
SWB-7	5/24/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
SWB-7	12/1/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
SWB-7	3/7/2005	1,2,4-Trimethylbenzene	<	0.28	1	ug/L	1	
SWB-7	6/1/2005	1,2,4-Trimethylbenzene	<	0.14	1	ug/L	1	
SWB-7	9/1/2005	1,2,4-Trimethylbenzene	<	0.14	1	ug/L	1	
SWB-7	12/1/2005	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-7	3/1/2006	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-7	6/2/2006	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-7	9/5/2006	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-7	12/5/2006	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-7	3/2/2007	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-7	6/1/2007	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-7	9/7/2007	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-7	12/3/2007	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-7	3/6/2008	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-7	6/6/2008	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-7	9/8/2008	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-7	12/5/2008	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-7	3/2/2009	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-7	6/5/2009	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-7	9/9/2009	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-7	12/1/2009	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-7	3/2/2010	1,2,4-Trimethylbenzene	<	1	0.15	1	UG/L	1 UJ
SWB-7	6/1/2010	1,2,4-TRIMETHYLBENZENE	<	0.15	0.15	1	UG/L	1 DNR
SWB-7	6/1/2010	1,2,4-TRIMETHYLBENZENE	<	0.6	0.6	4	UG/L	1 UJ
SWB-7	9/9/2010	1,2,4-TRIMETHYLBENZENE	<	0.15	0.15	1	UG/L	1 UJ
SWB-7	12/1/2010	1,2,4-TRIMETHYLBENZENE	<	0.15	0.15	1	UG/L	1
SWB-8	3/5/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
SWB-8	3/7/2005	1,2,4-Trimethylbenzene	<	0.28	1	ug/L	1	
SWB-8	6/1/2005	1,2,4-Trimethylbenzene	<	0.14	1	ug/L	1	
SWB-8	3/1/2006	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	
SWB-8	3/7/2008	1,2,4-Trimethylbenzene	<	0.14	1	UG/L	1	



tmpAnalyticalResultsOverTime

SWB-8	3/3/2009	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1	
SWB-9	3/4/2003	1,2,4-Trimethylbenzene	<		0.15	1	ug/L	1	
SWB-9	12/3/2003	1,2,4-Trimethylbenzene	<		0.3	2	ug/L	2	
SWB-9	3/5/2004	1,2,4-Trimethylbenzene	<		0.15	1	ug/L	1	
SWB-9	5/27/2004	1,2,4-Trimethylbenzene	<		0.15	1	ug/L	1	
SWB-9	12/1/2004	1,2,4-Trimethylbenzene	<		0.15	1	ug/L	1	
SWB-9	3/3/2005	1,2,4-Trimethylbenzene	<		0.28	1	ug/L	1	
SWB-9	6/2/2005	1,2,4-Trimethylbenzene	<		0.14	1	ug/L	1	
SWB-9	9/1/2005	1,2,4-Trimethylbenzene	<		0.14	1	ug/L	1	UJ
SWB-9	12/1/2005	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1	
SWB-9	3/2/2006	1,2,4-Trimethylbenzene	<		0.56	4	UG/L	4	
SWB-9	6/1/2006	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1	
SWB-9	12/4/2006	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1	
SWB-9	3/5/2007	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1	
SWB-9	3/6/2008	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1	
SWB-9	6/5/2008	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1	R
SWB-9	12/5/2008	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1	
SWB-9	3/2/2009	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1	
SWB-9	6/2/2009	1,2,4-Trimethylbenzene	<		0.14	1	UG/L	1	UJ
SWB-9	3/1/2010	1,2,4-Trimethylbenzene	<	1	0.15	1	ug/L	1	UJ
SWB-9	6/1/2010	1,2,4-TRIMETHYLBENZENE	<	0.15	0.15	1	UG/L	1	DNR
SWB-9	6/1/2010	1,2,4-TRIMETHYLBENZENE	<	0.6	0.6	4	UG/L	1	UJ
SWB-9	12/1/2010	1,2,4-TRIMETHYLBENZENE	<	0.15	0.15	1	UG/L	1	
SWB-10	3/4/2004	1,2-Dibromo-3-chloropropane (DBCP)	<		0.47	2	ug/L	1	NA
SWB-10	5/24/2004	1,2-Dibromo-3-chloropropane (DBCP)	<		0.47	2	ug/L	1	
SWB-10	12/1/2004	1,2-Dibromo-3-chloropropane (DBCP)	<		0.47	2	ug/L	1	
SWB-10	3/3/2005	1,2-Dibromo-3-chloropropane (DBCP)	<		0.63	2	ug/L	1	
SWB-10	6/2/2005	1,2-Dibromo-3-chloropropane (DBCP)	<		0.43	2	ug/L	1	
SWB-10	9/1/2005	1,2-Dibromo-3-chloropropane (DBCP)	<		0.43	2	ug/L	1	
SWB-10	3/2/2006	1,2-Dibromo-3-chloropropane (DBCP)	<		1.7	8	UG/L	4	
SWB-10	6/2/2006	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	2	UG/L	1	
SWB-10	3/1/2007	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-10	3/7/2008	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-10	6/5/2008	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-10	3/2/2009	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-10	6/4/2009	1,2-Dibromo-3-chloropropane (DBCP)	<		0.81	5	UG/L	1	
SWB-10	3/2/2010	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	<	5	0.47	5	UG/L	1	
SWB-11	3/4/2004	1,2-Dibromo-3-chloropropane (DBCP)	<		0.47	2	ug/L	1	
SWB-11	5/24/2004	1,2-Dibromo-3-chloropropane (DBCP)	<		0.47	2	ug/L	1	
SWB-11	12/1/2004	1,2-Dibromo-3-chloropropane (DBCP)	<		0.47	2	ug/L	1	
SWB-11	3/1/2005	1,2-Dibromo-3-chloropropane (DBCP)	<		0.63	2	ug/L	1	
SWB-11	6/2/2005	1,2-Dibromo-3-chloropropane (DBCP)	<		0.43	2	ug/L	1	
SWB-11	3/2/2006	1,2-Dibromo-3-chloropropane (DBCP)	<		4.3	20	UG/L	10	
SWB-11	6/1/2006	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	2	UG/L	1	
SWB-11	3/1/2007	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-11	3/7/2008	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-11	6/5/2008	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-11	3/2/2009	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-11	6/4/2009	1,2-Dibromo-3-chloropropane (DBCP)	<		0.81	5	UG/L	1	
SWB-11	3/1/2010	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	<	5	0.47	5	ug/L	1	
SWB-11	6/2/2010	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	<	0.47	0.47	5	UG/L	1	
SWB-3	10/29/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<		0.49	2	ug/L	1	
SWB-3	3/4/2003	1,2-Dibromo-3-Chloropropane (DBCP)	<		0.47	2	ug/L	1	
SWB-3	6/3/2003	1,2-Dibromo-3-chloropropane (DBCP)	<		0.47	2	ug/L	1	
SWB-3	9/4/2003	1,2-Dibromo-3-chloropropane (DBCP)	<		0.47	2	ug/L	1	UJ
SWB-3	12/2/2003	1,2-Dibromo-3-chloropropane (DBCP)	<		0.47	2	ug/L	1	
SWB-3	3/1/2004	1,2-Dibromo-3-chloropropane (DBCP)	<		0.47	2	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	6/1/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
SWB-3	9/1/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
SWB-3	12/1/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.78	3.3	ug/L	1.66	
SWB-3	3/3/2005	1,2-Dibromo-3-chloropropane (DBCP)	<	0.63	2	ug/L	1	
SWB-3	6/2/2005	1,2-Dibromo-3-chloropropane (DBCP)	<	0.43	2	ug/L	1	
SWB-3	9/1/2005	1,2-Dibromo-3-chloropropane (DBCP)	<	0.43	2	ug/L	1	
SWB-3	12/1/2005	1,2-Dibromo-3-chloropropane (DBCP)	<	0.86	4	UG/L	2	
SWB-3	3/2/2006	1,2-Dibromo-3-chloropropane (DBCP)	<	1.7	8	UG/L	4	
SWB-3	6/2/2006	1,2-Dibromo-3-chloropropane (DBCP)	<	1.5	2	UG/L	1	
SWB-3	9/5/2006	1,2-Dibromo-3-chloropropane (DBCP)	<	1.5	5	UG/L	1	
SWB-3	12/4/2006	1,2-Dibromo-3-chloropropane (DBCP)	<	1.5	5	UG/L	1	
SWB-3	3/1/2007	1,2-Dibromo-3-chloropropane (DBCP)	<	1.5	5	UG/L	1	
SWB-3	6/1/2007	1,2-Dibromo-3-chloropropane (DBCP)	<	1.5	5	UG/L	1	
SWB-3	12/3/2007	1,2-Dibromo-3-chloropropane (DBCP)	<	1.5	5	UG/L	1	
SWB-3	3/6/2008	1,2-Dibromo-3-chloropropane (DBCP)	<	1.5	5	UG/L	1	
SWB-3	6/9/2008	1,2-Dibromo-3-chloropropane (DBCP)	<	1.5	5	UG/L	1	
SWB-3	12/4/2008	1,2-Dibromo-3-chloropropane (DBCP)	<	1.5	5	UG/L	1	
SWB-3	3/2/2009	1,2-Dibromo-3-chloropropane (DBCP)	<	1.5	5	UG/L	1	
SWB-3	6/4/2009	1,2-Dibromo-3-chloropropane (DBCP)	<	0.81	5	UG/L	1	
SWB-3	12/1/2009	1,2-Dibromo-3-chloropropane (DBCP)	<	0.81	5	UG/L	1	
SWB-3	3/1/2010	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	<	5	0.47	5	ug/L	1
SWB-3	3/1/2010	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	<	10	0.94	10	ug/L	1 DNR
SWB-3	6/1/2010	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	<	0.47	0.47	5	UG/L	1 DNR
SWB-3	6/1/2010	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	<	1.9	1.9	20	UG/L	1
SWB-3	9/9/2010	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	<	0.47	0.47	5	UG/L	1 UJ
SWB-4	11/15/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
SWB-5	10/29/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
SWB-6	3/4/2003	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.47	2	ug/L	1	
SWB-6	6/3/2003	1,2-Dibromo-3-chloropropane (DBCP)	<	0.94	4	ug/L	2	
SWB-6	12/3/2003	1,2-Dibromo-3-chloropropane (DBCP)	<	0.94	4	ug/L	2	
SWB-6	3/5/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
SWB-6	6/1/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
SWB-6	12/1/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
SWB-6	3/7/2005	1,2-Dibromo-3-chloropropane (DBCP)	<	0.63	2	ug/L	1	
SWB-6	6/1/2005	1,2-Dibromo-3-chloropropane (DBCP)	<	0.43	2	ug/L	1	
SWB-6	12/2/2005	1,2-Dibromo-3-chloropropane (DBCP)	<	0.43	2	UG/L	1	
SWB-6	3/1/2006	1,2-Dibromo-3-chloropropane (DBCP)	<	0.43	2	UG/L	1	
SWB-6	6/1/2006	1,2-Dibromo-3-chloropropane (DBCP)	<	1.5	2	UG/L	1	
SWB-6	12/5/2006	1,2-Dibromo-3-chloropropane (DBCP)	<	1.5	5	UG/L	1	
SWB-6	3/2/2007	1,2-Dibromo-3-chloropropane (DBCP)	<	1.5	5	UG/L	1	
SWB-6	3/6/2008	1,2-Dibromo-3-chloropropane (DBCP)	<	1.5	5	UG/L	1	
SWB-6	6/9/2008	1,2-Dibromo-3-chloropropane (DBCP)	<	1.5	5	UG/L	1	
SWB-6	12/5/2008	1,2-Dibromo-3-chloropropane (DBCP)	<	1.5	5	UG/L	1	
SWB-6	3/2/2009	1,2-Dibromo-3-chloropropane (DBCP)	<	1.5	5	UG/L	1	
SWB-6	6/5/2009	1,2-Dibromo-3-chloropropane (DBCP)	<	0.81	5	UG/L	1	
SWB-6	3/2/2010	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	<	5	0.47	5	UG/L	1
SWB-6	6/2/2010	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	<	0.47	0.47	5	UG/L	1
SWB-7	3/4/2003	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.47	2	ug/L	1	
SWB-7	6/3/2003	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
SWB-7	3/1/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
SWB-7	5/24/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
SWB-7	12/1/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
SWB-7	3/7/2005	1,2-Dibromo-3-chloropropane (DBCP)	<	0.63	2	ug/L	1	
SWB-7	6/1/2005	1,2-Dibromo-3-chloropropane (DBCP)	<	0.43	2	ug/L	1	
SWB-7	9/1/2005	1,2-Dibromo-3-chloropropane (DBCP)	<	0.43	2	ug/L	1	
SWB-7	12/1/2005	1,2-Dibromo-3-chloropropane (DBCP)	<	0.43	2	UG/L	1	
SWB-7	3/1/2006	1,2-Dibromo-3-chloropropane (DBCP)	<	0.43	2	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-7	6/2/2006	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	2	UG/L	1	
SWB-7	9/5/2006	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-7	12/5/2006	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-7	3/2/2007	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-7	6/1/2007	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-7	9/7/2007	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-7	12/3/2007	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-7	3/6/2008	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-7	6/6/2008	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-7	9/8/2008	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-7	12/5/2008	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-7	3/2/2009	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-7	6/5/2009	1,2-Dibromo-3-chloropropane (DBCP)	<		0.81	5	UG/L	1	
SWB-7	9/9/2009	1,2-Dibromo-3-chloropropane (DBCP)	<		0.81	5	UG/L	1	
SWB-7	12/1/2009	1,2-Dibromo-3-chloropropane (DBCP)	<		0.81	5	UG/L	1	
SWB-7	3/2/2010	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	<	5	0.47	5	UG/L	1	
SWB-7	6/1/2010	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	<	0.47	0.47	5	UG/L	1	DNR
SWB-7	6/1/2010	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	<	1.9	1.9	20	UG/L	1	
SWB-7	9/9/2010	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	<	0.47	0.47	5	UG/L	1	UJ
SWB-7	12/1/2010	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	<	0.47	0.47	5	UG/L	1	
SWB-8	3/5/2004	1,2-Dibromo-3-chloropropane (DBCP)	<		0.47	2	ug/L	1	
SWB-8	3/7/2005	1,2-Dibromo-3-chloropropane (DBCP)	<		0.63	2	ug/L	1	
SWB-8	6/1/2005	1,2-Dibromo-3-chloropropane (DBCP)	<		0.43	2	ug/L	1	
SWB-8	3/1/2006	1,2-Dibromo-3-chloropropane (DBCP)	<		0.43	2	UG/L	1	
SWB-8	3/7/2008	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-8	3/3/2009	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-9	3/4/2003	1,2-Dibromo-3-Chloropropane (DBCP)	<		0.47	2	ug/L	1	
SWB-9	12/3/2003	1,2-Dibromo-3-chloropropane (DBCP)	<		0.94	4	ug/L	2	
SWB-9	3/5/2004	1,2-Dibromo-3-chloropropane (DBCP)	<		0.47	2	ug/L	1	
SWB-9	5/27/2004	1,2-Dibromo-3-chloropropane (DBCP)	<		0.47	2	ug/L	1	
SWB-9	12/1/2004	1,2-Dibromo-3-chloropropane (DBCP)	<		0.47	2	ug/L	1	
SWB-9	3/3/2005	1,2-Dibromo-3-chloropropane (DBCP)	<		0.63	2	ug/L	1	
SWB-9	6/2/2005	1,2-Dibromo-3-chloropropane (DBCP)	<		0.43	2	ug/L	1	
SWB-9	9/1/2005	1,2-Dibromo-3-chloropropane (DBCP)	<		0.43	2	ug/L	1	UJ
SWB-9	12/1/2005	1,2-Dibromo-3-chloropropane (DBCP)	<		0.43	2	UG/L	1	
SWB-9	3/2/2006	1,2-Dibromo-3-chloropropane (DBCP)	<		1.7	8	UG/L	4	
SWB-9	6/1/2006	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	2	UG/L	1	
SWB-9	12/4/2006	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-9	3/5/2007	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-9	3/6/2008	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-9	6/5/2008	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	R
SWB-9	12/5/2008	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-9	3/2/2009	1,2-Dibromo-3-chloropropane (DBCP)	<		1.5	5	UG/L	1	
SWB-9	6/2/2009	1,2-Dibromo-3-chloropropane (DBCP)	<		0.81	5	UG/L	1	
SWB-9	3/1/2010	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	<	5	0.47	5	ug/L	1	
SWB-9	6/1/2010	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	<	0.47	0.47	5	UG/L	1	DNR
SWB-9	6/1/2010	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	<	1.9	1.9	20	UG/L	1	
SWB-9	12/1/2010	1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	<	0.47	0.47	5	UG/L	1	
SWB-10	3/4/2004	1,2-Dibromoethane (EDB)	<		0.18	1	ug/L	1	NA
SWB-10	5/24/2004	1,2-Dibromoethane (EDB)	<		0.18	1	ug/L	1	
SWB-10	12/1/2004	1,2-Dibromoethane (EDB)	<		0.18	1	ug/L	1	
SWB-10	3/3/2005	1,2-Dibromoethane (EDB)	<		0.2	1	ug/L	1	
SWB-10	6/2/2005	1,2-Dibromoethane (EDB)	<		0.18	1	ug/L	1	
SWB-10	9/1/2005	1,2-Dibromoethane (EDB)	<		0.18	1	ug/L	1	
SWB-10	3/2/2006	1,2-Dibromoethane (EDB)	<		0.72	4	UG/L	4	
SWB-10	6/2/2006	1,2-Dibromoethane (EDB)	<		0.18	1	UG/L	1	
SWB-10	3/1/2007	1,2-Dibromoethane (EDB)	<		0.18	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-10	3/7/2008	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-10	6/5/2008	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-10	3/2/2009	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-10	6/4/2009	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-10	3/2/2010	1,2-DIBROMOETHANE (EDB)	<	0.18	1	UG/L	1
SWB-11	3/4/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
SWB-11	5/24/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
SWB-11	12/1/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
SWB-11	3/1/2005	1,2-Dibromoethane (EDB)	<	0.2	1	ug/L	1
SWB-11	6/2/2005	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
SWB-11	3/2/2006	1,2-Dibromoethane (EDB)	<	1.8	10	UG/L	10
SWB-11	6/1/2006	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-11	3/1/2007	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-11	3/7/2008	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-11	6/5/2008	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-11	3/2/2009	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-11	6/4/2009	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-11	3/1/2010	1,2-DIBROMOETHANE (EDB)	<	0.18	1	ug/L	1
SWB-11	6/2/2010	1,2-DIBROMOETHANE (EDB)	<	0.18	1	UG/L	1
SWB-3	10/29/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
SWB-3	3/4/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
SWB-3	6/3/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
SWB-3	9/4/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1 UJ
SWB-3	12/2/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
SWB-3	3/1/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
SWB-3	6/1/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
SWB-3	9/1/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
SWB-3	12/1/2004	1,2-Dibromoethane (EDB)	<	0.3	1.7	ug/L	1.66
SWB-3	3/3/2005	1,2-Dibromoethane (EDB)	<	0.2	1	ug/L	1
SWB-3	6/2/2005	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
SWB-3	9/1/2005	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
SWB-3	12/1/2005	1,2-Dibromoethane (EDB)	<	0.36	2	UG/L	2
SWB-3	3/2/2006	1,2-Dibromoethane (EDB)	<	0.72	4	UG/L	4
SWB-3	6/2/2006	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-3	9/5/2006	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-3	12/4/2006	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-3	3/1/2007	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-3	6/1/2007	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-3	12/3/2007	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-3	3/6/2008	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-3	6/9/2008	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-3	12/4/2008	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-3	3/2/2009	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-3	6/4/2009	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-3	12/1/2009	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1
SWB-3	3/1/2010	1,2-DIBROMOETHANE (EDB)	<	0.18	1	ug/L	1
SWB-3	3/1/2010	1,2-DIBROMOETHANE (EDB)	<	0.36	2	ug/L	1 DNR
SWB-3	6/1/2010	1,2-DIBROMOETHANE (EDB)	<	0.18	1	UG/L	1 DNR
SWB-3	6/1/2010	1,2-DIBROMOETHANE (EDB)	<	0.72	4	UG/L	1
SWB-3	9/9/2010	1,2-DIBROMOETHANE (EDB)	<	0.18	1	UG/L	1 UJ
SWB-4	11/15/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
SWB-5	10/29/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
SWB-6	3/4/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
SWB-6	6/3/2003	1,2-Dibromoethane (EDB)	<	0.36	2	ug/L	2
SWB-6	12/3/2003	1,2-Dibromoethane (EDB)	<	0.36	2	ug/L	2
SWB-6	3/5/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
SWB-6	6/1/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	12/1/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
SWB-6	3/7/2005	1,2-Dibromoethane (EDB)	<	0.2	1	ug/L	1	
SWB-6	6/1/2005	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
SWB-6	12/2/2005	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-6	3/1/2006	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-6	6/1/2006	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-6	12/5/2006	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-6	3/2/2007	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-6	3/6/2008	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-6	6/9/2008	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-6	12/5/2008	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-6	3/2/2009	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-6	6/5/2009	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-6	3/2/2010	1,2-DIBROMOETHANE (EDB)	<	1	0.18	1	UG/L	1
SWB-6	6/2/2010	1,2-DIBROMOETHANE (EDB)	<	0.18	0.18	1	UG/L	1
SWB-7	3/4/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
SWB-7	6/3/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
SWB-7	3/1/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
SWB-7	5/24/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
SWB-7	12/1/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
SWB-7	3/7/2005	1,2-Dibromoethane (EDB)	<	0.2	1	ug/L	1	
SWB-7	6/1/2005	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
SWB-7	9/1/2005	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
SWB-7	12/1/2005	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-7	3/1/2006	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-7	6/2/2006	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-7	9/5/2006	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-7	12/5/2006	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-7	3/2/2007	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-7	6/1/2007	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-7	9/7/2007	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-7	12/3/2007	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-7	3/6/2008	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-7	6/6/2008	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-7	9/8/2008	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-7	12/5/2008	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-7	3/2/2009	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-7	6/5/2009	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-7	9/9/2009	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-7	12/1/2009	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-7	3/2/2010	1,2-DIBROMOETHANE (EDB)	<	1	0.18	1	UG/L	1
SWB-7	6/1/2010	1,2-DIBROMOETHANE (EDB)	<	0.18	0.18	1	UG/L	1 DNR
SWB-7	6/1/2010	1,2-DIBROMOETHANE (EDB)	<	0.72	0.72	4	UG/L	1
SWB-7	9/9/2010	1,2-DIBROMOETHANE (EDB)	<	0.18	0.18	1	UG/L	1 UJ
SWB-7	12/1/2010	1,2-DIBROMOETHANE (EDB)	<	0.18	0.18	1	UG/L	1
SWB-8	3/5/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
SWB-8	3/7/2005	1,2-Dibromoethane (EDB)	<	0.2	1	ug/L	1	
SWB-8	6/1/2005	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
SWB-8	3/1/2006	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-8	3/7/2008	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-8	3/3/2009	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-9	3/4/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
SWB-9	12/3/2003	1,2-Dibromoethane (EDB)	<	0.36	2	ug/L	2	
SWB-9	3/5/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
SWB-9	5/27/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
SWB-9	12/1/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
SWB-9	3/3/2005	1,2-Dibromoethane (EDB)	<	0.2	1	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-9	6/2/2005	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
SWB-9	9/1/2005	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	UJ
SWB-9	12/1/2005	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-9	3/2/2006	1,2-Dibromoethane (EDB)	<	0.72	4	UG/L	4	
SWB-9	6/1/2006	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-9	12/4/2006	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-9	3/5/2007	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-9	3/6/2008	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-9	6/5/2008	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	R
SWB-9	12/5/2008	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-9	3/2/2009	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-9	6/2/2009	1,2-Dibromoethane (EDB)	<	0.18	1	UG/L	1	
SWB-9	3/1/2010	1,2-DIBROMOETHANE (EDB)	<	1	0.18	1	ug/L	1
SWB-9	6/1/2010	1,2-DIBROMOETHANE (EDB)	<	0.18	0.18	1	UG/L	1 DNR
SWB-9	6/1/2010	1,2-DIBROMOETHANE (EDB)	<	0.72	0.72	4	UG/L	1
SWB-9	12/1/2010	1,2-DIBROMOETHANE (EDB)	<	0.18	0.18	1	UG/L	1
SWB-10	3/4/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	0.014 mg/L
SWB-10	5/24/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
SWB-10	12/1/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
SWB-10	3/3/2005	1,2-Dichlorobenzene	<	0.25	1	ug/L	1	
SWB-10	6/2/2005	1,2-Dichlorobenzene	<	0.13	1	ug/L	1	
SWB-10	9/1/2005	1,2-Dichlorobenzene	<	0.13	1	ug/L	1	
SWB-10	3/2/2006	1,2-Dichlorobenzene	<	0.52	4	UG/L	4	
SWB-10	6/2/2006	1,2-Dichlorobenzene	<	0.13	1	UG/L	1	
SWB-10	3/1/2007	1,2-Dichlorobenzene	<	0.13	1	UG/L	1	
SWB-10	3/7/2008	1,2-Dichlorobenzene	<	0.13	1	UG/L	1	
SWB-10	6/5/2008	1,2-Dichlorobenzene	<	0.13	1	UG/L	1	
SWB-10	3/2/2009	1,2-Dichlorobenzene	<	0.13	1	UG/L	1	
SWB-10	6/4/2009	1,2-Dichlorobenzene	<	0.13	1	UG/L	1	
SWB-10	3/2/2010	1,2-Dichlorobenzene	<	1	0.15	1	UG/L	1
SWB-11	3/4/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
SWB-11	5/24/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
SWB-11	12/1/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
SWB-11	3/1/2005	1,2-Dichlorobenzene	<	0.25	1	ug/L	1	
SWB-11	6/2/2005	1,2-Dichlorobenzene	<	0.13	1	ug/L	1	
SWB-11	3/2/2006	1,2-Dichlorobenzene	<	1.3	10	UG/L	10	
SWB-11	6/1/2006	1,2-Dichlorobenzene	<	0.13	1	UG/L	1	
SWB-11	3/1/2007	1,2-Dichlorobenzene	<	0.13	1	UG/L	1	
SWB-11	3/7/2008	1,2-Dichlorobenzene	<	0.13	1	UG/L	1	
SWB-11	6/5/2008	1,2-Dichlorobenzene	<	0.13	1	UG/L	1	
SWB-11	3/2/2009	1,2-Dichlorobenzene	<	0.13	1	UG/L	1	
SWB-11	6/4/2009	1,2-Dichlorobenzene	<	0.13	1	UG/L	1	
SWB-11	3/1/2010	1,2-Dichlorobenzene	<	1	0.15	1	ug/L	1
SWB-11	6/2/2010	1,2-DICHLOROBENZENE	<	0.15	0.15	1	UG/L	1
SWB-3	10/29/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
SWB-3	10/29/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
SWB-3	3/4/2003	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
SWB-3	6/3/2003	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
SWB-3	9/4/2003	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	UJ
SWB-3	12/2/2003	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
SWB-3	3/1/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
SWB-3	6/1/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
SWB-3	9/1/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
SWB-3	12/1/2004	1,2-Dichlorobenzene	<	0.25	1.7	ug/L	1.66	
SWB-3	3/3/2005	1,2-Dichlorobenzene	<	0.25	1	ug/L	1	
SWB-3	6/2/2005	1,2-Dichlorobenzene	<	0.13	1	ug/L	1	
SWB-3	9/1/2005	1,2-Dichlorobenzene	<	0.13	1	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	12/1/2005	1,2-Dichlorobenzene	<		0.26	2	UG/L	2
SWB-3	3/2/2006	1,2-Dichlorobenzene	<		0.52	4	UG/L	4
SWB-3	6/2/2006	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-3	9/5/2006	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-3	12/4/2006	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-3	3/1/2007	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-3	6/1/2007	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-3	12/3/2007	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-3	3/6/2008	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-3	6/9/2008	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-3	12/4/2008	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-3	3/2/2009	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-3	6/4/2009	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-3	12/1/2009	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-3	3/1/2010	1,2-Dichlorobenzene	<	1	0.15	1	ug/L	1
SWB-3	3/1/2010	1,2-Dichlorobenzene	<	2	0.3	2	ug/L	1 DNR
SWB-3	6/1/2010	1,2-DICHLOROBENZENE	<	0.15	0.15	1	UG/L	1 DNR
SWB-3	6/1/2010	1,2-DICHLOROBENZENE	<	0.6	0.6	4	UG/L	1
SWB-3	9/9/2010	1,2-DICHLOROBENZENE	<	0.15	0.15	1	UG/L	1 UJ
SWB-4	11/15/2002	1,2-Dichlorobenzene	<		0.3	1	ug/L	1
SWB-4	11/15/2002	1,2-Dichlorobenzene	<		1.6	10	ug/L	1
SWB-5	10/29/2002	1,2-Dichlorobenzene	<		0.3	1	ug/L	1
SWB-5	10/29/2002	1,2-Dichlorobenzene	<		1.6	10	ug/L	1
SWB-6	3/4/2003	1,2-Dichlorobenzene	<		0.15	1	ug/L	1
SWB-6	6/3/2003	1,2-Dichlorobenzene	<		0.3	2	ug/L	2
SWB-6	12/3/2003	1,2-Dichlorobenzene	<		0.3	2	ug/L	2
SWB-6	3/5/2004	1,2-Dichlorobenzene	<		0.15	1	ug/L	1
SWB-6	6/1/2004	1,2-Dichlorobenzene	<		0.15	1	ug/L	1
SWB-6	12/1/2004	1,2-Dichlorobenzene	<		0.15	1	ug/L	1
SWB-6	3/7/2005	1,2-Dichlorobenzene	<		0.25	1	ug/L	1
SWB-6	6/1/2005	1,2-Dichlorobenzene	<		0.13	1	ug/L	1
SWB-6	12/2/2005	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-6	3/1/2006	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-6	6/1/2006	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-6	12/5/2006	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-6	3/2/2007	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-6	3/6/2008	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-6	6/9/2008	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-6	12/5/2008	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-6	3/2/2009	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-6	6/5/2009	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-6	3/2/2010	1,2-Dichlorobenzene	<	1	0.15	1	UG/L	1
SWB-6	6/2/2010	1,2-DICHLOROBENZENE	<	0.15	0.15	1	UG/L	1
SWB-7	3/4/2003	1,2-Dichlorobenzene	<		0.15	1	ug/L	1
SWB-7	6/3/2003	1,2-Dichlorobenzene	<		0.15	1	ug/L	1
SWB-7	3/1/2004	1,2-Dichlorobenzene	<		0.15	1	ug/L	1
SWB-7	5/24/2004	1,2-Dichlorobenzene	<		0.15	1	ug/L	1
SWB-7	12/1/2004	1,2-Dichlorobenzene	<		0.15	1	ug/L	1
SWB-7	3/7/2005	1,2-Dichlorobenzene	<		0.25	1	ug/L	1
SWB-7	6/1/2005	1,2-Dichlorobenzene	<		0.13	1	ug/L	1
SWB-7	9/1/2005	1,2-Dichlorobenzene	<		0.13	1	ug/L	1
SWB-7	12/1/2005	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-7	3/1/2006	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-7	6/2/2006	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-7	9/5/2006	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-7	12/5/2006	1,2-Dichlorobenzene	<		0.13	1	UG/L	1
SWB-7	3/2/2007	1,2-Dichlorobenzene	<		0.13	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	6/1/2007	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-7	9/7/2007	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-7	12/3/2007	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-7	3/6/2008	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-7	6/6/2008	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-7	9/8/2008	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-7	12/5/2008	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-7	3/2/2009	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-7	6/5/2009	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-7	9/9/2009	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-7	12/1/2009	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-7	3/2/2010	1,2-Dichlorobenzene	<		0.15	1	UG/L	1	
SWB-7	6/1/2010	1,2-DICHLOROENZENE	<	0.15	0.15	1	UG/L	1	DNR
SWB-7	6/1/2010	1,2-DICHLOROENZENE	<	0.6	0.6	4	UG/L	1	
SWB-7	6/1/2010	1,2-DICHLOROENZENE	TR	0.43	0.23	4	UG/L	1	U
SWB-7	9/9/2010	1,2-DICHLOROENZENE	<	0.15	0.15	1	UG/L	1	UJ
SWB-7	12/1/2010	1,2-DICHLOROENZENE	<	0.15	0.15	1	UG/L	1	
SWB-8	3/5/2004	1,2-Dichlorobenzene	<		0.15	1	ug/L	1	
SWB-8	3/7/2005	1,2-Dichlorobenzene	<		0.25	1	ug/L	1	
SWB-8	6/1/2005	1,2-Dichlorobenzene	<		0.13	1	ug/L	1	
SWB-8	3/1/2006	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-8	3/7/2008	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-8	3/3/2009	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-9	3/4/2003	1,2-Dichlorobenzene	<		0.15	1	ug/L	1	
SWB-9	12/3/2003	1,2-Dichlorobenzene	<		0.3	2	ug/L	2	
SWB-9	3/5/2004	1,2-Dichlorobenzene	<		0.15	1	ug/L	1	
SWB-9	5/27/2004	1,2-Dichlorobenzene	<		0.15	1	ug/L	1	
SWB-9	12/1/2004	1,2-Dichlorobenzene	<		0.15	1	ug/L	1	
SWB-9	3/3/2005	1,2-Dichlorobenzene	<		0.25	1	ug/L	1	
SWB-9	6/2/2005	1,2-Dichlorobenzene	<		0.13	1	ug/L	1	
SWB-9	9/1/2005	1,2-Dichlorobenzene	<		0.13	1	ug/L	1	UJ
SWB-9	12/1/2005	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-9	3/2/2006	1,2-Dichlorobenzene	<		0.52	4	UG/L	4	
SWB-9	6/1/2006	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-9	12/4/2006	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-9	3/5/2007	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-9	3/6/2008	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-9	6/5/2008	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	R
SWB-9	12/5/2008	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-9	3/2/2009	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-9	6/2/2009	1,2-Dichlorobenzene	<		0.13	1	UG/L	1	
SWB-9	3/1/2010	1,2-Dichlorobenzene	TR	0.15	0.15	1	ug/L	1	J
SWB-9	3/1/2010	1,2-Dichlorobenzene	TI	0.35	0.21	3.7	ug/L	1	NJ
SWB-9	6/1/2010	1,2-DICHLOROENZENE	<	0.15	0.15	1	UG/L	1	DNR
SWB-9	6/1/2010	1,2-DICHLOROENZENE	<	0.6	0.6	4	UG/L	1	
SWB-9	6/1/2010	1,2-DICHLOROENZENE	TR	0.39	0.22	3.8	UG/L	1	U
SWB-9	12/1/2010	1,2-DICHLOROENZENE	<	0.15	0.15	1	UG/L	1	
SWB-10	3/4/2004	1,2-Dichloroethane	<		0.26	1	ug/L	1	0.91 mg/L
SWB-10	5/24/2004	1,2-Dichloroethane	<		0.26	1	ug/L	1	
SWB-10	12/1/2004	1,2-Dichloroethane	<		0.26	1	ug/L	1	
SWB-10	3/3/2005	1,2-Dichloroethane	<		0.12	1	ug/L	1	
SWB-10	6/2/2005	1,2-Dichloroethane	<		0.13	1	ug/L	1	
SWB-10	9/1/2005	1,2-Dichloroethane	<		0.13	1	ug/L	1	
SWB-10	3/2/2006	1,2-Dichloroethane	<		0.52	4	UG/L	4	
SWB-10	6/2/2006	1,2-Dichloroethane	<		0.13	1	UG/L	1	
SWB-10	3/1/2007	1,2-Dichloroethane	<		0.13	1	UG/L	1	
SWB-10	3/7/2008	1,2-Dichloroethane	<		0.13	1	UG/L	1	



tmpAnalyticalResultsOverTime

SWB-10	6/5/2008	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-10	3/2/2009	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-10	6/4/2009	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-10	3/2/2010	1,2-Dichloroethane	<	1	0.13	1	UG/L	1
SWB-11	3/4/2004	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-11	5/24/2004	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-11	12/1/2004	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-11	3/1/2005	1,2-Dichloroethane	<		0.12	1	ug/L	1
SWB-11	6/2/2005	1,2-Dichloroethane	<		0.13	1	ug/L	1
SWB-11	3/2/2006	1,2-Dichloroethane	<		1.3	10	UG/L	10
SWB-11	6/1/2006	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-11	3/1/2007	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-11	3/7/2008	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-11	6/5/2008	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-11	3/2/2009	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-11	6/4/2009	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-11	3/1/2010	1,2-Dichloroethane	<	1	0.13	1	ug/L	1
SWB-11	6/2/2010	1,2-DICHLOROETHANE	<	0.13	0.13	1	UG/L	1
SWB-3	10/29/2002	1,2-Dichloroethane	<		0.43	1	ug/L	1
SWB-3	3/4/2003	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-3	6/3/2003	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-3	9/4/2003	1,2-Dichloroethane	<		0.26	1	ug/L	1 UJ
SWB-3	12/2/2003	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-3	3/1/2004	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-3	6/1/2004	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-3	9/1/2004	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-3	12/1/2004	1,2-Dichloroethane	<		0.43	1.7	ug/L	1.66
SWB-3	3/3/2005	1,2-Dichloroethane	<		0.12	1	ug/L	1
SWB-3	6/2/2005	1,2-Dichloroethane	<		0.13	1	ug/L	1
SWB-3	9/1/2005	1,2-Dichloroethane	<		0.13	1	ug/L	1
SWB-3	12/1/2005	1,2-Dichloroethane	<		0.26	2	UG/L	2
SWB-3	3/2/2006	1,2-Dichloroethane	<		0.52	4	UG/L	4
SWB-3	6/2/2006	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-3	9/5/2006	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-3	12/4/2006	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-3	3/1/2007	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-3	6/1/2007	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-3	12/3/2007	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-3	3/6/2008	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-3	6/9/2008	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-3	12/4/2008	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-3	3/2/2009	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-3	6/4/2009	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-3	12/1/2009	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-3	3/1/2010	1,2-Dichloroethane	<	1	0.13	1	ug/L	1
SWB-3	3/1/2010	1,2-Dichloroethane	<	2	0.26	2	ug/L	1 DNR
SWB-3	6/1/2010	1,2-DICHLOROETHANE	<	0.13	0.13	1	UG/L	1 DNR
SWB-3	6/1/2010	1,2-DICHLOROETHANE	<	0.52	0.52	4	UG/L	1
SWB-3	9/9/2010	1,2-DICHLOROETHANE	<	0.13	0.13	1	UG/L	1 UJ
SWB-4	11/15/2002	1,2-Dichloroethane	<		0.43	1	ug/L	1
SWB-5	10/29/2002	1,2-Dichloroethane	<		0.43	1	ug/L	1
SWB-6	3/4/2003	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-6	6/3/2003	1,2-Dichloroethane	<		0.52	2	ug/L	2
SWB-6	12/3/2003	1,2-Dichloroethane	<		0.52	2	ug/L	2
SWB-6	3/5/2004	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-6	6/1/2004	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-6	12/1/2004	1,2-Dichloroethane	<		0.26	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	3/7/2005	1,2-Dichloroethane	<		0.12	1	ug/L	1
SWB-6	6/1/2005	1,2-Dichloroethane	<		0.13	1	ug/L	1
SWB-6	12/2/2005	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-6	3/1/2006	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-6	6/1/2006	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-6	12/5/2006	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-6	3/2/2007	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-6	3/6/2008	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-6	6/9/2008	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-6	12/5/2008	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-6	3/2/2009	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-6	6/5/2009	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-6	3/2/2010	1,2-Dichloroethane	<	1	0.13	1	UG/L	1
SWB-6	6/2/2010	1,2-DICHLOROETHANE	<	0.13	0.13	1	UG/L	1
SWB-7	3/4/2003	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-7	6/3/2003	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-7	3/1/2004	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-7	5/24/2004	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-7	12/1/2004	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-7	3/7/2005	1,2-Dichloroethane	<		0.12	1	ug/L	1
SWB-7	6/1/2005	1,2-Dichloroethane	<		0.13	1	ug/L	1
SWB-7	9/1/2005	1,2-Dichloroethane	<		0.13	1	ug/L	1
SWB-7	12/1/2005	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-7	3/1/2006	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-7	6/2/2006	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-7	9/5/2006	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-7	12/5/2006	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-7	3/2/2007	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-7	6/1/2007	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-7	9/7/2007	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-7	12/3/2007	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-7	3/6/2008	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-7	6/6/2008	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-7	9/8/2008	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-7	12/5/2008	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-7	3/2/2009	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-7	6/5/2009	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-7	9/9/2009	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-7	12/1/2009	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-7	3/2/2010	1,2-Dichloroethane	<	1	0.13	1	UG/L	1
SWB-7	6/1/2010	1,2-DICHLOROETHANE	<	0.13	0.13	1	UG/L	1 DNR
SWB-7	6/1/2010	1,2-DICHLOROETHANE	<	0.52	0.52	4	UG/L	1
SWB-7	9/9/2010	1,2-DICHLOROETHANE	<	0.13	0.13	1	UG/L	1 UJ
SWB-7	12/1/2010	1,2-DICHLOROETHANE	<	0.13	0.13	1	UG/L	1
SWB-8	3/5/2004	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-8	3/7/2005	1,2-Dichloroethane	<		0.12	1	ug/L	1
SWB-8	6/1/2005	1,2-Dichloroethane	<		0.13	1	ug/L	1
SWB-8	3/1/2006	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-8	3/7/2008	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-8	3/3/2009	1,2-Dichloroethane	<		0.13	1	UG/L	1
SWB-9	3/4/2003	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-9	12/3/2003	1,2-Dichloroethane	<		0.52	2	ug/L	2
SWB-9	3/5/2004	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-9	5/27/2004	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-9	12/1/2004	1,2-Dichloroethane	<		0.26	1	ug/L	1
SWB-9	3/3/2005	1,2-Dichloroethane	<		0.12	1	ug/L	1
SWB-9	6/2/2005	1,2-Dichloroethane	<		0.13	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-9	9/1/2005	1,2-Dichloroethane	<		0.13	1	ug/L	1 UJ	
SWB-9	12/1/2005	1,2-Dichloroethane	<		0.13	1	UG/L	1	
SWB-9	3/2/2006	1,2-Dichloroethane	<		0.52	4	UG/L	4	
SWB-9	6/1/2006	1,2-Dichloroethane	<		0.13	1	UG/L	1	
SWB-9	12/4/2006	1,2-Dichloroethane	<		0.13	1	UG/L	1	
SWB-9	3/5/2007	1,2-Dichloroethane	<		0.13	1	UG/L	1	
SWB-9	3/6/2008	1,2-Dichloroethane	<		0.13	1	UG/L	1	
SWB-9	6/5/2008	1,2-Dichloroethane	<		0.13	1	UG/L	1 R	
SWB-9	12/5/2008	1,2-Dichloroethane	<		0.13	1	UG/L	1	
SWB-9	3/2/2009	1,2-Dichloroethane	<		0.13	1	UG/L	1	
SWB-9	6/2/2009	1,2-Dichloroethane	<		0.13	1	UG/L	1	
SWB-9	3/1/2010	1,2-Dichloroethane	<	1	0.13	1	ug/L	1	
SWB-9	6/1/2010	1,2-DICHLOROETHANE	<	0.13	0.13	1	UG/L	1 DNR	
SWB-9	6/1/2010	1,2-DICHLOROETHANE	<	0.52	0.52	4	UG/L	1	
SWB-9	12/1/2010	1,2-DICHLOROETHANE	<	0.13	0.13	1	UG/L	1	
SWB-10	3/4/2004	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	0.59 mg/L
SWB-10	5/24/2004	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-10	12/1/2004	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-10	3/3/2005	1,2-Dichloroethene (total)	<		0.17	1	ug/L	1	
SWB-10	6/2/2005	1,2-Dichloroethene (total)	<		0.15	1	ug/L	1	
SWB-10	9/1/2005	1,2-Dichloroethene (total)	<		0.15	1	ug/L	1	
SWB-10	3/2/2006	1,2-Dichloroethene (total)	<		0.6	4	UG/L	4	
SWB-10	6/2/2006	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-10	3/7/2008	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-10	6/5/2008	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-10	3/2/2009	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-10	6/4/2009	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-10	3/2/2010	1,2-DICHLOROETHENE (TOTAL)	<	1	0.24	1	UG/L	1	
SWB-11	3/4/2004	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-11	5/24/2004	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-11	12/1/2004	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-11	3/1/2005	1,2-Dichloroethene (total)	<		0.17	1	ug/L	1	
SWB-11	6/2/2005	1,2-Dichloroethene (total)	<		0.15	1	ug/L	1	
SWB-11	3/2/2006	1,2-Dichloroethene (total)	<		1.5	10	UG/L	10	
SWB-11	6/1/2006	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-11	3/7/2008	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-11	6/5/2008	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-11	3/2/2009	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-11	6/4/2009	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-11	3/1/2010	1,2-DICHLOROETHENE (TOTAL)	<	1	0.24	1	ug/L	1	
SWB-11	6/2/2010	1,2-DICHLOROETHENE (TOTAL)	<	0.24	0.24	1	UG/L	1	
SWB-3	10/29/2002	1,2-Dichloroethene (total)	<		0.54	1	ug/L	1	
SWB-3	3/4/2003	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-3	6/3/2003	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-3	9/4/2003	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1 UJ	
SWB-3	12/2/2003	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-3	3/1/2004	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-3	6/1/2004	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-3	9/1/2004	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-3	12/1/2004	1,2-Dichloroethene (total)	<		0.4	1.7	ug/L	1.66	
SWB-3	3/3/2005	1,2-Dichloroethene (total)	<		0.17	1	ug/L	1	
SWB-3	6/2/2005	1,2-Dichloroethene (total)	<		0.15	1	ug/L	1	
SWB-3	9/1/2005	1,2-Dichloroethene (total)	<		0.15	1	ug/L	1	
SWB-3	12/1/2005	1,2-Dichloroethene (total)	<		0.3	2	UG/L	2	
SWB-3	3/2/2006	1,2-Dichloroethene (total)	<		0.6	4	UG/L	4	
SWB-3	6/2/2006	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-3	9/5/2006	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	12/4/2006	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-3	6/1/2007	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-3	12/3/2007	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-3	3/6/2008	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-3	6/9/2008	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-3	12/4/2008	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-3	3/2/2009	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-3	6/4/2009	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-3	12/1/2009	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-3	3/1/2010	1,2-DICHLOROETHENE (TOTAL)	<	1	0.24	1	ug/L	1	
SWB-3	3/1/2010	1,2-DICHLOROETHENE (TOTAL)	<	2	0.48	2	ug/L	1	DNR
SWB-3	6/1/2010	1,2-DICHLOROETHENE (TOTAL)	<	0.24	0.24	1	UG/L	1	DNR
SWB-3	6/1/2010	1,2-DICHLOROETHENE (TOTAL)	<	0.96	0.96	4	UG/L	1	
SWB-3	9/9/2010	1,2-DICHLOROETHENE (TOTAL)	<	0.24	0.24	1	UG/L	1	UJ
SWB-4	11/15/2002	1,2-Dichloroethene (total)	<		0.54	1	ug/L	1	
SWB-5	10/29/2002	1,2-Dichloroethene (total)	<		0.54	1	ug/L	1	
SWB-6	3/4/2003	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-6	6/3/2003	1,2-Dichloroethene (total)	<		0.48	2	ug/L	2	
SWB-6	12/3/2003	1,2-Dichloroethene (total)	<		0.48	2	ug/L	2	
SWB-6	3/5/2004	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-6	6/1/2004	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-6	12/1/2004	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-6	3/7/2005	1,2-Dichloroethene (total)	<		0.17	1	ug/L	1	
SWB-6	6/1/2005	1,2-Dichloroethene (total)	<		0.15	1	ug/L	1	
SWB-6	12/2/2005	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-6	3/1/2006	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-6	6/1/2006	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-6	12/5/2006	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-6	3/6/2008	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-6	6/9/2008	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-6	12/5/2008	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-6	3/2/2009	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-6	6/5/2009	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-6	3/2/2010	1,2-DICHLOROETHENE (TOTAL)	<	1	0.24	1	UG/L	1	
SWB-6	6/2/2010	1,2-DICHLOROETHENE (TOTAL)	<	0.24	0.24	1	UG/L	1	
SWB-7	3/4/2003	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-7	6/3/2003	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-7	3/1/2004	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-7	5/24/2004	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-7	12/1/2004	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-7	3/7/2005	1,2-Dichloroethene (total)	<		0.17	1	ug/L	1	
SWB-7	6/1/2005	1,2-Dichloroethene (total)	<		0.15	1	ug/L	1	
SWB-7	9/1/2005	1,2-Dichloroethene (total)	<		0.15	1	ug/L	1	
SWB-7	12/1/2005	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-7	3/1/2006	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-7	6/2/2006	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-7	9/5/2006	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-7	12/5/2006	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-7	6/1/2007	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-7	9/7/2007	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-7	12/3/2007	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-7	3/6/2008	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-7	6/6/2008	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-7	9/8/2008	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-7	12/5/2008	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-7	3/2/2009	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-7	6/5/2009	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-7	9/9/2009	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-7	12/1/2009	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-7	3/2/2010	1,2-DICHLOROETHENE (TOTAL)	<	1	0.24	1	UG/L	1	
SWB-7	6/1/2010	1,2-DICHLOROETHENE (TOTAL)	<	0.24	0.24	1	UG/L	1	DNR
SWB-7	6/1/2010	1,2-DICHLOROETHENE (TOTAL)	<	0.96	0.96	4	UG/L	1	
SWB-7	9/9/2010	1,2-DICHLOROETHENE (TOTAL)	<	0.24	0.24	1	UG/L	1	UJ
SWB-7	12/1/2010	1,2-DICHLOROETHENE (TOTAL)	<	0.24	0.24	1	UG/L	1	
SWB-8	3/5/2004	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-8	3/7/2005	1,2-Dichloroethene (total)	<		0.17	1	ug/L	1	
SWB-8	6/1/2005	1,2-Dichloroethene (total)	<		0.15	1	ug/L	1	
SWB-8	3/1/2006	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-8	3/7/2008	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-8	3/3/2009	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-9	3/4/2003	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-9	12/3/2003	1,2-Dichloroethene (total)	<		0.48	2	ug/L	2	
SWB-9	3/5/2004	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-9	5/27/2004	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-9	12/1/2004	1,2-Dichloroethene (total)	<		0.24	1	ug/L	1	
SWB-9	3/3/2005	1,2-Dichloroethene (total)	<		0.17	1	ug/L	1	
SWB-9	6/2/2005	1,2-Dichloroethene (total)	<		0.15	1	ug/L	1	
SWB-9	9/1/2005	1,2-Dichloroethene (total)	<		0.15	1	ug/L	1	UJ
SWB-9	12/1/2005	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-9	3/2/2006	1,2-Dichloroethene (total)	<		0.6	4	UG/L	4	
SWB-9	6/1/2006	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-9	12/4/2006	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-9	3/6/2008	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-9	6/5/2008	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	R
SWB-9	12/5/2008	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-9	3/2/2009	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-9	6/2/2009	1,2-Dichloroethene (total)	<		0.15	1	UG/L	1	
SWB-9	3/1/2010	1,2-DICHLOROETHENE (TOTAL)	<	1	0.24	1	ug/L	1	
SWB-9	6/1/2010	1,2-DICHLOROETHENE (TOTAL)	<	0.24	0.24	1	UG/L	1	DNR
SWB-9	6/1/2010	1,2-DICHLOROETHENE (TOTAL)	<	0.96	0.96	4	UG/L	1	
SWB-9	12/1/2010	1,2-DICHLOROETHENE (TOTAL)	<	0.24	0.24	1	UG/L	1	
SWB-10	3/4/2004	1,2-Dichloropropane	<		0.18	1	ug/L	1	NA
SWB-10	5/24/2004	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-10	12/1/2004	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-10	3/3/2005	1,2-Dichloropropane	<		0.17	1	ug/L	1	
SWB-10	6/2/2005	1,2-Dichloropropane	<		0.13	1	ug/L	1	
SWB-10	9/1/2005	1,2-Dichloropropane	<		0.13	1	ug/L	1	
SWB-10	3/2/2006	1,2-Dichloropropane	<		0.52	4	UG/L	4	
SWB-10	6/2/2006	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-10	3/1/2007	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-10	3/7/2008	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-10	6/5/2008	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-10	3/2/2009	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-10	6/4/2009	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-10	3/2/2010	1,2-Dichloropropane	<	1	0.18	1	UG/L	1	
SWB-11	3/4/2004	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-11	5/24/2004	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-11	12/1/2004	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-11	3/1/2005	1,2-Dichloropropane	<		0.17	1	ug/L	1	
SWB-11	6/2/2005	1,2-Dichloropropane	<		0.13	1	ug/L	1	
SWB-11	3/2/2006	1,2-Dichloropropane	<		1.3	10	UG/L	10	
SWB-11	6/1/2006	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-11	3/1/2007	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-11	3/7/2008	1,2-Dichloropropane	<		0.13	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-11	6/5/2008	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-11	3/2/2009	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-11	6/4/2009	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-11	3/1/2010	1,2-Dichloropropane	<	1	0.18	1	ug/L	1	
SWB-11	6/2/2010	1,2-DICHLOROPROPANE	<	0.18	0.18	1	UG/L	1	
SWB-3	10/29/2002	1,2-Dichloropropane	<		0.38	1	ug/L	1	
SWB-3	3/4/2003	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-3	6/3/2003	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-3	9/4/2003	1,2-Dichloropropane	<		0.18	1	ug/L	1	UJ
SWB-3	12/2/2003	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-3	3/1/2004	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-3	6/1/2004	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-3	9/1/2004	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-3	12/1/2004	1,2-Dichloropropane	<		0.3	1.7	ug/L	1.66	
SWB-3	3/3/2005	1,2-Dichloropropane	<		0.17	1	ug/L	1	
SWB-3	6/2/2005	1,2-Dichloropropane	<		0.13	1	ug/L	1	
SWB-3	9/1/2005	1,2-Dichloropropane	<		0.13	1	ug/L	1	
SWB-3	12/1/2005	1,2-Dichloropropane	<		0.26	2	UG/L	2	
SWB-3	3/2/2006	1,2-Dichloropropane	<		0.52	4	UG/L	4	
SWB-3	6/2/2006	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-3	9/5/2006	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-3	12/4/2006	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-3	3/1/2007	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-3	6/1/2007	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-3	12/3/2007	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-3	3/6/2008	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-3	6/9/2008	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-3	12/4/2008	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-3	3/2/2009	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-3	6/4/2009	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-3	12/1/2009	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-3	3/1/2010	1,2-Dichloropropane	<	1	0.18	1	ug/L	1	
SWB-3	3/1/2010	1,2-Dichloropropane	<	2	0.36	2	ug/L	1	DNR
SWB-3	6/1/2010	1,2-DICHLOROPROPANE	<	0.18	0.18	1	UG/L	1	DNR
SWB-3	6/1/2010	1,2-DICHLOROPROPANE	<	0.72	0.72	4	UG/L	1	
SWB-3	9/9/2010	1,2-DICHLOROPROPANE	<	0.18	0.18	1	UG/L	1	UJ
SWB-4	11/15/2002	1,2-Dichloropropane	<		0.38	1	ug/L	1	
SWB-5	10/29/2002	1,2-Dichloropropane	<		0.38	1	ug/L	1	
SWB-6	3/4/2003	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-6	6/3/2003	1,2-Dichloropropane	<		0.36	2	ug/L	2	
SWB-6	12/3/2003	1,2-Dichloropropane	<		0.36	2	ug/L	2	
SWB-6	3/5/2004	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-6	6/1/2004	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-6	12/1/2004	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-6	3/7/2005	1,2-Dichloropropane	<		0.17	1	ug/L	1	
SWB-6	6/1/2005	1,2-Dichloropropane	<		0.13	1	ug/L	1	
SWB-6	12/2/2005	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-6	3/1/2006	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-6	6/1/2006	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-6	12/5/2006	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-6	3/2/2007	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-6	3/6/2008	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-6	6/9/2008	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-6	12/5/2008	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-6	3/2/2009	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-6	6/5/2009	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-6	3/2/2010	1,2-Dichloropropane	<	1	0.18	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-6	6/2/2010	1,2-DICHLOROPROPANE	<	0.18	0.18	1	UG/L	1	
SWB-7	3/4/2003	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-7	6/3/2003	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-7	3/1/2004	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-7	5/24/2004	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-7	12/1/2004	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-7	3/7/2005	1,2-Dichloropropane	<		0.17	1	ug/L	1	
SWB-7	6/1/2005	1,2-Dichloropropane	<		0.13	1	ug/L	1	
SWB-7	9/1/2005	1,2-Dichloropropane	<		0.13	1	ug/L	1	
SWB-7	12/1/2005	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-7	3/1/2006	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-7	6/2/2006	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-7	9/5/2006	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-7	12/5/2006	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-7	3/2/2007	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-7	6/1/2007	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-7	9/7/2007	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-7	12/3/2007	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-7	3/6/2008	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-7	6/6/2008	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-7	9/8/2008	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-7	12/5/2008	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-7	3/2/2009	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-7	6/5/2009	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-7	9/9/2009	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-7	12/1/2009	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-7	3/2/2010	1,2-Dichloropropane	<	1	0.18	1	UG/L	1	
SWB-7	6/1/2010	1,2-DICHLOROPROPANE	<	0.18	0.18	1	UG/L	1	DNR
SWB-7	6/1/2010	1,2-DICHLOROPROPANE	<	0.72	0.72	4	UG/L	1	
SWB-7	9/9/2010	1,2-DICHLOROPROPANE	<	0.18	0.18	1	UG/L	1	UJ
SWB-7	12/1/2010	1,2-DICHLOROPROPANE	<	0.18	0.18	1	UG/L	1	
SWB-8	3/5/2004	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-8	3/7/2005	1,2-Dichloropropane	<		0.17	1	ug/L	1	
SWB-8	6/1/2005	1,2-Dichloropropane	<		0.13	1	ug/L	1	
SWB-8	3/1/2006	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-8	3/7/2008	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-8	3/3/2009	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-9	3/4/2003	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-9	12/3/2003	1,2-Dichloropropane	<		0.36	2	ug/L	2	
SWB-9	3/5/2004	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-9	5/27/2004	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-9	12/1/2004	1,2-Dichloropropane	<		0.18	1	ug/L	1	
SWB-9	3/3/2005	1,2-Dichloropropane	<		0.17	1	ug/L	1	
SWB-9	6/2/2005	1,2-Dichloropropane	<		0.13	1	ug/L	1	
SWB-9	9/1/2005	1,2-Dichloropropane	<		0.13	1	ug/L	1	UJ
SWB-9	12/1/2005	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-9	3/2/2006	1,2-Dichloropropane	<		0.52	4	UG/L	4	
SWB-9	6/1/2006	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-9	12/4/2006	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-9	3/5/2007	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-9	3/6/2008	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-9	6/5/2008	1,2-Dichloropropane	<		0.13	1	UG/L	1	R
SWB-9	12/5/2008	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-9	3/2/2009	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-9	6/2/2009	1,2-Dichloropropane	<		0.13	1	UG/L	1	
SWB-9	3/1/2010	1,2-Dichloropropane	<	1	0.18	1	ug/L	1	
SWB-9	6/1/2010	1,2-DICHLOROPROPANE	<	0.18	0.18	1	UG/L	1	DNR

tmpAnalyticalResultsOverTime

SWB-9	6/1/2010	1,2-DICHLOROPROPANE	<	0.72	0.72	4	UG/L	1	
SWB-9	12/1/2010	1,2-DICHLOROPROPANE	<	0.18	0.18	1	UG/L	1	
SWB-10	3/4/2004	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1	NA
SWB-10	5/24/2004	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1	UJ
SWB-10	12/1/2004	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1	
SWB-10	3/3/2005	1,2-Diphenylhydrazine	<		2	10	ug/L	1	
SWB-10	6/2/2005	1,2-Diphenylhydrazine	<		2	10	ug/L	1	
SWB-10	9/1/2005	1,2-Diphenylhydrazine	<		2	10	ug/L	1	
SWB-10	3/2/2006	1,2-Diphenylhydrazine	<		2	10	UG/L	1	
SWB-10	6/2/2006	1,2-Diphenylhydrazine	<		0.64	10	UG/L	1	
SWB-10	3/1/2007	1,2-Diphenylhydrazine	<		0.64	10	UG/L	1	
SWB-10	3/7/2008	1,2-Diphenylhydrazine	<		0.23	10	UG/L	1	
SWB-10	6/5/2008	1,2-Diphenylhydrazine	<		0.23	10	UG/L	1	
SWB-10	3/2/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1	
SWB-10	3/2/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1	R
SWB-10	6/4/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1	
SWB-10	3/2/2010	1,2-Diphenylhydrazine	<	3.7	0.21	3.7	UG/L	1	
SWB-11	3/4/2004	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1	
SWB-11	5/24/2004	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1	UJ
SWB-11	12/1/2004	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1	
SWB-11	3/1/2005	1,2-Diphenylhydrazine	<		2	10	ug/L	1	
SWB-11	6/2/2005	1,2-Diphenylhydrazine	<		2	10	ug/L	1	
SWB-11	3/2/2006	1,2-Diphenylhydrazine	<		2	10	UG/L	1	
SWB-11	6/1/2006	1,2-Diphenylhydrazine	<		0.64	10	UG/L	1	
SWB-11	3/1/2007	1,2-Diphenylhydrazine	<		0.64	10	UG/L	1	
SWB-11	3/7/2008	1,2-Diphenylhydrazine	<		0.23	10	UG/L	1	
SWB-11	6/5/2008	1,2-Diphenylhydrazine	<		0.23	10	UG/L	1	
SWB-11	3/2/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1	
SWB-11	6/4/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1	
SWB-11	3/1/2010	1,2-Diphenylhydrazine	<	3.7	0.22	3.7	ug/L	1	
SWB-11	6/2/2010	1,2-DIPHENYLHYDRAZINE	<	0.22	0.22	3.8	UG/L	1	
SWB-3	10/29/2002	1,2-Diphenylhydrazine	<		1	10	ug/L	1	
SWB-3	3/4/2003	1,2-Diphenylhydrazine	<		1	10	ug/L	1	
SWB-3	6/3/2003	1,2-Diphenylhydrazine	<		1	10	ug/L	1	
SWB-3	9/4/2003	1,2-Diphenylhydrazine	<		1	10	ug/L	1	UJ
SWB-3	12/2/2003	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1	
SWB-3	3/1/2004	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1	
SWB-3	6/1/2004	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1	
SWB-3	9/1/2004	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1	
SWB-3	12/1/2004	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1	
SWB-3	3/3/2005	1,2-Diphenylhydrazine	<		2	10	ug/L	1	
SWB-3	6/2/2005	1,2-Diphenylhydrazine	<		2	10	ug/L	1	
SWB-3	9/1/2005	1,2-Diphenylhydrazine	<		2	10	ug/L	1	
SWB-3	12/1/2005	1,2-Diphenylhydrazine	<		2	10	UG/L	1	UJ
SWB-3	3/2/2006	1,2-Diphenylhydrazine	<		2	10	UG/L	1	
SWB-3	6/2/2006	1,2-Diphenylhydrazine	<		0.64	10	UG/L	1	
SWB-3	9/5/2006	1,2-Diphenylhydrazine	<		0.64	10	UG/L	1	
SWB-3	12/4/2006	1,2-Diphenylhydrazine	<		0.64	10	UG/L	1	
SWB-3	3/1/2007	1,2-Diphenylhydrazine	<		0.64	10	UG/L	1	
SWB-3	6/1/2007	1,2-Diphenylhydrazine	<		0.64	10	UG/L	1	
SWB-3	6/1/2007	1,2-Diphenylhydrazine	<		0.64	10	UG/L	1	R
SWB-3	12/3/2007	1,2-Diphenylhydrazine	<		0.33	10	UG/L	1	
SWB-3	3/6/2008	1,2-Diphenylhydrazine	<		0.23	10	UG/L	1	
SWB-3	6/9/2008	1,2-Diphenylhydrazine	<		0.23	10	UG/L	1	
SWB-3	12/4/2008	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1	
SWB-3	3/2/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1	
SWB-3	3/2/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1	R



tmpAnalyticalResultsOverTime

SWB-3	6/4/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1
SWB-3	12/1/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1
SWB-3	3/1/2010	1,2-Diphenylhydrazine	<	3.9	0.22	3.9	ug/L	1 UJ
SWB-3	6/1/2010	1,2-DIPHENYLHYDRAZINE	<	0.22	0.22	3.7	UG/L	1
SWB-3	6/1/2010	1,2-DIPHENYLHYDRAZINE	<	0.22	0.22	3.8	UG/L	1 DNR
SWB-3	9/9/2010	1,2-DIPHENYLHYDRAZINE	<	0.21	0.21	3.7	UG/L	1
SWB-4	11/15/2002	1,2-Diphenylhydrazine	<		1	10	ug/L	1
SWB-5	10/29/2002	1,2-Diphenylhydrazine	<		1	10	ug/L	1
SWB-6	3/4/2003	1,2-Diphenylhydrazine	<		1	10	ug/L	1
SWB-6	6/3/2003	1,2-Diphenylhydrazine	<		1	10	ug/L	1
SWB-6	12/3/2003	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1
SWB-6	3/5/2004	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1
SWB-6	6/1/2004	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1
SWB-6	12/1/2004	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1
SWB-6	3/7/2005	1,2-Diphenylhydrazine	<		2	10	ug/L	1
SWB-6	6/1/2005	1,2-Diphenylhydrazine	<		2	10	ug/L	1
SWB-6	12/2/2005	1,2-Diphenylhydrazine	<		2	10	UG/L	1 UJ
SWB-6	3/1/2006	1,2-Diphenylhydrazine	<		2	10	UG/L	1
SWB-6	6/1/2006	1,2-Diphenylhydrazine	<		0.64	10	UG/L	1
SWB-6	12/5/2006	1,2-Diphenylhydrazine	<		0.64	10	UG/L	1
SWB-6	3/2/2007	1,2-Diphenylhydrazine	<		0.64	10	UG/L	1
SWB-6	3/6/2008	1,2-Diphenylhydrazine	<		0.23	10	UG/L	1
SWB-6	6/9/2008	1,2-Diphenylhydrazine	<		0.23	10	UG/L	1
SWB-6	12/5/2008	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1
SWB-6	12/5/2008	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1 R
SWB-6	3/2/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1
SWB-6	3/2/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1 R
SWB-6	6/5/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1
SWB-6	3/2/2010	1,2-Diphenylhydrazine	<	3.6	0.21	3.6	UG/L	1
SWB-6	6/2/2010	1,2-DIPHENYLHYDRAZINE	<	0.22	0.22	3.8	UG/L	1
SWB-6	6/2/2010	1,2-DIPHENYLHYDRAZINE	<	0.22	0.22	3.8	UG/L	1 DNR
SWB-7	3/4/2003	1,2-Diphenylhydrazine	<		1	10	ug/L	1
SWB-7	6/3/2003	1,2-Diphenylhydrazine	<		1	10	ug/L	1
SWB-7	3/1/2004	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1
SWB-7	5/24/2004	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1
SWB-7	12/1/2004	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1
SWB-7	3/7/2005	1,2-Diphenylhydrazine	<		2	10	ug/L	1 UJ
SWB-7	6/1/2005	1,2-Diphenylhydrazine	<		2	10	ug/L	1
SWB-7	9/1/2005	1,2-Diphenylhydrazine	<		2	10	ug/L	1
SWB-7	12/1/2005	1,2-Diphenylhydrazine	<		2	10	UG/L	1 UJ
SWB-7	3/1/2006	1,2-Diphenylhydrazine	<		2	10	UG/L	1
SWB-7	6/2/2006	1,2-Diphenylhydrazine	<		0.64	10	UG/L	1
SWB-7	9/5/2006	1,2-Diphenylhydrazine	<		0.64	10	UG/L	1 UJ
SWB-7	12/5/2006	1,2-Diphenylhydrazine	<		0.64	10	UG/L	1
SWB-7	3/2/2007	1,2-Diphenylhydrazine	<		0.64	10	UG/L	1
SWB-7	6/1/2007	1,2-Diphenylhydrazine	<		0.64	10	UG/L	1
SWB-7	9/7/2007	1,2-Diphenylhydrazine	<		0.33	10	UG/L	1
SWB-7	12/3/2007	1,2-Diphenylhydrazine	<		0.33	10	UG/L	1
SWB-7	3/6/2008	1,2-Diphenylhydrazine	<		0.23	10	UG/L	1
SWB-7	6/6/2008	1,2-Diphenylhydrazine	<		0.23	10	UG/L	1
SWB-7	9/8/2008	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1
SWB-7	12/5/2008	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1
SWB-7	12/5/2008	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1 R
SWB-7	3/2/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1
SWB-7	3/2/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1 R
SWB-7	6/5/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1
SWB-7	9/9/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	12/1/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1	
SWB-7	3/2/2010	1,2-Diphenylhydrazine	<	3.8	0.22	3.8	UG/L	1	
SWB-7	6/1/2010	1,2-DIPHENYLHYDRAZINE	<	0.22	0.22	3.8	UG/L	1	DNR
SWB-7	6/1/2010	1,2-DIPHENYLHYDRAZINE	<	0.23	0.23	4	UG/L	1	R
SWB-7	9/9/2010	1,2-DIPHENYLHYDRAZINE	<	0.22	0.22	3.9	UG/L	1	
SWB-7	12/1/2010	1,2-DIPHENYLHYDRAZINE	<	0.21	0.21	3.7	UG/L	1	
SWB-8	3/5/2004	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1	
SWB-8	3/7/2005	1,2-Diphenylhydrazine	<		2	10	ug/L	1	
SWB-8	6/1/2005	1,2-Diphenylhydrazine	<		2	10	ug/L	1	
SWB-8	3/1/2006	1,2-Diphenylhydrazine	<		2	10	UG/L	1	
SWB-8	3/7/2008	1,2-Diphenylhydrazine	<		0.23	10	UG/L	1	
SWB-8	3/3/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1	
SWB-8	3/3/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1	R
SWB-9	3/4/2003	1,2-Diphenylhydrazine	<		1	10	ug/L	1	
SWB-9	12/3/2003	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1	
SWB-9	3/5/2004	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1	
SWB-9	5/27/2004	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1	UJ
SWB-9	12/1/2004	1,2-Diphenylhydrazine	<		0.6	10	ug/L	1	
SWB-9	3/3/2005	1,2-Diphenylhydrazine	<		2	10	ug/L	1	
SWB-9	6/2/2005	1,2-Diphenylhydrazine	<		2	10	ug/L	1	
SWB-9	9/1/2005	1,2-Diphenylhydrazine	<		2	10	ug/L	1	
SWB-9	12/1/2005	1,2-Diphenylhydrazine	<		2	10	UG/L	1	UJ
SWB-9	3/2/2006	1,2-Diphenylhydrazine	<		2	10	UG/L	1	
SWB-9	6/1/2006	1,2-Diphenylhydrazine	<		0.64	10	UG/L	1	
SWB-9	12/4/2006	1,2-Diphenylhydrazine	<		0.64	10	UG/L	1	
SWB-9	3/5/2007	1,2-Diphenylhydrazine	<		0.64	10	UG/L	1	
SWB-9	3/6/2008	1,2-Diphenylhydrazine	<		0.23	10	UG/L	1	
SWB-9	6/5/2008	1,2-Diphenylhydrazine	<		0.23	10	UG/L	1	
SWB-9	12/5/2008	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1	
SWB-9	12/5/2008	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1	R
SWB-9	3/2/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1	
SWB-9	3/2/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1	R
SWB-9	6/2/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1	
SWB-9	6/2/2009	1,2-Diphenylhydrazine	<		0.23	4	UG/L	1	DNR
SWB-9	3/1/2010	1,2-Diphenylhydrazine	<	3.7	0.21	3.7	ug/L	1	
SWB-9	6/1/2010	1,2-DIPHENYLHYDRAZINE	<	0.22	0.22	3.8	UG/L	1	
SWB-9	6/1/2010	1,2-DIPHENYLHYDRAZINE	<	0.22	0.22	3.8	UG/L	1	DNR
SWB-9	12/1/2010	1,2-DIPHENYLHYDRAZINE	<	0.21	0.21	3.7	UG/L	1	
SWB-10	3/4/2004	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1	NA
SWB-10	5/24/2004	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1	
SWB-10	12/1/2004	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1	
SWB-10	3/3/2005	1,3,5-Trimethylbenzene	<		0.26	1	ug/L	1	
SWB-10	6/2/2005	1,3,5-Trimethylbenzene	<		0.26	1	ug/L	1	
SWB-10	9/1/2005	1,3,5-Trimethylbenzene	<		0.26	1	ug/L	1	
SWB-10	3/2/2006	1,3,5-Trimethylbenzene	<		1	4	UG/L	4	
SWB-10	6/2/2006	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1	
SWB-10	3/1/2007	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1	
SWB-10	3/7/2008	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1	
SWB-10	6/5/2008	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1	
SWB-10	3/2/2009	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1	
SWB-10	6/4/2009	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1	UJ
SWB-10	3/2/2010	1,3,5-Trimethylbenzene	<	1	0.16	1	UG/L	1	
SWB-11	3/4/2004	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1	
SWB-11	5/24/2004	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1	
SWB-11	12/1/2004	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1	
SWB-11	3/1/2005	1,3,5-Trimethylbenzene	<		0.26	1	ug/L	1	
SWB-11	6/2/2005	1,3,5-Trimethylbenzene	<		0.26	1	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-11	3/2/2006	1,3,5-Trimethylbenzene	<		2.6	10	UG/L	10
SWB-11	6/1/2006	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-11	3/1/2007	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-11	3/7/2008	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-11	6/5/2008	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-11	3/2/2009	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-11	6/4/2009	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1 UJ
SWB-11	3/1/2010	1,3,5-Trimethylbenzene	<	1	0.16	1	ug/L	1
SWB-11	6/2/2010	1,3,5-TRIMETHYLBENZENE	<	0.16	0.16	1	UG/L	1 UJ
SWB-3	10/29/2002	1,3,5-Trimethylbenzene	<		0.31	1	ug/L	1
SWB-3	3/4/2003	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1
SWB-3	6/3/2003	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1
SWB-3	9/4/2003	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1 UJ
SWB-3	12/2/2003	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1
SWB-3	3/1/2004	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1
SWB-3	6/1/2004	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1
SWB-3	9/1/2004	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1
SWB-3	12/1/2004	1,3,5-Trimethylbenzene	<		0.27	1.7	ug/L	1.66
SWB-3	3/3/2005	1,3,5-Trimethylbenzene	<		0.26	1	ug/L	1
SWB-3	6/2/2005	1,3,5-Trimethylbenzene	<		0.26	1	ug/L	1
SWB-3	9/1/2005	1,3,5-Trimethylbenzene	<		0.26	1	ug/L	1
SWB-3	12/1/2005	1,3,5-Trimethylbenzene	<		0.52	2	UG/L	2
SWB-3	3/2/2006	1,3,5-Trimethylbenzene	<		1	4	UG/L	4
SWB-3	6/2/2006	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	9/5/2006	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	12/4/2006	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	3/1/2007	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	6/1/2007	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	12/3/2007	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	3/6/2008	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	6/9/2008	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	12/4/2008	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	3/2/2009	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	6/4/2009	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1 UJ
SWB-3	12/1/2009	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-3	3/1/2010	1,3,5-Trimethylbenzene	<	1	0.16	1	ug/L	1
SWB-3	3/1/2010	1,3,5-Trimethylbenzene	<	2	0.32	2	ug/L	1 DNR
SWB-3	6/1/2010	1,3,5-TRIMETHYLBENZENE	<	0.16	0.16	1	UG/L	1 DNR
SWB-3	6/1/2010	1,3,5-TRIMETHYLBENZENE	<	0.64	0.64	4	UG/L	1 UJ
SWB-3	9/9/2010	1,3,5-TRIMETHYLBENZENE	<	0.16	0.16	1	UG/L	1 UJ
SWB-4	11/15/2002	1,3,5-Trimethylbenzene	<		0.31	1	ug/L	1
SWB-5	10/29/2002	1,3,5-Trimethylbenzene	<		0.31	1	ug/L	1
SWB-6	3/4/2003	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1
SWB-6	6/3/2003	1,3,5-Trimethylbenzene	<		0.32	2	ug/L	2
SWB-6	12/3/2003	1,3,5-Trimethylbenzene	<		0.32	2	ug/L	2
SWB-6	3/5/2004	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1
SWB-6	6/1/2004	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1
SWB-6	12/1/2004	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1
SWB-6	3/7/2005	1,3,5-Trimethylbenzene	<		0.26	1	ug/L	1
SWB-6	6/1/2005	1,3,5-Trimethylbenzene	<		0.26	1	ug/L	1
SWB-6	12/2/2005	1,3,5-Trimethylbenzene	<		0.26	1	UG/L	1
SWB-6	3/1/2006	1,3,5-Trimethylbenzene	<		0.26	1	UG/L	1
SWB-6	6/1/2006	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-6	12/5/2006	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-6	3/2/2007	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-6	3/6/2008	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-6	6/9/2008	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	12/5/2008	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-6	3/2/2009	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-6	6/5/2009	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1 UJ
SWB-6	3/2/2010	1,3,5-Trimethylbenzene	<	1	0.16	1	UG/L	1
SWB-6	6/2/2010	1,3,5-TRIMETHYLBENZENE	<	0.16	0.16	1	UG/L	1 UJ
SWB-7	3/4/2003	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1
SWB-7	6/3/2003	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1
SWB-7	3/1/2004	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1
SWB-7	5/24/2004	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1
SWB-7	12/1/2004	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1
SWB-7	3/7/2005	1,3,5-Trimethylbenzene	<		0.26	1	ug/L	1
SWB-7	6/1/2005	1,3,5-Trimethylbenzene	<		0.26	1	ug/L	1
SWB-7	9/1/2005	1,3,5-Trimethylbenzene	<		0.26	1	ug/L	1
SWB-7	12/1/2005	1,3,5-Trimethylbenzene	<		0.26	1	UG/L	1
SWB-7	3/1/2006	1,3,5-Trimethylbenzene	<		0.26	1	UG/L	1
SWB-7	6/2/2006	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-7	9/5/2006	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-7	12/5/2006	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-7	3/2/2007	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-7	6/1/2007	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-7	9/7/2007	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-7	12/3/2007	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-7	3/6/2008	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-7	6/6/2008	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-7	9/8/2008	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-7	12/5/2008	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-7	3/2/2009	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-7	6/5/2009	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-7	9/9/2009	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-7	12/1/2009	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-7	3/2/2010	1,3,5-Trimethylbenzene	<	1	0.16	1	UG/L	1
SWB-7	6/1/2010	1,3,5-TRIMETHYLBENZENE	<	0.16	0.16	1	UG/L	1 DNR
SWB-7	6/1/2010	1,3,5-TRIMETHYLBENZENE	<	0.64	0.64	4	UG/L	1 U
SWB-7	9/9/2010	1,3,5-TRIMETHYLBENZENE	<	0.16	0.16	1	UG/L	1 UJ
SWB-7	12/1/2010	1,3,5-TRIMETHYLBENZENE	<	0.16	0.16	1	UG/L	1
SWB-8	3/5/2004	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1
SWB-8	3/7/2005	1,3,5-Trimethylbenzene	<		0.26	1	ug/L	1
SWB-8	6/1/2005	1,3,5-Trimethylbenzene	<		0.26	1	ug/L	1
SWB-8	3/1/2006	1,3,5-Trimethylbenzene	<		0.26	1	UG/L	1
SWB-8	3/7/2008	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-8	3/3/2009	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-9	3/4/2003	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1
SWB-9	12/3/2003	1,3,5-Trimethylbenzene	<		0.32	2	ug/L	2
SWB-9	3/5/2004	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1
SWB-9	5/27/2004	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1
SWB-9	12/1/2004	1,3,5-Trimethylbenzene	<		0.16	1	ug/L	1
SWB-9	3/3/2005	1,3,5-Trimethylbenzene	<		0.26	1	ug/L	1
SWB-9	6/2/2005	1,3,5-Trimethylbenzene	<		0.26	1	ug/L	1
SWB-9	9/1/2005	1,3,5-Trimethylbenzene	<		0.26	1	ug/L	1 UJ
SWB-9	12/1/2005	1,3,5-Trimethylbenzene	<		0.26	1	UG/L	1
SWB-9	3/2/2006	1,3,5-Trimethylbenzene	<		1	4	UG/L	4
SWB-9	6/1/2006	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-9	12/4/2006	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-9	3/5/2007	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-9	3/6/2008	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1
SWB-9	6/5/2008	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1 R
SWB-9	12/5/2008	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	3/2/2009	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1	
SWB-9	6/2/2009	1,3,5-Trimethylbenzene	<		0.14	1	UG/L	1	UJ
SWB-9	3/1/2010	1,3,5-Trimethylbenzene	<	1	0.16	1	ug/L	1	
SWB-9	6/1/2010	1,3,5-TRIMETHYLBENZENE	<	0.16	0.16	1	UG/L	1	DNR
SWB-9	6/1/2010	1,3,5-TRIMETHYLBENZENE	<	0.64	0.64	4	UG/L	1	UJ
SWB-9	12/1/2010	1,3,5-TRIMETHYLBENZENE	<	0.16	0.16	1	UG/L	1	
SWB-10	3/4/2004	1,3,5-Trinitrobenzene	<		2	50	ug/L	1	NA
SWB-10	5/24/2004	1,3,5-Trinitrobenzene	<		2	50	ug/L	1	UJ
SWB-10	12/1/2004	1,3,5-Trinitrobenzene	<		2	50	ug/L	1	
SWB-10	3/3/2005	1,3,5-Trinitrobenzene	<		2	50	ug/L	1	
SWB-10	6/2/2005	1,3,5-Trinitrobenzene	<		2	50	ug/L	1	
SWB-10	9/1/2005	1,3,5-Trinitrobenzene	<		2	50	ug/L	1	
SWB-10	3/2/2006	1,3,5-Trinitrobenzene	<		2	50	UG/L	1	
SWB-10	6/2/2006	1,3,5-Trinitrobenzene	<		2	50	UG/L	1	
SWB-10	3/1/2007	1,3,5-Trinitrobenzene	<		2	50	UG/L	1	
SWB-10	3/7/2008	1,3,5-Trinitrobenzene	<		4	50	UG/L	1	
SWB-10	6/5/2008	1,3,5-Trinitrobenzene	<		4	50	UG/L	1	
SWB-10	3/2/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1	
SWB-10	3/2/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1	R
SWB-10	6/4/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1	
SWB-10	3/2/2010	1,3,5-Trinitrobenzene	<	47	3.7	47	UG/L	1	
SWB-11	3/4/2004	1,3,5-Trinitrobenzene	<		2	50	ug/L	1	
SWB-11	5/24/2004	1,3,5-Trinitrobenzene	<		2	50	ug/L	1	UJ
SWB-11	12/1/2004	1,3,5-Trinitrobenzene	<		2	50	ug/L	1	
SWB-11	3/1/2005	1,3,5-Trinitrobenzene	<		2	50	ug/L	1	
SWB-11	6/2/2005	1,3,5-Trinitrobenzene	<		2	50	ug/L	1	
SWB-11	3/2/2006	1,3,5-Trinitrobenzene	<		2	50	UG/L	1	
SWB-11	6/1/2006	1,3,5-Trinitrobenzene	<		2	50	UG/L	1	
SWB-11	3/1/2007	1,3,5-Trinitrobenzene	<		2	50	UG/L	1	
SWB-11	3/7/2008	1,3,5-Trinitrobenzene	<		4	50	UG/L	1	
SWB-11	6/5/2008	1,3,5-Trinitrobenzene	<		4	50	UG/L	1	
SWB-11	3/2/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1	
SWB-11	6/4/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1	
SWB-11	3/1/2010	1,3,5-Trinitrobenzene	<	47	3.7	47	ug/L	1	
SWB-11	6/2/2010	1,3,5-TRINITROBENZENE	<	3.8	3.8	47	UG/L	1	
SWB-3	10/29/2002	1,3,5-Trinitrobenzene	<		2.5	50	ug/L	1	
SWB-3	3/4/2003	1,3,5-Trinitrobenzene	<		2.5	50	ug/L	1	
SWB-3	6/3/2003	1,3,5-Trinitrobenzene	<		2.5	50	ug/L	1	
SWB-3	9/4/2003	1,3,5-Trinitrobenzene	<		2	50	ug/L	1	UJ
SWB-3	12/2/2003	1,3,5-Trinitrobenzene	<		2	50	ug/L	1	
SWB-3	3/1/2004	1,3,5-Trinitrobenzene	<		2	50	ug/L	1	
SWB-3	6/1/2004	1,3,5-Trinitrobenzene	<		2	50	ug/L	1	
SWB-3	9/1/2004	1,3,5-Trinitrobenzene	<		2	50	ug/L	1	
SWB-3	12/1/2004	1,3,5-Trinitrobenzene	<		2	50	ug/L	1	
SWB-3	3/3/2005	1,3,5-Trinitrobenzene	<		2	50	ug/L	1	
SWB-3	6/2/2005	1,3,5-Trinitrobenzene	<		2	50	ug/L	1	
SWB-3	9/1/2005	1,3,5-Trinitrobenzene	<		2	50	ug/L	1	
SWB-3	12/1/2005	1,3,5-Trinitrobenzene	<		2	50	UG/L	1	UJ
SWB-3	3/2/2006	1,3,5-Trinitrobenzene	<		2	50	UG/L	1	
SWB-3	6/2/2006	1,3,5-Trinitrobenzene	<		2	50	UG/L	1	
SWB-3	9/5/2006	1,3,5-Trinitrobenzene	<		2	50	UG/L	1	
SWB-3	12/4/2006	1,3,5-Trinitrobenzene	<		2	50	UG/L	1	
SWB-3	3/1/2007	1,3,5-Trinitrobenzene	<		2	50	UG/L	1	
SWB-3	6/1/2007	1,3,5-Trinitrobenzene	<		2	50	UG/L	1	
SWB-3	6/1/2007	1,3,5-Trinitrobenzene	<		2	50	UG/L	1	R
SWB-3	12/3/2007	1,3,5-Trinitrobenzene	<		2	50	UG/L	1	
SWB-3	3/6/2008	1,3,5-Trinitrobenzene	<		4	50	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	6/9/2008	1,3,5-Trinitrobenzene	<		4	50	UG/L	1
SWB-3	12/4/2008	1,3,5-Trinitrobenzene	<		4	50	UG/L	1
SWB-3	3/2/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1
SWB-3	3/2/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1 R
SWB-3	6/4/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1
SWB-3	12/1/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1
SWB-3	3/1/2010	1,3,5-Trinitrobenzene	<	49	3.9	49	ug/L	1 UJ
SWB-3	6/1/2010	1,3,5-TRINITROBENZENE	<	3.7	3.7	47	UG/L	1
SWB-3	6/1/2010	1,3,5-TRINITROBENZENE	<	3.8	3.8	47	UG/L	1 DNR
SWB-3	9/9/2010	1,3,5-TRINITROBENZENE	<	3.7	3.7	47	UG/L	1
SWB-4	11/15/2002	1,3,5-Trinitrobenzene	<		2.5	50	ug/L	1
SWB-5	10/29/2002	1,3,5-Trinitrobenzene	<		2.5	50	ug/L	1
SWB-6	3/4/2003	1,3,5-Trinitrobenzene	<		2.5	50	ug/L	1
SWB-6	6/3/2003	1,3,5-Trinitrobenzene	<		2.5	50	ug/L	1
SWB-6	12/3/2003	1,3,5-Trinitrobenzene	<		2	50	ug/L	1
SWB-6	3/5/2004	1,3,5-Trinitrobenzene	<		2	50	ug/L	1
SWB-6	6/1/2004	1,3,5-Trinitrobenzene	<		2	50	ug/L	1
SWB-6	12/1/2004	1,3,5-Trinitrobenzene	<		2	50	ug/L	1
SWB-6	3/7/2005	1,3,5-Trinitrobenzene	<		2	50	ug/L	1
SWB-6	6/1/2005	1,3,5-Trinitrobenzene	<		2	50	ug/L	1
SWB-6	12/2/2005	1,3,5-Trinitrobenzene	<		2	50	UG/L	1 UJ
SWB-6	3/1/2006	1,3,5-Trinitrobenzene	<		2	50	UG/L	1
SWB-6	6/1/2006	1,3,5-Trinitrobenzene	<		2	50	UG/L	1
SWB-6	12/5/2006	1,3,5-Trinitrobenzene	<		2	50	UG/L	1
SWB-6	3/2/2007	1,3,5-Trinitrobenzene	<		2	50	UG/L	1
SWB-6	3/6/2008	1,3,5-Trinitrobenzene	<		4	50	UG/L	1
SWB-6	6/9/2008	1,3,5-Trinitrobenzene	<		4	50	UG/L	1
SWB-6	12/5/2008	1,3,5-Trinitrobenzene	<		4	50	UG/L	1
SWB-6	12/5/2008	1,3,5-Trinitrobenzene	<		4	50	UG/L	1 R
SWB-6	3/2/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1
SWB-6	3/2/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1 R
SWB-6	6/5/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1
SWB-6	3/2/2010	1,3,5-Trinitrobenzene	<	46	3.6	46	UG/L	1
SWB-6	6/2/2010	1,3,5-TRINITROBENZENE	<	3.8	3.8	47	UG/L	1 DNR
SWB-6	6/2/2010	1,3,5-TRINITROBENZENE	<	3.8	3.8	48	UG/L	1
SWB-7	3/4/2003	1,3,5-Trinitrobenzene	<		2.5	50	ug/L	1
SWB-7	6/3/2003	1,3,5-Trinitrobenzene	<		2.5	50	ug/L	1
SWB-7	3/1/2004	1,3,5-Trinitrobenzene	<		2	50	ug/L	1
SWB-7	5/24/2004	1,3,5-Trinitrobenzene	<		2	50	ug/L	1
SWB-7	12/1/2004	1,3,5-Trinitrobenzene	<		2	50	ug/L	1
SWB-7	3/7/2005	1,3,5-Trinitrobenzene	<		2	50	ug/L	1 UJ
SWB-7	6/1/2005	1,3,5-Trinitrobenzene	<		2	50	ug/L	1
SWB-7	9/1/2005	1,3,5-Trinitrobenzene	<		2	50	ug/L	1
SWB-7	12/1/2005	1,3,5-Trinitrobenzene	<		2	50	UG/L	1 UJ
SWB-7	3/1/2006	1,3,5-Trinitrobenzene	<		2	50	UG/L	1
SWB-7	6/2/2006	1,3,5-Trinitrobenzene	<		2	50	UG/L	1
SWB-7	9/5/2006	1,3,5-Trinitrobenzene	<		2	50	UG/L	1 UJ
SWB-7	12/5/2006	1,3,5-Trinitrobenzene	<		2	50	UG/L	1
SWB-7	3/2/2007	1,3,5-Trinitrobenzene	<		2	50	UG/L	1
SWB-7	6/1/2007	1,3,5-Trinitrobenzene	<		2	50	UG/L	1
SWB-7	9/7/2007	1,3,5-Trinitrobenzene	<		2	50	UG/L	1
SWB-7	12/3/2007	1,3,5-Trinitrobenzene	<		2	50	UG/L	1
SWB-7	3/6/2008	1,3,5-Trinitrobenzene	<		4	50	UG/L	1
SWB-7	6/6/2008	1,3,5-Trinitrobenzene	<		4	50	UG/L	1
SWB-7	9/8/2008	1,3,5-Trinitrobenzene	<		4	50	UG/L	1
SWB-7	12/5/2008	1,3,5-Trinitrobenzene	<		4	50	UG/L	1
SWB-7	12/5/2008	1,3,5-Trinitrobenzene	<		4	50	UG/L	1 R

tmpAnalyticalResultsOverTime

SWB-7	3/2/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1		
SWB-7	3/2/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1	R	
SWB-7	6/5/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1		
SWB-7	9/9/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1		
SWB-7	12/1/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1		
SWB-7	3/2/2010	1,3,5-Trinitrobenzene	<	47	3.8	47	UG/L	1		
SWB-7	6/1/2010	1,3,5-TRINITROBENZENE	<	3.8	3.8	48	UG/L	1	DNR	
SWB-7	6/1/2010	1,3,5-TRINITROBENZENE	<	4	4	50	UG/L	1	R	
SWB-7	9/9/2010	1,3,5-TRINITROBENZENE	<	3.9	3.9	48	UG/L	1		
SWB-7	12/1/2010	1,3,5-TRINITROBENZENE	<	3.7	3.7	47	UG/L	1		
SWB-8	3/5/2004	1,3,5-Trinitrobenzene	<		2	50	ug/L	1		
SWB-8	3/7/2005	1,3,5-Trinitrobenzene	<		2	50	ug/L	1		
SWB-8	6/1/2005	1,3,5-Trinitrobenzene	<		2	50	ug/L	1		
SWB-8	3/1/2006	1,3,5-Trinitrobenzene	<		2	50	UG/L	1		
SWB-8	3/7/2008	1,3,5-Trinitrobenzene	<		4	50	UG/L	1		
SWB-8	3/3/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1		
SWB-8	3/3/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1	R	
SWB-9	3/4/2003	1,3,5-Trinitrobenzene	<		2.5	50	ug/L	1		
SWB-9	12/3/2003	1,3,5-Trinitrobenzene	<		2	50	ug/L	1		
SWB-9	3/5/2004	1,3,5-Trinitrobenzene	<		2	50	ug/L	1		
SWB-9	5/27/2004	1,3,5-Trinitrobenzene	<		2	50	ug/L	1	UJ	
SWB-9	12/1/2004	1,3,5-Trinitrobenzene	<		2	50	ug/L	1		
SWB-9	3/3/2005	1,3,5-Trinitrobenzene	<		2	50	ug/L	1		
SWB-9	6/2/2005	1,3,5-Trinitrobenzene	<		2	50	ug/L	1		
SWB-9	9/1/2005	1,3,5-Trinitrobenzene	<		2	50	ug/L	1		
SWB-9	12/1/2005	1,3,5-Trinitrobenzene	<		2	50	UG/L	1	UJ	
SWB-9	3/2/2006	1,3,5-Trinitrobenzene	<		2	50	UG/L	1		
SWB-9	6/1/2006	1,3,5-Trinitrobenzene	<		2	50	UG/L	1		
SWB-9	12/4/2006	1,3,5-Trinitrobenzene	<		2	50	UG/L	1		
SWB-9	3/5/2007	1,3,5-Trinitrobenzene	<		2	50	UG/L	1		
SWB-9	3/6/2008	1,3,5-Trinitrobenzene	<		4	50	UG/L	1		
SWB-9	6/5/2008	1,3,5-Trinitrobenzene	<		4	50	UG/L	1		
SWB-9	12/5/2008	1,3,5-Trinitrobenzene	<		4	50	UG/L	1		
SWB-9	12/5/2008	1,3,5-Trinitrobenzene	<		4	50	UG/L	1	R	
SWB-9	3/2/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1		
SWB-9	3/2/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1	R	
SWB-9	6/2/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1		
SWB-9	6/2/2009	1,3,5-Trinitrobenzene	<		4	50	UG/L	1	DNR	
SWB-9	3/1/2010	1,3,5-Trinitrobenzene	<	46	3.7	46	ug/L	1		
SWB-9	6/1/2010	1,3,5-TRINITROBENZENE	<	3.8	3.8	47	UG/L	1		
SWB-9	6/1/2010	1,3,5-TRINITROBENZENE	<	3.8	3.8	47	UG/L	1	DNR	
SWB-9	12/1/2010	1,3,5-TRINITROBENZENE	<	3.7	3.7	46	UG/L	1		
SWB-9	9/1/2005	1,3-Butadiene, 2-methyl-	TI	16			ug/L	1	NJ	NA
SWB-10	3/4/2004	1,3-Dichlorobenzene	<		0.13	1	ug/L	1		NA
SWB-10	5/24/2004	1,3-Dichlorobenzene	<		0.13	1	ug/L	1		
SWB-10	12/1/2004	1,3-Dichlorobenzene	<		0.13	1	ug/L	1		
SWB-10	3/3/2005	1,3-Dichlorobenzene	<		0.21	1	ug/L	1		
SWB-10	6/2/2005	1,3-Dichlorobenzene	<		0.16	1	ug/L	1		
SWB-10	9/1/2005	1,3-Dichlorobenzene	<		0.16	1	ug/L	1		
SWB-10	3/2/2006	1,3-Dichlorobenzene	<		0.64	4	UG/L	4		
SWB-10	6/2/2006	1,3-Dichlorobenzene	<		0.16	1	UG/L	1		
SWB-10	3/1/2007	1,3-Dichlorobenzene	<		0.16	1	UG/L	1		
SWB-10	3/7/2008	1,3-Dichlorobenzene	<		0.16	1	UG/L	1		
SWB-10	6/5/2008	1,3-Dichlorobenzene	<		0.16	1	UG/L	1		
SWB-10	3/2/2009	1,3-Dichlorobenzene	<		0.16	1	UG/L	1		
SWB-10	6/4/2009	1,3-Dichlorobenzene	<		0.16	1	UG/L	1		
SWB-10	3/2/2010	1,3-Dichlorobenzene	<	1	0.13	1	UG/L	1		

tmpAnalyticalResultsOverTime

SWB-11	3/4/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
SWB-11	5/24/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
SWB-11	12/1/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
SWB-11	3/1/2005	1,3-Dichlorobenzene	<	0.21	1	ug/L	1
SWB-11	6/2/2005	1,3-Dichlorobenzene	<	0.16	1	ug/L	1
SWB-11	3/2/2006	1,3-Dichlorobenzene	<	1.6	10	UG/L	10
SWB-11	6/1/2006	1,3-Dichlorobenzene	<	0.16	1	UG/L	1
SWB-11	3/1/2007	1,3-Dichlorobenzene	<	0.16	1	UG/L	1
SWB-11	3/7/2008	1,3-Dichlorobenzene	<	0.16	1	UG/L	1
SWB-11	6/5/2008	1,3-Dichlorobenzene	<	0.16	1	UG/L	1
SWB-11	3/2/2009	1,3-Dichlorobenzene	<	0.16	1	UG/L	1
SWB-11	6/4/2009	1,3-Dichlorobenzene	<	0.16	1	UG/L	1
SWB-11	3/1/2010	1,3-Dichlorobenzene	<	1	1	ug/L	1
SWB-11	6/2/2010	1,3-DICHLOROBENZENE	<	0.13	1	UG/L	1 UJ
SWB-3	10/29/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
SWB-3	10/29/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
SWB-3	3/4/2003	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
SWB-3	6/3/2003	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
SWB-3	9/4/2003	1,3-Dichlorobenzene	<	0.13	1	ug/L	1 UJ
SWB-3	12/2/2003	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
SWB-3	3/1/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
SWB-3	6/1/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
SWB-3	9/1/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
SWB-3	12/1/2004	1,3-Dichlorobenzene	<	0.22	1.7	ug/L	1.66
SWB-3	3/3/2005	1,3-Dichlorobenzene	<	0.21	1	ug/L	1
SWB-3	6/2/2005	1,3-Dichlorobenzene	<	0.16	1	ug/L	1
SWB-3	9/1/2005	1,3-Dichlorobenzene	<	0.16	1	ug/L	1
SWB-3	12/1/2005	1,3-Dichlorobenzene	<	0.32	2	UG/L	2
SWB-3	3/2/2006	1,3-Dichlorobenzene	<	0.64	4	UG/L	4
SWB-3	6/2/2006	1,3-Dichlorobenzene	<	0.16	1	UG/L	1
SWB-3	9/5/2006	1,3-Dichlorobenzene	<	0.16	1	UG/L	1
SWB-3	12/4/2006	1,3-Dichlorobenzene	<	0.16	1	UG/L	1
SWB-3	3/1/2007	1,3-Dichlorobenzene	<	0.16	1	UG/L	1
SWB-3	6/1/2007	1,3-Dichlorobenzene	<	0.16	1	UG/L	1
SWB-3	12/3/2007	1,3-Dichlorobenzene	<	0.16	1	UG/L	1
SWB-3	3/6/2008	1,3-Dichlorobenzene	<	0.16	1	UG/L	1
SWB-3	6/9/2008	1,3-Dichlorobenzene	<	0.16	1	UG/L	1
SWB-3	12/4/2008	1,3-Dichlorobenzene	<	0.16	1	UG/L	1
SWB-3	3/2/2009	1,3-Dichlorobenzene	<	0.16	1	UG/L	1
SWB-3	6/4/2009	1,3-Dichlorobenzene	<	0.16	1	UG/L	1
SWB-3	12/1/2009	1,3-Dichlorobenzene	<	0.16	1	UG/L	1
SWB-3	3/1/2010	1,3-Dichlorobenzene	<	1	1	ug/L	1
SWB-3	3/1/2010	1,3-Dichlorobenzene	<	2	2	ug/L	1 DNR
SWB-3	6/1/2010	1,3-DICHLOROBENZENE	<	0.13	1	UG/L	1 DNR
SWB-3	6/1/2010	1,3-DICHLOROBENZENE	<	0.52	4	UG/L	1 UJ
SWB-3	9/9/2010	1,3-DICHLOROBENZENE	<	0.13	1	UG/L	1 UJ
SWB-4	11/15/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
SWB-4	11/15/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
SWB-5	10/29/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
SWB-5	10/29/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
SWB-6	3/4/2003	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
SWB-6	6/3/2003	1,3-Dichlorobenzene	<	0.26	2	ug/L	2
SWB-6	12/3/2003	1,3-Dichlorobenzene	<	0.26	2	ug/L	2
SWB-6	3/5/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
SWB-6	6/1/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
SWB-6	12/1/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
SWB-6	3/7/2005	1,3-Dichlorobenzene	<	0.21	1	ug/L	1



tmpAnalyticalResultsOverTime

SWB-6	6/1/2005	1,3-Dichlorobenzene	<		0.16	1	ug/L	1
SWB-6	12/2/2005	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-6	3/1/2006	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-6	6/1/2006	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-6	12/5/2006	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-6	3/2/2007	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-6	3/6/2008	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-6	6/9/2008	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-6	12/5/2008	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-6	3/2/2009	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-6	6/5/2009	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-6	3/2/2010	1,3-Dichlorobenzene	<	1	0.13	1	UG/L	1
SWB-6	6/2/2010	1,3-DICHLOROBENZENE	<	0.13	0.13	1	UG/L	1 UJ
SWB-7	3/4/2003	1,3-Dichlorobenzene	<		0.13	1	ug/L	1
SWB-7	6/3/2003	1,3-Dichlorobenzene	<		0.13	1	ug/L	1
SWB-7	3/1/2004	1,3-Dichlorobenzene	<		0.13	1	ug/L	1
SWB-7	5/24/2004	1,3-Dichlorobenzene	<		0.13	1	ug/L	1
SWB-7	12/1/2004	1,3-Dichlorobenzene	<		0.13	1	ug/L	1
SWB-7	3/7/2005	1,3-Dichlorobenzene	<		0.21	1	ug/L	1
SWB-7	6/1/2005	1,3-Dichlorobenzene	<		0.16	1	ug/L	1
SWB-7	9/1/2005	1,3-Dichlorobenzene	<		0.16	1	ug/L	1
SWB-7	12/1/2005	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-7	3/1/2006	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-7	6/2/2006	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-7	9/5/2006	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-7	12/5/2006	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-7	3/2/2007	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-7	6/1/2007	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-7	9/7/2007	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-7	12/3/2007	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-7	3/6/2008	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-7	6/6/2008	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-7	9/8/2008	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-7	12/5/2008	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-7	3/2/2009	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-7	6/5/2009	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-7	9/9/2009	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-7	12/1/2009	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-7	3/2/2010	1,3-Dichlorobenzene	<	1	0.13	1	UG/L	1
SWB-7	6/1/2010	1,3-DICHLOROBENZENE	<	0.13	0.13	1	UG/L	1 DNR
SWB-7	6/1/2010	1,3-DICHLOROBENZENE	<	0.52	0.52	4	UG/L	1 UJ
SWB-7	9/9/2010	1,3-DICHLOROBENZENE	<	0.13	0.13	1	UG/L	1 UJ
SWB-7	12/1/2010	1,3-DICHLOROBENZENE	<	0.13	0.13	1	UG/L	1
SWB-8	3/5/2004	1,3-Dichlorobenzene	<		0.13	1	ug/L	1
SWB-8	3/7/2005	1,3-Dichlorobenzene	<		0.21	1	ug/L	1
SWB-8	6/1/2005	1,3-Dichlorobenzene	<		0.16	1	ug/L	1
SWB-8	3/1/2006	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-8	3/7/2008	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-8	3/3/2009	1,3-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-9	3/4/2003	1,3-Dichlorobenzene	<		0.13	1	ug/L	1
SWB-9	12/3/2003	1,3-Dichlorobenzene	<		0.26	2	ug/L	2
SWB-9	3/5/2004	1,3-Dichlorobenzene	<		0.13	1	ug/L	1
SWB-9	5/27/2004	1,3-Dichlorobenzene	<		0.13	1	ug/L	1
SWB-9	12/1/2004	1,3-Dichlorobenzene	<		0.13	1	ug/L	1
SWB-9	3/3/2005	1,3-Dichlorobenzene	<		0.21	1	ug/L	1
SWB-9	6/2/2005	1,3-Dichlorobenzene	<		0.16	1	ug/L	1
SWB-9	9/1/2005	1,3-Dichlorobenzene	<		0.16	1	ug/L	1 UJ

tmpAnalyticalResultsOverTime

SWB-9	12/1/2005	1,3-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-9	3/2/2006	1,3-Dichlorobenzene	<		0.64	4	UG/L	4	
SWB-9	6/1/2006	1,3-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-9	12/4/2006	1,3-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-9	3/5/2007	1,3-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-9	3/6/2008	1,3-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-9	6/5/2008	1,3-Dichlorobenzene	<		0.16	1	UG/L	1	R
SWB-9	12/5/2008	1,3-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-9	3/2/2009	1,3-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-9	6/2/2009	1,3-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-9	3/1/2010	1,3-Dichlorobenzene	<	1	0.13	1	ug/L	1	
SWB-9	6/1/2010	1,3-DICHLOROBENZENE	<	0.13	0.13	1	UG/L	1	DNR
SWB-9	6/1/2010	1,3-DICHLOROBENZENE	<	0.52	0.52	4	UG/L	1	UJ
SWB-9	12/1/2010	1,3-DICHLOROBENZENE	<	0.13	0.13	1	UG/L	1	
SWB-10	3/4/2004	1,3-Dichloropropane	<		0.22	1	ug/L	1	NA
SWB-10	5/24/2004	1,3-Dichloropropane	<		0.22	1	ug/L	1	
SWB-10	12/1/2004	1,3-Dichloropropane	<		0.22	1	ug/L	1	
SWB-10	3/3/2005	1,3-Dichloropropane	<		0.17	1	ug/L	1	
SWB-10	6/2/2005	1,3-Dichloropropane	<		0.15	1	ug/L	1	
SWB-10	9/1/2005	1,3-Dichloropropane	<		0.15	1	ug/L	1	
SWB-10	3/2/2006	1,3-Dichloropropane	<		0.6	4	UG/L	4	
SWB-10	6/2/2006	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-10	3/1/2007	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-10	3/7/2008	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-10	6/5/2008	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-10	3/2/2009	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-10	6/4/2009	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-10	3/2/2010	1,3-Dichloropropane	<	1	0.22	1	UG/L	1	
SWB-11	3/4/2004	1,3-Dichloropropane	<		0.22	1	ug/L	1	
SWB-11	5/24/2004	1,3-Dichloropropane	<		0.22	1	ug/L	1	
SWB-11	12/1/2004	1,3-Dichloropropane	<		0.22	1	ug/L	1	
SWB-11	3/1/2005	1,3-Dichloropropane	<		0.17	1	ug/L	1	
SWB-11	6/2/2005	1,3-Dichloropropane	<		0.15	1	ug/L	1	
SWB-11	3/2/2006	1,3-Dichloropropane	<		1.5	10	UG/L	10	
SWB-11	6/1/2006	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-11	3/1/2007	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-11	3/7/2008	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-11	6/5/2008	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-11	3/2/2009	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-11	6/4/2009	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-11	3/1/2010	1,3-Dichloropropane	<	1	0.22	1	ug/L	1	
SWB-11	6/2/2010	1,3-DICHLOROPROPANE	<	0.22	0.22	1	UG/L	1	
SWB-3	10/29/2002	1,3-Dichloropropane	<		0.37	1	ug/L	1	
SWB-3	3/4/2003	1,3-Dichloropropane	<		0.22	1	ug/L	1	
SWB-3	6/3/2003	1,3-Dichloropropane	<		0.22	1	ug/L	1	
SWB-3	9/4/2003	1,3-Dichloropropane	<		0.22	1	ug/L	1	UJ
SWB-3	12/2/2003	1,3-Dichloropropane	<		0.22	1	ug/L	1	
SWB-3	3/1/2004	1,3-Dichloropropane	<		0.22	1	ug/L	1	
SWB-3	6/1/2004	1,3-Dichloropropane	<		0.22	1	ug/L	1	
SWB-3	9/1/2004	1,3-Dichloropropane	<		0.22	1	ug/L	1	
SWB-3	12/1/2004	1,3-Dichloropropane	<		0.37	1.7	ug/L	1	1.66
SWB-3	3/3/2005	1,3-Dichloropropane	<		0.17	1	ug/L	1	
SWB-3	6/2/2005	1,3-Dichloropropane	<		0.15	1	ug/L	1	
SWB-3	9/1/2005	1,3-Dichloropropane	<		0.15	1	ug/L	1	
SWB-3	12/1/2005	1,3-Dichloropropane	<		0.3	2	UG/L	2	
SWB-3	3/2/2006	1,3-Dichloropropane	<		0.6	4	UG/L	4	
SWB-3	6/2/2006	1,3-Dichloropropane	<		0.15	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	9/5/2006	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-3	12/4/2006	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-3	3/1/2007	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-3	6/1/2007	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-3	12/3/2007	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-3	3/6/2008	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-3	6/9/2008	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-3	12/4/2008	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-3	3/2/2009	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-3	6/4/2009	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-3	12/1/2009	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-3	3/1/2010	1,3-Dichloropropane	<	1	0.22	1	ug/L	1
SWB-3	3/1/2010	1,3-Dichloropropane	<	2	0.44	2	ug/L	1 DNR
SWB-3	6/1/2010	1,3-DICHLOROPROPANE	<	0.22	0.22	1	UG/L	1 DNR
SWB-3	6/1/2010	1,3-DICHLOROPROPANE	<	0.88	0.88	4	UG/L	1
SWB-3	9/9/2010	1,3-DICHLOROPROPANE	<	0.22	0.22	1	UG/L	1 UJ
SWB-4	11/15/2002	1,3-Dichloropropane	<		0.37	1	ug/L	1
SWB-5	10/29/2002	1,3-Dichloropropane	<		0.37	1	ug/L	1
SWB-6	3/4/2003	1,3-Dichloropropane	<		0.22	1	ug/L	1
SWB-6	6/3/2003	1,3-Dichloropropane	<		0.44	2	ug/L	2
SWB-6	12/3/2003	1,3-Dichloropropane	<		0.44	2	ug/L	2
SWB-6	3/5/2004	1,3-Dichloropropane	<		0.22	1	ug/L	1
SWB-6	6/1/2004	1,3-Dichloropropane	<		0.22	1	ug/L	1
SWB-6	12/1/2004	1,3-Dichloropropane	<		0.22	1	ug/L	1
SWB-6	3/7/2005	1,3-Dichloropropane	<		0.17	1	ug/L	1
SWB-6	6/1/2005	1,3-Dichloropropane	<		0.15	1	ug/L	1
SWB-6	12/2/2005	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-6	3/1/2006	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-6	6/1/2006	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-6	12/5/2006	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-6	3/2/2007	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-6	3/6/2008	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-6	6/9/2008	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-6	12/5/2008	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-6	3/2/2009	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-6	6/5/2009	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-6	3/2/2010	1,3-Dichloropropane	<	1	0.22	1	UG/L	1
SWB-6	6/2/2010	1,3-DICHLOROPROPANE	<	0.22	0.22	1	UG/L	1
SWB-7	3/4/2003	1,3-Dichloropropane	<		0.22	1	ug/L	1
SWB-7	6/3/2003	1,3-Dichloropropane	<		0.22	1	ug/L	1
SWB-7	3/1/2004	1,3-Dichloropropane	<		0.22	1	ug/L	1
SWB-7	5/24/2004	1,3-Dichloropropane	<		0.22	1	ug/L	1
SWB-7	12/1/2004	1,3-Dichloropropane	<		0.22	1	ug/L	1
SWB-7	3/7/2005	1,3-Dichloropropane	<		0.17	1	ug/L	1
SWB-7	6/1/2005	1,3-Dichloropropane	<		0.15	1	ug/L	1
SWB-7	9/1/2005	1,3-Dichloropropane	<		0.15	1	ug/L	1
SWB-7	12/1/2005	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-7	3/1/2006	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-7	6/2/2006	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-7	9/5/2006	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-7	12/5/2006	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-7	3/2/2007	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-7	6/1/2007	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-7	9/7/2007	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-7	12/3/2007	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-7	3/6/2008	1,3-Dichloropropane	<		0.15	1	UG/L	1
SWB-7	6/6/2008	1,3-Dichloropropane	<		0.15	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	9/8/2008	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-7	12/5/2008	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-7	3/2/2009	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-7	6/5/2009	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-7	9/9/2009	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-7	12/1/2009	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-7	3/2/2010	1,3-Dichloropropane	<	1	0.22	1	UG/L	1	
SWB-7	6/1/2010	1,3-DICHLOROPROPANE	<	0.22	0.22	1	UG/L	1	DNR
SWB-7	6/1/2010	1,3-DICHLOROPROPANE	<	0.88	0.88	4	UG/L	1	
SWB-7	9/9/2010	1,3-DICHLOROPROPANE	<	0.22	0.22	1	UG/L	1	UJ
SWB-7	12/1/2010	1,3-DICHLOROPROPANE	<	0.22	0.22	1	UG/L	1	
SWB-8	3/5/2004	1,3-Dichloropropane	<		0.22	1	ug/L	1	
SWB-8	3/7/2005	1,3-Dichloropropane	<		0.17	1	ug/L	1	
SWB-8	6/1/2005	1,3-Dichloropropane	<		0.15	1	ug/L	1	
SWB-8	3/1/2006	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-8	3/7/2008	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-8	3/3/2009	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-9	3/4/2003	1,3-Dichloropropane	<		0.22	1	ug/L	1	
SWB-9	12/3/2003	1,3-Dichloropropane	<		0.44	2	ug/L	2	
SWB-9	3/5/2004	1,3-Dichloropropane	<		0.22	1	ug/L	1	
SWB-9	5/27/2004	1,3-Dichloropropane	<		0.22	1	ug/L	1	
SWB-9	12/1/2004	1,3-Dichloropropane	<		0.22	1	ug/L	1	
SWB-9	3/3/2005	1,3-Dichloropropane	<		0.17	1	ug/L	1	
SWB-9	6/2/2005	1,3-Dichloropropane	<		0.15	1	ug/L	1	
SWB-9	9/1/2005	1,3-Dichloropropane	<		0.15	1	ug/L	1	UJ
SWB-9	12/1/2005	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-9	3/2/2006	1,3-Dichloropropane	<		0.6	4	UG/L	4	
SWB-9	6/1/2006	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-9	12/4/2006	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-9	3/5/2007	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-9	3/6/2008	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-9	6/5/2008	1,3-Dichloropropane	<		0.15	1	UG/L	1	R
SWB-9	12/5/2008	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-9	3/2/2009	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-9	6/2/2009	1,3-Dichloropropane	<		0.15	1	UG/L	1	
SWB-9	3/1/2010	1,3-Dichloropropane	<	1	0.22	1	ug/L	1	
SWB-9	6/1/2010	1,3-DICHLOROPROPANE	<	0.22	0.22	1	UG/L	1	DNR
SWB-9	6/1/2010	1,3-DICHLOROPROPANE	<	0.88	0.88	4	UG/L	1	
SWB-9	12/1/2010	1,3-DICHLOROPROPANE	<	0.22	0.22	1	UG/L	1	
SWB-10	3/4/2004	1,3-Dinitrobenzene	<		2	10	ug/L	1	0.071 mg/L
SWB-10	5/24/2004	1,3-Dinitrobenzene	<		2	10	ug/L	1	UJ
SWB-10	12/1/2004	1,3-Dinitrobenzene	<		2	10	ug/L	1	
SWB-10	3/3/2005	1,3-Dinitrobenzene	<		2	10	ug/L	1	
SWB-10	6/2/2005	1,3-Dinitrobenzene	<		2	10	ug/L	1	
SWB-10	9/1/2005	1,3-Dinitrobenzene	<		2	10	ug/L	1	
SWB-10	3/2/2006	1,3-Dinitrobenzene	<		2	10	UG/L	1	
SWB-10	6/2/2006	1,3-Dinitrobenzene	<		2	10	UG/L	1	
SWB-10	3/1/2007	1,3-Dinitrobenzene	<		2	10	UG/L	1	
SWB-10	3/7/2008	1,3-Dinitrobenzene	<		2	10	UG/L	1	
SWB-10	6/5/2008	1,3-Dinitrobenzene	<		2	10	UG/L	1	
SWB-10	3/2/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1	
SWB-10	3/2/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1	R
SWB-10	6/4/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1	
SWB-10	3/2/2010	1,3-Dinitrobenzene	<	9.3	1.9	9.3	UG/L	1	
SWB-11	3/4/2004	1,3-Dinitrobenzene	<		2	10	ug/L	1	
SWB-11	5/24/2004	1,3-Dinitrobenzene	<		2	10	ug/L	1	UJ
SWB-11	12/1/2004	1,3-Dinitrobenzene	<		2	10	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-11	3/1/2005	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-11	6/2/2005	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-11	3/2/2006	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-11	6/1/2006	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-11	3/1/2007	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-11	3/7/2008	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-11	6/5/2008	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-11	3/2/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-11	6/4/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-11	3/1/2010	1,3-Dinitrobenzene	<	9.4	1.9	9.4	ug/L	1
SWB-11	6/2/2010	1,3-DINITROBENZENE	<	1.9	1.9	9.5	UG/L	1
SWB-3	10/29/2002	1,3-Dinitrobenzene	<		1.7	10	ug/L	1
SWB-3	3/4/2003	1,3-Dinitrobenzene	<		1.7	10	ug/L	1
SWB-3	6/3/2003	1,3-Dinitrobenzene	<		1.7	10	ug/L	1
SWB-3	9/4/2003	1,3-Dinitrobenzene	<		2	10	ug/L	1 UJ
SWB-3	12/2/2003	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-3	3/1/2004	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-3	6/1/2004	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-3	9/1/2004	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-3	12/1/2004	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-3	3/3/2005	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-3	6/2/2005	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-3	9/1/2005	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-3	12/1/2005	1,3-Dinitrobenzene	<		2	10	UG/L	1 UJ
SWB-3	3/2/2006	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-3	6/2/2006	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-3	9/5/2006	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-3	12/4/2006	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-3	3/1/2007	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-3	6/1/2007	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-3	6/1/2007	1,3-Dinitrobenzene	<		2	10	UG/L	1 R
SWB-3	12/3/2007	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-3	3/6/2008	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-3	6/9/2008	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-3	12/4/2008	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-3	3/2/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-3	3/2/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1 R
SWB-3	6/4/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-3	12/1/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-3	3/1/2010	1,3-Dinitrobenzene	<	9.7	1.9	9.7	ug/L	1 UJ
SWB-3	6/1/2010	1,3-DINITROBENZENE	<	1.9	1.9	9.4	UG/L	1
SWB-3	6/1/2010	1,3-DINITROBENZENE	<	1.9	1.9	9.4	UG/L	1 DNR
SWB-3	9/9/2010	1,3-DINITROBENZENE	<	1.9	1.9	9.3	UG/L	1
SWB-4	11/15/2002	1,3-Dinitrobenzene	<		1.7	10	ug/L	1
SWB-5	10/29/2002	1,3-Dinitrobenzene	<		1.7	10	ug/L	1
SWB-6	3/4/2003	1,3-Dinitrobenzene	<		1.7	10	ug/L	1
SWB-6	6/3/2003	1,3-Dinitrobenzene	<		1.7	10	ug/L	1
SWB-6	12/3/2003	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-6	3/5/2004	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-6	6/1/2004	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-6	12/1/2004	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-6	3/7/2005	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-6	6/1/2005	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-6	12/2/2005	1,3-Dinitrobenzene	<		2	10	UG/L	1 UJ
SWB-6	3/1/2006	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-6	6/1/2006	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-6	12/5/2006	1,3-Dinitrobenzene	<		2	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	3/2/2007	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-6	3/6/2008	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-6	6/9/2008	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-6	12/5/2008	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-6	12/5/2008	1,3-Dinitrobenzene	<		2	10	UG/L	1 R
SWB-6	3/2/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-6	3/2/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1 R
SWB-6	6/5/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-6	3/2/2010	1,3-Dinitrobenzene	<	9.1	1.8	9.1	UG/L	1
SWB-6	6/2/2010	1,3-DINITROBENZENE	<	1.9	1.9	9.4	UG/L	1 DNR
SWB-6	6/2/2010	1,3-DINITROBENZENE	<	1.9	1.9	9.5	UG/L	1
SWB-7	3/4/2003	1,3-Dinitrobenzene	<		1.7	10	ug/L	1
SWB-7	6/3/2003	1,3-Dinitrobenzene	<		1.7	10	ug/L	1
SWB-7	3/1/2004	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-7	5/24/2004	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-7	12/1/2004	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-7	3/7/2005	1,3-Dinitrobenzene	<		2	10	ug/L	1 UJ
SWB-7	6/1/2005	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-7	9/1/2005	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-7	12/1/2005	1,3-Dinitrobenzene	<		2	10	UG/L	1 UJ
SWB-7	3/1/2006	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-7	6/2/2006	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-7	9/5/2006	1,3-Dinitrobenzene	<		2	10	UG/L	1 UJ
SWB-7	12/5/2006	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-7	3/2/2007	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-7	6/1/2007	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-7	9/7/2007	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-7	12/3/2007	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-7	3/6/2008	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-7	6/6/2008	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-7	9/8/2008	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-7	12/5/2008	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-7	12/5/2008	1,3-Dinitrobenzene	<		2	10	UG/L	1 R
SWB-7	3/2/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-7	3/2/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1 R
SWB-7	6/5/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-7	9/9/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-7	12/1/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-7	3/2/2010	1,3-Dinitrobenzene	<	9.5	1.9	9.5	UG/L	1
SWB-7	6/1/2010	1,3-DINITROBENZENE	<	1.9	1.9	9.6	UG/L	1 DNR
SWB-7	6/1/2010	1,3-DINITROBENZENE	<	2	2	10	UG/L	1 R
SWB-7	9/9/2010	1,3-DINITROBENZENE	<	1.9	1.9	9.6	UG/L	1
SWB-7	12/1/2010	1,3-DINITROBENZENE	<	1.9	1.9	9.3	UG/L	1
SWB-8	3/5/2004	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-8	3/7/2005	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-8	6/1/2005	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-8	3/1/2006	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-8	3/7/2008	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-8	3/3/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1
SWB-8	3/3/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1 R
SWB-9	3/4/2003	1,3-Dinitrobenzene	<		1.7	10	ug/L	1
SWB-9	12/3/2003	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-9	3/5/2004	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-9	5/27/2004	1,3-Dinitrobenzene	<		2	10	ug/L	1 UJ
SWB-9	12/1/2004	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-9	3/3/2005	1,3-Dinitrobenzene	<		2	10	ug/L	1
SWB-9	6/2/2005	1,3-Dinitrobenzene	<		2	10	ug/L	1

tmpAnalyticalResultsOverTime

SWB-9	9/1/2005	1,3-Dinitrobenzene	<		2	10	ug/L	1		
SWB-9	12/1/2005	1,3-Dinitrobenzene	<		2	10	UG/L	1	UJ	
SWB-9	3/2/2006	1,3-Dinitrobenzene	<		2	10	UG/L	1		
SWB-9	6/1/2006	1,3-Dinitrobenzene	<		2	10	UG/L	1		
SWB-9	12/4/2006	1,3-Dinitrobenzene	<		2	10	UG/L	1		
SWB-9	3/5/2007	1,3-Dinitrobenzene	<		2	10	UG/L	1		
SWB-9	3/6/2008	1,3-Dinitrobenzene	<		2	10	UG/L	1		
SWB-9	6/5/2008	1,3-Dinitrobenzene	<		2	10	UG/L	1		
SWB-9	12/5/2008	1,3-Dinitrobenzene	<		2	10	UG/L	1		
SWB-9	12/5/2008	1,3-Dinitrobenzene	<		2	10	UG/L	1	R	
SWB-9	3/2/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1		
SWB-9	3/2/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1	R	
SWB-9	6/2/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1		
SWB-9	6/2/2009	1,3-Dinitrobenzene	<		2	10	UG/L	1	DNR	
SWB-9	3/1/2010	1,3-Dinitrobenzene	<	9.2	1.8	9.2	ug/L	1		
SWB-9	6/1/2010	1,3-DINITROBENZENE	<	1.9	1.9	9.4	UG/L	1	DNR	
SWB-9	6/1/2010	1,3-DINITROBENZENE	<	1.9	1.9	9.5	UG/L	1		
SWB-9	12/1/2010	1,3-DINITROBENZENE	<	1.9	1.9	9.3	UG/L	1		
SWB-9	12/1/2005	1,3-Pentadiene	TI	4.1			UG/L	1	NJ	NA
SWB-9	6/2/2009	1,3-Pentadiene	TI	8.3			UG/L	1	DNR	
SWB-5	10/29/2002	1,3-Pentadiene, (z)-	TI	14			ug/L	1	NJ	
SWB-3	10/29/2002	1,4-Cyclooctadiene, (z,z)-	TI	5.7			ug/L	1	NJ	NA
SWB-10	3/4/2004	1,4-Dichlorobenzene	<		0.16	1	ug/L	1		0.015 mg/L
SWB-10	5/24/2004	1,4-Dichlorobenzene	<		0.16	1	ug/L	1		
SWB-10	12/1/2004	1,4-Dichlorobenzene	<		0.16	1	ug/L	1		
SWB-10	3/3/2005	1,4-Dichlorobenzene	<		0.2	1	ug/L	1		
SWB-10	6/2/2005	1,4-Dichlorobenzene	<		0.16	1	ug/L	1		
SWB-10	9/1/2005	1,4-Dichlorobenzene	<		0.16	1	ug/L	1		
SWB-10	3/2/2006	1,4-Dichlorobenzene	<		0.64	4	UG/L	4		
SWB-10	6/2/2006	1,4-Dichlorobenzene	<		0.16	1	UG/L	1		
SWB-10	3/1/2007	1,4-Dichlorobenzene	<		0.16	1	UG/L	1		
SWB-10	3/7/2008	1,4-Dichlorobenzene	<		0.16	1	UG/L	1		
SWB-10	6/5/2008	1,4-Dichlorobenzene	<		0.16	1	UG/L	1		
SWB-10	3/2/2009	1,4-Dichlorobenzene	<		0.16	1	UG/L	1		
SWB-10	6/4/2009	1,4-Dichlorobenzene	<		0.16	1	UG/L	1		
SWB-10	3/2/2010	1,4-Dichlorobenzene	<	1	0.16	1	UG/L	1		
SWB-11	3/4/2004	1,4-Dichlorobenzene	<	1	0.16	1	ug/L	1	U	
SWB-11	5/24/2004	1,4-Dichlorobenzene	<	1	0.16	1	ug/L	1	U	
SWB-11	12/1/2004	1,4-Dichlorobenzene	<		0.16	1	ug/L	1		
SWB-11	3/1/2005	1,4-Dichlorobenzene	<		0.2	1	ug/L	1		
SWB-11	6/2/2005	1,4-Dichlorobenzene	<		0.16	1	ug/L	1		
SWB-11	3/2/2006	1,4-Dichlorobenzene	<		1.6	10	UG/L	10		
SWB-11	6/1/2006	1,4-Dichlorobenzene	<		0.16	1	UG/L	1		
SWB-11	3/1/2007	1,4-Dichlorobenzene	<		0.16	1	UG/L	1		
SWB-11	3/7/2008	1,4-Dichlorobenzene	<		0.16	1	UG/L	1		
SWB-11	6/5/2008	1,4-Dichlorobenzene	<		0.16	1	UG/L	1		
SWB-11	3/2/2009	1,4-Dichlorobenzene	<		0.16	1	UG/L	1		
SWB-11	6/4/2009	1,4-Dichlorobenzene	<		0.16	1	UG/L	1		
SWB-11	3/1/2010	1,4-Dichlorobenzene	<	1	0.16	1	ug/L	1		
SWB-11	6/2/2010	1,4-DICHLOROBENZENE	<	0.16	0.16	1	UG/L	1	UJ	
SWB-3	10/29/2002	1,4-Dichlorobenzene	<		0.31	1	ug/L	1		
SWB-3	10/29/2002	1,4-Dichlorobenzene	<		1.8	10	ug/L	1		
SWB-3	3/4/2003	1,4-Dichlorobenzene	<		0.16	1	ug/L	1		
SWB-3	6/3/2003	1,4-Dichlorobenzene	<		0.16	1	ug/L	1		
SWB-3	9/4/2003	1,4-Dichlorobenzene	<		0.16	1	ug/L	1	UJ	
SWB-3	12/2/2003	1,4-Dichlorobenzene	<		0.16	1	ug/L	1		
SWB-3	3/1/2004	1,4-Dichlorobenzene	<	1	0.16	1	ug/L	1	U	

tmpAnalyticalResultsOverTime

SWB-3	6/1/2004	1,4-Dichlorobenzene	<	1	0.16	1	ug/L	1 U
SWB-3	9/1/2004	1,4-Dichlorobenzene	<		0.16	1	ug/L	1
SWB-3	12/1/2004	1,4-Dichlorobenzene	<		0.27	1.7	ug/L	1.66
SWB-3	3/3/2005	1,4-Dichlorobenzene	<		0.2	1	ug/L	1
SWB-3	6/2/2005	1,4-Dichlorobenzene	<		0.16	1	ug/L	1
SWB-3	9/1/2005	1,4-Dichlorobenzene	<		0.16	1	ug/L	1
SWB-3	12/1/2005	1,4-Dichlorobenzene	<		0.32	2	UG/L	2
SWB-3	3/2/2006	1,4-Dichlorobenzene	<		0.64	4	UG/L	4
SWB-3	6/2/2006	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-3	9/5/2006	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-3	12/4/2006	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-3	3/1/2007	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-3	6/1/2007	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-3	12/3/2007	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-3	3/6/2008	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-3	6/9/2008	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-3	12/4/2008	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-3	3/2/2009	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-3	6/4/2009	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-3	12/1/2009	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-3	3/1/2010	1,4-Dichlorobenzene	<	1	0.16	1	ug/L	1
SWB-3	3/1/2010	1,4-Dichlorobenzene	<	2	0.32	2	ug/L	1 DNR
SWB-3	6/1/2010	1,4-DICHLOROBENZENE	<	0.16	0.16	1	UG/L	1 DNR
SWB-3	6/1/2010	1,4-DICHLOROBENZENE	<	0.64	0.64	4	UG/L	1
SWB-3	9/9/2010	1,4-DICHLOROBENZENE	<	0.16	0.16	1	UG/L	1 UJ
SWB-4	11/15/2002	1,4-Dichlorobenzene	<		0.31	1	ug/L	1
SWB-4	11/15/2002	1,4-Dichlorobenzene	<		1.8	10	ug/L	1
SWB-5	10/29/2002	1,4-Dichlorobenzene	<		0.31	1	ug/L	1
SWB-5	10/29/2002	1,4-Dichlorobenzene	<		1.8	10	ug/L	1
SWB-6	3/4/2003	1,4-Dichlorobenzene	<		0.16	1	ug/L	1
SWB-6	6/3/2003	1,4-Dichlorobenzene	<		0.32	2	ug/L	2
SWB-6	12/3/2003	1,4-Dichlorobenzene	<		0.32	2	ug/L	2
SWB-6	3/5/2004	1,4-Dichlorobenzene	<		0.16	1	ug/L	1
SWB-6	6/1/2004	1,4-Dichlorobenzene	<	1	0.16	1	ug/L	1 U
SWB-6	12/1/2004	1,4-Dichlorobenzene	<		0.16	1	ug/L	1
SWB-6	3/7/2005	1,4-Dichlorobenzene	<		0.2	1	ug/L	1
SWB-6	6/1/2005	1,4-Dichlorobenzene	<		0.16	1	ug/L	1
SWB-6	12/2/2005	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-6	3/1/2006	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-6	6/1/2006	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-6	12/5/2006	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-6	3/2/2007	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-6	3/6/2008	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-6	6/9/2008	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-6	12/5/2008	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-6	3/2/2009	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-6	6/5/2009	1,4-Dichlorobenzene	<		0.16	1	UG/L	1
SWB-6	3/2/2010	1,4-Dichlorobenzene	<	1	0.16	1	UG/L	1
SWB-6	6/2/2010	1,4-DICHLOROBENZENE	<	0.16	0.16	1	UG/L	1
SWB-7	3/4/2003	1,4-Dichlorobenzene	<		0.16	1	ug/L	1
SWB-7	6/3/2003	1,4-Dichlorobenzene	<		0.16	1	ug/L	1
SWB-7	3/1/2004	1,4-Dichlorobenzene	<	1	0.16	1	ug/L	1 U
SWB-7	5/24/2004	1,4-Dichlorobenzene	<	1	0.16	1	ug/L	1 U
SWB-7	12/1/2004	1,4-Dichlorobenzene	<		0.16	1	ug/L	1
SWB-7	3/7/2005	1,4-Dichlorobenzene	<		0.2	1	ug/L	1
SWB-7	6/1/2005	1,4-Dichlorobenzene	<		0.16	1	ug/L	1
SWB-7	9/1/2005	1,4-Dichlorobenzene	<		0.16	1	ug/L	1



tmpAnalyticalResultsOverTime

SWB-7	12/1/2005	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-7	3/1/2006	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-7	6/2/2006	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-7	9/5/2006	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-7	12/5/2006	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-7	3/2/2007	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-7	6/1/2007	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-7	9/7/2007	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-7	12/3/2007	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-7	3/6/2008	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-7	6/6/2008	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-7	9/8/2008	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-7	12/5/2008	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-7	3/2/2009	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-7	6/5/2009	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-7	9/9/2009	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-7	12/1/2009	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-7	3/2/2010	1,4-Dichlorobenzene	<	1	0.16	1	UG/L	1	
SWB-7	6/1/2010	1,4-DICHLOROBENZENE	<	0.16	0.16	1	UG/L	1	DNR
SWB-7	6/1/2010	1,4-DICHLOROBENZENE	<	0.64	0.64	4	UG/L	1	
SWB-7	9/9/2010	1,4-DICHLOROBENZENE	<	0.16	0.16	1	UG/L	1	UJ
SWB-7	12/1/2010	1,4-DICHLOROBENZENE	<	0.16	0.16	1	UG/L	1	
SWB-8	3/5/2004	1,4-Dichlorobenzene	<		0.16	1	ug/L	1	
SWB-8	3/7/2005	1,4-Dichlorobenzene	<		0.2	1	ug/L	1	
SWB-8	6/1/2005	1,4-Dichlorobenzene	<		0.16	1	ug/L	1	
SWB-8	3/1/2006	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-8	3/7/2008	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-8	3/3/2009	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-9	3/4/2003	1,4-Dichlorobenzene	<		0.16	1	ug/L	1	
SWB-9	12/3/2003	1,4-Dichlorobenzene	<		0.32	2	ug/L	2	
SWB-9	3/5/2004	1,4-Dichlorobenzene	<	1	0.16	1	ug/L	1	U
SWB-9	5/27/2004	1,4-Dichlorobenzene	<	1	0.16	1	ug/L	1	U
SWB-9	12/1/2004	1,4-Dichlorobenzene	<		0.16	1	ug/L	1	
SWB-9	3/3/2005	1,4-Dichlorobenzene	<		0.2	1	ug/L	1	
SWB-9	6/2/2005	1,4-Dichlorobenzene	<		0.16	1	ug/L	1	
SWB-9	9/1/2005	1,4-Dichlorobenzene	<		0.16	1	ug/L	1	UJ
SWB-9	12/1/2005	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-9	3/2/2006	1,4-Dichlorobenzene	<		0.64	4	UG/L	4	
SWB-9	6/1/2006	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-9	12/4/2006	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-9	3/5/2007	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-9	3/6/2008	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-9	6/5/2008	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	R
SWB-9	12/5/2008	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-9	3/2/2009	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-9	6/2/2009	1,4-Dichlorobenzene	<		0.16	1	UG/L	1	
SWB-9	3/1/2010	1,4-Dichlorobenzene	<	1	0.16	1	ug/L	1	
SWB-9	6/1/2010	1,4-DICHLOROBENZENE	<	0.16	0.16	1	UG/L	1	DNR
SWB-9	6/1/2010	1,4-DICHLOROBENZENE	<	0.64	0.64	4	UG/L	1	
SWB-9	12/1/2010	1,4-DICHLOROBENZENE	<	0.16	0.16	1	UG/L	1	
SWB-10	3/4/2004	1,4-Dioxane	<		57	200	ug/L	1	NA
SWB-10	5/24/2004	1,4-Dioxane	<		57	200	ug/L	1	
SWB-10	12/1/2004	1,4-Dioxane	<		57	200	ug/L	1	
SWB-10	3/3/2005	1,4-Dioxane	<		35	200	ug/L	1	
SWB-10	6/2/2005	1,4-Dioxane	<		71	200	ug/L	1	
SWB-10	9/1/2005	1,4-Dioxane	<		71	200	ug/L	1	
SWB-10	3/2/2006	1,4-Dioxane	<		280	800	UG/L	4	

tmpAnalyticalResultsOverTime

SWB-10	6/2/2006	1,4-Dioxane	<		71	200	UG/L	1
SWB-10	3/1/2007	1,4-Dioxane	<		71	200	UG/L	1
SWB-10	3/7/2008	1,4-Dioxane	<		71	200	UG/L	1
SWB-10	6/5/2008	1,4-Dioxane	<		71	200	UG/L	1
SWB-10	3/2/2009	1,4-Dioxane	<		71	200	UG/L	1
SWB-10	6/4/2009	1,4-Dioxane	<		71	200	UG/L	1
SWB-10	3/2/2010	1,4-Dioxane	<	200	57	200	UG/L	1
SWB-11	3/4/2004	1,4-Dioxane	<		57	200	ug/L	1
SWB-11	5/24/2004	1,4-Dioxane	<		57	200	ug/L	1
SWB-11	12/1/2004	1,4-Dioxane	<		57	200	ug/L	1
SWB-11	3/1/2005	1,4-Dioxane	<		35	200	ug/L	1
SWB-11	6/2/2005	1,4-Dioxane	<		71	200	ug/L	1
SWB-11	3/2/2006	1,4-Dioxane	<		710	2000	UG/L	10
SWB-11	6/1/2006	1,4-Dioxane	<		71	200	UG/L	1
SWB-11	3/1/2007	1,4-Dioxane	<		71	200	UG/L	1
SWB-11	3/7/2008	1,4-Dioxane	<		71	200	UG/L	1
SWB-11	6/5/2008	1,4-Dioxane	<		71	200	UG/L	1
SWB-11	3/2/2009	1,4-Dioxane	<		71	200	UG/L	1
SWB-11	6/4/2009	1,4-Dioxane	<		71	200	UG/L	1
SWB-11	3/1/2010	1,4-Dioxane	<	200	57	200	ug/L	1
SWB-11	6/2/2010	1,4-DIOXANE	<	57	57	200	UG/L	1
SWB-3	10/29/2002	1,4-Dioxane	<		36	200	ug/L	1
SWB-3	3/4/2003	1,4-Dioxane	<		57	200	ug/L	1
SWB-3	6/3/2003	1,4-Dioxane	<		57	200	ug/L	1
SWB-3	9/4/2003	1,4-Dioxane	<		57	200	ug/L	1 UJ
SWB-3	12/2/2003	1,4-Dioxane	<		57	200	ug/L	1
SWB-3	3/1/2004	1,4-Dioxane	<		57	200	ug/L	1
SWB-3	6/1/2004	1,4-Dioxane	<		57	200	ug/L	1
SWB-3	9/1/2004	1,4-Dioxane	<		57	200	ug/L	1
SWB-3	12/1/2004	1,4-Dioxane	<		95	330	ug/L	1.66
SWB-3	3/3/2005	1,4-Dioxane	<		35	200	ug/L	1
SWB-3	6/2/2005	1,4-Dioxane	<		71	200	ug/L	1
SWB-3	9/1/2005	1,4-Dioxane	<		71	200	ug/L	1
SWB-3	12/1/2005	1,4-Dioxane	<		140	400	UG/L	2
SWB-3	3/2/2006	1,4-Dioxane	<		280	800	UG/L	4
SWB-3	6/2/2006	1,4-Dioxane	<		71	200	UG/L	1
SWB-3	9/5/2006	1,4-Dioxane	<		71	200	UG/L	1
SWB-3	12/4/2006	1,4-Dioxane	<		71	200	UG/L	1
SWB-3	3/1/2007	1,4-Dioxane	<		71	200	UG/L	1
SWB-3	6/1/2007	1,4-Dioxane	<		71	200	UG/L	1
SWB-3	12/3/2007	1,4-Dioxane	<		71	200	UG/L	1
SWB-3	3/6/2008	1,4-Dioxane	<		71	200	UG/L	1
SWB-3	6/9/2008	1,4-Dioxane	<		71	200	UG/L	1
SWB-3	12/4/2008	1,4-Dioxane	<		71	200	UG/L	1
SWB-3	3/2/2009	1,4-Dioxane	<		71	200	UG/L	1
SWB-3	6/4/2009	1,4-Dioxane	<		71	200	UG/L	1
SWB-3	12/1/2009	1,4-Dioxane	<		71	200	UG/L	1
SWB-3	3/1/2010	1,4-Dioxane	<	200	57	200	ug/L	1
SWB-3	3/1/2010	1,4-Dioxane	<	400	110	400	ug/L	1 DNR
SWB-3	6/1/2010	1,4-DIOXANE	<	57	57	200	UG/L	1 DNR
SWB-3	6/1/2010	1,4-DIOXANE	<	230	230	800	UG/L	1
SWB-3	9/9/2010	1,4-DIOXANE	<	57	57	200	UG/L	1
SWB-4	11/15/2002	1,4-Dioxane	<		36	200	ug/L	1
SWB-5	10/29/2002	1,4-Dioxane	<		36	200	ug/L	1
SWB-6	3/4/2003	1,4-Dioxane	<		57	200	ug/L	1
SWB-6	6/3/2003	1,4-Dioxane	<		110	400	ug/L	2
SWB-6	12/3/2003	1,4-Dioxane	<		110	400	ug/L	2

tmpAnalyticalResultsOverTime

SWB-6	3/5/2004	1,4-Dioxane	<		57	200	ug/L	1
SWB-6	6/1/2004	1,4-Dioxane	<		57	200	ug/L	1
SWB-6	12/1/2004	1,4-Dioxane	<		57	200	ug/L	1
SWB-6	3/7/2005	1,4-Dioxane	<		35	200	ug/L	1
SWB-6	6/1/2005	1,4-Dioxane	<		71	200	ug/L	1
SWB-6	12/2/2005	1,4-Dioxane	<		71	200	UG/L	1
SWB-6	3/1/2006	1,4-Dioxane	<		71	200	UG/L	1
SWB-6	6/1/2006	1,4-Dioxane	<		71	200	UG/L	1
SWB-6	12/5/2006	1,4-Dioxane	<		71	200	UG/L	1
SWB-6	3/2/2007	1,4-Dioxane	<		71	200	UG/L	1
SWB-6	3/6/2008	1,4-Dioxane	<		71	200	UG/L	1
SWB-6	6/9/2008	1,4-Dioxane	<		71	200	UG/L	1
SWB-6	12/5/2008	1,4-Dioxane	<		71	200	UG/L	1
SWB-6	3/2/2009	1,4-Dioxane	<		71	200	UG/L	1
SWB-6	6/5/2009	1,4-Dioxane	<		71	200	UG/L	1
SWB-6	3/2/2010	1,4-Dioxane	<	200	57	200	UG/L	1
SWB-6	6/2/2010	1,4-DIOXANE	<	57	57	200	UG/L	1
SWB-7	3/4/2003	1,4-Dioxane	<		57	200	ug/L	1
SWB-7	6/3/2003	1,4-Dioxane	<		57	200	ug/L	1
SWB-7	3/1/2004	1,4-Dioxane	<		57	200	ug/L	1
SWB-7	5/24/2004	1,4-Dioxane	<		57	200	ug/L	1
SWB-7	12/1/2004	1,4-Dioxane	<		57	200	ug/L	1
SWB-7	3/7/2005	1,4-Dioxane	<		35	200	ug/L	1
SWB-7	6/1/2005	1,4-Dioxane	<		71	200	ug/L	1
SWB-7	9/1/2005	1,4-Dioxane	<		71	200	ug/L	1
SWB-7	12/1/2005	1,4-Dioxane	<		71	200	UG/L	1
SWB-7	3/1/2006	1,4-Dioxane	<		71	200	UG/L	1
SWB-7	6/2/2006	1,4-Dioxane	<		71	200	UG/L	1
SWB-7	9/5/2006	1,4-Dioxane	<		71	200	UG/L	1
SWB-7	12/5/2006	1,4-Dioxane	<		71	200	UG/L	1
SWB-7	3/2/2007	1,4-Dioxane	<		71	200	UG/L	1
SWB-7	6/1/2007	1,4-Dioxane	<		71	200	UG/L	1
SWB-7	9/7/2007	1,4-Dioxane	<		71	200	UG/L	1
SWB-7	12/3/2007	1,4-Dioxane	<		71	200	UG/L	1
SWB-7	3/6/2008	1,4-Dioxane	<		71	200	UG/L	1
SWB-7	6/6/2008	1,4-Dioxane	<		71	200	UG/L	1
SWB-7	9/8/2008	1,4-Dioxane	<		71	200	UG/L	1
SWB-7	12/5/2008	1,4-Dioxane	<		71	200	UG/L	1
SWB-7	3/2/2009	1,4-Dioxane	<		71	200	UG/L	1
SWB-7	6/5/2009	1,4-Dioxane	<		71	200	UG/L	1
SWB-7	9/9/2009	1,4-Dioxane	<		71	200	UG/L	1
SWB-7	12/1/2009	1,4-Dioxane	<		71	200	UG/L	1
SWB-7	3/2/2010	1,4-Dioxane	<	200	57	200	UG/L	1
SWB-7	6/1/2010	1,4-DIOXANE	<	57	57	200	UG/L	1 DNR
SWB-7	6/1/2010	1,4-DIOXANE	<	230	230	800	UG/L	1
SWB-7	9/9/2010	1,4-DIOXANE	<	57	57	200	UG/L	1
SWB-7	12/1/2010	1,4-DIOXANE	<	57	57	200	UG/L	1
SWB-8	3/5/2004	1,4-Dioxane	<		57	200	ug/L	1
SWB-8	3/7/2005	1,4-Dioxane	<		35	200	ug/L	1
SWB-8	6/1/2005	1,4-Dioxane	<		71	200	ug/L	1
SWB-8	3/1/2006	1,4-Dioxane	<		71	200	UG/L	1
SWB-8	3/7/2008	1,4-Dioxane	<		71	200	UG/L	1
SWB-8	3/3/2009	1,4-Dioxane	<		71	200	UG/L	1
SWB-9	3/4/2003	1,4-Dioxane	<		57	200	ug/L	1
SWB-9	12/3/2003	1,4-Dioxane	<		110	400	ug/L	2
SWB-9	3/5/2004	1,4-Dioxane	<		57	200	ug/L	1
SWB-9	5/27/2004	1,4-Dioxane	<		57	200	ug/L	1

tmpAnalyticalResultsOverTime

SWB-9	12/1/2004	1,4-Dioxane	<		57	200	ug/L	1	
SWB-9	3/3/2005	1,4-Dioxane	<		35	200	ug/L	1	
SWB-9	6/2/2005	1,4-Dioxane	<		71	200	ug/L	1	
SWB-9	9/1/2005	1,4-Dioxane	<		71	200	ug/L	1	UJ
SWB-9	12/1/2005	1,4-Dioxane	<		71	200	UG/L	1	
SWB-9	3/2/2006	1,4-Dioxane	<		280	800	UG/L	4	
SWB-9	6/1/2006	1,4-Dioxane	<		71	200	UG/L	1	
SWB-9	12/4/2006	1,4-Dioxane	<		71	200	UG/L	1	
SWB-9	3/5/2007	1,4-Dioxane	<		71	200	UG/L	1	
SWB-9	3/6/2008	1,4-Dioxane	<		71	200	UG/L	1	
SWB-9	6/5/2008	1,4-Dioxane	<		71	200	UG/L	1	R
SWB-9	12/5/2008	1,4-Dioxane	<		71	200	UG/L	1	
SWB-9	3/2/2009	1,4-Dioxane	<		71	200	UG/L	1	
SWB-9	6/2/2009	1,4-Dioxane	<		71	200	UG/L	1	
SWB-9	3/1/2010	1,4-Dioxane	<	200	57	200	ug/L	1	
SWB-9	6/1/2010	1,4-DIOXANE	<	57	57	200	UG/L	1	DNR
SWB-9	6/1/2010	1,4-DIOXANE	<	230	230	800	UG/L	1	
SWB-9	12/1/2010	1,4-DIOXANE	<	57	57	200	UG/L	1	
SWB-10	3/4/2004	1,4-Naphthoquinone	<		2	50	ug/L	1	NA
SWB-10	5/24/2004	1,4-Naphthoquinone	<		2	50	ug/L	1	UJ
SWB-10	12/1/2004	1,4-Naphthoquinone	<		2	50	ug/L	1	
SWB-10	3/3/2005	1,4-Naphthoquinone	<		2	50	ug/L	1	
SWB-10	6/2/2005	1,4-Naphthoquinone	<		2	50	ug/L	1	
SWB-10	9/1/2005	1,4-Naphthoquinone	<		2	50	ug/L	1	
SWB-10	3/2/2006	1,4-Naphthoquinone	<		2	50	UG/L	1	
SWB-10	6/2/2006	1,4-Naphthoquinone	<		2	50	UG/L	1	
SWB-10	3/1/2007	1,4-Naphthoquinone	<		2	50	UG/L	1	
SWB-10	3/7/2008	1,4-Naphthoquinone	<		2	50	UG/L	1	
SWB-10	6/5/2008	1,4-Naphthoquinone	<		2	50	UG/L	1	
SWB-10	3/2/2009	1,4-Naphthoquinone	<		14	50	UG/L	1	
SWB-10	3/2/2009	1,4-Naphthoquinone	<		14	50	UG/L	1	R
SWB-10	6/4/2009	1,4-Naphthoquinone	<		14	50	UG/L	1	
SWB-10	3/2/2010	1,4-Naphthoquinone	<	47	13	47	UG/L	1	
SWB-11	3/4/2004	1,4-Naphthoquinone	<		2	50	ug/L	1	
SWB-11	5/24/2004	1,4-Naphthoquinone	<		2	50	ug/L	1	UJ
SWB-11	12/1/2004	1,4-Naphthoquinone	<		2	50	ug/L	1	
SWB-11	3/1/2005	1,4-Naphthoquinone	<		2	50	ug/L	1	
SWB-11	6/2/2005	1,4-Naphthoquinone	<		2	50	ug/L	1	
SWB-11	3/2/2006	1,4-Naphthoquinone	<		2	50	UG/L	1	
SWB-11	6/1/2006	1,4-Naphthoquinone	<		2	50	UG/L	1	
SWB-11	3/1/2007	1,4-Naphthoquinone	<		2	50	UG/L	1	
SWB-11	3/7/2008	1,4-Naphthoquinone	<		2	50	UG/L	1	
SWB-11	6/5/2008	1,4-Naphthoquinone	<		2	50	UG/L	1	
SWB-11	3/2/2009	1,4-Naphthoquinone	<		14	50	UG/L	1	
SWB-11	6/4/2009	1,4-Naphthoquinone	<		14	50	UG/L	1	
SWB-11	3/1/2010	1,4-Naphthoquinone	<	47	13	47	ug/L	1	
SWB-11	6/2/2010	1,4-NAPHTHOQUINONE	<	13	13	47	UG/L	1	
SWB-3	10/29/2002	1,4-Naphthoquinone	<		2	50	ug/L	1	
SWB-3	3/4/2003	1,4-Naphthoquinone	<		2	50	ug/L	1	
SWB-3	6/3/2003	1,4-Naphthoquinone	<		2	50	ug/L	1	
SWB-3	9/4/2003	1,4-Naphthoquinone	<		2	50	ug/L	1	UJ
SWB-3	12/2/2003	1,4-Naphthoquinone	<		2	50	ug/L	1	
SWB-3	3/1/2004	1,4-Naphthoquinone	<		2	50	ug/L	1	
SWB-3	6/1/2004	1,4-Naphthoquinone	<		2	50	ug/L	1	
SWB-3	9/1/2004	1,4-Naphthoquinone	<		2	50	ug/L	1	
SWB-3	12/1/2004	1,4-Naphthoquinone	<		2	50	ug/L	1	
SWB-3	3/3/2005	1,4-Naphthoquinone	<		2	50	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	6/2/2005	1,4-Naphthoquinone	<	2	50	ug/L	1	
SWB-3	9/1/2005	1,4-Naphthoquinone	<	2	50	ug/L	1	
SWB-3	12/1/2005	1,4-Naphthoquinone	<	2	50	UG/L	1 UJ	
SWB-3	3/2/2006	1,4-Naphthoquinone	<	2	50	UG/L	1	
SWB-3	6/2/2006	1,4-Naphthoquinone	<	2	50	UG/L	1	
SWB-3	9/5/2006	1,4-Naphthoquinone	<	2	50	UG/L	1	
SWB-3	12/4/2006	1,4-Naphthoquinone	<	2	50	UG/L	1	
SWB-3	3/1/2007	1,4-Naphthoquinone	<	2	50	UG/L	1	
SWB-3	6/1/2007	1,4-Naphthoquinone	<	2	50	UG/L	1	
SWB-3	6/1/2007	1,4-Naphthoquinone	<	2	50	UG/L	1 R	
SWB-3	12/3/2007	1,4-Naphthoquinone	<	2	50	UG/L	1	
SWB-3	3/6/2008	1,4-Naphthoquinone	<	2	50	UG/L	1	
SWB-3	6/9/2008	1,4-Naphthoquinone	<	2	50	UG/L	1	
SWB-3	12/4/2008	1,4-Naphthoquinone	<	2	50	UG/L	1	
SWB-3	3/2/2009	1,4-Naphthoquinone	<	14	50	UG/L	1	
SWB-3	3/2/2009	1,4-Naphthoquinone	<	14	50	UG/L	1 R	
SWB-3	6/4/2009	1,4-Naphthoquinone	<	14	50	UG/L	1	
SWB-3	12/1/2009	1,4-Naphthoquinone	<	14	50	UG/L	1	
SWB-3	3/1/2010	1,4-Naphthoquinone	<	49	13	49	ug/L	1 UJ
SWB-3	6/1/2010	1,4-NAPHTHOQUINONE	<	13	13	47	UG/L	1
SWB-3	6/1/2010	1,4-NAPHTHOQUINONE	<	13	13	47	UG/L	1 DNR
SWB-3	9/9/2010	1,4-NAPHTHOQUINONE	<	13	13	47	UG/L	1
SWB-4	11/15/2002	1,4-Naphthoquinone	<	2	50	ug/L	1	
SWB-5	10/29/2002	1,4-Naphthoquinone	<	2	50	ug/L	1	
SWB-6	3/4/2003	1,4-Naphthoquinone	<	2	50	ug/L	1	
SWB-6	6/3/2003	1,4-Naphthoquinone	<	2	50	ug/L	1	
SWB-6	12/3/2003	1,4-Naphthoquinone	<	2	50	ug/L	1	
SWB-6	3/5/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
SWB-6	6/1/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
SWB-6	12/1/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
SWB-6	3/7/2005	1,4-Naphthoquinone	<	2	50	ug/L	1	
SWB-6	6/1/2005	1,4-Naphthoquinone	<	2	50	ug/L	1	
SWB-6	12/2/2005	1,4-Naphthoquinone	<	2	50	UG/L	1 UJ	
SWB-6	3/1/2006	1,4-Naphthoquinone	<	2	50	UG/L	1	
SWB-6	6/1/2006	1,4-Naphthoquinone	<	2	50	UG/L	1	
SWB-6	12/5/2006	1,4-Naphthoquinone	<	2	50	UG/L	1	
SWB-6	3/2/2007	1,4-Naphthoquinone	<	2	50	UG/L	1	
SWB-6	3/6/2008	1,4-Naphthoquinone	<	2	50	UG/L	1	
SWB-6	6/9/2008	1,4-Naphthoquinone	<	2	50	UG/L	1	
SWB-6	12/5/2008	1,4-Naphthoquinone	<	2	50	UG/L	1	
SWB-6	12/5/2008	1,4-Naphthoquinone	<	2	50	UG/L	1 R	
SWB-6	3/2/2009	1,4-Naphthoquinone	<	14	50	UG/L	1	
SWB-6	3/2/2009	1,4-Naphthoquinone	<	14	50	UG/L	1 R	
SWB-6	6/5/2009	1,4-Naphthoquinone	<	14	50	UG/L	1	
SWB-6	3/2/2010	1,4-Naphthoquinone	<	46	13	46	UG/L	1
SWB-6	6/2/2010	1,4-NAPHTHOQUINONE	<	13	13	47	UG/L	1 DNR
SWB-6	6/2/2010	1,4-NAPHTHOQUINONE	<	13	13	48	UG/L	1
SWB-7	3/4/2003	1,4-Naphthoquinone	<	2	50	ug/L	1	
SWB-7	6/3/2003	1,4-Naphthoquinone	<	2	50	ug/L	1	
SWB-7	3/1/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
SWB-7	5/24/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
SWB-7	12/1/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
SWB-7	3/7/2005	1,4-Naphthoquinone	<	2	50	ug/L	1 UJ	
SWB-7	6/1/2005	1,4-Naphthoquinone	<	2	50	ug/L	1	
SWB-7	9/1/2005	1,4-Naphthoquinone	<	2	50	ug/L	1	
SWB-7	12/1/2005	1,4-Naphthoquinone	<	2	50	UG/L	1 UJ	
SWB-7	3/1/2006	1,4-Naphthoquinone	<	2	50	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-7	6/2/2006	1,4-Naphthoquinone	<		2	50	UG/L	1		
SWB-7	9/5/2006	1,4-Naphthoquinone	<		2	50	UG/L	1	UJ	
SWB-7	12/5/2006	1,4-Naphthoquinone	<		2	50	UG/L	1		
SWB-7	3/2/2007	1,4-Naphthoquinone	<		2	50	UG/L	1		
SWB-7	6/1/2007	1,4-Naphthoquinone	<		2	50	UG/L	1		
SWB-7	9/7/2007	1,4-Naphthoquinone	<		2	50	UG/L	1		
SWB-7	12/3/2007	1,4-Naphthoquinone	<		2	50	UG/L	1		
SWB-7	3/6/2008	1,4-Naphthoquinone	<		2	50	UG/L	1		
SWB-7	6/6/2008	1,4-Naphthoquinone	<		2	50	UG/L	1		
SWB-7	9/8/2008	1,4-Naphthoquinone	<		2	50	UG/L	1		
SWB-7	12/5/2008	1,4-Naphthoquinone	<		2	50	UG/L	1		
SWB-7	12/5/2008	1,4-Naphthoquinone	<		2	50	UG/L	1	R	
SWB-7	3/2/2009	1,4-Naphthoquinone	<		14	50	UG/L	1		
SWB-7	3/2/2009	1,4-Naphthoquinone	<		14	50	UG/L	1	R	
SWB-7	6/5/2009	1,4-Naphthoquinone	<		14	50	UG/L	1		
SWB-7	9/9/2009	1,4-Naphthoquinone	<		14	50	UG/L	1		
SWB-7	12/1/2009	1,4-Naphthoquinone	<		14	50	UG/L	1		
SWB-7	3/2/2010	1,4-Naphthoquinone	<	47	13	47	UG/L	1		
SWB-7	6/1/2010	1,4-NAPHTHOQUINONE	<	13	13	48	UG/L	1	DNR	
SWB-7	6/1/2010	1,4-NAPHTHOQUINONE	<	14	14	50	UG/L	1	R	
SWB-7	9/9/2010	1,4-NAPHTHOQUINONE	<	13	13	48	UG/L	1		
SWB-7	12/1/2010	1,4-NAPHTHOQUINONE	<	13	13	47	UG/L	1		
SWB-8	3/5/2004	1,4-Naphthoquinone	<		2	50	ug/L	1		
SWB-8	3/7/2005	1,4-Naphthoquinone	<		2	50	ug/L	1		
SWB-8	6/1/2005	1,4-Naphthoquinone	<		2	50	ug/L	1		
SWB-8	3/1/2006	1,4-Naphthoquinone	<		2	50	UG/L	1		
SWB-8	3/7/2008	1,4-Naphthoquinone	<		2	50	UG/L	1		
SWB-8	3/3/2009	1,4-Naphthoquinone	<		14	50	UG/L	1		
SWB-8	3/3/2009	1,4-Naphthoquinone	<		14	50	UG/L	1	R	
SWB-9	3/4/2003	1,4-Naphthoquinone	<		2	50	ug/L	1		
SWB-9	12/3/2003	1,4-Naphthoquinone	<		2	50	ug/L	1		
SWB-9	3/5/2004	1,4-Naphthoquinone	<		2	50	ug/L	1		
SWB-9	5/27/2004	1,4-Naphthoquinone	<		2	50	ug/L	1	UJ	
SWB-9	12/1/2004	1,4-Naphthoquinone	<		2	50	ug/L	1		
SWB-9	3/3/2005	1,4-Naphthoquinone	<		2	50	ug/L	1		
SWB-9	6/2/2005	1,4-Naphthoquinone	<		2	50	ug/L	1		
SWB-9	9/1/2005	1,4-Naphthoquinone	<		2	50	ug/L	1		
SWB-9	12/1/2005	1,4-Naphthoquinone	<		2	50	UG/L	1	UJ	
SWB-9	3/2/2006	1,4-Naphthoquinone	<		2	50	UG/L	1		
SWB-9	6/1/2006	1,4-Naphthoquinone	<		2	50	UG/L	1		
SWB-9	12/4/2006	1,4-Naphthoquinone	<		2	50	UG/L	1		
SWB-9	3/5/2007	1,4-Naphthoquinone	<		2	50	UG/L	1		
SWB-9	3/6/2008	1,4-Naphthoquinone	<		2	50	UG/L	1		
SWB-9	6/5/2008	1,4-Naphthoquinone	<		2	50	UG/L	1		
SWB-9	12/5/2008	1,4-Naphthoquinone	<		2	50	UG/L	1		
SWB-9	12/5/2008	1,4-Naphthoquinone	<		2	50	UG/L	1	R	
SWB-9	3/2/2009	1,4-Naphthoquinone	<		14	50	UG/L	1		
SWB-9	3/2/2009	1,4-Naphthoquinone	<		14	50	UG/L	1	R	
SWB-9	6/2/2009	1,4-Naphthoquinone	<		14	50	UG/L	1		
SWB-9	6/2/2009	1,4-Naphthoquinone	<		14	50	UG/L	1	DNR	
SWB-9	3/1/2010	1,4-Naphthoquinone	<	46	13	46	ug/L	1		
SWB-9	6/1/2010	1,4-NAPHTHOQUINONE	<	13	13	47	UG/L	1		
SWB-9	6/1/2010	1,4-NAPHTHOQUINONE	<	13	13	47	UG/L	1	DNR	
SWB-9	12/1/2010	1,4-NAPHTHOQUINONE	<	13	13	46	UG/L	1		
SWB-9	5/27/2004	1-Butene, 2-chloro-3-methyl-	TI	9.2			ug/L	1	NJ	NA
SWB-9	12/3/2003	1-Butene, 3-chloro-2-methyl-	TI	65			ug/L	1	NJ	NA
SWB-10	3/4/2004	1-Chlorohexane	<		0.19	1	ug/L	1		NA

tmpAnalyticalResultsOverTime

SWB-10	5/24/2004	1-Chlorohexane	<	0.19	1	ug/L	1	
SWB-10	12/1/2004	1-Chlorohexane	<	0.19	1	ug/L	1	
SWB-10	3/3/2005	1-Chlorohexane	<	0.2	1	ug/L	1	
SWB-10	6/2/2005	1-Chlorohexane	<	0.17	1	ug/L	1	
SWB-10	9/1/2005	1-Chlorohexane	<	0.17	1	ug/L	1	
SWB-10	3/2/2006	1-Chlorohexane	<	0.68	4	UG/L	4	
SWB-10	6/2/2006	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-10	3/1/2007	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-10	3/7/2008	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-10	6/5/2008	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-10	3/2/2009	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-10	6/4/2009	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-10	3/2/2010	1-Chlorohexane	<	1	0.19	1	UG/L	1
SWB-11	3/4/2004	1-Chlorohexane	<	0.19	1	ug/L	1	
SWB-11	5/24/2004	1-Chlorohexane	<	0.19	1	ug/L	1	
SWB-11	12/1/2004	1-Chlorohexane	<	0.19	1	ug/L	1	
SWB-11	3/1/2005	1-Chlorohexane	<	0.2	1	ug/L	1	
SWB-11	6/2/2005	1-Chlorohexane	<	0.17	1	ug/L	1	
SWB-11	3/2/2006	1-Chlorohexane	<	1.7	10	UG/L	10	
SWB-11	6/1/2006	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-11	3/1/2007	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-11	3/7/2008	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-11	6/5/2008	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-11	3/2/2009	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-11	6/4/2009	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-11	3/1/2010	1-Chlorohexane	<	1	0.19	1	ug/L	1
SWB-11	6/2/2010	1-CHLOROHEXANE	<	0.19	0.19	1	UG/L	1
SWB-3	10/29/2002	1-Chlorohexane	<	0.38	1	ug/L	1	
SWB-3	3/4/2003	1-Chlorohexane	<	0.19	1	ug/L	1	
SWB-3	6/3/2003	1-Chlorohexane	<	0.19	1	ug/L	1	
SWB-3	9/4/2003	1-Chlorohexane	<	0.19	1	ug/L	1 UJ	
SWB-3	12/2/2003	1-Chlorohexane	<	0.19	1	ug/L	1	
SWB-3	3/1/2004	1-Chlorohexane	<	0.19	1	ug/L	1	
SWB-3	6/1/2004	1-Chlorohexane	<	0.19	1	ug/L	1	
SWB-3	9/1/2004	1-Chlorohexane	<	0.19	1	ug/L	1	
SWB-3	12/1/2004	1-Chlorohexane	<	0.32	1.7	ug/L	1.66	
SWB-3	3/3/2005	1-Chlorohexane	<	0.2	1	ug/L	1	
SWB-3	6/2/2005	1-Chlorohexane	<	0.17	1	ug/L	1	
SWB-3	9/1/2005	1-Chlorohexane	<	0.17	1	ug/L	1	
SWB-3	12/1/2005	1-Chlorohexane	<	0.34	2	UG/L	2	
SWB-3	3/2/2006	1-Chlorohexane	<	0.68	4	UG/L	4	
SWB-3	6/2/2006	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-3	9/5/2006	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-3	12/4/2006	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-3	3/1/2007	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-3	6/1/2007	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-3	12/3/2007	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-3	3/6/2008	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-3	6/9/2008	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-3	12/4/2008	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-3	3/2/2009	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-3	6/4/2009	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-3	12/1/2009	1-Chlorohexane	<	0.17	1	UG/L	1	
SWB-3	3/1/2010	1-Chlorohexane	<	1	0.19	1	ug/L	1
SWB-3	3/1/2010	1-Chlorohexane	<	2	0.38	2	ug/L	1 DNR
SWB-3	6/1/2010	1-CHLOROHEXANE	<	0.19	0.19	1	UG/L	1 DNR
SWB-3	6/1/2010	1-CHLOROHEXANE	<	0.76	0.76	4	UG/L	1

tmpAnalyticalResultsOverTime

SWB-3	9/9/2010	1-CHLOROHEXANE	<	0.19	0.19	1	UG/L	1
SWB-4	11/15/2002	1-Chlorohexane	<		0.38	1	ug/L	1
SWB-5	10/29/2002	1-Chlorohexane	<		0.38	1	ug/L	1
SWB-6	3/4/2003	1-Chlorohexane	<		0.19	1	ug/L	1
SWB-6	6/3/2003	1-Chlorohexane	<		0.38	2	ug/L	2
SWB-6	12/3/2003	1-Chlorohexane	<		0.38	2	ug/L	2
SWB-6	3/5/2004	1-Chlorohexane	<		0.19	1	ug/L	1
SWB-6	6/1/2004	1-Chlorohexane	<		0.19	1	ug/L	1
SWB-6	12/1/2004	1-Chlorohexane	<		0.19	1	ug/L	1
SWB-6	3/7/2005	1-Chlorohexane	<		0.2	1	ug/L	1
SWB-6	6/1/2005	1-Chlorohexane	<		0.17	1	ug/L	1
SWB-6	12/2/2005	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-6	3/1/2006	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-6	6/1/2006	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-6	12/5/2006	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-6	3/2/2007	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-6	3/6/2008	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-6	6/9/2008	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-6	12/5/2008	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-6	3/2/2009	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-6	6/5/2009	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-6	3/2/2010	1-Chlorohexane	<	1	0.19	1	UG/L	1
SWB-6	6/2/2010	1-CHLOROHEXANE	<	0.19	0.19	1	UG/L	1
SWB-7	3/4/2003	1-Chlorohexane	<		0.19	1	ug/L	1
SWB-7	6/3/2003	1-Chlorohexane	<		0.19	1	ug/L	1
SWB-7	3/1/2004	1-Chlorohexane	<		0.19	1	ug/L	1
SWB-7	5/24/2004	1-Chlorohexane	<		0.19	1	ug/L	1
SWB-7	12/1/2004	1-Chlorohexane	<		0.19	1	ug/L	1
SWB-7	3/7/2005	1-Chlorohexane	<		0.2	1	ug/L	1
SWB-7	6/1/2005	1-Chlorohexane	<		0.17	1	ug/L	1
SWB-7	9/1/2005	1-Chlorohexane	<		0.17	1	ug/L	1
SWB-7	12/1/2005	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-7	3/1/2006	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-7	6/2/2006	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-7	9/5/2006	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-7	12/5/2006	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-7	3/2/2007	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-7	6/1/2007	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-7	9/7/2007	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-7	12/3/2007	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-7	3/6/2008	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-7	6/6/2008	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-7	9/8/2008	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-7	12/5/2008	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-7	3/2/2009	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-7	6/5/2009	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-7	9/9/2009	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-7	12/1/2009	1-Chlorohexane	<		0.17	1	UG/L	1
SWB-7	3/2/2010	1-Chlorohexane	<	1	0.19	1	UG/L	1
SWB-7	6/1/2010	1-CHLOROHEXANE	<	0.19	0.19	1	UG/L	1 DNR
SWB-7	6/1/2010	1-CHLOROHEXANE	<	0.76	0.76	4	UG/L	1
SWB-7	9/9/2010	1-CHLOROHEXANE	<	0.19	0.19	1	UG/L	1
SWB-7	12/1/2010	1-CHLOROHEXANE	<	0.19	0.19	1	UG/L	1
SWB-8	3/5/2004	1-Chlorohexane	<		0.19	1	ug/L	1
SWB-8	3/7/2005	1-Chlorohexane	<		0.2	1	ug/L	1
SWB-8	6/1/2005	1-Chlorohexane	<		0.17	1	ug/L	1
SWB-8	3/1/2006	1-Chlorohexane	<		0.17	1	UG/L	1



tmpAnalyticalResultsOverTime

SWB-8	3/7/2008	1-Chlorohexane	<		0.17	1	UG/L	1			
SWB-8	3/3/2009	1-Chlorohexane	<		0.17	1	UG/L	1			
SWB-9	3/4/2003	1-Chlorohexane	<		0.19	1	ug/L	1			
SWB-9	12/3/2003	1-Chlorohexane	<		0.38	2	ug/L	2			
SWB-9	3/5/2004	1-Chlorohexane	<		0.19	1	ug/L	1			
SWB-9	5/27/2004	1-Chlorohexane	<		0.19	1	ug/L	1			
SWB-9	12/1/2004	1-Chlorohexane	<		0.19	1	ug/L	1			
SWB-9	3/3/2005	1-Chlorohexane	<		0.2	1	ug/L	1			
SWB-9	6/2/2005	1-Chlorohexane	<		0.17	1	ug/L	1			
SWB-9	9/1/2005	1-Chlorohexane	<		0.17	1	ug/L	1	UJ		
SWB-9	12/1/2005	1-Chlorohexane	<		0.17	1	UG/L	1			
SWB-9	3/2/2006	1-Chlorohexane	<		0.68	4	UG/L	4			
SWB-9	6/1/2006	1-Chlorohexane	<		0.17	1	UG/L	1			
SWB-9	12/4/2006	1-Chlorohexane	<		0.17	1	UG/L	1			
SWB-9	3/5/2007	1-Chlorohexane	<		0.17	1	UG/L	1			
SWB-9	3/6/2008	1-Chlorohexane	<		0.17	1	UG/L	1			
SWB-9	6/5/2008	1-Chlorohexane	<		0.17	1	UG/L	1	R		
SWB-9	12/5/2008	1-Chlorohexane	<		0.17	1	UG/L	1			
SWB-9	3/2/2009	1-Chlorohexane	<		0.17	1	UG/L	1			
SWB-9	6/2/2009	1-Chlorohexane	<		0.17	1	UG/L	1			
SWB-9	3/1/2010	1-Chlorohexane	<	1	0.19	1	ug/L	1			
SWB-9	6/1/2010	1-CHLOROHEXANE	<	0.19	0.19	1	UG/L	1	DNR		
SWB-9	6/1/2010	1-CHLOROHEXANE	<	0.76	0.76	4	UG/L	1			
SWB-9	12/1/2010	1-CHLOROHEXANE	<	0.19	0.19	1	UG/L	1			
SWB-6	12/3/2003	1H-indole-5-carbonitrile	TI	4.9			ug/L	1	NJ	NA	
SWB-3	9/4/2003	1H-pyrazole, 4-bromo-	TI	19			ug/L	1	NJ	NA	
SWB-10	3/4/2004	1-Methylnaphthalene	<		0.7	10	ug/L	1			0.0021 mg/L
SWB-10	5/24/2004	1-Methylnaphthalene	<		0.7	10	ug/L	1	UJ		
SWB-10	12/1/2004	1-Methylnaphthalene	<		0.7	10	ug/L	1			
SWB-10	3/3/2005	1-Methylnaphthalene	<		1.7	10	ug/L	1			
SWB-10	6/2/2005	1-Methylnaphthalene	<		1.7	10	ug/L	1			
SWB-10	9/1/2005	1-Methylnaphthalene	<		1.7	10	ug/L	1			
SWB-10	3/2/2006	1-Methylnaphthalene	<		1.7	10	UG/L	1			
SWB-10	6/2/2006	1-Methylnaphthalene	<		1.7	10	UG/L	1			
SWB-10	3/1/2007	1-Methylnaphthalene	<		1.7	10	UG/L	1			
SWB-10	3/7/2008	1-Methylnaphthalene	<		0.23	10	UG/L	1			
SWB-10	6/5/2008	1-Methylnaphthalene	<		0.23	10	UG/L	1			
SWB-10	3/2/2009	1-Methylnaphthalene	<		0.23	4	UG/L	1			
SWB-10	3/2/2009	1-Methylnaphthalene	<		0.23	4	UG/L	1	R		
SWB-10	6/4/2009	1-Methylnaphthalene	<		0.23	4	UG/L	1			
SWB-10	3/2/2010	1-Methylnaphthalene	<	3.7	0.21	3.7	UG/L	1			
SWB-11	3/4/2004	1-Methylnaphthalene	<		0.7	10	ug/L	1			
SWB-11	5/24/2004	1-Methylnaphthalene	<		0.7	10	ug/L	1	UJ		
SWB-11	12/1/2004	1-Methylnaphthalene	<		0.7	10	ug/L	1			
SWB-11	3/1/2005	1-Methylnaphthalene	<		1.7	10	ug/L	1			
SWB-11	6/2/2005	1-Methylnaphthalene	<		1.7	10	ug/L	1			
SWB-11	3/2/2006	1-Methylnaphthalene	<		1.7	10	UG/L	1			
SWB-11	6/1/2006	1-Methylnaphthalene	<		1.7	10	UG/L	1			
SWB-11	3/1/2007	1-Methylnaphthalene	<		1.7	10	UG/L	1			
SWB-11	3/7/2008	1-Methylnaphthalene	<		0.23	10	UG/L	1			
SWB-11	6/5/2008	1-Methylnaphthalene	<		0.23	10	UG/L	1			
SWB-11	3/2/2009	1-Methylnaphthalene	<		0.23	4	UG/L	1			
SWB-11	6/4/2009	1-Methylnaphthalene	<		0.23	4	UG/L	1			
SWB-11	3/1/2010	1-Methylnaphthalene	<	3.7	0.22	3.7	ug/L	1			
SWB-11	6/2/2010	1-METHYLNAPHTHALENE	<	0.22	0.22	3.8	UG/L	1	UJ		
SWB-3	10/29/2002	1-Methylnaphthalene	<		1.4	10	ug/L	1			
SWB-3	3/4/2003	1-Methylnaphthalene	<		1.4	10	ug/L	1			

tmpAnalyticalResultsOverTime

SWB-3	6/3/2003	1-Methylnaphthalene	<	1.4	10	ug/L	1	
SWB-3	9/4/2003	1-Methylnaphthalene	<	1.4	10	ug/L	1 UJ	
SWB-3	12/2/2003	1-Methylnaphthalene	<	0.7	10	ug/L	1	
SWB-3	3/1/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
SWB-3	6/1/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
SWB-3	9/1/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
SWB-3	12/1/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
SWB-3	3/3/2005	1-Methylnaphthalene	<	1.7	10	ug/L	1	
SWB-3	6/2/2005	1-Methylnaphthalene	<	1.7	10	ug/L	1	
SWB-3	9/1/2005	1-Methylnaphthalene	<	1.7	10	ug/L	1	
SWB-3	12/1/2005	1-Methylnaphthalene	<	1.7	10	UG/L	1 UJ	
SWB-3	3/2/2006	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-3	6/2/2006	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-3	9/5/2006	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-3	9/5/2006	1-Methylnaphthalene	<	0.02	5	UG/L	1	
SWB-3	12/4/2006	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-3	3/1/2007	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-3	6/1/2007	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-3	6/1/2007	1-Methylnaphthalene	<	1.7	10	UG/L	1 R	
SWB-3	12/3/2007	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-3	3/6/2008	1-Methylnaphthalene	<	0.23	10	UG/L	1	
SWB-3	6/9/2008	1-Methylnaphthalene	<	0.23	10	UG/L	1	
SWB-3	12/4/2008	1-Methylnaphthalene	<	0.23	4	UG/L	1	
SWB-3	3/2/2009	1-Methylnaphthalene	<	0.23	4	UG/L	1	
SWB-3	3/2/2009	1-Methylnaphthalene	<	0.23	4	UG/L	1 R	
SWB-3	6/4/2009	1-Methylnaphthalene	<	0.23	4	UG/L	1 UJ	
SWB-3	12/1/2009	1-Methylnaphthalene	<	0.23	4	UG/L	1	
SWB-3	3/1/2010	1-Methylnaphthalene	<	3.9	0.22	3.9	ug/L	1 UJ
SWB-3	6/1/2010	1-METHYLNAPHTHALENE	<	0.22	0.22	3.7	UG/L	1 UJ
SWB-3	6/1/2010	1-METHYLNAPHTHALENE	<	0.22	0.22	3.8	UG/L	1 DNR
SWB-3	9/9/2010	1-METHYLNAPHTHALENE	<	0.21	0.21	3.7	UG/L	1
SWB-4	11/15/2002	1-Methylnaphthalene	<	1.4	10	ug/L	1	
SWB-5	10/29/2002	1-Methylnaphthalene	<	1.4	10	ug/L	1	
SWB-6	3/4/2003	1-Methylnaphthalene	<	1.4	10	ug/L	1	
SWB-6	6/3/2003	1-Methylnaphthalene	<	1.4	10	ug/L	1	
SWB-6	12/3/2003	1-Methylnaphthalene	<	0.7	10	ug/L	1	
SWB-6	3/5/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
SWB-6	6/1/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
SWB-6	12/1/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
SWB-6	3/7/2005	1-Methylnaphthalene	<	1.7	10	ug/L	1	
SWB-6	6/1/2005	1-Methylnaphthalene	<	1.7	10	ug/L	1	
SWB-6	12/2/2005	1-Methylnaphthalene	<	1.7	10	UG/L	1 UJ	
SWB-6	3/1/2006	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-6	6/1/2006	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-6	12/5/2006	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-6	3/2/2007	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-6	3/6/2008	1-Methylnaphthalene	<	0.23	10	UG/L	1	
SWB-6	6/9/2008	1-Methylnaphthalene	<	0.23	10	UG/L	1	
SWB-6	12/5/2008	1-Methylnaphthalene	<	0.23	4	UG/L	1 R	
SWB-6	12/5/2008	1-Methylnaphthalene	<	0.23	4	UG/L	1 UJ	
SWB-6	3/2/2009	1-Methylnaphthalene	<	0.23	4	UG/L	1	
SWB-6	3/2/2009	1-Methylnaphthalene	<	0.23	4	UG/L	1 R	
SWB-6	6/5/2009	1-Methylnaphthalene	<	0.23	4	UG/L	1	
SWB-6	3/2/2010	1-Methylnaphthalene	<	3.6	0.21	3.6	UG/L	1
SWB-6	6/2/2010	1-METHYLNAPHTHALENE	<	0.22	0.22	3.8	UG/L	1 DNR
SWB-6	6/2/2010	1-METHYLNAPHTHALENE	<	0.22	0.22	3.8	UG/L	1 UJ
SWB-7	3/4/2003	1-Methylnaphthalene	<	1.4	10	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-7	6/3/2003	1-Methylnaphthalene	<	1.4	10	ug/L	1	
SWB-7	3/1/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
SWB-7	5/24/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
SWB-7	12/1/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
SWB-7	3/7/2005	1-Methylnaphthalene	<	1.7	10	ug/L	1 UJ	
SWB-7	6/1/2005	1-Methylnaphthalene	<	1.7	10	ug/L	1	
SWB-7	9/1/2005	1-Methylnaphthalene	<	1.7	10	ug/L	1	
SWB-7	12/1/2005	1-Methylnaphthalene	<	1.7	10	UG/L	1 UJ	
SWB-7	3/1/2006	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-7	6/2/2006	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-7	9/5/2006	1-Methylnaphthalene	<	1.7	10	UG/L	1 UJ	
SWB-7	9/5/2006	1-Methylnaphthalene	<	0.02	5	UG/L	1	
SWB-7	12/5/2006	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-7	3/2/2007	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-7	6/1/2007	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-7	9/7/2007	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-7	12/3/2007	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-7	3/6/2008	1-Methylnaphthalene	<	0.23	10	UG/L	1	
SWB-7	6/6/2008	1-Methylnaphthalene	<	0.23	10	UG/L	1	
SWB-7	9/8/2008	1-Methylnaphthalene	<	0.23	4	UG/L	1	
SWB-7	12/5/2008	1-Methylnaphthalene	<	0.23	4	UG/L	1 R	
SWB-7	12/5/2008	1-Methylnaphthalene	<	0.23	4	UG/L	1 UJ	
SWB-7	3/2/2009	1-Methylnaphthalene	<	0.23	4	UG/L	1	
SWB-7	3/2/2009	1-Methylnaphthalene	<	0.23	4	UG/L	1 R	
SWB-7	6/5/2009	1-Methylnaphthalene	<	0.23	4	UG/L	1	
SWB-7	9/9/2009	1-Methylnaphthalene	<	0.23	4	UG/L	1	
SWB-7	12/1/2009	1-Methylnaphthalene	<	0.23	4	UG/L	1	
SWB-7	3/2/2010	1-Methylnaphthalene	<	3.8	0.22	3.8	UG/L	1
SWB-7	6/1/2010	1-METHYLNAPHTHALENE	<	0.22	0.22	3.8	UG/L	1 DNR
SWB-7	6/1/2010	1-METHYLNAPHTHALENE	<	0.23	0.23	4	UG/L	1 R
SWB-7	9/9/2010	1-METHYLNAPHTHALENE	<	0.22	0.22	3.9	UG/L	1
SWB-7	12/1/2010	1-METHYLNAPHTHALENE	<	0.21	0.21	3.7	UG/L	1
SWB-8	3/5/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
SWB-8	3/7/2005	1-Methylnaphthalene	<	1.7	10	ug/L	1	
SWB-8	6/1/2005	1-Methylnaphthalene	<	1.7	10	ug/L	1	
SWB-8	3/1/2006	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-8	3/7/2008	1-Methylnaphthalene	<	0.23	10	UG/L	1	
SWB-8	3/3/2009	1-Methylnaphthalene	<	0.23	4	UG/L	1	
SWB-8	3/3/2009	1-Methylnaphthalene	<	0.23	4	UG/L	1 R	
SWB-9	3/4/2003	1-Methylnaphthalene	<	1.4	10	ug/L	1	
SWB-9	12/3/2003	1-Methylnaphthalene	<	0.7	10	ug/L	1	
SWB-9	3/5/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
SWB-9	5/27/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1 UJ	
SWB-9	12/1/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
SWB-9	3/3/2005	1-Methylnaphthalene	<	1.7	10	ug/L	1	
SWB-9	6/2/2005	1-Methylnaphthalene	<	1.7	10	ug/L	1	
SWB-9	9/1/2005	1-Methylnaphthalene	<	1.7	10	ug/L	1	
SWB-9	12/1/2005	1-Methylnaphthalene	<	1.7	10	UG/L	1 UJ	
SWB-9	3/2/2006	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-9	6/1/2006	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-9	12/4/2006	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-9	3/5/2007	1-Methylnaphthalene	<	1.7	10	UG/L	1	
SWB-9	3/6/2008	1-Methylnaphthalene	<	0.23	10	UG/L	1	
SWB-9	6/5/2008	1-Methylnaphthalene	<	0.23	10	UG/L	1	
SWB-9	12/5/2008	1-Methylnaphthalene	<	0.23	4	UG/L	1 R	
SWB-9	12/5/2008	1-Methylnaphthalene	<	0.23	4	UG/L	1 UJ	
SWB-9	3/2/2009	1-Methylnaphthalene	<	0.23	4	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-9	3/2/2009	1-Methylnaphthalene	<		0.23	4	UG/L	1 R	
SWB-9	6/2/2009	1-Methylnaphthalene	<		0.23	4	UG/L	1	
SWB-9	6/2/2009	1-Methylnaphthalene	<		0.23	4	UG/L	1 DNR	
SWB-9	3/1/2010	1-Methylnaphthalene	<	3.7	0.21	3.7	ug/L	1	
SWB-9	6/1/2010	1-METHYLNAPHTHALENE	<	0.22	0.22	3.8	UG/L	1 DNR	
SWB-9	6/1/2010	1-METHYLNAPHTHALENE	<	0.22	0.22	3.8	UG/L	1 UJ	
SWB-9	12/1/2010	1-METHYLNAPHTHALENE	<	0.21	0.21	3.7	UG/L	1	
SWB-10	3/4/2004	1-Naphthylamine	<		1	10	ug/L	1	NA
SWB-10	5/24/2004	1-Naphthylamine	<		1	10	ug/L	1 UJ	
SWB-10	12/1/2004	1-Naphthylamine	<		1	10	ug/L	1	
SWB-10	3/3/2005	1-Naphthylamine	<		1	10	ug/L	1	
SWB-10	6/2/2005	1-Naphthylamine	<		1	10	ug/L	1	
SWB-10	9/1/2005	1-Naphthylamine	<		1	10	ug/L	1	
SWB-10	3/2/2006	1-Naphthylamine	<		1	10	UG/L	1	
SWB-10	6/2/2006	1-Naphthylamine	<		1	10	UG/L	1	
SWB-10	3/1/2007	1-Naphthylamine	<		1	10	UG/L	1	
SWB-10	3/7/2008	1-Naphthylamine	<		1	10	UG/L	1	
SWB-10	6/5/2008	1-Naphthylamine	<		1	10	UG/L	1	
SWB-10	3/2/2009	1-Naphthylamine	<		3.1	10	UG/L	1	
SWB-10	3/2/2009	1-Naphthylamine	<		3.1	10	UG/L	1 R	
SWB-10	6/4/2009	1-Naphthylamine	<		3.1	10	UG/L	1	
SWB-10	3/2/2010	1-Naphthylamine	<	9.3	2.9	9.3	UG/L	1	
SWB-11	3/4/2004	1-Naphthylamine	<		1	10	ug/L	1	
SWB-11	5/24/2004	1-Naphthylamine	<		1	10	ug/L	1 UJ	
SWB-11	12/1/2004	1-Naphthylamine	<		1	10	ug/L	1	
SWB-11	3/1/2005	1-Naphthylamine	<		1	10	ug/L	1	
SWB-11	6/2/2005	1-Naphthylamine	<		1	10	ug/L	1	
SWB-11	3/2/2006	1-Naphthylamine	<		1	10	UG/L	1	
SWB-11	6/1/2006	1-Naphthylamine	<		1	10	UG/L	1	
SWB-11	3/1/2007	1-Naphthylamine	<		1	10	UG/L	1	
SWB-11	3/7/2008	1-Naphthylamine	<		1	10	UG/L	1	
SWB-11	6/5/2008	1-Naphthylamine	<		1	10	UG/L	1	
SWB-11	3/2/2009	1-Naphthylamine	<		3.1	10	UG/L	1	
SWB-11	6/4/2009	1-Naphthylamine	<		3.1	10	UG/L	1	
SWB-11	3/1/2010	1-Naphthylamine	<	9.4	2.9	9.4	ug/L	1	
SWB-11	6/2/2010	1-NAPHTHYLAMINE	<	2.9	2.9	9.5	UG/L	1	
SWB-3	10/29/2002	1-Naphthylamine	<		1.6	10	ug/L	1	
SWB-3	3/4/2003	1-Naphthylamine	<		1.6	10	ug/L	1	
SWB-3	6/3/2003	1-Naphthylamine	<		1.6	10	ug/L	1	
SWB-3	9/4/2003	1-Naphthylamine	<		2	10	ug/L	1 UJ	
SWB-3	12/2/2003	1-Naphthylamine	<		2	10	ug/L	1	
SWB-3	3/1/2004	1-Naphthylamine	<		1	10	ug/L	1	
SWB-3	6/1/2004	1-Naphthylamine	<		1	10	ug/L	1	
SWB-3	9/1/2004	1-Naphthylamine	<		1	10	ug/L	1	
SWB-3	12/1/2004	1-Naphthylamine	<		1	10	ug/L	1	
SWB-3	3/3/2005	1-Naphthylamine	<		1	10	ug/L	1	
SWB-3	6/2/2005	1-Naphthylamine	<		1	10	ug/L	1	
SWB-3	9/1/2005	1-Naphthylamine	<		1	10	ug/L	1	
SWB-3	12/1/2005	1-Naphthylamine	<		1	10	UG/L	1 UJ	
SWB-3	3/2/2006	1-Naphthylamine	<		1	10	UG/L	1	
SWB-3	6/2/2006	1-Naphthylamine	<		1	10	UG/L	1	
SWB-3	9/5/2006	1-Naphthylamine	<		1	10	UG/L	1	
SWB-3	12/4/2006	1-Naphthylamine	<		1	10	UG/L	1	
SWB-3	3/1/2007	1-Naphthylamine	<		1	10	UG/L	1	
SWB-3	6/1/2007	1-Naphthylamine	<		1	10	UG/L	1	
SWB-3	6/1/2007	1-Naphthylamine	<		1	10	UG/L	1 R	
SWB-3	12/3/2007	1-Naphthylamine	<		1	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	3/6/2008	1-Naphthylamine	<		1	10	UG/L	1
SWB-3	6/9/2008	1-Naphthylamine	<		1	10	UG/L	1
SWB-3	12/4/2008	1-Naphthylamine	<		1	10	UG/L	1
SWB-3	3/2/2009	1-Naphthylamine	<		3.1	10	UG/L	1
SWB-3	3/2/2009	1-Naphthylamine	<		3.1	10	UG/L	1 R
SWB-3	6/4/2009	1-Naphthylamine	<		3.1	10	UG/L	1
SWB-3	12/1/2009	1-Naphthylamine	<		3.1	10	UG/L	1
SWB-3	3/1/2010	1-Naphthylamine	<	9.7	3	9.7	ug/L	1 UJ
SWB-3	6/1/2010	1-NAPHTHYLAMINE	<	2.9	2.9	9.4	UG/L	1
SWB-3	6/1/2010	1-NAPHTHYLAMINE	<	2.9	2.9	9.4	UG/L	1 DNR
SWB-3	9/9/2010	1-NAPHTHYLAMINE	<	2.9	2.9	9.3	UG/L	1
SWB-4	11/15/2002	1-Naphthylamine	<		1.6	10	ug/L	1
SWB-5	10/29/2002	1-Naphthylamine	<		1.6	10	ug/L	1
SWB-6	3/4/2003	1-Naphthylamine	<		1.6	10	ug/L	1
SWB-6	6/3/2003	1-Naphthylamine	<		1.6	10	ug/L	1
SWB-6	12/3/2003	1-Naphthylamine	<		2	10	ug/L	1
SWB-6	3/5/2004	1-Naphthylamine	<		1	10	ug/L	1
SWB-6	6/1/2004	1-Naphthylamine	<		1	10	ug/L	1
SWB-6	12/1/2004	1-Naphthylamine	<		1	10	ug/L	1
SWB-6	3/7/2005	1-Naphthylamine	<		1	10	ug/L	1
SWB-6	6/1/2005	1-Naphthylamine	<		1	10	ug/L	1
SWB-6	12/2/2005	1-Naphthylamine	<		1	10	UG/L	1 UJ
SWB-6	3/1/2006	1-Naphthylamine	<		1	10	UG/L	1
SWB-6	6/1/2006	1-Naphthylamine	<		1	10	UG/L	1
SWB-6	12/5/2006	1-Naphthylamine	<		1	10	UG/L	1
SWB-6	3/2/2007	1-Naphthylamine	<		1	10	UG/L	1
SWB-6	3/6/2008	1-Naphthylamine	<		1	10	UG/L	1
SWB-6	6/9/2008	1-Naphthylamine	<		1	10	UG/L	1
SWB-6	12/5/2008	1-Naphthylamine	<		1	10	UG/L	1
SWB-6	12/5/2008	1-Naphthylamine	<		1	10	UG/L	1 R
SWB-6	3/2/2009	1-Naphthylamine	<		3.1	10	UG/L	1
SWB-6	3/2/2009	1-Naphthylamine	<		3.1	10	UG/L	1 R
SWB-6	6/5/2009	1-Naphthylamine	<		3.1	10	UG/L	1
SWB-6	3/2/2010	1-Naphthylamine	<	9.1	2.8	9.1	UG/L	1
SWB-6	6/2/2010	1-NAPHTHYLAMINE	<	2.9	2.9	9.4	UG/L	1 DNR
SWB-6	6/2/2010	1-NAPHTHYLAMINE	<	3	3	9.5	UG/L	1
SWB-7	3/4/2003	1-Naphthylamine	<		1.6	10	ug/L	1
SWB-7	6/3/2003	1-Naphthylamine	<		1.6	10	ug/L	1
SWB-7	3/1/2004	1-Naphthylamine	<		1	10	ug/L	1
SWB-7	5/24/2004	1-Naphthylamine	<		1	10	ug/L	1
SWB-7	12/1/2004	1-Naphthylamine	<		1	10	ug/L	1
SWB-7	3/7/2005	1-Naphthylamine	<		1	10	ug/L	1 UJ
SWB-7	6/1/2005	1-Naphthylamine	<		1	10	ug/L	1
SWB-7	9/1/2005	1-Naphthylamine	<		1	10	ug/L	1
SWB-7	12/1/2005	1-Naphthylamine	<		1	10	UG/L	1 UJ
SWB-7	3/1/2006	1-Naphthylamine	<		1	10	UG/L	1
SWB-7	6/2/2006	1-Naphthylamine	<		1	10	UG/L	1
SWB-7	9/5/2006	1-Naphthylamine	<		1	10	UG/L	1 UJ
SWB-7	12/5/2006	1-Naphthylamine	<		1	10	UG/L	1
SWB-7	3/2/2007	1-Naphthylamine	<		1	10	UG/L	1
SWB-7	6/1/2007	1-Naphthylamine	<		1	10	UG/L	1
SWB-7	9/7/2007	1-Naphthylamine	<		1	10	UG/L	1
SWB-7	12/3/2007	1-Naphthylamine	<		1	10	UG/L	1
SWB-7	3/6/2008	1-Naphthylamine	<		1	10	UG/L	1
SWB-7	6/6/2008	1-Naphthylamine	<		1	10	UG/L	1
SWB-7	9/8/2008	1-Naphthylamine	<		1	10	UG/L	1
SWB-7	12/5/2008	1-Naphthylamine	<		1	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	12/5/2008	1-Naphthylamine	<		1	10	UG/L	1	R	
SWB-7	3/2/2009	1-Naphthylamine	<		3.1	10	UG/L	1		
SWB-7	3/2/2009	1-Naphthylamine	<		3.1	10	UG/L	1	R	
SWB-7	6/5/2009	1-Naphthylamine	<		3.1	10	UG/L	1		
SWB-7	9/9/2009	1-Naphthylamine	<		3.1	10	UG/L	1		
SWB-7	12/1/2009	1-Naphthylamine	<		3.1	10	UG/L	1		
SWB-7	3/2/2010	1-Naphthylamine	<	9.5	2.9	9.5	UG/L	1		
SWB-7	6/1/2010	1-NAPHTHYLAMINE	<	3	3	9.6	UG/L	1	DNR	
SWB-7	6/1/2010	1-NAPHTHYLAMINE	<	3.1	3.1	10	UG/L	1	R	
SWB-7	9/9/2010	1-NAPHTHYLAMINE	<	3	3	9.6	UG/L	1		
SWB-7	12/1/2010	1-NAPHTHYLAMINE	<	2.9	2.9	9.3	UG/L	1		
SWB-8	3/5/2004	1-Naphthylamine	<		1	10	ug/L	1		
SWB-8	3/7/2005	1-Naphthylamine	<		1	10	ug/L	1		
SWB-8	6/1/2005	1-Naphthylamine	<		1	10	ug/L	1		
SWB-8	3/1/2006	1-Naphthylamine	<		1	10	UG/L	1		
SWB-8	3/7/2008	1-Naphthylamine	<		1	10	UG/L	1		
SWB-8	3/3/2009	1-Naphthylamine	<		3.1	10	UG/L	1		
SWB-8	3/3/2009	1-Naphthylamine	<		3.1	10	UG/L	1	R	
SWB-9	3/4/2003	1-Naphthylamine	<		1.6	10	ug/L	1		
SWB-9	12/3/2003	1-Naphthylamine	<		2	10	ug/L	1		
SWB-9	3/5/2004	1-Naphthylamine	<		1	10	ug/L	1		
SWB-9	5/27/2004	1-Naphthylamine	<		1	10	ug/L	1	UJ	
SWB-9	12/1/2004	1-Naphthylamine	<		1	10	ug/L	1		
SWB-9	3/3/2005	1-Naphthylamine	<		1	10	ug/L	1		
SWB-9	6/2/2005	1-Naphthylamine	<		1	10	ug/L	1		
SWB-9	9/1/2005	1-Naphthylamine	<		1	10	ug/L	1		
SWB-9	12/1/2005	1-Naphthylamine	<		1	10	UG/L	1	UJ	
SWB-9	3/2/2006	1-Naphthylamine	<		1	10	UG/L	1		
SWB-9	6/1/2006	1-Naphthylamine	<		1	10	UG/L	1		
SWB-9	12/4/2006	1-Naphthylamine	<		1	10	UG/L	1		
SWB-9	3/5/2007	1-Naphthylamine	<		1	10	UG/L	1		
SWB-9	3/6/2008	1-Naphthylamine	<		1	10	UG/L	1		
SWB-9	6/5/2008	1-Naphthylamine	<		1	10	UG/L	1		
SWB-9	12/5/2008	1-Naphthylamine	<		1	10	UG/L	1		
SWB-9	12/5/2008	1-Naphthylamine	<		1	10	UG/L	1	R	
SWB-9	3/2/2009	1-Naphthylamine	<		3.1	10	UG/L	1		
SWB-9	3/2/2009	1-Naphthylamine	<		3.1	10	UG/L	1	R	
SWB-9	6/2/2009	1-Naphthylamine	<		3.1	10	UG/L	1		
SWB-9	6/2/2009	1-Naphthylamine	<		3.1	10	UG/L	1	DNR	
SWB-9	3/1/2010	1-Naphthylamine	<	9.2	2.9	9.2	ug/L	1		
SWB-9	6/1/2010	1-NAPHTHYLAMINE	<	2.9	2.9	9.4	UG/L	1	DNR	
SWB-9	6/1/2010	1-NAPHTHYLAMINE	<	2.9	2.9	9.5	UG/L	1		
SWB-9	12/1/2010	1-NAPHTHYLAMINE	<	2.9	2.9	9.3	UG/L	1		
SWB-10	5/24/2004	1-Propene, 1,1,2-trichloro-	TI		16		ug/L	1	NJ	NA
SWB-4	11/15/2002	1-Propene, 1,1,2-trichloro-	TI		8.2		ug/L	1	NJ	
SWB-3	3/4/2003	1-Propene, 1,2,3-trichloro-	TI		13		ug/L	1	NJ	NA
SWB-5	10/29/2002	2(4H)-benzofuranone, 5,6,7,7a-	TI		7.9		ug/L	1	NJ	NA
SWB-6	12/5/2006	2(4H)-benzofuranone, 5,6,7,7a-	TI		4.7		UG/L	1	J	
SWB-6	12/5/2008	2(4H)-benzofuranone, 5,6,7,7a-	TI		4.3		UG/L	1	NJ	
SWB-6	12/5/2008	2(4H)-benzofuranone, 5,6,7,7a-	TI		4.9		UG/L	1	R	
SWB-9	9/1/2005	2(4H)-benzofuranone, 5,6,7,7a-	TI		6.8		ug/L	1	NJ	
SWB-10	3/4/2004	2,2-Dichloropropane	<		0.18	5	ug/L	1		NA
SWB-10	5/24/2004	2,2-Dichloropropane	<		0.18	5	ug/L	1		
SWB-10	12/1/2004	2,2-Dichloropropane	<		0.18	5	ug/L	1		
SWB-10	3/3/2005	2,2-Dichloropropane	<		0.13	5	ug/L	1		
SWB-10	6/2/2005	2,2-Dichloropropane	<		0.2	5	ug/L	1		
SWB-10	9/1/2005	2,2-Dichloropropane	<		0.2	5	ug/L	1		

tmpAnalyticalResultsOverTime

SWB-10	3/2/2006	2,2-Dichloropropane	<	0.8	20	UG/L	4	
SWB-10	6/2/2006	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-10	3/1/2007	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-10	3/7/2008	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-10	6/5/2008	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-10	3/2/2009	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-10	6/4/2009	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-10	3/2/2010	2,2-Dichloropropane	<	1	0.18	1	UG/L	1
SWB-11	3/4/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-11	5/24/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-11	12/1/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-11	3/1/2005	2,2-Dichloropropane	<	0.13	5	ug/L	1	
SWB-11	6/2/2005	2,2-Dichloropropane	<	0.2	5	ug/L	1	
SWB-11	3/2/2006	2,2-Dichloropropane	<	2	50	UG/L	10	
SWB-11	6/1/2006	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-11	3/1/2007	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-11	3/7/2008	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-11	6/5/2008	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-11	3/2/2009	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-11	6/4/2009	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-11	3/1/2010	2,2-Dichloropropane	<	1	0.18	1	ug/L	1
SWB-11	6/2/2010	2,2-DICHLOROPROPANE	<	0.18	0.18	1	UG/L	1
SWB-3	10/29/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
SWB-3	3/4/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-3	6/3/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-3	9/4/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1 UJ	
SWB-3	12/2/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-3	3/1/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-3	6/1/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-3	9/1/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-3	12/1/2004	2,2-Dichloropropane	<	0.3	8.3	ug/L	1.66	
SWB-3	3/3/2005	2,2-Dichloropropane	<	0.13	5	ug/L	1	
SWB-3	6/2/2005	2,2-Dichloropropane	<	0.2	5	ug/L	1	
SWB-3	9/1/2005	2,2-Dichloropropane	<	0.2	5	ug/L	1	
SWB-3	12/1/2005	2,2-Dichloropropane	<	0.4	10	UG/L	2	
SWB-3	3/2/2006	2,2-Dichloropropane	<	0.8	20	UG/L	4	
SWB-3	6/2/2006	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-3	9/5/2006	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-3	12/4/2006	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-3	3/1/2007	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-3	6/1/2007	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-3	12/3/2007	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-3	3/6/2008	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-3	6/9/2008	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-3	12/4/2008	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-3	3/2/2009	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-3	6/4/2009	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-3	12/1/2009	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-3	3/1/2010	2,2-Dichloropropane	<	1	0.18	1	ug/L	1
SWB-3	3/1/2010	2,2-Dichloropropane	<	2	0.36	2	ug/L	1 DNR
SWB-3	6/1/2010	2,2-DICHLOROPROPANE	<	0.18	0.18	1	UG/L	1 DNR
SWB-3	6/1/2010	2,2-DICHLOROPROPANE	<	0.72	0.72	4	UG/L	1 UJ
SWB-3	9/9/2010	2,2-DICHLOROPROPANE	<	0.18	0.18	1	UG/L	1 UJ
SWB-4	11/15/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
SWB-5	10/29/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
SWB-6	3/4/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-6	6/3/2003	2,2-Dichloropropane	<	0.36	10	ug/L	2	

tmpAnalyticalResultsOverTime

SWB-6	12/3/2003	2,2-Dichloropropane	<	0.36	10	ug/L	2	
SWB-6	3/5/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-6	6/1/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-6	12/1/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-6	3/7/2005	2,2-Dichloropropane	<	0.13	5	ug/L	1	
SWB-6	6/1/2005	2,2-Dichloropropane	<	0.2	5	ug/L	1	
SWB-6	12/2/2005	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-6	3/1/2006	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-6	6/1/2006	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-6	12/5/2006	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-6	3/2/2007	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-6	3/6/2008	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-6	6/9/2008	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-6	12/5/2008	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-6	3/2/2009	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-6	6/5/2009	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-6	3/2/2010	2,2-Dichloropropane	<	1	0.18	1	UG/L	1
SWB-6	6/2/2010	2,2-DICHLOROPROPANE	<	0.18	0.18	1	UG/L	1 UJ
SWB-7	3/4/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-7	6/3/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-7	3/1/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-7	5/24/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-7	12/1/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-7	3/7/2005	2,2-Dichloropropane	<	0.13	5	ug/L	1	
SWB-7	6/1/2005	2,2-Dichloropropane	<	0.2	5	ug/L	1	
SWB-7	9/1/2005	2,2-Dichloropropane	<	0.2	5	ug/L	1	
SWB-7	12/1/2005	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-7	3/1/2006	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-7	6/2/2006	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-7	9/5/2006	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-7	12/5/2006	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-7	3/2/2007	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-7	6/1/2007	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-7	9/7/2007	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-7	12/3/2007	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-7	3/6/2008	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-7	6/6/2008	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-7	9/8/2008	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-7	12/5/2008	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-7	3/2/2009	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-7	6/5/2009	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-7	9/9/2009	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-7	12/1/2009	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-7	3/2/2010	2,2-Dichloropropane	<	1	0.18	1	UG/L	1
SWB-7	6/1/2010	2,2-DICHLOROPROPANE	<	0.18	0.18	1	UG/L	1 DNR
SWB-7	6/1/2010	2,2-DICHLOROPROPANE	<	0.72	0.72	4	UG/L	1 UJ
SWB-7	9/9/2010	2,2-DICHLOROPROPANE	<	0.18	0.18	1	UG/L	1 UJ
SWB-7	12/1/2010	2,2-DICHLOROPROPANE	<	0.18	0.18	1	UG/L	1
SWB-8	3/5/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-8	3/7/2005	2,2-Dichloropropane	<	0.13	5	ug/L	1	
SWB-8	6/1/2005	2,2-Dichloropropane	<	0.2	5	ug/L	1	
SWB-8	3/1/2006	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-8	3/7/2008	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-8	3/3/2009	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-9	3/4/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-9	12/3/2003	2,2-Dichloropropane	<	0.36	10	ug/L	2	
SWB-9	3/5/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	



tmpAnalyticalResultsOverTime

SWB-9	5/27/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-9	12/1/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
SWB-9	3/3/2005	2,2-Dichloropropane	<	0.13	5	ug/L	1	
SWB-9	6/2/2005	2,2-Dichloropropane	<	0.2	5	ug/L	1	
SWB-9	9/1/2005	2,2-Dichloropropane	<	0.2	5	ug/L	1	UJ
SWB-9	12/1/2005	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-9	3/2/2006	2,2-Dichloropropane	<	0.8	20	UG/L	4	
SWB-9	6/1/2006	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-9	12/4/2006	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-9	3/5/2007	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-9	3/6/2008	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-9	6/5/2008	2,2-Dichloropropane	<	0.2	5	UG/L	1	R
SWB-9	12/5/2008	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-9	3/2/2009	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-9	6/2/2009	2,2-Dichloropropane	<	0.2	5	UG/L	1	
SWB-9	3/1/2010	2,2-Dichloropropane	<	1	0.18	1	ug/L	1
SWB-9	6/1/2010	2,2-DICHLOROPROPANE	<	0.18	0.18	1	UG/L	1 DNR
SWB-9	6/1/2010	2,2-DICHLOROPROPANE	<	0.72	0.72	4	UG/L	1 UJ
SWB-9	12/1/2010	2,2-DICHLOROPROPANE	<	0.18	0.18	1	UG/L	1
SWB-10	3/4/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	NA
SWB-10	5/24/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	UJ
SWB-10	12/1/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
SWB-10	3/3/2005	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
SWB-10	6/2/2005	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
SWB-10	9/1/2005	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
SWB-10	3/2/2006	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-10	6/2/2006	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-10	3/1/2007	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-10	3/7/2008	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-10	6/5/2008	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-10	3/2/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-10	3/2/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	R
SWB-10	6/4/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-10	3/2/2010	2,3,4,6-Tetrachlorophenol	<	47	1.9	47	UG/L	1
SWB-11	3/4/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
SWB-11	5/24/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	UJ
SWB-11	12/1/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
SWB-11	3/1/2005	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
SWB-11	6/2/2005	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
SWB-11	3/2/2006	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-11	6/1/2006	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-11	3/1/2007	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-11	3/7/2008	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-11	6/5/2008	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-11	3/2/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-11	6/4/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	UJ
SWB-11	3/1/2010	2,3,4,6-Tetrachlorophenol	<	47	1.9	47	ug/L	1
SWB-11	6/2/2010	2,3,4,6-TETRACHLOROPHENOL	<	1.9	1.9	47	UG/L	1 R
SWB-3	10/29/2002	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1	
SWB-3	3/4/2003	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1	R
SWB-3	6/3/2003	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1	
SWB-3	9/4/2003	2,3,4,6-Tetrachlorophenol	<	5	50	ug/L	1	UJ
SWB-3	12/2/2003	2,3,4,6-Tetrachlorophenol	<	5	50	ug/L	1	R
SWB-3	3/1/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
SWB-3	6/1/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
SWB-3	9/1/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
SWB-3	12/1/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	3/3/2005	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1
SWB-3	6/2/2005	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1
SWB-3	9/1/2005	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1 R
SWB-3	12/1/2005	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 R
SWB-3	3/2/2006	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 R
SWB-3	6/2/2006	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 R
SWB-3	9/5/2006	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 UJ
SWB-3	12/4/2006	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 R
SWB-3	3/1/2007	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 UJ
SWB-3	6/1/2007	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 R
SWB-3	12/3/2007	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 R
SWB-3	3/6/2008	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1
SWB-3	6/9/2008	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 R
SWB-3	12/4/2008	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1
SWB-3	3/2/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 R
SWB-3	3/2/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 UJ
SWB-3	6/4/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1
SWB-3	12/1/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1
SWB-3	3/1/2010	2,3,4,6-Tetrachlorophenol	<	49	49	ug/L	1 UJ
SWB-3	6/1/2010	2,3,4,6-TETRACHLOROPHENOL	<	1.9	47	UG/L	1 DNR
SWB-3	6/1/2010	2,3,4,6-TETRACHLOROPHENOL	<	1.9	47	UG/L	1 R
SWB-3	9/9/2010	2,3,4,6-TETRACHLOROPHENOL	<	1.9	47	UG/L	1 R
SWB-4	11/15/2002	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1 UJ
SWB-5	10/29/2002	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1
SWB-6	3/4/2003	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1
SWB-6	6/3/2003	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1
SWB-6	12/3/2003	2,3,4,6-Tetrachlorophenol	<	5	50	ug/L	1
SWB-6	3/5/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1
SWB-6	6/1/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1
SWB-6	12/1/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1
SWB-6	3/7/2005	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1
SWB-6	6/1/2005	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1
SWB-6	12/2/2005	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1
SWB-6	3/1/2006	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1
SWB-6	6/1/2006	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1
SWB-6	12/5/2006	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1
SWB-6	3/2/2007	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1
SWB-6	3/6/2008	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1
SWB-6	6/9/2008	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1
SWB-6	12/5/2008	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1
SWB-6	12/5/2008	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 R
SWB-6	3/2/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1
SWB-6	3/2/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 R
SWB-6	6/5/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1
SWB-6	3/2/2010	2,3,4,6-Tetrachlorophenol	<	46	46	UG/L	1
SWB-6	6/2/2010	2,3,4,6-TETRACHLOROPHENOL	<	1.9	47	UG/L	1 DNR
SWB-6	6/2/2010	2,3,4,6-TETRACHLOROPHENOL	<	1.9	48	UG/L	1
SWB-7	3/4/2003	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1
SWB-7	6/3/2003	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1
SWB-7	3/1/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1
SWB-7	5/24/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1
SWB-7	12/1/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1
SWB-7	3/7/2005	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1 UJ
SWB-7	6/1/2005	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1
SWB-7	9/1/2005	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1
SWB-7	12/1/2005	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1
SWB-7	3/1/2006	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	6/2/2006	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-7	9/5/2006	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 UJ	
SWB-7	12/5/2006	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-7	3/2/2007	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-7	6/1/2007	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-7	9/7/2007	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-7	12/3/2007	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-7	3/6/2008	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-7	6/6/2008	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-7	9/8/2008	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-7	12/5/2008	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-7	12/5/2008	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 R	
SWB-7	3/2/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-7	3/2/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 R	
SWB-7	6/5/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-7	9/9/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-7	12/1/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-7	3/2/2010	2,3,4,6-Tetrachlorophenol	<	47	47	UG/L	1	
SWB-7	6/1/2010	2,3,4,6-TETRACHLOROPHENOL	<	1.9	48	UG/L	1 DNR	
SWB-7	6/1/2010	2,3,4,6-TETRACHLOROPHENOL	<	2	50	UG/L	1	
SWB-7	9/9/2010	2,3,4,6-TETRACHLOROPHENOL	<	1.9	48	UG/L	1	
SWB-7	12/1/2010	2,3,4,6-TETRACHLOROPHENOL	<	1.9	47	UG/L	1	
SWB-8	3/5/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
SWB-8	3/7/2005	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
SWB-8	6/1/2005	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
SWB-8	3/1/2006	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-8	3/7/2008	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-8	3/3/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-8	3/3/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 R	
SWB-9	3/4/2003	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1 UJ	
SWB-9	12/3/2003	2,3,4,6-Tetrachlorophenol	<	5	50	ug/L	1	
SWB-9	3/5/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
SWB-9	5/27/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1 UJ	
SWB-9	12/1/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
SWB-9	3/3/2005	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
SWB-9	6/2/2005	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
SWB-9	9/1/2005	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1 UJ	
SWB-9	12/1/2005	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-9	3/2/2006	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-9	6/1/2006	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 UJ	
SWB-9	12/4/2006	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-9	3/5/2007	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-9	3/6/2008	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-9	6/5/2008	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 R	
SWB-9	12/5/2008	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-9	12/5/2008	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 R	
SWB-9	3/2/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 R	
SWB-9	3/2/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 UJ	
SWB-9	6/2/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1	
SWB-9	6/2/2009	2,3,4,6-Tetrachlorophenol	<	2	50	UG/L	1 DNR	
SWB-9	3/1/2010	2,3,4,6-Tetrachlorophenol	<	46	46	ug/L	1	
SWB-9	6/1/2010	2,3,4,6-TETRACHLOROPHENOL	<	1.9	47	UG/L	1	
SWB-9	6/1/2010	2,3,4,6-TETRACHLOROPHENOL	<	1.9	47	UG/L	1 DNR	
SWB-9	12/1/2010	2,3,4,6-TETRACHLOROPHENOL	<	1.9	46	UG/L	1	
SWB-6	6/9/2008	2,3-Butanediol	TI	15		UG/L	1 NJ	NA
SWB-6	12/3/2003	2,4(1H,3h)-quinazolinedione	TI	7.9		ug/L	1 NJ	NA
SWB-10	3/4/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1	NA

tmpAnalyticalResultsOverTime

SWB-10	5/24/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1 UJ
SWB-10	12/1/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1
SWB-10	3/3/2005	2,4,5-Trichlorophenol	<	1.6	10	ug/L	1
SWB-10	6/2/2005	2,4,5-Trichlorophenol	<	1.6	10	ug/L	1
SWB-10	9/1/2005	2,4,5-Trichlorophenol	<	1.6	10	ug/L	1
SWB-10	3/2/2006	2,4,5-Trichlorophenol	<	1.6	10	UG/L	1
SWB-10	6/2/2006	2,4,5-Trichlorophenol	<	5	10	UG/L	1
SWB-10	3/1/2007	2,4,5-Trichlorophenol	<	5	10	UG/L	1
SWB-10	3/7/2008	2,4,5-Trichlorophenol	<	0.45	10	UG/L	1
SWB-10	6/5/2008	2,4,5-Trichlorophenol	<	0.45	10	UG/L	1
SWB-10	3/2/2009	2,4,5-Trichlorophenol	<	0.45	10	UG/L	1
SWB-10	3/2/2009	2,4,5-Trichlorophenol	<	0.45	10	UG/L	1 R
SWB-10	6/4/2009	2,4,5-Trichlorophenol	<	0.45	10	UG/L	1
SWB-10	3/2/2010	2,4,5-Trichlorophenol	<	9.3	9.3	UG/L	1
SWB-11	3/4/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1
SWB-11	5/24/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1 UJ
SWB-11	12/1/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1
SWB-11	3/1/2005	2,4,5-Trichlorophenol	<	1.6	10	ug/L	1
SWB-11	6/2/2005	2,4,5-Trichlorophenol	<	1.6	10	ug/L	1
SWB-11	3/2/2006	2,4,5-Trichlorophenol	<	1.6	10	UG/L	1
SWB-11	6/1/2006	2,4,5-Trichlorophenol	<	5	10	UG/L	1
SWB-11	3/1/2007	2,4,5-Trichlorophenol	<	5	10	UG/L	1
SWB-11	3/7/2008	2,4,5-Trichlorophenol	<	0.45	10	UG/L	1
SWB-11	6/5/2008	2,4,5-Trichlorophenol	<	0.45	10	UG/L	1
SWB-11	3/2/2009	2,4,5-Trichlorophenol	<	0.45	10	UG/L	1
SWB-11	6/4/2009	2,4,5-Trichlorophenol	<	0.45	10	UG/L	1 UJ
SWB-11	3/1/2010	2,4,5-Trichlorophenol	<	9.4	9.4	ug/L	1
SWB-11	6/2/2010	2,4,5-TRICHLOROPHENOL	<	0.43	9.5	UG/L	1 R
SWB-3	10/29/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1
SWB-3	3/4/2003	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1 R
SWB-3	6/3/2003	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1
SWB-3	9/4/2003	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1 R
SWB-3	12/2/2003	2,4,5-Trichlorophenol	<	1	10	ug/L	1 R
SWB-3	3/1/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1
SWB-3	6/1/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1
SWB-3	9/1/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1
SWB-3	12/1/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1
SWB-3	3/3/2005	2,4,5-Trichlorophenol	<	1.6	10	ug/L	1
SWB-3	6/2/2005	2,4,5-Trichlorophenol	<	1.6	10	ug/L	1
SWB-3	9/1/2005	2,4,5-Trichlorophenol	<	1.6	10	ug/L	1 R
SWB-3	12/1/2005	2,4,5-Trichlorophenol	<	1.6	10	UG/L	1 R
SWB-3	3/2/2006	2,4,5-Trichlorophenol	<	1.6	10	UG/L	1 R
SWB-3	6/2/2006	2,4,5-Trichlorophenol	<	5	10	UG/L	1 R
SWB-3	9/5/2006	2,4,5-Trichlorophenol	<	5	10	UG/L	1 UJ
SWB-3	12/4/2006	2,4,5-Trichlorophenol	<	5	10	UG/L	1 R
SWB-3	3/1/2007	2,4,5-Trichlorophenol	<	5	10	UG/L	1 UJ
SWB-3	6/1/2007	2,4,5-Trichlorophenol	<	5	10	UG/L	1 R
SWB-3	12/3/2007	2,4,5-Trichlorophenol	<	0.39	10	UG/L	1 R
SWB-3	3/6/2008	2,4,5-Trichlorophenol	<	0.45	10	UG/L	1
SWB-3	6/9/2008	2,4,5-Trichlorophenol	<	0.45	10	UG/L	1 R
SWB-3	12/4/2008	2,4,5-Trichlorophenol	<	0.45	10	UG/L	1
SWB-3	3/2/2009	2,4,5-Trichlorophenol	<	0.45	10	UG/L	1 R
SWB-3	3/2/2009	2,4,5-Trichlorophenol	<	0.45	10	UG/L	1 UJ
SWB-3	6/4/2009	2,4,5-Trichlorophenol	<	0.45	10	UG/L	1
SWB-3	12/1/2009	2,4,5-Trichlorophenol	<	0.45	10	UG/L	1
SWB-3	12/1/2009	2,4,5-Trichlorophenol	<	0.45	10	UG/L	1 R
SWB-3	3/1/2010	2,4,5-Trichlorophenol	<	9.7	9.7	ug/L	1 UJ

tmpAnalyticalResultsOverTime

SWB-3	6/1/2010	2,4,5-TRICHLOROPHENOL	<	0.42	0.42	9.4	UG/L	1 DNR
SWB-3	6/1/2010	2,4,5-TRICHLOROPHENOL	<	0.42	0.42	9.4	UG/L	1 R
SWB-3	9/9/2010	2,4,5-TRICHLOROPHENOL	<	0.42	0.42	9.3	UG/L	1 R
SWB-4	11/15/2002	2,4,5-Trichlorophenol	<		1.3	10	ug/L	1
SWB-5	10/29/2002	2,4,5-Trichlorophenol	<		1.3	10	ug/L	1
SWB-6	3/4/2003	2,4,5-Trichlorophenol	<		1.3	10	ug/L	1
SWB-6	6/3/2003	2,4,5-Trichlorophenol	<		1.3	10	ug/L	1
SWB-6	12/3/2003	2,4,5-Trichlorophenol	<		1	10	ug/L	1
SWB-6	3/5/2004	2,4,5-Trichlorophenol	<		1	10	ug/L	1
SWB-6	6/1/2004	2,4,5-Trichlorophenol	<		1	10	ug/L	1
SWB-6	12/1/2004	2,4,5-Trichlorophenol	<		1	10	ug/L	1
SWB-6	3/7/2005	2,4,5-Trichlorophenol	<		1.6	10	ug/L	1
SWB-6	6/1/2005	2,4,5-Trichlorophenol	<		1.6	10	ug/L	1
SWB-6	12/2/2005	2,4,5-Trichlorophenol	<		1.6	10	UG/L	1
SWB-6	3/1/2006	2,4,5-Trichlorophenol	<		1.6	10	UG/L	1
SWB-6	6/1/2006	2,4,5-Trichlorophenol	<		5	10	UG/L	1
SWB-6	12/5/2006	2,4,5-Trichlorophenol	<		5	10	UG/L	1
SWB-6	3/2/2007	2,4,5-Trichlorophenol	<		5	10	UG/L	1
SWB-6	3/6/2008	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1
SWB-6	6/9/2008	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1
SWB-6	12/5/2008	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1
SWB-6	12/5/2008	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1 R
SWB-6	3/2/2009	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1
SWB-6	3/2/2009	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1 R
SWB-6	6/5/2009	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1
SWB-6	3/2/2010	2,4,5-Trichlorophenol	<	9.1	0.41	9.1	UG/L	1
SWB-6	6/2/2010	2,4,5-TRICHLOROPHENOL	<	0.42	0.42	9.4	UG/L	1 DNR
SWB-6	6/2/2010	2,4,5-TRICHLOROPHENOL	<	0.43	0.43	9.5	UG/L	1
SWB-7	3/4/2003	2,4,5-Trichlorophenol	<		1.3	10	ug/L	1
SWB-7	6/3/2003	2,4,5-Trichlorophenol	<		1.3	10	ug/L	1
SWB-7	3/1/2004	2,4,5-Trichlorophenol	<		1	10	ug/L	1
SWB-7	5/24/2004	2,4,5-Trichlorophenol	<		1	10	ug/L	1
SWB-7	12/1/2004	2,4,5-Trichlorophenol	<		1	10	ug/L	1
SWB-7	3/7/2005	2,4,5-Trichlorophenol	<		1.6	10	ug/L	1 UJ
SWB-7	6/1/2005	2,4,5-Trichlorophenol	<		1.6	10	ug/L	1
SWB-7	9/1/2005	2,4,5-Trichlorophenol	<		1.6	10	ug/L	1
SWB-7	12/1/2005	2,4,5-Trichlorophenol	<		1.6	10	UG/L	1
SWB-7	3/1/2006	2,4,5-Trichlorophenol	<		1.6	10	UG/L	1
SWB-7	6/2/2006	2,4,5-Trichlorophenol	<		5	10	UG/L	1
SWB-7	9/5/2006	2,4,5-Trichlorophenol	<		5	10	UG/L	1 UJ
SWB-7	12/5/2006	2,4,5-Trichlorophenol	<		5	10	UG/L	1
SWB-7	3/2/2007	2,4,5-Trichlorophenol	<		5	10	UG/L	1
SWB-7	6/1/2007	2,4,5-Trichlorophenol	<		5	10	UG/L	1
SWB-7	9/7/2007	2,4,5-Trichlorophenol	<		0.39	10	UG/L	1
SWB-7	12/3/2007	2,4,5-Trichlorophenol	<		0.39	10	UG/L	1
SWB-7	3/6/2008	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1
SWB-7	6/6/2008	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1
SWB-7	9/8/2008	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1
SWB-7	12/5/2008	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1
SWB-7	12/5/2008	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1 R
SWB-7	3/2/2009	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1
SWB-7	3/2/2009	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1 R
SWB-7	6/5/2009	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1
SWB-7	9/9/2009	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1
SWB-7	12/1/2009	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1
SWB-7	3/2/2010	2,4,5-Trichlorophenol	<	9.5	0.43	9.5	UG/L	1
SWB-7	6/1/2010	2,4,5-TRICHLOROPHENOL	<	0.43	0.43	9.6	UG/L	1 DNR

tmpAnalyticalResultsOverTime

SWB-7	6/1/2010	2,4,5-TRICHLOROPHENOL	<	0.45	0.45	10	UG/L	1	
SWB-7	9/9/2010	2,4,5-TRICHLOROPHENOL	<	0.43	0.43	9.6	UG/L	1	
SWB-7	12/1/2010	2,4,5-TRICHLOROPHENOL	<	0.42	0.42	9.3	UG/L	1	
SWB-8	3/5/2004	2,4,5-Trichlorophenol	<		1	10	ug/L	1	
SWB-8	3/7/2005	2,4,5-Trichlorophenol	<		1.6	10	ug/L	1	
SWB-8	6/1/2005	2,4,5-Trichlorophenol	<		1.6	10	ug/L	1	
SWB-8	3/1/2006	2,4,5-Trichlorophenol	<		1.6	10	UG/L	1	
SWB-8	3/7/2008	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1	
SWB-8	3/3/2009	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1	
SWB-8	3/3/2009	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1	R
SWB-9	3/4/2003	2,4,5-Trichlorophenol	<		1.3	10	ug/L	1	UJ
SWB-9	12/3/2003	2,4,5-Trichlorophenol	<		1	10	ug/L	1	
SWB-9	3/5/2004	2,4,5-Trichlorophenol	<		1	10	ug/L	1	
SWB-9	5/27/2004	2,4,5-Trichlorophenol	<		1	10	ug/L	1	UJ
SWB-9	12/1/2004	2,4,5-Trichlorophenol	<		1	10	ug/L	1	
SWB-9	3/3/2005	2,4,5-Trichlorophenol	<		1.6	10	ug/L	1	
SWB-9	6/2/2005	2,4,5-Trichlorophenol	<		1.6	10	ug/L	1	
SWB-9	9/1/2005	2,4,5-Trichlorophenol	<		1.6	10	ug/L	1	UJ
SWB-9	12/1/2005	2,4,5-Trichlorophenol	<		1.6	10	UG/L	1	
SWB-9	3/2/2006	2,4,5-Trichlorophenol	<		1.6	10	UG/L	1	
SWB-9	6/1/2006	2,4,5-Trichlorophenol	<		5	10	UG/L	1	UJ
SWB-9	12/4/2006	2,4,5-Trichlorophenol	<		5	10	UG/L	1	
SWB-9	3/5/2007	2,4,5-Trichlorophenol	<		5	10	UG/L	1	
SWB-9	3/6/2008	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1	
SWB-9	6/5/2008	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1	R
SWB-9	12/5/2008	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1	
SWB-9	12/5/2008	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1	R
SWB-9	3/2/2009	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1	R
SWB-9	3/2/2009	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1	UJ
SWB-9	6/2/2009	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1	
SWB-9	6/2/2009	2,4,5-Trichlorophenol	<		0.45	10	UG/L	1	DNR
SWB-9	3/1/2010	2,4,5-Trichlorophenol	<	9.2	0.42	9.2	ug/L	1	
SWB-9	6/1/2010	2,4,5-TRICHLOROPHENOL	<	0.42	0.42	9.4	UG/L	1	DNR
SWB-9	6/1/2010	2,4,5-TRICHLOROPHENOL	<	0.43	0.43	9.5	UG/L	1	
SWB-9	12/1/2010	2,4,5-TRICHLOROPHENOL	<	0.42	0.42	9.3	UG/L	1	
SWB-10	3/4/2004	2,4,6-Trichlorophenol	<		0.8	10	ug/L	1	NA
SWB-10	5/24/2004	2,4,6-Trichlorophenol	<		0.8	10	ug/L	1	UJ
SWB-10	12/1/2004	2,4,6-Trichlorophenol	<		0.8	10	ug/L	1	
SWB-10	3/3/2005	2,4,6-Trichlorophenol	<		1.5	10	ug/L	1	
SWB-10	6/2/2005	2,4,6-Trichlorophenol	<		1.5	10	ug/L	1	
SWB-10	9/1/2005	2,4,6-Trichlorophenol	<		1.5	10	ug/L	1	
SWB-10	3/2/2006	2,4,6-Trichlorophenol	<		1.5	10	UG/L	1	
SWB-10	6/2/2006	2,4,6-Trichlorophenol	<		5	10	UG/L	1	
SWB-10	3/1/2007	2,4,6-Trichlorophenol	<		5	10	UG/L	1	
SWB-10	3/7/2008	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1	
SWB-10	6/5/2008	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1	
SWB-10	3/2/2009	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1	
SWB-10	3/2/2009	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1	R
SWB-10	6/4/2009	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1	
SWB-10	3/2/2010	2,4,6-Trichlorophenol	<	9.3	0.27	9.3	UG/L	1	
SWB-11	3/4/2004	2,4,6-Trichlorophenol	<		0.8	10	ug/L	1	
SWB-11	5/24/2004	2,4,6-Trichlorophenol	<		0.8	10	ug/L	1	UJ
SWB-11	12/1/2004	2,4,6-Trichlorophenol	<		0.8	10	ug/L	1	
SWB-11	3/1/2005	2,4,6-Trichlorophenol	<		1.5	10	ug/L	1	
SWB-11	6/2/2005	2,4,6-Trichlorophenol	<		1.5	10	ug/L	1	
SWB-11	3/2/2006	2,4,6-Trichlorophenol	<		1.5	10	UG/L	1	
SWB-11	6/1/2006	2,4,6-Trichlorophenol	<		5	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-11	3/1/2007	2,4,6-Trichlorophenol	<		5	10	UG/L	1
SWB-11	3/7/2008	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1
SWB-11	6/5/2008	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1
SWB-11	3/2/2009	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1
SWB-11	6/4/2009	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1 UJ
SWB-11	3/1/2010	2,4,6-Trichlorophenol	<	9.4	0.27	9.4	ug/L	1
SWB-11	6/2/2010	2,4,6-TRICHLOROPHENOL	<	0.27	0.27	9.5	UG/L	1 R
SWB-3	10/29/2002	2,4,6-Trichlorophenol	<		1.3	10	ug/L	1
SWB-3	3/4/2003	2,4,6-Trichlorophenol	<		1.3	10	ug/L	1 R
SWB-3	6/3/2003	2,4,6-Trichlorophenol	<		1.3	10	ug/L	1
SWB-3	9/4/2003	2,4,6-Trichlorophenol	<		1.3	10	ug/L	1 R
SWB-3	12/2/2003	2,4,6-Trichlorophenol	<		0.8	10	ug/L	1 R
SWB-3	3/1/2004	2,4,6-Trichlorophenol	<		0.8	10	ug/L	1
SWB-3	6/1/2004	2,4,6-Trichlorophenol	<		0.8	10	ug/L	1
SWB-3	9/1/2004	2,4,6-Trichlorophenol	<		0.8	10	ug/L	1
SWB-3	12/1/2004	2,4,6-Trichlorophenol	<		0.8	10	ug/L	1
SWB-3	3/3/2005	2,4,6-Trichlorophenol	<		1.5	10	ug/L	1
SWB-3	6/2/2005	2,4,6-Trichlorophenol	<		1.5	10	ug/L	1
SWB-3	9/1/2005	2,4,6-Trichlorophenol	<		1.5	10	ug/L	1 R
SWB-3	12/1/2005	2,4,6-Trichlorophenol	<		1.5	10	UG/L	1 R
SWB-3	3/2/2006	2,4,6-Trichlorophenol	<		1.5	10	UG/L	1 R
SWB-3	6/2/2006	2,4,6-Trichlorophenol	<		5	10	UG/L	1 R
SWB-3	9/5/2006	2,4,6-Trichlorophenol	<		5	10	UG/L	1 UJ
SWB-3	12/4/2006	2,4,6-Trichlorophenol	<		5	10	UG/L	1 R
SWB-3	3/1/2007	2,4,6-Trichlorophenol	<		5	10	UG/L	1 UJ
SWB-3	6/1/2007	2,4,6-Trichlorophenol	<		5	10	UG/L	1 R
SWB-3	12/3/2007	2,4,6-Trichlorophenol	<		0.37	10	UG/L	1 R
SWB-3	3/6/2008	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1
SWB-3	6/9/2008	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1 R
SWB-3	12/4/2008	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1
SWB-3	3/2/2009	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1 R
SWB-3	3/2/2009	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1 UJ
SWB-3	6/4/2009	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1
SWB-3	12/1/2009	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1
SWB-3	12/1/2009	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1 R
SWB-3	3/1/2010	2,4,6-Trichlorophenol	<	9.7	0.28	9.7	ug/L	1 UJ
SWB-3	6/1/2010	2,4,6-TRICHLOROPHENOL	<	0.27	0.27	9.4	UG/L	1 DNR
SWB-3	6/1/2010	2,4,6-TRICHLOROPHENOL	<	0.27	0.27	9.4	UG/L	1 R
SWB-3	9/9/2010	2,4,6-TRICHLOROPHENOL	<	0.27	0.27	9.3	UG/L	1 R
SWB-4	11/15/2002	2,4,6-Trichlorophenol	<		1.3	10	ug/L	1
SWB-5	10/29/2002	2,4,6-Trichlorophenol	<		1.3	10	ug/L	1
SWB-6	3/4/2003	2,4,6-Trichlorophenol	<		1.3	10	ug/L	1
SWB-6	6/3/2003	2,4,6-Trichlorophenol	<		1.3	10	ug/L	1
SWB-6	12/3/2003	2,4,6-Trichlorophenol	<		0.8	10	ug/L	1
SWB-6	3/5/2004	2,4,6-Trichlorophenol	<		0.8	10	ug/L	1
SWB-6	6/1/2004	2,4,6-Trichlorophenol	<		0.8	10	ug/L	1
SWB-6	12/1/2004	2,4,6-Trichlorophenol	<		0.8	10	ug/L	1
SWB-6	3/7/2005	2,4,6-Trichlorophenol	<		1.5	10	ug/L	1
SWB-6	6/1/2005	2,4,6-Trichlorophenol	<		1.5	10	ug/L	1
SWB-6	12/2/2005	2,4,6-Trichlorophenol	<		1.5	10	UG/L	1
SWB-6	3/1/2006	2,4,6-Trichlorophenol	<		1.5	10	UG/L	1
SWB-6	6/1/2006	2,4,6-Trichlorophenol	<		5	10	UG/L	1
SWB-6	12/5/2006	2,4,6-Trichlorophenol	<		5	10	UG/L	1
SWB-6	3/2/2007	2,4,6-Trichlorophenol	<		5	10	UG/L	1
SWB-6	3/6/2008	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1
SWB-6	6/9/2008	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1
SWB-6	12/5/2008	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	12/5/2008	2,4,6-Trichlorophenol	<	0.29	10	UG/L	1 R	
SWB-6	3/2/2009	2,4,6-Trichlorophenol	<	0.29	10	UG/L	1	
SWB-6	3/2/2009	2,4,6-Trichlorophenol	<	0.29	10	UG/L	1 R	
SWB-6	6/5/2009	2,4,6-Trichlorophenol	<	0.29	10	UG/L	1	
SWB-6	3/2/2010	2,4,6-Trichlorophenol	<	9.1	0.26	9.1	UG/L	1
SWB-6	6/2/2010	2,4,6-TRICHLOROPHENOL	<	0.27	0.27	9.4	UG/L	1 DNR
SWB-6	6/2/2010	2,4,6-TRICHLOROPHENOL	<	0.28	0.28	9.5	UG/L	1
SWB-7	3/4/2003	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1	
SWB-7	6/3/2003	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1	
SWB-7	3/1/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1	
SWB-7	5/24/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1	
SWB-7	12/1/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1	
SWB-7	3/7/2005	2,4,6-Trichlorophenol	<	1.5	10	ug/L	1 UJ	
SWB-7	6/1/2005	2,4,6-Trichlorophenol	<	1.5	10	ug/L	1	
SWB-7	9/1/2005	2,4,6-Trichlorophenol	<	1.5	10	ug/L	1	
SWB-7	12/1/2005	2,4,6-Trichlorophenol	<	1.5	10	UG/L	1	
SWB-7	3/1/2006	2,4,6-Trichlorophenol	<	1.5	10	UG/L	1	
SWB-7	6/2/2006	2,4,6-Trichlorophenol	<	5	10	UG/L	1	
SWB-7	9/5/2006	2,4,6-Trichlorophenol	<	5	10	UG/L	1 UJ	
SWB-7	12/5/2006	2,4,6-Trichlorophenol	<	5	10	UG/L	1	
SWB-7	3/2/2007	2,4,6-Trichlorophenol	<	5	10	UG/L	1	
SWB-7	6/1/2007	2,4,6-Trichlorophenol	<	5	10	UG/L	1	
SWB-7	9/7/2007	2,4,6-Trichlorophenol	<	0.37	10	UG/L	1	
SWB-7	12/3/2007	2,4,6-Trichlorophenol	<	0.37	10	UG/L	1	
SWB-7	3/6/2008	2,4,6-Trichlorophenol	<	0.29	10	UG/L	1	
SWB-7	6/6/2008	2,4,6-Trichlorophenol	<	0.29	10	UG/L	1	
SWB-7	9/8/2008	2,4,6-Trichlorophenol	<	0.29	10	UG/L	1	
SWB-7	12/5/2008	2,4,6-Trichlorophenol	<	0.29	10	UG/L	1	
SWB-7	12/5/2008	2,4,6-Trichlorophenol	<	0.29	10	UG/L	1 R	
SWB-7	3/2/2009	2,4,6-Trichlorophenol	<	0.29	10	UG/L	1	
SWB-7	3/2/2009	2,4,6-Trichlorophenol	<	0.29	10	UG/L	1 R	
SWB-7	6/5/2009	2,4,6-Trichlorophenol	<	0.29	10	UG/L	1	
SWB-7	9/9/2009	2,4,6-Trichlorophenol	<	0.29	10	UG/L	1	
SWB-7	12/1/2009	2,4,6-Trichlorophenol	<	0.29	10	UG/L	1	
SWB-7	3/2/2010	2,4,6-Trichlorophenol	<	9.5	0.28	9.5	UG/L	1
SWB-7	6/1/2010	2,4,6-TRICHLOROPHENOL	<	0.28	0.28	9.6	UG/L	1 DNR
SWB-7	6/1/2010	2,4,6-TRICHLOROPHENOL	<	0.29	0.29	10	UG/L	1
SWB-7	9/9/2010	2,4,6-TRICHLOROPHENOL	<	0.28	0.28	9.6	UG/L	1
SWB-7	12/1/2010	2,4,6-TRICHLOROPHENOL	<	0.27	0.27	9.3	UG/L	1
SWB-8	3/5/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1	
SWB-8	3/7/2005	2,4,6-Trichlorophenol	<	1.5	10	ug/L	1	
SWB-8	6/1/2005	2,4,6-Trichlorophenol	<	1.5	10	ug/L	1	
SWB-8	3/1/2006	2,4,6-Trichlorophenol	<	1.5	10	UG/L	1	
SWB-8	3/7/2008	2,4,6-Trichlorophenol	<	0.29	10	UG/L	1	
SWB-8	3/3/2009	2,4,6-Trichlorophenol	<	0.29	10	UG/L	1	
SWB-8	3/3/2009	2,4,6-Trichlorophenol	<	0.29	10	UG/L	1 R	
SWB-9	3/4/2003	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1 UJ	
SWB-9	12/3/2003	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1	
SWB-9	3/5/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1	
SWB-9	5/27/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1 UJ	
SWB-9	12/1/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1	
SWB-9	3/3/2005	2,4,6-Trichlorophenol	<	1.5	10	ug/L	1	
SWB-9	6/2/2005	2,4,6-Trichlorophenol	<	1.5	10	ug/L	1	
SWB-9	9/1/2005	2,4,6-Trichlorophenol	<	1.5	10	ug/L	1 UJ	
SWB-9	12/1/2005	2,4,6-Trichlorophenol	<	1.5	10	UG/L	1	
SWB-9	3/2/2006	2,4,6-Trichlorophenol	<	1.5	10	UG/L	1	
SWB-9	6/1/2006	2,4,6-Trichlorophenol	<	5	10	UG/L	1 UJ	



tmpAnalyticalResultsOverTime

SWB-9	12/4/2006	2,4,6-Trichlorophenol	<		5	10	UG/L	1	
SWB-9	3/5/2007	2,4,6-Trichlorophenol	<		5	10	UG/L	1	
SWB-9	3/6/2008	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1	
SWB-9	6/5/2008	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1	R
SWB-9	12/5/2008	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1	
SWB-9	12/5/2008	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1	R
SWB-9	3/2/2009	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1	R
SWB-9	3/2/2009	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1	UJ
SWB-9	6/2/2009	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1	
SWB-9	6/2/2009	2,4,6-Trichlorophenol	<		0.29	10	UG/L	1	DNR
SWB-9	3/1/2010	2,4,6-Trichlorophenol	<	9.2	0.27	9.2	ug/L	1	
SWB-9	6/1/2010	2,4,6-TRICHLOROPHENOL	<	0.27	0.27	9.4	UG/L	1	DNR
SWB-9	6/1/2010	2,4,6-TRICHLOROPHENOL	<	0.27	0.27	9.5	UG/L	1	
SWB-9	12/1/2010	2,4,6-TRICHLOROPHENOL	<	0.27	0.27	9.3	UG/L	1	
SWB-10	3/4/2004	2,4-Dichlorophenol	<		0.7	10	ug/L	1	NA
SWB-10	5/24/2004	2,4-Dichlorophenol	<		0.7	10	ug/L	1	UJ
SWB-10	12/1/2004	2,4-Dichlorophenol	<		0.7	10	ug/L	1	
SWB-10	3/3/2005	2,4-Dichlorophenol	<		1.3	10	ug/L	1	
SWB-10	6/2/2005	2,4-Dichlorophenol	<		1.3	10	ug/L	1	
SWB-10	9/1/2005	2,4-Dichlorophenol	<		1.3	10	ug/L	1	
SWB-10	3/2/2006	2,4-Dichlorophenol	<		1.3	10	UG/L	1	
SWB-10	6/2/2006	2,4-Dichlorophenol	<		1.3	10	UG/L	1	
SWB-10	3/1/2007	2,4-Dichlorophenol	<		1.3	10	UG/L	1	
SWB-10	3/7/2008	2,4-Dichlorophenol	<		0.64	10	UG/L	1	
SWB-10	6/5/2008	2,4-Dichlorophenol	<		0.64	10	UG/L	1	
SWB-10	3/2/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1	
SWB-10	3/2/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1	R
SWB-10	6/4/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1	
SWB-10	3/2/2010	2,4-Dichlorophenol	<	9.3	0.6	9.3	UG/L	1	
SWB-11	3/4/2004	2,4-Dichlorophenol	<		0.7	10	ug/L	1	
SWB-11	5/24/2004	2,4-Dichlorophenol	<		0.7	10	ug/L	1	UJ
SWB-11	12/1/2004	2,4-Dichlorophenol	<		0.7	10	ug/L	1	
SWB-11	3/1/2005	2,4-Dichlorophenol	<		1.3	10	ug/L	1	
SWB-11	6/2/2005	2,4-Dichlorophenol	<		1.3	10	ug/L	1	
SWB-11	3/2/2006	2,4-Dichlorophenol	<		1.3	10	UG/L	1	
SWB-11	6/1/2006	2,4-Dichlorophenol	<		1.3	10	UG/L	1	
SWB-11	3/1/2007	2,4-Dichlorophenol	<		1.3	10	UG/L	1	
SWB-11	3/7/2008	2,4-Dichlorophenol	<		0.64	10	UG/L	1	
SWB-11	6/5/2008	2,4-Dichlorophenol	<		0.64	10	UG/L	1	
SWB-11	3/2/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1	
SWB-11	6/4/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1	UJ
SWB-11	3/1/2010	2,4-Dichlorophenol	<	9.4	0.6	9.4	ug/L	1	
SWB-11	6/2/2010	2,4-DICHLOROPHENOL	<	0.61	0.61	9.5	UG/L	1	R
SWB-3	10/29/2002	2,4-Dichlorophenol	<		2.4	10	ug/L	1	
SWB-3	3/4/2003	2,4-Dichlorophenol	<		2.4	10	ug/L	1	R
SWB-3	6/3/2003	2,4-Dichlorophenol	<		2.4	10	ug/L	1	
SWB-3	9/4/2003	2,4-Dichlorophenol	<		2.4	10	ug/L	1	R
SWB-3	12/2/2003	2,4-Dichlorophenol	<		0.7	10	ug/L	1	R
SWB-3	3/1/2004	2,4-Dichlorophenol	<		0.7	10	ug/L	1	
SWB-3	6/1/2004	2,4-Dichlorophenol	<		0.7	10	ug/L	1	
SWB-3	9/1/2004	2,4-Dichlorophenol	<		0.7	10	ug/L	1	
SWB-3	12/1/2004	2,4-Dichlorophenol	<		0.7	10	ug/L	1	
SWB-3	3/3/2005	2,4-Dichlorophenol	<		1.3	10	ug/L	1	
SWB-3	6/2/2005	2,4-Dichlorophenol	<		1.3	10	ug/L	1	
SWB-3	9/1/2005	2,4-Dichlorophenol	<		1.3	10	ug/L	1	R
SWB-3	12/1/2005	2,4-Dichlorophenol	<		1.3	10	UG/L	1	R
SWB-3	3/2/2006	2,4-Dichlorophenol	<		1.3	10	UG/L	1	R

tmpAnalyticalResultsOverTime

SWB-3	6/2/2006	2,4-Dichlorophenol	<		1.3	10	UG/L	1 R
SWB-3	9/5/2006	2,4-Dichlorophenol	<		1.3	10	UG/L	1 UJ
SWB-3	12/4/2006	2,4-Dichlorophenol	<		1.3	10	UG/L	1 R
SWB-3	3/1/2007	2,4-Dichlorophenol	<		1.3	10	UG/L	1 UJ
SWB-3	6/1/2007	2,4-Dichlorophenol	<		1.3	10	UG/L	1 R
SWB-3	12/3/2007	2,4-Dichlorophenol	<		1.3	10	UG/L	1 R
SWB-3	3/6/2008	2,4-Dichlorophenol	<		0.64	10	UG/L	1
SWB-3	6/9/2008	2,4-Dichlorophenol	<		0.64	10	UG/L	1 R
SWB-3	12/4/2008	2,4-Dichlorophenol	<		0.64	10	UG/L	1
SWB-3	3/2/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1 R
SWB-3	3/2/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1 UJ
SWB-3	6/4/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1
SWB-3	12/1/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1
SWB-3	12/1/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1 R
SWB-3	3/1/2010	2,4-Dichlorophenol	<	9.7	0.62	9.7	ug/L	1 UJ
SWB-3	6/1/2010	2,4-DICHLOROPHENOL	<	0.6	0.6	9.4	UG/L	1 DNR
SWB-3	6/1/2010	2,4-DICHLOROPHENOL	<	0.6	0.6	9.4	UG/L	1 R
SWB-3	9/9/2010	2,4-DICHLOROPHENOL	<	0.6	0.6	9.3	UG/L	1 R
SWB-4	11/15/2002	2,4-Dichlorophenol	<		2.4	10	ug/L	1 UJ
SWB-5	10/29/2002	2,4-Dichlorophenol	<		2.4	10	ug/L	1
SWB-6	3/4/2003	2,4-Dichlorophenol	<		2.4	10	ug/L	1
SWB-6	6/3/2003	2,4-Dichlorophenol	<		2.4	10	ug/L	1
SWB-6	12/3/2003	2,4-Dichlorophenol	<		0.7	10	ug/L	1
SWB-6	3/5/2004	2,4-Dichlorophenol	<		0.7	10	ug/L	1
SWB-6	6/1/2004	2,4-Dichlorophenol	<		0.7	10	ug/L	1
SWB-6	12/1/2004	2,4-Dichlorophenol	<		0.7	10	ug/L	1
SWB-6	3/7/2005	2,4-Dichlorophenol	<		1.3	10	ug/L	1
SWB-6	6/1/2005	2,4-Dichlorophenol	<		1.3	10	ug/L	1
SWB-6	12/2/2005	2,4-Dichlorophenol	<		1.3	10	UG/L	1
SWB-6	3/1/2006	2,4-Dichlorophenol	<		1.3	10	UG/L	1
SWB-6	6/1/2006	2,4-Dichlorophenol	<		1.3	10	UG/L	1
SWB-6	12/5/2006	2,4-Dichlorophenol	<		1.3	10	UG/L	1
SWB-6	3/2/2007	2,4-Dichlorophenol	<		1.3	10	UG/L	1
SWB-6	3/6/2008	2,4-Dichlorophenol	<		0.64	10	UG/L	1
SWB-6	6/9/2008	2,4-Dichlorophenol	<		0.64	10	UG/L	1
SWB-6	12/5/2008	2,4-Dichlorophenol	<		0.64	10	UG/L	1
SWB-6	12/5/2008	2,4-Dichlorophenol	<		0.64	10	UG/L	1 R
SWB-6	3/2/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1
SWB-6	3/2/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1 R
SWB-6	6/5/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1
SWB-6	3/2/2010	2,4-Dichlorophenol	<	9.1	0.58	9.1	UG/L	1
SWB-6	6/2/2010	2,4-DICHLOROPHENOL	<	0.6	0.6	9.4	UG/L	1 DNR
SWB-6	6/2/2010	2,4-DICHLOROPHENOL	<	0.61	0.61	9.5	UG/L	1 UJ
SWB-7	3/4/2003	2,4-Dichlorophenol	<		2.4	10	ug/L	1
SWB-7	6/3/2003	2,4-Dichlorophenol	<		2.4	10	ug/L	1
SWB-7	3/1/2004	2,4-Dichlorophenol	<		0.7	10	ug/L	1
SWB-7	5/24/2004	2,4-Dichlorophenol	<		0.7	10	ug/L	1
SWB-7	12/1/2004	2,4-Dichlorophenol	<		0.7	10	ug/L	1
SWB-7	3/7/2005	2,4-Dichlorophenol	<		1.3	10	ug/L	1 UJ
SWB-7	6/1/2005	2,4-Dichlorophenol	<		1.3	10	ug/L	1
SWB-7	9/1/2005	2,4-Dichlorophenol	<		1.3	10	ug/L	1
SWB-7	12/1/2005	2,4-Dichlorophenol	<		1.3	10	UG/L	1
SWB-7	3/1/2006	2,4-Dichlorophenol	<		1.3	10	UG/L	1
SWB-7	6/2/2006	2,4-Dichlorophenol	<		1.3	10	UG/L	1
SWB-7	9/5/2006	2,4-Dichlorophenol	<		1.3	10	UG/L	1 UJ
SWB-7	12/5/2006	2,4-Dichlorophenol	<		1.3	10	UG/L	1
SWB-7	3/2/2007	2,4-Dichlorophenol	<		1.3	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	6/1/2007	2,4-Dichlorophenol	<		1.3	10	UG/L	1	
SWB-7	9/7/2007	2,4-Dichlorophenol	<		1.3	10	UG/L	1	
SWB-7	12/3/2007	2,4-Dichlorophenol	<		1.3	10	UG/L	1	
SWB-7	3/6/2008	2,4-Dichlorophenol	<		0.64	10	UG/L	1	
SWB-7	6/6/2008	2,4-Dichlorophenol	<		0.64	10	UG/L	1	
SWB-7	9/8/2008	2,4-Dichlorophenol	<		0.64	10	UG/L	1	
SWB-7	12/5/2008	2,4-Dichlorophenol	<		0.64	10	UG/L	1	
SWB-7	12/5/2008	2,4-Dichlorophenol	<		0.64	10	UG/L	1	R
SWB-7	3/2/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1	
SWB-7	3/2/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1	R
SWB-7	6/5/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1	
SWB-7	9/9/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1	
SWB-7	12/1/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1	
SWB-7	3/2/2010	2,4-Dichlorophenol	<	9.5	0.61	9.5	UG/L	1	
SWB-7	6/1/2010	2,4-DICHLOROPHENOL	TR	0.67	0.61	9.6	UG/L	1	DNR
SWB-7	6/1/2010	2,4-DICHLOROPHENOL	TR	0.8	0.64	10	UG/L	1	J
SWB-7	9/9/2010	2,4-DICHLOROPHENOL	<	0.62	0.62	9.6	UG/L	1	
SWB-7	12/1/2010	2,4-DICHLOROPHENOL	<	0.6	0.6	9.3	UG/L	1	
SWB-8	3/5/2004	2,4-Dichlorophenol	<		0.7	10	ug/L	1	
SWB-8	3/7/2005	2,4-Dichlorophenol	<		1.3	10	ug/L	1	
SWB-8	6/1/2005	2,4-Dichlorophenol	<		1.3	10	ug/L	1	
SWB-8	3/1/2006	2,4-Dichlorophenol	<		1.3	10	UG/L	1	
SWB-8	3/7/2008	2,4-Dichlorophenol	<		0.64	10	UG/L	1	
SWB-8	3/3/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1	
SWB-8	3/3/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1	R
SWB-9	3/4/2003	2,4-Dichlorophenol	<		2.4	10	ug/L	1	UJ
SWB-9	12/3/2003	2,4-Dichlorophenol	<		0.7	10	ug/L	1	
SWB-9	3/5/2004	2,4-Dichlorophenol	<		0.7	10	ug/L	1	
SWB-9	5/27/2004	2,4-Dichlorophenol	<		0.7	10	ug/L	1	UJ
SWB-9	12/1/2004	2,4-Dichlorophenol	<		0.7	10	ug/L	1	
SWB-9	3/3/2005	2,4-Dichlorophenol	<		1.3	10	ug/L	1	
SWB-9	6/2/2005	2,4-Dichlorophenol	<		1.3	10	ug/L	1	
SWB-9	9/1/2005	2,4-Dichlorophenol	<		1.3	10	ug/L	1	UJ
SWB-9	12/1/2005	2,4-Dichlorophenol	<		1.3	10	UG/L	1	
SWB-9	3/2/2006	2,4-Dichlorophenol	<		1.3	10	UG/L	1	
SWB-9	6/1/2006	2,4-Dichlorophenol	<		1.3	10	UG/L	1	UJ
SWB-9	12/4/2006	2,4-Dichlorophenol	<		1.3	10	UG/L	1	
SWB-9	3/5/2007	2,4-Dichlorophenol	<		1.3	10	UG/L	1	
SWB-9	3/6/2008	2,4-Dichlorophenol	<		0.64	10	UG/L	1	
SWB-9	6/5/2008	2,4-Dichlorophenol	<		0.64	10	UG/L	1	R
SWB-9	12/5/2008	2,4-Dichlorophenol	<		0.64	10	UG/L	1	
SWB-9	12/5/2008	2,4-Dichlorophenol	<		0.64	10	UG/L	1	R
SWB-9	3/2/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1	R
SWB-9	3/2/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1	UJ
SWB-9	6/2/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1	
SWB-9	6/2/2009	2,4-Dichlorophenol	<		0.64	10	UG/L	1	DNR
SWB-9	3/1/2010	2,4-Dichlorophenol	<	9.2	0.59	9.2	ug/L	1	
SWB-9	6/1/2010	2,4-DICHLOROPHENOL	<	0.6	0.6	9.4	UG/L	1	DNR
SWB-9	6/1/2010	2,4-DICHLOROPHENOL	<	0.6	0.6	9.5	UG/L	1	UJ
SWB-9	12/1/2010	2,4-DICHLOROPHENOL	<	0.59	0.59	9.3	UG/L	1	
SWB-10	3/4/2004	2,4-Dimethylphenol	<		4	10	ug/L	1	NA
SWB-10	5/24/2004	2,4-Dimethylphenol	<		4	10	ug/L	1	UJ
SWB-10	12/1/2004	2,4-Dimethylphenol	<		4	10	ug/L	1	
SWB-10	3/3/2005	2,4-Dimethylphenol	<		1.4	10	ug/L	1	
SWB-10	6/2/2005	2,4-Dimethylphenol	<		1.4	10	ug/L	1	
SWB-10	9/1/2005	2,4-Dimethylphenol	<		1.4	10	ug/L	1	
SWB-10	3/2/2006	2,4-Dimethylphenol	<		1.4	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-10	6/2/2006	2,4-Dimethylphenol	<		0.57	10	UG/L	1
SWB-10	3/1/2007	2,4-Dimethylphenol	<		0.57	10	UG/L	1
SWB-10	3/7/2008	2,4-Dimethylphenol	<		0.58	10	UG/L	1
SWB-10	6/5/2008	2,4-Dimethylphenol	<		0.58	10	UG/L	1
SWB-10	3/2/2009	2,4-Dimethylphenol	<		0.58	10	UG/L	1
SWB-10	3/2/2009	2,4-Dimethylphenol	<		0.58	10	UG/L	1 R
SWB-10	6/4/2009	2,4-Dimethylphenol	<		0.58	10	UG/L	1 UJ
SWB-10	3/2/2010	2,4-Dimethylphenol	<	9.3	0.54	9.3	UG/L	1 R
SWB-11	3/4/2004	2,4-Dimethylphenol	<		4	10	ug/L	1
SWB-11	5/24/2004	2,4-Dimethylphenol	<		4	10	ug/L	1 UJ
SWB-11	12/1/2004	2,4-Dimethylphenol	<		4	10	ug/L	1
SWB-11	3/1/2005	2,4-Dimethylphenol	<		1.4	10	ug/L	1
SWB-11	6/2/2005	2,4-Dimethylphenol	<		1.4	10	ug/L	1
SWB-11	3/2/2006	2,4-Dimethylphenol	<		1.4	10	UG/L	1
SWB-11	6/1/2006	2,4-Dimethylphenol	<		0.57	10	UG/L	1
SWB-11	3/1/2007	2,4-Dimethylphenol	<		0.57	10	UG/L	1
SWB-11	3/7/2008	2,4-Dimethylphenol	<		0.58	10	UG/L	1
SWB-11	6/5/2008	2,4-Dimethylphenol	<		0.58	10	UG/L	1
SWB-11	3/2/2009	2,4-Dimethylphenol	<		0.58	10	UG/L	1
SWB-11	6/4/2009	2,4-Dimethylphenol	<		0.58	10	UG/L	1 UJ
SWB-11	3/1/2010	2,4-Dimethylphenol	<	9.4	0.54	9.4	ug/L	1 R
SWB-11	6/2/2010	2,4-DIMETHYLPHENOL	<	0.55	0.55	9.5	UG/L	1 R
SWB-3	10/29/2002	2,4-Dimethylphenol	<		2.9	10	ug/L	1
SWB-3	3/4/2003	2,4-Dimethylphenol	<		2.9	10	ug/L	1 R
SWB-3	6/3/2003	2,4-Dimethylphenol	<		2.9	10	ug/L	1
SWB-3	9/4/2003	2,4-Dimethylphenol	<		2.9	10	ug/L	1 R
SWB-3	12/2/2003	2,4-Dimethylphenol	<		4	10	ug/L	1 R
SWB-3	3/1/2004	2,4-Dimethylphenol	<		4	10	ug/L	1
SWB-3	6/1/2004	2,4-Dimethylphenol	<		4	10	ug/L	1
SWB-3	9/1/2004	2,4-Dimethylphenol	<		4	10	ug/L	1
SWB-3	12/1/2004	2,4-Dimethylphenol	<		4	10	ug/L	1
SWB-3	3/3/2005	2,4-Dimethylphenol	<		1.4	10	ug/L	1
SWB-3	6/2/2005	2,4-Dimethylphenol	<		1.4	10	ug/L	1
SWB-3	9/1/2005	2,4-Dimethylphenol	<		1.4	10	ug/L	1 R
SWB-3	12/1/2005	2,4-Dimethylphenol	<		1.4	10	UG/L	1 R
SWB-3	3/2/2006	2,4-Dimethylphenol	<		1.4	10	UG/L	1 R
SWB-3	6/2/2006	2,4-Dimethylphenol	<		0.57	10	UG/L	1 R
SWB-3	9/5/2006	2,4-Dimethylphenol	<		0.57	10	UG/L	1 UJ
SWB-3	12/4/2006	2,4-Dimethylphenol	<		0.57	10	UG/L	1 R
SWB-3	3/1/2007	2,4-Dimethylphenol	<		0.57	10	UG/L	1 UJ
SWB-3	6/1/2007	2,4-Dimethylphenol	<		0.57	10	UG/L	1 R
SWB-3	12/3/2007	2,4-Dimethylphenol	<		0.57	10	UG/L	1 R
SWB-3	3/6/2008	2,4-Dimethylphenol	<		0.58	10	UG/L	1
SWB-3	6/9/2008	2,4-Dimethylphenol	<		0.58	10	UG/L	1 R
SWB-3	12/4/2008	2,4-Dimethylphenol	<		0.58	10	UG/L	1
SWB-3	3/2/2009	2,4-Dimethylphenol	<		0.58	10	UG/L	1 R
SWB-3	3/2/2009	2,4-Dimethylphenol	<		0.58	10	UG/L	1 UJ
SWB-3	6/4/2009	2,4-Dimethylphenol	<		0.58	10	UG/L	1 UJ
SWB-3	12/1/2009	2,4-Dimethylphenol	<		0.58	10	UG/L	1
SWB-3	12/1/2009	2,4-Dimethylphenol	<		0.58	10	UG/L	1 R
SWB-3	3/1/2010	2,4-Dimethylphenol	<	9.7	0.56	9.7	ug/L	1 R
SWB-3	6/1/2010	2,4-DIMETHYLPHENOL	<	0.54	0.54	9.4	UG/L	1 R
SWB-3	6/1/2010	2,4-DIMETHYLPHENOL	<	0.55	0.55	9.4	UG/L	1 DNR
SWB-3	9/9/2010	2,4-DIMETHYLPHENOL	<	0.54	0.54	9.3	UG/L	1 R
SWB-4	11/15/2002	2,4-Dimethylphenol	<		2.9	10	ug/L	1 UJ
SWB-5	10/29/2002	2,4-Dimethylphenol	<		2.9	10	ug/L	1
SWB-6	3/4/2003	2,4-Dimethylphenol	<		2.9	10	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	6/3/2003	2,4-Dimethylphenol	<	2.9	10	ug/L	1
SWB-6	12/3/2003	2,4-Dimethylphenol	<	4	10	ug/L	1
SWB-6	3/5/2004	2,4-Dimethylphenol	<	4	10	ug/L	1
SWB-6	6/1/2004	2,4-Dimethylphenol	<	4	10	ug/L	1
SWB-6	12/1/2004	2,4-Dimethylphenol	<	4	10	ug/L	1
SWB-6	3/7/2005	2,4-Dimethylphenol	<	1.4	10	ug/L	1
SWB-6	6/1/2005	2,4-Dimethylphenol	<	1.4	10	ug/L	1
SWB-6	12/2/2005	2,4-Dimethylphenol	<	1.4	10	UG/L	1
SWB-6	3/1/2006	2,4-Dimethylphenol	<	1.4	10	UG/L	1
SWB-6	6/1/2006	2,4-Dimethylphenol	<	0.57	10	UG/L	1
SWB-6	12/5/2006	2,4-Dimethylphenol	<	0.57	10	UG/L	1
SWB-6	3/2/2007	2,4-Dimethylphenol	<	0.57	10	UG/L	1
SWB-6	3/6/2008	2,4-Dimethylphenol	<	0.58	10	UG/L	1
SWB-6	6/9/2008	2,4-Dimethylphenol	<	0.58	10	UG/L	1
SWB-6	12/5/2008	2,4-Dimethylphenol	<	0.58	10	UG/L	1 R
SWB-6	3/2/2009	2,4-Dimethylphenol	<	0.58	10	UG/L	1
SWB-6	3/2/2009	2,4-Dimethylphenol	<	0.58	10	UG/L	1 R
SWB-6	6/5/2009	2,4-Dimethylphenol	<	0.58	10	UG/L	1 UJ
SWB-6	3/2/2010	2,4-Dimethylphenol	<	9.1	9.1	UG/L	1 R
SWB-6	6/2/2010	2,4-DIMETHYLPHENOL	<	0.55	9.4	UG/L	1 DNR
SWB-6	6/2/2010	2,4-DIMETHYLPHENOL	<	0.55	9.5	UG/L	1 R
SWB-7	3/4/2003	2,4-Dimethylphenol	<	2.9	10	ug/L	1
SWB-7	6/3/2003	2,4-Dimethylphenol	<	2.9	10	ug/L	1
SWB-7	3/1/2004	2,4-Dimethylphenol	<	4	10	ug/L	1
SWB-7	5/24/2004	2,4-Dimethylphenol	<	4	10	ug/L	1
SWB-7	12/1/2004	2,4-Dimethylphenol	<	4	10	ug/L	1
SWB-7	3/7/2005	2,4-Dimethylphenol	<	1.4	10	ug/L	1 UJ
SWB-7	6/1/2005	2,4-Dimethylphenol	<	1.4	10	ug/L	1
SWB-7	9/1/2005	2,4-Dimethylphenol	<	1.4	10	ug/L	1
SWB-7	12/1/2005	2,4-Dimethylphenol	<	1.4	10	UG/L	1
SWB-7	3/1/2006	2,4-Dimethylphenol	<	1.4	10	UG/L	1
SWB-7	6/2/2006	2,4-Dimethylphenol	<	0.57	10	UG/L	1
SWB-7	9/5/2006	2,4-Dimethylphenol	<	0.57	10	UG/L	1 UJ
SWB-7	12/5/2006	2,4-Dimethylphenol	<	0.57	10	UG/L	1
SWB-7	3/2/2007	2,4-Dimethylphenol	<	0.57	10	UG/L	1
SWB-7	6/1/2007	2,4-Dimethylphenol	<	0.57	10	UG/L	1
SWB-7	9/7/2007	2,4-Dimethylphenol	<	0.57	10	UG/L	1
SWB-7	12/3/2007	2,4-Dimethylphenol	<	0.57	10	UG/L	1
SWB-7	3/6/2008	2,4-Dimethylphenol	<	0.58	10	UG/L	1
SWB-7	6/6/2008	2,4-Dimethylphenol	<	0.58	10	UG/L	1
SWB-7	9/8/2008	2,4-Dimethylphenol	<	0.58	10	UG/L	1
SWB-7	12/5/2008	2,4-Dimethylphenol	<	0.58	10	UG/L	1 R
SWB-7	3/2/2009	2,4-Dimethylphenol	<	0.58	10	UG/L	1
SWB-7	3/2/2009	2,4-Dimethylphenol	<	0.58	10	UG/L	1 R
SWB-7	6/5/2009	2,4-Dimethylphenol	<	0.58	10	UG/L	1 UJ
SWB-7	9/9/2009	2,4-Dimethylphenol	<	0.58	10	UG/L	1
SWB-7	12/1/2009	2,4-Dimethylphenol	<	0.58	10	UG/L	1
SWB-7	3/2/2010	2,4-Dimethylphenol	<	9.5	9.5	UG/L	1 R
SWB-7	6/1/2010	2,4-DIMETHYLPHENOL	<	0.56	9.6	UG/L	1 DNR
SWB-7	6/1/2010	2,4-DIMETHYLPHENOL	<	0.58	10	UG/L	1 R
SWB-7	9/9/2010	2,4-DIMETHYLPHENOL	<	0.56	9.6	UG/L	1
SWB-7	12/1/2010	2,4-DIMETHYLPHENOL	<	0.54	9.3	UG/L	1
SWB-8	3/5/2004	2,4-Dimethylphenol	<	4	10	ug/L	1
SWB-8	3/7/2005	2,4-Dimethylphenol	<	1.4	10	ug/L	1
SWB-8	6/1/2005	2,4-Dimethylphenol	<	1.4	10	ug/L	1
SWB-8	3/1/2006	2,4-Dimethylphenol	<	1.4	10	UG/L	1
SWB-8	3/7/2008	2,4-Dimethylphenol	<	0.58	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-8	3/3/2009	2,4-Dimethylphenol	<		0.58	10	UG/L	1	
SWB-8	3/3/2009	2,4-Dimethylphenol	<		0.58	10	UG/L	1 R	
SWB-9	3/4/2003	2,4-Dimethylphenol	<		2.9	10	ug/L	1 UJ	
SWB-9	12/3/2003	2,4-Dimethylphenol	<		4	10	ug/L	1	
SWB-9	3/5/2004	2,4-Dimethylphenol	<		4	10	ug/L	1	
SWB-9	5/27/2004	2,4-Dimethylphenol	<		4	10	ug/L	1 UJ	
SWB-9	12/1/2004	2,4-Dimethylphenol	<		4	10	ug/L	1	
SWB-9	3/3/2005	2,4-Dimethylphenol	<		1.4	10	ug/L	1	
SWB-9	6/2/2005	2,4-Dimethylphenol	<		1.4	10	ug/L	1	
SWB-9	9/1/2005	2,4-Dimethylphenol	<		1.4	10	ug/L	1 UJ	
SWB-9	12/1/2005	2,4-Dimethylphenol	<		1.4	10	UG/L	1	
SWB-9	3/2/2006	2,4-Dimethylphenol	<		1.4	10	UG/L	1	
SWB-9	6/1/2006	2,4-Dimethylphenol	<		0.57	10	UG/L	1 UJ	
SWB-9	12/4/2006	2,4-Dimethylphenol	<		0.57	10	UG/L	1	
SWB-9	3/5/2007	2,4-Dimethylphenol	<		0.57	10	UG/L	1	
SWB-9	3/6/2008	2,4-Dimethylphenol	<		0.58	10	UG/L	1	
SWB-9	6/5/2008	2,4-Dimethylphenol	<		0.58	10	UG/L	1 R	
SWB-9	12/5/2008	2,4-Dimethylphenol	<		0.58	10	UG/L	1 R	
SWB-9	3/2/2009	2,4-Dimethylphenol	<		0.58	10	UG/L	1 R	
SWB-9	3/2/2009	2,4-Dimethylphenol	<		0.58	10	UG/L	1 UJ	
SWB-9	6/2/2009	2,4-Dimethylphenol	<		0.58	10	UG/L	1 DNR	
SWB-9	6/2/2009	2,4-Dimethylphenol	<		0.58	10	UG/L	1 UJ	
SWB-9	3/1/2010	2,4-Dimethylphenol	<	9.2	0.54	9.2	ug/L	1 R	
SWB-9	6/1/2010	2,4-DIMETHYLPHENOL	<	0.54	0.54	9.4	UG/L	1 DNR	
SWB-9	6/1/2010	2,4-DIMETHYLPHENOL	<	0.55	0.55	9.5	UG/L	1 R	
SWB-9	12/1/2010	2,4-DIMETHYLPHENOL	<	0.54	0.54	9.3	UG/L	1	
SWB-10	3/4/2004	2,4-Dinitrophenol	<		6	50	ug/L	1	NA
SWB-10	5/24/2004	2,4-Dinitrophenol	<		6	50	ug/L	1 UJ	
SWB-10	12/1/2004	2,4-Dinitrophenol	<		6	50	ug/L	1	
SWB-10	3/3/2005	2,4-Dinitrophenol	<		10	50	ug/L	1	
SWB-10	6/2/2005	2,4-Dinitrophenol	<		10	50	ug/L	1	
SWB-10	9/1/2005	2,4-Dinitrophenol	<		10	50	ug/L	1	
SWB-10	3/2/2006	2,4-Dinitrophenol	<		10	50	UG/L	1	
SWB-10	6/2/2006	2,4-Dinitrophenol	<		20	50	UG/L	1	
SWB-10	3/1/2007	2,4-Dinitrophenol	<		20	50	UG/L	1	
SWB-10	3/7/2008	2,4-Dinitrophenol	<		10	50	UG/L	1	
SWB-10	6/5/2008	2,4-Dinitrophenol	<		10	50	UG/L	1	
SWB-10	3/2/2009	2,4-Dinitrophenol	<		10	30	UG/L	1	
SWB-10	3/2/2009	2,4-Dinitrophenol	<		10	30	UG/L	1 R	
SWB-10	6/4/2009	2,4-Dinitrophenol	<		10	30	UG/L	1	
SWB-10	3/2/2010	2,4-Dinitrophenol	<	28	9.3	28	UG/L	1	
SWB-11	3/4/2004	2,4-Dinitrophenol	<		6	50	ug/L	1	
SWB-11	5/24/2004	2,4-Dinitrophenol	<		6	50	ug/L	1 UJ	
SWB-11	12/1/2004	2,4-Dinitrophenol	<		6	50	ug/L	1	
SWB-11	3/1/2005	2,4-Dinitrophenol	<		10	50	ug/L	1	
SWB-11	6/2/2005	2,4-Dinitrophenol	<		10	50	ug/L	1	
SWB-11	3/2/2006	2,4-Dinitrophenol	<		10	50	UG/L	1	
SWB-11	6/1/2006	2,4-Dinitrophenol	<		20	50	UG/L	1	
SWB-11	3/1/2007	2,4-Dinitrophenol	<		20	50	UG/L	1	
SWB-11	3/7/2008	2,4-Dinitrophenol	<		10	50	UG/L	1	
SWB-11	6/5/2008	2,4-Dinitrophenol	<		10	50	UG/L	1	
SWB-11	3/2/2009	2,4-Dinitrophenol	<		10	30	UG/L	1	
SWB-11	6/4/2009	2,4-Dinitrophenol	<		10	30	UG/L	1 UJ	
SWB-11	3/1/2010	2,4-Dinitrophenol	<	28	9.4	28	ug/L	1	
SWB-11	6/2/2010	2,4-DINITROPHENOL	<	9.5	9.5	28	UG/L	1 R	
SWB-3	10/29/2002	2,4-Dinitrophenol	<		18	50	ug/L	1	
SWB-3	3/4/2003	2,4-Dinitrophenol	<		18	50	ug/L	1 R	

tmpAnalyticalResultsOverTime

SWB-3	6/3/2003	2,4-Dinitrophenol	<		18	50	ug/L	1
SWB-3	9/4/2003	2,4-Dinitrophenol	<		18	50	ug/L	1 R
SWB-3	12/2/2003	2,4-Dinitrophenol	<		6	50	ug/L	1 R
SWB-3	3/1/2004	2,4-Dinitrophenol	<		6	50	ug/L	1
SWB-3	6/1/2004	2,4-Dinitrophenol	<		6	50	ug/L	1 UJ
SWB-3	9/1/2004	2,4-Dinitrophenol	<		6	50	ug/L	1
SWB-3	12/1/2004	2,4-Dinitrophenol	<		6	50	ug/L	1
SWB-3	3/3/2005	2,4-Dinitrophenol	<		10	50	ug/L	1
SWB-3	6/2/2005	2,4-Dinitrophenol	<		10	50	ug/L	1
SWB-3	9/1/2005	2,4-Dinitrophenol	<		10	50	ug/L	1 R
SWB-3	12/1/2005	2,4-Dinitrophenol	<		10	50	UG/L	1 R
SWB-3	3/2/2006	2,4-Dinitrophenol	<		10	50	UG/L	1 R
SWB-3	6/2/2006	2,4-Dinitrophenol	<		20	50	UG/L	1 R
SWB-3	9/5/2006	2,4-Dinitrophenol	<		20	50	UG/L	1 UJ
SWB-3	12/4/2006	2,4-Dinitrophenol	<		20	50	UG/L	1 R
SWB-3	3/1/2007	2,4-Dinitrophenol	<		20	50	UG/L	1 UJ
SWB-3	6/1/2007	2,4-Dinitrophenol	<		20	50	UG/L	1 R
SWB-3	12/3/2007	2,4-Dinitrophenol	<		20	50	UG/L	1 R
SWB-3	3/6/2008	2,4-Dinitrophenol	<		10	50	UG/L	1
SWB-3	6/9/2008	2,4-Dinitrophenol	<		10	50	UG/L	1 R
SWB-3	12/4/2008	2,4-Dinitrophenol	<		10	30	UG/L	1
SWB-3	3/2/2009	2,4-Dinitrophenol	<		10	30	UG/L	1 R
SWB-3	3/2/2009	2,4-Dinitrophenol	<		10	30	UG/L	1 UJ
SWB-3	6/4/2009	2,4-Dinitrophenol	<		10	30	UG/L	1
SWB-3	12/1/2009	2,4-Dinitrophenol	<		10	30	UG/L	1
SWB-3	12/1/2009	2,4-Dinitrophenol	<		10	30	UG/L	1 R
SWB-3	3/1/2010	2,4-Dinitrophenol	<	29	9.7	29	ug/L	1 UJ
SWB-3	6/1/2010	2,4-DINITROPHENOL	<	9.4	9.4	28	UG/L	1 DNR
SWB-3	6/1/2010	2,4-DINITROPHENOL	<	9.4	9.4	28	UG/L	1 R
SWB-3	9/9/2010	2,4-DINITROPHENOL	<	9.3	9.3	28	UG/L	1 R
SWB-4	11/15/2002	2,4-Dinitrophenol	<		18	50	ug/L	1 UJ
SWB-5	10/29/2002	2,4-Dinitrophenol	<		18	50	ug/L	1
SWB-6	3/4/2003	2,4-Dinitrophenol	<		18	50	ug/L	1
SWB-6	6/3/2003	2,4-Dinitrophenol	<		18	50	ug/L	1
SWB-6	12/3/2003	2,4-Dinitrophenol	<		6	50	ug/L	1
SWB-6	3/5/2004	2,4-Dinitrophenol	<		6	50	ug/L	1
SWB-6	6/1/2004	2,4-Dinitrophenol	<		6	50	ug/L	1 UJ
SWB-6	12/1/2004	2,4-Dinitrophenol	<		6	50	ug/L	1
SWB-6	3/7/2005	2,4-Dinitrophenol	<		10	50	ug/L	1
SWB-6	6/1/2005	2,4-Dinitrophenol	<		10	50	ug/L	1
SWB-6	12/2/2005	2,4-Dinitrophenol	<		10	50	UG/L	1
SWB-6	3/1/2006	2,4-Dinitrophenol	<		10	50	UG/L	1
SWB-6	6/1/2006	2,4-Dinitrophenol	<		20	50	UG/L	1
SWB-6	12/5/2006	2,4-Dinitrophenol	<		20	50	UG/L	1
SWB-6	3/2/2007	2,4-Dinitrophenol	<		20	50	UG/L	1
SWB-6	3/6/2008	2,4-Dinitrophenol	<		10	50	UG/L	1
SWB-6	6/9/2008	2,4-Dinitrophenol	<		10	50	UG/L	1
SWB-6	12/5/2008	2,4-Dinitrophenol	<		10	30	UG/L	1
SWB-6	12/5/2008	2,4-Dinitrophenol	<		10	30	UG/L	1 R
SWB-6	3/2/2009	2,4-Dinitrophenol	<		10	30	UG/L	1
SWB-6	3/2/2009	2,4-Dinitrophenol	<		10	30	UG/L	1 R
SWB-6	6/5/2009	2,4-Dinitrophenol	<		10	30	UG/L	1
SWB-6	3/2/2010	2,4-Dinitrophenol	<	27	9.1	27	UG/L	1
SWB-6	6/2/2010	2,4-DINITROPHENOL	<	9.4	9.4	28	UG/L	1 DNR
SWB-6	6/2/2010	2,4-DINITROPHENOL	<	9.5	9.5	29	UG/L	1
SWB-7	3/4/2003	2,4-Dinitrophenol	<		18	50	ug/L	1
SWB-7	6/3/2003	2,4-Dinitrophenol	<		18	50	ug/L	1

tmpAnalyticalResultsOverTime

SWB-7	3/1/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	
SWB-7	5/24/2004	2,4-Dinitrophenol	<	6	50	ug/L	1 UJ	
SWB-7	12/1/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	
SWB-7	3/7/2005	2,4-Dinitrophenol	<	10	50	ug/L	1 UJ	
SWB-7	6/1/2005	2,4-Dinitrophenol	<	10	50	ug/L	1	
SWB-7	9/1/2005	2,4-Dinitrophenol	<	10	50	ug/L	1	
SWB-7	12/1/2005	2,4-Dinitrophenol	<	10	50	UG/L	1	
SWB-7	3/1/2006	2,4-Dinitrophenol	<	10	50	UG/L	1	
SWB-7	6/2/2006	2,4-Dinitrophenol	<	20	50	UG/L	1	
SWB-7	9/5/2006	2,4-Dinitrophenol	<	20	50	UG/L	1 UJ	
SWB-7	12/5/2006	2,4-Dinitrophenol	<	20	50	UG/L	1	
SWB-7	3/2/2007	2,4-Dinitrophenol	<	20	50	UG/L	1	
SWB-7	6/1/2007	2,4-Dinitrophenol	<	20	50	UG/L	1	
SWB-7	9/7/2007	2,4-Dinitrophenol	<	20	50	UG/L	1	
SWB-7	12/3/2007	2,4-Dinitrophenol	<	20	50	UG/L	1	
SWB-7	3/6/2008	2,4-Dinitrophenol	<	10	50	UG/L	1	
SWB-7	6/6/2008	2,4-Dinitrophenol	<	10	50	UG/L	1	
SWB-7	9/8/2008	2,4-Dinitrophenol	<	10	30	UG/L	1	
SWB-7	12/5/2008	2,4-Dinitrophenol	<	10	30	UG/L	1	
SWB-7	12/5/2008	2,4-Dinitrophenol	<	10	30	UG/L	1 R	
SWB-7	3/2/2009	2,4-Dinitrophenol	<	10	30	UG/L	1	
SWB-7	3/2/2009	2,4-Dinitrophenol	<	10	30	UG/L	1 R	
SWB-7	6/5/2009	2,4-Dinitrophenol	<	10	30	UG/L	1	
SWB-7	9/9/2009	2,4-Dinitrophenol	<	10	30	UG/L	1	
SWB-7	12/1/2009	2,4-Dinitrophenol	<	10	30	UG/L	1	
SWB-7	3/2/2010	2,4-Dinitrophenol	<	28	9.5	28	UG/L	1
SWB-7	6/1/2010	2,4-DINITROPHENOL	<	9.6	9.6	29	UG/L	1 DNR
SWB-7	6/1/2010	2,4-DINITROPHENOL	<	10	10	30	UG/L	1
SWB-7	9/9/2010	2,4-DINITROPHENOL	<	9.6	9.6	29	UG/L	1
SWB-7	12/1/2010	2,4-DINITROPHENOL	<	9.3	9.3	28	UG/L	1
SWB-8	3/5/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	
SWB-8	3/7/2005	2,4-Dinitrophenol	<	10	50	ug/L	1	
SWB-8	6/1/2005	2,4-Dinitrophenol	<	10	50	ug/L	1	
SWB-8	3/1/2006	2,4-Dinitrophenol	<	10	50	UG/L	1	
SWB-8	3/7/2008	2,4-Dinitrophenol	<	10	50	UG/L	1	
SWB-8	3/3/2009	2,4-Dinitrophenol	<	10	30	UG/L	1	
SWB-8	3/3/2009	2,4-Dinitrophenol	<	10	30	UG/L	1 R	
SWB-9	3/4/2003	2,4-Dinitrophenol	<	18	50	ug/L	1 UJ	
SWB-9	12/3/2003	2,4-Dinitrophenol	<	6	50	ug/L	1	
SWB-9	3/5/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	
SWB-9	5/27/2004	2,4-Dinitrophenol	<	6	50	ug/L	1 UJ	
SWB-9	12/1/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	
SWB-9	3/3/2005	2,4-Dinitrophenol	<	10	50	ug/L	1	
SWB-9	6/2/2005	2,4-Dinitrophenol	<	10	50	ug/L	1	
SWB-9	9/1/2005	2,4-Dinitrophenol	<	10	50	ug/L	1 UJ	
SWB-9	12/1/2005	2,4-Dinitrophenol	<	10	50	UG/L	1	
SWB-9	3/2/2006	2,4-Dinitrophenol	<	10	50	UG/L	1	
SWB-9	6/1/2006	2,4-Dinitrophenol	<	20	50	UG/L	1 UJ	
SWB-9	12/4/2006	2,4-Dinitrophenol	<	20	50	UG/L	1	
SWB-9	3/5/2007	2,4-Dinitrophenol	<	20	50	UG/L	1	
SWB-9	3/6/2008	2,4-Dinitrophenol	<	10	50	UG/L	1	
SWB-9	6/5/2008	2,4-Dinitrophenol	<	10	50	UG/L	1 R	
SWB-9	12/5/2008	2,4-Dinitrophenol	<	10	30	UG/L	1	
SWB-9	12/5/2008	2,4-Dinitrophenol	<	10	30	UG/L	1 R	
SWB-9	3/2/2009	2,4-Dinitrophenol	<	10	30	UG/L	1 R	
SWB-9	3/2/2009	2,4-Dinitrophenol	<	10	30	UG/L	1 UJ	
SWB-9	6/2/2009	2,4-Dinitrophenol	TR	10	10	30	UG/L	1 J



tmpAnalyticalResultsOverTime

SWB-9	6/2/2009	2,4-Dinitrophenol	TR	18	10	30	UG/L	1	DNR	
SWB-9	3/1/2010	2,4-Dinitrophenol	<	28	9.2	28	ug/L	1		
SWB-9	6/1/2010	2,4-DINITROPHENOL	<	9.4	9.4	28	UG/L	1	DNR	
SWB-9	6/1/2010	2,4-DINITROPHENOL	TR	18	9.5	28	UG/L	1	J	
SWB-9	12/1/2010	2,4-DINITROPHENOL	<	9.3	9.3	28	UG/L	1		
SWB-10	3/4/2004	2,4-Dinitrotoluene	<		1	10	ug/L	1		NA
SWB-10	5/24/2004	2,4-Dinitrotoluene	<		1	10	ug/L	1	UJ	
SWB-10	12/1/2004	2,4-Dinitrotoluene	<		1	10	ug/L	1		
SWB-10	3/3/2005	2,4-Dinitrotoluene	<		1.8	10	ug/L	1		
SWB-10	6/2/2005	2,4-Dinitrotoluene	<		1.8	10	ug/L	1		
SWB-10	9/1/2005	2,4-Dinitrotoluene	<		1.8	10	ug/L	1		
SWB-10	3/2/2006	2,4-Dinitrotoluene	<		1.8	10	UG/L	1		
SWB-10	6/2/2006	2,4-Dinitrotoluene	<		5	10	UG/L	1		
SWB-10	3/1/2007	2,4-Dinitrotoluene	<		5	10	UG/L	1		
SWB-10	3/7/2008	2,4-Dinitrotoluene	<		0.22	10	UG/L	1		
SWB-10	6/5/2008	2,4-Dinitrotoluene	<		0.22	10	UG/L	1		
SWB-10	3/2/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1		
SWB-10	3/2/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1	R	
SWB-10	6/4/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1		
SWB-10	3/2/2010	2,4-Dinitrotoluene	<	9.3	1.5	9.3	UG/L	1		
SWB-11	3/4/2004	2,4-Dinitrotoluene	<		1	10	ug/L	1		
SWB-11	5/24/2004	2,4-Dinitrotoluene	<		1	10	ug/L	1	UJ	
SWB-11	12/1/2004	2,4-Dinitrotoluene	<		1	10	ug/L	1		
SWB-11	3/1/2005	2,4-Dinitrotoluene	<		1.8	10	ug/L	1		
SWB-11	6/2/2005	2,4-Dinitrotoluene	<		1.8	10	ug/L	1		
SWB-11	3/2/2006	2,4-Dinitrotoluene	<		1.8	10	UG/L	1		
SWB-11	6/1/2006	2,4-Dinitrotoluene	<		5	10	UG/L	1		
SWB-11	3/1/2007	2,4-Dinitrotoluene	<		5	10	UG/L	1		
SWB-11	3/7/2008	2,4-Dinitrotoluene	<		0.22	10	UG/L	1		
SWB-11	6/5/2008	2,4-Dinitrotoluene	<		0.22	10	UG/L	1		
SWB-11	3/2/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1		
SWB-11	6/4/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1		
SWB-11	3/1/2010	2,4-Dinitrotoluene	<	9.4	1.6	9.4	ug/L	1		
SWB-11	6/2/2010	2,4-DINITROTOLUENE	<	1.6	1.6	9.5	UG/L	1		
SWB-3	10/29/2002	2,4-Dinitrotoluene	<		2.6	10	ug/L	1		
SWB-3	3/4/2003	2,4-Dinitrotoluene	<		2.6	10	ug/L	1		
SWB-3	6/3/2003	2,4-Dinitrotoluene	<		2.6	10	ug/L	1		
SWB-3	9/4/2003	2,4-Dinitrotoluene	<		2.6	10	ug/L	1	UJ	
SWB-3	12/2/2003	2,4-Dinitrotoluene	<		1	10	ug/L	1		
SWB-3	3/1/2004	2,4-Dinitrotoluene	<		1	10	ug/L	1		
SWB-3	6/1/2004	2,4-Dinitrotoluene	<		1	10	ug/L	1		
SWB-3	9/1/2004	2,4-Dinitrotoluene	<		1	10	ug/L	1		
SWB-3	12/1/2004	2,4-Dinitrotoluene	<		1	10	ug/L	1		
SWB-3	3/3/2005	2,4-Dinitrotoluene	<		1.8	10	ug/L	1		
SWB-3	6/2/2005	2,4-Dinitrotoluene	<		1.8	10	ug/L	1		
SWB-3	9/1/2005	2,4-Dinitrotoluene	<		1.8	10	ug/L	1		
SWB-3	12/1/2005	2,4-Dinitrotoluene	<		1.8	10	UG/L	1	UJ	
SWB-3	3/2/2006	2,4-Dinitrotoluene	<		1.8	10	UG/L	1		
SWB-3	6/2/2006	2,4-Dinitrotoluene	<		5	10	UG/L	1		
SWB-3	9/5/2006	2,4-Dinitrotoluene	<		5	10	UG/L	1		
SWB-3	12/4/2006	2,4-Dinitrotoluene	<		5	10	UG/L	1		
SWB-3	3/1/2007	2,4-Dinitrotoluene	<		5	10	UG/L	1		
SWB-3	6/1/2007	2,4-Dinitrotoluene	<		5	10	UG/L	1		
SWB-3	6/1/2007	2,4-Dinitrotoluene	<		5	10	UG/L	1	R	
SWB-3	12/3/2007	2,4-Dinitrotoluene	<		0.25	10	UG/L	1		
SWB-3	3/6/2008	2,4-Dinitrotoluene	<		0.22	10	UG/L	1		
SWB-3	6/9/2008	2,4-Dinitrotoluene	<		0.22	10	UG/L	1		

tmpAnalyticalResultsOverTime

SWB-3	12/4/2008	2,4-Dinitrotoluene	<		0.22	10	UG/L	1
SWB-3	3/2/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1
SWB-3	3/2/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1 R
SWB-3	6/4/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1
SWB-3	12/1/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1
SWB-3	3/1/2010	2,4-Dinitrotoluene	<	9.7	1.6	9.7	ug/L	1 UJ
SWB-3	6/1/2010	2,4-DINITROTOLUENE	<	1.6	1.6	9.4	UG/L	1
SWB-3	6/1/2010	2,4-DINITROTOLUENE	<	1.6	1.6	9.4	UG/L	1 DNR
SWB-3	9/9/2010	2,4-DINITROTOLUENE	<	1.5	1.5	9.3	UG/L	1
SWB-4	11/15/2002	2,4-Dinitrotoluene	<		2.6	10	ug/L	1
SWB-5	10/29/2002	2,4-Dinitrotoluene	<		2.6	10	ug/L	1
SWB-6	3/4/2003	2,4-Dinitrotoluene	<		2.6	10	ug/L	1
SWB-6	6/3/2003	2,4-Dinitrotoluene	<		2.6	10	ug/L	1
SWB-6	12/3/2003	2,4-Dinitrotoluene	<		1	10	ug/L	1
SWB-6	3/5/2004	2,4-Dinitrotoluene	<		1	10	ug/L	1
SWB-6	6/1/2004	2,4-Dinitrotoluene	<		1	10	ug/L	1
SWB-6	12/1/2004	2,4-Dinitrotoluene	<		1	10	ug/L	1
SWB-6	3/7/2005	2,4-Dinitrotoluene	<		1.8	10	ug/L	1
SWB-6	6/1/2005	2,4-Dinitrotoluene	<		1.8	10	ug/L	1
SWB-6	12/2/2005	2,4-Dinitrotoluene	<		1.8	10	UG/L	1 UJ
SWB-6	3/1/2006	2,4-Dinitrotoluene	<		1.8	10	UG/L	1
SWB-6	6/1/2006	2,4-Dinitrotoluene	<		5	10	UG/L	1
SWB-6	12/5/2006	2,4-Dinitrotoluene	<		5	10	UG/L	1
SWB-6	3/2/2007	2,4-Dinitrotoluene	<		5	10	UG/L	1
SWB-6	3/6/2008	2,4-Dinitrotoluene	<		0.22	10	UG/L	1
SWB-6	6/9/2008	2,4-Dinitrotoluene	<		0.22	10	UG/L	1
SWB-6	12/5/2008	2,4-Dinitrotoluene	<		0.22	10	UG/L	1
SWB-6	12/5/2008	2,4-Dinitrotoluene	<		0.22	10	UG/L	1 R
SWB-6	3/2/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1
SWB-6	3/2/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1 R
SWB-6	6/5/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1
SWB-6	3/2/2010	2,4-Dinitrotoluene	<	9.1	1.5	9.1	UG/L	1
SWB-6	6/2/2010	2,4-DINITROTOLUENE	<	1.6	1.6	9.4	UG/L	1 DNR
SWB-6	6/2/2010	2,4-DINITROTOLUENE	<	1.6	1.6	9.5	UG/L	1
SWB-7	3/4/2003	2,4-Dinitrotoluene	<		2.6	10	ug/L	1
SWB-7	6/3/2003	2,4-Dinitrotoluene	<		2.6	10	ug/L	1
SWB-7	3/1/2004	2,4-Dinitrotoluene	<		1	10	ug/L	1
SWB-7	5/24/2004	2,4-Dinitrotoluene	<		1	10	ug/L	1
SWB-7	12/1/2004	2,4-Dinitrotoluene	<		1	10	ug/L	1
SWB-7	3/7/2005	2,4-Dinitrotoluene	<		1.8	10	ug/L	1 UJ
SWB-7	6/1/2005	2,4-Dinitrotoluene	<		1.8	10	ug/L	1
SWB-7	9/1/2005	2,4-Dinitrotoluene	<		1.8	10	ug/L	1
SWB-7	12/1/2005	2,4-Dinitrotoluene	<		1.8	10	UG/L	1 UJ
SWB-7	3/1/2006	2,4-Dinitrotoluene	<		1.8	10	UG/L	1
SWB-7	6/2/2006	2,4-Dinitrotoluene	<		5	10	UG/L	1
SWB-7	9/5/2006	2,4-Dinitrotoluene	<		5	10	UG/L	1 UJ
SWB-7	12/5/2006	2,4-Dinitrotoluene	<		5	10	UG/L	1
SWB-7	3/2/2007	2,4-Dinitrotoluene	<		5	10	UG/L	1
SWB-7	6/1/2007	2,4-Dinitrotoluene	<		5	10	UG/L	1
SWB-7	9/7/2007	2,4-Dinitrotoluene	<		0.25	10	UG/L	1
SWB-7	12/3/2007	2,4-Dinitrotoluene	<		0.25	10	UG/L	1
SWB-7	3/6/2008	2,4-Dinitrotoluene	<		0.22	10	UG/L	1
SWB-7	6/6/2008	2,4-Dinitrotoluene	<		0.22	10	UG/L	1
SWB-7	9/8/2008	2,4-Dinitrotoluene	<		0.22	10	UG/L	1
SWB-7	12/5/2008	2,4-Dinitrotoluene	<		0.22	10	UG/L	1
SWB-7	12/5/2008	2,4-Dinitrotoluene	<		0.22	10	UG/L	1 R
SWB-7	3/2/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	3/2/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1	R	
SWB-7	6/5/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1		
SWB-7	9/9/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1		
SWB-7	12/1/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1		
SWB-7	3/2/2010	2,4-Dinitrotoluene	<	9.5	1.6	9.5	UG/L	1		
SWB-7	6/1/2010	2,4-DINITROTOLUENE	<	1.6	1.6	9.6	UG/L	1	DNR	
SWB-7	6/1/2010	2,4-DINITROTOLUENE	<	1.7	1.7	10	UG/L	1	R	
SWB-7	9/9/2010	2,4-DINITROTOLUENE	<	1.6	1.6	9.6	UG/L	1		
SWB-7	12/1/2010	2,4-DINITROTOLUENE	<	1.5	1.5	9.3	UG/L	1		
SWB-8	3/5/2004	2,4-Dinitrotoluene	<		1	10	ug/L	1		
SWB-8	3/7/2005	2,4-Dinitrotoluene	<		1.8	10	ug/L	1		
SWB-8	6/1/2005	2,4-Dinitrotoluene	<		1.8	10	ug/L	1		
SWB-8	3/1/2006	2,4-Dinitrotoluene	<		1.8	10	UG/L	1		
SWB-8	3/7/2008	2,4-Dinitrotoluene	<		0.22	10	UG/L	1		
SWB-8	3/3/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1		
SWB-8	3/3/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1	R	
SWB-9	3/4/2003	2,4-Dinitrotoluene	<		2.6	10	ug/L	1		
SWB-9	12/3/2003	2,4-Dinitrotoluene	<		1	10	ug/L	1		
SWB-9	3/5/2004	2,4-Dinitrotoluene	<		1	10	ug/L	1		
SWB-9	5/27/2004	2,4-Dinitrotoluene	<		1	10	ug/L	1	UJ	
SWB-9	12/1/2004	2,4-Dinitrotoluene	<		1	10	ug/L	1		
SWB-9	3/3/2005	2,4-Dinitrotoluene	<		1.8	10	ug/L	1		
SWB-9	6/2/2005	2,4-Dinitrotoluene	<		1.8	10	ug/L	1		
SWB-9	9/1/2005	2,4-Dinitrotoluene	<		1.8	10	ug/L	1		
SWB-9	12/1/2005	2,4-Dinitrotoluene	<		1.8	10	UG/L	1	UJ	
SWB-9	3/2/2006	2,4-Dinitrotoluene	<		1.8	10	UG/L	1		
SWB-9	6/1/2006	2,4-Dinitrotoluene	<		5	10	UG/L	1		
SWB-9	12/4/2006	2,4-Dinitrotoluene	<		5	10	UG/L	1		
SWB-9	3/5/2007	2,4-Dinitrotoluene	<		5	10	UG/L	1		
SWB-9	3/6/2008	2,4-Dinitrotoluene	<		0.22	10	UG/L	1		
SWB-9	6/5/2008	2,4-Dinitrotoluene	<		0.22	10	UG/L	1		
SWB-9	12/5/2008	2,4-Dinitrotoluene	<		0.22	10	UG/L	1		
SWB-9	12/5/2008	2,4-Dinitrotoluene	<		0.22	10	UG/L	1	R	
SWB-9	3/2/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1		
SWB-9	3/2/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1	R	
SWB-9	6/2/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1		
SWB-9	6/2/2009	2,4-Dinitrotoluene	<		1.7	10	UG/L	1	DNR	
SWB-9	3/1/2010	2,4-Dinitrotoluene	<	9.2	1.5	9.2	ug/L	1		
SWB-9	6/1/2010	2,4-DINITROTOLUENE	<	1.6	1.6	9.4	UG/L	1	DNR	
SWB-9	6/1/2010	2,4-DINITROTOLUENE	<	1.6	1.6	9.5	UG/L	1		
SWB-9	12/1/2010	2,4-DINITROTOLUENE	<	1.5	1.5	9.3	UG/L	1		
SWB-5	10/29/2002	2,4-Imidazolidinedione, 1-(hyd	TI	52			ug/L	1	NJ	NA
SWB-4	11/15/2002	2,4-Imidazolidinedione, 5-meth	TI	7.4			ug/L	1	NJ	NA
SWB-10	9/1/2005	2,5-Furandione, 3-ethyl-4-meth	TI	6.2			ug/L	1	NJ	NA
SWB-10	3/4/2004	2,6-Dichlorophenol	<		2	10	ug/L	1		NA
SWB-10	5/24/2004	2,6-Dichlorophenol	<		2	10	ug/L	1	UJ	
SWB-10	12/1/2004	2,6-Dichlorophenol	<		2	10	ug/L	1		
SWB-10	3/3/2005	2,6-Dichlorophenol	<		2	10	ug/L	1		
SWB-10	6/2/2005	2,6-Dichlorophenol	<		2	10	ug/L	1		
SWB-10	9/1/2005	2,6-Dichlorophenol	<		2	10	ug/L	1		
SWB-10	3/2/2006	2,6-Dichlorophenol	<		2	10	UG/L	1		
SWB-10	6/2/2006	2,6-Dichlorophenol	<		1	10	UG/L	1		
SWB-10	3/1/2007	2,6-Dichlorophenol	<		1	10	UG/L	1		
SWB-10	3/7/2008	2,6-Dichlorophenol	<		1.4	10	UG/L	1		
SWB-10	6/5/2008	2,6-Dichlorophenol	<		1.4	10	UG/L	1		
SWB-10	3/2/2009	2,6-Dichlorophenol	<		1.4	10	UG/L	1		
SWB-10	3/2/2009	2,6-Dichlorophenol	<		1.4	10	UG/L	1	R	

tmpAnalyticalResultsOverTime

SWB-10	6/4/2009	2,6-Dichlorophenol	<		1.4	10	UG/L	1
SWB-10	3/2/2010	2,6-Dichlorophenol	<	9.3	1.3	9.3	UG/L	1
SWB-11	3/4/2004	2,6-Dichlorophenol	<		2	10	ug/L	1
SWB-11	5/24/2004	2,6-Dichlorophenol	<		2	10	ug/L	1 UJ
SWB-11	12/1/2004	2,6-Dichlorophenol	<		2	10	ug/L	1
SWB-11	3/1/2005	2,6-Dichlorophenol	<		2	10	ug/L	1
SWB-11	6/2/2005	2,6-Dichlorophenol	<		2	10	ug/L	1
SWB-11	3/2/2006	2,6-Dichlorophenol	<		2	10	UG/L	1
SWB-11	6/1/2006	2,6-Dichlorophenol	<		1	10	UG/L	1
SWB-11	3/1/2007	2,6-Dichlorophenol	<		1	10	UG/L	1
SWB-11	3/7/2008	2,6-Dichlorophenol	<		1.4	10	UG/L	1
SWB-11	6/5/2008	2,6-Dichlorophenol	<		1.4	10	UG/L	1
SWB-11	3/2/2009	2,6-Dichlorophenol	<		1.4	10	UG/L	1
SWB-11	6/4/2009	2,6-Dichlorophenol	<		1.4	10	UG/L	1 UJ
SWB-11	3/1/2010	2,6-Dichlorophenol	<	9.4	1.3	9.4	ug/L	1
SWB-11	6/2/2010	2,6-DICHLOROPHENOL	<	1.3	1.3	9.5	UG/L	1 R
SWB-3	10/29/2002	2,6-Dichlorophenol	<		1.2	10	ug/L	1
SWB-3	3/4/2003	2,6-Dichlorophenol	<		1.2	10	ug/L	1 R
SWB-3	6/3/2003	2,6-Dichlorophenol	<		1.2	10	ug/L	1
SWB-3	9/4/2003	2,6-Dichlorophenol	<		1	10	ug/L	1 R
SWB-3	12/2/2003	2,6-Dichlorophenol	<		1	10	ug/L	1 R
SWB-3	3/1/2004	2,6-Dichlorophenol	<		2	10	ug/L	1
SWB-3	6/1/2004	2,6-Dichlorophenol	<		2	10	ug/L	1
SWB-3	9/1/2004	2,6-Dichlorophenol	<		2	10	ug/L	1
SWB-3	12/1/2004	2,6-Dichlorophenol	<		2	10	ug/L	1
SWB-3	3/3/2005	2,6-Dichlorophenol	<		2	10	ug/L	1
SWB-3	6/2/2005	2,6-Dichlorophenol	<		2	10	ug/L	1
SWB-3	9/1/2005	2,6-Dichlorophenol	<		2	10	ug/L	1 R
SWB-3	12/1/2005	2,6-Dichlorophenol	<		2	10	UG/L	1 R
SWB-3	3/2/2006	2,6-Dichlorophenol	<		2	10	UG/L	1 R
SWB-3	6/2/2006	2,6-Dichlorophenol	<		1	10	UG/L	1 R
SWB-3	9/5/2006	2,6-Dichlorophenol	<		1	10	UG/L	1 UJ
SWB-3	12/4/2006	2,6-Dichlorophenol	<		1	10	UG/L	1 R
SWB-3	3/1/2007	2,6-Dichlorophenol	<		1	10	UG/L	1 UJ
SWB-3	6/1/2007	2,6-Dichlorophenol	<		1	10	UG/L	1 R
SWB-3	12/3/2007	2,6-Dichlorophenol	<		1	10	UG/L	1 R
SWB-3	3/6/2008	2,6-Dichlorophenol	<		1.4	10	UG/L	1
SWB-3	6/9/2008	2,6-Dichlorophenol	<		1.4	10	UG/L	1 R
SWB-3	12/4/2008	2,6-Dichlorophenol	<		1.4	10	UG/L	1
SWB-3	3/2/2009	2,6-Dichlorophenol	<		1.4	10	UG/L	1 R
SWB-3	3/2/2009	2,6-Dichlorophenol	<		1.4	10	UG/L	1 UJ
SWB-3	6/4/2009	2,6-Dichlorophenol	<		1.4	10	UG/L	1
SWB-3	12/1/2009	2,6-Dichlorophenol	<		1.4	10	UG/L	1
SWB-3	12/1/2009	2,6-Dichlorophenol	<		1.4	10	UG/L	1 R
SWB-3	3/1/2010	2,6-Dichlorophenol	<	9.7	1.3	9.7	ug/L	1 UJ
SWB-3	6/1/2010	2,6-DICHLOROPHENOL	<	1.3	1.3	9.4	UG/L	1 DNR
SWB-3	6/1/2010	2,6-DICHLOROPHENOL	<	1.3	1.3	9.4	UG/L	1 R
SWB-3	9/9/2010	2,6-DICHLOROPHENOL	<	1.3	1.3	9.3	UG/L	1 R
SWB-4	11/15/2002	2,6-Dichlorophenol	<		1.2	10	ug/L	1 UJ
SWB-5	10/29/2002	2,6-Dichlorophenol	<		1.2	10	ug/L	1
SWB-6	3/4/2003	2,6-Dichlorophenol	<		1.2	10	ug/L	1
SWB-6	6/3/2003	2,6-Dichlorophenol	<		1.2	10	ug/L	1
SWB-6	12/3/2003	2,6-Dichlorophenol	<		1	10	ug/L	1
SWB-6	3/5/2004	2,6-Dichlorophenol	<		2	10	ug/L	1
SWB-6	6/1/2004	2,6-Dichlorophenol	<		2	10	ug/L	1
SWB-6	12/1/2004	2,6-Dichlorophenol	<		2	10	ug/L	1
SWB-6	3/7/2005	2,6-Dichlorophenol	<		2	10	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	6/1/2005	2,6-Dichlorophenol	<	2	10	ug/L	1	
SWB-6	12/2/2005	2,6-Dichlorophenol	<	2	10	UG/L	1	
SWB-6	3/1/2006	2,6-Dichlorophenol	<	2	10	UG/L	1	
SWB-6	6/1/2006	2,6-Dichlorophenol	<	1	10	UG/L	1	
SWB-6	12/5/2006	2,6-Dichlorophenol	<	1	10	UG/L	1	
SWB-6	3/2/2007	2,6-Dichlorophenol	<	1	10	UG/L	1	
SWB-6	3/6/2008	2,6-Dichlorophenol	<	1.4	10	UG/L	1	
SWB-6	6/9/2008	2,6-Dichlorophenol	<	1.4	10	UG/L	1	
SWB-6	12/5/2008	2,6-Dichlorophenol	<	1.4	10	UG/L	1	
SWB-6	12/5/2008	2,6-Dichlorophenol	<	1.4	10	UG/L	1 R	
SWB-6	3/2/2009	2,6-Dichlorophenol	<	1.4	10	UG/L	1	
SWB-6	3/2/2009	2,6-Dichlorophenol	<	1.4	10	UG/L	1 R	
SWB-6	6/5/2009	2,6-Dichlorophenol	<	1.4	10	UG/L	1	
SWB-6	3/2/2010	2,6-Dichlorophenol	<	9.1	1.2	9.1	UG/L	1
SWB-6	6/2/2010	2,6-DICHLOROPHENOL	<	1.3	1.3	9.4	UG/L	1 DNR
SWB-6	6/2/2010	2,6-DICHLOROPHENOL	<	1.3	1.3	9.5	UG/L	1
SWB-7	3/4/2003	2,6-Dichlorophenol	<	1.2	10	ug/L	1	
SWB-7	6/3/2003	2,6-Dichlorophenol	<	1.2	10	ug/L	1	
SWB-7	3/1/2004	2,6-Dichlorophenol	<	2	10	ug/L	1	
SWB-7	5/24/2004	2,6-Dichlorophenol	<	2	10	ug/L	1	
SWB-7	12/1/2004	2,6-Dichlorophenol	<	2	10	ug/L	1	
SWB-7	3/7/2005	2,6-Dichlorophenol	<	2	10	ug/L	1 UJ	
SWB-7	6/1/2005	2,6-Dichlorophenol	<	2	10	ug/L	1	
SWB-7	9/1/2005	2,6-Dichlorophenol	<	2	10	ug/L	1	
SWB-7	12/1/2005	2,6-Dichlorophenol	<	2	10	UG/L	1	
SWB-7	3/1/2006	2,6-Dichlorophenol	<	2	10	UG/L	1	
SWB-7	6/2/2006	2,6-Dichlorophenol	<	1	10	UG/L	1	
SWB-7	9/5/2006	2,6-Dichlorophenol	<	1	10	UG/L	1 UJ	
SWB-7	12/5/2006	2,6-Dichlorophenol	<	1	10	UG/L	1	
SWB-7	3/2/2007	2,6-Dichlorophenol	<	1	10	UG/L	1	
SWB-7	6/1/2007	2,6-Dichlorophenol	<	1	10	UG/L	1	
SWB-7	9/7/2007	2,6-Dichlorophenol	<	1	10	UG/L	1	
SWB-7	12/3/2007	2,6-Dichlorophenol	<	1	10	UG/L	1	
SWB-7	3/6/2008	2,6-Dichlorophenol	<	1.4	10	UG/L	1	
SWB-7	6/6/2008	2,6-Dichlorophenol	<	1.4	10	UG/L	1	
SWB-7	9/8/2008	2,6-Dichlorophenol	<	1.4	10	UG/L	1	
SWB-7	12/5/2008	2,6-Dichlorophenol	<	1.4	10	UG/L	1	
SWB-7	12/5/2008	2,6-Dichlorophenol	<	1.4	10	UG/L	1 R	
SWB-7	3/2/2009	2,6-Dichlorophenol	<	1.4	10	UG/L	1	
SWB-7	3/2/2009	2,6-Dichlorophenol	<	1.4	10	UG/L	1 R	
SWB-7	6/5/2009	2,6-Dichlorophenol	<	1.4	10	UG/L	1	
SWB-7	9/9/2009	2,6-Dichlorophenol	<	1.4	10	UG/L	1	
SWB-7	12/1/2009	2,6-Dichlorophenol	<	1.4	10	UG/L	1	
SWB-7	3/2/2010	2,6-Dichlorophenol	<	9.5	1.3	9.5	UG/L	1
SWB-7	6/1/2010	2,6-DICHLOROPHENOL	<	1.3	1.3	9.6	UG/L	1 DNR
SWB-7	6/1/2010	2,6-DICHLOROPHENOL	<	1.3	1.3	10	UG/L	1
SWB-7	9/9/2010	2,6-DICHLOROPHENOL	<	1.3	1.3	9.6	UG/L	1
SWB-7	12/1/2010	2,6-DICHLOROPHENOL	<	1.3	1.3	9.3	UG/L	1
SWB-8	3/5/2004	2,6-Dichlorophenol	<	2	10	ug/L	1	
SWB-8	3/7/2005	2,6-Dichlorophenol	<	2	10	ug/L	1	
SWB-8	6/1/2005	2,6-Dichlorophenol	<	2	10	ug/L	1	
SWB-8	3/1/2006	2,6-Dichlorophenol	<	2	10	UG/L	1	
SWB-8	3/7/2008	2,6-Dichlorophenol	<	1.4	10	UG/L	1	
SWB-8	3/3/2009	2,6-Dichlorophenol	<	1.4	10	UG/L	1	
SWB-8	3/3/2009	2,6-Dichlorophenol	<	1.4	10	UG/L	1 R	
SWB-9	3/4/2003	2,6-Dichlorophenol	<	1.2	10	ug/L	1 UJ	
SWB-9	12/3/2003	2,6-Dichlorophenol	<	1	10	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-9	3/5/2004	2,6-Dichlorophenol	<		2	10	ug/L	1	
SWB-9	5/27/2004	2,6-Dichlorophenol	<		2	10	ug/L	1 UJ	
SWB-9	12/1/2004	2,6-Dichlorophenol	<		2	10	ug/L	1	
SWB-9	3/3/2005	2,6-Dichlorophenol	<		2	10	ug/L	1	
SWB-9	6/2/2005	2,6-Dichlorophenol	<		2	10	ug/L	1	
SWB-9	9/1/2005	2,6-Dichlorophenol	<		2	10	ug/L	1 UJ	
SWB-9	12/1/2005	2,6-Dichlorophenol	<		2	10	UG/L	1	
SWB-9	3/2/2006	2,6-Dichlorophenol	<		2	10	UG/L	1	
SWB-9	6/1/2006	2,6-Dichlorophenol	<		1	10	UG/L	1 UJ	
SWB-9	12/4/2006	2,6-Dichlorophenol	<		1	10	UG/L	1	
SWB-9	3/5/2007	2,6-Dichlorophenol	<		1	10	UG/L	1	
SWB-9	3/6/2008	2,6-Dichlorophenol	<		1.4	10	UG/L	1	
SWB-9	6/5/2008	2,6-Dichlorophenol	<		1.4	10	UG/L	1 R	
SWB-9	12/5/2008	2,6-Dichlorophenol	<		1.4	10	UG/L	1	
SWB-9	12/5/2008	2,6-Dichlorophenol	<		1.4	10	UG/L	1 R	
SWB-9	3/2/2009	2,6-Dichlorophenol	<		1.4	10	UG/L	1 R	
SWB-9	3/2/2009	2,6-Dichlorophenol	<		1.4	10	UG/L	1 UJ	
SWB-9	6/2/2009	2,6-Dichlorophenol	<		1.4	10	UG/L	1	
SWB-9	6/2/2009	2,6-Dichlorophenol	<		1.4	10	UG/L	1 DNR	
SWB-9	3/1/2010	2,6-Dichlorophenol	<	9.2	1.2	9.2	ug/L	1	
SWB-9	6/1/2010	2,6-DICHLOROPHENOL	<	1.3	1.3	9.4	UG/L	1 DNR	
SWB-9	6/1/2010	2,6-DICHLOROPHENOL	<	1.3	1.3	9.5	UG/L	1	
SWB-9	12/1/2010	2,6-DICHLOROPHENOL	<	1.3	1.3	9.3	UG/L	1	
SWB-10	3/4/2004	2,6-Dinitrotoluene	<		0.8	10	ug/L	1	NA
SWB-10	5/24/2004	2,6-Dinitrotoluene	<		0.8	10	ug/L	1 UJ	
SWB-10	12/1/2004	2,6-Dinitrotoluene	<		0.8	10	ug/L	1	
SWB-10	3/3/2005	2,6-Dinitrotoluene	<		1.6	10	ug/L	1	
SWB-10	6/2/2005	2,6-Dinitrotoluene	<		1.6	10	ug/L	1	
SWB-10	9/1/2005	2,6-Dinitrotoluene	<		1.6	10	ug/L	1	
SWB-10	3/2/2006	2,6-Dinitrotoluene	<		1.6	10	UG/L	1	
SWB-10	6/2/2006	2,6-Dinitrotoluene	<		5	10	UG/L	1	
SWB-10	3/1/2007	2,6-Dinitrotoluene	<		5	10	UG/L	1	
SWB-10	3/7/2008	2,6-Dinitrotoluene	<		0.32	10	UG/L	1	
SWB-10	6/5/2008	2,6-Dinitrotoluene	<		0.32	10	UG/L	1	
SWB-10	3/2/2009	2,6-Dinitrotoluene	<		1.9	10	UG/L	1	
SWB-10	3/2/2009	2,6-Dinitrotoluene	<		1.9	10	UG/L	1 R	
SWB-10	6/4/2009	2,6-Dinitrotoluene	<		1.9	10	UG/L	1	
SWB-10	3/2/2010	2,6-Dinitrotoluene	<	9.3	1.8	9.3	UG/L	1	
SWB-11	3/4/2004	2,6-Dinitrotoluene	<		0.8	10	ug/L	1	
SWB-11	5/24/2004	2,6-Dinitrotoluene	<		0.8	10	ug/L	1 UJ	
SWB-11	12/1/2004	2,6-Dinitrotoluene	<		0.8	10	ug/L	1	
SWB-11	3/1/2005	2,6-Dinitrotoluene	<		1.6	10	ug/L	1	
SWB-11	6/2/2005	2,6-Dinitrotoluene	<		1.6	10	ug/L	1	
SWB-11	3/2/2006	2,6-Dinitrotoluene	<		1.6	10	UG/L	1	
SWB-11	6/1/2006	2,6-Dinitrotoluene	<		5	10	UG/L	1	
SWB-11	3/1/2007	2,6-Dinitrotoluene	<		5	10	UG/L	1	
SWB-11	3/7/2008	2,6-Dinitrotoluene	<		0.32	10	UG/L	1	
SWB-11	6/5/2008	2,6-Dinitrotoluene	<		0.32	10	UG/L	1	
SWB-11	3/2/2009	2,6-Dinitrotoluene	<		1.9	10	UG/L	1	
SWB-11	6/4/2009	2,6-Dinitrotoluene	<		1.9	10	UG/L	1	
SWB-11	3/1/2010	2,6-Dinitrotoluene	<	9.4	1.8	9.4	ug/L	1	
SWB-11	6/2/2010	2,6-DINITROTOLUENE	<	1.8	1.8	9.5	UG/L	1	
SWB-3	10/29/2002	2,6-Dinitrotoluene	<		1.6	10	ug/L	1	
SWB-3	3/4/2003	2,6-Dinitrotoluene	<		1.6	10	ug/L	1	
SWB-3	6/3/2003	2,6-Dinitrotoluene	<		1.6	10	ug/L	1	
SWB-3	9/4/2003	2,6-Dinitrotoluene	<		1.6	10	ug/L	1 UJ	
SWB-3	12/2/2003	2,6-Dinitrotoluene	<		0.8	10	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	3/1/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1
SWB-3	6/1/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1
SWB-3	9/1/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1
SWB-3	12/1/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1
SWB-3	3/3/2005	2,6-Dinitrotoluene	<	1.6	10	ug/L	1
SWB-3	6/2/2005	2,6-Dinitrotoluene	<	1.6	10	ug/L	1
SWB-3	9/1/2005	2,6-Dinitrotoluene	<	1.6	10	ug/L	1
SWB-3	12/1/2005	2,6-Dinitrotoluene	<	1.6	10	UG/L	1 UJ
SWB-3	3/2/2006	2,6-Dinitrotoluene	<	1.6	10	UG/L	1
SWB-3	6/2/2006	2,6-Dinitrotoluene	<	5	10	UG/L	1
SWB-3	9/5/2006	2,6-Dinitrotoluene	<	5	10	UG/L	1
SWB-3	12/4/2006	2,6-Dinitrotoluene	<	5	10	UG/L	1
SWB-3	3/1/2007	2,6-Dinitrotoluene	<	5	10	UG/L	1
SWB-3	6/1/2007	2,6-Dinitrotoluene	<	5	10	UG/L	1
SWB-3	6/1/2007	2,6-Dinitrotoluene	<	5	10	UG/L	1 R
SWB-3	12/3/2007	2,6-Dinitrotoluene	<	0.23	10	UG/L	1
SWB-3	3/6/2008	2,6-Dinitrotoluene	<	0.32	10	UG/L	1
SWB-3	6/9/2008	2,6-Dinitrotoluene	<	0.32	10	UG/L	1
SWB-3	12/4/2008	2,6-Dinitrotoluene	<	0.32	10	UG/L	1
SWB-3	3/2/2009	2,6-Dinitrotoluene	<	1.9	10	UG/L	1
SWB-3	3/2/2009	2,6-Dinitrotoluene	<	1.9	10	UG/L	1 R
SWB-3	6/4/2009	2,6-Dinitrotoluene	<	1.9	10	UG/L	1
SWB-3	12/1/2009	2,6-Dinitrotoluene	<	1.9	10	UG/L	1
SWB-3	3/1/2010	2,6-Dinitrotoluene	<	9.7	1.8	9.7	ug/L 1 UJ
SWB-3	6/1/2010	2,6-DINITROTOLUENE	<	1.8	1.8	9.4	UG/L 1
SWB-3	6/1/2010	2,6-DINITROTOLUENE	<	1.8	1.8	9.4	UG/L 1 DNR
SWB-3	9/9/2010	2,6-DINITROTOLUENE	<	1.8	1.8	9.3	UG/L 1
SWB-4	11/15/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1
SWB-5	10/29/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1
SWB-6	3/4/2003	2,6-Dinitrotoluene	<	1.6	10	ug/L	1
SWB-6	6/3/2003	2,6-Dinitrotoluene	<	1.6	10	ug/L	1
SWB-6	12/3/2003	2,6-Dinitrotoluene	<	0.8	10	ug/L	1
SWB-6	3/5/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1
SWB-6	6/1/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1
SWB-6	12/1/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1
SWB-6	3/7/2005	2,6-Dinitrotoluene	<	1.6	10	ug/L	1
SWB-6	6/1/2005	2,6-Dinitrotoluene	<	1.6	10	ug/L	1
SWB-6	12/2/2005	2,6-Dinitrotoluene	<	1.6	10	UG/L	1 UJ
SWB-6	3/1/2006	2,6-Dinitrotoluene	<	1.6	10	UG/L	1
SWB-6	6/1/2006	2,6-Dinitrotoluene	<	5	10	UG/L	1
SWB-6	12/5/2006	2,6-Dinitrotoluene	<	5	10	UG/L	1
SWB-6	3/2/2007	2,6-Dinitrotoluene	<	5	10	UG/L	1
SWB-6	3/6/2008	2,6-Dinitrotoluene	<	0.32	10	UG/L	1
SWB-6	6/9/2008	2,6-Dinitrotoluene	<	0.32	10	UG/L	1
SWB-6	12/5/2008	2,6-Dinitrotoluene	<	0.32	10	UG/L	1
SWB-6	12/5/2008	2,6-Dinitrotoluene	<	0.32	10	UG/L	1 R
SWB-6	3/2/2009	2,6-Dinitrotoluene	<	1.9	10	UG/L	1
SWB-6	3/2/2009	2,6-Dinitrotoluene	<	1.9	10	UG/L	1 R
SWB-6	6/5/2009	2,6-Dinitrotoluene	<	1.9	10	UG/L	1
SWB-6	3/2/2010	2,6-Dinitrotoluene	<	9.1	1.7	9.1	UG/L 1
SWB-6	6/2/2010	2,6-DINITROTOLUENE	<	1.8	1.8	9.4	UG/L 1 DNR
SWB-6	6/2/2010	2,6-DINITROTOLUENE	<	1.8	1.8	9.5	UG/L 1
SWB-7	3/4/2003	2,6-Dinitrotoluene	<	1.6	10	ug/L	1
SWB-7	6/3/2003	2,6-Dinitrotoluene	<	1.6	10	ug/L	1
SWB-7	3/1/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1
SWB-7	5/24/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1
SWB-7	12/1/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1

tmpAnalyticalResultsOverTime

SWB-7	3/7/2005	2,6-Dinitrotoluene	<		1.6	10	ug/L	1 UJ
SWB-7	6/1/2005	2,6-Dinitrotoluene	<		1.6	10	ug/L	1
SWB-7	9/1/2005	2,6-Dinitrotoluene	<		1.6	10	ug/L	1
SWB-7	12/1/2005	2,6-Dinitrotoluene	<		1.6	10	UG/L	1 UJ
SWB-7	3/1/2006	2,6-Dinitrotoluene	<		1.6	10	UG/L	1
SWB-7	6/2/2006	2,6-Dinitrotoluene	<		5	10	UG/L	1
SWB-7	9/5/2006	2,6-Dinitrotoluene	<		5	10	UG/L	1 UJ
SWB-7	12/5/2006	2,6-Dinitrotoluene	<		5	10	UG/L	1
SWB-7	3/2/2007	2,6-Dinitrotoluene	<		5	10	UG/L	1
SWB-7	6/1/2007	2,6-Dinitrotoluene	<		5	10	UG/L	1
SWB-7	9/7/2007	2,6-Dinitrotoluene	<		0.23	10	UG/L	1
SWB-7	12/3/2007	2,6-Dinitrotoluene	<		0.23	10	UG/L	1
SWB-7	3/6/2008	2,6-Dinitrotoluene	<		0.32	10	UG/L	1
SWB-7	6/6/2008	2,6-Dinitrotoluene	<		0.32	10	UG/L	1
SWB-7	9/8/2008	2,6-Dinitrotoluene	<		0.32	10	UG/L	1
SWB-7	12/5/2008	2,6-Dinitrotoluene	<		0.32	10	UG/L	1
SWB-7	12/5/2008	2,6-Dinitrotoluene	<		0.32	10	UG/L	1 R
SWB-7	3/2/2009	2,6-Dinitrotoluene	<		1.9	10	UG/L	1
SWB-7	3/2/2009	2,6-Dinitrotoluene	<		1.9	10	UG/L	1 R
SWB-7	6/5/2009	2,6-Dinitrotoluene	<		1.9	10	UG/L	1
SWB-7	9/9/2009	2,6-Dinitrotoluene	<		1.9	10	UG/L	1
SWB-7	12/1/2009	2,6-Dinitrotoluene	<		1.9	10	UG/L	1
SWB-7	3/2/2010	2,6-Dinitrotoluene	<	9.5	1.8	9.5	UG/L	1
SWB-7	6/1/2010	2,6-DINITROTOLUENE	<	1.8	1.8	9.6	UG/L	1 DNR
SWB-7	6/1/2010	2,6-DINITROTOLUENE	<	1.9	1.9	10	UG/L	1 R
SWB-7	9/9/2010	2,6-DINITROTOLUENE	<	1.8	1.8	9.6	UG/L	1
SWB-7	12/1/2010	2,6-DINITROTOLUENE	<	1.8	1.8	9.3	UG/L	1
SWB-8	3/5/2004	2,6-Dinitrotoluene	<		0.8	10	ug/L	1
SWB-8	3/7/2005	2,6-Dinitrotoluene	<		1.6	10	ug/L	1
SWB-8	6/1/2005	2,6-Dinitrotoluene	<		1.6	10	ug/L	1
SWB-8	3/1/2006	2,6-Dinitrotoluene	<		1.6	10	UG/L	1
SWB-8	3/7/2008	2,6-Dinitrotoluene	<		0.32	10	UG/L	1
SWB-8	3/3/2009	2,6-Dinitrotoluene	<		1.9	10	UG/L	1
SWB-8	3/3/2009	2,6-Dinitrotoluene	<		1.9	10	UG/L	1 R
SWB-9	3/4/2003	2,6-Dinitrotoluene	<		1.6	10	ug/L	1
SWB-9	12/3/2003	2,6-Dinitrotoluene	<		0.8	10	ug/L	1
SWB-9	3/5/2004	2,6-Dinitrotoluene	<		0.8	10	ug/L	1
SWB-9	5/27/2004	2,6-Dinitrotoluene	<		0.8	10	ug/L	1 UJ
SWB-9	12/1/2004	2,6-Dinitrotoluene	<		0.8	10	ug/L	1
SWB-9	3/3/2005	2,6-Dinitrotoluene	<		1.6	10	ug/L	1
SWB-9	6/2/2005	2,6-Dinitrotoluene	<		1.6	10	ug/L	1
SWB-9	9/1/2005	2,6-Dinitrotoluene	<		1.6	10	ug/L	1
SWB-9	12/1/2005	2,6-Dinitrotoluene	<		1.6	10	UG/L	1 UJ
SWB-9	3/2/2006	2,6-Dinitrotoluene	<		1.6	10	UG/L	1
SWB-9	6/1/2006	2,6-Dinitrotoluene	<		5	10	UG/L	1
SWB-9	12/4/2006	2,6-Dinitrotoluene	<		5	10	UG/L	1
SWB-9	3/5/2007	2,6-Dinitrotoluene	<		5	10	UG/L	1
SWB-9	3/6/2008	2,6-Dinitrotoluene	<		0.32	10	UG/L	1
SWB-9	6/5/2008	2,6-Dinitrotoluene	<		0.32	10	UG/L	1
SWB-9	12/5/2008	2,6-Dinitrotoluene	<		0.32	10	UG/L	1
SWB-9	12/5/2008	2,6-Dinitrotoluene	<		0.32	10	UG/L	1 R
SWB-9	3/2/2009	2,6-Dinitrotoluene	<		1.9	10	UG/L	1
SWB-9	3/2/2009	2,6-Dinitrotoluene	<		1.9	10	UG/L	1 R
SWB-9	6/2/2009	2,6-Dinitrotoluene	<		1.9	10	UG/L	1
SWB-9	6/2/2009	2,6-Dinitrotoluene	<		1.9	10	UG/L	1 DNR
SWB-9	3/1/2010	2,6-Dinitrotoluene	<	9.2	1.7	9.2	ug/L	1
SWB-9	6/1/2010	2,6-DINITROTOLUENE	<	1.8	1.8	9.4	UG/L	1 DNR



tmpAnalyticalResultsOverTime

SWB-9	6/1/2010	2,6-DINITROTOLUENE	<	1.8	1.8	9.5	UG/L	1	
SWB-9	12/1/2010	2,6-DINITROTOLUENE	<	1.8	1.8	9.3	UG/L	1	
SWB-10	3/4/2004	2-Acetylaminofluorene	<		2	100	ug/L	1	NA
SWB-10	5/24/2004	2-Acetylaminofluorene	<		2	100	ug/L	1	UJ
SWB-10	12/1/2004	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-10	3/3/2005	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-10	6/2/2005	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-10	9/1/2005	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-10	3/2/2006	2-Acetylaminofluorene	<		2	100	UG/L	1	
SWB-10	6/2/2006	2-Acetylaminofluorene	<		2	100	UG/L	1	
SWB-10	3/1/2007	2-Acetylaminofluorene	<		2	100	UG/L	1	
SWB-10	3/7/2008	2-Acetylaminofluorene	<		7	100	UG/L	1	
SWB-10	6/5/2008	2-Acetylaminofluorene	<		7	100	UG/L	1	
SWB-10	3/2/2009	2-Acetylaminofluorene	<		7	100	UG/L	1	
SWB-10	3/2/2009	2-Acetylaminofluorene	<		7	100	UG/L	1	R
SWB-10	6/4/2009	2-Acetylaminofluorene	<		7	100	UG/L	1	
SWB-10	3/2/2010	2-Acetylaminofluorene	<	93	6.5	93	UG/L	1	
SWB-11	3/4/2004	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-11	5/24/2004	2-Acetylaminofluorene	<		2	100	ug/L	1	UJ
SWB-11	12/1/2004	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-11	3/1/2005	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-11	6/2/2005	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-11	3/2/2006	2-Acetylaminofluorene	<		2	100	UG/L	1	
SWB-11	6/1/2006	2-Acetylaminofluorene	<		2	100	UG/L	1	
SWB-11	3/1/2007	2-Acetylaminofluorene	<		2	100	UG/L	1	
SWB-11	3/7/2008	2-Acetylaminofluorene	<		7	100	UG/L	1	
SWB-11	6/5/2008	2-Acetylaminofluorene	<		7	100	UG/L	1	
SWB-11	3/2/2009	2-Acetylaminofluorene	<		7	100	UG/L	1	
SWB-11	6/4/2009	2-Acetylaminofluorene	<		7	100	UG/L	1	
SWB-11	3/1/2010	2-Acetylaminofluorene	<	94	6.5	94	ug/L	1	
SWB-11	6/2/2010	2-ACETYLAMINOFLUORENE	<	6.6	6.6	95	UG/L	1	
SWB-3	10/29/2002	2-Acetylaminofluorene	<		1.3	100	ug/L	1	
SWB-3	3/4/2003	2-Acetylaminofluorene	<		1.3	100	ug/L	1	
SWB-3	6/3/2003	2-Acetylaminofluorene	<		1.3	100	ug/L	1	
SWB-3	9/4/2003	2-Acetylaminofluorene	<		1	100	ug/L	1	UJ
SWB-3	12/2/2003	2-Acetylaminofluorene	<		1	100	ug/L	1	
SWB-3	3/1/2004	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-3	6/1/2004	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-3	9/1/2004	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-3	12/1/2004	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-3	3/3/2005	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-3	6/2/2005	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-3	9/1/2005	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-3	12/1/2005	2-Acetylaminofluorene	<		2	100	UG/L	1	UJ
SWB-3	3/2/2006	2-Acetylaminofluorene	<		2	100	UG/L	1	
SWB-3	6/2/2006	2-Acetylaminofluorene	<		2	100	UG/L	1	
SWB-3	9/5/2006	2-Acetylaminofluorene	<		2	100	UG/L	1	
SWB-3	12/4/2006	2-Acetylaminofluorene	<		2	100	UG/L	1	
SWB-3	3/1/2007	2-Acetylaminofluorene	<		2	100	UG/L	1	
SWB-3	6/1/2007	2-Acetylaminofluorene	<		2	100	UG/L	1	
SWB-3	6/1/2007	2-Acetylaminofluorene	<		2	100	UG/L	1	R
SWB-3	12/3/2007	2-Acetylaminofluorene	<		2	100	UG/L	1	
SWB-3	3/6/2008	2-Acetylaminofluorene	<		7	100	UG/L	1	
SWB-3	6/9/2008	2-Acetylaminofluorene	<		7	100	UG/L	1	
SWB-3	12/4/2008	2-Acetylaminofluorene	<		7	100	UG/L	1	
SWB-3	3/2/2009	2-Acetylaminofluorene	<		7	100	UG/L	1	
SWB-3	3/2/2009	2-Acetylaminofluorene	<		7	100	UG/L	1	R

tmpAnalyticalResultsOverTime

SWB-3	6/4/2009	2-Acetylaminofluorene	<		7	100	UG/L	1
SWB-3	12/1/2009	2-Acetylaminofluorene	<		7	100	UG/L	1
SWB-3	3/1/2010	2-Acetylaminofluorene	<	97	6.8	97	ug/L	1 UJ
SWB-3	6/1/2010	2-ACETYLAMINOFLUORENE	<	6.6	6.6	94	UG/L	1
SWB-3	6/1/2010	2-ACETYLAMINOFLUORENE	<	6.6	6.6	94	UG/L	1 DNR
SWB-3	9/9/2010	2-ACETYLAMINOFLUORENE	<	6.5	6.5	93	UG/L	1
SWB-4	11/15/2002	2-Acetylaminofluorene	<		1.3	100	ug/L	1
SWB-5	10/29/2002	2-Acetylaminofluorene	<		1.3	100	ug/L	1
SWB-6	3/4/2003	2-Acetylaminofluorene	<		1.3	100	ug/L	1
SWB-6	6/3/2003	2-Acetylaminofluorene	<		1.3	100	ug/L	1
SWB-6	12/3/2003	2-Acetylaminofluorene	<		1	100	ug/L	1
SWB-6	3/5/2004	2-Acetylaminofluorene	<		2	100	ug/L	1
SWB-6	6/1/2004	2-Acetylaminofluorene	<		2	100	ug/L	1
SWB-6	12/1/2004	2-Acetylaminofluorene	<		2	100	ug/L	1
SWB-6	3/7/2005	2-Acetylaminofluorene	<		2	100	ug/L	1
SWB-6	6/1/2005	2-Acetylaminofluorene	<		2	100	ug/L	1
SWB-6	12/2/2005	2-Acetylaminofluorene	<		2	100	UG/L	1 UJ
SWB-6	3/1/2006	2-Acetylaminofluorene	<		2	100	UG/L	1
SWB-6	6/1/2006	2-Acetylaminofluorene	<		2	100	UG/L	1
SWB-6	12/5/2006	2-Acetylaminofluorene	<		2	100	UG/L	1
SWB-6	3/2/2007	2-Acetylaminofluorene	<		2	100	UG/L	1
SWB-6	3/6/2008	2-Acetylaminofluorene	<		7	100	UG/L	1
SWB-6	6/9/2008	2-Acetylaminofluorene	<		7	100	UG/L	1
SWB-6	12/5/2008	2-Acetylaminofluorene	<		7	100	UG/L	1
SWB-6	12/5/2008	2-Acetylaminofluorene	<		7	100	UG/L	1 R
SWB-6	3/2/2009	2-Acetylaminofluorene	<		7	100	UG/L	1
SWB-6	3/2/2009	2-Acetylaminofluorene	<		7	100	UG/L	1 R
SWB-6	6/5/2009	2-Acetylaminofluorene	<		7	100	UG/L	1
SWB-6	3/2/2010	2-Acetylaminofluorene	<	91	6.4	91	UG/L	1
SWB-6	6/2/2010	2-ACETYLAMINOFLUORENE	<	6.6	6.6	94	UG/L	1 DNR
SWB-6	6/2/2010	2-ACETYLAMINOFLUORENE	<	6.7	6.7	95	UG/L	1
SWB-7	3/4/2003	2-Acetylaminofluorene	<		1.3	100	ug/L	1
SWB-7	6/3/2003	2-Acetylaminofluorene	<		1.3	100	ug/L	1
SWB-7	3/1/2004	2-Acetylaminofluorene	<		2	100	ug/L	1
SWB-7	5/24/2004	2-Acetylaminofluorene	<		2	100	ug/L	1
SWB-7	12/1/2004	2-Acetylaminofluorene	<		2	100	ug/L	1
SWB-7	3/7/2005	2-Acetylaminofluorene	<		2	100	ug/L	1 UJ
SWB-7	6/1/2005	2-Acetylaminofluorene	<		2	100	ug/L	1
SWB-7	9/1/2005	2-Acetylaminofluorene	<		2	100	ug/L	1
SWB-7	12/1/2005	2-Acetylaminofluorene	<		2	100	UG/L	1 UJ
SWB-7	3/1/2006	2-Acetylaminofluorene	<		2	100	UG/L	1
SWB-7	6/2/2006	2-Acetylaminofluorene	<		2	100	UG/L	1
SWB-7	9/5/2006	2-Acetylaminofluorene	<		2	100	UG/L	1 UJ
SWB-7	12/5/2006	2-Acetylaminofluorene	<		2	100	UG/L	1
SWB-7	3/2/2007	2-Acetylaminofluorene	<		2	100	UG/L	1
SWB-7	6/1/2007	2-Acetylaminofluorene	<		2	100	UG/L	1
SWB-7	9/7/2007	2-Acetylaminofluorene	<		2	100	UG/L	1
SWB-7	12/3/2007	2-Acetylaminofluorene	<		2	100	UG/L	1
SWB-7	3/6/2008	2-Acetylaminofluorene	<		7	100	UG/L	1
SWB-7	6/6/2008	2-Acetylaminofluorene	<		7	100	UG/L	1
SWB-7	9/8/2008	2-Acetylaminofluorene	<		7	100	UG/L	1
SWB-7	12/5/2008	2-Acetylaminofluorene	<		7	100	UG/L	1
SWB-7	12/5/2008	2-Acetylaminofluorene	<		7	100	UG/L	1 R
SWB-7	3/2/2009	2-Acetylaminofluorene	<		7	100	UG/L	1
SWB-7	3/2/2009	2-Acetylaminofluorene	<		7	100	UG/L	1 R
SWB-7	6/5/2009	2-Acetylaminofluorene	<		7	100	UG/L	1
SWB-7	9/9/2009	2-Acetylaminofluorene	<		7	100	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	12/1/2009	2-Acetylaminofluorene	<		7	100	UG/L	1	
SWB-7	3/2/2010	2-Acetylaminofluorene	<	95	6.6	95	UG/L	1	
SWB-7	6/1/2010	2-ACETYLAMINOFUORENE	<	6.7	6.7	96	UG/L	1	DNR
SWB-7	6/1/2010	2-ACETYLAMINOFUORENE	<	7	7	100	UG/L	1	R
SWB-7	9/9/2010	2-ACETYLAMINOFUORENE	<	6.7	6.7	96	UG/L	1	
SWB-7	12/1/2010	2-ACETYLAMINOFUORENE	<	6.5	6.5	93	UG/L	1	
SWB-8	3/5/2004	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-8	3/7/2005	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-8	6/1/2005	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-8	3/1/2006	2-Acetylaminofluorene	<		2	100	UG/L	1	
SWB-8	3/7/2008	2-Acetylaminofluorene	<		7	100	UG/L	1	
SWB-8	3/3/2009	2-Acetylaminofluorene	<		7	100	UG/L	1	
SWB-8	3/3/2009	2-Acetylaminofluorene	<		7	100	UG/L	1	R
SWB-9	3/4/2003	2-Acetylaminofluorene	<		1.3	100	ug/L	1	
SWB-9	12/3/2003	2-Acetylaminofluorene	<		1	100	ug/L	1	
SWB-9	3/5/2004	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-9	5/27/2004	2-Acetylaminofluorene	<		2	100	ug/L	1	UJ
SWB-9	12/1/2004	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-9	3/3/2005	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-9	6/2/2005	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-9	9/1/2005	2-Acetylaminofluorene	<		2	100	ug/L	1	
SWB-9	12/1/2005	2-Acetylaminofluorene	<		2	100	UG/L	1	UJ
SWB-9	3/2/2006	2-Acetylaminofluorene	<		2	100	UG/L	1	
SWB-9	6/1/2006	2-Acetylaminofluorene	<		2	100	UG/L	1	
SWB-9	12/4/2006	2-Acetylaminofluorene	<		2	100	UG/L	1	
SWB-9	3/5/2007	2-Acetylaminofluorene	<		2	100	UG/L	1	
SWB-9	3/6/2008	2-Acetylaminofluorene	<		7	100	UG/L	1	
SWB-9	6/5/2008	2-Acetylaminofluorene	<		7	100	UG/L	1	
SWB-9	12/5/2008	2-Acetylaminofluorene	<		7	100	UG/L	1	
SWB-9	12/5/2008	2-Acetylaminofluorene	<		7	100	UG/L	1	R
SWB-9	3/2/2009	2-Acetylaminofluorene	<		7	100	UG/L	1	
SWB-9	3/2/2009	2-Acetylaminofluorene	<		7	100	UG/L	1	R
SWB-9	6/2/2009	2-Acetylaminofluorene	<		7	100	UG/L	1	
SWB-9	6/2/2009	2-Acetylaminofluorene	<		7	100	UG/L	1	DNR
SWB-9	3/1/2010	2-Acetylaminofluorene	<	92	6.4	92	ug/L	1	
SWB-9	6/1/2010	2-ACETYLAMINOFUORENE	<	6.6	6.6	94	UG/L	1	DNR
SWB-9	6/1/2010	2-ACETYLAMINOFUORENE	<	6.6	6.6	95	UG/L	1	
SWB-9	12/1/2010	2-ACETYLAMINOFUORENE	<	6.5	6.5	93	UG/L	1	
SWB-10	3/4/2004	2-Butanone (MEK)	<		2	5	ug/L	1	14 mg/L
SWB-10	5/24/2004	2-Butanone (MEK)	<		2	5	ug/L	1	
SWB-10	12/1/2004	2-Butanone (MEK)	TR	2.7	2	5	ug/L	1	J
SWB-10	3/3/2005	2-Butanone (MEK)	<		0.42	5	ug/L	1	
SWB-10	6/2/2005	2-Butanone (MEK)	<		1.7	5	ug/L	1	
SWB-10	9/1/2005	2-Butanone (MEK)	<		1.7	5	ug/L	1	
SWB-10	3/2/2006	2-Butanone (MEK)	<		6.8	20	UG/L	4	
SWB-10	6/2/2006	2-Butanone (MEK)	=	8.1	1.8	5	UG/L	1	
SWB-10	3/1/2007	2-Butanone (MEK)	<		1.8	6	UG/L	1	
SWB-10	3/7/2008	2-Butanone (MEK)	<		1.8	6	UG/L	1	
SWB-10	6/5/2008	2-Butanone (MEK)	TR	4.5	1.8	6	UG/L	1	J
SWB-10	3/2/2009	2-Butanone (MEK)	<		1.8	6	UG/L	1	
SWB-10	6/4/2009	2-Butanone (MEK)	<		1.8	6	UG/L	1	
SWB-10	3/2/2010	2-Butanone (MEK)	<	6	2	6	UG/L	1	
SWB-11	3/4/2004	2-Butanone (MEK)	<		2	5	ug/L	1	
SWB-11	5/24/2004	2-Butanone (MEK)	<		2	5	ug/L	1	
SWB-11	12/1/2004	2-Butanone (MEK)	<		2	5	ug/L	1	
SWB-11	3/1/2005	2-Butanone (MEK)	TR	3.1	0.42	5	ug/L	1	J
SWB-11	6/2/2005	2-Butanone (MEK)	<		1.7	5	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-11	3/2/2006	2-Butanone (MEK)	<		17	50	UG/L	10
SWB-11	6/1/2006	2-Butanone (MEK)	<		1.8	5	UG/L	1
SWB-11	3/1/2007	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-11	3/7/2008	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-11	6/5/2008	2-Butanone (MEK)	TR	4.8	1.8	6	UG/L	1 J
SWB-11	3/2/2009	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-11	6/4/2009	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-11	3/1/2010	2-Butanone (MEK)	<	6	2	6	ug/L	1
SWB-11	6/2/2010	2-BUTANONE (MEK)	<	2	2	6	UG/L	1
SWB-3	10/29/2002	2-Butanone (MEK)	<		2.4	5	ug/L	1
SWB-3	3/4/2003	2-Butanone (MEK)	<		2	5	ug/L	1
SWB-3	6/3/2003	2-Butanone (MEK)	<		2	5	ug/L	1
SWB-3	9/4/2003	2-Butanone (MEK)	<		2	5	ug/L	1 UJ
SWB-3	12/2/2003	2-Butanone (MEK)	<		2	5	ug/L	1
SWB-3	3/1/2004	2-Butanone (MEK)	<		2	5	ug/L	1
SWB-3	6/1/2004	2-Butanone (MEK)	<		2	5	ug/L	1
SWB-3	9/1/2004	2-Butanone (MEK)	<		2	5	ug/L	1
SWB-3	12/1/2004	2-Butanone (MEK)	<		3.3	8.3	ug/L	1.66
SWB-3	3/3/2005	2-Butanone (MEK)	<		0.42	5	ug/L	1
SWB-3	6/2/2005	2-Butanone (MEK)	<		1.7	5	ug/L	1
SWB-3	9/1/2005	2-Butanone (MEK)	<		1.7	5	ug/L	1
SWB-3	12/1/2005	2-Butanone (MEK)	<		3.4	10	UG/L	2
SWB-3	3/2/2006	2-Butanone (MEK)	<		6.8	20	UG/L	4
SWB-3	6/2/2006	2-Butanone (MEK)	<		1.8	5	UG/L	1
SWB-3	9/5/2006	2-Butanone (MEK)	TR	2	1.8	6	UG/L	1 J
SWB-3	12/4/2006	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-3	3/1/2007	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-3	6/1/2007	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-3	12/3/2007	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-3	3/6/2008	2-Butanone (MEK)	TR	2	1.8	6	UG/L	1 J
SWB-3	6/9/2008	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-3	12/4/2008	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-3	3/2/2009	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-3	6/4/2009	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-3	12/1/2009	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-3	3/1/2010	2-Butanone (MEK)	<	6	2	6	ug/L	1
SWB-3	3/1/2010	2-Butanone (MEK)	<	12	4	12	ug/L	1 DNR
SWB-3	6/1/2010	2-BUTANONE (MEK)	<	2	2	6	UG/L	1 DNR
SWB-3	6/1/2010	2-BUTANONE (MEK)	<	8	8	24	UG/L	1
SWB-3	9/9/2010	2-BUTANONE (MEK)	<	2	2	6	UG/L	1
SWB-4	11/15/2002	2-Butanone (MEK)	TR	4.6	2.4	5	ug/L	1 J
SWB-5	10/29/2002	2-Butanone (MEK)	=	5.4	2.4	5	ug/L	1
SWB-6	3/4/2003	2-Butanone (MEK)	<		2	5	ug/L	1
SWB-6	6/3/2003	2-Butanone (MEK)	<		4	10	ug/L	2
SWB-6	12/3/2003	2-Butanone (MEK)	<		4	10	ug/L	2
SWB-6	3/5/2004	2-Butanone (MEK)	<		2	5	ug/L	1
SWB-6	6/1/2004	2-Butanone (MEK)	<		2	5	ug/L	1
SWB-6	12/1/2004	2-Butanone (MEK)	<		2	5	ug/L	1
SWB-6	3/7/2005	2-Butanone (MEK)	<		0.42	5	ug/L	1
SWB-6	6/1/2005	2-Butanone (MEK)	<		1.7	5	ug/L	1
SWB-6	12/2/2005	2-Butanone (MEK)	<		1.7	5	UG/L	1
SWB-6	3/1/2006	2-Butanone (MEK)	<		1.7	5	UG/L	1
SWB-6	6/1/2006	2-Butanone (MEK)	TR	2.5	1.8	5	UG/L	1 J
SWB-6	12/5/2006	2-Butanone (MEK)	=	6	1.8	6	UG/L	1
SWB-6	3/2/2007	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-6	3/6/2008	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-6	6/9/2008	2-Butanone (MEK)	TR	2.5	1.8	6	UG/L	1 J

tmpAnalyticalResultsOverTime

SWB-6	12/5/2008	2-Butanone (MEK)	TR	4.9	1.8	6	UG/L	1 J
SWB-6	3/2/2009	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-6	6/5/2009	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-6	3/2/2010	2-Butanone (MEK)	<	6	2	6	UG/L	1
SWB-6	6/2/2010	2-BUTANONE (MEK)	<	2	2	6	UG/L	1
SWB-7	3/4/2003	2-Butanone (MEK)	<		2	5	ug/L	1
SWB-7	6/3/2003	2-Butanone (MEK)	<		2	5	ug/L	1
SWB-7	3/1/2004	2-Butanone (MEK)	<		2	5	ug/L	1
SWB-7	5/24/2004	2-Butanone (MEK)	<		2	5	ug/L	1
SWB-7	12/1/2004	2-Butanone (MEK)	<		2	5	ug/L	1
SWB-7	3/7/2005	2-Butanone (MEK)	<		0.42	5	ug/L	1
SWB-7	6/1/2005	2-Butanone (MEK)	<		1.7	5	ug/L	1
SWB-7	9/1/2005	2-Butanone (MEK)	<		1.7	5	ug/L	1
SWB-7	12/1/2005	2-Butanone (MEK)	<		1.7	5	UG/L	1
SWB-7	3/1/2006	2-Butanone (MEK)	<		1.7	5	UG/L	1
SWB-7	6/2/2006	2-Butanone (MEK)	<		1.8	5	UG/L	1
SWB-7	9/5/2006	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-7	12/5/2006	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-7	3/2/2007	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-7	6/1/2007	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-7	9/7/2007	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-7	12/3/2007	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-7	3/6/2008	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-7	6/6/2008	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-7	9/8/2008	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-7	12/5/2008	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-7	3/2/2009	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-7	6/5/2009	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-7	9/9/2009	2-Butanone (MEK)	=	10	1.8	6	UG/L	1 J
SWB-7	12/1/2009	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-7	3/2/2010	2-Butanone (MEK)	<	6	2	6	UG/L	1
SWB-7	6/1/2010	2-BUTANONE (MEK)	<	2	2	6	UG/L	1 DNR
SWB-7	6/1/2010	2-BUTANONE (MEK)	<	8	8	24	UG/L	1
SWB-7	9/9/2010	2-BUTANONE (MEK)	<	2	2	6	UG/L	1
SWB-7	12/1/2010	2-BUTANONE (MEK)	<	2	2	6	UG/L	1
SWB-8	3/5/2004	2-Butanone (MEK)	<		2	5	ug/L	1
SWB-8	3/7/2005	2-Butanone (MEK)	<		0.42	5	ug/L	1
SWB-8	6/1/2005	2-Butanone (MEK)	<		1.7	5	ug/L	1
SWB-8	3/1/2006	2-Butanone (MEK)	<		1.7	5	UG/L	1
SWB-8	3/7/2008	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-8	3/3/2009	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-9	3/4/2003	2-Butanone (MEK)	<		2	5	ug/L	1
SWB-9	12/3/2003	2-Butanone (MEK)	<		4	10	ug/L	2
SWB-9	3/5/2004	2-Butanone (MEK)	<		2	5	ug/L	1
SWB-9	5/27/2004	2-Butanone (MEK)	<		2	5	ug/L	1
SWB-9	12/1/2004	2-Butanone (MEK)	<		2	5	ug/L	1
SWB-9	3/3/2005	2-Butanone (MEK)	<		0.42	5	ug/L	1
SWB-9	6/2/2005	2-Butanone (MEK)	<		1.7	5	ug/L	1
SWB-9	9/1/2005	2-Butanone (MEK)	<		1.7	5	ug/L	1 UJ
SWB-9	12/1/2005	2-Butanone (MEK)	<		1.7	5	UG/L	1
SWB-9	3/2/2006	2-Butanone (MEK)	<		6.8	20	UG/L	4
SWB-9	6/1/2006	2-Butanone (MEK)	TR	2.1	1.8	5	UG/L	1 J
SWB-9	12/4/2006	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-9	3/5/2007	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-9	3/6/2008	2-Butanone (MEK)	<		1.8	6	UG/L	1
SWB-9	6/5/2008	2-Butanone (MEK)	TR	2.9	1.8	6	UG/L	1 J
SWB-9	12/5/2008	2-Butanone (MEK)	<		1.8	6	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	3/2/2009	2-Butanone (MEK)	<		1.8	6	UG/L	1	
SWB-9	6/2/2009	2-Butanone (MEK)	TR	3	1.8	6	UG/L	1	J
SWB-9	3/1/2010	2-Butanone (MEK)	<	6	2	6	ug/L	1	
SWB-9	6/1/2010	2-BUTANONE (MEK)	<	2	2	6	UG/L	1	DNR
SWB-9	6/1/2010	2-BUTANONE (MEK)	<	8	8	24	UG/L	1	
SWB-9	12/1/2010	2-BUTANONE (MEK)	<	2	2	6	UG/L	1	
SWB-11	3/7/2008	2-Butanone, 3-hydroxy-	TI	6.6			UG/L	1	NJ NA
SWB-9	9/1/2005	2-Butanone, 3-hydroxy-	TI	6.9			ug/L	1	NJ
SWB-9	6/2/2009	2-Butene, 1-chloro-2-methyl-	TI	15			UG/L	1	NJ NA
SWB-10	3/4/2004	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1	NA
SWB-10	5/24/2004	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1	
SWB-10	12/1/2004	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1	
SWB-10	3/3/2005	2-Chloroethyl vinyl ether	<		0.32	2	ug/L	1	UJ
SWB-10	6/2/2005	2-Chloroethyl vinyl ether	<		0.18	2	ug/L	1	
SWB-10	9/1/2005	2-Chloroethyl vinyl ether	<		0.18	2	ug/L	1	
SWB-10	3/2/2006	2-Chloroethyl vinyl ether	<		0.72	8	UG/L	4	
SWB-10	6/2/2006	2-Chloroethyl vinyl ether	<		0.74	2	UG/L	1	
SWB-10	3/1/2007	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1	
SWB-10	3/7/2008	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1	
SWB-10	6/5/2008	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1	
SWB-10	3/2/2009	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1	R
SWB-10	6/4/2009	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1	R
SWB-10	3/2/2010	2-Chloroethyl vinyl ether	<	3	0.31	3	UG/L	1	R
SWB-11	3/4/2004	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1	
SWB-11	5/24/2004	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1	
SWB-11	12/1/2004	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1	
SWB-11	3/1/2005	2-Chloroethyl vinyl ether	<		0.32	2	ug/L	1	
SWB-11	6/2/2005	2-Chloroethyl vinyl ether	<		0.18	2	ug/L	1	
SWB-11	3/2/2006	2-Chloroethyl vinyl ether	<		1.8	20	UG/L	10	
SWB-11	6/1/2006	2-Chloroethyl vinyl ether	<		0.74	2	UG/L	1	
SWB-11	3/1/2007	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1	
SWB-11	3/7/2008	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1	
SWB-11	6/5/2008	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1	
SWB-11	3/2/2009	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1	R
SWB-11	6/4/2009	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1	R
SWB-11	3/1/2010	2-Chloroethyl vinyl ether	<	3	0.31	3	ug/L	1	R
SWB-11	6/2/2010	2-CHLOROETHYL VINYL ETHER	<	0.31	0.31	3	UG/L	1	R
SWB-3	10/29/2002	2-Chloroethyl vinyl ether	<		1.3	2	ug/L	1	
SWB-3	3/4/2003	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1	
SWB-3	6/3/2003	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1	
SWB-3	9/4/2003	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1	UJ
SWB-3	12/2/2003	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1	
SWB-3	3/1/2004	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1	
SWB-3	6/1/2004	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1	UJ
SWB-3	9/1/2004	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1	
SWB-3	12/1/2004	2-Chloroethyl vinyl ether	<		0.51	3.3	ug/L	1.66	
SWB-3	3/3/2005	2-Chloroethyl vinyl ether	<		0.32	2	ug/L	1	UJ
SWB-3	6/2/2005	2-Chloroethyl vinyl ether	<		0.18	2	ug/L	1	
SWB-3	9/1/2005	2-Chloroethyl vinyl ether	<		0.18	2	ug/L	1	
SWB-3	12/1/2005	2-Chloroethyl vinyl ether	<		0.36	4	UG/L	2	
SWB-3	3/2/2006	2-Chloroethyl vinyl ether	<		0.72	8	UG/L	4	
SWB-3	6/2/2006	2-Chloroethyl vinyl ether	<		0.74	2	UG/L	1	
SWB-3	9/5/2006	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1	
SWB-3	12/4/2006	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1	
SWB-3	3/1/2007	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1	
SWB-3	6/1/2007	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1	
SWB-3	12/3/2007	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	3/6/2008	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1
SWB-3	6/9/2008	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1
SWB-3	12/4/2008	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1
SWB-3	3/2/2009	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1 R
SWB-3	6/4/2009	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1 R
SWB-3	12/1/2009	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1 R
SWB-3	3/1/2010	2-Chloroethyl vinyl ether	<	3	0.31	3	ug/L	1 R
SWB-3	3/1/2010	2-Chloroethyl vinyl ether	<	6	0.62	6	ug/L	1 DNR
SWB-3	6/1/2010	2-CHLOROETHYL VINYL ETHER	<	0.31	0.31	3	UG/L	1 DNR
SWB-3	6/1/2010	2-CHLOROETHYL VINYL ETHER	<	1.2	1.2	12	UG/L	1 R
SWB-3	9/9/2010	2-CHLOROETHYL VINYL ETHER	<	0.31	0.31	3	UG/L	1 R
SWB-4	11/15/2002	2-Chloroethyl vinyl ether	<		1.3	2	ug/L	1
SWB-5	10/29/2002	2-Chloroethyl vinyl ether	<		1.3	2	ug/L	1
SWB-6	3/4/2003	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1
SWB-6	6/3/2003	2-Chloroethyl vinyl ether	<		0.62	4	ug/L	2
SWB-6	12/3/2003	2-Chloroethyl vinyl ether	<		0.62	4	ug/L	2
SWB-6	3/5/2004	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1
SWB-6	6/1/2004	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1 UJ
SWB-6	12/1/2004	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1
SWB-6	3/7/2005	2-Chloroethyl vinyl ether	<		0.32	2	ug/L	1
SWB-6	6/1/2005	2-Chloroethyl vinyl ether	<		0.18	2	ug/L	1
SWB-6	12/2/2005	2-Chloroethyl vinyl ether	<		0.18	2	UG/L	1
SWB-6	3/1/2006	2-Chloroethyl vinyl ether	<		0.18	2	UG/L	1
SWB-6	6/1/2006	2-Chloroethyl vinyl ether	<		0.74	2	UG/L	1
SWB-6	12/5/2006	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1
SWB-6	3/2/2007	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1
SWB-6	3/6/2008	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1
SWB-6	6/9/2008	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1
SWB-6	12/5/2008	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1
SWB-6	3/2/2009	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1 R
SWB-6	6/5/2009	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1 R
SWB-6	3/2/2010	2-Chloroethyl vinyl ether	<	3	0.31	3	UG/L	1 R
SWB-6	6/2/2010	2-CHLOROETHYL VINYL ETHER	<	0.31	0.31	3	UG/L	1 R
SWB-7	3/4/2003	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1
SWB-7	6/3/2003	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1
SWB-7	3/1/2004	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1
SWB-7	5/24/2004	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1
SWB-7	12/1/2004	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1
SWB-7	3/7/2005	2-Chloroethyl vinyl ether	<		0.32	2	ug/L	1
SWB-7	6/1/2005	2-Chloroethyl vinyl ether	<		0.18	2	ug/L	1
SWB-7	9/1/2005	2-Chloroethyl vinyl ether	<		0.18	2	ug/L	1
SWB-7	12/1/2005	2-Chloroethyl vinyl ether	<		0.18	2	UG/L	1
SWB-7	3/1/2006	2-Chloroethyl vinyl ether	<		0.18	2	UG/L	1
SWB-7	6/2/2006	2-Chloroethyl vinyl ether	<		0.74	2	UG/L	1
SWB-7	9/5/2006	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1
SWB-7	12/5/2006	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1
SWB-7	3/2/2007	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1
SWB-7	6/1/2007	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1
SWB-7	9/7/2007	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1
SWB-7	12/3/2007	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1
SWB-7	3/6/2008	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1
SWB-7	6/6/2008	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1
SWB-7	9/8/2008	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1 R
SWB-7	12/5/2008	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1
SWB-7	3/2/2009	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1 R
SWB-7	6/5/2009	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1 R
SWB-7	9/9/2009	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	12/1/2009	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1 R	
SWB-7	3/2/2010	2-Chloroethyl vinyl ether	<	3	0.31	3	UG/L	1 R	
SWB-7	6/1/2010	2-CHLOROETHYL VINYL ETHER	<	0.31	0.31	3	UG/L	1 DNR	
SWB-7	6/1/2010	2-CHLOROETHYL VINYL ETHER	<	1.2	1.2	12	UG/L	1 R	
SWB-7	9/9/2010	2-CHLOROETHYL VINYL ETHER	<	0.31	0.31	3	UG/L	1 R	
SWB-7	12/1/2010	2-CHLOROETHYL VINYL ETHER	<	0.31	0.31	3	UG/L	1 R	
SWB-8	3/5/2004	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1	
SWB-8	3/7/2005	2-Chloroethyl vinyl ether	<		0.32	2	ug/L	1	
SWB-8	6/1/2005	2-Chloroethyl vinyl ether	<		0.18	2	ug/L	1	
SWB-8	3/1/2006	2-Chloroethyl vinyl ether	<		0.18	2	UG/L	1	
SWB-8	3/7/2008	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1	
SWB-8	3/3/2009	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1 R	
SWB-9	3/4/2003	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1	
SWB-9	12/3/2003	2-Chloroethyl vinyl ether	<		0.62	4	ug/L	2	
SWB-9	3/5/2004	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1	
SWB-9	5/27/2004	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1	
SWB-9	12/1/2004	2-Chloroethyl vinyl ether	<		0.31	2	ug/L	1	
SWB-9	3/3/2005	2-Chloroethyl vinyl ether	<		0.32	2	ug/L	1 UJ	
SWB-9	6/2/2005	2-Chloroethyl vinyl ether	<		0.18	2	ug/L	1	
SWB-9	9/1/2005	2-Chloroethyl vinyl ether	<		0.18	2	ug/L	1 UJ	
SWB-9	12/1/2005	2-Chloroethyl vinyl ether	<		0.18	2	UG/L	1	
SWB-9	3/2/2006	2-Chloroethyl vinyl ether	<		0.72	8	UG/L	4	
SWB-9	6/1/2006	2-Chloroethyl vinyl ether	<		0.74	2	UG/L	1	
SWB-9	12/4/2006	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1	
SWB-9	3/5/2007	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1	
SWB-9	3/6/2008	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1	
SWB-9	6/5/2008	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1 R	
SWB-9	12/5/2008	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1	
SWB-9	3/2/2009	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1 R	
SWB-9	6/2/2009	2-Chloroethyl vinyl ether	<		0.74	3	UG/L	1 UJ	
SWB-9	3/1/2010	2-Chloroethyl vinyl ether	<	3	0.31	3	ug/L	1 R	
SWB-9	6/1/2010	2-CHLOROETHYL VINYL ETHER	<	0.31	0.31	3	UG/L	1 DNR	
SWB-9	6/1/2010	2-CHLOROETHYL VINYL ETHER	<	1.2	1.2	12	UG/L	1 R	
SWB-9	12/1/2010	2-CHLOROETHYL VINYL ETHER	<	0.31	0.31	3	UG/L	1 R	
SWB-10	3/4/2004	2-Chloronaphthalene	<		0.7	10	ug/L	1	NA
SWB-10	5/24/2004	2-Chloronaphthalene	<		0.7	10	ug/L	1 UJ	
SWB-10	12/1/2004	2-Chloronaphthalene	<		0.7	10	ug/L	1	
SWB-10	3/3/2005	2-Chloronaphthalene	<		1.7	10	ug/L	1	
SWB-10	6/2/2005	2-Chloronaphthalene	<		1.7	10	ug/L	1	
SWB-10	9/1/2005	2-Chloronaphthalene	<		1.7	10	ug/L	1	
SWB-10	3/2/2006	2-Chloronaphthalene	<		1.7	10	UG/L	1	
SWB-10	6/2/2006	2-Chloronaphthalene	<		1.7	10	UG/L	1	
SWB-10	3/1/2007	2-Chloronaphthalene	<		1.7	10	UG/L	1	
SWB-10	3/7/2008	2-Chloronaphthalene	<		0.26	10	UG/L	1	
SWB-10	6/5/2008	2-Chloronaphthalene	<		0.26	10	UG/L	1	
SWB-10	3/2/2009	2-Chloronaphthalene	<		0.26	4	UG/L	1	
SWB-10	3/2/2009	2-Chloronaphthalene	<		0.26	4	UG/L	1 R	
SWB-10	6/4/2009	2-Chloronaphthalene	<		0.26	4	UG/L	1	
SWB-10	3/2/2010	2-Chloronaphthalene	<	3.7	0.24	3.7	UG/L	1	
SWB-11	3/4/2004	2-Chloronaphthalene	<		0.7	10	ug/L	1	
SWB-11	5/24/2004	2-Chloronaphthalene	<		0.7	10	ug/L	1 UJ	
SWB-11	12/1/2004	2-Chloronaphthalene	<		0.7	10	ug/L	1	
SWB-11	3/1/2005	2-Chloronaphthalene	<		1.7	10	ug/L	1	
SWB-11	6/2/2005	2-Chloronaphthalene	<		1.7	10	ug/L	1	
SWB-11	3/2/2006	2-Chloronaphthalene	<		1.7	10	UG/L	1	
SWB-11	6/1/2006	2-Chloronaphthalene	<		1.7	10	UG/L	1	
SWB-11	3/1/2007	2-Chloronaphthalene	<		1.7	10	UG/L	1	



tmpAnalyticalResultsOverTime

SWB-11	3/7/2008	2-Chloronaphthalene	<	0.26	10	UG/L	1	
SWB-11	6/5/2008	2-Chloronaphthalene	<	0.26	10	UG/L	1	
SWB-11	3/2/2009	2-Chloronaphthalene	<	0.26	4	UG/L	1	
SWB-11	6/4/2009	2-Chloronaphthalene	<	0.26	4	UG/L	1	
SWB-11	3/1/2010	2-Chloronaphthalene	<	3.7	0.24	3.7	ug/L	1
SWB-11	6/2/2010	2-CHLORONAPHTHALENE	<	0.25	0.25	3.8	UG/L	1
SWB-3	10/29/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
SWB-3	3/4/2003	2-Chloronaphthalene	<	1.1	10	ug/L	1	
SWB-3	6/3/2003	2-Chloronaphthalene	<	1.1	10	ug/L	1	
SWB-3	9/4/2003	2-Chloronaphthalene	<	1.1	10	ug/L	1 UJ	
SWB-3	12/2/2003	2-Chloronaphthalene	<	0.7	10	ug/L	1	
SWB-3	3/1/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
SWB-3	6/1/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
SWB-3	9/1/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
SWB-3	12/1/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
SWB-3	3/3/2005	2-Chloronaphthalene	<	1.7	10	ug/L	1	
SWB-3	6/2/2005	2-Chloronaphthalene	<	1.7	10	ug/L	1	
SWB-3	9/1/2005	2-Chloronaphthalene	<	1.7	10	ug/L	1	
SWB-3	12/1/2005	2-Chloronaphthalene	<	1.7	10	UG/L	1 UJ	
SWB-3	3/2/2006	2-Chloronaphthalene	<	1.7	10	UG/L	1	
SWB-3	6/2/2006	2-Chloronaphthalene	<	1.7	10	UG/L	1	
SWB-3	9/5/2006	2-Chloronaphthalene	<	1.7	10	UG/L	1	
SWB-3	12/4/2006	2-Chloronaphthalene	<	1.7	10	UG/L	1	
SWB-3	3/1/2007	2-Chloronaphthalene	<	1.7	10	UG/L	1	
SWB-3	6/1/2007	2-Chloronaphthalene	<	1.7	10	UG/L	1	
SWB-3	6/1/2007	2-Chloronaphthalene	<	1.7	10	UG/L	1 R	
SWB-3	12/3/2007	2-Chloronaphthalene	<	0.31	10	UG/L	1	
SWB-3	3/6/2008	2-Chloronaphthalene	<	0.26	10	UG/L	1	
SWB-3	6/9/2008	2-Chloronaphthalene	<	0.26	10	UG/L	1	
SWB-3	12/4/2008	2-Chloronaphthalene	<	0.26	4	UG/L	1	
SWB-3	3/2/2009	2-Chloronaphthalene	<	0.26	4	UG/L	1	
SWB-3	3/2/2009	2-Chloronaphthalene	<	0.26	4	UG/L	1 R	
SWB-3	6/4/2009	2-Chloronaphthalene	<	0.26	4	UG/L	1	
SWB-3	12/1/2009	2-Chloronaphthalene	<	0.26	4	UG/L	1	
SWB-3	3/1/2010	2-Chloronaphthalene	<	3.9	0.25	3.9	ug/L	1 UJ
SWB-3	6/1/2010	2-CHLORONAPHTHALENE	<	0.24	0.24	3.7	UG/L	1
SWB-3	6/1/2010	2-CHLORONAPHTHALENE	<	0.25	0.25	3.8	UG/L	1 DNR
SWB-3	9/9/2010	2-CHLORONAPHTHALENE	<	0.24	0.24	3.7	UG/L	1
SWB-4	11/15/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
SWB-5	10/29/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
SWB-6	3/4/2003	2-Chloronaphthalene	<	1.1	10	ug/L	1	
SWB-6	6/3/2003	2-Chloronaphthalene	<	1.1	10	ug/L	1	
SWB-6	12/3/2003	2-Chloronaphthalene	<	0.7	10	ug/L	1	
SWB-6	3/5/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
SWB-6	6/1/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
SWB-6	12/1/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
SWB-6	3/7/2005	2-Chloronaphthalene	<	1.7	10	ug/L	1	
SWB-6	6/1/2005	2-Chloronaphthalene	<	1.7	10	ug/L	1	
SWB-6	12/2/2005	2-Chloronaphthalene	<	1.7	10	UG/L	1 UJ	
SWB-6	3/1/2006	2-Chloronaphthalene	<	1.7	10	UG/L	1	
SWB-6	6/1/2006	2-Chloronaphthalene	<	1.7	10	UG/L	1	
SWB-6	12/5/2006	2-Chloronaphthalene	<	1.7	10	UG/L	1	
SWB-6	3/2/2007	2-Chloronaphthalene	<	1.7	10	UG/L	1	
SWB-6	3/6/2008	2-Chloronaphthalene	<	0.26	10	UG/L	1	
SWB-6	6/9/2008	2-Chloronaphthalene	<	0.26	10	UG/L	1	
SWB-6	12/5/2008	2-Chloronaphthalene	<	0.26	4	UG/L	1	
SWB-6	12/5/2008	2-Chloronaphthalene	<	0.26	4	UG/L	1 R	

tmpAnalyticalResultsOverTime

SWB-6	3/2/2009	2-Chloronaphthalene	<		0.26	4	UG/L	1
SWB-6	3/2/2009	2-Chloronaphthalene	<		0.26	4	UG/L	1 R
SWB-6	6/5/2009	2-Chloronaphthalene	<		0.26	4	UG/L	1
SWB-6	3/2/2010	2-Chloronaphthalene	<	3.6	0.24	3.6	UG/L	1
SWB-6	6/2/2010	2-CHLORONAPHTHALENE	<	0.24	0.24	3.8	UG/L	1 DNR
SWB-6	6/2/2010	2-CHLORONAPHTHALENE	<	0.25	0.25	3.8	UG/L	1
SWB-7	3/4/2003	2-Chloronaphthalene	<		1.1	10	ug/L	1
SWB-7	6/3/2003	2-Chloronaphthalene	<		1.1	10	ug/L	1
SWB-7	3/1/2004	2-Chloronaphthalene	<		0.7	10	ug/L	1
SWB-7	5/24/2004	2-Chloronaphthalene	<		0.7	10	ug/L	1
SWB-7	12/1/2004	2-Chloronaphthalene	<		0.7	10	ug/L	1
SWB-7	3/7/2005	2-Chloronaphthalene	<		1.7	10	ug/L	1 UJ
SWB-7	6/1/2005	2-Chloronaphthalene	<		1.7	10	ug/L	1
SWB-7	9/1/2005	2-Chloronaphthalene	<		1.7	10	ug/L	1
SWB-7	12/1/2005	2-Chloronaphthalene	<		1.7	10	UG/L	1 UJ
SWB-7	3/1/2006	2-Chloronaphthalene	<		1.7	10	UG/L	1
SWB-7	6/2/2006	2-Chloronaphthalene	<		1.7	10	UG/L	1
SWB-7	9/5/2006	2-Chloronaphthalene	<		1.7	10	UG/L	1 UJ
SWB-7	12/5/2006	2-Chloronaphthalene	<		1.7	10	UG/L	1
SWB-7	3/2/2007	2-Chloronaphthalene	<		1.7	10	UG/L	1
SWB-7	6/1/2007	2-Chloronaphthalene	<		1.7	10	UG/L	1
SWB-7	9/7/2007	2-Chloronaphthalene	<		0.31	10	UG/L	1
SWB-7	12/3/2007	2-Chloronaphthalene	<		0.31	10	UG/L	1
SWB-7	3/6/2008	2-Chloronaphthalene	<		0.26	10	UG/L	1
SWB-7	6/6/2008	2-Chloronaphthalene	<		0.26	10	UG/L	1
SWB-7	9/8/2008	2-Chloronaphthalene	<		0.26	4	UG/L	1
SWB-7	12/5/2008	2-Chloronaphthalene	<		0.26	4	UG/L	1
SWB-7	12/5/2008	2-Chloronaphthalene	<		0.26	4	UG/L	1 R
SWB-7	3/2/2009	2-Chloronaphthalene	<		0.26	4	UG/L	1
SWB-7	3/2/2009	2-Chloronaphthalene	<		0.26	4	UG/L	1 R
SWB-7	6/5/2009	2-Chloronaphthalene	<		0.26	4	UG/L	1
SWB-7	9/9/2009	2-Chloronaphthalene	<		0.26	4	UG/L	1
SWB-7	12/1/2009	2-Chloronaphthalene	<		0.26	4	UG/L	1
SWB-7	3/2/2010	2-Chloronaphthalene	<	3.8	0.25	3.8	UG/L	1
SWB-7	6/1/2010	2-CHLORONAPHTHALENE	<	0.25	0.25	3.8	UG/L	1 DNR
SWB-7	6/1/2010	2-CHLORONAPHTHALENE	<	0.26	0.26	4	UG/L	1 R
SWB-7	9/9/2010	2-CHLORONAPHTHALENE	<	0.25	0.25	3.9	UG/L	1
SWB-7	12/1/2010	2-CHLORONAPHTHALENE	<	0.24	0.24	3.7	UG/L	1
SWB-8	3/5/2004	2-Chloronaphthalene	<		0.7	10	ug/L	1
SWB-8	3/7/2005	2-Chloronaphthalene	<		1.7	10	ug/L	1
SWB-8	6/1/2005	2-Chloronaphthalene	<		1.7	10	ug/L	1
SWB-8	3/1/2006	2-Chloronaphthalene	<		1.7	10	UG/L	1
SWB-8	3/7/2008	2-Chloronaphthalene	<		0.26	10	UG/L	1
SWB-8	3/3/2009	2-Chloronaphthalene	<		0.26	4	UG/L	1
SWB-8	3/3/2009	2-Chloronaphthalene	<		0.26	4	UG/L	1 R
SWB-9	3/4/2003	2-Chloronaphthalene	<		1.1	10	ug/L	1
SWB-9	12/3/2003	2-Chloronaphthalene	<		0.7	10	ug/L	1
SWB-9	3/5/2004	2-Chloronaphthalene	<		0.7	10	ug/L	1
SWB-9	5/27/2004	2-Chloronaphthalene	<		0.7	10	ug/L	1 UJ
SWB-9	12/1/2004	2-Chloronaphthalene	<		0.7	10	ug/L	1
SWB-9	3/3/2005	2-Chloronaphthalene	<		1.7	10	ug/L	1
SWB-9	6/2/2005	2-Chloronaphthalene	<		1.7	10	ug/L	1
SWB-9	9/1/2005	2-Chloronaphthalene	<		1.7	10	ug/L	1
SWB-9	12/1/2005	2-Chloronaphthalene	<		1.7	10	UG/L	1 UJ
SWB-9	3/2/2006	2-Chloronaphthalene	<		1.7	10	UG/L	1
SWB-9	6/1/2006	2-Chloronaphthalene	<		1.7	10	UG/L	1
SWB-9	12/4/2006	2-Chloronaphthalene	<		1.7	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	3/5/2007	2-Chloronaphthalene	<		1.7	10	UG/L	1	
SWB-9	3/6/2008	2-Chloronaphthalene	<		0.26	10	UG/L	1	
SWB-9	6/5/2008	2-Chloronaphthalene	<		0.26	10	UG/L	1	
SWB-9	12/5/2008	2-Chloronaphthalene	<		0.26	4	UG/L	1	
SWB-9	12/5/2008	2-Chloronaphthalene	<		0.26	4	UG/L	1	R
SWB-9	3/2/2009	2-Chloronaphthalene	<		0.26	4	UG/L	1	
SWB-9	3/2/2009	2-Chloronaphthalene	<		0.26	4	UG/L	1	R
SWB-9	6/2/2009	2-Chloronaphthalene	<		0.26	4	UG/L	1	
SWB-9	6/2/2009	2-Chloronaphthalene	<		0.26	4	UG/L	1	DNR
SWB-9	3/1/2010	2-Chloronaphthalene	<	3.7	0.24	3.7	ug/L	1	
SWB-9	6/1/2010	2-CHLORONAPHTHALENE	<	0.24	0.24	3.8	UG/L	1	DNR
SWB-9	6/1/2010	2-CHLORONAPHTHALENE	<	0.25	0.25	3.8	UG/L	1	
SWB-9	12/1/2010	2-CHLORONAPHTHALENE	<	0.24	0.24	3.7	UG/L	1	
SWB-10	3/4/2004	2-Chlorophenol	<		0.8	10	ug/L	1	NA
SWB-10	5/24/2004	2-Chlorophenol	<		0.8	10	ug/L	1	UJ
SWB-10	12/1/2004	2-Chlorophenol	<		0.8	10	ug/L	1	
SWB-10	3/3/2005	2-Chlorophenol	<		1.7	10	ug/L	1	UJ
SWB-10	6/2/2005	2-Chlorophenol	<		1.7	10	ug/L	1	
SWB-10	9/1/2005	2-Chlorophenol	<		1.7	10	ug/L	1	
SWB-10	3/2/2006	2-Chlorophenol	<		1.7	10	UG/L	1	
SWB-10	6/2/2006	2-Chlorophenol	<		0.38	10	UG/L	1	
SWB-10	3/1/2007	2-Chlorophenol	<		0.38	10	UG/L	1	
SWB-10	3/7/2008	2-Chlorophenol	<		2	10	UG/L	1	
SWB-10	6/5/2008	2-Chlorophenol	<		2	10	UG/L	1	
SWB-10	3/2/2009	2-Chlorophenol	<		2	10	UG/L	1	
SWB-10	3/2/2009	2-Chlorophenol	<		2	10	UG/L	1	R
SWB-10	6/4/2009	2-Chlorophenol	<		2	10	UG/L	1	
SWB-10	3/2/2010	2-Chlorophenol	<	9.3	1.9	9.3	UG/L	1	
SWB-11	3/4/2004	2-Chlorophenol	<		0.8	10	ug/L	1	
SWB-11	5/24/2004	2-Chlorophenol	<		0.8	10	ug/L	1	UJ
SWB-11	12/1/2004	2-Chlorophenol	<		0.8	10	ug/L	1	
SWB-11	3/1/2005	2-Chlorophenol	<		1.7	10	ug/L	1	UJ
SWB-11	6/2/2005	2-Chlorophenol	<		1.7	10	ug/L	1	
SWB-11	3/2/2006	2-Chlorophenol	<		1.7	10	UG/L	1	
SWB-11	6/1/2006	2-Chlorophenol	<		0.38	10	UG/L	1	
SWB-11	3/1/2007	2-Chlorophenol	<		0.38	10	UG/L	1	
SWB-11	3/7/2008	2-Chlorophenol	<		2	10	UG/L	1	
SWB-11	6/5/2008	2-Chlorophenol	<		2	10	UG/L	1	
SWB-11	3/2/2009	2-Chlorophenol	<		2	10	UG/L	1	
SWB-11	6/4/2009	2-Chlorophenol	<		2	10	UG/L	1	UJ
SWB-11	3/1/2010	2-Chlorophenol	<	9.4	1.9	9.4	ug/L	1	
SWB-11	6/2/2010	2-CHLOROPHENOL	<	1.9	1.9	9.5	UG/L	1	R
SWB-3	10/29/2002	2-Chlorophenol	<		1.8	10	ug/L	1	
SWB-3	3/4/2003	2-Chlorophenol	<		1.8	10	ug/L	1	R
SWB-3	6/3/2003	2-Chlorophenol	<		1.8	10	ug/L	1	
SWB-3	9/4/2003	2-Chlorophenol	<		1.8	10	ug/L	1	R
SWB-3	12/2/2003	2-Chlorophenol	<		0.8	10	ug/L	1	R
SWB-3	3/1/2004	2-Chlorophenol	<		0.8	10	ug/L	1	
SWB-3	6/1/2004	2-Chlorophenol	<		0.8	10	ug/L	1	
SWB-3	9/1/2004	2-Chlorophenol	<		0.8	10	ug/L	1	
SWB-3	12/1/2004	2-Chlorophenol	<		0.8	10	ug/L	1	
SWB-3	3/3/2005	2-Chlorophenol	<		1.7	10	ug/L	1	UJ
SWB-3	6/2/2005	2-Chlorophenol	<		1.7	10	ug/L	1	
SWB-3	9/1/2005	2-Chlorophenol	<		1.7	10	ug/L	1	R
SWB-3	12/1/2005	2-Chlorophenol	<		1.7	10	UG/L	1	R
SWB-3	3/2/2006	2-Chlorophenol	<		1.7	10	UG/L	1	R
SWB-3	6/2/2006	2-Chlorophenol	<		0.38	10	UG/L	1	R

tmpAnalyticalResultsOverTime

SWB-3	9/5/2006	2-Chlorophenol	<	0.38	10	UG/L	1 UJ	
SWB-3	12/4/2006	2-Chlorophenol	<	0.38	10	UG/L	1 R	
SWB-3	3/1/2007	2-Chlorophenol	<	0.38	10	UG/L	1 UJ	
SWB-3	6/1/2007	2-Chlorophenol	<	0.38	10	UG/L	1 R	
SWB-3	12/3/2007	2-Chlorophenol	<	0.38	10	UG/L	1 R	
SWB-3	3/6/2008	2-Chlorophenol	<	2	10	UG/L	1	
SWB-3	6/9/2008	2-Chlorophenol	<	2	10	UG/L	1 R	
SWB-3	12/4/2008	2-Chlorophenol	<	2	10	UG/L	1	
SWB-3	3/2/2009	2-Chlorophenol	<	2	10	UG/L	1 R	
SWB-3	3/2/2009	2-Chlorophenol	<	2	10	UG/L	1 UJ	
SWB-3	6/4/2009	2-Chlorophenol	<	2	10	UG/L	1	
SWB-3	12/1/2009	2-Chlorophenol	<	2	10	UG/L	1	
SWB-3	12/1/2009	2-Chlorophenol	<	2	10	UG/L	1 R	
SWB-3	3/1/2010	2-Chlorophenol	<	9.7	1.9	9.7	ug/L	1 UJ
SWB-3	6/1/2010	2-CHLOROPHENOL	<	1.9	1.9	9.4	UG/L	1 DNR
SWB-3	6/1/2010	2-CHLOROPHENOL	<	1.9	1.9	9.4	UG/L	1 R
SWB-3	9/9/2010	2-CHLOROPHENOL	<	1.9	1.9	9.3	UG/L	1 R
SWB-4	11/15/2002	2-Chlorophenol	<	1.8	10	ug/L	1 UJ	
SWB-5	10/29/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
SWB-6	3/4/2003	2-Chlorophenol	<	1.8	10	ug/L	1	
SWB-6	6/3/2003	2-Chlorophenol	<	1.8	10	ug/L	1	
SWB-6	12/3/2003	2-Chlorophenol	<	0.8	10	ug/L	1	
SWB-6	3/5/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
SWB-6	6/1/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
SWB-6	12/1/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
SWB-6	3/7/2005	2-Chlorophenol	<	1.7	10	ug/L	1 UJ	
SWB-6	6/1/2005	2-Chlorophenol	<	1.7	10	ug/L	1	
SWB-6	12/2/2005	2-Chlorophenol	<	1.7	10	UG/L	1	
SWB-6	3/1/2006	2-Chlorophenol	<	1.7	10	UG/L	1	
SWB-6	6/1/2006	2-Chlorophenol	<	0.38	10	UG/L	1	
SWB-6	12/5/2006	2-Chlorophenol	<	0.38	10	UG/L	1	
SWB-6	3/2/2007	2-Chlorophenol	<	0.38	10	UG/L	1	
SWB-6	3/6/2008	2-Chlorophenol	<	2	10	UG/L	1	
SWB-6	6/9/2008	2-Chlorophenol	<	2	10	UG/L	1	
SWB-6	12/5/2008	2-Chlorophenol	<	2	10	UG/L	1	
SWB-6	12/5/2008	2-Chlorophenol	<	2	10	UG/L	1 R	
SWB-6	3/2/2009	2-Chlorophenol	<	2	10	UG/L	1	
SWB-6	3/2/2009	2-Chlorophenol	<	2	10	UG/L	1 R	
SWB-6	6/5/2009	2-Chlorophenol	<	2	10	UG/L	1	
SWB-6	3/2/2010	2-Chlorophenol	<	9.1	1.8	9.1	UG/L	1
SWB-6	6/2/2010	2-CHLOROPHENOL	<	1.9	1.9	9.4	UG/L	1 DNR
SWB-6	6/2/2010	2-CHLOROPHENOL	<	1.9	1.9	9.5	UG/L	1 UJ
SWB-7	3/4/2003	2-Chlorophenol	<	1.8	10	ug/L	1	
SWB-7	6/3/2003	2-Chlorophenol	<	1.8	10	ug/L	1	
SWB-7	3/1/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
SWB-7	5/24/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
SWB-7	12/1/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
SWB-7	3/7/2005	2-Chlorophenol	<	1.7	10	ug/L	1 UJ	
SWB-7	6/1/2005	2-Chlorophenol	<	1.7	10	ug/L	1	
SWB-7	9/1/2005	2-Chlorophenol	<	1.7	10	ug/L	1	
SWB-7	12/1/2005	2-Chlorophenol	<	1.7	10	UG/L	1	
SWB-7	3/1/2006	2-Chlorophenol	<	1.7	10	UG/L	1	
SWB-7	6/2/2006	2-Chlorophenol	<	0.38	10	UG/L	1	
SWB-7	9/5/2006	2-Chlorophenol	<	0.38	10	UG/L	1 UJ	
SWB-7	12/5/2006	2-Chlorophenol	<	0.38	10	UG/L	1	
SWB-7	3/2/2007	2-Chlorophenol	<	0.38	10	UG/L	1	
SWB-7	6/1/2007	2-Chlorophenol	<	0.38	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-7	9/7/2007	2-Chlorophenol	<	0.38	10	UG/L	1	
SWB-7	12/3/2007	2-Chlorophenol	<	0.38	10	UG/L	1	
SWB-7	3/6/2008	2-Chlorophenol	<	2	10	UG/L	1	
SWB-7	6/6/2008	2-Chlorophenol	<	2	10	UG/L	1	
SWB-7	9/8/2008	2-Chlorophenol	<	2	10	UG/L	1	
SWB-7	12/5/2008	2-Chlorophenol	<	2	10	UG/L	1	
SWB-7	12/5/2008	2-Chlorophenol	<	2	10	UG/L	1	R
SWB-7	3/2/2009	2-Chlorophenol	<	2	10	UG/L	1	
SWB-7	3/2/2009	2-Chlorophenol	<	2	10	UG/L	1	R
SWB-7	6/5/2009	2-Chlorophenol	<	2	10	UG/L	1	
SWB-7	9/9/2009	2-Chlorophenol	<	2	10	UG/L	1	
SWB-7	12/1/2009	2-Chlorophenol	<	2	10	UG/L	1	
SWB-7	3/2/2010	2-Chlorophenol	<	9.5	1.9	9.5	UG/L	1
SWB-7	6/1/2010	2-CHLOROPHENOL	<	1.9	1.9	9.6	UG/L	1 DNR
SWB-7	6/1/2010	2-CHLOROPHENOL	<	2	2	10	UG/L	1 UJ
SWB-7	9/9/2010	2-CHLOROPHENOL	<	1.9	1.9	9.6	UG/L	1
SWB-7	12/1/2010	2-CHLOROPHENOL	<	1.9	1.9	9.3	UG/L	1
SWB-8	3/5/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
SWB-8	3/7/2005	2-Chlorophenol	<	1.7	10	ug/L	1	UJ
SWB-8	6/1/2005	2-Chlorophenol	<	1.7	10	ug/L	1	
SWB-8	3/1/2006	2-Chlorophenol	<	1.7	10	UG/L	1	
SWB-8	3/7/2008	2-Chlorophenol	<	2	10	UG/L	1	
SWB-8	3/3/2009	2-Chlorophenol	<	2	10	UG/L	1	
SWB-8	3/3/2009	2-Chlorophenol	<	2	10	UG/L	1	R
SWB-9	3/4/2003	2-Chlorophenol	<	1.8	10	ug/L	1	UJ
SWB-9	12/3/2003	2-Chlorophenol	<	0.8	10	ug/L	1	
SWB-9	3/5/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
SWB-9	5/27/2004	2-Chlorophenol	<	0.8	10	ug/L	1	UJ
SWB-9	12/1/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
SWB-9	3/3/2005	2-Chlorophenol	<	1.7	10	ug/L	1	UJ
SWB-9	6/2/2005	2-Chlorophenol	<	1.7	10	ug/L	1	
SWB-9	9/1/2005	2-Chlorophenol	<	1.7	10	ug/L	1	UJ
SWB-9	12/1/2005	2-Chlorophenol	<	1.7	10	UG/L	1	
SWB-9	3/2/2006	2-Chlorophenol	<	1.7	10	UG/L	1	
SWB-9	6/1/2006	2-Chlorophenol	<	0.38	10	UG/L	1	UJ
SWB-9	12/4/2006	2-Chlorophenol	<	0.38	10	UG/L	1	
SWB-9	3/5/2007	2-Chlorophenol	<	0.38	10	UG/L	1	
SWB-9	3/6/2008	2-Chlorophenol	<	2	10	UG/L	1	
SWB-9	6/5/2008	2-Chlorophenol	<	2	10	UG/L	1	R
SWB-9	12/5/2008	2-Chlorophenol	<	2	10	UG/L	1	
SWB-9	12/5/2008	2-Chlorophenol	<	2	10	UG/L	1	R
SWB-9	3/2/2009	2-Chlorophenol	<	2	10	UG/L	1	R
SWB-9	3/2/2009	2-Chlorophenol	<	2	10	UG/L	1	UJ
SWB-9	6/2/2009	2-Chlorophenol	<	2	10	UG/L	1	
SWB-9	6/2/2009	2-Chlorophenol	<	2	10	UG/L	1	DNR
SWB-9	3/1/2010	2-Chlorophenol	<	9.2	1.8	9.2	ug/L	1
SWB-9	6/1/2010	2-CHLOROPHENOL	<	1.9	1.9	9.4	UG/L	1 DNR
SWB-9	6/1/2010	2-CHLOROPHENOL	<	1.9	1.9	9.5	UG/L	1 UJ
SWB-9	12/1/2010	2-CHLOROPHENOL	<	1.9	1.9	9.3	UG/L	1
SWB-10	3/4/2004	2-Chlorotoluene	<	0.17	1	ug/L	1	NA
SWB-10	5/24/2004	2-Chlorotoluene	<	0.17	1	ug/L	1	
SWB-10	12/1/2004	2-Chlorotoluene	<	0.17	1	ug/L	1	
SWB-10	3/3/2005	2-Chlorotoluene	<	0.25	1	ug/L	1	
SWB-10	6/2/2005	2-Chlorotoluene	<	0.17	1	ug/L	1	
SWB-10	9/1/2005	2-Chlorotoluene	<	0.17	1	ug/L	1	
SWB-10	3/2/2006	2-Chlorotoluene	<	0.68	4	UG/L	4	
SWB-10	6/2/2006	2-Chlorotoluene	<	0.17	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-10	3/1/2007	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-10	3/7/2008	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-10	6/5/2008	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-10	3/2/2009	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-10	6/4/2009	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-10	3/2/2010	2-Chlorotoluene	<	1	0.17	1	UG/L	1
SWB-11	3/4/2004	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-11	5/24/2004	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-11	12/1/2004	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-11	3/1/2005	2-Chlorotoluene	<		0.25	1	ug/L	1
SWB-11	6/2/2005	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-11	3/2/2006	2-Chlorotoluene	<		1.7	10	UG/L	10
SWB-11	6/1/2006	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-11	3/1/2007	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-11	3/7/2008	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-11	6/5/2008	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-11	3/2/2009	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-11	6/4/2009	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-11	3/1/2010	2-Chlorotoluene	<	1	0.17	1	ug/L	1
SWB-11	6/2/2010	2-CHLOROTOLUENE	<	0.17	0.17	1	UG/L	1 UJ
SWB-3	10/29/2002	2-Chlorotoluene	<		0.23	1	ug/L	1
SWB-3	3/4/2003	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-3	6/3/2003	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-3	9/4/2003	2-Chlorotoluene	<		0.17	1	ug/L	1 UJ
SWB-3	12/2/2003	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-3	3/1/2004	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-3	6/1/2004	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-3	9/1/2004	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-3	12/1/2004	2-Chlorotoluene	<		0.28	1.7	ug/L	1.66
SWB-3	3/3/2005	2-Chlorotoluene	<		0.25	1	ug/L	1
SWB-3	6/2/2005	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-3	9/1/2005	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-3	12/1/2005	2-Chlorotoluene	<		0.34	2	UG/L	2
SWB-3	3/2/2006	2-Chlorotoluene	<		0.68	4	UG/L	4
SWB-3	6/2/2006	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-3	9/5/2006	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-3	12/4/2006	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-3	3/1/2007	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-3	6/1/2007	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-3	12/3/2007	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-3	3/6/2008	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-3	6/9/2008	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-3	12/4/2008	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-3	3/2/2009	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-3	6/4/2009	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-3	12/1/2009	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-3	3/1/2010	2-Chlorotoluene	<	1	0.17	1	ug/L	1
SWB-3	3/1/2010	2-Chlorotoluene	<	2	0.34	2	ug/L	1 DNR
SWB-3	6/1/2010	2-CHLOROTOLUENE	<	0.17	0.17	1	UG/L	1 DNR
SWB-3	6/1/2010	2-CHLOROTOLUENE	<	0.68	0.68	4	UG/L	1 UJ
SWB-3	9/9/2010	2-CHLOROTOLUENE	<	0.17	0.17	1	UG/L	1 UJ
SWB-4	11/15/2002	2-Chlorotoluene	<		0.23	1	ug/L	1
SWB-5	10/29/2002	2-Chlorotoluene	<		0.23	1	ug/L	1
SWB-6	3/4/2003	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-6	6/3/2003	2-Chlorotoluene	<		0.34	2	ug/L	2
SWB-6	12/3/2003	2-Chlorotoluene	<		0.34	2	ug/L	2
SWB-6	3/5/2004	2-Chlorotoluene	<		0.17	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	6/1/2004	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-6	12/1/2004	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-6	3/7/2005	2-Chlorotoluene	<		0.25	1	ug/L	1
SWB-6	6/1/2005	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-6	12/2/2005	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-6	3/1/2006	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-6	6/1/2006	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-6	12/5/2006	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-6	3/2/2007	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-6	3/6/2008	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-6	6/9/2008	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-6	12/5/2008	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-6	3/2/2009	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-6	6/5/2009	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-6	3/2/2010	2-Chlorotoluene	<	1	0.17	1	UG/L	1
SWB-6	6/2/2010	2-CHLOROTOLUENE	<	0.17	0.17	1	UG/L	1 UJ
SWB-7	3/4/2003	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-7	6/3/2003	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-7	3/1/2004	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-7	5/24/2004	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-7	12/1/2004	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-7	3/7/2005	2-Chlorotoluene	<		0.25	1	ug/L	1
SWB-7	6/1/2005	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-7	9/1/2005	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-7	12/1/2005	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	3/1/2006	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	6/2/2006	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	9/5/2006	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	12/5/2006	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	3/2/2007	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	6/1/2007	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	9/7/2007	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	12/3/2007	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	3/6/2008	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	6/6/2008	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	9/8/2008	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	12/5/2008	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	3/2/2009	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	6/5/2009	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	9/9/2009	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	12/1/2009	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	3/2/2010	2-Chlorotoluene	<	1	0.17	1	UG/L	1
SWB-7	6/1/2010	2-CHLOROTOLUENE	<	0.17	0.17	1	UG/L	1 DNR
SWB-7	6/1/2010	2-CHLOROTOLUENE	<	0.68	0.68	4	UG/L	1 UJ
SWB-7	9/9/2010	2-CHLOROTOLUENE	<	0.17	0.17	1	UG/L	1 UJ
SWB-7	12/1/2010	2-CHLOROTOLUENE	<	0.17	0.17	1	UG/L	1
SWB-8	3/5/2004	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-8	3/7/2005	2-Chlorotoluene	<		0.25	1	ug/L	1
SWB-8	6/1/2005	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-8	3/1/2006	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-8	3/7/2008	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-8	3/3/2009	2-Chlorotoluene	<		0.17	1	UG/L	1
SWB-9	3/4/2003	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-9	12/3/2003	2-Chlorotoluene	<		0.34	2	ug/L	2
SWB-9	3/5/2004	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-9	5/27/2004	2-Chlorotoluene	<		0.17	1	ug/L	1
SWB-9	12/1/2004	2-Chlorotoluene	<		0.17	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-9	3/3/2005	2-Chlorotoluene	<		0.25	1	ug/L	1		
SWB-9	6/2/2005	2-Chlorotoluene	<		0.17	1	ug/L	1		
SWB-9	9/1/2005	2-Chlorotoluene	<		0.17	1	ug/L	1	UJ	
SWB-9	12/1/2005	2-Chlorotoluene	<		0.17	1	UG/L	1		
SWB-9	3/2/2006	2-Chlorotoluene	<		0.68	4	UG/L	4		
SWB-9	6/1/2006	2-Chlorotoluene	<		0.17	1	UG/L	1		
SWB-9	12/4/2006	2-Chlorotoluene	<		0.17	1	UG/L	1		
SWB-9	3/5/2007	2-Chlorotoluene	<		0.17	1	UG/L	1		
SWB-9	3/6/2008	2-Chlorotoluene	<		0.17	1	UG/L	1		
SWB-9	6/5/2008	2-Chlorotoluene	<		0.17	1	UG/L	1	R	
SWB-9	12/5/2008	2-Chlorotoluene	<		0.17	1	UG/L	1		
SWB-9	3/2/2009	2-Chlorotoluene	<		0.17	1	UG/L	1		
SWB-9	6/2/2009	2-Chlorotoluene	<		0.17	1	UG/L	1		
SWB-9	3/1/2010	2-Chlorotoluene	<	1	0.17	1	ug/L	1		
SWB-9	6/1/2010	2-CHLOROTOLUENE	<	0.17	0.17	1	UG/L	1	DNR	
SWB-9	6/1/2010	2-CHLOROTOLUENE	<	0.68	0.68	4	UG/L	1	UJ	
SWB-9	12/1/2010	2-CHLOROTOLUENE	<	0.17	0.17	1	UG/L	1		
SWB-10	3/7/2008	2-ETHYLHEXANOIC ACID	TI	24			UG/L	1	NJ	NA
SWB-7	9/9/2009	2-ETHYLHEXANOIC ACID	TI	6.4			UG/L	1	NJ	
SWB-7	12/1/2010	2-ETHYLHEXANOIC ACID	TR	6.7			UG/L	1	NJ	
SWB-3	10/29/2002	2-Fluoro-6-nitrophenol	TI	5.8			ug/L	1	NJ	NA
SWB-3	12/2/2003	2-Fluoro-6-nitrophenol	TI	7.8			ug/L	1	NJ	
SWB-3	6/1/2004	2-Fluoro-6-nitrophenol	TI	7.5			ug/L	1	NJ	
SWB-3	6/2/2005	2-Fluoro-6-nitrophenol	TI	5.1			ug/L	1	NJ	
SWB-3	9/1/2005	2-Fluoro-6-nitrophenol	TI	5.1			ug/L	1	NJ	
SWB-3	12/1/2005	2-Fluoro-6-nitrophenol	TI	4.6			UG/L	1	NJ	
SWB-3	3/2/2006	2-Fluoro-6-nitrophenol	TI	6			UG/L	1	NJ	
SWB-3	6/2/2006	2-Fluoro-6-nitrophenol	TI	6.4			UG/L	1	NJ	
SWB-3	9/5/2006	2-Fluoro-6-nitrophenol	TI	6.7			UG/L	1	NJ	
SWB-3	12/4/2006	2-Fluoro-6-nitrophenol	TI	9.1			UG/L	1	NJ	
SWB-3	6/9/2008	2-Fluoro-6-nitrophenol	TI	5.8			UG/L	1	NJ	
SWB-3	12/4/2008	2-Fluoro-6-nitrophenol	TI	4.3			UG/L	1	J	
SWB-3	12/4/2008	2-Fluoro-6-nitrophenol	TI	6.2			UG/L	1	J	
SWB-3	6/4/2009	2-Fluoro-6-nitrophenol	TI	7			UG/L	1	NJ	
SWB-3	12/1/2009	2-Fluoro-6-nitrophenol	TI	4.4			UG/L	1		
SWB-3	12/1/2009	2-Fluoro-6-nitrophenol	TI	4.8			UG/L	1	NJ	
SWB-3	9/9/2010	2-Fluoro-6-nitrophenol	TI	5.6			UG/L	1	NJ	
SWB-4	11/15/2002	2-Fluoro-6-nitrophenol	TI	7.2			ug/L	1	NJ	
SWB-9	3/4/2003	2-Fluoro-6-nitrophenol	TI	5.9			ug/L	1	NJ	
SWB-9	12/3/2003	2-Fluoro-6-nitrophenol	TI	4.9			ug/L	1	NJ	
SWB-9	9/1/2005	2-Fluoro-6-nitrophenol	TI	5.4			ug/L	1	NJ	
SWB-9	3/2/2006	2-Fluoro-6-nitrophenol	TI	5.3			UG/L	1	NJ	
SWB-9	12/4/2006	2-Fluoro-6-nitrophenol	TI	4.7			UG/L	1	NJ	
SWB-9	6/2/2009	2-Fluoro-6-nitrophenol	TI	4.4			UG/L	1	DNR	
SWB-10	3/4/2004	2-Hexanone	<		1.7	5	ug/L	1		0.099 mg/L
SWB-10	5/24/2004	2-Hexanone	<		1.7	5	ug/L	1		
SWB-10	12/1/2004	2-Hexanone	<		1.7	5	ug/L	1		
SWB-10	3/3/2005	2-Hexanone	<		0.38	5	ug/L	1		
SWB-10	6/2/2005	2-Hexanone	<		1.4	5	ug/L	1		
SWB-10	9/1/2005	2-Hexanone	<		1.4	5	ug/L	1		
SWB-10	3/2/2006	2-Hexanone	<		5.6	20	UG/L	4		
SWB-10	6/2/2006	2-Hexanone	<		1.4	5	UG/L	1		
SWB-10	3/1/2007	2-Hexanone	<		1.4	5	UG/L	1		
SWB-10	3/7/2008	2-Hexanone	<		1.4	5	UG/L	1		
SWB-10	6/5/2008	2-Hexanone	<		1.4	5	UG/L	1		
SWB-10	3/2/2009	2-Hexanone	<		1.4	5	UG/L	1		
SWB-10	6/4/2009	2-Hexanone	<		1.4	5	UG/L	1		



tmpAnalyticalResultsOverTime

SWB-10	3/2/2010	2-Hexanone	<	5	1.7	5	UG/L	1
SWB-11	3/4/2004	2-Hexanone	<		1.7	5	ug/L	1
SWB-11	5/24/2004	2-Hexanone	<		1.7	5	ug/L	1
SWB-11	12/1/2004	2-Hexanone	<		1.7	5	ug/L	1
SWB-11	3/1/2005	2-Hexanone	<		0.38	5	ug/L	1
SWB-11	6/2/2005	2-Hexanone	<		1.4	5	ug/L	1
SWB-11	3/2/2006	2-Hexanone	<		14	50	UG/L	10
SWB-11	6/1/2006	2-Hexanone	<		1.4	5	UG/L	1
SWB-11	3/1/2007	2-Hexanone	<		1.4	5	UG/L	1
SWB-11	3/7/2008	2-Hexanone	<		1.4	5	UG/L	1
SWB-11	6/5/2008	2-Hexanone	<		1.4	5	UG/L	1
SWB-11	3/2/2009	2-Hexanone	<		1.4	5	UG/L	1
SWB-11	6/4/2009	2-Hexanone	<		1.4	5	UG/L	1
SWB-11	3/1/2010	2-Hexanone	<	5	1.7	5	ug/L	1
SWB-11	6/2/2010	2-HEXANONE	<	1.7	1.7	5	UG/L	1
SWB-3	10/29/2002	2-Hexanone	<		1.8	5	ug/L	1
SWB-3	3/4/2003	2-Hexanone	<		1.7	5	ug/L	1
SWB-3	6/3/2003	2-Hexanone	<		1.7	5	ug/L	1
SWB-3	9/4/2003	2-Hexanone	<		1.7	5	ug/L	1 UJ
SWB-3	12/2/2003	2-Hexanone	<		1.7	5	ug/L	1
SWB-3	3/1/2004	2-Hexanone	<		1.7	5	ug/L	1
SWB-3	6/1/2004	2-Hexanone	<		1.7	5	ug/L	1
SWB-3	9/1/2004	2-Hexanone	<		1.7	5	ug/L	1
SWB-3	12/1/2004	2-Hexanone	<		2.8	8.3	ug/L	1.66
SWB-3	3/3/2005	2-Hexanone	<		0.38	5	ug/L	1
SWB-3	6/2/2005	2-Hexanone	<		1.4	5	ug/L	1
SWB-3	9/1/2005	2-Hexanone	<		1.4	5	ug/L	1
SWB-3	12/1/2005	2-Hexanone	<		2.8	10	UG/L	2
SWB-3	3/2/2006	2-Hexanone	<		5.6	20	UG/L	4
SWB-3	6/2/2006	2-Hexanone	<		1.4	5	UG/L	1
SWB-3	9/5/2006	2-Hexanone	<		1.4	5	UG/L	1
SWB-3	12/4/2006	2-Hexanone	<		1.4	5	UG/L	1
SWB-3	3/1/2007	2-Hexanone	<		1.4	5	UG/L	1
SWB-3	6/1/2007	2-Hexanone	<		1.4	5	UG/L	1
SWB-3	12/3/2007	2-Hexanone	<		1.4	5	UG/L	1
SWB-3	3/6/2008	2-Hexanone	<		1.4	5	UG/L	1
SWB-3	6/9/2008	2-Hexanone	<		1.4	5	UG/L	1
SWB-3	12/4/2008	2-Hexanone	<		1.4	5	UG/L	1
SWB-3	3/2/2009	2-Hexanone	<		1.4	5	UG/L	1
SWB-3	6/4/2009	2-Hexanone	<		1.4	5	UG/L	1
SWB-3	12/1/2009	2-Hexanone	<		1.4	5	UG/L	1
SWB-3	3/1/2010	2-Hexanone	<	5	1.7	5	ug/L	1
SWB-3	3/1/2010	2-Hexanone	<	10	3.4	10	ug/L	1 DNR
SWB-3	6/1/2010	2-HEXANONE	<	6.8	6.8	20	UG/L	1
SWB-3	6/1/2010	2-HEXANONE	TR	3.6	1.7	5	UG/L	1 DNR
SWB-3	9/9/2010	2-HEXANONE	<	1.7	1.7	5	UG/L	1
SWB-4	11/15/2002	2-Hexanone	<		1.8	5	ug/L	1
SWB-5	10/29/2002	2-Hexanone	<		1.8	5	ug/L	1
SWB-6	3/4/2003	2-Hexanone	<		1.7	5	ug/L	1
SWB-6	6/3/2003	2-Hexanone	<		3.4	10	ug/L	2
SWB-6	12/3/2003	2-Hexanone	<		3.4	10	ug/L	2
SWB-6	3/5/2004	2-Hexanone	<		1.7	5	ug/L	1
SWB-6	6/1/2004	2-Hexanone	<		1.7	5	ug/L	1
SWB-6	12/1/2004	2-Hexanone	<		1.7	5	ug/L	1
SWB-6	3/7/2005	2-Hexanone	<		0.38	5	ug/L	1
SWB-6	6/1/2005	2-Hexanone	<		1.4	5	ug/L	1
SWB-6	12/2/2005	2-Hexanone	<		1.4	5	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	3/1/2006	2-Hexanone	<		1.4	5	UG/L	1	
SWB-6	6/1/2006	2-Hexanone	<		1.4	5	UG/L	1	
SWB-6	12/5/2006	2-Hexanone	<		1.4	5	UG/L	1	
SWB-6	3/2/2007	2-Hexanone	<		1.4	5	UG/L	1	
SWB-6	3/6/2008	2-Hexanone	<		1.4	5	UG/L	1	
SWB-6	6/9/2008	2-Hexanone	<		1.4	5	UG/L	1	
SWB-6	12/5/2008	2-Hexanone	<		1.4	5	UG/L	1	
SWB-6	3/2/2009	2-Hexanone	<		1.4	5	UG/L	1	
SWB-6	6/5/2009	2-Hexanone	<		1.4	5	UG/L	1	
SWB-6	3/2/2010	2-Hexanone	<	5	1.7	5	UG/L	1	
SWB-6	6/2/2010	2-HEXANONE	<	1.7	1.7	5	UG/L	1	
SWB-7	3/4/2003	2-Hexanone	<		1.7	5	ug/L	1	
SWB-7	6/3/2003	2-Hexanone	<		1.7	5	ug/L	1	
SWB-7	3/1/2004	2-Hexanone	<		1.7	5	ug/L	1	
SWB-7	5/24/2004	2-Hexanone	<		1.7	5	ug/L	1	
SWB-7	12/1/2004	2-Hexanone	<		1.7	5	ug/L	1	
SWB-7	3/7/2005	2-Hexanone	<		0.38	5	ug/L	1	
SWB-7	6/1/2005	2-Hexanone	<		1.4	5	ug/L	1	
SWB-7	9/1/2005	2-Hexanone	<		1.4	5	ug/L	1	
SWB-7	12/1/2005	2-Hexanone	<		1.4	5	UG/L	1	
SWB-7	3/1/2006	2-Hexanone	<		1.4	5	UG/L	1	
SWB-7	6/2/2006	2-Hexanone	<		1.4	5	UG/L	1	
SWB-7	9/5/2006	2-Hexanone	<		1.4	5	UG/L	1	
SWB-7	12/5/2006	2-Hexanone	<		1.4	5	UG/L	1	
SWB-7	3/2/2007	2-Hexanone	<		1.4	5	UG/L	1	
SWB-7	6/1/2007	2-Hexanone	<		1.4	5	UG/L	1	
SWB-7	9/7/2007	2-Hexanone	<		1.4	5	UG/L	1	
SWB-7	12/3/2007	2-Hexanone	<		1.4	5	UG/L	1	
SWB-7	3/6/2008	2-Hexanone	<		1.4	5	UG/L	1	
SWB-7	6/6/2008	2-Hexanone	<		1.4	5	UG/L	1	
SWB-7	9/8/2008	2-Hexanone	<		1.4	5	UG/L	1	
SWB-7	12/5/2008	2-Hexanone	<		1.4	5	UG/L	1	
SWB-7	3/2/2009	2-Hexanone	<		1.4	5	UG/L	1	
SWB-7	6/5/2009	2-Hexanone	<		1.4	5	UG/L	1	
SWB-7	9/9/2009	2-Hexanone	<		1.4	5	UG/L	1	
SWB-7	12/1/2009	2-Hexanone	<		1.4	5	UG/L	1	
SWB-7	3/2/2010	2-Hexanone	<	5	1.7	5	UG/L	1	
SWB-7	6/1/2010	2-HEXANONE	<	1.7	1.7	5	UG/L	1	DNR
SWB-7	6/1/2010	2-HEXANONE	<	6.8	6.8	20	UG/L	1	
SWB-7	9/9/2010	2-HEXANONE	<	1.7	1.7	5	UG/L	1	
SWB-7	12/1/2010	2-HEXANONE	<	1.7	1.7	5	UG/L	1	
SWB-8	3/5/2004	2-Hexanone	<		1.7	5	ug/L	1	
SWB-8	3/7/2005	2-Hexanone	<		0.38	5	ug/L	1	
SWB-8	6/1/2005	2-Hexanone	<		1.4	5	ug/L	1	
SWB-8	3/1/2006	2-Hexanone	<		1.4	5	UG/L	1	
SWB-8	3/7/2008	2-Hexanone	<		1.4	5	UG/L	1	
SWB-8	3/3/2009	2-Hexanone	<		1.4	5	UG/L	1	
SWB-9	3/4/2003	2-Hexanone	<		1.7	5	ug/L	1	
SWB-9	12/3/2003	2-Hexanone	<		3.4	10	ug/L	2	
SWB-9	3/5/2004	2-Hexanone	<		1.7	5	ug/L	1	
SWB-9	5/27/2004	2-Hexanone	<		1.7	5	ug/L	1	
SWB-9	12/1/2004	2-Hexanone	<		1.7	5	ug/L	1	
SWB-9	3/3/2005	2-Hexanone	<		0.38	5	ug/L	1	
SWB-9	6/2/2005	2-Hexanone	<		1.4	5	ug/L	1	
SWB-9	9/1/2005	2-Hexanone	<		1.4	5	ug/L	1	UJ
SWB-9	12/1/2005	2-Hexanone	<		1.4	5	UG/L	1	
SWB-9	3/2/2006	2-Hexanone	<		5.6	20	UG/L	4	

tmpAnalyticalResultsOverTime

SWB-9	6/1/2006	2-Hexanone	<		1.4	5	UG/L	1		
SWB-9	12/4/2006	2-Hexanone	<		1.4	5	UG/L	1		
SWB-9	3/5/2007	2-Hexanone	<		1.4	5	UG/L	1		
SWB-9	3/6/2008	2-Hexanone	<		1.4	5	UG/L	1		
SWB-9	6/5/2008	2-Hexanone	<		1.4	5	UG/L	1	R	
SWB-9	12/5/2008	2-Hexanone	<		1.4	5	UG/L	1		
SWB-9	3/2/2009	2-Hexanone	<		1.4	5	UG/L	1		
SWB-9	6/2/2009	2-Hexanone	<		1.4	5	UG/L	1		
SWB-9	3/1/2010	2-Hexanone	<	5	1.7	5	ug/L	1		
SWB-9	6/1/2010	2-HEXANONE	<	1.7	1.7	5	UG/L	1	DNR	
SWB-9	6/1/2010	2-HEXANONE	<	6.8	6.8	20	UG/L	1		
SWB-9	12/1/2010	2-HEXANONE	<	1.7	1.7	5	UG/L	1		
SWB-6	6/9/2008	2H-pyran, 3,4-dihydro-	TI		7.8		UG/L	1	NJ	NA
SWB-7	3/2/2009	2-METHYL BUTANOIC ACID	TI		8.9		UG/L	1	NJ	NA
SWB-10	3/4/2004	2-Methylnaphthalene	<		0.8	10	ug/L	1		NA
SWB-10	5/24/2004	2-Methylnaphthalene	<		0.8	10	ug/L	1	UJ	
SWB-10	12/1/2004	2-Methylnaphthalene	<		0.8	10	ug/L	1		
SWB-10	3/3/2005	2-Methylnaphthalene	<		1.6	10	ug/L	1		
SWB-10	6/2/2005	2-Methylnaphthalene	<		1.6	10	ug/L	1		
SWB-10	9/1/2005	2-Methylnaphthalene	<		1.6	10	ug/L	1		
SWB-10	3/2/2006	2-Methylnaphthalene	<		1.6	10	UG/L	1		
SWB-10	6/2/2006	2-Methylnaphthalene	<		1.6	10	UG/L	1		
SWB-10	3/1/2007	2-Methylnaphthalene	<		1.6	10	UG/L	1		
SWB-10	3/7/2008	2-Methylnaphthalene	<		0.29	10	UG/L	1		
SWB-10	6/5/2008	2-Methylnaphthalene	<		0.29	10	UG/L	1	UJ	
SWB-10	6/5/2008	2-Methylnaphthalene	<		0.05	5	UG/L	1	UJ	
SWB-10	3/2/2009	2-Methylnaphthalene	<		0.29	4	UG/L	1		
SWB-10	3/2/2009	2-Methylnaphthalene	<		0.29	4	UG/L	1	R	
SWB-10	6/4/2009	2-Methylnaphthalene	<		0.29	4	UG/L	1		
SWB-10	3/2/2010	2-Methylnaphthalene	<	3.7	0.27	3.7	UG/L	1		
SWB-11	3/4/2004	2-Methylnaphthalene	<		0.8	10	ug/L	1		
SWB-11	5/24/2004	2-Methylnaphthalene	<		0.8	10	ug/L	1	UJ	
SWB-11	12/1/2004	2-Methylnaphthalene	<		0.8	10	ug/L	1		
SWB-11	3/1/2005	2-Methylnaphthalene	<		1.6	10	ug/L	1		
SWB-11	6/2/2005	2-Methylnaphthalene	<		1.6	10	ug/L	1		
SWB-11	3/2/2006	2-Methylnaphthalene	<		1.6	10	UG/L	1		
SWB-11	6/1/2006	2-Methylnaphthalene	<		1.6	10	UG/L	1		
SWB-11	3/1/2007	2-Methylnaphthalene	<		1.6	10	UG/L	1		
SWB-11	3/7/2008	2-Methylnaphthalene	<		0.29	10	UG/L	1		
SWB-11	6/5/2008	2-Methylnaphthalene	<		0.29	10	UG/L	1		
SWB-11	3/2/2009	2-Methylnaphthalene	<		0.29	4	UG/L	1		
SWB-11	6/4/2009	2-Methylnaphthalene	<		0.29	4	UG/L	1		
SWB-11	3/1/2010	2-Methylnaphthalene	<	3.7	0.27	3.7	ug/L	1		
SWB-11	6/2/2010	2-METHYLNAPHTHALENE	<	0.27	0.27	3.8	UG/L	1	UJ	
SWB-3	10/29/2002	2-Methylnaphthalene	<		1.5	10	ug/L	1		
SWB-3	3/4/2003	2-Methylnaphthalene	<		1.5	10	ug/L	1		
SWB-3	6/3/2003	2-Methylnaphthalene	<		1.5	10	ug/L	1		
SWB-3	9/4/2003	2-Methylnaphthalene	<		1.5	10	ug/L	1	UJ	
SWB-3	12/2/2003	2-Methylnaphthalene	<		0.8	10	ug/L	1		
SWB-3	3/1/2004	2-Methylnaphthalene	<		0.8	10	ug/L	1		
SWB-3	6/1/2004	2-Methylnaphthalene	<		0.8	10	ug/L	1		
SWB-3	9/1/2004	2-Methylnaphthalene	<		0.8	10	ug/L	1		
SWB-3	12/1/2004	2-Methylnaphthalene	<		0.8	10	ug/L	1		
SWB-3	3/3/2005	2-Methylnaphthalene	<		1.6	10	ug/L	1		
SWB-3	6/2/2005	2-Methylnaphthalene	<		1.6	10	ug/L	1		
SWB-3	9/1/2005	2-Methylnaphthalene	<		1.6	10	ug/L	1		
SWB-3	12/1/2005	2-Methylnaphthalene	<		1.6	10	UG/L	1	UJ	

tmpAnalyticalResultsOverTime

SWB-3	3/2/2006	2-Methylnaphthalene	<	1.6	10	UG/L	1	
SWB-3	6/2/2006	2-Methylnaphthalene	<	1.6	10	UG/L	1	
SWB-3	9/5/2006	2-Methylnaphthalene	<	1.6	10	UG/L	1	
SWB-3	9/5/2006	2-Methylnaphthalene	<	0.05	5	UG/L	1	
SWB-3	12/4/2006	2-Methylnaphthalene	<	1.6	10	UG/L	1	
SWB-3	3/1/2007	2-Methylnaphthalene	<	1.6	10	UG/L	1	
SWB-3	6/1/2007	2-Methylnaphthalene	<	1.6	10	UG/L	1	
SWB-3	6/1/2007	2-Methylnaphthalene	<	1.6	10	UG/L	1 R	
SWB-3	12/3/2007	2-Methylnaphthalene	<	0.29	10	UG/L	1 R	
SWB-3	3/6/2008	2-Methylnaphthalene	<	0.29	10	UG/L	1	
SWB-3	6/9/2008	2-Methylnaphthalene	<	0.29	10	UG/L	1	
SWB-3	12/4/2008	2-Methylnaphthalene	<	0.29	4	UG/L	1	
SWB-3	3/2/2009	2-Methylnaphthalene	<	0.29	4	UG/L	1	
SWB-3	3/2/2009	2-Methylnaphthalene	<	0.29	4	UG/L	1 R	
SWB-3	6/4/2009	2-Methylnaphthalene	<	0.29	4	UG/L	1	
SWB-3	12/1/2009	2-Methylnaphthalene	<	0.29	4	UG/L	1	
SWB-3	3/1/2010	2-Methylnaphthalene	<	3.9	0.28	3.9	ug/L	1 UJ
SWB-3	6/1/2010	2-METHYLNAPHTHALENE	<	0.27	0.27	3.7	UG/L	1 UJ
SWB-3	6/1/2010	2-METHYLNAPHTHALENE	<	0.27	0.27	3.8	UG/L	1 DNR
SWB-3	9/9/2010	2-METHYLNAPHTHALENE	<	0.27	0.27	3.7	UG/L	1
SWB-4	11/15/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1	
SWB-5	10/29/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1	
SWB-6	3/4/2003	2-Methylnaphthalene	<	1.5	10	ug/L	1	
SWB-6	6/3/2003	2-Methylnaphthalene	<	1.5	10	ug/L	1	
SWB-6	12/3/2003	2-Methylnaphthalene	<	0.8	10	ug/L	1	
SWB-6	3/5/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1	
SWB-6	6/1/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1	
SWB-6	12/1/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1	
SWB-6	3/7/2005	2-Methylnaphthalene	<	1.6	10	ug/L	1	
SWB-6	6/1/2005	2-Methylnaphthalene	<	1.6	10	ug/L	1	
SWB-6	12/2/2005	2-Methylnaphthalene	<	1.6	10	UG/L	1 UJ	
SWB-6	3/1/2006	2-Methylnaphthalene	<	1.6	10	UG/L	1	
SWB-6	6/1/2006	2-Methylnaphthalene	<	1.6	10	UG/L	1	
SWB-6	12/5/2006	2-Methylnaphthalene	<	1.6	10	UG/L	1	
SWB-6	3/2/2007	2-Methylnaphthalene	<	1.6	10	UG/L	1	
SWB-6	3/6/2008	2-Methylnaphthalene	<	0.29	10	UG/L	1	
SWB-6	6/9/2008	2-Methylnaphthalene	<	0.29	10	UG/L	1	
SWB-6	12/5/2008	2-Methylnaphthalene	<	0.29	4	UG/L	1 R	
SWB-6	12/5/2008	2-Methylnaphthalene	<	0.29	4	UG/L	1 UJ	
SWB-6	3/2/2009	2-Methylnaphthalene	<	0.29	4	UG/L	1	
SWB-6	3/2/2009	2-Methylnaphthalene	<	0.29	4	UG/L	1 R	
SWB-6	6/5/2009	2-Methylnaphthalene	<	0.29	4	UG/L	1	
SWB-6	3/2/2010	2-Methylnaphthalene	<	3.6	0.26	3.6	UG/L	1
SWB-6	6/2/2010	2-METHYLNAPHTHALENE	<	0.27	0.27	3.8	UG/L	1 DNR
SWB-6	6/2/2010	2-METHYLNAPHTHALENE	<	0.28	0.28	3.8	UG/L	1 UJ
SWB-7	3/4/2003	2-Methylnaphthalene	<	1.5	10	ug/L	1	
SWB-7	6/3/2003	2-Methylnaphthalene	<	1.5	10	ug/L	1	
SWB-7	3/1/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1	
SWB-7	5/24/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1	
SWB-7	12/1/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1	
SWB-7	3/7/2005	2-Methylnaphthalene	<	1.6	10	ug/L	1 UJ	
SWB-7	6/1/2005	2-Methylnaphthalene	<	1.6	10	ug/L	1	
SWB-7	9/1/2005	2-Methylnaphthalene	<	1.6	10	ug/L	1	
SWB-7	12/1/2005	2-Methylnaphthalene	<	1.6	10	UG/L	1 UJ	
SWB-7	3/1/2006	2-Methylnaphthalene	<	1.6	10	UG/L	1	
SWB-7	6/2/2006	2-Methylnaphthalene	<	1.6	10	UG/L	1	
SWB-7	9/5/2006	2-Methylnaphthalene	<	1.6	10	UG/L	1 UJ	

tmpAnalyticalResultsOverTime

SWB-7	9/5/2006	2-Methylnaphthalene	<	0.05	5	UG/L	1	
SWB-7	12/5/2006	2-Methylnaphthalene	<	1.6	10	UG/L	1	
SWB-7	3/2/2007	2-Methylnaphthalene	<	1.6	10	UG/L	1	
SWB-7	6/1/2007	2-Methylnaphthalene	<	1.6	10	UG/L	1	
SWB-7	9/7/2007	2-Methylnaphthalene	<	0.29	10	UG/L	1	
SWB-7	12/3/2007	2-Methylnaphthalene	<	0.29	10	UG/L	1 R	
SWB-7	3/6/2008	2-Methylnaphthalene	<	0.29	10	UG/L	1	
SWB-7	6/6/2008	2-Methylnaphthalene	<	0.29	10	UG/L	1	
SWB-7	6/6/2008	2-Methylnaphthalene	<	0.05	5	UG/L	1 UJ	
SWB-7	9/8/2008	2-Methylnaphthalene	<	0.29	4	UG/L	1	
SWB-7	12/5/2008	2-Methylnaphthalene	<	0.29	4	UG/L	1 R	
SWB-7	12/5/2008	2-Methylnaphthalene	<	0.29	4	UG/L	1 UJ	
SWB-7	3/2/2009	2-Methylnaphthalene	<	0.29	4	UG/L	1	
SWB-7	3/2/2009	2-Methylnaphthalene	<	0.29	4	UG/L	1 R	
SWB-7	6/5/2009	2-Methylnaphthalene	<	0.29	4	UG/L	1	
SWB-7	9/9/2009	2-Methylnaphthalene	<	0.29	4	UG/L	1	
SWB-7	12/1/2009	2-Methylnaphthalene	<	0.29	4	UG/L	1	
SWB-7	3/2/2010	2-Methylnaphthalene	<	3.8	0.28	3.8	UG/L	1
SWB-7	6/1/2010	2-METHYLNAPHTHALENE	<	0.28	0.28	3.8	UG/L	1 DNR
SWB-7	6/1/2010	2-METHYLNAPHTHALENE	<	0.29	0.29	4	UG/L	1 R
SWB-7	9/9/2010	2-METHYLNAPHTHALENE	<	0.28	0.28	3.9	UG/L	1
SWB-7	12/1/2010	2-METHYLNAPHTHALENE	<	0.27	0.27	3.7	UG/L	1
SWB-8	3/5/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1	
SWB-8	3/7/2005	2-Methylnaphthalene	<	1.6	10	ug/L	1	
SWB-8	6/1/2005	2-Methylnaphthalene	<	1.6	10	ug/L	1	
SWB-8	3/1/2006	2-Methylnaphthalene	<	1.6	10	UG/L	1	
SWB-8	3/7/2008	2-Methylnaphthalene	<	0.29	10	UG/L	1	
SWB-8	3/3/2009	2-Methylnaphthalene	<	0.29	4	UG/L	1	
SWB-8	3/3/2009	2-Methylnaphthalene	<	0.29	4	UG/L	1 R	
SWB-9	3/4/2003	2-Methylnaphthalene	<	1.5	10	ug/L	1	
SWB-9	12/3/2003	2-Methylnaphthalene	<	0.8	10	ug/L	1	
SWB-9	3/5/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1	
SWB-9	5/27/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1 UJ	
SWB-9	12/1/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1	
SWB-9	3/3/2005	2-Methylnaphthalene	<	1.6	10	ug/L	1	
SWB-9	6/2/2005	2-Methylnaphthalene	<	1.6	10	ug/L	1	
SWB-9	9/1/2005	2-Methylnaphthalene	<	1.6	10	ug/L	1	
SWB-9	12/1/2005	2-Methylnaphthalene	<	1.6	10	UG/L	1 UJ	
SWB-9	3/2/2006	2-Methylnaphthalene	<	1.6	10	UG/L	1	
SWB-9	6/1/2006	2-Methylnaphthalene	<	1.6	10	UG/L	1	
SWB-9	12/4/2006	2-Methylnaphthalene	<	1.6	10	UG/L	1	
SWB-9	3/5/2007	2-Methylnaphthalene	<	1.6	10	UG/L	1 UJ	
SWB-9	3/6/2008	2-Methylnaphthalene	<	0.29	10	UG/L	1	
SWB-9	6/5/2008	2-Methylnaphthalene	<	0.29	10	UG/L	1 UJ	
SWB-9	6/5/2008	2-Methylnaphthalene	<	0.05	5	UG/L	1 UJ	
SWB-9	6/5/2008	2-Methylnaphthalene	<	0.25	25	UG/L	5	
SWB-9	12/5/2008	2-Methylnaphthalene	<	0.29	4	UG/L	1 R	
SWB-9	12/5/2008	2-Methylnaphthalene	<	0.29	4	UG/L	1 UJ	
SWB-9	3/2/2009	2-Methylnaphthalene	<	0.29	4	UG/L	1	
SWB-9	3/2/2009	2-Methylnaphthalene	<	0.29	4	UG/L	1 R	
SWB-9	6/2/2009	2-Methylnaphthalene	<	0.29	4	UG/L	1	
SWB-9	6/2/2009	2-Methylnaphthalene	<	0.29	4	UG/L	1 DNR	
SWB-9	3/1/2010	2-Methylnaphthalene	<	3.7	0.27	3.7	ug/L	1
SWB-9	6/1/2010	2-METHYLNAPHTHALENE	<	0.27	0.27	3.8	UG/L	1 DNR
SWB-9	6/1/2010	2-METHYLNAPHTHALENE	<	0.27	0.27	3.8	UG/L	1 UJ
SWB-9	12/1/2010	2-METHYLNAPHTHALENE	<	0.27	0.27	3.7	UG/L	1
SWB-10	3/4/2004	2-Methylphenol	<	0.9	10	ug/L	1	0.013 mg/L

tmpAnalyticalResultsOverTime

SWB-10	5/24/2004	2-Methylphenol	<	0.9	10	ug/L	1 UJ
SWB-10	12/1/2004	2-Methylphenol	<	0.9	10	ug/L	1
SWB-10	3/3/2005	2-Methylphenol	<	1.4	10	ug/L	1
SWB-10	6/2/2005	2-Methylphenol	<	1.4	10	ug/L	1
SWB-10	9/1/2005	2-Methylphenol	<	1.4	10	ug/L	1
SWB-10	3/2/2006	2-Methylphenol	<	1.4	10	UG/L	1
SWB-10	6/2/2006	2-Methylphenol	<	1.4	10	UG/L	1
SWB-10	3/1/2007	2-Methylphenol	<	1.4	10	UG/L	1 UJ
SWB-10	3/7/2008	2-Methylphenol	<	0.98	10	UG/L	1
SWB-10	6/5/2008	2-Methylphenol	<	0.98	10	UG/L	1
SWB-10	3/2/2009	2-Methylphenol	<	0.98	10	UG/L	1
SWB-10	3/2/2009	2-Methylphenol	<	0.98	10	UG/L	1 R
SWB-10	6/4/2009	2-Methylphenol	<	0.98	10	UG/L	1 UJ
SWB-10	3/2/2010	2-Methylphenol	<	9.3	9.3	UG/L	1 UJ
SWB-11	3/4/2004	2-Methylphenol	<	0.9	10	ug/L	1
SWB-11	5/24/2004	2-Methylphenol	<	0.9	10	ug/L	1 UJ
SWB-11	12/1/2004	2-Methylphenol	<	0.9	10	ug/L	1
SWB-11	3/1/2005	2-Methylphenol	<	1.4	10	ug/L	1
SWB-11	6/2/2005	2-Methylphenol	<	1.4	10	ug/L	1
SWB-11	3/2/2006	2-Methylphenol	<	1.4	10	UG/L	1
SWB-11	6/1/2006	2-Methylphenol	<	1.4	10	UG/L	1
SWB-11	3/1/2007	2-Methylphenol	<	1.4	10	UG/L	1 UJ
SWB-11	3/7/2008	2-Methylphenol	<	0.98	10	UG/L	1
SWB-11	6/5/2008	2-Methylphenol	<	0.98	10	UG/L	1
SWB-11	3/2/2009	2-Methylphenol	<	0.98	10	UG/L	1
SWB-11	6/4/2009	2-Methylphenol	<	0.98	10	UG/L	1 UJ
SWB-11	3/1/2010	2-Methylphenol	<	9.4	9.4	ug/L	1 UJ
SWB-11	6/2/2010	2-METHYLPHENOL	<	0.93	9.5	UG/L	1 R
SWB-3	10/29/2002	2-Methylphenol	<	2.1	10	ug/L	1
SWB-3	3/4/2003	2-Methylphenol	<	2.1	10	ug/L	1 R
SWB-3	6/3/2003	2-Methylphenol	<	2.1	10	ug/L	1
SWB-3	9/4/2003	2-Methylphenol	<	2.1	10	ug/L	1 R
SWB-3	12/2/2003	2-Methylphenol	<	0.9	10	ug/L	1 R
SWB-3	3/1/2004	2-Methylphenol	<	0.9	10	ug/L	1
SWB-3	6/1/2004	2-Methylphenol	<	0.9	10	ug/L	1
SWB-3	9/1/2004	2-Methylphenol	<	0.9	10	ug/L	1
SWB-3	12/1/2004	2-Methylphenol	<	0.9	10	ug/L	1
SWB-3	3/3/2005	2-Methylphenol	<	1.4	10	ug/L	1
SWB-3	6/2/2005	2-Methylphenol	<	1.4	10	ug/L	1
SWB-3	9/1/2005	2-Methylphenol	<	1.4	10	ug/L	1 R
SWB-3	12/1/2005	2-Methylphenol	<	1.4	10	UG/L	1 R
SWB-3	3/2/2006	2-Methylphenol	<	1.4	10	UG/L	1 R
SWB-3	6/2/2006	2-Methylphenol	<	1.4	10	UG/L	1 R
SWB-3	9/5/2006	2-Methylphenol	<	1.4	10	UG/L	1 UJ
SWB-3	12/4/2006	2-Methylphenol	<	1.4	10	UG/L	1 R
SWB-3	3/1/2007	2-Methylphenol	<	1.4	10	UG/L	1 UJ
SWB-3	6/1/2007	2-Methylphenol	<	1.4	10	UG/L	1 R
SWB-3	12/3/2007	2-Methylphenol	<	0.98	10	UG/L	1 R
SWB-3	3/6/2008	2-Methylphenol	<	0.98	10	UG/L	1
SWB-3	6/9/2008	2-Methylphenol	<	0.98	10	UG/L	1 R
SWB-3	12/4/2008	2-Methylphenol	<	0.98	10	UG/L	1
SWB-3	3/2/2009	2-Methylphenol	<	0.98	10	UG/L	1 R
SWB-3	3/2/2009	2-Methylphenol	<	0.98	10	UG/L	1 UJ
SWB-3	6/4/2009	2-Methylphenol	<	0.98	10	UG/L	1 R
SWB-3	12/1/2009	2-Methylphenol	<	0.98	10	UG/L	1
SWB-3	12/1/2009	2-Methylphenol	<	0.98	10	UG/L	1 R
SWB-3	3/1/2010	2-Methylphenol	<	9.7	9.7	ug/L	1 UJ

tmpAnalyticalResultsOverTime

SWB-3	6/1/2010	2-METHYLPHENOL	<	0.92	0.92	9.4	UG/L	1 DNR
SWB-3	6/1/2010	2-METHYLPHENOL	<	0.92	0.92	9.4	UG/L	1 R
SWB-3	9/9/2010	2-METHYLPHENOL	<	0.91	0.91	9.3	UG/L	1 R
SWB-4	11/15/2002	2-Methylphenol	<		2.1	10	ug/L	1 UJ
SWB-5	10/29/2002	2-Methylphenol	<		2.1	10	ug/L	1
SWB-6	3/4/2003	2-Methylphenol	<		2.1	10	ug/L	1
SWB-6	6/3/2003	2-Methylphenol	<		2.1	10	ug/L	1
SWB-6	12/3/2003	2-Methylphenol	<		0.9	10	ug/L	1
SWB-6	3/5/2004	2-Methylphenol	<		0.9	10	ug/L	1
SWB-6	6/1/2004	2-Methylphenol	<		0.9	10	ug/L	1
SWB-6	12/1/2004	2-Methylphenol	<		0.9	10	ug/L	1
SWB-6	3/7/2005	2-Methylphenol	<		1.4	10	ug/L	1
SWB-6	6/1/2005	2-Methylphenol	<		1.4	10	ug/L	1
SWB-6	12/2/2005	2-Methylphenol	<		1.4	10	UG/L	1
SWB-6	3/1/2006	2-Methylphenol	<		1.4	10	UG/L	1
SWB-6	6/1/2006	2-Methylphenol	<		1.4	10	UG/L	1
SWB-6	12/5/2006	2-Methylphenol	<		1.4	10	UG/L	1
SWB-6	3/2/2007	2-Methylphenol	<		1.4	10	UG/L	1 UJ
SWB-6	3/6/2008	2-Methylphenol	<		0.98	10	UG/L	1
SWB-6	6/9/2008	2-Methylphenol	<		0.98	10	UG/L	1
SWB-6	12/5/2008	2-Methylphenol	<		0.98	10	UG/L	1 R
SWB-6	3/2/2009	2-Methylphenol	<		0.98	10	UG/L	1
SWB-6	3/2/2009	2-Methylphenol	<		0.98	10	UG/L	1 R
SWB-6	6/5/2009	2-Methylphenol	<		0.98	10	UG/L	1 UJ
SWB-6	3/2/2010	2-Methylphenol	<	9.1	0.89	9.1	UG/L	1 UJ
SWB-6	6/2/2010	2-METHYLPHENOL	<	0.92	0.92	9.4	UG/L	1 DNR
SWB-6	6/2/2010	2-METHYLPHENOL	<	0.93	0.93	9.5	UG/L	1 R
SWB-7	3/4/2003	2-Methylphenol	<		2.1	10	ug/L	1
SWB-7	6/3/2003	2-Methylphenol	<		2.1	10	ug/L	1
SWB-7	3/1/2004	2-Methylphenol	<		0.9	10	ug/L	1
SWB-7	5/24/2004	2-Methylphenol	<		0.9	10	ug/L	1
SWB-7	12/1/2004	2-Methylphenol	<		0.9	10	ug/L	1
SWB-7	3/7/2005	2-Methylphenol	<		1.4	10	ug/L	1 UJ
SWB-7	6/1/2005	2-Methylphenol	<		1.4	10	ug/L	1
SWB-7	9/1/2005	2-Methylphenol	<		1.4	10	ug/L	1
SWB-7	12/1/2005	2-Methylphenol	<		1.4	10	UG/L	1
SWB-7	3/1/2006	2-Methylphenol	<		1.4	10	UG/L	1
SWB-7	6/2/2006	2-Methylphenol	<		1.4	10	UG/L	1
SWB-7	9/5/2006	2-Methylphenol	<		1.4	10	UG/L	1 UJ
SWB-7	12/5/2006	2-Methylphenol	<		1.4	10	UG/L	1
SWB-7	3/2/2007	2-Methylphenol	<		1.4	10	UG/L	1 UJ
SWB-7	6/1/2007	2-Methylphenol	<		1.4	10	UG/L	1
SWB-7	9/7/2007	2-Methylphenol	<		0.98	10	UG/L	1
SWB-7	12/3/2007	2-Methylphenol	<		0.98	10	UG/L	1 UJ
SWB-7	3/6/2008	2-Methylphenol	<		0.98	10	UG/L	1
SWB-7	6/6/2008	2-Methylphenol	<		0.98	10	UG/L	1
SWB-7	9/8/2008	2-Methylphenol	<		0.98	10	UG/L	1
SWB-7	12/5/2008	2-Methylphenol	<		0.98	10	UG/L	1 R
SWB-7	3/2/2009	2-Methylphenol	<		0.98	10	UG/L	1
SWB-7	3/2/2009	2-Methylphenol	<		0.98	10	UG/L	1 R
SWB-7	6/5/2009	2-Methylphenol	<		0.98	10	UG/L	1
SWB-7	9/9/2009	2-Methylphenol	<		0.98	10	UG/L	1
SWB-7	12/1/2009	2-Methylphenol	<		0.98	10	UG/L	1
SWB-7	3/2/2010	2-Methylphenol	<	9.5	0.93	9.5	UG/L	1 UJ
SWB-7	6/1/2010	2-METHYLPHENOL	<	0.94	0.94	9.6	UG/L	1 DNR
SWB-7	6/1/2010	2-METHYLPHENOL	<	0.98	0.98	10	UG/L	1 R
SWB-7	9/9/2010	2-METHYLPHENOL	<	0.94	0.94	9.6	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	12/1/2010	2-METHYLPHENOL	<	0.91	0.91	9.3	UG/L	1	
SWB-8	3/5/2004	2-Methylphenol	<		0.9	10	ug/L	1	
SWB-8	3/7/2005	2-Methylphenol	<		1.4	10	ug/L	1	
SWB-8	6/1/2005	2-Methylphenol	<		1.4	10	ug/L	1	
SWB-8	3/1/2006	2-Methylphenol	<		1.4	10	UG/L	1	
SWB-8	3/7/2008	2-Methylphenol	<		0.98	10	UG/L	1	
SWB-8	3/3/2009	2-Methylphenol	<		0.98	10	UG/L	1	
SWB-8	3/3/2009	2-Methylphenol	<		0.98	10	UG/L	1	R
SWB-9	3/4/2003	2-Methylphenol	<		2.1	10	ug/L	1	UJ
SWB-9	12/3/2003	2-Methylphenol	<		0.9	10	ug/L	1	
SWB-9	3/5/2004	2-Methylphenol	<		0.9	10	ug/L	1	
SWB-9	5/27/2004	2-Methylphenol	<		0.9	10	ug/L	1	UJ
SWB-9	12/1/2004	2-Methylphenol	<		0.9	10	ug/L	1	
SWB-9	3/3/2005	2-Methylphenol	<		1.4	10	ug/L	1	
SWB-9	6/2/2005	2-Methylphenol	<		1.4	10	ug/L	1	
SWB-9	9/1/2005	2-Methylphenol	<		1.4	10	ug/L	1	UJ
SWB-9	12/1/2005	2-Methylphenol	<		1.4	10	UG/L	1	
SWB-9	3/2/2006	2-Methylphenol	<		1.4	10	UG/L	1	
SWB-9	6/1/2006	2-Methylphenol	<		1.4	10	UG/L	1	UJ
SWB-9	12/4/2006	2-Methylphenol	<		1.4	10	UG/L	1	
SWB-9	3/5/2007	2-Methylphenol	<		1.4	10	UG/L	1	UJ
SWB-9	3/6/2008	2-Methylphenol	<		0.98	10	UG/L	1	
SWB-9	6/5/2008	2-Methylphenol	<		0.98	10	UG/L	1	R
SWB-9	12/5/2008	2-Methylphenol	<		0.98	10	UG/L	1	R
SWB-9	3/2/2009	2-Methylphenol	<		0.98	10	UG/L	1	R
SWB-9	3/2/2009	2-Methylphenol	<		0.98	10	UG/L	1	UJ
SWB-9	6/2/2009	2-Methylphenol	<		0.98	10	UG/L	1	DNR
SWB-9	6/2/2009	2-Methylphenol	<		0.98	10	UG/L	1	UJ
SWB-9	3/1/2010	2-Methylphenol	<	9.2	0.9	9.2	ug/L	1	UJ
SWB-9	6/1/2010	2-METHYLPHENOL	<	0.92	0.92	9.4	UG/L	1	DNR
SWB-9	6/1/2010	2-METHYLPHENOL	<	0.93	0.93	9.5	UG/L	1	R
SWB-9	12/1/2010	2-METHYLPHENOL	<	0.91	0.91	9.3	UG/L	1	
SWB-10	3/4/2004	2-Naphthylamine	<		1	10	ug/L	1	NA
SWB-10	5/24/2004	2-Naphthylamine	<		1	10	ug/L	1	UJ
SWB-10	12/1/2004	2-Naphthylamine	<		1	10	ug/L	1	
SWB-10	3/3/2005	2-Naphthylamine	<		1	10	ug/L	1	
SWB-10	6/2/2005	2-Naphthylamine	<		1	10	ug/L	1	
SWB-10	9/1/2005	2-Naphthylamine	<		1	10	ug/L	1	
SWB-10	3/2/2006	2-Naphthylamine	<		1	10	UG/L	1	
SWB-10	6/2/2006	2-Naphthylamine	<		1	10	UG/L	1	
SWB-10	3/1/2007	2-Naphthylamine	<		1	10	UG/L	1	
SWB-10	3/7/2008	2-Naphthylamine	<		1	10	UG/L	1	
SWB-10	6/5/2008	2-Naphthylamine	<		1	10	UG/L	1	
SWB-10	3/2/2009	2-Naphthylamine	<		3.1	10	UG/L	1	
SWB-10	3/2/2009	2-Naphthylamine	<		3.1	10	UG/L	1	R
SWB-10	6/4/2009	2-Naphthylamine	<		3.1	10	UG/L	1	
SWB-10	3/2/2010	2-Naphthylamine	<	9.3	2.9	9.3	UG/L	1	
SWB-11	3/4/2004	2-Naphthylamine	<		1	10	ug/L	1	
SWB-11	5/24/2004	2-Naphthylamine	<		1	10	ug/L	1	UJ
SWB-11	12/1/2004	2-Naphthylamine	<		1	10	ug/L	1	
SWB-11	3/1/2005	2-Naphthylamine	<		1	10	ug/L	1	
SWB-11	6/2/2005	2-Naphthylamine	<		1	10	ug/L	1	
SWB-11	3/2/2006	2-Naphthylamine	<		1	10	UG/L	1	
SWB-11	6/1/2006	2-Naphthylamine	<		1	10	UG/L	1	
SWB-11	3/1/2007	2-Naphthylamine	<		1	10	UG/L	1	
SWB-11	3/7/2008	2-Naphthylamine	<		1	10	UG/L	1	
SWB-11	6/5/2008	2-Naphthylamine	<		1	10	UG/L	1	



tmpAnalyticalResultsOverTime

SWB-11	3/2/2009	2-Naphthylamine	<		3.1	10	UG/L	1
SWB-11	6/4/2009	2-Naphthylamine	<		3.1	10	UG/L	1
SWB-11	3/1/2010	2-Naphthylamine	<	9.4	2.9	9.4	ug/L	1
SWB-11	6/2/2010	2-NAPHTHYLAMINE	<	2.9	2.9	9.5	UG/L	1
SWB-3	10/29/2002	2-Naphthylamine	<		1.4	10	ug/L	1
SWB-3	3/4/2003	2-Naphthylamine	<		1.4	10	ug/L	1
SWB-3	6/3/2003	2-Naphthylamine	<		1.4	10	ug/L	1
SWB-3	9/4/2003	2-Naphthylamine	<		1	10	ug/L	1 UJ
SWB-3	12/2/2003	2-Naphthylamine	<		1	10	ug/L	1
SWB-3	3/1/2004	2-Naphthylamine	<		1	10	ug/L	1
SWB-3	6/1/2004	2-Naphthylamine	<		1	10	ug/L	1
SWB-3	9/1/2004	2-Naphthylamine	<		1	10	ug/L	1
SWB-3	12/1/2004	2-Naphthylamine	<		1	10	ug/L	1
SWB-3	3/3/2005	2-Naphthylamine	<		1	10	ug/L	1
SWB-3	6/2/2005	2-Naphthylamine	<		1	10	ug/L	1
SWB-3	9/1/2005	2-Naphthylamine	<		1	10	ug/L	1
SWB-3	12/1/2005	2-Naphthylamine	<		1	10	UG/L	1 UJ
SWB-3	3/2/2006	2-Naphthylamine	<		1	10	UG/L	1
SWB-3	6/2/2006	2-Naphthylamine	<		1	10	UG/L	1
SWB-3	9/5/2006	2-Naphthylamine	<		1	10	UG/L	1
SWB-3	12/4/2006	2-Naphthylamine	<		1	10	UG/L	1
SWB-3	3/1/2007	2-Naphthylamine	<		1	10	UG/L	1
SWB-3	6/1/2007	2-Naphthylamine	<		1	10	UG/L	1
SWB-3	6/1/2007	2-Naphthylamine	<		1	10	UG/L	1 R
SWB-3	12/3/2007	2-Naphthylamine	<		1	10	UG/L	1
SWB-3	3/6/2008	2-Naphthylamine	<		1	10	UG/L	1
SWB-3	6/9/2008	2-Naphthylamine	<		1	10	UG/L	1
SWB-3	12/4/2008	2-Naphthylamine	<		1	10	UG/L	1
SWB-3	3/2/2009	2-Naphthylamine	<		3.1	10	UG/L	1
SWB-3	3/2/2009	2-Naphthylamine	<		3.1	10	UG/L	1 R
SWB-3	6/4/2009	2-Naphthylamine	<		3.1	10	UG/L	1
SWB-3	12/1/2009	2-Naphthylamine	<		3.1	10	UG/L	1
SWB-3	3/1/2010	2-Naphthylamine	<	9.7	3	9.7	ug/L	1 UJ
SWB-3	6/1/2010	2-NAPHTHYLAMINE	<	2.9	2.9	9.4	UG/L	1
SWB-3	6/1/2010	2-NAPHTHYLAMINE	<	2.9	2.9	9.4	UG/L	1 DNR
SWB-3	9/9/2010	2-NAPHTHYLAMINE	<	2.9	2.9	9.3	UG/L	1
SWB-4	11/15/2002	2-Naphthylamine	<		1.4	10	ug/L	1
SWB-5	10/29/2002	2-Naphthylamine	<		1.4	10	ug/L	1
SWB-6	3/4/2003	2-Naphthylamine	<		1.4	10	ug/L	1
SWB-6	6/3/2003	2-Naphthylamine	<		1.4	10	ug/L	1
SWB-6	12/3/2003	2-Naphthylamine	<		1	10	ug/L	1
SWB-6	3/5/2004	2-Naphthylamine	<		1	10	ug/L	1
SWB-6	6/1/2004	2-Naphthylamine	<		1	10	ug/L	1
SWB-6	12/1/2004	2-Naphthylamine	<		1	10	ug/L	1
SWB-6	3/7/2005	2-Naphthylamine	<		1	10	ug/L	1
SWB-6	6/1/2005	2-Naphthylamine	<		1	10	ug/L	1
SWB-6	12/2/2005	2-Naphthylamine	<		1	10	UG/L	1 UJ
SWB-6	3/1/2006	2-Naphthylamine	<		1	10	UG/L	1
SWB-6	6/1/2006	2-Naphthylamine	<		1	10	UG/L	1
SWB-6	12/5/2006	2-Naphthylamine	<		1	10	UG/L	1
SWB-6	3/2/2007	2-Naphthylamine	<		1	10	UG/L	1
SWB-6	3/6/2008	2-Naphthylamine	<		1	10	UG/L	1
SWB-6	6/9/2008	2-Naphthylamine	<		1	10	UG/L	1
SWB-6	12/5/2008	2-Naphthylamine	<		1	10	UG/L	1
SWB-6	12/5/2008	2-Naphthylamine	<		1	10	UG/L	1 R
SWB-6	3/2/2009	2-Naphthylamine	<		3.1	10	UG/L	1
SWB-6	3/2/2009	2-Naphthylamine	<		3.1	10	UG/L	1 R

tmpAnalyticalResultsOverTime

SWB-6	6/5/2009	2-Naphthylamine	<		3.1	10	UG/L	1
SWB-6	3/2/2010	2-Naphthylamine	<	9.1	2.8	9.1	UG/L	1
SWB-6	6/2/2010	2-NAPHTHYLAMINE	<	2.9	2.9	9.4	UG/L	1 DNR
SWB-6	6/2/2010	2-NAPHTHYLAMINE	<	2.9	2.9	9.5	UG/L	1
SWB-7	3/4/2003	2-Naphthylamine	<		1.4	10	ug/L	1
SWB-7	6/3/2003	2-Naphthylamine	<		1.4	10	ug/L	1
SWB-7	3/1/2004	2-Naphthylamine	<		1	10	ug/L	1
SWB-7	5/24/2004	2-Naphthylamine	<		1	10	ug/L	1
SWB-7	12/1/2004	2-Naphthylamine	<		1	10	ug/L	1
SWB-7	3/7/2005	2-Naphthylamine	<		1	10	ug/L	1 UJ
SWB-7	6/1/2005	2-Naphthylamine	<		1	10	ug/L	1
SWB-7	9/1/2005	2-Naphthylamine	<		1	10	ug/L	1
SWB-7	12/1/2005	2-Naphthylamine	<		1	10	UG/L	1 UJ
SWB-7	3/1/2006	2-Naphthylamine	<		1	10	UG/L	1
SWB-7	6/2/2006	2-Naphthylamine	<		1	10	UG/L	1
SWB-7	9/5/2006	2-Naphthylamine	<		1	10	UG/L	1 UJ
SWB-7	12/5/2006	2-Naphthylamine	<		1	10	UG/L	1
SWB-7	3/2/2007	2-Naphthylamine	<		1	10	UG/L	1
SWB-7	6/1/2007	2-Naphthylamine	<		1	10	UG/L	1
SWB-7	9/7/2007	2-Naphthylamine	<		1	10	UG/L	1
SWB-7	12/3/2007	2-Naphthylamine	<		1	10	UG/L	1
SWB-7	3/6/2008	2-Naphthylamine	<		1	10	UG/L	1
SWB-7	6/6/2008	2-Naphthylamine	<		1	10	UG/L	1
SWB-7	9/8/2008	2-Naphthylamine	<		1	10	UG/L	1
SWB-7	12/5/2008	2-Naphthylamine	<		1	10	UG/L	1
SWB-7	12/5/2008	2-Naphthylamine	<		1	10	UG/L	1 R
SWB-7	3/2/2009	2-Naphthylamine	<		3.1	10	UG/L	1
SWB-7	3/2/2009	2-Naphthylamine	<		3.1	10	UG/L	1 R
SWB-7	6/5/2009	2-Naphthylamine	<		3.1	10	UG/L	1
SWB-7	9/9/2009	2-Naphthylamine	<		3.1	10	UG/L	1
SWB-7	12/1/2009	2-Naphthylamine	<		3.1	10	UG/L	1
SWB-7	3/2/2010	2-Naphthylamine	<	9.5	2.9	9.5	UG/L	1
SWB-7	6/1/2010	2-NAPHTHYLAMINE	<	3	3	9.6	UG/L	1 DNR
SWB-7	6/1/2010	2-NAPHTHYLAMINE	<	3.1	3.1	10	UG/L	1 R
SWB-7	9/9/2010	2-NAPHTHYLAMINE	<	3	3	9.6	UG/L	1
SWB-7	12/1/2010	2-NAPHTHYLAMINE	<	2.9	2.9	9.3	UG/L	1
SWB-8	3/5/2004	2-Naphthylamine	<		1	10	ug/L	1
SWB-8	3/7/2005	2-Naphthylamine	<		1	10	ug/L	1
SWB-8	6/1/2005	2-Naphthylamine	<		1	10	ug/L	1
SWB-8	3/1/2006	2-Naphthylamine	<		1	10	UG/L	1
SWB-8	3/7/2008	2-Naphthylamine	<		1	10	UG/L	1
SWB-8	3/3/2009	2-Naphthylamine	<		3.1	10	UG/L	1
SWB-8	3/3/2009	2-Naphthylamine	<		3.1	10	UG/L	1 R
SWB-9	3/4/2003	2-Naphthylamine	<		1.4	10	ug/L	1
SWB-9	12/3/2003	2-Naphthylamine	<		1	10	ug/L	1
SWB-9	3/5/2004	2-Naphthylamine	<		1	10	ug/L	1
SWB-9	5/27/2004	2-Naphthylamine	<		1	10	ug/L	1 UJ
SWB-9	12/1/2004	2-Naphthylamine	<		1	10	ug/L	1
SWB-9	3/3/2005	2-Naphthylamine	<		1	10	ug/L	1
SWB-9	6/2/2005	2-Naphthylamine	<		1	10	ug/L	1
SWB-9	9/1/2005	2-Naphthylamine	<		1	10	ug/L	1
SWB-9	12/1/2005	2-Naphthylamine	<		1	10	UG/L	1 UJ
SWB-9	3/2/2006	2-Naphthylamine	<		1	10	UG/L	1
SWB-9	6/1/2006	2-Naphthylamine	<		1	10	UG/L	1
SWB-9	12/4/2006	2-Naphthylamine	<		1	10	UG/L	1
SWB-9	3/5/2007	2-Naphthylamine	<		1	10	UG/L	1
SWB-9	3/6/2008	2-Naphthylamine	<		1	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	6/5/2008	2-Naphthylamine	<		1	10	UG/L	1	
SWB-9	12/5/2008	2-Naphthylamine	<		1	10	UG/L	1	
SWB-9	12/5/2008	2-Naphthylamine	<		1	10	UG/L	1	R
SWB-9	3/2/2009	2-Naphthylamine	<		3.1	10	UG/L	1	
SWB-9	3/2/2009	2-Naphthylamine	<		3.1	10	UG/L	1	R
SWB-9	6/2/2009	2-Naphthylamine	<		3.1	10	UG/L	1	
SWB-9	6/2/2009	2-Naphthylamine	<		3.1	10	UG/L	1	DNR
SWB-9	3/1/2010	2-Naphthylamine	<	9.2	2.9	9.2	ug/L	1	
SWB-9	6/1/2010	2-NAPHTHYLAMINE	<	2.9	2.9	9.4	UG/L	1	DNR
SWB-9	6/1/2010	2-NAPHTHYLAMINE	<	2.9	2.9	9.5	UG/L	1	
SWB-9	12/1/2010	2-NAPHTHYLAMINE	<	2.9	2.9	9.3	UG/L	1	
SWB-10	3/4/2004	2-Nitroaniline	<		0.9	50	ug/L	1	NA
SWB-10	5/24/2004	2-Nitroaniline	<		0.9	50	ug/L	1	UJ
SWB-10	12/1/2004	2-Nitroaniline	<		0.9	50	ug/L	1	
SWB-10	3/3/2005	2-Nitroaniline	<		1.3	50	ug/L	1	
SWB-10	6/2/2005	2-Nitroaniline	<		1.3	50	ug/L	1	
SWB-10	9/1/2005	2-Nitroaniline	<		1.3	50	ug/L	1	
SWB-10	3/2/2006	2-Nitroaniline	<		1.3	50	UG/L	1	
SWB-10	6/2/2006	2-Nitroaniline	<		5	50	UG/L	1	
SWB-10	3/1/2007	2-Nitroaniline	<		5	50	UG/L	1	
SWB-10	3/7/2008	2-Nitroaniline	<		0.32	50	UG/L	1	
SWB-10	6/5/2008	2-Nitroaniline	<		0.32	50	UG/L	1	
SWB-10	3/2/2009	2-Nitroaniline	<		1.7	10	UG/L	1	R
SWB-10	6/4/2009	2-Nitroaniline	<		1.7	10	UG/L	1	R
SWB-10	3/2/2010	2-Nitroaniline	<	9.3	1.6	9.3	UG/L	1	R
SWB-11	3/4/2004	2-Nitroaniline	<		0.9	50	ug/L	1	
SWB-11	5/24/2004	2-Nitroaniline	<		0.9	50	ug/L	1	UJ
SWB-11	12/1/2004	2-Nitroaniline	<		0.9	50	ug/L	1	
SWB-11	3/1/2005	2-Nitroaniline	<		1.3	50	ug/L	1	
SWB-11	6/2/2005	2-Nitroaniline	<		1.3	50	ug/L	1	
SWB-11	3/2/2006	2-Nitroaniline	<		1.3	50	UG/L	1	
SWB-11	6/1/2006	2-Nitroaniline	<		5	50	UG/L	1	
SWB-11	3/1/2007	2-Nitroaniline	<		5	50	UG/L	1	
SWB-11	3/7/2008	2-Nitroaniline	<		0.32	50	UG/L	1	
SWB-11	6/5/2008	2-Nitroaniline	<		0.32	50	UG/L	1	
SWB-11	3/2/2009	2-Nitroaniline	<		1.7	10	UG/L	1	R
SWB-11	6/4/2009	2-Nitroaniline	<		1.7	10	UG/L	1	R
SWB-11	3/1/2010	2-Nitroaniline	<	9.4	1.6	9.4	ug/L	1	R
SWB-11	6/2/2010	2-NITROANILINE	<	1.6	1.6	9.5	UG/L	1	R
SWB-3	10/29/2002	2-Nitroaniline	<		1.8	50	ug/L	1	
SWB-3	3/4/2003	2-Nitroaniline	<		1.8	50	ug/L	1	
SWB-3	6/3/2003	2-Nitroaniline	<		1.8	50	ug/L	1	
SWB-3	9/4/2003	2-Nitroaniline	<		1.8	50	ug/L	1	UJ
SWB-3	12/2/2003	2-Nitroaniline	<		0.9	50	ug/L	1	
SWB-3	3/1/2004	2-Nitroaniline	<		0.9	50	ug/L	1	
SWB-3	6/1/2004	2-Nitroaniline	<		0.9	50	ug/L	1	
SWB-3	9/1/2004	2-Nitroaniline	<		0.9	50	ug/L	1	
SWB-3	12/1/2004	2-Nitroaniline	<		0.9	50	ug/L	1	
SWB-3	3/3/2005	2-Nitroaniline	<		1.3	50	ug/L	1	
SWB-3	6/2/2005	2-Nitroaniline	<		1.3	50	ug/L	1	
SWB-3	9/1/2005	2-Nitroaniline	<		1.3	50	ug/L	1	
SWB-3	12/1/2005	2-Nitroaniline	<		1.3	50	UG/L	1	UJ
SWB-3	3/2/2006	2-Nitroaniline	<		1.3	50	UG/L	1	
SWB-3	6/2/2006	2-Nitroaniline	<		5	50	UG/L	1	
SWB-3	9/5/2006	2-Nitroaniline	<		5	50	UG/L	1	
SWB-3	12/4/2006	2-Nitroaniline	<		5	50	UG/L	1	
SWB-3	3/1/2007	2-Nitroaniline	<		5	50	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	6/1/2007	2-Nitroaniline	<		5	50	UG/L	1
SWB-3	6/1/2007	2-Nitroaniline	<		5	50	UG/L	1 R
SWB-3	12/3/2007	2-Nitroaniline	<		0.32	50	UG/L	1
SWB-3	3/6/2008	2-Nitroaniline	<		0.32	50	UG/L	1
SWB-3	6/9/2008	2-Nitroaniline	<		0.32	50	UG/L	1
SWB-3	12/4/2008	2-Nitroaniline	<		0.32	10	UG/L	1
SWB-3	3/2/2009	2-Nitroaniline	<		1.7	10	UG/L	1 R
SWB-3	6/4/2009	2-Nitroaniline	<		1.7	10	UG/L	1 R
SWB-3	12/1/2009	2-Nitroaniline	<		1.7	10	UG/L	1
SWB-3	3/1/2010	2-Nitroaniline	<	9.7	1.7	9.7	ug/L	1 R
SWB-3	6/1/2010	2-NITROANILINE	<	1.6	1.6	9.4	UG/L	1 DNR
SWB-3	6/1/2010	2-NITROANILINE	<	1.6	1.6	9.4	UG/L	1 R
SWB-3	9/9/2010	2-NITROANILINE	<	1.6	1.6	9.3	UG/L	1
SWB-4	11/15/2002	2-Nitroaniline	<		1.8	50	ug/L	1
SWB-5	10/29/2002	2-Nitroaniline	<		1.8	50	ug/L	1
SWB-6	3/4/2003	2-Nitroaniline	<		1.8	50	ug/L	1
SWB-6	6/3/2003	2-Nitroaniline	<		1.8	50	ug/L	1
SWB-6	12/3/2003	2-Nitroaniline	<		0.9	50	ug/L	1
SWB-6	3/5/2004	2-Nitroaniline	<		0.9	50	ug/L	1
SWB-6	6/1/2004	2-Nitroaniline	<		0.9	50	ug/L	1
SWB-6	12/1/2004	2-Nitroaniline	<		0.9	50	ug/L	1
SWB-6	3/7/2005	2-Nitroaniline	<		1.3	50	ug/L	1
SWB-6	6/1/2005	2-Nitroaniline	<		1.3	50	ug/L	1
SWB-6	12/2/2005	2-Nitroaniline	<		1.3	50	UG/L	1 UJ
SWB-6	3/1/2006	2-Nitroaniline	<		1.3	50	UG/L	1
SWB-6	6/1/2006	2-Nitroaniline	<		5	50	UG/L	1
SWB-6	12/5/2006	2-Nitroaniline	<		5	50	UG/L	1
SWB-6	3/2/2007	2-Nitroaniline	<		5	50	UG/L	1
SWB-6	3/6/2008	2-Nitroaniline	<		0.32	50	UG/L	1
SWB-6	6/9/2008	2-Nitroaniline	<		0.32	50	UG/L	1
SWB-6	12/5/2008	2-Nitroaniline	<		0.32	10	UG/L	1 R
SWB-6	3/2/2009	2-Nitroaniline	<		1.7	10	UG/L	1 R
SWB-6	6/5/2009	2-Nitroaniline	<		1.7	10	UG/L	1 R
SWB-6	3/2/2010	2-Nitroaniline	<	9.1	1.6	9.1	UG/L	1 R
SWB-6	6/2/2010	2-NITROANILINE	<	1.6	1.6	9.4	UG/L	1 DNR
SWB-6	6/2/2010	2-NITROANILINE	<	1.6	1.6	9.5	UG/L	1 R
SWB-7	3/4/2003	2-Nitroaniline	<		1.8	50	ug/L	1
SWB-7	6/3/2003	2-Nitroaniline	<		1.8	50	ug/L	1
SWB-7	3/1/2004	2-Nitroaniline	<		0.9	50	ug/L	1
SWB-7	5/24/2004	2-Nitroaniline	<		0.9	50	ug/L	1
SWB-7	12/1/2004	2-Nitroaniline	<		0.9	50	ug/L	1
SWB-7	3/7/2005	2-Nitroaniline	<		1.3	50	ug/L	1 UJ
SWB-7	6/1/2005	2-Nitroaniline	<		1.3	50	ug/L	1
SWB-7	9/1/2005	2-Nitroaniline	<		1.3	50	ug/L	1
SWB-7	12/1/2005	2-Nitroaniline	<		1.3	50	UG/L	1 UJ
SWB-7	3/1/2006	2-Nitroaniline	<		1.3	50	UG/L	1
SWB-7	6/2/2006	2-Nitroaniline	<		5	50	UG/L	1
SWB-7	9/5/2006	2-Nitroaniline	<		5	50	UG/L	1 UJ
SWB-7	12/5/2006	2-Nitroaniline	<		5	50	UG/L	1
SWB-7	3/2/2007	2-Nitroaniline	<		5	50	UG/L	1
SWB-7	6/1/2007	2-Nitroaniline	<		5	50	UG/L	1
SWB-7	9/7/2007	2-Nitroaniline	<		0.32	50	UG/L	1
SWB-7	12/3/2007	2-Nitroaniline	<		0.32	50	UG/L	1
SWB-7	3/6/2008	2-Nitroaniline	<		0.32	50	UG/L	1
SWB-7	6/6/2008	2-Nitroaniline	<		0.32	50	UG/L	1
SWB-7	9/8/2008	2-Nitroaniline	<		0.32	10	UG/L	1
SWB-7	12/5/2008	2-Nitroaniline	<		0.32	10	UG/L	1 R

tmpAnalyticalResultsOverTime

SWB-7	3/2/2009	2-Nitroaniline	<		1.7	10	UG/L	1	R	
SWB-7	6/5/2009	2-Nitroaniline	<		1.7	10	UG/L	1	UJ	
SWB-7	9/9/2009	2-Nitroaniline	<		1.7	10	UG/L	1	UJ	
SWB-7	12/1/2009	2-Nitroaniline	<		1.7	10	UG/L	1		
SWB-7	3/2/2010	2-Nitroaniline	<	9.5	1.6	9.5	UG/L	1	R	
SWB-7	6/1/2010	2-NITROANILINE	<	1.7	1.7	9.6	UG/L	1	DNR	
SWB-7	6/1/2010	2-NITROANILINE	<	1.7	1.7	10	UG/L	1	R	
SWB-7	9/9/2010	2-NITROANILINE	<	1.7	1.7	9.6	UG/L	1		
SWB-7	12/1/2010	2-NITROANILINE	<	1.6	1.6	9.3	UG/L	1		
SWB-8	3/5/2004	2-Nitroaniline	<		0.9	50	ug/L	1		
SWB-8	3/7/2005	2-Nitroaniline	<		1.3	50	ug/L	1		
SWB-8	6/1/2005	2-Nitroaniline	<		1.3	50	ug/L	1		
SWB-8	3/1/2006	2-Nitroaniline	<		1.3	50	UG/L	1		
SWB-8	3/7/2008	2-Nitroaniline	<		0.32	50	UG/L	1		
SWB-8	3/3/2009	2-Nitroaniline	<		1.7	10	UG/L	1	R	
SWB-9	3/4/2003	2-Nitroaniline	<		1.8	50	ug/L	1		
SWB-9	12/3/2003	2-Nitroaniline	<		0.9	50	ug/L	1		
SWB-9	3/5/2004	2-Nitroaniline	<		0.9	50	ug/L	1		
SWB-9	5/27/2004	2-Nitroaniline	<		0.9	50	ug/L	1	UJ	
SWB-9	12/1/2004	2-Nitroaniline	<		0.9	50	ug/L	1		
SWB-9	3/3/2005	2-Nitroaniline	<		1.3	50	ug/L	1		
SWB-9	6/2/2005	2-Nitroaniline	<		1.3	50	ug/L	1		
SWB-9	9/1/2005	2-Nitroaniline	<		1.3	50	ug/L	1		
SWB-9	12/1/2005	2-Nitroaniline	<		1.3	50	UG/L	1	UJ	
SWB-9	3/2/2006	2-Nitroaniline	<		1.3	50	UG/L	1		
SWB-9	6/1/2006	2-Nitroaniline	<		5	50	UG/L	1		
SWB-9	12/4/2006	2-Nitroaniline	<		5	50	UG/L	1		
SWB-9	3/5/2007	2-Nitroaniline	<		5	50	UG/L	1		
SWB-9	3/6/2008	2-Nitroaniline	<		0.32	50	UG/L	1		
SWB-9	6/5/2008	2-Nitroaniline	<		0.32	50	UG/L	1		
SWB-9	12/5/2008	2-Nitroaniline	<		0.32	10	UG/L	1	R	
SWB-9	3/2/2009	2-Nitroaniline	<		1.7	10	UG/L	1	R	
SWB-9	6/2/2009	2-Nitroaniline	<		1.7	10	UG/L	1		
SWB-9	6/2/2009	2-Nitroaniline	<		1.7	10	UG/L	1	DNR	
SWB-9	3/1/2010	2-Nitroaniline	<	9.2	1.6	9.2	ug/L	1	R	
SWB-9	6/1/2010	2-NITROANILINE	<	1.6	1.6	9.4	UG/L	1	DNR	
SWB-9	6/1/2010	2-NITROANILINE	<	1.6	1.6	9.5	UG/L	1	R	
SWB-9	12/1/2010	2-NITROANILINE	<	1.6	1.6	9.3	UG/L	1		
SWB-10	3/4/2004	2-Nitrophenol	<		0.8	10	ug/L	1		NA
SWB-10	5/24/2004	2-Nitrophenol	<		0.8	10	ug/L	1	UJ	
SWB-10	12/1/2004	2-Nitrophenol	<		0.8	10	ug/L	1		
SWB-10	3/3/2005	2-Nitrophenol	<		1.5	10	ug/L	1		
SWB-10	6/2/2005	2-Nitrophenol	<		1.5	10	ug/L	1		
SWB-10	9/1/2005	2-Nitrophenol	<		1.5	10	ug/L	1		
SWB-10	3/2/2006	2-Nitrophenol	<		1.5	10	UG/L	1		
SWB-10	6/2/2006	2-Nitrophenol	<		5	10	UG/L	1		
SWB-10	3/1/2007	2-Nitrophenol	<		5	10	UG/L	1		
SWB-10	3/7/2008	2-Nitrophenol	<		0.39	10	UG/L	1		
SWB-10	6/5/2008	2-Nitrophenol	<		0.39	10	UG/L	1		
SWB-10	3/2/2009	2-Nitrophenol	<		0.39	10	UG/L	1		
SWB-10	3/2/2009	2-Nitrophenol	<		0.39	10	UG/L	1	R	
SWB-10	6/4/2009	2-Nitrophenol	TR	0.75	0.39	10	UG/L	1	J	
SWB-10	3/2/2010	2-Nitrophenol	<	9.3	0.36	9.3	UG/L	1		
SWB-11	3/4/2004	2-Nitrophenol	<		0.8	10	ug/L	1		
SWB-11	5/24/2004	2-Nitrophenol	<		0.8	10	ug/L	1	UJ	
SWB-11	12/1/2004	2-Nitrophenol	<		0.8	10	ug/L	1		
SWB-11	3/1/2005	2-Nitrophenol	<		1.5	10	ug/L	1		

tmpAnalyticalResultsOverTime

SWB-11	6/2/2005	2-Nitrophenol	<		1.5	10	ug/L	1
SWB-11	3/2/2006	2-Nitrophenol	<		1.5	10	UG/L	1
SWB-11	6/1/2006	2-Nitrophenol	<		5	10	UG/L	1
SWB-11	3/1/2007	2-Nitrophenol	<		5	10	UG/L	1
SWB-11	3/7/2008	2-Nitrophenol	<		0.39	10	UG/L	1
SWB-11	6/5/2008	2-Nitrophenol	<		0.39	10	UG/L	1
SWB-11	3/2/2009	2-Nitrophenol	<		0.39	10	UG/L	1
SWB-11	6/4/2009	2-Nitrophenol	TR	0.91	0.39	10	UG/L	1 J
SWB-11	3/1/2010	2-Nitrophenol	<	9.4	0.37	9.4	ug/L	1
SWB-11	6/2/2010	2-NITROPHENOL	<	0.37	0.37	9.5	UG/L	1 R
SWB-3	10/29/2002	2-Nitrophenol	<		1.8	10	ug/L	1
SWB-3	3/4/2003	2-Nitrophenol	<		1.8	10	ug/L	1 R
SWB-3	6/3/2003	2-Nitrophenol	<		1.8	10	ug/L	1
SWB-3	9/4/2003	2-Nitrophenol	<		1.8	10	ug/L	1 R
SWB-3	12/2/2003	2-Nitrophenol	<		0.8	10	ug/L	1 R
SWB-3	3/1/2004	2-Nitrophenol	<		0.8	10	ug/L	1
SWB-3	6/1/2004	2-Nitrophenol	<		0.8	10	ug/L	1
SWB-3	9/1/2004	2-Nitrophenol	<		0.8	10	ug/L	1
SWB-3	12/1/2004	2-Nitrophenol	<		0.8	10	ug/L	1
SWB-3	3/3/2005	2-Nitrophenol	<		1.5	10	ug/L	1
SWB-3	6/2/2005	2-Nitrophenol	<		1.5	10	ug/L	1
SWB-3	9/1/2005	2-Nitrophenol	<		1.5	10	ug/L	1 R
SWB-3	12/1/2005	2-Nitrophenol	<		1.5	10	UG/L	1 R
SWB-3	3/2/2006	2-Nitrophenol	<		1.5	10	UG/L	1 R
SWB-3	6/2/2006	2-Nitrophenol	<		5	10	UG/L	1 R
SWB-3	9/5/2006	2-Nitrophenol	<		5	10	UG/L	1 UJ
SWB-3	12/4/2006	2-Nitrophenol	<		5	10	UG/L	1 R
SWB-3	3/1/2007	2-Nitrophenol	<		5	10	UG/L	1 UJ
SWB-3	6/1/2007	2-Nitrophenol	<		5	10	UG/L	1 R
SWB-3	12/3/2007	2-Nitrophenol	<		2	10	UG/L	1 R
SWB-3	3/6/2008	2-Nitrophenol	<		0.39	10	UG/L	1
SWB-3	6/9/2008	2-Nitrophenol	<		0.39	10	UG/L	1 R
SWB-3	12/4/2008	2-Nitrophenol	<		0.39	10	UG/L	1
SWB-3	3/2/2009	2-Nitrophenol	<		0.39	10	UG/L	1 R
SWB-3	3/2/2009	2-Nitrophenol	<		0.39	10	UG/L	1 UJ
SWB-3	6/4/2009	2-Nitrophenol	<		0.39	10	UG/L	1
SWB-3	12/1/2009	2-Nitrophenol	<		0.39	10	UG/L	1
SWB-3	12/1/2009	2-Nitrophenol	<		0.39	10	UG/L	1 R
SWB-3	3/1/2010	2-Nitrophenol	<	9.7	0.38	9.7	ug/L	1 UJ
SWB-3	6/1/2010	2-NITROPHENOL	<	0.37	0.37	9.4	UG/L	1 DNR
SWB-3	6/1/2010	2-NITROPHENOL	<	0.37	0.37	9.4	UG/L	1 R
SWB-3	9/9/2010	2-NITROPHENOL	<	0.36	0.36	9.3	UG/L	1 R
SWB-4	11/15/2002	2-Nitrophenol	<		1.8	10	ug/L	1 UJ
SWB-5	10/29/2002	2-Nitrophenol	<		1.8	10	ug/L	1
SWB-6	3/4/2003	2-Nitrophenol	<		1.8	10	ug/L	1
SWB-6	6/3/2003	2-Nitrophenol	<		1.8	10	ug/L	1
SWB-6	12/3/2003	2-Nitrophenol	TR	7.7	0.8	10	ug/L	1 J
SWB-6	3/5/2004	2-Nitrophenol	<		0.8	10	ug/L	1
SWB-6	6/1/2004	2-Nitrophenol	<		0.8	10	ug/L	1
SWB-6	12/1/2004	2-Nitrophenol	<		0.8	10	ug/L	1
SWB-6	3/7/2005	2-Nitrophenol	<		1.5	10	ug/L	1
SWB-6	6/1/2005	2-Nitrophenol	<		1.5	10	ug/L	1
SWB-6	12/2/2005	2-Nitrophenol	<		1.5	10	UG/L	1
SWB-6	3/1/2006	2-Nitrophenol	<		1.5	10	UG/L	1
SWB-6	6/1/2006	2-Nitrophenol	<		5	10	UG/L	1
SWB-6	12/5/2006	2-Nitrophenol	<		5	10	UG/L	1
SWB-6	3/2/2007	2-Nitrophenol	<		5	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	3/6/2008	2-Nitrophenol	<	0.39	10	UG/L	1	
SWB-6	6/9/2008	2-Nitrophenol	<	0.39	10	UG/L	1	
SWB-6	12/5/2008	2-Nitrophenol	<	0.39	10	UG/L	1	
SWB-6	12/5/2008	2-Nitrophenol	<	0.39	10	UG/L	1 R	
SWB-6	3/2/2009	2-Nitrophenol	<	0.39	10	UG/L	1	
SWB-6	3/2/2009	2-Nitrophenol	<	0.39	10	UG/L	1 R	
SWB-6	6/5/2009	2-Nitrophenol	<	0.39	10	UG/L	1	
SWB-6	3/2/2010	2-Nitrophenol	<	9.1	0.36	9.1	UG/L	1
SWB-6	6/2/2010	2-NITROPHENOL	<	0.37	0.37	9.4	UG/L	1 DNR
SWB-6	6/2/2010	2-NITROPHENOL	<	0.37	0.37	9.5	UG/L	1
SWB-7	3/4/2003	2-Nitrophenol	<	1.8	10	ug/L	1	
SWB-7	6/3/2003	2-Nitrophenol	<	1.8	10	ug/L	1	
SWB-7	3/1/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
SWB-7	5/24/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
SWB-7	12/1/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
SWB-7	3/7/2005	2-Nitrophenol	<	1.5	10	ug/L	1 UJ	
SWB-7	6/1/2005	2-Nitrophenol	<	1.5	10	ug/L	1	
SWB-7	9/1/2005	2-Nitrophenol	<	1.5	10	ug/L	1	
SWB-7	12/1/2005	2-Nitrophenol	<	1.5	10	UG/L	1	
SWB-7	3/1/2006	2-Nitrophenol	<	1.5	10	UG/L	1	
SWB-7	6/2/2006	2-Nitrophenol	<	5	10	UG/L	1	
SWB-7	9/5/2006	2-Nitrophenol	<	5	10	UG/L	1 UJ	
SWB-7	12/5/2006	2-Nitrophenol	<	5	10	UG/L	1	
SWB-7	3/2/2007	2-Nitrophenol	<	5	10	UG/L	1	
SWB-7	6/1/2007	2-Nitrophenol	<	5	10	UG/L	1	
SWB-7	9/7/2007	2-Nitrophenol	<	2	10	UG/L	1	
SWB-7	12/3/2007	2-Nitrophenol	<	2	10	UG/L	1	
SWB-7	3/6/2008	2-Nitrophenol	<	0.39	10	UG/L	1	
SWB-7	6/6/2008	2-Nitrophenol	<	0.39	10	UG/L	1	
SWB-7	9/8/2008	2-Nitrophenol	<	0.39	10	UG/L	1	
SWB-7	12/5/2008	2-Nitrophenol	<	0.39	10	UG/L	1	
SWB-7	12/5/2008	2-Nitrophenol	<	0.39	10	UG/L	1 R	
SWB-7	3/2/2009	2-Nitrophenol	<	0.39	10	UG/L	1	
SWB-7	3/2/2009	2-Nitrophenol	<	0.39	10	UG/L	1 R	
SWB-7	6/5/2009	2-Nitrophenol	<	0.39	10	UG/L	1	
SWB-7	9/9/2009	2-Nitrophenol	<	0.39	10	UG/L	1	
SWB-7	12/1/2009	2-Nitrophenol	<	0.39	10	UG/L	1	
SWB-7	3/2/2010	2-Nitrophenol	<	9.5	0.37	9.5	UG/L	1
SWB-7	6/1/2010	2-NITROPHENOL	<	0.37	0.37	9.6	UG/L	1 DNR
SWB-7	6/1/2010	2-NITROPHENOL	<	0.39	0.39	10	UG/L	1
SWB-7	9/9/2010	2-NITROPHENOL	<	0.38	0.38	9.6	UG/L	1
SWB-7	12/1/2010	2-NITROPHENOL	<	0.36	0.36	9.3	UG/L	1
SWB-8	3/5/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
SWB-8	3/7/2005	2-Nitrophenol	<	1.5	10	ug/L	1	
SWB-8	6/1/2005	2-Nitrophenol	<	1.5	10	ug/L	1	
SWB-8	3/1/2006	2-Nitrophenol	<	1.5	10	UG/L	1	
SWB-8	3/7/2008	2-Nitrophenol	<	0.39	10	UG/L	1	
SWB-8	3/3/2009	2-Nitrophenol	<	0.39	10	UG/L	1	
SWB-8	3/3/2009	2-Nitrophenol	<	0.39	10	UG/L	1 R	
SWB-9	3/4/2003	2-Nitrophenol	<	1.8	10	ug/L	1 UJ	
SWB-9	12/3/2003	2-Nitrophenol	<	0.8	10	ug/L	1	
SWB-9	3/5/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
SWB-9	5/27/2004	2-Nitrophenol	<	0.8	10	ug/L	1 UJ	
SWB-9	12/1/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
SWB-9	3/3/2005	2-Nitrophenol	<	1.5	10	ug/L	1	
SWB-9	6/2/2005	2-Nitrophenol	<	1.5	10	ug/L	1	
SWB-9	9/1/2005	2-Nitrophenol	<	1.5	10	ug/L	1 UJ	

tmpAnalyticalResultsOverTime

SWB-9	12/1/2005	2-Nitrophenol	<		1.5	10	UG/L	1	
SWB-9	3/2/2006	2-Nitrophenol	<		1.5	10	UG/L	1	
SWB-9	6/1/2006	2-Nitrophenol	<		5	10	UG/L	1	UJ
SWB-9	12/4/2006	2-Nitrophenol	<		5	10	UG/L	1	
SWB-9	3/5/2007	2-Nitrophenol	<		5	10	UG/L	1	
SWB-9	3/6/2008	2-Nitrophenol	<		0.39	10	UG/L	1	
SWB-9	6/5/2008	2-Nitrophenol	<		0.39	10	UG/L	1	R
SWB-9	12/5/2008	2-Nitrophenol	<		0.39	10	UG/L	1	
SWB-9	12/5/2008	2-Nitrophenol	<		0.39	10	UG/L	1	R
SWB-9	3/2/2009	2-Nitrophenol	<		0.39	10	UG/L	1	R
SWB-9	3/2/2009	2-Nitrophenol	<		0.39	10	UG/L	1	UJ
SWB-9	6/2/2009	2-Nitrophenol	<		0.39	10	UG/L	1	
SWB-9	6/2/2009	2-Nitrophenol	<		0.39	10	UG/L	1	DNR
SWB-9	3/1/2010	2-Nitrophenol	<	9.2	0.36	9.2	ug/L	1	
SWB-9	6/1/2010	2-NITROPHENOL	<	0.37	0.37	9.4	UG/L	1	DNR
SWB-9	6/1/2010	2-NITROPHENOL	<	0.37	0.37	9.5	UG/L	1	
SWB-9	12/1/2010	2-NITROPHENOL	<	0.36	0.36	9.3	UG/L	1	
SWB-10	3/4/2004	2-Nitropropane	<		1.6	2	ug/L	1	NA
SWB-10	5/24/2004	2-Nitropropane	<		1.6	2	ug/L	1	
SWB-10	12/1/2004	2-Nitropropane	<		1.6	2	ug/L	1	
SWB-10	3/3/2005	2-Nitropropane	<		0.59	2	ug/L	1	
SWB-10	6/2/2005	2-Nitropropane	<		0.85	2	ug/L	1	
SWB-10	9/1/2005	2-Nitropropane	<		0.85	2	ug/L	1	
SWB-10	3/2/2006	2-Nitropropane	<		3.4	8	UG/L	4	
SWB-10	6/2/2006	2-Nitropropane	<		0.93	2	UG/L	1	
SWB-10	3/1/2007	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-10	3/7/2008	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-10	6/5/2008	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-10	3/2/2009	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-10	6/4/2009	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-10	3/2/2010	2-Nitropropane	<	3	1.6	3	UG/L	1	
SWB-11	3/4/2004	2-Nitropropane	<		1.6	2	ug/L	1	
SWB-11	5/24/2004	2-Nitropropane	<		1.6	2	ug/L	1	
SWB-11	12/1/2004	2-Nitropropane	<		1.6	2	ug/L	1	
SWB-11	3/1/2005	2-Nitropropane	<		0.59	2	ug/L	1	
SWB-11	6/2/2005	2-Nitropropane	<		0.85	2	ug/L	1	
SWB-11	3/2/2006	2-Nitropropane	<		8.5	20	UG/L	10	
SWB-11	6/1/2006	2-Nitropropane	<		0.93	2	UG/L	1	
SWB-11	3/1/2007	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-11	3/7/2008	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-11	6/5/2008	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-11	3/2/2009	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-11	6/4/2009	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-11	3/1/2010	2-Nitropropane	<	3	1.6	3	ug/L	1	
SWB-11	6/2/2010	2-NITROPROPANE	<	1.6	1.6	3	UG/L	1	
SWB-3	10/29/2002	2-Nitropropane	<		1.3	2	ug/L	1	
SWB-3	3/4/2003	2-Nitropropane	<		1.6	2	ug/L	1	
SWB-3	6/3/2003	2-Nitropropane	<		1.6	2	ug/L	1	
SWB-3	9/4/2003	2-Nitropropane	<		1.6	2	ug/L	1	UJ
SWB-3	12/2/2003	2-Nitropropane	<		1.6	2	ug/L	1	
SWB-3	3/1/2004	2-Nitropropane	<		1.6	2	ug/L	1	
SWB-3	6/1/2004	2-Nitropropane	<		1.6	2	ug/L	1	
SWB-3	9/1/2004	2-Nitropropane	<		1.6	2	ug/L	1	
SWB-3	12/1/2004	2-Nitropropane	<		2.7	3.3	ug/L	1.66	
SWB-3	3/3/2005	2-Nitropropane	<		0.59	2	ug/L	1	
SWB-3	6/2/2005	2-Nitropropane	<		0.85	2	ug/L	1	
SWB-3	9/1/2005	2-Nitropropane	<		0.85	2	ug/L	1	



tmpAnalyticalResultsOverTime

SWB-3	12/1/2005	2-Nitropropane	<		1.7	4	UG/L	2
SWB-3	3/2/2006	2-Nitropropane	<		3.4	8	UG/L	4
SWB-3	6/2/2006	2-Nitropropane	<		0.93	2	UG/L	1
SWB-3	9/5/2006	2-Nitropropane	<		0.93	3	UG/L	1
SWB-3	12/4/2006	2-Nitropropane	<		0.93	3	UG/L	1
SWB-3	3/1/2007	2-Nitropropane	<		0.93	3	UG/L	1
SWB-3	6/1/2007	2-Nitropropane	<		0.93	3	UG/L	1
SWB-3	12/3/2007	2-Nitropropane	<		0.93	3	UG/L	1
SWB-3	3/6/2008	2-Nitropropane	<		0.93	3	UG/L	1
SWB-3	6/9/2008	2-Nitropropane	<		0.93	3	UG/L	1
SWB-3	12/4/2008	2-Nitropropane	<		0.93	3	UG/L	1
SWB-3	3/2/2009	2-Nitropropane	<		0.93	3	UG/L	1
SWB-3	6/4/2009	2-Nitropropane	<		0.93	3	UG/L	1
SWB-3	12/1/2009	2-Nitropropane	<		0.93	3	UG/L	1
SWB-3	3/1/2010	2-Nitropropane	<	3	1.6	3	ug/L	1
SWB-3	3/1/2010	2-Nitropropane	<	6	3.2	6	ug/L	1 DNR
SWB-3	6/1/2010	2-NITROPROPANE	<	1.6	1.6	3	UG/L	1 DNR
SWB-3	6/1/2010	2-NITROPROPANE	<	6.4	6.4	12	UG/L	1
SWB-3	9/9/2010	2-NITROPROPANE	<	1.6	1.6	3	UG/L	1
SWB-4	11/15/2002	2-Nitropropane	<		1.3	2	ug/L	1
SWB-5	10/29/2002	2-Nitropropane	<		1.3	2	ug/L	1
SWB-6	3/4/2003	2-Nitropropane	<		1.6	2	ug/L	1
SWB-6	6/3/2003	2-Nitropropane	<		3.2	4	ug/L	2
SWB-6	12/3/2003	2-Nitropropane	<		3.2	4	ug/L	2
SWB-6	3/5/2004	2-Nitropropane	<		1.6	2	ug/L	1
SWB-6	6/1/2004	2-Nitropropane	<		1.6	2	ug/L	1
SWB-6	12/1/2004	2-Nitropropane	<		1.6	2	ug/L	1
SWB-6	3/7/2005	2-Nitropropane	<		0.59	2	ug/L	1
SWB-6	6/1/2005	2-Nitropropane	<		0.85	2	ug/L	1
SWB-6	12/2/2005	2-Nitropropane	<		0.85	2	UG/L	1
SWB-6	3/1/2006	2-Nitropropane	<		0.85	2	UG/L	1
SWB-6	6/1/2006	2-Nitropropane	<		0.93	2	UG/L	1
SWB-6	12/5/2006	2-Nitropropane	<		0.93	3	UG/L	1
SWB-6	3/2/2007	2-Nitropropane	<		0.93	3	UG/L	1
SWB-6	3/6/2008	2-Nitropropane	<		0.93	3	UG/L	1
SWB-6	6/9/2008	2-Nitropropane	<		0.93	3	UG/L	1
SWB-6	12/5/2008	2-Nitropropane	<		0.93	3	UG/L	1
SWB-6	3/2/2009	2-Nitropropane	<		0.93	3	UG/L	1
SWB-6	6/5/2009	2-Nitropropane	<		0.93	3	UG/L	1
SWB-6	3/2/2010	2-Nitropropane	<	3	1.6	3	UG/L	1
SWB-6	6/2/2010	2-NITROPROPANE	<	1.6	1.6	3	UG/L	1
SWB-7	3/4/2003	2-Nitropropane	<		1.6	2	ug/L	1
SWB-7	6/3/2003	2-Nitropropane	<		1.6	2	ug/L	1
SWB-7	3/1/2004	2-Nitropropane	<		1.6	2	ug/L	1
SWB-7	5/24/2004	2-Nitropropane	<		1.6	2	ug/L	1
SWB-7	12/1/2004	2-Nitropropane	<		1.6	2	ug/L	1
SWB-7	3/7/2005	2-Nitropropane	<		0.59	2	ug/L	1
SWB-7	6/1/2005	2-Nitropropane	<		0.85	2	ug/L	1
SWB-7	9/1/2005	2-Nitropropane	<		0.85	2	ug/L	1
SWB-7	12/1/2005	2-Nitropropane	<		0.85	2	UG/L	1
SWB-7	3/1/2006	2-Nitropropane	<		0.85	2	UG/L	1
SWB-7	6/2/2006	2-Nitropropane	<		0.93	2	UG/L	1
SWB-7	9/5/2006	2-Nitropropane	<		0.93	3	UG/L	1
SWB-7	12/5/2006	2-Nitropropane	<		0.93	3	UG/L	1
SWB-7	3/2/2007	2-Nitropropane	<		0.93	3	UG/L	1
SWB-7	6/1/2007	2-Nitropropane	<		0.93	3	UG/L	1
SWB-7	9/7/2007	2-Nitropropane	<		0.93	3	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	12/3/2007	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-7	3/6/2008	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-7	6/6/2008	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-7	9/8/2008	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-7	12/5/2008	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-7	3/2/2009	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-7	6/5/2009	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-7	9/9/2009	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-7	12/1/2009	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-7	3/2/2010	2-Nitropropane	<	3	1.6	3	UG/L	1	
SWB-7	6/1/2010	2-NITROPROPANE	<	1.6	1.6	3	UG/L	1	DNR
SWB-7	6/1/2010	2-NITROPROPANE	<	6.4	6.4	12	UG/L	1	
SWB-7	9/9/2010	2-NITROPROPANE	<	1.6	1.6	3	UG/L	1	
SWB-7	12/1/2010	2-NITROPROPANE	<	1.6	1.6	3	UG/L	1	
SWB-8	3/5/2004	2-Nitropropane	<		1.6	2	ug/L	1	
SWB-8	3/7/2005	2-Nitropropane	<		0.59	2	ug/L	1	
SWB-8	6/1/2005	2-Nitropropane	<		0.85	2	ug/L	1	
SWB-8	3/1/2006	2-Nitropropane	<		0.85	2	UG/L	1	
SWB-8	3/7/2008	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-8	3/3/2009	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-9	3/4/2003	2-Nitropropane	<		1.6	2	ug/L	1	
SWB-9	12/3/2003	2-Nitropropane	<		3.2	4	ug/L	2	
SWB-9	3/5/2004	2-Nitropropane	<		1.6	2	ug/L	1	
SWB-9	5/27/2004	2-Nitropropane	<		1.6	2	ug/L	1	
SWB-9	12/1/2004	2-Nitropropane	<		1.6	2	ug/L	1	
SWB-9	3/3/2005	2-Nitropropane	<		0.59	2	ug/L	1	
SWB-9	6/2/2005	2-Nitropropane	<		0.85	2	ug/L	1	
SWB-9	9/1/2005	2-Nitropropane	<		0.85	2	ug/L	1	UJ
SWB-9	12/1/2005	2-Nitropropane	<		0.85	2	UG/L	1	
SWB-9	3/2/2006	2-Nitropropane	<		3.4	8	UG/L	4	
SWB-9	6/1/2006	2-Nitropropane	<		0.93	2	UG/L	1	
SWB-9	12/4/2006	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-9	3/5/2007	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-9	3/6/2008	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-9	6/5/2008	2-Nitropropane	<		0.93	3	UG/L	1	R
SWB-9	12/5/2008	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-9	3/2/2009	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-9	6/2/2009	2-Nitropropane	<		0.93	3	UG/L	1	
SWB-9	3/1/2010	2-Nitropropane	<	3	1.6	3	ug/L	1	
SWB-9	6/1/2010	2-NITROPROPANE	<	1.6	1.6	3	UG/L	1	DNR
SWB-9	6/1/2010	2-NITROPROPANE	<	6.4	6.4	12	UG/L	1	
SWB-9	12/1/2010	2-NITROPROPANE	<	1.6	1.6	3	UG/L	1	
SWB-10	3/4/2004	2-Pentanone	<		1	2	ug/L	1	NA
SWB-10	5/24/2004	2-Pentanone	<		1	2	ug/L	1	
SWB-10	12/1/2004	2-Pentanone	<		1	2	ug/L	1	
SWB-10	3/3/2005	2-Pentanone	<		0.78	2	ug/L	1	
SWB-10	6/2/2005	2-Pentanone	<		0.82	2	ug/L	1	
SWB-10	9/1/2005	2-Pentanone	<		0.82	2	ug/L	1	
SWB-10	3/2/2006	2-Pentanone	<		3.3	8	UG/L	4	
SWB-10	6/2/2006	2-Pentanone	<		0.82	2	UG/L	1	
SWB-10	3/1/2007	2-Pentanone	<		0.82	5	UG/L	1	
SWB-10	3/7/2008	2-Pentanone	<		0.82	5	UG/L	1	
SWB-10	6/5/2008	2-Pentanone	<		0.82	5	UG/L	1	
SWB-10	3/2/2009	2-Pentanone	<		0.82	5	UG/L	1	
SWB-10	6/4/2009	2-Pentanone	<		0.82	5	UG/L	1	
SWB-10	3/2/2010	2-Pentanone	<	5	1	5	UG/L	1	
SWB-11	3/4/2004	2-Pentanone	<		1	2	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-11	5/24/2004	2-Pentanone	<		1	2	ug/L	1
SWB-11	12/1/2004	2-Pentanone	<		1	2	ug/L	1
SWB-11	3/1/2005	2-Pentanone	<		0.78	2	ug/L	1
SWB-11	6/2/2005	2-Pentanone	<		0.82	2	ug/L	1
SWB-11	3/2/2006	2-Pentanone	<		8.2	20	UG/L	10
SWB-11	6/1/2006	2-Pentanone	<		0.82	2	UG/L	1
SWB-11	3/1/2007	2-Pentanone	<		0.82	5	UG/L	1
SWB-11	3/7/2008	2-Pentanone	<		0.82	5	UG/L	1
SWB-11	6/5/2008	2-Pentanone	<		0.82	5	UG/L	1
SWB-11	3/2/2009	2-Pentanone	<		0.82	5	UG/L	1
SWB-11	6/4/2009	2-Pentanone	<		0.82	5	UG/L	1
SWB-11	3/1/2010	2-Pentanone	<	5	1	5	ug/L	1
SWB-11	6/2/2010	2-PENTANONE	<	1	1	5	UG/L	1
SWB-3	10/29/2002	2-Pentanone	<		1.4	2	ug/L	1
SWB-3	3/4/2003	2-Pentanone	<		1	2	ug/L	1
SWB-3	6/3/2003	2-Pentanone	<		1	2	ug/L	1
SWB-3	9/4/2003	2-Pentanone	<		1	2	ug/L	1 UJ
SWB-3	12/2/2003	2-Pentanone	<		1	2	ug/L	1
SWB-3	3/1/2004	2-Pentanone	<		1	2	ug/L	1
SWB-3	6/1/2004	2-Pentanone	<		1	2	ug/L	1
SWB-3	9/1/2004	2-Pentanone	<		1	2	ug/L	1
SWB-3	12/1/2004	2-Pentanone	<		1.7	3.3	ug/L	1.66
SWB-3	3/3/2005	2-Pentanone	<		0.78	2	ug/L	1
SWB-3	6/2/2005	2-Pentanone	<		0.82	2	ug/L	1
SWB-3	9/1/2005	2-Pentanone	<		0.82	2	ug/L	1
SWB-3	12/1/2005	2-Pentanone	<		1.6	4	UG/L	2
SWB-3	3/2/2006	2-Pentanone	<		3.3	8	UG/L	4
SWB-3	6/2/2006	2-Pentanone	<		0.82	2	UG/L	1
SWB-3	9/5/2006	2-Pentanone	<		0.82	5	UG/L	1
SWB-3	12/4/2006	2-Pentanone	<		0.82	5	UG/L	1
SWB-3	3/1/2007	2-Pentanone	<		0.82	5	UG/L	1
SWB-3	6/1/2007	2-Pentanone	<		0.82	5	UG/L	1
SWB-3	12/3/2007	2-Pentanone	<		0.82	5	UG/L	1
SWB-3	3/6/2008	2-Pentanone	<		0.82	5	UG/L	1
SWB-3	6/9/2008	2-Pentanone	<		0.82	5	UG/L	1
SWB-3	12/4/2008	2-Pentanone	<		0.82	5	UG/L	1
SWB-3	3/2/2009	2-Pentanone	<		0.82	5	UG/L	1
SWB-3	6/4/2009	2-Pentanone	<		0.82	5	UG/L	1
SWB-3	12/1/2009	2-Pentanone	<		0.82	5	UG/L	1
SWB-3	3/1/2010	2-Pentanone	<	5	1	5	ug/L	1
SWB-3	3/1/2010	2-Pentanone	<	10	2	10	ug/L	1 DNR
SWB-3	6/1/2010	2-PENTANONE	<	1	1	5	UG/L	1 DNR
SWB-3	6/1/2010	2-PENTANONE	<	4	4	20	UG/L	1
SWB-3	9/9/2010	2-PENTANONE	<	1	1	5	UG/L	1
SWB-4	11/15/2002	2-Pentanone	<		1.4	2	ug/L	1
SWB-5	10/29/2002	2-Pentanone	<		1.4	2	ug/L	1
SWB-6	3/4/2003	2-Pentanone	<		1	2	ug/L	1
SWB-6	6/3/2003	2-Pentanone	<		2	4	ug/L	2
SWB-6	12/3/2003	2-Pentanone	<		2	4	ug/L	2
SWB-6	3/5/2004	2-Pentanone	<		1	2	ug/L	1
SWB-6	6/1/2004	2-Pentanone	<		1	2	ug/L	1
SWB-6	12/1/2004	2-Pentanone	<		1	2	ug/L	1
SWB-6	3/7/2005	2-Pentanone	<		0.78	2	ug/L	1
SWB-6	6/1/2005	2-Pentanone	<		0.82	2	ug/L	1
SWB-6	12/2/2005	2-Pentanone	<		0.82	2	UG/L	1
SWB-6	3/1/2006	2-Pentanone	<		0.82	2	UG/L	1
SWB-6	6/1/2006	2-Pentanone	<		0.82	2	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	12/5/2006	2-Pentanone	<		0.82	5	UG/L	1	
SWB-6	3/2/2007	2-Pentanone	<		0.82	5	UG/L	1	
SWB-6	3/6/2008	2-Pentanone	<		0.82	5	UG/L	1	
SWB-6	6/9/2008	2-Pentanone	<		0.82	5	UG/L	1	
SWB-6	12/5/2008	2-Pentanone	<		0.82	5	UG/L	1	
SWB-6	3/2/2009	2-Pentanone	<		0.82	5	UG/L	1	
SWB-6	6/5/2009	2-Pentanone	<		0.82	5	UG/L	1	
SWB-6	3/2/2010	2-Pentanone	<	5	1	5	UG/L	1	
SWB-6	6/2/2010	2-PENTANONE	<	1	1	5	UG/L	1	
SWB-7	3/4/2003	2-Pentanone	<		1	2	ug/L	1	
SWB-7	6/3/2003	2-Pentanone	<		1	2	ug/L	1	
SWB-7	3/1/2004	2-Pentanone	<		1	2	ug/L	1	
SWB-7	5/24/2004	2-Pentanone	<		1	2	ug/L	1	
SWB-7	12/1/2004	2-Pentanone	<		1	2	ug/L	1	
SWB-7	3/7/2005	2-Pentanone	<		0.78	2	ug/L	1	
SWB-7	6/1/2005	2-Pentanone	<		0.82	2	ug/L	1	
SWB-7	9/1/2005	2-Pentanone	<		0.82	2	ug/L	1	
SWB-7	12/1/2005	2-Pentanone	<		0.82	2	UG/L	1	
SWB-7	3/1/2006	2-Pentanone	<		0.82	2	UG/L	1	
SWB-7	6/2/2006	2-Pentanone	<		0.82	2	UG/L	1	
SWB-7	9/5/2006	2-Pentanone	<		0.82	5	UG/L	1	
SWB-7	12/5/2006	2-Pentanone	<		0.82	5	UG/L	1	
SWB-7	3/2/2007	2-Pentanone	<		0.82	5	UG/L	1	
SWB-7	6/1/2007	2-Pentanone	<		0.82	5	UG/L	1	
SWB-7	9/7/2007	2-Pentanone	<		0.82	5	UG/L	1	
SWB-7	12/3/2007	2-Pentanone	<		0.82	5	UG/L	1	
SWB-7	3/6/2008	2-Pentanone	<		0.82	5	UG/L	1	
SWB-7	6/6/2008	2-Pentanone	<		0.82	5	UG/L	1	
SWB-7	9/8/2008	2-Pentanone	<		0.82	5	UG/L	1	
SWB-7	12/5/2008	2-Pentanone	<		0.82	5	UG/L	1	
SWB-7	3/2/2009	2-Pentanone	<		0.82	5	UG/L	1	
SWB-7	6/5/2009	2-Pentanone	<		0.82	5	UG/L	1	
SWB-7	9/9/2009	2-Pentanone	<		0.82	5	UG/L	1	
SWB-7	12/1/2009	2-Pentanone	<		0.82	5	UG/L	1	
SWB-7	3/2/2010	2-Pentanone	<	5	1	5	UG/L	1	
SWB-7	6/1/2010	2-PENTANONE	<	1	1	5	UG/L	1	DNR
SWB-7	6/1/2010	2-PENTANONE	<	4	4	20	UG/L	1	
SWB-7	9/9/2010	2-PENTANONE	<	1	1	5	UG/L	1	
SWB-7	12/1/2010	2-PENTANONE	<	1	1	5	UG/L	1	
SWB-8	3/5/2004	2-Pentanone	<		1	2	ug/L	1	
SWB-8	3/7/2005	2-Pentanone	<		0.78	2	ug/L	1	
SWB-8	6/1/2005	2-Pentanone	<		0.82	2	ug/L	1	
SWB-8	3/1/2006	2-Pentanone	<		0.82	2	UG/L	1	
SWB-8	3/7/2008	2-Pentanone	<		0.82	5	UG/L	1	
SWB-8	3/3/2009	2-Pentanone	<		0.82	5	UG/L	1	
SWB-9	3/4/2003	2-Pentanone	<		1	2	ug/L	1	
SWB-9	12/3/2003	2-Pentanone	<		2	4	ug/L	2	
SWB-9	3/5/2004	2-Pentanone	<		1	2	ug/L	1	
SWB-9	5/27/2004	2-Pentanone	<		1	2	ug/L	1	
SWB-9	12/1/2004	2-Pentanone	<		1	2	ug/L	1	
SWB-9	3/3/2005	2-Pentanone	<		0.78	2	ug/L	1	
SWB-9	6/2/2005	2-Pentanone	<		0.82	2	ug/L	1	
SWB-9	9/1/2005	2-Pentanone	<		0.82	2	ug/L	1	UJ
SWB-9	12/1/2005	2-Pentanone	<		0.82	2	UG/L	1	
SWB-9	3/2/2006	2-Pentanone	<		3.3	8	UG/L	4	
SWB-9	6/1/2006	2-Pentanone	<		0.82	2	UG/L	1	
SWB-9	12/4/2006	2-Pentanone	<		0.82	5	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-9	3/5/2007	2-Pentanone	<		0.82	5	UG/L	1	
SWB-9	3/6/2008	2-Pentanone	<		0.82	5	UG/L	1	
SWB-9	6/5/2008	2-Pentanone	<		0.82	5	UG/L	1	R
SWB-9	12/5/2008	2-Pentanone	<		0.82	5	UG/L	1	
SWB-9	3/2/2009	2-Pentanone	<		0.82	5	UG/L	1	
SWB-9	6/2/2009	2-Pentanone	<		0.82	5	UG/L	1	
SWB-9	3/1/2010	2-Pentanone	<	5	1	5	ug/L	1	
SWB-9	6/1/2010	2-PENTANONE	<	1	1	5	UG/L	1	DNR
SWB-9	6/1/2010	2-PENTANONE	<	4	4	20	UG/L	1	
SWB-9	12/1/2010	2-PENTANONE	<	1	1	5	UG/L	1	
SWB-10	3/4/2004	2-Picoline	<		3	20	ug/L	1	NA
SWB-10	5/24/2004	2-Picoline	<		3	20	ug/L	1	UJ
SWB-10	12/1/2004	2-Picoline	<		3	20	ug/L	1	
SWB-10	3/3/2005	2-Picoline	<		3	20	ug/L	1	
SWB-10	6/2/2005	2-Picoline	<		3	20	ug/L	1	
SWB-10	9/1/2005	2-Picoline	<		3	20	ug/L	1	
SWB-10	3/2/2006	2-Picoline	<		3	20	UG/L	1	
SWB-10	6/2/2006	2-Picoline	<		3	20	UG/L	1	
SWB-10	3/1/2007	2-Picoline	<		3	20	UG/L	1	
SWB-10	3/7/2008	2-Picoline	<		1.2	20	UG/L	1	
SWB-10	6/5/2008	2-Picoline	<		1.2	20	UG/L	1	
SWB-10	3/2/2009	2-Picoline	<		1.2	20	UG/L	1	
SWB-10	3/2/2009	2-Picoline	<		1.2	20	UG/L	1	R
SWB-10	6/4/2009	2-Picoline	<		1.2	20	UG/L	1	
SWB-10	3/2/2010	2-Picoline	<	19	1.1	19	UG/L	1	
SWB-11	3/4/2004	2-Picoline	<		3	20	ug/L	1	
SWB-11	5/24/2004	2-Picoline	<		3	20	ug/L	1	UJ
SWB-11	12/1/2004	2-Picoline	<		3	20	ug/L	1	
SWB-11	3/1/2005	2-Picoline	<		3	20	ug/L	1	
SWB-11	6/2/2005	2-Picoline	<		3	20	ug/L	1	
SWB-11	3/2/2006	2-Picoline	<		3	20	UG/L	1	
SWB-11	6/1/2006	2-Picoline	<		3	20	UG/L	1	
SWB-11	3/1/2007	2-Picoline	<		3	20	UG/L	1	
SWB-11	3/7/2008	2-Picoline	<		1.2	20	UG/L	1	
SWB-11	6/5/2008	2-Picoline	<		1.2	20	UG/L	1	
SWB-11	3/2/2009	2-Picoline	<		1.2	20	UG/L	1	
SWB-11	6/4/2009	2-Picoline	<		1.2	20	UG/L	1	
SWB-11	3/1/2010	2-Picoline	<		1.1	19	ug/L	1	
SWB-11	6/2/2010	2-PICOLINE	<	1.1	1.1	19	UG/L	1	
SWB-3	10/29/2002	2-Picoline	<		1.3	20	ug/L	1	
SWB-3	3/4/2003	2-Picoline	<		1.3	20	ug/L	1	
SWB-3	6/3/2003	2-Picoline	<		1.3	20	ug/L	1	
SWB-3	9/4/2003	2-Picoline	<		1	20	ug/L	1	UJ
SWB-3	12/2/2003	2-Picoline	<		1	20	ug/L	1	
SWB-3	3/1/2004	2-Picoline	<		3	20	ug/L	1	
SWB-3	6/1/2004	2-Picoline	<		3	20	ug/L	1	
SWB-3	9/1/2004	2-Picoline	<		3	20	ug/L	1	
SWB-3	12/1/2004	2-Picoline	<		3	20	ug/L	1	
SWB-3	3/3/2005	2-Picoline	<		3	20	ug/L	1	
SWB-3	6/2/2005	2-Picoline	<		3	20	ug/L	1	
SWB-3	9/1/2005	2-Picoline	<		3	20	ug/L	1	
SWB-3	12/1/2005	2-Picoline	<		3	20	UG/L	1	UJ
SWB-3	3/2/2006	2-Picoline	<		3	20	UG/L	1	
SWB-3	6/2/2006	2-Picoline	<		3	20	UG/L	1	
SWB-3	9/5/2006	2-Picoline	<		3	20	UG/L	1	
SWB-3	12/4/2006	2-Picoline	<		3	20	UG/L	1	
SWB-3	3/1/2007	2-Picoline	<		3	20	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	6/1/2007 2-Picoline	<		3	20	UG/L	1
SWB-3	6/1/2007 2-Picoline	<		3	20	UG/L	1 R
SWB-3	12/3/2007 2-Picoline	<		3	20	UG/L	1
SWB-3	3/6/2008 2-Picoline	<		1.2	20	UG/L	1
SWB-3	6/9/2008 2-Picoline	<		1.2	20	UG/L	1
SWB-3	12/4/2008 2-Picoline	<		1.2	20	UG/L	1
SWB-3	3/2/2009 2-Picoline	<		1.2	20	UG/L	1
SWB-3	3/2/2009 2-Picoline	<		1.2	20	UG/L	1 R
SWB-3	6/4/2009 2-Picoline	<		1.2	20	UG/L	1
SWB-3	12/1/2009 2-Picoline	<		1.2	20	UG/L	1
SWB-3	3/1/2010 2-Picoline	<	19	1.2	19	ug/L	1 UJ
SWB-3	6/1/2010 2-PICOLINE	<	1.1	1.1	19	UG/L	1
SWB-3	6/1/2010 2-PICOLINE	<	1.1	1.1	19	UG/L	1 DNR
SWB-3	9/9/2010 2-PICOLINE	<	1.1	1.1	19	UG/L	1
SWB-4	11/15/2002 2-Picoline	<		1.3	20	ug/L	1
SWB-5	10/29/2002 2-Picoline	<		1.3	20	ug/L	1
SWB-6	3/4/2003 2-Picoline	<		1.3	20	ug/L	1
SWB-6	6/3/2003 2-Picoline	<		1.3	20	ug/L	1
SWB-6	12/3/2003 2-Picoline	<		1	20	ug/L	1
SWB-6	3/5/2004 2-Picoline	<		3	20	ug/L	1
SWB-6	6/1/2004 2-Picoline	<		3	20	ug/L	1
SWB-6	12/1/2004 2-Picoline	<		3	20	ug/L	1
SWB-6	3/7/2005 2-Picoline	<		3	20	ug/L	1
SWB-6	6/1/2005 2-Picoline	<		3	20	ug/L	1
SWB-6	12/2/2005 2-Picoline	<		3	20	UG/L	1 UJ
SWB-6	3/1/2006 2-Picoline	<		3	20	UG/L	1
SWB-6	6/1/2006 2-Picoline	<		3	20	UG/L	1
SWB-6	12/5/2006 2-Picoline	<		3	20	UG/L	1
SWB-6	3/2/2007 2-Picoline	<		3	20	UG/L	1
SWB-6	3/6/2008 2-Picoline	<		1.2	20	UG/L	1
SWB-6	6/9/2008 2-Picoline	<		1.2	20	UG/L	1
SWB-6	12/5/2008 2-Picoline	<		1.2	20	UG/L	1
SWB-6	12/5/2008 2-Picoline	<		1.2	20	UG/L	1 R
SWB-6	3/2/2009 2-Picoline	<		1.2	20	UG/L	1
SWB-6	3/2/2009 2-Picoline	<		1.2	20	UG/L	1 R
SWB-6	6/5/2009 2-Picoline	<		1.2	20	UG/L	1
SWB-6	3/2/2010 2-Picoline	<	18	1.1	18	UG/L	1
SWB-6	6/2/2010 2-PICOLINE	<	1.1	1.1	19	UG/L	1
SWB-6	6/2/2010 2-PICOLINE	<	1.1	1.1	19	UG/L	1 DNR
SWB-7	3/4/2003 2-Picoline	<		1.3	20	ug/L	1
SWB-7	6/3/2003 2-Picoline	<		1.3	20	ug/L	1
SWB-7	3/1/2004 2-Picoline	<		3	20	ug/L	1
SWB-7	5/24/2004 2-Picoline	<		3	20	ug/L	1
SWB-7	12/1/2004 2-Picoline	<		3	20	ug/L	1
SWB-7	3/7/2005 2-Picoline	<		3	20	ug/L	1 UJ
SWB-7	6/1/2005 2-Picoline	<		3	20	ug/L	1
SWB-7	9/1/2005 2-Picoline	<		3	20	ug/L	1
SWB-7	12/1/2005 2-Picoline	<		3	20	UG/L	1 UJ
SWB-7	3/1/2006 2-Picoline	<		3	20	UG/L	1
SWB-7	6/2/2006 2-Picoline	<		3	20	UG/L	1
SWB-7	9/5/2006 2-Picoline	<		3	20	UG/L	1
SWB-7	12/5/2006 2-Picoline	<		3	20	UG/L	1
SWB-7	3/2/2007 2-Picoline	<		3	20	UG/L	1
SWB-7	6/1/2007 2-Picoline	<		3	20	UG/L	1
SWB-7	9/7/2007 2-Picoline	<		3	20	UG/L	1
SWB-7	12/3/2007 2-Picoline	<		3	20	UG/L	1
SWB-7	3/6/2008 2-Picoline	<		1.2	20	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	6/6/2008 2-Picoline	<		1.2	20	UG/L	1	
SWB-7	9/8/2008 2-Picoline	<		1.2	20	UG/L	1	
SWB-7	12/5/2008 2-Picoline	<		1.2	20	UG/L	1	
SWB-7	12/5/2008 2-Picoline	<		1.2	20	UG/L	1	R
SWB-7	3/2/2009 2-Picoline	<		1.2	20	UG/L	1	
SWB-7	3/2/2009 2-Picoline	<		1.2	20	UG/L	1	R
SWB-7	6/5/2009 2-Picoline	<		1.2	20	UG/L	1	
SWB-7	9/9/2009 2-Picoline	<		1.2	20	UG/L	1	
SWB-7	12/1/2009 2-Picoline	<		1.2	20	UG/L	1	
SWB-7	3/2/2010 2-Picoline	<	19	1.1	19	UG/L	1	
SWB-7	6/1/2010 2-PICOLINE	<	1.1	1.1	19	UG/L	1	DNR
SWB-7	6/1/2010 2-PICOLINE	<	1.2	1.2	20	UG/L	1	R
SWB-7	9/9/2010 2-PICOLINE	<	1.2	1.2	19	UG/L	1	
SWB-7	12/1/2010 2-PICOLINE	<	1.1	1.1	19	UG/L	1	
SWB-8	3/5/2004 2-Picoline	<		3	20	ug/L	1	
SWB-8	3/7/2005 2-Picoline	<		3	20	ug/L	1	
SWB-8	6/1/2005 2-Picoline	<		3	20	ug/L	1	
SWB-8	3/1/2006 2-Picoline	<		3	20	UG/L	1	
SWB-8	3/7/2008 2-Picoline	<		1.2	20	UG/L	1	
SWB-8	3/3/2009 2-Picoline	<		1.2	20	UG/L	1	
SWB-8	3/3/2009 2-Picoline	<		1.2	20	UG/L	1	R
SWB-9	3/4/2003 2-Picoline	<		1.3	20	ug/L	1	
SWB-9	12/3/2003 2-Picoline	<		1	20	ug/L	1	
SWB-9	3/5/2004 2-Picoline	<		3	20	ug/L	1	
SWB-9	5/27/2004 2-Picoline	<		3	20	ug/L	1	UJ
SWB-9	12/1/2004 2-Picoline	<		3	20	ug/L	1	
SWB-9	3/3/2005 2-Picoline	<		3	20	ug/L	1	
SWB-9	6/2/2005 2-Picoline	<		3	20	ug/L	1	
SWB-9	9/1/2005 2-Picoline	<		3	20	ug/L	1	
SWB-9	12/1/2005 2-Picoline	<		3	20	UG/L	1	UJ
SWB-9	3/2/2006 2-Picoline	<		3	20	UG/L	1	
SWB-9	6/1/2006 2-Picoline	<		3	20	UG/L	1	
SWB-9	12/4/2006 2-Picoline	<		3	20	UG/L	1	
SWB-9	3/5/2007 2-Picoline	<		3	20	UG/L	1	
SWB-9	3/6/2008 2-Picoline	<		1.2	20	UG/L	1	
SWB-9	6/5/2008 2-Picoline	<		1.2	20	UG/L	1	
SWB-9	12/5/2008 2-Picoline	<		1.2	20	UG/L	1	
SWB-9	12/5/2008 2-Picoline	<		1.2	20	UG/L	1	R
SWB-9	3/2/2009 2-Picoline	<		1.2	20	UG/L	1	
SWB-9	3/2/2009 2-Picoline	<		1.2	20	UG/L	1	R
SWB-9	6/2/2009 2-Picoline	<		1.2	20	UG/L	1	
SWB-9	6/2/2009 2-Picoline	<		1.2	20	UG/L	1	DNR
SWB-9	3/1/2010 2-Picoline	<	18	1.1	18	ug/L	1	
SWB-9	6/1/2010 2-PICOLINE	<	1.1	1.1	19	UG/L	1	
SWB-9	6/1/2010 2-PICOLINE	<	1.1	1.1	19	UG/L	1	DNR
SWB-9	12/1/2010 2-PICOLINE	<	1.1	1.1	19	UG/L	1	
SWB-7	3/6/2008 2-proanol	TI	400			UG/L	1	NJ NA
SWB-10	3/4/2004 3,3'-DICHLOOROBENZIDINE	<		8	50	ug/L	1	NA
SWB-10	5/24/2004 3,3'-DICHLOOROBENZIDINE	<		8	50	ug/L	1	UJ
SWB-10	12/1/2004 3,3'-DICHLOOROBENZIDINE	<		8	50	ug/L	1	
SWB-10	3/3/2005 3,3'-DICHLOOROBENZIDINE	<		0.63	50	ug/L	1	
SWB-10	6/2/2005 3,3'-DICHLOOROBENZIDINE	<		0.63	50	ug/L	1	
SWB-10	9/1/2005 3,3'-Dichlorobenzidine	<		0.63	50	ug/L	1	
SWB-10	3/2/2006 3,3'-Dichlorobenzidine	<		0.63	20	UG/L	1	
SWB-10	3/2/2006 3,3'-Dichlorobenzidine	<		0.09	5	UG/L	1	
SWB-10	6/2/2006 3,3'-Dichlorobenzidine	<		2	20	UG/L	1	
SWB-10	6/2/2006 3,3'-Dichlorobenzidine	<		0.09	5	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-10	3/1/2007	3,3'-Dichlorobenzidine	<		2	20	UG/L	1
SWB-10	3/1/2007	3,3'-Dichlorobenzidine	<		0.09	5	UG/L	1
SWB-10	3/7/2008	3,3'-Dichlorobenzidine	<		2	20	UG/L	1
SWB-10	3/7/2008	3,3'-Dichlorobenzidine	<		0.93	5	UG/L	1
SWB-10	6/5/2008	3,3'-Dichlorobenzidine	<		2	20	UG/L	1
SWB-10	6/5/2008	3,3'-Dichlorobenzidine	<		0.93	5	UG/L	1
SWB-10	3/2/2009	3,3'-Dichlorobenzidine	<		2	20	UG/L	1 R
SWB-10	3/2/2009	3,3'-Dichlorobenzidine	<		0.93	5	UG/L	1 R
SWB-10	6/4/2009	3,3'-Dichlorobenzidine	<		2	20	UG/L	1 DNR
SWB-10	6/4/2009	3,3'-Dichlorobenzidine	<		0.93	5	UG/L	1 R
SWB-10	3/2/2010	3,3'-Dichlorobenzidine	<	19	1.9	19	UG/L	1 DNR
SWB-10	3/2/2010	3,3'-Dichlorobenzidine	<	4.8	0.91	4.8	UG/L	1 UJ
SWB-11	3/4/2004	3,3'-DICHLOROBENZIDINE	<		8	50	ug/L	1
SWB-11	5/24/2004	3,3'-DICHLOROBENZIDINE	<		8	50	ug/L	1 UJ
SWB-11	12/1/2004	3,3'-DICHLOROBENZIDINE	<		8	50	ug/L	1
SWB-11	3/1/2005	3,3'-DICHLOROBENZIDINE	<		0.63	50	ug/L	1
SWB-11	6/2/2005	3,3'-DICHLOROBENZIDINE	<		0.63	50	ug/L	1
SWB-11	3/2/2006	3,3'-Dichlorobenzidine	<		0.63	20	UG/L	1
SWB-11	3/2/2006	3,3'-Dichlorobenzidine	<		0.09	5	UG/L	1
SWB-11	6/1/2006	3,3'-Dichlorobenzidine	<		2	20	UG/L	1
SWB-11	6/1/2006	3,3'-Dichlorobenzidine	<		0.09	5	UG/L	1
SWB-11	3/1/2007	3,3'-Dichlorobenzidine	<		2	20	UG/L	1
SWB-11	3/1/2007	3,3'-Dichlorobenzidine	<		0.09	5	UG/L	1
SWB-11	3/7/2008	3,3'-Dichlorobenzidine	<		2	20	UG/L	1
SWB-11	3/7/2008	3,3'-Dichlorobenzidine	<		0.93	5	UG/L	1
SWB-11	6/5/2008	3,3'-Dichlorobenzidine	<		2	20	UG/L	1
SWB-11	6/5/2008	3,3'-Dichlorobenzidine	<		0.93	5	UG/L	1
SWB-11	3/2/2009	3,3'-Dichlorobenzidine	<		2	20	UG/L	1 R
SWB-11	3/2/2009	3,3'-Dichlorobenzidine	<		0.93	5	UG/L	1 R
SWB-11	6/4/2009	3,3'-Dichlorobenzidine	<		2	20	UG/L	1 DNR
SWB-11	6/4/2009	3,3'-Dichlorobenzidine	<		0.93	5	UG/L	1 DNR
SWB-11	6/4/2009	3,3'-Dichlorobenzidine	<		0.93	5	UG/L	1 R
SWB-11	3/1/2010	3,3'-Dichlorobenzidine	<	19	1.9	19	ug/L	1 DNR
SWB-11	3/1/2010	3,3'-Dichlorobenzidine	<	4.8	0.9	4.8	ug/L	1 UJ
SWB-11	6/2/2010	3,3'-DICHLOROBENZIDINE	<	0.89	0.89	4.8	UG/L	1 UJ
SWB-11	6/2/2010	3,3'-DICHLOROBENZIDINE	<	0.93	0.93	5	UG/L	1 DNR
SWB-11	6/2/2010	3,3'-DICHLOROBENZIDINE	<	1.9	1.9	19	UG/L	1 DNR
SWB-3	10/29/2002	3,3'-DICHLOROBENZIDINE	<		8.4	50	ug/L	1
SWB-3	3/4/2003	3,3'-DICHLOROBENZIDINE	<		8.4	50	ug/L	1
SWB-3	6/3/2003	3,3'-DICHLOROBENZIDINE	<		8.4	50	ug/L	1
SWB-3	9/4/2003	3,3'-DICHLOROBENZIDINE	<		8.4	50	ug/L	1 UJ
SWB-3	12/2/2003	3,3'-DICHLOROBENZIDINE	<		8	50	ug/L	1
SWB-3	3/1/2004	3,3'-DICHLOROBENZIDINE	<		8	50	ug/L	1
SWB-3	6/1/2004	3,3'-DICHLOROBENZIDINE	<		8	50	ug/L	1
SWB-3	9/1/2004	3,3'-DICHLOROBENZIDINE	<		8	50	ug/L	1
SWB-3	12/1/2004	3,3'-DICHLOROBENZIDINE	<		8	50	ug/L	1
SWB-3	3/3/2005	3,3'-DICHLOROBENZIDINE	<		0.63	50	ug/L	1
SWB-3	6/2/2005	3,3'-DICHLOROBENZIDINE	<		0.63	50	ug/L	1
SWB-3	9/1/2005	3,3'-Dichlorobenzidine	<		0.63	50	ug/L	1
SWB-3	12/1/2005	3,3'-Dichlorobenzidine	<		0.63	20	UG/L	1 UJ
SWB-3	3/2/2006	3,3'-Dichlorobenzidine	<		0.63	20	UG/L	1
SWB-3	3/2/2006	3,3'-Dichlorobenzidine	<		0.09	5	UG/L	1
SWB-3	6/2/2006	3,3'-Dichlorobenzidine	<		2	20	UG/L	1
SWB-3	6/2/2006	3,3'-Dichlorobenzidine	<		0.09	5	UG/L	1
SWB-3	9/5/2006	3,3'-Dichlorobenzidine	<		2	20	UG/L	1
SWB-3	9/5/2006	3,3'-Dichlorobenzidine	<		0.09	5	UG/L	1
SWB-3	12/4/2006	3,3'-Dichlorobenzidine	<		2	20	UG/L	1



tmpAnalyticalResultsOverTime

SWB-3	12/4/2006	3,3'-Dichlorobenzidine	<	0.09	5	UG/L	1
SWB-3	3/1/2007	3,3'-Dichlorobenzidine	<	2	20	UG/L	1
SWB-3	3/1/2007	3,3'-Dichlorobenzidine	<	0.09	5	UG/L	1
SWB-3	6/1/2007	3,3'-Dichlorobenzidine	<	2	20	UG/L	1
SWB-3	6/1/2007	3,3'-Dichlorobenzidine	<	2	20	UG/L	1 R
SWB-3	6/1/2007	3,3'-Dichlorobenzidine	<	0.09	5	UG/L	1
SWB-3	12/3/2007	3,3'-Dichlorobenzidine	<	2	20	UG/L	1
SWB-3	12/3/2007	3,3'-Dichlorobenzidine	<	0.93	5	UG/L	1
SWB-3	3/6/2008	3,3'-Dichlorobenzidine	<	2	20	UG/L	1
SWB-3	3/6/2008	3,3'-Dichlorobenzidine	<	0.93	5	UG/L	1
SWB-3	6/9/2008	3,3'-Dichlorobenzidine	<	2	20	UG/L	1
SWB-3	6/9/2008	3,3'-Dichlorobenzidine	<	0.93	5	UG/L	1
SWB-3	12/4/2008	3,3'-Dichlorobenzidine	<	2	20	UG/L	1
SWB-3	12/4/2008	3,3'-Dichlorobenzidine	<	0.93	5	UG/L	1
SWB-3	3/2/2009	3,3'-Dichlorobenzidine	<	2	20	UG/L	1
SWB-3	3/2/2009	3,3'-Dichlorobenzidine	<	2	20	UG/L	1 R
SWB-3	3/2/2009	3,3'-Dichlorobenzidine	<	0.93	5	UG/L	1 R
SWB-3	6/4/2009	3,3'-Dichlorobenzidine	<	2	20	UG/L	1 DNR
SWB-3	6/4/2009	3,3'-Dichlorobenzidine	<	0.93	5	UG/L	1 R
SWB-3	12/1/2009	3,3'-Dichlorobenzidine	<	2	20	UG/L	1
SWB-3	12/1/2009	3,3'-Dichlorobenzidine	<	0.93	5	UG/L	1 DNR
SWB-3	12/1/2009	3,3'-Dichlorobenzidine	<	0.93	5	UG/L	1 R
SWB-3	3/1/2010	3,3'-Dichlorobenzidine	<	19	1.9	ug/L	1 DNR
SWB-3	3/1/2010	3,3'-Dichlorobenzidine	<	4.9	0.91	ug/L	1 UJ
SWB-3	6/1/2010	3,3'-DICHLORO BENZIDINE	<	0.9	0.9	UG/L	1
SWB-3	6/1/2010	3,3'-DICHLORO BENZIDINE	<	1.9	1.9	UG/L	1 DNR
SWB-3	9/9/2010	3,3'-DICHLORO BENZIDINE	<	0.88	0.88	UG/L	1
SWB-3	9/9/2010	3,3'-DICHLORO BENZIDINE	<	1.9	1.9	UG/L	1 DNR
SWB-4	11/15/2002	3,3'-DICHLORO BENZIDINE	<	8.4	50	ug/L	1
SWB-5	10/29/2002	3,3'-DICHLORO BENZIDINE	<	8.4	50	ug/L	1
SWB-6	3/4/2003	3,3'-DICHLORO BENZIDINE	<	8.4	50	ug/L	1
SWB-6	6/3/2003	3,3'-DICHLORO BENZIDINE	<	8.4	50	ug/L	1
SWB-6	12/3/2003	3,3'-DICHLORO BENZIDINE	<	8	50	ug/L	1
SWB-6	3/5/2004	3,3'-DICHLORO BENZIDINE	<	8	50	ug/L	1
SWB-6	6/1/2004	3,3'-DICHLORO BENZIDINE	<	8	50	ug/L	1
SWB-6	12/1/2004	3,3'-DICHLORO BENZIDINE	<	8	50	ug/L	1
SWB-6	3/7/2005	3,3'-DICHLORO BENZIDINE	<	0.63	50	ug/L	1
SWB-6	6/1/2005	3,3'-DICHLORO BENZIDINE	<	0.63	50	ug/L	1
SWB-6	12/2/2005	3,3'-Dichlorobenzidine	<	0.63	20	UG/L	1 UJ
SWB-6	3/1/2006	3,3'-Dichlorobenzidine	<	0.63	20	UG/L	1
SWB-6	3/1/2006	3,3'-Dichlorobenzidine	<	0.09	5	UG/L	1
SWB-6	6/1/2006	3,3'-Dichlorobenzidine	<	2	20	UG/L	1
SWB-6	6/1/2006	3,3'-Dichlorobenzidine	<	0.09	5	UG/L	1
SWB-6	12/5/2006	3,3'-Dichlorobenzidine	<	2	20	UG/L	1
SWB-6	12/5/2006	3,3'-Dichlorobenzidine	<	0.09	5	UG/L	1
SWB-6	3/2/2007	3,3'-Dichlorobenzidine	<	2	20	UG/L	1
SWB-6	3/2/2007	3,3'-Dichlorobenzidine	<	0.09	5	UG/L	1
SWB-6	3/6/2008	3,3'-Dichlorobenzidine	<	2	20	UG/L	1
SWB-6	3/6/2008	3,3'-Dichlorobenzidine	<	0.93	5	UG/L	1
SWB-6	6/9/2008	3,3'-Dichlorobenzidine	<	2	20	UG/L	1
SWB-6	6/9/2008	3,3'-Dichlorobenzidine	<	0.93	5	UG/L	1
SWB-6	12/5/2008	3,3'-Dichlorobenzidine	<	2	20	UG/L	1 R
SWB-6	12/5/2008	3,3'-Dichlorobenzidine	<	0.93	5	UG/L	1 R
SWB-6	3/2/2009	3,3'-Dichlorobenzidine	<	2	20	UG/L	1 R
SWB-6	3/2/2009	3,3'-Dichlorobenzidine	<	0.93	5	UG/L	1 R
SWB-6	6/5/2009	3,3'-Dichlorobenzidine	<	2	20	UG/L	1 DNR
SWB-6	6/5/2009	3,3'-Dichlorobenzidine	<	0.93	5	UG/L	1 R

tmpAnalyticalResultsOverTime

SWB-6	3/2/2010	3,3'-Dichlorobenzidine	<	18	1.8	18	UG/L	1 DNR
SWB-6	3/2/2010	3,3'-Dichlorobenzidine	<	4.6	0.86	4.6	UG/L	1 UJ
SWB-6	6/2/2010	3,3'-DICHLOBENZIDINE	<	0.89	0.89	4.7	UG/L	1 UJ
SWB-6	6/2/2010	3,3'-DICHLOBENZIDINE	<	0.93	0.93	5	UG/L	1 DNR
SWB-6	6/2/2010	3,3'-DICHLOBENZIDINE	<	1.9	1.9	19	UG/L	1 DNR
SWB-7	3/4/2003	3,3'-DICHLOBENZIDINE	<		8.4	50	ug/L	1
SWB-7	6/3/2003	3,3'-DICHLOBENZIDINE	<		8.4	50	ug/L	1
SWB-7	3/1/2004	3,3'-DICHLOBENZIDINE	<		8	50	ug/L	1
SWB-7	5/24/2004	3,3'-DICHLOBENZIDINE	<		8	50	ug/L	1
SWB-7	12/1/2004	3,3'-DICHLOBENZIDINE	<		8	50	ug/L	1
SWB-7	3/7/2005	3,3'-DICHLOBENZIDINE	<		0.63	50	ug/L	1 UJ
SWB-7	6/1/2005	3,3'-DICHLOBENZIDINE	<		0.63	50	ug/L	1
SWB-7	9/1/2005	3,3'-Dichlorobenzidine	<		0.63	50	ug/L	1
SWB-7	12/1/2005	3,3'-Dichlorobenzidine	<		0.63	20	UG/L	1 UJ
SWB-7	3/1/2006	3,3'-Dichlorobenzidine	<		0.63	20	UG/L	1
SWB-7	3/1/2006	3,3'-Dichlorobenzidine	<		0.09	5	UG/L	1
SWB-7	6/2/2006	3,3'-Dichlorobenzidine	<		2	20	UG/L	1
SWB-7	6/2/2006	3,3'-Dichlorobenzidine	<		0.09	5	UG/L	1
SWB-7	9/5/2006	3,3'-Dichlorobenzidine	<		2	20	UG/L	1 UJ
SWB-7	9/5/2006	3,3'-Dichlorobenzidine	<		0.09	5	UG/L	1
SWB-7	12/5/2006	3,3'-Dichlorobenzidine	<		2	20	UG/L	1
SWB-7	12/5/2006	3,3'-Dichlorobenzidine	<		0.09	5	UG/L	1
SWB-7	3/2/2007	3,3'-Dichlorobenzidine	<		2	20	UG/L	1
SWB-7	3/2/2007	3,3'-Dichlorobenzidine	<		0.09	5	UG/L	1
SWB-7	6/1/2007	3,3'-Dichlorobenzidine	<		2	20	UG/L	1
SWB-7	6/1/2007	3,3'-Dichlorobenzidine	<		0.09	5	UG/L	1
SWB-7	9/7/2007	3,3'-Dichlorobenzidine	<		2	20	UG/L	1
SWB-7	9/7/2007	3,3'-Dichlorobenzidine	<		0.93	5	UG/L	1
SWB-7	12/3/2007	3,3'-Dichlorobenzidine	<		2	20	UG/L	1
SWB-7	12/3/2007	3,3'-Dichlorobenzidine	<		0.93	5	UG/L	1
SWB-7	3/6/2008	3,3'-Dichlorobenzidine	<		2	20	UG/L	1
SWB-7	3/6/2008	3,3'-Dichlorobenzidine	<		0.93	5	UG/L	1
SWB-7	6/6/2008	3,3'-Dichlorobenzidine	<		2	20	UG/L	1
SWB-7	6/6/2008	3,3'-Dichlorobenzidine	<		0.93	5	UG/L	1
SWB-7	9/8/2008	3,3'-Dichlorobenzidine	<		2	20	UG/L	1 UJ
SWB-7	9/8/2008	3,3'-Dichlorobenzidine	<		0.93	5	UG/L	1 R
SWB-7	12/5/2008	3,3'-Dichlorobenzidine	<		2	20	UG/L	1 R
SWB-7	12/5/2008	3,3'-Dichlorobenzidine	<		0.93	5	UG/L	1 R
SWB-7	3/2/2009	3,3'-Dichlorobenzidine	<		2	20	UG/L	1 R
SWB-7	3/2/2009	3,3'-Dichlorobenzidine	<		0.93	5	UG/L	1 R
SWB-7	6/5/2009	3,3'-Dichlorobenzidine	<		2	20	UG/L	1 DNR
SWB-7	6/5/2009	3,3'-Dichlorobenzidine	<		0.93	5	UG/L	1 R
SWB-7	9/9/2009	3,3'-Dichlorobenzidine	<		2	20	UG/L	1
SWB-7	9/9/2009	3,3'-Dichlorobenzidine	<		0.93	5	UG/L	1 R
SWB-7	12/1/2009	3,3'-Dichlorobenzidine	<		2	20	UG/L	1
SWB-7	12/1/2009	3,3'-Dichlorobenzidine	<		0.93	5	UG/L	1 R
SWB-7	3/2/2010	3,3'-Dichlorobenzidine	<		19	1.9	UG/L	1 DNR
SWB-7	3/2/2010	3,3'-Dichlorobenzidine	<		4.7	0.88	UG/L	1 UJ
SWB-7	6/1/2010	3,3'-DICHLOBENZIDINE	<		0.92	0.92	UG/L	1
SWB-7	6/1/2010	3,3'-DICHLOBENZIDINE	<		1.9	1.9	UG/L	1 DNR
SWB-7	6/1/2010	3,3'-DICHLOBENZIDINE	<		2	2	UG/L	1 DNR
SWB-7	9/9/2010	3,3'-DICHLOBENZIDINE	<		0.93	0.93	UG/L	1
SWB-7	9/9/2010	3,3'-DICHLOBENZIDINE	<		1.9	1.9	UG/L	1 DNR
SWB-7	12/1/2010	3,3'-DICHLOBENZIDINE	<		0.88	0.88	UG/L	1 R
SWB-7	12/1/2010	3,3'-DICHLOBENZIDINE	<		1.9	1.9	UG/L	1 DNR
SWB-8	3/5/2004	3,3'-DICHLOBENZIDINE	<		8	50	ug/L	1
SWB-8	3/7/2005	3,3'-DICHLOBENZIDINE	<		0.63	50	ug/L	1

tmpAnalyticalResultsOverTime

SWB-8	6/1/2005	3,3'-DICHLOROBENZIDINE	<	0.63	50	ug/L	1	
SWB-8	3/1/2006	3,3'-Dichlorobenzidine	<	0.63	20	UG/L	1	
SWB-8	3/1/2006	3,3'-Dichlorobenzidine	<	0.09	5	UG/L	1	
SWB-8	3/7/2008	3,3'-Dichlorobenzidine	<	2	20	UG/L	1	
SWB-8	3/7/2008	3,3'-Dichlorobenzidine	<	0.93	5	UG/L	1	
SWB-8	3/3/2009	3,3'-Dichlorobenzidine	<	2	20	UG/L	1	R
SWB-8	3/3/2009	3,3'-Dichlorobenzidine	<	0.93	5	UG/L	1	R
SWB-9	3/4/2003	3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
SWB-9	12/3/2003	3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
SWB-9	3/5/2004	3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
SWB-9	5/27/2004	3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	UJ
SWB-9	12/1/2004	3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
SWB-9	3/3/2005	3,3'-DICHLOROBENZIDINE	<	0.63	50	ug/L	1	
SWB-9	6/2/2005	3,3'-DICHLOROBENZIDINE	<	0.63	50	ug/L	1	
SWB-9	9/1/2005	3,3'-Dichlorobenzidine	<	0.63	50	ug/L	1	
SWB-9	12/1/2005	3,3'-Dichlorobenzidine	<	0.63	20	UG/L	1	UJ
SWB-9	3/2/2006	3,3'-Dichlorobenzidine	<	0.63	20	UG/L	1	
SWB-9	3/2/2006	3,3'-Dichlorobenzidine	<	0.09	5	UG/L	1	
SWB-9	6/1/2006	3,3'-Dichlorobenzidine	<	2	20	UG/L	1	
SWB-9	6/1/2006	3,3'-Dichlorobenzidine	<	0.09	5	UG/L	1	
SWB-9	12/4/2006	3,3'-Dichlorobenzidine	<	2	20	UG/L	1	
SWB-9	12/4/2006	3,3'-Dichlorobenzidine	<	0.09	5	UG/L	1	
SWB-9	3/5/2007	3,3'-Dichlorobenzidine	<	2	20	UG/L	1	
SWB-9	3/5/2007	3,3'-Dichlorobenzidine	<	0.09	5	UG/L	1	
SWB-9	3/6/2008	3,3'-Dichlorobenzidine	<	2	20	UG/L	1	
SWB-9	3/6/2008	3,3'-Dichlorobenzidine	<	0.93	5	UG/L	1	
SWB-9	6/5/2008	3,3'-Dichlorobenzidine	<	2	20	UG/L	1	
SWB-9	6/5/2008	3,3'-Dichlorobenzidine	<	0.93	5	UG/L	1	
SWB-9	6/5/2008	3,3'-Dichlorobenzidine	<	4.7	25	UG/L	5	
SWB-9	12/5/2008	3,3'-Dichlorobenzidine	<	2	20	UG/L	1	R
SWB-9	12/5/2008	3,3'-Dichlorobenzidine	<	0.93	5	UG/L	1	R
SWB-9	3/2/2009	3,3'-Dichlorobenzidine	<	2	20	UG/L	1	R
SWB-9	3/2/2009	3,3'-Dichlorobenzidine	<	0.93	5	UG/L	1	R
SWB-9	6/2/2009	3,3'-Dichlorobenzidine	<	2	20	UG/L	1	DNR
SWB-9	6/2/2009	3,3'-Dichlorobenzidine	<	0.93	5	UG/L	1	DNR
SWB-9	6/2/2009	3,3'-Dichlorobenzidine	<	0.93	5	UG/L	1	R
SWB-9	3/1/2010	3,3'-Dichlorobenzidine	<	18	18	ug/L	1	DNR
SWB-9	3/1/2010	3,3'-Dichlorobenzidine	<	4.7	4.7	ug/L	1	UJ
SWB-9	6/1/2010	3,3'-DICHLOROBENZIDINE	<	0.89	4.7	UG/L	1	
SWB-9	6/1/2010	3,3'-DICHLOROBENZIDINE	<	1.9	19	UG/L	1	DNR
SWB-9	12/1/2010	3,3'-DICHLOROBENZIDINE	<	0.89	4.8	UG/L	1	R
SWB-9	12/1/2010	3,3'-DICHLOROBENZIDINE	<	1.9	19	UG/L	1	DNR
SWB-10	3/4/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	NA
SWB-10	5/24/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	UJ
SWB-10	12/1/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-10	3/3/2005	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-10	6/2/2005	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-10	9/1/2005	3,3'-Dimethylbenzidine	<	4	20	ug/L	1	
SWB-10	3/2/2006	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-10	6/2/2006	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1	
SWB-10	3/1/2007	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1	
SWB-10	3/7/2008	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-10	6/5/2008	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-10	3/2/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-10	3/2/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	R
SWB-10	6/4/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-10	3/2/2010	3,3'-Dimethylbenzidine	<	19	3.7	19	UG/L	1

tmpAnalyticalResultsOverTime

SWB-11	3/4/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-11	5/24/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1 UJ	
SWB-11	12/1/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-11	3/1/2005	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-11	6/2/2005	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-11	3/2/2006	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-11	6/1/2006	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1	
SWB-11	3/1/2007	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1	
SWB-11	3/7/2008	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-11	6/5/2008	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-11	3/2/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-11	6/4/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-11	3/1/2010	3,3'-Dimethylbenzidine	<	19	3.7	19	ug/L	1
SWB-11	6/2/2010	3,3'-DIMETHYLBENZIDINE	<	3.8	3.8	19	UG/L	1
SWB-3	10/29/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
SWB-3	3/4/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
SWB-3	6/3/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
SWB-3	9/4/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1 UJ	
SWB-3	12/2/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
SWB-3	3/1/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-3	6/1/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-3	9/1/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-3	12/1/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-3	3/3/2005	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-3	6/2/2005	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-3	9/1/2005	3,3'-Dimethylbenzidine	<	4	20	ug/L	1	
SWB-3	12/1/2005	3,3'-Dimethylbenzidine	<	4	20	UG/L	1 UJ	
SWB-3	3/2/2006	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-3	6/2/2006	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1	
SWB-3	9/5/2006	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1	
SWB-3	12/4/2006	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1	
SWB-3	3/1/2007	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1	
SWB-3	6/1/2007	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1	
SWB-3	6/1/2007	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1 R	
SWB-3	12/3/2007	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1	
SWB-3	3/6/2008	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-3	6/9/2008	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-3	12/4/2008	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-3	3/2/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-3	3/2/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1 R	
SWB-3	6/4/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-3	12/1/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-3	3/1/2010	3,3'-Dimethylbenzidine	<	19	3.9	19	ug/L	1 UJ
SWB-3	6/1/2010	3,3'-DIMETHYLBENZIDINE	<	3.7	3.7	19	UG/L	1
SWB-3	6/1/2010	3,3'-DIMETHYLBENZIDINE	<	3.8	3.8	19	UG/L	1 DNR
SWB-3	9/9/2010	3,3'-DIMETHYLBENZIDINE	<	3.7	3.7	19	UG/L	1
SWB-4	11/15/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
SWB-5	10/29/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
SWB-6	3/4/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
SWB-6	6/3/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
SWB-6	12/3/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
SWB-6	3/5/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-6	6/1/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-6	12/1/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-6	3/7/2005	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-6	6/1/2005	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-6	12/2/2005	3,3'-Dimethylbenzidine	<	4	20	UG/L	1 UJ	

tmpAnalyticalResultsOverTime

SWB-6	3/1/2006	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-6	6/1/2006	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1	
SWB-6	12/5/2006	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1	
SWB-6	3/2/2007	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1	
SWB-6	3/6/2008	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-6	6/9/2008	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-6	12/5/2008	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-6	12/5/2008	3,3'-Dimethylbenzidine	<	4	20	UG/L	1 R	
SWB-6	3/2/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-6	3/2/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1 R	
SWB-6	6/5/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-6	3/2/2010	3,3'-Dimethylbenzidine	<	18	3.6	18	UG/L	1
SWB-6	6/2/2010	3,3'-DIMETHYLBENZIDINE	<	3.8	3.8	19	UG/L	1
SWB-6	6/2/2010	3,3'-DIMETHYLBENZIDINE	<	3.8	3.8	19	UG/L	1 DNR
SWB-7	3/4/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
SWB-7	6/3/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
SWB-7	3/1/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-7	5/24/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-7	12/1/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-7	3/7/2005	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1 UJ	
SWB-7	6/1/2005	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-7	9/1/2005	3,3'-Dimethylbenzidine	<	4	20	ug/L	1	
SWB-7	12/1/2005	3,3'-Dimethylbenzidine	<	4	20	UG/L	1 UJ	
SWB-7	3/1/2006	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-7	6/2/2006	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1	
SWB-7	9/5/2006	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1 UJ	
SWB-7	12/5/2006	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1	
SWB-7	3/2/2007	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1	
SWB-7	6/1/2007	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1	
SWB-7	9/7/2007	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1	
SWB-7	12/3/2007	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1	
SWB-7	3/6/2008	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-7	6/6/2008	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-7	9/8/2008	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-7	12/5/2008	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-7	12/5/2008	3,3'-Dimethylbenzidine	<	4	20	UG/L	1 R	
SWB-7	3/2/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-7	3/2/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1 R	
SWB-7	6/5/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-7	9/9/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-7	12/1/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-7	3/2/2010	3,3'-Dimethylbenzidine	<	19	3.8	19	UG/L	1
SWB-7	6/1/2010	3,3'-DIMETHYLBENZIDINE	<	3.8	3.8	19	UG/L	1 DNR
SWB-7	6/1/2010	3,3'-DIMETHYLBENZIDINE	<	4	4	20	UG/L	1 R
SWB-7	9/9/2010	3,3'-DIMETHYLBENZIDINE	<	3.9	3.9	19	UG/L	1
SWB-7	12/1/2010	3,3'-DIMETHYLBENZIDINE	<	3.7	3.7	19	UG/L	1
SWB-8	3/5/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-8	3/7/2005	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-8	6/1/2005	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-8	3/1/2006	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-8	3/7/2008	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-8	3/3/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	
SWB-8	3/3/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1 R	
SWB-9	3/4/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
SWB-9	12/3/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
SWB-9	3/5/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
SWB-9	5/27/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1 UJ	

tmpAnalyticalResultsOverTime

SWB-9	12/1/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1		
SWB-9	3/3/2005	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1		
SWB-9	6/2/2005	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1		
SWB-9	9/1/2005	3,3'-Dimethylbenzidine	<	4	20	ug/L	1		
SWB-9	12/1/2005	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	UJ	
SWB-9	3/2/2006	3,3'-Dimethylbenzidine	<	4	20	UG/L	1		
SWB-9	6/1/2006	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1		
SWB-9	12/4/2006	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1		
SWB-9	3/5/2007	3,3'-Dimethylbenzidine	<	0.56	20	UG/L	1		
SWB-9	3/6/2008	3,3'-Dimethylbenzidine	<	4	20	UG/L	1		
SWB-9	6/5/2008	3,3'-Dimethylbenzidine	<	4	20	UG/L	1		
SWB-9	12/5/2008	3,3'-Dimethylbenzidine	<	4	20	UG/L	1		
SWB-9	12/5/2008	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	R	
SWB-9	3/2/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1		
SWB-9	3/2/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	R	
SWB-9	6/2/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1		
SWB-9	6/2/2009	3,3'-Dimethylbenzidine	<	4	20	UG/L	1	DNR	
SWB-9	3/1/2010	3,3'-Dimethylbenzidine	<	18	3.7	18	ug/L	1	
SWB-9	6/1/2010	3,3'-DIMETHYLBENZIDINE	<	3.8	3.8	19	UG/L	1	
SWB-9	6/1/2010	3,3'-DIMETHYLBENZIDINE	<	3.8	3.8	19	UG/L	1	DNR
SWB-9	12/1/2010	3,3'-DIMETHYLBENZIDINE	<	3.7	3.7	19	UG/L	1	
SWB-10	3/3/2005	3,4-Octadiene, 7-methyl-	TI	5.1		ug/L	1	NJ	NA
SWB-4	11/15/2002	3-Hydroxy-3-methyl-2-butanone	TI	12		ug/L	1	NJ	NA
SWB-6	3/5/2004	3-Hydroxy-3-methyl-2-butanone	TI	6.8		ug/L	1	NJ	
SWB-6	6/1/2004	3-Hydroxy-3-methyl-2-butanone	TI	9.5		ug/L	1	NJ	
SWB-3	10/29/2002	3-Methyl-3-chloro-1-butene	TI	120		ug/L	1	NJ	NA
SWB-3	9/1/2004	3-Methyl-3-chloro-1-butene	TI	23		ug/L	1	NJ	
SWB-3	9/1/2005	3-Methyl-3-chloro-1-butene	TI	13		ug/L	1	NJ	
SWB-9	3/3/2005	3-Methyl-3-chloro-1-butene	TI	13		ug/L	1	NJ	
SWB-10	3/4/2004	3-Methylcholanthrene	<	1	20	ug/L	1		NA
SWB-10	5/24/2004	3-Methylcholanthrene	<	1	20	ug/L	1	UJ	
SWB-10	12/1/2004	3-Methylcholanthrene	<	1	20	ug/L	1		
SWB-10	3/3/2005	3-Methylcholanthrene	<	1	20	ug/L	1		
SWB-10	6/2/2005	3-Methylcholanthrene	<	1	20	ug/L	1		
SWB-10	9/1/2005	3-Methylcholanthrene	<	1	20	ug/L	1		
SWB-10	3/2/2006	3-Methylcholanthrene	<	1	20	UG/L	1		
SWB-10	6/2/2006	3-Methylcholanthrene	<	1	20	UG/L	1		
SWB-10	3/1/2007	3-Methylcholanthrene	<	1	20	UG/L	1		
SWB-10	3/7/2008	3-Methylcholanthrene	<	1.7	20	UG/L	1		
SWB-10	6/5/2008	3-Methylcholanthrene	<	1.7	20	UG/L	1		
SWB-10	3/2/2009	3-Methylcholanthrene	<	1.7	20	UG/L	1		
SWB-10	3/2/2009	3-Methylcholanthrene	<	1.7	20	UG/L	1	R	
SWB-10	6/4/2009	3-Methylcholanthrene	<	1.7	20	UG/L	1		
SWB-10	3/2/2010	3-Methylcholanthrene	<	19	1.6	19	UG/L	1	
SWB-11	3/4/2004	3-Methylcholanthrene	<	1	20	ug/L	1		
SWB-11	5/24/2004	3-Methylcholanthrene	<	1	20	ug/L	1	UJ	
SWB-11	12/1/2004	3-Methylcholanthrene	<	1	20	ug/L	1		
SWB-11	3/1/2005	3-Methylcholanthrene	<	1	20	ug/L	1		
SWB-11	6/2/2005	3-Methylcholanthrene	<	1	20	ug/L	1		
SWB-11	3/2/2006	3-Methylcholanthrene	<	1	20	UG/L	1		
SWB-11	6/1/2006	3-Methylcholanthrene	<	1	20	UG/L	1		
SWB-11	3/1/2007	3-Methylcholanthrene	<	1	20	UG/L	1		
SWB-11	3/7/2008	3-Methylcholanthrene	<	1.7	20	UG/L	1		
SWB-11	6/5/2008	3-Methylcholanthrene	<	1.7	20	UG/L	1		
SWB-11	3/2/2009	3-Methylcholanthrene	<	1.7	20	UG/L	1		
SWB-11	6/4/2009	3-Methylcholanthrene	<	1.7	20	UG/L	1		
SWB-11	3/1/2010	3-Methylcholanthrene	<	19	1.6	19	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-11	6/2/2010	3-METHYLCHOLANTHRENE	<	1.6	1.6	19	UG/L	1
SWB-3	10/29/2002	3-Methylcholanthrene	<		2.5	20	ug/L	1
SWB-3	3/4/2003	3-Methylcholanthrene	<		2.5	20	ug/L	1
SWB-3	6/3/2003	3-Methylcholanthrene	<		2.5	20	ug/L	1
SWB-3	9/4/2003	3-Methylcholanthrene	<		3	20	ug/L	1 UJ
SWB-3	12/2/2003	3-Methylcholanthrene	<		3	20	ug/L	1
SWB-3	3/1/2004	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-3	6/1/2004	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-3	9/1/2004	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-3	12/1/2004	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-3	3/3/2005	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-3	6/2/2005	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-3	9/1/2005	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-3	12/1/2005	3-Methylcholanthrene	<		1	20	UG/L	1 UJ
SWB-3	3/2/2006	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-3	6/2/2006	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-3	9/5/2006	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-3	12/4/2006	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-3	3/1/2007	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-3	6/1/2007	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-3	6/1/2007	3-Methylcholanthrene	<		1	20	UG/L	1 R
SWB-3	12/3/2007	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-3	3/6/2008	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-3	6/9/2008	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-3	12/4/2008	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-3	3/2/2009	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-3	3/2/2009	3-Methylcholanthrene	<		1.7	20	UG/L	1 R
SWB-3	6/4/2009	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-3	12/1/2009	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-3	3/1/2010	3-Methylcholanthrene	<	19	1.7	19	ug/L	1 UJ
SWB-3	6/1/2010	3-METHYLCHOLANTHRENE	<	1.6	1.6	19	UG/L	1
SWB-3	6/1/2010	3-METHYLCHOLANTHRENE	<	1.6	1.6	19	UG/L	1 DNR
SWB-3	9/9/2010	3-METHYLCHOLANTHRENE	<	1.6	1.6	19	UG/L	1
SWB-4	11/15/2002	3-Methylcholanthrene	<		2.5	20	ug/L	1
SWB-5	10/29/2002	3-Methylcholanthrene	<		2.5	20	ug/L	1
SWB-6	3/4/2003	3-Methylcholanthrene	<		2.5	20	ug/L	1
SWB-6	6/3/2003	3-Methylcholanthrene	<		2.5	20	ug/L	1
SWB-6	12/3/2003	3-Methylcholanthrene	<		3	20	ug/L	1
SWB-6	3/5/2004	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-6	6/1/2004	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-6	12/1/2004	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-6	3/7/2005	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-6	6/1/2005	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-6	12/2/2005	3-Methylcholanthrene	<		1	20	UG/L	1 UJ
SWB-6	3/1/2006	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-6	6/1/2006	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-6	12/5/2006	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-6	3/2/2007	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-6	3/6/2008	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-6	6/9/2008	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-6	12/5/2008	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-6	12/5/2008	3-Methylcholanthrene	<		1.7	20	UG/L	1 R
SWB-6	3/2/2009	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-6	3/2/2009	3-Methylcholanthrene	<		1.7	20	UG/L	1 R
SWB-6	6/5/2009	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-6	3/2/2010	3-Methylcholanthrene	<	18	1.5	18	UG/L	1
SWB-6	6/2/2010	3-METHYLCHOLANTHRENE	<	1.6	1.6	19	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	6/2/2010	3-METHYLCHOLANTHRENE	<	1.6	1.6	19	UG/L	1 DNR
SWB-7	3/4/2003	3-Methylcholanthrene	<		2.5	20	ug/L	1
SWB-7	6/3/2003	3-Methylcholanthrene	<		2.5	20	ug/L	1
SWB-7	3/1/2004	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-7	5/24/2004	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-7	12/1/2004	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-7	3/7/2005	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-7	6/1/2005	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-7	9/1/2005	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-7	12/1/2005	3-Methylcholanthrene	<		1	20	UG/L	1 UJ
SWB-7	3/1/2006	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-7	6/2/2006	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-7	9/5/2006	3-Methylcholanthrene	<		1	20	UG/L	1 UJ
SWB-7	12/5/2006	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-7	3/2/2007	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-7	6/1/2007	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-7	9/7/2007	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-7	12/3/2007	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-7	3/6/2008	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-7	6/6/2008	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-7	9/8/2008	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-7	12/5/2008	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-7	12/5/2008	3-Methylcholanthrene	<		1.7	20	UG/L	1 R
SWB-7	3/2/2009	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-7	3/2/2009	3-Methylcholanthrene	<		1.7	20	UG/L	1 R
SWB-7	6/5/2009	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-7	9/9/2009	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-7	12/1/2009	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-7	3/2/2010	3-Methylcholanthrene	<	19	1.6	19	UG/L	1
SWB-7	6/1/2010	3-METHYLCHOLANTHRENE	<	1.6	1.6	19	UG/L	1 DNR
SWB-7	6/1/2010	3-METHYLCHOLANTHRENE	<	1.7	1.7	20	UG/L	1 R
SWB-7	9/9/2010	3-METHYLCHOLANTHRENE	<	1.6	1.6	19	UG/L	1
SWB-7	12/1/2010	3-METHYLCHOLANTHRENE	<	1.6	1.6	19	UG/L	1
SWB-8	3/5/2004	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-8	3/7/2005	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-8	6/1/2005	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-8	3/1/2006	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-8	3/7/2008	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-8	3/3/2009	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-8	3/3/2009	3-Methylcholanthrene	<		1.7	20	UG/L	1 R
SWB-9	3/4/2003	3-Methylcholanthrene	<		2.5	20	ug/L	1
SWB-9	12/3/2003	3-Methylcholanthrene	<		3	20	ug/L	1
SWB-9	3/5/2004	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-9	5/27/2004	3-Methylcholanthrene	<		1	20	ug/L	1 UJ
SWB-9	12/1/2004	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-9	3/3/2005	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-9	6/2/2005	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-9	9/1/2005	3-Methylcholanthrene	<		1	20	ug/L	1
SWB-9	12/1/2005	3-Methylcholanthrene	<		1	20	UG/L	1 UJ
SWB-9	3/2/2006	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-9	6/1/2006	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-9	12/4/2006	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-9	3/5/2007	3-Methylcholanthrene	<		1	20	UG/L	1
SWB-9	3/6/2008	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-9	6/5/2008	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-9	12/5/2008	3-Methylcholanthrene	<		1.7	20	UG/L	1
SWB-9	12/5/2008	3-Methylcholanthrene	<		1.7	20	UG/L	1 R



tmpAnalyticalResultsOverTime

SWB-9	3/2/2009	3-Methylcholanthrene	<		1.7	20	UG/L	1	
SWB-9	3/2/2009	3-Methylcholanthrene	<		1.7	20	UG/L	1 R	
SWB-9	6/2/2009	3-Methylcholanthrene	<		1.7	20	UG/L	1	
SWB-9	6/2/2009	3-Methylcholanthrene	<		1.7	20	UG/L	1 DNR	
SWB-9	3/1/2010	3-Methylcholanthrene	<	18	1.6	18	ug/L	1	
SWB-9	6/1/2010	3-METHYLCHOLANTHRENE	<		1.6	1.6	19	UG/L	1
SWB-9	6/1/2010	3-METHYLCHOLANTHRENE	<		1.6	1.6	19	UG/L	1 DNR
SWB-9	12/1/2010	3-METHYLCHOLANTHRENE	<		1.6	1.6	19	UG/L	1
SWB-10	3/7/2008	3-Methylheptyl acetate	TI		5.7		UG/L	1 NJ	NA
SWB-11	5/24/2004	3-Methylheptyl acetate	TI		5.8		ug/L	1 NJ	
SWB-3	3/2/2006	3-Methylheptyl acetate	TI		28		UG/L	4 NJ	
SWB-7	5/24/2004	3-Methylheptyl acetate	TI		6.3		ug/L	1 NJ	
SWB-10	3/4/2004	3-Methylphenol & 4-Methylphenol	<		0.8	10	ug/L	1	NA
SWB-10	5/24/2004	3-Methylphenol & 4-Methylphenol	<		0.8	10	ug/L	1 UJ	
SWB-10	12/1/2004	3-Methylphenol & 4-Methylphenol	<		0.8	10	ug/L	1	
SWB-10	3/3/2005	3-Methylphenol & 4-Methylphenol	<		1.6	10	ug/L	1	
SWB-10	6/2/2005	3-Methylphenol & 4-Methylphenol	<		1.6	10	ug/L	1	
SWB-10	9/1/2005	3-Methylphenol & 4-Methylphenol	<		1.6	10	ug/L	1	
SWB-10	3/2/2006	3-Methylphenol & 4-Methylphenol	<		1.6	10	UG/L	1	
SWB-10	6/2/2006	3-Methylphenol & 4-Methylphenol	<		5	10	UG/L	1	
SWB-10	3/1/2007	3-Methylphenol & 4-Methylphenol	<		5	10	UG/L	1	
SWB-10	3/7/2008	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	
SWB-10	6/5/2008	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	
SWB-10	3/2/2009	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	
SWB-10	3/2/2009	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1 R	
SWB-10	6/4/2009	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	
SWB-10	3/2/2010	3-Methylphenol & 4-Methylphenol	<	9.3	0.23	9.3	UG/L	1 UJ	
SWB-11	3/4/2004	3-Methylphenol & 4-Methylphenol	<		0.8	10	ug/L	1	
SWB-11	5/24/2004	3-Methylphenol & 4-Methylphenol	<		0.8	10	ug/L	1 UJ	
SWB-11	12/1/2004	3-Methylphenol & 4-Methylphenol	<		0.8	10	ug/L	1	
SWB-11	3/1/2005	3-Methylphenol & 4-Methylphenol	<		1.6	10	ug/L	1	
SWB-11	6/2/2005	3-Methylphenol & 4-Methylphenol	<		1.6	10	ug/L	1	
SWB-11	3/2/2006	3-Methylphenol & 4-Methylphenol	<		1.6	10	UG/L	1	
SWB-11	6/1/2006	3-Methylphenol & 4-Methylphenol	<		5	10	UG/L	1	
SWB-11	3/1/2007	3-Methylphenol & 4-Methylphenol	<		5	10	UG/L	1	
SWB-11	3/7/2008	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	
SWB-11	6/5/2008	3-Methylphenol & 4-Methylphenol	TR	5.1	0.25	10	UG/L	1 J	
SWB-11	3/2/2009	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	
SWB-11	6/4/2009	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1 UJ	
SWB-11	3/1/2010	3-Methylphenol & 4-Methylphenol	<	9.4	0.23	9.4	ug/L	1 UJ	
SWB-11	6/2/2010	3-Methylphenol & 4-Methylphenol	<	0.24	0.24	9.5	UG/L	1 R	
SWB-3	10/29/2002	3-Methylphenol & 4-Methylphenol	<		2.1	10	ug/L	1	
SWB-3	3/4/2003	3-Methylphenol & 4-Methylphenol	<		2.1	10	ug/L	1 R	
SWB-3	6/3/2003	3-Methylphenol & 4-Methylphenol	<		2.1	10	ug/L	1	
SWB-3	9/4/2003	3-Methylphenol & 4-Methylphenol	<		2.1	10	ug/L	1 R	
SWB-3	12/2/2003	3-Methylphenol & 4-Methylphenol	<		0.8	10	ug/L	1 R	
SWB-3	3/1/2004	3-Methylphenol & 4-Methylphenol	<		0.8	10	ug/L	1	
SWB-3	6/1/2004	3-Methylphenol & 4-Methylphenol	<		0.8	10	ug/L	1	
SWB-3	9/1/2004	3-Methylphenol & 4-Methylphenol	<		0.8	10	ug/L	1	
SWB-3	12/1/2004	3-Methylphenol & 4-Methylphenol	<		0.8	10	ug/L	1	
SWB-3	3/3/2005	3-Methylphenol & 4-Methylphenol	<		1.6	10	ug/L	1	
SWB-3	6/2/2005	3-Methylphenol & 4-Methylphenol	<		1.6	10	ug/L	1	
SWB-3	9/1/2005	3-Methylphenol & 4-Methylphenol	<		1.6	10	ug/L	1 R	
SWB-3	12/1/2005	3-Methylphenol & 4-Methylphenol	<		1.6	10	UG/L	1 R	
SWB-3	3/2/2006	3-Methylphenol & 4-Methylphenol	<		1.6	10	UG/L	1 R	
SWB-3	6/2/2006	3-Methylphenol & 4-Methylphenol	<		5	10	UG/L	1 R	
SWB-3	9/5/2006	3-Methylphenol & 4-Methylphenol	<		5	10	UG/L	1 UJ	

tmpAnalyticalResultsOverTime

SWB-3	12/4/2006	3-Methylphenol & 4-Methylphenol	<	5	10	UG/L	1 R	
SWB-3	3/1/2007	3-Methylphenol & 4-Methylphenol	<	5	10	UG/L	1 UJ	
SWB-3	6/1/2007	3-Methylphenol & 4-Methylphenol	<	5	10	UG/L	1 R	
SWB-3	12/3/2007	3-Methylphenol & 4-Methylphenol	<	0.74	10	UG/L	1 R	
SWB-3	3/6/2008	3-Methylphenol & 4-Methylphenol	<	0.25	10	UG/L	1	
SWB-3	6/9/2008	3-Methylphenol & 4-Methylphenol	<	0.25	10	UG/L	1 R	
SWB-3	12/4/2008	3-Methylphenol & 4-Methylphenol	<	0.25	10	UG/L	1	
SWB-3	3/2/2009	3-Methylphenol & 4-Methylphenol	<	0.25	10	UG/L	1 R	
SWB-3	3/2/2009	3-Methylphenol & 4-Methylphenol	<	0.25	10	UG/L	1 UJ	
SWB-3	6/4/2009	3-Methylphenol & 4-Methylphenol	<	0.25	10	UG/L	1 R	
SWB-3	12/1/2009	3-Methylphenol & 4-Methylphenol	<	0.25	10	UG/L	1	
SWB-3	12/1/2009	3-Methylphenol & 4-Methylphenol	<	0.25	10	UG/L	1 R	
SWB-3	3/1/2010	3-Methylphenol & 4-Methylphenol	<	9.7	0.24	9.7	ug/L	1 UJ
SWB-3	6/1/2010	3-Methylphenol & 4-Methylphenol	<	0.23	0.23	9.4	UG/L	1 R
SWB-3	6/1/2010	3-Methylphenol & 4-Methylphenol	<	0.24	0.24	9.4	UG/L	1 DNR
SWB-3	9/9/2010	3-Methylphenol & 4-Methylphenol	<	0.23	0.23	9.3	UG/L	1 R
SWB-4	11/15/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1 UJ	
SWB-5	10/29/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1	
SWB-6	3/4/2003	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1	
SWB-6	6/3/2003	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1	
SWB-6	12/3/2003	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1	
SWB-6	3/5/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1	
SWB-6	6/1/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1	
SWB-6	12/1/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1	
SWB-6	3/7/2005	3-Methylphenol & 4-Methylphenol	<	1.6	10	ug/L	1	
SWB-6	6/1/2005	3-Methylphenol & 4-Methylphenol	<	1.6	10	ug/L	1	
SWB-6	12/2/2005	3-Methylphenol & 4-Methylphenol	<	1.6	10	UG/L	1	
SWB-6	3/1/2006	3-Methylphenol & 4-Methylphenol	<	1.6	10	UG/L	1	
SWB-6	6/1/2006	3-Methylphenol & 4-Methylphenol	<	5	10	UG/L	1	
SWB-6	12/5/2006	3-Methylphenol & 4-Methylphenol	<	5	10	UG/L	1	
SWB-6	3/2/2007	3-Methylphenol & 4-Methylphenol	<	5	10	UG/L	1	
SWB-6	3/6/2008	3-Methylphenol & 4-Methylphenol	<	0.25	10	UG/L	1	
SWB-6	6/9/2008	3-Methylphenol & 4-Methylphenol	<	0.25	10	UG/L	1	
SWB-6	12/5/2008	3-Methylphenol & 4-Methylphenol	<	0.25	10	UG/L	1 R	
SWB-6	3/2/2009	3-Methylphenol & 4-Methylphenol	<	0.25	10	UG/L	1	
SWB-6	3/2/2009	3-Methylphenol & 4-Methylphenol	<	0.25	10	UG/L	1 R	
SWB-6	6/5/2009	3-Methylphenol & 4-Methylphenol	<	0.25	10	UG/L	1	
SWB-6	3/2/2010	3-Methylphenol & 4-Methylphenol	<	9.1	0.23	9.1	UG/L	1 UJ
SWB-6	6/2/2010	3-Methylphenol & 4-Methylphenol	<	0.24	0.24	9.4	UG/L	1 DNR
SWB-6	6/2/2010	3-Methylphenol & 4-Methylphenol	<	0.24	0.24	9.5	UG/L	1 R
SWB-7	3/4/2003	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1	
SWB-7	6/3/2003	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1	
SWB-7	3/1/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1	
SWB-7	5/24/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1	
SWB-7	12/1/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1	
SWB-7	3/7/2005	3-Methylphenol & 4-Methylphenol	<	1.6	10	ug/L	1 UJ	
SWB-7	6/1/2005	3-Methylphenol & 4-Methylphenol	<	1.6	10	ug/L	1	
SWB-7	9/1/2005	3-Methylphenol & 4-Methylphenol	<	1.6	10	ug/L	1	
SWB-7	12/1/2005	3-Methylphenol & 4-Methylphenol	<	1.6	10	UG/L	1	
SWB-7	3/1/2006	3-Methylphenol & 4-Methylphenol	<	1.6	10	UG/L	1	
SWB-7	6/2/2006	3-Methylphenol & 4-Methylphenol	<	5	10	UG/L	1	
SWB-7	9/5/2006	3-Methylphenol & 4-Methylphenol	<	5	10	UG/L	1 UJ	
SWB-7	12/5/2006	3-Methylphenol & 4-Methylphenol	<	5	10	UG/L	1	
SWB-7	3/2/2007	3-Methylphenol & 4-Methylphenol	<	5	10	UG/L	1	
SWB-7	6/1/2007	3-Methylphenol & 4-Methylphenol	<	5	10	UG/L	1	
SWB-7	9/7/2007	3-Methylphenol & 4-Methylphenol	<	0.74	10	UG/L	1	
SWB-7	12/3/2007	3-Methylphenol & 4-Methylphenol	<	0.74	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-7	3/6/2008	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	
SWB-7	6/6/2008	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	
SWB-7	9/8/2008	3-Methylphenol & 4-Methylphenol	TR	0.55	0.25	10	UG/L	1	J
SWB-7	12/5/2008	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	R
SWB-7	3/2/2009	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	R
SWB-7	3/2/2009	3-Methylphenol & 4-Methylphenol	TR	2	0.25	10	UG/L	1	J
SWB-7	6/5/2009	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	
SWB-7	9/9/2009	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	
SWB-7	12/1/2009	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	
SWB-7	3/2/2010	3-Methylphenol & 4-Methylphenol	<	9.5	0.24	9.5	UG/L	1	UJ
SWB-7	6/1/2010	3-Methylphenol & 4-Methylphenol	<	0.24	0.24	9.6	UG/L	1	DNR
SWB-7	6/1/2010	3-Methylphenol & 4-Methylphenol	<	0.25	0.25	10	UG/L	1	R
SWB-7	9/9/2010	3-Methylphenol & 4-Methylphenol	<	0.24	0.24	9.6	UG/L	1	
SWB-7	12/1/2010	3-Methylphenol & 4-Methylphenol	<	0.23	0.23	9.3	UG/L	1	
SWB-8	3/5/2004	3-Methylphenol & 4-Methylphenol	<		0.8	10	ug/L	1	
SWB-8	3/7/2005	3-Methylphenol & 4-Methylphenol	<		1.6	10	ug/L	1	
SWB-8	6/1/2005	3-Methylphenol & 4-Methylphenol	<		1.6	10	ug/L	1	
SWB-8	3/1/2006	3-Methylphenol & 4-Methylphenol	<		1.6	10	UG/L	1	
SWB-8	3/7/2008	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	
SWB-8	3/3/2009	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	
SWB-8	3/3/2009	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	R
SWB-9	3/4/2003	3-Methylphenol & 4-Methylphenol	<		2.1	10	ug/L	1	UJ
SWB-9	12/3/2003	3-Methylphenol & 4-Methylphenol	<		0.8	10	ug/L	1	
SWB-9	3/5/2004	3-Methylphenol & 4-Methylphenol	<		0.8	10	ug/L	1	
SWB-9	5/27/2004	3-Methylphenol & 4-Methylphenol	<		0.8	10	ug/L	1	UJ
SWB-9	12/1/2004	3-Methylphenol & 4-Methylphenol	<		0.8	10	ug/L	1	
SWB-9	3/3/2005	3-Methylphenol & 4-Methylphenol	<		1.6	10	ug/L	1	
SWB-9	6/2/2005	3-Methylphenol & 4-Methylphenol	<		1.6	10	ug/L	1	
SWB-9	9/1/2005	3-Methylphenol & 4-Methylphenol	<		1.6	10	ug/L	1	UJ
SWB-9	12/1/2005	3-Methylphenol & 4-Methylphenol	<		1.6	10	UG/L	1	
SWB-9	3/2/2006	3-Methylphenol & 4-Methylphenol	<		1.6	10	UG/L	1	
SWB-9	6/1/2006	3-Methylphenol & 4-Methylphenol	<		5	10	UG/L	1	UJ
SWB-9	12/4/2006	3-Methylphenol & 4-Methylphenol	<		5	10	UG/L	1	
SWB-9	3/5/2007	3-Methylphenol & 4-Methylphenol	<		5	10	UG/L	1	
SWB-9	3/6/2008	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	
SWB-9	6/5/2008	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	R
SWB-9	12/5/2008	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	R
SWB-9	3/2/2009	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	R
SWB-9	3/2/2009	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	UJ
SWB-9	6/2/2009	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	
SWB-9	6/2/2009	3-Methylphenol & 4-Methylphenol	<		0.25	10	UG/L	1	DNR
SWB-9	3/1/2010	3-Methylphenol & 4-Methylphenol	<	9.2	0.23	9.2	ug/L	1	UJ
SWB-9	6/1/2010	3-Methylphenol & 4-Methylphenol	<	0.23	0.23	9.4	UG/L	1	DNR
SWB-9	6/1/2010	3-Methylphenol & 4-Methylphenol	<	0.24	0.24	9.5	UG/L	1	R
SWB-9	12/1/2010	3-Methylphenol & 4-Methylphenol	<	0.23	0.23	9.3	UG/L	1	
SWB-10	3/4/2004	3-Nitroaniline	<		0.9	50	ug/L	1	NA
SWB-10	5/24/2004	3-Nitroaniline	<		0.9	50	ug/L	1	UJ
SWB-10	12/1/2004	3-Nitroaniline	<		0.9	50	ug/L	1	
SWB-10	3/3/2005	3-Nitroaniline	<		3.6	50	ug/L	1	
SWB-10	6/2/2005	3-Nitroaniline	<		3.6	50	ug/L	1	
SWB-10	9/1/2005	3-Nitroaniline	<		3.6	50	ug/L	1	
SWB-10	3/2/2006	3-Nitroaniline	<		3.6	50	UG/L	1	
SWB-10	6/2/2006	3-Nitroaniline	<		3.6	50	UG/L	1	
SWB-10	3/1/2007	3-Nitroaniline	<		3.6	50	UG/L	1	
SWB-10	3/7/2008	3-Nitroaniline	<		0.27	50	UG/L	1	
SWB-10	6/5/2008	3-Nitroaniline	<		0.27	50	UG/L	1	
SWB-10	3/2/2009	3-Nitroaniline	<		0.27	10	UG/L	1	R

tmpAnalyticalResultsOverTime

SWB-10	6/4/2009	3-Nitroaniline	<		0.27	10	UG/L	1 R
SWB-10	3/2/2010	3-Nitroaniline	<	9.3	0.25	9.3	UG/L	1 R
SWB-11	3/4/2004	3-Nitroaniline	<		0.9	50	ug/L	1
SWB-11	5/24/2004	3-Nitroaniline	<		0.9	50	ug/L	1 UJ
SWB-11	12/1/2004	3-Nitroaniline	<		0.9	50	ug/L	1
SWB-11	3/1/2005	3-Nitroaniline	<		3.6	50	ug/L	1
SWB-11	6/2/2005	3-Nitroaniline	<		3.6	50	ug/L	1
SWB-11	3/2/2006	3-Nitroaniline	<		3.6	50	UG/L	1
SWB-11	6/1/2006	3-Nitroaniline	<		3.6	50	UG/L	1
SWB-11	3/1/2007	3-Nitroaniline	<		3.6	50	UG/L	1
SWB-11	3/7/2008	3-Nitroaniline	<		0.27	50	UG/L	1
SWB-11	6/5/2008	3-Nitroaniline	<		0.27	50	UG/L	1
SWB-11	3/2/2009	3-Nitroaniline	<		0.27	10	UG/L	1 R
SWB-11	6/4/2009	3-Nitroaniline	<		0.27	10	UG/L	1 R
SWB-11	3/1/2010	3-Nitroaniline	<	9.4	0.25	9.4	ug/L	1 R
SWB-11	6/2/2010	3-NITROANILINE	<	0.25	0.25	9.5	UG/L	1
SWB-3	10/29/2002	3-Nitroaniline	<		7.6	50	ug/L	1
SWB-3	3/4/2003	3-Nitroaniline	<		7.6	50	ug/L	1
SWB-3	6/3/2003	3-Nitroaniline	<		7.6	50	ug/L	1
SWB-3	9/4/2003	3-Nitroaniline	<		7.6	50	ug/L	1 UJ
SWB-3	12/2/2003	3-Nitroaniline	<		0.9	50	ug/L	1
SWB-3	3/1/2004	3-Nitroaniline	<		0.9	50	ug/L	1
SWB-3	6/1/2004	3-Nitroaniline	<		0.9	50	ug/L	1
SWB-3	9/1/2004	3-Nitroaniline	<		0.9	50	ug/L	1
SWB-3	12/1/2004	3-Nitroaniline	<		0.9	50	ug/L	1
SWB-3	3/3/2005	3-Nitroaniline	<		3.6	50	ug/L	1
SWB-3	6/2/2005	3-Nitroaniline	<		3.6	50	ug/L	1
SWB-3	9/1/2005	3-Nitroaniline	<		3.6	50	ug/L	1
SWB-3	12/1/2005	3-Nitroaniline	<		3.6	50	UG/L	1 UJ
SWB-3	3/2/2006	3-Nitroaniline	<		3.6	50	UG/L	1
SWB-3	6/2/2006	3-Nitroaniline	<		3.6	50	UG/L	1
SWB-3	9/5/2006	3-Nitroaniline	<		3.6	50	UG/L	1
SWB-3	12/4/2006	3-Nitroaniline	<		3.6	50	UG/L	1
SWB-3	3/1/2007	3-Nitroaniline	<		3.6	50	UG/L	1
SWB-3	6/1/2007	3-Nitroaniline	<		3.6	50	UG/L	1
SWB-3	6/1/2007	3-Nitroaniline	<		3.6	50	UG/L	1 R
SWB-3	12/3/2007	3-Nitroaniline	<		2	50	UG/L	1
SWB-3	3/6/2008	3-Nitroaniline	<		0.27	50	UG/L	1
SWB-3	6/9/2008	3-Nitroaniline	<		0.27	50	UG/L	1
SWB-3	12/4/2008	3-Nitroaniline	<		0.27	10	UG/L	1
SWB-3	3/2/2009	3-Nitroaniline	<		0.27	10	UG/L	1 R
SWB-3	6/4/2009	3-Nitroaniline	<		0.27	10	UG/L	1 R
SWB-3	12/1/2009	3-Nitroaniline	<		0.27	10	UG/L	1
SWB-3	3/1/2010	3-Nitroaniline	<	9.7	0.26	9.7	ug/L	1 R
SWB-3	6/1/2010	3-NITROANILINE	<	0.25	0.25	9.4	UG/L	1
SWB-3	6/1/2010	3-NITROANILINE	<	0.25	0.25	9.4	UG/L	1 DNR
SWB-3	9/9/2010	3-NITROANILINE	<	1.9	1.9	9.3	UG/L	1
SWB-4	11/15/2002	3-Nitroaniline	<		7.6	50	ug/L	1
SWB-5	10/29/2002	3-Nitroaniline	<		7.6	50	ug/L	1
SWB-6	3/4/2003	3-Nitroaniline	<		7.6	50	ug/L	1
SWB-6	6/3/2003	3-Nitroaniline	<		7.6	50	ug/L	1
SWB-6	12/3/2003	3-Nitroaniline	<		0.9	50	ug/L	1
SWB-6	3/5/2004	3-Nitroaniline	<		0.9	50	ug/L	1
SWB-6	6/1/2004	3-Nitroaniline	<		0.9	50	ug/L	1
SWB-6	12/1/2004	3-Nitroaniline	<		0.9	50	ug/L	1
SWB-6	3/7/2005	3-Nitroaniline	<		3.6	50	ug/L	1
SWB-6	6/1/2005	3-Nitroaniline	<		3.6	50	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	12/2/2005	3-Nitroaniline	<		3.6	50	UG/L	1 UJ
SWB-6	3/1/2006	3-Nitroaniline	<		3.6	50	UG/L	1
SWB-6	6/1/2006	3-Nitroaniline	<		3.6	50	UG/L	1
SWB-6	12/5/2006	3-Nitroaniline	<		3.6	50	UG/L	1
SWB-6	3/2/2007	3-Nitroaniline	<		3.6	50	UG/L	1
SWB-6	3/6/2008	3-Nitroaniline	<		0.27	50	UG/L	1
SWB-6	6/9/2008	3-Nitroaniline	<		0.27	50	UG/L	1
SWB-6	12/5/2008	3-Nitroaniline	<		0.27	10	UG/L	1 R
SWB-6	3/2/2009	3-Nitroaniline	<		0.27	10	UG/L	1 R
SWB-6	6/5/2009	3-Nitroaniline	<		0.27	10	UG/L	1 R
SWB-6	3/2/2010	3-Nitroaniline	<	9.1	0.24	9.1	UG/L	1 R
SWB-6	6/2/2010	3-NITROANILINE	<	0.25	0.25	9.4	UG/L	1 DNR
SWB-6	6/2/2010	3-NITROANILINE	<	0.26	0.26	9.5	UG/L	1
SWB-7	3/4/2003	3-Nitroaniline	<		7.6	50	ug/L	1
SWB-7	6/3/2003	3-Nitroaniline	<		7.6	50	ug/L	1
SWB-7	3/1/2004	3-Nitroaniline	<		0.9	50	ug/L	1
SWB-7	5/24/2004	3-Nitroaniline	<		0.9	50	ug/L	1
SWB-7	12/1/2004	3-Nitroaniline	<		0.9	50	ug/L	1
SWB-7	3/7/2005	3-Nitroaniline	<		3.6	50	ug/L	1 UJ
SWB-7	6/1/2005	3-Nitroaniline	<		3.6	50	ug/L	1
SWB-7	9/1/2005	3-Nitroaniline	<		3.6	50	ug/L	1
SWB-7	12/1/2005	3-Nitroaniline	<		3.6	50	UG/L	1 UJ
SWB-7	3/1/2006	3-Nitroaniline	<		3.6	50	UG/L	1
SWB-7	6/2/2006	3-Nitroaniline	<		3.6	50	UG/L	1
SWB-7	9/5/2006	3-Nitroaniline	<		3.6	50	UG/L	1 UJ
SWB-7	12/5/2006	3-Nitroaniline	<		3.6	50	UG/L	1
SWB-7	3/2/2007	3-Nitroaniline	<		3.6	50	UG/L	1
SWB-7	6/1/2007	3-Nitroaniline	<		3.6	50	UG/L	1
SWB-7	9/7/2007	3-Nitroaniline	<		2	50	UG/L	1
SWB-7	12/3/2007	3-Nitroaniline	<		2	50	UG/L	1
SWB-7	3/6/2008	3-Nitroaniline	<		0.27	50	UG/L	1
SWB-7	6/6/2008	3-Nitroaniline	<		0.27	50	UG/L	1
SWB-7	9/8/2008	3-Nitroaniline	<		0.27	10	UG/L	1
SWB-7	12/5/2008	3-Nitroaniline	<		0.27	10	UG/L	1 R
SWB-7	3/2/2009	3-Nitroaniline	<		0.27	10	UG/L	1 R
SWB-7	6/5/2009	3-Nitroaniline	<		0.27	10	UG/L	1 R
SWB-7	9/9/2009	3-Nitroaniline	<		0.27	10	UG/L	1 R
SWB-7	12/1/2009	3-Nitroaniline	<		0.27	10	UG/L	1
SWB-7	3/2/2010	3-Nitroaniline	<	9.5	0.25	9.5	UG/L	1 R
SWB-7	6/1/2010	3-NITROANILINE	<	0.26	0.26	9.6	UG/L	1 DNR
SWB-7	6/1/2010	3-NITROANILINE	<	0.27	0.27	10	UG/L	1 R
SWB-7	9/9/2010	3-NITROANILINE	<	1.9	1.9	9.6	UG/L	1
SWB-7	12/1/2010	3-NITROANILINE	<	1.9	1.9	9.3	UG/L	1
SWB-8	3/5/2004	3-Nitroaniline	<		0.9	50	ug/L	1
SWB-8	3/7/2005	3-Nitroaniline	<		3.6	50	ug/L	1
SWB-8	6/1/2005	3-Nitroaniline	<		3.6	50	ug/L	1
SWB-8	3/1/2006	3-Nitroaniline	<		3.6	50	UG/L	1
SWB-8	3/7/2008	3-Nitroaniline	<		0.27	50	UG/L	1
SWB-8	3/3/2009	3-Nitroaniline	<		0.27	10	UG/L	1 R
SWB-9	3/4/2003	3-Nitroaniline	<		7.6	50	ug/L	1
SWB-9	12/3/2003	3-Nitroaniline	<		0.9	50	ug/L	1
SWB-9	3/5/2004	3-Nitroaniline	<		0.9	50	ug/L	1
SWB-9	5/27/2004	3-Nitroaniline	<		0.9	50	ug/L	1 UJ
SWB-9	12/1/2004	3-Nitroaniline	<		0.9	50	ug/L	1
SWB-9	3/3/2005	3-Nitroaniline	<		3.6	50	ug/L	1
SWB-9	6/2/2005	3-Nitroaniline	<		3.6	50	ug/L	1
SWB-9	9/1/2005	3-Nitroaniline	<		3.6	50	ug/L	1

tmpAnalyticalResultsOverTime

SWB-9	12/1/2005	3-Nitroaniline	<		3.6	50	UG/L	1	UJ	
SWB-9	3/2/2006	3-Nitroaniline	<		3.6	50	UG/L	1		
SWB-9	6/1/2006	3-Nitroaniline	<		3.6	50	UG/L	1		
SWB-9	12/4/2006	3-Nitroaniline	<		3.6	50	UG/L	1		
SWB-9	3/5/2007	3-Nitroaniline	<		3.6	50	UG/L	1		
SWB-9	3/6/2008	3-Nitroaniline	<		0.27	50	UG/L	1		
SWB-9	6/5/2008	3-Nitroaniline	<		0.27	50	UG/L	1		
SWB-9	12/5/2008	3-Nitroaniline	<		0.27	10	UG/L	1	R	
SWB-9	3/2/2009	3-Nitroaniline	<		0.27	10	UG/L	1	R	
SWB-9	6/2/2009	3-Nitroaniline	<		0.27	10	UG/L	1		
SWB-9	6/2/2009	3-Nitroaniline	<		0.27	10	UG/L	1	DNR	
SWB-9	3/1/2010	3-Nitroaniline	<	9.2	0.25	9.2	ug/L	1	R	
SWB-9	6/1/2010	3-NITROANILINE	<	0.25	0.25	9.4	UG/L	1	DNR	
SWB-9	6/1/2010	3-NITROANILINE	<	0.25	0.25	9.5	UG/L	1		
SWB-9	12/1/2010	3-NITROANILINE	<	1.9	1.9	9.3	UG/L	1		
SWB-6	6/9/2008	3-TETRADECENE, (Z)	TI	6.9			UG/L	1	NJ	NA
SWB-10	3/4/2004	4,6-Dinitro-2-methylphenol	<		6	50	ug/L	1		NA
SWB-10	5/24/2004	4,6-Dinitro-2-methylphenol	<		6	50	ug/L	1	UJ	
SWB-10	12/1/2004	4,6-Dinitro-2-methylphenol	<		6	50	ug/L	1		
SWB-10	3/3/2005	4,6-Dinitro-2-methylphenol	<		9.8	50	ug/L	1		
SWB-10	6/2/2005	4,6-Dinitro-2-methylphenol	<		9.8	50	ug/L	1		
SWB-10	9/1/2005	4,6-Dinitro-2-methylphenol	<		9.8	50	ug/L	1		
SWB-10	3/2/2006	4,6-Dinitro-2-methylphenol	<		9.8	50	UG/L	1		
SWB-10	6/2/2006	4,6-Dinitro-2-methylphenol	<		20	50	UG/L	1		
SWB-10	3/1/2007	4,6-Dinitro-2-methylphenol	<		20	50	UG/L	1		
SWB-10	3/7/2008	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1		
SWB-10	6/5/2008	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1		
SWB-10	3/2/2009	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1		
SWB-10	3/2/2009	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	R	
SWB-10	6/4/2009	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1		
SWB-10	3/2/2010	4,6-Dinitro-2-methylphenol	<	47	3.7	47	UG/L	1		
SWB-11	3/4/2004	4,6-Dinitro-2-methylphenol	<		6	50	ug/L	1		
SWB-11	5/24/2004	4,6-Dinitro-2-methylphenol	<		6	50	ug/L	1	UJ	
SWB-11	12/1/2004	4,6-Dinitro-2-methylphenol	<		6	50	ug/L	1		
SWB-11	3/1/2005	4,6-Dinitro-2-methylphenol	<		9.8	50	ug/L	1		
SWB-11	6/2/2005	4,6-Dinitro-2-methylphenol	<		9.8	50	ug/L	1		
SWB-11	3/2/2006	4,6-Dinitro-2-methylphenol	<		9.8	50	UG/L	1		
SWB-11	6/1/2006	4,6-Dinitro-2-methylphenol	<		20	50	UG/L	1		
SWB-11	3/1/2007	4,6-Dinitro-2-methylphenol	<		20	50	UG/L	1		
SWB-11	3/7/2008	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1		
SWB-11	6/5/2008	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1		
SWB-11	3/2/2009	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1		
SWB-11	6/4/2009	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	UJ	
SWB-11	3/1/2010	4,6-Dinitro-2-methylphenol	<	47	3.7	47	ug/L	1		
SWB-11	6/2/2010	4,6-DINITRO-2-METHYLPHENOL	<	3.8	3.8	47	UG/L	1	R	
SWB-3	10/29/2002	4,6-Dinitro-2-methylphenol	<		18	50	ug/L	1		
SWB-3	3/4/2003	4,6-Dinitro-2-methylphenol	<		18	50	ug/L	1	R	
SWB-3	6/3/2003	4,6-Dinitro-2-methylphenol	<		18	50	ug/L	1		
SWB-3	9/4/2003	4,6-Dinitro-2-methylphenol	<		18	50	ug/L	1	R	
SWB-3	12/2/2003	4,6-Dinitro-2-methylphenol	<		6	50	ug/L	1	R	
SWB-3	3/1/2004	4,6-Dinitro-2-methylphenol	<		6	50	ug/L	1		
SWB-3	6/1/2004	4,6-Dinitro-2-methylphenol	<		6	50	ug/L	1		
SWB-3	9/1/2004	4,6-Dinitro-2-methylphenol	<		6	50	ug/L	1		
SWB-3	12/1/2004	4,6-Dinitro-2-methylphenol	<		6	50	ug/L	1		
SWB-3	3/3/2005	4,6-Dinitro-2-methylphenol	<		9.8	50	ug/L	1		
SWB-3	6/2/2005	4,6-Dinitro-2-methylphenol	<		9.8	50	ug/L	1		
SWB-3	9/1/2005	4,6-Dinitro-2-methylphenol	<		9.8	50	ug/L	1	R	

tmpAnalyticalResultsOverTime

SWB-3	12/1/2005	4,6-Dinitro-2-methylphenol	<	9.8	50	UG/L	1 R	
SWB-3	3/2/2006	4,6-Dinitro-2-methylphenol	<	9.8	50	UG/L	1 R	
SWB-3	6/2/2006	4,6-Dinitro-2-methylphenol	<	20	50	UG/L	1 R	
SWB-3	9/5/2006	4,6-Dinitro-2-methylphenol	<	20	50	UG/L	1 UJ	
SWB-3	12/4/2006	4,6-Dinitro-2-methylphenol	<	20	50	UG/L	1 R	
SWB-3	3/1/2007	4,6-Dinitro-2-methylphenol	<	20	50	UG/L	1 UJ	
SWB-3	6/1/2007	4,6-Dinitro-2-methylphenol	<	20	50	UG/L	1 R	
SWB-3	12/3/2007	4,6-Dinitro-2-methylphenol	<	0.35	50	UG/L	1 R	
SWB-3	3/6/2008	4,6-Dinitro-2-methylphenol	<	4	50	UG/L	1	
SWB-3	6/9/2008	4,6-Dinitro-2-methylphenol	<	4	50	UG/L	1 R	
SWB-3	12/4/2008	4,6-Dinitro-2-methylphenol	<	4	50	UG/L	1	
SWB-3	3/2/2009	4,6-Dinitro-2-methylphenol	<	4	50	UG/L	1 R	
SWB-3	3/2/2009	4,6-Dinitro-2-methylphenol	<	4	50	UG/L	1 UJ	
SWB-3	6/4/2009	4,6-Dinitro-2-methylphenol	<	4	50	UG/L	1	
SWB-3	12/1/2009	4,6-Dinitro-2-methylphenol	<	4	50	UG/L	1	
SWB-3	12/1/2009	4,6-Dinitro-2-methylphenol	<	4	50	UG/L	1 R	
SWB-3	3/1/2010	4,6-Dinitro-2-methylphenol	<	49	3.9	49	ug/L	1 UJ
SWB-3	6/1/2010	4,6-DINITRO-2-METHYLPHENOL	<	3.7	3.7	47	UG/L	1
SWB-3	6/1/2010	4,6-DINITRO-2-METHYLPHENOL	<	3.8	3.8	47	UG/L	1 DNR
SWB-3	9/9/2010	4,6-DINITRO-2-METHYLPHENOL	<	3.7	3.7	47	UG/L	1 R
SWB-4	11/15/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1 UJ	
SWB-5	10/29/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
SWB-6	3/4/2003	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
SWB-6	6/3/2003	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
SWB-6	12/3/2003	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
SWB-6	3/5/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
SWB-6	6/1/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
SWB-6	12/1/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
SWB-6	3/7/2005	4,6-Dinitro-2-methylphenol	<	9.8	50	ug/L	1	
SWB-6	6/1/2005	4,6-Dinitro-2-methylphenol	<	9.8	50	ug/L	1	
SWB-6	12/2/2005	4,6-Dinitro-2-methylphenol	<	9.8	50	UG/L	1	
SWB-6	3/1/2006	4,6-Dinitro-2-methylphenol	<	9.8	50	UG/L	1	
SWB-6	6/1/2006	4,6-Dinitro-2-methylphenol	<	20	50	UG/L	1	
SWB-6	12/5/2006	4,6-Dinitro-2-methylphenol	<	20	50	UG/L	1	
SWB-6	3/2/2007	4,6-Dinitro-2-methylphenol	<	20	50	UG/L	1	
SWB-6	3/6/2008	4,6-Dinitro-2-methylphenol	<	4	50	UG/L	1	
SWB-6	6/9/2008	4,6-Dinitro-2-methylphenol	<	4	50	UG/L	1	
SWB-6	12/5/2008	4,6-Dinitro-2-methylphenol	<	4	50	UG/L	1	
SWB-6	12/5/2008	4,6-Dinitro-2-methylphenol	<	4	50	UG/L	1 R	
SWB-6	3/2/2009	4,6-Dinitro-2-methylphenol	<	4	50	UG/L	1	
SWB-6	3/2/2009	4,6-Dinitro-2-methylphenol	<	4	50	UG/L	1 R	
SWB-6	6/5/2009	4,6-Dinitro-2-methylphenol	<	4	50	UG/L	1	
SWB-6	3/2/2010	4,6-Dinitro-2-methylphenol	<	46	3.6	46	UG/L	1
SWB-6	6/2/2010	4,6-DINITRO-2-METHYLPHENOL	<	3.8	3.8	47	UG/L	1 DNR
SWB-6	6/2/2010	4,6-DINITRO-2-METHYLPHENOL	<	3.8	3.8	48	UG/L	1
SWB-7	3/4/2003	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
SWB-7	6/3/2003	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
SWB-7	3/1/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
SWB-7	5/24/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
SWB-7	12/1/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
SWB-7	3/7/2005	4,6-Dinitro-2-methylphenol	<	9.8	50	ug/L	1 UJ	
SWB-7	6/1/2005	4,6-Dinitro-2-methylphenol	<	9.8	50	ug/L	1	
SWB-7	9/1/2005	4,6-Dinitro-2-methylphenol	<	9.8	50	ug/L	1	
SWB-7	12/1/2005	4,6-Dinitro-2-methylphenol	<	9.8	50	UG/L	1	
SWB-7	3/1/2006	4,6-Dinitro-2-methylphenol	<	9.8	50	UG/L	1	
SWB-7	6/2/2006	4,6-Dinitro-2-methylphenol	<	20	50	UG/L	1	
SWB-7	9/5/2006	4,6-Dinitro-2-methylphenol	<	20	50	UG/L	1 UJ	

tmpAnalyticalResultsOverTime

SWB-7	12/5/2006	4,6-Dinitro-2-methylphenol	<		20	50	UG/L	1	
SWB-7	3/2/2007	4,6-Dinitro-2-methylphenol	<		20	50	UG/L	1	
SWB-7	6/1/2007	4,6-Dinitro-2-methylphenol	<		20	50	UG/L	1	
SWB-7	9/7/2007	4,6-Dinitro-2-methylphenol	<		0.35	50	UG/L	1	
SWB-7	12/3/2007	4,6-Dinitro-2-methylphenol	<		0.35	50	UG/L	1	
SWB-7	3/6/2008	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	
SWB-7	6/6/2008	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	
SWB-7	9/8/2008	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	
SWB-7	12/5/2008	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	
SWB-7	12/5/2008	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	R
SWB-7	3/2/2009	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	
SWB-7	3/2/2009	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	R
SWB-7	6/5/2009	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	
SWB-7	9/9/2009	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	
SWB-7	12/1/2009	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	
SWB-7	3/2/2010	4,6-Dinitro-2-methylphenol	<		47	3.8	47	UG/L	1
SWB-7	6/1/2010	4,6-DINITRO-2-METHYLPHENOL	<		3.8	3.8	48	UG/L	1 DNR
SWB-7	6/1/2010	4,6-DINITRO-2-METHYLPHENOL	<		4	4	50	UG/L	1
SWB-7	9/9/2010	4,6-DINITRO-2-METHYLPHENOL	<		3.9	3.9	48	UG/L	1
SWB-7	12/1/2010	4,6-DINITRO-2-METHYLPHENOL	<		3.7	3.7	47	UG/L	1
SWB-8	3/5/2004	4,6-Dinitro-2-methylphenol	<		6	50	ug/L	1	
SWB-8	3/7/2005	4,6-Dinitro-2-methylphenol	<		9.8	50	ug/L	1	
SWB-8	6/1/2005	4,6-Dinitro-2-methylphenol	<		9.8	50	ug/L	1	
SWB-8	3/1/2006	4,6-Dinitro-2-methylphenol	<		9.8	50	UG/L	1	
SWB-8	3/7/2008	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	
SWB-8	3/3/2009	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	
SWB-8	3/3/2009	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	R
SWB-9	3/4/2003	4,6-Dinitro-2-methylphenol	<		18	50	ug/L	1	UJ
SWB-9	12/3/2003	4,6-Dinitro-2-methylphenol	<		6	50	ug/L	1	
SWB-9	3/5/2004	4,6-Dinitro-2-methylphenol	<		6	50	ug/L	1	
SWB-9	5/27/2004	4,6-Dinitro-2-methylphenol	<		6	50	ug/L	1	UJ
SWB-9	12/1/2004	4,6-Dinitro-2-methylphenol	<		6	50	ug/L	1	
SWB-9	3/3/2005	4,6-Dinitro-2-methylphenol	<		9.8	50	ug/L	1	
SWB-9	6/2/2005	4,6-Dinitro-2-methylphenol	<		9.8	50	ug/L	1	
SWB-9	9/1/2005	4,6-Dinitro-2-methylphenol	<		9.8	50	ug/L	1	UJ
SWB-9	12/1/2005	4,6-Dinitro-2-methylphenol	<		9.8	50	UG/L	1	
SWB-9	3/2/2006	4,6-Dinitro-2-methylphenol	<		9.8	50	UG/L	1	
SWB-9	6/1/2006	4,6-Dinitro-2-methylphenol	<		20	50	UG/L	1	UJ
SWB-9	12/4/2006	4,6-Dinitro-2-methylphenol	<		20	50	UG/L	1	
SWB-9	3/5/2007	4,6-Dinitro-2-methylphenol	<		20	50	UG/L	1	
SWB-9	3/6/2008	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	
SWB-9	6/5/2008	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	R
SWB-9	12/5/2008	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	
SWB-9	12/5/2008	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	R
SWB-9	3/2/2009	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	R
SWB-9	3/2/2009	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	UJ
SWB-9	6/2/2009	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	
SWB-9	6/2/2009	4,6-Dinitro-2-methylphenol	<		4	50	UG/L	1	DNR
SWB-9	3/1/2010	4,6-Dinitro-2-methylphenol	<		46	3.7	46	ug/L	1
SWB-9	6/1/2010	4,6-DINITRO-2-METHYLPHENOL	<		3.8	3.8	47	UG/L	1
SWB-9	6/1/2010	4,6-DINITRO-2-METHYLPHENOL	<		3.8	3.8	47	UG/L	1 DNR
SWB-9	12/1/2010	4,6-DINITRO-2-METHYLPHENOL	<		3.7	3.7	46	UG/L	1
SWB-10	3/4/2004	4-Aminobiphenyl	<		2	50	ug/L	1	NA
SWB-10	5/24/2004	4-Aminobiphenyl	<		2	50	ug/L	1	UJ
SWB-10	12/1/2004	4-Aminobiphenyl	<		2	50	ug/L	1	
SWB-10	3/3/2005	4-Aminobiphenyl	<		2	50	ug/L	1	
SWB-10	6/2/2005	4-Aminobiphenyl	<		2	50	ug/L	1	



tmpAnalyticalResultsOverTime

SWB-10	9/1/2005	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-10	3/2/2006	4-Aminobiphenyl	<		2	50	UG/L	1
SWB-10	6/2/2006	4-Aminobiphenyl	<		0.92	50	UG/L	1
SWB-10	3/1/2007	4-Aminobiphenyl	<		0.92	50	UG/L	1
SWB-10	3/7/2008	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-10	6/5/2008	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-10	3/2/2009	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-10	3/2/2009	4-Aminobiphenyl	<		4.5	50	UG/L	1 R
SWB-10	6/4/2009	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-10	3/2/2010	4-Aminobiphenyl	<	47	4.2	47	UG/L	1
SWB-11	3/4/2004	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-11	5/24/2004	4-Aminobiphenyl	<		2	50	ug/L	1 UJ
SWB-11	12/1/2004	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-11	3/1/2005	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-11	6/2/2005	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-11	3/2/2006	4-Aminobiphenyl	<		2	50	UG/L	1
SWB-11	6/1/2006	4-Aminobiphenyl	<		0.92	50	UG/L	1
SWB-11	3/1/2007	4-Aminobiphenyl	<		0.92	50	UG/L	1
SWB-11	3/7/2008	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-11	6/5/2008	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-11	3/2/2009	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-11	6/4/2009	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-11	3/1/2010	4-Aminobiphenyl	<	47	4.2	47	ug/L	1
SWB-11	6/2/2010	4-AMINOBIIPHENYL	<	4.3	4.3	47	UG/L	1
SWB-3	10/29/2002	4-Aminobiphenyl	<		1.2	50	ug/L	1
SWB-3	3/4/2003	4-Aminobiphenyl	<		1.2	50	ug/L	1
SWB-3	6/3/2003	4-Aminobiphenyl	<		1.2	50	ug/L	1
SWB-3	9/4/2003	4-Aminobiphenyl	<		1	50	ug/L	1 UJ
SWB-3	12/2/2003	4-Aminobiphenyl	<		1	50	ug/L	1
SWB-3	3/1/2004	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-3	6/1/2004	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-3	9/1/2004	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-3	12/1/2004	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-3	3/3/2005	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-3	6/2/2005	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-3	9/1/2005	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-3	12/1/2005	4-Aminobiphenyl	<		2	50	UG/L	1 UJ
SWB-3	3/2/2006	4-Aminobiphenyl	<		2	50	UG/L	1
SWB-3	6/2/2006	4-Aminobiphenyl	<		0.92	50	UG/L	1
SWB-3	9/5/2006	4-Aminobiphenyl	<		0.92	50	UG/L	1
SWB-3	12/4/2006	4-Aminobiphenyl	<		0.92	50	UG/L	1
SWB-3	3/1/2007	4-Aminobiphenyl	<		0.92	50	UG/L	1
SWB-3	6/1/2007	4-Aminobiphenyl	<		0.92	50	UG/L	1
SWB-3	6/1/2007	4-Aminobiphenyl	<		0.92	50	UG/L	1 R
SWB-3	12/3/2007	4-Aminobiphenyl	<		0.92	50	UG/L	1
SWB-3	3/6/2008	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-3	6/9/2008	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-3	12/4/2008	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-3	3/2/2009	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-3	3/2/2009	4-Aminobiphenyl	<		4.5	50	UG/L	1 R
SWB-3	6/4/2009	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-3	12/1/2009	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-3	12/1/2009	4-Aminobiphenyl	<		4.5	50	UG/L	1 DNR
SWB-3	3/1/2010	4-Aminobiphenyl	<	49	4.4	49	ug/L	1 UJ
SWB-3	6/1/2010	4-AMINOBIIPHENYL	<	4.2	4.2	47	UG/L	1
SWB-3	6/1/2010	4-AMINOBIIPHENYL	<	4.2	4.2	47	UG/L	1 DNR
SWB-3	9/9/2010	4-AMINOBIIPHENYL	<	4.2	4.2	47	UG/L	1

tmpAnalyticalResultsOverTime

SWB-4	11/15/2002	4-Aminobiphenyl	<		1.2	50	ug/L	1
SWB-5	10/29/2002	4-Aminobiphenyl	<		1.2	50	ug/L	1
SWB-6	3/4/2003	4-Aminobiphenyl	<		1.2	50	ug/L	1
SWB-6	6/3/2003	4-Aminobiphenyl	<		1.2	50	ug/L	1
SWB-6	12/3/2003	4-Aminobiphenyl	<		1	50	ug/L	1
SWB-6	3/5/2004	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-6	6/1/2004	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-6	12/1/2004	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-6	3/7/2005	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-6	6/1/2005	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-6	12/2/2005	4-Aminobiphenyl	<		2	50	UG/L	1 UJ
SWB-6	3/1/2006	4-Aminobiphenyl	<		2	50	UG/L	1
SWB-6	6/1/2006	4-Aminobiphenyl	<		0.92	50	UG/L	1
SWB-6	12/5/2006	4-Aminobiphenyl	<		0.92	50	UG/L	1
SWB-6	3/2/2007	4-Aminobiphenyl	<		0.92	50	UG/L	1
SWB-6	3/6/2008	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-6	6/9/2008	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-6	12/5/2008	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-6	12/5/2008	4-Aminobiphenyl	<		4.5	50	UG/L	1 R
SWB-6	3/2/2009	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-6	3/2/2009	4-Aminobiphenyl	<		4.5	50	UG/L	1 R
SWB-6	6/5/2009	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-6	3/2/2010	4-Aminobiphenyl	<	46	4.1	46	UG/L	1
SWB-6	6/2/2010	4-AMINOBIIPHENYL	<	4.2	4.2	47	UG/L	1 DNR
SWB-6	6/2/2010	4-AMINOBIIPHENYL	<	4.3	4.3	48	UG/L	1
SWB-7	3/4/2003	4-Aminobiphenyl	<		1.2	50	ug/L	1
SWB-7	6/3/2003	4-Aminobiphenyl	<		1.2	50	ug/L	1
SWB-7	3/1/2004	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-7	5/24/2004	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-7	12/1/2004	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-7	3/7/2005	4-Aminobiphenyl	<		2	50	ug/L	1 UJ
SWB-7	6/1/2005	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-7	9/1/2005	4-Aminobiphenyl	<		2	50	ug/L	1
SWB-7	12/1/2005	4-Aminobiphenyl	<		2	50	UG/L	1 UJ
SWB-7	3/1/2006	4-Aminobiphenyl	<		2	50	UG/L	1
SWB-7	6/2/2006	4-Aminobiphenyl	<		0.92	50	UG/L	1
SWB-7	9/5/2006	4-Aminobiphenyl	<		0.92	50	UG/L	1 UJ
SWB-7	12/5/2006	4-Aminobiphenyl	<		0.92	50	UG/L	1
SWB-7	3/2/2007	4-Aminobiphenyl	<		0.92	50	UG/L	1
SWB-7	6/1/2007	4-Aminobiphenyl	<		0.92	50	UG/L	1
SWB-7	9/7/2007	4-Aminobiphenyl	<		0.92	50	UG/L	1
SWB-7	12/3/2007	4-Aminobiphenyl	<		0.92	50	UG/L	1
SWB-7	3/6/2008	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-7	6/6/2008	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-7	9/8/2008	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-7	12/5/2008	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-7	12/5/2008	4-Aminobiphenyl	<		4.5	50	UG/L	1 R
SWB-7	3/2/2009	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-7	3/2/2009	4-Aminobiphenyl	<		4.5	50	UG/L	1 R
SWB-7	6/5/2009	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-7	9/9/2009	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-7	12/1/2009	4-Aminobiphenyl	<		4.5	50	UG/L	1
SWB-7	3/2/2010	4-Aminobiphenyl	<	47	4.3	47	UG/L	1
SWB-7	6/1/2010	4-AMINOBIIPHENYL	<	4.3	4.3	48	UG/L	1 DNR
SWB-7	6/1/2010	4-AMINOBIIPHENYL	<	4.5	4.5	50	UG/L	1 R
SWB-7	9/9/2010	4-AMINOBIIPHENYL	<	4.3	4.3	48	UG/L	1
SWB-7	12/1/2010	4-AMINOBIIPHENYL	<	4.2	4.2	47	UG/L	1

tmpAnalyticalResultsOverTime

SWB-8	3/5/2004	4-Aminobiphenyl	<	2	50	ug/L	1	
SWB-8	3/7/2005	4-Aminobiphenyl	<	2	50	ug/L	1	
SWB-8	6/1/2005	4-Aminobiphenyl	<	2	50	ug/L	1	
SWB-8	3/1/2006	4-Aminobiphenyl	<	2	50	UG/L	1	
SWB-8	3/7/2008	4-Aminobiphenyl	<	4.5	50	UG/L	1	
SWB-8	3/3/2009	4-Aminobiphenyl	<	4.5	50	UG/L	1	
SWB-8	3/3/2009	4-Aminobiphenyl	<	4.5	50	UG/L	1	R
SWB-9	3/4/2003	4-Aminobiphenyl	<	1.2	50	ug/L	1	
SWB-9	12/3/2003	4-Aminobiphenyl	<	1	50	ug/L	1	
SWB-9	3/5/2004	4-Aminobiphenyl	<	2	50	ug/L	1	
SWB-9	5/27/2004	4-Aminobiphenyl	<	2	50	ug/L	1	UJ
SWB-9	12/1/2004	4-Aminobiphenyl	<	2	50	ug/L	1	
SWB-9	3/3/2005	4-Aminobiphenyl	<	2	50	ug/L	1	
SWB-9	6/2/2005	4-Aminobiphenyl	<	2	50	ug/L	1	
SWB-9	9/1/2005	4-Aminobiphenyl	<	2	50	ug/L	1	
SWB-9	12/1/2005	4-Aminobiphenyl	<	2	50	UG/L	1	UJ
SWB-9	3/2/2006	4-Aminobiphenyl	<	2	50	UG/L	1	
SWB-9	6/1/2006	4-Aminobiphenyl	<	0.92	50	UG/L	1	
SWB-9	12/4/2006	4-Aminobiphenyl	<	0.92	50	UG/L	1	
SWB-9	3/5/2007	4-Aminobiphenyl	<	0.92	50	UG/L	1	
SWB-9	3/6/2008	4-Aminobiphenyl	<	4.5	50	UG/L	1	
SWB-9	6/5/2008	4-Aminobiphenyl	<	4.5	50	UG/L	1	
SWB-9	12/5/2008	4-Aminobiphenyl	<	4.5	50	UG/L	1	
SWB-9	12/5/2008	4-Aminobiphenyl	<	4.5	50	UG/L	1	R
SWB-9	3/2/2009	4-Aminobiphenyl	<	4.5	50	UG/L	1	
SWB-9	3/2/2009	4-Aminobiphenyl	<	4.5	50	UG/L	1	R
SWB-9	6/2/2009	4-Aminobiphenyl	<	4.5	50	UG/L	1	
SWB-9	6/2/2009	4-Aminobiphenyl	<	4.5	50	UG/L	1	DNR
SWB-9	3/1/2010	4-Aminobiphenyl	<	46	46	ug/L	1	
SWB-9	6/1/2010	4-AMINOBIIPHENYL	<	4.2	47	UG/L	1	DNR
SWB-9	6/1/2010	4-AMINOBIIPHENYL	<	4.3	47	UG/L	1	
SWB-9	12/1/2010	4-AMINOBIIPHENYL	<	4.2	46	UG/L	1	
SWB-10	3/4/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	0.0015 mg/L
SWB-10	5/24/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	UJ
SWB-10	12/1/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
SWB-10	3/3/2005	4-Bromophenyl phenyl ether	<	2.1	10	ug/L	1	
SWB-10	6/2/2005	4-Bromophenyl phenyl ether	<	2.1	10	ug/L	1	
SWB-10	9/1/2005	4-Bromophenyl phenyl ether	<	2.1	10	ug/L	1	
SWB-10	3/2/2006	4-Bromophenyl phenyl ether	<	2.1	10	UG/L	1	
SWB-10	6/2/2006	4-Bromophenyl phenyl ether	<	2.1	10	UG/L	1	
SWB-10	3/1/2007	4-Bromophenyl phenyl ether	<	2.1	10	UG/L	1	
SWB-10	3/7/2008	4-Bromophenyl phenyl ether	<	0.43	10	UG/L	1	
SWB-10	6/5/2008	4-Bromophenyl phenyl ether	<	0.43	10	UG/L	1	
SWB-10	3/2/2009	4-Bromophenyl phenyl ether	<	0.43	10	UG/L	1	
SWB-10	3/2/2009	4-Bromophenyl phenyl ether	<	0.43	10	UG/L	1	R
SWB-10	6/4/2009	4-Bromophenyl phenyl ether	<	0.43	10	UG/L	1	
SWB-10	3/2/2010	4-Bromophenyl phenyl ether	<	9.3	9.3	UG/L	1	
SWB-11	3/4/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
SWB-11	5/24/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	UJ
SWB-11	12/1/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
SWB-11	3/1/2005	4-Bromophenyl phenyl ether	<	2.1	10	ug/L	1	
SWB-11	6/2/2005	4-Bromophenyl phenyl ether	<	2.1	10	ug/L	1	
SWB-11	3/2/2006	4-Bromophenyl phenyl ether	<	2.1	10	UG/L	1	
SWB-11	6/1/2006	4-Bromophenyl phenyl ether	<	2.1	10	UG/L	1	
SWB-11	3/1/2007	4-Bromophenyl phenyl ether	<	2.1	10	UG/L	1	
SWB-11	3/7/2008	4-Bromophenyl phenyl ether	<	0.43	10	UG/L	1	
SWB-11	6/5/2008	4-Bromophenyl phenyl ether	<	0.43	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-11	3/2/2009	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-11	6/4/2009	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-11	3/1/2010	4-Bromophenyl phenyl ether	<	9.4	0.4	9.4	ug/L	1
SWB-11	6/2/2010	4-BROMOPHENYL PHENYL ETHER	<	0.41	0.41	9.5	UG/L	1
SWB-3	10/29/2002	4-Bromophenyl phenyl ether	<		1.5	10	ug/L	1
SWB-3	3/4/2003	4-Bromophenyl phenyl ether	<		1.5	10	ug/L	1
SWB-3	6/3/2003	4-Bromophenyl phenyl ether	<		1.5	10	ug/L	1
SWB-3	9/4/2003	4-Bromophenyl phenyl ether	<		1.5	10	ug/L	1 UJ
SWB-3	12/2/2003	4-Bromophenyl phenyl ether	<		0.7	10	ug/L	1
SWB-3	3/1/2004	4-Bromophenyl phenyl ether	<		0.7	10	ug/L	1
SWB-3	6/1/2004	4-Bromophenyl phenyl ether	<		0.7	10	ug/L	1
SWB-3	9/1/2004	4-Bromophenyl phenyl ether	<		0.7	10	ug/L	1
SWB-3	12/1/2004	4-Bromophenyl phenyl ether	<		0.7	10	ug/L	1
SWB-3	3/3/2005	4-Bromophenyl phenyl ether	<		2.1	10	ug/L	1
SWB-3	6/2/2005	4-Bromophenyl phenyl ether	<		2.1	10	ug/L	1
SWB-3	9/1/2005	4-Bromophenyl phenyl ether	<		2.1	10	ug/L	1
SWB-3	12/1/2005	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1 UJ
SWB-3	3/2/2006	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1
SWB-3	6/2/2006	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1
SWB-3	9/5/2006	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1
SWB-3	12/4/2006	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1
SWB-3	3/1/2007	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1
SWB-3	6/1/2007	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1
SWB-3	6/1/2007	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1 R
SWB-3	12/3/2007	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-3	3/6/2008	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-3	6/9/2008	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-3	12/4/2008	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-3	3/2/2009	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-3	3/2/2009	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1 R
SWB-3	6/4/2009	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-3	12/1/2009	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-3	12/1/2009	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1 DNR
SWB-3	3/1/2010	4-Bromophenyl phenyl ether	<	9.7	0.42	9.7	ug/L	1 UJ
SWB-3	6/1/2010	4-BROMOPHENYL PHENYL ETHER	<	0.4	0.4	9.4	UG/L	1
SWB-3	6/1/2010	4-BROMOPHENYL PHENYL ETHER	<	0.41	0.41	9.4	UG/L	1 DNR
SWB-3	9/9/2010	4-BROMOPHENYL PHENYL ETHER	<	0.4	0.4	9.3	UG/L	1
SWB-4	11/15/2002	4-Bromophenyl phenyl ether	<		1.5	10	ug/L	1
SWB-5	10/29/2002	4-Bromophenyl phenyl ether	<		1.5	10	ug/L	1
SWB-6	3/4/2003	4-Bromophenyl phenyl ether	<		1.5	10	ug/L	1
SWB-6	6/3/2003	4-Bromophenyl phenyl ether	<		1.5	10	ug/L	1
SWB-6	12/3/2003	4-Bromophenyl phenyl ether	<		0.7	10	ug/L	1
SWB-6	3/5/2004	4-Bromophenyl phenyl ether	<		0.7	10	ug/L	1
SWB-6	6/1/2004	4-Bromophenyl phenyl ether	<		0.7	10	ug/L	1
SWB-6	12/1/2004	4-Bromophenyl phenyl ether	<		0.7	10	ug/L	1
SWB-6	3/7/2005	4-Bromophenyl phenyl ether	<		2.1	10	ug/L	1
SWB-6	6/1/2005	4-Bromophenyl phenyl ether	<		2.1	10	ug/L	1
SWB-6	12/2/2005	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1 UJ
SWB-6	3/1/2006	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1
SWB-6	6/1/2006	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1
SWB-6	12/5/2006	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1
SWB-6	3/2/2007	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1
SWB-6	3/6/2008	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-6	6/9/2008	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-6	12/5/2008	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-6	12/5/2008	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1 R
SWB-6	3/2/2009	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	3/2/2009	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1 R
SWB-6	6/5/2009	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-6	3/2/2010	4-Bromophenyl phenyl ether	<	9.1	0.39	9.1	UG/L	1
SWB-6	6/2/2010	4-BROMOPHENYL PHENYL ETHER	<	0.4	0.4	9.4	UG/L	1 DNR
SWB-6	6/2/2010	4-BROMOPHENYL PHENYL ETHER	<	0.41	0.41	9.5	UG/L	1
SWB-7	3/4/2003	4-Bromophenyl phenyl ether	<		1.5	10	ug/L	1
SWB-7	6/3/2003	4-Bromophenyl phenyl ether	<		1.5	10	ug/L	1
SWB-7	3/1/2004	4-Bromophenyl phenyl ether	<		0.7	10	ug/L	1
SWB-7	5/24/2004	4-Bromophenyl phenyl ether	<		0.7	10	ug/L	1
SWB-7	12/1/2004	4-Bromophenyl phenyl ether	<		0.7	10	ug/L	1
SWB-7	3/7/2005	4-Bromophenyl phenyl ether	<		2.1	10	ug/L	1 UJ
SWB-7	6/1/2005	4-Bromophenyl phenyl ether	<		2.1	10	ug/L	1
SWB-7	9/1/2005	4-Bromophenyl phenyl ether	<		2.1	10	ug/L	1
SWB-7	12/1/2005	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1 UJ
SWB-7	3/1/2006	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1
SWB-7	6/2/2006	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1
SWB-7	9/5/2006	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1 UJ
SWB-7	12/5/2006	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1
SWB-7	3/2/2007	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1
SWB-7	6/1/2007	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1
SWB-7	9/7/2007	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-7	12/3/2007	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-7	3/6/2008	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-7	6/6/2008	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-7	9/8/2008	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-7	12/5/2008	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-7	12/5/2008	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1 R
SWB-7	3/2/2009	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-7	3/2/2009	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1 R
SWB-7	6/5/2009	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-7	9/9/2009	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-7	12/1/2009	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-7	3/2/2010	4-Bromophenyl phenyl ether	<	9.5	0.41	9.5	UG/L	1
SWB-7	6/1/2010	4-BROMOPHENYL PHENYL ETHER	<	0.41	0.41	9.6	UG/L	1 DNR
SWB-7	6/1/2010	4-BROMOPHENYL PHENYL ETHER	<	0.43	0.43	10	UG/L	1 R
SWB-7	9/9/2010	4-BROMOPHENYL PHENYL ETHER	<	0.41	0.41	9.6	UG/L	1
SWB-7	12/1/2010	4-BROMOPHENYL PHENYL ETHER	<	0.4	0.4	9.3	UG/L	1
SWB-8	3/5/2004	4-Bromophenyl phenyl ether	<		0.7	10	ug/L	1
SWB-8	3/7/2005	4-Bromophenyl phenyl ether	<		2.1	10	ug/L	1
SWB-8	6/1/2005	4-Bromophenyl phenyl ether	<		2.1	10	ug/L	1
SWB-8	3/1/2006	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1
SWB-8	3/7/2008	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-8	3/3/2009	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1
SWB-8	3/3/2009	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1 R
SWB-9	3/4/2003	4-Bromophenyl phenyl ether	<		1.5	10	ug/L	1
SWB-9	12/3/2003	4-Bromophenyl phenyl ether	<		0.7	10	ug/L	1
SWB-9	3/5/2004	4-Bromophenyl phenyl ether	<		0.7	10	ug/L	1
SWB-9	5/27/2004	4-Bromophenyl phenyl ether	<		0.7	10	ug/L	1 UJ
SWB-9	12/1/2004	4-Bromophenyl phenyl ether	<		0.7	10	ug/L	1
SWB-9	3/3/2005	4-Bromophenyl phenyl ether	<		2.1	10	ug/L	1
SWB-9	6/2/2005	4-Bromophenyl phenyl ether	<		2.1	10	ug/L	1
SWB-9	9/1/2005	4-Bromophenyl phenyl ether	<		2.1	10	ug/L	1
SWB-9	12/1/2005	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1 UJ
SWB-9	3/2/2006	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1
SWB-9	6/1/2006	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1
SWB-9	12/4/2006	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1
SWB-9	3/5/2007	4-Bromophenyl phenyl ether	<		2.1	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	3/6/2008	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1	
SWB-9	6/5/2008	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1	
SWB-9	12/5/2008	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1	
SWB-9	12/5/2008	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1	R
SWB-9	3/2/2009	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1	
SWB-9	3/2/2009	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1	R
SWB-9	6/2/2009	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1	
SWB-9	6/2/2009	4-Bromophenyl phenyl ether	<		0.43	10	UG/L	1	DNR
SWB-9	3/1/2010	4-Bromophenyl phenyl ether	<	9.2	0.4	9.2	ug/L	1	
SWB-9	6/1/2010	4-BROMOPHENYL PHENYL ETHER	<	0.4	0.4	9.4	UG/L	1	DNR
SWB-9	6/1/2010	4-BROMOPHENYL PHENYL ETHER	<	0.41	0.41	9.5	UG/L	1	
SWB-9	12/1/2010	4-BROMOPHENYL PHENYL ETHER	<	0.4	0.4	9.3	UG/L	1	
SWB-10	3/4/2004	4-Chloro-3-methylphenol	<		0.8	10	ug/L	1	NA
SWB-10	5/24/2004	4-Chloro-3-methylphenol	<		0.8	10	ug/L	1	UJ
SWB-10	12/1/2004	4-Chloro-3-methylphenol	<		0.8	10	ug/L	1	
SWB-10	3/3/2005	4-Chloro-3-methylphenol	<		1.3	10	ug/L	1	
SWB-10	6/2/2005	4-Chloro-3-methylphenol	<		1.3	10	ug/L	1	
SWB-10	9/1/2005	4-Chloro-3-methylphenol	<		1.3	10	ug/L	1	
SWB-10	3/2/2006	4-Chloro-3-methylphenol	<		1.3	10	UG/L	1	
SWB-10	6/2/2006	4-Chloro-3-methylphenol	<		5	10	UG/L	1	
SWB-10	3/1/2007	4-Chloro-3-methylphenol	<		5	10	UG/L	1	
SWB-10	3/7/2008	4-Chloro-3-methylphenol	<		0.9	10	UG/L	1	
SWB-10	6/5/2008	4-Chloro-3-methylphenol	<		0.9	10	UG/L	1	
SWB-10	3/2/2009	4-Chloro-3-methylphenol	<		2.4	10	UG/L	1	
SWB-10	3/2/2009	4-Chloro-3-methylphenol	<		2.4	10	UG/L	1	R
SWB-10	6/4/2009	4-Chloro-3-methylphenol	<		2.4	10	UG/L	1	
SWB-10	3/2/2010	4-Chloro-3-methylphenol	<	9.3	2.2	9.3	UG/L	1	
SWB-11	3/4/2004	4-Chloro-3-methylphenol	<		0.8	10	ug/L	1	
SWB-11	5/24/2004	4-Chloro-3-methylphenol	<		0.8	10	ug/L	1	UJ
SWB-11	12/1/2004	4-Chloro-3-methylphenol	<		0.8	10	ug/L	1	
SWB-11	3/1/2005	4-Chloro-3-methylphenol	<		1.3	10	ug/L	1	
SWB-11	6/2/2005	4-Chloro-3-methylphenol	<		1.3	10	ug/L	1	
SWB-11	3/2/2006	4-Chloro-3-methylphenol	<		1.3	10	UG/L	1	
SWB-11	6/1/2006	4-Chloro-3-methylphenol	<		5	10	UG/L	1	
SWB-11	3/1/2007	4-Chloro-3-methylphenol	<		5	10	UG/L	1	
SWB-11	3/7/2008	4-Chloro-3-methylphenol	<		0.9	10	UG/L	1	
SWB-11	6/5/2008	4-Chloro-3-methylphenol	<		0.9	10	UG/L	1	
SWB-11	3/2/2009	4-Chloro-3-methylphenol	<		2.4	10	UG/L	1	
SWB-11	6/4/2009	4-Chloro-3-methylphenol	<		2.4	10	UG/L	1	UJ
SWB-11	3/1/2010	4-Chloro-3-methylphenol	<	9.4	2.3	9.4	ug/L	1	
SWB-11	6/2/2010	4-CHLORO-3-METHYLPHENOL	<	2.3	2.3	9.5	UG/L	1	R
SWB-3	10/29/2002	4-Chloro-3-methylphenol	<		2	10	ug/L	1	
SWB-3	3/4/2003	4-Chloro-3-methylphenol	<		2	10	ug/L	1	R
SWB-3	6/3/2003	4-Chloro-3-methylphenol	<		2	10	ug/L	1	
SWB-3	9/4/2003	4-Chloro-3-methylphenol	<		2	10	ug/L	1	R
SWB-3	12/2/2003	4-Chloro-3-methylphenol	<		0.8	10	ug/L	1	R
SWB-3	3/1/2004	4-Chloro-3-methylphenol	<		0.8	10	ug/L	1	
SWB-3	6/1/2004	4-Chloro-3-methylphenol	<		0.8	10	ug/L	1	
SWB-3	9/1/2004	4-Chloro-3-methylphenol	<		0.8	10	ug/L	1	
SWB-3	12/1/2004	4-Chloro-3-methylphenol	<		0.8	10	ug/L	1	
SWB-3	3/3/2005	4-Chloro-3-methylphenol	<		1.3	10	ug/L	1	
SWB-3	6/2/2005	4-Chloro-3-methylphenol	<		1.3	10	ug/L	1	
SWB-3	9/1/2005	4-Chloro-3-methylphenol	<		1.3	10	ug/L	1	R
SWB-3	12/1/2005	4-Chloro-3-methylphenol	<		1.3	10	UG/L	1	R
SWB-3	3/2/2006	4-Chloro-3-methylphenol	<		1.3	10	UG/L	1	R
SWB-3	6/2/2006	4-Chloro-3-methylphenol	<		5	10	UG/L	1	R
SWB-3	9/5/2006	4-Chloro-3-methylphenol	<		5	10	UG/L	1	UJ

tmpAnalyticalResultsOverTime

SWB-3	12/4/2006	4-Chloro-3-methylphenol	<	5	10	UG/L	1 R
SWB-3	3/1/2007	4-Chloro-3-methylphenol	<	5	10	UG/L	1 UJ
SWB-3	6/1/2007	4-Chloro-3-methylphenol	<	5	10	UG/L	1 R
SWB-3	12/3/2007	4-Chloro-3-methylphenol	<	2	10	UG/L	1 R
SWB-3	3/6/2008	4-Chloro-3-methylphenol	<	0.9	10	UG/L	1
SWB-3	6/9/2008	4-Chloro-3-methylphenol	<	0.9	10	UG/L	1 R
SWB-3	12/4/2008	4-Chloro-3-methylphenol	<	0.9	10	UG/L	1
SWB-3	3/2/2009	4-Chloro-3-methylphenol	<	2.4	10	UG/L	1 R
SWB-3	3/2/2009	4-Chloro-3-methylphenol	<	2.4	10	UG/L	1 UJ
SWB-3	6/4/2009	4-Chloro-3-methylphenol	<	2.4	10	UG/L	1 UJ
SWB-3	12/1/2009	4-Chloro-3-methylphenol	<	2.4	10	UG/L	1 DNR
SWB-3	12/1/2009	4-Chloro-3-methylphenol	<	2.4	10	UG/L	1 R
SWB-3	3/1/2010	4-Chloro-3-methylphenol	<	9.7	2.3	9.7	ug/L 1 UJ
SWB-3	6/1/2010	4-CHLORO-3-METHYLPHENOL	<	2.3	2.3	9.4	UG/L 1 DNR
SWB-3	6/1/2010	4-CHLORO-3-METHYLPHENOL	<	2.3	2.3	9.4	UG/L 1 R
SWB-3	9/9/2010	4-CHLORO-3-METHYLPHENOL	<	2.2	2.2	9.3	UG/L 1 R
SWB-4	11/15/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1 UJ
SWB-5	10/29/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
SWB-6	3/4/2003	4-Chloro-3-methylphenol	<	2	10	ug/L	1
SWB-6	6/3/2003	4-Chloro-3-methylphenol	<	2	10	ug/L	1
SWB-6	12/3/2003	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
SWB-6	3/5/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
SWB-6	6/1/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
SWB-6	12/1/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
SWB-6	3/7/2005	4-Chloro-3-methylphenol	<	1.3	10	ug/L	1
SWB-6	6/1/2005	4-Chloro-3-methylphenol	<	1.3	10	ug/L	1
SWB-6	12/2/2005	4-Chloro-3-methylphenol	<	1.3	10	UG/L	1
SWB-6	3/1/2006	4-Chloro-3-methylphenol	<	1.3	10	UG/L	1
SWB-6	6/1/2006	4-Chloro-3-methylphenol	<	5	10	UG/L	1
SWB-6	12/5/2006	4-Chloro-3-methylphenol	<	5	10	UG/L	1
SWB-6	3/2/2007	4-Chloro-3-methylphenol	<	5	10	UG/L	1
SWB-6	3/6/2008	4-Chloro-3-methylphenol	<	0.9	10	UG/L	1
SWB-6	6/9/2008	4-Chloro-3-methylphenol	<	0.9	10	UG/L	1
SWB-6	12/5/2008	4-Chloro-3-methylphenol	<	0.9	10	UG/L	1 R
SWB-6	12/5/2008	4-Chloro-3-methylphenol	<	0.9	10	UG/L	1 UJ
SWB-6	3/2/2009	4-Chloro-3-methylphenol	<	2.4	10	UG/L	1
SWB-6	3/2/2009	4-Chloro-3-methylphenol	<	2.4	10	UG/L	1 R
SWB-6	6/5/2009	4-Chloro-3-methylphenol	<	2.4	10	UG/L	1
SWB-6	3/2/2010	4-Chloro-3-methylphenol	<	9.1	2.2	9.1	UG/L 1
SWB-6	6/2/2010	4-CHLORO-3-METHYLPHENOL	<	2.3	2.3	9.4	UG/L 1 DNR
SWB-6	6/2/2010	4-CHLORO-3-METHYLPHENOL	<	2.3	2.3	9.5	UG/L 1 UJ
SWB-7	3/4/2003	4-Chloro-3-methylphenol	<	2	10	ug/L	1
SWB-7	6/3/2003	4-Chloro-3-methylphenol	<	2	10	ug/L	1
SWB-7	3/1/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
SWB-7	5/24/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
SWB-7	12/1/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
SWB-7	3/7/2005	4-Chloro-3-methylphenol	<	1.3	10	ug/L	1 UJ
SWB-7	6/1/2005	4-Chloro-3-methylphenol	<	1.3	10	ug/L	1
SWB-7	9/1/2005	4-Chloro-3-methylphenol	<	1.3	10	ug/L	1
SWB-7	12/1/2005	4-Chloro-3-methylphenol	<	1.3	10	UG/L	1
SWB-7	3/1/2006	4-Chloro-3-methylphenol	<	1.3	10	UG/L	1
SWB-7	6/2/2006	4-Chloro-3-methylphenol	<	5	10	UG/L	1
SWB-7	9/5/2006	4-Chloro-3-methylphenol	<	5	10	UG/L	1 UJ
SWB-7	12/5/2006	4-Chloro-3-methylphenol	<	5	10	UG/L	1
SWB-7	3/2/2007	4-Chloro-3-methylphenol	<	5	10	UG/L	1
SWB-7	6/1/2007	4-Chloro-3-methylphenol	<	5	10	UG/L	1
SWB-7	9/7/2007	4-Chloro-3-methylphenol	<	2	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	12/3/2007	4-Chloro-3-methylphenol	<		2	10	UG/L	1	UJ	
SWB-7	3/6/2008	4-Chloro-3-methylphenol	<		0.9	10	UG/L	1		
SWB-7	6/6/2008	4-Chloro-3-methylphenol	<		0.9	10	UG/L	1		
SWB-7	9/8/2008	4-Chloro-3-methylphenol	<		0.9	10	UG/L	1		
SWB-7	12/5/2008	4-Chloro-3-methylphenol	<		0.9	10	UG/L	1	R	
SWB-7	12/5/2008	4-Chloro-3-methylphenol	<		0.9	10	UG/L	1	UJ	
SWB-7	3/2/2009	4-Chloro-3-methylphenol	<		2.4	10	UG/L	1		
SWB-7	3/2/2009	4-Chloro-3-methylphenol	<		2.4	10	UG/L	1	R	
SWB-7	6/5/2009	4-Chloro-3-methylphenol	<		2.4	10	UG/L	1		
SWB-7	9/9/2009	4-Chloro-3-methylphenol	<		2.4	10	UG/L	1		
SWB-7	12/1/2009	4-Chloro-3-methylphenol	<		2.4	10	UG/L	1		
SWB-7	3/2/2010	4-Chloro-3-methylphenol	<	9.5	2.3	9.5	UG/L	1		
SWB-7	6/1/2010	4-CHLORO-3-METHYLPHENOL	<	2.3	2.3	9.6	UG/L	1	DNR	
SWB-7	6/1/2010	4-CHLORO-3-METHYLPHENOL	<	2.4	2.4	10	UG/L	1	UJ	
SWB-7	9/9/2010	4-CHLORO-3-METHYLPHENOL	<	2.3	2.3	9.6	UG/L	1		
SWB-7	12/1/2010	4-CHLORO-3-METHYLPHENOL	<	2.2	2.2	9.3	UG/L	1		
SWB-8	3/5/2004	4-Chloro-3-methylphenol	<		0.8	10	ug/L	1		
SWB-8	3/7/2005	4-Chloro-3-methylphenol	<		1.3	10	ug/L	1		
SWB-8	6/1/2005	4-Chloro-3-methylphenol	<		1.3	10	ug/L	1		
SWB-8	3/1/2006	4-Chloro-3-methylphenol	<		1.3	10	UG/L	1		
SWB-8	3/7/2008	4-Chloro-3-methylphenol	<		0.9	10	UG/L	1		
SWB-8	3/3/2009	4-Chloro-3-methylphenol	<		2.4	10	UG/L	1		
SWB-8	3/3/2009	4-Chloro-3-methylphenol	<		2.4	10	UG/L	1	R	
SWB-9	3/4/2003	4-Chloro-3-methylphenol	<		2	10	ug/L	1	UJ	
SWB-9	12/3/2003	4-Chloro-3-methylphenol	<		0.8	10	ug/L	1		
SWB-9	3/5/2004	4-Chloro-3-methylphenol	<		0.8	10	ug/L	1		
SWB-9	5/27/2004	4-Chloro-3-methylphenol	<		0.8	10	ug/L	1	UJ	
SWB-9	12/1/2004	4-Chloro-3-methylphenol	<		0.8	10	ug/L	1		
SWB-9	3/3/2005	4-Chloro-3-methylphenol	<		1.3	10	ug/L	1		
SWB-9	6/2/2005	4-Chloro-3-methylphenol	<		1.3	10	ug/L	1		
SWB-9	9/1/2005	4-Chloro-3-methylphenol	<		1.3	10	ug/L	1	UJ	
SWB-9	12/1/2005	4-Chloro-3-methylphenol	<		1.3	10	UG/L	1		
SWB-9	3/2/2006	4-Chloro-3-methylphenol	<		1.3	10	UG/L	1		
SWB-9	6/1/2006	4-Chloro-3-methylphenol	<		5	10	UG/L	1	UJ	
SWB-9	12/4/2006	4-Chloro-3-methylphenol	<		5	10	UG/L	1	UJ	
SWB-9	3/5/2007	4-Chloro-3-methylphenol	<		5	10	UG/L	1	UJ	
SWB-9	3/6/2008	4-Chloro-3-methylphenol	<		0.9	10	UG/L	1		
SWB-9	6/5/2008	4-Chloro-3-methylphenol	<		0.9	10	UG/L	1	R	
SWB-9	12/5/2008	4-Chloro-3-methylphenol	<		0.9	10	UG/L	1	R	
SWB-9	12/5/2008	4-Chloro-3-methylphenol	<		0.9	10	UG/L	1	UJ	
SWB-9	3/2/2009	4-Chloro-3-methylphenol	<		2.4	10	UG/L	1	R	
SWB-9	3/2/2009	4-Chloro-3-methylphenol	<		2.4	10	UG/L	1	UJ	
SWB-9	6/2/2009	4-Chloro-3-methylphenol	<		2.4	10	UG/L	1		
SWB-9	6/2/2009	4-Chloro-3-methylphenol	<		2.4	10	UG/L	1	DNR	
SWB-9	3/1/2010	4-Chloro-3-methylphenol	<	9.2	2.2	9.2	ug/L	1		
SWB-9	6/1/2010	4-CHLORO-3-METHYLPHENOL	<	2.3	2.3	9.4	UG/L	1	DNR	
SWB-9	6/1/2010	4-CHLORO-3-METHYLPHENOL	<	2.3	2.3	9.5	UG/L	1	UJ	
SWB-9	12/1/2010	4-CHLORO-3-METHYLPHENOL	<	2.2	2.2	9.3	UG/L	1		
SWB-10	3/4/2004	4-Chloroaniline	<		3	10	ug/L	1		NA
SWB-10	5/24/2004	4-Chloroaniline	<		3	10	ug/L	1	UJ	
SWB-10	12/1/2004	4-Chloroaniline	<		3	10	ug/L	1		
SWB-10	3/3/2005	4-Chloroaniline	<		7.5	10	ug/L	1		
SWB-10	6/2/2005	4-Chloroaniline	<		7.5	10	ug/L	1		
SWB-10	9/1/2005	4-Chloroaniline	<		7.5	10	ug/L	1		
SWB-10	3/2/2006	4-Chloroaniline	<		7.5	10	UG/L	1		
SWB-10	6/2/2006	4-Chloroaniline	<		2	10	UG/L	1		
SWB-10	3/1/2007	4-Chloroaniline	<		2	10	UG/L	1		



tmpAnalyticalResultsOverTime

SWB-10	3/7/2008	4-Chloroaniline	<		0.29	10	UG/L	1
SWB-10	6/5/2008	4-Chloroaniline	<		0.29	10	UG/L	1
SWB-10	3/2/2009	4-Chloroaniline	<		2.1	10	UG/L	1 R
SWB-10	6/4/2009	4-Chloroaniline	<		2.1	10	UG/L	1 R
SWB-10	3/2/2010	4-Chloroaniline	<	9.3	2	9.3	UG/L	1 R
SWB-11	3/4/2004	4-Chloroaniline	<		3	10	ug/L	1
SWB-11	5/24/2004	4-Chloroaniline	<		3	10	ug/L	1 UJ
SWB-11	12/1/2004	4-Chloroaniline	<		3	10	ug/L	1
SWB-11	3/1/2005	4-Chloroaniline	<		7.5	10	ug/L	1
SWB-11	6/2/2005	4-Chloroaniline	<		7.5	10	ug/L	1
SWB-11	3/2/2006	4-Chloroaniline	<		7.5	10	UG/L	1
SWB-11	6/1/2006	4-Chloroaniline	<		2	10	UG/L	1
SWB-11	3/1/2007	4-Chloroaniline	<		2	10	UG/L	1
SWB-11	3/7/2008	4-Chloroaniline	<		0.29	10	UG/L	1
SWB-11	6/5/2008	4-Chloroaniline	<		0.29	10	UG/L	1
SWB-11	3/2/2009	4-Chloroaniline	<		2.1	10	UG/L	1 R
SWB-11	6/4/2009	4-Chloroaniline	<		2.1	10	UG/L	1 R
SWB-11	3/1/2010	4-Chloroaniline	<	9.4	2	9.4	ug/L	1 R
SWB-11	6/2/2010	4-CHLOROANILINE	<	2	2	9.5	UG/L	1
SWB-3	10/29/2002	4-Chloroaniline	<		2.5	10	ug/L	1
SWB-3	3/4/2003	4-Chloroaniline	<		2.5	10	ug/L	1
SWB-3	6/3/2003	4-Chloroaniline	<		2.5	10	ug/L	1
SWB-3	9/4/2003	4-Chloroaniline	<		2.5	10	ug/L	1 UJ
SWB-3	12/2/2003	4-Chloroaniline	<		3	10	ug/L	1
SWB-3	3/1/2004	4-Chloroaniline	<		3	10	ug/L	1
SWB-3	6/1/2004	4-Chloroaniline	<		3	10	ug/L	1
SWB-3	9/1/2004	4-Chloroaniline	<		3	10	ug/L	1
SWB-3	12/1/2004	4-Chloroaniline	<		3	10	ug/L	1
SWB-3	3/3/2005	4-Chloroaniline	<		7.5	10	ug/L	1
SWB-3	6/2/2005	4-Chloroaniline	<		7.5	10	ug/L	1
SWB-3	9/1/2005	4-Chloroaniline	<		7.5	10	ug/L	1
SWB-3	12/1/2005	4-Chloroaniline	<		7.5	10	UG/L	1 UJ
SWB-3	3/2/2006	4-Chloroaniline	<		7.5	10	UG/L	1
SWB-3	6/2/2006	4-Chloroaniline	<		2	10	UG/L	1
SWB-3	9/5/2006	4-Chloroaniline	<		2	10	UG/L	1
SWB-3	12/4/2006	4-Chloroaniline	<		2	10	UG/L	1
SWB-3	3/1/2007	4-Chloroaniline	<		2	10	UG/L	1
SWB-3	6/1/2007	4-Chloroaniline	<		2	10	UG/L	1
SWB-3	6/1/2007	4-Chloroaniline	<		2	10	UG/L	1 R
SWB-3	12/3/2007	4-Chloroaniline	<		2	10	UG/L	1
SWB-3	3/6/2008	4-Chloroaniline	<		0.29	10	UG/L	1
SWB-3	6/9/2008	4-Chloroaniline	<		0.29	10	UG/L	1
SWB-3	12/4/2008	4-Chloroaniline	<		0.29	10	UG/L	1
SWB-3	3/2/2009	4-Chloroaniline	<		2.1	10	UG/L	1 R
SWB-3	6/4/2009	4-Chloroaniline	<		2.1	10	UG/L	1 R
SWB-3	12/1/2009	4-Chloroaniline	<		2.1	10	UG/L	1
SWB-3	12/1/2009	4-Chloroaniline	<		2.1	10	UG/L	1 DNR
SWB-3	3/1/2010	4-Chloroaniline	<	9.7	2.1	9.7	ug/L	1 R
SWB-3	6/1/2010	4-CHLOROANILINE	<	2	2	9.4	UG/L	1
SWB-3	6/1/2010	4-CHLOROANILINE	<	2	2	9.4	UG/L	1 DNR
SWB-3	9/9/2010	4-CHLOROANILINE	<	2	2	9.3	UG/L	1
SWB-4	11/15/2002	4-Chloroaniline	<		2.5	10	ug/L	1
SWB-5	10/29/2002	4-Chloroaniline	<		2.5	10	ug/L	1
SWB-6	3/4/2003	4-Chloroaniline	<		2.5	10	ug/L	1
SWB-6	6/3/2003	4-Chloroaniline	<		2.5	10	ug/L	1
SWB-6	12/3/2003	4-Chloroaniline	<		3	10	ug/L	1
SWB-6	3/5/2004	4-Chloroaniline	<		3	10	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	6/1/2004	4-Chloroaniline	<		3	10	ug/L	1
SWB-6	12/1/2004	4-Chloroaniline	<		3	10	ug/L	1
SWB-6	3/7/2005	4-Chloroaniline	<		7.5	10	ug/L	1
SWB-6	6/1/2005	4-Chloroaniline	<		7.5	10	ug/L	1
SWB-6	12/2/2005	4-Chloroaniline	<		7.5	10	UG/L	1 UJ
SWB-6	3/1/2006	4-Chloroaniline	<		7.5	10	UG/L	1
SWB-6	6/1/2006	4-Chloroaniline	<		2	10	UG/L	1
SWB-6	12/5/2006	4-Chloroaniline	<		2	10	UG/L	1
SWB-6	3/2/2007	4-Chloroaniline	<		2	10	UG/L	1
SWB-6	3/6/2008	4-Chloroaniline	<		0.29	10	UG/L	1
SWB-6	6/9/2008	4-Chloroaniline	<		0.29	10	UG/L	1
SWB-6	12/5/2008	4-Chloroaniline	<		0.29	10	UG/L	1 R
SWB-6	3/2/2009	4-Chloroaniline	<		2.1	10	UG/L	1 R
SWB-6	6/5/2009	4-Chloroaniline	<		2.1	10	UG/L	1 R
SWB-6	3/2/2010	4-Chloroaniline	<	9.1	2	9.1	UG/L	1 R
SWB-6	6/2/2010	4-CHLOROANILINE	<	2	2	9.4	UG/L	1 DNR
SWB-6	6/2/2010	4-CHLOROANILINE	<	2	2	9.5	UG/L	1
SWB-7	3/4/2003	4-Chloroaniline	<		2.5	10	ug/L	1
SWB-7	6/3/2003	4-Chloroaniline	<		2.5	10	ug/L	1
SWB-7	3/1/2004	4-Chloroaniline	<		3	10	ug/L	1
SWB-7	5/24/2004	4-Chloroaniline	<		3	10	ug/L	1
SWB-7	12/1/2004	4-Chloroaniline	<		3	10	ug/L	1
SWB-7	3/7/2005	4-Chloroaniline	<		7.5	10	ug/L	1 UJ
SWB-7	6/1/2005	4-Chloroaniline	<		7.5	10	ug/L	1
SWB-7	9/1/2005	4-Chloroaniline	<		7.5	10	ug/L	1
SWB-7	12/1/2005	4-Chloroaniline	<		7.5	10	UG/L	1 UJ
SWB-7	3/1/2006	4-Chloroaniline	<		7.5	10	UG/L	1
SWB-7	6/2/2006	4-Chloroaniline	<		2	10	UG/L	1
SWB-7	9/5/2006	4-Chloroaniline	<		2	10	UG/L	1 UJ
SWB-7	12/5/2006	4-Chloroaniline	<		2	10	UG/L	1
SWB-7	3/2/2007	4-Chloroaniline	<		2	10	UG/L	1
SWB-7	6/1/2007	4-Chloroaniline	<		2	10	UG/L	1
SWB-7	9/7/2007	4-Chloroaniline	<		2	10	UG/L	1
SWB-7	12/3/2007	4-Chloroaniline	<		2	10	UG/L	1
SWB-7	3/6/2008	4-Chloroaniline	<		0.29	10	UG/L	1
SWB-7	6/6/2008	4-Chloroaniline	<		0.29	10	UG/L	1
SWB-7	9/8/2008	4-Chloroaniline	<		0.29	10	UG/L	1
SWB-7	12/5/2008	4-Chloroaniline	<		0.29	10	UG/L	1 R
SWB-7	3/2/2009	4-Chloroaniline	<		2.1	10	UG/L	1 R
SWB-7	6/5/2009	4-Chloroaniline	<		2.1	10	UG/L	1 R
SWB-7	9/9/2009	4-Chloroaniline	<		2.1	10	UG/L	1 UJ
SWB-7	12/1/2009	4-Chloroaniline	<		2.1	10	UG/L	1
SWB-7	3/2/2010	4-Chloroaniline	<	9.5	2	9.5	UG/L	1 R
SWB-7	6/1/2010	4-CHLOROANILINE	<	2	2	9.6	UG/L	1 DNR
SWB-7	6/1/2010	4-CHLOROANILINE	<	2.1	2.1	10	UG/L	1 R
SWB-7	9/9/2010	4-CHLOROANILINE	<	2.1	2.1	9.6	UG/L	1
SWB-7	12/1/2010	4-CHLOROANILINE	<	2	2	9.3	UG/L	1
SWB-8	3/5/2004	4-Chloroaniline	<		3	10	ug/L	1
SWB-8	3/7/2005	4-Chloroaniline	<		7.5	10	ug/L	1
SWB-8	6/1/2005	4-Chloroaniline	<		7.5	10	ug/L	1
SWB-8	3/1/2006	4-Chloroaniline	<		7.5	10	UG/L	1
SWB-8	3/7/2008	4-Chloroaniline	<		0.29	10	UG/L	1
SWB-8	3/3/2009	4-Chloroaniline	<		2.1	10	UG/L	1 R
SWB-9	3/4/2003	4-Chloroaniline	<		2.5	10	ug/L	1
SWB-9	12/3/2003	4-Chloroaniline	<		3	10	ug/L	1
SWB-9	3/5/2004	4-Chloroaniline	<		3	10	ug/L	1
SWB-9	5/27/2004	4-Chloroaniline	<		3	10	ug/L	1 UJ

tmpAnalyticalResultsOverTime

SWB-9	12/1/2004	4-Chloroaniline	<		3	10	ug/L	1	
SWB-9	3/3/2005	4-Chloroaniline	<		7.5	10	ug/L	1	
SWB-9	6/2/2005	4-Chloroaniline	<		7.5	10	ug/L	1	
SWB-9	9/1/2005	4-Chloroaniline	<		7.5	10	ug/L	1	
SWB-9	12/1/2005	4-Chloroaniline	<		7.5	10	UG/L	1	UJ
SWB-9	3/2/2006	4-Chloroaniline	<		7.5	10	UG/L	1	
SWB-9	6/1/2006	4-Chloroaniline	<		2	10	UG/L	1	
SWB-9	12/4/2006	4-Chloroaniline	<		2	10	UG/L	1	
SWB-9	3/5/2007	4-Chloroaniline	<		2	10	UG/L	1	
SWB-9	3/6/2008	4-Chloroaniline	<		0.29	10	UG/L	1	
SWB-9	6/5/2008	4-Chloroaniline	<		0.29	10	UG/L	1	
SWB-9	12/5/2008	4-Chloroaniline	<		0.29	10	UG/L	1	R
SWB-9	3/2/2009	4-Chloroaniline	<		2.1	10	UG/L	1	R
SWB-9	6/2/2009	4-Chloroaniline	<		2.1	10	UG/L	1	
SWB-9	6/2/2009	4-Chloroaniline	<		2.1	10	UG/L	1	DNR
SWB-9	3/1/2010	4-Chloroaniline	<	9.2	2	9.2	ug/L	1	R
SWB-9	6/1/2010	4-CHLOROANILINE	<	2	2	9.4	UG/L	1	DNR
SWB-9	6/1/2010	4-CHLOROANILINE	<	2	2	9.5	UG/L	1	
SWB-9	12/1/2010	4-CHLOROANILINE	<	2	2	9.3	UG/L	1	
SWB-10	3/4/2004	4-Chlorophenyl phenyl ether	<		0.6	10	ug/L	1	NA
SWB-10	5/24/2004	4-Chlorophenyl phenyl ether	<		0.6	10	ug/L	1	UJ
SWB-10	12/1/2004	4-Chlorophenyl phenyl ether	<		0.6	10	ug/L	1	
SWB-10	3/3/2005	4-Chlorophenyl phenyl ether	<		2	10	ug/L	1	
SWB-10	6/2/2005	4-Chlorophenyl phenyl ether	<		2	10	ug/L	1	
SWB-10	9/1/2005	4-Chlorophenyl phenyl ether	<		2	10	ug/L	1	
SWB-10	3/2/2006	4-Chlorophenyl phenyl ether	<		2	10	UG/L	1	
SWB-10	6/2/2006	4-Chlorophenyl phenyl ether	<		2	10	UG/L	1	
SWB-10	3/1/2007	4-Chlorophenyl phenyl ether	<		2	10	UG/L	1	
SWB-10	3/7/2008	4-Chlorophenyl phenyl ether	<		0.27	10	UG/L	1	
SWB-10	6/5/2008	4-Chlorophenyl phenyl ether	<		0.27	10	UG/L	1	
SWB-10	3/2/2009	4-Chlorophenyl phenyl ether	<		1.7	10	UG/L	1	
SWB-10	3/2/2009	4-Chlorophenyl phenyl ether	<		1.7	10	UG/L	1	R
SWB-10	6/4/2009	4-Chlorophenyl phenyl ether	<		1.7	10	UG/L	1	
SWB-10	3/2/2010	4-Chlorophenyl phenyl ether	<	9.3	1.5	9.3	UG/L	1	
SWB-11	3/4/2004	4-Chlorophenyl phenyl ether	<		0.6	10	ug/L	1	
SWB-11	5/24/2004	4-Chlorophenyl phenyl ether	<		0.6	10	ug/L	1	UJ
SWB-11	12/1/2004	4-Chlorophenyl phenyl ether	<		0.6	10	ug/L	1	
SWB-11	3/1/2005	4-Chlorophenyl phenyl ether	<		2	10	ug/L	1	
SWB-11	6/2/2005	4-Chlorophenyl phenyl ether	<		2	10	ug/L	1	
SWB-11	3/2/2006	4-Chlorophenyl phenyl ether	<		2	10	UG/L	1	
SWB-11	6/1/2006	4-Chlorophenyl phenyl ether	<		2	10	UG/L	1	
SWB-11	3/1/2007	4-Chlorophenyl phenyl ether	<		2	10	UG/L	1	
SWB-11	3/7/2008	4-Chlorophenyl phenyl ether	<		0.27	10	UG/L	1	
SWB-11	6/5/2008	4-Chlorophenyl phenyl ether	<		0.27	10	UG/L	1	
SWB-11	3/2/2009	4-Chlorophenyl phenyl ether	<		1.7	10	UG/L	1	
SWB-11	6/4/2009	4-Chlorophenyl phenyl ether	<		1.7	10	UG/L	1	
SWB-11	3/1/2010	4-Chlorophenyl phenyl ether	<	9.4	1.6	9.4	ug/L	1	
SWB-11	6/2/2010	4-CHLOROPHENYL PHENYL ETHER	<	1.6	1.6	9.5	UG/L	1	
SWB-3	10/29/2002	4-Chlorophenyl phenyl ether	<		1.2	10	ug/L	1	
SWB-3	3/4/2003	4-Chlorophenyl phenyl ether	<		1.2	10	ug/L	1	
SWB-3	6/3/2003	4-Chlorophenyl phenyl ether	<		1.2	10	ug/L	1	
SWB-3	9/4/2003	4-Chlorophenyl phenyl ether	<		1.2	10	ug/L	1	UJ
SWB-3	12/2/2003	4-Chlorophenyl phenyl ether	<		0.6	10	ug/L	1	
SWB-3	3/1/2004	4-Chlorophenyl phenyl ether	<		0.6	10	ug/L	1	
SWB-3	6/1/2004	4-Chlorophenyl phenyl ether	<		0.6	10	ug/L	1	
SWB-3	9/1/2004	4-Chlorophenyl phenyl ether	<		0.6	10	ug/L	1	
SWB-3	12/1/2004	4-Chlorophenyl phenyl ether	<		0.6	10	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	3/3/2005	4-Chlorophenyl phenyl ether	<	2	10	ug/L	1
SWB-3	6/2/2005	4-Chlorophenyl phenyl ether	<	2	10	ug/L	1
SWB-3	9/1/2005	4-Chlorophenyl phenyl ether	<	2	10	ug/L	1
SWB-3	12/1/2005	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1 UJ
SWB-3	3/2/2006	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1
SWB-3	6/2/2006	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1 R
SWB-3	9/5/2006	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1
SWB-3	12/4/2006	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1
SWB-3	3/1/2007	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1
SWB-3	6/1/2007	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1
SWB-3	6/1/2007	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1 R
SWB-3	12/3/2007	4-Chlorophenyl phenyl ether	<	0.65	10	UG/L	1
SWB-3	3/6/2008	4-Chlorophenyl phenyl ether	<	0.27	10	UG/L	1
SWB-3	6/9/2008	4-Chlorophenyl phenyl ether	<	0.27	10	UG/L	1
SWB-3	12/4/2008	4-Chlorophenyl phenyl ether	<	0.27	10	UG/L	1
SWB-3	3/2/2009	4-Chlorophenyl phenyl ether	<	1.7	10	UG/L	1
SWB-3	3/2/2009	4-Chlorophenyl phenyl ether	<	1.7	10	UG/L	1 R
SWB-3	6/4/2009	4-Chlorophenyl phenyl ether	<	1.7	10	UG/L	1
SWB-3	12/1/2009	4-Chlorophenyl phenyl ether	<	1.7	10	UG/L	1
SWB-3	12/1/2009	4-Chlorophenyl phenyl ether	<	1.7	10	UG/L	1 DNR
SWB-3	3/1/2010	4-Chlorophenyl phenyl ether	<	9.7	1.6	9.7 ug/L	1 UJ
SWB-3	6/1/2010	4-CHLOROPHENYL PHENYL ETHER	<	1.6	1.6	9.4 UG/L	1 DNR
SWB-3	6/1/2010	4-CHLOROPHENYL PHENYL ETHER	<	1.6	1.6	9.4 UG/L	1 UJ
SWB-3	9/9/2010	4-CHLOROPHENYL PHENYL ETHER	<	1.5	1.5	9.3 UG/L	1
SWB-4	11/15/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1
SWB-5	10/29/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1
SWB-6	3/4/2003	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1
SWB-6	6/3/2003	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1
SWB-6	12/3/2003	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1
SWB-6	3/5/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1
SWB-6	6/1/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1
SWB-6	12/1/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1
SWB-6	3/7/2005	4-Chlorophenyl phenyl ether	<	2	10	ug/L	1
SWB-6	6/1/2005	4-Chlorophenyl phenyl ether	<	2	10	ug/L	1
SWB-6	12/2/2005	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1 UJ
SWB-6	3/1/2006	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1
SWB-6	6/1/2006	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1
SWB-6	12/5/2006	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1
SWB-6	3/2/2007	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1
SWB-6	3/6/2008	4-Chlorophenyl phenyl ether	<	0.27	10	UG/L	1
SWB-6	6/9/2008	4-Chlorophenyl phenyl ether	<	0.27	10	UG/L	1
SWB-6	12/5/2008	4-Chlorophenyl phenyl ether	<	0.27	10	UG/L	1
SWB-6	12/5/2008	4-Chlorophenyl phenyl ether	<	0.27	10	UG/L	1 R
SWB-6	3/2/2009	4-Chlorophenyl phenyl ether	<	1.7	10	UG/L	1
SWB-6	3/2/2009	4-Chlorophenyl phenyl ether	<	1.7	10	UG/L	1 R
SWB-6	6/5/2009	4-Chlorophenyl phenyl ether	<	1.7	10	UG/L	1
SWB-6	3/2/2010	4-Chlorophenyl phenyl ether	<	9.1	1.5	9.1 UG/L	1
SWB-6	6/2/2010	4-CHLOROPHENYL PHENYL ETHER	<	1.6	1.6	9.4 UG/L	1 DNR
SWB-6	6/2/2010	4-CHLOROPHENYL PHENYL ETHER	<	1.6	1.6	9.5 UG/L	1
SWB-7	3/4/2003	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1
SWB-7	6/3/2003	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1
SWB-7	3/1/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1
SWB-7	5/24/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1
SWB-7	12/1/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1
SWB-7	3/7/2005	4-Chlorophenyl phenyl ether	<	2	10	ug/L	1 UJ
SWB-7	6/1/2005	4-Chlorophenyl phenyl ether	<	2	10	ug/L	1
SWB-7	9/1/2005	4-Chlorophenyl phenyl ether	<	2	10	ug/L	1

tmpAnalyticalResultsOverTime

SWB-7	12/1/2005	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1 UJ	
SWB-7	3/1/2006	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1	
SWB-7	6/2/2006	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1	
SWB-7	9/5/2006	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1 UJ	
SWB-7	12/5/2006	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1	
SWB-7	3/2/2007	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1	
SWB-7	6/1/2007	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1	
SWB-7	9/7/2007	4-Chlorophenyl phenyl ether	<	0.65	10	UG/L	1	
SWB-7	12/3/2007	4-Chlorophenyl phenyl ether	<	0.65	10	UG/L	1	
SWB-7	3/6/2008	4-Chlorophenyl phenyl ether	<	0.27	10	UG/L	1	
SWB-7	6/6/2008	4-Chlorophenyl phenyl ether	<	0.27	10	UG/L	1	
SWB-7	9/8/2008	4-Chlorophenyl phenyl ether	<	0.27	10	UG/L	1	
SWB-7	12/5/2008	4-Chlorophenyl phenyl ether	<	0.27	10	UG/L	1	
SWB-7	12/5/2008	4-Chlorophenyl phenyl ether	<	0.27	10	UG/L	1 R	
SWB-7	3/2/2009	4-Chlorophenyl phenyl ether	<	1.7	10	UG/L	1	
SWB-7	3/2/2009	4-Chlorophenyl phenyl ether	<	1.7	10	UG/L	1 R	
SWB-7	6/5/2009	4-Chlorophenyl phenyl ether	<	1.7	10	UG/L	1	
SWB-7	9/9/2009	4-Chlorophenyl phenyl ether	<	1.7	10	UG/L	1	
SWB-7	12/1/2009	4-Chlorophenyl phenyl ether	<	1.7	10	UG/L	1	
SWB-7	3/2/2010	4-Chlorophenyl phenyl ether	<	9.5	1.6	9.5	UG/L	1
SWB-7	6/1/2010	4-CHLOROPHENYL PHENYL ETHER	<	1.6	1.6	9.6	UG/L	1 DNR
SWB-7	6/1/2010	4-CHLOROPHENYL PHENYL ETHER	<	1.7	1.7	10	UG/L	1 R
SWB-7	9/9/2010	4-CHLOROPHENYL PHENYL ETHER	<	1.6	1.6	9.6	UG/L	1
SWB-7	12/1/2010	4-CHLOROPHENYL PHENYL ETHER	<	1.5	1.5	9.3	UG/L	1
SWB-8	3/5/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
SWB-8	3/7/2005	4-Chlorophenyl phenyl ether	<	2	10	ug/L	1	
SWB-8	6/1/2005	4-Chlorophenyl phenyl ether	<	2	10	ug/L	1	
SWB-8	3/1/2006	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1	
SWB-8	3/7/2008	4-Chlorophenyl phenyl ether	<	0.27	10	UG/L	1	
SWB-8	3/3/2009	4-Chlorophenyl phenyl ether	<	1.7	10	UG/L	1	
SWB-8	3/3/2009	4-Chlorophenyl phenyl ether	<	1.7	10	UG/L	1 R	
SWB-9	3/4/2003	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
SWB-9	12/3/2003	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
SWB-9	3/5/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
SWB-9	5/27/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1 UJ	
SWB-9	12/1/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
SWB-9	3/3/2005	4-Chlorophenyl phenyl ether	<	2	10	ug/L	1	
SWB-9	6/2/2005	4-Chlorophenyl phenyl ether	<	2	10	ug/L	1	
SWB-9	9/1/2005	4-Chlorophenyl phenyl ether	<	2	10	ug/L	1	
SWB-9	12/1/2005	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1 UJ	
SWB-9	3/2/2006	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1	
SWB-9	6/1/2006	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1	
SWB-9	12/4/2006	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1	
SWB-9	3/5/2007	4-Chlorophenyl phenyl ether	<	2	10	UG/L	1	
SWB-9	3/6/2008	4-Chlorophenyl phenyl ether	<	0.27	10	UG/L	1	
SWB-9	6/5/2008	4-Chlorophenyl phenyl ether	<	0.27	10	UG/L	1	
SWB-9	12/5/2008	4-Chlorophenyl phenyl ether	<	0.27	10	UG/L	1	
SWB-9	12/5/2008	4-Chlorophenyl phenyl ether	<	0.27	10	UG/L	1 R	
SWB-9	3/2/2009	4-Chlorophenyl phenyl ether	<	1.7	10	UG/L	1	
SWB-9	3/2/2009	4-Chlorophenyl phenyl ether	<	1.7	10	UG/L	1 R	
SWB-9	6/2/2009	4-Chlorophenyl phenyl ether	<	1.7	10	UG/L	1	
SWB-9	6/2/2009	4-Chlorophenyl phenyl ether	<	1.7	10	UG/L	1 DNR	
SWB-9	3/1/2010	4-Chlorophenyl phenyl ether	<	9.2	1.5	9.2	ug/L	1
SWB-9	6/1/2010	4-CHLOROPHENYL PHENYL ETHER	<	1.6	1.6	9.4	UG/L	1 DNR
SWB-9	6/1/2010	4-CHLOROPHENYL PHENYL ETHER	<	1.6	1.6	9.5	UG/L	1
SWB-9	12/1/2010	4-CHLOROPHENYL PHENYL ETHER	<	1.5	1.5	9.3	UG/L	1
SWB-10	3/4/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	NA

tmpAnalyticalResultsOverTime

SWB-10	5/24/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
SWB-10	12/1/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
SWB-10	3/3/2005	4-Chlorotoluene	<	0.82	1	ug/L	1	
SWB-10	6/2/2005	4-Chlorotoluene	<	0.17	1	ug/L	1	
SWB-10	9/1/2005	4-Chlorotoluene	<	0.17	1	ug/L	1	
SWB-10	3/2/2006	4-Chlorotoluene	<	0.68	4	UG/L	4	
SWB-10	6/2/2006	4-Chlorotoluene	<	0.17	1	UG/L	1	
SWB-10	3/1/2007	4-Chlorotoluene	<	0.17	1	UG/L	1	
SWB-10	3/7/2008	4-Chlorotoluene	<	0.17	1	UG/L	1	
SWB-10	6/5/2008	4-Chlorotoluene	<	0.17	1	UG/L	1	
SWB-10	3/2/2009	4-Chlorotoluene	<	0.17	1	UG/L	1	
SWB-10	6/4/2009	4-Chlorotoluene	<	0.17	1	UG/L	1 UJ	
SWB-10	3/2/2010	4-Chlorotoluene	<	1	0.21	1	UG/L	1
SWB-11	3/4/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
SWB-11	5/24/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
SWB-11	12/1/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
SWB-11	3/1/2005	4-Chlorotoluene	<	0.82	1	ug/L	1	
SWB-11	6/2/2005	4-Chlorotoluene	<	0.17	1	ug/L	1	
SWB-11	3/2/2006	4-Chlorotoluene	<	1.7	10	UG/L	10	
SWB-11	6/1/2006	4-Chlorotoluene	<	0.17	1	UG/L	1	
SWB-11	3/1/2007	4-Chlorotoluene	<	0.17	1	UG/L	1	
SWB-11	3/7/2008	4-Chlorotoluene	<	0.17	1	UG/L	1	
SWB-11	6/5/2008	4-Chlorotoluene	<	0.17	1	UG/L	1	
SWB-11	3/2/2009	4-Chlorotoluene	<	0.17	1	UG/L	1	
SWB-11	6/4/2009	4-Chlorotoluene	<	0.17	1	UG/L	1 UJ	
SWB-11	3/1/2010	4-Chlorotoluene	<	1	0.21	1	ug/L	1
SWB-11	6/2/2010	4-CHLOROTOLUENE	<	0.21	0.21	1	UG/L	1 UJ
SWB-3	10/29/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
SWB-3	3/4/2003	4-Chlorotoluene	<	0.21	1	ug/L	1	
SWB-3	6/3/2003	4-Chlorotoluene	<	0.21	1	ug/L	1	
SWB-3	9/4/2003	4-Chlorotoluene	<	0.21	1	ug/L	1 UJ	
SWB-3	12/2/2003	4-Chlorotoluene	<	0.21	1	ug/L	1	
SWB-3	3/1/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
SWB-3	6/1/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
SWB-3	9/1/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
SWB-3	12/1/2004	4-Chlorotoluene	<	0.35	1.7	ug/L	1.66	
SWB-3	3/3/2005	4-Chlorotoluene	<	0.82	1	ug/L	1	
SWB-3	6/2/2005	4-Chlorotoluene	<	0.17	1	ug/L	1	
SWB-3	9/1/2005	4-Chlorotoluene	<	0.17	1	ug/L	1	
SWB-3	12/1/2005	4-Chlorotoluene	<	0.34	2	UG/L	2	
SWB-3	3/2/2006	4-Chlorotoluene	<	0.68	4	UG/L	4	
SWB-3	6/2/2006	4-Chlorotoluene	<	0.17	1	UG/L	1	
SWB-3	9/5/2006	4-Chlorotoluene	<	0.17	1	UG/L	1	
SWB-3	12/4/2006	4-Chlorotoluene	<	0.17	1	UG/L	1	
SWB-3	3/1/2007	4-Chlorotoluene	<	0.17	1	UG/L	1	
SWB-3	6/1/2007	4-Chlorotoluene	<	0.17	1	UG/L	1	
SWB-3	12/3/2007	4-Chlorotoluene	<	0.17	1	UG/L	1	
SWB-3	3/6/2008	4-Chlorotoluene	<	0.17	1	UG/L	1	
SWB-3	6/9/2008	4-Chlorotoluene	<	0.17	1	UG/L	1	
SWB-3	12/4/2008	4-Chlorotoluene	<	0.17	1	UG/L	1	
SWB-3	3/2/2009	4-Chlorotoluene	<	0.17	1	UG/L	1	
SWB-3	6/4/2009	4-Chlorotoluene	<	0.17	1	UG/L	1 UJ	
SWB-3	12/1/2009	4-Chlorotoluene	<	0.17	1	UG/L	1	
SWB-3	3/1/2010	4-Chlorotoluene	<	1	0.21	1	ug/L	1
SWB-3	3/1/2010	4-Chlorotoluene	<	2	0.42	2	ug/L	1 DNR
SWB-3	6/1/2010	4-CHLOROTOLUENE	<	0.21	0.21	1	UG/L	1 DNR
SWB-3	6/1/2010	4-CHLOROTOLUENE	<	0.84	0.84	4	UG/L	1 UJ

tmpAnalyticalResultsOverTime

SWB-3	9/9/2010	4-CHLOROTOLUENE	<	0.21	0.21	1	UG/L	1 UJ
SWB-4	11/15/2002	4-Chlorotoluene	<		0.26	1	ug/L	1
SWB-5	10/29/2002	4-Chlorotoluene	<		0.26	1	ug/L	1
SWB-6	3/4/2003	4-Chlorotoluene	<		0.21	1	ug/L	1
SWB-6	6/3/2003	4-Chlorotoluene	<		0.42	2	ug/L	2
SWB-6	12/3/2003	4-Chlorotoluene	<		0.42	2	ug/L	2
SWB-6	3/5/2004	4-Chlorotoluene	<		0.21	1	ug/L	1
SWB-6	6/1/2004	4-Chlorotoluene	<		0.21	1	ug/L	1
SWB-6	12/1/2004	4-Chlorotoluene	<		0.21	1	ug/L	1
SWB-6	3/7/2005	4-Chlorotoluene	<		0.82	1	ug/L	1
SWB-6	6/1/2005	4-Chlorotoluene	<		0.17	1	ug/L	1
SWB-6	12/2/2005	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-6	3/1/2006	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-6	6/1/2006	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-6	12/5/2006	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-6	3/2/2007	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-6	3/6/2008	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-6	6/9/2008	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-6	12/5/2008	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-6	3/2/2009	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-6	6/5/2009	4-Chlorotoluene	<		0.17	1	UG/L	1 UJ
SWB-6	3/2/2010	4-Chlorotoluene	<	1	0.21	1	UG/L	1
SWB-6	6/2/2010	4-CHLOROTOLUENE	<	0.21	0.21	1	UG/L	1 UJ
SWB-7	3/4/2003	4-Chlorotoluene	<		0.21	1	ug/L	1
SWB-7	6/3/2003	4-Chlorotoluene	<		0.21	1	ug/L	1
SWB-7	3/1/2004	4-Chlorotoluene	<		0.21	1	ug/L	1
SWB-7	5/24/2004	4-Chlorotoluene	<		0.21	1	ug/L	1
SWB-7	12/1/2004	4-Chlorotoluene	<		0.21	1	ug/L	1
SWB-7	3/7/2005	4-Chlorotoluene	<		0.82	1	ug/L	1
SWB-7	6/1/2005	4-Chlorotoluene	<		0.17	1	ug/L	1
SWB-7	9/1/2005	4-Chlorotoluene	<		0.17	1	ug/L	1
SWB-7	12/1/2005	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	3/1/2006	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	6/2/2006	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	9/5/2006	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	12/5/2006	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	3/2/2007	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	6/1/2007	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	9/7/2007	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	12/3/2007	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	3/6/2008	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	6/6/2008	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	9/8/2008	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	12/5/2008	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	3/2/2009	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	6/5/2009	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	9/9/2009	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	12/1/2009	4-Chlorotoluene	<		0.17	1	UG/L	1
SWB-7	3/2/2010	4-Chlorotoluene	<	1	0.21	1	UG/L	1
SWB-7	6/1/2010	4-CHLOROTOLUENE	<	0.21	0.21	1	UG/L	1 DNR
SWB-7	6/1/2010	4-CHLOROTOLUENE	<	0.84	0.84	4	UG/L	1 UJ
SWB-7	9/9/2010	4-CHLOROTOLUENE	<	0.21	0.21	1	UG/L	1 UJ
SWB-7	12/1/2010	4-CHLOROTOLUENE	<	0.21	0.21	1	UG/L	1
SWB-8	3/5/2004	4-Chlorotoluene	<		0.21	1	ug/L	1
SWB-8	3/7/2005	4-Chlorotoluene	<		0.82	1	ug/L	1
SWB-8	6/1/2005	4-Chlorotoluene	<		0.17	1	ug/L	1
SWB-8	3/1/2006	4-Chlorotoluene	<		0.17	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-8	3/7/2008	4-Chlorotoluene	<		0.17	1	UG/L	1	
SWB-8	3/3/2009	4-Chlorotoluene	<		0.17	1	UG/L	1	
SWB-9	3/4/2003	4-Chlorotoluene	<		0.21	1	ug/L	1	
SWB-9	12/3/2003	4-Chlorotoluene	<		0.42	2	ug/L	2	
SWB-9	3/5/2004	4-Chlorotoluene	<		0.21	1	ug/L	1	
SWB-9	5/27/2004	4-Chlorotoluene	<		0.21	1	ug/L	1	
SWB-9	12/1/2004	4-Chlorotoluene	<		0.21	1	ug/L	1	
SWB-9	3/3/2005	4-Chlorotoluene	<		0.82	1	ug/L	1	
SWB-9	6/2/2005	4-Chlorotoluene	<		0.17	1	ug/L	1	
SWB-9	9/1/2005	4-Chlorotoluene	<		0.17	1	ug/L	1	UJ
SWB-9	12/1/2005	4-Chlorotoluene	<		0.17	1	UG/L	1	
SWB-9	3/2/2006	4-Chlorotoluene	<		0.68	4	UG/L	4	
SWB-9	6/1/2006	4-Chlorotoluene	<		0.17	1	UG/L	1	
SWB-9	12/4/2006	4-Chlorotoluene	<		0.17	1	UG/L	1	
SWB-9	3/5/2007	4-Chlorotoluene	<		0.17	1	UG/L	1	
SWB-9	3/6/2008	4-Chlorotoluene	<		0.17	1	UG/L	1	
SWB-9	6/5/2008	4-Chlorotoluene	<		0.17	1	UG/L	1	R
SWB-9	12/5/2008	4-Chlorotoluene	<		0.17	1	UG/L	1	
SWB-9	3/2/2009	4-Chlorotoluene	<		0.17	1	UG/L	1	
SWB-9	6/2/2009	4-Chlorotoluene	<		0.17	1	UG/L	1	UJ
SWB-9	3/1/2010	4-Chlorotoluene	<	1	0.21	1	ug/L	1	
SWB-9	6/1/2010	4-CHLOROTOLUENE	<	0.21	0.21	1	UG/L	1	DNR
SWB-9	6/1/2010	4-CHLOROTOLUENE	<	0.84	0.84	4	UG/L	1	UJ
SWB-9	12/1/2010	4-CHLOROTOLUENE	<	0.21	0.21	1	UG/L	1	
SWB-10	3/4/2004	4-Isopropyltoluene	<		0.2	1	ug/L	1	NA
SWB-10	5/24/2004	4-Isopropyltoluene	<		0.2	1	ug/L	1	
SWB-10	12/1/2004	4-Isopropyltoluene	<		0.2	1	ug/L	1	
SWB-10	3/3/2005	4-Isopropyltoluene	<		0.22	1	ug/L	1	
SWB-10	6/2/2005	4-Isopropyltoluene	<		0.17	1	ug/L	1	
SWB-10	9/1/2005	4-Isopropyltoluene	<		0.17	1	ug/L	1	
SWB-10	3/2/2006	4-Isopropyltoluene	<		0.68	4	UG/L	4	
SWB-10	6/2/2006	4-Isopropyltoluene	<		0.17	1	UG/L	1	
SWB-10	3/1/2007	4-Isopropyltoluene	<		0.17	1	UG/L	1	
SWB-10	3/7/2008	4-Isopropyltoluene	<		0.17	1	UG/L	1	
SWB-10	6/5/2008	4-Isopropyltoluene	<		0.17	1	UG/L	1	
SWB-10	3/2/2009	4-Isopropyltoluene	<		0.17	1	UG/L	1	
SWB-10	6/4/2009	4-Isopropyltoluene	<		0.17	1	UG/L	1	UJ
SWB-10	3/2/2010	4-Isopropyltoluene	<	1	0.2	1	UG/L	1	
SWB-11	3/4/2004	4-Isopropyltoluene	<		0.2	1	ug/L	1	
SWB-11	5/24/2004	4-Isopropyltoluene	<		0.2	1	ug/L	1	
SWB-11	12/1/2004	4-Isopropyltoluene	<		0.2	1	ug/L	1	
SWB-11	3/1/2005	4-Isopropyltoluene	<		0.22	1	ug/L	1	
SWB-11	6/2/2005	4-Isopropyltoluene	<		0.17	1	ug/L	1	
SWB-11	3/2/2006	4-Isopropyltoluene	<		1.7	10	UG/L	10	
SWB-11	6/1/2006	4-Isopropyltoluene	<		0.17	1	UG/L	1	
SWB-11	3/1/2007	4-Isopropyltoluene	<		0.17	1	UG/L	1	
SWB-11	3/7/2008	4-Isopropyltoluene	<		0.17	1	UG/L	1	
SWB-11	6/5/2008	4-Isopropyltoluene	<		0.17	1	UG/L	1	
SWB-11	3/2/2009	4-Isopropyltoluene	<		0.17	1	UG/L	1	
SWB-11	6/4/2009	4-Isopropyltoluene	<		0.17	1	UG/L	1	UJ
SWB-11	3/1/2010	4-Isopropyltoluene	<	1	0.2	1	ug/L	1	
SWB-11	6/2/2010	4-ISOPROPYLTOLUENE	<	0.2	0.2	1	UG/L	1	UJ
SWB-3	10/29/2002	4-Isopropyltoluene	<		0.32	1	ug/L	1	
SWB-3	3/4/2003	4-Isopropyltoluene	<		0.2	1	ug/L	1	
SWB-3	6/3/2003	4-Isopropyltoluene	<		0.2	1	ug/L	1	
SWB-3	9/4/2003	4-Isopropyltoluene	<		0.2	1	ug/L	1	UJ
SWB-3	12/2/2003	4-Isopropyltoluene	<		0.2	1	ug/L	1	



tmpAnalyticalResultsOverTime

SWB-3	3/1/2004	4-Isopropyltoluene	<		0.2	1	ug/L	1
SWB-3	6/1/2004	4-Isopropyltoluene	<		0.2	1	ug/L	1
SWB-3	9/1/2004	4-Isopropyltoluene	<		0.2	1	ug/L	1
SWB-3	12/1/2004	4-Isopropyltoluene	<		0.33	1.7	ug/L	1.66
SWB-3	3/3/2005	4-Isopropyltoluene	<		0.22	1	ug/L	1
SWB-3	6/2/2005	4-Isopropyltoluene	<		0.17	1	ug/L	1
SWB-3	9/1/2005	4-Isopropyltoluene	<		0.17	1	ug/L	1
SWB-3	12/1/2005	4-Isopropyltoluene	<		0.34	2	UG/L	2
SWB-3	3/2/2006	4-Isopropyltoluene	<		0.68	4	UG/L	4
SWB-3	6/2/2006	4-Isopropyltoluene	<		0.17	1	UG/L	1
SWB-3	9/5/2006	4-Isopropyltoluene	<		0.17	1	UG/L	1
SWB-3	12/4/2006	4-Isopropyltoluene	<		0.17	1	UG/L	1
SWB-3	3/1/2007	4-Isopropyltoluene	<		0.17	1	UG/L	1
SWB-3	6/1/2007	4-Isopropyltoluene	<		0.17	1	UG/L	1
SWB-3	12/3/2007	4-Isopropyltoluene	<		0.17	1	UG/L	1
SWB-3	3/6/2008	4-Isopropyltoluene	<		0.17	1	UG/L	1
SWB-3	6/9/2008	4-Isopropyltoluene	<		0.17	1	UG/L	1
SWB-3	12/4/2008	4-Isopropyltoluene	<		0.17	1	UG/L	1
SWB-3	3/2/2009	4-Isopropyltoluene	<		0.17	1	UG/L	1
SWB-3	6/4/2009	4-Isopropyltoluene	<		0.17	1	UG/L	1 UJ
SWB-3	12/1/2009	4-Isopropyltoluene	<		0.17	1	UG/L	1
SWB-3	3/1/2010	4-Isopropyltoluene	<	1	0.2	1	ug/L	1
SWB-3	3/1/2010	4-Isopropyltoluene	<	2	0.4	2	ug/L	1 DNR
SWB-3	6/1/2010	4-ISOPROPYLTOLUENE	<	0.2	0.2	1	UG/L	1 DNR
SWB-3	6/1/2010	4-ISOPROPYLTOLUENE	<	0.8	0.8	4	UG/L	1 UJ
SWB-3	9/9/2010	4-ISOPROPYLTOLUENE	<	0.2	0.2	1	UG/L	1 UJ
SWB-4	11/15/2002	4-Isopropyltoluene	<		0.32	1	ug/L	1
SWB-5	10/29/2002	4-Isopropyltoluene	<		0.32	1	ug/L	1
SWB-6	3/4/2003	4-Isopropyltoluene	<		0.2	1	ug/L	1
SWB-6	6/3/2003	4-Isopropyltoluene	<		0.4	2	ug/L	2
SWB-6	12/3/2003	4-Isopropyltoluene	<		0.4	2	ug/L	2
SWB-6	3/5/2004	4-Isopropyltoluene	<		0.2	1	ug/L	1
SWB-6	6/1/2004	4-Isopropyltoluene	<		0.2	1	ug/L	1
SWB-6	12/1/2004	4-Isopropyltoluene	<		0.2	1	ug/L	1
SWB-6	3/7/2005	4-Isopropyltoluene	<		0.22	1	ug/L	1
SWB-6	6/1/2005	4-Isopropyltoluene	<		0.17	1	ug/L	1
SWB-6	12/2/2005	4-Isopropyltoluene	<		0.17	1	UG/L	1
SWB-6	3/1/2006	4-Isopropyltoluene	<		0.17	1	UG/L	1
SWB-6	6/1/2006	4-Isopropyltoluene	<		0.17	1	UG/L	1
SWB-6	12/5/2006	4-Isopropyltoluene	<		0.17	1	UG/L	1
SWB-6	3/2/2007	4-Isopropyltoluene	<		0.17	1	UG/L	1
SWB-6	3/6/2008	4-Isopropyltoluene	<		0.17	1	UG/L	1
SWB-6	6/9/2008	4-Isopropyltoluene	<		0.17	1	UG/L	1
SWB-6	12/5/2008	4-Isopropyltoluene	<		0.17	1	UG/L	1
SWB-6	3/2/2009	4-Isopropyltoluene	<		0.17	1	UG/L	1
SWB-6	6/5/2009	4-Isopropyltoluene	<		0.17	1	UG/L	1 UJ
SWB-6	3/2/2010	4-Isopropyltoluene	<	1	0.2	1	UG/L	1
SWB-6	6/2/2010	4-ISOPROPYLTOLUENE	<	0.2	0.2	1	UG/L	1 UJ
SWB-7	3/4/2003	4-Isopropyltoluene	<		0.2	1	ug/L	1
SWB-7	6/3/2003	4-Isopropyltoluene	<		0.2	1	ug/L	1
SWB-7	3/1/2004	4-Isopropyltoluene	<		0.2	1	ug/L	1
SWB-7	5/24/2004	4-Isopropyltoluene	<		0.2	1	ug/L	1
SWB-7	12/1/2004	4-Isopropyltoluene	<		0.2	1	ug/L	1
SWB-7	3/7/2005	4-Isopropyltoluene	<		0.22	1	ug/L	1
SWB-7	6/1/2005	4-Isopropyltoluene	<		0.17	1	ug/L	1
SWB-7	9/1/2005	4-Isopropyltoluene	<		0.17	1	ug/L	1
SWB-7	12/1/2005	4-Isopropyltoluene	<		0.17	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	3/1/2006	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-7	6/2/2006	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-7	9/5/2006	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-7	12/5/2006	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-7	3/2/2007	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-7	6/1/2007	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-7	9/7/2007	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-7	12/3/2007	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-7	3/6/2008	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-7	6/6/2008	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-7	9/8/2008	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-7	12/5/2008	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-7	3/2/2009	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-7	6/5/2009	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-7	9/9/2009	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-7	12/1/2009	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-7	3/2/2010	4-Isopropyltoluene	<	1	0.2	1	UG/L	1
SWB-7	6/1/2010	4-ISOPROPYLTOLUENE	<	0.2	0.2	1	UG/L	1 DNR
SWB-7	6/1/2010	4-ISOPROPYLTOLUENE	<	0.8	0.8	4	UG/L	1 UJ
SWB-7	9/9/2010	4-ISOPROPYLTOLUENE	<	0.2	0.2	1	UG/L	1 UJ
SWB-7	12/1/2010	4-ISOPROPYLTOLUENE	<	0.2	0.2	1	UG/L	1
SWB-8	3/5/2004	4-Isopropyltoluene	<	0.2	1	ug/L	1	
SWB-8	3/7/2005	4-Isopropyltoluene	<	0.22	1	ug/L	1	
SWB-8	6/1/2005	4-Isopropyltoluene	<	0.17	1	ug/L	1	
SWB-8	3/1/2006	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-8	3/7/2008	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-8	3/3/2009	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-9	3/4/2003	4-Isopropyltoluene	<	0.2	1	ug/L	1	
SWB-9	12/3/2003	4-Isopropyltoluene	<	0.4	2	ug/L	2	
SWB-9	3/5/2004	4-Isopropyltoluene	<	0.2	1	ug/L	1	
SWB-9	5/27/2004	4-Isopropyltoluene	<	0.2	1	ug/L	1	
SWB-9	12/1/2004	4-Isopropyltoluene	<	0.2	1	ug/L	1	
SWB-9	3/3/2005	4-Isopropyltoluene	<	0.22	1	ug/L	1	
SWB-9	6/2/2005	4-Isopropyltoluene	<	0.17	1	ug/L	1	
SWB-9	9/1/2005	4-Isopropyltoluene	<	0.17	1	ug/L	1	1 UJ
SWB-9	12/1/2005	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-9	3/2/2006	4-Isopropyltoluene	<	0.68	4	UG/L	4	
SWB-9	6/1/2006	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-9	12/4/2006	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-9	3/5/2007	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-9	3/6/2008	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-9	6/5/2008	4-Isopropyltoluene	<	0.17	1	UG/L	1	1 R
SWB-9	12/5/2008	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-9	3/2/2009	4-Isopropyltoluene	<	0.17	1	UG/L	1	
SWB-9	6/2/2009	4-Isopropyltoluene	<	0.17	1	UG/L	1	1 UJ
SWB-9	3/1/2010	4-Isopropyltoluene	<	1	0.2	1	ug/L	1
SWB-9	6/1/2010	4-ISOPROPYLTOLUENE	<	0.2	0.2	1	UG/L	1 DNR
SWB-9	6/1/2010	4-ISOPROPYLTOLUENE	<	0.8	0.8	4	UG/L	1 UJ
SWB-9	12/1/2010	4-ISOPROPYLTOLUENE	<	0.2	0.2	1	UG/L	1
SWB-10	3/4/2004	4-Methyl-2-pentanone	<	0.98	5	ug/L	1	0.17 mg/L
SWB-10	5/24/2004	4-Methyl-2-pentanone	<	0.98	5	ug/L	1	
SWB-10	12/1/2004	4-Methyl-2-pentanone	<	0.98	5	ug/L	1	
SWB-10	3/3/2005	4-Methyl-2-pentanone	<	0.74	5	ug/L	1	
SWB-10	6/2/2005	4-Methyl-2-pentanone	<	0.49	5	ug/L	1	
SWB-10	9/1/2005	4-Methyl-2-pentanone	<	0.49	5	ug/L	1	
SWB-10	3/2/2006	4-Methyl-2-pentanone	<	2	20	UG/L	4	
SWB-10	6/2/2006	4-Methyl-2-pentanone	<	0.49	5	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-10	3/1/2007	4-Methyl-2-pentanone	<		0.49	5	UG/L	1
SWB-10	3/7/2008	4-Methyl-2-pentanone	<		1	5	UG/L	1
SWB-10	6/5/2008	4-Methyl-2-pentanone	<		1	5	UG/L	1
SWB-10	3/2/2009	4-Methyl-2-pentanone	TR	1.3	1	5	UG/L	1 J
SWB-10	6/4/2009	4-Methyl-2-pentanone	<		1	5	UG/L	1
SWB-10	3/2/2010	4-Methyl-2-pentanone	<	5	0.98	5	UG/L	1
SWB-11	3/4/2004	4-Methyl-2-pentanone	<		0.98	5	ug/L	1
SWB-11	5/24/2004	4-Methyl-2-pentanone	<		0.98	5	ug/L	1
SWB-11	12/1/2004	4-Methyl-2-pentanone	<		0.98	5	ug/L	1
SWB-11	3/1/2005	4-Methyl-2-pentanone	<		0.74	5	ug/L	1
SWB-11	6/2/2005	4-Methyl-2-pentanone	<		0.49	5	ug/L	1
SWB-11	3/2/2006	4-Methyl-2-pentanone	<		4.9	50	UG/L	10
SWB-11	6/1/2006	4-Methyl-2-pentanone	<		0.49	5	UG/L	1
SWB-11	3/1/2007	4-Methyl-2-pentanone	TR	2.6	0.49	5	UG/L	1 J
SWB-11	3/7/2008	4-Methyl-2-pentanone	<		1	5	UG/L	1
SWB-11	6/5/2008	4-Methyl-2-pentanone	TR	1.1	1	5	UG/L	1 J
SWB-11	3/2/2009	4-Methyl-2-pentanone	<		1	5	UG/L	1
SWB-11	6/4/2009	4-Methyl-2-pentanone	<		1	5	UG/L	1
SWB-11	3/1/2010	4-Methyl-2-pentanone	<	5	0.98	5	ug/L	1
SWB-11	6/2/2010	4-Methyl-2-PENTANONE	<	0.98	0.98	5	UG/L	1
SWB-3	10/29/2002	4-Methyl-2-pentanone	<		1.8	5	ug/L	1
SWB-3	3/4/2003	4-Methyl-2-pentanone	TR	1.4	0.98	5	ug/L	1 J
SWB-3	6/3/2003	4-Methyl-2-pentanone	TR	1.3	0.98	5	ug/L	1 J
SWB-3	9/4/2003	4-Methyl-2-pentanone	TR	1.4	0.98	5	ug/L	1 J
SWB-3	12/2/2003	4-Methyl-2-pentanone	TR	3.4	0.98	5	ug/L	1 J
SWB-3	3/1/2004	4-Methyl-2-pentanone	TR	1	0.98	5	ug/L	1 J
SWB-3	6/1/2004	4-Methyl-2-pentanone	<		0.98	5	ug/L	1
SWB-3	9/1/2004	4-Methyl-2-pentanone	<		0.98	5	ug/L	1
SWB-3	12/1/2004	4-Methyl-2-pentanone	<		1.6	8.3	ug/L	1.66
SWB-3	3/3/2005	4-Methyl-2-pentanone	<		0.74	5	ug/L	1
SWB-3	6/2/2005	4-Methyl-2-pentanone	<		0.49	5	ug/L	1
SWB-3	9/1/2005	4-Methyl-2-pentanone	<		0.49	5	ug/L	1
SWB-3	12/1/2005	4-Methyl-2-pentanone	<		0.98	10	UG/L	2
SWB-3	3/2/2006	4-Methyl-2-pentanone	<		2	20	UG/L	4
SWB-3	6/2/2006	4-Methyl-2-pentanone	TR	0.59	0.49	5	UG/L	1 J
SWB-3	9/5/2006	4-Methyl-2-pentanone	<		0.49	5	UG/L	1
SWB-3	12/4/2006	4-Methyl-2-pentanone	<		0.49	5	UG/L	1
SWB-3	3/1/2007	4-Methyl-2-pentanone	TR	2.3	0.49	5	UG/L	1 J
SWB-3	6/1/2007	4-Methyl-2-pentanone	TR	2.3	0.49	5	UG/L	1 J
SWB-3	12/3/2007	4-Methyl-2-pentanone	TR	2.6	0.49	5	UG/L	1 J
SWB-3	3/6/2008	4-Methyl-2-pentanone	TR	1.2	1	5	UG/L	1 J
SWB-3	6/9/2008	4-Methyl-2-pentanone	=	180	1	5	UG/L	1
SWB-3	12/4/2008	4-Methyl-2-pentanone	TR	3	1	5	UG/L	1 J
SWB-3	3/2/2009	4-Methyl-2-pentanone	TR	3	1	5	UG/L	1 J
SWB-3	6/4/2009	4-Methyl-2-pentanone	TR	1.2	1	5	UG/L	1 J
SWB-3	12/1/2009	4-Methyl-2-pentanone	TR	2.1	1	5	UG/L	1 J
SWB-3	3/1/2010	4-Methyl-2-pentanone	<	10	2	10	ug/L	1 DNR
SWB-3	3/1/2010	4-Methyl-2-pentanone	TR	3.3	0.98	5	ug/L	1 J
SWB-3	6/1/2010	4-Methyl-2-PENTANONE	<	3.9	3.9	20	UG/L	1
SWB-3	6/1/2010	4-Methyl-2-PENTANONE	TR	2.6	0.98	5	UG/L	1 DNR
SWB-3	9/9/2010	4-Methyl-2-PENTANONE	TR	2.3	0.98	5	UG/L	1 J
SWB-4	11/15/2002	4-Methyl-2-pentanone	=	19	1.8	5	ug/L	1
SWB-5	10/29/2002	4-Methyl-2-pentanone	=	5.6	1.8	5	ug/L	1
SWB-6	3/4/2003	4-Methyl-2-pentanone	<		0.98	5	ug/L	1
SWB-6	6/3/2003	4-Methyl-2-pentanone	<		2	10	ug/L	2
SWB-6	12/3/2003	4-Methyl-2-pentanone	<		2	10	ug/L	2
SWB-6	3/5/2004	4-Methyl-2-pentanone	<		0.98	5	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	6/1/2004	4-Methyl-2-pentanone	<		0.98	5	ug/L	1
SWB-6	12/1/2004	4-Methyl-2-pentanone	<		0.98	5	ug/L	1
SWB-6	3/7/2005	4-Methyl-2-pentanone	<		0.74	5	ug/L	1
SWB-6	6/1/2005	4-Methyl-2-pentanone	<		0.49	5	ug/L	1
SWB-6	12/2/2005	4-Methyl-2-pentanone	<		0.49	5	UG/L	1
SWB-6	3/1/2006	4-Methyl-2-pentanone	<		0.49	5	UG/L	1
SWB-6	6/1/2006	4-Methyl-2-pentanone	TR	0.51	0.49	5	UG/L	1 J
SWB-6	12/5/2006	4-Methyl-2-pentanone	TR	1.4	0.49	5	UG/L	1 J
SWB-6	3/2/2007	4-Methyl-2-pentanone	<		0.49	5	UG/L	1
SWB-6	3/6/2008	4-Methyl-2-pentanone	<		1	5	UG/L	1
SWB-6	6/9/2008	4-Methyl-2-pentanone	=	13	1	5	UG/L	1
SWB-6	12/5/2008	4-Methyl-2-pentanone	TR	2.6	1	5	UG/L	1 J
SWB-6	3/2/2009	4-Methyl-2-pentanone	TR	1.6	1	5	UG/L	1 J
SWB-6	6/5/2009	4-Methyl-2-pentanone	<		1	5	UG/L	1
SWB-6	3/2/2010	4-Methyl-2-pentanone	<	5	0.98	5	UG/L	1
SWB-6	6/2/2010	4-Methyl-2-PENTANONE	<	0.98	0.98	5	UG/L	1
SWB-7	3/4/2003	4-Methyl-2-pentanone	<		0.98	5	ug/L	1
SWB-7	6/3/2003	4-Methyl-2-pentanone	<		0.98	5	ug/L	1
SWB-7	3/1/2004	4-Methyl-2-pentanone	<		0.98	5	ug/L	1
SWB-7	5/24/2004	4-Methyl-2-pentanone	<		0.98	5	ug/L	1
SWB-7	12/1/2004	4-Methyl-2-pentanone	<		0.98	5	ug/L	1
SWB-7	3/7/2005	4-Methyl-2-pentanone	<		0.74	5	ug/L	1
SWB-7	6/1/2005	4-Methyl-2-pentanone	<		0.49	5	ug/L	1
SWB-7	9/1/2005	4-Methyl-2-pentanone	<		0.49	5	ug/L	1
SWB-7	12/1/2005	4-Methyl-2-pentanone	<		0.49	5	UG/L	1
SWB-7	3/1/2006	4-Methyl-2-pentanone	<		0.49	5	UG/L	1
SWB-7	6/2/2006	4-Methyl-2-pentanone	<		0.49	5	UG/L	1
SWB-7	9/5/2006	4-Methyl-2-pentanone	<		0.49	5	UG/L	1
SWB-7	12/5/2006	4-Methyl-2-pentanone	<		0.49	5	UG/L	1
SWB-7	3/2/2007	4-Methyl-2-pentanone	<		0.49	5	UG/L	1
SWB-7	6/1/2007	4-Methyl-2-pentanone	<		0.49	5	UG/L	1
SWB-7	9/7/2007	4-Methyl-2-pentanone	<		0.49	5	UG/L	1
SWB-7	12/3/2007	4-Methyl-2-pentanone	<		0.49	5	UG/L	1
SWB-7	3/6/2008	4-Methyl-2-pentanone	<		1	5	UG/L	1
SWB-7	6/6/2008	4-Methyl-2-pentanone	<		1	5	UG/L	1
SWB-7	9/8/2008	4-Methyl-2-pentanone	<		1	5	UG/L	1
SWB-7	12/5/2008	4-Methyl-2-pentanone	<		1	5	UG/L	1
SWB-7	3/2/2009	4-Methyl-2-pentanone	TR	2	1	5	UG/L	1 J
SWB-7	6/5/2009	4-Methyl-2-pentanone	<		1	5	UG/L	1
SWB-7	9/9/2009	4-Methyl-2-pentanone	<		1	5	UG/L	1
SWB-7	12/1/2009	4-Methyl-2-pentanone	<		1	5	UG/L	1
SWB-7	3/2/2010	4-Methyl-2-pentanone	<	5	0.98	5	UG/L	1
SWB-7	6/1/2010	4-Methyl-2-PENTANONE	<	0.98	0.98	5	UG/L	1 DNR
SWB-7	6/1/2010	4-Methyl-2-PENTANONE	<	3.9	3.9	20	UG/L	1
SWB-7	9/9/2010	4-Methyl-2-PENTANONE	<	0.98	0.98	5	UG/L	1
SWB-7	12/1/2010	4-Methyl-2-PENTANONE	<	0.98	0.98	5	UG/L	1
SWB-8	3/5/2004	4-Methyl-2-pentanone	<		0.98	5	ug/L	1
SWB-8	3/7/2005	4-Methyl-2-pentanone	<		0.74	5	ug/L	1
SWB-8	6/1/2005	4-Methyl-2-pentanone	<		0.49	5	ug/L	1
SWB-8	3/1/2006	4-Methyl-2-pentanone	<		0.49	5	UG/L	1
SWB-8	3/7/2008	4-Methyl-2-pentanone	<		1	5	UG/L	1
SWB-8	3/3/2009	4-Methyl-2-pentanone	<		1	5	UG/L	1
SWB-9	3/4/2003	4-Methyl-2-pentanone	<		0.98	5	ug/L	1
SWB-9	12/3/2003	4-Methyl-2-pentanone	<		2	10	ug/L	2
SWB-9	3/5/2004	4-Methyl-2-pentanone	<		0.98	5	ug/L	1
SWB-9	5/27/2004	4-Methyl-2-pentanone	<		0.98	5	ug/L	1
SWB-9	12/1/2004	4-Methyl-2-pentanone	<		0.98	5	ug/L	1

tmpAnalyticalResultsOverTime

SWB-9	3/3/2005	4-Methyl-2-pentanone	<	0.74	5	ug/L	1		
SWB-9	6/2/2005	4-Methyl-2-pentanone	<	0.49	5	ug/L	1		
SWB-9	9/1/2005	4-Methyl-2-pentanone	<	0.49	5	ug/L	1	UJ	
SWB-9	12/1/2005	4-Methyl-2-pentanone	<	0.49	5	UG/L	1		
SWB-9	3/2/2006	4-Methyl-2-pentanone	<	2	20	UG/L	4		
SWB-9	6/1/2006	4-Methyl-2-pentanone	<	0.49	5	UG/L	1		
SWB-9	12/4/2006	4-Methyl-2-pentanone	<	0.49	5	UG/L	1		
SWB-9	3/5/2007	4-Methyl-2-pentanone	<	0.49	5	UG/L	1		
SWB-9	3/6/2008	4-Methyl-2-pentanone	<	1	5	UG/L	1		
SWB-9	6/5/2008	4-Methyl-2-pentanone	<	1	5	UG/L	1	R	
SWB-9	12/5/2008	4-Methyl-2-pentanone	<	1	5	UG/L	1		
SWB-9	3/2/2009	4-Methyl-2-pentanone	<	1	5	UG/L	1		
SWB-9	6/2/2009	4-Methyl-2-pentanone	<	1	5	UG/L	1		
SWB-9	3/1/2010	4-Methyl-2-pentanone	<	5	0.98	5	ug/L	1	
SWB-9	6/1/2010	4-Methyl-2-PENTANONE	<	0.98	0.98	5	UG/L	1	DNR
SWB-9	6/1/2010	4-Methyl-2-PENTANONE	<	3.9	3.9	20	UG/L	1	
SWB-9	12/1/2010	4-Methyl-2-PENTANONE	<	0.98	0.98	5	UG/L	1	
SWB-10	3/4/2004	4-Nitroaniline	<	6	50	ug/L	1		NA
SWB-10	5/24/2004	4-Nitroaniline	<	6	50	ug/L	1	UJ	
SWB-10	12/1/2004	4-Nitroaniline	<	6	50	ug/L	1		
SWB-10	3/3/2005	4-Nitroaniline	<	2.3	50	ug/L	1		
SWB-10	6/2/2005	4-Nitroaniline	<	2.3	50	ug/L	1		
SWB-10	9/1/2005	4-Nitroaniline	<	2.3	50	ug/L	1		
SWB-10	3/2/2006	4-Nitroaniline	<	2.3	50	UG/L	1		
SWB-10	6/2/2006	4-Nitroaniline	<	10	50	UG/L	1		
SWB-10	3/1/2007	4-Nitroaniline	<	10	50	UG/L	1		
SWB-10	3/7/2008	4-Nitroaniline	<	2	50	UG/L	1		
SWB-10	6/5/2008	4-Nitroaniline	<	2	50	UG/L	1		
SWB-10	3/2/2009	4-Nitroaniline	<	2	10	UG/L	1	R	
SWB-10	6/4/2009	4-Nitroaniline	<	2	10	UG/L	1	R	
SWB-10	3/2/2010	4-Nitroaniline	<	9.3	1.9	9.3	UG/L	1	R
SWB-11	3/4/2004	4-Nitroaniline	<	6	50	ug/L	1		
SWB-11	5/24/2004	4-Nitroaniline	<	6	50	ug/L	1	UJ	
SWB-11	12/1/2004	4-Nitroaniline	<	6	50	ug/L	1		
SWB-11	3/1/2005	4-Nitroaniline	<	2.3	50	ug/L	1		
SWB-11	6/2/2005	4-Nitroaniline	<	2.3	50	ug/L	1		
SWB-11	3/2/2006	4-Nitroaniline	<	2.3	50	UG/L	1		
SWB-11	6/1/2006	4-Nitroaniline	<	10	50	UG/L	1		
SWB-11	3/1/2007	4-Nitroaniline	<	10	50	UG/L	1		
SWB-11	3/7/2008	4-Nitroaniline	<	2	50	UG/L	1		
SWB-11	6/5/2008	4-Nitroaniline	<	2	50	UG/L	1		
SWB-11	3/2/2009	4-Nitroaniline	<	2	10	UG/L	1	R	
SWB-11	6/4/2009	4-Nitroaniline	<	2	10	UG/L	1	R	
SWB-11	3/1/2010	4-Nitroaniline	<	9.4	1.9	9.4	ug/L	1	R
SWB-11	6/2/2010	4-NITROANILINE	<	1.9	1.9	9.5	UG/L	1	
SWB-3	10/29/2002	4-Nitroaniline	<	2.1	50	ug/L	1		
SWB-3	3/4/2003	4-Nitroaniline	<	2.1	50	ug/L	1		
SWB-3	6/3/2003	4-Nitroaniline	<	2.1	50	ug/L	1		
SWB-3	9/4/2003	4-Nitroaniline	<	2.1	50	ug/L	1	UJ	
SWB-3	12/2/2003	4-Nitroaniline	<	6	50	ug/L	1		
SWB-3	3/1/2004	4-Nitroaniline	<	6	50	ug/L	1		
SWB-3	6/1/2004	4-Nitroaniline	<	6	50	ug/L	1		
SWB-3	9/1/2004	4-Nitroaniline	<	6	50	ug/L	1		
SWB-3	12/1/2004	4-Nitroaniline	<	6	50	ug/L	1		
SWB-3	3/3/2005	4-Nitroaniline	<	2.3	50	ug/L	1		
SWB-3	6/2/2005	4-Nitroaniline	<	2.3	50	ug/L	1		
SWB-3	9/1/2005	4-Nitroaniline	<	2.3	50	ug/L	1		

tmpAnalyticalResultsOverTime

SWB-3	12/1/2005	4-Nitroaniline	<		2.3	50	UG/L	1 UJ
SWB-3	3/2/2006	4-Nitroaniline	<		2.3	50	UG/L	1
SWB-3	6/2/2006	4-Nitroaniline	<		10	50	UG/L	1
SWB-3	9/5/2006	4-Nitroaniline	<		10	50	UG/L	1
SWB-3	12/4/2006	4-Nitroaniline	<		10	50	UG/L	1
SWB-3	3/1/2007	4-Nitroaniline	<		10	50	UG/L	1
SWB-3	6/1/2007	4-Nitroaniline	<		10	50	UG/L	1
SWB-3	6/1/2007	4-Nitroaniline	<		10	50	UG/L	1 R
SWB-3	12/3/2007	4-Nitroaniline	<		1	50	UG/L	1
SWB-3	3/6/2008	4-Nitroaniline	<		2	50	UG/L	1
SWB-3	6/9/2008	4-Nitroaniline	<		2	50	UG/L	1
SWB-3	12/4/2008	4-Nitroaniline	<		2	10	UG/L	1
SWB-3	3/2/2009	4-Nitroaniline	<		2	10	UG/L	1 R
SWB-3	6/4/2009	4-Nitroaniline	<		2	10	UG/L	1 R
SWB-3	12/1/2009	4-Nitroaniline	<		2	10	UG/L	1
SWB-3	12/1/2009	4-Nitroaniline	<		2	10	UG/L	1 DNR
SWB-3	3/1/2010	4-Nitroaniline	<	9.7	1.9	9.7	ug/L	1 R
SWB-3	6/1/2010	4-NITROANILINE	<	1.9	1.9	9.4	UG/L	1
SWB-3	6/1/2010	4-NITROANILINE	<	1.9	1.9	9.4	UG/L	1 DNR
SWB-3	9/9/2010	4-NITROANILINE	<	1.9	1.9	9.3	UG/L	1
SWB-4	11/15/2002	4-Nitroaniline	<		2.1	50	ug/L	1
SWB-5	10/29/2002	4-Nitroaniline	<		2.1	50	ug/L	1
SWB-6	3/4/2003	4-Nitroaniline	<		2.1	50	ug/L	1
SWB-6	6/3/2003	4-Nitroaniline	<		2.1	50	ug/L	1
SWB-6	12/3/2003	4-Nitroaniline	<		6	50	ug/L	1
SWB-6	3/5/2004	4-Nitroaniline	<		6	50	ug/L	1
SWB-6	6/1/2004	4-Nitroaniline	<		6	50	ug/L	1
SWB-6	12/1/2004	4-Nitroaniline	<		6	50	ug/L	1
SWB-6	3/7/2005	4-Nitroaniline	<		2.3	50	ug/L	1
SWB-6	6/1/2005	4-Nitroaniline	<		2.3	50	ug/L	1
SWB-6	12/2/2005	4-Nitroaniline	<		2.3	50	UG/L	1 UJ
SWB-6	3/1/2006	4-Nitroaniline	<		2.3	50	UG/L	1
SWB-6	6/1/2006	4-Nitroaniline	<		10	50	UG/L	1
SWB-6	12/5/2006	4-Nitroaniline	<		10	50	UG/L	1
SWB-6	3/2/2007	4-Nitroaniline	<		10	50	UG/L	1
SWB-6	3/6/2008	4-Nitroaniline	<		2	50	UG/L	1
SWB-6	6/9/2008	4-Nitroaniline	<		2	50	UG/L	1
SWB-6	12/5/2008	4-Nitroaniline	<		2	10	UG/L	1 R
SWB-6	3/2/2009	4-Nitroaniline	<		2	10	UG/L	1 R
SWB-6	6/5/2009	4-Nitroaniline	<		2	10	UG/L	1 R
SWB-6	3/2/2010	4-Nitroaniline	<	9.1	1.8	9.1	UG/L	1 R
SWB-6	6/2/2010	4-NITROANILINE	<	1.9	1.9	9.4	UG/L	1 DNR
SWB-6	6/2/2010	4-NITROANILINE	<	1.9	1.9	9.5	UG/L	1
SWB-7	3/4/2003	4-Nitroaniline	<		2.1	50	ug/L	1
SWB-7	6/3/2003	4-Nitroaniline	<		2.1	50	ug/L	1
SWB-7	3/1/2004	4-Nitroaniline	<		6	50	ug/L	1
SWB-7	5/24/2004	4-Nitroaniline	<		6	50	ug/L	1
SWB-7	12/1/2004	4-Nitroaniline	<		6	50	ug/L	1
SWB-7	3/7/2005	4-Nitroaniline	<		2.3	50	ug/L	1 UJ
SWB-7	6/1/2005	4-Nitroaniline	<		2.3	50	ug/L	1
SWB-7	9/1/2005	4-Nitroaniline	<		2.3	50	ug/L	1
SWB-7	12/1/2005	4-Nitroaniline	<		2.3	50	UG/L	1 UJ
SWB-7	3/1/2006	4-Nitroaniline	<		2.3	50	UG/L	1
SWB-7	6/2/2006	4-Nitroaniline	<		10	50	UG/L	1
SWB-7	9/5/2006	4-Nitroaniline	<		10	50	UG/L	1 UJ
SWB-7	12/5/2006	4-Nitroaniline	<		10	50	UG/L	1
SWB-7	3/2/2007	4-Nitroaniline	<		10	50	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	6/1/2007	4-Nitroaniline	<		10	50	UG/L	1	
SWB-7	9/7/2007	4-Nitroaniline	<		1	50	UG/L	1	
SWB-7	12/3/2007	4-Nitroaniline	<		1	50	UG/L	1	
SWB-7	3/6/2008	4-Nitroaniline	<		2	50	UG/L	1	
SWB-7	6/6/2008	4-Nitroaniline	<		2	50	UG/L	1	
SWB-7	9/8/2008	4-Nitroaniline	<		2	10	UG/L	1	
SWB-7	12/5/2008	4-Nitroaniline	<		2	10	UG/L	1 R	
SWB-7	3/2/2009	4-Nitroaniline	<		2	10	UG/L	1 R	
SWB-7	6/5/2009	4-Nitroaniline	<		2	10	UG/L	1 R	
SWB-7	9/9/2009	4-Nitroaniline	<		2	10	UG/L	1 R	
SWB-7	12/1/2009	4-Nitroaniline	<		2	10	UG/L	1	
SWB-7	3/2/2010	4-Nitroaniline	<	9.5	1.9	9.5	UG/L	1 R	
SWB-7	6/1/2010	4-NITROANILINE	<	1.9	1.9	9.6	UG/L	1 DNR	
SWB-7	6/1/2010	4-NITROANILINE	<	2	2	10	UG/L	1 R	
SWB-7	9/9/2010	4-NITROANILINE	<	1.9	1.9	9.6	UG/L	1	
SWB-7	12/1/2010	4-NITROANILINE	<	1.9	1.9	9.3	UG/L	1	
SWB-8	3/5/2004	4-Nitroaniline	<		6	50	ug/L	1	
SWB-8	3/7/2005	4-Nitroaniline	<		2.3	50	ug/L	1	
SWB-8	6/1/2005	4-Nitroaniline	<		2.3	50	ug/L	1	
SWB-8	3/1/2006	4-Nitroaniline	<		2.3	50	UG/L	1	
SWB-8	3/7/2008	4-Nitroaniline	<		2	50	UG/L	1	
SWB-8	3/3/2009	4-Nitroaniline	<		2	10	UG/L	1 R	
SWB-9	3/4/2003	4-Nitroaniline	<		2.1	50	ug/L	1	
SWB-9	12/3/2003	4-Nitroaniline	<		6	50	ug/L	1	
SWB-9	3/5/2004	4-Nitroaniline	<		6	50	ug/L	1	
SWB-9	5/27/2004	4-Nitroaniline	<		6	50	ug/L	1 UJ	
SWB-9	12/1/2004	4-Nitroaniline	<		6	50	ug/L	1	
SWB-9	3/3/2005	4-Nitroaniline	<		2.3	50	ug/L	1	
SWB-9	6/2/2005	4-Nitroaniline	<		2.3	50	ug/L	1	
SWB-9	9/1/2005	4-Nitroaniline	<		2.3	50	ug/L	1	
SWB-9	12/1/2005	4-Nitroaniline	<		2.3	50	UG/L	1 UJ	
SWB-9	3/2/2006	4-Nitroaniline	<		2.3	50	UG/L	1	
SWB-9	6/1/2006	4-Nitroaniline	<		10	50	UG/L	1	
SWB-9	12/4/2006	4-Nitroaniline	<		10	50	UG/L	1	
SWB-9	3/5/2007	4-Nitroaniline	<		10	50	UG/L	1	
SWB-9	3/6/2008	4-Nitroaniline	<		2	50	UG/L	1	
SWB-9	6/5/2008	4-Nitroaniline	<		2	50	UG/L	1	
SWB-9	12/5/2008	4-Nitroaniline	<		2	10	UG/L	1 R	
SWB-9	3/2/2009	4-Nitroaniline	<		2	10	UG/L	1 R	
SWB-9	6/2/2009	4-Nitroaniline	<		2	10	UG/L	1	
SWB-9	6/2/2009	4-Nitroaniline	<		2	10	UG/L	1 DNR	
SWB-9	3/1/2010	4-Nitroaniline	<	9.2	1.8	9.2	ug/L	1 R	
SWB-9	6/1/2010	4-NITROANILINE	<	1.9	1.9	9.4	UG/L	1 DNR	
SWB-9	6/1/2010	4-NITROANILINE	<	1.9	1.9	9.5	UG/L	1	
SWB-9	12/1/2010	4-NITROANILINE	<	1.9	1.9	9.3	UG/L	1	
SWB-10	3/4/2004	4-Nitrophenol	<		7	50	ug/L	1	0.3 mg/L
SWB-10	5/24/2004	4-Nitrophenol	<		7	50	ug/L	1 UJ	
SWB-10	12/1/2004	4-Nitrophenol	<		7	50	ug/L	1	
SWB-10	3/3/2005	4-Nitrophenol	<		11	50	ug/L	1	
SWB-10	6/2/2005	4-Nitrophenol	<		11	50	ug/L	1	
SWB-10	9/1/2005	4-Nitrophenol	<		11	50	ug/L	1	
SWB-10	3/2/2006	4-Nitrophenol	<		11	50	UG/L	1	
SWB-10	6/2/2006	4-Nitrophenol	<		1.7	50	UG/L	1	
SWB-10	3/1/2007	4-Nitrophenol	<		1.7	50	UG/L	1	
SWB-10	3/7/2008	4-Nitrophenol	<		1.2	50	UG/L	1	
SWB-10	6/5/2008	4-Nitrophenol	<		1.2	50	UG/L	1	
SWB-10	3/2/2009	4-Nitrophenol	<		1.2	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-10	3/2/2009	4-Nitrophenol	<		1.2	10	UG/L	1 R
SWB-10	6/4/2009	4-Nitrophenol	TR	2.7	1.2	10	UG/L	1 J
SWB-10	3/2/2010	4-Nitrophenol	<	9.3	1.1	9.3	UG/L	1
SWB-11	3/4/2004	4-Nitrophenol	<		7	50	ug/L	1
SWB-11	5/24/2004	4-Nitrophenol	<		7	50	ug/L	1 UJ
SWB-11	12/1/2004	4-Nitrophenol	<		7	50	ug/L	1
SWB-11	3/1/2005	4-Nitrophenol	<		11	50	ug/L	1
SWB-11	6/2/2005	4-Nitrophenol	<		11	50	ug/L	1
SWB-11	3/2/2006	4-Nitrophenol	<		11	50	UG/L	1
SWB-11	6/1/2006	4-Nitrophenol	<		1.7	50	UG/L	1
SWB-11	3/1/2007	4-Nitrophenol	<		1.7	50	UG/L	1
SWB-11	3/7/2008	4-Nitrophenol	<		1.2	50	UG/L	1
SWB-11	6/5/2008	4-Nitrophenol	<		1.2	50	UG/L	1
SWB-11	3/2/2009	4-Nitrophenol	<		1.2	10	UG/L	1
SWB-11	6/4/2009	4-Nitrophenol	<		1.2	10	UG/L	1 UJ
SWB-11	3/1/2010	4-Nitrophenol	<	9.4	1.2	9.4	ug/L	1
SWB-11	6/2/2010	4-NITROPHENOL	<	1.2	1.2	9.5	UG/L	1 R
SWB-3	10/29/2002	4-Nitrophenol	<		18	50	ug/L	1
SWB-3	3/4/2003	4-Nitrophenol	<		18	50	ug/L	1 R
SWB-3	6/3/2003	4-Nitrophenol	<		18	50	ug/L	1
SWB-3	9/4/2003	4-Nitrophenol	<		18	50	ug/L	1 R
SWB-3	12/2/2003	4-Nitrophenol	<		7	50	ug/L	1 R
SWB-3	3/1/2004	4-Nitrophenol	<		7	50	ug/L	1
SWB-3	6/1/2004	4-Nitrophenol	<		7	50	ug/L	1
SWB-3	9/1/2004	4-Nitrophenol	<		7	50	ug/L	1
SWB-3	12/1/2004	4-Nitrophenol	<		7	50	ug/L	1
SWB-3	3/3/2005	4-Nitrophenol	<		11	50	ug/L	1
SWB-3	6/2/2005	4-Nitrophenol	<		11	50	ug/L	1
SWB-3	9/1/2005	4-Nitrophenol	<		11	50	ug/L	1 R
SWB-3	12/1/2005	4-Nitrophenol	<		11	50	UG/L	1 R
SWB-3	3/2/2006	4-Nitrophenol	<		11	50	UG/L	1 R
SWB-3	6/2/2006	4-Nitrophenol	<		1.7	50	UG/L	1 R
SWB-3	9/5/2006	4-Nitrophenol	<		1.7	50	UG/L	1 UJ
SWB-3	12/4/2006	4-Nitrophenol	TR	6.8	1.7	50	UG/L	1 J
SWB-3	3/1/2007	4-Nitrophenol	<		1.7	50	UG/L	1 UJ
SWB-3	6/1/2007	4-Nitrophenol	<		1.7	50	UG/L	1 R
SWB-3	12/3/2007	4-Nitrophenol	<		1.7	50	UG/L	1 R
SWB-3	3/6/2008	4-Nitrophenol	<		1.2	50	UG/L	1
SWB-3	6/9/2008	4-Nitrophenol	<		1.2	50	UG/L	1 R
SWB-3	12/4/2008	4-Nitrophenol	<		1.2	10	UG/L	1
SWB-3	3/2/2009	4-Nitrophenol	<		1.2	10	UG/L	1 R
SWB-3	3/2/2009	4-Nitrophenol	<		1.2	10	UG/L	1 UJ
SWB-3	6/4/2009	4-Nitrophenol	<		1.2	10	UG/L	1
SWB-3	12/1/2009	4-Nitrophenol	<		1.2	10	UG/L	1 DNR
SWB-3	12/1/2009	4-Nitrophenol	<		1.2	10	UG/L	1 R
SWB-3	3/1/2010	4-Nitrophenol	<	9.7	1.2	9.7	ug/L	1 UJ
SWB-3	6/1/2010	4-NITROPHENOL	<	1.2	1.2	9.4	UG/L	1 DNR
SWB-3	6/1/2010	4-NITROPHENOL	<	1.2	1.2	9.4	UG/L	1 R
SWB-3	9/9/2010	4-NITROPHENOL	<	1.1	1.1	9.3	UG/L	1 R
SWB-4	11/15/2002	4-Nitrophenol	<		18	50	ug/L	1 UJ
SWB-5	10/29/2002	4-Nitrophenol	<		18	50	ug/L	1
SWB-6	3/4/2003	4-Nitrophenol	<		18	50	ug/L	1
SWB-6	6/3/2003	4-Nitrophenol	<		18	50	ug/L	1
SWB-6	12/3/2003	4-Nitrophenol	TR	25	7	50	ug/L	1 J
SWB-6	3/5/2004	4-Nitrophenol	<		7	50	ug/L	1
SWB-6	6/1/2004	4-Nitrophenol	<		7	50	ug/L	1
SWB-6	12/1/2004	4-Nitrophenol	<		7	50	ug/L	1



tmpAnalyticalResultsOverTime

SWB-6	3/7/2005	4-Nitrophenol	<		11	50	ug/L	1
SWB-6	6/1/2005	4-Nitrophenol	<		11	50	ug/L	1
SWB-6	12/2/2005	4-Nitrophenol	<		11	50	UG/L	1
SWB-6	3/1/2006	4-Nitrophenol	<		11	50	UG/L	1
SWB-6	6/1/2006	4-Nitrophenol	<		1.7	50	UG/L	1
SWB-6	12/5/2006	4-Nitrophenol	TR	8.9	1.7	50	UG/L	1 J
SWB-6	3/2/2007	4-Nitrophenol	<		1.7	50	UG/L	1
SWB-6	3/6/2008	4-Nitrophenol	TR	1.9	1.2	50	UG/L	1 J
SWB-6	6/9/2008	4-Nitrophenol	<		1.2	50	UG/L	1
SWB-6	12/5/2008	4-Nitrophenol	=	14	1.2	10	UG/L	1 J
SWB-6	12/5/2008	4-Nitrophenol	TR	9.9	1.2	10	UG/L	1 R
SWB-6	3/2/2009	4-Nitrophenol	<		1.2	10	UG/L	1
SWB-6	3/2/2009	4-Nitrophenol	<		1.2	10	UG/L	1 R
SWB-6	6/5/2009	4-Nitrophenol	<		1.2	10	UG/L	1
SWB-6	3/2/2010	4-Nitrophenol	TR	6.1	1.1	9.1	UG/L	1 J
SWB-6	6/2/2010	4-NITROPHENOL	<	1.2	1.2	9.4	UG/L	1 DNR
SWB-6	6/2/2010	4-NITROPHENOL	<	1.2	1.2	9.5	UG/L	1
SWB-7	3/4/2003	4-Nitrophenol	<		18	50	ug/L	1
SWB-7	6/3/2003	4-Nitrophenol	<		18	50	ug/L	1
SWB-7	3/1/2004	4-Nitrophenol	<		7	50	ug/L	1
SWB-7	5/24/2004	4-Nitrophenol	<		7	50	ug/L	1
SWB-7	12/1/2004	4-Nitrophenol	<		7	50	ug/L	1
SWB-7	3/7/2005	4-Nitrophenol	<		11	50	ug/L	1
SWB-7	6/1/2005	4-Nitrophenol	TR	11	11	50	ug/L	1 J
SWB-7	9/1/2005	4-Nitrophenol	<		11	50	ug/L	1
SWB-7	12/1/2005	4-Nitrophenol	<		11	50	UG/L	1
SWB-7	3/1/2006	4-Nitrophenol	<		11	50	UG/L	1
SWB-7	6/2/2006	4-Nitrophenol	<		1.7	50	UG/L	1
SWB-7	9/5/2006	4-Nitrophenol	<		1.7	50	UG/L	1 UJ
SWB-7	12/5/2006	4-Nitrophenol	<		1.7	50	UG/L	1
SWB-7	3/2/2007	4-Nitrophenol	<		1.7	50	UG/L	1
SWB-7	6/1/2007	4-Nitrophenol	<		1.7	50	UG/L	1
SWB-7	9/7/2007	4-Nitrophenol	<		1.7	50	UG/L	1
SWB-7	12/3/2007	4-Nitrophenol	<		1.7	50	UG/L	1
SWB-7	3/6/2008	4-Nitrophenol	<		1.2	50	UG/L	1
SWB-7	6/6/2008	4-Nitrophenol	<		1.2	50	UG/L	1
SWB-7	9/8/2008	4-Nitrophenol	<		1.2	10	UG/L	1
SWB-7	12/5/2008	4-Nitrophenol	<		1.2	10	UG/L	1
SWB-7	12/5/2008	4-Nitrophenol	<		1.2	10	UG/L	1 R
SWB-7	3/2/2009	4-Nitrophenol	<		1.2	10	UG/L	1
SWB-7	3/2/2009	4-Nitrophenol	<		1.2	10	UG/L	1 R
SWB-7	6/5/2009	4-Nitrophenol	<		1.2	10	UG/L	1
SWB-7	9/9/2009	4-Nitrophenol	<		1.2	10	UG/L	1
SWB-7	12/1/2009	4-Nitrophenol	<		1.2	10	UG/L	1
SWB-7	3/2/2010	4-Nitrophenol	<	9.5	1.2	9.5	UG/L	1
SWB-7	6/1/2010	4-NITROPHENOL	<	1.2	1.2	9.6	UG/L	1 DNR
SWB-7	6/1/2010	4-NITROPHENOL	<	1.2	1.2	10	UG/L	1
SWB-7	9/9/2010	4-NITROPHENOL	<	1.2	1.2	9.6	UG/L	1
SWB-7	12/1/2010	4-NITROPHENOL	<	1.1	1.1	9.3	UG/L	1
SWB-8	3/5/2004	4-Nitrophenol	<		7	50	ug/L	1
SWB-8	3/7/2005	4-Nitrophenol	<		11	50	ug/L	1
SWB-8	6/1/2005	4-Nitrophenol	<		11	50	ug/L	1
SWB-8	3/1/2006	4-Nitrophenol	<		11	50	UG/L	1
SWB-8	3/7/2008	4-Nitrophenol	<		1.2	50	UG/L	1
SWB-8	3/3/2009	4-Nitrophenol	<		1.2	10	UG/L	1
SWB-8	3/3/2009	4-Nitrophenol	<		1.2	10	UG/L	1 R
SWB-9	3/4/2003	4-Nitrophenol	<		18	50	ug/L	1 UJ

tmpAnalyticalResultsOverTime

SWB-9	12/3/2003	4-Nitrophenol	TR	9.6	7	50	ug/L	1	J	
SWB-9	3/5/2004	4-Nitrophenol	<		7	50	ug/L	1		
SWB-9	5/27/2004	4-Nitrophenol	<		7	50	ug/L	1	UJ	
SWB-9	12/1/2004	4-Nitrophenol	<		7	50	ug/L	1		
SWB-9	3/3/2005	4-Nitrophenol	<		11	50	ug/L	1		
SWB-9	6/2/2005	4-Nitrophenol	<		11	50	ug/L	1		
SWB-9	9/1/2005	4-Nitrophenol	<		11	50	ug/L	1	UJ	
SWB-9	12/1/2005	4-Nitrophenol	<		11	50	UG/L	1		
SWB-9	3/2/2006	4-Nitrophenol	<		11	50	UG/L	1		
SWB-9	6/1/2006	4-Nitrophenol	<		1.7	50	UG/L	1	UJ	
SWB-9	12/4/2006	4-Nitrophenol	<		1.7	50	UG/L	1		
SWB-9	3/5/2007	4-Nitrophenol	<		1.7	50	UG/L	1		
SWB-9	3/6/2008	4-Nitrophenol	<		1.2	50	UG/L	1		
SWB-9	6/5/2008	4-Nitrophenol	<		1.2	50	UG/L	1	R	
SWB-9	12/5/2008	4-Nitrophenol	<		1.2	10	UG/L	1		
SWB-9	12/5/2008	4-Nitrophenol	<		1.2	10	UG/L	1	R	
SWB-9	3/2/2009	4-Nitrophenol	<		1.2	10	UG/L	1	R	
SWB-9	3/2/2009	4-Nitrophenol	<		1.2	10	UG/L	1	UJ	
SWB-9	6/2/2009	4-Nitrophenol	<		1.2	10	UG/L	1	DNR	
SWB-9	6/2/2009	4-Nitrophenol	TR	2.6	1.2	10	UG/L	1	J	
SWB-9	3/1/2010	4-Nitrophenol	<	9.2	1.1	9.2	ug/L	1		
SWB-9	6/1/2010	4-NITROPHENOL	<	1.2	1.2	9.4	UG/L	1	DNR	
SWB-9	6/1/2010	4-NITROPHENOL	<	1.2	1.2	9.5	UG/L	1		
SWB-9	12/1/2010	4-NITROPHENOL	<	1.1	1.1	9.3	UG/L	1		
SWB-10	3/4/2004	4-Nitroquinoline-1-oxide	<		5	100	ug/L	1		NA
SWB-10	5/24/2004	4-Nitroquinoline-1-oxide	<		5	100	ug/L	1	UJ	
SWB-10	12/1/2004	4-Nitroquinoline-1-oxide	<		5	100	ug/L	1		
SWB-10	3/3/2005	4-Nitroquinoline-1-oxide	<		5	100	ug/L	1		
SWB-10	6/2/2005	4-Nitroquinoline-1-oxide	<		5	100	ug/L	1		
SWB-10	9/1/2005	4-Nitroquinoline-1-oxide	<		5	100	ug/L	1		
SWB-10	3/2/2006	4-Nitroquinoline-1-oxide	<		5	100	UG/L	1		
SWB-10	6/2/2006	4-Nitroquinoline-1-oxide	<		5	100	UG/L	1		
SWB-10	3/1/2007	4-Nitroquinoline-1-oxide	<		5	100	UG/L	1		
SWB-10	3/7/2008	4-Nitroquinoline-1-oxide	<		20	100	UG/L	1		
SWB-10	6/5/2008	4-Nitroquinoline-1-oxide	<		20	100	UG/L	1		
SWB-10	3/2/2009	4-Nitroquinoline-1-oxide	<		20	100	UG/L	1		
SWB-10	3/2/2009	4-Nitroquinoline-1-oxide	<		20	100	UG/L	1	R	
SWB-10	6/4/2009	4-Nitroquinoline-1-oxide	<		20	100	UG/L	1		
SWB-10	3/2/2010	4-Nitroquinoline-1-oxide	<	93	19	93	UG/L	1		
SWB-11	3/4/2004	4-Nitroquinoline-1-oxide	<		5	100	ug/L	1		
SWB-11	5/24/2004	4-Nitroquinoline-1-oxide	<		5	100	ug/L	1	UJ	
SWB-11	12/1/2004	4-Nitroquinoline-1-oxide	<		5	100	ug/L	1		
SWB-11	3/1/2005	4-Nitroquinoline-1-oxide	<		5	100	ug/L	1		
SWB-11	6/2/2005	4-Nitroquinoline-1-oxide	<		5	100	ug/L	1		
SWB-11	3/2/2006	4-Nitroquinoline-1-oxide	<		5	100	UG/L	1		
SWB-11	6/1/2006	4-Nitroquinoline-1-oxide	<		5	100	UG/L	1		
SWB-11	3/1/2007	4-Nitroquinoline-1-oxide	<		5	100	UG/L	1		
SWB-11	3/7/2008	4-Nitroquinoline-1-oxide	<		20	100	UG/L	1		
SWB-11	6/5/2008	4-Nitroquinoline-1-oxide	<		20	100	UG/L	1		
SWB-11	3/2/2009	4-Nitroquinoline-1-oxide	<		20	100	UG/L	1		
SWB-11	6/4/2009	4-Nitroquinoline-1-oxide	<		20	100	UG/L	1		
SWB-11	3/1/2010	4-Nitroquinoline-1-oxide	<	94	19	94	ug/L	1		
SWB-11	6/2/2010	4-NITROQUINOLINE-1-OXIDE	<	19	19	95	UG/L	1		
SWB-3	10/29/2002	4-Nitroquinoline-1-oxide	<		52	100	ug/L	1		
SWB-3	3/4/2003	4-Nitroquinoline-1-oxide	<		52	100	ug/L	1		
SWB-3	6/3/2003	4-Nitroquinoline-1-oxide	<		52	100	ug/L	1		
SWB-3	9/4/2003	4-Nitroquinoline-1-oxide	<		50	100	ug/L	1	UJ	

tmpAnalyticalResultsOverTime

SWB-3	12/2/2003	4-Nitroquinoline-1-oxide	<	50	100	ug/L	1	
SWB-3	3/1/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
SWB-3	6/1/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1 UJ	
SWB-3	9/1/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
SWB-3	12/1/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
SWB-3	3/3/2005	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
SWB-3	6/2/2005	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
SWB-3	9/1/2005	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
SWB-3	12/1/2005	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1 UJ	
SWB-3	3/2/2006	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-3	6/2/2006	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-3	9/5/2006	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-3	12/4/2006	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-3	3/1/2007	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-3	6/1/2007	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-3	6/1/2007	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1 R	
SWB-3	12/3/2007	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-3	3/6/2008	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-3	6/9/2008	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-3	12/4/2008	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-3	3/2/2009	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-3	3/2/2009	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1 R	
SWB-3	6/4/2009	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-3	12/1/2009	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-3	12/1/2009	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1 DNR	
SWB-3	3/1/2010	4-Nitroquinoline-1-oxide	<	97	19	97	ug/L	1 UJ
SWB-3	6/1/2010	4-NITROQUINOLINE-1-OXIDE	<	19	19	94	UG/L	1
SWB-3	6/1/2010	4-NITROQUINOLINE-1-OXIDE	<	19	19	94	UG/L	1 DNR
SWB-3	9/9/2010	4-NITROQUINOLINE-1-OXIDE	<	19	19	93	UG/L	1
SWB-4	11/15/2002	4-Nitroquinoline-1-oxide	<	52	100	ug/L	1	
SWB-5	10/29/2002	4-Nitroquinoline-1-oxide	<	52	100	ug/L	1	
SWB-6	3/4/2003	4-Nitroquinoline-1-oxide	<	52	100	ug/L	1	
SWB-6	6/3/2003	4-Nitroquinoline-1-oxide	<	52	100	ug/L	1	
SWB-6	12/3/2003	4-Nitroquinoline-1-oxide	<	50	100	ug/L	1	
SWB-6	3/5/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
SWB-6	6/1/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1 UJ	
SWB-6	12/1/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
SWB-6	3/7/2005	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
SWB-6	6/1/2005	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
SWB-6	12/2/2005	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1 UJ	
SWB-6	3/1/2006	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-6	6/1/2006	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-6	12/5/2006	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-6	3/2/2007	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-6	3/6/2008	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-6	6/9/2008	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-6	12/5/2008	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-6	12/5/2008	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1 R	
SWB-6	3/2/2009	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-6	3/2/2009	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1 R	
SWB-6	6/5/2009	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-6	3/2/2010	4-Nitroquinoline-1-oxide	<	91	18	91	UG/L	1
SWB-6	6/2/2010	4-NITROQUINOLINE-1-OXIDE	<	19	19	94	UG/L	1 DNR
SWB-6	6/2/2010	4-NITROQUINOLINE-1-OXIDE	<	19	19	95	UG/L	1
SWB-7	3/4/2003	4-Nitroquinoline-1-oxide	<	52	100	ug/L	1	
SWB-7	6/3/2003	4-Nitroquinoline-1-oxide	<	52	100	ug/L	1	
SWB-7	3/1/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-7	5/24/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1 UJ	
SWB-7	12/1/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
SWB-7	3/7/2005	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1 UJ	
SWB-7	6/1/2005	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
SWB-7	9/1/2005	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
SWB-7	12/1/2005	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1 UJ	
SWB-7	3/1/2006	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-7	6/2/2006	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-7	9/5/2006	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1 UJ	
SWB-7	12/5/2006	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-7	3/2/2007	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-7	6/1/2007	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-7	9/7/2007	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-7	12/3/2007	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-7	3/6/2008	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-7	6/6/2008	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-7	9/8/2008	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-7	12/5/2008	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-7	12/5/2008	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1 R	
SWB-7	3/2/2009	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-7	3/2/2009	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1 R	
SWB-7	6/5/2009	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-7	9/9/2009	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-7	12/1/2009	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-7	3/2/2010	4-Nitroquinoline-1-oxide	<	95	19	95	UG/L	1
SWB-7	6/1/2010	4-NITROQUINOLINE-1-OXIDE	<	19	19	96	UG/L	1 DNR
SWB-7	6/1/2010	4-NITROQUINOLINE-1-OXIDE	<	20	20	100	UG/L	1 R
SWB-7	9/9/2010	4-NITROQUINOLINE-1-OXIDE	<	19	19	96	UG/L	1
SWB-7	12/1/2010	4-NITROQUINOLINE-1-OXIDE	<	19	19	93	UG/L	1
SWB-8	3/5/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
SWB-8	3/7/2005	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
SWB-8	6/1/2005	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
SWB-8	3/1/2006	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-8	3/7/2008	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-8	3/3/2009	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-8	3/3/2009	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1 R	
SWB-9	3/4/2003	4-Nitroquinoline-1-oxide	<	52	100	ug/L	1	
SWB-9	12/3/2003	4-Nitroquinoline-1-oxide	<	50	100	ug/L	1	
SWB-9	3/5/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
SWB-9	5/27/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1 UJ	
SWB-9	12/1/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
SWB-9	3/3/2005	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
SWB-9	6/2/2005	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
SWB-9	9/1/2005	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
SWB-9	12/1/2005	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1 UJ	
SWB-9	3/2/2006	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-9	6/1/2006	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-9	12/4/2006	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-9	3/5/2007	4-Nitroquinoline-1-oxide	<	5	100	UG/L	1	
SWB-9	3/6/2008	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-9	6/5/2008	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-9	12/5/2008	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-9	12/5/2008	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1 R	
SWB-9	3/2/2009	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-9	3/2/2009	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1 R	
SWB-9	6/2/2009	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1	
SWB-9	6/2/2009	4-Nitroquinoline-1-oxide	<	20	100	UG/L	1 DNR	

tmpAnalyticalResultsOverTime

SWB-9	3/1/2010	4-Nitroquinoline-1-oxide	<	92	18	92	ug/L	1	
SWB-9	6/1/2010	4-NITROQUINOLINE-1-OXIDE	<	19	19	94	UG/L	1	DNR
SWB-9	6/1/2010	4-NITROQUINOLINE-1-OXIDE	<	19	19	95	UG/L	1	
SWB-9	12/1/2010	4-NITROQUINOLINE-1-OXIDE	<	19	19	93	UG/L	1	
SWB-10	3/4/2004	5-Nitro-o-toluidine	<		2	20	ug/L	1	NA
SWB-10	5/24/2004	5-Nitro-o-toluidine	<		2	20	ug/L	1	UJ
SWB-10	12/1/2004	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-10	3/3/2005	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-10	6/2/2005	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-10	9/1/2005	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-10	3/2/2006	5-Nitro-o-toluidine	<		2	20	UG/L	1	
SWB-10	6/2/2006	5-Nitro-o-toluidine	<		2	20	UG/L	1	
SWB-10	3/1/2007	5-Nitro-o-toluidine	<		2	20	UG/L	1	
SWB-10	3/7/2008	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	
SWB-10	6/5/2008	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	
SWB-10	3/2/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	
SWB-10	3/2/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	R
SWB-10	6/4/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	
SWB-10	3/2/2010	5-Nitro-o-toluidine	<	19	1.3	19	UG/L	1	
SWB-11	3/4/2004	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-11	5/24/2004	5-Nitro-o-toluidine	<		2	20	ug/L	1	UJ
SWB-11	12/1/2004	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-11	3/1/2005	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-11	6/2/2005	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-11	3/2/2006	5-Nitro-o-toluidine	<		2	20	UG/L	1	
SWB-11	6/1/2006	5-Nitro-o-toluidine	<		2	20	UG/L	1	
SWB-11	3/1/2007	5-Nitro-o-toluidine	<		2	20	UG/L	1	
SWB-11	3/7/2008	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	
SWB-11	6/5/2008	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	
SWB-11	3/2/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	
SWB-11	6/4/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	
SWB-11	3/1/2010	5-Nitro-o-toluidine	<	19	1.3	19	ug/L	1	
SWB-11	6/2/2010	5-NITRO-o-TOLUIDINE	<	1.3	1.3	19	UG/L	1	
SWB-3	10/29/2002	5-Nitro-o-toluidine	<		1.2	20	ug/L	1	
SWB-3	3/4/2003	5-Nitro-o-toluidine	<		1.2	20	ug/L	1	
SWB-3	6/3/2003	5-Nitro-o-toluidine	<		1.2	20	ug/L	1	
SWB-3	9/4/2003	5-Nitro-o-toluidine	<		1	20	ug/L	1	UJ
SWB-3	12/2/2003	5-Nitro-o-toluidine	<		1	20	ug/L	1	
SWB-3	3/1/2004	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-3	6/1/2004	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-3	9/1/2004	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-3	12/1/2004	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-3	3/3/2005	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-3	6/2/2005	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-3	9/1/2005	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-3	12/1/2005	5-Nitro-o-toluidine	<		2	20	UG/L	1	UJ
SWB-3	3/2/2006	5-Nitro-o-toluidine	<		2	20	UG/L	1	
SWB-3	6/2/2006	5-Nitro-o-toluidine	<		2	20	UG/L	1	
SWB-3	9/5/2006	5-Nitro-o-toluidine	<		2	20	UG/L	1	
SWB-3	12/4/2006	5-Nitro-o-toluidine	<		2	20	UG/L	1	
SWB-3	3/1/2007	5-Nitro-o-toluidine	<		2	20	UG/L	1	
SWB-3	6/1/2007	5-Nitro-o-toluidine	<		2	20	UG/L	1	
SWB-3	6/1/2007	5-Nitro-o-toluidine	<		2	20	UG/L	1	R
SWB-3	12/3/2007	5-Nitro-o-toluidine	<		2	20	UG/L	1	
SWB-3	3/6/2008	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	
SWB-3	6/9/2008	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	
SWB-3	12/4/2008	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	3/2/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1
SWB-3	3/2/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1 R
SWB-3	6/4/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1
SWB-3	12/1/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1
SWB-3	12/1/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1 DNR
SWB-3	3/1/2010	5-Nitro-o-toluidine	<	19	1.4	19	ug/L	1 UJ
SWB-3	6/1/2010	5-NITRO-o-TOLUIDINE	<	1.3	1.3	19	UG/L	1
SWB-3	6/1/2010	5-NITRO-o-TOLUIDINE	<	1.3	1.3	19	UG/L	1 DNR
SWB-3	9/9/2010	5-NITRO-o-TOLUIDINE	<	1.3	1.3	19	UG/L	1
SWB-4	11/15/2002	5-Nitro-o-toluidine	<		1.2	20	ug/L	1
SWB-5	10/29/2002	5-Nitro-o-toluidine	<		1.2	20	ug/L	1
SWB-6	3/4/2003	5-Nitro-o-toluidine	<		1.2	20	ug/L	1
SWB-6	6/3/2003	5-Nitro-o-toluidine	<		1.2	20	ug/L	1
SWB-6	12/3/2003	5-Nitro-o-toluidine	<		1	20	ug/L	1
SWB-6	3/5/2004	5-Nitro-o-toluidine	<		2	20	ug/L	1
SWB-6	6/1/2004	5-Nitro-o-toluidine	<		2	20	ug/L	1
SWB-6	12/1/2004	5-Nitro-o-toluidine	<		2	20	ug/L	1
SWB-6	3/7/2005	5-Nitro-o-toluidine	<		2	20	ug/L	1
SWB-6	6/1/2005	5-Nitro-o-toluidine	<		2	20	ug/L	1
SWB-6	12/2/2005	5-Nitro-o-toluidine	<		2	20	UG/L	1 UJ
SWB-6	3/1/2006	5-Nitro-o-toluidine	<		2	20	UG/L	1
SWB-6	6/1/2006	5-Nitro-o-toluidine	<		2	20	UG/L	1
SWB-6	12/5/2006	5-Nitro-o-toluidine	<		2	20	UG/L	1
SWB-6	3/2/2007	5-Nitro-o-toluidine	<		2	20	UG/L	1
SWB-6	3/6/2008	5-Nitro-o-toluidine	<		1.4	20	UG/L	1
SWB-6	6/9/2008	5-Nitro-o-toluidine	<		1.4	20	UG/L	1
SWB-6	12/5/2008	5-Nitro-o-toluidine	<		1.4	20	UG/L	1
SWB-6	12/5/2008	5-Nitro-o-toluidine	<		1.4	20	UG/L	1 R
SWB-6	3/2/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1
SWB-6	3/2/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1 R
SWB-6	6/5/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1
SWB-6	3/2/2010	5-Nitro-o-toluidine	<	18	1.3	18	UG/L	1
SWB-6	6/2/2010	5-NITRO-o-TOLUIDINE	<	1.3	1.3	19	UG/L	1
SWB-6	6/2/2010	5-NITRO-o-TOLUIDINE	<	1.3	1.3	19	UG/L	1 DNR
SWB-7	3/4/2003	5-Nitro-o-toluidine	<		1.2	20	ug/L	1
SWB-7	6/3/2003	5-Nitro-o-toluidine	<		1.2	20	ug/L	1
SWB-7	3/1/2004	5-Nitro-o-toluidine	<		2	20	ug/L	1
SWB-7	5/24/2004	5-Nitro-o-toluidine	<		2	20	ug/L	1
SWB-7	12/1/2004	5-Nitro-o-toluidine	<		2	20	ug/L	1
SWB-7	3/7/2005	5-Nitro-o-toluidine	<		2	20	ug/L	1 UJ
SWB-7	6/1/2005	5-Nitro-o-toluidine	<		2	20	ug/L	1
SWB-7	9/1/2005	5-Nitro-o-toluidine	<		2	20	ug/L	1
SWB-7	12/1/2005	5-Nitro-o-toluidine	<		2	20	UG/L	1 UJ
SWB-7	3/1/2006	5-Nitro-o-toluidine	<		2	20	UG/L	1
SWB-7	6/2/2006	5-Nitro-o-toluidine	<		2	20	UG/L	1
SWB-7	9/5/2006	5-Nitro-o-toluidine	<		2	20	UG/L	1
SWB-7	12/5/2006	5-Nitro-o-toluidine	<		2	20	UG/L	1
SWB-7	3/2/2007	5-Nitro-o-toluidine	<		2	20	UG/L	1
SWB-7	6/1/2007	5-Nitro-o-toluidine	<		2	20	UG/L	1
SWB-7	9/7/2007	5-Nitro-o-toluidine	<		2	20	UG/L	1
SWB-7	12/3/2007	5-Nitro-o-toluidine	<		2	20	UG/L	1
SWB-7	3/6/2008	5-Nitro-o-toluidine	<		1.4	20	UG/L	1
SWB-7	6/6/2008	5-Nitro-o-toluidine	<		1.4	20	UG/L	1
SWB-7	9/8/2008	5-Nitro-o-toluidine	<		1.4	20	UG/L	1
SWB-7	12/5/2008	5-Nitro-o-toluidine	<		1.4	20	UG/L	1
SWB-7	12/5/2008	5-Nitro-o-toluidine	<		1.4	20	UG/L	1 R
SWB-7	3/2/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	3/2/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1 R	
SWB-7	6/5/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	
SWB-7	9/9/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	
SWB-7	12/1/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	
SWB-7	3/2/2010	5-Nitro-o-toluidine	<	19	1.3	19	UG/L	1	
SWB-7	6/1/2010	5-NITRO-o-TOLUIDINE	<	1.3	1.3	19	UG/L	1 DNR	
SWB-7	6/1/2010	5-NITRO-o-TOLUIDINE	<	1.4	1.4	20	UG/L	1 R	
SWB-7	9/9/2010	5-NITRO-o-TOLUIDINE	<	1.3	1.3	19	UG/L	1	
SWB-7	12/1/2010	5-NITRO-o-TOLUIDINE	<	1.3	1.3	19	UG/L	1	
SWB-8	3/5/2004	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-8	3/7/2005	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-8	6/1/2005	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-8	3/1/2006	5-Nitro-o-toluidine	<		2	20	UG/L	1	
SWB-8	3/7/2008	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	
SWB-8	3/3/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	
SWB-8	3/3/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1 R	
SWB-9	3/4/2003	5-Nitro-o-toluidine	<		1.2	20	ug/L	1	
SWB-9	12/3/2003	5-Nitro-o-toluidine	<		1	20	ug/L	1	
SWB-9	3/5/2004	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-9	5/27/2004	5-Nitro-o-toluidine	<		2	20	ug/L	1 UJ	
SWB-9	12/1/2004	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-9	3/3/2005	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-9	6/2/2005	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-9	9/1/2005	5-Nitro-o-toluidine	<		2	20	ug/L	1	
SWB-9	12/1/2005	5-Nitro-o-toluidine	<		2	20	UG/L	1 UJ	
SWB-9	3/2/2006	5-Nitro-o-toluidine	<		2	20	UG/L	1	
SWB-9	6/1/2006	5-Nitro-o-toluidine	<		2	20	UG/L	1	
SWB-9	12/4/2006	5-Nitro-o-toluidine	<		2	20	UG/L	1	
SWB-9	3/5/2007	5-Nitro-o-toluidine	<		2	20	UG/L	1	
SWB-9	3/6/2008	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	
SWB-9	6/5/2008	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	
SWB-9	12/5/2008	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	
SWB-9	12/5/2008	5-Nitro-o-toluidine	<		1.4	20	UG/L	1 R	
SWB-9	3/2/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	
SWB-9	3/2/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1 R	
SWB-9	6/2/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1	
SWB-9	6/2/2009	5-Nitro-o-toluidine	<		1.4	20	UG/L	1 DNR	
SWB-9	3/1/2010	5-Nitro-o-toluidine	<	18	1.3	18	ug/L	1	
SWB-9	6/1/2010	5-NITRO-o-TOLUIDINE	<	1.3	1.3	19	UG/L	1	
SWB-9	6/1/2010	5-NITRO-o-TOLUIDINE	<	1.3	1.3	19	UG/L	1 DNR	
SWB-9	12/1/2010	5-NITRO-o-TOLUIDINE	<	1.3	1.3	19	UG/L	1	
SWB-10	6/2/2006	7,10,13-Hexadecatrienoic acid	TI	5.5			UG/L	1 NJ	NA
SWB-10	3/4/2004	7,12-Dimethylbenz(a)anthracene	<		3	20	ug/L	1	NA
SWB-10	5/24/2004	7,12-Dimethylbenz(a)anthracene	<		3	20	ug/L	1 UJ	
SWB-10	12/1/2004	7,12-Dimethylbenz(a)anthracene	<		3	20	ug/L	1	
SWB-10	3/3/2005	7,12-Dimethylbenz(a)anthracene	<		3	20	ug/L	1	
SWB-10	6/2/2005	7,12-Dimethylbenz(a)anthracene	<		3	20	ug/L	1	
SWB-10	9/1/2005	7,12-Dimethylbenz(a)anthracene	<		3	20	ug/L	1	
SWB-10	3/2/2006	7,12-Dimethylbenz(a)anthracene	<		3	20	UG/L	1	
SWB-10	6/2/2006	7,12-Dimethylbenz(a)anthracene	<		0.82	20	UG/L	1	
SWB-10	3/1/2007	7,12-Dimethylbenz(a)anthracene	<		0.82	20	UG/L	1	
SWB-10	3/7/2008	7,12-Dimethylbenz(a)anthracene	<		1.6	20	UG/L	1	
SWB-10	6/5/2008	7,12-Dimethylbenz(a)anthracene	<		1.6	20	UG/L	1	
SWB-10	3/2/2009	7,12-Dimethylbenz(a)anthracene	<		1.6	20	UG/L	1	
SWB-10	3/2/2009	7,12-Dimethylbenz(a)anthracene	<		1.6	20	UG/L	1 R	
SWB-10	6/4/2009	7,12-Dimethylbenz(a)anthracene	<		1.6	20	UG/L	1	
SWB-10	3/2/2010	7,12-Dimethylbenz(a)anthracene	<	19	1.5	19	UG/L	1	

SWB-11	3/4/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-11	5/24/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1 UJ
SWB-11	12/1/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-11	3/1/2005	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-11	6/2/2005	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-11	3/2/2006	7,12-Dimethylbenz(a)anthracene	<	3	20	UG/L	1
SWB-11	6/1/2006	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1
SWB-11	3/1/2007	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1
SWB-11	3/7/2008	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-11	6/5/2008	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-11	3/2/2009	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-11	6/4/2009	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-11	3/1/2010	7,12-Dimethylbenz(a)anthracene	<	19	19	ug/L	1
SWB-11	6/2/2010	7,12-DIMETHYLBENZ(a)ANTHRACENE	<	1.5	19	UG/L	1
SWB-3	10/29/2002	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
SWB-3	3/4/2003	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
SWB-3	6/3/2003	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
SWB-3	9/4/2003	7,12-Dimethylbenz(a)anthracene	<	2	20	ug/L	1 UJ
SWB-3	12/2/2003	7,12-Dimethylbenz(a)anthracene	<	2	20	ug/L	1
SWB-3	3/1/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-3	6/1/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-3	9/1/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-3	12/1/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-3	3/3/2005	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-3	6/2/2005	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-3	9/1/2005	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-3	12/1/2005	7,12-Dimethylbenz(a)anthracene	<	3	20	UG/L	1 UJ
SWB-3	3/2/2006	7,12-Dimethylbenz(a)anthracene	<	3	20	UG/L	1
SWB-3	6/2/2006	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1
SWB-3	9/5/2006	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1
SWB-3	12/4/2006	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1
SWB-3	3/1/2007	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1
SWB-3	6/1/2007	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1
SWB-3	6/1/2007	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1 R
SWB-3	12/3/2007	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1
SWB-3	3/6/2008	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-3	6/9/2008	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-3	12/4/2008	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-3	3/2/2009	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-3	3/2/2009	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1 R
SWB-3	6/4/2009	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-3	12/1/2009	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-3	12/1/2009	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1 DNR
SWB-3	3/1/2010	7,12-Dimethylbenz(a)anthracene	<	19	19	ug/L	1 UJ
SWB-3	6/1/2010	7,12-DIMETHYLBENZ(a)ANTHRACENE	<	1.5	19	UG/L	1
SWB-3	6/1/2010	7,12-DIMETHYLBENZ(a)ANTHRACENE	<	1.5	19	UG/L	1 DNR
SWB-3	9/9/2010	7,12-DIMETHYLBENZ(a)ANTHRACENE	<	1.5	19	UG/L	1
SWB-4	11/15/2002	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
SWB-5	10/29/2002	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
SWB-6	3/4/2003	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
SWB-6	6/3/2003	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
SWB-6	12/3/2003	7,12-Dimethylbenz(a)anthracene	<	2	20	ug/L	1
SWB-6	3/5/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-6	6/1/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-6	12/1/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-6	3/7/2005	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-6	6/1/2005	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1



tmpAnalyticalResultsOverTime

SWB-6	12/2/2005	7,12-Dimethylbenz(a)anthracene	<	3	20	UG/L	1 UJ
SWB-6	3/1/2006	7,12-Dimethylbenz(a)anthracene	<	3	20	UG/L	1
SWB-6	6/1/2006	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1
SWB-6	12/5/2006	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1
SWB-6	3/2/2007	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1
SWB-6	3/6/2008	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-6	6/9/2008	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-6	12/5/2008	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-6	12/5/2008	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1 R
SWB-6	3/2/2009	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-6	3/2/2009	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1 R
SWB-6	6/5/2009	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-6	3/2/2010	7,12-Dimethylbenz(a)anthracene	<	18	18	UG/L	1
SWB-6	6/2/2010	7,12-DIMETHYLBENZ(a)ANTHRACENE	<	1.5	19	UG/L	1
SWB-6	6/2/2010	7,12-DIMETHYLBENZ(a)ANTHRACENE	<	1.5	19	UG/L	1 DNR
SWB-7	3/4/2003	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
SWB-7	6/3/2003	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
SWB-7	3/1/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-7	5/24/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-7	12/1/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-7	3/7/2005	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1 UJ
SWB-7	6/1/2005	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-7	9/1/2005	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-7	12/1/2005	7,12-Dimethylbenz(a)anthracene	<	3	20	UG/L	1 UJ
SWB-7	3/1/2006	7,12-Dimethylbenz(a)anthracene	<	3	20	UG/L	1
SWB-7	6/2/2006	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1
SWB-7	9/5/2006	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1 UJ
SWB-7	12/5/2006	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1
SWB-7	3/2/2007	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1
SWB-7	6/1/2007	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1
SWB-7	9/7/2007	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1
SWB-7	12/3/2007	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1
SWB-7	3/6/2008	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-7	6/6/2008	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-7	9/8/2008	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-7	12/5/2008	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-7	12/5/2008	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1 R
SWB-7	3/2/2009	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-7	3/2/2009	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1 R
SWB-7	6/5/2009	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-7	9/9/2009	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-7	12/1/2009	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-7	3/2/2010	7,12-Dimethylbenz(a)anthracene	<	19	19	UG/L	1
SWB-7	6/1/2010	7,12-DIMETHYLBENZ(a)ANTHRACENE	<	1.5	19	UG/L	1 DNR
SWB-7	6/1/2010	7,12-DIMETHYLBENZ(a)ANTHRACENE	<	1.6	20	UG/L	1 R
SWB-7	9/9/2010	7,12-DIMETHYLBENZ(a)ANTHRACENE	<	1.5	19	UG/L	1
SWB-7	12/1/2010	7,12-DIMETHYLBENZ(a)ANTHRACENE	<	1.5	19	UG/L	1
SWB-8	3/5/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-8	3/7/2005	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-8	6/1/2005	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
SWB-8	3/1/2006	7,12-Dimethylbenz(a)anthracene	<	3	20	UG/L	1
SWB-8	3/7/2008	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-8	3/3/2009	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1
SWB-8	3/3/2009	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1 R
SWB-9	3/4/2003	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
SWB-9	12/3/2003	7,12-Dimethylbenz(a)anthracene	<	2	20	ug/L	1
SWB-9	3/5/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1

tmpAnalyticalResultsOverTime

SWB-9	5/27/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1	UJ	
SWB-9	12/1/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1		
SWB-9	3/3/2005	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1		
SWB-9	6/2/2005	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1		
SWB-9	9/1/2005	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1		
SWB-9	12/1/2005	7,12-Dimethylbenz(a)anthracene	<	3	20	UG/L	1	UJ	
SWB-9	3/2/2006	7,12-Dimethylbenz(a)anthracene	<	3	20	UG/L	1		
SWB-9	6/1/2006	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1		
SWB-9	12/4/2006	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1		
SWB-9	3/5/2007	7,12-Dimethylbenz(a)anthracene	<	0.82	20	UG/L	1		
SWB-9	3/6/2008	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1		
SWB-9	6/5/2008	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1		
SWB-9	12/5/2008	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1		
SWB-9	12/5/2008	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1	R	
SWB-9	3/2/2009	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1		
SWB-9	3/2/2009	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1	R	
SWB-9	6/2/2009	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1		
SWB-9	6/2/2009	7,12-Dimethylbenz(a)anthracene	<	1.6	20	UG/L	1	DNR	
SWB-9	3/1/2010	7,12-Dimethylbenz(a)anthracene	<	18	18	ug/L	1		
SWB-9	6/1/2010	7,12-DIMETHYLBENZ(a)ANTHRACENE	<	1.5	19	UG/L	1		
SWB-9	6/1/2010	7,12-DIMETHYLBENZ(a)ANTHRACENE	<	1.5	19	UG/L	1	DNR	
SWB-9	12/1/2010	7,12-DIMETHYLBENZ(a)ANTHRACENE	<	1.4	19	UG/L	1		
SWB-6	3/7/2005	8-Heptadecene	TI	6.1		ug/L	1	NJ	NA
SWB-6	6/9/2008	8-Heptadecene	TI	7.6		UG/L	1	NJ	
SWB-8	3/7/2005	8-Heptadecene	TI	13		ug/L	1	NJ	
SWB-11	3/7/2008	9,12,15-Octadecatrienoic acid	TI	11		UG/L	1	NJ	NA
SWB-6	6/9/2008	9,12,15-Octadecatrienoic acid	TI	4.7		UG/L	1	NJ	
SWB-6	6/1/2004	9-Hexadecenoic acid	TI	71		ug/L	1	NJ	NA
SWB-10	3/4/2004	Acenaphthene	<	0.6	10	ug/L	1		NA
SWB-10	5/24/2004	Acenaphthene	<	0.6	10	ug/L	1	UJ	
SWB-10	12/1/2004	Acenaphthene	<	0.6	10	ug/L	1		
SWB-10	3/3/2005	Acenaphthene	<	1.7	10	ug/L	1		
SWB-10	6/2/2005	Acenaphthene	<	1.7	10	ug/L	1	UJ	
SWB-10	9/1/2005	Acenaphthene	<	1.7	10	ug/L	1		
SWB-10	3/2/2006	Acenaphthene	<	1.7	10	UG/L	1		
SWB-10	6/2/2006	Acenaphthene	<	1.7	10	UG/L	1		
SWB-10	3/1/2007	Acenaphthene	<	1.7	10	UG/L	1		
SWB-10	3/7/2008	Acenaphthene	<	0.28	10	UG/L	1		
SWB-10	6/5/2008	Acenaphthene	<	0.28	10	UG/L	1	UJ	
SWB-10	3/2/2009	Acenaphthene	<	0.28	4	UG/L	1		
SWB-10	3/2/2009	Acenaphthene	<	0.28	4	UG/L	1	R	
SWB-10	6/4/2009	Acenaphthene	<	0.28	4	UG/L	1		
SWB-10	3/2/2010	Acenaphthene	<	3.7	3.7	UG/L	1	UJ	
SWB-11	3/4/2004	Acenaphthene	<	0.6	10	ug/L	1		
SWB-11	5/24/2004	Acenaphthene	<	0.6	10	ug/L	1	UJ	
SWB-11	12/1/2004	Acenaphthene	<	0.6	10	ug/L	1		
SWB-11	3/1/2005	Acenaphthene	<	1.7	10	ug/L	1		
SWB-11	6/2/2005	Acenaphthene	<	1.7	10	ug/L	1	UJ	
SWB-11	3/2/2006	Acenaphthene	<	1.7	10	UG/L	1		
SWB-11	6/1/2006	Acenaphthene	<	1.7	10	UG/L	1		
SWB-11	3/1/2007	Acenaphthene	<	1.7	10	UG/L	1		
SWB-11	3/7/2008	Acenaphthene	<	0.28	10	UG/L	1		
SWB-11	6/5/2008	Acenaphthene	<	0.28	10	UG/L	1		
SWB-11	3/2/2009	Acenaphthene	<	0.28	4	UG/L	1		
SWB-11	6/4/2009	Acenaphthene	<	0.28	4	UG/L	1		
SWB-11	3/1/2010	Acenaphthene	<	3.7	3.7	ug/L	1	UJ	
SWB-11	6/2/2010	ACENAPHTHENE	<	0.27	3.8	UG/L	1	UJ	

tmpAnalyticalResultsOverTime

SWB-3	10/29/2002	Acenaphthene	<	1	10	ug/L	1	
SWB-3	3/4/2003	Acenaphthene	<	1	10	ug/L	1	
SWB-3	6/3/2003	Acenaphthene	<	1	10	ug/L	1	
SWB-3	9/4/2003	Acenaphthene	<	1	10	ug/L	1 UJ	
SWB-3	12/2/2003	Acenaphthene	<	0.6	10	ug/L	1	
SWB-3	3/1/2004	Acenaphthene	<	0.6	10	ug/L	1	
SWB-3	6/1/2004	Acenaphthene	<	0.6	10	ug/L	1	
SWB-3	9/1/2004	Acenaphthene	<	0.6	10	ug/L	1	
SWB-3	12/1/2004	Acenaphthene	<	0.6	10	ug/L	1	
SWB-3	3/3/2005	Acenaphthene	<	1.7	10	ug/L	1	
SWB-3	6/2/2005	Acenaphthene	<	1.7	10	ug/L	1 UJ	
SWB-3	9/1/2005	Acenaphthene	<	1.7	10	ug/L	1	
SWB-3	12/1/2005	Acenaphthene	<	1.7	10	UG/L	1 R	
SWB-3	3/2/2006	Acenaphthene	<	1.7	10	UG/L	1	
SWB-3	6/2/2006	Acenaphthene	<	1.7	10	UG/L	1	
SWB-3	9/5/2006	Acenaphthene	<	1.7	10	UG/L	1 R	
SWB-3	9/5/2006	Acenaphthene	<	0.02	5	UG/L	1 R	
SWB-3	12/4/2006	Acenaphthene	<	1.7	10	UG/L	1 UJ	
SWB-3	3/1/2007	Acenaphthene	<	1.7	10	UG/L	1	
SWB-3	6/1/2007	Acenaphthene	<	1.7	10	UG/L	1	
SWB-3	6/1/2007	Acenaphthene	<	1.7	10	UG/L	1 R	
SWB-3	12/3/2007	Acenaphthene	<	0.28	10	UG/L	1 R	
SWB-3	3/6/2008	Acenaphthene	<	0.28	10	UG/L	1	
SWB-3	6/9/2008	Acenaphthene	<	0.28	10	UG/L	1	
SWB-3	12/4/2008	Acenaphthene	<	0.28	4	UG/L	1	
SWB-3	3/2/2009	Acenaphthene	<	0.28	4	UG/L	1	
SWB-3	3/2/2009	Acenaphthene	<	0.28	4	UG/L	1 R	
SWB-3	6/4/2009	Acenaphthene	<	0.28	4	UG/L	1	
SWB-3	12/1/2009	Acenaphthene	<	0.28	4	UG/L	1	
SWB-3	12/1/2009	Acenaphthene	<	0.28	4	UG/L	1 DNR	
SWB-3	3/1/2010	Acenaphthene	<	3.9	0.27	3.9	ug/L	1 UJ
SWB-3	6/1/2010	ACENAPHTHENE	<	0.26	0.26	3.7	UG/L	1 UJ
SWB-3	6/1/2010	ACENAPHTHENE	<	0.26	0.26	3.8	UG/L	1 DNR
SWB-3	9/9/2010	ACENAPHTHENE	<	0.26	0.26	3.7	UG/L	1
SWB-4	11/15/2002	Acenaphthene	<	1	10	ug/L	1	
SWB-5	10/29/2002	Acenaphthene	<	1	10	ug/L	1	
SWB-6	3/4/2003	Acenaphthene	<	1	10	ug/L	1	
SWB-6	6/3/2003	Acenaphthene	<	1	10	ug/L	1	
SWB-6	12/3/2003	Acenaphthene	<	0.6	10	ug/L	1	
SWB-6	3/5/2004	Acenaphthene	<	0.6	10	ug/L	1	
SWB-6	6/1/2004	Acenaphthene	<	0.6	10	ug/L	1	
SWB-6	12/1/2004	Acenaphthene	<	0.6	10	ug/L	1	
SWB-6	3/7/2005	Acenaphthene	<	1.7	10	ug/L	1	
SWB-6	6/1/2005	Acenaphthene	<	1.7	10	ug/L	1 UJ	
SWB-6	12/2/2005	Acenaphthene	<	1.7	10	UG/L	1 R	
SWB-6	3/1/2006	Acenaphthene	<	1.7	10	UG/L	1	
SWB-6	6/1/2006	Acenaphthene	<	1.7	10	UG/L	1	
SWB-6	12/5/2006	Acenaphthene	<	1.7	10	UG/L	1 UJ	
SWB-6	3/2/2007	Acenaphthene	<	1.7	10	UG/L	1	
SWB-6	3/6/2008	Acenaphthene	<	0.28	10	UG/L	1	
SWB-6	6/9/2008	Acenaphthene	<	0.28	10	UG/L	1	
SWB-6	12/5/2008	Acenaphthene	<	0.28	4	UG/L	1 R	
SWB-6	12/5/2008	Acenaphthene	<	0.28	4	UG/L	1 UJ	
SWB-6	3/2/2009	Acenaphthene	<	0.28	4	UG/L	1	
SWB-6	3/2/2009	Acenaphthene	<	0.28	4	UG/L	1 R	
SWB-6	6/5/2009	Acenaphthene	<	0.28	4	UG/L	1	
SWB-6	3/2/2010	Acenaphthene	<	3.6	0.26	3.6	UG/L	1 UJ

tmpAnalyticalResultsOverTime

SWB-6	6/2/2010	ACENAPHTHENE	<	0.26	0.26	3.8	UG/L	1 DNR
SWB-6	6/2/2010	ACENAPHTHENE	<	0.27	0.27	3.8	UG/L	1 UJ
SWB-7	3/4/2003	Acenaphthene	<		1	10	ug/L	1
SWB-7	6/3/2003	Acenaphthene	<		1	10	ug/L	1
SWB-7	3/1/2004	Acenaphthene	<		0.6	10	ug/L	1
SWB-7	5/24/2004	Acenaphthene	<		0.6	10	ug/L	1
SWB-7	12/1/2004	Acenaphthene	<		0.6	10	ug/L	1
SWB-7	3/7/2005	Acenaphthene	<		1.7	10	ug/L	1 UJ
SWB-7	6/1/2005	Acenaphthene	<		1.7	10	ug/L	1 UJ
SWB-7	9/1/2005	Acenaphthene	<		1.7	10	ug/L	1
SWB-7	12/1/2005	Acenaphthene	<		1.7	10	UG/L	1 R
SWB-7	3/1/2006	Acenaphthene	<		1.7	10	UG/L	1
SWB-7	6/2/2006	Acenaphthene	<		1.7	10	UG/L	1
SWB-7	9/5/2006	Acenaphthene	<		1.7	10	UG/L	1 R
SWB-7	9/5/2006	Acenaphthene	<		0.02	5	UG/L	1 R
SWB-7	12/5/2006	Acenaphthene	<		1.7	10	UG/L	1 UJ
SWB-7	3/2/2007	Acenaphthene	<		1.7	10	UG/L	1
SWB-7	6/1/2007	Acenaphthene	<		1.7	10	UG/L	1
SWB-7	9/7/2007	Acenaphthene	<		0.28	10	UG/L	1
SWB-7	12/3/2007	Acenaphthene	<		0.28	10	UG/L	1 R
SWB-7	3/6/2008	Acenaphthene	<		0.28	10	UG/L	1
SWB-7	6/6/2008	Acenaphthene	<		0.28	10	UG/L	1 UJ
SWB-7	6/6/2008	Acenaphthene	<		0.1	5	UG/L	1
SWB-7	9/8/2008	Acenaphthene	<		0.28	4	UG/L	1
SWB-7	12/5/2008	Acenaphthene	<		0.28	4	UG/L	1 R
SWB-7	12/5/2008	Acenaphthene	<		0.28	4	UG/L	1 UJ
SWB-7	3/2/2009	Acenaphthene	<		0.28	4	UG/L	1
SWB-7	3/2/2009	Acenaphthene	<		0.28	4	UG/L	1 R
SWB-7	6/5/2009	Acenaphthene	<		0.28	4	UG/L	1
SWB-7	9/9/2009	Acenaphthene	<		0.28	4	UG/L	1
SWB-7	12/1/2009	Acenaphthene	<		0.28	4	UG/L	1
SWB-7	3/2/2010	Acenaphthene	<	3.8	0.27	3.8	UG/L	1 UJ
SWB-7	6/1/2010	ACENAPHTHENE	<	0.27	0.27	3.8	UG/L	1 DNR
SWB-7	6/1/2010	ACENAPHTHENE	<	0.28	0.28	4	UG/L	1 R
SWB-7	9/9/2010	ACENAPHTHENE	<	0.27	0.27	3.9	UG/L	1
SWB-7	12/1/2010	ACENAPHTHENE	<	0.26	0.26	3.7	UG/L	1
SWB-8	3/5/2004	Acenaphthene	<		0.6	10	ug/L	1
SWB-8	3/7/2005	Acenaphthene	<		1.7	10	ug/L	1
SWB-8	6/1/2005	Acenaphthene	<		1.7	10	ug/L	1 UJ
SWB-8	3/1/2006	Acenaphthene	<		1.7	10	UG/L	1
SWB-8	3/7/2008	Acenaphthene	<		0.28	10	UG/L	1
SWB-8	3/3/2009	Acenaphthene	<		0.28	4	UG/L	1
SWB-8	3/3/2009	Acenaphthene	<		0.28	4	UG/L	1 R
SWB-9	3/4/2003	Acenaphthene	<		1	10	ug/L	1
SWB-9	12/3/2003	Acenaphthene	<		0.6	10	ug/L	1
SWB-9	3/5/2004	Acenaphthene	<		0.6	10	ug/L	1
SWB-9	5/27/2004	Acenaphthene	<		0.6	10	ug/L	1 UJ
SWB-9	12/1/2004	Acenaphthene	<		0.6	10	ug/L	1
SWB-9	3/3/2005	Acenaphthene	<		1.7	10	ug/L	1
SWB-9	6/2/2005	Acenaphthene	<		1.7	10	ug/L	1 UJ
SWB-9	9/1/2005	Acenaphthene	<		1.7	10	ug/L	1
SWB-9	12/1/2005	Acenaphthene	<		1.7	10	UG/L	1 R
SWB-9	3/2/2006	Acenaphthene	<		1.7	10	UG/L	1
SWB-9	6/1/2006	Acenaphthene	<		1.7	10	UG/L	1
SWB-9	12/4/2006	Acenaphthene	<		1.7	10	UG/L	1 R
SWB-9	3/5/2007	Acenaphthene	<		1.7	10	UG/L	1 UJ
SWB-9	3/6/2008	Acenaphthene	<		0.28	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	6/5/2008	Acenaphthene	<		0.28	10	UG/L	1	UJ	
SWB-9	12/5/2008	Acenaphthene	<		0.28	4	UG/L	1	R	
SWB-9	12/5/2008	Acenaphthene	<		0.28	4	UG/L	1	UJ	
SWB-9	3/2/2009	Acenaphthene	<		0.28	4	UG/L	1		
SWB-9	3/2/2009	Acenaphthene	<		0.28	4	UG/L	1	R	
SWB-9	6/2/2009	Acenaphthene	<		0.28	4	UG/L	1		
SWB-9	6/2/2009	Acenaphthene	<		0.28	4	UG/L	1	DNR	
SWB-9	3/1/2010	Acenaphthene	<	3.7	0.26	3.7	ug/L	1	UJ	
SWB-9	6/1/2010	ACENAPHTHENE	<	0.26	0.26	3.8	UG/L	1	DNR	
SWB-9	6/1/2010	ACENAPHTHENE	<	0.26	0.26	3.8	UG/L	1	UJ	
SWB-9	12/1/2010	ACENAPHTHENE	<	0.26	0.26	3.7	UG/L	1		
SWB-10	3/4/2004	Acenaphthylene	<		0.6	10	ug/L	1		NA
SWB-10	5/24/2004	Acenaphthylene	<		0.6	10	ug/L	1	UJ	
SWB-10	12/1/2004	Acenaphthylene	<		0.6	10	ug/L	1		
SWB-10	3/3/2005	Acenaphthylene	<		1.8	10	ug/L	1		
SWB-10	6/2/2005	Acenaphthylene	<		1.8	10	ug/L	1		
SWB-10	9/1/2005	Acenaphthylene	<		1.8	10	ug/L	1		
SWB-10	3/2/2006	Acenaphthylene	<		1.8	10	UG/L	1		
SWB-10	6/2/2006	Acenaphthylene	<		1.8	10	UG/L	1		
SWB-10	3/1/2007	Acenaphthylene	<		1.8	10	UG/L	1		
SWB-10	3/7/2008	Acenaphthylene	<		0.49	10	UG/L	1		
SWB-10	6/5/2008	Acenaphthylene	<		0.49	10	UG/L	1		
SWB-10	6/5/2008	Acenaphthylene	<		0.11	5	UG/L	1		
SWB-10	3/2/2009	Acenaphthylene	<		0.49	4	UG/L	1		
SWB-10	3/2/2009	Acenaphthylene	<		0.49	4	UG/L	1	R	
SWB-10	6/4/2009	Acenaphthylene	<		0.49	4	UG/L	1		
SWB-10	3/2/2010	Acenaphthylene	<	3.7	0.46	3.7	UG/L	1	UJ	
SWB-11	3/4/2004	Acenaphthylene	<		0.6	10	ug/L	1		
SWB-11	5/24/2004	Acenaphthylene	<		0.6	10	ug/L	1	UJ	
SWB-11	12/1/2004	Acenaphthylene	<		0.6	10	ug/L	1		
SWB-11	3/1/2005	Acenaphthylene	<		1.8	10	ug/L	1		
SWB-11	6/2/2005	Acenaphthylene	<		1.8	10	ug/L	1		
SWB-11	3/2/2006	Acenaphthylene	<		1.8	10	UG/L	1		
SWB-11	6/1/2006	Acenaphthylene	<		1.8	10	UG/L	1		
SWB-11	3/1/2007	Acenaphthylene	<		1.8	10	UG/L	1		
SWB-11	3/7/2008	Acenaphthylene	<		0.49	10	UG/L	1		
SWB-11	6/5/2008	Acenaphthylene	<		0.49	10	UG/L	1		
SWB-11	3/2/2009	Acenaphthylene	<		0.49	4	UG/L	1		
SWB-11	6/4/2009	Acenaphthylene	<		0.49	4	UG/L	1		
SWB-11	3/1/2010	Acenaphthylene	<	3.7	0.46	3.7	ug/L	1	UJ	
SWB-11	6/2/2010	ACENAPHTHYLENE	<	0.46	0.46	3.8	UG/L	1	UJ	
SWB-3	10/29/2002	Acenaphthylene	<		1	10	ug/L	1		
SWB-3	3/4/2003	Acenaphthylene	<		1	10	ug/L	1		
SWB-3	6/3/2003	Acenaphthylene	<		1	10	ug/L	1		
SWB-3	9/4/2003	Acenaphthylene	<		1	10	ug/L	1	UJ	
SWB-3	12/2/2003	Acenaphthylene	<		0.6	10	ug/L	1		
SWB-3	3/1/2004	Acenaphthylene	<		0.6	10	ug/L	1		
SWB-3	6/1/2004	Acenaphthylene	<		0.6	10	ug/L	1		
SWB-3	9/1/2004	Acenaphthylene	<		0.6	10	ug/L	1		
SWB-3	12/1/2004	Acenaphthylene	<		0.6	10	ug/L	1		
SWB-3	3/3/2005	Acenaphthylene	<		1.8	10	ug/L	1		
SWB-3	6/2/2005	Acenaphthylene	<		1.8	10	ug/L	1		
SWB-3	9/1/2005	Acenaphthylene	<		1.8	10	ug/L	1		
SWB-3	12/1/2005	Acenaphthylene	<		1.8	10	UG/L	1	UJ	
SWB-3	3/2/2006	Acenaphthylene	<		1.8	10	UG/L	1		
SWB-3	6/2/2006	Acenaphthylene	<		1.8	10	UG/L	1		
SWB-3	9/5/2006	Acenaphthylene	<		1.8	10	UG/L	1		

tmpAnalyticalResultsOverTime

SWB-3	9/5/2006	Acenaphthylene	<	0.05	5	UG/L	1	
SWB-3	12/4/2006	Acenaphthylene	<	1.8	10	UG/L	1	
SWB-3	3/1/2007	Acenaphthylene	<	1.8	10	UG/L	1	
SWB-3	6/1/2007	Acenaphthylene	<	1.8	10	UG/L	1	
SWB-3	6/1/2007	Acenaphthylene	<	1.8	10	UG/L	1 R	
SWB-3	12/3/2007	Acenaphthylene	<	0.49	10	UG/L	1	
SWB-3	3/6/2008	Acenaphthylene	<	0.49	10	UG/L	1	
SWB-3	6/9/2008	Acenaphthylene	<	0.49	10	UG/L	1	
SWB-3	12/4/2008	Acenaphthylene	<	0.49	4	UG/L	1	
SWB-3	3/2/2009	Acenaphthylene	<	0.49	4	UG/L	1	
SWB-3	3/2/2009	Acenaphthylene	<	0.49	4	UG/L	1 R	
SWB-3	6/4/2009	Acenaphthylene	<	0.49	4	UG/L	1 UJ	
SWB-3	12/1/2009	Acenaphthylene	<	0.49	4	UG/L	1	
SWB-3	12/1/2009	Acenaphthylene	<	0.49	4	UG/L	1 DNR	
SWB-3	3/1/2010	Acenaphthylene	<	3.9	0.48	3.9	ug/L	1 UJ
SWB-3	6/1/2010	ACENAPHTHYLENE	<	0.46	0.46	3.7	UG/L	1 UJ
SWB-3	6/1/2010	ACENAPHTHYLENE	<	0.46	0.46	3.8	UG/L	1 DNR
SWB-3	9/9/2010	ACENAPHTHYLENE	<	0.46	0.46	3.7	UG/L	1
SWB-4	11/15/2002	Acenaphthylene	<	1	10	ug/L	1	
SWB-5	10/29/2002	Acenaphthylene	<	1	10	ug/L	1	
SWB-6	3/4/2003	Acenaphthylene	<	1	10	ug/L	1	
SWB-6	6/3/2003	Acenaphthylene	<	1	10	ug/L	1	
SWB-6	12/3/2003	Acenaphthylene	<	0.6	10	ug/L	1	
SWB-6	3/5/2004	Acenaphthylene	<	0.6	10	ug/L	1	
SWB-6	6/1/2004	Acenaphthylene	<	0.6	10	ug/L	1	
SWB-6	12/1/2004	Acenaphthylene	<	0.6	10	ug/L	1	
SWB-6	3/7/2005	Acenaphthylene	<	1.8	10	ug/L	1	
SWB-6	6/1/2005	Acenaphthylene	<	1.8	10	ug/L	1	
SWB-6	12/2/2005	Acenaphthylene	<	1.8	10	UG/L	1 UJ	
SWB-6	3/1/2006	Acenaphthylene	<	1.8	10	UG/L	1	
SWB-6	6/1/2006	Acenaphthylene	<	1.8	10	UG/L	1	
SWB-6	12/5/2006	Acenaphthylene	<	1.8	10	UG/L	1	
SWB-6	3/2/2007	Acenaphthylene	<	1.8	10	UG/L	1	
SWB-6	3/6/2008	Acenaphthylene	<	0.49	10	UG/L	1	
SWB-6	6/9/2008	Acenaphthylene	<	0.49	10	UG/L	1	
SWB-6	12/5/2008	Acenaphthylene	<	0.49	4	UG/L	1 R	
SWB-6	12/5/2008	Acenaphthylene	<	0.49	4	UG/L	1 UJ	
SWB-6	3/2/2009	Acenaphthylene	<	0.49	4	UG/L	1	
SWB-6	3/2/2009	Acenaphthylene	<	0.49	4	UG/L	1 R	
SWB-6	6/5/2009	Acenaphthylene	<	0.49	4	UG/L	1	
SWB-6	3/2/2010	Acenaphthylene	<	3.6	0.45	3.6	UG/L	1 UJ
SWB-6	6/2/2010	ACENAPHTHYLENE	<	0.46	0.46	3.8	UG/L	1 DNR
SWB-6	6/2/2010	ACENAPHTHYLENE	<	0.47	0.47	3.8	UG/L	1 UJ
SWB-7	3/4/2003	Acenaphthylene	<	1	10	ug/L	1	
SWB-7	6/3/2003	Acenaphthylene	<	1	10	ug/L	1	
SWB-7	3/1/2004	Acenaphthylene	<	0.6	10	ug/L	1	
SWB-7	5/24/2004	Acenaphthylene	<	0.6	10	ug/L	1	
SWB-7	12/1/2004	Acenaphthylene	<	0.6	10	ug/L	1	
SWB-7	3/7/2005	Acenaphthylene	<	1.8	10	ug/L	1 UJ	
SWB-7	6/1/2005	Acenaphthylene	<	1.8	10	ug/L	1	
SWB-7	9/1/2005	Acenaphthylene	<	1.8	10	ug/L	1	
SWB-7	12/1/2005	Acenaphthylene	<	1.8	10	UG/L	1 UJ	
SWB-7	3/1/2006	Acenaphthylene	<	1.8	10	UG/L	1	
SWB-7	6/2/2006	Acenaphthylene	<	1.8	10	UG/L	1	
SWB-7	9/5/2006	Acenaphthylene	<	1.8	10	UG/L	1 UJ	
SWB-7	9/5/2006	Acenaphthylene	<	0.05	5	UG/L	1	
SWB-7	12/5/2006	Acenaphthylene	<	1.8	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-7	3/2/2007	Acenaphthylene	<		1.8	10	UG/L	1	
SWB-7	6/1/2007	Acenaphthylene	<		1.8	10	UG/L	1	
SWB-7	9/7/2007	Acenaphthylene	<		0.49	10	UG/L	1	
SWB-7	12/3/2007	Acenaphthylene	<		0.49	10	UG/L	1	
SWB-7	3/6/2008	Acenaphthylene	<		0.49	10	UG/L	1	
SWB-7	6/6/2008	Acenaphthylene	<		0.49	10	UG/L	1	
SWB-7	9/8/2008	Acenaphthylene	<		0.49	4	UG/L	1	
SWB-7	12/5/2008	Acenaphthylene	<		0.49	4	UG/L	1	R
SWB-7	12/5/2008	Acenaphthylene	<		0.49	4	UG/L	1	UJ
SWB-7	3/2/2009	Acenaphthylene	<		0.49	4	UG/L	1	
SWB-7	3/2/2009	Acenaphthylene	<		0.49	4	UG/L	1	R
SWB-7	6/5/2009	Acenaphthylene	<		0.49	4	UG/L	1	
SWB-7	9/9/2009	Acenaphthylene	<		0.49	4	UG/L	1	
SWB-7	12/1/2009	Acenaphthylene	<		0.49	4	UG/L	1	
SWB-7	3/2/2010	Acenaphthylene	<	3.8	0.46	3.8	UG/L	1	UJ
SWB-7	6/1/2010	ACENAPHTHYLENE	<	0.47	0.47	3.8	UG/L	1	DNR
SWB-7	6/1/2010	ACENAPHTHYLENE	<	0.49	0.49	4	UG/L	1	R
SWB-7	9/9/2010	ACENAPHTHYLENE	<	0.47	0.47	3.9	UG/L	1	
SWB-7	12/1/2010	ACENAPHTHYLENE	<	0.46	0.46	3.7	UG/L	1	
SWB-8	3/5/2004	Acenaphthylene	<		0.6	10	ug/L	1	
SWB-8	3/7/2005	Acenaphthylene	<		1.8	10	ug/L	1	
SWB-8	6/1/2005	Acenaphthylene	<		1.8	10	ug/L	1	
SWB-8	3/1/2006	Acenaphthylene	<		1.8	10	UG/L	1	
SWB-8	3/7/2008	Acenaphthylene	<		0.49	10	UG/L	1	
SWB-8	3/3/2009	Acenaphthylene	<		0.49	4	UG/L	1	
SWB-8	3/3/2009	Acenaphthylene	<		0.49	4	UG/L	1	R
SWB-9	3/4/2003	Acenaphthylene	<		1	10	ug/L	1	
SWB-9	12/3/2003	Acenaphthylene	<		0.6	10	ug/L	1	
SWB-9	3/5/2004	Acenaphthylene	<		0.6	10	ug/L	1	
SWB-9	5/27/2004	Acenaphthylene	<		0.6	10	ug/L	1	UJ
SWB-9	12/1/2004	Acenaphthylene	<		0.6	10	ug/L	1	
SWB-9	3/3/2005	Acenaphthylene	<		1.8	10	ug/L	1	
SWB-9	6/2/2005	Acenaphthylene	<		1.8	10	ug/L	1	
SWB-9	9/1/2005	Acenaphthylene	<		1.8	10	ug/L	1	
SWB-9	12/1/2005	Acenaphthylene	<		1.8	10	UG/L	1	UJ
SWB-9	3/2/2006	Acenaphthylene	<		1.8	10	UG/L	1	
SWB-9	6/1/2006	Acenaphthylene	<		1.8	10	UG/L	1	
SWB-9	12/4/2006	Acenaphthylene	<		1.8	10	UG/L	1	
SWB-9	3/5/2007	Acenaphthylene	<		1.8	10	UG/L	1	
SWB-9	3/6/2008	Acenaphthylene	<		0.49	10	UG/L	1	
SWB-9	6/5/2008	Acenaphthylene	<		0.49	10	UG/L	1	
SWB-9	6/5/2008	Acenaphthylene	<		0.11	5	UG/L	1	
SWB-9	6/5/2008	Acenaphthylene	<		0.53	25	UG/L	5	
SWB-9	12/5/2008	Acenaphthylene	<		0.49	4	UG/L	1	R
SWB-9	12/5/2008	Acenaphthylene	<		0.49	4	UG/L	1	UJ
SWB-9	3/2/2009	Acenaphthylene	<		0.49	4	UG/L	1	
SWB-9	3/2/2009	Acenaphthylene	<		0.49	4	UG/L	1	R
SWB-9	6/2/2009	Acenaphthylene	<		0.49	4	UG/L	1	
SWB-9	6/2/2009	Acenaphthylene	<		0.49	4	UG/L	1	DNR
SWB-9	3/1/2010	Acenaphthylene	<	3.7	0.45	3.7	ug/L	1	UJ
SWB-9	6/1/2010	ACENAPHTHYLENE	<	0.46	0.46	3.8	UG/L	1	DNR
SWB-9	6/1/2010	ACENAPHTHYLENE	<	0.46	0.46	3.8	UG/L	1	UJ
SWB-9	12/1/2010	ACENAPHTHYLENE	<	0.46	0.46	3.7	UG/L	1	
SWB-10	3/4/2004	Acetic acid, 2-ethylhexyl este	TI		25		ug/L	1	NJ NA
SWB-10	5/24/2004	Acetic acid, 2-ethylhexyl este	TI		14		ug/L	1	NJ
SWB-10	3/3/2005	Acetic acid, 2-ethylhexyl este	TI		11		ug/L	1	NJ
SWB-10	9/1/2005	Acetic acid, 2-ethylhexyl este	TI		3.5		ug/L	1	NJ

tmpAnalyticalResultsOverTime

SWB-10	3/2/2006	Acetic acid, 2-ethylhexyl este	TI	28			UG/L	4	NJ	
SWB-10	6/2/2006	Acetic acid, 2-ethylhexyl este	TI	2.4			UG/L	1	NJ	
SWB-11	3/4/2004	Acetic acid, 2-ethylhexyl este	TI	27			ug/L	1	NJ	
SWB-11	3/1/2005	Acetic acid, 2-ethylhexyl este	TI	16			ug/L	1	NJ	
SWB-11	3/2/2006	Acetic acid, 2-ethylhexyl este	TI	71			UG/L	10	NJ	
SWB-11	3/7/2008	Acetic acid, 2-ethylhexyl este	TI	2.1			UG/L	1	NJ	
SWB-3	12/2/2003	Acetic acid, 2-ethylhexyl este	TI	1.6			ug/L	1	NJ	
SWB-3	3/1/2004	Acetic acid, 2-ethylhexyl este	TI	85			ug/L	1	NJ	
SWB-3	6/1/2004	Acetic acid, 2-ethylhexyl este	TI	7.8			ug/L	1	NJ	
SWB-3	3/3/2005	Acetic acid, 2-ethylhexyl este	TI	8.4			ug/L	1	NJ	
SWB-3	12/1/2005	Acetic acid, 2-ethylhexyl este	TI	20			UG/L	2	NJ	
SWB-3	6/2/2006	Acetic acid, 2-ethylhexyl este	TI	1.5			UG/L	1	NJ	
SWB-3	3/6/2008	Acetic acid, 2-ethylhexyl este	TI	3.3			UG/L	1	NJ	
SWB-6	3/5/2004	Acetic acid, 2-ethylhexyl este	TI	22			ug/L	1	NJ	
SWB-6	6/1/2004	Acetic acid, 2-ethylhexyl este	TI	4.6			ug/L	1	NJ	
SWB-6	12/2/2005	Acetic acid, 2-ethylhexyl este	TI	9.9			UG/L	1	NJ	
SWB-6	12/5/2006	Acetic acid, 2-ethylhexyl este	TI	12			UG/L	1	NJ	
SWB-7	3/1/2004	Acetic acid, 2-ethylhexyl este	TI	79			ug/L	1	NJ	
SWB-7	9/1/2005	Acetic acid, 2-ethylhexyl este	TI	7.2			ug/L	1	NJ	
SWB-7	12/1/2005	Acetic acid, 2-ethylhexyl este	TI	28			UG/L	1	NJ	
SWB-7	6/2/2006	Acetic acid, 2-ethylhexyl este	TI	2			UG/L	1	NJ	
SWB-7	12/5/2006	Acetic acid, 2-ethylhexyl este	TI	9.1			UG/L	1	NJ	
SWB-8	3/5/2004	Acetic acid, 2-ethylhexyl este	TI	22			ug/L	1	NJ	
SWB-8	3/7/2008	Acetic acid, 2-ethylhexyl este	TI	1.4			UG/L	1	NJ	
SWB-9	3/5/2004	Acetic acid, 2-ethylhexyl este	TI	31			ug/L	1	NJ	
SWB-9	3/3/2005	Acetic acid, 2-ethylhexyl este	TI	1.6			ug/L	1	NJ	
SWB-9	12/1/2005	Acetic acid, 2-ethylhexyl este	TI	28			UG/L	1	NJ	
SWB-9	3/2/2006	Acetic acid, 2-ethylhexyl este	TI	25			UG/L	4	NJ	
SWB-9	12/4/2006	Acetic acid, 2-ethylhexyl este	TI	4.2			UG/L	1	NJ	
SWB-10	3/4/2004	Acetone	TR	8	2.5	10	ug/L	1	J	1.5 mg/L
SWB-10	5/24/2004	Acetone	<	11	2.5	11	ug/L	1	U	
SWB-10	12/1/2004	Acetone	TR	7.6	2.5	10	ug/L	1	J	
SWB-10	3/3/2005	Acetone	=	12	4	10	ug/L	1		
SWB-10	6/2/2005	Acetone	TR	7.7	1.9	10	ug/L	1	J	
SWB-10	9/1/2005	Acetone	<		1.9	10	ug/L	1		
SWB-10	3/2/2006	Acetone	<	40	7.6	40	UG/L	4	U	
SWB-10	6/2/2006	Acetone	<	15	1.9	15	UG/L	1	U	
SWB-10	3/1/2007	Acetone	TR	7.5	1.9	10	UG/L	1	J	
SWB-10	3/7/2008	Acetone	<	10	1.9	10	UG/L	1	U	
SWB-10	6/5/2008	Acetone	<	26	1.9	10	UG/L	1	U	
SWB-10	3/2/2009	Acetone	<		1.9	10	UG/L	1	U	
SWB-10	6/4/2009	Acetone	=	17	1.9	10	UG/L	1		
SWB-10	3/2/2010	Acetone	TR	6.8	1.9	10	UG/L	1	J	
SWB-11	3/4/2004	Acetone	TR	9.2	2.5	10	ug/L	1	J	
SWB-11	5/24/2004	Acetone	<	13	2.5	13	ug/L	1	U	
SWB-11	12/1/2004	Acetone	TR	6.6	2.5	10	ug/L	1	J	
SWB-11	3/1/2005	Acetone	TR	8.9	4	10	ug/L	1	J	
SWB-11	6/2/2005	Acetone	TR	7.7	1.9	10	ug/L	1	J	
SWB-11	3/2/2006	Acetone	<		19	100	UG/L	10		
SWB-11	6/1/2006	Acetone	<	20	1.9	20	UG/L	1	U	
SWB-11	3/1/2007	Acetone	TR	6.2	1.9	10	UG/L	1	J	
SWB-11	3/7/2008	Acetone	<	10	1.9	10	UG/L	1	U	
SWB-11	6/5/2008	Acetone	=	42	1.9	10	UG/L	1	J	
SWB-11	3/2/2009	Acetone	<		1.9	10	UG/L	1	U	
SWB-11	6/4/2009	Acetone	=	21	1.9	10	UG/L	1		
SWB-11	3/1/2010	Acetone	TR	8.9	1.9	10	ug/L	1	J	
SWB-11	6/2/2010	ACETONE	=	17	1.9	10	UG/L	1		



tmpAnalyticalResultsOverTime

SWB-3	10/29/2002	Acetone	TR	7.7	2.9	10	ug/L	1 J
SWB-3	3/4/2003	Acetone	<	10	2.5	10	ug/L	1 U
SWB-3	6/3/2003	Acetone	TR	8.8	2.5	10	ug/L	1 J
SWB-3	9/4/2003	Acetone	TR	4.4	2.5	10	ug/L	1 J
SWB-3	12/2/2003	Acetone	TR	8.5	2.5	10	ug/L	1 J
SWB-3	3/1/2004	Acetone	TR	5	2.5	10	ug/L	1 J
SWB-3	6/1/2004	Acetone	<	10	2.5	10	ug/L	1 U
SWB-3	9/1/2004	Acetone	=	29	2.5	10	ug/L	1 J
SWB-3	12/1/2004	Acetone	TR	8.9	4.2	17	ug/L	1.66 J
SWB-3	3/3/2005	Acetone	TR	8.7	4	10	ug/L	1 J
SWB-3	6/2/2005	Acetone	TR	5.7	1.9	10	ug/L	1 J
SWB-3	9/1/2005	Acetone	<	10	1.9	10	ug/L	1 U
SWB-3	12/1/2005	Acetone	TR	5.5	3.8	20	UG/L	2 J
SWB-3	3/2/2006	Acetone	<		7.6	40	UG/L	4
SWB-3	6/2/2006	Acetone	<	10	1.9	10	UG/L	1 U
SWB-3	9/5/2006	Acetone	=	17	1.9	10	UG/L	1
SWB-3	12/4/2006	Acetone	<	10	1.9	10	UG/L	1 U
SWB-3	3/1/2007	Acetone	TR	6.8	1.9	10	UG/L	1 J
SWB-3	6/1/2007	Acetone	TR	3.6	1.9	10	UG/L	1 J
SWB-3	12/3/2007	Acetone	<	12	1.9	12	UG/L	1 U
SWB-3	3/6/2008	Acetone	<	10	1.9	10	UG/L	1 U
SWB-3	6/9/2008	Acetone	<	10	1.9	10	UG/L	1 U
SWB-3	12/4/2008	Acetone	TR	5.8	1.9	10	UG/L	1 J
SWB-3	3/2/2009	Acetone	<		1.9	10	UG/L	1 U
SWB-3	6/4/2009	Acetone	=	13	1.9	10	UG/L	1 J
SWB-3	12/1/2009	Acetone	<		1.9	10	UG/L	1
SWB-3	3/1/2010	Acetone	TR	8.2	1.9	10	ug/L	1 DNR
SWB-3	3/1/2010	Acetone	TR	13	3.8	20	ug/L	1 J
SWB-3	6/1/2010	ACETONE	<	7.6	7.6	40	UG/L	1
SWB-3	6/1/2010	ACETONE	TR	7.8	1.9	10	UG/L	1 DNR
SWB-3	9/9/2010	ACETONE	TR	7.1	1.9	10	UG/L	1 J
SWB-4	11/15/2002	Acetone	=	42	2.9	10	ug/L	1
SWB-5	10/29/2002	Acetone	=	35	2.9	10	ug/L	1
SWB-6	3/4/2003	Acetone	<	11	2.5	11	ug/L	1 U
SWB-6	6/3/2003	Acetone	TR	14	5	20	ug/L	2 J
SWB-6	12/3/2003	Acetone	=	23	5	20	ug/L	2
SWB-6	3/5/2004	Acetone	TR	4.1	2.5	10	ug/L	1 J
SWB-6	6/1/2004	Acetone	<	10	2.5	10	ug/L	1 U
SWB-6	12/1/2004	Acetone	TR	7.9	2.5	10	ug/L	1 J
SWB-6	3/7/2005	Acetone	TR	7.1	4	10	ug/L	1 J
SWB-6	6/1/2005	Acetone	TR	5.7	1.9	10	ug/L	1 J
SWB-6	12/2/2005	Acetone	=	10	1.9	10	UG/L	1
SWB-6	3/1/2006	Acetone	TR	4.4	1.9	10	UG/L	1 J
SWB-6	6/1/2006	Acetone	=	34	1.9	10	UG/L	1 J
SWB-6	12/5/2006	Acetone	=	38	1.9	10	UG/L	1
SWB-6	3/2/2007	Acetone	=	13	1.9	10	UG/L	1
SWB-6	3/6/2008	Acetone	<	10	1.9	10	UG/L	1 U
SWB-6	6/9/2008	Acetone	<	20	1.9	20	UG/L	1 U
SWB-6	12/5/2008	Acetone	=	33	1.9	10	UG/L	1 J
SWB-6	3/2/2009	Acetone	<		1.9	10	UG/L	1 U
SWB-6	6/5/2009	Acetone	<		1.9	10	UG/L	1 U
SWB-6	3/2/2010	Acetone	=	17	1.9	10	UG/L	1 J
SWB-6	6/2/2010	ACETONE	=	20	1.9	10	UG/L	1 J
SWB-7	3/4/2003	Acetone	<	12	2.5	12	ug/L	1 U
SWB-7	6/3/2003	Acetone	<		2.5	10	ug/L	1
SWB-7	3/1/2004	Acetone	<		2.5	10	ug/L	1
SWB-7	5/24/2004	Acetone	<	10	2.5	10	ug/L	1 U

tmpAnalyticalResultsOverTime

SWB-7	12/1/2004	Acetone	<		2.5	10	ug/L	1	
SWB-7	3/7/2005	Acetone	TR	6.9	4	10	ug/L	1	J
SWB-7	6/1/2005	Acetone	TR	5.2	1.9	10	ug/L	1	J
SWB-7	9/1/2005	Acetone	<		1.9	10	ug/L	1	
SWB-7	12/1/2005	Acetone	<		1.9	10	UG/L	1	
SWB-7	3/1/2006	Acetone	TR	4.2	1.9	10	UG/L	1	J
SWB-7	6/2/2006	Acetone	<	10	1.9	10	UG/L	1	U
SWB-7	9/5/2006	Acetone	TR	5.7	1.9	10	UG/L	1	J
SWB-7	12/5/2006	Acetone	<		1.9	10	UG/L	1	
SWB-7	3/2/2007	Acetone	<		1.9	10	UG/L	1	
SWB-7	6/1/2007	Acetone	<		1.9	10	UG/L	1	
SWB-7	9/7/2007	Acetone	TR	10	1.9	10	UG/L	1	
SWB-7	12/3/2007	Acetone	<		1.9	10	UG/L	1	
SWB-7	3/6/2008	Acetone	<	10	1.9	10	UG/L	1	U
SWB-7	6/6/2008	Acetone	<	10	1.9	10	UG/L	1	U
SWB-7	9/8/2008	Acetone	<	10	1.9	10	UG/L	1	U
SWB-7	12/5/2008	Acetone	TR	2.1	1.9	10	UG/L	1	J
SWB-7	3/2/2009	Acetone	<		1.9	11	UG/L	1	U
SWB-7	6/5/2009	Acetone	<		1.9	10	UG/L	1	U
SWB-7	9/9/2009	Acetone	TR	5.7	1.9	10	UG/L	1	J
SWB-7	12/1/2009	Acetone	<		1.9	10	UG/L	1	
SWB-7	3/2/2010	Acetone	TR	6.6	1.9	10	UG/L	1	J
SWB-7	6/1/2010	ACETONE	<	7.6	7.6	40	UG/L	1	
SWB-7	6/1/2010	ACETONE	TR	4.1	1.9	10	UG/L	1	DNR
SWB-7	9/9/2010	ACETONE	<	1.9	1.9	10	UG/L	1	
SWB-7	12/1/2010	ACETONE	<	1.9	1.9	10	UG/L	1	
SWB-8	3/5/2004	Acetone	<		2.5	10	ug/L	1	
SWB-8	3/7/2005	Acetone	TR	8.6	4	10	ug/L	1	J
SWB-8	6/1/2005	Acetone	=	11	1.9	10	ug/L	1	
SWB-8	3/1/2006	Acetone	=	11	1.9	10	UG/L	1	
SWB-8	3/7/2008	Acetone	<	10	1.9	10	UG/L	1	U
SWB-8	3/3/2009	Acetone	<		1.9	10	UG/L	1	U
SWB-9	3/4/2003	Acetone	<	10	2.5	10	ug/L	1	U
SWB-9	12/3/2003	Acetone	TR	16	5	20	ug/L	2	J
SWB-9	3/5/2004	Acetone	<		2.5	10	ug/L	1	
SWB-9	5/27/2004	Acetone	<	20	2.5	20	ug/L	1	U
SWB-9	12/1/2004	Acetone	TR	7.4	2.5	10	ug/L	1	J
SWB-9	3/3/2005	Acetone	TR	6.5	4	10	ug/L	1	J
SWB-9	6/2/2005	Acetone	TR	8.5	1.9	10	ug/L	1	J
SWB-9	9/1/2005	Acetone	<		1.9	10	ug/L	1	UJ
SWB-9	12/1/2005	Acetone	=	10	1.9	10	UG/L	1	
SWB-9	3/2/2006	Acetone	<		7.6	40	UG/L	4	
SWB-9	6/1/2006	Acetone	<	27	1.9	27	UG/L	1	U
SWB-9	12/4/2006	Acetone	<	12	1.9	12	UG/L	1	U
SWB-9	3/5/2007	Acetone	=	11	1.9	10	UG/L	1	
SWB-9	3/6/2008	Acetone	<	10	1.9	10	UG/L	1	U
SWB-9	6/5/2008	Acetone	=	31	1.9	10	UG/L	1	R
SWB-9	12/5/2008	Acetone	TR	3.2	1.9	10	UG/L	1	J
SWB-9	3/2/2009	Acetone	<		1.9	10	UG/L	1	U
SWB-9	6/2/2009	Acetone	=	29	1.9	10	UG/L	1	
SWB-9	3/1/2010	Acetone	TR	9	1.9	10	ug/L	1	J
SWB-9	6/1/2010	ACETONE	<	7.6	7.6	40	UG/L	1	
SWB-9	6/1/2010	ACETONE	=	10	1.9	10	UG/L	1	DNR
SWB-9	12/1/2010	ACETONE	TR	9.9	1.9	10	UG/L	1	
SWB-10	3/4/2004	Acetonitrile	<		5.3	20	ug/L	1	NA
SWB-10	5/24/2004	Acetonitrile	<		5.3	20	ug/L	1	
SWB-10	12/1/2004	Acetonitrile	<		5.3	20	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-10	3/3/2005	Acetonitrile	<		10	20	ug/L	1
SWB-10	6/2/2005	Acetonitrile	<		3.3	20	ug/L	1
SWB-10	9/1/2005	Acetonitrile	<		3.3	20	ug/L	1
SWB-10	3/2/2006	Acetonitrile	<		13	80	UG/L	4
SWB-10	6/2/2006	Acetonitrile	<		9.6	20	UG/L	1
SWB-10	3/1/2007	Acetonitrile	<		9.6	30	UG/L	1
SWB-10	3/7/2008	Acetonitrile	<		9.6	30	UG/L	1
SWB-10	6/5/2008	Acetonitrile	<		9.6	30	UG/L	1
SWB-10	3/2/2009	Acetonitrile	<		9.6	30	UG/L	1 UJ
SWB-10	6/4/2009	Acetonitrile	<		9.6	30	UG/L	1
SWB-10	3/2/2010	Acetonitrile	<	30	9.6	30	UG/L	1
SWB-11	3/4/2004	Acetonitrile	<		5.3	20	ug/L	1
SWB-11	5/24/2004	Acetonitrile	<		5.3	20	ug/L	1
SWB-11	12/1/2004	Acetonitrile	<		5.3	20	ug/L	1
SWB-11	3/1/2005	Acetonitrile	<		10	20	ug/L	1
SWB-11	6/2/2005	Acetonitrile	<		3.3	20	ug/L	1
SWB-11	3/2/2006	Acetonitrile	<		33	200	UG/L	10
SWB-11	6/1/2006	Acetonitrile	<		9.6	20	UG/L	1
SWB-11	3/1/2007	Acetonitrile	<		9.6	30	UG/L	1
SWB-11	3/7/2008	Acetonitrile	<		9.6	30	UG/L	1
SWB-11	6/5/2008	Acetonitrile	<		9.6	30	UG/L	1
SWB-11	3/2/2009	Acetonitrile	<		9.6	30	UG/L	1 UJ
SWB-11	6/4/2009	Acetonitrile	<		9.6	30	UG/L	1
SWB-11	3/1/2010	Acetonitrile	<	30	9.6	30	ug/L	1
SWB-11	6/2/2010	ACETONITRILE	<	9.6	9.6	30	UG/L	1
SWB-3	10/29/2002	Acetonitrile	<		15	20	ug/L	1
SWB-3	3/4/2003	Acetonitrile	<		5.3	20	ug/L	1
SWB-3	6/3/2003	Acetonitrile	<		5.3	20	ug/L	1
SWB-3	9/4/2003	Acetonitrile	<		5.3	20	ug/L	1 UJ
SWB-3	12/2/2003	Acetonitrile	<		5.3	20	ug/L	1
SWB-3	3/1/2004	Acetonitrile	<		5.3	20	ug/L	1
SWB-3	6/1/2004	Acetonitrile	<		5.3	20	ug/L	1
SWB-3	9/1/2004	Acetonitrile	<		5.3	20	ug/L	1
SWB-3	12/1/2004	Acetonitrile	<		8.8	33	ug/L	1.66
SWB-3	3/3/2005	Acetonitrile	<		10	20	ug/L	1
SWB-3	6/2/2005	Acetonitrile	<		3.3	20	ug/L	1
SWB-3	9/1/2005	Acetonitrile	<		3.3	20	ug/L	1
SWB-3	12/1/2005	Acetonitrile	<		6.6	40	UG/L	2
SWB-3	3/2/2006	Acetonitrile	<		13	80	UG/L	4
SWB-3	6/2/2006	Acetonitrile	<		9.6	20	UG/L	1
SWB-3	9/5/2006	Acetonitrile	<		9.6	30	UG/L	1
SWB-3	12/4/2006	Acetonitrile	<		9.6	30	UG/L	1
SWB-3	3/1/2007	Acetonitrile	<		9.6	30	UG/L	1
SWB-3	6/1/2007	Acetonitrile	<		9.6	30	UG/L	1
SWB-3	12/3/2007	Acetonitrile	<		9.6	30	UG/L	1
SWB-3	3/6/2008	Acetonitrile	<		9.6	30	UG/L	1
SWB-3	6/9/2008	Acetonitrile	<		9.6	30	UG/L	1
SWB-3	12/4/2008	Acetonitrile	<		9.6	30	UG/L	1
SWB-3	3/2/2009	Acetonitrile	<		9.6	30	UG/L	1 UJ
SWB-3	6/4/2009	Acetonitrile	<		9.6	30	UG/L	1
SWB-3	12/1/2009	Acetonitrile	<		9.6	30	UG/L	1
SWB-3	3/1/2010	Acetonitrile	<	30	9.6	30	ug/L	1
SWB-3	3/1/2010	Acetonitrile	<	60	19	60	ug/L	1 DNR
SWB-3	6/1/2010	ACETONITRILE	<	9.6	9.6	30	UG/L	1 DNR
SWB-3	6/1/2010	ACETONITRILE	<	38	38	120	UG/L	1
SWB-3	9/9/2010	ACETONITRILE	<	9.6	9.6	30	UG/L	1
SWB-4	11/15/2002	Acetonitrile	<		15	20	ug/L	1

tmpAnalyticalResultsOverTime

SWB-5	10/29/2002	Acetonitrile	<	15	20	ug/L	1	
SWB-6	3/4/2003	Acetonitrile	<	5.3	20	ug/L	1	
SWB-6	6/3/2003	Acetonitrile	<	11	40	ug/L	2	
SWB-6	12/3/2003	Acetonitrile	<	11	40	ug/L	2	
SWB-6	3/5/2004	Acetonitrile	<	5.3	20	ug/L	1	
SWB-6	6/1/2004	Acetonitrile	<	5.3	20	ug/L	1	
SWB-6	12/1/2004	Acetonitrile	<	5.3	20	ug/L	1	
SWB-6	3/7/2005	Acetonitrile	<	10	20	ug/L	1	
SWB-6	6/1/2005	Acetonitrile	<	3.3	20	ug/L	1	
SWB-6	12/2/2005	Acetonitrile	<	3.3	20	UG/L	1	
SWB-6	3/1/2006	Acetonitrile	<	3.3	20	UG/L	1	
SWB-6	6/1/2006	Acetonitrile	<	9.6	20	UG/L	1	
SWB-6	12/5/2006	Acetonitrile	<	9.6	30	UG/L	1	
SWB-6	3/2/2007	Acetonitrile	<	9.6	30	UG/L	1	
SWB-6	3/6/2008	Acetonitrile	<	9.6	30	UG/L	1	
SWB-6	6/9/2008	Acetonitrile	<	9.6	30	UG/L	1	
SWB-6	12/5/2008	Acetonitrile	<	9.6	30	UG/L	1	
SWB-6	3/2/2009	Acetonitrile	<	9.6	30	UG/L	1 UJ	
SWB-6	6/5/2009	Acetonitrile	<	9.6	30	UG/L	1 UJ	
SWB-6	3/2/2010	Acetonitrile	<	30	9.6	30	UG/L	1
SWB-6	6/2/2010	ACETONITRILE	<	9.6	9.6	30	UG/L	1
SWB-7	3/4/2003	Acetonitrile	<	5.3	20	ug/L	1	
SWB-7	6/3/2003	Acetonitrile	<	5.3	20	ug/L	1	
SWB-7	3/1/2004	Acetonitrile	<	5.3	20	ug/L	1	
SWB-7	5/24/2004	Acetonitrile	<	5.3	20	ug/L	1	
SWB-7	12/1/2004	Acetonitrile	<	5.3	20	ug/L	1	
SWB-7	3/7/2005	Acetonitrile	<	10	20	ug/L	1	
SWB-7	6/1/2005	Acetonitrile	<	3.3	20	ug/L	1	
SWB-7	9/1/2005	Acetonitrile	<	3.3	20	ug/L	1	
SWB-7	12/1/2005	Acetonitrile	<	3.3	20	UG/L	1	
SWB-7	3/1/2006	Acetonitrile	<	3.3	20	UG/L	1	
SWB-7	6/2/2006	Acetonitrile	<	9.6	20	UG/L	1	
SWB-7	9/5/2006	Acetonitrile	<	9.6	30	UG/L	1	
SWB-7	12/5/2006	Acetonitrile	<	9.6	30	UG/L	1	
SWB-7	3/2/2007	Acetonitrile	<	9.6	30	UG/L	1	
SWB-7	6/1/2007	Acetonitrile	<	9.6	30	UG/L	1	
SWB-7	9/7/2007	Acetonitrile	<	9.6	30	UG/L	1	
SWB-7	12/3/2007	Acetonitrile	<	9.6	30	UG/L	1	
SWB-7	3/6/2008	Acetonitrile	<	9.6	30	UG/L	1	
SWB-7	6/6/2008	Acetonitrile	<	9.6	30	UG/L	1	
SWB-7	9/8/2008	Acetonitrile	<	9.6	30	UG/L	1	
SWB-7	12/5/2008	Acetonitrile	<	9.6	30	UG/L	1	
SWB-7	3/2/2009	Acetonitrile	<	9.6	30	UG/L	1 UJ	
SWB-7	6/5/2009	Acetonitrile	<	9.6	30	UG/L	1 UJ	
SWB-7	9/9/2009	Acetonitrile	<	9.6	30	UG/L	1	
SWB-7	12/1/2009	Acetonitrile	<	9.6	30	UG/L	1	
SWB-7	3/2/2010	Acetonitrile	<	30	9.6	30	UG/L	1
SWB-7	6/1/2010	ACETONITRILE	<	9.6	9.6	30	UG/L	1 DNR
SWB-7	6/1/2010	ACETONITRILE	<	38	38	120	UG/L	1
SWB-7	9/9/2010	ACETONITRILE	<	9.6	9.6	30	UG/L	1
SWB-7	12/1/2010	ACETONITRILE	<	9.6	9.6	30	UG/L	1
SWB-8	3/5/2004	Acetonitrile	<	5.3	20	ug/L	1	
SWB-8	3/7/2005	Acetonitrile	<	10	20	ug/L	1	
SWB-8	6/1/2005	Acetonitrile	<	3.3	20	ug/L	1	
SWB-8	3/1/2006	Acetonitrile	<	3.3	20	UG/L	1	
SWB-8	3/7/2008	Acetonitrile	<	9.6	30	UG/L	1	
SWB-8	3/3/2009	Acetonitrile	<	9.6	30	UG/L	1 UJ	

tmpAnalyticalResultsOverTime

SWB-9	3/4/2003	Acetonitrile	<		5.3	20	ug/L	1		
SWB-9	12/3/2003	Acetonitrile	<		11	40	ug/L	2		
SWB-9	3/5/2004	Acetonitrile	<		5.3	20	ug/L	1		
SWB-9	5/27/2004	Acetonitrile	<		5.3	20	ug/L	1		
SWB-9	12/1/2004	Acetonitrile	<		5.3	20	ug/L	1		
SWB-9	3/3/2005	Acetonitrile	<		10	20	ug/L	1		
SWB-9	6/2/2005	Acetonitrile	<		3.3	20	ug/L	1		
SWB-9	9/1/2005	Acetonitrile	<		3.3	20	ug/L	1	UJ	
SWB-9	12/1/2005	Acetonitrile	<		3.3	20	UG/L	1		
SWB-9	3/2/2006	Acetonitrile	<		13	80	UG/L	4		
SWB-9	6/1/2006	Acetonitrile	<		9.6	20	UG/L	1		
SWB-9	12/4/2006	Acetonitrile	<		9.6	30	UG/L	1		
SWB-9	3/5/2007	Acetonitrile	<		9.6	30	UG/L	1		
SWB-9	3/6/2008	Acetonitrile	<		9.6	30	UG/L	1		
SWB-9	6/5/2008	Acetonitrile	TR	9.9	9.6	30	UG/L	1	J	
SWB-9	12/5/2008	Acetonitrile	<		9.6	30	UG/L	1		
SWB-9	3/2/2009	Acetonitrile	<		9.6	30	UG/L	1	UJ	
SWB-9	6/2/2009	Acetonitrile	<		9.6	30	UG/L	1		
SWB-9	3/1/2010	Acetonitrile	<	30	9.6	30	ug/L	1		
SWB-9	6/1/2010	ACETONITRILE	<	9.6	9.6	30	UG/L	1	DNR	
SWB-9	6/1/2010	ACETONITRILE	<	38	38	120	UG/L	1		
SWB-9	12/1/2010	ACETONITRILE	<	9.6	9.6	30	UG/L	1		
SWB-11	6/4/2009	Acetonitrile, dibromo-	TI		6.2		UG/L	1	NJ	NA
SWB-3	6/3/2003	Acetonitrile, dibromo-	TI		4.9		ug/L	1	NJ	
SWB-3	9/4/2003	Acetonitrile, dibromo-	TI		21		ug/L	1	NJ	
SWB-3	12/2/2003	Acetonitrile, dibromo-	TI		5.2		ug/L	1	NJ	
SWB-10	3/4/2004	Acetophenone	<		2	10	ug/L	1		NA
SWB-10	5/24/2004	Acetophenone	<		2	10	ug/L	1	UJ	
SWB-10	12/1/2004	Acetophenone	<		2	10	ug/L	1		
SWB-10	3/3/2005	Acetophenone	<		2	10	ug/L	1		
SWB-10	6/2/2005	Acetophenone	<		2	10	ug/L	1		
SWB-10	9/1/2005	Acetophenone	<		2	10	ug/L	1		
SWB-10	3/2/2006	Acetophenone	<		2	10	UG/L	1		
SWB-10	6/2/2006	Acetophenone	<		2	10	UG/L	1		
SWB-10	3/1/2007	Acetophenone	<		2	10	UG/L	1		
SWB-10	3/7/2008	Acetophenone	<		0.24	10	UG/L	1		
SWB-10	6/5/2008	Acetophenone	<		0.24	10	UG/L	1		
SWB-10	3/2/2009	Acetophenone	<		0.24	10	UG/L	1		
SWB-10	3/2/2009	Acetophenone	<		0.24	10	UG/L	1	R	
SWB-10	6/4/2009	Acetophenone	<		0.24	10	UG/L	1		
SWB-10	3/2/2010	Acetophenone	<	9.3	0.22	9.3	UG/L	1		
SWB-11	3/4/2004	Acetophenone	<		2	10	ug/L	1		
SWB-11	5/24/2004	Acetophenone	<		2	10	ug/L	1	UJ	
SWB-11	12/1/2004	Acetophenone	<		2	10	ug/L	1		
SWB-11	3/1/2005	Acetophenone	<		2	10	ug/L	1		
SWB-11	6/2/2005	Acetophenone	<		2	10	ug/L	1		
SWB-11	3/2/2006	Acetophenone	<		2	10	UG/L	1		
SWB-11	6/1/2006	Acetophenone	<		2	10	UG/L	1		
SWB-11	3/1/2007	Acetophenone	<		2	10	UG/L	1		
SWB-11	3/7/2008	Acetophenone	<		0.24	10	UG/L	1		
SWB-11	6/5/2008	Acetophenone	<		0.24	10	UG/L	1		
SWB-11	3/2/2009	Acetophenone	<		0.24	10	UG/L	1		
SWB-11	6/4/2009	Acetophenone	<		0.24	10	UG/L	1		
SWB-11	3/1/2010	Acetophenone	<	9.4	0.22	9.4	ug/L	1		
SWB-11	6/2/2010	ACETOPHENONE	<	0.23	0.23	9.5	UG/L	1		
SWB-3	10/29/2002	Acetophenone	<		1.9	10	ug/L	1		
SWB-3	3/4/2003	Acetophenone	<		1.9	10	ug/L	1		

tmpAnalyticalResultsOverTime

SWB-3	6/3/2003	Acetophenone	<		1.9	10	ug/L	1
SWB-3	9/4/2003	Acetophenone	<		2	10	ug/L	1 UJ
SWB-3	12/2/2003	Acetophenone	<		2	10	ug/L	1
SWB-3	3/1/2004	Acetophenone	<		2	10	ug/L	1
SWB-3	6/1/2004	Acetophenone	<		2	10	ug/L	1
SWB-3	9/1/2004	Acetophenone	<		2	10	ug/L	1
SWB-3	12/1/2004	Acetophenone	<		2	10	ug/L	1
SWB-3	3/3/2005	Acetophenone	<		2	10	ug/L	1
SWB-3	6/2/2005	Acetophenone	<		2	10	ug/L	1
SWB-3	9/1/2005	Acetophenone	<		2	10	ug/L	1
SWB-3	12/1/2005	Acetophenone	<		2	10	UG/L	1 UJ
SWB-3	3/2/2006	Acetophenone	<		2	10	UG/L	1
SWB-3	6/2/2006	Acetophenone	<		2	10	UG/L	1
SWB-3	9/5/2006	Acetophenone	<		2	10	UG/L	1
SWB-3	12/4/2006	Acetophenone	<		2	10	UG/L	1
SWB-3	3/1/2007	Acetophenone	<		2	10	UG/L	1
SWB-3	6/1/2007	Acetophenone	<		2	10	UG/L	1
SWB-3	6/1/2007	Acetophenone	<		2	10	UG/L	1 R
SWB-3	12/3/2007	Acetophenone	<		0.41	10	UG/L	1
SWB-3	3/6/2008	Acetophenone	<		0.24	10	UG/L	1
SWB-3	6/9/2008	Acetophenone	<		0.24	10	UG/L	1
SWB-3	12/4/2008	Acetophenone	<		0.24	10	UG/L	1
SWB-3	3/2/2009	Acetophenone	<		0.24	10	UG/L	1
SWB-3	3/2/2009	Acetophenone	<		0.24	10	UG/L	1 R
SWB-3	6/4/2009	Acetophenone	<		0.24	10	UG/L	1
SWB-3	12/1/2009	Acetophenone	TR	0.35	0.24	10	UG/L	1 J
SWB-3	12/1/2009	Acetophenone	TR	0.4	0.24	10	UG/L	1 DNR
SWB-3	3/1/2010	Acetophenone	TR	0.56	0.23	9.7	ug/L	1 J
SWB-3	6/1/2010	ACETOPHENONE	TR	0.41	0.23	9.4	UG/L	1 DNR
SWB-3	6/1/2010	ACETOPHENONE	TR	0.48	0.22	9.4	UG/L	1 J
SWB-3	9/9/2010	ACETOPHENONE	<	0.22	0.22	9.3	UG/L	1
SWB-4	11/15/2002	Acetophenone	<		1.9	10	ug/L	1
SWB-5	10/29/2002	Acetophenone	<		1.9	10	ug/L	1
SWB-6	3/4/2003	Acetophenone	<		1.9	10	ug/L	1
SWB-6	6/3/2003	Acetophenone	<		1.9	10	ug/L	1
SWB-6	12/3/2003	Acetophenone	<		2	10	ug/L	1
SWB-6	3/5/2004	Acetophenone	<		2	10	ug/L	1
SWB-6	6/1/2004	Acetophenone	<		2	10	ug/L	1
SWB-6	12/1/2004	Acetophenone	<		2	10	ug/L	1
SWB-6	3/7/2005	Acetophenone	<		2	10	ug/L	1
SWB-6	6/1/2005	Acetophenone	<		2	10	ug/L	1
SWB-6	12/2/2005	Acetophenone	<		2	10	UG/L	1 UJ
SWB-6	3/1/2006	Acetophenone	<		2	10	UG/L	1
SWB-6	6/1/2006	Acetophenone	<		2	10	UG/L	1
SWB-6	12/5/2006	Acetophenone	<		2	10	UG/L	1
SWB-6	3/2/2007	Acetophenone	<		2	10	UG/L	1
SWB-6	3/6/2008	Acetophenone	<		0.24	10	UG/L	1
SWB-6	6/9/2008	Acetophenone	TR	0.36	0.24	10	UG/L	1 J
SWB-6	12/5/2008	Acetophenone	<		0.24	10	UG/L	1
SWB-6	12/5/2008	Acetophenone	<		0.24	10	UG/L	1 R
SWB-6	3/2/2009	Acetophenone	<		0.24	10	UG/L	1
SWB-6	3/2/2009	Acetophenone	<		0.24	10	UG/L	1 R
SWB-6	6/5/2009	Acetophenone	TR	0.34	0.24	10	UG/L	1 J
SWB-6	3/2/2010	Acetophenone	<		9.1	9.1	UG/L	1
SWB-6	6/2/2010	ACETOPHENONE	<		0.23	9.5	UG/L	1
SWB-6	6/2/2010	ACETOPHENONE	TR	0.3	0.23	9.4	UG/L	1 DNR
SWB-7	3/4/2003	Acetophenone	<		1.9	10	ug/L	1

tmpAnalyticalResultsOverTime

SWB-7	6/3/2003	Acetophenone	<		1.9	10	ug/L	1
SWB-7	3/1/2004	Acetophenone	<		2	10	ug/L	1
SWB-7	5/24/2004	Acetophenone	<		2	10	ug/L	1
SWB-7	12/1/2004	Acetophenone	<		2	10	ug/L	1
SWB-7	3/7/2005	Acetophenone	<		2	10	ug/L	1 UJ
SWB-7	6/1/2005	Acetophenone	<		2	10	ug/L	1
SWB-7	9/1/2005	Acetophenone	<		2	10	ug/L	1
SWB-7	12/1/2005	Acetophenone	<		2	10	UG/L	1 UJ
SWB-7	3/1/2006	Acetophenone	<		2	10	UG/L	1
SWB-7	6/2/2006	Acetophenone	<		2	10	UG/L	1
SWB-7	9/5/2006	Acetophenone	<		2	10	UG/L	1 UJ
SWB-7	12/5/2006	Acetophenone	<		2	10	UG/L	1
SWB-7	3/2/2007	Acetophenone	<		2	10	UG/L	1
SWB-7	6/1/2007	Acetophenone	<		2	10	UG/L	1
SWB-7	9/7/2007	Acetophenone	<		0.41	10	UG/L	1
SWB-7	12/3/2007	Acetophenone	<		0.41	10	UG/L	1
SWB-7	3/6/2008	Acetophenone	<		0.24	10	UG/L	1
SWB-7	6/6/2008	Acetophenone	<		0.24	10	UG/L	1
SWB-7	9/8/2008	Acetophenone	<		0.24	10	UG/L	1
SWB-7	12/5/2008	Acetophenone	<		0.24	10	UG/L	1
SWB-7	12/5/2008	Acetophenone	<		0.24	10	UG/L	1 R
SWB-7	3/2/2009	Acetophenone	<		0.24	10	UG/L	1
SWB-7	3/2/2009	Acetophenone	<		0.24	10	UG/L	1 R
SWB-7	6/5/2009	Acetophenone	<		0.24	10	UG/L	1
SWB-7	9/9/2009	Acetophenone	TR	0.35	0.24	10	UG/L	1 J
SWB-7	12/1/2009	Acetophenone	<		0.24	10	UG/L	1
SWB-7	3/2/2010	Acetophenone	<		9.5	9.5	UG/L	1
SWB-7	6/1/2010	ACETOPHENONE	<		0.23	9.6	UG/L	1 DNR
SWB-7	6/1/2010	ACETOPHENONE	<		0.24	10	UG/L	1 R
SWB-7	9/9/2010	ACETOPHENONE	<		0.23	9.6	UG/L	1
SWB-7	12/1/2010	ACETOPHENONE	<		0.22	9.3	UG/L	1
SWB-8	3/5/2004	Acetophenone	<		2	10	ug/L	1
SWB-8	3/7/2005	Acetophenone	<		2	10	ug/L	1
SWB-8	6/1/2005	Acetophenone	<		2	10	ug/L	1
SWB-8	3/1/2006	Acetophenone	<		2	10	UG/L	1
SWB-8	3/7/2008	Acetophenone	<		0.24	10	UG/L	1
SWB-8	3/3/2009	Acetophenone	<		0.24	10	UG/L	1
SWB-8	3/3/2009	Acetophenone	<		0.24	10	UG/L	1 R
SWB-9	3/4/2003	Acetophenone	<		1.9	10	ug/L	1
SWB-9	12/3/2003	Acetophenone	<		2	10	ug/L	1
SWB-9	3/5/2004	Acetophenone	<		2	10	ug/L	1
SWB-9	5/27/2004	Acetophenone	<		2	10	ug/L	1 UJ
SWB-9	12/1/2004	Acetophenone	<		2	10	ug/L	1
SWB-9	3/3/2005	Acetophenone	<		2	10	ug/L	1
SWB-9	6/2/2005	Acetophenone	<		2	10	ug/L	1
SWB-9	9/1/2005	Acetophenone	<		2	10	ug/L	1
SWB-9	12/1/2005	Acetophenone	<		2	10	UG/L	1 UJ
SWB-9	3/2/2006	Acetophenone	<		2	10	UG/L	1
SWB-9	6/1/2006	Acetophenone	<		2	10	UG/L	1
SWB-9	12/4/2006	Acetophenone	<		2	10	UG/L	1
SWB-9	3/5/2007	Acetophenone	<		2	10	UG/L	1
SWB-9	3/6/2008	Acetophenone	<		0.24	10	UG/L	1
SWB-9	6/5/2008	Acetophenone	<		0.24	10	UG/L	1
SWB-9	12/5/2008	Acetophenone	<		0.24	10	UG/L	1
SWB-9	12/5/2008	Acetophenone	<		0.24	10	UG/L	1 R
SWB-9	3/2/2009	Acetophenone	<		0.24	10	UG/L	1
SWB-9	3/2/2009	Acetophenone	<		0.24	10	UG/L	1 R

tmpAnalyticalResultsOverTime

SWB-9	6/2/2009	Acetophenone	<		0.24	10	UG/L	1	
SWB-9	6/2/2009	Acetophenone	<		0.24	10	UG/L	1	DNR
SWB-9	3/1/2010	Acetophenone	<	9.2	0.22	9.2	ug/L	1	
SWB-9	6/1/2010	ACETOPHENONE	<	0.23	0.23	9.4	UG/L	1	DNR
SWB-9	6/1/2010	ACETOPHENONE	<	0.23	0.23	9.5	UG/L	1	
SWB-9	12/1/2010	ACETOPHENONE	<	0.22	0.22	9.3	UG/L	1	
SWB-10	3/4/2004	Acrolein	<		3.1	20	ug/L	1	NA
SWB-10	5/24/2004	Acrolein	<		3.1	20	ug/L	1	
SWB-10	12/1/2004	Acrolein	<		3.1	20	ug/L	1	
SWB-10	3/3/2005	Acrolein	<		3.6	20	ug/L	1	
SWB-10	6/2/2005	Acrolein	<		2.8	20	ug/L	1	
SWB-10	9/1/2005	Acrolein	<		2.8	20	ug/L	1	
SWB-10	3/2/2006	Acrolein	<		11	80	UG/L	4	
SWB-10	6/2/2006	Acrolein	<		2.8	20	UG/L	1	
SWB-10	3/1/2007	Acrolein	<		2.8	20	UG/L	1	
SWB-10	3/7/2008	Acrolein	<		2.8	20	UG/L	1	
SWB-10	6/5/2008	Acrolein	<		2.8	20	UG/L	1	UJ
SWB-10	3/2/2009	Acrolein	<		2.8	20	UG/L	1	UJ
SWB-10	6/4/2009	Acrolein	<		2.8	20	UG/L	1	
SWB-10	3/2/2010	Acrolein	<	20	2.8	20	UG/L	1	
SWB-11	3/4/2004	Acrolein	<		3.1	20	ug/L	1	
SWB-11	5/24/2004	Acrolein	<		3.1	20	ug/L	1	
SWB-11	12/1/2004	Acrolein	<		3.1	20	ug/L	1	
SWB-11	3/1/2005	Acrolein	<		3.6	20	ug/L	1	
SWB-11	6/2/2005	Acrolein	<		2.8	20	ug/L	1	
SWB-11	3/2/2006	Acrolein	<		28	200	UG/L	10	
SWB-11	6/1/2006	Acrolein	<		2.8	20	UG/L	1	
SWB-11	3/1/2007	Acrolein	<		2.8	20	UG/L	1	
SWB-11	3/7/2008	Acrolein	<		2.8	20	UG/L	1	
SWB-11	6/5/2008	Acrolein	<		2.8	20	UG/L	1	UJ
SWB-11	3/2/2009	Acrolein	<		2.8	20	UG/L	1	UJ
SWB-11	6/4/2009	Acrolein	<		2.8	20	UG/L	1	
SWB-11	3/1/2010	Acrolein	<	20	2.8	20	ug/L	1	
SWB-11	6/2/2010	ACROLEIN	<	2.8	2.8	20	UG/L	1	
SWB-3	10/29/2002	Acrolein	<		4.7	20	ug/L	1	
SWB-3	3/4/2003	Acrolein	<		3.1	20	ug/L	1	
SWB-3	6/3/2003	Acrolein	<		3.1	20	ug/L	1	
SWB-3	9/4/2003	Acrolein	<		3.1	20	ug/L	1	UJ
SWB-3	12/2/2003	Acrolein	<		3.1	20	ug/L	1	
SWB-3	3/1/2004	Acrolein	<		3.1	20	ug/L	1	
SWB-3	6/1/2004	Acrolein	<		3.1	20	ug/L	1	
SWB-3	9/1/2004	Acrolein	<		3.1	20	ug/L	1	
SWB-3	12/1/2004	Acrolein	<		5.1	33	ug/L	1.66	
SWB-3	3/3/2005	Acrolein	<		3.6	20	ug/L	1	
SWB-3	6/2/2005	Acrolein	<		2.8	20	ug/L	1	
SWB-3	9/1/2005	Acrolein	<		2.8	20	ug/L	1	
SWB-3	12/1/2005	Acrolein	<		5.6	40	UG/L	2	
SWB-3	3/2/2006	Acrolein	<		11	80	UG/L	4	
SWB-3	6/2/2006	Acrolein	<		2.8	20	UG/L	1	
SWB-3	9/5/2006	Acrolein	<		2.8	20	UG/L	1	
SWB-3	12/4/2006	Acrolein	<		2.8	20	UG/L	1	
SWB-3	3/1/2007	Acrolein	<		2.8	20	UG/L	1	
SWB-3	6/1/2007	Acrolein	<		2.8	20	UG/L	1	
SWB-3	12/3/2007	Acrolein	<		2.8	20	UG/L	1	
SWB-3	3/6/2008	Acrolein	<		2.8	20	UG/L	1	
SWB-3	6/9/2008	Acrolein	<		2.8	20	UG/L	1	
SWB-3	12/4/2008	Acrolein	<		2.8	20	UG/L	1	



tmpAnalyticalResultsOverTime

SWB-3	3/2/2009	Acrolein	<		2.8	20	UG/L	1 UJ
SWB-3	6/4/2009	Acrolein	<		2.8	20	UG/L	1
SWB-3	12/1/2009	Acrolein	<		2.8	20	UG/L	1
SWB-3	3/1/2010	Acrolein	<	20	2.8	20	ug/L	1
SWB-3	3/1/2010	Acrolein	<	40	5.6	40	ug/L	1 DNR
SWB-3	6/1/2010	ACROLEIN	<	2.8	2.8	20	UG/L	1 DNR
SWB-3	6/1/2010	ACROLEIN	<	11	11	80	UG/L	1
SWB-3	9/9/2010	ACROLEIN	<	2.8	2.8	20	UG/L	1
SWB-4	11/15/2002	Acrolein	<		4.7	20	ug/L	1
SWB-5	10/29/2002	Acrolein	<		4.7	20	ug/L	1
SWB-6	3/4/2003	Acrolein	<		3.1	20	ug/L	1
SWB-6	6/3/2003	Acrolein	<		6.2	40	ug/L	2
SWB-6	12/3/2003	Acrolein	<		6.2	40	ug/L	2
SWB-6	3/5/2004	Acrolein	<		3.1	20	ug/L	1
SWB-6	6/1/2004	Acrolein	<		3.1	20	ug/L	1
SWB-6	12/1/2004	Acrolein	<		3.1	20	ug/L	1
SWB-6	3/7/2005	Acrolein	<		3.6	20	ug/L	1
SWB-6	6/1/2005	Acrolein	<		2.8	20	ug/L	1
SWB-6	12/2/2005	Acrolein	<		2.8	20	UG/L	1
SWB-6	3/1/2006	Acrolein	<		2.8	20	UG/L	1
SWB-6	6/1/2006	Acrolein	<		2.8	20	UG/L	1
SWB-6	12/5/2006	Acrolein	<		2.8	20	UG/L	1
SWB-6	3/2/2007	Acrolein	<		2.8	20	UG/L	1
SWB-6	3/6/2008	Acrolein	<		2.8	20	UG/L	1
SWB-6	6/9/2008	Acrolein	<		2.8	20	UG/L	1
SWB-6	12/5/2008	Acrolein	<		2.8	20	UG/L	1 UJ
SWB-6	3/2/2009	Acrolein	<		2.8	20	UG/L	1 UJ
SWB-6	6/5/2009	Acrolein	<		2.8	20	UG/L	1
SWB-6	3/2/2010	Acrolein	<	20	2.8	20	UG/L	1
SWB-6	6/2/2010	ACROLEIN	<	2.8	2.8	20	UG/L	1
SWB-7	3/4/2003	Acrolein	<		3.1	20	ug/L	1
SWB-7	6/3/2003	Acrolein	<		3.1	20	ug/L	1
SWB-7	3/1/2004	Acrolein	<		3.1	20	ug/L	1
SWB-7	5/24/2004	Acrolein	<		3.1	20	ug/L	1
SWB-7	12/1/2004	Acrolein	<		3.1	20	ug/L	1
SWB-7	3/7/2005	Acrolein	<		3.6	20	ug/L	1
SWB-7	6/1/2005	Acrolein	<		2.8	20	ug/L	1
SWB-7	9/1/2005	Acrolein	<		2.8	20	ug/L	1
SWB-7	12/1/2005	Acrolein	<		2.8	20	UG/L	1
SWB-7	3/1/2006	Acrolein	<		2.8	20	UG/L	1
SWB-7	6/2/2006	Acrolein	<		2.8	20	UG/L	1
SWB-7	9/5/2006	Acrolein	<		2.8	20	UG/L	1
SWB-7	12/5/2006	Acrolein	<		2.8	20	UG/L	1
SWB-7	3/2/2007	Acrolein	<		2.8	20	UG/L	1
SWB-7	6/1/2007	Acrolein	<		2.8	20	UG/L	1
SWB-7	9/7/2007	Acrolein	<		2.8	20	UG/L	1
SWB-7	12/3/2007	Acrolein	<		2.8	20	UG/L	1
SWB-7	3/6/2008	Acrolein	<		2.8	20	UG/L	1
SWB-7	6/6/2008	Acrolein	<		2.8	20	UG/L	1
SWB-7	9/8/2008	Acrolein	<		2.8	20	UG/L	1 UJ
SWB-7	12/5/2008	Acrolein	<		2.8	20	UG/L	1 UJ
SWB-7	3/2/2009	Acrolein	<		2.8	20	UG/L	1 UJ
SWB-7	6/5/2009	Acrolein	<		2.8	20	UG/L	1
SWB-7	9/9/2009	Acrolein	<		2.8	20	UG/L	1
SWB-7	12/1/2009	Acrolein	<		2.8	20	UG/L	1
SWB-7	3/2/2010	Acrolein	<	20	2.8	20	UG/L	1
SWB-7	6/1/2010	ACROLEIN	<	2.8	2.8	20	UG/L	1 DNR

tmpAnalyticalResultsOverTime

SWB-7	6/1/2010	ACROLEIN	<	11	11	80	UG/L	1	
SWB-7	9/9/2010	ACROLEIN	<	2.8	2.8	20	UG/L	1	
SWB-7	12/1/2010	ACROLEIN	<	2.8	2.8	20	UG/L	1	
SWB-8	3/5/2004	Acrolein	<		3.1	20	ug/L	1	
SWB-8	3/7/2005	Acrolein	<		3.6	20	ug/L	1	
SWB-8	6/1/2005	Acrolein	<		2.8	20	ug/L	1	
SWB-8	3/1/2006	Acrolein	<		2.8	20	UG/L	1	
SWB-8	3/7/2008	Acrolein	<		2.8	20	UG/L	1	
SWB-8	3/3/2009	Acrolein	<		2.8	20	UG/L	1	UJ
SWB-9	3/4/2003	Acrolein	<		3.1	20	ug/L	1	
SWB-9	12/3/2003	Acrolein	<		6.2	40	ug/L	2	
SWB-9	3/5/2004	Acrolein	<		3.1	20	ug/L	1	
SWB-9	5/27/2004	Acrolein	<		3.1	20	ug/L	1	
SWB-9	12/1/2004	Acrolein	<		3.1	20	ug/L	1	
SWB-9	3/3/2005	Acrolein	<		3.6	20	ug/L	1	
SWB-9	6/2/2005	Acrolein	<		2.8	20	ug/L	1	
SWB-9	9/1/2005	Acrolein	<		2.8	20	ug/L	1	UJ
SWB-9	12/1/2005	Acrolein	<		2.8	20	UG/L	1	
SWB-9	3/2/2006	Acrolein	<		11	80	UG/L	4	
SWB-9	6/1/2006	Acrolein	<		2.8	20	UG/L	1	
SWB-9	12/4/2006	Acrolein	<		2.8	20	UG/L	1	
SWB-9	3/5/2007	Acrolein	<		2.8	20	UG/L	1	
SWB-9	3/6/2008	Acrolein	<		2.8	20	UG/L	1	
SWB-9	6/5/2008	Acrolein	<		2.8	20	UG/L	1	R
SWB-9	12/5/2008	Acrolein	<		2.8	20	UG/L	1	UJ
SWB-9	3/2/2009	Acrolein	<		2.8	20	UG/L	1	UJ
SWB-9	6/2/2009	Acrolein	<		2.8	20	UG/L	1	
SWB-9	3/1/2010	Acrolein	<	20	2.8	20	ug/L	1	
SWB-9	6/1/2010	ACROLEIN	<	2.8	2.8	20	UG/L	1	DNR
SWB-9	6/1/2010	ACROLEIN	<	11	11	80	UG/L	1	
SWB-9	12/1/2010	ACROLEIN	<	2.8	2.8	20	UG/L	1	
SWB-10	3/4/2004	Acrylonitrile	<		3.1	20	ug/L	1	NA
SWB-10	5/24/2004	Acrylonitrile	<		3.1	20	ug/L	1	
SWB-10	12/1/2004	Acrylonitrile	<		3.1	20	ug/L	1	
SWB-10	3/3/2005	Acrylonitrile	<		2.3	20	ug/L	1	
SWB-10	6/2/2005	Acrylonitrile	<		1.4	20	ug/L	1	
SWB-10	9/1/2005	Acrylonitrile	<		1.4	20	ug/L	1	
SWB-10	3/2/2006	Acrylonitrile	<		5.6	80	UG/L	4	
SWB-10	6/2/2006	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-10	3/1/2007	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-10	3/7/2008	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-10	6/5/2008	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-10	3/2/2009	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-10	6/4/2009	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-10	3/2/2010	Acrylonitrile	<	20	1.4	20	UG/L	1	
SWB-11	3/4/2004	Acrylonitrile	<		3.1	20	ug/L	1	
SWB-11	5/24/2004	Acrylonitrile	<		3.1	20	ug/L	1	
SWB-11	12/1/2004	Acrylonitrile	<		3.1	20	ug/L	1	
SWB-11	3/1/2005	Acrylonitrile	<		2.3	20	ug/L	1	
SWB-11	6/2/2005	Acrylonitrile	<		1.4	20	ug/L	1	
SWB-11	3/2/2006	Acrylonitrile	<		14	200	UG/L	10	
SWB-11	6/1/2006	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-11	3/1/2007	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-11	3/7/2008	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-11	6/5/2008	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-11	3/2/2009	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-11	6/4/2009	Acrylonitrile	<		1.4	20	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-11	3/1/2010	Acrylonitrile	<	20	1.4	20	ug/L	1
SWB-11	6/2/2010	ACRYLONITRILE	<	1.4	1.4	20	UG/L	1
SWB-3	10/29/2002	Acrylonitrile	<		4.9	20	ug/L	1
SWB-3	3/4/2003	Acrylonitrile	<		3.1	20	ug/L	1
SWB-3	6/3/2003	Acrylonitrile	<		3.1	20	ug/L	1
SWB-3	9/4/2003	Acrylonitrile	<		3.1	20	ug/L	1 UJ
SWB-3	12/2/2003	Acrylonitrile	<		3.1	20	ug/L	1
SWB-3	3/1/2004	Acrylonitrile	<		3.1	20	ug/L	1
SWB-3	6/1/2004	Acrylonitrile	<		3.1	20	ug/L	1
SWB-3	9/1/2004	Acrylonitrile	<		3.1	20	ug/L	1
SWB-3	12/1/2004	Acrylonitrile	<		5.1	33	ug/L	1.66
SWB-3	3/3/2005	Acrylonitrile	<		2.3	20	ug/L	1
SWB-3	6/2/2005	Acrylonitrile	<		1.4	20	ug/L	1
SWB-3	9/1/2005	Acrylonitrile	<		1.4	20	ug/L	1
SWB-3	12/1/2005	Acrylonitrile	<		2.8	40	UG/L	2
SWB-3	3/2/2006	Acrylonitrile	<		5.6	80	UG/L	4
SWB-3	6/2/2006	Acrylonitrile	<		1.4	20	UG/L	1
SWB-3	9/5/2006	Acrylonitrile	<		1.4	20	UG/L	1
SWB-3	12/4/2006	Acrylonitrile	<		1.4	20	UG/L	1
SWB-3	3/1/2007	Acrylonitrile	<		1.4	20	UG/L	1
SWB-3	6/1/2007	Acrylonitrile	<		1.4	20	UG/L	1
SWB-3	12/3/2007	Acrylonitrile	<		1.4	20	UG/L	1
SWB-3	3/6/2008	Acrylonitrile	<		1.4	20	UG/L	1
SWB-3	6/9/2008	Acrylonitrile	<		1.4	20	UG/L	1
SWB-3	12/4/2008	Acrylonitrile	<		1.4	20	UG/L	1
SWB-3	3/2/2009	Acrylonitrile	<		1.4	20	UG/L	1
SWB-3	6/4/2009	Acrylonitrile	<		1.4	20	UG/L	1
SWB-3	12/1/2009	Acrylonitrile	<		1.4	20	UG/L	1
SWB-3	3/1/2010	Acrylonitrile	<	20	1.4	20	ug/L	1
SWB-3	3/1/2010	Acrylonitrile	<	40	2.8	40	ug/L	1 DNR
SWB-3	6/1/2010	ACRYLONITRILE	<	1.4	1.4	20	UG/L	1 DNR
SWB-3	6/1/2010	ACRYLONITRILE	<	5.6	5.6	80	UG/L	1
SWB-3	9/9/2010	ACRYLONITRILE	<	1.4	1.4	20	UG/L	1
SWB-4	11/15/2002	Acrylonitrile	<		4.9	20	ug/L	1
SWB-5	10/29/2002	Acrylonitrile	<		4.9	20	ug/L	1
SWB-6	3/4/2003	Acrylonitrile	<		3.1	20	ug/L	1
SWB-6	6/3/2003	Acrylonitrile	<		6.2	40	ug/L	2
SWB-6	12/3/2003	Acrylonitrile	<		6.2	40	ug/L	2
SWB-6	3/5/2004	Acrylonitrile	<		3.1	20	ug/L	1
SWB-6	6/1/2004	Acrylonitrile	<		3.1	20	ug/L	1
SWB-6	12/1/2004	Acrylonitrile	<		3.1	20	ug/L	1
SWB-6	3/7/2005	Acrylonitrile	<		2.3	20	ug/L	1
SWB-6	6/1/2005	Acrylonitrile	<		1.4	20	ug/L	1
SWB-6	12/2/2005	Acrylonitrile	<		1.4	20	UG/L	1
SWB-6	3/1/2006	Acrylonitrile	<		1.4	20	UG/L	1
SWB-6	6/1/2006	Acrylonitrile	<		1.4	20	UG/L	1
SWB-6	12/5/2006	Acrylonitrile	<		1.4	20	UG/L	1
SWB-6	3/2/2007	Acrylonitrile	<		1.4	20	UG/L	1
SWB-6	3/6/2008	Acrylonitrile	<		1.4	20	UG/L	1
SWB-6	6/9/2008	Acrylonitrile	<		1.4	20	UG/L	1
SWB-6	12/5/2008	Acrylonitrile	<		1.4	20	UG/L	1
SWB-6	3/2/2009	Acrylonitrile	<		1.4	20	UG/L	1
SWB-6	6/5/2009	Acrylonitrile	<		1.4	20	UG/L	1
SWB-6	3/2/2010	Acrylonitrile	<	20	1.4	20	UG/L	1
SWB-6	6/2/2010	ACRYLONITRILE	<	1.4	1.4	20	UG/L	1
SWB-7	3/4/2003	Acrylonitrile	<		3.1	20	ug/L	1
SWB-7	6/3/2003	Acrylonitrile	<		3.1	20	ug/L	1

tmpAnalyticalResultsOverTime

SWB-7	3/1/2004	Acrylonitrile	<		3.1	20	ug/L	1	
SWB-7	5/24/2004	Acrylonitrile	<		3.1	20	ug/L	1	
SWB-7	12/1/2004	Acrylonitrile	<		3.1	20	ug/L	1	
SWB-7	3/7/2005	Acrylonitrile	<		2.3	20	ug/L	1	
SWB-7	6/1/2005	Acrylonitrile	<		1.4	20	ug/L	1	
SWB-7	9/1/2005	Acrylonitrile	<		1.4	20	ug/L	1	
SWB-7	12/1/2005	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-7	3/1/2006	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-7	6/2/2006	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-7	9/5/2006	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-7	12/5/2006	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-7	3/2/2007	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-7	6/1/2007	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-7	9/7/2007	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-7	12/3/2007	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-7	3/6/2008	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-7	6/6/2008	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-7	9/8/2008	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-7	12/5/2008	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-7	3/2/2009	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-7	6/5/2009	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-7	9/9/2009	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-7	12/1/2009	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-7	3/2/2010	Acrylonitrile	<	20	1.4	20	UG/L	1	
SWB-7	6/1/2010	ACRYLONITRILE	<	1.4	1.4	20	UG/L	1	DNR
SWB-7	6/1/2010	ACRYLONITRILE	<	5.6	5.6	80	UG/L	1	
SWB-7	9/9/2010	ACRYLONITRILE	<	1.4	1.4	20	UG/L	1	
SWB-7	12/1/2010	ACRYLONITRILE	<	1.4	1.4	20	UG/L	1	
SWB-8	3/5/2004	Acrylonitrile	<		3.1	20	ug/L	1	
SWB-8	3/7/2005	Acrylonitrile	<		2.3	20	ug/L	1	
SWB-8	6/1/2005	Acrylonitrile	<		1.4	20	ug/L	1	
SWB-8	3/1/2006	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-8	3/7/2008	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-8	3/3/2009	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-9	3/4/2003	Acrylonitrile	<		3.1	20	ug/L	1	
SWB-9	12/3/2003	Acrylonitrile	<		6.2	40	ug/L	2	
SWB-9	3/5/2004	Acrylonitrile	<		3.1	20	ug/L	1	
SWB-9	5/27/2004	Acrylonitrile	<		3.1	20	ug/L	1	
SWB-9	12/1/2004	Acrylonitrile	<		3.1	20	ug/L	1	
SWB-9	3/3/2005	Acrylonitrile	<		2.3	20	ug/L	1	
SWB-9	6/2/2005	Acrylonitrile	<		1.4	20	ug/L	1	
SWB-9	9/1/2005	Acrylonitrile	<		1.4	20	ug/L	1	UJ
SWB-9	12/1/2005	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-9	3/2/2006	Acrylonitrile	<		5.6	80	UG/L	4	
SWB-9	6/1/2006	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-9	12/4/2006	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-9	3/5/2007	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-9	3/6/2008	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-9	6/5/2008	Acrylonitrile	<		1.4	20	UG/L	1	R
SWB-9	12/5/2008	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-9	3/2/2009	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-9	6/2/2009	Acrylonitrile	<		1.4	20	UG/L	1	
SWB-9	3/1/2010	Acrylonitrile	<	20	1.4	20	ug/L	1	
SWB-9	6/1/2010	ACRYLONITRILE	<	1.4	1.4	20	UG/L	1	DNR
SWB-9	6/1/2010	ACRYLONITRILE	<	5.6	5.6	80	UG/L	1	
SWB-9	12/1/2010	ACRYLONITRILE	<	1.4	1.4	20	UG/L	1	
SWB-10	3/4/2004	Allyl chloride	<		0.11	2	ug/L	1	NA

tmpAnalyticalResultsOverTime

SWB-10	5/24/2004	Allyl chloride	<		0.11	2	ug/L	1
SWB-10	12/1/2004	Allyl chloride	<		0.11	2	ug/L	1
SWB-10	3/3/2005	Allyl chloride	<		0.22	2	ug/L	1
SWB-10	6/2/2005	Allyl chloride	<		0.17	2	ug/L	1
SWB-10	9/1/2005	Allyl chloride	<		0.17	2	ug/L	1
SWB-10	3/2/2006	Allyl chloride	<		0.68	8	UG/L	4
SWB-10	6/2/2006	Allyl chloride	<		0.17	2	UG/L	1
SWB-10	3/1/2007	Allyl chloride	<		0.17	2	UG/L	1
SWB-10	3/7/2008	Allyl chloride	<		0.17	2	UG/L	1
SWB-10	6/5/2008	Allyl chloride	<		0.17	2	UG/L	1
SWB-10	3/2/2009	Allyl chloride	<		0.17	2	UG/L	1
SWB-10	6/4/2009	Allyl chloride	<		0.17	2	UG/L	1
SWB-10	3/2/2010	Allyl chloride	<	2	0.17	2	UG/L	1
SWB-11	3/4/2004	Allyl chloride	<		0.11	2	ug/L	1
SWB-11	5/24/2004	Allyl chloride	<		0.11	2	ug/L	1
SWB-11	12/1/2004	Allyl chloride	<		0.11	2	ug/L	1
SWB-11	3/1/2005	Allyl chloride	<		0.22	2	ug/L	1
SWB-11	6/2/2005	Allyl chloride	<		0.17	2	ug/L	1
SWB-11	3/2/2006	Allyl chloride	<		1.7	20	UG/L	10
SWB-11	6/1/2006	Allyl chloride	<		0.17	2	UG/L	1
SWB-11	3/1/2007	Allyl chloride	<		0.17	2	UG/L	1
SWB-11	3/7/2008	Allyl chloride	<		0.17	2	UG/L	1
SWB-11	6/5/2008	Allyl chloride	<		0.17	2	UG/L	1
SWB-11	3/2/2009	Allyl chloride	<		0.17	2	UG/L	1
SWB-11	6/4/2009	Allyl chloride	<		0.17	2	UG/L	1
SWB-11	3/1/2010	Allyl chloride	<	2	0.17	2	ug/L	1
SWB-11	6/2/2010	ALLYL CHLORIDE	<	0.17	0.17	2	UG/L	1
SWB-3	10/29/2002	Allyl chloride	<		0.64	2	ug/L	1
SWB-3	3/4/2003	Allyl chloride	<		0.11	2	ug/L	1
SWB-3	6/3/2003	Allyl chloride	<		0.11	2	ug/L	1
SWB-3	9/4/2003	Allyl chloride	<		0.11	2	ug/L	1 UJ
SWB-3	12/2/2003	Allyl chloride	<		0.11	2	ug/L	1
SWB-3	3/1/2004	Allyl chloride	<		0.11	2	ug/L	1
SWB-3	6/1/2004	Allyl chloride	<		0.11	2	ug/L	1
SWB-3	9/1/2004	Allyl chloride	<		0.11	2	ug/L	1
SWB-3	12/1/2004	Allyl chloride	<		0.18	3.3	ug/L	1.66
SWB-3	3/3/2005	Allyl chloride	<		0.22	2	ug/L	1
SWB-3	6/2/2005	Allyl chloride	<		0.17	2	ug/L	1
SWB-3	9/1/2005	Allyl chloride	<		0.17	2	ug/L	1
SWB-3	12/1/2005	Allyl chloride	<		0.34	4	UG/L	2
SWB-3	3/2/2006	Allyl chloride	<		0.68	8	UG/L	4
SWB-3	6/2/2006	Allyl chloride	<		0.17	2	UG/L	1
SWB-3	9/5/2006	Allyl chloride	<		0.17	2	UG/L	1
SWB-3	12/4/2006	Allyl chloride	<		0.17	2	UG/L	1
SWB-3	3/1/2007	Allyl chloride	<		0.17	2	UG/L	1
SWB-3	6/1/2007	Allyl chloride	<		0.17	2	UG/L	1
SWB-3	12/3/2007	Allyl chloride	<		0.17	2	UG/L	1
SWB-3	3/6/2008	Allyl chloride	<		0.17	2	UG/L	1
SWB-3	6/9/2008	Allyl chloride	<		0.17	2	UG/L	1
SWB-3	12/4/2008	Allyl chloride	<		0.17	2	UG/L	1
SWB-3	3/2/2009	Allyl chloride	<		0.17	2	UG/L	1
SWB-3	6/4/2009	Allyl chloride	<		0.17	2	UG/L	1
SWB-3	12/1/2009	Allyl chloride	<		0.17	2	UG/L	1
SWB-3	3/1/2010	Allyl chloride	<	2	0.17	2	ug/L	1
SWB-3	3/1/2010	Allyl chloride	<	4	0.34	4	ug/L	1 DNR
SWB-3	6/1/2010	ALLYL CHLORIDE	<	0.17	0.17	2	UG/L	1 DNR
SWB-3	6/1/2010	ALLYL CHLORIDE	<	0.68	0.68	8	UG/L	1

tmpAnalyticalResultsOverTime

SWB-3	9/9/2010 ALLYL CHLORIDE	<	0.17	0.17	2	UG/L	1
SWB-4	11/15/2002 Allyl chloride	<		0.64	2	ug/L	1
SWB-5	10/29/2002 Allyl chloride	<		0.64	2	ug/L	1
SWB-6	3/4/2003 Allyl chloride	<		0.11	2	ug/L	1
SWB-6	6/3/2003 Allyl chloride	<		0.22	4	ug/L	2
SWB-6	12/3/2003 Allyl chloride	<		0.22	4	ug/L	2
SWB-6	3/5/2004 Allyl chloride	<		0.11	2	ug/L	1
SWB-6	6/1/2004 Allyl chloride	<		0.11	2	ug/L	1
SWB-6	12/1/2004 Allyl chloride	<		0.11	2	ug/L	1
SWB-6	3/7/2005 Allyl chloride	<		0.22	2	ug/L	1
SWB-6	6/1/2005 Allyl chloride	<		0.17	2	ug/L	1
SWB-6	12/2/2005 Allyl chloride	<		0.17	2	UG/L	1
SWB-6	3/1/2006 Allyl chloride	<		0.17	2	UG/L	1
SWB-6	6/1/2006 Allyl chloride	<		0.17	2	UG/L	1
SWB-6	12/5/2006 Allyl chloride	<		0.17	2	UG/L	1
SWB-6	3/2/2007 Allyl chloride	<		0.17	2	UG/L	1
SWB-6	3/6/2008 Allyl chloride	<		0.17	2	UG/L	1
SWB-6	6/9/2008 Allyl chloride	<		0.17	2	UG/L	1
SWB-6	12/5/2008 Allyl chloride	<		0.17	2	UG/L	1
SWB-6	3/2/2009 Allyl chloride	<		0.17	2	UG/L	1
SWB-6	6/5/2009 Allyl chloride	<		0.17	2	UG/L	1
SWB-6	3/2/2010 Allyl chloride	<	2	0.17	2	UG/L	1
SWB-6	6/2/2010 ALLYL CHLORIDE	<	0.17	0.17	2	UG/L	1
SWB-7	3/4/2003 Allyl chloride	<		0.11	2	ug/L	1
SWB-7	6/3/2003 Allyl chloride	<		0.11	2	ug/L	1
SWB-7	3/1/2004 Allyl chloride	<		0.11	2	ug/L	1
SWB-7	5/24/2004 Allyl chloride	<		0.11	2	ug/L	1
SWB-7	12/1/2004 Allyl chloride	<		0.11	2	ug/L	1
SWB-7	3/7/2005 Allyl chloride	<		0.22	2	ug/L	1
SWB-7	6/1/2005 Allyl chloride	<		0.17	2	ug/L	1
SWB-7	9/1/2005 Allyl chloride	<		0.17	2	ug/L	1
SWB-7	12/1/2005 Allyl chloride	<		0.17	2	UG/L	1
SWB-7	3/1/2006 Allyl chloride	<		0.17	2	UG/L	1
SWB-7	6/2/2006 Allyl chloride	<		0.17	2	UG/L	1
SWB-7	9/5/2006 Allyl chloride	<		0.17	2	UG/L	1
SWB-7	12/5/2006 Allyl chloride	<		0.17	2	UG/L	1
SWB-7	3/2/2007 Allyl chloride	<		0.17	2	UG/L	1
SWB-7	6/1/2007 Allyl chloride	<		0.17	2	UG/L	1
SWB-7	9/7/2007 Allyl chloride	<		0.17	2	UG/L	1
SWB-7	12/3/2007 Allyl chloride	<		0.17	2	UG/L	1
SWB-7	3/6/2008 Allyl chloride	<		0.17	2	UG/L	1
SWB-7	6/6/2008 Allyl chloride	<		0.17	2	UG/L	1
SWB-7	9/8/2008 Allyl chloride	<		0.17	2	UG/L	1
SWB-7	12/5/2008 Allyl chloride	<		0.17	2	UG/L	1
SWB-7	3/2/2009 Allyl chloride	<		0.17	2	UG/L	1
SWB-7	6/5/2009 Allyl chloride	<		0.17	2	UG/L	1
SWB-7	9/9/2009 Allyl chloride	<		0.17	2	UG/L	1
SWB-7	12/1/2009 Allyl chloride	<		0.17	2	UG/L	1
SWB-7	3/2/2010 Allyl chloride	<	2	0.17	2	UG/L	1
SWB-7	6/1/2010 ALLYL CHLORIDE	<	0.17	0.17	2	UG/L	1 DNR
SWB-7	6/1/2010 ALLYL CHLORIDE	<	0.68	0.68	8	UG/L	1
SWB-7	9/9/2010 ALLYL CHLORIDE	<	0.17	0.17	2	UG/L	1
SWB-7	12/1/2010 ALLYL CHLORIDE	<	0.17	0.17	2	UG/L	1
SWB-8	3/5/2004 Allyl chloride	<		0.11	2	ug/L	1
SWB-8	3/7/2005 Allyl chloride	<		0.22	2	ug/L	1
SWB-8	6/1/2005 Allyl chloride	<		0.17	2	ug/L	1
SWB-8	3/1/2006 Allyl chloride	<		0.17	2	UG/L	1

tmpAnalyticalResultsOverTime

SWB-8	3/7/2008	Allyl chloride	<		0.17	2	UG/L	1	
SWB-8	3/3/2009	Allyl chloride	<		0.17	2	UG/L	1	
SWB-9	3/4/2003	Allyl chloride	<		0.11	2	ug/L	1	
SWB-9	12/3/2003	Allyl chloride	<		0.22	4	ug/L	2	
SWB-9	3/5/2004	Allyl chloride	<		0.11	2	ug/L	1	
SWB-9	5/27/2004	Allyl chloride	<		0.11	2	ug/L	1	
SWB-9	12/1/2004	Allyl chloride	<		0.11	2	ug/L	1	
SWB-9	3/3/2005	Allyl chloride	<		0.22	2	ug/L	1	
SWB-9	6/2/2005	Allyl chloride	<		0.17	2	ug/L	1	
SWB-9	9/1/2005	Allyl chloride	<		0.17	2	ug/L	1	UJ
SWB-9	12/1/2005	Allyl chloride	<		0.17	2	UG/L	1	
SWB-9	3/2/2006	Allyl chloride	<		0.68	8	UG/L	4	
SWB-9	6/1/2006	Allyl chloride	<		0.17	2	UG/L	1	
SWB-9	12/4/2006	Allyl chloride	<		0.17	2	UG/L	1	
SWB-9	3/5/2007	Allyl chloride	<		0.17	2	UG/L	1	
SWB-9	3/6/2008	Allyl chloride	<		0.17	2	UG/L	1	
SWB-9	6/5/2008	Allyl chloride	<		0.17	2	UG/L	1	R
SWB-9	12/5/2008	Allyl chloride	<		0.17	2	UG/L	1	
SWB-9	3/2/2009	Allyl chloride	<		0.17	2	UG/L	1	
SWB-9	6/2/2009	Allyl chloride	<		0.17	2	UG/L	1	
SWB-9	3/1/2010	Allyl chloride	<	2	0.17	2	ug/L	1	
SWB-9	6/1/2010	ALLYL CHLORIDE	<	0.17	0.17	2	UG/L	1	DNR
SWB-9	6/1/2010	ALLYL CHLORIDE	<	0.68	0.68	8	UG/L	1	
SWB-9	12/1/2010	ALLYL CHLORIDE	<	0.17	0.17	2	UG/L	1	
SWB-10	3/2/2010	Aluminum	=	0.54	0.036	0.2	MG/L	2	NA
SWB-11	3/1/2010	Aluminum	TR	0.024	0.018	0.1	mg/L	1	J
SWB-11	6/2/2010	ALUMINUM	TR	0.79	0.18	1	MG/L	10	J
SWB-3	3/1/2010	Aluminum	<	0.1	0.018	0.1	mg/L	1	
SWB-3	6/1/2010	ALUMINUM	TR	0.031	0.018	0.1	MG/L	1	J
SWB-3	9/9/2010	ALUMINUM	<	0.18	0.18	1	MG/L	10	
SWB-6	3/2/2010	Aluminum	<	0.5	0.09	0.5	MG/L	5	
SWB-6	6/2/2010	ALUMINUM	TR	0.5	0.18	1	MG/L	10	J
SWB-7	3/2/2010	Aluminum	<	0.1	0.018	0.1	MG/L	1	
SWB-7	6/1/2010	ALUMINUM	<	0.018	0.018	0.1	MG/L	1	
SWB-7	9/9/2010	ALUMINUM	<	0.18	0.18	1	MG/L	10	
SWB-7	12/1/2010	ALUMINUM	TR	0.029	0.018	0.1	MG/L	1	J
SWB-9	3/1/2010	Aluminum	TR	0.092	0.018	0.1	mg/L	1	J
SWB-9	6/1/2010	ALUMINUM	<	0.18	0.18	1	MG/L	10	
SWB-9	12/1/2010	ALUMINUM	=	0.59	0.018	0.1	MG/L	1	
SWB-3	10/29/2002	Aluminum-DISSOLVED	<		0.02	0.1	mg/L	1	0.087 mg/L
SWB-4	11/15/2002	Aluminum-DISSOLVED	=	0.52	0.02	0.1	mg/L	1	
SWB-5	10/29/2002	Aluminum-DISSOLVED	TR	0.059	0.04	0.2	mg/L	2	J
SWB-10	3/4/2004	Aluminum-TOTAL	=	0.5	0.02	0.1	mg/L	1	NA
SWB-10	5/24/2004	Aluminum-TOTAL	=	0.12	0.02	0.1	mg/L	1	
SWB-10	12/1/2004	Aluminum-TOTAL	=	0.98	0.055	0.1	mg/L	1	
SWB-10	3/3/2005	Aluminum-TOTAL	<	0.14	0.055	0.14	mg/L	1	U
SWB-10	6/2/2005	Aluminum-TOTAL	=	0.12	0.017	0.1	mg/L	1	J
SWB-10	9/1/2005	Aluminum-TOTAL	<		0.17	1	MG/L	10	
SWB-10	3/2/2006	Aluminum-TOTAL	=	1.3	0.084	0.5	MG/L	5	
SWB-10	6/2/2006	Aluminum-TOTAL	TR	0.19	0.18	1	MG/L	10	J
SWB-10	3/1/2007	Aluminum-TOTAL	=	13	0.9	5	MG/L	50	
SWB-10	3/7/2008	Aluminum-TOTAL	<		0.018	0.1	MG/L	1	
SWB-10	6/5/2008	Aluminum-TOTAL	=	3.8	0.09	0.5	MG/L	5	J
SWB-10	3/2/2009	Aluminum-TOTAL	=	0.15	0.018	0.1	MG/L	1	J
SWB-10	6/4/2009	Aluminum-TOTAL	<		0.18	1	MG/L	10	
SWB-11	3/4/2004	Aluminum-TOTAL	=	0.22	0.02	0.1	mg/L	1	
SWB-11	5/24/2004	Aluminum-TOTAL	=	0.29	0.02	0.1	mg/L	1	

tmpAnalyticalResultsOverTime

SWB-11	12/1/2004	Aluminum-TOTAL	=	0.92	0.055	0.1	mg/L	1
SWB-11	3/1/2005	Aluminum-TOTAL	=	0.49	0.055	0.1	mg/L	1 J
SWB-11	6/2/2005	Aluminum-TOTAL	=	0.39	0.017	0.1	mg/L	1 J
SWB-11	3/2/2006	Aluminum-TOTAL	=	0.96	0.084	0.5	MG/L	5
SWB-11	6/1/2006	Aluminum-TOTAL	=	1.2	0.18	1	MG/L	10
SWB-11	3/1/2007	Aluminum-TOTAL	=	17	0.9	5	MG/L	50
SWB-11	3/7/2008	Aluminum-TOTAL	<		0.018	0.1	MG/L	1
SWB-11	6/5/2008	Aluminum-TOTAL	=	1.5	0.09	0.5	MG/L	5 J
SWB-11	3/2/2009	Aluminum-TOTAL	=	0.88	0.018	0.1	MG/L	1 J
SWB-11	6/4/2009	Aluminum-TOTAL	TR	0.44	0.18	1	MG/L	10 J
SWB-3	10/29/2002	Aluminum-TOTAL	=	1.5	0.02	0.1	mg/L	1 J
SWB-3	3/4/2003	Aluminum-TOTAL	TR	0.088	0.02	0.1	mg/L	1 J
SWB-3	6/3/2003	Aluminum-TOTAL	=	1.1	0.02	0.1	mg/L	1 J
SWB-3	9/4/2003	Aluminum-TOTAL	=	0.19	0.02	0.1	mg/L	1
SWB-3	12/2/2003	Aluminum-TOTAL	=	1.6	0.02	0.1	mg/L	1
SWB-3	3/1/2004	Aluminum-TOTAL	TR	0.061	0.02	0.1	mg/L	1 J
SWB-3	6/1/2004	Aluminum-TOTAL	=	0.17	0.02	0.1	mg/L	1
SWB-3	9/1/2004	Aluminum-TOTAL	=	0.27	0.055	0.1	mg/L	1 J
SWB-3	12/1/2004	Aluminum-TOTAL	<		0.055	0.1	mg/L	1
SWB-3	3/3/2005	Aluminum-TOTAL	<	0.22	0.055	0.22	mg/L	1 U
SWB-3	6/2/2005	Aluminum-TOTAL	=	0.1	0.017	0.1	mg/L	1 J
SWB-3	9/1/2005	Aluminum-TOTAL	TR	0.17	0.084	0.5	MG/L	5 J
SWB-3	12/1/2005	Aluminum-TOTAL	<		0.017	0.1	MG/L	1
SWB-3	3/2/2006	Aluminum-TOTAL	=	0.56	0.017	0.1	MG/L	1
SWB-3	6/2/2006	Aluminum-TOTAL	TR	0.098	0.018	0.1	MG/L	1 J
SWB-3	9/5/2006	Aluminum-TOTAL	TR	0.17	0.09	0.5	MG/L	5 J
SWB-3	12/4/2006	Aluminum-TOTAL	=	3.5	0.09	0.5	MG/L	5
SWB-3	3/1/2007	Aluminum-TOTAL	<		0.09	0.5	MG/L	5
SWB-3	6/1/2007	Aluminum-TOTAL	=	0.21	0.018	0.1	MG/L	1
SWB-3	12/3/2007	Aluminum-TOTAL	<		0.018	0.1	MG/L	1
SWB-3	3/6/2008	Aluminum-TOTAL	=	0.12	0.018	0.1	MG/L	1
SWB-3	6/9/2008	Aluminum-TOTAL	<		0.018	0.1	MG/L	1
SWB-3	12/4/2008	Aluminum-TOTAL	<		0.018	0.1	MG/L	1
SWB-3	3/2/2009	Aluminum-TOTAL	=	0.1	0.018	0.1	MG/L	1 J
SWB-3	6/4/2009	Aluminum-TOTAL	=	0.14	0.018	0.1	MG/L	1
SWB-3	12/1/2009	Aluminum-TOTAL	<		0.018	0.1	MG/L	1
SWB-4	11/15/2002	Aluminum-TOTAL	=	0.65	0.02	0.1	mg/L	1
SWB-5	10/29/2002	Aluminum-TOTAL	=	0.25	0.04	0.2	mg/L	2 J
SWB-6	3/4/2003	Aluminum-TOTAL	TR	0.04	0.02	0.1	mg/L	1 J
SWB-6	6/3/2003	Aluminum-TOTAL	=	0.52	0.02	0.1	mg/L	1 J
SWB-6	12/3/2003	Aluminum-TOTAL	=	0.3	0.02	0.1	mg/L	1 J
SWB-6	3/5/2004	Aluminum-TOTAL	=	0.37	0.02	0.1	mg/L	1
SWB-6	6/1/2004	Aluminum-TOTAL	=	0.51	0.1	0.5	mg/L	5
SWB-6	12/1/2004	Aluminum-TOTAL	TR	0.088	0.055	0.1	mg/L	1 J
SWB-6	3/7/2005	Aluminum-TOTAL	<		0.055	0.1	mg/L	1
SWB-6	6/1/2005	Aluminum-TOTAL	TR	0.072	0.017	0.1	mg/L	1 J
SWB-6	12/2/2005	Aluminum-TOTAL	<		0.17	1	MG/L	10
SWB-6	3/1/2006	Aluminum-TOTAL	TR	0.036	0.017	0.1	MG/L	1 J
SWB-6	6/1/2006	Aluminum-TOTAL	<		0.09	0.5	MG/L	5
SWB-6	12/5/2006	Aluminum-TOTAL	<		0.18	1	MG/L	10
SWB-6	3/2/2007	Aluminum-TOTAL	<		0.09	0.5	MG/L	5
SWB-6	3/6/2008	Aluminum-TOTAL	TR	0.086	0.018	0.1	MG/L	1 J
SWB-6	6/9/2008	Aluminum-TOTAL	<		0.09	0.5	MG/L	5
SWB-6	12/5/2008	Aluminum-TOTAL	=	2.7	0.09	0.5	MG/L	5 J
SWB-6	3/2/2009	Aluminum-TOTAL	TR	0.061	0.018	0.1	MG/L	1 J
SWB-6	6/5/2009	Aluminum-TOTAL	<		0.18	1	MG/L	10
SWB-7	3/4/2003	Aluminum-TOTAL	TR	0.032	0.02	0.1	mg/L	1 J



tmpAnalyticalResultsOverTime

SWB-7	6/3/2003	Aluminum-TOTAL	=	5.6	0.02	0.1	mg/L	1	J
SWB-7	3/1/2004	Aluminum-TOTAL	TR	0.083	0.02	0.1	mg/L	1	J
SWB-7	5/24/2004	Aluminum-TOTAL	TR	0.042	0.02	0.1	mg/L	1	J
SWB-7	12/1/2004	Aluminum-TOTAL	TR	0.059	0.055	0.1	mg/L	1	J
SWB-7	3/7/2005	Aluminum-TOTAL	=	0.1	0.055	0.1	mg/L	1	J
SWB-7	6/1/2005	Aluminum-TOTAL	TR	0.032	0.017	0.1	mg/L	1	J
SWB-7	9/1/2005	Aluminum-TOTAL	<		0.017	0.1	MG/L	1	
SWB-7	12/1/2005	Aluminum-TOTAL	<		0.017	0.1	MG/L	1	
SWB-7	3/1/2006	Aluminum-TOTAL	=	0.29	0.017	0.1	MG/L	1	J
SWB-7	6/2/2006	Aluminum-TOTAL	TR	0.022	0.018	0.1	MG/L	1	J
SWB-7	9/5/2006	Aluminum-TOTAL	<		0.018	0.1	MG/L	1	
SWB-7	12/5/2006	Aluminum-TOTAL	<		0.018	0.1	MG/L	1	
SWB-7	3/2/2007	Aluminum-TOTAL	<		0.018	0.1	MG/L	1	
SWB-7	6/1/2007	Aluminum-TOTAL	<		0.018	0.1	MG/L	1	
SWB-7	9/7/2007	Aluminum-TOTAL	<		0.09	0.5	MG/L	5	
SWB-7	12/3/2007	Aluminum-TOTAL	<		0.018	0.1	MG/L	1	
SWB-7	3/6/2008	Aluminum-TOTAL	TR	0.037	0.018	0.1	MG/L	1	J
SWB-7	6/6/2008	Aluminum-TOTAL	<		0.018	0.1	MG/L	1	
SWB-7	9/8/2008	Aluminum-TOTAL	<		0.018	0.1	MG/L	1	
SWB-7	12/5/2008	Aluminum-TOTAL	TR	0.057	0.018	0.1	MG/L	1	J
SWB-7	3/2/2009	Aluminum-TOTAL	=	1.3	0.018	0.1	MG/L	1	J
SWB-7	6/5/2009	Aluminum-TOTAL	=	0.26	0.018	0.1	MG/L	1	
SWB-7	9/9/2009	Aluminum-TOTAL	TR	0.17	0.09	0.5	MG/L	5	J
SWB-7	12/1/2009	Aluminum-TOTAL	TR	0.034	0.018	0.1	MG/L	1	J
SWB-8	3/5/2004	Aluminum-TOTAL	=	0.11	0.02	0.1	mg/L	1	
SWB-8	3/7/2005	Aluminum-TOTAL	=	0.19	0.055	0.1	mg/L	1	J
SWB-8	6/1/2005	Aluminum-TOTAL	=	1.8	0.017	0.1	mg/L	1	J
SWB-8	3/1/2006	Aluminum-TOTAL	=	3.6	0.017	0.1	MG/L	1	
SWB-8	3/7/2008	Aluminum-TOTAL	=	2.2	0.018	0.1	MG/L	1	
SWB-8	3/3/2009	Aluminum-TOTAL	=	1.2	0.018	0.1	MG/L	1	J
SWB-9	3/4/2003	Aluminum-TOTAL	=	0.78	0.02	0.1	mg/L	1	
SWB-9	12/3/2003	Aluminum-TOTAL	=	2.9	0.02	0.1	mg/L	1	
SWB-9	3/5/2004	Aluminum-TOTAL	=	0.21	0.02	0.1	mg/L	1	
SWB-9	5/27/2004	Aluminum-TOTAL	=	2.3	0.1	0.5	mg/L	5	
SWB-9	12/1/2004	Aluminum-TOTAL	=	0.32	0.055	0.1	mg/L	1	
SWB-9	3/3/2005	Aluminum-TOTAL	=	0.38	0.055	0.1	mg/L	1	J
SWB-9	6/2/2005	Aluminum-TOTAL	=	0.12	0.017	0.1	mg/L	1	J
SWB-9	9/1/2005	Aluminum-TOTAL	<		0.17	1	MG/L	10	
SWB-9	12/1/2005	Aluminum-TOTAL	TR	0.24	0.17	1	MG/L	10	J
SWB-9	3/2/2006	Aluminum-TOTAL	TR	0.13	0.084	0.5	MG/L	5	J
SWB-9	6/1/2006	Aluminum-TOTAL	<		0.18	1	MG/L	10	
SWB-9	12/4/2006	Aluminum-TOTAL	<		0.9	5	MG/L	50	
SWB-9	3/5/2007	Aluminum-TOTAL	=	1.8	0.09	0.5	MG/L	5	J
SWB-9	3/6/2008	Aluminum-TOTAL	TR	0.11	0.09	0.5	MG/L	5	J
SWB-9	6/5/2008	Aluminum-TOTAL	TR	0.22	0.09	0.5	MG/L	5	J
SWB-9	12/5/2008	Aluminum-TOTAL	TR	0.19	0.09	0.5	MG/L	5	J
SWB-9	3/2/2009	Aluminum-TOTAL	=	0.82	0.018	0.1	MG/L	1	J
SWB-9	6/2/2009	Aluminum-TOTAL	TR	0.24	0.18	1	MG/L	10	J
SWB-1	6/21/2000	Ammonia as N	=	141	0.2	1	mg/L	1	0.34 mg/L
SWB-1	6/21/2000	Ammonia as N	=	155	0.2	1	mg/L	1	
SWB-10	3/4/2004	Ammonia as N	=	13	0.14	0.5	mg/L	5	
SWB-10	5/24/2004	Ammonia as N	=	0.49	0.029	0.1	mg/L	1	J
SWB-10	12/1/2004	Ammonia as N	=	2	0.019	0.1	mg/L	1	J
SWB-10	3/3/2005	Ammonia as N	=	0.18	0.019	0.1	mg/L	1	
SWB-10	6/2/2005	Ammonia as N	=	0.3	0.019	0.1	mg/L	1	
SWB-10	9/1/2005	Ammonia as N	=	0.45	0.019	0.1	MG/L	1	
SWB-10	3/2/2006	Ammonia as N	=	1.4	0.022	0.1	MG/L	1	

tmpAnalyticalResultsOverTime

SWB-10	6/2/2006	Ammonia as N	=	0.7	0.022	0.1	MG/L	1
SWB-10	3/1/2007	Ammonia as N	=	0.78	0.022	0.1	MG/L	1
SWB-10	3/7/2008	Ammonia as N	<	0.12	0.022	0.12	MG/L	1 U
SWB-10	6/5/2008	Ammonia as N	=	2.6	0.022	0.1	MG/L	1 J
SWB-10	3/2/2009	Ammonia as N	=	0.52	0.022	0.1	MG/L	1
SWB-10	6/4/2009	Ammonia as N	=	0.89	0.022	0.1	MG/L	1
SWB-10	3/2/2010	Ammonia as N	=	0.91	0.022	0.1	MG/L	1 J
SWB-11	3/4/2004	Ammonia as N	=	4.2	0.029	0.1	mg/L	1
SWB-11	5/24/2004	Ammonia as N	=	1.3	0.029	0.1	mg/L	1
SWB-11	12/1/2004	Ammonia as N	=	0.6	0.019	0.1	mg/L	1 J
SWB-11	3/1/2005	Ammonia as N	=	1.6	0.019	0.1	mg/L	1
SWB-11	6/2/2005	Ammonia as N	=	2.2	0.019	0.1	mg/L	1
SWB-11	3/2/2006	Ammonia as N	=	2.5	0.022	0.1	MG/L	1
SWB-11	6/1/2006	Ammonia as N	=	1.8	0.022	0.1	MG/L	1
SWB-11	3/1/2007	Ammonia as N	=	2.1	0.022	0.1	MG/L	1
SWB-11	3/7/2008	Ammonia as N	=	2.1	0.022	0.1	MG/L	1
SWB-11	6/5/2008	Ammonia as N	=	4.3	0.022	0.1	MG/L	1 J
SWB-11	3/2/2009	Ammonia as N	=	3	0.022	0.1	MG/L	1
SWB-11	6/4/2009	Ammonia as N	=	0.67	0.022	0.1	MG/L	1
SWB-11	3/1/2010	Ammonia as N	=	2.9	0.022	0.1	mg/L	1 J
SWB-11	6/2/2010	AMMONIA as N	=	0.44	0.022	0.1	MG/L	1 J
SWB-2	7/14/1999	Ammonia as N	=	41000	1000		mg/L	10000
SWB-3	7/14/1999	Ammonia as N	=	3000	100		mg/L	1000
SWB-3	6/21/2000	Ammonia as N	=	515	0.02	1	mg/L	1 E
SWB-3	10/29/2002	Ammonia as N	=	28	0.3	2	mg/L	20 J
SWB-3	3/4/2003	Ammonia as N	=	81	0.95	2.5	mg/L	25 J
SWB-3	6/3/2003	Ammonia as N	=	61	0.76	2	mg/L	20
SWB-3	9/4/2003	Ammonia as N	=	89	0.76	2	mg/L	20
SWB-3	12/2/2003	Ammonia as N	=	71	0.58	2	mg/L	20
SWB-3	3/1/2004	Ammonia as N	=	35	0.29	1	mg/L	10
SWB-3	6/1/2004	Ammonia as N	=	40	0.29	1	mg/L	10
SWB-3	9/1/2004	Ammonia as N	=	9.1	0.14	0.5	mg/L	5 J
SWB-3	12/1/2004	Ammonia as N	=	150	0.95	5	mg/L	50 J
SWB-3	3/3/2005	Ammonia as N	=	98	0.48	2.5	mg/L	25
SWB-3	6/2/2005	Ammonia as N	=	320	0.95	5	mg/L	50
SWB-3	9/1/2005	Ammonia as N	=	130	0.95	5	MG/L	50
SWB-3	12/1/2005	Ammonia as N	=	200	1.9	10	MG/L	100
SWB-3	3/2/2006	Ammonia as N	=	84	1.1	5	MG/L	50
SWB-3	6/2/2006	Ammonia as N	=	52	1.1	5	MG/L	50
SWB-3	9/5/2006	Ammonia as N	=	48	0.56	2.5	MG/L	25
SWB-3	12/4/2006	Ammonia as N	=	52	0.56	2.5	MG/L	25
SWB-3	3/1/2007	Ammonia as N	=	63	0.56	2.5	MG/L	25
SWB-3	6/1/2007	Ammonia as N	<		5600	2.5	MG/L	25
SWB-3	12/3/2007	Ammonia as N	=	240	2.2	10	MG/L	100
SWB-3	3/6/2008	Ammonia as N	=	51	1.1	5	MG/L	50
SWB-3	6/9/2008	Ammonia as N	=	250	2.2	10	MG/L	100 J
SWB-3	12/4/2008	Ammonia as N	=	260	4.5	20	MG/L	200 q
SWB-3	3/2/2009	Ammonia as N	=	89	1.1	5	MG/L	50
SWB-3	6/4/2009	Ammonia as N	=	160	2.2	10	MG/L	100
SWB-3	12/1/2009	Ammonia as N	=	240	1.1	5	MG/L	50
SWB-3	3/1/2010	Ammonia as N	=	240	2.2	10	mg/L	100 J
SWB-3	6/1/2010	AMMONIA as N	=	130	1.1	5	MG/L	50 J
SWB-3	9/9/2010	AMMONIA as N	=	460	1.1	5	MG/L	50
SWB-4	7/13/1999	Ammonia as N	=	1600	50		mg/L	500
SWB-4	11/15/2002	Ammonia as N	=	730	1.5	10	mg/L	100 J
SWB-5	7/14/1999	Ammonia as N	=	8600	200		mg/L	2500
SWB-5	10/29/2002	Ammonia as N	=	48000	150	1000	mg/L	10000 J

tmpAnalyticalResultsOverTime

SWB-6	3/4/2003	Ammonia as N	=	680	3.8	10	mg/L	100 J
SWB-6	6/3/2003	Ammonia as N	=	2300	38	100	mg/L	1000
SWB-6	12/3/2003	Ammonia as N	=	7600	58	200	mg/L	2000
SWB-6	3/5/2004	Ammonia as N	=	260	5.8	20	mg/L	200
SWB-6	6/1/2004	Ammonia as N	=	1200	5.8	20	mg/L	200
SWB-6	12/1/2004	Ammonia as N	=	1200	3.8	20	mg/L	200 J
SWB-6	3/7/2005	Ammonia as N	=	490	4.8	25	mg/L	250
SWB-6	6/1/2005	Ammonia as N	=	420	3.8	20	mg/L	200
SWB-6	12/2/2005	Ammonia as N	=	1900	19	100	MG/L	1000
SWB-6	3/1/2006	Ammonia as N	=	520	11	50	MG/L	500
SWB-6	6/1/2006	Ammonia as N	=	600	5.6	25	MG/L	250
SWB-6	12/5/2006	Ammonia as N	=	9700	110	500	MG/L	5000
SWB-6	3/2/2007	Ammonia as N	=	920	5.6	25	MG/L	250
SWB-6	3/6/2008	Ammonia as N	=	990	11	50	MG/L	500
SWB-6	6/9/2008	Ammonia as N	=	6300	22	100	MG/L	1000 J
SWB-6	12/5/2008	Ammonia as N	=	18000	110	500	MG/L	5000
SWB-6	3/2/2009	Ammonia as N	=	720	11	50	MG/L	500
SWB-6	6/5/2009	Ammonia as N	=	1300	4.5	20	MG/L	200
SWB-6	3/2/2010	Ammonia as N	=	1300	4.5	20	MG/L	200 J
SWB-6	6/2/2010	AMMONIA as N	=	2400	8.8	40	MG/L	400 J
SWB-7	3/4/2003	Ammonia as N	TR	0.045	0.038	0.1	mg/L	1 J
SWB-7	6/3/2003	Ammonia as N	=	1.2	0.038	0.1	mg/L	1
SWB-7	3/1/2004	Ammonia as N	=	0.64	0.029	0.1	mg/L	1
SWB-7	5/24/2004	Ammonia as N	=	0.29	0.029	0.1	mg/L	1
SWB-7	12/1/2004	Ammonia as N	=	2	0.019	0.1	mg/L	1 J
SWB-7	3/7/2005	Ammonia as N	TR	0.096	0.019	0.1	mg/L	1 J
SWB-7	6/1/2005	Ammonia as N	=	1.3	0.019	0.1	mg/L	1
SWB-7	9/1/2005	Ammonia as N	TR	0.068	0.019	0.1	MG/L	1 J
SWB-7	12/1/2005	Ammonia as N	TR	0.064	0.019	0.1	MG/L	1 J
SWB-7	3/1/2006	Ammonia as N	=	0.11	0.022	0.1	MG/L	1
SWB-7	6/2/2006	Ammonia as N	=	0.16	0.022	0.1	MG/L	1
SWB-7	9/5/2006	Ammonia as N	TR	0.033	0.022	0.1	MG/L	1 J
SWB-7	12/5/2006	Ammonia as N	=	0.11	0.022	0.1	MG/L	1
SWB-7	3/2/2007	Ammonia as N	TR	0.032	0.022	0.1	MG/L	1 J
SWB-7	6/1/2007	Ammonia as N	TR	0.036	0.022	0.1	MG/L	1 J
SWB-7	9/7/2007	Ammonia as N	TR	0.052	0.022	0.1	MG/L	1 J
SWB-7	12/3/2007	Ammonia as N	TR	0.052	0.022	0.1	MG/L	1 J
SWB-7	3/6/2008	Ammonia as N	<		0.022	0.1	MG/L	1
SWB-7	6/6/2008	Ammonia as N	TR	0.07	0.022	0.1	MG/L	1 J
SWB-7	9/8/2008	Ammonia as N	=	0.42	0.022	0.1	MG/L	1
SWB-7	12/5/2008	Ammonia as N	=	0.63	0.022	0.1	MG/L	1
SWB-7	3/2/2009	Ammonia as N	=	1.1	0.022	0.1	MG/L	1
SWB-7	6/5/2009	Ammonia as N	=	0.41	0.022	0.1	MG/L	1
SWB-7	9/9/2009	Ammonia as N	=	0.14	0.022	0.1	MG/L	1
SWB-7	12/1/2009	Ammonia as N	=	0.47	0.022	0.1	MG/L	1 J
SWB-7	3/2/2010	Ammonia as N	=	0.28	0.022	0.1	MG/L	1 J
SWB-7	6/1/2010	AMMONIA as N	<	0.022	0.022	0.1	MG/L	1
SWB-7	9/9/2010	AMMONIA as N	=	0.11	0.022	0.1	MG/L	1
SWB-7	12/1/2010	AMMONIA as N	=	0.84	0.022	0.1	MG/L	1 J
SWB-8	3/5/2004	Ammonia as N	=	980	5.8	20	mg/L	200
SWB-8	3/7/2005	Ammonia as N	=	1200	4.8	25	mg/L	250
SWB-8	6/1/2005	Ammonia as N	=	780	9.5	50	mg/L	500
SWB-8	3/1/2006	Ammonia as N	=	2400	11	50	MG/L	500
SWB-8	3/7/2008	Ammonia as N	=	640	5.6	25	MG/L	250
SWB-8	3/3/2009	Ammonia as N	=	620	2.2	10	MG/L	100
SWB-9	3/4/2003	Ammonia as N	=	610	7.6	20	mg/L	200 J
SWB-9	12/3/2003	Ammonia as N	=	960	5.8	20	mg/L	200

tmpAnalyticalResultsOverTime

SWB-9	3/5/2004	Ammonia as N	=	110	1.4	5	mg/L	50	
SWB-9	5/27/2004	Ammonia as N	=	600	5.8	20	mg/L	200	
SWB-9	12/1/2004	Ammonia as N	=	140	1.9	10	mg/L	100 J	
SWB-9	3/3/2005	Ammonia as N	=	140	1.9	10	mg/L	100	
SWB-9	6/2/2005	Ammonia as N	=	60	0.48	2.5	mg/L	25	
SWB-9	9/1/2005	Ammonia as N	=	86	0.48	2.5	MG/L	25	
SWB-9	12/1/2005	Ammonia as N	=	83	0.95	5	MG/L	50	
SWB-9	3/2/2006	Ammonia as N	=	120	1.1	5	MG/L	50	
SWB-9	6/1/2006	Ammonia as N	=	160	1.1	5	MG/L	50	
SWB-9	12/4/2006	Ammonia as N	=	120	1.1	5	MG/L	50	
SWB-9	3/5/2007	Ammonia as N	=	120	2.2	10	MG/L	100	
SWB-9	3/6/2008	Ammonia as N	=	170	2.2	10	MG/L	100	
SWB-9	6/5/2008	Ammonia as N	=	1600	5.6	25	MG/L	250 J	
SWB-9	12/5/2008	Ammonia as N	=	240	4.5	20	MG/L	200	
SWB-9	3/2/2009	Ammonia as N	=	170	2.2	10	MG/L	100	
SWB-9	6/2/2009	Ammonia as N	=	780	2.2	10	MG/L	100	
SWB-9	3/1/2010	Ammonia as N	=	220	2.2	10	mg/L	100 J	
SWB-9	6/1/2010	AMMONIA as N	=	730	2.2	10	MG/L	100 J	
SWB-9	12/1/2010	AMMONIA as N	=	140	0.44	2	MG/L	20 J	
SWB-10	3/4/2004	Aniline	<		4	10	ug/L	1	NA
SWB-10	5/24/2004	Aniline	<		4	10	ug/L	1 UJ	
SWB-10	12/1/2004	Aniline	<		4	10	ug/L	1	
SWB-10	3/3/2005	Aniline	<		6.8	10	ug/L	1	
SWB-10	6/2/2005	Aniline	<		6.8	10	ug/L	1	
SWB-10	9/1/2005	Aniline	<		6.8	10	ug/L	1	
SWB-10	3/2/2006	Aniline	<		6.8	10	UG/L	1	
SWB-10	6/2/2006	Aniline	<		2	10	UG/L	1	
SWB-10	3/1/2007	Aniline	<		2	10	UG/L	1	
SWB-10	3/7/2008	Aniline	<		2	10	UG/L	1	
SWB-10	6/5/2008	Aniline	<		2	10	UG/L	1	
SWB-10	3/2/2009	Aniline	<		2	10	UG/L	1 R	
SWB-10	6/4/2009	Aniline	<		2	10	UG/L	1 R	
SWB-10	3/2/2010	Aniline	<	9.3	1.9	9.3	UG/L	1	
SWB-11	3/4/2004	Aniline	<		4	10	ug/L	1	
SWB-11	5/24/2004	Aniline	<		4	10	ug/L	1 UJ	
SWB-11	12/1/2004	Aniline	<		4	10	ug/L	1	
SWB-11	3/1/2005	Aniline	<		6.8	10	ug/L	1	
SWB-11	6/2/2005	Aniline	<		6.8	10	ug/L	1	
SWB-11	3/2/2006	Aniline	<		6.8	10	UG/L	1	
SWB-11	6/1/2006	Aniline	<		2	10	UG/L	1	
SWB-11	3/1/2007	Aniline	<		2	10	UG/L	1	
SWB-11	3/7/2008	Aniline	<		2	10	UG/L	1	
SWB-11	6/5/2008	Aniline	<		2	10	UG/L	1	
SWB-11	3/2/2009	Aniline	<		2	10	UG/L	1 R	
SWB-11	6/4/2009	Aniline	<		2	10	UG/L	1 R	
SWB-11	3/1/2010	Aniline	<	9.4	1.9	9.4	ug/L	1	
SWB-11	6/2/2010	ANILINE	<	1.9	1.9	9.5	UG/L	1	
SWB-3	10/29/2002	Aniline	<		4.1	10	ug/L	1	
SWB-3	3/4/2003	Aniline	<		4.1	10	ug/L	1	
SWB-3	6/3/2003	Aniline	<		4.1	10	ug/L	1	
SWB-3	9/4/2003	Aniline	<		4.1	10	ug/L	1 UJ	
SWB-3	12/2/2003	Aniline	<		4	10	ug/L	1	
SWB-3	3/1/2004	Aniline	<		4	10	ug/L	1	
SWB-3	6/1/2004	Aniline	<		4	10	ug/L	1	
SWB-3	9/1/2004	Aniline	<		4	10	ug/L	1	
SWB-3	12/1/2004	Aniline	<		4	10	ug/L	1	
SWB-3	3/3/2005	Aniline	<		6.8	10	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	6/2/2005	Aniline	<		6.8	10	ug/L	1
SWB-3	9/1/2005	Aniline	<		6.8	10	ug/L	1
SWB-3	12/1/2005	Aniline	<		6.8	10	UG/L	1 UJ
SWB-3	3/2/2006	Aniline	<		6.8	10	UG/L	1
SWB-3	6/2/2006	Aniline	<		2	10	UG/L	1
SWB-3	9/5/2006	Aniline	<		2	10	UG/L	1
SWB-3	12/4/2006	Aniline	<		2	10	UG/L	1
SWB-3	3/1/2007	Aniline	<		2	10	UG/L	1
SWB-3	6/1/2007	Aniline	<		2	10	UG/L	1
SWB-3	6/1/2007	Aniline	<		2	10	UG/L	1 R
SWB-3	12/3/2007	Aniline	<		1.5	10	UG/L	1
SWB-3	3/6/2008	Aniline	<		2	10	UG/L	1
SWB-3	6/9/2008	Aniline	<		2	10	UG/L	1
SWB-3	12/4/2008	Aniline	<		2	10	UG/L	1
SWB-3	3/2/2009	Aniline	<		2	10	UG/L	1 R
SWB-3	6/4/2009	Aniline	<		2	10	UG/L	1 R
SWB-3	12/1/2009	Aniline	<		2	10	UG/L	1
SWB-3	12/1/2009	Aniline	<		2	10	UG/L	1 DNR
SWB-3	3/1/2010	Aniline	<	9.7	1.9	9.7	ug/L	1 R
SWB-3	6/1/2010	ANILINE	<	1.9	1.9	9.4	UG/L	1
SWB-3	6/1/2010	ANILINE	<	1.9	1.9	9.4	UG/L	1 DNR
SWB-3	9/9/2010	ANILINE	<	1.9	1.9	9.3	UG/L	1
SWB-4	11/15/2002	Aniline	<		4.1	10	ug/L	1
SWB-5	10/29/2002	Aniline	<		4.1	10	ug/L	1
SWB-6	3/4/2003	Aniline	<		4.1	10	ug/L	1
SWB-6	6/3/2003	Aniline	<		4.1	10	ug/L	1
SWB-6	12/3/2003	Aniline	<		4	10	ug/L	1
SWB-6	3/5/2004	Aniline	<		4	10	ug/L	1
SWB-6	6/1/2004	Aniline	<		4	10	ug/L	1
SWB-6	12/1/2004	Aniline	<		4	10	ug/L	1
SWB-6	3/7/2005	Aniline	<		6.8	10	ug/L	1
SWB-6	6/1/2005	Aniline	<		6.8	10	ug/L	1
SWB-6	12/2/2005	Aniline	<		6.8	10	UG/L	1 UJ
SWB-6	3/1/2006	Aniline	<		6.8	10	UG/L	1
SWB-6	6/1/2006	Aniline	<		2	10	UG/L	1
SWB-6	12/5/2006	Aniline	<		2	10	UG/L	1
SWB-6	3/2/2007	Aniline	<		2	10	UG/L	1
SWB-6	3/6/2008	Aniline	<		2	10	UG/L	1
SWB-6	6/9/2008	Aniline	<		2	10	UG/L	1
SWB-6	12/5/2008	Aniline	<		2	10	UG/L	1 R
SWB-6	3/2/2009	Aniline	<		2	10	UG/L	1 R
SWB-6	6/5/2009	Aniline	<		2	10	UG/L	1 R
SWB-6	3/2/2010	Aniline	<	9.1	1.8	9.1	UG/L	1
SWB-6	6/2/2010	ANILINE	<	1.9	1.9	9.4	UG/L	1 DNR
SWB-6	6/2/2010	ANILINE	<	1.9	1.9	9.5	UG/L	1
SWB-7	3/4/2003	Aniline	<		4.1	10	ug/L	1
SWB-7	6/3/2003	Aniline	<		4.1	10	ug/L	1
SWB-7	3/1/2004	Aniline	<		4	10	ug/L	1
SWB-7	5/24/2004	Aniline	<		4	10	ug/L	1
SWB-7	12/1/2004	Aniline	<		4	10	ug/L	1
SWB-7	3/7/2005	Aniline	<		6.8	10	ug/L	1 UJ
SWB-7	6/1/2005	Aniline	<		6.8	10	ug/L	1
SWB-7	9/1/2005	Aniline	<		6.8	10	ug/L	1
SWB-7	12/1/2005	Aniline	<		6.8	10	UG/L	1 UJ
SWB-7	3/1/2006	Aniline	<		6.8	10	UG/L	1
SWB-7	6/2/2006	Aniline	<		2	10	UG/L	1
SWB-7	9/5/2006	Aniline	<		2	10	UG/L	1 UJ

tmpAnalyticalResultsOverTime

SWB-7	12/5/2006	Aniline	<		2	10	UG/L	1	
SWB-7	3/2/2007	Aniline	<		2	10	UG/L	1	
SWB-7	6/1/2007	Aniline	<		2	10	UG/L	1	
SWB-7	9/7/2007	Aniline	<		1.5	10	UG/L	1	
SWB-7	12/3/2007	Aniline	<		1.5	10	UG/L	1	
SWB-7	3/6/2008	Aniline	<		2	10	UG/L	1	
SWB-7	6/6/2008	Aniline	<		2	10	UG/L	1	
SWB-7	9/8/2008	Aniline	<		2	10	UG/L	1	
SWB-7	12/5/2008	Aniline	<		2	10	UG/L	1	R
SWB-7	3/2/2009	Aniline	<		2	10	UG/L	1	R
SWB-7	6/5/2009	Aniline	<		2	10	UG/L	1	R
SWB-7	9/9/2009	Aniline	<		2	10	UG/L	1	UJ
SWB-7	12/1/2009	Aniline	<		2	10	UG/L	1	
SWB-7	3/2/2010	Aniline	<	9.5	1.9	9.5	UG/L	1	
SWB-7	6/1/2010	ANILINE	<	1.9	1.9	9.6	UG/L	1	DNR
SWB-7	6/1/2010	ANILINE	<	2	2	10	UG/L	1	R
SWB-7	9/9/2010	ANILINE	<	1.9	1.9	9.6	UG/L	1	
SWB-7	12/1/2010	ANILINE	<	1.9	1.9	9.3	UG/L	1	
SWB-8	3/5/2004	Aniline	<		4	10	ug/L	1	
SWB-8	3/7/2005	Aniline	<		6.8	10	ug/L	1	
SWB-8	6/1/2005	Aniline	<		6.8	10	ug/L	1	
SWB-8	3/1/2006	Aniline	<		6.8	10	UG/L	1	
SWB-8	3/7/2008	Aniline	<		2	10	UG/L	1	
SWB-8	3/3/2009	Aniline	<		2	10	UG/L	1	R
SWB-9	3/4/2003	Aniline	<		4.1	10	ug/L	1	
SWB-9	12/3/2003	Aniline	<		4	10	ug/L	1	
SWB-9	3/5/2004	Aniline	<		4	10	ug/L	1	
SWB-9	5/27/2004	Aniline	<		4	10	ug/L	1	UJ
SWB-9	12/1/2004	Aniline	<		4	10	ug/L	1	
SWB-9	3/3/2005	Aniline	<		6.8	10	ug/L	1	
SWB-9	6/2/2005	Aniline	<		6.8	10	ug/L	1	
SWB-9	9/1/2005	Aniline	<		6.8	10	ug/L	1	
SWB-9	12/1/2005	Aniline	<		6.8	10	UG/L	1	UJ
SWB-9	3/2/2006	Aniline	<		6.8	10	UG/L	1	
SWB-9	6/1/2006	Aniline	<		2	10	UG/L	1	
SWB-9	12/4/2006	Aniline	<		2	10	UG/L	1	
SWB-9	3/5/2007	Aniline	<		2	10	UG/L	1	
SWB-9	3/6/2008	Aniline	<		2	10	UG/L	1	
SWB-9	6/5/2008	Aniline	<		2	10	UG/L	1	
SWB-9	12/5/2008	Aniline	<		2	10	UG/L	1	
SWB-9	12/5/2008	Aniline	<		2	10	UG/L	1	R
SWB-9	3/2/2009	Aniline	<		2	10	UG/L	1	R
SWB-9	6/2/2009	Aniline	<		2	10	UG/L	1	
SWB-9	6/2/2009	Aniline	<		2	10	UG/L	1	DNR
SWB-9	3/1/2010	Aniline	<	9.2	1.8	9.2	ug/L	1	R
SWB-9	6/1/2010	ANILINE	<	1.9	1.9	9.4	UG/L	1	DNR
SWB-9	6/1/2010	ANILINE	<	1.9	1.9	9.5	UG/L	1	
SWB-9	12/1/2010	ANILINE	<	1.9	1.9	9.3	UG/L	1	
SWB-10	3/4/2004	Anthracene	<		3	10	ug/L	1	0.00073 mg/L
SWB-10	5/24/2004	Anthracene	<		3	10	ug/L	1	UJ
SWB-10	12/1/2004	Anthracene	<		3	10	ug/L	1	
SWB-10	3/3/2005	Anthracene	<		1.9	10	ug/L	1	
SWB-10	6/2/2005	Anthracene	<		1.9	10	ug/L	1	
SWB-10	9/1/2005	Anthracene	<		1.9	10	ug/L	1	
SWB-10	3/2/2006	Anthracene	<		1.9	10	UG/L	1	
SWB-10	6/2/2006	Anthracene	<		1.9	10	UG/L	1	
SWB-10	3/1/2007	Anthracene	<		1.9	10	UG/L	1	UJ

tmpAnalyticalResultsOverTime

SWB-10	3/7/2008 Anthracene	<		0.42	10	UG/L	1
SWB-10	6/5/2008 Anthracene	<		0.42	10	UG/L	1
SWB-10	3/2/2009 Anthracene	<		0.42	4	UG/L	1
SWB-10	3/2/2009 Anthracene	<		0.42	4	UG/L	1 R
SWB-10	6/4/2009 Anthracene	<		0.42	4	UG/L	1
SWB-10	3/2/2010 Anthracene	<	3.7	0.39	3.7	UG/L	1
SWB-11	3/4/2004 Anthracene	<		3	10	ug/L	1
SWB-11	5/24/2004 Anthracene	<		3	10	ug/L	1 UJ
SWB-11	12/1/2004 Anthracene	<		3	10	ug/L	1
SWB-11	3/1/2005 Anthracene	<		1.9	10	ug/L	1
SWB-11	6/2/2005 Anthracene	<		1.9	10	ug/L	1
SWB-11	3/2/2006 Anthracene	<		1.9	10	UG/L	1
SWB-11	6/1/2006 Anthracene	<		1.9	10	UG/L	1
SWB-11	3/1/2007 Anthracene	<		1.9	10	UG/L	1 UJ
SWB-11	3/7/2008 Anthracene	<		0.42	10	UG/L	1
SWB-11	6/5/2008 Anthracene	<		0.42	10	UG/L	1
SWB-11	3/2/2009 Anthracene	<		0.42	4	UG/L	1
SWB-11	6/4/2009 Anthracene	<		0.42	4	UG/L	1
SWB-11	3/1/2010 Anthracene	<	3.7	0.39	3.7	ug/L	1
SWB-11	6/2/2010 ANTHRACENE	<	0.4	0.4	3.8	UG/L	1 UJ
SWB-3	10/29/2002 Anthracene	<		1.6	10	ug/L	1
SWB-3	3/4/2003 Anthracene	<		1.6	10	ug/L	1
SWB-3	6/3/2003 Anthracene	<		1.6	10	ug/L	1
SWB-3	9/4/2003 Anthracene	<		1.6	10	ug/L	1 UJ
SWB-3	12/2/2003 Anthracene	<		3	10	ug/L	1
SWB-3	3/1/2004 Anthracene	<		3	10	ug/L	1
SWB-3	6/1/2004 Anthracene	<		3	10	ug/L	1
SWB-3	9/1/2004 Anthracene	<		3	10	ug/L	1
SWB-3	12/1/2004 Anthracene	<		3	10	ug/L	1
SWB-3	3/3/2005 Anthracene	<		1.9	10	ug/L	1
SWB-3	6/2/2005 Anthracene	<		1.9	10	ug/L	1
SWB-3	9/1/2005 Anthracene	<		1.9	10	ug/L	1
SWB-3	12/1/2005 Anthracene	<		1.9	10	UG/L	1 UJ
SWB-3	3/2/2006 Anthracene	<		1.9	10	UG/L	1
SWB-3	6/2/2006 Anthracene	<		1.9	10	UG/L	1
SWB-3	9/5/2006 Anthracene	<		1.9	10	UG/L	1
SWB-3	9/5/2006 Anthracene	<		0.08	5	UG/L	1
SWB-3	12/4/2006 Anthracene	<		1.9	10	UG/L	1
SWB-3	3/1/2007 Anthracene	<		1.9	10	UG/L	1 UJ
SWB-3	6/1/2007 Anthracene	<		1.9	10	UG/L	1
SWB-3	6/1/2007 Anthracene	<		1.9	10	UG/L	1 R
SWB-3	12/3/2007 Anthracene	<		0.42	10	UG/L	1 R
SWB-3	3/6/2008 Anthracene	<		0.42	10	UG/L	1
SWB-3	6/9/2008 Anthracene	<		0.42	10	UG/L	1
SWB-3	12/4/2008 Anthracene	<		0.42	4	UG/L	1
SWB-3	3/2/2009 Anthracene	<		0.42	4	UG/L	1
SWB-3	3/2/2009 Anthracene	<		0.42	4	UG/L	1 R
SWB-3	6/4/2009 Anthracene	<		0.42	4	UG/L	1
SWB-3	12/1/2009 Anthracene	<		0.42	4	UG/L	1
SWB-3	12/1/2009 Anthracene	<		0.42	4	UG/L	1 DNR
SWB-3	3/1/2010 Anthracene	<	3.9	0.41	3.9	ug/L	1 UJ
SWB-3	6/1/2010 ANTHRACENE	<	0.39	0.39	3.7	UG/L	1 UJ
SWB-3	6/1/2010 ANTHRACENE	<	0.4	0.4	3.8	UG/L	1 DNR
SWB-3	9/9/2010 ANTHRACENE	<	0.39	0.39	3.7	UG/L	1
SWB-4	11/15/2002 Anthracene	<		1.6	10	ug/L	1
SWB-5	10/29/2002 Anthracene	<		1.6	10	ug/L	1
SWB-6	3/4/2003 Anthracene	<		1.6	10	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	6/3/2003 Anthracene	<		1.6	10	ug/L	1
SWB-6	12/3/2003 Anthracene	<		3	10	ug/L	1
SWB-6	3/5/2004 Anthracene	<		3	10	ug/L	1
SWB-6	6/1/2004 Anthracene	<		3	10	ug/L	1
SWB-6	12/1/2004 Anthracene	<		3	10	ug/L	1
SWB-6	3/7/2005 Anthracene	<		1.9	10	ug/L	1
SWB-6	6/1/2005 Anthracene	<		1.9	10	ug/L	1
SWB-6	12/2/2005 Anthracene	<		1.9	10	UG/L	1 UJ
SWB-6	3/1/2006 Anthracene	<		1.9	10	UG/L	1
SWB-6	6/1/2006 Anthracene	<		1.9	10	UG/L	1
SWB-6	12/5/2006 Anthracene	<		1.9	10	UG/L	1
SWB-6	3/2/2007 Anthracene	<		1.9	10	UG/L	1 UJ
SWB-6	3/6/2008 Anthracene	<		0.42	10	UG/L	1
SWB-6	6/9/2008 Anthracene	<		0.42	10	UG/L	1
SWB-6	12/5/2008 Anthracene	<		0.42	4	UG/L	1
SWB-6	12/5/2008 Anthracene	<		0.42	4	UG/L	1 R
SWB-6	3/2/2009 Anthracene	<		0.42	4	UG/L	1
SWB-6	3/2/2009 Anthracene	<		0.42	4	UG/L	1 R
SWB-6	6/5/2009 Anthracene	<		0.42	4	UG/L	1
SWB-6	3/2/2010 Anthracene	<	3.6	0.38	3.6	UG/L	1
SWB-6	6/2/2010 ANTHRACENE	<	0.4	0.4	3.8	UG/L	1 DNR
SWB-6	6/2/2010 ANTHRACENE	<	0.4	0.4	3.8	UG/L	1 UJ
SWB-7	3/4/2003 Anthracene	<		1.6	10	ug/L	1
SWB-7	6/3/2003 Anthracene	<		1.6	10	ug/L	1
SWB-7	3/1/2004 Anthracene	<		3	10	ug/L	1
SWB-7	5/24/2004 Anthracene	<		3	10	ug/L	1
SWB-7	12/1/2004 Anthracene	<		3	10	ug/L	1
SWB-7	3/7/2005 Anthracene	<		1.9	10	ug/L	1 UJ
SWB-7	6/1/2005 Anthracene	<		1.9	10	ug/L	1
SWB-7	9/1/2005 Anthracene	<		1.9	10	ug/L	1
SWB-7	12/1/2005 Anthracene	<		1.9	10	UG/L	1 UJ
SWB-7	3/1/2006 Anthracene	<		1.9	10	UG/L	1
SWB-7	6/2/2006 Anthracene	<		1.9	10	UG/L	1
SWB-7	9/5/2006 Anthracene	<		1.9	10	UG/L	1 UJ
SWB-7	9/5/2006 Anthracene	<		0.08	5	UG/L	1
SWB-7	12/5/2006 Anthracene	<		1.9	10	UG/L	1
SWB-7	3/2/2007 Anthracene	<		1.9	10	UG/L	1 UJ
SWB-7	6/1/2007 Anthracene	<		1.9	10	UG/L	1
SWB-7	9/7/2007 Anthracene	<		0.42	10	UG/L	1
SWB-7	12/3/2007 Anthracene	<		0.42	10	UG/L	1 R
SWB-7	3/6/2008 Anthracene	<		0.42	10	UG/L	1
SWB-7	6/6/2008 Anthracene	<		0.42	10	UG/L	1
SWB-7	9/8/2008 Anthracene	<		0.42	4	UG/L	1
SWB-7	12/5/2008 Anthracene	<		0.42	4	UG/L	1
SWB-7	12/5/2008 Anthracene	<		0.42	4	UG/L	1 R
SWB-7	3/2/2009 Anthracene	<		0.42	4	UG/L	1
SWB-7	3/2/2009 Anthracene	<		0.42	4	UG/L	1 R
SWB-7	6/5/2009 Anthracene	<		0.42	4	UG/L	1
SWB-7	9/9/2009 Anthracene	<		0.42	4	UG/L	1
SWB-7	12/1/2009 Anthracene	<		0.42	4	UG/L	1
SWB-7	3/2/2010 Anthracene	<	3.8	0.4	3.8	UG/L	1
SWB-7	6/1/2010 ANTHRACENE	<	0.4	0.4	3.8	UG/L	1 DNR
SWB-7	6/1/2010 ANTHRACENE	<	0.42	0.42	4	UG/L	1 R
SWB-7	9/9/2010 ANTHRACENE	<	0.4	0.4	3.9	UG/L	1
SWB-7	12/1/2010 ANTHRACENE	<	0.39	0.39	3.7	UG/L	1
SWB-8	3/5/2004 Anthracene	<		3	10	ug/L	1
SWB-8	3/7/2005 Anthracene	<		1.9	10	ug/L	1



tmpAnalyticalResultsOverTime

SWB-8	6/1/2005 Anthracene	<		1.9	10	ug/L	1	
SWB-8	3/1/2006 Anthracene	<		1.9	10	UG/L	1	
SWB-8	3/7/2008 Anthracene	<		0.42	10	UG/L	1	
SWB-8	3/3/2009 Anthracene	<		0.42	4	UG/L	1	
SWB-8	3/3/2009 Anthracene	<		0.42	4	UG/L	1	R
SWB-9	3/4/2003 Anthracene	<		1.6	10	ug/L	1	
SWB-9	12/3/2003 Anthracene	<		3	10	ug/L	1	
SWB-9	3/5/2004 Anthracene	<		3	10	ug/L	1	
SWB-9	5/27/2004 Anthracene	<		3	10	ug/L	1	UJ
SWB-9	12/1/2004 Anthracene	<		3	10	ug/L	1	
SWB-9	3/3/2005 Anthracene	<		1.9	10	ug/L	1	
SWB-9	6/2/2005 Anthracene	<		1.9	10	ug/L	1	
SWB-9	9/1/2005 Anthracene	<		1.9	10	ug/L	1	
SWB-9	12/1/2005 Anthracene	<		1.9	10	UG/L	1	UJ
SWB-9	3/2/2006 Anthracene	<		1.9	10	UG/L	1	
SWB-9	6/1/2006 Anthracene	<		1.9	10	UG/L	1	
SWB-9	12/4/2006 Anthracene	<		1.9	10	UG/L	1	
SWB-9	3/5/2007 Anthracene	<		1.9	10	UG/L	1	UJ
SWB-9	3/6/2008 Anthracene	<		0.42	10	UG/L	1	
SWB-9	6/5/2008 Anthracene	<		0.42	10	UG/L	1	
SWB-9	12/5/2008 Anthracene	<		0.42	4	UG/L	1	
SWB-9	12/5/2008 Anthracene	<		0.42	4	UG/L	1	R
SWB-9	3/2/2009 Anthracene	<		0.42	4	UG/L	1	
SWB-9	3/2/2009 Anthracene	<		0.42	4	UG/L	1	R
SWB-9	6/2/2009 Anthracene	<		0.42	4	UG/L	1	
SWB-9	6/2/2009 Anthracene	<		0.42	4	UG/L	1	DNR
SWB-9	3/1/2010 Anthracene	<	3.7	0.39	3.7	ug/L	1	
SWB-9	6/1/2010 ANTHRACENE	<	0.39	0.39	3.8	UG/L	1	DNR
SWB-9	6/1/2010 ANTHRACENE	<	0.4	0.4	3.8	UG/L	1	UJ
SWB-9	12/1/2010 ANTHRACENE	<	0.39	0.39	3.7	UG/L	1	
SWB-10	3/4/2004 Aramite	<		2	20	ug/L	1	NA
SWB-10	5/24/2004 Aramite	<		2	20	ug/L	1	UJ
SWB-10	12/1/2004 Aramite	<		2	20	ug/L	1	
SWB-10	3/3/2005 Aramite	<		2	20	ug/L	1	
SWB-10	6/2/2005 Aramite	<		2	20	ug/L	1	
SWB-10	9/1/2005 Aramite	<		2	20	ug/L	1	
SWB-10	3/2/2006 Aramite	<		2	20	UG/L	1	
SWB-10	6/2/2006 Aramite	<		0.99	20	UG/L	1	
SWB-10	3/1/2007 Aramite	<		0.99	20	UG/L	1	
SWB-10	3/7/2008 Aramite	<		20	20	UG/L	1	
SWB-10	6/5/2008 Aramite	<		20	20	UG/L	1	
SWB-10	3/2/2009 Aramite	<		20	20	UG/L	1	
SWB-10	3/2/2009 Aramite	<		20	20	UG/L	1	R
SWB-10	6/4/2009 Aramite	<		20	20	UG/L	1	
SWB-10	3/2/2010 Aramite	<	37	19	37	UG/L	1	
SWB-11	3/4/2004 Aramite	<		2	20	ug/L	1	
SWB-11	5/24/2004 Aramite	<		2	20	ug/L	1	UJ
SWB-11	12/1/2004 Aramite	<		2	20	ug/L	1	
SWB-11	3/1/2005 Aramite	<		2	20	ug/L	1	
SWB-11	6/2/2005 Aramite	<		2	20	ug/L	1	
SWB-11	3/2/2006 Aramite	<		2	20	UG/L	1	
SWB-11	6/1/2006 Aramite	<		0.99	20	UG/L	1	
SWB-11	3/1/2007 Aramite	<		0.99	20	UG/L	1	
SWB-11	3/7/2008 Aramite	<		20	20	UG/L	1	
SWB-11	6/5/2008 Aramite	<		20	20	UG/L	1	
SWB-11	3/2/2009 Aramite	<		20	20	UG/L	1	
SWB-11	6/4/2009 Aramite	<		20	20	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-11	3/1/2010 Aramite	<	37	19	37	ug/L	1
SWB-11	6/2/2010 ARAMITE	<	8.7	8.7	38	UG/L	1
SWB-3	10/29/2002 Aramite	<		1.9	20	ug/L	1
SWB-3	3/4/2003 Aramite	<		1.9	20	ug/L	1
SWB-3	6/3/2003 Aramite	<		1.9	20	ug/L	1
SWB-3	9/4/2003 Aramite	<		2	20	ug/L	1 UJ
SWB-3	12/2/2003 Aramite	<		2	20	ug/L	1
SWB-3	3/1/2004 Aramite	<		2	20	ug/L	1
SWB-3	6/1/2004 Aramite	<		2	20	ug/L	1
SWB-3	9/1/2004 Aramite	<		2	20	ug/L	1
SWB-3	12/1/2004 Aramite	<		2	20	ug/L	1
SWB-3	3/3/2005 Aramite	<		2	20	ug/L	1
SWB-3	6/2/2005 Aramite	<		2	20	ug/L	1
SWB-3	9/1/2005 Aramite	<		2	20	ug/L	1
SWB-3	12/1/2005 Aramite	<		2	20	UG/L	1 UJ
SWB-3	3/2/2006 Aramite	<		2	20	UG/L	1
SWB-3	6/2/2006 Aramite	<		0.99	20	UG/L	1
SWB-3	9/5/2006 Aramite	<		0.99	20	UG/L	1
SWB-3	12/4/2006 Aramite	<		0.99	20	UG/L	1
SWB-3	3/1/2007 Aramite	<		0.99	20	UG/L	1
SWB-3	6/1/2007 Aramite	<		0.99	20	UG/L	1
SWB-3	6/1/2007 Aramite	<		0.99	20	UG/L	1 R
SWB-3	12/3/2007 Aramite	<		0.99	20	UG/L	1
SWB-3	3/6/2008 Aramite	<		20	20	UG/L	1
SWB-3	6/9/2008 Aramite	<		20	20	UG/L	1
SWB-3	12/4/2008 Aramite	<		20	20	UG/L	1
SWB-3	3/2/2009 Aramite	<		20	20	UG/L	1
SWB-3	3/2/2009 Aramite	<		20	20	UG/L	1 R
SWB-3	6/4/2009 Aramite	<		20	20	UG/L	1
SWB-3	12/1/2009 Aramite	<		20	20	UG/L	1
SWB-3	12/1/2009 Aramite	<		20	20	UG/L	1 DNR
SWB-3	3/1/2010 Aramite	<	39	19	39	ug/L	1 UJ
SWB-3	6/1/2010 ARAMITE	<	8.6	8.6	37	UG/L	1
SWB-3	6/1/2010 ARAMITE	<	8.7	8.7	38	UG/L	1 DNR
SWB-3	9/9/2010 ARAMITE	<	8.6	8.6	37	UG/L	1
SWB-4	11/15/2002 Aramite	<		1.9	20	ug/L	1
SWB-5	10/29/2002 Aramite	<		1.9	20	ug/L	1
SWB-6	3/4/2003 Aramite	<		1.9	20	ug/L	1
SWB-6	6/3/2003 Aramite	<		1.9	20	ug/L	1
SWB-6	12/3/2003 Aramite	<		2	20	ug/L	1
SWB-6	3/5/2004 Aramite	<		2	20	ug/L	1
SWB-6	6/1/2004 Aramite	<		2	20	ug/L	1
SWB-6	12/1/2004 Aramite	<		2	20	ug/L	1
SWB-6	3/7/2005 Aramite	<		2	20	ug/L	1
SWB-6	6/1/2005 Aramite	<		2	20	ug/L	1
SWB-6	12/2/2005 Aramite	<		2	20	UG/L	1 UJ
SWB-6	3/1/2006 Aramite	<		2	20	UG/L	1
SWB-6	6/1/2006 Aramite	<		0.99	20	UG/L	1
SWB-6	12/5/2006 Aramite	<		0.99	20	UG/L	1
SWB-6	3/2/2007 Aramite	<		0.99	20	UG/L	1
SWB-6	3/6/2008 Aramite	<		20	20	UG/L	1
SWB-6	6/9/2008 Aramite	<		20	20	UG/L	1
SWB-6	12/5/2008 Aramite	<		20	20	UG/L	1
SWB-6	12/5/2008 Aramite	<		20	20	UG/L	1 R
SWB-6	3/2/2009 Aramite	<		20	20	UG/L	1
SWB-6	3/2/2009 Aramite	<		20	20	UG/L	1 R
SWB-6	6/5/2009 Aramite	<		20	20	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	3/2/2010	Aramite	<	36	18	36	UG/L	1
SWB-6	6/2/2010	ARAMITE	<	8.7	8.7	38	UG/L	1 DNR
SWB-6	6/2/2010	ARAMITE	<	8.8	8.8	38	UG/L	1
SWB-7	3/4/2003	Aramite	<		1.9	20	ug/L	1
SWB-7	6/3/2003	Aramite	<		1.9	20	ug/L	1
SWB-7	3/1/2004	Aramite	<		2	20	ug/L	1
SWB-7	5/24/2004	Aramite	<		2	20	ug/L	1
SWB-7	12/1/2004	Aramite	<		2	20	ug/L	1
SWB-7	3/7/2005	Aramite	<		2	20	ug/L	1
SWB-7	6/1/2005	Aramite	<		2	20	ug/L	1
SWB-7	9/1/2005	Aramite	<		2	20	ug/L	1
SWB-7	12/1/2005	Aramite	<		2	20	UG/L	1 UJ
SWB-7	3/1/2006	Aramite	<		2	20	UG/L	1
SWB-7	6/2/2006	Aramite	<		0.99	20	UG/L	1
SWB-7	9/5/2006	Aramite	<		0.99	20	UG/L	1 UJ
SWB-7	12/5/2006	Aramite	<		0.99	20	UG/L	1
SWB-7	3/2/2007	Aramite	<		0.99	20	UG/L	1
SWB-7	6/1/2007	Aramite	<		0.99	20	UG/L	1
SWB-7	9/7/2007	Aramite	<		0.99	20	UG/L	1
SWB-7	12/3/2007	Aramite	<		0.99	20	UG/L	1
SWB-7	3/6/2008	Aramite	<		20	20	UG/L	1
SWB-7	6/6/2008	Aramite	<		20	20	UG/L	1
SWB-7	9/8/2008	Aramite	<		20	20	UG/L	1
SWB-7	12/5/2008	Aramite	<		20	20	UG/L	1
SWB-7	12/5/2008	Aramite	<		20	20	UG/L	1 R
SWB-7	3/2/2009	Aramite	<		20	20	UG/L	1
SWB-7	3/2/2009	Aramite	<		20	20	UG/L	1 R
SWB-7	6/5/2009	Aramite	<		20	20	UG/L	1
SWB-7	9/9/2009	Aramite	<		20	20	UG/L	1
SWB-7	12/1/2009	Aramite	<		20	20	UG/L	1
SWB-7	3/2/2010	Aramite	<	38	19	38	UG/L	1
SWB-7	6/1/2010	ARAMITE	<	8.8	8.8	38	UG/L	1 DNR
SWB-7	6/1/2010	ARAMITE	<	9.2	9.2	40	UG/L	1 R
SWB-7	9/9/2010	ARAMITE	<	8.9	8.9	39	UG/L	1
SWB-7	12/1/2010	ARAMITE	<	8.6	8.6	37	UG/L	1
SWB-8	3/5/2004	Aramite	<		2	20	ug/L	1
SWB-8	3/7/2005	Aramite	<		2	20	ug/L	1
SWB-8	6/1/2005	Aramite	<		2	20	ug/L	1
SWB-8	3/1/2006	Aramite	<		2	20	UG/L	1
SWB-8	3/7/2008	Aramite	<		20	20	UG/L	1
SWB-8	3/3/2009	Aramite	<		20	20	UG/L	1
SWB-8	3/3/2009	Aramite	<		20	20	UG/L	1 R
SWB-9	3/4/2003	Aramite	<		1.9	20	ug/L	1
SWB-9	12/3/2003	Aramite	<		2	20	ug/L	1
SWB-9	3/5/2004	Aramite	<		2	20	ug/L	1
SWB-9	5/27/2004	Aramite	<		2	20	ug/L	1 UJ
SWB-9	12/1/2004	Aramite	<		2	20	ug/L	1
SWB-9	3/3/2005	Aramite	<		2	20	ug/L	1
SWB-9	6/2/2005	Aramite	<		2	20	ug/L	1
SWB-9	9/1/2005	Aramite	<		2	20	ug/L	1
SWB-9	12/1/2005	Aramite	<		2	20	UG/L	1 UJ
SWB-9	3/2/2006	Aramite	<		2	20	UG/L	1
SWB-9	6/1/2006	Aramite	<		0.99	20	UG/L	1
SWB-9	12/4/2006	Aramite	<		0.99	20	UG/L	1
SWB-9	3/5/2007	Aramite	<		0.99	20	UG/L	1
SWB-9	3/6/2008	Aramite	<		20	20	UG/L	1
SWB-9	6/5/2008	Aramite	<		20	20	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	12/5/2008	Aramite	<		20	20	UG/L	1	
SWB-9	12/5/2008	Aramite	<		20	20	UG/L	1	R
SWB-9	3/2/2009	Aramite	<		20	20	UG/L	1	
SWB-9	3/2/2009	Aramite	<		20	20	UG/L	1	R
SWB-9	6/2/2009	Aramite	<		20	20	UG/L	1	
SWB-9	6/2/2009	Aramite	<		20	20	UG/L	1	DNR
SWB-9	3/1/2010	Aramite	<	37	18	37	ug/L	1	
SWB-9	6/1/2010	ARAMITE	<	8.6	8.6	38	UG/L	1	DNR
SWB-9	6/1/2010	ARAMITE	<	8.7	8.7	38	UG/L	1	
SWB-9	12/1/2010	ARAMITE	<	8.6	8.6	37	UG/L	1	
SWB-10	3/2/2010	Arsenic	TR	0.018	0.0021	0.05	MG/L	10	J NA
SWB-11	3/1/2010	Arsenic	TR	0.03	0.0021	0.05	mg/L	10	J
SWB-11	6/2/2010	ARSENIC	TR	0.036	0.021	0.5	MG/L	100	J
SWB-3	3/1/2010	Arsenic	=	0.029	0.001	0.025	mg/L	5	
SWB-3	6/1/2010	ARSENIC	TR	0.038	0.0042	0.1	MG/L	20	J
SWB-3	9/9/2010	ARSENIC	=	0.03	0.001	0.025	MG/L	5	J
SWB-6	3/2/2010	Arsenic	=	0.064	0.0021	0.05	MG/L	10	
SWB-6	6/2/2010	ARSENIC	TR	0.1	0.0052	0.12	MG/L	25	J
SWB-7	3/2/2010	Arsenic	TR	0.0089	0.00042	0.01	MG/L	2	J
SWB-7	6/1/2010	ARSENIC	TR	0.02	0.0042	0.1	MG/L	20	J
SWB-7	9/9/2010	ARSENIC	=	0.047	0.001	0.025	MG/L	5	J
SWB-7	12/1/2010	ARSENIC	=	0.052	0.001	0.025	MG/L	5	J
SWB-9	3/1/2010	Arsenic	=	0.052	0.0021	0.05	mg/L	10	
SWB-9	6/1/2010	ARSENIC	TR	0.14	0.021	0.5	MG/L	100	J
SWB-9	12/1/2010	ARSENIC	=	0.069	0.001	0.025	MG/L	5	J
SWB-3	10/29/2002	Arsenic-DISSOLVED	TR	0.041	0.018	0.075	mg/L	5	J 0.15 mg/L
SWB-4	11/15/2002	Arsenic-DISSOLVED	<		0.018	0.075	mg/L	5	
SWB-5	10/29/2002	Arsenic-DISSOLVED	TR	0.062	0.018	0.075	mg/L	5	J
SWB-10	3/4/2004	Arsenic-TOTAL	=	0.019	0.0049	0.015	mg/L	1	J NA
SWB-10	5/24/2004	Arsenic-TOTAL	=	0.021	0.0049	0.015	mg/L	1	
SWB-10	12/1/2004	Arsenic-TOTAL	=	0.017	0.0034	0.015	mg/L	1	
SWB-10	3/3/2005	Arsenic-TOTAL	TR	0.014	0.0034	0.015	mg/L	1	J
SWB-10	6/2/2005	Arsenic-TOTAL	=	0.021	0.0044	0.015	mg/L	1	J
SWB-10	9/1/2005	Arsenic-TOTAL	TR	0.025	0.022	0.075	MG/L	5	J
SWB-10	3/2/2006	Arsenic-TOTAL	TR	0.022	0.022	0.075	MG/L	5	J
SWB-10	6/2/2006	Arsenic-TOTAL	<		0.044	0.15	MG/L	10	
SWB-10	3/1/2007	Arsenic-TOTAL	TR	0.039	0.0021	0.05	MG/L	10	J
SWB-10	3/7/2008	Arsenic-TOTAL	TR	0.03	0.0042	0.1	MG/L	20	J
SWB-10	6/5/2008	Arsenic-TOTAL	=	0.1	0.0042	0.1	MG/L	20	J
SWB-10	3/2/2009	Arsenic-TOTAL	TR	0.017	0.001	0.025	MG/L	5	J
SWB-10	6/4/2009	Arsenic-TOTAL	TR	0.032	0.0021	0.05	MG/L	10	J
SWB-11	3/4/2004	Arsenic-TOTAL	=	0.027	0.0049	0.015	mg/L	1	
SWB-11	5/24/2004	Arsenic-TOTAL	=	0.037	0.0049	0.015	mg/L	1	
SWB-11	12/1/2004	Arsenic-TOTAL	=	0.016	0.0034	0.015	mg/L	1	
SWB-11	3/1/2005	Arsenic-TOTAL	=	0.019	0.0034	0.015	mg/L	1	
SWB-11	6/2/2005	Arsenic-TOTAL	=	0.02	0.0044	0.015	mg/L	1	J
SWB-11	3/2/2006	Arsenic-TOTAL	<		0.022	0.075	MG/L	5	
SWB-11	6/1/2006	Arsenic-TOTAL	<		0.044	0.15	MG/L	10	
SWB-11	3/1/2007	Arsenic-TOTAL	=	0.11	0.0021	0.05	MG/L	10	J
SWB-11	3/7/2008	Arsenic-TOTAL	TR	0.033	0.0021	0.05	MG/L	10	J
SWB-11	6/5/2008	Arsenic-TOTAL	TR	0.096	0.0042	0.1	MG/L	20	J
SWB-11	3/2/2009	Arsenic-TOTAL	TR	0.018	0.001	0.025	MG/L	5	J
SWB-11	6/4/2009	Arsenic-TOTAL	TR	0.022	0.0021	0.05	MG/L	10	J
SWB-3	10/29/2002	Arsenic-TOTAL	TR	0.029	0.018	0.075	mg/L	5	J
SWB-3	3/4/2003	Arsenic-TOTAL	=	0.031	0.0036	0.015	mg/L	1	
SWB-3	6/3/2003	Arsenic-TOTAL	=	0.062	0.0049	0.015	mg/L	1	
SWB-3	9/4/2003	Arsenic-TOTAL	=	1.1	0.049	0.15	mg/L	10	

tmpAnalyticalResultsOverTime

SWB-3	12/2/2003	Arsenic-TOTAL	=	0.065	0.0049	0.015	mg/L	1
SWB-3	3/1/2004	Arsenic-TOTAL	<		0.0049	0.015	mg/L	1
SWB-3	6/1/2004	Arsenic-TOTAL	=	0.033	0.0049	0.015	mg/L	1
SWB-3	9/1/2004	Arsenic-TOTAL	TR	0.04	0.017	0.075	mg/L	5 J
SWB-3	12/1/2004	Arsenic-TOTAL	=	0.032	0.0034	0.015	mg/L	1
SWB-3	3/3/2005	Arsenic-TOTAL	=	0.025	0.0034	0.015	mg/L	1
SWB-3	6/2/2005	Arsenic-TOTAL	=	0.028	0.0044	0.015	mg/L	1 J
SWB-3	9/1/2005	Arsenic-TOTAL	=	0.058	0.0044	0.015	MG/L	1 J
SWB-3	12/1/2005	Arsenic-TOTAL	=	0.05	0.0044	0.015	MG/L	1
SWB-3	3/2/2006	Arsenic-TOTAL	=	0.042	0.0044	0.015	MG/L	1
SWB-3	6/2/2006	Arsenic-TOTAL	=	0.036	0.0044	0.015	MG/L	1
SWB-3	9/5/2006	Arsenic-TOTAL	=	0.077	0.0021	0.05	MG/L	10 J
SWB-3	12/4/2006	Arsenic-TOTAL	=	0.064	0.0021	0.05	MG/L	10 J
SWB-3	3/1/2007	Arsenic-TOTAL	TR	0.044	0.0021	0.05	MG/L	10 J
SWB-3	6/1/2007	Arsenic-TOTAL	=	0.039	0.001	0.025	MG/L	5 J
SWB-3	12/3/2007	Arsenic-TOTAL	=	0.018	0.00021	0.005	MG/L	1
SWB-3	3/6/2008	Arsenic-TOTAL	=	0.0063	0.00021	0.005	MG/L	1 J
SWB-3	6/9/2008	Arsenic-TOTAL	=	0.027	0.001	0.025	MG/L	5 J
SWB-3	12/4/2008	Arsenic-TOTAL	=	0.027	0.00021	0.005	MG/L	1
SWB-3	3/2/2009	Arsenic-TOTAL	TR	0.024	0.001	0.025	MG/L	5 J
SWB-3	6/4/2009	Arsenic-TOTAL	=	0.031	0.00021	0.005	MG/L	1
SWB-3	12/1/2009	Arsenic-TOTAL	TR	0.017	0.0021	0.05	MG/L	10 J
SWB-4	11/15/2002	Arsenic-TOTAL	<		0.018	0.075	mg/L	5
SWB-5	10/29/2002	Arsenic-TOTAL	TR	0.038	0.036	0.15	mg/L	10 J
SWB-6	3/4/2003	Arsenic-TOTAL	=	0.051	0.0036	0.015	mg/L	1
SWB-6	6/3/2003	Arsenic-TOTAL	=	0.2	0.0049	0.015	mg/L	1
SWB-6	12/3/2003	Arsenic-TOTAL	=	0.2	0.024	0.075	mg/L	5
SWB-6	3/5/2004	Arsenic-TOTAL	=	0.032	0.0049	0.015	mg/L	1
SWB-6	6/1/2004	Arsenic-TOTAL	=	0.11	0.0049	0.015	mg/L	1
SWB-6	12/1/2004	Arsenic-TOTAL	=	0.088	0.0034	0.015	mg/L	1
SWB-6	3/7/2005	Arsenic-TOTAL	=	0.036	0.0034	0.015	mg/L	1
SWB-6	6/1/2005	Arsenic-TOTAL	=	0.039	0.0044	0.015	mg/L	1 J
SWB-6	12/2/2005	Arsenic-TOTAL	TR	0.12	0.044	0.15	MG/L	10 J
SWB-6	3/1/2006	Arsenic-TOTAL	=	0.051	0.0044	0.015	MG/L	1
SWB-6	6/1/2006	Arsenic-TOTAL	TR	0.069	0.022	0.075	MG/L	5 J
SWB-6	12/5/2006	Arsenic-TOTAL	=	0.11	0.0042	0.1	MG/L	20 J
SWB-6	3/2/2007	Arsenic-TOTAL	=	0.072	0.0021	0.05	MG/L	10
SWB-6	3/6/2008	Arsenic-TOTAL	=	0.037	0.001	0.025	MG/L	5 J
SWB-6	6/9/2008	Arsenic-TOTAL	=	0.19	0.0042	0.1	MG/L	20 J
SWB-6	12/5/2008	Arsenic-TOTAL	=	0.2	0.0042	0.1	MG/L	20 J
SWB-6	3/2/2009	Arsenic-TOTAL	=	0.038	0.001	0.025	MG/L	5
SWB-6	6/5/2009	Arsenic-TOTAL	=	0.072	0.00042	0.01	MG/L	2
SWB-7	3/4/2003	Arsenic-TOTAL	=	0.082	0.0072	0.03	mg/L	2
SWB-7	6/3/2003	Arsenic-TOTAL	=	0.21	0.0098	0.03	mg/L	2
SWB-7	3/1/2004	Arsenic-TOTAL	=	0.065	0.0049	0.015	mg/L	1
SWB-7	5/24/2004	Arsenic-TOTAL	=	0.063	0.0049	0.015	mg/L	1
SWB-7	12/1/2004	Arsenic-TOTAL	=	0.15	0.0034	0.015	mg/L	1
SWB-7	3/7/2005	Arsenic-TOTAL	=	0.052	0.0034	0.015	mg/L	1
SWB-7	6/1/2005	Arsenic-TOTAL	=	0.045	0.0044	0.015	mg/L	1 J
SWB-7	9/1/2005	Arsenic-TOTAL	=	0.083	0.0044	0.015	MG/L	1 J
SWB-7	12/1/2005	Arsenic-TOTAL	=	0.083	0.0044	0.015	MG/L	1
SWB-7	3/1/2006	Arsenic-TOTAL	=	0.028	0.0044	0.015	MG/L	1
SWB-7	6/2/2006	Arsenic-TOTAL	=	0.038	0.0044	0.015	MG/L	1
SWB-7	9/5/2006	Arsenic-TOTAL	=	0.045	0.00021	0.005	MG/L	1 J
SWB-7	12/5/2006	Arsenic-TOTAL	TR	0.045	0.0021	0.05	MG/L	10 J
SWB-7	3/2/2007	Arsenic-TOTAL	TR	0.023	0.0021	0.05	MG/L	10 J
SWB-7	6/1/2007	Arsenic-TOTAL	=	0.053	0.001	0.025	MG/L	5 J

tmpAnalyticalResultsOverTime

SWB-7	9/7/2007	Arsenic-TOTAL	=	0.075	0.00021	0.005	MG/L	1	
SWB-7	12/3/2007	Arsenic-TOTAL	=	0.046	0.00021	0.005	MG/L	1	
SWB-7	3/6/2008	Arsenic-TOTAL	=	0.025	0.00021	0.005	MG/L	1	J
SWB-7	6/6/2008	Arsenic-TOTAL	=	0.051	0.00021	0.005	MG/L	1	J
SWB-7	9/8/2008	Arsenic-TOTAL	=	0.07	0.001	0.025	MG/L	5	
SWB-7	12/5/2008	Arsenic-TOTAL	=	0.056	0.00021	0.005	MG/L	1	J
SWB-7	3/2/2009	Arsenic-TOTAL	=	0.026	0.00021	0.005	MG/L	1	
SWB-7	6/5/2009	Arsenic-TOTAL	=	0.04	0.00042	0.01	MG/L	2	
SWB-7	9/9/2009	Arsenic-TOTAL	TR	0.042	0.0021	0.05	MG/L	10	J
SWB-7	12/1/2009	Arsenic-TOTAL	=	0.027	0.001	0.025	MG/L	5	
SWB-8	3/5/2004	Arsenic-TOTAL	=	0.021	0.0049	0.015	mg/L	1	
SWB-8	3/7/2005	Arsenic-TOTAL	=	0.024	0.0034	0.015	mg/L	1	
SWB-8	6/1/2005	Arsenic-TOTAL	=	0.028	0.0044	0.015	mg/L	1	J
SWB-8	3/1/2006	Arsenic-TOTAL	=	0.033	0.0044	0.015	MG/L	1	
SWB-8	3/7/2008	Arsenic-TOTAL	=	0.036	0.001	0.025	MG/L	5	J
SWB-8	3/3/2009	Arsenic-TOTAL	TR	0.02	0.001	0.025	MG/L	5	J
SWB-9	3/4/2003	Arsenic-TOTAL	=	0.037	0.0036	0.015	mg/L	1	
SWB-9	12/3/2003	Arsenic-TOTAL	=	0.079	0.024	0.075	mg/L	5	
SWB-9	3/5/2004	Arsenic-TOTAL	=	0.018	0.0049	0.015	mg/L	1	
SWB-9	5/27/2004	Arsenic-TOTAL	=	0.092	0.024	0.075	mg/L	5	
SWB-9	12/1/2004	Arsenic-TOTAL	=	0.044	0.0034	0.015	mg/L	1	
SWB-9	3/3/2005	Arsenic-TOTAL	=	0.039	0.0034	0.015	mg/L	1	
SWB-9	6/2/2005	Arsenic-TOTAL	=	0.048	0.0044	0.015	mg/L	1	J
SWB-9	9/1/2005	Arsenic-TOTAL	=	0.23	0.044	0.15	MG/L	10	J
SWB-9	12/1/2005	Arsenic-TOTAL	TR	0.096	0.044	0.15	MG/L	10	J
SWB-9	3/2/2006	Arsenic-TOTAL	TR	0.054	0.022	0.075	MG/L	5	J
SWB-9	6/1/2006	Arsenic-TOTAL	TR	0.094	0.044	0.15	MG/L	10	J
SWB-9	12/4/2006	Arsenic-TOTAL	=	0.081	0.0021	0.05	MG/L	10	J
SWB-9	3/5/2007	Arsenic-TOTAL	TR	0.056	0.0042	0.1	MG/L	20	J
SWB-9	3/6/2008	Arsenic-TOTAL	TR	0.041	0.0021	0.05	MG/L	10	J
SWB-9	6/5/2008	Arsenic-TOTAL	=	0.16	0.0042	0.1	MG/L	20	J
SWB-9	12/5/2008	Arsenic-TOTAL	=	0.13	0.0021	0.05	MG/L	10	J
SWB-9	3/2/2009	Arsenic-TOTAL	TR	0.041	0.0021	0.05	MG/L	10	J
SWB-9	6/2/2009	Arsenic-TOTAL	=	0.13	0.0021	0.05	MG/L	10	
SWB-10	3/4/2004	Barium	=	100			%	1	0.004 mg/L
SWB-10	3/4/2004	Barium	=	100			%	1	
SWB-10	5/24/2004	Barium	=	82			%	1	
SWB-10	5/24/2004	Barium	=	82			%	1	
SWB-10	12/1/2004	Barium	=	74			%	1	
SWB-10	12/1/2004	Barium	=	74			%	1	
SWB-10	3/3/2005	Barium	=	50			%	1	
SWB-10	3/3/2005	Barium	=	50			%	1	
SWB-10	6/2/2005	Barium	=	88			%	1	
SWB-10	6/2/2005	Barium	=	88			%	1	
SWB-10	9/1/2005	Barium	=	71			%	1	
SWB-10	9/1/2005	Barium	=	71			%	1	
SWB-10	3/2/2006	Barium	=	87			%	1	
SWB-10	3/2/2006	Barium	=	87			%	1	
SWB-10	6/2/2006	Barium	=	85			%	1	
SWB-10	6/2/2006	Barium	=	85			%	1	
SWB-10	3/1/2007	Barium	=	87			%	1	
SWB-10	3/1/2007	Barium	=	87			%	1	
SWB-10	3/7/2008	Barium	=	83			%	1	
SWB-10	3/7/2008	Barium	=	83			%	1	
SWB-10	6/5/2008	Barium	=	57			%	1	
SWB-10	6/5/2008	Barium	=	57			%	1	
SWB-10	3/2/2009	Barium	=	87			%	1	

tmpAnalyticalResultsOverTime

SWB-10	3/2/2009	Barium	=	87			%	1
SWB-10	6/4/2009	Barium	=	80			%	1
SWB-10	6/4/2009	Barium	=	80			%	1
SWB-10	3/2/2010	Barium	=	93			%	1
SWB-10	3/2/2010	Barium	=	93			%	1
SWB-10	3/2/2010	Barium	=	0.056	0.00058	0.01	MG/L	1
SWB-11	3/4/2004	Barium	=	100			%	1
SWB-11	3/4/2004	Barium	=	100			%	1
SWB-11	5/24/2004	Barium	=	75			%	1
SWB-11	5/24/2004	Barium	=	75			%	1
SWB-11	12/1/2004	Barium	=	78			%	1
SWB-11	12/1/2004	Barium	=	78			%	1
SWB-11	3/1/2005	Barium	=	98			%	1
SWB-11	3/1/2005	Barium	=	98			%	1
SWB-11	6/2/2005	Barium	=	85			%	1
SWB-11	6/2/2005	Barium	=	85			%	1
SWB-11	3/2/2006	Barium	=	88			%	1
SWB-11	3/2/2006	Barium	=	88			%	1
SWB-11	6/1/2006	Barium	=	85			%	1
SWB-11	6/1/2006	Barium	=	85			%	1
SWB-11	3/1/2007	Barium	=	88			%	1
SWB-11	3/1/2007	Barium	=	88			%	1
SWB-11	3/7/2008	Barium	=	94			%	1
SWB-11	3/7/2008	Barium	=	94			%	1
SWB-11	6/5/2008	Barium	=	87			%	1
SWB-11	6/5/2008	Barium	=	87			%	1
SWB-11	3/2/2009	Barium	=	92			%	1
SWB-11	3/2/2009	Barium	=	92			%	1
SWB-11	6/4/2009	Barium	=	78			%	1
SWB-11	6/4/2009	Barium	=	78			%	1
SWB-11	3/1/2010	Barium	=	88			%	1
SWB-11	3/1/2010	Barium	=	88			%	1
SWB-11	3/1/2010	Barium	=	0.047	0.00058	0.01	mg/L	1
SWB-11	6/2/2010	Barium	=	89			%	1
SWB-11	6/2/2010	Barium	=	89			%	1
SWB-11	6/2/2010	BARIUM	=	0.13	0.0058	0.1	MG/L	10
SWB-3	10/29/2002	Barium	=	100			%	1
SWB-3	10/29/2002	Barium	=	100			%	1
SWB-3	3/4/2003	Barium	=	71			%	1
SWB-3	3/4/2003	Barium	=	71			%	1
SWB-3	6/3/2003	Barium	=	94			%	1
SWB-3	6/3/2003	Barium	=	94			%	1
SWB-3	9/4/2003	Barium	=	76			%	1
SWB-3	9/4/2003	Barium	=	76			%	1
SWB-3	12/2/2003	Barium	=	80			%	1
SWB-3	12/2/2003	Barium	=	80			%	1
SWB-3	3/1/2004	Barium	=	100			%	1
SWB-3	3/1/2004	Barium	=	100			%	1
SWB-3	6/1/2004	Barium	=	55			%	1
SWB-3	6/1/2004	Barium	=	55			%	1
SWB-3	9/1/2004	Barium	=	84			%	1
SWB-3	9/1/2004	Barium	=	84			%	1
SWB-3	12/1/2004	Barium	=	78			%	1
SWB-3	12/1/2004	Barium	=	78			%	1
SWB-3	3/3/2005	Barium	=	78			%	1
SWB-3	3/3/2005	Barium	=	78			%	1
SWB-3	6/2/2005	Barium	=	70			%	1

tmpAnalyticalResultsOverTime

SWB-3	6/2/2005	Barium	=	70			%	1
SWB-3	9/1/2005	Barium	=	87			%	1
SWB-3	9/1/2005	Barium	=	87			%	1
SWB-3	12/1/2005	Barium	=	74			%	1
SWB-3	12/1/2005	Barium	=	74			%	1
SWB-3	3/2/2006	Barium	=	82			%	1
SWB-3	3/2/2006	Barium	=	82			%	1
SWB-3	6/2/2006	Barium	=	80			%	1
SWB-3	6/2/2006	Barium	=	80			%	1
SWB-3	9/5/2006	Barium	=	75			%	1
SWB-3	9/5/2006	Barium	=	75			%	1
SWB-3	12/4/2006	Barium	=	86			%	1
SWB-3	12/4/2006	Barium	=	86			%	1
SWB-3	3/1/2007	Barium	=	92			%	1
SWB-3	3/1/2007	Barium	=	92			%	1
SWB-3	6/1/2007	Barium	=	92			%	1
SWB-3	6/1/2007	Barium	=	92			%	1
SWB-3	12/3/2007	Barium	=	88			%	1
SWB-3	12/3/2007	Barium	=	88			%	1
SWB-3	3/6/2008	Barium	=	93			%	1
SWB-3	3/6/2008	Barium	=	93			%	1
SWB-3	6/9/2008	Barium	=	87			%	1
SWB-3	6/9/2008	Barium	=	87			%	1
SWB-3	12/4/2008	Barium	=	92			%	1
SWB-3	12/4/2008	Barium	=	81			%	1
SWB-3	3/2/2009	Barium	=	87			%	1
SWB-3	3/2/2009	Barium	=	87			%	1
SWB-3	6/4/2009	Barium	=	86			%	1
SWB-3	6/4/2009	Barium	=	86			%	1
SWB-3	12/1/2009	Barium	=	91			%	1
SWB-3	12/1/2009	Barium	=	91			%	1
SWB-3	3/1/2010	Barium	=	90			%	1
SWB-3	3/1/2010	Barium	=	90			%	1
SWB-3	3/1/2010	Barium	=	0.14	0.00058	0.01	mg/L	1
SWB-3	6/1/2010	Barium	=	79			%	1
SWB-3	6/1/2010	Barium	=	79			%	1
SWB-3	6/1/2010	BARIUM	=	0.16	0.00058	0.01	MG/L	1
SWB-3	9/9/2010	BARIUM	=	0.3	0.0058	0.1	MG/L	10
SWB-4	11/15/2002	Barium	=	66			%	1
SWB-4	11/15/2002	Barium	=	66			%	1
SWB-5	10/29/2002	Barium	=	66			%	1
SWB-5	10/29/2002	Barium	=	66			%	1
SWB-6	3/4/2003	Barium	=	88			%	1
SWB-6	3/4/2003	Barium	=	88			%	1
SWB-6	6/3/2003	Barium	=	77			%	1
SWB-6	6/3/2003	Barium	=	77			%	1
SWB-6	12/3/2003	Barium	=	44			%	1
SWB-6	12/3/2003	Barium	=	44			%	1
SWB-6	3/5/2004	Barium	=	100			%	1
SWB-6	3/5/2004	Barium	=	100			%	1
SWB-6	6/1/2004	Barium	=	42			%	1
SWB-6	6/1/2004	Barium	=	42			%	1
SWB-6	12/1/2004	Barium	=	77			%	1
SWB-6	12/1/2004	Barium	=	77			%	1
SWB-6	3/7/2005	Barium	=	99			%	1
SWB-6	3/7/2005	Barium	=	99			%	1
SWB-6	6/1/2005	Barium	=	94			%	1



tmpAnalyticalResultsOverTime

SWB-6	6/1/2005	Barium	=	94			%	1
SWB-6	12/2/2005	Barium	=	81			%	1
SWB-6	12/2/2005	Barium	=	90			%	1
SWB-6	3/1/2006	Barium	=	83			%	1
SWB-6	3/1/2006	Barium	=	83			%	1
SWB-6	6/1/2006	Barium	=	79			%	1
SWB-6	6/1/2006	Barium	=	79			%	1
SWB-6	12/5/2006	Barium	=	74			%	1
SWB-6	12/5/2006	Barium	=	74			%	1
SWB-6	3/2/2007	Barium	=	79			%	1
SWB-6	3/2/2007	Barium	=	79			%	1
SWB-6	3/6/2008	Barium	=	101			%	1
SWB-6	3/6/2008	Barium	=	101			%	1
SWB-6	6/9/2008	Barium	=	51			%	1
SWB-6	6/9/2008	Barium	=	51			%	1
SWB-6	12/5/2008	Barium	=	75			%	1
SWB-6	12/5/2008	Barium	=	75			%	1
SWB-6	3/2/2009	Barium	=	84			%	1
SWB-6	3/2/2009	Barium	=	84			%	1
SWB-6	6/5/2009	Barium	=	87			%	1
SWB-6	6/5/2009	Barium	=	87			%	1
SWB-6	3/2/2010	Barium	=	91			%	1
SWB-6	3/2/2010	Barium	=	91			%	1
SWB-6	3/2/2010	Barium	=	0.25	0.0029	0.05	MG/L	5
SWB-6	6/2/2010	Barium	=	91			%	1
SWB-6	6/2/2010	Barium	=	91			%	1
SWB-6	6/2/2010	BARIUM	=	0.47	0.0058	0.1	MG/L	10
SWB-7	3/4/2003	Barium	=	65			%	1
SWB-7	3/4/2003	Barium	=	65			%	1
SWB-7	6/3/2003	Barium	=	59			%	1
SWB-7	6/3/2003	Barium	=	59			%	1
SWB-7	3/1/2004	Barium	=	100			%	1
SWB-7	3/1/2004	Barium	=	100			%	1
SWB-7	5/24/2004	Barium	=	85			%	1
SWB-7	5/24/2004	Barium	=	85			%	1
SWB-7	12/1/2004	Barium	=	81			%	1
SWB-7	12/1/2004	Barium	=	81			%	1
SWB-7	3/7/2005	Barium	=	96			%	1
SWB-7	3/7/2005	Barium	=	96			%	1
SWB-7	6/1/2005	Barium	=	94			%	1
SWB-7	6/1/2005	Barium	=	94			%	1
SWB-7	9/1/2005	Barium	=	83			%	1
SWB-7	9/1/2005	Barium	=	83			%	1
SWB-7	12/1/2005	Barium	=	78			%	1
SWB-7	12/1/2005	Barium	=	78			%	1
SWB-7	3/1/2006	Barium	=	80			%	1
SWB-7	3/1/2006	Barium	=	80			%	1
SWB-7	6/2/2006	Barium	=	84			%	1
SWB-7	6/2/2006	Barium	=	84			%	1
SWB-7	9/5/2006	Barium	=	77			%	1
SWB-7	9/5/2006	Barium	=	77			%	1
SWB-7	12/5/2006	Barium	=	85			%	1
SWB-7	12/5/2006	Barium	=	85			%	1
SWB-7	3/2/2007	Barium	=	72			%	1
SWB-7	3/2/2007	Barium	=	72			%	1
SWB-7	6/1/2007	Barium	=	81			%	1
SWB-7	6/1/2007	Barium	=	81			%	1

tmpAnalyticalResultsOverTime

SWB-7	9/7/2007	Barium	=	92			%	1
SWB-7	9/7/2007	Barium	=	92			%	1
SWB-7	12/3/2007	Barium	=	96			%	1
SWB-7	12/3/2007	Barium	=	96			%	1
SWB-7	3/6/2008	Barium	=	97			%	1
SWB-7	3/6/2008	Barium	=	97			%	1
SWB-7	6/6/2008	Barium	=	86			%	1
SWB-7	6/6/2008	Barium	=	86			%	1
SWB-7	9/8/2008	Barium	=	80			%	1
SWB-7	9/8/2008	Barium	=	80			%	1
SWB-7	12/5/2008	Barium	=	90			%	1
SWB-7	12/5/2008	Barium	=	90			%	1
SWB-7	3/2/2009	Barium	=	90			%	1
SWB-7	3/2/2009	Barium	=	90			%	1
SWB-7	6/5/2009	Barium	=	86			%	1
SWB-7	6/5/2009	Barium	=	86			%	1
SWB-7	9/9/2009	Barium	=	89			%	1
SWB-7	9/9/2009	Barium	=	89			%	1
SWB-7	12/1/2009	Barium	=	92			%	1
SWB-7	12/1/2009	Barium	=	92			%	1
SWB-7	3/2/2010	Barium	=	103			%	1
SWB-7	3/2/2010	Barium	=	103			%	1
SWB-7	3/2/2010	Barium	=	0.011	0.00058	0.01	MG/L	1
SWB-7	6/1/2010	Barium	=	80			%	1
SWB-7	6/1/2010	Barium	=	80			%	1
SWB-7	6/1/2010	BARIUM	=	0.026	0.00058	0.01	MG/L	1
SWB-7	9/9/2010	BARIUM	TR	0.046	0.0058	0.1	MG/L	10 J
SWB-7	12/1/2010	Barium	=	89			%	1
SWB-7	12/1/2010	Barium	=	89			%	1
SWB-7	12/1/2010	BARIUM	=	0.052	0.00058	0.01	MG/L	1
SWB-8	3/5/2004	Barium	=	100			%	1
SWB-8	3/5/2004	Barium	=	100			%	1
SWB-8	3/7/2005	Barium	=	96			%	1
SWB-8	3/7/2005	Barium	=	96			%	1
SWB-8	6/1/2005	Barium	=	85			%	1
SWB-8	6/1/2005	Barium	=	85			%	1
SWB-8	3/1/2006	Barium	=	87			%	1
SWB-8	3/1/2006	Barium	=	87			%	1
SWB-8	3/7/2008	Barium	=	95			%	1
SWB-8	3/7/2008	Barium	=	95			%	1
SWB-8	3/3/2009	Barium	=	88			%	1
SWB-8	3/3/2009	Barium	=	88			%	1
SWB-9	3/4/2003	Barium	=	73			%	1
SWB-9	3/4/2003	Barium	=	73			%	1
SWB-9	12/3/2003	Barium	=	88			%	1
SWB-9	12/3/2003	Barium	=	88			%	1
SWB-9	3/5/2004	Barium	=	100			%	1
SWB-9	3/5/2004	Barium	=	100			%	1
SWB-9	5/27/2004	Barium	=	85			%	1
SWB-9	5/27/2004	Barium	=	85			%	1
SWB-9	12/1/2004	Barium	=	70			%	1
SWB-9	12/1/2004	Barium	=	70			%	1
SWB-9	3/3/2005	Barium	=	69			%	1
SWB-9	3/3/2005	Barium	=	69			%	1
SWB-9	6/2/2005	Barium	=	76			%	1
SWB-9	6/2/2005	Barium	=	76			%	1
SWB-9	9/1/2005	Barium	=	76			%	1

tmpAnalyticalResultsOverTime

SWB-9	9/1/2005	Barium	=	76			%	1		
SWB-9	12/1/2005	Barium	=	42			%	1		
SWB-9	12/1/2005	Barium	=	42			%	1		
SWB-9	3/2/2006	Barium	=	79			%	1		
SWB-9	3/2/2006	Barium	=	79			%	1		
SWB-9	6/1/2006	Barium	=	93			%	1		
SWB-9	6/1/2006	Barium	=	93			%	1		
SWB-9	12/4/2006	Barium	=	44			%	1		
SWB-9	12/4/2006	Barium	=	44			%	1		
SWB-9	3/5/2007	Barium	=	28			%	1		
SWB-9	3/5/2007	Barium	=	28			%	1		
SWB-9	3/6/2008	Barium	=	91			%	1		
SWB-9	3/6/2008	Barium	=	91			%	1		
SWB-9	6/5/2008	Barium	=	101			%	1		
SWB-9	6/5/2008	Barium	=	101			%	1		
SWB-9	12/5/2008	Barium	=	68			%	1		
SWB-9	12/5/2008	Barium	=	68			%	1		
SWB-9	3/2/2009	Barium	=	92			%	1		
SWB-9	3/2/2009	Barium	=	92			%	1		
SWB-9	6/2/2009	Barium	=	95			%	1		
SWB-9	6/2/2009	Barium	=	95			%	1		
SWB-9	3/1/2010	Barium	=	93			%	1		
SWB-9	3/1/2010	Barium	=	93			%	1		
SWB-9	3/1/2010	Barium	=	0.057	0.00058	0.01	mg/L	1		
SWB-9	6/1/2010	Barium	=	71			%	1		
SWB-9	6/1/2010	Barium	=	71			%	1		
SWB-9	6/1/2010	BARIUM	=	0.29	0.0058	0.1	MG/L	10		
SWB-9	12/1/2010	Barium	=	95			%	1		
SWB-9	12/1/2010	Barium	=	95			%	1		
SWB-9	12/1/2010	BARIUM	=	0.088	0.00058	0.01	MG/L	1		
SWB-3	10/29/2002	Barium-DISSOLVED	=	0.14	0.009	0.05	mg/L	5 J	NA	
SWB-4	11/15/2002	Barium-DISSOLVED	=	0.5	0.009	0.05	mg/L	5 J		
SWB-5	10/29/2002	Barium-DISSOLVED	=	0.19	0.009	0.05	mg/L	5 J		
SWB-10	3/4/2004	Barium-TOTAL	=	0.059	0.00037	0.01	mg/L	1		0.004 mg/L
SWB-10	5/24/2004	Barium-TOTAL	=	0.17	0.00037	0.01	mg/L	1		
SWB-10	12/1/2004	Barium-TOTAL	=	0.067	0.0021	0.01	mg/L	1		
SWB-10	3/3/2005	Barium-TOTAL	=	0.07	0.0021	0.01	mg/L	1		
SWB-10	6/2/2005	Barium-TOTAL	=	0.1	0.0007	0.01	mg/L	1		
SWB-10	9/1/2005	Barium-TOTAL	=	0.41	0.0035	0.05	MG/L	5		
SWB-10	3/2/2006	Barium-TOTAL	=	0.08	0.0035	0.05	MG/L	5		
SWB-10	6/2/2006	Barium-TOTAL	=	0.14	0.01	0.1	MG/L	10		
SWB-10	3/1/2007	Barium-TOTAL	=	0.18	0.0052	0.05	MG/L	5		
SWB-10	3/7/2008	Barium-TOTAL	=	0.04	0.001	0.01	MG/L	1		
SWB-10	6/5/2008	Barium-TOTAL	=	0.24	0.0029	0.05	MG/L	5		
SWB-10	3/2/2009	Barium-TOTAL	=	0.054	0.00058	0.01	MG/L	1 J		
SWB-10	6/4/2009	Barium-TOTAL	=	0.23	0.0058	0.1	MG/L	10		
SWB-11	3/4/2004	Barium-TOTAL	=	0.039	0.00037	0.01	mg/L	1		
SWB-11	5/24/2004	Barium-TOTAL	=	0.24	0.00037	0.01	mg/L	1		
SWB-11	12/1/2004	Barium-TOTAL	=	0.077	0.0021	0.01	mg/L	1		
SWB-11	3/1/2005	Barium-TOTAL	=	0.061	0.0021	0.01	mg/L	1		
SWB-11	6/2/2005	Barium-TOTAL	=	0.11	0.0007	0.01	mg/L	1		
SWB-11	3/2/2006	Barium-TOTAL	=	0.06	0.0035	0.05	MG/L	5		
SWB-11	6/1/2006	Barium-TOTAL	=	0.15	0.01	0.1	MG/L	10		
SWB-11	3/1/2007	Barium-TOTAL	=	0.28	0.0052	0.05	MG/L	5		
SWB-11	3/7/2008	Barium-TOTAL	=	0.041	0.001	0.01	MG/L	1		
SWB-11	6/5/2008	Barium-TOTAL	=	0.31	0.0029	0.05	MG/L	5		
SWB-11	3/2/2009	Barium-TOTAL	=	0.061	0.00058	0.01	MG/L	1 J		

tmpAnalyticalResultsOverTime

SWB-11	6/4/2009	Barium-TOTAL	=	0.26	0.0058	0.1	MG/L	10
SWB-3	10/29/2002	Barium-TOTAL	=	0.16	0.009	0.05	mg/L	5
SWB-3	3/4/2003	Barium-TOTAL	=	0.091	0.0018	0.01	mg/L	1
SWB-3	6/3/2003	Barium-TOTAL	=	0.29	0.00037	0.01	mg/L	1 J
SWB-3	9/4/2003	Barium-TOTAL	TR	0.059	0.0037	0.1	mg/L	10 J
SWB-3	12/2/2003	Barium-TOTAL	=	0.16	0.00037	0.01	mg/L	1
SWB-3	3/1/2004	Barium-TOTAL	=	0.033	0.00037	0.01	mg/L	1
SWB-3	6/1/2004	Barium-TOTAL	=	0.14	0.00037	0.01	mg/L	1
SWB-3	9/1/2004	Barium-TOTAL	=	0.6	0.01	0.05	mg/L	5
SWB-3	12/1/2004	Barium-TOTAL	=	0.12	0.0021	0.01	mg/L	1
SWB-3	3/3/2005	Barium-TOTAL	=	0.084	0.0021	0.01	mg/L	1
SWB-3	6/2/2005	Barium-TOTAL	=	0.1	0.0007	0.01	mg/L	1
SWB-3	9/1/2005	Barium-TOTAL	=	0.24	0.0007	0.01	MG/L	1
SWB-3	12/1/2005	Barium-TOTAL	=	0.18	0.0007	0.01	MG/L	1
SWB-3	3/2/2006	Barium-TOTAL	=	0.16	0.0007	0.01	MG/L	1
SWB-3	6/2/2006	Barium-TOTAL	=	0.18	0.01	0.1	MG/L	10
SWB-3	9/5/2006	Barium-TOTAL	=	0.46	0.0052	0.05	MG/L	5
SWB-3	12/4/2006	Barium-TOTAL	=	0.24	0.0052	0.05	MG/L	5 J
SWB-3	3/1/2007	Barium-TOTAL	=	0.12	0.0052	0.05	MG/L	5
SWB-3	6/1/2007	Barium-TOTAL	=	0.12	0.001	0.01	MG/L	1
SWB-3	12/3/2007	Barium-TOTAL	=	0.11	0.001	0.01	MG/L	1
SWB-3	3/6/2008	Barium-TOTAL	=	0.037	0.001	0.01	MG/L	1
SWB-3	6/9/2008	Barium-TOTAL	=	0.13	0.00058	0.01	MG/L	1
SWB-3	12/4/2008	Barium-TOTAL	=	0.11	0.00058	0.01	MG/L	1
SWB-3	3/2/2009	Barium-TOTAL	=	0.095	0.00058	0.01	MG/L	1 J
SWB-3	6/4/2009	Barium-TOTAL	=	0.17	0.00058	0.01	MG/L	1
SWB-3	12/1/2009	Barium-TOTAL	=	0.18	0.00058	0.01	MG/L	1
SWB-3	9/9/2010	Barium-TOTAL	=	100			%	1
SWB-3	9/9/2010	Barium-TOTAL	=	100			%	1
SWB-4	11/15/2002	Barium-TOTAL	=	0.61	0.009	0.05	mg/L	5
SWB-5	10/29/2002	Barium-TOTAL	=	0.19	0.018	0.1	mg/L	10
SWB-6	3/4/2003	Barium-TOTAL	=	0.19	0.0018	0.01	mg/L	1
SWB-6	6/3/2003	Barium-TOTAL	=	0.67	0.00037	0.01	mg/L	1 J
SWB-6	12/3/2003	Barium-TOTAL	=	0.079	0.0018	0.05	mg/L	5 J
SWB-6	3/5/2004	Barium-TOTAL	=	0.13	0.00037	0.01	mg/L	1
SWB-6	6/1/2004	Barium-TOTAL	=	0.41	0.00037	0.01	mg/L	1
SWB-6	12/1/2004	Barium-TOTAL	=	0.29	0.0021	0.01	mg/L	1
SWB-6	3/7/2005	Barium-TOTAL	=	0.18	0.0021	0.01	mg/L	1
SWB-6	6/1/2005	Barium-TOTAL	=	0.23	0.0007	0.01	mg/L	1
SWB-6	12/2/2005	Barium-TOTAL	=	0.27	0.007	0.1	MG/L	10
SWB-6	3/1/2006	Barium-TOTAL	=	0.19	0.0007	0.01	MG/L	1
SWB-6	6/1/2006	Barium-TOTAL	=	0.33	0.0052	0.05	MG/L	5
SWB-6	12/5/2006	Barium-TOTAL	TR	0.071	0.01	0.1	MG/L	10 J
SWB-6	3/2/2007	Barium-TOTAL	=	0.22	0.0052	0.05	MG/L	5
SWB-6	3/6/2008	Barium-TOTAL	=	0.17	0.001	0.01	MG/L	1
SWB-6	6/9/2008	Barium-TOTAL	=	0.7	0.0029	0.05	MG/L	5
SWB-6	12/5/2008	Barium-TOTAL	=	0.15	0.0029	0.05	MG/L	5
SWB-6	3/2/2009	Barium-TOTAL	=	0.19	0.00058	0.01	MG/L	1 J
SWB-6	6/5/2009	Barium-TOTAL	=	0.45	0.0058	0.1	MG/L	10
SWB-7	3/4/2003	Barium-TOTAL	TR	0.014	0.0036	0.02	mg/L	2 J
SWB-7	6/3/2003	Barium-TOTAL	=	0.64	0.00074	0.02	mg/L	2 J
SWB-7	3/1/2004	Barium-TOTAL	=	0.02	0.00037	0.01	mg/L	1
SWB-7	5/24/2004	Barium-TOTAL	=	0.075	0.00037	0.01	mg/L	1
SWB-7	12/1/2004	Barium-TOTAL	=	0.067	0.0021	0.01	mg/L	1
SWB-7	3/7/2005	Barium-TOTAL	=	0.19	0.0021	0.01	mg/L	1
SWB-7	6/1/2005	Barium-TOTAL	=	0.23	0.0007	0.01	mg/L	1
SWB-7	9/1/2005	Barium-TOTAL	=	0.13	0.0007	0.01	MG/L	1

tmpAnalyticalResultsOverTime

SWB-7	12/1/2005	Barium-TOTAL	=	0.092	0.0007	0.01	MG/L	1	
SWB-7	3/1/2006	Barium-TOTAL	=	0.076	0.0007	0.01	MG/L	1	
SWB-7	6/2/2006	Barium-TOTAL	=	0.12	0.01	0.1	MG/L	10	
SWB-7	9/5/2006	Barium-TOTAL	=	0.086	0.001	0.01	MG/L	1	
SWB-7	12/5/2006	Barium-TOTAL	=	0.059	0.001	0.01	MG/L	1	
SWB-7	3/2/2007	Barium-TOTAL	=	0.016	0.001	0.01	MG/L	1	
SWB-7	6/1/2007	Barium-TOTAL	=	0.046	0.001	0.01	MG/L	1	
SWB-7	9/7/2007	Barium-TOTAL	=	0.051	0.0052	0.05	MG/L	5	
SWB-7	12/3/2007	Barium-TOTAL	=	0.039	0.001	0.01	MG/L	1	
SWB-7	3/6/2008	Barium-TOTAL	=	0.03	0.001	0.01	MG/L	1	
SWB-7	6/6/2008	Barium-TOTAL	=	0.049	0.00058	0.01	MG/L	1	
SWB-7	9/8/2008	Barium-TOTAL	=	0.048	0.00058	0.01	MG/L	1	
SWB-7	12/5/2008	Barium-TOTAL	=	0.028	0.00058	0.01	MG/L	1	
SWB-7	3/2/2009	Barium-TOTAL	=	0.038	0.00058	0.01	MG/L	1 J	
SWB-7	6/5/2009	Barium-TOTAL	=	0.028	0.00058	0.01	MG/L	1	
SWB-7	9/9/2009	Barium-TOTAL	=	0.087	0.0029	0.05	MG/L	5	
SWB-7	12/1/2009	Barium-TOTAL	=	0.064	0.00058	0.01	MG/L	1	
SWB-7	9/9/2010	Barium-TOTAL	=	104			%	1	
SWB-7	9/9/2010	Barium-TOTAL	=	104			%	1	
SWB-8	3/5/2004	Barium-TOTAL	=	0.05	0.00037	0.01	mg/L	1	
SWB-8	3/7/2005	Barium-TOTAL	=	0.22	0.0021	0.01	mg/L	1	
SWB-8	6/1/2005	Barium-TOTAL	=	0.3	0.0007	0.01	mg/L	1	
SWB-8	3/1/2006	Barium-TOTAL	=	0.17	0.0007	0.01	MG/L	1	
SWB-8	3/7/2008	Barium-TOTAL	=	0.12	0.001	0.01	MG/L	1	
SWB-8	3/3/2009	Barium-TOTAL	=	0.09	0.00058	0.01	MG/L	1 J	
SWB-9	3/4/2003	Barium-TOTAL	=	0.079	0.0018	0.01	mg/L	1	
SWB-9	12/3/2003	Barium-TOTAL	=	0.12	0.0018	0.05	mg/L	5	
SWB-9	3/5/2004	Barium-TOTAL	=	0.056	0.00037	0.01	mg/L	1	
SWB-9	5/27/2004	Barium-TOTAL	=	0.48	0.0018	0.05	mg/L	5	
SWB-9	12/1/2004	Barium-TOTAL	=	0.069	0.0021	0.01	mg/L	1	
SWB-9	3/3/2005	Barium-TOTAL	=	0.084	0.0021	0.01	mg/L	1	
SWB-9	6/2/2005	Barium-TOTAL	=	0.15	0.0007	0.01	mg/L	1	
SWB-9	9/1/2005	Barium-TOTAL	=	1.6	0.007	0.1	MG/L	10	
SWB-9	12/1/2005	Barium-TOTAL	=	0.2	0.007	0.1	MG/L	10	
SWB-9	3/2/2006	Barium-TOTAL	=	0.1	0.0035	0.05	MG/L	5 J	
SWB-9	6/1/2006	Barium-TOTAL	=	0.32	0.01	0.1	MG/L	10	
SWB-9	12/4/2006	Barium-TOTAL	TR	0.16	0.052	0.5	MG/L	50 J	
SWB-9	3/5/2007	Barium-TOTAL	=	0.13	0.0052	0.05	MG/L	5	
SWB-9	3/6/2008	Barium-TOTAL	=	0.068	0.0052	0.05	MG/L	5	
SWB-9	6/5/2008	Barium-TOTAL	=	0.74	0.0029	0.05	MG/L	5	
SWB-9	12/5/2008	Barium-TOTAL	=	0.1	0.0029	0.05	MG/L	5	
SWB-9	3/2/2009	Barium-TOTAL	=	0.084	0.00058	0.01	MG/L	1 J	
SWB-9	6/2/2009	Barium-TOTAL	=	0.38	0.0058	0.1	MG/L	10	
SWB-11	6/2/2010	BENZ(A)ANTHRACENE	<	0.33	0.33	3.8	UG/L	1 UJ	0.000027 mg/L
SWB-3	6/1/2010	BENZ(A)ANTHRACENE	<	0.33	0.33	3.7	UG/L	1 UJ	
SWB-3	6/1/2010	BENZ(A)ANTHRACENE	<	0.33	0.33	3.8	UG/L	1 DNR	
SWB-3	9/9/2010	BENZ(A)ANTHRACENE	<	0.33	0.33	3.7	UG/L	1	
SWB-6	6/2/2010	BENZ(A)ANTHRACENE	<	0.33	0.33	3.8	UG/L	1 DNR	
SWB-6	6/2/2010	BENZ(A)ANTHRACENE	<	0.33	0.33	3.8	UG/L	1 UJ	
SWB-7	6/1/2010	BENZ(A)ANTHRACENE	<	0.33	0.33	3.8	UG/L	1 DNR	
SWB-7	6/1/2010	BENZ(A)ANTHRACENE	<	0.35	0.35	4	UG/L	1 R	
SWB-7	9/9/2010	BENZ(A)ANTHRACENE	<	0.34	0.34	3.9	UG/L	1	
SWB-7	12/1/2010	BENZ(A)ANTHRACENE	<	0.33	0.33	3.7	UG/L	1 UJ	
SWB-9	6/1/2010	BENZ(A)ANTHRACENE	<	0.33	0.33	3.8	UG/L	1 DNR	
SWB-9	6/1/2010	BENZ(A)ANTHRACENE	<	0.33	0.33	3.8	UG/L	1 UJ	
SWB-9	12/1/2010	BENZ(A)ANTHRACENE	<	0.33	0.33	3.7	UG/L	1 UJ	
SWB-10	3/4/2004	Benzene	<		0.17	1	ug/L	1	0.13 mg/L

tmpAnalyticalResultsOverTime

SWB-10	5/24/2004	Benzene	<		0.17	1	ug/L	1
SWB-10	12/1/2004	Benzene	<		0.17	1	ug/L	1
SWB-10	3/3/2005	Benzene	<		0.15	1	ug/L	1
SWB-10	6/2/2005	Benzene	<		0.16	1	ug/L	1
SWB-10	9/1/2005	Benzene	<		0.16	1	ug/L	1
SWB-10	3/2/2006	Benzene	<		0.64	4	UG/L	4
SWB-10	6/2/2006	Benzene	<		0.16	1	UG/L	1
SWB-10	3/1/2007	Benzene	<		0.16	1	UG/L	1
SWB-10	3/7/2008	Benzene	<		0.16	1	UG/L	1
SWB-10	6/5/2008	Benzene	<		0.16	1	UG/L	1
SWB-10	3/2/2009	Benzene	<		0.16	1	UG/L	1
SWB-10	6/4/2009	Benzene	<		0.16	1	UG/L	1
SWB-10	3/2/2010	Benzene	<	1	0.16	1	UG/L	1
SWB-11	3/4/2004	Benzene	<		0.17	1	ug/L	1
SWB-11	5/24/2004	Benzene	<		0.17	1	ug/L	1
SWB-11	12/1/2004	Benzene	<		0.17	1	ug/L	1
SWB-11	3/1/2005	Benzene	<		0.15	1	ug/L	1
SWB-11	6/2/2005	Benzene	<		0.16	1	ug/L	1
SWB-11	3/2/2006	Benzene	<		1.6	10	UG/L	10
SWB-11	6/1/2006	Benzene	TR	0.56	0.16	1	UG/L	1 J
SWB-11	3/1/2007	Benzene	<		0.16	1	UG/L	1
SWB-11	3/7/2008	Benzene	<		0.16	1	UG/L	1
SWB-11	6/5/2008	Benzene	<		0.16	1	UG/L	1
SWB-11	3/2/2009	Benzene	<		0.16	1	UG/L	1
SWB-11	6/4/2009	Benzene	<		0.16	1	UG/L	1
SWB-11	3/1/2010	Benzene	<	1	0.16	1	ug/L	1
SWB-11	6/2/2010	BENZENE	<	0.16	0.16	1	UG/L	1
SWB-3	10/29/2002	Benzene	<		0.27	1	ug/L	1
SWB-3	3/4/2003	Benzene	<		0.17	1	ug/L	1
SWB-3	6/3/2003	Benzene	<		0.17	1	ug/L	1
SWB-3	9/4/2003	Benzene	<		0.17	1	ug/L	1 UJ
SWB-3	12/2/2003	Benzene	<		0.17	1	ug/L	1
SWB-3	3/1/2004	Benzene	<		0.17	1	ug/L	1
SWB-3	6/1/2004	Benzene	<		0.17	1	ug/L	1
SWB-3	9/1/2004	Benzene	<		0.17	1	ug/L	1
SWB-3	12/1/2004	Benzene	<		0.28	1.7	ug/L	1.66
SWB-3	3/3/2005	Benzene	<		0.15	1	ug/L	1
SWB-3	6/2/2005	Benzene	<		0.16	1	ug/L	1
SWB-3	9/1/2005	Benzene	<		0.16	1	ug/L	1
SWB-3	12/1/2005	Benzene	<		0.32	2	UG/L	2
SWB-3	3/2/2006	Benzene	<		0.64	4	UG/L	4
SWB-3	6/2/2006	Benzene	<		0.16	1	UG/L	1
SWB-3	9/5/2006	Benzene	<		0.16	1	UG/L	1
SWB-3	12/4/2006	Benzene	<		0.16	1	UG/L	1
SWB-3	3/1/2007	Benzene	<		0.16	1	UG/L	1
SWB-3	6/1/2007	Benzene	<		0.16	1	UG/L	1
SWB-3	12/3/2007	Benzene	<		0.16	1	UG/L	1
SWB-3	3/6/2008	Benzene	<		0.16	1	UG/L	1
SWB-3	6/9/2008	Benzene	<		0.16	1	UG/L	1
SWB-3	12/4/2008	Benzene	<		0.16	1	UG/L	1
SWB-3	3/2/2009	Benzene	<		0.16	1	UG/L	1
SWB-3	6/4/2009	Benzene	<		0.16	1	UG/L	1
SWB-3	12/1/2009	Benzene	<		0.16	1	UG/L	1
SWB-3	3/1/2010	Benzene	<	1	0.16	1	ug/L	1
SWB-3	3/1/2010	Benzene	<	2	0.32	2	ug/L	1 DNR
SWB-3	6/1/2010	BENZENE	<	0.16	0.16	1	UG/L	1 DNR
SWB-3	6/1/2010	BENZENE	<	0.64	0.64	4	UG/L	1

tmpAnalyticalResultsOverTime

SWB-3	9/9/2010	BENZENE	<	0.16	0.16	1	UG/L	1 UJ
SWB-4	11/15/2002	Benzene	<		0.27	1	ug/L	1
SWB-5	10/29/2002	Benzene	<		0.27	1	ug/L	1
SWB-6	3/4/2003	Benzene	<		0.17	1	ug/L	1
SWB-6	6/3/2003	Benzene	<		0.34	2	ug/L	2
SWB-6	12/3/2003	Benzene	<		0.34	2	ug/L	2
SWB-6	3/5/2004	Benzene	<		0.17	1	ug/L	1
SWB-6	6/1/2004	Benzene	<		0.17	1	ug/L	1
SWB-6	12/1/2004	Benzene	<		0.17	1	ug/L	1
SWB-6	3/7/2005	Benzene	<		0.15	1	ug/L	1
SWB-6	6/1/2005	Benzene	<		0.16	1	ug/L	1
SWB-6	12/2/2005	Benzene	<		0.16	1	UG/L	1
SWB-6	3/1/2006	Benzene	<		0.16	1	UG/L	1
SWB-6	6/1/2006	Benzene	TR	0.4	0.16	1	UG/L	1 J
SWB-6	12/5/2006	Benzene	<		0.16	1	UG/L	1
SWB-6	3/2/2007	Benzene	<		0.16	1	UG/L	1
SWB-6	3/6/2008	Benzene	<		0.16	1	UG/L	1
SWB-6	6/9/2008	Benzene	<		0.16	1	UG/L	1
SWB-6	12/5/2008	Benzene	<		0.16	1	UG/L	1
SWB-6	3/2/2009	Benzene	<		0.16	1	UG/L	1
SWB-6	6/5/2009	Benzene	<		0.16	1	UG/L	1
SWB-6	3/2/2010	Benzene	<	1	0.16	1	UG/L	1
SWB-6	6/2/2010	BENZENE	<	0.16	0.16	1	UG/L	1
SWB-7	3/4/2003	Benzene	<		0.17	1	ug/L	1
SWB-7	6/3/2003	Benzene	<		0.17	1	ug/L	1
SWB-7	3/1/2004	Benzene	<		0.17	1	ug/L	1
SWB-7	5/24/2004	Benzene	<		0.17	1	ug/L	1
SWB-7	12/1/2004	Benzene	<		0.17	1	ug/L	1
SWB-7	3/7/2005	Benzene	<		0.15	1	ug/L	1
SWB-7	6/1/2005	Benzene	<		0.16	1	ug/L	1
SWB-7	9/1/2005	Benzene	<		0.16	1	ug/L	1
SWB-7	12/1/2005	Benzene	<		0.16	1	UG/L	1
SWB-7	3/1/2006	Benzene	<		0.16	1	UG/L	1
SWB-7	6/2/2006	Benzene	<		0.16	1	UG/L	1
SWB-7	9/5/2006	Benzene	<		0.16	1	UG/L	1
SWB-7	12/5/2006	Benzene	<		0.16	1	UG/L	1
SWB-7	3/2/2007	Benzene	<		0.16	1	UG/L	1
SWB-7	6/1/2007	Benzene	<		0.16	1	UG/L	1
SWB-7	9/7/2007	Benzene	<		0.16	1	UG/L	1
SWB-7	12/3/2007	Benzene	<		0.16	1	UG/L	1
SWB-7	3/6/2008	Benzene	<		0.16	1	UG/L	1
SWB-7	6/6/2008	Benzene	<		0.16	1	UG/L	1
SWB-7	9/8/2008	Benzene	<		0.16	1	UG/L	1
SWB-7	12/5/2008	Benzene	<		0.16	1	UG/L	1
SWB-7	3/2/2009	Benzene	<		0.16	1	UG/L	1
SWB-7	6/5/2009	Benzene	<		0.16	1	UG/L	1
SWB-7	9/9/2009	Benzene	<		0.16	1	UG/L	1
SWB-7	12/1/2009	Benzene	<		0.16	1	UG/L	1
SWB-7	3/2/2010	Benzene	<	1	0.16	1	UG/L	1
SWB-7	6/1/2010	BENZENE	<	0.16	0.16	1	UG/L	1 DNR
SWB-7	6/1/2010	BENZENE	<	0.64	0.64	4	UG/L	1
SWB-7	9/9/2010	BENZENE	<	0.16	0.16	1	UG/L	1 UJ
SWB-7	12/1/2010	BENZENE	<	0.16	0.16	1	UG/L	1
SWB-8	3/5/2004	Benzene	<		0.17	1	ug/L	1
SWB-8	3/7/2005	Benzene	<		0.15	1	ug/L	1
SWB-8	6/1/2005	Benzene	<		0.16	1	ug/L	1
SWB-8	3/1/2006	Benzene	<		0.16	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-8	3/7/2008	Benzene	<		0.16	1	UG/L	1		
SWB-8	3/3/2009	Benzene	<		0.16	1	UG/L	1		
SWB-9	3/4/2003	Benzene	<		0.17	1	ug/L	1		
SWB-9	12/3/2003	Benzene	<		0.34	2	ug/L	2		
SWB-9	3/5/2004	Benzene	<		0.17	1	ug/L	1		
SWB-9	5/27/2004	Benzene	<		0.17	1	ug/L	1		
SWB-9	12/1/2004	Benzene	<		0.17	1	ug/L	1		
SWB-9	3/3/2005	Benzene	<		0.15	1	ug/L	1		
SWB-9	6/2/2005	Benzene	<		0.16	1	ug/L	1		
SWB-9	9/1/2005	Benzene	<		0.16	1	ug/L	1	UJ	
SWB-9	12/1/2005	Benzene	<		0.16	1	UG/L	1		
SWB-9	3/2/2006	Benzene	<		0.64	4	UG/L	4		
SWB-9	6/1/2006	Benzene	<	1	0.16	1	UG/L	1	U	
SWB-9	12/4/2006	Benzene	<		0.16	1	UG/L	1		
SWB-9	3/5/2007	Benzene	<		0.16	1	UG/L	1		
SWB-9	3/6/2008	Benzene	<		0.16	1	UG/L	1		
SWB-9	6/5/2008	Benzene	<		0.16	1	UG/L	1	R	
SWB-9	12/5/2008	Benzene	<		0.16	1	UG/L	1		
SWB-9	3/2/2009	Benzene	<		0.16	1	UG/L	1		
SWB-9	6/2/2009	Benzene	<		0.16	1	UG/L	1		
SWB-9	3/1/2010	Benzene	<	1	0.16	1	ug/L	1		
SWB-9	6/1/2010	BENZENE	<	0.16	0.16	1	UG/L	1	DNR	
SWB-9	6/1/2010	BENZENE	<	0.64	0.64	4	UG/L	1		
SWB-9	12/1/2010	BENZENE	<	0.16	0.16	1	UG/L	1		
SWB-3	6/1/2004	Benzene, 1,2-dichloro-4-isocya	TI	4.1			ug/L	1	NJ	NA
SWB-11	6/5/2008	Benzeneacetic acid	TI	30			UG/L	1	NJ	NA
SWB-7	6/3/2003	Benzeneacetic acid	TI	13			ug/L	1	NJ	
SWB-7	3/2/2009	Benzeneacetic acid	TI	11			UG/L	1	NJ	
SWB-10	3/4/2004	Benzidine	<		40	100	ug/L	1		0.0039 mg/L
SWB-10	5/24/2004	Benzidine	<		40	100	ug/L	1	UJ	
SWB-10	12/1/2004	Benzidine	<		40	100	ug/L	1		
SWB-10	3/3/2005	Benzidine	<		40	100	ug/L	1		
SWB-10	6/2/2005	Benzidine	<		40	100	ug/L	1		
SWB-10	9/1/2005	Benzidine	<		40	100	ug/L	1	UJ	
SWB-10	3/2/2006	Benzidine	<		40	100	UG/L	1		
SWB-10	6/2/2006	Benzidine	<		50	100	UG/L	1		
SWB-10	3/1/2007	Benzidine	<		50	100	UG/L	1		
SWB-10	3/7/2008	Benzidine	<		50	100	UG/L	1		
SWB-10	6/5/2008	Benzidine	<		50	100	UG/L	1		
SWB-10	3/2/2009	Benzidine	<		50	100	UG/L	1		
SWB-10	3/2/2009	Benzidine	<		50	100	UG/L	1	R	
SWB-10	6/4/2009	Benzidine	<		50	100	UG/L	1		
SWB-10	3/2/2010	Benzidine	<	93	47	93	UG/L	1		
SWB-11	3/4/2004	Benzidine	<		40	100	ug/L	1		
SWB-11	5/24/2004	Benzidine	<		40	100	ug/L	1	UJ	
SWB-11	12/1/2004	Benzidine	<		40	100	ug/L	1		
SWB-11	3/1/2005	Benzidine	<		40	100	ug/L	1		
SWB-11	6/2/2005	Benzidine	<		40	100	ug/L	1		
SWB-11	3/2/2006	Benzidine	<		40	100	UG/L	1		
SWB-11	6/1/2006	Benzidine	<		50	100	UG/L	1		
SWB-11	3/1/2007	Benzidine	<		50	100	UG/L	1		
SWB-11	3/7/2008	Benzidine	<		50	100	UG/L	1		
SWB-11	6/5/2008	Benzidine	<		50	100	UG/L	1		
SWB-11	3/2/2009	Benzidine	<		50	100	UG/L	1		
SWB-11	6/4/2009	Benzidine	<		50	100	UG/L	1		
SWB-11	3/1/2010	Benzidine	<	94	47	94	ug/L	1		
SWB-11	6/2/2010	BENZIDINE	<	47	47	95	UG/L	1		



tmpAnalyticalResultsOverTime

SWB-3	10/29/2002	Benzidine	<	15	100	ug/L	1	
SWB-3	3/4/2003	Benzidine	<	44	100	ug/L	1	
SWB-3	6/3/2003	Benzidine	<	44	100	ug/L	1	
SWB-3	9/4/2003	Benzidine	<	40	100	ug/L	1 UJ	
SWB-3	12/2/2003	Benzidine	<	40	100	ug/L	1	
SWB-3	3/1/2004	Benzidine	<	40	100	ug/L	1	
SWB-3	6/1/2004	Benzidine	<	40	100	ug/L	1	
SWB-3	9/1/2004	Benzidine	<	40	100	ug/L	1	
SWB-3	12/1/2004	Benzidine	<	40	100	ug/L	1	
SWB-3	3/3/2005	Benzidine	<	40	100	ug/L	1	
SWB-3	6/2/2005	Benzidine	<	40	100	ug/L	1	
SWB-3	9/1/2005	Benzidine	<	40	100	ug/L	1 UJ	
SWB-3	12/1/2005	Benzidine	<	40	100	UG/L	1 UJ	
SWB-3	3/2/2006	Benzidine	<	40	100	UG/L	1	
SWB-3	6/2/2006	Benzidine	<	50	100	UG/L	1	
SWB-3	9/5/2006	Benzidine	<	50	100	UG/L	1	
SWB-3	12/4/2006	Benzidine	<	50	100	UG/L	1	
SWB-3	3/1/2007	Benzidine	<	50	100	UG/L	1	
SWB-3	6/1/2007	Benzidine	<	50	100	UG/L	1	
SWB-3	6/1/2007	Benzidine	<	50	100	UG/L	1 R	
SWB-3	12/3/2007	Benzidine	<	50	100	UG/L	1	
SWB-3	3/6/2008	Benzidine	<	50	100	UG/L	1	
SWB-3	6/9/2008	Benzidine	<	50	100	UG/L	1	
SWB-3	12/4/2008	Benzidine	<	50	100	UG/L	1	
SWB-3	3/2/2009	Benzidine	<	50	100	UG/L	1	
SWB-3	3/2/2009	Benzidine	<	50	100	UG/L	1 R	
SWB-3	6/4/2009	Benzidine	<	50	100	UG/L	1	
SWB-3	12/1/2009	Benzidine	<	50	100	UG/L	1	
SWB-3	12/1/2009	Benzidine	<	50	100	UG/L	1 DNR	
SWB-3	3/1/2010	Benzidine	<	97	49	97	ug/L	1 UJ
SWB-3	6/1/2010	BENZIDINE	<	47	47	94	UG/L	1
SWB-3	6/1/2010	BENZIDINE	<	47	47	94	UG/L	1 DNR
SWB-3	9/9/2010	BENZIDINE	<	47	47	93	UG/L	1
SWB-4	11/15/2002	Benzidine	<	15	100	ug/L	1	
SWB-5	10/29/2002	Benzidine	<	15	100	ug/L	1	
SWB-6	3/4/2003	Benzidine	<	44	100	ug/L	1	
SWB-6	6/3/2003	Benzidine	<	44	100	ug/L	1	
SWB-6	12/3/2003	Benzidine	<	40	100	ug/L	1	
SWB-6	3/5/2004	Benzidine	<	40	100	ug/L	1 UJ	
SWB-6	6/1/2004	Benzidine	<	40	100	ug/L	1	
SWB-6	12/1/2004	Benzidine	<	40	100	ug/L	1	
SWB-6	3/7/2005	Benzidine	<	40	100	ug/L	1	
SWB-6	6/1/2005	Benzidine	<	40	100	ug/L	1	
SWB-6	12/2/2005	Benzidine	<	40	100	UG/L	1 UJ	
SWB-6	3/1/2006	Benzidine	<	40	100	UG/L	1	
SWB-6	6/1/2006	Benzidine	<	50	100	UG/L	1	
SWB-6	12/5/2006	Benzidine	<	50	100	UG/L	1	
SWB-6	3/2/2007	Benzidine	<	50	100	UG/L	1	
SWB-6	3/6/2008	Benzidine	<	50	100	UG/L	1	
SWB-6	6/9/2008	Benzidine	<	50	100	UG/L	1	
SWB-6	12/5/2008	Benzidine	<	50	100	UG/L	1	
SWB-6	12/5/2008	Benzidine	<	50	100	UG/L	1 R	
SWB-6	3/2/2009	Benzidine	<	50	100	UG/L	1	
SWB-6	3/2/2009	Benzidine	<	50	100	UG/L	1 R	
SWB-6	6/5/2009	Benzidine	<	50	100	UG/L	1	
SWB-6	3/2/2010	Benzidine	<	91	46	91	UG/L	1
SWB-6	6/2/2010	BENZIDINE	<	47	47	94	UG/L	1 DNR

tmpAnalyticalResultsOverTime

SWB-6	6/2/2010	BENZIDINE	<	48	48	95	UG/L	1
SWB-7	3/4/2003	Benzidine	<		44	100	ug/L	1
SWB-7	6/3/2003	Benzidine	<		44	100	ug/L	1
SWB-7	3/1/2004	Benzidine	<		40	100	ug/L	1
SWB-7	5/24/2004	Benzidine	<		40	100	ug/L	1
SWB-7	12/1/2004	Benzidine	<		40	100	ug/L	1
SWB-7	3/7/2005	Benzidine	<		40	100	ug/L	1 UJ
SWB-7	6/1/2005	Benzidine	<		40	100	ug/L	1
SWB-7	9/1/2005	Benzidine	<		40	100	ug/L	1 UJ
SWB-7	12/1/2005	Benzidine	<		40	100	UG/L	1 UJ
SWB-7	3/1/2006	Benzidine	<		40	100	UG/L	1
SWB-7	6/2/2006	Benzidine	<		50	100	UG/L	1
SWB-7	9/5/2006	Benzidine	<		50	100	UG/L	1 UJ
SWB-7	12/5/2006	Benzidine	<		50	100	UG/L	1
SWB-7	3/2/2007	Benzidine	<		50	100	UG/L	1
SWB-7	6/1/2007	Benzidine	<		50	100	UG/L	1
SWB-7	9/7/2007	Benzidine	<		50	100	UG/L	1
SWB-7	12/3/2007	Benzidine	<		50	100	UG/L	1
SWB-7	3/6/2008	Benzidine	<		50	100	UG/L	1
SWB-7	6/6/2008	Benzidine	<		50	100	UG/L	1
SWB-7	9/8/2008	Benzidine	<		50	100	UG/L	1
SWB-7	12/5/2008	Benzidine	<		50	100	UG/L	1
SWB-7	12/5/2008	Benzidine	<		50	100	UG/L	1 R
SWB-7	3/2/2009	Benzidine	<		50	100	UG/L	1
SWB-7	3/2/2009	Benzidine	<		50	100	UG/L	1 R
SWB-7	6/5/2009	Benzidine	<		50	100	UG/L	1
SWB-7	9/9/2009	Benzidine	<		50	100	UG/L	1
SWB-7	12/1/2009	Benzidine	<		50	100	UG/L	1
SWB-7	3/2/2010	Benzidine	<	95	47	95	UG/L	1
SWB-7	6/1/2010	BENZIDINE	<	48	48	96	UG/L	1 DNR
SWB-7	6/1/2010	BENZIDINE	<	50	50	100	UG/L	1 R
SWB-7	9/9/2010	BENZIDINE	<	48	48	96	UG/L	1
SWB-7	12/1/2010	BENZIDINE	<	47	47	93	UG/L	1
SWB-8	3/5/2004	Benzidine	<		40	100	ug/L	1 UJ
SWB-8	3/7/2005	Benzidine	<		40	100	ug/L	1
SWB-8	6/1/2005	Benzidine	<		40	100	ug/L	1
SWB-8	3/1/2006	Benzidine	<		40	100	UG/L	1
SWB-8	3/7/2008	Benzidine	<		50	100	UG/L	1
SWB-8	3/3/2009	Benzidine	<		50	100	UG/L	1
SWB-8	3/3/2009	Benzidine	<		50	100	UG/L	1 R
SWB-9	3/4/2003	Benzidine	<		44	100	ug/L	1
SWB-9	12/3/2003	Benzidine	<		40	100	ug/L	1
SWB-9	3/5/2004	Benzidine	<		40	100	ug/L	1 UJ
SWB-9	5/27/2004	Benzidine	<		40	100	ug/L	1 UJ
SWB-9	12/1/2004	Benzidine	<		40	100	ug/L	1
SWB-9	3/3/2005	Benzidine	<		40	100	ug/L	1
SWB-9	6/2/2005	Benzidine	<		40	100	ug/L	1
SWB-9	9/1/2005	Benzidine	<		40	100	ug/L	1 UJ
SWB-9	12/1/2005	Benzidine	<		40	100	UG/L	1 UJ
SWB-9	3/2/2006	Benzidine	<		40	100	UG/L	1
SWB-9	6/1/2006	Benzidine	<		50	100	UG/L	1
SWB-9	12/4/2006	Benzidine	<		50	100	UG/L	1
SWB-9	3/5/2007	Benzidine	<		50	100	UG/L	1
SWB-9	3/6/2008	Benzidine	<		50	100	UG/L	1
SWB-9	6/5/2008	Benzidine	<		50	100	UG/L	1
SWB-9	12/5/2008	Benzidine	<		50	100	UG/L	1
SWB-9	12/5/2008	Benzidine	<		50	100	UG/L	1 R

tmpAnalyticalResultsOverTime

SWB-9	3/2/2009	Benizidine	<		50	100	UG/L	1	
SWB-9	3/2/2009	Benizidine	<		50	100	UG/L	1 R	
SWB-9	6/2/2009	Benizidine	<		50	100	UG/L	1	
SWB-9	6/2/2009	Benizidine	<		50	100	UG/L	1 DNR	
SWB-9	3/1/2010	Benizidine	<	92	46	92	ug/L	1	
SWB-9	6/1/2010	BENZIDINE	<	47	47	94	UG/L	1 DNR	
SWB-9	6/1/2010	BENZIDINE	<	47	47	95	UG/L	1	
SWB-9	12/1/2010	BENZIDINE	<	46	46	93	UG/L	1	
SWB-10	3/4/2004	Benzo(a)anthracene	<		0.8	10	ug/L	1	0.000027 mg/L
SWB-10	5/24/2004	Benzo(a)anthracene	<		0.8	10	ug/L	1 UJ	
SWB-10	12/1/2004	Benzo(a)anthracene	<		0.8	10	ug/L	1	
SWB-10	3/3/2005	Benzo(a)anthracene	<		1.7	10	ug/L	1	
SWB-10	6/2/2005	Benzo(a)anthracene	<		1.7	10	ug/L	1	
SWB-10	9/1/2005	Benzo(a)anthracene	<		1.7	10	ug/L	1	
SWB-10	3/2/2006	Benzo(a)anthracene	<		1.7	10	UG/L	1	
SWB-10	6/2/2006	Benzo(a)anthracene	<		1.7	10	UG/L	1	
SWB-10	3/1/2007	Benzo(a)anthracene	<		1.7	10	UG/L	1	
SWB-10	3/7/2008	Benzo(a)anthracene	<		0.35	10	UG/L	1	
SWB-10	6/5/2008	Benzo(a)anthracene	<		0.35	10	UG/L	1	
SWB-10	3/2/2009	Benzo(a)anthracene	<		0.35	4	UG/L	1	
SWB-10	3/2/2009	Benzo(a)anthracene	<		0.35	4	UG/L	1 R	
SWB-10	6/4/2009	Benzo(a)anthracene	<		0.35	4	UG/L	1	
SWB-10	3/2/2010	BENZO(a)ANTHRACENE	<	3.7	0.33	3.7	UG/L	1	
SWB-11	3/4/2004	Benzo(a)anthracene	<		0.8	10	ug/L	1	
SWB-11	5/24/2004	Benzo(a)anthracene	<		0.8	10	ug/L	1 UJ	
SWB-11	12/1/2004	Benzo(a)anthracene	<		0.8	10	ug/L	1	
SWB-11	3/1/2005	Benzo(a)anthracene	<		1.7	10	ug/L	1	
SWB-11	6/2/2005	Benzo(a)anthracene	<		1.7	10	ug/L	1	
SWB-11	3/2/2006	Benzo(a)anthracene	<		1.7	10	UG/L	1	
SWB-11	6/1/2006	Benzo(a)anthracene	<		1.7	10	UG/L	1	
SWB-11	3/1/2007	Benzo(a)anthracene	<		1.7	10	UG/L	1	
SWB-11	3/7/2008	Benzo(a)anthracene	<		0.35	10	UG/L	1	
SWB-11	6/5/2008	Benzo(a)anthracene	<		0.35	10	UG/L	1	
SWB-11	3/2/2009	Benzo(a)anthracene	<		0.35	4	UG/L	1	
SWB-11	6/4/2009	Benzo(a)anthracene	<		0.35	4	UG/L	1	
SWB-11	3/1/2010	BENZO(a)ANTHRACENE	<	3.7	0.33	3.7	ug/L	1	
SWB-3	10/29/2002	Benzo(a)anthracene	<		1.2	10	ug/L	1	
SWB-3	3/4/2003	Benzo(a)anthracene	<		1.2	10	ug/L	1	
SWB-3	6/3/2003	Benzo(a)anthracene	<		1.2	10	ug/L	1	
SWB-3	9/4/2003	Benzo(a)anthracene	<		1.2	10	ug/L	1 UJ	
SWB-3	12/2/2003	Benzo(a)anthracene	<		0.8	10	ug/L	1	
SWB-3	3/1/2004	Benzo(a)anthracene	<		0.8	10	ug/L	1	
SWB-3	6/1/2004	Benzo(a)anthracene	<		0.8	10	ug/L	1	
SWB-3	9/1/2004	Benzo(a)anthracene	<		0.8	10	ug/L	1	
SWB-3	12/1/2004	Benzo(a)anthracene	<		0.8	10	ug/L	1	
SWB-3	3/3/2005	Benzo(a)anthracene	<		1.7	10	ug/L	1	
SWB-3	6/2/2005	Benzo(a)anthracene	<		1.7	10	ug/L	1	
SWB-3	9/1/2005	Benzo(a)anthracene	<		1.7	10	ug/L	1	
SWB-3	12/1/2005	Benzo(a)anthracene	<		1.7	10	UG/L	1 UJ	
SWB-3	3/2/2006	Benzo(a)anthracene	<		1.7	10	UG/L	1	
SWB-3	6/2/2006	Benzo(a)anthracene	<		1.7	10	UG/L	1	
SWB-3	9/5/2006	Benzo(a)anthracene	<		1.7	10	UG/L	1	
SWB-3	12/4/2006	Benzo(a)anthracene	<		1.7	10	UG/L	1	
SWB-3	3/1/2007	Benzo(a)anthracene	<		1.7	10	UG/L	1	
SWB-3	6/1/2007	Benzo(a)anthracene	<		1.7	10	UG/L	1	
SWB-3	6/1/2007	Benzo(a)anthracene	<		1.7	10	UG/L	1 R	
SWB-3	12/3/2007	Benzo(a)anthracene	<		0.35	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	3/6/2008	Benzo(a)anthracene	<	0.35	10	UG/L	1
SWB-3	6/9/2008	Benzo(a)anthracene	<	0.35	10	UG/L	1
SWB-3	12/4/2008	Benzo(a)anthracene	<	0.35	4	UG/L	1
SWB-3	3/2/2009	Benzo(a)anthracene	<	0.35	4	UG/L	1
SWB-3	3/2/2009	Benzo(a)anthracene	<	0.35	4	UG/L	1 R
SWB-3	6/4/2009	Benzo(a)anthracene	<	0.35	4	UG/L	1
SWB-3	12/1/2009	Benzo(a)anthracene	<	0.35	4	UG/L	1
SWB-3	12/1/2009	Benzo(a)anthracene	<	0.35	4	UG/L	1 DNR
SWB-3	3/1/2010	BENZO(a)ANTHRACENE	<	3.9	3.9	ug/L	1 UJ
SWB-4	11/15/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1
SWB-5	10/29/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1
SWB-6	3/4/2003	Benzo(a)anthracene	<	1.2	10	ug/L	1
SWB-6	6/3/2003	Benzo(a)anthracene	<	1.2	10	ug/L	1
SWB-6	12/3/2003	Benzo(a)anthracene	<	0.8	10	ug/L	1
SWB-6	3/5/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1
SWB-6	6/1/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1
SWB-6	12/1/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1
SWB-6	3/7/2005	Benzo(a)anthracene	<	1.7	10	ug/L	1
SWB-6	6/1/2005	Benzo(a)anthracene	<	1.7	10	ug/L	1
SWB-6	12/2/2005	Benzo(a)anthracene	<	1.7	10	UG/L	1 UJ
SWB-6	3/1/2006	Benzo(a)anthracene	<	1.7	10	UG/L	1
SWB-6	6/1/2006	Benzo(a)anthracene	<	1.7	10	UG/L	1
SWB-6	12/5/2006	Benzo(a)anthracene	<	1.7	10	UG/L	1
SWB-6	3/2/2007	Benzo(a)anthracene	<	1.7	10	UG/L	1
SWB-6	3/6/2008	Benzo(a)anthracene	<	0.35	10	UG/L	1
SWB-6	6/9/2008	Benzo(a)anthracene	<	0.35	10	UG/L	1
SWB-6	12/5/2008	Benzo(a)anthracene	<	0.35	4	UG/L	1
SWB-6	12/5/2008	Benzo(a)anthracene	<	0.35	4	UG/L	1 R
SWB-6	3/2/2009	Benzo(a)anthracene	<	0.35	4	UG/L	1
SWB-6	3/2/2009	Benzo(a)anthracene	<	0.35	4	UG/L	1 R
SWB-6	6/5/2009	Benzo(a)anthracene	<	0.35	4	UG/L	1
SWB-6	3/2/2010	BENZO(a)ANTHRACENE	<	3.6	3.6	UG/L	1
SWB-7	3/4/2003	Benzo(a)anthracene	<	1.2	10	ug/L	1
SWB-7	6/3/2003	Benzo(a)anthracene	<	1.2	10	ug/L	1
SWB-7	3/1/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1
SWB-7	5/24/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1
SWB-7	12/1/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1
SWB-7	3/7/2005	Benzo(a)anthracene	<	1.7	10	ug/L	1 UJ
SWB-7	6/1/2005	Benzo(a)anthracene	<	1.7	10	ug/L	1
SWB-7	9/1/2005	Benzo(a)anthracene	<	1.7	10	ug/L	1
SWB-7	12/1/2005	Benzo(a)anthracene	<	1.7	10	UG/L	1 UJ
SWB-7	3/1/2006	Benzo(a)anthracene	<	1.7	10	UG/L	1
SWB-7	6/2/2006	Benzo(a)anthracene	<	1.7	10	UG/L	1
SWB-7	9/5/2006	Benzo(a)anthracene	<	1.7	10	UG/L	1 UJ
SWB-7	12/5/2006	Benzo(a)anthracene	<	1.7	10	UG/L	1
SWB-7	3/2/2007	Benzo(a)anthracene	<	1.7	10	UG/L	1
SWB-7	6/1/2007	Benzo(a)anthracene	<	1.7	10	UG/L	1
SWB-7	9/7/2007	Benzo(a)anthracene	<	0.35	10	UG/L	1
SWB-7	12/3/2007	Benzo(a)anthracene	<	0.35	10	UG/L	1
SWB-7	3/6/2008	Benzo(a)anthracene	<	0.35	10	UG/L	1
SWB-7	6/6/2008	Benzo(a)anthracene	<	0.35	10	UG/L	1
SWB-7	9/8/2008	Benzo(a)anthracene	<	0.35	4	UG/L	1
SWB-7	12/5/2008	Benzo(a)anthracene	<	0.35	4	UG/L	1
SWB-7	12/5/2008	Benzo(a)anthracene	<	0.35	4	UG/L	1 R
SWB-7	3/2/2009	Benzo(a)anthracene	<	0.35	4	UG/L	1
SWB-7	3/2/2009	Benzo(a)anthracene	<	0.35	4	UG/L	1 R
SWB-7	6/5/2009	Benzo(a)anthracene	<	0.35	4	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	9/9/2009	Benzo(a)anthracene	<		0.35	4	UG/L	1	
SWB-7	12/1/2009	Benzo(a)anthracene	<		0.35	4	UG/L	1	
SWB-7	3/2/2010	BENZO(a)ANTHRACENE	<	3.8	0.33	3.8	UG/L	1	
SWB-8	3/5/2004	Benzo(a)anthracene	<		0.8	10	ug/L	1	
SWB-8	3/7/2005	Benzo(a)anthracene	<		1.7	10	ug/L	1	
SWB-8	6/1/2005	Benzo(a)anthracene	<		1.7	10	ug/L	1	
SWB-8	3/1/2006	Benzo(a)anthracene	<		1.7	10	UG/L	1	
SWB-8	3/7/2008	Benzo(a)anthracene	<		0.35	10	UG/L	1	
SWB-8	3/3/2009	Benzo(a)anthracene	<		0.35	4	UG/L	1	
SWB-8	3/3/2009	Benzo(a)anthracene	<		0.35	4	UG/L	1	1 R
SWB-9	3/4/2003	Benzo(a)anthracene	<		1.2	10	ug/L	1	
SWB-9	12/3/2003	Benzo(a)anthracene	<		0.8	10	ug/L	1	
SWB-9	3/5/2004	Benzo(a)anthracene	<		0.8	10	ug/L	1	
SWB-9	5/27/2004	Benzo(a)anthracene	<		0.8	10	ug/L	1	1 UJ
SWB-9	12/1/2004	Benzo(a)anthracene	<		0.8	10	ug/L	1	
SWB-9	3/3/2005	Benzo(a)anthracene	<		1.7	10	ug/L	1	
SWB-9	6/2/2005	Benzo(a)anthracene	<		1.7	10	ug/L	1	
SWB-9	9/1/2005	Benzo(a)anthracene	<		1.7	10	ug/L	1	
SWB-9	12/1/2005	Benzo(a)anthracene	<		1.7	10	UG/L	1	1 UJ
SWB-9	3/2/2006	Benzo(a)anthracene	<		1.7	10	UG/L	1	
SWB-9	6/1/2006	Benzo(a)anthracene	<		1.7	10	UG/L	1	
SWB-9	12/4/2006	Benzo(a)anthracene	<		1.7	10	UG/L	1	
SWB-9	3/5/2007	Benzo(a)anthracene	<		1.7	10	UG/L	1	
SWB-9	3/6/2008	Benzo(a)anthracene	<		0.35	10	UG/L	1	
SWB-9	6/5/2008	Benzo(a)anthracene	<		0.35	10	UG/L	1	
SWB-9	12/5/2008	Benzo(a)anthracene	<		0.35	4	UG/L	1	
SWB-9	12/5/2008	Benzo(a)anthracene	<		0.35	4	UG/L	1	1 R
SWB-9	3/2/2009	Benzo(a)anthracene	<		0.35	4	UG/L	1	
SWB-9	3/2/2009	Benzo(a)anthracene	<		0.35	4	UG/L	1	1 R
SWB-9	6/2/2009	Benzo(a)anthracene	<		0.35	4	UG/L	1	
SWB-9	6/2/2009	Benzo(a)anthracene	<		0.35	4	UG/L	1	1 DNR
SWB-9	3/1/2010	BENZO(a)ANTHRACENE	<	3.7	0.32	3.7	ug/L	1	
SWB-10	3/4/2004	Benzo(a)pyrene	<		0.8	10	ug/L	1	0.000014 mg/L
SWB-10	5/24/2004	Benzo(a)pyrene	<		0.8	10	ug/L	1	1 UJ
SWB-10	12/1/2004	Benzo(a)pyrene	<		0.8	10	ug/L	1	
SWB-10	3/3/2005	Benzo(a)pyrene	<		1.3	10	ug/L	1	
SWB-10	6/2/2005	Benzo(a)pyrene	<		1.3	10	ug/L	1	
SWB-10	9/1/2005	Benzo(a)pyrene	<		1.3	10	ug/L	1	
SWB-10	3/2/2006	Benzo(a)pyrene	<		1.3	10	UG/L	1	
SWB-10	6/2/2006	Benzo(a)pyrene	<		1.3	10	UG/L	1	
SWB-10	3/1/2007	Benzo(a)pyrene	<		1.3	10	UG/L	1	
SWB-10	3/7/2008	Benzo(a)pyrene	<		0.31	10	UG/L	1	
SWB-10	6/5/2008	Benzo(a)pyrene	<		0.31	10	UG/L	1	
SWB-10	3/2/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1	1 R
SWB-10	3/2/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1	1 UJ
SWB-10	6/4/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1	
SWB-10	3/2/2010	BENZO(a)PYRENE	<	3.7	0.29	3.7	UG/L	1	
SWB-11	3/4/2004	Benzo(a)pyrene	<		0.8	10	ug/L	1	
SWB-11	5/24/2004	Benzo(a)pyrene	<		0.8	10	ug/L	1	1 UJ
SWB-11	12/1/2004	Benzo(a)pyrene	<		0.8	10	ug/L	1	
SWB-11	3/1/2005	Benzo(a)pyrene	<		1.3	10	ug/L	1	
SWB-11	6/2/2005	Benzo(a)pyrene	<		1.3	10	ug/L	1	
SWB-11	3/2/2006	Benzo(a)pyrene	<		1.3	10	UG/L	1	
SWB-11	6/1/2006	Benzo(a)pyrene	<		1.3	10	UG/L	1	
SWB-11	3/1/2007	Benzo(a)pyrene	<		1.3	10	UG/L	1	
SWB-11	3/7/2008	Benzo(a)pyrene	<		0.31	10	UG/L	1	
SWB-11	6/5/2008	Benzo(a)pyrene	<		0.31	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-11	3/2/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1 UJ
SWB-11	6/4/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1
SWB-11	3/1/2010	BENZO(a)PYRENE	<	3.7	0.29	3.7	ug/L	1
SWB-11	6/2/2010	BENZO(a)PYRENE	<	0.29	0.29	3.8	UG/L	1 UJ
SWB-3	10/29/2002	Benzo(a)pyrene	<		1.4	10	ug/L	1
SWB-3	3/4/2003	Benzo(a)pyrene	<		1.4	10	ug/L	1
SWB-3	6/3/2003	Benzo(a)pyrene	<		1.4	10	ug/L	1
SWB-3	9/4/2003	Benzo(a)pyrene	<		1.4	10	ug/L	1 UJ
SWB-3	12/2/2003	Benzo(a)pyrene	<		0.8	10	ug/L	1
SWB-3	3/1/2004	Benzo(a)pyrene	<		0.8	10	ug/L	1
SWB-3	6/1/2004	Benzo(a)pyrene	<		0.8	10	ug/L	1
SWB-3	9/1/2004	Benzo(a)pyrene	<		0.8	10	ug/L	1
SWB-3	12/1/2004	Benzo(a)pyrene	<		0.8	10	ug/L	1
SWB-3	3/3/2005	Benzo(a)pyrene	<		1.3	10	ug/L	1
SWB-3	6/2/2005	Benzo(a)pyrene	<		1.3	10	ug/L	1
SWB-3	9/1/2005	Benzo(a)pyrene	<		1.3	10	ug/L	1
SWB-3	12/1/2005	Benzo(a)pyrene	<		1.3	10	UG/L	1 UJ
SWB-3	3/2/2006	Benzo(a)pyrene	<		1.3	10	UG/L	1
SWB-3	6/2/2006	Benzo(a)pyrene	<		1.3	10	UG/L	1
SWB-3	9/5/2006	Benzo(a)pyrene	<		1.3	10	UG/L	1
SWB-3	12/4/2006	Benzo(a)pyrene	<		1.3	10	UG/L	1
SWB-3	3/1/2007	Benzo(a)pyrene	<		1.3	10	UG/L	1
SWB-3	6/1/2007	Benzo(a)pyrene	<		1.3	10	UG/L	1
SWB-3	6/1/2007	Benzo(a)pyrene	<		1.3	10	UG/L	1 R
SWB-3	12/3/2007	Benzo(a)pyrene	<		0.74	10	UG/L	1
SWB-3	3/6/2008	Benzo(a)pyrene	<		0.31	10	UG/L	1
SWB-3	6/9/2008	Benzo(a)pyrene	<		0.31	10	UG/L	1
SWB-3	12/4/2008	Benzo(a)pyrene	<		0.31	4	UG/L	1
SWB-3	3/2/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1 R
SWB-3	3/2/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1 UJ
SWB-3	6/4/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1
SWB-3	12/1/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1
SWB-3	12/1/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1 DNR
SWB-3	3/1/2010	BENZO(a)PYRENE	<	3.9	0.3	3.9	ug/L	1 UJ
SWB-3	6/1/2010	BENZO(a)PYRENE	<	0.29	0.29	3.7	UG/L	1 UJ
SWB-3	6/1/2010	BENZO(a)PYRENE	<	0.29	0.29	3.8	UG/L	1 DNR
SWB-3	9/9/2010	BENZO(a)PYRENE	<	0.29	0.29	3.7	UG/L	1
SWB-4	11/15/2002	Benzo(a)pyrene	<		1.4	10	ug/L	1
SWB-5	10/29/2002	Benzo(a)pyrene	<		1.4	10	ug/L	1
SWB-6	3/4/2003	Benzo(a)pyrene	<		1.4	10	ug/L	1
SWB-6	6/3/2003	Benzo(a)pyrene	<		1.4	10	ug/L	1
SWB-6	12/3/2003	Benzo(a)pyrene	<		0.8	10	ug/L	1
SWB-6	3/5/2004	Benzo(a)pyrene	<		0.8	10	ug/L	1
SWB-6	6/1/2004	Benzo(a)pyrene	<		0.8	10	ug/L	1
SWB-6	12/1/2004	Benzo(a)pyrene	<		0.8	10	ug/L	1
SWB-6	3/7/2005	Benzo(a)pyrene	<		1.3	10	ug/L	1
SWB-6	6/1/2005	Benzo(a)pyrene	<		1.3	10	ug/L	1
SWB-6	12/2/2005	Benzo(a)pyrene	<		1.3	10	UG/L	1 UJ
SWB-6	3/1/2006	Benzo(a)pyrene	<		1.3	10	UG/L	1
SWB-6	6/1/2006	Benzo(a)pyrene	<		1.3	10	UG/L	1
SWB-6	12/5/2006	Benzo(a)pyrene	<		1.3	10	UG/L	1
SWB-6	3/2/2007	Benzo(a)pyrene	<		1.3	10	UG/L	1
SWB-6	3/6/2008	Benzo(a)pyrene	<		0.31	10	UG/L	1
SWB-6	6/9/2008	Benzo(a)pyrene	<		0.31	10	UG/L	1
SWB-6	12/5/2008	Benzo(a)pyrene	<		0.31	4	UG/L	1
SWB-6	12/5/2008	Benzo(a)pyrene	<		0.31	4	UG/L	1 R
SWB-6	3/2/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1 R

tmpAnalyticalResultsOverTime

SWB-6	3/2/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1 UJ
SWB-6	6/5/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1
SWB-6	3/2/2010	BENZO(a)PYRENE	<	3.6	0.28	3.6	UG/L	1
SWB-6	6/2/2010	BENZO(a)PYRENE	<	0.29	0.29	3.8	UG/L	1 DNR
SWB-6	6/2/2010	BENZO(a)PYRENE	<	0.3	0.3	3.8	UG/L	1 UJ
SWB-7	3/4/2003	Benzo(a)pyrene	<		1.4	10	ug/L	1
SWB-7	6/3/2003	Benzo(a)pyrene	<		1.4	10	ug/L	1
SWB-7	3/1/2004	Benzo(a)pyrene	<		0.8	10	ug/L	1
SWB-7	5/24/2004	Benzo(a)pyrene	<		0.8	10	ug/L	1
SWB-7	12/1/2004	Benzo(a)pyrene	<		0.8	10	ug/L	1
SWB-7	3/7/2005	Benzo(a)pyrene	<		1.3	10	ug/L	1 UJ
SWB-7	6/1/2005	Benzo(a)pyrene	<		1.3	10	ug/L	1
SWB-7	9/1/2005	Benzo(a)pyrene	<		1.3	10	ug/L	1
SWB-7	12/1/2005	Benzo(a)pyrene	<		1.3	10	UG/L	1 UJ
SWB-7	3/1/2006	Benzo(a)pyrene	<		1.3	10	UG/L	1
SWB-7	6/2/2006	Benzo(a)pyrene	<		1.3	10	UG/L	1
SWB-7	9/5/2006	Benzo(a)pyrene	<		1.3	10	UG/L	1 UJ
SWB-7	12/5/2006	Benzo(a)pyrene	<		1.3	10	UG/L	1
SWB-7	3/2/2007	Benzo(a)pyrene	<		1.3	10	UG/L	1
SWB-7	6/1/2007	Benzo(a)pyrene	<		1.3	10	UG/L	1
SWB-7	9/7/2007	Benzo(a)pyrene	<		0.74	10	UG/L	1
SWB-7	12/3/2007	Benzo(a)pyrene	<		0.74	10	UG/L	1
SWB-7	3/6/2008	Benzo(a)pyrene	<		0.31	10	UG/L	1
SWB-7	6/6/2008	Benzo(a)pyrene	<		0.31	10	UG/L	1
SWB-7	9/8/2008	Benzo(a)pyrene	<		0.31	4	UG/L	1
SWB-7	12/5/2008	Benzo(a)pyrene	<		0.31	4	UG/L	1
SWB-7	12/5/2008	Benzo(a)pyrene	<		0.31	4	UG/L	1 R
SWB-7	3/2/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1 R
SWB-7	3/2/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1 UJ
SWB-7	6/5/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1
SWB-7	9/9/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1
SWB-7	12/1/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1
SWB-7	3/2/2010	BENZO(a)PYRENE	<	3.8	0.29	3.8	UG/L	1
SWB-7	6/1/2010	BENZO(a)PYRENE	<	0.3	0.3	3.8	UG/L	1 DNR
SWB-7	6/1/2010	BENZO(a)PYRENE	<	0.31	0.31	4	UG/L	1 R
SWB-7	9/9/2010	BENZO(a)PYRENE	<	0.3	0.3	3.9	UG/L	1
SWB-7	12/1/2010	BENZO(a)PYRENE	<	0.29	0.29	3.7	UG/L	1 UJ
SWB-8	3/5/2004	Benzo(a)pyrene	<		0.8	10	ug/L	1
SWB-8	3/7/2005	Benzo(a)pyrene	<		1.3	10	ug/L	1
SWB-8	6/1/2005	Benzo(a)pyrene	<		1.3	10	ug/L	1
SWB-8	3/1/2006	Benzo(a)pyrene	<		1.3	10	UG/L	1
SWB-8	3/7/2008	Benzo(a)pyrene	<		0.31	10	UG/L	1
SWB-8	3/3/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1 R
SWB-8	3/3/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1 UJ
SWB-9	3/4/2003	Benzo(a)pyrene	<		1.4	10	ug/L	1
SWB-9	12/3/2003	Benzo(a)pyrene	<		0.8	10	ug/L	1
SWB-9	3/5/2004	Benzo(a)pyrene	<		0.8	10	ug/L	1
SWB-9	5/27/2004	Benzo(a)pyrene	<		0.8	10	ug/L	1 UJ
SWB-9	12/1/2004	Benzo(a)pyrene	<		0.8	10	ug/L	1
SWB-9	3/3/2005	Benzo(a)pyrene	<		1.3	10	ug/L	1
SWB-9	6/2/2005	Benzo(a)pyrene	<		1.3	10	ug/L	1
SWB-9	9/1/2005	Benzo(a)pyrene	<		1.3	10	ug/L	1
SWB-9	12/1/2005	Benzo(a)pyrene	<		1.3	10	UG/L	1 UJ
SWB-9	3/2/2006	Benzo(a)pyrene	<		1.3	10	UG/L	1
SWB-9	6/1/2006	Benzo(a)pyrene	<		1.3	10	UG/L	1
SWB-9	12/4/2006	Benzo(a)pyrene	<		1.3	10	UG/L	1
SWB-9	3/5/2007	Benzo(a)pyrene	<		1.3	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	3/6/2008	Benzo(a)pyrene	<		0.31	10	UG/L	1	
SWB-9	6/5/2008	Benzo(a)pyrene	<		0.31	10	UG/L	1	
SWB-9	12/5/2008	Benzo(a)pyrene	<		0.31	4	UG/L	1	
SWB-9	12/5/2008	Benzo(a)pyrene	<		0.31	4	UG/L	1	R
SWB-9	3/2/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1	R
SWB-9	3/2/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1	UJ
SWB-9	6/2/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1	
SWB-9	6/2/2009	Benzo(a)pyrene	<		0.31	4	UG/L	1	DNR
SWB-9	3/1/2010	BENZO(a)PYRENE	<	3.7	0.29	3.7	ug/L	1	
SWB-9	6/1/2010	BENZO(a)PYRENE	<	0.29	0.29	3.8	UG/L	1	DNR
SWB-9	6/1/2010	BENZO(a)PYRENE	<	0.29	0.29	3.8	UG/L	1	UJ
SWB-9	12/1/2010	BENZO(a)PYRENE	<	0.29	0.29	3.7	UG/L	1	UJ
SWB-10	3/4/2004	Benzo(b)fluoranthene	<		0.9	10	ug/L	1	NA
SWB-10	5/24/2004	Benzo(b)fluoranthene	<		0.9	10	ug/L	1	UJ
SWB-10	12/1/2004	Benzo(b)fluoranthene	<		0.9	10	ug/L	1	
SWB-10	3/3/2005	Benzo(b)fluoranthene	<		1.4	10	ug/L	1	
SWB-10	6/2/2005	Benzo(b)fluoranthene	<		1.4	10	ug/L	1	
SWB-10	9/1/2005	Benzo(b)fluoranthene	<		1.4	10	ug/L	1	
SWB-10	3/2/2006	Benzo(b)fluoranthene	<		1.4	10	UG/L	1	
SWB-10	6/2/2006	Benzo(b)fluoranthene	<		0.39	10	UG/L	1	
SWB-10	3/1/2007	Benzo(b)fluoranthene	<		0.39	10	UG/L	1	
SWB-10	3/7/2008	Benzo(b)fluoranthene	<		0.53	10	UG/L	1	
SWB-10	6/5/2008	Benzo(b)fluoranthene	<		0.53	10	UG/L	1	
SWB-10	3/2/2009	Benzo(b)fluoranthene	<		0.53	4	UG/L	1	
SWB-10	3/2/2009	Benzo(b)fluoranthene	<		0.53	4	UG/L	1	R
SWB-10	6/4/2009	Benzo(b)fluoranthene	<		0.53	4	UG/L	1	
SWB-10	3/2/2010	BENZO(b)FLUORANTHENE	<	3.7	0.49	3.7	UG/L	1	
SWB-11	3/4/2004	Benzo(b)fluoranthene	<		0.9	10	ug/L	1	
SWB-11	5/24/2004	Benzo(b)fluoranthene	<		0.9	10	ug/L	1	UJ
SWB-11	12/1/2004	Benzo(b)fluoranthene	<		0.9	10	ug/L	1	
SWB-11	3/1/2005	Benzo(b)fluoranthene	<		1.4	10	ug/L	1	
SWB-11	6/2/2005	Benzo(b)fluoranthene	<		1.4	10	ug/L	1	
SWB-11	3/2/2006	Benzo(b)fluoranthene	<		1.4	10	UG/L	1	
SWB-11	6/1/2006	Benzo(b)fluoranthene	<		0.39	10	UG/L	1	
SWB-11	3/1/2007	Benzo(b)fluoranthene	<		0.39	10	UG/L	1	
SWB-11	3/7/2008	Benzo(b)fluoranthene	<		0.53	10	UG/L	1	
SWB-11	6/5/2008	Benzo(b)fluoranthene	<		0.53	10	UG/L	1	
SWB-11	3/2/2009	Benzo(b)fluoranthene	<		0.53	4	UG/L	1	
SWB-11	6/4/2009	Benzo(b)fluoranthene	<		0.53	4	UG/L	1	
SWB-11	3/1/2010	BENZO(b)FLUORANTHENE	<	3.7	0.5	3.7	ug/L	1	
SWB-11	6/2/2010	BENZO(b)FLUORANTHENE	<	0.5	0.5	3.8	UG/L	1	UJ
SWB-3	10/29/2002	Benzo(b)fluoranthene	<		2.2	10	ug/L	1	
SWB-3	3/4/2003	Benzo(b)fluoranthene	<		2.2	10	ug/L	1	
SWB-3	6/3/2003	Benzo(b)fluoranthene	<		2.2	10	ug/L	1	
SWB-3	9/4/2003	Benzo(b)fluoranthene	<		2.2	10	ug/L	1	UJ
SWB-3	12/2/2003	Benzo(b)fluoranthene	<		0.9	10	ug/L	1	
SWB-3	3/1/2004	Benzo(b)fluoranthene	<		0.9	10	ug/L	1	
SWB-3	6/1/2004	Benzo(b)fluoranthene	<		0.9	10	ug/L	1	
SWB-3	9/1/2004	Benzo(b)fluoranthene	<		0.9	10	ug/L	1	
SWB-3	12/1/2004	Benzo(b)fluoranthene	<		0.9	10	ug/L	1	
SWB-3	3/3/2005	Benzo(b)fluoranthene	<		1.4	10	ug/L	1	
SWB-3	6/2/2005	Benzo(b)fluoranthene	<		1.4	10	ug/L	1	
SWB-3	9/1/2005	Benzo(b)fluoranthene	<		1.4	10	ug/L	1	
SWB-3	12/1/2005	Benzo(b)fluoranthene	<		1.4	10	UG/L	1	UJ
SWB-3	3/2/2006	Benzo(b)fluoranthene	<		1.4	10	UG/L	1	
SWB-3	6/2/2006	Benzo(b)fluoranthene	<		0.39	10	UG/L	1	
SWB-3	9/5/2006	Benzo(b)fluoranthene	<		0.39	10	UG/L	1	



tmpAnalyticalResultsOverTime

SWB-3	12/4/2006	Benzo(b)fluoranthene	<	0.39	10	UG/L	1	
SWB-3	3/1/2007	Benzo(b)fluoranthene	<	0.39	10	UG/L	1	
SWB-3	6/1/2007	Benzo(b)fluoranthene	<	0.39	10	UG/L	1	
SWB-3	6/1/2007	Benzo(b)fluoranthene	<	0.39	10	UG/L	1 R	
SWB-3	12/3/2007	Benzo(b)fluoranthene	<	0.39	10	UG/L	1	
SWB-3	3/6/2008	Benzo(b)fluoranthene	<	0.53	10	UG/L	1	
SWB-3	6/9/2008	Benzo(b)fluoranthene	<	0.53	10	UG/L	1	
SWB-3	12/4/2008	Benzo(b)fluoranthene	<	0.53	4	UG/L	1	
SWB-3	3/2/2009	Benzo(b)fluoranthene	<	0.53	4	UG/L	1	
SWB-3	3/2/2009	Benzo(b)fluoranthene	<	0.53	4	UG/L	1 R	
SWB-3	6/4/2009	Benzo(b)fluoranthene	<	0.53	4	UG/L	1	
SWB-3	12/1/2009	Benzo(b)fluoranthene	<	0.53	4	UG/L	1	
SWB-3	12/1/2009	Benzo(b)fluoranthene	<	0.53	4	UG/L	1 DNR	
SWB-3	3/1/2010	BENZO(b)FLUORANTHENE	<	3.9	0.52	3.9	ug/L	1 UJ
SWB-3	6/1/2010	BENZO(b)FLUORANTHENE	<	0.5	0.5	3.7	UG/L	1 UJ
SWB-3	6/1/2010	BENZO(b)FLUORANTHENE	<	0.5	0.5	3.8	UG/L	1 DNR
SWB-3	9/9/2010	BENZO(b)FLUORANTHENE	<	0.5	0.5	3.7	UG/L	1
SWB-4	11/15/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
SWB-5	10/29/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
SWB-6	3/4/2003	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
SWB-6	6/3/2003	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
SWB-6	12/3/2003	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
SWB-6	3/5/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
SWB-6	6/1/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
SWB-6	12/1/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
SWB-6	3/7/2005	Benzo(b)fluoranthene	<	1.4	10	ug/L	1	
SWB-6	6/1/2005	Benzo(b)fluoranthene	<	1.4	10	ug/L	1	
SWB-6	12/2/2005	Benzo(b)fluoranthene	<	1.4	10	UG/L	1 UJ	
SWB-6	3/1/2006	Benzo(b)fluoranthene	<	1.4	10	UG/L	1	
SWB-6	6/1/2006	Benzo(b)fluoranthene	<	0.39	10	UG/L	1	
SWB-6	12/5/2006	Benzo(b)fluoranthene	<	0.39	10	UG/L	1	
SWB-6	3/2/2007	Benzo(b)fluoranthene	<	0.39	10	UG/L	1	
SWB-6	3/6/2008	Benzo(b)fluoranthene	<	0.53	10	UG/L	1	
SWB-6	6/9/2008	Benzo(b)fluoranthene	<	0.53	10	UG/L	1	
SWB-6	12/5/2008	Benzo(b)fluoranthene	<	0.53	4	UG/L	1	
SWB-6	12/5/2008	Benzo(b)fluoranthene	<	0.53	4	UG/L	1 R	
SWB-6	3/2/2009	Benzo(b)fluoranthene	<	0.53	4	UG/L	1	
SWB-6	3/2/2009	Benzo(b)fluoranthene	<	0.53	4	UG/L	1 R	
SWB-6	6/5/2009	Benzo(b)fluoranthene	<	0.53	4	UG/L	1	
SWB-6	3/2/2010	BENZO(b)FLUORANTHENE	<	3.6	0.48	3.6	UG/L	1
SWB-6	6/2/2010	BENZO(b)FLUORANTHENE	<	0.5	0.5	3.8	UG/L	1 DNR
SWB-6	6/2/2010	BENZO(b)FLUORANTHENE	<	0.51	0.51	3.8	UG/L	1 UJ
SWB-7	3/4/2003	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
SWB-7	6/3/2003	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
SWB-7	3/1/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
SWB-7	5/24/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
SWB-7	12/1/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
SWB-7	3/7/2005	Benzo(b)fluoranthene	<	1.4	10	ug/L	1 UJ	
SWB-7	6/1/2005	Benzo(b)fluoranthene	<	1.4	10	ug/L	1	
SWB-7	9/1/2005	Benzo(b)fluoranthene	<	1.4	10	ug/L	1	
SWB-7	12/1/2005	Benzo(b)fluoranthene	<	1.4	10	UG/L	1 UJ	
SWB-7	3/1/2006	Benzo(b)fluoranthene	<	1.4	10	UG/L	1	
SWB-7	6/2/2006	Benzo(b)fluoranthene	<	0.39	10	UG/L	1	
SWB-7	9/5/2006	Benzo(b)fluoranthene	<	0.39	10	UG/L	1 UJ	
SWB-7	12/5/2006	Benzo(b)fluoranthene	<	0.39	10	UG/L	1	
SWB-7	3/2/2007	Benzo(b)fluoranthene	<	0.39	10	UG/L	1	
SWB-7	6/1/2007	Benzo(b)fluoranthene	<	0.39	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-7	9/7/2007	Benzo(b)fluoranthene	<		0.39	10	UG/L	1	
SWB-7	12/3/2007	Benzo(b)fluoranthene	<		0.39	10	UG/L	1	
SWB-7	3/6/2008	Benzo(b)fluoranthene	<		0.53	10	UG/L	1	
SWB-7	6/6/2008	Benzo(b)fluoranthene	<		0.53	10	UG/L	1	
SWB-7	9/8/2008	Benzo(b)fluoranthene	<		0.53	4	UG/L	1	
SWB-7	12/5/2008	Benzo(b)fluoranthene	<		0.53	4	UG/L	1	
SWB-7	12/5/2008	Benzo(b)fluoranthene	<		0.53	4	UG/L	1	R
SWB-7	3/2/2009	Benzo(b)fluoranthene	<		0.53	4	UG/L	1	
SWB-7	3/2/2009	Benzo(b)fluoranthene	<		0.53	4	UG/L	1	R
SWB-7	6/5/2009	Benzo(b)fluoranthene	<		0.53	4	UG/L	1	UJ
SWB-7	9/9/2009	Benzo(b)fluoranthene	<		0.53	4	UG/L	1	
SWB-7	12/1/2009	Benzo(b)fluoranthene	<		0.53	4	UG/L	1	
SWB-7	3/2/2010	BENZO(b)FLUORANTHENE	<	3.8	0.5	3.8	UG/L	1	
SWB-7	6/1/2010	BENZO(b)FLUORANTHENE	<	0.51	0.51	3.8	UG/L	1	DNR
SWB-7	6/1/2010	BENZO(b)FLUORANTHENE	<	0.53	0.53	4	UG/L	1	R
SWB-7	9/9/2010	BENZO(b)FLUORANTHENE	<	0.51	0.51	3.9	UG/L	1	
SWB-7	12/1/2010	BENZO(b)FLUORANTHENE	<	0.49	0.49	3.7	UG/L	1	UJ
SWB-8	3/5/2004	Benzo(b)fluoranthene	<		0.9	10	ug/L	1	
SWB-8	3/7/2005	Benzo(b)fluoranthene	<		1.4	10	ug/L	1	
SWB-8	6/1/2005	Benzo(b)fluoranthene	<		1.4	10	ug/L	1	
SWB-8	3/1/2006	Benzo(b)fluoranthene	<		1.4	10	UG/L	1	
SWB-8	3/7/2008	Benzo(b)fluoranthene	<		0.53	10	UG/L	1	
SWB-8	3/3/2009	Benzo(b)fluoranthene	<		0.53	4	UG/L	1	
SWB-8	3/3/2009	Benzo(b)fluoranthene	<		0.53	4	UG/L	1	R
SWB-9	3/4/2003	Benzo(b)fluoranthene	<		2.2	10	ug/L	1	
SWB-9	12/3/2003	Benzo(b)fluoranthene	<		0.9	10	ug/L	1	
SWB-9	3/5/2004	Benzo(b)fluoranthene	<		0.9	10	ug/L	1	
SWB-9	5/27/2004	Benzo(b)fluoranthene	<		0.9	10	ug/L	1	UJ
SWB-9	12/1/2004	Benzo(b)fluoranthene	<		0.9	10	ug/L	1	
SWB-9	3/3/2005	Benzo(b)fluoranthene	<		1.4	10	ug/L	1	
SWB-9	6/2/2005	Benzo(b)fluoranthene	<		1.4	10	ug/L	1	
SWB-9	9/1/2005	Benzo(b)fluoranthene	<		1.4	10	ug/L	1	
SWB-9	12/1/2005	Benzo(b)fluoranthene	<		1.4	10	UG/L	1	UJ
SWB-9	3/2/2006	Benzo(b)fluoranthene	<		1.4	10	UG/L	1	
SWB-9	6/1/2006	Benzo(b)fluoranthene	<		0.39	10	UG/L	1	
SWB-9	12/4/2006	Benzo(b)fluoranthene	<		0.39	10	UG/L	1	
SWB-9	3/5/2007	Benzo(b)fluoranthene	<		0.39	10	UG/L	1	
SWB-9	3/6/2008	Benzo(b)fluoranthene	<		0.53	10	UG/L	1	
SWB-9	6/5/2008	Benzo(b)fluoranthene	<		0.53	10	UG/L	1	
SWB-9	12/5/2008	Benzo(b)fluoranthene	<		0.53	4	UG/L	1	
SWB-9	12/5/2008	Benzo(b)fluoranthene	<		0.53	4	UG/L	1	R
SWB-9	3/2/2009	Benzo(b)fluoranthene	<		0.53	4	UG/L	1	
SWB-9	3/2/2009	Benzo(b)fluoranthene	<		0.53	4	UG/L	1	R
SWB-9	6/2/2009	Benzo(b)fluoranthene	<		0.53	4	UG/L	1	
SWB-9	6/2/2009	Benzo(b)fluoranthene	<		0.53	4	UG/L	1	DNR
SWB-9	3/1/2010	BENZO(b)FLUORANTHENE	<	3.7	0.49	3.7	ug/L	1	
SWB-9	6/1/2010	BENZO(b)FLUORANTHENE	<	0.5	0.5	3.8	UG/L	1	DNR
SWB-9	6/1/2010	BENZO(b)FLUORANTHENE	<	0.5	0.5	3.8	UG/L	1	UJ
SWB-9	12/1/2010	BENZO(b)FLUORANTHENE	<	0.49	0.49	3.7	UG/L	1	UJ
SWB-10	3/4/2004	Benzo(ghi)perylene	<		1	10	ug/L	1	NA
SWB-10	5/24/2004	Benzo(ghi)perylene	<		1	10	ug/L	1	UJ
SWB-10	12/1/2004	Benzo(ghi)perylene	<		1	10	ug/L	1	
SWB-10	3/3/2005	Benzo(ghi)perylene	<		2	10	ug/L	1	
SWB-10	6/2/2005	Benzo(ghi)perylene	<		2	10	ug/L	1	
SWB-10	9/1/2005	Benzo(ghi)perylene	<		2	10	ug/L	1	
SWB-10	3/2/2006	Benzo(ghi)perylene	<		2	10	UG/L	1	
SWB-10	6/2/2006	Benzo(ghi)perylene	<		1	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-10	3/1/2007	Benzo(ghi)perylene	<		1	10	UG/L	1
SWB-10	3/7/2008	Benzo(ghi)perylene	<		0.5	10	UG/L	1
SWB-10	6/5/2008	Benzo(ghi)perylene	<		0.5	10	UG/L	1
SWB-10	3/2/2009	Benzo(ghi)perylene	<		0.5	4	UG/L	1
SWB-10	3/2/2009	Benzo(ghi)perylene	<		0.5	4	UG/L	1 R
SWB-10	6/4/2009	Benzo(ghi)perylene	<		0.5	4	UG/L	1
SWB-10	3/2/2010	BENZO(ghi)PERYLENE	<	3.7	0.47	3.7	UG/L	1
SWB-11	3/4/2004	Benzo(ghi)perylene	<		1	10	ug/L	1
SWB-11	5/24/2004	Benzo(ghi)perylene	<		1	10	ug/L	1 UJ
SWB-11	12/1/2004	Benzo(ghi)perylene	<		1	10	ug/L	1
SWB-11	3/1/2005	Benzo(ghi)perylene	<		2	10	ug/L	1
SWB-11	6/2/2005	Benzo(ghi)perylene	<		2	10	ug/L	1
SWB-11	3/2/2006	Benzo(ghi)perylene	<		2	10	UG/L	1
SWB-11	6/1/2006	Benzo(ghi)perylene	<		1	10	UG/L	1
SWB-11	3/1/2007	Benzo(ghi)perylene	<		1	10	UG/L	1
SWB-11	3/7/2008	Benzo(ghi)perylene	<		0.5	10	UG/L	1
SWB-11	6/5/2008	Benzo(ghi)perylene	<		0.5	10	UG/L	1
SWB-11	3/2/2009	Benzo(ghi)perylene	<		0.5	4	UG/L	1
SWB-11	6/4/2009	Benzo(ghi)perylene	<		0.5	4	UG/L	1
SWB-11	3/1/2010	BENZO(ghi)PERYLENE	<	3.7	0.47	3.7	ug/L	1
SWB-11	6/2/2010	BENZO(ghi)PERYLENE	<	0.47	0.47	3.8	UG/L	1
SWB-3	10/29/2002	Benzo(ghi)perylene	<		1.7	10	ug/L	1
SWB-3	3/4/2003	Benzo(ghi)perylene	<		1.7	10	ug/L	1
SWB-3	6/3/2003	Benzo(ghi)perylene	<		1.7	10	ug/L	1
SWB-3	9/4/2003	Benzo(ghi)perylene	<		1.7	10	ug/L	1 UJ
SWB-3	12/2/2003	Benzo(ghi)perylene	<		1	10	ug/L	1
SWB-3	3/1/2004	Benzo(ghi)perylene	<		1	10	ug/L	1
SWB-3	6/1/2004	Benzo(ghi)perylene	<		1	10	ug/L	1
SWB-3	9/1/2004	Benzo(ghi)perylene	<		1	10	ug/L	1
SWB-3	12/1/2004	Benzo(ghi)perylene	<		1	10	ug/L	1
SWB-3	3/3/2005	Benzo(ghi)perylene	<		2	10	ug/L	1
SWB-3	6/2/2005	Benzo(ghi)perylene	<		2	10	ug/L	1
SWB-3	9/1/2005	Benzo(ghi)perylene	<		2	10	ug/L	1
SWB-3	12/1/2005	Benzo(ghi)perylene	<		2	10	UG/L	1 UJ
SWB-3	3/2/2006	Benzo(ghi)perylene	<		2	10	UG/L	1
SWB-3	6/2/2006	Benzo(ghi)perylene	<		1	10	UG/L	1
SWB-3	9/5/2006	Benzo(ghi)perylene	<		1	10	UG/L	1
SWB-3	9/5/2006	Benzo(ghi)perylene	<		0.03	5	UG/L	1
SWB-3	12/4/2006	Benzo(ghi)perylene	<		1	10	UG/L	1
SWB-3	3/1/2007	Benzo(ghi)perylene	<		1	10	UG/L	1
SWB-3	6/1/2007	Benzo(ghi)perylene	<		1	10	UG/L	1
SWB-3	6/1/2007	Benzo(ghi)perylene	<		1	10	UG/L	1 R
SWB-3	12/3/2007	Benzo(ghi)perylene	<		0.5	10	UG/L	1
SWB-3	3/6/2008	Benzo(ghi)perylene	<		0.5	10	UG/L	1
SWB-3	6/9/2008	Benzo(ghi)perylene	<		0.5	10	UG/L	1
SWB-3	12/4/2008	Benzo(ghi)perylene	<		0.5	4	UG/L	1
SWB-3	3/2/2009	Benzo(ghi)perylene	<		0.5	4	UG/L	1
SWB-3	3/2/2009	Benzo(ghi)perylene	<		0.5	4	UG/L	1 R
SWB-3	6/4/2009	Benzo(ghi)perylene	<		0.5	4	UG/L	1
SWB-3	12/1/2009	Benzo(ghi)perylene	<		0.5	4	UG/L	1
SWB-3	12/1/2009	Benzo(ghi)perylene	<		0.5	4	UG/L	1 DNR
SWB-3	3/1/2010	BENZO(ghi)PERYLENE	<	3.9	0.49	3.9	ug/L	1 UJ
SWB-3	6/1/2010	BENZO(ghi)PERYLENE	<	0.47	0.47	3.7	UG/L	1
SWB-3	6/1/2010	BENZO(ghi)PERYLENE	<	0.47	0.47	3.8	UG/L	1 DNR
SWB-3	9/9/2010	BENZO(ghi)PERYLENE	<	0.47	0.47	3.7	UG/L	1
SWB-4	11/15/2002	Benzo(ghi)perylene	<		1.7	10	ug/L	1
SWB-5	10/29/2002	Benzo(ghi)perylene	<		1.7	10	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	3/4/2003	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
SWB-6	6/3/2003	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
SWB-6	12/3/2003	Benzo(ghi)perylene	<	1	10	ug/L	1	
SWB-6	3/5/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
SWB-6	6/1/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
SWB-6	12/1/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
SWB-6	3/7/2005	Benzo(ghi)perylene	<	2	10	ug/L	1	
SWB-6	6/1/2005	Benzo(ghi)perylene	<	2	10	ug/L	1	
SWB-6	12/2/2005	Benzo(ghi)perylene	<	2	10	UG/L	1 UJ	
SWB-6	3/1/2006	Benzo(ghi)perylene	<	2	10	UG/L	1	
SWB-6	6/1/2006	Benzo(ghi)perylene	<	1	10	UG/L	1	
SWB-6	12/5/2006	Benzo(ghi)perylene	<	1	10	UG/L	1	
SWB-6	3/2/2007	Benzo(ghi)perylene	<	1	10	UG/L	1	
SWB-6	3/6/2008	Benzo(ghi)perylene	<	0.5	10	UG/L	1	
SWB-6	6/9/2008	Benzo(ghi)perylene	<	0.5	10	UG/L	1	
SWB-6	12/5/2008	Benzo(ghi)perylene	<	0.5	4	UG/L	1	
SWB-6	12/5/2008	Benzo(ghi)perylene	<	0.5	4	UG/L	1 R	
SWB-6	3/2/2009	Benzo(ghi)perylene	<	0.5	4	UG/L	1	
SWB-6	3/2/2009	Benzo(ghi)perylene	<	0.5	4	UG/L	1 R	
SWB-6	6/5/2009	Benzo(ghi)perylene	<	0.5	4	UG/L	1	
SWB-6	3/2/2010	BENZO(ghi)PERYLENE	<	3.6	0.46	3.6	UG/L	1
SWB-6	6/2/2010	BENZO(ghi)PERYLENE	<	0.47	0.47	3.8	UG/L	1 DNR
SWB-6	6/2/2010	BENZO(ghi)PERYLENE	<	0.48	0.48	3.8	UG/L	1
SWB-7	3/4/2003	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
SWB-7	6/3/2003	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
SWB-7	3/1/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
SWB-7	5/24/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
SWB-7	12/1/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
SWB-7	3/7/2005	Benzo(ghi)perylene	<	2	10	ug/L	1 UJ	
SWB-7	6/1/2005	Benzo(ghi)perylene	<	2	10	ug/L	1	
SWB-7	9/1/2005	Benzo(ghi)perylene	<	2	10	ug/L	1	
SWB-7	12/1/2005	Benzo(ghi)perylene	<	2	10	UG/L	1 UJ	
SWB-7	3/1/2006	Benzo(ghi)perylene	<	2	10	UG/L	1	
SWB-7	6/2/2006	Benzo(ghi)perylene	<	1	10	UG/L	1	
SWB-7	9/5/2006	Benzo(ghi)perylene	<	1	10	UG/L	1 UJ	
SWB-7	9/5/2006	Benzo(ghi)perylene	<	0.03	5	UG/L	1	
SWB-7	12/5/2006	Benzo(ghi)perylene	<	1	10	UG/L	1	
SWB-7	3/2/2007	Benzo(ghi)perylene	<	1	10	UG/L	1	
SWB-7	6/1/2007	Benzo(ghi)perylene	<	1	10	UG/L	1	
SWB-7	9/7/2007	Benzo(ghi)perylene	<	0.5	10	UG/L	1	
SWB-7	12/3/2007	Benzo(ghi)perylene	<	0.5	10	UG/L	1	
SWB-7	3/6/2008	Benzo(ghi)perylene	<	0.5	10	UG/L	1	
SWB-7	6/6/2008	Benzo(ghi)perylene	<	0.5	10	UG/L	1	
SWB-7	9/8/2008	Benzo(ghi)perylene	<	0.5	4	UG/L	1	
SWB-7	12/5/2008	Benzo(ghi)perylene	<	0.5	4	UG/L	1	
SWB-7	12/5/2008	Benzo(ghi)perylene	<	0.5	4	UG/L	1 R	
SWB-7	3/2/2009	Benzo(ghi)perylene	<	0.5	4	UG/L	1	
SWB-7	3/2/2009	Benzo(ghi)perylene	<	0.5	4	UG/L	1 R	
SWB-7	6/5/2009	Benzo(ghi)perylene	<	0.5	4	UG/L	1 UJ	
SWB-7	9/9/2009	Benzo(ghi)perylene	<	0.5	4	UG/L	1	
SWB-7	12/1/2009	Benzo(ghi)perylene	<	0.5	4	UG/L	1	
SWB-7	3/2/2010	BENZO(ghi)PERYLENE	<	3.8	0.47	3.8	UG/L	1
SWB-7	6/1/2010	BENZO(ghi)PERYLENE	<	0.48	0.48	3.8	UG/L	1 DNR
SWB-7	6/1/2010	BENZO(ghi)PERYLENE	<	0.5	0.5	4	UG/L	1 R
SWB-7	9/9/2010	BENZO(ghi)PERYLENE	<	0.48	0.48	3.9	UG/L	1
SWB-7	12/1/2010	BENZO(ghi)PERYLENE	<	0.47	0.47	3.7	UG/L	1
SWB-8	3/5/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-8	3/7/2005	Benzo(ghi)perylene	<		2	10	ug/L	1	
SWB-8	6/1/2005	Benzo(ghi)perylene	<		2	10	ug/L	1	
SWB-8	3/1/2006	Benzo(ghi)perylene	<		2	10	UG/L	1	
SWB-8	3/7/2008	Benzo(ghi)perylene	<		0.5	10	UG/L	1	
SWB-8	3/3/2009	Benzo(ghi)perylene	<		0.5	4	UG/L	1	
SWB-8	3/3/2009	Benzo(ghi)perylene	<		0.5	4	UG/L	1	R
SWB-9	3/4/2003	Benzo(ghi)perylene	<		1.7	10	ug/L	1	
SWB-9	12/3/2003	Benzo(ghi)perylene	<		1	10	ug/L	1	
SWB-9	3/5/2004	Benzo(ghi)perylene	<		1	10	ug/L	1	
SWB-9	5/27/2004	Benzo(ghi)perylene	<		1	10	ug/L	1	UJ
SWB-9	12/1/2004	Benzo(ghi)perylene	<		1	10	ug/L	1	
SWB-9	3/3/2005	Benzo(ghi)perylene	<		2	10	ug/L	1	
SWB-9	6/2/2005	Benzo(ghi)perylene	<		2	10	ug/L	1	
SWB-9	9/1/2005	Benzo(ghi)perylene	<		2	10	ug/L	1	
SWB-9	12/1/2005	Benzo(ghi)perylene	<		2	10	UG/L	1	UJ
SWB-9	3/2/2006	Benzo(ghi)perylene	<		2	10	UG/L	1	
SWB-9	6/1/2006	Benzo(ghi)perylene	<		1	10	UG/L	1	
SWB-9	12/4/2006	Benzo(ghi)perylene	<		1	10	UG/L	1	
SWB-9	3/5/2007	Benzo(ghi)perylene	<		1	10	UG/L	1	
SWB-9	3/6/2008	Benzo(ghi)perylene	<		0.5	10	UG/L	1	
SWB-9	6/5/2008	Benzo(ghi)perylene	<		0.5	10	UG/L	1	
SWB-9	12/5/2008	Benzo(ghi)perylene	<		0.5	4	UG/L	1	
SWB-9	12/5/2008	Benzo(ghi)perylene	<		0.5	4	UG/L	1	R
SWB-9	3/2/2009	Benzo(ghi)perylene	<		0.5	4	UG/L	1	
SWB-9	3/2/2009	Benzo(ghi)perylene	<		0.5	4	UG/L	1	R
SWB-9	6/2/2009	Benzo(ghi)perylene	<		0.5	4	UG/L	1	
SWB-9	6/2/2009	Benzo(ghi)perylene	<		0.5	4	UG/L	1	DNR
SWB-9	3/1/2010	BENZO(ghi)PERYLENE	<	3.7	0.46	3.7	ug/L	1	
SWB-9	6/1/2010	BENZO(ghi)PERYLENE	<	0.47	0.47	3.8	UG/L	1	
SWB-9	6/1/2010	BENZO(ghi)PERYLENE	<	0.47	0.47	3.8	UG/L	1	DNR
SWB-9	12/1/2010	BENZO(ghi)PERYLENE	<	0.46	0.46	3.7	UG/L	1	UJ
SWB-10	3/4/2004	Benzo(k)fluoranthene	<		2	10	ug/L	1	NA
SWB-10	5/24/2004	Benzo(k)fluoranthene	<		2	10	ug/L	1	UJ
SWB-10	12/1/2004	Benzo(k)fluoranthene	<		2	10	ug/L	1	
SWB-10	3/3/2005	Benzo(k)fluoranthene	<		2.1	10	ug/L	1	
SWB-10	6/2/2005	Benzo(k)fluoranthene	<		2.1	10	ug/L	1	
SWB-10	9/1/2005	Benzo(k)fluoranthene	<		2.1	10	ug/L	1	
SWB-10	3/2/2006	Benzo(k)fluoranthene	<		2.1	10	UG/L	1	
SWB-10	6/2/2006	Benzo(k)fluoranthene	<		0.46	10	UG/L	1	
SWB-10	3/1/2007	Benzo(k)fluoranthene	<		0.46	10	UG/L	1	
SWB-10	3/7/2008	Benzo(k)fluoranthene	<		0.46	10	UG/L	1	
SWB-10	6/5/2008	Benzo(k)fluoranthene	<		0.46	10	UG/L	1	
SWB-10	3/2/2009	Benzo(k)fluoranthene	<		0.46	4	UG/L	1	
SWB-10	3/2/2009	Benzo(k)fluoranthene	<		0.46	4	UG/L	1	R
SWB-10	6/4/2009	Benzo(k)fluoranthene	<		0.46	4	UG/L	1	
SWB-10	3/2/2010	BENZO(k)FLUORANTHENE	<	3.7	0.43	3.7	UG/L	1	
SWB-11	3/4/2004	Benzo(k)fluoranthene	<		2	10	ug/L	1	
SWB-11	5/24/2004	Benzo(k)fluoranthene	<		2	10	ug/L	1	UJ
SWB-11	12/1/2004	Benzo(k)fluoranthene	<		2	10	ug/L	1	
SWB-11	3/1/2005	Benzo(k)fluoranthene	<		2.1	10	ug/L	1	
SWB-11	6/2/2005	Benzo(k)fluoranthene	<		2.1	10	ug/L	1	
SWB-11	3/2/2006	Benzo(k)fluoranthene	<		2.1	10	UG/L	1	
SWB-11	6/1/2006	Benzo(k)fluoranthene	<		0.46	10	UG/L	1	
SWB-11	3/1/2007	Benzo(k)fluoranthene	<		0.46	10	UG/L	1	
SWB-11	3/7/2008	Benzo(k)fluoranthene	<		0.46	10	UG/L	1	
SWB-11	6/5/2008	Benzo(k)fluoranthene	<		0.46	10	UG/L	1	
SWB-11	3/2/2009	Benzo(k)fluoranthene	<		0.46	4	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-11	6/4/2009	Benzo(k)fluoranthene	<		0.46	4	UG/L	1
SWB-11	3/1/2010	BENZO(k)FLUORANTHENE	<	3.7	0.43	3.7	ug/L	1
SWB-11	6/2/2010	BENZO(k)FLUORANTHENE	<	0.44	0.44	3.8	UG/L	1 UJ
SWB-3	10/29/2002	Benzo(k)fluoranthene	<		2	10	ug/L	1
SWB-3	3/4/2003	Benzo(k)fluoranthene	<		2	10	ug/L	1
SWB-3	6/3/2003	Benzo(k)fluoranthene	<		2	10	ug/L	1
SWB-3	9/4/2003	Benzo(k)fluoranthene	<		2	10	ug/L	1 UJ
SWB-3	12/2/2003	Benzo(k)fluoranthene	<		2	10	ug/L	1
SWB-3	3/1/2004	Benzo(k)fluoranthene	<		2	10	ug/L	1
SWB-3	6/1/2004	Benzo(k)fluoranthene	<		2	10	ug/L	1
SWB-3	9/1/2004	Benzo(k)fluoranthene	<		2	10	ug/L	1
SWB-3	12/1/2004	Benzo(k)fluoranthene	<		2	10	ug/L	1
SWB-3	3/3/2005	Benzo(k)fluoranthene	<		2.1	10	ug/L	1
SWB-3	6/2/2005	Benzo(k)fluoranthene	<		2.1	10	ug/L	1
SWB-3	9/1/2005	Benzo(k)fluoranthene	<		2.1	10	ug/L	1
SWB-3	12/1/2005	Benzo(k)fluoranthene	<		2.1	10	UG/L	1 UJ
SWB-3	3/2/2006	Benzo(k)fluoranthene	<		2.1	10	UG/L	1
SWB-3	6/2/2006	Benzo(k)fluoranthene	<		0.46	10	UG/L	1
SWB-3	9/5/2006	Benzo(k)fluoranthene	<		0.46	10	UG/L	1
SWB-3	9/5/2006	Benzo(k)fluoranthene	<		0.02	5	UG/L	1
SWB-3	12/4/2006	Benzo(k)fluoranthene	<		0.46	10	UG/L	1
SWB-3	3/1/2007	Benzo(k)fluoranthene	<		0.46	10	UG/L	1
SWB-3	6/1/2007	Benzo(k)fluoranthene	<		0.46	10	UG/L	1
SWB-3	6/1/2007	Benzo(k)fluoranthene	<		0.46	10	UG/L	1 R
SWB-3	12/3/2007	Benzo(k)fluoranthene	<		0.46	10	UG/L	1
SWB-3	3/6/2008	Benzo(k)fluoranthene	<		0.46	10	UG/L	1
SWB-3	6/9/2008	Benzo(k)fluoranthene	<		0.46	10	UG/L	1
SWB-3	12/4/2008	Benzo(k)fluoranthene	<		0.46	4	UG/L	1
SWB-3	3/2/2009	Benzo(k)fluoranthene	<		0.46	4	UG/L	1
SWB-3	3/2/2009	Benzo(k)fluoranthene	<		0.46	4	UG/L	1 R
SWB-3	6/4/2009	Benzo(k)fluoranthene	<		0.46	4	UG/L	1
SWB-3	12/1/2009	Benzo(k)fluoranthene	<		0.46	4	UG/L	1
SWB-3	12/1/2009	Benzo(k)fluoranthene	<		0.46	4	UG/L	1 DNR
SWB-3	3/1/2010	BENZO(k)FLUORANTHENE	<	3.9	0.45	3.9	ug/L	1 UJ
SWB-3	6/1/2010	BENZO(k)FLUORANTHENE	<	0.43	0.43	3.7	UG/L	1 UJ
SWB-3	6/1/2010	BENZO(k)FLUORANTHENE	<	0.43	0.43	3.8	UG/L	1 DNR
SWB-3	9/9/2010	BENZO(k)FLUORANTHENE	<	0.43	0.43	3.7	UG/L	1
SWB-4	11/15/2002	Benzo(k)fluoranthene	<		2	10	ug/L	1
SWB-5	10/29/2002	Benzo(k)fluoranthene	<		2	10	ug/L	1
SWB-6	3/4/2003	Benzo(k)fluoranthene	<		2	10	ug/L	1
SWB-6	6/3/2003	Benzo(k)fluoranthene	<		2	10	ug/L	1
SWB-6	12/3/2003	Benzo(k)fluoranthene	<		2	10	ug/L	1
SWB-6	3/5/2004	Benzo(k)fluoranthene	<		2	10	ug/L	1
SWB-6	6/1/2004	Benzo(k)fluoranthene	<		2	10	ug/L	1
SWB-6	12/1/2004	Benzo(k)fluoranthene	<		2	10	ug/L	1
SWB-6	3/7/2005	Benzo(k)fluoranthene	<		2.1	10	ug/L	1
SWB-6	6/1/2005	Benzo(k)fluoranthene	<		2.1	10	ug/L	1
SWB-6	12/2/2005	Benzo(k)fluoranthene	<		2.1	10	UG/L	1 UJ
SWB-6	3/1/2006	Benzo(k)fluoranthene	<		2.1	10	UG/L	1
SWB-6	6/1/2006	Benzo(k)fluoranthene	<		0.46	10	UG/L	1
SWB-6	12/5/2006	Benzo(k)fluoranthene	<		0.46	10	UG/L	1
SWB-6	3/2/2007	Benzo(k)fluoranthene	<		0.46	10	UG/L	1
SWB-6	3/6/2008	Benzo(k)fluoranthene	<		0.46	10	UG/L	1
SWB-6	6/9/2008	Benzo(k)fluoranthene	<		0.46	10	UG/L	1
SWB-6	12/5/2008	Benzo(k)fluoranthene	<		0.46	4	UG/L	1
SWB-6	12/5/2008	Benzo(k)fluoranthene	<		0.46	4	UG/L	1 R
SWB-6	3/2/2009	Benzo(k)fluoranthene	<		0.46	4	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	3/2/2009	Benzo(k)fluoranthene	<	0.46	4	UG/L	1 R	
SWB-6	6/5/2009	Benzo(k)fluoranthene	<	0.46	4	UG/L	1	
SWB-6	3/2/2010	BENZO(k)FLUORANTHENE	<	3.6	0.42	3.6	UG/L	1
SWB-6	6/2/2010	BENZO(k)FLUORANTHENE	<	0.43	0.43	3.8	UG/L	1 DNR
SWB-6	6/2/2010	BENZO(k)FLUORANTHENE	<	0.44	0.44	3.8	UG/L	1 UJ
SWB-7	3/4/2003	Benzo(k)fluoranthene	<	2	10	ug/L	1	
SWB-7	6/3/2003	Benzo(k)fluoranthene	<	2	10	ug/L	1	
SWB-7	3/1/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	
SWB-7	5/24/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	
SWB-7	12/1/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	
SWB-7	3/7/2005	Benzo(k)fluoranthene	<	2.1	10	ug/L	1 UJ	
SWB-7	6/1/2005	Benzo(k)fluoranthene	<	2.1	10	ug/L	1	
SWB-7	9/1/2005	Benzo(k)fluoranthene	<	2.1	10	ug/L	1	
SWB-7	12/1/2005	Benzo(k)fluoranthene	<	2.1	10	UG/L	1 UJ	
SWB-7	3/1/2006	Benzo(k)fluoranthene	<	2.1	10	UG/L	1	
SWB-7	6/2/2006	Benzo(k)fluoranthene	<	0.46	10	UG/L	1	
SWB-7	9/5/2006	Benzo(k)fluoranthene	<	0.46	10	UG/L	1	
SWB-7	9/5/2006	Benzo(k)fluoranthene	<	0.02	5	UG/L	1 UJ	
SWB-7	12/5/2006	Benzo(k)fluoranthene	<	0.46	10	UG/L	1	
SWB-7	3/2/2007	Benzo(k)fluoranthene	<	0.46	10	UG/L	1	
SWB-7	6/1/2007	Benzo(k)fluoranthene	<	0.46	10	UG/L	1	
SWB-7	9/7/2007	Benzo(k)fluoranthene	<	0.46	10	UG/L	1	
SWB-7	12/3/2007	Benzo(k)fluoranthene	<	0.46	10	UG/L	1	
SWB-7	3/6/2008	Benzo(k)fluoranthene	<	0.46	10	UG/L	1	
SWB-7	6/6/2008	Benzo(k)fluoranthene	<	0.46	10	UG/L	1	
SWB-7	9/8/2008	Benzo(k)fluoranthene	<	0.46	4	UG/L	1	
SWB-7	12/5/2008	Benzo(k)fluoranthene	<	0.46	4	UG/L	1	
SWB-7	12/5/2008	Benzo(k)fluoranthene	<	0.46	4	UG/L	1 R	
SWB-7	3/2/2009	Benzo(k)fluoranthene	<	0.46	4	UG/L	1	
SWB-7	3/2/2009	Benzo(k)fluoranthene	<	0.46	4	UG/L	1 R	
SWB-7	6/5/2009	Benzo(k)fluoranthene	<	0.46	4	UG/L	1	
SWB-7	9/9/2009	Benzo(k)fluoranthene	<	0.46	4	UG/L	1	
SWB-7	12/1/2009	Benzo(k)fluoranthene	<	0.46	4	UG/L	1	
SWB-7	3/2/2010	BENZO(k)FLUORANTHENE	<	3.8	0.44	3.8	UG/L	1
SWB-7	6/1/2010	BENZO(k)FLUORANTHENE	<	0.44	0.44	3.8	UG/L	1 DNR
SWB-7	6/1/2010	BENZO(k)FLUORANTHENE	<	0.46	0.46	4	UG/L	1 R
SWB-7	9/9/2010	BENZO(k)FLUORANTHENE	<	0.44	0.44	3.9	UG/L	1
SWB-7	12/1/2010	BENZO(k)FLUORANTHENE	<	0.43	0.43	3.7	UG/L	1 UJ
SWB-8	3/5/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	
SWB-8	3/7/2005	Benzo(k)fluoranthene	<	2.1	10	ug/L	1	
SWB-8	6/1/2005	Benzo(k)fluoranthene	<	2.1	10	ug/L	1	
SWB-8	3/1/2006	Benzo(k)fluoranthene	<	2.1	10	UG/L	1	
SWB-8	3/7/2008	Benzo(k)fluoranthene	<	0.46	10	UG/L	1	
SWB-8	3/3/2009	Benzo(k)fluoranthene	<	0.46	4	UG/L	1	
SWB-8	3/3/2009	Benzo(k)fluoranthene	<	0.46	4	UG/L	1 R	
SWB-9	3/4/2003	Benzo(k)fluoranthene	<	2	10	ug/L	1	
SWB-9	12/3/2003	Benzo(k)fluoranthene	<	2	10	ug/L	1	
SWB-9	3/5/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	
SWB-9	5/27/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1 UJ	
SWB-9	12/1/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	
SWB-9	3/3/2005	Benzo(k)fluoranthene	<	2.1	10	ug/L	1	
SWB-9	6/2/2005	Benzo(k)fluoranthene	<	2.1	10	ug/L	1	
SWB-9	9/1/2005	Benzo(k)fluoranthene	<	2.1	10	ug/L	1	
SWB-9	12/1/2005	Benzo(k)fluoranthene	<	2.1	10	UG/L	1 UJ	
SWB-9	3/2/2006	Benzo(k)fluoranthene	<	2.1	10	UG/L	1	
SWB-9	6/1/2006	Benzo(k)fluoranthene	<	0.46	10	UG/L	1	
SWB-9	12/4/2006	Benzo(k)fluoranthene	<	0.46	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-9	3/5/2007	Benzo(k)fluoranthene	<		0.46	10	UG/L	1	
SWB-9	3/6/2008	Benzo(k)fluoranthene	<		0.46	10	UG/L	1	
SWB-9	6/5/2008	Benzo(k)fluoranthene	<		0.46	10	UG/L	1	
SWB-9	12/5/2008	Benzo(k)fluoranthene	<		0.46	4	UG/L	1	
SWB-9	12/5/2008	Benzo(k)fluoranthene	<		0.46	4	UG/L	1 R	
SWB-9	3/2/2009	Benzo(k)fluoranthene	<		0.46	4	UG/L	1	
SWB-9	3/2/2009	Benzo(k)fluoranthene	<		0.46	4	UG/L	1 R	
SWB-9	6/2/2009	Benzo(k)fluoranthene	<		0.46	4	UG/L	1	
SWB-9	6/2/2009	Benzo(k)fluoranthene	<		0.46	4	UG/L	1 DNR	
SWB-9	3/1/2010	BENZO(k)FLUORANTHENE	<	3.7	0.42	3.7	ug/L	1	
SWB-9	6/1/2010	BENZO(k)FLUORANTHENE	<	0.43	0.43	3.8	UG/L	1 DNR	
SWB-9	6/1/2010	BENZO(k)FLUORANTHENE	<	0.43	0.43	3.8	UG/L	1 UJ	
SWB-9	12/1/2010	BENZO(k)FLUORANTHENE	<	0.43	0.43	3.7	UG/L	1 UJ	
SWB-10	3/4/2004	Benzoic acid	<		6	50	ug/L	1	0.042 mg/L
SWB-10	5/24/2004	Benzoic acid	<		6	50	ug/L	1 UJ	
SWB-10	12/1/2004	Benzoic acid	<		6	50	ug/L	1	
SWB-10	3/3/2005	Benzoic acid	<		16	50	ug/L	1	
SWB-10	6/2/2005	Benzoic acid	<		16	50	ug/L	1	
SWB-10	9/1/2005	Benzoic acid	<		16	50	ug/L	1	
SWB-10	3/2/2006	Benzoic acid	<		16	50	UG/L	1	
SWB-10	6/2/2006	Benzoic acid	<		20	50	UG/L	1	
SWB-10	3/1/2007	Benzoic acid	<		20	50	UG/L	1	
SWB-10	3/7/2008	Benzoic acid	<		10	50	UG/L	1	
SWB-10	6/5/2008	Benzoic acid	<		10	50	UG/L	1	
SWB-10	3/2/2009	Benzoic acid	<		10	25	UG/L	1	
SWB-10	3/2/2009	Benzoic acid	<		10	25	UG/L	1 R	
SWB-10	6/4/2009	Benzoic acid	<		10	25	UG/L	1	
SWB-10	3/2/2010	Benzoic acid	<	23	9.3	23	UG/L	1	
SWB-11	3/4/2004	Benzoic acid	<		6	50	ug/L	1	
SWB-11	5/24/2004	Benzoic acid	<		6	50	ug/L	1 UJ	
SWB-11	12/1/2004	Benzoic acid	<		6	50	ug/L	1	
SWB-11	3/1/2005	Benzoic acid	TR	26	16	50	ug/L	1 J	
SWB-11	6/2/2005	Benzoic acid	<		16	50	ug/L	1	
SWB-11	3/2/2006	Benzoic acid	<		16	50	UG/L	1	
SWB-11	6/1/2006	Benzoic acid	<		20	50	UG/L	1	
SWB-11	3/1/2007	Benzoic acid	<		20	50	UG/L	1	
SWB-11	3/7/2008	Benzoic acid	<		10	50	UG/L	1	
SWB-11	6/5/2008	Benzoic acid	<		10	50	UG/L	1	
SWB-11	3/2/2009	Benzoic acid	<		10	25	UG/L	1	
SWB-11	6/4/2009	Benzoic acid	<		10	25	UG/L	1 UJ	
SWB-11	3/1/2010	Benzoic acid	<	23	9.4	23	ug/L	1	
SWB-11	6/2/2010	BENZOIC ACID	<	9.5	9.5	24	UG/L	1 R	
SWB-3	10/29/2002	Benzoic acid	<		12	50	ug/L	1	
SWB-3	3/4/2003	Benzoic acid	<		12	50	ug/L	1 R	
SWB-3	6/3/2003	Benzoic acid	<		12	50	ug/L	1	
SWB-3	9/4/2003	Benzoic acid	TR	27	12	50	ug/L	1 J	
SWB-3	12/2/2003	Benzoic acid	<		6	50	ug/L	1 R	
SWB-3	3/1/2004	Benzoic acid	<		6	50	ug/L	1	
SWB-3	6/1/2004	Benzoic acid	<		6	50	ug/L	1	
SWB-3	9/1/2004	Benzoic acid	<		6	50	ug/L	1	
SWB-3	12/1/2004	Benzoic acid	<		6	50	ug/L	1	
SWB-3	3/3/2005	Benzoic acid	<		16	50	ug/L	1	
SWB-3	6/2/2005	Benzoic acid	<		16	50	ug/L	1	
SWB-3	9/1/2005	Benzoic acid	<		16	50	ug/L	1 R	
SWB-3	12/1/2005	Benzoic acid	<		16	50	UG/L	1 R	
SWB-3	3/2/2006	Benzoic acid	<		16	50	UG/L	1 R	
SWB-3	6/2/2006	Benzoic acid	<		20	50	UG/L	1 R	



tmpAnalyticalResultsOverTime

SWB-3	9/5/2006	Benzoic acid	<		20	50	UG/L	1	UJ
SWB-3	12/4/2006	Benzoic acid	<		20	50	UG/L	1	R
SWB-3	3/1/2007	Benzoic acid	<		20	50	UG/L	1	UJ
SWB-3	6/1/2007	Benzoic acid	<		20	50	UG/L	1	R
SWB-3	12/3/2007	Benzoic acid	<		20	50	UG/L	1	R
SWB-3	3/6/2008	Benzoic acid	<		10	50	UG/L	1	
SWB-3	6/9/2008	Benzoic acid	<		10	50	UG/L	1	R
SWB-3	12/4/2008	Benzoic acid	<		10	25	UG/L	1	
SWB-3	3/2/2009	Benzoic acid	<		10	25	UG/L	1	UJ
SWB-3	3/2/2009	Benzoic acid	TI	4.8			UG/L	1	R
SWB-3	6/4/2009	Benzoic acid	TR	11	10	25	UG/L	1	J
SWB-3	12/1/2009	Benzoic acid	<		10	25	UG/L	1	DNR
SWB-3	12/1/2009	Benzoic acid	<		10	25	UG/L	1	R
SWB-3	3/1/2010	Benzoic acid	<	24	9.7	24	ug/L	1	UJ
SWB-3	6/1/2010	BENZOIC ACID	<	9.4	9.4	23	UG/L	1	R
SWB-3	6/1/2010	BENZOIC ACID	<	9.4	9.4	24	UG/L	1	DNR
SWB-3	9/9/2010	BENZOIC ACID	<	9.3	9.3	23	UG/L	1	R
SWB-4	11/15/2002	Benzoic acid	TR	23	12	50	ug/L	1	J
SWB-5	10/29/2002	Benzoic acid	TR	42	12	50	ug/L	1	J
SWB-6	3/4/2003	Benzoic acid	<		12	50	ug/L	1	
SWB-6	6/3/2003	Benzoic acid	<		12	50	ug/L	1	
SWB-6	12/3/2003	Benzoic acid	TR	25	6	50	ug/L	1	J
SWB-6	3/5/2004	Benzoic acid	<		6	50	ug/L	1	
SWB-6	6/1/2004	Benzoic acid	<		6	50	ug/L	1	
SWB-6	12/1/2004	Benzoic acid	<		6	50	ug/L	1	
SWB-6	3/7/2005	Benzoic acid	<		16	50	ug/L	1	
SWB-6	6/1/2005	Benzoic acid	<		16	50	ug/L	1	
SWB-6	12/2/2005	Benzoic acid	TR	22	16	50	UG/L	1	J
SWB-6	3/1/2006	Benzoic acid	<		16	50	UG/L	1	
SWB-6	6/1/2006	Benzoic acid	<		20	50	UG/L	1	
SWB-6	12/5/2006	Benzoic acid	TR	26	20	50	UG/L	1	J
SWB-6	3/2/2007	Benzoic acid	<		20	50	UG/L	1	
SWB-6	3/6/2008	Benzoic Acid	TI	6.4			UG/L	1	NJ
SWB-6	6/9/2008	Benzoic acid	<		10	50	UG/L	1	
SWB-6	12/5/2008	Benzoic acid	=	30	10	25	UG/L	1	R
SWB-6	12/5/2008	Benzoic acid	=	41	10	25	UG/L	1	J
SWB-6	3/2/2009	Benzoic acid	<		10	25	UG/L	1	
SWB-6	3/2/2009	Benzoic acid	<		10	25	UG/L	1	R
SWB-6	6/5/2009	Benzoic acid	<		10	25	UG/L	1	
SWB-6	3/2/2010	Benzoic acid	<	23	9.1	23	UG/L	1	
SWB-6	6/2/2010	BENZOIC ACID	<	9.4	9.4	24	UG/L	1	DNR
SWB-6	6/2/2010	BENZOIC ACID	<	9.5	9.5	24	UG/L	1	
SWB-7	3/4/2003	Benzoic acid	<		12	50	ug/L	1	
SWB-7	6/3/2003	Benzoic acid	<		12	50	ug/L	1	
SWB-7	3/1/2004	Benzoic acid	<		6	50	ug/L	1	
SWB-7	5/24/2004	Benzoic acid	<		6	50	ug/L	1	
SWB-7	12/1/2004	Benzoic acid	<		6	50	ug/L	1	
SWB-7	3/7/2005	Benzoic acid	<		16	50	ug/L	1	UJ
SWB-7	6/1/2005	Benzoic acid	<		16	50	ug/L	1	
SWB-7	9/1/2005	Benzoic acid	<		16	50	ug/L	1	
SWB-7	12/1/2005	Benzoic acid	<		16	50	UG/L	1	
SWB-7	3/1/2006	Benzoic acid	<		16	50	UG/L	1	
SWB-7	6/2/2006	Benzoic acid	<		20	50	UG/L	1	
SWB-7	9/5/2006	Benzoic acid	<		20	50	UG/L	1	UJ
SWB-7	12/5/2006	Benzoic acid	<		20	50	UG/L	1	
SWB-7	3/2/2007	Benzoic acid	<		20	50	UG/L	1	
SWB-7	6/1/2007	Benzoic acid	<		20	50	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-7	9/7/2007	Benzoic acid	<		20	50	UG/L	1	
SWB-7	12/3/2007	Benzoic acid	<		20	50	UG/L	1	
SWB-7	3/6/2008	Benzoic Acid	TI	6.5			UG/L	1	NJ
SWB-7	6/6/2008	Benzoic acid	<		10	50	UG/L	1	
SWB-7	9/8/2008	Benzoic acid	<		10	25	UG/L	1	
SWB-7	12/5/2008	Benzoic acid	<		10	25	UG/L	1	
SWB-7	12/5/2008	Benzoic acid	<		10	25	UG/L	1	R
SWB-7	3/2/2009	Benzoic acid	<		10	25	UG/L	1	R
SWB-7	3/2/2009	Benzoic acid	TR	17	10	25	UG/L	1	J
SWB-7	6/5/2009	Benzoic acid	<		10	25	UG/L	1	
SWB-7	9/9/2009	Benzoic acid	<		10	25	UG/L	1	
SWB-7	12/1/2009	Benzoic acid	<		10	25	UG/L	1	
SWB-7	3/2/2010	Benzoic acid	<	24	9.5	24	UG/L	1	
SWB-7	6/1/2010	BENZOIC ACID	<	9.6	9.6	24	UG/L	1	DNR
SWB-7	6/1/2010	BENZOIC ACID	<	10	10	25	UG/L	1	
SWB-7	9/9/2010	BENZOIC ACID	<	9.6	9.6	24	UG/L	1	
SWB-7	12/1/2010	BENZOIC ACID	<	9.3	9.3	23	UG/L	1	
SWB-8	3/5/2004	Benzoic acid	<		6	50	ug/L	1	
SWB-8	3/7/2005	Benzoic acid	<		16	50	ug/L	1	
SWB-8	6/1/2005	Benzoic acid	<		16	50	ug/L	1	
SWB-8	3/1/2006	Benzoic acid	<		16	50	UG/L	1	
SWB-8	3/7/2008	Benzoic acid	<		10	50	UG/L	1	
SWB-8	3/3/2009	Benzoic acid	<		10	25	UG/L	1	
SWB-8	3/3/2009	Benzoic acid	<		10	25	UG/L	1	R
SWB-9	3/4/2003	Benzoic acid	<		12	50	ug/L	1	UJ
SWB-9	12/3/2003	Benzoic acid	<		6	50	ug/L	1	
SWB-9	3/5/2004	Benzoic acid	<		6	50	ug/L	1	
SWB-9	5/27/2004	Benzoic acid	<		6	50	ug/L	1	UJ
SWB-9	12/1/2004	Benzoic acid	<		6	50	ug/L	1	
SWB-9	3/3/2005	Benzoic acid	<		16	50	ug/L	1	
SWB-9	6/2/2005	Benzoic acid	<		16	50	ug/L	1	
SWB-9	9/1/2005	Benzoic acid	<		16	50	ug/L	1	UJ
SWB-9	12/1/2005	Benzoic acid	<		16	50	UG/L	1	
SWB-9	3/2/2006	Benzoic acid	<		16	50	UG/L	1	
SWB-9	6/1/2006	Benzoic acid	<		20	50	UG/L	1	
SWB-9	12/4/2006	Benzoic acid	<		20	50	UG/L	1	
SWB-9	3/5/2007	Benzoic acid	<		20	50	UG/L	1	
SWB-9	3/6/2008	Benzoic Acid	TI	6.5			UG/L	1	NJ
SWB-9	6/5/2008	Benzoic acid	<		10	50	UG/L	1	R
SWB-9	12/5/2008	Benzoic acid	<		10	25	UG/L	1	
SWB-9	12/5/2008	Benzoic acid	<		10	25	UG/L	1	R
SWB-9	3/2/2009	Benzoic acid	<		10	25	UG/L	1	
SWB-9	3/2/2009	Benzoic acid	<		10	25	UG/L	1	R
SWB-9	6/2/2009	Benzoic acid	TR	11	10	25	UG/L	1	J
SWB-9	6/2/2009	Benzoic acid	TR	12	10	25	UG/L	1	DNR
SWB-9	3/1/2010	Benzoic acid	<		23	9.2	ug/L	1	
SWB-9	6/1/2010	BENZOIC ACID	<	9.4	9.4	23	UG/L	1	DNR
SWB-9	6/1/2010	BENZOIC ACID	<	9.5	9.5	24	UG/L	1	
SWB-9	12/1/2010	BENZOIC ACID	<	9.3	9.3	23	UG/L	1	
SWB-10	3/4/2004	Benzyl alcohol	<		1	10	ug/L	1	0.0086 mg/L
SWB-10	5/24/2004	Benzyl alcohol	<		1	10	ug/L	1	UJ
SWB-10	12/1/2004	Benzyl alcohol	<		1	10	ug/L	1	
SWB-10	3/3/2005	Benzyl alcohol	<		7.4	10	ug/L	1	
SWB-10	6/2/2005	Benzyl alcohol	<		7.4	10	ug/L	1	
SWB-10	9/1/2005	Benzyl alcohol	<		7.4	10	ug/L	1	
SWB-10	3/2/2006	Benzyl alcohol	<		7.4	10	UG/L	1	
SWB-10	6/2/2006	Benzyl alcohol	<		2	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-10	3/1/2007	Benzyl alcohol	<		2	10	UG/L	1
SWB-10	3/7/2008	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-10	6/5/2008	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-10	3/2/2009	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-10	3/2/2009	Benzyl alcohol	<		0.23	10	UG/L	1 R
SWB-10	6/4/2009	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-10	3/2/2010	Benzyl alcohol	<	9.3	0.21	9.3	UG/L	1
SWB-11	3/4/2004	Benzyl alcohol	<		1	10	ug/L	1
SWB-11	5/24/2004	Benzyl alcohol	<		1	10	ug/L	1 UJ
SWB-11	12/1/2004	Benzyl alcohol	<		1	10	ug/L	1
SWB-11	3/1/2005	Benzyl alcohol	<		7.4	10	ug/L	1
SWB-11	6/2/2005	Benzyl alcohol	<		7.4	10	ug/L	1
SWB-11	3/2/2006	Benzyl alcohol	<		7.4	10	UG/L	1
SWB-11	6/1/2006	Benzyl alcohol	<		2	10	UG/L	1
SWB-11	3/1/2007	Benzyl alcohol	<		2	10	UG/L	1
SWB-11	3/7/2008	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-11	6/5/2008	Benzyl alcohol	TR	1.1	0.23	10	UG/L	1 J
SWB-11	3/2/2009	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-11	6/4/2009	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-11	3/1/2010	Benzyl alcohol	<	9.4	0.22	9.4	ug/L	1
SWB-11	6/2/2010	BENZYL ALCOHOL	<	0.22	0.22	9.5	UG/L	1
SWB-3	10/29/2002	Benzyl alcohol	<		2.7	10	ug/L	1
SWB-3	3/4/2003	Benzyl alcohol	<		2.7	10	ug/L	1
SWB-3	6/3/2003	Benzyl alcohol	<		2.7	10	ug/L	1
SWB-3	9/4/2003	Benzyl alcohol	<		2.7	10	ug/L	1 UJ
SWB-3	12/2/2003	Benzyl alcohol	<		1	10	ug/L	1
SWB-3	3/1/2004	Benzyl alcohol	<		1	10	ug/L	1
SWB-3	6/1/2004	Benzyl alcohol	<		1	10	ug/L	1
SWB-3	9/1/2004	Benzyl alcohol	<		1	10	ug/L	1
SWB-3	12/1/2004	Benzyl alcohol	<		1	10	ug/L	1
SWB-3	3/3/2005	Benzyl alcohol	<		7.4	10	ug/L	1
SWB-3	6/2/2005	Benzyl alcohol	<		7.4	10	ug/L	1
SWB-3	9/1/2005	Benzyl alcohol	<		7.4	10	ug/L	1
SWB-3	12/1/2005	Benzyl alcohol	<		7.4	10	UG/L	1 UJ
SWB-3	3/2/2006	Benzyl alcohol	<		7.4	10	UG/L	1
SWB-3	6/2/2006	Benzyl alcohol	<		2	10	UG/L	1
SWB-3	9/5/2006	Benzyl alcohol	<		2	10	UG/L	1 UJ
SWB-3	12/4/2006	Benzyl alcohol	<		2	10	UG/L	1 R
SWB-3	3/1/2007	Benzyl alcohol	<		2	10	UG/L	1
SWB-3	6/1/2007	Benzyl alcohol	<		2	10	UG/L	1 R
SWB-3	12/3/2007	Benzyl alcohol	<		0.45	10	UG/L	1 R
SWB-3	3/6/2008	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-3	6/9/2008	Benzyl alcohol	<		0.23	10	UG/L	1 R
SWB-3	12/4/2008	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-3	3/2/2009	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-3	3/2/2009	Benzyl alcohol	<		0.23	10	UG/L	1 R
SWB-3	6/4/2009	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-3	12/1/2009	Benzyl alcohol	<		0.23	10	UG/L	1 DNR
SWB-3	12/1/2009	Benzyl alcohol	<		0.23	10	UG/L	1 R
SWB-3	3/1/2010	Benzyl alcohol	<	9.7	0.22	9.7	ug/L	1 UJ
SWB-3	6/1/2010	BENZYL ALCOHOL	<	0.22	0.22	9.4	UG/L	1 DNR
SWB-3	6/1/2010	BENZYL ALCOHOL	TR	0.31	0.22	9.4	UG/L	1 J
SWB-3	9/9/2010	BENZYL ALCOHOL	<	0.21	0.21	9.3	UG/L	1
SWB-4	11/15/2002	Benzyl alcohol	<		2.7	10	ug/L	1
SWB-5	10/29/2002	Benzyl alcohol	<		2.7	10	ug/L	1
SWB-6	3/4/2003	Benzyl alcohol	<		2.7	10	ug/L	1
SWB-6	6/3/2003	Benzyl alcohol	<		2.7	10	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	12/3/2003	Benzyl alcohol	=	49	1	10	ug/L	1
SWB-6	3/5/2004	Benzyl alcohol	<		1	10	ug/L	1
SWB-6	6/1/2004	Benzyl alcohol	<		1	10	ug/L	1
SWB-6	12/1/2004	Benzyl alcohol	<		1	10	ug/L	1
SWB-6	3/7/2005	Benzyl alcohol	<		7.4	10	ug/L	1
SWB-6	6/1/2005	Benzyl alcohol	<		7.4	10	ug/L	1
SWB-6	12/2/2005	Benzyl alcohol	<		7.4	10	UG/L	1 UJ
SWB-6	3/1/2006	Benzyl alcohol	<		7.4	10	UG/L	1
SWB-6	6/1/2006	Benzyl alcohol	<		2	10	UG/L	1
SWB-6	12/5/2006	Benzyl alcohol	TR	4.2	2	10	UG/L	1 J
SWB-6	3/2/2007	Benzyl alcohol	<		2	10	UG/L	1
SWB-6	3/6/2008	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-6	6/9/2008	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-6	12/5/2008	Benzyl alcohol	TR	4.7	0.23	10	UG/L	1 R
SWB-6	12/5/2008	Benzyl alcohol	TR	6.2	0.23	10	UG/L	1 J
SWB-6	3/2/2009	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-6	3/2/2009	Benzyl alcohol	<		0.23	10	UG/L	1 R
SWB-6	6/5/2009	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-6	3/2/2010	Benzyl alcohol	<	9.1	0.21	9.1	UG/L	1
SWB-6	6/2/2010	BENZYL ALCOHOL	<	0.22	0.22	9.4	UG/L	1 DNR
SWB-6	6/2/2010	BENZYL ALCOHOL	<	0.22	0.22	9.5	UG/L	1
SWB-7	3/4/2003	Benzyl alcohol	<		2.7	10	ug/L	1
SWB-7	6/3/2003	Benzyl alcohol	<		2.7	10	ug/L	1
SWB-7	3/1/2004	Benzyl alcohol	<		1	10	ug/L	1
SWB-7	5/24/2004	Benzyl alcohol	<		1	10	ug/L	1
SWB-7	12/1/2004	Benzyl alcohol	<		1	10	ug/L	1
SWB-7	3/7/2005	Benzyl alcohol	<		7.4	10	ug/L	1 UJ
SWB-7	6/1/2005	Benzyl alcohol	<		7.4	10	ug/L	1
SWB-7	9/1/2005	Benzyl alcohol	<		7.4	10	ug/L	1
SWB-7	12/1/2005	Benzyl alcohol	<		7.4	10	UG/L	1 UJ
SWB-7	3/1/2006	Benzyl alcohol	<		7.4	10	UG/L	1
SWB-7	6/2/2006	Benzyl alcohol	<		2	10	UG/L	1
SWB-7	9/5/2006	Benzyl alcohol	<		2	10	UG/L	1 UJ
SWB-7	12/5/2006	Benzyl alcohol	<		2	10	UG/L	1
SWB-7	3/2/2007	Benzyl alcohol	<		2	10	UG/L	1
SWB-7	6/1/2007	Benzyl alcohol	<		2	10	UG/L	1
SWB-7	9/7/2007	Benzyl alcohol	<		0.45	10	UG/L	1
SWB-7	12/3/2007	Benzyl alcohol	<		0.45	10	UG/L	1
SWB-7	3/6/2008	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-7	6/6/2008	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-7	9/8/2008	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-7	12/5/2008	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-7	12/5/2008	Benzyl alcohol	<		0.23	10	UG/L	1 R
SWB-7	3/2/2009	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-7	3/2/2009	Benzyl alcohol	<		0.23	10	UG/L	1 R
SWB-7	6/5/2009	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-7	9/9/2009	Benzyl alcohol	TR	0.33	0.23	10	UG/L	1 J
SWB-7	12/1/2009	Benzyl alcohol	<		0.23	10	UG/L	1
SWB-7	3/2/2010	Benzyl alcohol	<	9.5	0.22	9.5	UG/L	1
SWB-7	6/1/2010	BENZYL ALCOHOL	<	0.22	0.22	9.6	UG/L	1 DNR
SWB-7	6/1/2010	BENZYL ALCOHOL	TR	0.27	0.23	10	UG/L	1 J
SWB-7	9/9/2010	BENZYL ALCOHOL	<	0.22	0.22	9.6	UG/L	1
SWB-7	12/1/2010	BENZYL ALCOHOL	<	0.21	0.21	9.3	UG/L	1
SWB-8	3/5/2004	Benzyl alcohol	<		1	10	ug/L	1
SWB-8	3/7/2005	Benzyl alcohol	<		7.4	10	ug/L	1
SWB-8	6/1/2005	Benzyl alcohol	<		7.4	10	ug/L	1
SWB-8	3/1/2006	Benzyl alcohol	<		7.4	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-8	3/7/2008	Benzyl alcohol	<		0.23	10	UG/L	1		
SWB-8	3/3/2009	Benzyl alcohol	<		0.23	10	UG/L	1		
SWB-8	3/3/2009	Benzyl alcohol	<		0.23	10	UG/L	1	R	
SWB-9	3/4/2003	Benzyl alcohol	<		2.7	10	ug/L	1		
SWB-9	12/3/2003	Benzyl alcohol	<		1	10	ug/L	1		
SWB-9	3/5/2004	Benzyl alcohol	<		1	10	ug/L	1		
SWB-9	5/27/2004	Benzyl alcohol	<		1	10	ug/L	1	UJ	
SWB-9	12/1/2004	Benzyl alcohol	<		1	10	ug/L	1		
SWB-9	3/3/2005	Benzyl alcohol	<		7.4	10	ug/L	1		
SWB-9	6/2/2005	Benzyl alcohol	<		7.4	10	ug/L	1		
SWB-9	9/1/2005	Benzyl alcohol	<		7.4	10	ug/L	1		
SWB-9	12/1/2005	Benzyl alcohol	<		7.4	10	UG/L	1	UJ	
SWB-9	3/2/2006	Benzyl alcohol	<		7.4	10	UG/L	1		
SWB-9	6/1/2006	Benzyl alcohol	<		2	10	UG/L	1	UJ	
SWB-9	12/4/2006	Benzyl alcohol	<		2	10	UG/L	1		
SWB-9	3/5/2007	Benzyl alcohol	<		2	10	UG/L	1		
SWB-9	3/6/2008	Benzyl alcohol	<		0.23	10	UG/L	1		
SWB-9	6/5/2008	Benzyl alcohol	<		0.23	10	UG/L	1	R	
SWB-9	12/5/2008	Benzyl alcohol	<		0.23	10	UG/L	1		
SWB-9	12/5/2008	Benzyl alcohol	<		0.23	10	UG/L	1	R	
SWB-9	3/2/2009	Benzyl alcohol	<		0.23	10	UG/L	1	R	
SWB-9	3/2/2009	Benzyl alcohol	<		0.23	10	UG/L	1	UJ	
SWB-9	6/2/2009	Benzyl alcohol	TR	1.9	0.23	10	UG/L	1	J	
SWB-9	6/2/2009	Benzyl alcohol	TR	2.3	0.23	10	UG/L	1	DNR	
SWB-9	3/1/2010	Benzyl alcohol	<		9.2	9.2	ug/L	1		
SWB-9	6/1/2010	BENZYL ALCOHOL	TR	0.72	0.22	9.4	UG/L	1	DNR	
SWB-9	6/1/2010	BENZYL ALCOHOL	TR	0.77	0.22	9.5	UG/L	1	J	
SWB-9	12/1/2010	BENZYL ALCOHOL	TR	0.38	0.21	9.3	UG/L	1	J	
SWB-3	9/4/2003	Bicyclo[2.2.1]hept-5-ene-2,3-d	TI	16			ug/L	1	NJ	NA
SWB-10	3/4/2004	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1		NA
SWB-10	5/24/2004	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1	UJ	
SWB-10	12/1/2004	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1		
SWB-10	3/3/2005	bis(2-Chloroethoxy)methane	<		1.4	10	ug/L	1		
SWB-10	6/2/2005	bis(2-Chloroethoxy)methane	<		1.4	10	ug/L	1		
SWB-10	9/1/2005	bis(2-Chloroethoxy)methane	<		1.4	10	ug/L	1		
SWB-10	3/2/2006	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1		
SWB-10	6/2/2006	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1		
SWB-10	3/1/2007	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1		
SWB-10	3/7/2008	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1		
SWB-10	6/5/2008	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1		
SWB-10	3/2/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1		
SWB-10	3/2/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1	R	
SWB-10	6/4/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1		
SWB-10	3/2/2010	Bis(2-chloroethoxy)methane	<	9.3	0.9	9.3	UG/L	1		
SWB-11	3/4/2004	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1		
SWB-11	5/24/2004	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1	UJ	
SWB-11	12/1/2004	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1		
SWB-11	3/1/2005	bis(2-Chloroethoxy)methane	<		1.4	10	ug/L	1		
SWB-11	6/2/2005	bis(2-Chloroethoxy)methane	<		1.4	10	ug/L	1		
SWB-11	3/2/2006	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1		
SWB-11	6/1/2006	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1		
SWB-11	3/1/2007	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1		
SWB-11	3/7/2008	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1		
SWB-11	6/5/2008	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1		
SWB-11	3/2/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1		
SWB-11	6/4/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1		
SWB-11	3/1/2010	Bis(2-chloroethoxy)methane	<	9.4	0.91	9.4	ug/L	1		

tmpAnalyticalResultsOverTime

SWB-11	6/2/2010	bis(2-CHLOROETHOXY)METHANE	<	0.92	0.92	9.5	UG/L	1
SWB-3	10/29/2002	bis(2-Chloroethoxy)methane	<		1.3	10	ug/L	1
SWB-3	3/4/2003	bis(2-Chloroethoxy)methane	<		1.3	10	ug/L	1
SWB-3	6/3/2003	bis(2-Chloroethoxy)methane	<		1.3	10	ug/L	1
SWB-3	9/4/2003	bis(2-Chloroethoxy)methane	<		1.3	10	ug/L	1 UJ
SWB-3	12/2/2003	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1
SWB-3	3/1/2004	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1
SWB-3	6/1/2004	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1
SWB-3	9/1/2004	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1
SWB-3	12/1/2004	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1
SWB-3	3/3/2005	bis(2-Chloroethoxy)methane	<		1.4	10	ug/L	1
SWB-3	6/2/2005	bis(2-Chloroethoxy)methane	<		1.4	10	ug/L	1
SWB-3	9/1/2005	bis(2-Chloroethoxy)methane	<		1.4	10	ug/L	1
SWB-3	12/1/2005	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1 UJ
SWB-3	3/2/2006	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1
SWB-3	6/2/2006	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1
SWB-3	9/5/2006	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1
SWB-3	12/4/2006	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1
SWB-3	3/1/2007	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1
SWB-3	6/1/2007	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1
SWB-3	6/1/2007	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1 R
SWB-3	12/3/2007	bis(2-Chloroethoxy)methane	<		0.32	10	UG/L	1
SWB-3	3/6/2008	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-3	6/9/2008	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-3	12/4/2008	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-3	3/2/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-3	3/2/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1 R
SWB-3	6/4/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-3	12/1/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-3	12/1/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1 DNR
SWB-3	3/1/2010	Bis(2-chloroethoxy)methane	<	9.7	0.94	9.7	ug/L	1 UJ
SWB-3	6/1/2010	bis(2-CHLOROETHOXY)METHANE	<	0.91	0.91	9.4	UG/L	1
SWB-3	6/1/2010	bis(2-CHLOROETHOXY)METHANE	<	0.91	0.91	9.4	UG/L	1 DNR
SWB-3	9/9/2010	bis(2-CHLOROETHOXY)METHANE	<	0.91	0.91	9.3	UG/L	1
SWB-4	11/15/2002	bis(2-Chloroethoxy)methane	<		1.3	10	ug/L	1
SWB-5	10/29/2002	bis(2-Chloroethoxy)methane	<		1.3	10	ug/L	1
SWB-6	3/4/2003	bis(2-Chloroethoxy)methane	<		1.3	10	ug/L	1
SWB-6	6/3/2003	bis(2-Chloroethoxy)methane	<		1.3	10	ug/L	1
SWB-6	12/3/2003	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1
SWB-6	3/5/2004	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1
SWB-6	6/1/2004	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1
SWB-6	12/1/2004	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1
SWB-6	3/7/2005	bis(2-Chloroethoxy)methane	<		1.4	10	ug/L	1
SWB-6	6/1/2005	bis(2-Chloroethoxy)methane	<		1.4	10	ug/L	1
SWB-6	12/2/2005	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1 UJ
SWB-6	3/1/2006	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1
SWB-6	6/1/2006	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1
SWB-6	12/5/2006	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1
SWB-6	3/2/2007	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1
SWB-6	3/6/2008	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-6	6/9/2008	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-6	12/5/2008	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-6	12/5/2008	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1 R
SWB-6	3/2/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-6	3/2/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1 R
SWB-6	6/5/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-6	3/2/2010	Bis(2-chloroethoxy)methane	<	9.1	0.88	9.1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	6/2/2010	bis(2-CHLOROETHOXY)METHANE	<	0.91	0.91	9.4	UG/L	1 DNR
SWB-6	6/2/2010	bis(2-CHLOROETHOXY)METHANE	<	0.92	0.92	9.5	UG/L	1
SWB-7	3/4/2003	bis(2-Chloroethoxy)methane	<		1.3	10	ug/L	1
SWB-7	6/3/2003	bis(2-Chloroethoxy)methane	<		1.3	10	ug/L	1
SWB-7	3/1/2004	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1
SWB-7	5/24/2004	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1
SWB-7	12/1/2004	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1
SWB-7	3/7/2005	bis(2-Chloroethoxy)methane	<		1.4	10	ug/L	1 UJ
SWB-7	6/1/2005	bis(2-Chloroethoxy)methane	<		1.4	10	ug/L	1
SWB-7	9/1/2005	bis(2-Chloroethoxy)methane	<		1.4	10	ug/L	1
SWB-7	12/1/2005	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1 UJ
SWB-7	3/1/2006	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1
SWB-7	6/2/2006	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1
SWB-7	9/5/2006	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1 UJ
SWB-7	12/5/2006	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1
SWB-7	3/2/2007	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1
SWB-7	6/1/2007	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1
SWB-7	9/7/2007	bis(2-Chloroethoxy)methane	<		0.32	10	UG/L	1
SWB-7	12/3/2007	bis(2-Chloroethoxy)methane	<		0.32	10	UG/L	1
SWB-7	3/6/2008	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-7	6/6/2008	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-7	9/8/2008	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-7	12/5/2008	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-7	12/5/2008	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1 R
SWB-7	3/2/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-7	3/2/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1 R
SWB-7	6/5/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-7	9/9/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-7	12/1/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-7	3/2/2010	Bis(2-chloroethoxy)methane	<	9.5	0.92	9.5	UG/L	1
SWB-7	6/1/2010	bis(2-CHLOROETHOXY)METHANE	<	0.93	0.93	9.6	UG/L	1 DNR
SWB-7	6/1/2010	bis(2-CHLOROETHOXY)METHANE	<	0.97	0.97	10	UG/L	1 R
SWB-7	9/9/2010	bis(2-CHLOROETHOXY)METHANE	<	0.93	0.93	9.6	UG/L	1
SWB-7	12/1/2010	bis(2-CHLOROETHOXY)METHANE	<	0.9	0.9	9.3	UG/L	1
SWB-8	3/5/2004	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1
SWB-8	3/7/2005	bis(2-Chloroethoxy)methane	<		1.4	10	ug/L	1
SWB-8	6/1/2005	bis(2-Chloroethoxy)methane	<		1.4	10	ug/L	1
SWB-8	3/1/2006	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1
SWB-8	3/7/2008	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-8	3/3/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-8	3/3/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1 R
SWB-9	3/4/2003	bis(2-Chloroethoxy)methane	<		1.3	10	ug/L	1
SWB-9	12/3/2003	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1
SWB-9	3/5/2004	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1
SWB-9	5/27/2004	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1 UJ
SWB-9	12/1/2004	bis(2-Chloroethoxy)methane	<		0.9	10	ug/L	1
SWB-9	3/3/2005	bis(2-Chloroethoxy)methane	<		1.4	10	ug/L	1
SWB-9	6/2/2005	bis(2-Chloroethoxy)methane	<		1.4	10	ug/L	1
SWB-9	9/1/2005	bis(2-Chloroethoxy)methane	<		1.4	10	ug/L	1
SWB-9	12/1/2005	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1 UJ
SWB-9	3/2/2006	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1
SWB-9	6/1/2006	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1
SWB-9	12/4/2006	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1
SWB-9	3/5/2007	bis(2-Chloroethoxy)methane	<		1.4	10	UG/L	1
SWB-9	3/6/2008	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-9	6/5/2008	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1
SWB-9	12/5/2008	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	12/5/2008	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1 R	
SWB-9	3/2/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1	
SWB-9	3/2/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1 R	
SWB-9	6/2/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1	
SWB-9	6/2/2009	bis(2-Chloroethoxy)methane	<		0.97	10	UG/L	1 DNR	
SWB-9	3/1/2010	Bis(2-chloroethoxy)methane	<	9.2	0.89	9.2	ug/L	1	
SWB-9	6/1/2010	bis(2-CHLOROETHOXY)METHANE	<	0.91	0.91	9.4	UG/L	1 DNR	
SWB-9	6/1/2010	bis(2-CHLOROETHOXY)METHANE	<	0.92	0.92	9.5	UG/L	1	
SWB-9	12/1/2010	bis(2-CHLOROETHOXY)METHANE	<	0.9	0.9	9.3	UG/L	1	
SWB-10	3/4/2004	bis(2-Chloroethyl) ether	<		3	10	ug/L	1	NA
SWB-10	5/24/2004	bis(2-Chloroethyl) ether	<		3	10	ug/L	1 UJ	
SWB-10	12/1/2004	bis(2-Chloroethyl) ether	<		3	10	ug/L	1	
SWB-10	3/3/2005	bis(2-Chloroethyl) ether	<		1.8	10	ug/L	1	
SWB-10	6/2/2005	bis(2-Chloroethyl) ether	<		1.8	10	ug/L	1	
SWB-10	9/1/2005	bis(2-Chloroethyl) ether	<		1.8	10	ug/L	1	
SWB-10	3/2/2006	bis(2-Chloroethyl) ether	<		1.8	10	UG/L	1	
SWB-10	6/2/2006	bis(2-Chloroethyl) ether	<		3.9	10	UG/L	1	
SWB-10	3/1/2007	bis(2-Chloroethyl) ether	<		3.9	10	UG/L	1	
SWB-10	3/7/2008	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1	
SWB-10	6/5/2008	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1	
SWB-10	3/2/2009	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1	
SWB-10	3/2/2009	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1 R	
SWB-10	6/4/2009	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1	
SWB-10	3/2/2010	bis(2-CHLOROETHYL) ETHER	<	9.3	0.38	9.3	UG/L	1	
SWB-11	3/4/2004	bis(2-Chloroethyl) ether	<		3	10	ug/L	1	
SWB-11	5/24/2004	bis(2-Chloroethyl) ether	<		3	10	ug/L	1 UJ	
SWB-11	12/1/2004	bis(2-Chloroethyl) ether	<		3	10	ug/L	1	
SWB-11	3/1/2005	bis(2-Chloroethyl) ether	<		1.8	10	ug/L	1	
SWB-11	6/2/2005	bis(2-Chloroethyl) ether	<		1.8	10	ug/L	1	
SWB-11	3/2/2006	bis(2-Chloroethyl) ether	<		1.8	10	UG/L	1	
SWB-11	6/1/2006	bis(2-Chloroethyl) ether	<		3.9	10	UG/L	1	
SWB-11	3/1/2007	bis(2-Chloroethyl) ether	<		3.9	10	UG/L	1	
SWB-11	3/7/2008	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1	
SWB-11	6/5/2008	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1	
SWB-11	3/2/2009	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1	
SWB-11	6/4/2009	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1	
SWB-11	3/1/2010	bis(2-CHLOROETHYL) ETHER	<	9.4	0.38	9.4	ug/L	1	
SWB-11	6/2/2010	bis(2-CHLOROETHYL) ETHER	<	0.39	0.39	9.5	UG/L	1	
SWB-3	10/29/2002	bis(2-Chloroethyl) ether	<		1.8	10	ug/L	1	
SWB-3	3/4/2003	bis(2-Chloroethyl) ether	<		1.8	10	ug/L	1	
SWB-3	6/3/2003	bis(2-Chloroethyl) ether	<		1.8	10	ug/L	1	
SWB-3	9/4/2003	bis(2-Chloroethyl) ether	<		1.8	10	ug/L	1 UJ	
SWB-3	12/2/2003	bis(2-Chloroethyl) ether	<		3	10	ug/L	1	
SWB-3	3/1/2004	bis(2-Chloroethyl) ether	<		3	10	ug/L	1	
SWB-3	6/1/2004	bis(2-Chloroethyl) ether	<		3	10	ug/L	1	
SWB-3	9/1/2004	bis(2-Chloroethyl) ether	<		3	10	ug/L	1	
SWB-3	12/1/2004	bis(2-Chloroethyl) ether	<		3	10	ug/L	1	
SWB-3	3/3/2005	bis(2-Chloroethyl) ether	<		1.8	10	ug/L	1	
SWB-3	6/2/2005	bis(2-Chloroethyl) ether	<		1.8	10	ug/L	1	
SWB-3	9/1/2005	bis(2-Chloroethyl) ether	<		1.8	10	ug/L	1	
SWB-3	12/1/2005	bis(2-Chloroethyl) ether	<		1.8	10	UG/L	1 UJ	
SWB-3	3/2/2006	bis(2-Chloroethyl) ether	<		1.8	10	UG/L	1	
SWB-3	6/2/2006	bis(2-Chloroethyl) ether	<		3.9	10	UG/L	1	
SWB-3	9/5/2006	bis(2-Chloroethyl) ether	<		3.9	10	UG/L	1	
SWB-3	12/4/2006	bis(2-Chloroethyl) ether	<		3.9	10	UG/L	1	
SWB-3	3/1/2007	bis(2-Chloroethyl) ether	<		3.9	10	UG/L	1	
SWB-3	6/1/2007	bis(2-Chloroethyl) ether	<		3.9	10	UG/L	1	



tmpAnalyticalResultsOverTime

SWB-3	6/1/2007	bis(2-Chloroethyl) ether	<	3.9	10	UG/L	1 R	
SWB-3	12/3/2007	bis(2-Chloroethyl) ether	<	0.41	10	UG/L	1	
SWB-3	3/6/2008	bis(2-Chloroethyl) ether	<	0.41	10	UG/L	1	
SWB-3	6/9/2008	bis(2-Chloroethyl) ether	<	0.41	10	UG/L	1	
SWB-3	12/4/2008	bis(2-Chloroethyl) ether	<	0.41	10	UG/L	1	
SWB-3	3/2/2009	bis(2-Chloroethyl) ether	<	0.41	10	UG/L	1	
SWB-3	3/2/2009	bis(2-Chloroethyl) ether	<	0.41	10	UG/L	1 R	
SWB-3	6/4/2009	bis(2-Chloroethyl) ether	<	0.41	10	UG/L	1	
SWB-3	12/1/2009	bis(2-Chloroethyl) ether	<	0.41	10	UG/L	1	
SWB-3	12/1/2009	bis(2-Chloroethyl) ether	<	0.41	10	UG/L	1 DNR	
SWB-3	3/1/2010	bis(2-CHLOROETHYL) ETHER	<	9.7	0.4	9.7	ug/L	1 UJ
SWB-3	6/1/2010	bis(2-CHLOROETHYL) ETHER	<	0.38	0.38	9.4	UG/L	1
SWB-3	6/1/2010	bis(2-CHLOROETHYL) ETHER	<	0.39	0.39	9.4	UG/L	1 DNR
SWB-3	9/9/2010	bis(2-CHLOROETHYL) ETHER	<	0.38	0.38	9.3	UG/L	1
SWB-4	11/15/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
SWB-5	10/29/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
SWB-6	3/4/2003	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
SWB-6	6/3/2003	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
SWB-6	12/3/2003	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
SWB-6	3/5/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
SWB-6	6/1/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
SWB-6	12/1/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
SWB-6	3/7/2005	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
SWB-6	6/1/2005	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
SWB-6	12/2/2005	bis(2-Chloroethyl) ether	<	1.8	10	UG/L	1 UJ	
SWB-6	3/1/2006	bis(2-Chloroethyl) ether	<	1.8	10	UG/L	1	
SWB-6	6/1/2006	bis(2-Chloroethyl) ether	<	3.9	10	UG/L	1	
SWB-6	12/5/2006	bis(2-Chloroethyl) ether	<	3.9	10	UG/L	1	
SWB-6	3/2/2007	bis(2-Chloroethyl) ether	<	3.9	10	UG/L	1	
SWB-6	3/6/2008	bis(2-Chloroethyl) ether	<	0.41	10	UG/L	1	
SWB-6	6/9/2008	bis(2-Chloroethyl) ether	<	0.41	10	UG/L	1	
SWB-6	12/5/2008	bis(2-Chloroethyl) ether	<	0.41	10	UG/L	1	
SWB-6	12/5/2008	bis(2-Chloroethyl) ether	<	0.41	10	UG/L	1 R	
SWB-6	3/2/2009	bis(2-Chloroethyl) ether	<	0.41	10	UG/L	1	
SWB-6	3/2/2009	bis(2-Chloroethyl) ether	<	0.41	10	UG/L	1 R	
SWB-6	6/5/2009	bis(2-Chloroethyl) ether	<	0.41	10	UG/L	1	
SWB-6	3/2/2010	bis(2-CHLOROETHYL) ETHER	<	9.1	0.37	9.1	UG/L	1
SWB-6	6/2/2010	bis(2-CHLOROETHYL) ETHER	<	0.39	0.39	9.4	UG/L	1 DNR
SWB-6	6/2/2010	bis(2-CHLOROETHYL) ETHER	<	0.39	0.39	9.5	UG/L	1
SWB-7	3/4/2003	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
SWB-7	6/3/2003	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
SWB-7	3/1/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
SWB-7	5/24/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
SWB-7	12/1/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
SWB-7	3/7/2005	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1 UJ	
SWB-7	6/1/2005	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
SWB-7	9/1/2005	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
SWB-7	12/1/2005	bis(2-Chloroethyl) ether	<	1.8	10	UG/L	1 UJ	
SWB-7	3/1/2006	bis(2-Chloroethyl) ether	<	1.8	10	UG/L	1	
SWB-7	6/2/2006	bis(2-Chloroethyl) ether	<	3.9	10	UG/L	1	
SWB-7	9/5/2006	bis(2-Chloroethyl) ether	<	3.9	10	UG/L	1 UJ	
SWB-7	12/5/2006	bis(2-Chloroethyl) ether	<	3.9	10	UG/L	1	
SWB-7	3/2/2007	bis(2-Chloroethyl) ether	<	3.9	10	UG/L	1	
SWB-7	6/1/2007	bis(2-Chloroethyl) ether	<	3.9	10	UG/L	1	
SWB-7	9/7/2007	bis(2-Chloroethyl) ether	<	0.41	10	UG/L	1	
SWB-7	12/3/2007	bis(2-Chloroethyl) ether	<	0.41	10	UG/L	1	
SWB-7	3/6/2008	bis(2-Chloroethyl) ether	<	0.41	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-7	6/6/2008	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1
SWB-7	9/8/2008	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1
SWB-7	12/5/2008	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1
SWB-7	12/5/2008	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1 R
SWB-7	3/2/2009	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1
SWB-7	3/2/2009	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1 R
SWB-7	6/5/2009	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1
SWB-7	9/9/2009	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1
SWB-7	12/1/2009	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1
SWB-7	3/2/2010	bis(2-CHLOROETHYL) ETHER	<	9.5	0.39	9.5	UG/L	1
SWB-7	6/1/2010	bis(2-CHLOROETHYL) ETHER	<	0.39	0.39	9.6	UG/L	1 DNR
SWB-7	6/1/2010	bis(2-CHLOROETHYL) ETHER	<	0.41	0.41	10	UG/L	1 R
SWB-7	9/9/2010	bis(2-CHLOROETHYL) ETHER	<	0.4	0.4	9.6	UG/L	1
SWB-7	12/1/2010	bis(2-CHLOROETHYL) ETHER	<	0.38	0.38	9.3	UG/L	1
SWB-8	3/5/2004	bis(2-Chloroethyl) ether	<		3	10	ug/L	1
SWB-8	3/7/2005	bis(2-Chloroethyl) ether	<		1.8	10	ug/L	1
SWB-8	6/1/2005	bis(2-Chloroethyl) ether	<		1.8	10	ug/L	1
SWB-8	3/1/2006	bis(2-Chloroethyl) ether	<		1.8	10	UG/L	1
SWB-8	3/7/2008	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1
SWB-8	3/3/2009	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1
SWB-8	3/3/2009	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1 R
SWB-9	3/4/2003	bis(2-Chloroethyl) ether	<		1.8	10	ug/L	1
SWB-9	12/3/2003	bis(2-Chloroethyl) ether	<		3	10	ug/L	1
SWB-9	3/5/2004	bis(2-Chloroethyl) ether	<		3	10	ug/L	1
SWB-9	5/27/2004	bis(2-Chloroethyl) ether	<		3	10	ug/L	1 UJ
SWB-9	12/1/2004	bis(2-Chloroethyl) ether	<		3	10	ug/L	1
SWB-9	3/3/2005	bis(2-Chloroethyl) ether	<		1.8	10	ug/L	1
SWB-9	6/2/2005	bis(2-Chloroethyl) ether	<		1.8	10	ug/L	1
SWB-9	9/1/2005	bis(2-Chloroethyl) ether	<		1.8	10	ug/L	1
SWB-9	12/1/2005	bis(2-Chloroethyl) ether	<		1.8	10	UG/L	1 UJ
SWB-9	3/2/2006	bis(2-Chloroethyl) ether	<		1.8	10	UG/L	1
SWB-9	6/1/2006	bis(2-Chloroethyl) ether	<		3.9	10	UG/L	1
SWB-9	12/4/2006	bis(2-Chloroethyl) ether	<		3.9	10	UG/L	1
SWB-9	3/5/2007	bis(2-Chloroethyl) ether	<		3.9	10	UG/L	1
SWB-9	3/6/2008	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1
SWB-9	6/5/2008	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1
SWB-9	12/5/2008	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1
SWB-9	12/5/2008	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1 R
SWB-9	3/2/2009	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1
SWB-9	3/2/2009	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1 R
SWB-9	6/2/2009	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1
SWB-9	6/2/2009	bis(2-Chloroethyl) ether	<		0.41	10	UG/L	1 DNR
SWB-9	3/1/2010	bis(2-CHLOROETHYL) ETHER	<	9.2	0.38	9.2	ug/L	1
SWB-9	6/1/2010	bis(2-CHLOROETHYL) ETHER	<	0.38	0.38	9.4	UG/L	1 DNR
SWB-9	6/1/2010	bis(2-CHLOROETHYL) ETHER	<	0.39	0.39	9.5	UG/L	1
SWB-9	12/1/2010	bis(2-CHLOROETHYL) ETHER	<	0.38	0.38	9.3	UG/L	1
SWB-10	3/4/2004	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1
SWB-10	5/24/2004	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1 UJ
SWB-10	12/1/2004	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1
SWB-10	3/3/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	ug/L	1
SWB-10	6/2/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	ug/L	1
SWB-10	9/1/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	ug/L	1
SWB-10	3/2/2006	bis(2-Chloroisopropyl) ether	<		1.4	10	UG/L	1
SWB-10	6/2/2006	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1
SWB-10	3/1/2007	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1
SWB-10	3/7/2008	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1
SWB-10	6/5/2008	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-10	3/2/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1	
SWB-10	3/2/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1	R
SWB-10	6/4/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1	
SWB-10	3/2/2010	bis(2-CHLOROISOPROPYL) ETHER	<	9.3	0.26	9.3	UG/L	1	NA
SWB-11	3/4/2004	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1	
SWB-11	5/24/2004	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1	UJ
SWB-11	12/1/2004	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1	
SWB-11	3/1/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	ug/L	1	
SWB-11	6/2/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	ug/L	1	
SWB-11	3/2/2006	bis(2-Chloroisopropyl) ether	<		1.4	10	UG/L	1	
SWB-11	6/1/2006	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1	
SWB-11	3/1/2007	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1	
SWB-11	3/7/2008	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1	
SWB-11	6/5/2008	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1	
SWB-11	3/2/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1	
SWB-11	6/4/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1	
SWB-11	3/1/2010	bis(2-CHLOROISOPROPYL) ETHER	<	9.4	0.26	9.4	ug/L	1	
SWB-11	6/2/2010	bis(2-CHLOROISOPROPYL) ETHER	<	0.27	0.27	9.5	UG/L	1	
SWB-3	10/29/2002	bis(2-Chloroisopropyl) ether	<		1.5	10	ug/L	1	
SWB-3	3/4/2003	bis(2-Chloroisopropyl) ether	<		1.5	10	ug/L	1	
SWB-3	6/3/2003	bis(2-Chloroisopropyl) ether	<		1.5	10	ug/L	1	
SWB-3	9/4/2003	bis(2-Chloroisopropyl) ether	<		1.5	10	ug/L	1	UJ
SWB-3	12/2/2003	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1	
SWB-3	3/1/2004	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1	
SWB-3	6/1/2004	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1	
SWB-3	9/1/2004	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1	
SWB-3	12/1/2004	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1	
SWB-3	3/3/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	ug/L	1	
SWB-3	6/2/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	ug/L	1	
SWB-3	9/1/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	ug/L	1	
SWB-3	12/1/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	UG/L	1	UJ
SWB-3	3/2/2006	bis(2-Chloroisopropyl) ether	<		1.4	10	UG/L	1	
SWB-3	6/2/2006	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1	
SWB-3	9/5/2006	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1	
SWB-3	12/4/2006	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1	
SWB-3	3/1/2007	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1	
SWB-3	6/1/2007	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1	
SWB-3	6/1/2007	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1	R
SWB-3	12/3/2007	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1	
SWB-3	3/6/2008	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1	
SWB-3	6/9/2008	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1	
SWB-3	12/4/2008	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1	
SWB-3	3/2/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1	
SWB-3	3/2/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1	R
SWB-3	6/4/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1	
SWB-3	12/1/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1	
SWB-3	12/1/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1	DNR
SWB-3	3/1/2010	bis(2-CHLOROISOPROPYL) ETHER	<	9.7	0.27	9.7	ug/L	1	UJ
SWB-3	6/1/2010	bis(2-CHLOROISOPROPYL) ETHER	<	0.26	0.26	9.4	UG/L	1	
SWB-3	6/1/2010	bis(2-CHLOROISOPROPYL) ETHER	<	0.26	0.26	9.4	UG/L	1	DNR
SWB-3	9/9/2010	bis(2-CHLOROISOPROPYL) ETHER	<	0.26	0.26	9.3	UG/L	1	
SWB-4	11/15/2002	bis(2-Chloroisopropyl) ether	<		1.5	10	ug/L	1	
SWB-5	10/29/2002	bis(2-Chloroisopropyl) ether	<		1.5	10	ug/L	1	
SWB-6	3/4/2003	bis(2-Chloroisopropyl) ether	<		1.5	10	ug/L	1	
SWB-6	6/3/2003	bis(2-Chloroisopropyl) ether	<		1.5	10	ug/L	1	
SWB-6	12/3/2003	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1	
SWB-6	3/5/2004	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-6	6/1/2004	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1
SWB-6	12/1/2004	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1
SWB-6	3/7/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	ug/L	1
SWB-6	6/1/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	ug/L	1
SWB-6	12/2/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	UG/L	1 UJ
SWB-6	3/1/2006	bis(2-Chloroisopropyl) ether	<		1.4	10	UG/L	1
SWB-6	6/1/2006	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1
SWB-6	12/5/2006	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1
SWB-6	3/2/2007	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1
SWB-6	3/6/2008	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1
SWB-6	6/9/2008	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1
SWB-6	12/5/2008	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1
SWB-6	12/5/2008	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1 R
SWB-6	3/2/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1
SWB-6	3/2/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1 R
SWB-6	6/5/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1
SWB-6	3/2/2010	bis(2-CHLOROISOPROPYL) ETHER	<	9.1	0.26	9.1	UG/L	1
SWB-6	6/2/2010	bis(2-CHLOROISOPROPYL) ETHER	<	0.26	0.26	9.4	UG/L	1 DNR
SWB-6	6/2/2010	bis(2-CHLOROISOPROPYL) ETHER	<	0.27	0.27	9.5	UG/L	1
SWB-7	3/4/2003	bis(2-Chloroisopropyl) ether	<		1.5	10	ug/L	1
SWB-7	6/3/2003	bis(2-Chloroisopropyl) ether	<		1.5	10	ug/L	1
SWB-7	3/1/2004	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1
SWB-7	5/24/2004	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1
SWB-7	12/1/2004	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1
SWB-7	3/7/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	ug/L	1 UJ
SWB-7	6/1/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	ug/L	1
SWB-7	9/1/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	ug/L	1
SWB-7	12/1/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	UG/L	1 UJ
SWB-7	3/1/2006	bis(2-Chloroisopropyl) ether	<		1.4	10	UG/L	1
SWB-7	6/2/2006	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1
SWB-7	9/5/2006	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1 UJ
SWB-7	12/5/2006	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1
SWB-7	3/2/2007	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1
SWB-7	6/1/2007	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1
SWB-7	9/7/2007	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1
SWB-7	12/3/2007	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1
SWB-7	3/6/2008	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1
SWB-7	6/6/2008	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1
SWB-7	9/8/2008	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1
SWB-7	12/5/2008	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1
SWB-7	12/5/2008	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1 R
SWB-7	3/2/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1
SWB-7	3/2/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1 R
SWB-7	6/5/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1
SWB-7	9/9/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1
SWB-7	12/1/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1
SWB-7	3/2/2010	bis(2-CHLOROISOPROPYL) ETHER	<	9.5	0.27	9.5	UG/L	1
SWB-7	6/1/2010	bis(2-CHLOROISOPROPYL) ETHER	<	0.27	0.27	9.6	UG/L	1 DNR
SWB-7	6/1/2010	bis(2-CHLOROISOPROPYL) ETHER	<	0.28	0.28	10	UG/L	1 R
SWB-7	9/9/2010	bis(2-CHLOROISOPROPYL) ETHER	<	0.27	0.27	9.6	UG/L	1
SWB-7	12/1/2010	bis(2-CHLOROISOPROPYL) ETHER	<	0.26	0.26	9.3	UG/L	1
SWB-8	3/5/2004	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1
SWB-8	3/7/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	ug/L	1
SWB-8	6/1/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	ug/L	1
SWB-8	3/1/2006	bis(2-Chloroisopropyl) ether	<		1.4	10	UG/L	1
SWB-8	3/7/2008	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1
SWB-8	3/3/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-8	3/3/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1 R	
SWB-9	3/4/2003	bis(2-Chloroisopropyl) ether	<		1.5	10	ug/L	1	
SWB-9	12/3/2003	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1	
SWB-9	3/5/2004	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1	
SWB-9	5/27/2004	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1 UJ	
SWB-9	12/1/2004	bis(2-Chloroisopropyl) ether	<		0.7	10	ug/L	1	
SWB-9	3/3/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	ug/L	1	
SWB-9	6/2/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	ug/L	1	
SWB-9	9/1/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	ug/L	1	
SWB-9	12/1/2005	bis(2-Chloroisopropyl) ether	<		1.4	10	UG/L	1 UJ	
SWB-9	3/2/2006	bis(2-Chloroisopropyl) ether	<		1.4	10	UG/L	1	
SWB-9	6/1/2006	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1	
SWB-9	12/4/2006	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1	
SWB-9	3/5/2007	bis(2-Chloroisopropyl) ether	<		0.43	10	UG/L	1	
SWB-9	3/6/2008	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1	
SWB-9	6/5/2008	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1	
SWB-9	12/5/2008	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1	
SWB-9	12/5/2008	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1 R	
SWB-9	3/2/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1	
SWB-9	3/2/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1 R	
SWB-9	6/2/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1	
SWB-9	6/2/2009	bis(2-Chloroisopropyl) ether	<		0.28	10	UG/L	1 DNR	
SWB-9	3/1/2010	bis(2-CHLOROISOPROPYL) ETHER	<	9.2	0.26	9.2	ug/L	1	
SWB-9	6/1/2010	bis(2-CHLOROISOPROPYL) ETHER	<	0.26	0.26	9.4	UG/L	1 DNR	
SWB-9	6/1/2010	bis(2-CHLOROISOPROPYL) ETHER	<	0.26	0.26	9.5	UG/L	1	
SWB-9	12/1/2010	bis(2-CHLOROISOPROPYL) ETHER	<	0.26	0.26	9.3	UG/L	1	
SWB-10	3/4/2004	bis(2-Ethylhexyl) phthalate	<		0.9	10	ug/L	1	0.003 mg/L
SWB-10	5/24/2004	bis(2-Ethylhexyl) phthalate	<		0.9	10	ug/L	1 UJ	
SWB-10	12/1/2004	bis(2-Ethylhexyl) phthalate	<		0.9	10	ug/L	1	
SWB-10	3/3/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	ug/L	1	
SWB-10	6/2/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	ug/L	1	
SWB-10	9/1/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	ug/L	1	
SWB-10	3/2/2006	bis(2-Ethylhexyl) phthalate	<		1.4	10	UG/L	1	
SWB-10	6/2/2006	bis(2-Ethylhexyl) phthalate	<		1.4	10	UG/L	1	
SWB-10	3/1/2007	bis(2-Ethylhexyl) phthalate	<		5	10	UG/L	1	
SWB-10	3/7/2008	bis(2-Ethylhexyl) phthalate	<	10	0.56	10	UG/L	1 U	
SWB-10	6/5/2008	bis(2-Ethylhexyl) phthalate	TR	2.3	0.56	10	UG/L	1 J	
SWB-10	3/2/2009	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1	
SWB-10	3/2/2009	bis(2-Ethylhexyl) phthalate	TR	2.2	0.56	10	UG/L	1 R	
SWB-10	6/4/2009	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1 U	
SWB-10	3/2/2010	Bis(2-ethylhexyl) phthalate	TR	0.62	0.52	9.3	UG/L	1 J	
SWB-11	3/4/2004	bis(2-Ethylhexyl) phthalate	TR	2	0.9	10	ug/L	1 J	
SWB-11	5/24/2004	bis(2-Ethylhexyl) phthalate	<		0.9	10	ug/L	1 UJ	
SWB-11	12/1/2004	bis(2-Ethylhexyl) phthalate	<		0.9	10	ug/L	1	
SWB-11	3/1/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	ug/L	1	
SWB-11	6/2/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	ug/L	1	
SWB-11	3/2/2006	bis(2-Ethylhexyl) phthalate	<		1.4	10	UG/L	1	
SWB-11	6/1/2006	bis(2-Ethylhexyl) phthalate	<		1.4	10	UG/L	1	
SWB-11	3/1/2007	bis(2-Ethylhexyl) phthalate	<		5	10	UG/L	1	
SWB-11	3/7/2008	bis(2-Ethylhexyl) phthalate	<	10	0.56	10	UG/L	1 U	
SWB-11	6/5/2008	bis(2-Ethylhexyl) phthalate	<	10	0.56	10	UG/L	1 U	
SWB-11	3/2/2009	bis(2-Ethylhexyl) phthalate	TR	0.57	0.56	10	UG/L	1 J	
SWB-11	6/4/2009	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1 U	
SWB-11	3/1/2010	Bis(2-ethylhexyl) phthalate	<	9.4	0.52	9.4	ug/L	1	
SWB-11	6/2/2010	bis(2-ETHYLHEXYL) PHTHALATE	TR	9.5	3.4	9.5	UG/L	1 U	
SWB-3	10/29/2002	bis(2-Ethylhexyl) phthalate	<		3.1	10	ug/L	1	
SWB-3	3/4/2003	bis(2-Ethylhexyl) phthalate	<		3.1	10	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	6/3/2003	bis(2-Ethylhexyl) phthalate	<		3.1	10	ug/L	1
SWB-3	9/4/2003	bis(2-Ethylhexyl) phthalate	<		3.1	10	ug/L	1 UJ
SWB-3	12/2/2003	bis(2-Ethylhexyl) phthalate	<		0.9	10	ug/L	1
SWB-3	3/1/2004	bis(2-Ethylhexyl) phthalate	<		0.9	10	ug/L	1
SWB-3	6/1/2004	bis(2-Ethylhexyl) phthalate	TR	2.8	0.9	10	ug/L	1 J
SWB-3	9/1/2004	bis(2-Ethylhexyl) phthalate	<		0.9	10	ug/L	1
SWB-3	12/1/2004	bis(2-Ethylhexyl) phthalate	<		0.9	10	ug/L	1
SWB-3	3/3/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	ug/L	1
SWB-3	6/2/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	ug/L	1
SWB-3	9/1/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	ug/L	1
SWB-3	12/1/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	UG/L	1 UJ
SWB-3	3/2/2006	bis(2-Ethylhexyl) phthalate	<		1.4	10	UG/L	1
SWB-3	6/2/2006	bis(2-Ethylhexyl) phthalate	<		1.4	10	UG/L	1
SWB-3	9/5/2006	bis(2-Ethylhexyl) phthalate	<		5	10	UG/L	1
SWB-3	12/4/2006	bis(2-Ethylhexyl) phthalate	<		5	10	UG/L	1
SWB-3	3/1/2007	bis(2-Ethylhexyl) phthalate	<		5	10	UG/L	1
SWB-3	6/1/2007	bis(2-Ethylhexyl) phthalate	<		5	10	UG/L	1
SWB-3	6/1/2007	bis(2-Ethylhexyl) phthalate	<		5	10	UG/L	1 R
SWB-3	12/3/2007	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1
SWB-3	3/6/2008	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1
SWB-3	6/9/2008	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1
SWB-3	12/4/2008	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1
SWB-3	12/4/2008	bis(2-Ethylhexyl) phthalate	TR	2.3	0.56	10	UG/L	1 J
SWB-3	3/2/2009	bis(2-Ethylhexyl) phthalate	TR	2	0.56	10	UG/L	1 J
SWB-3	3/2/2009	bis(2-Ethylhexyl) phthalate	TR	2.8	0.56	10	UG/L	1 R
SWB-3	6/4/2009	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1 U
SWB-3	12/1/2009	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1 DNR
SWB-3	12/1/2009	bis(2-Ethylhexyl) phthalate	TR	0.65	0.56	10	UG/L	1 J
SWB-3	3/1/2010	Bis(2-ethylhexyl) phthalate	TR	0.58	0.55	9.7	ug/L	1 J
SWB-3	6/1/2010	bis(2-ETHYLHEXYL) PHTHALATE	TR	0.53	0.53	9.4	UG/L	1 DNR
SWB-3	6/1/2010	bis(2-ETHYLHEXYL) PHTHALATE	TR	1.4	0.52	9.4	UG/L	1 J
SWB-3	9/9/2010	bis(2-ETHYLHEXYL) PHTHALATE	<	0.52	0.52	9.3	UG/L	1 UJ
SWB-4	11/15/2002	bis(2-Ethylhexyl) phthalate	<		3.1	10	ug/L	1
SWB-5	10/29/2002	bis(2-Ethylhexyl) phthalate	<		3.1	10	ug/L	1
SWB-6	3/4/2003	bis(2-Ethylhexyl) phthalate	<		3.1	10	ug/L	1
SWB-6	6/3/2003	bis(2-Ethylhexyl) phthalate	<		3.1	10	ug/L	1
SWB-6	12/3/2003	bis(2-Ethylhexyl) phthalate	<		0.9	10	ug/L	1
SWB-6	3/5/2004	bis(2-Ethylhexyl) phthalate	<		0.9	10	ug/L	1
SWB-6	6/1/2004	bis(2-Ethylhexyl) phthalate	<		0.9	10	ug/L	1
SWB-6	12/1/2004	bis(2-Ethylhexyl) phthalate	<		0.9	10	ug/L	1
SWB-6	3/7/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	ug/L	1
SWB-6	6/1/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	ug/L	1
SWB-6	12/2/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	UG/L	1 UJ
SWB-6	3/1/2006	bis(2-Ethylhexyl) phthalate	<		1.4	10	UG/L	1
SWB-6	6/1/2006	bis(2-Ethylhexyl) phthalate	<		1.4	10	UG/L	1
SWB-6	12/5/2006	bis(2-Ethylhexyl) phthalate	<		5	10	UG/L	1
SWB-6	3/2/2007	bis(2-Ethylhexyl) phthalate	<		5	10	UG/L	1
SWB-6	3/6/2008	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1
SWB-6	6/9/2008	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1
SWB-6	12/5/2008	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1 R
SWB-6	12/5/2008	bis(2-Ethylhexyl) phthalate	TR	2.2	0.56	10	UG/L	1 J
SWB-6	3/2/2009	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1
SWB-6	3/2/2009	bis(2-Ethylhexyl) phthalate	TR	2.6	0.56	10	UG/L	1 R
SWB-6	6/5/2009	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1 U
SWB-6	3/2/2010	Bis(2-ethylhexyl) phthalate	TR	0.7	0.51	9.1	UG/L	1 J
SWB-6	6/2/2010	bis(2-ETHYLHEXYL) PHTHALATE	<	0.53	0.53	9.4	UG/L	1 DNR
SWB-6	6/2/2010	bis(2-ETHYLHEXYL) PHTHALATE	TR	9.5	2.8	9.5	UG/L	1 U

tmpAnalyticalResultsOverTime

SWB-7	3/4/2003	bis(2-Ethylhexyl) phthalate	<		3.1	10	ug/L	1
SWB-7	6/3/2003	bis(2-Ethylhexyl) phthalate	<		3.1	10	ug/L	1
SWB-7	3/1/2004	bis(2-Ethylhexyl) phthalate	<		0.9	10	ug/L	1
SWB-7	5/24/2004	bis(2-Ethylhexyl) phthalate	<		0.9	10	ug/L	1
SWB-7	12/1/2004	bis(2-Ethylhexyl) phthalate	<		0.9	10	ug/L	1
SWB-7	3/7/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	ug/L	1 UJ
SWB-7	6/1/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	ug/L	1
SWB-7	9/1/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	ug/L	1
SWB-7	12/1/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	UG/L	1 UJ
SWB-7	3/1/2006	bis(2-Ethylhexyl) phthalate	<		1.4	10	UG/L	1
SWB-7	6/2/2006	bis(2-Ethylhexyl) phthalate	<		1.4	10	UG/L	1
SWB-7	9/5/2006	bis(2-Ethylhexyl) phthalate	<		5	10	UG/L	1 UJ
SWB-7	12/5/2006	bis(2-Ethylhexyl) phthalate	<		5	10	UG/L	1
SWB-7	3/2/2007	bis(2-Ethylhexyl) phthalate	<		5	10	UG/L	1
SWB-7	6/1/2007	bis(2-Ethylhexyl) phthalate	<		5	10	UG/L	1
SWB-7	9/7/2007	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1
SWB-7	12/3/2007	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1
SWB-7	3/6/2008	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1
SWB-7	6/6/2008	bis(2-Ethylhexyl) phthalate	TR	2	0.56	10	UG/L	1 J
SWB-7	9/8/2008	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1
SWB-7	12/5/2008	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1 R
SWB-7	12/5/2008	bis(2-Ethylhexyl) phthalate	TR	2.1	0.56	10	UG/L	1 J
SWB-7	3/2/2009	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1
SWB-7	3/2/2009	bis(2-Ethylhexyl) phthalate	TR	2.2	0.56	10	UG/L	1 R
SWB-7	6/5/2009	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1 U
SWB-7	9/9/2009	bis(2-Ethylhexyl) phthalate	TR	10	0.56	10	UG/L	1 U
SWB-7	12/1/2009	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1
SWB-7	3/2/2010	Bis(2-ethylhexyl) phthalate	<	9.5	0.53	9.5	UG/L	1
SWB-7	6/1/2010	bis(2-ETHYLHEXYL) PHTHALATE	<	0.54	0.54	9.6	UG/L	1 DNR
SWB-7	6/1/2010	bis(2-ETHYLHEXYL) PHTHALATE	TR	0.66	0.56	10	UG/L	1 J
SWB-7	9/9/2010	bis(2-ETHYLHEXYL) PHTHALATE	<	0.54	0.54	9.6	UG/L	1 UJ
SWB-7	12/1/2010	bis(2-ETHYLHEXYL) PHTHALATE	TR	0.57	0.52	9.3	UG/L	1 J
SWB-8	3/5/2004	bis(2-Ethylhexyl) phthalate	<		0.9	10	ug/L	1
SWB-8	3/7/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	ug/L	1
SWB-8	6/1/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	ug/L	1
SWB-8	3/1/2006	bis(2-Ethylhexyl) phthalate	<		1.4	10	UG/L	1
SWB-8	3/7/2008	bis(2-Ethylhexyl) phthalate	<	10	0.56	10	UG/L	1 U
SWB-8	3/3/2009	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1
SWB-8	3/3/2009	bis(2-Ethylhexyl) phthalate	TR	2.4	0.56	10	UG/L	1 R
SWB-9	3/4/2003	bis(2-Ethylhexyl) phthalate	<		3.1	10	ug/L	1
SWB-9	12/3/2003	bis(2-Ethylhexyl) phthalate	<		0.9	10	ug/L	1
SWB-9	3/5/2004	bis(2-Ethylhexyl) phthalate	<		0.9	10	ug/L	1
SWB-9	5/27/2004	bis(2-Ethylhexyl) phthalate	<		0.9	10	ug/L	1 UJ
SWB-9	12/1/2004	bis(2-Ethylhexyl) phthalate	<		0.9	10	ug/L	1
SWB-9	3/3/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	ug/L	1
SWB-9	6/2/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	ug/L	1
SWB-9	9/1/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	ug/L	1
SWB-9	12/1/2005	bis(2-Ethylhexyl) phthalate	<		1.4	10	UG/L	1 UJ
SWB-9	3/2/2006	bis(2-Ethylhexyl) phthalate	<		1.4	10	UG/L	1
SWB-9	6/1/2006	bis(2-Ethylhexyl) phthalate	<		1.4	10	UG/L	1
SWB-9	12/4/2006	bis(2-Ethylhexyl) phthalate	<		5	10	UG/L	1
SWB-9	3/5/2007	bis(2-Ethylhexyl) phthalate	<		5	10	UG/L	1
SWB-9	3/6/2008	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1
SWB-9	6/5/2008	bis(2-Ethylhexyl) phthalate	TR	3.2	0.56	10	UG/L	1 J
SWB-9	12/5/2008	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1 R
SWB-9	12/5/2008	bis(2-Ethylhexyl) phthalate	TR	2.3	0.56	10	UG/L	1 J
SWB-9	3/2/2009	bis(2-Ethylhexyl) phthalate	TR	0.83	0.56	10	UG/L	1 J

tmpAnalyticalResultsOverTime

SWB-9	3/2/2009	bis(2-Ethylhexyl) phthalate	TR	2.6	0.56	10	UG/L	1 R	
SWB-9	6/2/2009	bis(2-Ethylhexyl) phthalate	<		0.56	10	UG/L	1 U	
SWB-9	6/2/2009	bis(2-Ethylhexyl) phthalate	TR	0.59	0.56	10	UG/L	1 DNR	
SWB-9	3/1/2010	Bis(2-ethylhexyl) phthalate	<	9.2	0.52	9.2	ug/L	1	
SWB-9	6/1/2010	bis(2-ETHYLHEXYL) PHTHALATE	TR	0.65	0.53	9.4	UG/L	1 DNR	
SWB-9	6/1/2010	bis(2-ETHYLHEXYL) PHTHALATE	TR	0.77	0.53	9.5	UG/L	1 J	
SWB-9	12/1/2010	bis(2-ETHYLHEXYL) PHTHALATE	TR	0.58	0.52	9.3	UG/L	1 J	
SWB-3	6/1/2004	Bromacil	TI	19			ug/L	1 NJ	NA
SWB-3	12/1/2004	Bromacil	TI	4.6			ug/L	1 NJ	
SWB-3	6/2/2005	Bromacil	TI	5.6			ug/L	1 NJ	
SWB-3	9/5/2006	Bromacil	TI	4.1			UG/L	1 NJ	
SWB-3	6/9/2008	Bromacil	TI	13			UG/L	1 J	
SWB-3	12/4/2008	Bromacil	TI	11			UG/L	1 J	
SWB-3	6/4/2009	Bromacil	TI	14			UG/L	1 NJ	
SWB-3	12/1/2009	Bromacil	TI	8.6			UG/L	1 NJ	
SWB-3	12/1/2009	Bromacil	TI	8.9			UG/L	1 DNR	
SWB-10	3/4/2004	Bromobenzene	<		0.17	1	ug/L	1	NA
SWB-10	5/24/2004	Bromobenzene	<		0.17	1	ug/L	1	
SWB-10	12/1/2004	Bromobenzene	<		0.17	1	ug/L	1	
SWB-10	3/3/2005	Bromobenzene	<		0.19	1	ug/L	1	
SWB-10	6/2/2005	Bromobenzene	<		0.17	1	ug/L	1	
SWB-10	9/1/2005	Bromobenzene	<		0.17	1	ug/L	1	
SWB-10	3/2/2006	Bromobenzene	<		0.68	4	UG/L	4	
SWB-10	6/2/2006	Bromobenzene	<		0.17	1	UG/L	1	
SWB-10	3/1/2007	Bromobenzene	<		0.17	1	UG/L	1	
SWB-10	3/7/2008	Bromobenzene	<		0.17	1	UG/L	1	
SWB-10	6/5/2008	Bromobenzene	<		0.17	1	UG/L	1	
SWB-10	3/2/2009	Bromobenzene	<		0.17	1	UG/L	1	
SWB-10	6/4/2009	Bromobenzene	<		0.17	1	UG/L	1	
SWB-10	3/2/2010	Bromobenzene	<	1	0.17	1	UG/L	1	
SWB-11	3/4/2004	Bromobenzene	<		0.17	1	ug/L	1	
SWB-11	5/24/2004	Bromobenzene	<		0.17	1	ug/L	1	
SWB-11	12/1/2004	Bromobenzene	<		0.17	1	ug/L	1	
SWB-11	3/1/2005	Bromobenzene	<		0.19	1	ug/L	1	
SWB-11	6/2/2005	Bromobenzene	<		0.17	1	ug/L	1	
SWB-11	3/2/2006	Bromobenzene	<		1.7	10	UG/L	10	
SWB-11	6/1/2006	Bromobenzene	<		0.17	1	UG/L	1	
SWB-11	3/1/2007	Bromobenzene	<		0.17	1	UG/L	1	
SWB-11	3/7/2008	Bromobenzene	<		0.17	1	UG/L	1	
SWB-11	6/5/2008	Bromobenzene	<		0.17	1	UG/L	1	
SWB-11	3/2/2009	Bromobenzene	<		0.17	1	UG/L	1	
SWB-11	6/4/2009	Bromobenzene	<		0.17	1	UG/L	1	
SWB-11	3/1/2010	Bromobenzene	<	1	0.17	1	ug/L	1	
SWB-11	6/2/2010	BROMOBENZENE	<	0.17	0.17	1	UG/L	1	
SWB-3	10/29/2002	Bromobenzene	<		0.32	1	ug/L	1	
SWB-3	3/4/2003	Bromobenzene	<		0.17	1	ug/L	1	
SWB-3	6/3/2003	Bromobenzene	<		0.17	1	ug/L	1	
SWB-3	9/4/2003	Bromobenzene	<		0.17	1	ug/L	1 UJ	
SWB-3	12/2/2003	Bromobenzene	<		0.17	1	ug/L	1	
SWB-3	3/1/2004	Bromobenzene	<		0.17	1	ug/L	1	
SWB-3	6/1/2004	Bromobenzene	<		0.17	1	ug/L	1	
SWB-3	9/1/2004	Bromobenzene	<		0.17	1	ug/L	1	
SWB-3	12/1/2004	Bromobenzene	<		0.28	1.7	ug/L	1.66	
SWB-3	3/3/2005	Bromobenzene	<		0.19	1	ug/L	1	
SWB-3	6/2/2005	Bromobenzene	<		0.17	1	ug/L	1	
SWB-3	9/1/2005	Bromobenzene	<		0.17	1	ug/L	1	
SWB-3	12/1/2005	Bromobenzene	<		0.34	2	UG/L	2	



tmpAnalyticalResultsOverTime

SWB-3	3/2/2006	Bromobenzene	<		0.68	4	UG/L	4
SWB-3	6/2/2006	Bromobenzene	<		0.17	1	UG/L	1
SWB-3	9/5/2006	Bromobenzene	<		0.17	1	UG/L	1
SWB-3	12/4/2006	Bromobenzene	<		0.17	1	UG/L	1
SWB-3	3/1/2007	Bromobenzene	<		0.17	1	UG/L	1
SWB-3	6/1/2007	Bromobenzene	<		0.17	1	UG/L	1
SWB-3	12/3/2007	Bromobenzene	<		0.17	1	UG/L	1
SWB-3	3/6/2008	Bromobenzene	<		0.17	1	UG/L	1
SWB-3	6/9/2008	Bromobenzene	<		0.17	1	UG/L	1
SWB-3	12/4/2008	Bromobenzene	<		0.17	1	UG/L	1
SWB-3	3/2/2009	Bromobenzene	<		0.17	1	UG/L	1
SWB-3	6/4/2009	Bromobenzene	<		0.17	1	UG/L	1
SWB-3	12/1/2009	Bromobenzene	<		0.17	1	UG/L	1
SWB-3	3/1/2010	Bromobenzene	<	1	0.17	1	ug/L	1
SWB-3	3/1/2010	Bromobenzene	<	2	0.34	2	ug/L	1 DNR
SWB-3	6/1/2010	BROMOBENZENE	<	0.17	0.17	1	UG/L	1 DNR
SWB-3	6/1/2010	BROMOBENZENE	<	0.68	0.68	4	UG/L	1
SWB-3	9/9/2010	BROMOBENZENE	<	0.17	0.17	1	UG/L	1 UJ
SWB-4	11/15/2002	Bromobenzene	<		0.32	1	ug/L	1
SWB-5	10/29/2002	Bromobenzene	<		0.32	1	ug/L	1
SWB-6	3/4/2003	Bromobenzene	<		0.17	1	ug/L	1
SWB-6	6/3/2003	Bromobenzene	<		0.34	2	ug/L	2
SWB-6	12/3/2003	Bromobenzene	<		0.34	2	ug/L	2
SWB-6	3/5/2004	Bromobenzene	<		0.17	1	ug/L	1
SWB-6	6/1/2004	Bromobenzene	<		0.17	1	ug/L	1
SWB-6	12/1/2004	Bromobenzene	<		0.17	1	ug/L	1
SWB-6	3/7/2005	Bromobenzene	<		0.19	1	ug/L	1
SWB-6	6/1/2005	Bromobenzene	<		0.17	1	ug/L	1
SWB-6	12/2/2005	Bromobenzene	<		0.17	1	UG/L	1
SWB-6	3/1/2006	Bromobenzene	<		0.17	1	UG/L	1
SWB-6	6/1/2006	Bromobenzene	<		0.17	1	UG/L	1
SWB-6	12/5/2006	Bromobenzene	<		0.17	1	UG/L	1
SWB-6	3/2/2007	Bromobenzene	<		0.17	1	UG/L	1
SWB-6	3/6/2008	Bromobenzene	<		0.17	1	UG/L	1
SWB-6	6/9/2008	Bromobenzene	<		0.17	1	UG/L	1
SWB-6	12/5/2008	Bromobenzene	<		0.17	1	UG/L	1
SWB-6	3/2/2009	Bromobenzene	<		0.17	1	UG/L	1
SWB-6	6/5/2009	Bromobenzene	<		0.17	1	UG/L	1
SWB-6	3/2/2010	Bromobenzene	<	1	0.17	1	UG/L	1
SWB-6	6/2/2010	BROMOBENZENE	<	0.17	0.17	1	UG/L	1
SWB-7	3/4/2003	Bromobenzene	<		0.17	1	ug/L	1
SWB-7	6/3/2003	Bromobenzene	<		0.17	1	ug/L	1
SWB-7	3/1/2004	Bromobenzene	<		0.17	1	ug/L	1
SWB-7	5/24/2004	Bromobenzene	<		0.17	1	ug/L	1
SWB-7	12/1/2004	Bromobenzene	<		0.17	1	ug/L	1
SWB-7	3/7/2005	Bromobenzene	<		0.19	1	ug/L	1
SWB-7	6/1/2005	Bromobenzene	<		0.17	1	ug/L	1
SWB-7	9/1/2005	Bromobenzene	<		0.17	1	ug/L	1
SWB-7	12/1/2005	Bromobenzene	<		0.17	1	UG/L	1
SWB-7	3/1/2006	Bromobenzene	<		0.17	1	UG/L	1
SWB-7	6/2/2006	Bromobenzene	<		0.17	1	UG/L	1
SWB-7	9/5/2006	Bromobenzene	<		0.17	1	UG/L	1
SWB-7	12/5/2006	Bromobenzene	<		0.17	1	UG/L	1
SWB-7	3/2/2007	Bromobenzene	<		0.17	1	UG/L	1
SWB-7	6/1/2007	Bromobenzene	<		0.17	1	UG/L	1
SWB-7	9/7/2007	Bromobenzene	<		0.17	1	UG/L	1
SWB-7	12/3/2007	Bromobenzene	<		0.17	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	3/6/2008	Bromobenzene	<		0.17	1	UG/L	1	
SWB-7	6/6/2008	Bromobenzene	<		0.17	1	UG/L	1	
SWB-7	9/8/2008	Bromobenzene	<		0.17	1	UG/L	1	
SWB-7	12/5/2008	Bromobenzene	<		0.17	1	UG/L	1	
SWB-7	3/2/2009	Bromobenzene	<		0.17	1	UG/L	1	
SWB-7	6/5/2009	Bromobenzene	<		0.17	1	UG/L	1	
SWB-7	9/9/2009	Bromobenzene	<		0.17	1	UG/L	1	
SWB-7	12/1/2009	Bromobenzene	<		0.17	1	UG/L	1	
SWB-7	3/2/2010	Bromobenzene	<	1	0.17	1	UG/L	1	
SWB-7	6/1/2010	BROMOBENZENE	<	0.17	0.17	1	UG/L	1	DNR
SWB-7	6/1/2010	BROMOBENZENE	<	0.68	0.68	4	UG/L	1	
SWB-7	9/9/2010	BROMOBENZENE	<	0.17	0.17	1	UG/L	1	UJ
SWB-7	12/1/2010	BROMOBENZENE	<	0.17	0.17	1	UG/L	1	
SWB-8	3/5/2004	Bromobenzene	<		0.17	1	ug/L	1	
SWB-8	3/7/2005	Bromobenzene	<		0.19	1	ug/L	1	
SWB-8	6/1/2005	Bromobenzene	<		0.17	1	ug/L	1	
SWB-8	3/1/2006	Bromobenzene	<		0.17	1	UG/L	1	
SWB-8	3/7/2008	Bromobenzene	<		0.17	1	UG/L	1	
SWB-8	3/3/2009	Bromobenzene	<		0.17	1	UG/L	1	
SWB-9	3/4/2003	Bromobenzene	<		0.17	1	ug/L	1	
SWB-9	12/3/2003	Bromobenzene	<		0.34	2	ug/L	2	
SWB-9	3/5/2004	Bromobenzene	<		0.17	1	ug/L	1	
SWB-9	5/27/2004	Bromobenzene	<		0.17	1	ug/L	1	
SWB-9	12/1/2004	Bromobenzene	<		0.17	1	ug/L	1	
SWB-9	3/3/2005	Bromobenzene	<		0.19	1	ug/L	1	
SWB-9	6/2/2005	Bromobenzene	<		0.17	1	ug/L	1	
SWB-9	9/1/2005	Bromobenzene	<		0.17	1	ug/L	1	UJ
SWB-9	12/1/2005	Bromobenzene	<		0.17	1	UG/L	1	
SWB-9	3/2/2006	Bromobenzene	<		0.68	4	UG/L	4	
SWB-9	6/1/2006	Bromobenzene	<		0.17	1	UG/L	1	
SWB-9	12/4/2006	Bromobenzene	<		0.17	1	UG/L	1	
SWB-9	3/5/2007	Bromobenzene	<		0.17	1	UG/L	1	
SWB-9	3/6/2008	Bromobenzene	<		0.17	1	UG/L	1	
SWB-9	6/5/2008	Bromobenzene	TR	0.39	0.17	1	UG/L	1	J
SWB-9	12/5/2008	Bromobenzene	<		0.17	1	UG/L	1	
SWB-9	3/2/2009	Bromobenzene	<		0.17	1	UG/L	1	
SWB-9	6/2/2009	Bromobenzene	<		0.17	1	UG/L	1	
SWB-9	3/1/2010	Bromobenzene	<	1	0.17	1	ug/L	1	
SWB-9	6/1/2010	BROMOBENZENE	<	0.17	0.17	1	UG/L	1	DNR
SWB-9	6/1/2010	BROMOBENZENE	<	0.68	0.68	4	UG/L	1	
SWB-9	12/1/2010	BROMOBENZENE	<	0.17	0.17	1	UG/L	1	
SWB-10	3/4/2004	Bromochloromethane	<		0.27	1	ug/L	1	NA
SWB-10	5/24/2004	Bromochloromethane	<		0.27	1	ug/L	1	
SWB-10	12/1/2004	Bromochloromethane	<		0.27	1	ug/L	1	
SWB-10	3/3/2005	Bromochloromethane	<		0.2	1	ug/L	1	
SWB-10	6/2/2005	Bromochloromethane	<		0.1	1	ug/L	1	
SWB-10	9/1/2005	Bromochloromethane	<		0.1	1	ug/L	1	
SWB-10	3/2/2006	Bromochloromethane	<		0.4	4	UG/L	4	
SWB-10	6/2/2006	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-10	3/1/2007	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-10	3/7/2008	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-10	6/5/2008	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-10	3/2/2009	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-10	6/4/2009	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-10	3/2/2010	Bromochloromethane	<	1	0.1	1	UG/L	1	
SWB-11	3/4/2004	Bromochloromethane	<		0.27	1	ug/L	1	
SWB-11	5/24/2004	Bromochloromethane	<		0.27	1	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-11	12/1/2004	Bromochloromethane	<		0.27	1	ug/L	1
SWB-11	3/1/2005	Bromochloromethane	<		0.2	1	ug/L	1
SWB-11	6/2/2005	Bromochloromethane	<		0.1	1	ug/L	1
SWB-11	3/2/2006	Bromochloromethane	<		1	10	UG/L	10
SWB-11	6/1/2006	Bromochloromethane	<		0.1	1	UG/L	1
SWB-11	3/1/2007	Bromochloromethane	<		0.1	1	UG/L	1
SWB-11	3/7/2008	Bromochloromethane	<		0.1	1	UG/L	1
SWB-11	6/5/2008	Bromochloromethane	<		0.1	1	UG/L	1
SWB-11	3/2/2009	Bromochloromethane	<		0.1	1	UG/L	1
SWB-11	6/4/2009	Bromochloromethane	<		0.1	1	UG/L	1
SWB-11	3/1/2010	Bromochloromethane	<	1	0.1	1	ug/L	1
SWB-11	6/2/2010	BROMOCHLOROMETHANE	<	0.1	0.1	1	UG/L	1
SWB-3	10/29/2002	Bromochloromethane	<		0.39	1	ug/L	1
SWB-3	3/4/2003	Bromochloromethane	<		0.27	1	ug/L	1
SWB-3	6/3/2003	Bromochloromethane	<		0.27	1	ug/L	1
SWB-3	9/4/2003	Bromochloromethane	<		0.27	1	ug/L	1 UJ
SWB-3	12/2/2003	Bromochloromethane	<		0.27	1	ug/L	1
SWB-3	3/1/2004	Bromochloromethane	<		0.27	1	ug/L	1
SWB-3	6/1/2004	Bromochloromethane	<		0.27	1	ug/L	1
SWB-3	9/1/2004	Bromochloromethane	<		0.27	1	ug/L	1
SWB-3	12/1/2004	Bromochloromethane	<		0.45	1.7	ug/L	1.66
SWB-3	3/3/2005	Bromochloromethane	<		0.2	1	ug/L	1
SWB-3	6/2/2005	Bromochloromethane	<		0.1	1	ug/L	1
SWB-3	9/1/2005	Bromochloromethane	<		0.1	1	ug/L	1
SWB-3	12/1/2005	Bromochloromethane	<		0.2	2	UG/L	2
SWB-3	3/2/2006	Bromochloromethane	<		0.4	4	UG/L	4
SWB-3	6/2/2006	Bromochloromethane	<		0.1	1	UG/L	1
SWB-3	9/5/2006	Bromochloromethane	<		0.1	1	UG/L	1
SWB-3	12/4/2006	Bromochloromethane	<		0.1	1	UG/L	1
SWB-3	3/1/2007	Bromochloromethane	<		0.1	1	UG/L	1
SWB-3	6/1/2007	Bromochloromethane	<		0.1	1	UG/L	1
SWB-3	12/3/2007	Bromochloromethane	<		0.1	1	UG/L	1
SWB-3	3/6/2008	Bromochloromethane	<		0.1	1	UG/L	1
SWB-3	6/9/2008	Bromochloromethane	<		0.1	1	UG/L	1
SWB-3	12/4/2008	Bromochloromethane	<		0.1	1	UG/L	1
SWB-3	3/2/2009	Bromochloromethane	<		0.1	1	UG/L	1
SWB-3	6/4/2009	Bromochloromethane	<		0.1	1	UG/L	1
SWB-3	12/1/2009	Bromochloromethane	<		0.1	1	UG/L	1
SWB-3	3/1/2010	Bromochloromethane	<	1	0.1	1	ug/L	1
SWB-3	3/1/2010	Bromochloromethane	<	2	0.2	2	ug/L	1 DNR
SWB-3	6/1/2010	BROMOCHLOROMETHANE	<	0.1	0.1	1	UG/L	1 DNR
SWB-3	6/1/2010	BROMOCHLOROMETHANE	<	0.4	0.4	4	UG/L	1
SWB-3	9/9/2010	BROMOCHLOROMETHANE	<	0.1	0.1	1	UG/L	1 UJ
SWB-4	11/15/2002	Bromochloromethane	<		0.39	1	ug/L	1
SWB-5	10/29/2002	Bromochloromethane	<		0.39	1	ug/L	1
SWB-6	3/4/2003	Bromochloromethane	<		0.27	1	ug/L	1
SWB-6	6/3/2003	Bromochloromethane	<		0.54	2	ug/L	2
SWB-6	12/3/2003	Bromochloromethane	<		0.54	2	ug/L	2
SWB-6	3/5/2004	Bromochloromethane	<		0.27	1	ug/L	1
SWB-6	6/1/2004	Bromochloromethane	<		0.27	1	ug/L	1
SWB-6	12/1/2004	Bromochloromethane	<		0.27	1	ug/L	1
SWB-6	3/7/2005	Bromochloromethane	<		0.2	1	ug/L	1
SWB-6	6/1/2005	Bromochloromethane	<		0.1	1	ug/L	1
SWB-6	12/2/2005	Bromochloromethane	<		0.1	1	UG/L	1
SWB-6	3/1/2006	Bromochloromethane	<		0.1	1	UG/L	1
SWB-6	6/1/2006	Bromochloromethane	<		0.1	1	UG/L	1
SWB-6	12/5/2006	Bromochloromethane	<		0.1	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	3/2/2007	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-6	3/6/2008	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-6	6/9/2008	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-6	12/5/2008	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-6	3/2/2009	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-6	6/5/2009	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-6	3/2/2010	Bromochloromethane	<	1	0.1	1	UG/L	1	
SWB-6	6/2/2010	BROMOCHLOROMETHANE	<	0.1	0.1	1	UG/L	1	
SWB-7	3/4/2003	Bromochloromethane	<		0.27	1	ug/L	1	
SWB-7	6/3/2003	Bromochloromethane	<		0.27	1	ug/L	1	
SWB-7	3/1/2004	Bromochloromethane	<		0.27	1	ug/L	1	
SWB-7	5/24/2004	Bromochloromethane	<		0.27	1	ug/L	1	
SWB-7	12/1/2004	Bromochloromethane	<		0.27	1	ug/L	1	
SWB-7	3/7/2005	Bromochloromethane	<		0.2	1	ug/L	1	
SWB-7	6/1/2005	Bromochloromethane	<		0.1	1	ug/L	1	
SWB-7	9/1/2005	Bromochloromethane	<		0.1	1	ug/L	1	
SWB-7	12/1/2005	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-7	3/1/2006	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-7	6/2/2006	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-7	9/5/2006	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-7	12/5/2006	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-7	3/2/2007	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-7	6/1/2007	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-7	9/7/2007	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-7	12/3/2007	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-7	3/6/2008	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-7	6/6/2008	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-7	9/8/2008	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-7	12/5/2008	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-7	3/2/2009	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-7	6/5/2009	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-7	9/9/2009	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-7	12/1/2009	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-7	3/2/2010	Bromochloromethane	<	1	0.1	1	UG/L	1	
SWB-7	6/1/2010	BROMOCHLOROMETHANE	<	0.1	0.1	1	UG/L	1	DNR
SWB-7	6/1/2010	BROMOCHLOROMETHANE	<	0.4	0.4	4	UG/L	1	
SWB-7	9/9/2010	BROMOCHLOROMETHANE	<	0.1	0.1	1	UG/L	1	UJ
SWB-7	12/1/2010	BROMOCHLOROMETHANE	<	0.1	0.1	1	UG/L	1	
SWB-8	3/5/2004	Bromochloromethane	<		0.27	1	ug/L	1	
SWB-8	3/7/2005	Bromochloromethane	<		0.2	1	ug/L	1	
SWB-8	6/1/2005	Bromochloromethane	<		0.1	1	ug/L	1	
SWB-8	3/1/2006	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-8	3/7/2008	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-8	3/3/2009	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-9	3/4/2003	Bromochloromethane	<		0.27	1	ug/L	1	
SWB-9	12/3/2003	Bromochloromethane	<		0.54	2	ug/L	2	
SWB-9	3/5/2004	Bromochloromethane	<		0.27	1	ug/L	1	
SWB-9	5/27/2004	Bromochloromethane	<		0.27	1	ug/L	1	
SWB-9	12/1/2004	Bromochloromethane	<		0.27	1	ug/L	1	
SWB-9	3/3/2005	Bromochloromethane	<		0.2	1	ug/L	1	
SWB-9	6/2/2005	Bromochloromethane	<		0.1	1	ug/L	1	
SWB-9	9/1/2005	Bromochloromethane	<		0.1	1	ug/L	1	UJ
SWB-9	12/1/2005	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-9	3/2/2006	Bromochloromethane	<		0.4	4	UG/L	4	
SWB-9	6/1/2006	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-9	12/4/2006	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-9	3/5/2007	Bromochloromethane	<		0.1	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-9	3/6/2008	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-9	6/5/2008	Bromochloromethane	<		0.1	1	UG/L	1	R
SWB-9	12/5/2008	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-9	3/2/2009	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-9	6/2/2009	Bromochloromethane	<		0.1	1	UG/L	1	
SWB-9	3/1/2010	Bromochloromethane	<	1	0.1	1	ug/L	1	
SWB-9	6/1/2010	BROMOCHLOROMETHANE	<	0.1	0.1	1	UG/L	1	DNR
SWB-9	6/1/2010	BROMOCHLOROMETHANE	<	0.4	0.4	4	UG/L	1	
SWB-9	12/1/2010	BROMOCHLOROMETHANE	<	0.1	0.1	1	UG/L	1	
SWB-10	3/4/2004	Bromodichloromethane	<		0.2	1	ug/L	1	NA
SWB-10	5/24/2004	Bromodichloromethane	<		0.2	1	ug/L	1	
SWB-10	12/1/2004	Bromodichloromethane	<		0.2	1	ug/L	1	
SWB-10	3/3/2005	Bromodichloromethane	<		0.15	1	ug/L	1	
SWB-10	6/2/2005	Bromodichloromethane	<		0.17	1	ug/L	1	
SWB-10	9/1/2005	Bromodichloromethane	TR	0.62	0.17	1	ug/L	1	J
SWB-10	3/2/2006	Bromodichloromethane	<		0.68	4	UG/L	4	
SWB-10	6/2/2006	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-10	3/1/2007	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-10	3/7/2008	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-10	6/5/2008	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-10	3/2/2009	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-10	6/4/2009	Bromodichloromethane	<		0.17	1	UG/L	1	UJ
SWB-10	3/2/2010	Bromodichloromethane	<	1	0.17	1	UG/L	1	
SWB-11	3/4/2004	Bromodichloromethane	<		0.2	1	ug/L	1	
SWB-11	5/24/2004	Bromodichloromethane	<		0.2	1	ug/L	1	
SWB-11	12/1/2004	Bromodichloromethane	<		0.2	1	ug/L	1	
SWB-11	3/1/2005	Bromodichloromethane	<		0.15	1	ug/L	1	
SWB-11	6/2/2005	Bromodichloromethane	<		0.17	1	ug/L	1	
SWB-11	3/2/2006	Bromodichloromethane	<		1.7	10	UG/L	10	
SWB-11	6/1/2006	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-11	3/1/2007	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-11	3/7/2008	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-11	6/5/2008	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-11	3/2/2009	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-11	6/4/2009	Bromodichloromethane	<		0.17	1	UG/L	1	UJ
SWB-11	3/1/2010	Bromodichloromethane	<	1	0.17	1	ug/L	1	
SWB-11	6/2/2010	BROMODICHLOROMETHANE	<	0.17	0.17	1	UG/L	1	
SWB-3	10/29/2002	Bromodichloromethane	<		0.35	1	ug/L	1	
SWB-3	3/4/2003	Bromodichloromethane	<		0.2	1	ug/L	1	
SWB-3	6/3/2003	Bromodichloromethane	<		0.2	1	ug/L	1	
SWB-3	9/4/2003	Bromodichloromethane	<		0.2	1	ug/L	1	UJ
SWB-3	12/2/2003	Bromodichloromethane	<		0.2	1	ug/L	1	
SWB-3	3/1/2004	Bromodichloromethane	<		0.2	1	ug/L	1	
SWB-3	6/1/2004	Bromodichloromethane	<		0.2	1	ug/L	1	
SWB-3	9/1/2004	Bromodichloromethane	<		0.2	1	ug/L	1	
SWB-3	12/1/2004	Bromodichloromethane	TR	0.58	0.33	1.7	ug/L	1.66	J
SWB-3	3/3/2005	Bromodichloromethane	<		0.15	1	ug/L	1	
SWB-3	6/2/2005	Bromodichloromethane	<		0.17	1	ug/L	1	
SWB-3	9/1/2005	Bromodichloromethane	TR	0.48	0.17	1	ug/L	1	J
SWB-3	12/1/2005	Bromodichloromethane	TR	0.55	0.34	2	UG/L	2	J
SWB-3	3/2/2006	Bromodichloromethane	<		0.68	4	UG/L	4	
SWB-3	6/2/2006	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-3	9/5/2006	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-3	12/4/2006	Bromodichloromethane	TR	0.24	0.17	1	UG/L	1	J
SWB-3	3/1/2007	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-3	6/1/2007	Bromodichloromethane	TR	0.26	0.17	1	UG/L	1	J
SWB-3	12/3/2007	Bromodichloromethane	<		0.17	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	3/6/2008	Bromodichloromethane	TR	0.25	0.17	1	UG/L	1 J
SWB-3	6/9/2008	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-3	12/4/2008	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-3	3/2/2009	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-3	6/4/2009	Bromodichloromethane	TR	0.31	0.17	1	UG/L	1 J
SWB-3	12/1/2009	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-3	3/1/2010	Bromodichloromethane	TR	0.56	0.34	2	ug/L	1 DNR
SWB-3	3/1/2010	Bromodichloromethane	TR	0.66	0.17	1	ug/L	1 J
SWB-3	6/1/2010	BROMODICHLOROMETHANE	<	0.68	0.68	4	UG/L	1
SWB-3	6/1/2010	BROMODICHLOROMETHANE	TR	0.34	0.17	1	UG/L	1 DNR
SWB-3	9/9/2010	BROMODICHLOROMETHANE	<	0.17	0.17	1	UG/L	1 UJ
SWB-4	11/15/2002	Bromodichloromethane	<		0.35	1	ug/L	1
SWB-5	10/29/2002	Bromodichloromethane	<		0.35	1	ug/L	1
SWB-6	3/4/2003	Bromodichloromethane	<		0.2	1	ug/L	1
SWB-6	6/3/2003	Bromodichloromethane	<		0.4	2	ug/L	2
SWB-6	12/3/2003	Bromodichloromethane	<		0.4	2	ug/L	2
SWB-6	3/5/2004	Bromodichloromethane	<		0.2	1	ug/L	1
SWB-6	6/1/2004	Bromodichloromethane	<		0.2	1	ug/L	1
SWB-6	12/1/2004	Bromodichloromethane	<		0.2	1	ug/L	1
SWB-6	3/7/2005	Bromodichloromethane	<		0.15	1	ug/L	1
SWB-6	6/1/2005	Bromodichloromethane	<		0.17	1	ug/L	1
SWB-6	12/2/2005	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-6	3/1/2006	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-6	6/1/2006	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-6	12/5/2006	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-6	3/2/2007	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-6	3/6/2008	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-6	6/9/2008	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-6	12/5/2008	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-6	3/2/2009	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-6	6/5/2009	Bromodichloromethane	<		0.17	1	UG/L	1 UJ
SWB-6	3/2/2010	Bromodichloromethane	<	1	0.17	1	UG/L	1
SWB-6	6/2/2010	BROMODICHLOROMETHANE	<	0.17	0.17	1	UG/L	1
SWB-7	3/4/2003	Bromodichloromethane	<		0.2	1	ug/L	1
SWB-7	6/3/2003	Bromodichloromethane	<		0.2	1	ug/L	1
SWB-7	3/1/2004	Bromodichloromethane	<		0.2	1	ug/L	1
SWB-7	5/24/2004	Bromodichloromethane	<		0.2	1	ug/L	1
SWB-7	12/1/2004	Bromodichloromethane	<		0.2	1	ug/L	1
SWB-7	3/7/2005	Bromodichloromethane	<		0.15	1	ug/L	1
SWB-7	6/1/2005	Bromodichloromethane	<		0.17	1	ug/L	1
SWB-7	9/1/2005	Bromodichloromethane	TR	0.25	0.17	1	ug/L	1 J
SWB-7	12/1/2005	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-7	3/1/2006	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-7	6/2/2006	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-7	9/5/2006	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-7	12/5/2006	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-7	3/2/2007	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-7	6/1/2007	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-7	9/7/2007	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-7	12/3/2007	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-7	3/6/2008	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-7	6/6/2008	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-7	9/8/2008	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-7	12/5/2008	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-7	3/2/2009	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-7	6/5/2009	Bromodichloromethane	<		0.17	1	UG/L	1
SWB-7	9/9/2009	Bromodichloromethane	<		0.17	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	12/1/2009	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-7	3/2/2010	Bromodichloromethane	<	1	0.17	1	UG/L	1	
SWB-7	6/1/2010	BROMODICHLOROMETHANE	<	0.17	0.17	1	UG/L	1	DNR
SWB-7	6/1/2010	BROMODICHLOROMETHANE	<	0.68	0.68	4	UG/L	1	
SWB-7	9/9/2010	BROMODICHLOROMETHANE	<	0.17	0.17	1	UG/L	1	UJ
SWB-7	12/1/2010	BROMODICHLOROMETHANE	<	0.17	0.17	1	UG/L	1	
SWB-8	3/5/2004	Bromodichloromethane	<		0.2	1	ug/L	1	
SWB-8	3/7/2005	Bromodichloromethane	<		0.15	1	ug/L	1	
SWB-8	6/1/2005	Bromodichloromethane	<		0.17	1	ug/L	1	
SWB-8	3/1/2006	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-8	3/7/2008	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-8	3/3/2009	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-9	3/4/2003	Bromodichloromethane	<		0.2	1	ug/L	1	
SWB-9	12/3/2003	Bromodichloromethane	<		0.4	2	ug/L	2	
SWB-9	3/5/2004	Bromodichloromethane	<		0.2	1	ug/L	1	
SWB-9	5/27/2004	Bromodichloromethane	<		0.2	1	ug/L	1	
SWB-9	12/1/2004	Bromodichloromethane	<		0.2	1	ug/L	1	
SWB-9	3/3/2005	Bromodichloromethane	<		0.15	1	ug/L	1	
SWB-9	6/2/2005	Bromodichloromethane	<		0.17	1	ug/L	1	
SWB-9	9/1/2005	Bromodichloromethane	=	3	0.17	1	ug/L	1	J
SWB-9	12/1/2005	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-9	3/2/2006	Bromodichloromethane	<		0.68	4	UG/L	4	
SWB-9	6/1/2006	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-9	12/4/2006	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-9	3/5/2007	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-9	3/6/2008	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-9	6/5/2008	Bromodichloromethane	=	1.5	0.17	1	UG/L	1	J
SWB-9	12/5/2008	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-9	3/2/2009	Bromodichloromethane	<		0.17	1	UG/L	1	
SWB-9	6/2/2009	Bromodichloromethane	<		0.17	1	UG/L	1	UJ
SWB-9	3/1/2010	Bromodichloromethane	<	1	0.17	1	ug/L	1	
SWB-9	6/1/2010	BROMODICHLOROMETHANE	<	0.17	0.17	1	UG/L	1	DNR
SWB-9	6/1/2010	BROMODICHLOROMETHANE	<	0.68	0.68	4	UG/L	1	
SWB-9	12/1/2010	BROMODICHLOROMETHANE	<	0.17	0.17	1	UG/L	1	
SWB-10	3/4/2004	Bromoform	<		0.23	1	ug/L	1	NA
SWB-10	5/24/2004	Bromoform	=	1	0.23	1	ug/L	1	
SWB-10	12/1/2004	Bromoform	<		0.23	1	ug/L	1	
SWB-10	3/3/2005	Bromoform	<		0.33	1	ug/L	1	
SWB-10	6/2/2005	Bromoform	<		0.19	1	ug/L	1	
SWB-10	9/1/2005	Bromoform	=	1.6	0.19	1	ug/L	1	
SWB-10	3/2/2006	Bromoform	<		0.76	4	UG/L	4	
SWB-10	6/2/2006	Bromoform	<		0.19	1	UG/L	1	
SWB-10	3/1/2007	Bromoform	<		0.19	1	UG/L	1	
SWB-10	3/7/2008	Bromoform	<		0.19	1	UG/L	1	
SWB-10	6/5/2008	Bromoform	<		0.19	1	UG/L	1	
SWB-10	3/2/2009	Bromoform	<		0.19	1	UG/L	1	
SWB-10	6/4/2009	Bromoform	<		0.19	1	UG/L	1	UJ
SWB-10	3/2/2010	Bromoform	<	1	0.19	1	UG/L	1	
SWB-11	3/4/2004	Bromoform	<		0.23	1	ug/L	1	
SWB-11	5/24/2004	Bromoform	=	2.2	0.23	1	ug/L	1	
SWB-11	12/1/2004	Bromoform	<		0.23	1	ug/L	1	
SWB-11	3/1/2005	Bromoform	TR	0.34	0.33	1	ug/L	1	J
SWB-11	6/2/2005	Bromoform	<		0.19	1	ug/L	1	
SWB-11	3/2/2006	Bromoform	<		1.9	10	UG/L	10	
SWB-11	6/1/2006	Bromoform	<		0.19	1	UG/L	1	
SWB-11	3/1/2007	Bromoform	<		0.19	1	UG/L	1	
SWB-11	3/7/2008	Bromoform	<		0.19	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-11	6/5/2008	Bromoform	<		0.19	1	UG/L	1
SWB-11	3/2/2009	Bromoform	TR	0.47	0.19	1	UG/L	1 J
SWB-11	6/4/2009	Bromoform	=	2	0.19	1	UG/L	1 J
SWB-11	3/1/2010	Bromoform	<	1	0.19	1	ug/L	1
SWB-11	6/2/2010	BROMOFORM	=	2.1	0.19	1	UG/L	1
SWB-3	10/29/2002	Bromoform	TR	0.88	0.46	1	ug/L	1 J
SWB-3	3/4/2003	Bromoform	=	1.3	0.23	1	ug/L	1
SWB-3	6/3/2003	Bromoform	=	2.5	0.23	1	ug/L	1
SWB-3	9/4/2003	Bromoform	<		0.23	1	ug/L	1 UJ
SWB-3	12/2/2003	Bromoform	=	2.4	0.23	1	ug/L	1
SWB-3	3/1/2004	Bromoform	<		0.23	1	ug/L	1
SWB-3	6/1/2004	Bromoform	TR	0.34	0.23	1	ug/L	1 J
SWB-3	9/1/2004	Bromoform	<		0.23	1	ug/L	1
SWB-3	12/1/2004	Bromoform	TR	1.1	0.38	1.7	ug/L	1.66 J
SWB-3	3/3/2005	Bromoform	<		0.33	1	ug/L	1
SWB-3	6/2/2005	Bromoform	TR	0.3	0.19	1	ug/L	1 J
SWB-3	9/1/2005	Bromoform	=	2.7	0.19	1	ug/L	1
SWB-3	12/1/2005	Bromoform	<		0.38	2	UG/L	2
SWB-3	3/2/2006	Bromoform	<		0.76	4	UG/L	4
SWB-3	6/2/2006	Bromoform	<		0.19	1	UG/L	1
SWB-3	9/5/2006	Bromoform	<		0.19	1	UG/L	1
SWB-3	12/4/2006	Bromoform	<		0.19	1	UG/L	1
SWB-3	3/1/2007	Bromoform	=	1.5	0.19	1	UG/L	1
SWB-3	6/1/2007	Bromoform	=	1.2	0.19	1	UG/L	1
SWB-3	12/3/2007	Bromoform	TR	0.79	0.19	1	UG/L	1 J
SWB-3	3/6/2008	Bromoform	<		0.19	1	UG/L	1
SWB-3	6/9/2008	Bromoform	TR	0.53	0.19	1	UG/L	1 J
SWB-3	12/4/2008	Bromoform	=	1.1	0.19	1	UG/L	1
SWB-3	3/2/2009	Bromoform	TR	0.38	0.19	1	UG/L	1 J
SWB-3	6/4/2009	Bromoform	TR	0.94	0.19	1	UG/L	1 J
SWB-3	12/1/2009	Bromoform	=	1.1	0.19	1	UG/L	1
SWB-3	3/1/2010	Bromoform	<	2	0.38	2	ug/L	1 DNR
SWB-3	3/1/2010	Bromoform	=	1.9	0.19	1	ug/L	1
SWB-3	6/1/2010	BROMOFORM	<	0.76	0.76	4	UG/L	1
SWB-3	6/1/2010	BROMOFORM	=	1.2	0.19	1	UG/L	1 DNR
SWB-3	9/9/2010	BROMOFORM	=	2.9	0.19	1	UG/L	1 J
SWB-4	11/15/2002	Bromoform	<		0.46	1	ug/L	1
SWB-5	10/29/2002	Bromoform	<		0.46	1	ug/L	1
SWB-6	3/4/2003	Bromoform	<		0.23	1	ug/L	1
SWB-6	6/3/2003	Bromoform	<		0.46	2	ug/L	2
SWB-6	12/3/2003	Bromoform	<		0.46	2	ug/L	2
SWB-6	3/5/2004	Bromoform	<		0.23	1	ug/L	1
SWB-6	6/1/2004	Bromoform	<		0.23	1	ug/L	1
SWB-6	12/1/2004	Bromoform	<		0.23	1	ug/L	1
SWB-6	3/7/2005	Bromoform	<		0.33	1	ug/L	1
SWB-6	6/1/2005	Bromoform	<		0.19	1	ug/L	1
SWB-6	12/2/2005	Bromoform	<		0.19	1	UG/L	1
SWB-6	3/1/2006	Bromoform	<		0.19	1	UG/L	1
SWB-6	6/1/2006	Bromoform	<		0.19	1	UG/L	1
SWB-6	12/5/2006	Bromoform	<		0.19	1	UG/L	1
SWB-6	3/2/2007	Bromoform	<		0.19	1	UG/L	1
SWB-6	3/6/2008	Bromoform	<		0.19	1	UG/L	1
SWB-6	6/9/2008	Bromoform	<		0.19	1	UG/L	1
SWB-6	12/5/2008	Bromoform	<		0.19	1	UG/L	1
SWB-6	3/2/2009	Bromoform	<		0.19	1	UG/L	1
SWB-6	6/5/2009	Bromoform	<		0.19	1	UG/L	1 UJ
SWB-6	3/2/2010	Bromoform	<	1	0.19	1	UG/L	1



tmpAnalyticalResultsOverTime

SWB-6	6/2/2010 BROMOFORM	<	0.19	0.19	1	UG/L	1
SWB-7	3/4/2003 Bromoform	<		0.23	1	ug/L	1
SWB-7	6/3/2003 Bromoform	<		0.23	1	ug/L	1
SWB-7	3/1/2004 Bromoform	<		0.23	1	ug/L	1
SWB-7	5/24/2004 Bromoform	<		0.23	1	ug/L	1
SWB-7	12/1/2004 Bromoform	<		0.23	1	ug/L	1
SWB-7	3/7/2005 Bromoform	<		0.33	1	ug/L	1
SWB-7	6/1/2005 Bromoform	<		0.19	1	ug/L	1
SWB-7	9/1/2005 Bromoform	TR	0.96	0.19	1	ug/L	1 J
SWB-7	12/1/2005 Bromoform	<		0.19	1	UG/L	1
SWB-7	3/1/2006 Bromoform	<		0.19	1	UG/L	1
SWB-7	6/2/2006 Bromoform	<		0.19	1	UG/L	1
SWB-7	9/5/2006 Bromoform	<		0.19	1	UG/L	1
SWB-7	12/5/2006 Bromoform	<		0.19	1	UG/L	1
SWB-7	3/2/2007 Bromoform	<		0.19	1	UG/L	1
SWB-7	6/1/2007 Bromoform	<		0.19	1	UG/L	1
SWB-7	9/7/2007 Bromoform	<		0.19	1	UG/L	1
SWB-7	12/3/2007 Bromoform	<		0.19	1	UG/L	1
SWB-7	3/6/2008 Bromoform	<		0.19	1	UG/L	1
SWB-7	6/6/2008 Bromoform	<		0.19	1	UG/L	1
SWB-7	9/8/2008 Bromoform	<		0.19	1	UG/L	1
SWB-7	12/5/2008 Bromoform	<		0.19	1	UG/L	1
SWB-7	3/2/2009 Bromoform	<		0.19	1	UG/L	1
SWB-7	6/5/2009 Bromoform	<		0.19	1	UG/L	1
SWB-7	9/9/2009 Bromoform	<		0.19	1	UG/L	1
SWB-7	12/1/2009 Bromoform	<		0.19	1	UG/L	1
SWB-7	3/2/2010 Bromoform	<	1	0.19	1	UG/L	1
SWB-7	6/1/2010 BROMOFORM	<	0.19	0.19	1	UG/L	1 DNR
SWB-7	6/1/2010 BROMOFORM	<	0.76	0.76	4	UG/L	1
SWB-7	9/9/2010 BROMOFORM	<	0.19	0.19	1	UG/L	1 UJ
SWB-7	12/1/2010 BROMOFORM	<	0.19	0.19	1	UG/L	1
SWB-8	3/5/2004 Bromoform	<		0.23	1	ug/L	1
SWB-8	3/7/2005 Bromoform	<		0.33	1	ug/L	1
SWB-8	6/1/2005 Bromoform	<		0.19	1	ug/L	1
SWB-8	3/1/2006 Bromoform	<		0.19	1	UG/L	1
SWB-8	3/7/2008 Bromoform	<		0.19	1	UG/L	1
SWB-8	3/3/2009 Bromoform	<		0.19	1	UG/L	1
SWB-9	3/4/2003 Bromoform	TR	0.3	0.23	1	ug/L	1 J
SWB-9	12/3/2003 Bromoform	<		0.46	2	ug/L	2
SWB-9	3/5/2004 Bromoform	<		0.23	1	ug/L	1
SWB-9	5/27/2004 Bromoform	<		0.23	1	ug/L	1
SWB-9	12/1/2004 Bromoform	TR	0.51	0.23	1	ug/L	1 J
SWB-9	3/3/2005 Bromoform	TR	0.43	0.33	1	ug/L	1 J
SWB-9	6/2/2005 Bromoform	<		0.19	1	ug/L	1
SWB-9	9/1/2005 Bromoform	=	34	0.19	1	ug/L	1 J
SWB-9	12/1/2005 Bromoform	<		0.19	1	UG/L	1
SWB-9	3/2/2006 Bromoform	<		0.76	4	UG/L	4
SWB-9	6/1/2006 Bromoform	<		0.19	1	UG/L	1
SWB-9	12/4/2006 Bromoform	<		0.19	1	UG/L	1
SWB-9	3/5/2007 Bromoform	<		0.19	1	UG/L	1
SWB-9	3/6/2008 Bromoform	TR	0.54	0.19	1	UG/L	1 J
SWB-9	6/5/2008 Bromoform	=	49	0.19	1	UG/L	1 J
SWB-9	12/5/2008 Bromoform	<		0.19	1	UG/L	1
SWB-9	3/2/2009 Bromoform	<		0.19	1	UG/L	1
SWB-9	6/2/2009 Bromoform	<		0.19	1	UG/L	1 UJ
SWB-9	3/1/2010 Bromoform	<	1	0.19	1	ug/L	1
SWB-9	6/1/2010 BROMOFORM	<	0.19	0.19	1	UG/L	1 DNR

tmpAnalyticalResultsOverTime

SWB-9	6/1/2010	BROMOFORM	<	0.76	0.76	4	UG/L	1	
SWB-9	12/1/2010	BROMOFORM	<	0.19	0.19	1	UG/L	1	
SWB-10	3/4/2004	Bromomethane	<		0.22	2	ug/L	1	NA
SWB-10	5/24/2004	Bromomethane	<		0.22	2	ug/L	1	
SWB-10	12/1/2004	Bromomethane	<		0.22	2	ug/L	1	
SWB-10	3/3/2005	Bromomethane	<		0.26	2	ug/L	1	
SWB-10	6/2/2005	Bromomethane	<		0.21	2	ug/L	1	
SWB-10	9/1/2005	Bromomethane	<		0.21	2	ug/L	1	
SWB-10	3/2/2006	Bromomethane	<		0.84	8	UG/L	4	
SWB-10	6/2/2006	Bromomethane	<		0.21	2	UG/L	1	
SWB-10	3/1/2007	Bromomethane	<		0.21	2	UG/L	1	
SWB-10	3/7/2008	Bromomethane	<		0.21	2	UG/L	1	
SWB-10	6/5/2008	Bromomethane	<		0.21	2	UG/L	1	
SWB-10	3/2/2009	Bromomethane	<		0.21	2	UG/L	1	
SWB-10	6/4/2009	Bromomethane	<		0.21	2	UG/L	1	
SWB-10	3/2/2010	Bromomethane	<	2	0.21	2	UG/L	1	
SWB-11	3/4/2004	Bromomethane	<		0.22	2	ug/L	1	
SWB-11	5/24/2004	Bromomethane	<		0.22	2	ug/L	1	
SWB-11	12/1/2004	Bromomethane	<		0.22	2	ug/L	1	
SWB-11	3/1/2005	Bromomethane	<		0.26	2	ug/L	1	
SWB-11	6/2/2005	Bromomethane	<		0.21	2	ug/L	1	
SWB-11	3/2/2006	Bromomethane	<		2.1	20	UG/L	10	
SWB-11	6/1/2006	Bromomethane	<		0.21	2	UG/L	1	
SWB-11	3/1/2007	Bromomethane	<		0.21	2	UG/L	1	
SWB-11	3/7/2008	Bromomethane	<		0.21	2	UG/L	1	
SWB-11	6/5/2008	Bromomethane	TR	0.26	0.21	2	UG/L	1	J
SWB-11	3/2/2009	Bromomethane	<		0.21	2	UG/L	1	
SWB-11	6/4/2009	Bromomethane	<		0.21	2	UG/L	1	
SWB-11	3/1/2010	Bromomethane	<	2	0.21	2	ug/L	1	
SWB-11	6/2/2010	BROMOMETHANE	<	0.21	0.21	2	UG/L	1	
SWB-3	10/29/2002	Bromomethane	<		0.28	2	ug/L	1	
SWB-3	3/4/2003	Bromomethane	<		0.22	2	ug/L	1	
SWB-3	6/3/2003	Bromomethane	<		0.22	2	ug/L	1	
SWB-3	9/4/2003	Bromomethane	<		0.22	2	ug/L	1	UJ
SWB-3	12/2/2003	Bromomethane	<		0.22	2	ug/L	1	
SWB-3	3/1/2004	Bromomethane	<		0.22	2	ug/L	1	
SWB-3	6/1/2004	Bromomethane	<		0.22	2	ug/L	1	
SWB-3	9/1/2004	Bromomethane	<		0.22	2	ug/L	1	
SWB-3	12/1/2004	Bromomethane	<		0.37	3.3	ug/L	1.66	
SWB-3	3/3/2005	Bromomethane	<		0.26	2	ug/L	1	
SWB-3	6/2/2005	Bromomethane	<		0.21	2	ug/L	1	
SWB-3	9/1/2005	Bromomethane	<		0.21	2	ug/L	1	
SWB-3	12/1/2005	Bromomethane	<		0.42	4	UG/L	2	
SWB-3	3/2/2006	Bromomethane	<		0.84	8	UG/L	4	
SWB-3	6/2/2006	Bromomethane	<		0.21	2	UG/L	1	
SWB-3	9/5/2006	Bromomethane	<		0.21	2	UG/L	1	
SWB-3	12/4/2006	Bromomethane	<		0.21	2	UG/L	1	
SWB-3	3/1/2007	Bromomethane	<		0.21	2	UG/L	1	
SWB-3	6/1/2007	Bromomethane	<		0.21	2	UG/L	1	
SWB-3	12/3/2007	Bromomethane	<		0.21	2	UG/L	1	
SWB-3	3/6/2008	Bromomethane	<		0.21	2	UG/L	1	
SWB-3	6/9/2008	Bromomethane	<		0.21	2	UG/L	1	
SWB-3	12/4/2008	Bromomethane	<		0.21	2	UG/L	1	
SWB-3	3/2/2009	Bromomethane	<		0.21	2	UG/L	1	
SWB-3	6/4/2009	Bromomethane	<		0.21	2	UG/L	1	
SWB-3	12/1/2009	Bromomethane	<		0.21	2	UG/L	1	
SWB-3	3/1/2010	Bromomethane	<	2	0.21	2	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	3/1/2010	Bromomethane	<	4	0.42	4	ug/L	1 DNR
SWB-3	6/1/2010	BROMOMETHANE	<	0.21	0.21	2	UG/L	1 DNR
SWB-3	6/1/2010	BROMOMETHANE	<	0.84	0.84	8	UG/L	1
SWB-3	9/9/2010	BROMOMETHANE	<	0.21	0.21	2	UG/L	1
SWB-4	11/15/2002	Bromomethane	<		0.28	2	ug/L	1
SWB-5	10/29/2002	Bromomethane	<		0.28	2	ug/L	1
SWB-6	3/4/2003	Bromomethane	<		0.22	2	ug/L	1
SWB-6	6/3/2003	Bromomethane	<		0.44	4	ug/L	2
SWB-6	12/3/2003	Bromomethane	<		0.44	4	ug/L	2
SWB-6	3/5/2004	Bromomethane	<		0.22	2	ug/L	1
SWB-6	6/1/2004	Bromomethane	<		0.22	2	ug/L	1
SWB-6	12/1/2004	Bromomethane	<		0.22	2	ug/L	1
SWB-6	3/7/2005	Bromomethane	<		0.26	2	ug/L	1
SWB-6	6/1/2005	Bromomethane	<		0.21	2	ug/L	1
SWB-6	12/2/2005	Bromomethane	<		0.21	2	UG/L	1
SWB-6	3/1/2006	Bromomethane	<		0.21	2	UG/L	1
SWB-6	6/1/2006	Bromomethane	<		0.21	2	UG/L	1
SWB-6	12/5/2006	Bromomethane	<		0.21	2	UG/L	1
SWB-6	3/2/2007	Bromomethane	<		0.21	2	UG/L	1
SWB-6	3/6/2008	Bromomethane	<		0.21	2	UG/L	1
SWB-6	6/9/2008	Bromomethane	<		0.21	2	UG/L	1
SWB-6	12/5/2008	Bromomethane	<		0.21	2	UG/L	1
SWB-6	3/2/2009	Bromomethane	<		0.21	2	UG/L	1
SWB-6	6/5/2009	Bromomethane	<		0.21	2	UG/L	1
SWB-6	3/2/2010	Bromomethane	<	2	0.21	2	UG/L	1
SWB-6	6/2/2010	BROMOMETHANE	<	0.21	0.21	2	UG/L	1
SWB-7	3/4/2003	Bromomethane	<		0.22	2	ug/L	1
SWB-7	6/3/2003	Bromomethane	<		0.22	2	ug/L	1
SWB-7	3/1/2004	Bromomethane	<		0.22	2	ug/L	1
SWB-7	5/24/2004	Bromomethane	<		0.22	2	ug/L	1
SWB-7	12/1/2004	Bromomethane	<		0.22	2	ug/L	1
SWB-7	3/7/2005	Bromomethane	<		0.26	2	ug/L	1
SWB-7	6/1/2005	Bromomethane	<		0.21	2	ug/L	1
SWB-7	9/1/2005	Bromomethane	<		0.21	2	ug/L	1
SWB-7	12/1/2005	Bromomethane	<		0.21	2	UG/L	1
SWB-7	3/1/2006	Bromomethane	<		0.21	2	UG/L	1
SWB-7	6/2/2006	Bromomethane	<		0.21	2	UG/L	1
SWB-7	9/5/2006	Bromomethane	<		0.21	2	UG/L	1
SWB-7	12/5/2006	Bromomethane	<		0.21	2	UG/L	1
SWB-7	3/2/2007	Bromomethane	<		0.21	2	UG/L	1
SWB-7	6/1/2007	Bromomethane	<		0.21	2	UG/L	1
SWB-7	9/7/2007	Bromomethane	<		0.21	2	UG/L	1
SWB-7	12/3/2007	Bromomethane	<		0.21	2	UG/L	1
SWB-7	3/6/2008	Bromomethane	<		0.21	2	UG/L	1
SWB-7	6/6/2008	Bromomethane	<		0.21	2	UG/L	1
SWB-7	9/8/2008	Bromomethane	<		0.21	2	UG/L	1
SWB-7	12/5/2008	Bromomethane	<		0.21	2	UG/L	1
SWB-7	3/2/2009	Bromomethane	<		0.21	2	UG/L	1
SWB-7	6/5/2009	Bromomethane	<		0.21	2	UG/L	1
SWB-7	9/9/2009	Bromomethane	<		0.21	2	UG/L	1
SWB-7	12/1/2009	Bromomethane	<		0.21	2	UG/L	1
SWB-7	3/2/2010	Bromomethane	<	2	0.21	2	UG/L	1
SWB-7	6/1/2010	BROMOMETHANE	<	0.21	0.21	2	UG/L	1 DNR
SWB-7	6/1/2010	BROMOMETHANE	<	0.84	0.84	8	UG/L	1
SWB-7	9/9/2010	BROMOMETHANE	<	0.21	0.21	2	UG/L	1
SWB-7	12/1/2010	BROMOMETHANE	<	0.21	0.21	2	UG/L	1
SWB-8	3/5/2004	Bromomethane	<		0.22	2	ug/L	1

tmpAnalyticalResultsOverTime

SWB-8	3/7/2005	Bromomethane	<		0.26	2	ug/L	1		
SWB-8	6/1/2005	Bromomethane	<		0.21	2	ug/L	1		
SWB-8	3/1/2006	Bromomethane	<		0.21	2	UG/L	1		
SWB-8	3/7/2008	Bromomethane	<		0.21	2	UG/L	1		
SWB-8	3/3/2009	Bromomethane	<		0.21	2	UG/L	1		
SWB-9	3/4/2003	Bromomethane	<		0.22	2	ug/L	1		
SWB-9	12/3/2003	Bromomethane	<		0.44	4	ug/L	2		
SWB-9	3/5/2004	Bromomethane	<		0.22	2	ug/L	1		
SWB-9	5/27/2004	Bromomethane	<		0.22	2	ug/L	1		
SWB-9	12/1/2004	Bromomethane	<		0.22	2	ug/L	1		
SWB-9	3/3/2005	Bromomethane	<		0.26	2	ug/L	1		
SWB-9	6/2/2005	Bromomethane	<		0.21	2	ug/L	1		
SWB-9	9/1/2005	Bromomethane	TR	0.42	0.21	2	ug/L	1	J	
SWB-9	12/1/2005	Bromomethane	<		0.21	2	UG/L	1		
SWB-9	3/2/2006	Bromomethane	<		0.84	8	UG/L	4		
SWB-9	6/1/2006	Bromomethane	<		0.21	2	UG/L	1		
SWB-9	12/4/2006	Bromomethane	<		0.21	2	UG/L	1		
SWB-9	3/5/2007	Bromomethane	<		0.21	2	UG/L	1		
SWB-9	3/6/2008	Bromomethane	<		0.21	2	UG/L	1		
SWB-9	6/5/2008	Bromomethane	TR	0.78	0.21	2	UG/L	1	J	
SWB-9	12/5/2008	Bromomethane	<		0.21	2	UG/L	1		
SWB-9	3/2/2009	Bromomethane	<		0.21	2	UG/L	1		
SWB-9	6/2/2009	Bromomethane	<		0.21	2	UG/L	1		
SWB-9	3/1/2010	Bromomethane	<	2	0.21	2	ug/L	1		
SWB-9	6/1/2010	BROMOMETHANE	<	0.21	0.21	2	UG/L	1	DNR	
SWB-9	6/1/2010	BROMOMETHANE	<	0.84	0.84	8	UG/L	1		
SWB-9	12/1/2010	BROMOMETHANE	<	0.21	0.21	2	UG/L	1		
SWB-3	12/2/2003	Bromonitromethane	TI		6.9		ug/L	1	NJ	NA
SWB-3	9/1/2004	Butane, 2,3-dichloro-2-methyl-	TI		7.6		ug/L	1	NJ	NA
SWB-9	6/2/2009	Butane, 2,3-dichloro-2-methyl-	TI		6.2		UG/L	1	NJ	
SWB-11	6/5/2008	Butane, 2-methoxy-2-methyl-	TI		900		UG/L	1	NJ	NA
SWB-6	12/5/2008	Butane, 2-methoxy-2-methyl-	TI		180		UG/L	1	NJ	
SWB-7	9/1/2005	Butane, 2-methoxy-2-methyl-	TI		54		ug/L	1	NJ	
SWB-7	12/1/2005	Butane, 2-methoxy-2-methyl-	TI		57		UG/L	1	NJ	
SWB-9	12/1/2005	Butane, 2-methoxy-2-methyl-	TI		53		UG/L	1	NJ	
SWB-7	6/3/2003	Butanoic acid	TI		6.4		ug/L	1	NJ	NA
SWB-7	3/2/2009	Butanoic acid	TI		28		UG/L	1	NJ	
SWB-7	3/2/2009	Butanoic acid, 3-methyl-	TI		38		UG/L	1	NJ	NA
SWB-10	3/4/2004	Butyl benzyl phthalate	<		1	10	ug/L	1		0.019 mg/L
SWB-10	5/24/2004	Butyl benzyl phthalate	<		1	10	ug/L	1	UJ	
SWB-10	12/1/2004	Butyl benzyl phthalate	<		1	10	ug/L	1		
SWB-10	3/3/2005	Butyl benzyl phthalate	<		1.7	10	ug/L	1		
SWB-10	6/2/2005	Butyl benzyl phthalate	<		1.7	10	ug/L	1		
SWB-10	9/1/2005	Butyl benzyl phthalate	<		1.7	10	ug/L	1		
SWB-10	3/2/2006	Butyl benzyl phthalate	<		1.7	10	UG/L	1		
SWB-10	6/2/2006	Butyl benzyl phthalate	<		5	10	UG/L	1		
SWB-10	3/1/2007	Butyl benzyl phthalate	<		5	10	UG/L	1		
SWB-10	3/7/2008	Butyl benzyl phthalate	<		1	10	UG/L	1		
SWB-10	6/5/2008	Butyl benzyl phthalate	<		1	10	UG/L	1		
SWB-10	3/2/2009	Butyl benzyl phthalate	<		1	4	UG/L	1		
SWB-10	3/2/2009	Butyl benzyl phthalate	<		1	4	UG/L	1	R	
SWB-10	6/4/2009	Butyl benzyl phthalate	<		1	4	UG/L	1		
SWB-10	3/2/2010	Butyl benzyl phthalate	<	3.7	0.93	3.7	UG/L	1		
SWB-11	3/4/2004	Butyl benzyl phthalate	<		1	10	ug/L	1		
SWB-11	5/24/2004	Butyl benzyl phthalate	<		1	10	ug/L	1	UJ	
SWB-11	12/1/2004	Butyl benzyl phthalate	<		1	10	ug/L	1		
SWB-11	3/1/2005	Butyl benzyl phthalate	<		1.7	10	ug/L	1		

tmpAnalyticalResultsOverTime

SWB-11	6/2/2005	Butyl benzyl phthalate	<		1.7	10	ug/L	1
SWB-11	3/2/2006	Butyl benzyl phthalate	<		1.7	10	UG/L	1
SWB-11	6/1/2006	Butyl benzyl phthalate	<		5	10	UG/L	1
SWB-11	3/1/2007	Butyl benzyl phthalate	<		5	10	UG/L	1
SWB-11	3/7/2008	Butyl benzyl phthalate	<		1	10	UG/L	1
SWB-11	6/5/2008	Butyl benzyl phthalate	<		1	10	UG/L	1
SWB-11	3/2/2009	Butyl benzyl phthalate	<		1	4	UG/L	1
SWB-11	6/4/2009	Butyl benzyl phthalate	<		1	4	UG/L	1
SWB-11	3/1/2010	Butyl benzyl phthalate	<	3.7	0.94	3.7	ug/L	1
SWB-11	6/2/2010	BUTYL BENZYL PHTHALATE	<	0.95	0.95	3.8	UG/L	1
SWB-3	10/29/2002	Butyl benzyl phthalate	<		1.6	10	ug/L	1
SWB-3	3/4/2003	Butyl benzyl phthalate	<		1.6	10	ug/L	1
SWB-3	6/3/2003	Butyl benzyl phthalate	<		1.6	10	ug/L	1
SWB-3	9/4/2003	Butyl benzyl phthalate	<		1.6	10	ug/L	1 UJ
SWB-3	12/2/2003	Butyl benzyl phthalate	<		1	10	ug/L	1
SWB-3	3/1/2004	Butyl benzyl phthalate	<		1	10	ug/L	1
SWB-3	6/1/2004	Butyl benzyl phthalate	<		1	10	ug/L	1
SWB-3	9/1/2004	Butyl benzyl phthalate	<		1	10	ug/L	1
SWB-3	12/1/2004	Butyl benzyl phthalate	<		1	10	ug/L	1
SWB-3	3/3/2005	Butyl benzyl phthalate	<		1.7	10	ug/L	1
SWB-3	6/2/2005	Butyl benzyl phthalate	<		1.7	10	ug/L	1
SWB-3	9/1/2005	Butyl benzyl phthalate	<		1.7	10	ug/L	1
SWB-3	12/1/2005	Butyl benzyl phthalate	<		1.7	10	UG/L	1 UJ
SWB-3	3/2/2006	Butyl benzyl phthalate	<		1.7	10	UG/L	1
SWB-3	6/2/2006	Butyl benzyl phthalate	<		5	10	UG/L	1
SWB-3	9/5/2006	Butyl benzyl phthalate	<		5	10	UG/L	1
SWB-3	12/4/2006	Butyl benzyl phthalate	<		5	10	UG/L	1
SWB-3	3/1/2007	Butyl benzyl phthalate	<		5	10	UG/L	1
SWB-3	6/1/2007	Butyl benzyl phthalate	<		5	10	UG/L	1
SWB-3	6/1/2007	Butyl benzyl phthalate	<		5	10	UG/L	1 R
SWB-3	12/3/2007	Butyl benzyl phthalate	<		1	10	UG/L	1
SWB-3	3/6/2008	Butyl benzyl phthalate	<		1	10	UG/L	1
SWB-3	6/9/2008	Butyl benzyl phthalate	<		1	10	UG/L	1
SWB-3	12/4/2008	Butyl benzyl phthalate	<		1	4	UG/L	1
SWB-3	3/2/2009	Butyl benzyl phthalate	<		1	4	UG/L	1
SWB-3	3/2/2009	Butyl benzyl phthalate	<		1	4	UG/L	1 R
SWB-3	6/4/2009	Butyl benzyl phthalate	<		1	4	UG/L	1
SWB-3	12/1/2009	Butyl benzyl phthalate	<		1	4	UG/L	1
SWB-3	12/1/2009	Butyl benzyl phthalate	<		1	4	UG/L	1 DNR
SWB-3	3/1/2010	Butyl benzyl phthalate	<	3.9	0.97	3.9	ug/L	1 UJ
SWB-3	6/1/2010	BUTYL BENZYL PHTHALATE	<	0.94	0.94	3.7	UG/L	1
SWB-3	6/1/2010	BUTYL BENZYL PHTHALATE	<	0.94	0.94	3.8	UG/L	1 DNR
SWB-3	9/9/2010	BUTYL BENZYL PHTHALATE	<	0.93	0.93	3.7	UG/L	1
SWB-4	11/15/2002	Butyl benzyl phthalate	<		1.6	10	ug/L	1
SWB-5	10/29/2002	Butyl benzyl phthalate	<		1.6	10	ug/L	1
SWB-6	3/4/2003	Butyl benzyl phthalate	<		1.6	10	ug/L	1
SWB-6	6/3/2003	Butyl benzyl phthalate	<		1.6	10	ug/L	1
SWB-6	12/3/2003	Butyl benzyl phthalate	<		1	10	ug/L	1
SWB-6	3/5/2004	Butyl benzyl phthalate	<		1	10	ug/L	1
SWB-6	6/1/2004	Butyl benzyl phthalate	<		1	10	ug/L	1
SWB-6	12/1/2004	Butyl benzyl phthalate	<		1	10	ug/L	1
SWB-6	3/7/2005	Butyl benzyl phthalate	<		1.7	10	ug/L	1
SWB-6	6/1/2005	Butyl benzyl phthalate	<		1.7	10	ug/L	1
SWB-6	12/2/2005	Butyl benzyl phthalate	<		1.7	10	UG/L	1 UJ
SWB-6	3/1/2006	Butyl benzyl phthalate	<		1.7	10	UG/L	1
SWB-6	6/1/2006	Butyl benzyl phthalate	<		5	10	UG/L	1
SWB-6	12/5/2006	Butyl benzyl phthalate	<		5	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	3/2/2007	Butyl benzyl phthalate	<		5	10	UG/L	1
SWB-6	3/6/2008	Butyl benzyl phthalate	<		1	10	UG/L	1
SWB-6	6/9/2008	Butyl benzyl phthalate	<		1	10	UG/L	1
SWB-6	12/5/2008	Butyl benzyl phthalate	<		1	4	UG/L	1
SWB-6	12/5/2008	Butyl benzyl phthalate	<		1	4	UG/L	1 R
SWB-6	3/2/2009	Butyl benzyl phthalate	<		1	4	UG/L	1
SWB-6	3/2/2009	Butyl benzyl phthalate	<		1	4	UG/L	1 R
SWB-6	6/5/2009	Butyl benzyl phthalate	<		1	4	UG/L	1
SWB-6	3/2/2010	Butyl benzyl phthalate	<	3.6	0.91	3.6	UG/L	1
SWB-6	6/2/2010	BUTYL BENZYL PHTHALATE	<	0.94	0.94	3.8	UG/L	1 DNR
SWB-6	6/2/2010	BUTYL BENZYL PHTHALATE	<	0.95	0.95	3.8	UG/L	1
SWB-7	3/4/2003	Butyl benzyl phthalate	<		1.6	10	ug/L	1
SWB-7	6/3/2003	Butyl benzyl phthalate	<		1.6	10	ug/L	1
SWB-7	3/1/2004	Butyl benzyl phthalate	<		1	10	ug/L	1
SWB-7	5/24/2004	Butyl benzyl phthalate	<		1	10	ug/L	1
SWB-7	12/1/2004	Butyl benzyl phthalate	<		1	10	ug/L	1
SWB-7	3/7/2005	Butyl benzyl phthalate	<		1.7	10	ug/L	1 UJ
SWB-7	6/1/2005	Butyl benzyl phthalate	<		1.7	10	ug/L	1
SWB-7	9/1/2005	Butyl benzyl phthalate	<		1.7	10	ug/L	1
SWB-7	12/1/2005	Butyl benzyl phthalate	<		1.7	10	UG/L	1 UJ
SWB-7	3/1/2006	Butyl benzyl phthalate	<		1.7	10	UG/L	1
SWB-7	6/2/2006	Butyl benzyl phthalate	<		5	10	UG/L	1
SWB-7	9/5/2006	Butyl benzyl phthalate	<		5	10	UG/L	1 UJ
SWB-7	12/5/2006	Butyl benzyl phthalate	<		5	10	UG/L	1
SWB-7	3/2/2007	Butyl benzyl phthalate	<		5	10	UG/L	1
SWB-7	6/1/2007	Butyl benzyl phthalate	<		5	10	UG/L	1
SWB-7	9/7/2007	Butyl benzyl phthalate	<		1	10	UG/L	1
SWB-7	12/3/2007	Butyl benzyl phthalate	<		1	10	UG/L	1
SWB-7	3/6/2008	Butyl benzyl phthalate	<		1	10	UG/L	1
SWB-7	6/6/2008	Butyl benzyl phthalate	<		1	10	UG/L	1
SWB-7	9/8/2008	Butyl benzyl phthalate	<		1	4	UG/L	1
SWB-7	12/5/2008	Butyl benzyl phthalate	<		1	4	UG/L	1
SWB-7	12/5/2008	Butyl benzyl phthalate	<		1	4	UG/L	1 R
SWB-7	3/2/2009	Butyl benzyl phthalate	<		1	4	UG/L	1
SWB-7	3/2/2009	Butyl benzyl phthalate	<		1	4	UG/L	1 R
SWB-7	6/5/2009	Butyl benzyl phthalate	<		1	4	UG/L	1
SWB-7	9/9/2009	Butyl benzyl phthalate	<		1	4	UG/L	1
SWB-7	12/1/2009	Butyl benzyl phthalate	<		1	4	UG/L	1
SWB-7	3/2/2010	Butyl benzyl phthalate	<	3.8	0.95	3.8	UG/L	1
SWB-7	6/1/2010	BUTYL BENZYL PHTHALATE	<	0.96	0.96	3.8	UG/L	1 DNR
SWB-7	6/1/2010	BUTYL BENZYL PHTHALATE	<	1	1	4	UG/L	1 R
SWB-7	9/9/2010	BUTYL BENZYL PHTHALATE	<	0.96	0.96	3.9	UG/L	1
SWB-7	12/1/2010	BUTYL BENZYL PHTHALATE	<	0.93	0.93	3.7	UG/L	1 UJ
SWB-8	3/5/2004	Butyl benzyl phthalate	<		1	10	ug/L	1
SWB-8	3/7/2005	Butyl benzyl phthalate	<		1.7	10	ug/L	1
SWB-8	6/1/2005	Butyl benzyl phthalate	<		1.7	10	ug/L	1
SWB-8	3/1/2006	Butyl benzyl phthalate	<		1.7	10	UG/L	1
SWB-8	3/7/2008	Butyl benzyl phthalate	<		1	10	UG/L	1
SWB-8	3/3/2009	Butyl benzyl phthalate	<		1	4	UG/L	1
SWB-8	3/3/2009	Butyl benzyl phthalate	<		1	4	UG/L	1 R
SWB-9	3/4/2003	Butyl benzyl phthalate	<		1.6	10	ug/L	1
SWB-9	12/3/2003	Butyl benzyl phthalate	<		1	10	ug/L	1
SWB-9	3/5/2004	Butyl benzyl phthalate	<		1	10	ug/L	1
SWB-9	5/27/2004	Butyl benzyl phthalate	<		1	10	ug/L	1 UJ
SWB-9	12/1/2004	Butyl benzyl phthalate	<		1	10	ug/L	1
SWB-9	3/3/2005	Butyl benzyl phthalate	<		1.7	10	ug/L	1
SWB-9	6/2/2005	Butyl benzyl phthalate	<		1.7	10	ug/L	1

tmpAnalyticalResultsOverTime

SWB-9	9/1/2005	Butyl benzyl phthalate	<		1.7	10	ug/L	1	
SWB-9	12/1/2005	Butyl benzyl phthalate	<		1.7	10	UG/L	1 UJ	
SWB-9	3/2/2006	Butyl benzyl phthalate	<		1.7	10	UG/L	1	
SWB-9	6/1/2006	Butyl benzyl phthalate	<		5	10	UG/L	1	
SWB-9	12/4/2006	Butyl benzyl phthalate	<		5	10	UG/L	1	
SWB-9	3/5/2007	Butyl benzyl phthalate	<		5	10	UG/L	1	
SWB-9	3/6/2008	Butyl benzyl phthalate	<		1	10	UG/L	1	
SWB-9	6/5/2008	Butyl benzyl phthalate	<		1	10	UG/L	1	
SWB-9	12/5/2008	Butyl benzyl phthalate	<		1	4	UG/L	1	
SWB-9	12/5/2008	Butyl benzyl phthalate	<		1	4	UG/L	1 R	
SWB-9	3/2/2009	Butyl benzyl phthalate	<		1	4	UG/L	1	
SWB-9	3/2/2009	Butyl benzyl phthalate	<		1	4	UG/L	1 R	
SWB-9	6/2/2009	Butyl benzyl phthalate	<		1	4	UG/L	1	
SWB-9	6/2/2009	Butyl benzyl phthalate	<		1	4	UG/L	1 DNR	
SWB-9	3/1/2010	Butyl benzyl phthalate	<	3.7	0.92	3.7	ug/L	1	
SWB-9	6/1/2010	BUTYL BENZYL PHTHALATE	<	0.94	0.94	3.8	UG/L	1 DNR	
SWB-9	6/1/2010	BUTYL BENZYL PHTHALATE	<	0.95	0.95	3.8	UG/L	1	
SWB-9	12/1/2010	BUTYL BENZYL PHTHALATE	<	0.93	0.93	3.7	UG/L	1 UJ	
SWB-9	12/1/2010	BUTYRIC ACID	TR	6.6			UG/L	1	NA
SWB-10	3/2/2010	Cadmium	<	0.01	0.0004	0.01	MG/L	10	NA
SWB-11	3/1/2010	Cadmium	<	0.01	0.0004	0.01	mg/L	10	
SWB-11	6/2/2010	CADMIUM	<	0.004	0.004	0.1	MG/L	100	
SWB-3	3/1/2010	Cadmium	TR	0.0041	0.0002	0.005	mg/L	5 J	
SWB-3	6/1/2010	CADMIUM	TR	0.0019	0.0008	0.02	MG/L	20 J	
SWB-3	9/9/2010	CADMIUM	TR	0.0025	0.0002	0.005	MG/L	5 J	
SWB-6	3/2/2010	Cadmium	TR	0.0019	0.0004	0.01	MG/L	10 J	
SWB-6	6/2/2010	CADMIUM	TR	0.0056	0.001	0.025	MG/L	25 J	
SWB-7	3/2/2010	Cadmium	<	0.002	0.00008	0.002	MG/L	2	
SWB-7	6/1/2010	CADMIUM	<	0.0008	0.0008	0.02	MG/L	20	
SWB-7	9/9/2010	CADMIUM	<	0.0002	0.0002	0.005	MG/L	5 UJ	
SWB-7	12/1/2010	CADMIUM	<	0.0002	0.0002	0.005	MG/L	5	
SWB-9	3/1/2010	Cadmium	TR	0.0028	0.0004	0.01	mg/L	10 J	
SWB-9	6/1/2010	CADMIUM	TR	0.017	0.004	0.1	MG/L	100 J	
SWB-9	12/1/2010	CADMIUM	=	0.0055	0.0002	0.005	MG/L	5 J	
SWB-3	10/29/2002	Cadmium-DISSOLVED	TR	0.0003	0.00011	0.005	mg/L	5 J	0.00064 mg/L
SWB-4	11/15/2002	Cadmium-DISSOLVED	=	0.018	0.00011	0.005	mg/L	5	
SWB-5	10/29/2002	Cadmium-DISSOLVED	=	0.053	0.00022	0.01	mg/L	10	
SWB-10	3/4/2004	Cadmium-TOTAL	<		0.001	0.02	mg/L	20	NA
SWB-10	5/24/2004	Cadmium-TOTAL	TR	0.00041	0.00014	0.005	mg/L	5 J	
SWB-10	12/1/2004	Cadmium-TOTAL	TR	0.00024	0.000028	0.001	mg/L	1 J	
SWB-10	3/3/2005	Cadmium-TOTAL	TR	0.00011	0.000028	0.001	mg/L	1 J	
SWB-10	6/2/2005	Cadmium-TOTAL	TR	0.0002	0.0002	0.005	mg/L	5 J	
SWB-10	9/1/2005	Cadmium-TOTAL	<		0.0016	0.04	MG/L	40 UJ	
SWB-10	3/2/2006	Cadmium-TOTAL	<		0.0004	0.01	MG/L	10	
SWB-10	6/2/2006	Cadmium-TOTAL	<		0.0008	0.02	MG/L	20	
SWB-10	3/1/2007	Cadmium-TOTAL	TR	0.00052	0.0004	0.01	MG/L	10 J	
SWB-10	3/7/2008	Cadmium-TOTAL	<		0.0008	0.02	MG/L	20 UJ	
SWB-10	6/5/2008	Cadmium-TOTAL	TR	0.0074	0.0008	0.02	MG/L	20 J	
SWB-10	3/2/2009	Cadmium-TOTAL	TR	0.00022	0.0002	0.005	MG/L	5 J	
SWB-10	6/4/2009	Cadmium-TOTAL	TR	0.0011	0.0004	0.01	MG/L	10 J	
SWB-11	3/4/2004	Cadmium-TOTAL	<		0.001	0.02	mg/L	20	
SWB-11	5/24/2004	Cadmium-TOTAL	TR	0.0013	0.00014	0.005	mg/L	5 J	
SWB-11	12/1/2004	Cadmium-TOTAL	TR	0.00028	0.000028	0.001	mg/L	1 J	
SWB-11	3/1/2005	Cadmium-TOTAL	TR	0.0004	0.00014	0.005	mg/L	5 J	
SWB-11	6/2/2005	Cadmium-TOTAL	TR	0.00055	0.0002	0.005	mg/L	5 J	
SWB-11	3/2/2006	Cadmium-TOTAL	<		0.0004	0.01	MG/L	10	
SWB-11	6/1/2006	Cadmium-TOTAL	TR	0.0011	0.0008	0.02	MG/L	20 J	

## tmpAnalyticalResultsOverTime

SWB-11	3/1/2007	Cadmium-TOTAL	TR	0.0017	0.0004	0.01	MG/L	10 J
SWB-11	3/7/2008	Cadmium-TOTAL	<		0.0004	0.01	MG/L	10 UJ
SWB-11	6/5/2008	Cadmium-TOTAL	TR	0.0017	0.0008	0.02	MG/L	20 J
SWB-11	3/2/2009	Cadmium-TOTAL	TR	0.00031	0.0002	0.005	MG/L	5 J
SWB-11	6/4/2009	Cadmium-TOTAL	<		0.0004	0.01	MG/L	10 UJ
SWB-3	10/29/2002	Cadmium-TOTAL	TR	0.00058	0.00011	0.005	mg/L	5 J
SWB-3	3/4/2003	Cadmium-TOTAL	TR	0.00042	0.000022	0.001	mg/L	1 J
SWB-3	6/3/2003	Cadmium-TOTAL	TR	0.0015	0.00026	0.005	mg/L	5 J
SWB-3	9/4/2003	Cadmium-TOTAL	TR	0.0039	0.0026	0.05	mg/L	50 J
SWB-3	12/2/2003	Cadmium-TOTAL	TR	0.0011	0.001	0.02	mg/L	20 J
SWB-3	3/1/2004	Cadmium-TOTAL	<		0.001	0.02	mg/L	20
SWB-3	6/1/2004	Cadmium-TOTAL	TR	0.00061	0.00028	0.01	mg/L	10 J
SWB-3	9/1/2004	Cadmium-TOTAL	TR	0.004	0.00056	0.02	mg/L	20 J
SWB-3	12/1/2004	Cadmium-TOTAL	=	0.0013	0.000028	0.001	mg/L	1 J
SWB-3	3/3/2005	Cadmium-TOTAL	TR	0.00048	0.000028	0.001	mg/L	1 J
SWB-3	6/2/2005	Cadmium-TOTAL	TR	0.00073	0.0002	0.005	mg/L	5 J
SWB-3	9/1/2005	Cadmium-TOTAL	TR	0.0013	0.0004	0.01	MG/L	10 J
SWB-3	12/1/2005	Cadmium-TOTAL	=	0.0013	0.00004	0.001	MG/L	1 J
SWB-3	3/2/2006	Cadmium-TOTAL	TR	0.00074	0.0004	0.01	MG/L	10 J
SWB-3	6/2/2006	Cadmium-TOTAL	TR	0.00067	0.0004	0.01	MG/L	10 J
SWB-3	9/5/2006	Cadmium-TOTAL	TR	0.0022	0.0004	0.01	MG/L	10 J
SWB-3	12/4/2006	Cadmium-TOTAL	TR	0.0022	0.0004	0.01	MG/L	10 J
SWB-3	3/1/2007	Cadmium-TOTAL	TR	0.0009	0.0004	0.01	MG/L	10 J
SWB-3	6/1/2007	Cadmium-TOTAL	TR	0.00074	0.0002	0.005	MG/L	5 J
SWB-3	12/3/2007	Cadmium-TOTAL	=	0.0013	0.00004	0.001	MG/L	1 J
SWB-3	3/6/2008	Cadmium-TOTAL	TR	0.00024	0.00004	0.001	MG/L	1 J
SWB-3	6/9/2008	Cadmium-TOTAL	TR	0.0028	0.0002	0.005	MG/L	5 J
SWB-3	12/4/2008	Cadmium-TOTAL	=	0.0043	0.00004	0.001	MG/L	1
SWB-3	3/2/2009	Cadmium-TOTAL	TR	0.00089	0.0002	0.005	MG/L	5 J
SWB-3	6/4/2009	Cadmium-TOTAL	=	0.0022	0.00004	0.001	MG/L	1 J
SWB-3	12/1/2009	Cadmium-TOTAL	TR	0.0044	0.0004	0.01	MG/L	10 J
SWB-4	11/15/2002	Cadmium-TOTAL	=	0.016	0.00011	0.005	mg/L	5
SWB-5	10/29/2002	Cadmium-TOTAL	=	0.043	0.00011	0.005	mg/L	5
SWB-6	3/4/2003	Cadmium-TOTAL	=	0.0014	0.000022	0.001	mg/L	1
SWB-6	6/3/2003	Cadmium-TOTAL	TR	0.0048	0.00026	0.005	mg/L	5 J
SWB-6	12/3/2003	Cadmium-TOTAL	=	0.013	0.00051	0.01	mg/L	10 J
SWB-6	3/5/2004	Cadmium-TOTAL	<		0.001	0.02	mg/L	20
SWB-6	6/1/2004	Cadmium-TOTAL	TR	0.002	0.00028	0.01	mg/L	10 J
SWB-6	12/1/2004	Cadmium-TOTAL	=	0.0028	0.000028	0.001	mg/L	1 J
SWB-6	3/7/2005	Cadmium-TOTAL	TR	0.00053	0.00014	0.005	mg/L	5 J
SWB-6	6/1/2005	Cadmium-TOTAL	TR	0.00086	0.0002	0.005	mg/L	5 J
SWB-6	12/2/2005	Cadmium-TOTAL	TR	0.0045	0.0004	0.01	MG/L	10 J
SWB-6	3/1/2006	Cadmium-TOTAL	TR	0.00089	0.0002	0.005	MG/L	5 J
SWB-6	6/1/2006	Cadmium-TOTAL	TR	0.0011	0.0004	0.01	MG/L	10 J
SWB-6	12/5/2006	Cadmium-TOTAL	TR	0.0068	0.0008	0.02	MG/L	20 J
SWB-6	3/2/2007	Cadmium-TOTAL	TR	0.0017	0.0004	0.01	MG/L	10 J
SWB-6	3/6/2008	Cadmium-TOTAL	TR	0.0012	0.0002	0.005	MG/L	5 J
SWB-6	6/9/2008	Cadmium-TOTAL	TR	0.011	0.0008	0.02	MG/L	20 J
SWB-6	12/5/2008	Cadmium-TOTAL	=	0.032	0.0008	0.02	MG/L	20
SWB-6	3/2/2009	Cadmium-TOTAL	TR	0.0016	0.0002	0.005	MG/L	5 J
SWB-6	6/5/2009	Cadmium-TOTAL	=	0.0021	0.00008	0.002	MG/L	2 J
SWB-7	3/4/2003	Cadmium-TOTAL	TR	0.000044	0.000022	0.001	mg/L	1 J
SWB-7	6/3/2003	Cadmium-TOTAL	TR	0.00041	0.00026	0.005	mg/L	5 J
SWB-7	3/1/2004	Cadmium-TOTAL	<		0.001	0.02	mg/L	20
SWB-7	5/24/2004	Cadmium-TOTAL	TR	0.00018	0.00014	0.005	mg/L	5 J
SWB-7	12/1/2004	Cadmium-TOTAL	TR	0.000054	0.000028	0.001	mg/L	1 J
SWB-7	3/7/2005	Cadmium-TOTAL	TR	0.000087	0.000028	0.001	mg/L	1 J



tmpAnalyticalResultsOverTime

SWB-7	6/1/2005	Cadmium-TOTAL	<		0.0002	0.005	mg/L	5	UJ	
SWB-7	9/1/2005	Cadmium-TOTAL	<		0.0002	0.005	MG/L	5	UJ	
SWB-7	12/1/2005	Cadmium-TOTAL	TR	0.000067	0.00004	0.001	MG/L	1	J	
SWB-7	3/1/2006	Cadmium-TOTAL	<		0.00008	0.002	MG/L	2		
SWB-7	6/2/2006	Cadmium-TOTAL	<		0.0002	0.005	MG/L	5		
SWB-7	9/5/2006	Cadmium-TOTAL	<		0.00004	0.001	MG/L	1		
SWB-7	12/5/2006	Cadmium-TOTAL	<		0.0004	0.01	MG/L	10	UJ	
SWB-7	3/2/2007	Cadmium-TOTAL	<		0.0004	0.01	MG/L	10		
SWB-7	6/1/2007	Cadmium-TOTAL	<		0.0002	0.005	MG/L	5		
SWB-7	9/7/2007	Cadmium-TOTAL	TR	0.000097	0.00004	0.001	MG/L	1	J	
SWB-7	12/3/2007	Cadmium-TOTAL	TR	0.000088	0.00004	0.001	MG/L	1	J	
SWB-7	3/6/2008	Cadmium-TOTAL	TR	0.000045	0.00004	0.001	MG/L	1	J	
SWB-7	6/6/2008	Cadmium-TOTAL	<		0.00004	0.001	MG/L	1	UJ	
SWB-7	9/8/2008	Cadmium-TOTAL	<		0.0002	0.005	MG/L	5		
SWB-7	12/5/2008	Cadmium-TOTAL	TR	0.000055	0.00004	0.001	MG/L	1	J	
SWB-7	3/2/2009	Cadmium-TOTAL	TR	0.00011	0.00004	0.001	MG/L	1	J	
SWB-7	6/5/2009	Cadmium-TOTAL	TR	0.00014	0.00008	0.002	MG/L	2	J	
SWB-7	9/9/2009	Cadmium-TOTAL	<		0.0004	0.01	MG/L	10		
SWB-7	12/1/2009	Cadmium-TOTAL	<		0.0002	0.005	MG/L	5		
SWB-8	3/5/2004	Cadmium-TOTAL	TR	0.0013	0.001	0.02	mg/L	20	J	
SWB-8	3/7/2005	Cadmium-TOTAL	TR	0.0012	0.00014	0.005	mg/L	5	J	
SWB-8	6/1/2005	Cadmium-TOTAL	TR	0.0014	0.0002	0.005	mg/L	5	J	
SWB-8	3/1/2006	Cadmium-TOTAL	TR	0.0023	0.0002	0.005	MG/L	5	J	
SWB-8	3/7/2008	Cadmium-TOTAL	TR	0.0012	0.0002	0.005	MG/L	5	J	
SWB-8	3/3/2009	Cadmium-TOTAL	TR	0.00046	0.0002	0.005	MG/L	5	J	
SWB-9	3/4/2003	Cadmium-TOTAL	=	0.0027	0.000022	0.001	mg/L	1		
SWB-9	12/3/2003	Cadmium-TOTAL	TR	0.0072	0.00051	0.01	mg/L	10	J	
SWB-9	3/5/2004	Cadmium-TOTAL	TR	0.0017	0.001	0.02	mg/L	20	J	
SWB-9	5/27/2004	Cadmium-TOTAL	=	0.015	0.00014	0.005	mg/L	5		
SWB-9	12/1/2004	Cadmium-TOTAL	=	0.0025	0.000028	0.001	mg/L	1	J	
SWB-9	3/3/2005	Cadmium-TOTAL	TR	0.0026	0.00014	0.005	mg/L	5	J	
SWB-9	6/2/2005	Cadmium-TOTAL	TR	0.0021	0.0002	0.005	mg/L	5	J	
SWB-9	9/1/2005	Cadmium-TOTAL	<		0.004	0.1	MG/L	100	UJ	
SWB-9	12/1/2005	Cadmium-TOTAL	TR	0.0048	0.0004	0.01	MG/L	10	J	
SWB-9	3/2/2006	Cadmium-TOTAL	TR	0.0058	0.0004	0.01	MG/L	10	J	
SWB-9	6/1/2006	Cadmium-TOTAL	TR	0.0056	0.002	0.05	MG/L	50	J	
SWB-9	12/4/2006	Cadmium-TOTAL	TR	0.0083	0.0004	0.01	MG/L	10	J	
SWB-9	3/5/2007	Cadmium-TOTAL	TR	0.0097	0.0008	0.02	MG/L	20	J	
SWB-9	3/6/2008	Cadmium-TOTAL	TR	0.004	0.0004	0.01	MG/L	10	J	
SWB-9	6/5/2008	Cadmium-TOTAL	TR	0.0025	0.0008	0.02	MG/L	20	J	
SWB-9	12/5/2008	Cadmium-TOTAL	TR	0.008	0.0004	0.01	MG/L	10	J	
SWB-9	3/2/2009	Cadmium-TOTAL	TR	0.0047	0.0004	0.01	MG/L	10	J	
SWB-9	6/2/2009	Cadmium-TOTAL	=	0.019	0.0004	0.01	MG/L	10	J	
SWB-10	3/2/2010	Calcium	=	750	0.034	0.2	MG/L	1		NA
SWB-11	3/1/2010	Calcium	=	510	0.034	0.2	mg/L	1		
SWB-11	6/2/2010	CALCIUM	=	1400	0.34	2	MG/L	10		
SWB-3	3/1/2010	Calcium	=	540	0.034	0.2	mg/L	1		
SWB-3	6/1/2010	CALCIUM	=	500	0.034	0.2	MG/L	1		
SWB-3	9/9/2010	CALCIUM	=	1500	0.34	2	MG/L	10		
SWB-6	3/2/2010	Calcium	=	1900	0.17	1	MG/L	5		
SWB-6	6/2/2010	CALCIUM	=	3000	0.34	2	MG/L	10		
SWB-7	3/2/2010	Calcium	=	33	0.034	0.2	MG/L	1		
SWB-7	6/1/2010	CALCIUM	=	74	0.034	0.2	MG/L	1		
SWB-7	9/9/2010	CALCIUM	=	160	0.34	2	MG/L	10		
SWB-7	12/1/2010	CALCIUM	=	150	0.34	2	MG/L	10		
SWB-9	3/1/2010	Calcium	=	1300	0.17	1	mg/L	5		
SWB-9	6/1/2010	CALCIUM	=	3300	0.34	2	MG/L	10		

tmpAnalyticalResultsOverTime

SWB-9	12/1/2010	CALCIUM	=	1700	0.34	2	MG/L	10
SWB-3	10/29/2002	Calcium-DISSOLVED	=	1000	0.031	0.2	mg/L	1
SWB-4	11/15/2002	Calcium-DISSOLVED	=	6900	0.16	1	mg/L	5
SWB-5	10/29/2002	Calcium-DISSOLVED	=	890	0.062	0.4	mg/L	2
SWB-10	3/4/2004	Calcium-TOTAL	=	200	0.076	0.2	mg/L	1
SWB-10	5/24/2004	Calcium-TOTAL	=	1300	0.076	0.2	mg/L	1
SWB-10	12/1/2004	Calcium-TOTAL	=	900	0.096	0.2	mg/L	1
SWB-10	3/3/2005	Calcium-TOTAL	=	430	0.096	0.2	mg/L	1
SWB-10	6/2/2005	Calcium-TOTAL	=	330	0.034	0.2	mg/L	1
SWB-10	9/1/2005	Calcium-TOTAL	=	1500	0.34	2	MG/L	10
SWB-10	3/2/2006	Calcium-TOTAL	=	720	0.17	1	MG/L	5
SWB-10	6/2/2006	Calcium-TOTAL	=	1300	0.34	2	MG/L	10
SWB-10	3/1/2007	Calcium-TOTAL	=	990	1.7	10	MG/L	50
SWB-10	3/7/2008	Calcium-TOTAL	=	460	0.034	0.2	MG/L	1
SWB-10	6/5/2008	Calcium-TOTAL	=	700	0.17	1	MG/L	5
SWB-10	3/2/2009	Calcium-TOTAL	=	480	0.034	0.2	MG/L	1
SWB-10	6/4/2009	Calcium-TOTAL	=	1700	0.34	2	MG/L	10
SWB-11	3/4/2004	Calcium-TOTAL	=	390	0.076	0.2	mg/L	1
SWB-11	5/24/2004	Calcium-TOTAL	=	2000	0.076	0.2	mg/L	1
SWB-11	12/1/2004	Calcium-TOTAL	=	890	0.096	0.2	mg/L	1
SWB-11	3/1/2005	Calcium-TOTAL	=	470	0.096	0.2	mg/L	1
SWB-11	6/2/2005	Calcium-TOTAL	=	560	0.034	0.2	mg/L	1
SWB-11	3/2/2006	Calcium-TOTAL	=	640	0.17	1	MG/L	5
SWB-11	6/1/2006	Calcium-TOTAL	=	1200	0.34	2	MG/L	10
SWB-11	3/1/2007	Calcium-TOTAL	=	930	1.7	10	MG/L	50
SWB-11	3/7/2008	Calcium-TOTAL	=	350	0.034	0.2	MG/L	1
SWB-11	6/5/2008	Calcium-TOTAL	=	1300	0.17	1	MG/L	5
SWB-11	3/2/2009	Calcium-TOTAL	=	360	0.034	0.2	MG/L	1
SWB-11	6/4/2009	Calcium-TOTAL	=	1700	0.34	2	MG/L	10
SWB-3	10/29/2002	Calcium-TOTAL	=	1000	0.031	0.2	mg/L	1
SWB-3	3/4/2003	Calcium-TOTAL	=	570	0.031	0.2	mg/L	1
SWB-3	6/3/2003	Calcium-TOTAL	=	1600	0.076	0.2	mg/L	1
SWB-3	9/4/2003	Calcium-TOTAL	=	21	0.076	0.2	mg/L	1
SWB-3	12/2/2003	Calcium-TOTAL	=	1300	0.076	0.2	mg/L	1
SWB-3	3/1/2004	Calcium-TOTAL	=	110	0.076	0.2	mg/L	1
SWB-3	6/1/2004	Calcium-TOTAL	=	690	0.076	0.2	mg/L	1
SWB-3	9/1/2004	Calcium-TOTAL	=	2900	0.48	1	mg/L	5
SWB-3	12/1/2004	Calcium-TOTAL	=	570	0.096	0.2	mg/L	1
SWB-3	3/3/2005	Calcium-TOTAL	=	490	0.096	0.2	mg/L	1
SWB-3	6/2/2005	Calcium-TOTAL	=	430	0.034	0.2	mg/L	1
SWB-3	9/1/2005	Calcium-TOTAL	=	850	0.17	1	MG/L	5
SWB-3	12/1/2005	Calcium-TOTAL	=	790	0.034	0.2	MG/L	1
SWB-3	3/2/2006	Calcium-TOTAL	=	640	0.034	0.2	MG/L	1
SWB-3	6/2/2006	Calcium-TOTAL	=	800	0.34	2	MG/L	10
SWB-3	9/5/2006	Calcium-TOTAL	=	2400	0.17	1	MG/L	5
SWB-3	12/4/2006	Calcium-TOTAL	=	1000	0.17	1	MG/L	5
SWB-3	3/1/2007	Calcium-TOTAL	=	880	1.7	10	MG/L	50
SWB-3	6/1/2007	Calcium-TOTAL	=	450	0.034	0.2	MG/L	1
SWB-3	12/3/2007	Calcium-TOTAL	=	620	0.034	0.2	MG/L	1
SWB-3	3/6/2008	Calcium-TOTAL	=	110	0.034	0.2	MG/L	1
SWB-3	6/9/2008	Calcium-TOTAL	=	500	0.034	0.2	MG/L	1
SWB-3	12/4/2008	Calcium-TOTAL	=	550	0.034	0.2	MG/L	1
SWB-3	3/2/2009	Calcium-TOTAL	=	330	0.034	0.2	MG/L	1
SWB-3	6/4/2009	Calcium-TOTAL	=	410	0.034	0.2	MG/L	1
SWB-3	12/1/2009	Calcium-TOTAL	=	590	0.034	0.2	MG/L	1
SWB-4	11/15/2002	Calcium-TOTAL	=	6500	0.16	1	mg/L	5
SWB-5	10/29/2002	Calcium-TOTAL	=	880	0.062	0.4	mg/L	1

tmpAnalyticalResultsOverTime

SWB-6	3/4/2003	Calcium-TOTAL	=	1100	0.031	0.2	mg/L	1
SWB-6	6/3/2003	Calcium-TOTAL	=	2400	0.76	2	mg/L	10
SWB-6	12/3/2003	Calcium-TOTAL	=	550	0.076	0.2	mg/L	1
SWB-6	3/5/2004	Calcium-TOTAL	=	590	0.076	0.2	mg/L	1
SWB-6	6/1/2004	Calcium-TOTAL	=	2000	0.38	1	mg/L	5
SWB-6	12/1/2004	Calcium-TOTAL	=	1600	0.096	0.2	mg/L	1
SWB-6	3/7/2005	Calcium-TOTAL	=	900	0.096	0.2	mg/L	1
SWB-6	6/1/2005	Calcium-TOTAL	=	870	0.034	0.2	mg/L	1
SWB-6	12/2/2005	Calcium-TOTAL	=	1800	0.34	2	MG/L	10
SWB-6	3/1/2006	Calcium-TOTAL	=	1000	0.034	0.2	MG/L	1
SWB-6	6/1/2006	Calcium-TOTAL	=	1700	0.17	1	MG/L	5
SWB-6	12/5/2006	Calcium-TOTAL	=	1000	0.34	2	MG/L	10
SWB-6	3/2/2007	Calcium-TOTAL	=	1600	0.17	1	MG/L	5
SWB-6	3/6/2008	Calcium-TOTAL	=	1100	0.034	0.2	MG/L	1
SWB-6	6/9/2008	Calcium-TOTAL	=	2600	0.17	1	MG/L	5
SWB-6	12/5/2008	Calcium-TOTAL	=	680	0.17	1	MG/L	5
SWB-6	3/2/2009	Calcium-TOTAL	=	1200	0.034	0.2	MG/L	1
SWB-6	6/5/2009	Calcium-TOTAL	=	2400	0.34	2	MG/L	10
SWB-7	3/4/2003	Calcium-TOTAL	=	18	0.031	0.2	mg/L	1
SWB-7	6/3/2003	Calcium-TOTAL	=	220	0.076	0.2	mg/L	1
SWB-7	3/1/2004	Calcium-TOTAL	=	8.1	0.076	0.2	mg/L	1
SWB-7	5/24/2004	Calcium-TOTAL	=	42	0.076	0.2	mg/L	1
SWB-7	12/1/2004	Calcium-TOTAL	=	31	0.096	0.2	mg/L	1
SWB-7	3/7/2005	Calcium-TOTAL	=	64	0.096	0.2	mg/L	1
SWB-7	6/1/2005	Calcium-TOTAL	=	190	0.034	0.2	mg/L	1
SWB-7	9/1/2005	Calcium-TOTAL	=	130	0.034	0.2	MG/L	1
SWB-7	12/1/2005	Calcium-TOTAL	=	100	0.034	0.2	MG/L	1
SWB-7	3/1/2006	Calcium-TOTAL	=	60	0.034	0.2	MG/L	1
SWB-7	6/2/2006	Calcium-TOTAL	=	290	0.34	2	MG/L	10
SWB-7	9/5/2006	Calcium-TOTAL	=	170	0.034	0.2	MG/L	1
SWB-7	12/5/2006	Calcium-TOTAL	=	130	0.034	0.2	MG/L	1
SWB-7	3/2/2007	Calcium-TOTAL	=	40	0.034	0.2	MG/L	1
SWB-7	6/1/2007	Calcium-TOTAL	=	89	0.034	0.2	MG/L	1
SWB-7	9/7/2007	Calcium-TOTAL	=	130	0.17	1	MG/L	5
SWB-7	12/3/2007	Calcium-TOTAL	=	110	0.034	0.2	MG/L	1
SWB-7	3/6/2008	Calcium-TOTAL	=	43	0.034	0.2	MG/L	1
SWB-7	6/6/2008	Calcium-TOTAL	=	79	0.034	0.2	MG/L	1
SWB-7	9/8/2008	Calcium-TOTAL	=	120	0.034	0.2	MG/L	1
SWB-7	12/5/2008	Calcium-TOTAL	=	79	0.034	0.2	MG/L	1
SWB-7	3/2/2009	Calcium-TOTAL	=	44	0.034	0.2	MG/L	1
SWB-7	6/5/2009	Calcium-TOTAL	=	56	0.034	0.2	MG/L	1
SWB-7	9/9/2009	Calcium-TOTAL	=	170	0.17	1	MG/L	5
SWB-7	12/1/2009	Calcium-TOTAL	=	170	0.034	0.2	MG/L	1
SWB-8	3/5/2004	Calcium-TOTAL	=	590	0.076	0.2	mg/L	1
SWB-8	3/7/2005	Calcium-TOTAL	=	1100	0.096	0.2	mg/L	1
SWB-8	6/1/2005	Calcium-TOTAL	=	990	0.034	0.2	mg/L	1
SWB-8	3/1/2006	Calcium-TOTAL	=	830	0.034	0.2	MG/L	1
SWB-8	3/7/2008	Calcium-TOTAL	=	570	0.034	0.2	MG/L	1
SWB-8	3/3/2009	Calcium-TOTAL	=	530	0.034	0.2	MG/L	1
SWB-9	3/4/2003	Calcium-TOTAL	=	1600	0.031	0.2	mg/L	1
SWB-9	12/3/2003	Calcium-TOTAL	=	1900	0.076	0.2	mg/L	1
SWB-9	3/5/2004	Calcium-TOTAL	=	610	0.076	0.2	mg/L	1
SWB-9	5/27/2004	Calcium-TOTAL	=	3500	0.38	1	mg/L	5
SWB-9	12/1/2004	Calcium-TOTAL	=	1400	0.096	0.2	mg/L	1
SWB-9	3/3/2005	Calcium-TOTAL	=	1100	0.096	0.2	mg/L	1
SWB-9	6/2/2005	Calcium-TOTAL	=	1200	0.034	0.2	mg/L	1
SWB-9	9/1/2005	Calcium-TOTAL	=	2100	0.34	2	MG/L	10

tmpAnalyticalResultsOverTime

SWB-9	12/1/2005	Calcium-TOTAL	=	2100	0.34	2	MG/L	10	
SWB-9	3/2/2006	Calcium-TOTAL	=	1600	0.17	1	MG/L	5	
SWB-9	6/1/2006	Calcium-TOTAL	=	3000	0.34	2	MG/L	10	
SWB-9	12/4/2006	Calcium-TOTAL	=	2500	1.7	10	MG/L	50	
SWB-9	3/5/2007	Calcium-TOTAL	=	1900	0.17	1	MG/L	5	
SWB-9	3/6/2008	Calcium-TOTAL	=	1200	0.17	1	MG/L	5	
SWB-9	6/5/2008	Calcium-TOTAL	=	3100	0.17	1	MG/L	5	
SWB-9	12/5/2008	Calcium-TOTAL	=	2200	0.17	1	MG/L	5	
SWB-9	3/2/2009	Calcium-TOTAL	=	1200	0.034	0.2	MG/L	1	
SWB-9	6/2/2009	Calcium-TOTAL	=	2900	0.34	2	MG/L	10	
SWB-10	3/4/2004	Carbazole	<		0.9	10	ug/L	1	NA
SWB-10	5/24/2004	Carbazole	<		0.9	10	ug/L	1	UJ
SWB-10	12/1/2004	Carbazole	<		0.9	10	ug/L	1	
SWB-10	3/3/2005	Carbazole	<		1.9	10	ug/L	1	
SWB-10	6/2/2005	Carbazole	<		1.9	10	ug/L	1	
SWB-10	9/1/2005	Carbazole	<		1.9	10	ug/L	1	
SWB-10	3/2/2006	Carbazole	<		1.9	10	UG/L	1	
SWB-10	6/2/2006	Carbazole	<		1.9	10	UG/L	1	
SWB-10	3/1/2007	Carbazole	<		1.9	10	UG/L	1	
SWB-10	3/7/2008	Carbazole	<		0.43	10	UG/L	1	
SWB-10	6/5/2008	Carbazole	<		0.43	10	UG/L	1	
SWB-10	3/2/2009	Carbazole	<		0.43	4	UG/L	1	
SWB-10	3/2/2009	Carbazole	<		0.43	4	UG/L	1	R
SWB-10	6/4/2009	Carbazole	<		0.43	4	UG/L	1	
SWB-10	3/2/2010	Carbazole	<	3.7	0.4	3.7	UG/L	1	UJ
SWB-11	3/4/2004	Carbazole	<		0.9	10	ug/L	1	
SWB-11	5/24/2004	Carbazole	<		0.9	10	ug/L	1	UJ
SWB-11	12/1/2004	Carbazole	<		0.9	10	ug/L	1	
SWB-11	3/1/2005	Carbazole	<		1.9	10	ug/L	1	
SWB-11	6/2/2005	Carbazole	<		1.9	10	ug/L	1	
SWB-11	3/2/2006	Carbazole	<		1.9	10	UG/L	1	
SWB-11	6/1/2006	Carbazole	<		1.9	10	UG/L	1	
SWB-11	3/1/2007	Carbazole	<		1.9	10	UG/L	1	
SWB-11	3/7/2008	Carbazole	<		0.43	10	UG/L	1	
SWB-11	6/5/2008	Carbazole	<		0.43	10	UG/L	1	
SWB-11	3/2/2009	Carbazole	<		0.43	4	UG/L	1	
SWB-11	6/4/2009	Carbazole	<		0.43	4	UG/L	1	
SWB-11	3/1/2010	Carbazole	<	3.7	0.4	3.7	ug/L	1	UJ
SWB-11	6/2/2010	CARBAZOLE	<	0.41	0.41	3.8	UG/L	1	
SWB-3	10/29/2002	Carbazole	<		1.2	10	ug/L	1	
SWB-3	3/4/2003	Carbazole	<		1.2	10	ug/L	1	
SWB-3	6/3/2003	Carbazole	<		1.2	10	ug/L	1	
SWB-3	9/4/2003	Carbazole	<		1.2	10	ug/L	1	UJ
SWB-3	12/2/2003	Carbazole	<		0.9	10	ug/L	1	
SWB-3	3/1/2004	Carbazole	<		0.9	10	ug/L	1	
SWB-3	6/1/2004	Carbazole	<		0.9	10	ug/L	1	
SWB-3	9/1/2004	Carbazole	<		0.9	10	ug/L	1	
SWB-3	12/1/2004	Carbazole	<		0.9	10	ug/L	1	
SWB-3	3/3/2005	Carbazole	<		1.9	10	ug/L	1	
SWB-3	6/2/2005	Carbazole	<		1.9	10	ug/L	1	
SWB-3	9/1/2005	Carbazole	<		1.9	10	ug/L	1	
SWB-3	12/1/2005	Carbazole	<		1.9	10	UG/L	1	UJ
SWB-3	3/2/2006	Carbazole	<		1.9	10	UG/L	1	
SWB-3	6/2/2006	Carbazole	<		1.9	10	UG/L	1	
SWB-3	9/5/2006	Carbazole	<		1.9	10	UG/L	1	
SWB-3	12/4/2006	Carbazole	<		1.9	10	UG/L	1	
SWB-3	3/1/2007	Carbazole	<		1.9	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	6/1/2007	Carbazole	<		1.9	10	UG/L	1
SWB-3	6/1/2007	Carbazole	<		1.9	10	UG/L	1 R
SWB-3	12/3/2007	Carbazole	<		0.43	10	UG/L	1 R
SWB-3	3/6/2008	Carbazole	<		0.43	10	UG/L	1
SWB-3	6/9/2008	Carbazole	<		0.43	10	UG/L	1
SWB-3	12/4/2008	Carbazole	<		0.43	4	UG/L	1
SWB-3	3/2/2009	Carbazole	<		0.43	4	UG/L	1
SWB-3	3/2/2009	Carbazole	<		0.43	4	UG/L	1 R
SWB-3	6/4/2009	Carbazole	<		0.43	4	UG/L	1 UJ
SWB-3	12/1/2009	Carbazole	<		0.43	4	UG/L	1
SWB-3	12/1/2009	Carbazole	<		0.43	4	UG/L	1 DNR
SWB-3	3/1/2010	Carbazole	<	3.9	0.42	3.9	ug/L	1 UJ
SWB-3	6/1/2010	CARBAZOLE	<	0.4	0.4	3.7	UG/L	1
SWB-3	6/1/2010	CARBAZOLE	<	0.41	0.41	3.8	UG/L	1 DNR
SWB-3	9/9/2010	CARBAZOLE	<	0.4	0.4	3.7	UG/L	1
SWB-4	11/15/2002	Carbazole	<		1.2	10	ug/L	1
SWB-5	10/29/2002	Carbazole	<		1.2	10	ug/L	1
SWB-6	3/4/2003	Carbazole	<		1.2	10	ug/L	1
SWB-6	6/3/2003	Carbazole	<		1.2	10	ug/L	1
SWB-6	12/3/2003	Carbazole	<		0.9	10	ug/L	1
SWB-6	3/5/2004	Carbazole	<		0.9	10	ug/L	1
SWB-6	6/1/2004	Carbazole	<		0.9	10	ug/L	1
SWB-6	12/1/2004	Carbazole	<		0.9	10	ug/L	1
SWB-6	3/7/2005	Carbazole	<		1.9	10	ug/L	1
SWB-6	6/1/2005	Carbazole	<		1.9	10	ug/L	1
SWB-6	12/2/2005	Carbazole	<		1.9	10	UG/L	1 UJ
SWB-6	3/1/2006	Carbazole	<		1.9	10	UG/L	1
SWB-6	6/1/2006	Carbazole	<		1.9	10	UG/L	1
SWB-6	12/5/2006	Carbazole	<		1.9	10	UG/L	1
SWB-6	3/2/2007	Carbazole	<		1.9	10	UG/L	1
SWB-6	3/6/2008	Carbazole	<		0.43	10	UG/L	1
SWB-6	6/9/2008	Carbazole	<		0.43	10	UG/L	1
SWB-6	12/5/2008	Carbazole	<		0.43	4	UG/L	1 R
SWB-6	12/5/2008	Carbazole	<		0.43	4	UG/L	1 UJ
SWB-6	3/2/2009	Carbazole	<		0.43	4	UG/L	1
SWB-6	3/2/2009	Carbazole	<		0.43	4	UG/L	1 R
SWB-6	6/5/2009	Carbazole	<		0.43	4	UG/L	1
SWB-6	3/2/2010	Carbazole	<	3.6	0.39	3.6	UG/L	1 UJ
SWB-6	6/2/2010	CARBAZOLE	<	0.4	0.4	3.8	UG/L	1 DNR
SWB-6	6/2/2010	CARBAZOLE	<	0.41	0.41	3.8	UG/L	1
SWB-7	3/4/2003	Carbazole	<		1.2	10	ug/L	1
SWB-7	6/3/2003	Carbazole	<		1.2	10	ug/L	1
SWB-7	3/1/2004	Carbazole	<		0.9	10	ug/L	1
SWB-7	5/24/2004	Carbazole	<		0.9	10	ug/L	1
SWB-7	12/1/2004	Carbazole	<		0.9	10	ug/L	1
SWB-7	3/7/2005	Carbazole	<		1.9	10	ug/L	1 UJ
SWB-7	6/1/2005	Carbazole	<		1.9	10	ug/L	1
SWB-7	9/1/2005	Carbazole	<		1.9	10	ug/L	1
SWB-7	12/1/2005	Carbazole	<		1.9	10	UG/L	1 UJ
SWB-7	3/1/2006	Carbazole	<		1.9	10	UG/L	1
SWB-7	6/2/2006	Carbazole	<		1.9	10	UG/L	1
SWB-7	9/5/2006	Carbazole	<		1.9	10	UG/L	1 UJ
SWB-7	12/5/2006	Carbazole	<		1.9	10	UG/L	1
SWB-7	3/2/2007	Carbazole	<		1.9	10	UG/L	1
SWB-7	6/1/2007	Carbazole	<		1.9	10	UG/L	1
SWB-7	9/7/2007	Carbazole	<		0.43	10	UG/L	1
SWB-7	12/3/2007	Carbazole	<		0.43	10	UG/L	1 R

tmpAnalyticalResultsOverTime

SWB-7	3/6/2008	Carbazole	<		0.43	10	UG/L	1		
SWB-7	6/6/2008	Carbazole	<		0.43	10	UG/L	1		
SWB-7	9/8/2008	Carbazole	<		0.43	4	UG/L	1		
SWB-7	12/5/2008	Carbazole	<		0.43	4	UG/L	1	R	
SWB-7	12/5/2008	Carbazole	<		0.43	4	UG/L	1	UJ	
SWB-7	3/2/2009	Carbazole	<		0.43	4	UG/L	1		
SWB-7	3/2/2009	Carbazole	<		0.43	4	UG/L	1	R	
SWB-7	6/5/2009	Carbazole	<		0.43	4	UG/L	1		
SWB-7	9/9/2009	Carbazole	<		0.43	4	UG/L	1		
SWB-7	12/1/2009	Carbazole	<		0.43	4	UG/L	1		
SWB-7	3/2/2010	Carbazole	<	3.8	0.41	3.8	UG/L	1	UJ	
SWB-7	6/1/2010	CARBAZOLE	<	0.41	0.41	3.8	UG/L	1	DNR	
SWB-7	6/1/2010	CARBAZOLE	<	0.43	0.43	4	UG/L	1	R	
SWB-7	9/9/2010	CARBAZOLE	<	0.41	0.41	3.9	UG/L	1		
SWB-7	12/1/2010	CARBAZOLE	<	0.4	0.4	3.7	UG/L	1		
SWB-8	3/5/2004	Carbazole	<		0.9	10	ug/L	1		
SWB-8	3/7/2005	Carbazole	<		1.9	10	ug/L	1		
SWB-8	6/1/2005	Carbazole	<		1.9	10	ug/L	1		
SWB-8	3/1/2006	Carbazole	<		1.9	10	UG/L	1		
SWB-8	3/7/2008	Carbazole	<		0.43	10	UG/L	1		
SWB-8	3/3/2009	Carbazole	<		0.43	4	UG/L	1		
SWB-8	3/3/2009	Carbazole	<		0.43	4	UG/L	1	R	
SWB-9	3/4/2003	Carbazole	<		1.2	10	ug/L	1		
SWB-9	12/3/2003	Carbazole	<		0.9	10	ug/L	1		
SWB-9	3/5/2004	Carbazole	<		0.9	10	ug/L	1		
SWB-9	5/27/2004	Carbazole	<		0.9	10	ug/L	1	UJ	
SWB-9	12/1/2004	Carbazole	<		0.9	10	ug/L	1		
SWB-9	3/3/2005	Carbazole	<		1.9	10	ug/L	1		
SWB-9	6/2/2005	Carbazole	<		1.9	10	ug/L	1		
SWB-9	9/1/2005	Carbazole	<		1.9	10	ug/L	1		
SWB-9	12/1/2005	Carbazole	<		1.9	10	UG/L	1	UJ	
SWB-9	3/2/2006	Carbazole	<		1.9	10	UG/L	1		
SWB-9	6/1/2006	Carbazole	<		1.9	10	UG/L	1		
SWB-9	12/4/2006	Carbazole	<		1.9	10	UG/L	1		
SWB-9	3/5/2007	Carbazole	<		1.9	10	UG/L	1	UJ	
SWB-9	3/6/2008	Carbazole	<		0.43	10	UG/L	1		
SWB-9	6/5/2008	Carbazole	<		0.43	10	UG/L	1		
SWB-9	12/5/2008	Carbazole	<		0.43	4	UG/L	1	R	
SWB-9	12/5/2008	Carbazole	<		0.43	4	UG/L	1	UJ	
SWB-9	3/2/2009	Carbazole	<		0.43	4	UG/L	1		
SWB-9	3/2/2009	Carbazole	<		0.43	4	UG/L	1	R	
SWB-9	6/2/2009	Carbazole	<		0.43	4	UG/L	1		
SWB-9	6/2/2009	Carbazole	<		0.43	4	UG/L	1	DNR	
SWB-9	3/1/2010	Carbazole	<	3.7	0.4	3.7	ug/L	1	UJ	
SWB-9	6/1/2010	CARBAZOLE	<	0.4	0.4	3.8	UG/L	1	DNR	
SWB-9	6/1/2010	CARBAZOLE	<	0.41	0.41	3.8	UG/L	1		
SWB-9	12/1/2010	CARBAZOLE	<	0.4	0.4	3.7	UG/L	1		
SWB-10	3/4/2004	Carbon disulfide	TR	0.25	0.24	1	ug/L	1	J	0.000092 mg/L
SWB-10	5/24/2004	Carbon disulfide	<		0.24	1	ug/L	1		
SWB-10	12/1/2004	Carbon disulfide	<		0.24	1	ug/L	1		
SWB-10	3/3/2005	Carbon disulfide	<		0.27	1	ug/L	1		
SWB-10	6/2/2005	Carbon disulfide	<		0.45	1	ug/L	1		
SWB-10	9/1/2005	Carbon disulfide	<		0.45	1	ug/L	1		
SWB-10	3/2/2006	Carbon disulfide	<		1.8	4	UG/L	4		
SWB-10	6/2/2006	Carbon disulfide	<		0.45	1	UG/L	1		
SWB-10	3/1/2007	Carbon disulfide	<		0.45	2	UG/L	1		
SWB-10	3/7/2008	Carbon disulfide	<		0.45	2	UG/L	1		

tmpAnalyticalResultsOverTime

SWB-10	6/5/2008	Carbon disulfide	<		0.45	2	UG/L	1
SWB-10	3/2/2009	Carbon disulfide	<		0.45	2	UG/L	1
SWB-10	6/4/2009	Carbon disulfide	<		0.45	2	UG/L	1
SWB-10	3/2/2010	Carbon disulfide	<	2	0.45	2	UG/L	1 UJ
SWB-11	3/4/2004	Carbon disulfide	<		0.24	1	ug/L	1
SWB-11	5/24/2004	Carbon disulfide	<		0.24	1	ug/L	1
SWB-11	12/1/2004	Carbon disulfide	<		0.24	1	ug/L	1
SWB-11	3/1/2005	Carbon disulfide	<		0.27	1	ug/L	1
SWB-11	6/2/2005	Carbon disulfide	<		0.45	1	ug/L	1
SWB-11	3/2/2006	Carbon disulfide	<		4.5	10	UG/L	10
SWB-11	6/1/2006	Carbon disulfide	<		0.45	1	UG/L	1
SWB-11	3/1/2007	Carbon disulfide	<		0.45	2	UG/L	1
SWB-11	3/7/2008	Carbon disulfide	<		0.45	2	UG/L	1
SWB-11	6/5/2008	Carbon disulfide	<		0.45	2	UG/L	1
SWB-11	3/2/2009	Carbon disulfide	<		0.45	2	UG/L	1
SWB-11	6/4/2009	Carbon disulfide	<		0.45	2	UG/L	1
SWB-11	3/1/2010	Carbon disulfide	<	2	0.45	2	ug/L	1 UJ
SWB-11	6/2/2010	CARBON DISULFIDE	<	0.45	0.45	2	UG/L	1
SWB-3	10/29/2002	Carbon disulfide	<		0.67	1	ug/L	1
SWB-3	3/4/2003	Carbon disulfide	<		0.24	1	ug/L	1
SWB-3	6/3/2003	Carbon disulfide	<		0.24	1	ug/L	1
SWB-3	9/4/2003	Carbon disulfide	<		0.24	1	ug/L	1 UJ
SWB-3	12/2/2003	Carbon disulfide	<		0.24	1	ug/L	1
SWB-3	3/1/2004	Carbon disulfide	<		0.24	1	ug/L	1
SWB-3	6/1/2004	Carbon disulfide	<		0.24	1	ug/L	1
SWB-3	9/1/2004	Carbon disulfide	<		0.24	1	ug/L	1
SWB-3	12/1/2004	Carbon disulfide	<		0.4	1.7	ug/L	1.66
SWB-3	3/3/2005	Carbon disulfide	<		0.27	1	ug/L	1
SWB-3	6/2/2005	Carbon disulfide	<		0.45	1	ug/L	1
SWB-3	9/1/2005	Carbon disulfide	<		0.45	1	ug/L	1
SWB-3	12/1/2005	Carbon disulfide	<		0.9	2	UG/L	2
SWB-3	3/2/2006	Carbon disulfide	<		1.8	4	UG/L	4
SWB-3	6/2/2006	Carbon disulfide	<		0.45	1	UG/L	1
SWB-3	9/5/2006	Carbon disulfide	<		0.45	2	UG/L	1
SWB-3	12/4/2006	Carbon disulfide	<		0.45	2	UG/L	1
SWB-3	3/1/2007	Carbon disulfide	<		0.45	2	UG/L	1
SWB-3	6/1/2007	Carbon disulfide	<		0.45	2	UG/L	1
SWB-3	12/3/2007	Carbon disulfide	<		0.45	2	UG/L	1
SWB-3	3/6/2008	Carbon disulfide	<		0.45	2	UG/L	1
SWB-3	6/9/2008	Carbon disulfide	<		0.45	2	UG/L	1
SWB-3	12/4/2008	Carbon disulfide	<		0.45	2	UG/L	1
SWB-3	3/2/2009	Carbon disulfide	<		0.45	2	UG/L	1
SWB-3	6/4/2009	Carbon disulfide	<		0.45	2	UG/L	1
SWB-3	12/1/2009	Carbon disulfide	<		0.45	2	UG/L	1
SWB-3	3/1/2010	Carbon disulfide	<	2	0.45	2	ug/L	1 UJ
SWB-3	3/1/2010	Carbon disulfide	<	4	0.9	4	ug/L	1 DNR
SWB-3	6/1/2010	CARBON DISULFIDE	<	0.45	0.45	2	UG/L	1 DNR
SWB-3	6/1/2010	CARBON DISULFIDE	<	1.8	1.8	8	UG/L	1
SWB-3	9/9/2010	CARBON DISULFIDE	<	0.45	0.45	2	UG/L	1 UJ
SWB-4	11/15/2002	Carbon disulfide	<		0.67	1	ug/L	1
SWB-5	10/29/2002	Carbon disulfide	<		0.67	1	ug/L	1
SWB-6	3/4/2003	Carbon disulfide	<		0.24	1	ug/L	1
SWB-6	6/3/2003	Carbon disulfide	<		0.48	2	ug/L	2
SWB-6	12/3/2003	Carbon disulfide	<		0.48	2	ug/L	2
SWB-6	3/5/2004	Carbon disulfide	<		0.24	1	ug/L	1
SWB-6	6/1/2004	Carbon disulfide	<		0.24	1	ug/L	1
SWB-6	12/1/2004	Carbon disulfide	<		0.24	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	3/7/2005	Carbon disulfide	<		0.27	1	ug/L	1
SWB-6	6/1/2005	Carbon disulfide	<		0.45	1	ug/L	1
SWB-6	12/2/2005	Carbon disulfide	<		0.45	1	UG/L	1
SWB-6	3/1/2006	Carbon disulfide	<		0.45	1	UG/L	1
SWB-6	6/1/2006	Carbon disulfide	<		0.45	1	UG/L	1
SWB-6	12/5/2006	Carbon disulfide	<		0.45	2	UG/L	1
SWB-6	3/2/2007	Carbon disulfide	<		0.45	2	UG/L	1
SWB-6	3/6/2008	Carbon disulfide	<		0.45	2	UG/L	1
SWB-6	6/9/2008	Carbon disulfide	<		0.45	2	UG/L	1
SWB-6	12/5/2008	Carbon disulfide	<		0.45	2	UG/L	1
SWB-6	3/2/2009	Carbon disulfide	<		0.45	2	UG/L	1
SWB-6	6/5/2009	Carbon disulfide	<		0.45	2	UG/L	1
SWB-6	3/2/2010	Carbon disulfide	<	2	0.45	2	UG/L	1 UJ
SWB-6	6/2/2010	CARBON DISULFIDE	<	0.45	0.45	2	UG/L	1
SWB-7	3/4/2003	Carbon disulfide	<		0.24	1	ug/L	1
SWB-7	6/3/2003	Carbon disulfide	TR	0.48	0.24	1	ug/L	1 J
SWB-7	3/1/2004	Carbon disulfide	<		0.24	1	ug/L	1
SWB-7	5/24/2004	Carbon disulfide	<		0.24	1	ug/L	1
SWB-7	12/1/2004	Carbon disulfide	<		0.24	1	ug/L	1
SWB-7	3/7/2005	Carbon disulfide	<		0.27	1	ug/L	1
SWB-7	6/1/2005	Carbon disulfide	<		0.45	1	ug/L	1
SWB-7	9/1/2005	Carbon disulfide	TR	0.99	0.45	1	ug/L	1 J
SWB-7	12/1/2005	Carbon disulfide	<		0.45	1	UG/L	1
SWB-7	3/1/2006	Carbon disulfide	<		0.45	1	UG/L	1
SWB-7	6/2/2006	Carbon disulfide	<		0.45	1	UG/L	1
SWB-7	9/5/2006	Carbon disulfide	TR	0.53	0.45	2	UG/L	1 J
SWB-7	12/5/2006	Carbon disulfide	<		0.45	2	UG/L	1
SWB-7	3/2/2007	Carbon disulfide	<		0.45	2	UG/L	1
SWB-7	6/1/2007	Carbon disulfide	<		0.45	2	UG/L	1
SWB-7	9/7/2007	Carbon disulfide	TR	2	0.45	2	UG/L	1 J
SWB-7	12/3/2007	Carbon disulfide	<		0.45	2	UG/L	1
SWB-7	3/6/2008	Carbon disulfide	<		0.45	2	UG/L	1
SWB-7	6/6/2008	Carbon disulfide	<		0.45	2	UG/L	1
SWB-7	9/8/2008	Carbon disulfide	TR	1.4	0.45	2	UG/L	1 J
SWB-7	12/5/2008	Carbon disulfide	<		0.45	2	UG/L	1
SWB-7	3/2/2009	Carbon disulfide	TR	1.2	0.45	2	UG/L	1 J
SWB-7	6/5/2009	Carbon disulfide	<		0.45	2	UG/L	1
SWB-7	9/9/2009	Carbon disulfide	<		0.45	2	UG/L	1
SWB-7	12/1/2009	Carbon disulfide	<		0.45	2	UG/L	1
SWB-7	3/2/2010	Carbon disulfide	<	2	0.45	2	UG/L	1 UJ
SWB-7	6/1/2010	CARBON DISULFIDE	<	0.45	0.45	2	UG/L	1 DNR
SWB-7	6/1/2010	CARBON DISULFIDE	<	1.8	1.8	8	UG/L	1
SWB-7	9/9/2010	CARBON DISULFIDE	<	0.45	0.45	2	UG/L	1 UJ
SWB-7	12/1/2010	CARBON DISULFIDE	<	0.45	0.45	2	UG/L	1
SWB-8	3/5/2004	Carbon disulfide	<		0.24	1	ug/L	1
SWB-8	3/7/2005	Carbon disulfide	<		0.27	1	ug/L	1
SWB-8	6/1/2005	Carbon disulfide	<		0.45	1	ug/L	1
SWB-8	3/1/2006	Carbon disulfide	<		0.45	1	UG/L	1
SWB-8	3/7/2008	Carbon disulfide	<		0.45	2	UG/L	1
SWB-8	3/3/2009	Carbon disulfide	<		0.45	2	UG/L	1
SWB-9	3/4/2003	Carbon disulfide	<		0.24	1	ug/L	1
SWB-9	12/3/2003	Carbon disulfide	<		0.48	2	ug/L	2
SWB-9	3/5/2004	Carbon disulfide	<		0.24	1	ug/L	1
SWB-9	5/27/2004	Carbon disulfide	<		0.24	1	ug/L	1
SWB-9	12/1/2004	Carbon disulfide	<		0.24	1	ug/L	1
SWB-9	3/3/2005	Carbon disulfide	<		0.27	1	ug/L	1
SWB-9	6/2/2005	Carbon disulfide	<		0.45	1	ug/L	1



tmpAnalyticalResultsOverTime

SWB-9	9/1/2005	Carbon disulfide	=	1.3	0.45	1	ug/L	1 J
SWB-9	12/1/2005	Carbon disulfide	<		0.45	1	UG/L	1
SWB-9	3/2/2006	Carbon disulfide	<		1.8	4	UG/L	4
SWB-9	6/1/2006	Carbon disulfide	<		0.45	1	UG/L	1
SWB-9	12/4/2006	Carbon disulfide	<		0.45	2	UG/L	1
SWB-9	3/5/2007	Carbon disulfide	<		0.45	2	UG/L	1
SWB-9	3/6/2008	Carbon disulfide	<		0.45	2	UG/L	1
SWB-9	6/5/2008	Carbon disulfide	<		0.45	2	UG/L	1 R
SWB-9	12/5/2008	Carbon disulfide	<		0.45	2	UG/L	1
SWB-9	3/2/2009	Carbon disulfide	<		0.45	2	UG/L	1
SWB-9	6/2/2009	Carbon disulfide	<		0.45	2	UG/L	1
SWB-9	3/1/2010	Carbon disulfide	<	2	0.45	2	ug/L	1 UJ
SWB-9	6/1/2010	CARBON DISULFIDE	<	0.45	0.45	2	UG/L	1 DNR
SWB-9	6/1/2010	CARBON DISULFIDE	<	1.8	1.8	8	UG/L	1
SWB-9	12/1/2010	CARBON DISULFIDE	<	0.45	0.45	2	UG/L	1
SWB-10	3/4/2004	Carbon tetrachloride	<		0.2	1	ug/L	1
SWB-10	5/24/2004	Carbon tetrachloride	<		0.2	1	ug/L	1
SWB-10	12/1/2004	Carbon tetrachloride	<		0.2	1	ug/L	1
SWB-10	3/3/2005	Carbon tetrachloride	<		0.19	1	ug/L	1
SWB-10	6/2/2005	Carbon tetrachloride	<		0.19	1	ug/L	1
SWB-10	9/1/2005	Carbon tetrachloride	<		0.19	1	ug/L	1
SWB-10	3/2/2006	Carbon tetrachloride	<		0.76	4	UG/L	4
SWB-10	6/2/2006	Carbon tetrachloride	<		0.19	1	UG/L	1
SWB-10	3/1/2007	Carbon tetrachloride	<		0.19	1	UG/L	1
SWB-10	3/7/2008	Carbon tetrachloride	<		0.19	1	UG/L	1
SWB-10	6/5/2008	Carbon tetrachloride	<		0.19	1	UG/L	1
SWB-10	3/2/2009	Carbon tetrachloride	<		0.19	1	UG/L	1
SWB-10	6/4/2009	Carbon tetrachloride	<		0.19	1	UG/L	1
SWB-10	3/2/2010	Carbon tetrachloride	<	1	0.19	1	UG/L	1
SWB-11	3/4/2004	Carbon tetrachloride	<		0.2	1	ug/L	1
SWB-11	5/24/2004	Carbon tetrachloride	<		0.2	1	ug/L	1
SWB-11	12/1/2004	Carbon tetrachloride	<		0.2	1	ug/L	1
SWB-11	3/1/2005	Carbon tetrachloride	<		0.19	1	ug/L	1
SWB-11	6/2/2005	Carbon tetrachloride	<		0.19	1	ug/L	1
SWB-11	3/2/2006	Carbon tetrachloride	<		1.9	10	UG/L	10
SWB-11	6/1/2006	Carbon tetrachloride	<		0.19	1	UG/L	1
SWB-11	3/1/2007	Carbon tetrachloride	<		0.19	1	UG/L	1
SWB-11	3/7/2008	Carbon tetrachloride	<		0.19	1	UG/L	1
SWB-11	6/5/2008	Carbon tetrachloride	<		0.19	1	UG/L	1
SWB-11	3/2/2009	Carbon tetrachloride	<		0.19	1	UG/L	1
SWB-11	6/4/2009	Carbon tetrachloride	<		0.19	1	UG/L	1
SWB-11	3/1/2010	Carbon tetrachloride	<	1	0.19	1	ug/L	1
SWB-11	6/2/2010	CARBON TETRACHLORIDE	<	0.19	0.19	1	UG/L	1 UJ
SWB-3	10/29/2002	Carbon tetrachloride	<		0.35	1	ug/L	1
SWB-3	3/4/2003	Carbon tetrachloride	<		0.2	1	ug/L	1
SWB-3	6/3/2003	Carbon tetrachloride	<		0.2	1	ug/L	1
SWB-3	9/4/2003	Carbon tetrachloride	<		0.2	1	ug/L	1 UJ
SWB-3	12/2/2003	Carbon tetrachloride	<		0.2	1	ug/L	1
SWB-3	3/1/2004	Carbon tetrachloride	<		0.2	1	ug/L	1
SWB-3	6/1/2004	Carbon tetrachloride	<		0.2	1	ug/L	1
SWB-3	9/1/2004	Carbon tetrachloride	<		0.2	1	ug/L	1
SWB-3	12/1/2004	Carbon tetrachloride	<		0.33	1.7	ug/L	1.66
SWB-3	3/3/2005	Carbon tetrachloride	<		0.19	1	ug/L	1
SWB-3	6/2/2005	Carbon tetrachloride	<		0.19	1	ug/L	1
SWB-3	9/1/2005	Carbon tetrachloride	<		0.19	1	ug/L	1
SWB-3	12/1/2005	Carbon tetrachloride	<		0.38	2	UG/L	2
SWB-3	3/2/2006	Carbon tetrachloride	<		0.76	4	UG/L	4

0.0098 mg/L

tmpAnalyticalResultsOverTime

SWB-3	6/2/2006	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-3	9/5/2006	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-3	12/4/2006	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-3	3/1/2007	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-3	6/1/2007	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-3	12/3/2007	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-3	3/6/2008	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-3	6/9/2008	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-3	12/4/2008	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-3	3/2/2009	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-3	6/4/2009	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-3	12/1/2009	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-3	3/1/2010	Carbon tetrachloride	<	1	1	ug/L	1
SWB-3	3/1/2010	Carbon tetrachloride	<	2	2	ug/L	1 DNR
SWB-3	6/1/2010	CARBON TETRACHLORIDE	<	0.19	1	UG/L	1 DNR
SWB-3	6/1/2010	CARBON TETRACHLORIDE	<	0.76	4	UG/L	1 UJ
SWB-3	9/9/2010	CARBON TETRACHLORIDE	<	0.19	1	UG/L	1 UJ
SWB-4	11/15/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
SWB-5	10/29/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
SWB-6	3/4/2003	Carbon tetrachloride	<	0.2	1	ug/L	1
SWB-6	6/3/2003	Carbon tetrachloride	<	0.4	2	ug/L	2
SWB-6	12/3/2003	Carbon tetrachloride	<	0.4	2	ug/L	2
SWB-6	3/5/2004	Carbon tetrachloride	<	0.2	1	ug/L	1
SWB-6	6/1/2004	Carbon tetrachloride	<	0.2	1	ug/L	1
SWB-6	12/1/2004	Carbon tetrachloride	<	0.2	1	ug/L	1
SWB-6	3/7/2005	Carbon tetrachloride	<	0.19	1	ug/L	1
SWB-6	6/1/2005	Carbon tetrachloride	<	0.19	1	ug/L	1
SWB-6	12/2/2005	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-6	3/1/2006	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-6	6/1/2006	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-6	12/5/2006	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-6	3/2/2007	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-6	3/6/2008	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-6	6/9/2008	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-6	12/5/2008	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-6	3/2/2009	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-6	6/5/2009	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-6	3/2/2010	Carbon tetrachloride	<	1	1	UG/L	1
SWB-6	6/2/2010	CARBON TETRACHLORIDE	<	0.19	1	UG/L	1 UJ
SWB-7	3/4/2003	Carbon tetrachloride	<	0.2	1	ug/L	1
SWB-7	6/3/2003	Carbon tetrachloride	<	0.2	1	ug/L	1
SWB-7	3/1/2004	Carbon tetrachloride	<	0.2	1	ug/L	1
SWB-7	5/24/2004	Carbon tetrachloride	<	0.2	1	ug/L	1
SWB-7	12/1/2004	Carbon tetrachloride	<	0.2	1	ug/L	1
SWB-7	3/7/2005	Carbon tetrachloride	<	0.19	1	ug/L	1
SWB-7	6/1/2005	Carbon tetrachloride	<	0.19	1	ug/L	1
SWB-7	9/1/2005	Carbon tetrachloride	<	0.19	1	ug/L	1
SWB-7	12/1/2005	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-7	3/1/2006	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-7	6/2/2006	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-7	9/5/2006	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-7	12/5/2006	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-7	3/2/2007	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-7	6/1/2007	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-7	9/7/2007	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-7	12/3/2007	Carbon tetrachloride	<	0.19	1	UG/L	1
SWB-7	3/6/2008	Carbon tetrachloride	<	0.19	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	6/6/2008	Carbon tetrachloride	<		0.19	1	UG/L	1	
SWB-7	9/8/2008	Carbon tetrachloride	<		0.19	1	UG/L	1	
SWB-7	12/5/2008	Carbon tetrachloride	<		0.19	1	UG/L	1	
SWB-7	3/2/2009	Carbon tetrachloride	<		0.19	1	UG/L	1	
SWB-7	6/5/2009	Carbon tetrachloride	<		0.19	1	UG/L	1	
SWB-7	9/9/2009	Carbon tetrachloride	<		0.19	1	UG/L	1	
SWB-7	12/1/2009	Carbon tetrachloride	<		0.19	1	UG/L	1	
SWB-7	3/2/2010	Carbon tetrachloride	<	1	0.19	1	UG/L	1	
SWB-7	6/1/2010	CARBON TETRACHLORIDE	<	0.19	0.19	1	UG/L	1	DNR
SWB-7	6/1/2010	CARBON TETRACHLORIDE	<	0.76	0.76	4	UG/L	1	UJ
SWB-7	9/9/2010	CARBON TETRACHLORIDE	<	0.19	0.19	1	UG/L	1	UJ
SWB-7	12/1/2010	CARBON TETRACHLORIDE	<	0.19	0.19	1	UG/L	1	
SWB-8	3/5/2004	Carbon tetrachloride	<		0.2	1	ug/L	1	
SWB-8	3/7/2005	Carbon tetrachloride	<		0.19	1	ug/L	1	
SWB-8	6/1/2005	Carbon tetrachloride	<		0.19	1	ug/L	1	
SWB-8	3/1/2006	Carbon tetrachloride	<		0.19	1	UG/L	1	
SWB-8	3/7/2008	Carbon tetrachloride	<		0.19	1	UG/L	1	
SWB-8	3/3/2009	Carbon tetrachloride	<		0.19	1	UG/L	1	
SWB-9	3/4/2003	Carbon tetrachloride	<		0.2	1	ug/L	1	
SWB-9	12/3/2003	Carbon tetrachloride	<		0.4	2	ug/L	2	
SWB-9	3/5/2004	Carbon tetrachloride	<		0.2	1	ug/L	1	
SWB-9	5/27/2004	Carbon tetrachloride	<		0.2	1	ug/L	1	
SWB-9	12/1/2004	Carbon tetrachloride	<		0.2	1	ug/L	1	
SWB-9	3/3/2005	Carbon tetrachloride	<		0.19	1	ug/L	1	
SWB-9	6/2/2005	Carbon tetrachloride	<		0.19	1	ug/L	1	
SWB-9	9/1/2005	Carbon tetrachloride	<		0.19	1	ug/L	1	UJ
SWB-9	12/1/2005	Carbon tetrachloride	<		0.19	1	UG/L	1	
SWB-9	3/2/2006	Carbon tetrachloride	<		0.76	4	UG/L	4	
SWB-9	6/1/2006	Carbon tetrachloride	<		0.19	1	UG/L	1	
SWB-9	12/4/2006	Carbon tetrachloride	<		0.19	1	UG/L	1	
SWB-9	3/5/2007	Carbon tetrachloride	<		0.19	1	UG/L	1	
SWB-9	3/6/2008	Carbon tetrachloride	<		0.19	1	UG/L	1	
SWB-9	6/5/2008	Carbon tetrachloride	<		0.19	1	UG/L	1	R
SWB-9	12/5/2008	Carbon tetrachloride	<		0.19	1	UG/L	1	
SWB-9	3/2/2009	Carbon tetrachloride	<		0.19	1	UG/L	1	
SWB-9	6/2/2009	Carbon tetrachloride	<		0.19	1	UG/L	1	
SWB-9	3/1/2010	Carbon tetrachloride	<	1	0.19	1	ug/L	1	
SWB-9	6/1/2010	CARBON TETRACHLORIDE	<	0.19	0.19	1	UG/L	1	DNR
SWB-9	6/1/2010	CARBON TETRACHLORIDE	<	0.76	0.76	4	UG/L	1	UJ
SWB-9	12/1/2010	CARBON TETRACHLORIDE	<	0.19	0.19	1	UG/L	1	
SWB-10	3/4/2004	Chloride	=	4400	12	100	mg/L	40	NA
SWB-10	5/24/2004	Chloride	=	23000	62	500	mg/L	200	
SWB-10	12/1/2004	Chloride	=	11000	31	250	mg/L	100	
SWB-10	3/3/2005	Chloride	=	10000	25	200	mg/L	80	
SWB-10	6/2/2005	Chloride	=	8800	25	200	mg/L	80	
SWB-10	9/1/2005	Chloride	=	55000	400	1000	MG/L	400	
SWB-10	3/2/2006	Chloride	=	22000	200	500	MG/L	200	J
SWB-10	6/2/2006	Chloride	=	40000	250	620	MG/L	250	J
SWB-10	3/1/2007	Chloride	=	18000	100	250	MG/L	100	J
SWB-10	3/7/2008	Chloride	=	16000	200	500	MG/L	200	
SWB-10	6/5/2008	Chloride	=	190000	2000	5000	MG/L	2000	
SWB-10	3/2/2009	Chloride	=	12000	130	1200	MG/L	500	
SWB-10	6/4/2009	Chloride	=	68000	510	5000	MG/L	2000	
SWB-10	3/2/2010	Chloride	=	13000	130	1200	MG/L	500	
SWB-11	3/4/2004	Chloride	=	5500	12	100	mg/L	40	
SWB-11	5/24/2004	Chloride	=	31000	62	500	mg/L	200	
SWB-11	12/1/2004	Chloride	=	11000	31	250	mg/L	100	

tmpAnalyticalResultsOverTime

SWB-11	3/1/2005 Chloride	=	12000	31	250	mg/L	100
SWB-11	6/2/2005 Chloride	=	15000	31	250	mg/L	100
SWB-11	3/2/2006 Chloride	=	19000	100	250	MG/L	100 J
SWB-11	6/1/2006 Chloride	=	40000	250	620	MG/L	250 J
SWB-11	3/1/2007 Chloride	=	19000	100	250	MG/L	100 J
SWB-11	3/7/2008 Chloride	=	13000	200	500	MG/L	200
SWB-11	6/5/2008 Chloride	=	120000	2000	5000	MG/L	2000
SWB-11	3/2/2009 Chloride	=	8800	51	500	MG/L	200
SWB-11	6/4/2009 Chloride	=	41000	510	5000	MG/L	2000
SWB-11	3/1/2010 Chloride	=	11000	130	1200	mg/L	500
SWB-11	6/2/2010 CHLORIDE	=	47000	510	5000	MG/L	2000
SWB-3	10/29/2002 Chloride	=	9100	15	120	mg/L	50
SWB-3	3/4/2003 Chloride	=	6600	30	250	mg/L	100
SWB-3	6/3/2003 Chloride	=	23000	60	500	mg/L	200
SWB-3	9/4/2003 Chloride	=	54000	150	1200	mg/L	500 J
SWB-3	12/2/2003 Chloride	=	15000	30	250	mg/L	100
SWB-3	3/1/2004 Chloride	=	980	1.5	12	mg/L	5
SWB-3	6/1/2004 Chloride	=	9100	31	250	mg/L	100
SWB-3	9/1/2004 Chloride	=	160000	310	2500	mg/L	1000 J
SWB-3	12/1/2004 Chloride	=	5800	31	250	mg/L	100
SWB-3	3/3/2005 Chloride	=	7700	16	120	mg/L	50
SWB-3	6/2/2005 Chloride	=	7000	12	100	mg/L	40
SWB-3	9/1/2005 Chloride	=	13000	80	200	MG/L	80
SWB-3	12/1/2005 Chloride	=	11000	100	250	MG/L	100
SWB-3	3/2/2006 Chloride	=	12000	100	250	MG/L	100 J
SWB-3	6/2/2006 Chloride	=	12000	100	250	MG/L	100 J
SWB-3	9/5/2006 Chloride	=	39000	200	500	MG/L	200 J
SWB-3	12/4/2006 Chloride	=	17000	100	250	MG/L	100 J
SWB-3	3/1/2007 Chloride	=	17000	100	250	MG/L	100 J
SWB-3	6/1/2007 Chloride	=	6400	200	500	MG/L	200 J
SWB-3	12/3/2007 Chloride	=	6700	100	250	MG/L	100
SWB-3	3/6/2008 Chloride	=	1500	20	50	MG/L	20
SWB-3	6/9/2008 Chloride	=	6100	100	250	MG/L	100
SWB-3	12/4/2008 Chloride	=	5800	51	500	MG/L	200 q
SWB-3	3/2/2009 Chloride	=	5200	51	500	MG/L	200
SWB-3	6/4/2009 Chloride	=	5800	51	500	MG/L	200
SWB-3	12/1/2009 Chloride	=	7800	51	500	MG/L	200
SWB-3	3/1/2010 Chloride	=	7600	51	500	mg/L	200
SWB-3	6/1/2010 CHLORIDE	=	9500	51	500	MG/L	200
SWB-3	9/9/2010 CHLORIDE	=	18000	130	1200	MG/L	500
SWB-4	11/15/2002 Chloride	=	21000	60	500	mg/L	200
SWB-5	10/29/2002 Chloride	=	170000	300	2500	mg/L	1000
SWB-6	3/4/2003 Chloride	=	14000	60	500	mg/L	200
SWB-6	6/3/2003 Chloride	=	65000	150	1200	mg/L	500
SWB-6	12/3/2003 Chloride	=	56000	150	1200	mg/L	500
SWB-6	3/5/2004 Chloride	=	4800	12	100	mg/L	40
SWB-6	6/1/2004 Chloride	=	20000	62	500	mg/L	200
SWB-6	12/1/2004 Chloride	=	27000	120	1000	mg/L	400
SWB-6	3/7/2005 Chloride	=	9600	31	250	mg/L	100
SWB-6	6/1/2005 Chloride	=	11000	25	200	mg/L	80
SWB-6	12/2/2005 Chloride	=	38000	200	500	MG/L	200
SWB-6	3/1/2006 Chloride	=	7000	50	120	MG/L	50 J
SWB-6	6/1/2006 Chloride	=	17000	100	250	MG/L	100 J
SWB-6	12/5/2006 Chloride	=	53000	400	1000	MG/L	400 J
SWB-6	3/2/2007 Chloride	=	24000	200	500	MG/L	200 J
SWB-6	3/6/2008 Chloride	=	14000	200	500	MG/L	200
SWB-6	6/9/2008 Chloride	=	61000	800	2000	MG/L	800

tmpAnalyticalResultsOverTime

SWB-6	12/5/2008	Chloride	=	84000	510	5000	MG/L	2000	J
SWB-6	3/2/2009	Chloride	=	13000	130	1200	MG/L	500	
SWB-6	6/5/2009	Chloride	=	23000	510	5000	MG/L	2000	
SWB-6	3/2/2010	Chloride	=	21000	130	1200	MG/L	500	
SWB-6	6/2/2010	CHLORIDE	=	31000	250	2500	MG/L	1000	
SWB-7	3/4/2003	Chloride	=	1300	15	120	mg/L	50	
SWB-7	6/3/2003	Chloride	=	3300	60	500	mg/L	200	
SWB-7	3/1/2004	Chloride	=	1100	2.4	20	mg/L	8	
SWB-7	5/24/2004	Chloride	=	7600	16	120	mg/L	50	
SWB-7	12/1/2004	Chloride	=	3600	16	120	mg/L	50	
SWB-7	3/7/2005	Chloride	=	3100	6.2	50	mg/L	20	
SWB-7	6/1/2005	Chloride	=	9000	25	200	mg/L	80	
SWB-7	9/1/2005	Chloride	=	5600	40	100	MG/L	40	
SWB-7	12/1/2005	Chloride	=	4300	200	500	MG/L	200	
SWB-7	3/1/2006	Chloride	=	3600	20	50	MG/L	20	J
SWB-7	6/2/2006	Chloride	=	7300	40	100	MG/L	40	J
SWB-7	9/5/2006	Chloride	=	7800	50	120	MG/L	50	J
SWB-7	12/5/2006	Chloride	=	6700	50	120	MG/L	50	J
SWB-7	3/2/2007	Chloride	=	1500	10	25	MG/L	10	J
SWB-7	6/1/2007	Chloride	=	6300	100	250	MG/L	100	J
SWB-7	9/7/2007	Chloride	=	8300	100	250	MG/L	100	J
SWB-7	12/3/2007	Chloride	=	6300	100	250	MG/L	100	
SWB-7	3/6/2008	Chloride	=	2300	100	250	MG/L	100	
SWB-7	6/6/2008	Chloride	=	6600	100	250	MG/L	100	
SWB-7	9/8/2008	Chloride	=	6900	51	500	MG/L	200	
SWB-7	12/5/2008	Chloride	=	4000	51	500	MG/L	200	J
SWB-7	3/2/2009	Chloride	=	1900	13	120	MG/L	50	
SWB-7	6/5/2009	Chloride	=	4700	25	250	MG/L	100	
SWB-7	9/9/2009	Chloride	=	6200	51	500	MG/L	200	
SWB-7	12/1/2009	Chloride	=	6400	51	500	MG/L	200	
SWB-7	3/2/2010	Chloride	=	870	5.1	50	MG/L	20	
SWB-7	6/1/2010	CHLORIDE	=	3900	25	250	MG/L	100	
SWB-7	9/9/2010	CHLORIDE	=	8900	51	500	MG/L	200	
SWB-7	12/1/2010	CHLORIDE	=	7800	51	500	MG/L	200	
SWB-8	3/5/2004	Chloride	=	6200	12	100	mg/L	40	
SWB-8	3/7/2005	Chloride	=	11000	25	200	mg/L	80	
SWB-8	6/1/2005	Chloride	=	3200	6.2	50	mg/L	20	
SWB-8	3/1/2006	Chloride	=	6800	50	120	MG/L	50	J
SWB-8	3/7/2008	Chloride	=	4400	50	120	MG/L	50	
SWB-8	3/3/2009	Chloride	=	3900	25	250	MG/L	100	
SWB-9	3/4/2003	Chloride	=	20000	60	500	mg/L	200	
SWB-9	12/3/2003	Chloride	=	21000	60	500	mg/L	200	
SWB-9	3/5/2004	Chloride	=	8100	15	120	mg/L	50	
SWB-9	5/27/2004	Chloride	=	290	0.62	5	mg/L	2	
SWB-9	12/1/2004	Chloride	=	17000	62	500	mg/L	200	
SWB-9	3/3/2005	Chloride	=	21000	62	500	mg/L	200	
SWB-9	6/2/2005	Chloride	=	22000	62	500	mg/L	200	
SWB-9	9/1/2005	Chloride	=	200000	1600	4000	MG/L	1600	
SWB-9	12/1/2005	Chloride	=	110000	1000	2500	MG/L	1000	
SWB-9	3/2/2006	Chloride	=	38000	200	500	MG/L	200	J
SWB-9	6/1/2006	Chloride	=	79000	400	1000	MG/L	400	J
SWB-9	12/4/2006	Chloride	=	82000	800	2000	MG/L	800	J
SWB-9	3/5/2007	Chloride	=	49000	400	1000	MG/L	400	J
SWB-9	3/6/2008	Chloride	=	29000	400	1000	MG/L	400	
SWB-9	6/5/2008	Chloride	=	230000	4000	10000	MG/L	4000	
SWB-9	12/5/2008	Chloride	=	39000	250	2500	MG/L	1000	J
SWB-9	3/2/2009	Chloride	=	21000	130	1200	MG/L	500	

tmpAnalyticalResultsOverTime

SWB-9	6/2/2009 Chloride	=	100000	1300	12000	MG/L	5000	
SWB-9	3/1/2010 Chloride	=	18000	130	1200	mg/L	500	
SWB-9	6/1/2010 CHLORIDE	=	85000	510	5000	MG/L	2000	
SWB-9	12/1/2010 CHLORIDE	=	27000	250	2500	MG/L	1000	
SWB-10	3/4/2004 Chlorobenzene	<		0.13	1	ug/L	1	0.064 mg/L
SWB-10	5/24/2004 Chlorobenzene	<		0.13	1	ug/L	1	
SWB-10	12/1/2004 Chlorobenzene	<		0.13	1	ug/L	1	
SWB-10	3/3/2005 Chlorobenzene	<		0.19	1	ug/L	1	
SWB-10	6/2/2005 Chlorobenzene	<		0.17	1	ug/L	1	
SWB-10	9/1/2005 Chlorobenzene	<		0.17	1	ug/L	1	
SWB-10	3/2/2006 Chlorobenzene	<		0.68	4	UG/L	4	
SWB-10	6/2/2006 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-10	3/1/2007 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-10	3/7/2008 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-10	6/5/2008 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-10	3/2/2009 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-10	6/4/2009 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-10	3/2/2010 Chlorobenzene	<	1	0.17	1	UG/L	1	
SWB-11	3/4/2004 Chlorobenzene	<		0.13	1	ug/L	1	
SWB-11	5/24/2004 Chlorobenzene	<		0.13	1	ug/L	1	
SWB-11	12/1/2004 Chlorobenzene	<		0.13	1	ug/L	1	
SWB-11	3/1/2005 Chlorobenzene	<		0.19	1	ug/L	1	
SWB-11	6/2/2005 Chlorobenzene	<		0.17	1	ug/L	1	
SWB-11	3/2/2006 Chlorobenzene	<		1.7	10	UG/L	10	
SWB-11	6/1/2006 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-11	3/1/2007 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-11	3/7/2008 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-11	6/5/2008 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-11	3/2/2009 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-11	6/4/2009 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-11	3/1/2010 Chlorobenzene	<	1	0.17	1	ug/L	1	
SWB-11	6/2/2010 CHLOROBENZENE	<	0.17	0.17	1	UG/L	1	UJ
SWB-3	10/29/2002 Chlorobenzene	<		0.24	1	ug/L	1	
SWB-3	3/4/2003 Chlorobenzene	<		0.13	1	ug/L	1	
SWB-3	6/3/2003 Chlorobenzene	<		0.13	1	ug/L	1	
SWB-3	9/4/2003 Chlorobenzene	<		0.13	1	ug/L	1	UJ
SWB-3	12/2/2003 Chlorobenzene	<		0.13	1	ug/L	1	
SWB-3	3/1/2004 Chlorobenzene	<		0.13	1	ug/L	1	
SWB-3	6/1/2004 Chlorobenzene	<		0.13	1	ug/L	1	
SWB-3	9/1/2004 Chlorobenzene	<		0.13	1	ug/L	1	
SWB-3	12/1/2004 Chlorobenzene	<		0.22	1.7	ug/L	1.66	
SWB-3	3/3/2005 Chlorobenzene	<		0.19	1	ug/L	1	
SWB-3	6/2/2005 Chlorobenzene	<		0.17	1	ug/L	1	
SWB-3	9/1/2005 Chlorobenzene	<		0.17	1	ug/L	1	
SWB-3	12/1/2005 Chlorobenzene	<		0.34	2	UG/L	2	
SWB-3	3/2/2006 Chlorobenzene	<		0.68	4	UG/L	4	
SWB-3	6/2/2006 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-3	9/5/2006 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-3	12/4/2006 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-3	3/1/2007 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-3	6/1/2007 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-3	12/3/2007 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-3	3/6/2008 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-3	6/9/2008 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-3	12/4/2008 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-3	3/2/2009 Chlorobenzene	<		0.17	1	UG/L	1	
SWB-3	6/4/2009 Chlorobenzene	<		0.17	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	12/1/2009	Chlorobenzene	<		0.17	1	UG/L	1
SWB-3	3/1/2010	Chlorobenzene	<	1	0.17	1	ug/L	1
SWB-3	3/1/2010	Chlorobenzene	<	2	0.34	2	ug/L	1 DNR
SWB-3	6/1/2010	CHLORO BENZENE	<	0.17	0.17	1	UG/L	1 DNR
SWB-3	6/1/2010	CHLORO BENZENE	<	0.68	0.68	4	UG/L	1
SWB-3	9/9/2010	CHLORO BENZENE	<	0.17	0.17	1	UG/L	1 UJ
SWB-4	11/15/2002	Chlorobenzene	<		0.24	1	ug/L	1
SWB-5	10/29/2002	Chlorobenzene	<		0.24	1	ug/L	1
SWB-6	3/4/2003	Chlorobenzene	<		0.13	1	ug/L	1
SWB-6	6/3/2003	Chlorobenzene	<		0.26	2	ug/L	2
SWB-6	12/3/2003	Chlorobenzene	<		0.26	2	ug/L	2
SWB-6	3/5/2004	Chlorobenzene	<		0.13	1	ug/L	1
SWB-6	6/1/2004	Chlorobenzene	<		0.13	1	ug/L	1
SWB-6	12/1/2004	Chlorobenzene	<		0.13	1	ug/L	1
SWB-6	3/7/2005	Chlorobenzene	<		0.19	1	ug/L	1
SWB-6	6/1/2005	Chlorobenzene	<		0.17	1	ug/L	1
SWB-6	12/2/2005	Chlorobenzene	<		0.17	1	UG/L	1
SWB-6	3/1/2006	Chlorobenzene	<		0.17	1	UG/L	1
SWB-6	6/1/2006	Chlorobenzene	<		0.17	1	UG/L	1
SWB-6	12/5/2006	Chlorobenzene	<		0.17	1	UG/L	1
SWB-6	3/2/2007	Chlorobenzene	<		0.17	1	UG/L	1
SWB-6	3/6/2008	Chlorobenzene	<		0.17	1	UG/L	1
SWB-6	6/9/2008	Chlorobenzene	<		0.17	1	UG/L	1
SWB-6	12/5/2008	Chlorobenzene	<		0.17	1	UG/L	1
SWB-6	3/2/2009	Chlorobenzene	<		0.17	1	UG/L	1
SWB-6	6/5/2009	Chlorobenzene	<		0.17	1	UG/L	1
SWB-6	3/2/2010	Chlorobenzene	<	1	0.17	1	UG/L	1
SWB-6	6/2/2010	CHLORO BENZENE	<	0.17	0.17	1	UG/L	1
SWB-7	3/4/2003	Chlorobenzene	<		0.13	1	ug/L	1
SWB-7	6/3/2003	Chlorobenzene	<		0.13	1	ug/L	1
SWB-7	3/1/2004	Chlorobenzene	<		0.13	1	ug/L	1
SWB-7	5/24/2004	Chlorobenzene	<		0.13	1	ug/L	1
SWB-7	12/1/2004	Chlorobenzene	<		0.13	1	ug/L	1
SWB-7	3/7/2005	Chlorobenzene	<		0.19	1	ug/L	1
SWB-7	6/1/2005	Chlorobenzene	<		0.17	1	ug/L	1
SWB-7	9/1/2005	Chlorobenzene	<		0.17	1	ug/L	1
SWB-7	12/1/2005	Chlorobenzene	<		0.17	1	UG/L	1
SWB-7	3/1/2006	Chlorobenzene	<		0.17	1	UG/L	1
SWB-7	6/2/2006	Chlorobenzene	<		0.17	1	UG/L	1
SWB-7	9/5/2006	Chlorobenzene	<		0.17	1	UG/L	1
SWB-7	12/5/2006	Chlorobenzene	<		0.17	1	UG/L	1
SWB-7	3/2/2007	Chlorobenzene	<		0.17	1	UG/L	1
SWB-7	6/1/2007	Chlorobenzene	<		0.17	1	UG/L	1
SWB-7	9/7/2007	Chlorobenzene	<		0.17	1	UG/L	1
SWB-7	12/3/2007	Chlorobenzene	<		0.17	1	UG/L	1
SWB-7	3/6/2008	Chlorobenzene	<		0.17	1	UG/L	1
SWB-7	6/6/2008	Chlorobenzene	<		0.17	1	UG/L	1
SWB-7	9/8/2008	Chlorobenzene	<		0.17	1	UG/L	1
SWB-7	12/5/2008	Chlorobenzene	<		0.17	1	UG/L	1
SWB-7	3/2/2009	Chlorobenzene	<		0.17	1	UG/L	1
SWB-7	6/5/2009	Chlorobenzene	<		0.17	1	UG/L	1
SWB-7	9/9/2009	Chlorobenzene	<		0.17	1	UG/L	1
SWB-7	12/1/2009	Chlorobenzene	<		0.17	1	UG/L	1
SWB-7	3/2/2010	Chlorobenzene	<	1	0.17	1	UG/L	1
SWB-7	6/1/2010	CHLORO BENZENE	<	0.17	0.17	1	UG/L	1 DNR
SWB-7	6/1/2010	CHLORO BENZENE	<	0.68	0.68	4	UG/L	1
SWB-7	9/9/2010	CHLORO BENZENE	<	0.17	0.17	1	UG/L	1 UJ

tmpAnalyticalResultsOverTime

SWB-7	12/1/2010	CHLORO BENZENE	<	0.17	0.17	1	UG/L	1	
SWB-8	3/5/2004	Chlorobenzene	<		0.13	1	ug/L	1	
SWB-8	3/7/2005	Chlorobenzene	<		0.19	1	ug/L	1	
SWB-8	6/1/2005	Chlorobenzene	<		0.17	1	ug/L	1	
SWB-8	3/1/2006	Chlorobenzene	<		0.17	1	UG/L	1	
SWB-8	3/7/2008	Chlorobenzene	<		0.17	1	UG/L	1	
SWB-8	3/3/2009	Chlorobenzene	<		0.17	1	UG/L	1	
SWB-9	3/4/2003	Chlorobenzene	<		0.13	1	ug/L	1	
SWB-9	12/3/2003	Chlorobenzene	<		0.26	2	ug/L	2	
SWB-9	3/5/2004	Chlorobenzene	<		0.13	1	ug/L	1	
SWB-9	5/27/2004	Chlorobenzene	<		0.13	1	ug/L	1	
SWB-9	12/1/2004	Chlorobenzene	<		0.13	1	ug/L	1	
SWB-9	3/3/2005	Chlorobenzene	<		0.19	1	ug/L	1	
SWB-9	6/2/2005	Chlorobenzene	<		0.17	1	ug/L	1	
SWB-9	9/1/2005	Chlorobenzene	<		0.17	1	ug/L	1	UJ
SWB-9	12/1/2005	Chlorobenzene	<		0.17	1	UG/L	1	
SWB-9	3/2/2006	Chlorobenzene	<		0.68	4	UG/L	4	
SWB-9	6/1/2006	Chlorobenzene	<		0.17	1	UG/L	1	
SWB-9	12/4/2006	Chlorobenzene	<		0.17	1	UG/L	1	
SWB-9	3/5/2007	Chlorobenzene	<		0.17	1	UG/L	1	
SWB-9	3/6/2008	Chlorobenzene	<		0.17	1	UG/L	1	
SWB-9	6/5/2008	Chlorobenzene	<		0.17	1	UG/L	1	R
SWB-9	12/5/2008	Chlorobenzene	<		0.17	1	UG/L	1	
SWB-9	3/2/2009	Chlorobenzene	<		0.17	1	UG/L	1	
SWB-9	6/2/2009	Chlorobenzene	<		0.17	1	UG/L	1	
SWB-9	3/1/2010	Chlorobenzene	<	1	0.17	1	ug/L	1	
SWB-9	6/1/2010	CHLORO BENZENE	<	0.17	0.17	1	UG/L	1	DNR
SWB-9	6/1/2010	CHLORO BENZENE	<	0.68	0.68	4	UG/L	1	
SWB-9	12/1/2010	CHLORO BENZENE	<	0.17	0.17	1	UG/L	1	
SWB-10	3/4/2004	Chlorobenzilate	<		2	10	ug/L	1	NA
SWB-10	5/24/2004	Chlorobenzilate	<		2	10	ug/L	1	UJ
SWB-10	12/1/2004	Chlorobenzilate	<		2	10	ug/L	1	
SWB-10	3/3/2005	Chlorobenzilate	<		2	10	ug/L	1	
SWB-10	6/2/2005	Chlorobenzilate	<		2	10	ug/L	1	
SWB-10	9/1/2005	Chlorobenzilate	<		2	10	ug/L	1	
SWB-10	3/2/2006	Chlorobenzilate	<		2	10	UG/L	1	
SWB-10	6/2/2006	Chlorobenzilate	<		0.66	10	UG/L	1	
SWB-10	3/1/2007	Chlorobenzilate	<		0.66	10	UG/L	1	
SWB-10	3/7/2008	Chlorobenzilate	<		0.66	10	UG/L	1	
SWB-10	6/5/2008	Chlorobenzilate	<		0.66	10	UG/L	1	
SWB-10	3/2/2009	Chlorobenzilate	<		0.66	10	UG/L	1	
SWB-10	3/2/2009	Chlorobenzilate	<		0.66	10	UG/L	1	R
SWB-10	6/4/2009	Chlorobenzilate	<		0.66	10	UG/L	1	
SWB-10	3/2/2010	Chlorobenzilate	<	9.3	0.61	9.3	UG/L	1	
SWB-11	3/4/2004	Chlorobenzilate	<		2	10	ug/L	1	
SWB-11	5/24/2004	Chlorobenzilate	<		2	10	ug/L	1	UJ
SWB-11	12/1/2004	Chlorobenzilate	<		2	10	ug/L	1	
SWB-11	3/1/2005	Chlorobenzilate	<		2	10	ug/L	1	
SWB-11	6/2/2005	Chlorobenzilate	<		2	10	ug/L	1	
SWB-11	3/2/2006	Chlorobenzilate	<		2	10	UG/L	1	
SWB-11	6/1/2006	Chlorobenzilate	<		0.66	10	UG/L	1	
SWB-11	3/1/2007	Chlorobenzilate	<		0.66	10	UG/L	1	
SWB-11	3/7/2008	Chlorobenzilate	<		0.66	10	UG/L	1	
SWB-11	6/5/2008	Chlorobenzilate	<		0.66	10	UG/L	1	
SWB-11	3/2/2009	Chlorobenzilate	<		0.66	10	UG/L	1	
SWB-11	6/4/2009	Chlorobenzilate	<		0.66	10	UG/L	1	
SWB-11	3/1/2010	Chlorobenzilate	<	9.4	0.62	9.4	ug/L	1	



tmpAnalyticalResultsOverTime

SWB-11	6/2/2010	CHLOROBENZILATE	<	0.62	0.62	9.5	UG/L	1
SWB-3	10/29/2002	Chlorobenzilate	<		1.3	10	ug/L	1
SWB-3	3/4/2003	Chlorobenzilate	<		1.3	10	ug/L	1
SWB-3	6/3/2003	Chlorobenzilate	<		1.3	10	ug/L	1
SWB-3	9/4/2003	Chlorobenzilate	<		1	10	ug/L	1 UJ
SWB-3	12/2/2003	Chlorobenzilate	<		1	10	ug/L	1
SWB-3	3/1/2004	Chlorobenzilate	<		2	10	ug/L	1
SWB-3	6/1/2004	Chlorobenzilate	<		2	10	ug/L	1
SWB-3	9/1/2004	Chlorobenzilate	<		2	10	ug/L	1
SWB-3	12/1/2004	Chlorobenzilate	<		2	10	ug/L	1
SWB-3	3/3/2005	Chlorobenzilate	<		2	10	ug/L	1
SWB-3	6/2/2005	Chlorobenzilate	<		2	10	ug/L	1
SWB-3	9/1/2005	Chlorobenzilate	<		2	10	ug/L	1
SWB-3	12/1/2005	Chlorobenzilate	<		2	10	UG/L	1 UJ
SWB-3	3/2/2006	Chlorobenzilate	<		2	10	UG/L	1
SWB-3	6/2/2006	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-3	9/5/2006	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-3	12/4/2006	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-3	3/1/2007	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-3	6/1/2007	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-3	6/1/2007	Chlorobenzilate	<		0.66	10	UG/L	1 R
SWB-3	12/3/2007	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-3	3/6/2008	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-3	6/9/2008	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-3	12/4/2008	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-3	3/2/2009	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-3	3/2/2009	Chlorobenzilate	<		0.66	10	UG/L	1 R
SWB-3	6/4/2009	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-3	12/1/2009	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-3	12/1/2009	Chlorobenzilate	<		0.66	10	UG/L	1 DNR
SWB-3	3/1/2010	Chlorobenzilate	<	9.7	0.64	9.7	ug/L	1 UJ
SWB-3	6/1/2010	CHLOROBENZILATE	<	0.62	0.62	9.4	UG/L	1
SWB-3	6/1/2010	CHLOROBENZILATE	<	0.62	0.62	9.4	UG/L	1 DNR
SWB-3	9/9/2010	CHLOROBENZILATE	<	0.61	0.61	9.3	UG/L	1
SWB-4	11/15/2002	Chlorobenzilate	<		1.3	10	ug/L	1
SWB-5	10/29/2002	Chlorobenzilate	<		1.3	10	ug/L	1
SWB-6	3/4/2003	Chlorobenzilate	<		1.3	10	ug/L	1
SWB-6	6/3/2003	Chlorobenzilate	<		1.3	10	ug/L	1
SWB-6	12/3/2003	Chlorobenzilate	<		1	10	ug/L	1
SWB-6	3/5/2004	Chlorobenzilate	<		2	10	ug/L	1
SWB-6	6/1/2004	Chlorobenzilate	<		2	10	ug/L	1
SWB-6	12/1/2004	Chlorobenzilate	<		2	10	ug/L	1
SWB-6	3/7/2005	Chlorobenzilate	<		2	10	ug/L	1
SWB-6	6/1/2005	Chlorobenzilate	<		2	10	ug/L	1
SWB-6	12/2/2005	Chlorobenzilate	<		2	10	UG/L	1 UJ
SWB-6	3/1/2006	Chlorobenzilate	<		2	10	UG/L	1
SWB-6	6/1/2006	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-6	12/5/2006	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-6	3/2/2007	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-6	3/6/2008	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-6	6/9/2008	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-6	12/5/2008	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-6	12/5/2008	Chlorobenzilate	<		0.66	10	UG/L	1 R
SWB-6	3/2/2009	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-6	3/2/2009	Chlorobenzilate	<		0.66	10	UG/L	1 R
SWB-6	6/5/2009	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-6	3/2/2010	Chlorobenzilate	<	9.1	0.6	9.1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	6/2/2010	CHLOROBENZILATE	<	0.62	0.62	9.4	UG/L	1 DNR
SWB-6	6/2/2010	CHLOROBENZILATE	<	0.63	0.63	9.5	UG/L	1
SWB-7	3/4/2003	Chlorobenzilate	<		1.3	10	ug/L	1
SWB-7	6/3/2003	Chlorobenzilate	<		1.3	10	ug/L	1
SWB-7	3/1/2004	Chlorobenzilate	<		2	10	ug/L	1
SWB-7	5/24/2004	Chlorobenzilate	<		2	10	ug/L	1
SWB-7	12/1/2004	Chlorobenzilate	<		2	10	ug/L	1
SWB-7	3/7/2005	Chlorobenzilate	<		2	10	ug/L	1 UJ
SWB-7	6/1/2005	Chlorobenzilate	<		2	10	ug/L	1
SWB-7	9/1/2005	Chlorobenzilate	<		2	10	ug/L	1
SWB-7	12/1/2005	Chlorobenzilate	<		2	10	UG/L	1 UJ
SWB-7	3/1/2006	Chlorobenzilate	<		2	10	UG/L	1
SWB-7	6/2/2006	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-7	9/5/2006	Chlorobenzilate	<		0.66	10	UG/L	1 UJ
SWB-7	12/5/2006	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-7	3/2/2007	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-7	6/1/2007	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-7	9/7/2007	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-7	12/3/2007	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-7	3/6/2008	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-7	6/6/2008	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-7	9/8/2008	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-7	12/5/2008	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-7	12/5/2008	Chlorobenzilate	<		0.66	10	UG/L	1 R
SWB-7	3/2/2009	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-7	3/2/2009	Chlorobenzilate	<		0.66	10	UG/L	1 R
SWB-7	6/5/2009	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-7	9/9/2009	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-7	12/1/2009	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-7	3/2/2010	Chlorobenzilate	<	9.5	0.62	9.5	UG/L	1
SWB-7	6/1/2010	CHLOROBENZILATE	<	0.63	0.63	9.6	UG/L	1 DNR
SWB-7	6/1/2010	CHLOROBENZILATE	<	0.65	0.65	10	UG/L	1 R
SWB-7	9/9/2010	CHLOROBENZILATE	<	0.63	0.63	9.6	UG/L	1
SWB-7	12/1/2010	CHLOROBENZILATE	<	0.61	0.61	9.3	UG/L	1
SWB-8	3/5/2004	Chlorobenzilate	<		2	10	ug/L	1
SWB-8	3/7/2005	Chlorobenzilate	<		2	10	ug/L	1
SWB-8	6/1/2005	Chlorobenzilate	<		2	10	ug/L	1
SWB-8	3/1/2006	Chlorobenzilate	<		2	10	UG/L	1
SWB-8	3/7/2008	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-8	3/3/2009	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-8	3/3/2009	Chlorobenzilate	<		0.66	10	UG/L	1 R
SWB-9	3/4/2003	Chlorobenzilate	<		1.3	10	ug/L	1
SWB-9	12/3/2003	Chlorobenzilate	<		1	10	ug/L	1
SWB-9	3/5/2004	Chlorobenzilate	<		2	10	ug/L	1
SWB-9	5/27/2004	Chlorobenzilate	<		2	10	ug/L	1 UJ
SWB-9	12/1/2004	Chlorobenzilate	<		2	10	ug/L	1
SWB-9	3/3/2005	Chlorobenzilate	<		2	10	ug/L	1
SWB-9	6/2/2005	Chlorobenzilate	<		2	10	ug/L	1
SWB-9	9/1/2005	Chlorobenzilate	<		2	10	ug/L	1
SWB-9	12/1/2005	Chlorobenzilate	<		2	10	UG/L	1 UJ
SWB-9	3/2/2006	Chlorobenzilate	<		2	10	UG/L	1
SWB-9	6/1/2006	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-9	12/4/2006	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-9	3/5/2007	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-9	3/6/2008	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-9	6/5/2008	Chlorobenzilate	<		0.66	10	UG/L	1
SWB-9	12/5/2008	Chlorobenzilate	<		0.66	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	12/5/2008	Chlorobenzilate	<		0.66	10	UG/L	1 R	
SWB-9	3/2/2009	Chlorobenzilate	<		0.66	10	UG/L	1	
SWB-9	3/2/2009	Chlorobenzilate	<		0.66	10	UG/L	1 R	
SWB-9	6/2/2009	Chlorobenzilate	<		0.66	10	UG/L	1	
SWB-9	6/2/2009	Chlorobenzilate	<		0.66	10	UG/L	1 DNR	
SWB-9	3/1/2010	Chlorobenzilate	<	9.2	0.61	9.2	ug/L	1	
SWB-9	6/1/2010	CHLOROBENZILATE	<	0.62	0.62	9.4	UG/L	1 DNR	
SWB-9	6/1/2010	CHLOROBENZILATE	<	0.62	0.62	9.5	UG/L	1	
SWB-9	12/1/2010	CHLOROBENZILATE	<	0.61	0.61	9.3	UG/L	1	
SWB-10	3/4/2004	Chlorodibromomethane	<		0.19	1	ug/L	1	NA
SWB-10	5/24/2004	Chlorodibromomethane	<		0.19	1	ug/L	1	
SWB-10	12/1/2004	Chlorodibromomethane	<		0.19	1	ug/L	1	
SWB-10	3/3/2005	Chlorodibromomethane	<		0.12	1	ug/L	1	
SWB-10	6/2/2005	Chlorodibromomethane	<		0.17	1	ug/L	1	
SWB-10	9/1/2005	Chlorodibromomethane	TR	0.65	0.17	1	ug/L	1 J	
SWB-10	3/2/2006	Chlorodibromomethane	<		0.68	4	UG/L	4	
SWB-10	6/2/2006	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-10	3/1/2007	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-10	3/7/2008	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-10	6/5/2008	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-10	3/2/2009	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-10	6/4/2009	Chlorodibromomethane	<		0.17	1	UG/L	1 UJ	
SWB-10	3/2/2010	Chlorodibromomethane	<	1	0.17	1	UG/L	1	
SWB-11	3/4/2004	Chlorodibromomethane	<		0.19	1	ug/L	1	
SWB-11	5/24/2004	Chlorodibromomethane	<		0.19	1	ug/L	1	
SWB-11	12/1/2004	Chlorodibromomethane	<		0.19	1	ug/L	1	
SWB-11	3/1/2005	Chlorodibromomethane	<		0.12	1	ug/L	1	
SWB-11	6/2/2005	Chlorodibromomethane	<		0.17	1	ug/L	1	
SWB-11	3/2/2006	Chlorodibromomethane	<		1.7	10	UG/L	10	
SWB-11	6/1/2006	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-11	3/1/2007	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-11	3/7/2008	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-11	6/5/2008	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-11	3/2/2009	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-11	6/4/2009	Chlorodibromomethane	<		0.17	1	UG/L	1 UJ	
SWB-11	3/1/2010	Chlorodibromomethane	<	1	0.17	1	ug/L	1	
SWB-3	10/29/2002	Chlorodibromomethane	<		0.37	1	ug/L	1	
SWB-3	3/4/2003	Chlorodibromomethane	<		0.19	1	ug/L	1	
SWB-3	6/3/2003	Chlorodibromomethane	<		0.19	1	ug/L	1	
SWB-3	9/4/2003	Chlorodibromomethane	<		0.19	1	ug/L	1 UJ	
SWB-3	12/2/2003	Chlorodibromomethane	<		0.19	1	ug/L	1	
SWB-3	3/1/2004	Chlorodibromomethane	<		0.19	1	ug/L	1	
SWB-3	6/1/2004	Chlorodibromomethane	<		0.19	1	ug/L	1	
SWB-3	9/1/2004	Chlorodibromomethane	<		0.19	1	ug/L	1	
SWB-3	12/1/2004	Chlorodibromomethane	TR	0.43	0.32	1.7	ug/L	1.66 J	
SWB-3	3/3/2005	Chlorodibromomethane	<		0.12	1	ug/L	1	
SWB-3	6/2/2005	Chlorodibromomethane	<		0.17	1	ug/L	1	
SWB-3	9/1/2005	Chlorodibromomethane	TR	0.71	0.17	1	ug/L	1 J	
SWB-3	12/1/2005	Chlorodibromomethane	<		0.34	2	UG/L	2	
SWB-3	3/2/2006	Chlorodibromomethane	<		0.68	4	UG/L	4	
SWB-3	6/2/2006	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-3	9/5/2006	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-3	12/4/2006	Chlorodibromomethane	TR	0.25	0.17	1	UG/L	1 J	
SWB-3	3/1/2007	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-3	6/1/2007	Chlorodibromomethane	TR	0.28	0.17	1	UG/L	1 J	
SWB-3	12/3/2007	Chlorodibromomethane	TR	0.19	0.17	1	UG/L	1 J	
SWB-3	3/6/2008	Chlorodibromomethane	<		0.17	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	6/9/2008	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-3	12/4/2008	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-3	3/2/2009	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-3	6/4/2009	Chlorodibromomethane	<		0.17	1	UG/L	1 UJ
SWB-3	12/1/2009	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-3	3/1/2010	Chlorodibromomethane	<	1	0.17	1	ug/L	1
SWB-3	3/1/2010	Chlorodibromomethane	<	2	0.34	2	ug/L	1 DNR
SWB-4	11/15/2002	Chlorodibromomethane	<		0.37	1	ug/L	1
SWB-5	10/29/2002	Chlorodibromomethane	<		0.37	1	ug/L	1
SWB-6	3/4/2003	Chlorodibromomethane	<		0.19	1	ug/L	1
SWB-6	6/3/2003	Chlorodibromomethane	<		0.38	2	ug/L	2
SWB-6	12/3/2003	Chlorodibromomethane	<		0.38	2	ug/L	2
SWB-6	3/5/2004	Chlorodibromomethane	<		0.19	1	ug/L	1
SWB-6	6/1/2004	Chlorodibromomethane	<		0.19	1	ug/L	1
SWB-6	12/1/2004	Chlorodibromomethane	<		0.19	1	ug/L	1
SWB-6	3/7/2005	Chlorodibromomethane	<		0.12	1	ug/L	1
SWB-6	6/1/2005	Chlorodibromomethane	<		0.17	1	ug/L	1
SWB-6	12/2/2005	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-6	3/1/2006	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-6	6/1/2006	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-6	12/5/2006	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-6	3/2/2007	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-6	3/6/2008	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-6	6/9/2008	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-6	12/5/2008	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-6	3/2/2009	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-6	6/5/2009	Chlorodibromomethane	<		0.17	1	UG/L	1 UJ
SWB-6	3/2/2010	Chlorodibromomethane	<	1	0.17	1	UG/L	1
SWB-7	3/4/2003	Chlorodibromomethane	<		0.19	1	ug/L	1
SWB-7	6/3/2003	Chlorodibromomethane	<		0.19	1	ug/L	1
SWB-7	3/1/2004	Chlorodibromomethane	<		0.19	1	ug/L	1
SWB-7	5/24/2004	Chlorodibromomethane	<		0.19	1	ug/L	1
SWB-7	12/1/2004	Chlorodibromomethane	<		0.19	1	ug/L	1
SWB-7	3/7/2005	Chlorodibromomethane	<		0.12	1	ug/L	1
SWB-7	6/1/2005	Chlorodibromomethane	<		0.17	1	ug/L	1
SWB-7	9/1/2005	Chlorodibromomethane	TR	0.29	0.17	1	ug/L	1 J
SWB-7	12/1/2005	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-7	3/1/2006	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-7	6/2/2006	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-7	9/5/2006	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-7	12/5/2006	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-7	3/2/2007	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-7	6/1/2007	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-7	9/7/2007	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-7	12/3/2007	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-7	3/6/2008	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-7	6/6/2008	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-7	9/8/2008	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-7	12/5/2008	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-7	3/2/2009	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-7	6/5/2009	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-7	9/9/2009	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-7	12/1/2009	Chlorodibromomethane	<		0.17	1	UG/L	1
SWB-7	3/2/2010	Chlorodibromomethane	<	1	0.17	1	UG/L	1
SWB-8	3/5/2004	Chlorodibromomethane	<		0.19	1	ug/L	1
SWB-8	3/7/2005	Chlorodibromomethane	<		0.12	1	ug/L	1
SWB-8	6/1/2005	Chlorodibromomethane	<		0.17	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-8	3/1/2006	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-8	3/7/2008	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-8	3/3/2009	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-9	3/4/2003	Chlorodibromomethane	<		0.19	1	ug/L	1	
SWB-9	12/3/2003	Chlorodibromomethane	<		0.38	2	ug/L	2	
SWB-9	3/5/2004	Chlorodibromomethane	<		0.19	1	ug/L	1	
SWB-9	5/27/2004	Chlorodibromomethane	<		0.19	1	ug/L	1	
SWB-9	12/1/2004	Chlorodibromomethane	<		0.19	1	ug/L	1	
SWB-9	3/3/2005	Chlorodibromomethane	<		0.12	1	ug/L	1	
SWB-9	6/2/2005	Chlorodibromomethane	<		0.17	1	ug/L	1	
SWB-9	9/1/2005	Chlorodibromomethane	=	5.4	0.17	1	ug/L	1	J
SWB-9	12/1/2005	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-9	3/2/2006	Chlorodibromomethane	<		0.68	4	UG/L	4	
SWB-9	6/1/2006	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-9	12/4/2006	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-9	3/5/2007	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-9	3/6/2008	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-9	6/5/2008	Chlorodibromomethane	=	5.3	0.17	1	UG/L	1	J
SWB-9	12/5/2008	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-9	3/2/2009	Chlorodibromomethane	<		0.17	1	UG/L	1	
SWB-9	6/2/2009	Chlorodibromomethane	<		0.17	1	UG/L	1	UJ
SWB-9	3/1/2010	Chlorodibromomethane	<	1	0.17	1	ug/L	1	
SWB-10	3/4/2004	Chloroethane	<		0.18	2	ug/L	1	NA
SWB-10	5/24/2004	Chloroethane	<		0.18	2	ug/L	1	
SWB-10	12/1/2004	Chloroethane	<		0.18	2	ug/L	1	
SWB-10	3/3/2005	Chloroethane	<		0.31	2	ug/L	1	
SWB-10	6/2/2005	Chloroethane	<		0.13	2	ug/L	1	
SWB-10	9/1/2005	Chloroethane	<		0.13	2	ug/L	1	
SWB-10	3/2/2006	Chloroethane	<		0.52	8	UG/L	4	
SWB-10	6/2/2006	Chloroethane	<		0.41	2	UG/L	1	
SWB-10	3/1/2007	Chloroethane	<		0.41	2	UG/L	1	
SWB-10	3/7/2008	Chloroethane	<		0.41	2	UG/L	1	
SWB-10	6/5/2008	Chloroethane	<		0.41	2	UG/L	1	
SWB-10	3/2/2009	Chloroethane	<		0.41	2	UG/L	1	
SWB-10	6/4/2009	Chloroethane	<		0.41	2	UG/L	1	
SWB-10	3/2/2010	Chloroethane	<	2	0.41	2	UG/L	1	
SWB-11	3/4/2004	Chloroethane	<		0.18	2	ug/L	1	
SWB-11	5/24/2004	Chloroethane	<		0.18	2	ug/L	1	
SWB-11	12/1/2004	Chloroethane	<		0.18	2	ug/L	1	
SWB-11	3/1/2005	Chloroethane	<		0.31	2	ug/L	1	
SWB-11	6/2/2005	Chloroethane	<		0.13	2	ug/L	1	
SWB-11	3/2/2006	Chloroethane	<		1.3	20	UG/L	10	
SWB-11	6/1/2006	Chloroethane	<		0.41	2	UG/L	1	
SWB-11	3/1/2007	Chloroethane	<		0.41	2	UG/L	1	
SWB-11	3/7/2008	Chloroethane	<		0.41	2	UG/L	1	
SWB-11	6/5/2008	Chloroethane	<		0.41	2	UG/L	1	
SWB-11	3/2/2009	Chloroethane	<		0.41	2	UG/L	1	
SWB-11	6/4/2009	Chloroethane	<		0.41	2	UG/L	1	
SWB-11	3/1/2010	Chloroethane	<	2	0.41	2	ug/L	1	
SWB-11	6/2/2010	CHLOROETHANE	<	0.41	0.41	2	UG/L	1	
SWB-3	10/29/2002	Chloroethane	<		0.26	2	ug/L	1	
SWB-3	3/4/2003	Chloroethane	<		0.18	2	ug/L	1	
SWB-3	6/3/2003	Chloroethane	<		0.18	2	ug/L	1	
SWB-3	9/4/2003	Chloroethane	<		0.18	2	ug/L	1	UJ
SWB-3	12/2/2003	Chloroethane	<		0.18	2	ug/L	1	
SWB-3	3/1/2004	Chloroethane	<		0.18	2	ug/L	1	
SWB-3	6/1/2004	Chloroethane	<		0.18	2	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	9/1/2004	Chloroethane	<	0.18	2	ug/L	1	
SWB-3	12/1/2004	Chloroethane	<	0.3	3.3	ug/L	1.66	
SWB-3	3/3/2005	Chloroethane	<	0.31	2	ug/L	1	
SWB-3	6/2/2005	Chloroethane	<	0.13	2	ug/L	1	
SWB-3	9/1/2005	Chloroethane	<	0.13	2	ug/L	1	
SWB-3	12/1/2005	Chloroethane	<	0.26	4	UG/L	2	
SWB-3	3/2/2006	Chloroethane	<	0.52	8	UG/L	4	
SWB-3	6/2/2006	Chloroethane	<	0.41	2	UG/L	1	
SWB-3	9/5/2006	Chloroethane	<	0.41	2	UG/L	1	
SWB-3	12/4/2006	Chloroethane	<	0.41	2	UG/L	1	
SWB-3	3/1/2007	Chloroethane	<	0.41	2	UG/L	1	
SWB-3	6/1/2007	Chloroethane	<	0.41	2	UG/L	1	
SWB-3	12/3/2007	Chloroethane	<	0.41	2	UG/L	1	
SWB-3	3/6/2008	Chloroethane	<	0.41	2	UG/L	1	
SWB-3	6/9/2008	Chloroethane	<	0.41	2	UG/L	1	
SWB-3	12/4/2008	Chloroethane	<	0.41	2	UG/L	1	
SWB-3	3/2/2009	Chloroethane	<	0.41	2	UG/L	1	
SWB-3	6/4/2009	Chloroethane	<	0.41	2	UG/L	1	
SWB-3	12/1/2009	Chloroethane	<	0.41	2	UG/L	1	
SWB-3	3/1/2010	Chloroethane	<	2	0.41	2	ug/L	1
SWB-3	3/1/2010	Chloroethane	<	4	0.82	4	ug/L	1 DNR
SWB-3	6/1/2010	CHLOROETHANE	<	0.41	0.41	2	UG/L	1 DNR
SWB-3	6/1/2010	CHLOROETHANE	<	1.6	1.6	8	UG/L	1
SWB-3	9/9/2010	CHLOROETHANE	<	0.41	0.41	2	UG/L	1
SWB-4	11/15/2002	Chloroethane	<	0.26	2	ug/L	1	
SWB-5	10/29/2002	Chloroethane	<	0.26	2	ug/L	1	
SWB-6	3/4/2003	Chloroethane	<	0.18	2	ug/L	1	
SWB-6	6/3/2003	Chloroethane	<	0.36	4	ug/L	2	
SWB-6	12/3/2003	Chloroethane	<	0.36	4	ug/L	2	
SWB-6	3/5/2004	Chloroethane	<	0.18	2	ug/L	1	
SWB-6	6/1/2004	Chloroethane	<	0.18	2	ug/L	1	
SWB-6	12/1/2004	Chloroethane	<	0.18	2	ug/L	1	
SWB-6	3/7/2005	Chloroethane	<	0.31	2	ug/L	1	
SWB-6	6/1/2005	Chloroethane	<	0.13	2	ug/L	1	
SWB-6	12/2/2005	Chloroethane	<	0.13	2	UG/L	1	
SWB-6	3/1/2006	Chloroethane	<	0.13	2	UG/L	1	
SWB-6	6/1/2006	Chloroethane	<	0.41	2	UG/L	1	
SWB-6	12/5/2006	Chloroethane	<	0.41	2	UG/L	1	
SWB-6	3/2/2007	Chloroethane	<	0.41	2	UG/L	1	
SWB-6	3/6/2008	Chloroethane	<	0.41	2	UG/L	1	
SWB-6	6/9/2008	Chloroethane	<	0.41	2	UG/L	1	
SWB-6	12/5/2008	Chloroethane	<	0.41	2	UG/L	1	
SWB-6	3/2/2009	Chloroethane	<	0.41	2	UG/L	1	
SWB-6	6/5/2009	Chloroethane	<	0.41	2	UG/L	1	
SWB-6	3/2/2010	Chloroethane	<	2	0.41	2	UG/L	1
SWB-6	6/2/2010	CHLOROETHANE	<	0.41	0.41	2	UG/L	1
SWB-7	3/4/2003	Chloroethane	<	0.18	2	ug/L	1	
SWB-7	6/3/2003	Chloroethane	<	0.18	2	ug/L	1	
SWB-7	3/1/2004	Chloroethane	<	0.18	2	ug/L	1	
SWB-7	5/24/2004	Chloroethane	<	0.18	2	ug/L	1	
SWB-7	12/1/2004	Chloroethane	<	0.18	2	ug/L	1	
SWB-7	3/7/2005	Chloroethane	<	0.31	2	ug/L	1	
SWB-7	6/1/2005	Chloroethane	<	0.13	2	ug/L	1	
SWB-7	9/1/2005	Chloroethane	<	0.13	2	ug/L	1	
SWB-7	12/1/2005	Chloroethane	<	0.13	2	UG/L	1	
SWB-7	3/1/2006	Chloroethane	<	0.13	2	UG/L	1	
SWB-7	6/2/2006	Chloroethane	<	0.41	2	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-7	9/5/2006	Chloroethane	<		0.41	2	UG/L	1	
SWB-7	12/5/2006	Chloroethane	<		0.41	2	UG/L	1	
SWB-7	3/2/2007	Chloroethane	<		0.41	2	UG/L	1	
SWB-7	6/1/2007	Chloroethane	<		0.41	2	UG/L	1	
SWB-7	9/7/2007	Chloroethane	<		0.41	2	UG/L	1	
SWB-7	12/3/2007	Chloroethane	<		0.41	2	UG/L	1	
SWB-7	3/6/2008	Chloroethane	<		0.41	2	UG/L	1	
SWB-7	6/6/2008	Chloroethane	<		0.41	2	UG/L	1	
SWB-7	9/8/2008	Chloroethane	<		0.41	2	UG/L	1	
SWB-7	12/5/2008	Chloroethane	<		0.41	2	UG/L	1	
SWB-7	3/2/2009	Chloroethane	<		0.41	2	UG/L	1	
SWB-7	6/5/2009	Chloroethane	<		0.41	2	UG/L	1	
SWB-7	9/9/2009	Chloroethane	<		0.41	2	UG/L	1	
SWB-7	12/1/2009	Chloroethane	<		0.41	2	UG/L	1	
SWB-7	3/2/2010	Chloroethane	<	2	0.41	2	UG/L	1	
SWB-7	6/1/2010	CHLOROETHANE	<	0.41	0.41	2	UG/L	1	DNR
SWB-7	6/1/2010	CHLOROETHANE	<	1.6	1.6	8	UG/L	1	
SWB-7	9/9/2010	CHLOROETHANE	<	0.41	0.41	2	UG/L	1	
SWB-7	12/1/2010	CHLOROETHANE	<	0.41	0.41	2	UG/L	1	
SWB-8	3/5/2004	Chloroethane	<		0.18	2	ug/L	1	
SWB-8	3/7/2005	Chloroethane	<		0.31	2	ug/L	1	
SWB-8	6/1/2005	Chloroethane	<		0.13	2	ug/L	1	
SWB-8	3/1/2006	Chloroethane	<		0.13	2	UG/L	1	
SWB-8	3/7/2008	Chloroethane	<		0.41	2	UG/L	1	
SWB-8	3/3/2009	Chloroethane	<		0.41	2	UG/L	1	
SWB-9	3/4/2003	Chloroethane	<		0.18	2	ug/L	1	
SWB-9	12/3/2003	Chloroethane	<		0.36	4	ug/L	2	
SWB-9	3/5/2004	Chloroethane	<		0.18	2	ug/L	1	
SWB-9	5/27/2004	Chloroethane	<		0.18	2	ug/L	1	
SWB-9	12/1/2004	Chloroethane	<		0.18	2	ug/L	1	
SWB-9	3/3/2005	Chloroethane	<		0.31	2	ug/L	1	
SWB-9	6/2/2005	Chloroethane	<		0.13	2	ug/L	1	
SWB-9	9/1/2005	Chloroethane	<		0.13	2	ug/L	1	UJ
SWB-9	12/1/2005	Chloroethane	<		0.13	2	UG/L	1	
SWB-9	3/2/2006	Chloroethane	<		0.52	8	UG/L	4	
SWB-9	6/1/2006	Chloroethane	<		0.41	2	UG/L	1	
SWB-9	12/4/2006	Chloroethane	<		0.41	2	UG/L	1	
SWB-9	3/5/2007	Chloroethane	<		0.41	2	UG/L	1	
SWB-9	3/6/2008	Chloroethane	<		0.41	2	UG/L	1	
SWB-9	6/5/2008	Chloroethane	<		0.41	2	UG/L	1	R
SWB-9	12/5/2008	Chloroethane	<		0.41	2	UG/L	1	
SWB-9	3/2/2009	Chloroethane	<		0.41	2	UG/L	1	
SWB-9	6/2/2009	Chloroethane	<		0.41	2	UG/L	1	
SWB-9	3/1/2010	Chloroethane	<	2	0.41	2	ug/L	1	
SWB-9	6/1/2010	CHLOROETHANE	<	0.41	0.41	2	UG/L	1	DNR
SWB-9	6/1/2010	CHLOROETHANE	<	1.6	1.6	8	UG/L	1	
SWB-9	12/1/2010	CHLOROETHANE	<	0.41	0.41	2	UG/L	1	
SWB-10	3/4/2004	Chloroform	<		0.17	1	ug/L	1	0.028 mg/L
SWB-10	5/24/2004	Chloroform	<		0.17	1	ug/L	1	
SWB-10	12/1/2004	Chloroform	<		0.17	1	ug/L	1	
SWB-10	3/3/2005	Chloroform	<		0.15	1	ug/L	1	
SWB-10	6/2/2005	Chloroform	<		0.16	1	ug/L	1	
SWB-10	9/1/2005	Chloroform	<	1	0.16	1	ug/L	1	U
SWB-10	3/2/2006	Chloroform	<		0.64	4	UG/L	4	
SWB-10	6/2/2006	Chloroform	<		0.16	1	UG/L	1	
SWB-10	3/1/2007	Chloroform	<		0.16	1	UG/L	1	
SWB-10	3/7/2008	Chloroform	<		0.16	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-10	6/5/2008	Chloroform	<		0.16	1	UG/L	1
SWB-10	3/2/2009	Chloroform	<		0.16	1	UG/L	1
SWB-10	6/4/2009	Chloroform	<		0.16	1	UG/L	1 UJ
SWB-10	3/2/2010	Chloroform	<	1	0.16	1	UG/L	1
SWB-11	3/4/2004	Chloroform	TR	0.18	0.17	1	ug/L	1 J
SWB-11	5/24/2004	Chloroform	<		0.17	1	ug/L	1
SWB-11	12/1/2004	Chloroform	<		0.17	1	ug/L	1
SWB-11	3/1/2005	Chloroform	<		0.15	1	ug/L	1
SWB-11	6/2/2005	Chloroform	<		0.16	1	ug/L	1
SWB-11	3/2/2006	Chloroform	<		1.6	10	UG/L	10
SWB-11	6/1/2006	Chloroform	<		0.16	1	UG/L	1
SWB-11	3/1/2007	Chloroform	<		0.16	1	UG/L	1
SWB-11	3/7/2008	Chloroform	<		0.16	1	UG/L	1
SWB-11	6/5/2008	Chloroform	<		0.16	1	UG/L	1
SWB-11	3/2/2009	Chloroform	<		0.16	1	UG/L	1
SWB-11	6/4/2009	Chloroform	<		0.16	1	UG/L	1 UJ
SWB-11	3/1/2010	Chloroform	<	1	0.16	1	ug/L	1
SWB-11	6/2/2010	CHLOROFORM	<	0.16	0.16	1	UG/L	1
SWB-3	10/29/2002	Chloroform	TR	0.38	0.29	1	ug/L	1 J
SWB-3	3/4/2003	Chloroform	<	3.7	0.17	3.7	ug/L	1 U
SWB-3	6/3/2003	Chloroform	=	2.6	0.17	1	ug/L	1
SWB-3	9/4/2003	Chloroform	=	8.5	0.17	1	ug/L	1 J
SWB-3	12/2/2003	Chloroform	TR	0.92	0.17	1	ug/L	1 J
SWB-3	3/1/2004	Chloroform	=	11	0.17	1	ug/L	1
SWB-3	6/1/2004	Chloroform	<	1.2	0.17	1.2	ug/L	1 U
SWB-3	9/1/2004	Chloroform	<		0.17	1	ug/L	1
SWB-3	12/1/2004	Chloroform	=	77	0.28	1.7	ug/L	1.66
SWB-3	3/3/2005	Chloroform	=	3.6	0.15	1	ug/L	1
SWB-3	6/2/2005	Chloroform	=	1.1	0.16	1	ug/L	1
SWB-3	9/1/2005	Chloroform	=	11	0.16	1	ug/L	1
SWB-3	12/1/2005	Chloroform	=	79	0.32	2	UG/L	2
SWB-3	3/2/2006	Chloroform	=	8.6	0.64	4	UG/L	4 J
SWB-3	6/2/2006	Chloroform	=	2.1	0.16	1	UG/L	1
SWB-3	9/5/2006	Chloroform	TR	0.18	0.16	1	UG/L	1 J
SWB-3	12/4/2006	Chloroform	=	32	0.16	1	UG/L	1
SWB-3	3/1/2007	Chloroform	=	2.4	0.16	1	UG/L	1
SWB-3	6/1/2007	Chloroform	=	55	0.16	1	UG/L	1
SWB-3	12/3/2007	Chloroform	=	30	0.16	1	UG/L	1
SWB-3	3/6/2008	Chloroform	=	14	0.16	1	UG/L	1
SWB-3	6/9/2008	Chloroform	=	26	0.16	1	UG/L	1
SWB-3	12/4/2008	Chloroform	=	21	0.16	1	UG/L	1
SWB-3	3/2/2009	Chloroform	=	6.1	0.16	1	UG/L	1
SWB-3	6/4/2009	Chloroform	=	44	0.16	1	UG/L	1 J
SWB-3	12/1/2009	Chloroform	=	25	0.16	1	UG/L	1
SWB-3	3/1/2010	Chloroform	=	78	0.32	2	ug/L	1
SWB-3	3/1/2010	Chloroform	=	83	0.16	1	ug/L	1 DNR
SWB-3	6/1/2010	CHLOROFORM	=	43	0.64	4	UG/L	1
SWB-3	6/1/2010	CHLOROFORM	=	50	0.16	1	UG/L	1 DNR
SWB-3	9/9/2010	CHLOROFORM	=	3.3	0.16	1	UG/L	1 UJ
SWB-4	11/15/2002	Chloroform	TR	0.4	0.29	1	ug/L	1 J
SWB-5	10/29/2002	Chloroform	<		0.29	1	ug/L	1
SWB-6	3/4/2003	Chloroform	<		0.17	1	ug/L	1
SWB-6	6/3/2003	Chloroform	<		0.34	2	ug/L	2
SWB-6	12/3/2003	Chloroform	<		0.34	2	ug/L	2
SWB-6	3/5/2004	Chloroform	<		0.17	1	ug/L	1
SWB-6	6/1/2004	Chloroform	<		0.17	1	ug/L	1
SWB-6	12/1/2004	Chloroform	<		0.17	1	ug/L	1



tmpAnalyticalResultsOverTime

SWB-6	3/7/2005	Chloroform	<		0.15	1	ug/L	1
SWB-6	6/1/2005	Chloroform	<		0.16	1	ug/L	1
SWB-6	12/2/2005	Chloroform	<		0.16	1	UG/L	1
SWB-6	3/1/2006	Chloroform	<		0.16	1	UG/L	1
SWB-6	6/1/2006	Chloroform	TR	0.23	0.16	1	UG/L	1 J
SWB-6	12/5/2006	Chloroform	<		0.16	1	UG/L	1
SWB-6	3/2/2007	Chloroform	<		0.16	1	UG/L	1
SWB-6	3/6/2008	Chloroform	<		0.16	1	UG/L	1
SWB-6	6/9/2008	Chloroform	<		0.16	1	UG/L	1
SWB-6	12/5/2008	Chloroform	<		0.16	1	UG/L	1
SWB-6	3/2/2009	Chloroform	<		0.16	1	UG/L	1
SWB-6	6/5/2009	Chloroform	<		0.16	1	UG/L	1 UJ
SWB-6	3/2/2010	Chloroform	<	1	0.16	1	UG/L	1
SWB-6	6/2/2010	CHLOROFORM	<	0.16	0.16	1	UG/L	1
SWB-7	3/4/2003	Chloroform	<		0.17	1	ug/L	1
SWB-7	6/3/2003	Chloroform	<		0.17	1	ug/L	1
SWB-7	3/1/2004	Chloroform	<		0.17	1	ug/L	1
SWB-7	5/24/2004	Chloroform	<		0.17	1	ug/L	1
SWB-7	12/1/2004	Chloroform	<		0.17	1	ug/L	1
SWB-7	3/7/2005	Chloroform	<		0.15	1	ug/L	1
SWB-7	6/1/2005	Chloroform	<		0.16	1	ug/L	1
SWB-7	9/1/2005	Chloroform	<	1	0.16	1	ug/L	1 U
SWB-7	12/1/2005	Chloroform	<		0.16	1	UG/L	1
SWB-7	3/1/2006	Chloroform	<		0.16	1	UG/L	1
SWB-7	6/2/2006	Chloroform	<		0.16	1	UG/L	1
SWB-7	9/5/2006	Chloroform	<		0.16	1	UG/L	1
SWB-7	12/5/2006	Chloroform	<		0.16	1	UG/L	1
SWB-7	3/2/2007	Chloroform	<		0.16	1	UG/L	1
SWB-7	6/1/2007	Chloroform	<		0.16	1	UG/L	1
SWB-7	9/7/2007	Chloroform	<		0.16	1	UG/L	1
SWB-7	12/3/2007	Chloroform	<		0.16	1	UG/L	1
SWB-7	3/6/2008	Chloroform	<		0.16	1	UG/L	1
SWB-7	6/6/2008	Chloroform	<		0.16	1	UG/L	1
SWB-7	9/8/2008	Chloroform	<		0.16	1	UG/L	1
SWB-7	12/5/2008	Chloroform	<		0.16	1	UG/L	1
SWB-7	3/2/2009	Chloroform	<		0.16	1	UG/L	1
SWB-7	6/5/2009	Chloroform	<		0.16	1	UG/L	1
SWB-7	9/9/2009	Chloroform	<		0.16	1	UG/L	1
SWB-7	12/1/2009	Chloroform	<		0.16	1	UG/L	1
SWB-7	3/2/2010	Chloroform	<	1	0.16	1	UG/L	1
SWB-7	6/1/2010	CHLOROFORM	<	0.16	0.16	1	UG/L	1 DNR
SWB-7	6/1/2010	CHLOROFORM	<	0.64	0.64	4	UG/L	1
SWB-7	9/9/2010	CHLOROFORM	<	0.16	0.16	1	UG/L	1 UJ
SWB-7	12/1/2010	CHLOROFORM	<	0.16	0.16	1	UG/L	1
SWB-8	3/5/2004	Chloroform	<		0.17	1	ug/L	1
SWB-8	3/7/2005	Chloroform	<		0.15	1	ug/L	1
SWB-8	6/1/2005	Chloroform	<		0.16	1	ug/L	1
SWB-8	3/1/2006	Chloroform	<		0.16	1	UG/L	1
SWB-8	3/7/2008	Chloroform	<		0.16	1	UG/L	1
SWB-8	3/3/2009	Chloroform	<		0.16	1	UG/L	1
SWB-9	3/4/2003	Chloroform	<		0.17	1	ug/L	1
SWB-9	12/3/2003	Chloroform	<		0.34	2	ug/L	2
SWB-9	3/5/2004	Chloroform	<		0.17	1	ug/L	1
SWB-9	5/27/2004	Chloroform	<		0.17	1	ug/L	1
SWB-9	12/1/2004	Chloroform	<		0.17	1	ug/L	1
SWB-9	3/3/2005	Chloroform	<		0.15	1	ug/L	1
SWB-9	6/2/2005	Chloroform	<		0.16	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-9	9/1/2005	Chloroform	<	1	0.16	1	ug/L	1	UJ	
SWB-9	12/1/2005	Chloroform	<		0.16	1	UG/L	1		
SWB-9	3/2/2006	Chloroform	<		0.64	4	UG/L	4		
SWB-9	6/1/2006	Chloroform	<		0.16	1	UG/L	1		
SWB-9	12/4/2006	Chloroform	<		0.16	1	UG/L	1		
SWB-9	3/5/2007	Chloroform	<		0.16	1	UG/L	1		
SWB-9	3/6/2008	Chloroform	<		0.16	1	UG/L	1		
SWB-9	6/5/2008	Chloroform	<	1	0.16	1	UG/L	1	U	
SWB-9	12/5/2008	Chloroform	<		0.16	1	UG/L	1		
SWB-9	3/2/2009	Chloroform	<		0.16	1	UG/L	1		
SWB-9	6/2/2009	Chloroform	<		0.16	1	UG/L	1	UJ	
SWB-9	3/1/2010	Chloroform	<	1	0.16	1	ug/L	1		
SWB-9	6/1/2010	CHLOROFORM	<	0.16	0.16	1	UG/L	1	DNR	
SWB-9	6/1/2010	CHLOROFORM	<	0.64	0.64	4	UG/L	1		
SWB-9	12/1/2010	CHLOROFORM	<	0.16	0.16	1	UG/L	1		
SWB-6	6/1/2004	Chloriodomethane	TI	6.2			ug/L	1	NJ	NA
SWB-6	12/5/2006	Chloriodomethane	TI	7.4			UG/L	1	J	
SWB-7	12/5/2006	Chloriodomethane	TI	6			UG/L	1	NJ	
SWB-10	3/4/2004	Chloromethane	<		0.91	2	ug/L	1		NA
SWB-10	5/24/2004	Chloromethane	<		0.91	2	ug/L	1		
SWB-10	12/1/2004	Chloromethane	<		0.91	2	ug/L	1		
SWB-10	3/3/2005	Chloromethane	<		0.25	2	ug/L	1		
SWB-10	6/2/2005	Chloromethane	<		0.3	2	ug/L	1		
SWB-10	9/1/2005	Chloromethane	<		0.3	2	ug/L	1		
SWB-10	3/2/2006	Chloromethane	<		1.2	8	UG/L	4		
SWB-10	6/2/2006	Chloromethane	<	2	0.3	2	UG/L	1	U	
SWB-10	3/1/2007	Chloromethane	TR	0.42	0.3	2	UG/L	1	J	
SWB-10	3/7/2008	Chloromethane	<		0.3	2	UG/L	1		
SWB-10	6/5/2008	Chloromethane	TR	0.66	0.3	2	UG/L	1	J	
SWB-10	3/2/2009	Chloromethane	<		0.3	2	UG/L	1		
SWB-10	6/4/2009	Chloromethane	=	3.4	0.3	2	UG/L	1		
SWB-10	3/2/2010	Chloromethane	<	2	0.3	2	UG/L	1		
SWB-11	3/4/2004	Chloromethane	<		0.91	2	ug/L	1		
SWB-11	5/24/2004	Chloromethane	TR	1.1	0.91	2	ug/L	1	J	
SWB-11	12/1/2004	Chloromethane	<		0.91	2	ug/L	1		
SWB-11	3/1/2005	Chloromethane	<		0.25	2	ug/L	1		
SWB-11	6/2/2005	Chloromethane	<		0.3	2	ug/L	1		
SWB-11	3/2/2006	Chloromethane	<		3	20	UG/L	10		
SWB-11	6/1/2006	Chloromethane	TR	0.72	0.3	2	UG/L	1	J	
SWB-11	3/1/2007	Chloromethane	<		0.3	2	UG/L	1		
SWB-11	3/7/2008	Chloromethane	<		0.3	2	UG/L	1		
SWB-11	6/5/2008	Chloromethane	TR	0.76	0.3	2	UG/L	1	J	
SWB-11	3/2/2009	Chloromethane	<		0.3	2	UG/L	1		
SWB-11	6/4/2009	Chloromethane	=	2.6	0.3	2	UG/L	1		
SWB-11	3/1/2010	Chloromethane	<	2	0.3	2	ug/L	1		
SWB-11	6/2/2010	CHLOROMETHANE	TR	1.8	0.3	2	UG/L	1	J	
SWB-3	10/29/2002	Chloromethane	<		0.26	2	ug/L	1		
SWB-3	3/4/2003	Chloromethane	<		0.91	2	ug/L	1		
SWB-3	6/3/2003	Chloromethane	<		0.91	2	ug/L	1		
SWB-3	9/4/2003	Chloromethane	<		0.91	2	ug/L	1	UJ	
SWB-3	12/2/2003	Chloromethane	<		0.91	2	ug/L	1		
SWB-3	3/1/2004	Chloromethane	<		0.91	2	ug/L	1		
SWB-3	6/1/2004	Chloromethane	<		0.91	2	ug/L	1		
SWB-3	9/1/2004	Chloromethane	TR	0.94	0.91	2	ug/L	1	J	
SWB-3	12/1/2004	Chloromethane	<		1.5	3.3	ug/L	1.66		
SWB-3	3/3/2005	Chloromethane	<		0.25	2	ug/L	1		
SWB-3	6/2/2005	Chloromethane	<		0.3	2	ug/L	1		

tmpAnalyticalResultsOverTime

SWB-3	9/1/2005	Chloromethane	<		0.3	2	ug/L	1
SWB-3	12/1/2005	Chloromethane	<		0.6	4	UG/L	2
SWB-3	3/2/2006	Chloromethane	<		1.2	8	UG/L	4
SWB-3	6/2/2006	Chloromethane	<	2	0.3	2	UG/L	1 U
SWB-3	9/5/2006	Chloromethane	TR	1	0.3	2	UG/L	1 J
SWB-3	12/4/2006	Chloromethane	TR	0.47	0.3	2	UG/L	1 J
SWB-3	3/1/2007	Chloromethane	<		0.3	2	UG/L	1
SWB-3	6/1/2007	Chloromethane	TR	0.32	0.3	2	UG/L	1 J
SWB-3	12/3/2007	Chloromethane	<		0.3	2	UG/L	1
SWB-3	3/6/2008	Chloromethane	<		0.3	2	UG/L	1
SWB-3	6/9/2008	Chloromethane	<		0.3	2	UG/L	1
SWB-3	12/4/2008	Chloromethane	<		0.3	2	UG/L	1
SWB-3	3/2/2009	Chloromethane	<		0.3	2	UG/L	1
SWB-3	6/4/2009	Chloromethane	<		0.3	2	UG/L	1
SWB-3	12/1/2009	Chloromethane	<		0.3	2	UG/L	1
SWB-3	3/1/2010	Chloromethane	<	2	0.3	2	ug/L	1
SWB-3	3/1/2010	Chloromethane	<	4	0.6	4	ug/L	1 DNR
SWB-3	6/1/2010	CHLOROMETHANE	<	1.2	1.2	8	UG/L	1
SWB-3	6/1/2010	CHLOROMETHANE	TR	0.32	0.3	2	UG/L	1 DNR
SWB-3	9/9/2010	CHLOROMETHANE	<	0.3	0.3	2	UG/L	1 UJ
SWB-4	11/15/2002	Chloromethane	<	2	0.26	2	ug/L	1 U
SWB-5	10/29/2002	Chloromethane	<	2	0.26	2	ug/L	1 U
SWB-6	3/4/2003	Chloromethane	<		0.91	2	ug/L	1
SWB-6	6/3/2003	Chloromethane	<		1.8	4	ug/L	2
SWB-6	12/3/2003	Chloromethane	<		1.8	4	ug/L	2
SWB-6	3/5/2004	Chloromethane	<		0.91	2	ug/L	1
SWB-6	6/1/2004	Chloromethane	TR	1.1	0.91	2	ug/L	1 J
SWB-6	12/1/2004	Chloromethane	TR	0.98	0.91	2	ug/L	1 J
SWB-6	3/7/2005	Chloromethane	<		0.25	2	ug/L	1
SWB-6	6/1/2005	Chloromethane	<		0.3	2	ug/L	1
SWB-6	12/2/2005	Chloromethane	TR	0.76	0.3	2	UG/L	1 J
SWB-6	3/1/2006	Chloromethane	TR	0.33	0.3	2	UG/L	1 J
SWB-6	6/1/2006	Chloromethane	TR	0.89	0.3	2	UG/L	1 J
SWB-6	12/5/2006	Chloromethane	TR	0.58	0.3	2	UG/L	1 J
SWB-6	3/2/2007	Chloromethane	<		0.3	2	UG/L	1
SWB-6	3/6/2008	Chloromethane	<		0.3	2	UG/L	1
SWB-6	6/9/2008	Chloromethane	TR	0.79	0.3	2	UG/L	1 J
SWB-6	12/5/2008	Chloromethane	TR	0.68	0.3	2	UG/L	1 J
SWB-6	3/2/2009	Chloromethane	<		0.3	2	UG/L	1
SWB-6	6/5/2009	Chloromethane	TR	0.82	0.3	2	UG/L	1 J
SWB-6	3/2/2010	Chloromethane	TR	0.79	0.3	2	UG/L	1 J
SWB-6	6/2/2010	CHLOROMETHANE	TR	0.46	0.3	2	UG/L	1 J
SWB-7	3/4/2003	Chloromethane	<		0.91	2	ug/L	1
SWB-7	6/3/2003	Chloromethane	<		0.91	2	ug/L	1
SWB-7	3/1/2004	Chloromethane	<		0.91	2	ug/L	1
SWB-7	5/24/2004	Chloromethane	<		0.91	2	ug/L	1
SWB-7	12/1/2004	Chloromethane	<		0.91	2	ug/L	1
SWB-7	3/7/2005	Chloromethane	<		0.25	2	ug/L	1
SWB-7	6/1/2005	Chloromethane	TR	0.68	0.3	2	ug/L	1 J
SWB-7	9/1/2005	Chloromethane	<		0.3	2	ug/L	1
SWB-7	12/1/2005	Chloromethane	<		0.3	2	UG/L	1
SWB-7	3/1/2006	Chloromethane	<		0.3	2	UG/L	1
SWB-7	6/2/2006	Chloromethane	<	2	0.3	2	UG/L	1 U
SWB-7	9/5/2006	Chloromethane	TR	0.5	0.3	2	UG/L	1 J
SWB-7	12/5/2006	Chloromethane	<		0.3	2	UG/L	1
SWB-7	3/2/2007	Chloromethane	<		0.3	2	UG/L	1
SWB-7	6/1/2007	Chloromethane	<		0.3	2	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	9/7/2007	Chloromethane	<		0.3	2	UG/L	1	
SWB-7	12/3/2007	Chloromethane	<		0.3	2	UG/L	1	
SWB-7	3/6/2008	Chloromethane	<		0.3	2	UG/L	1	
SWB-7	6/6/2008	Chloromethane	<		0.3	2	UG/L	1	
SWB-7	9/8/2008	Chloromethane	<		0.3	2	UG/L	1	
SWB-7	12/5/2008	Chloromethane	<		0.3	2	UG/L	1	
SWB-7	3/2/2009	Chloromethane	<		0.3	2	UG/L	1	
SWB-7	6/5/2009	Chloromethane	<		0.3	2	UG/L	1	
SWB-7	9/9/2009	Chloromethane	TR	2	0.3	2	UG/L	1	U
SWB-7	12/1/2009	Chloromethane	<		0.3	2	UG/L	1	
SWB-7	3/2/2010	Chloromethane	<	2	0.3	2	UG/L	1	
SWB-7	6/1/2010	CHLOROMETHANE	<	0.3	0.3	2	UG/L	1	DNR
SWB-7	6/1/2010	CHLOROMETHANE	<	1.2	1.2	8	UG/L	1	
SWB-7	9/9/2010	CHLOROMETHANE	<	0.3	0.3	2	UG/L	1	UJ
SWB-7	12/1/2010	CHLOROMETHANE	<	0.3	0.3	2	UG/L	1	
SWB-8	3/5/2004	Chloromethane	<		0.91	2	ug/L	1	
SWB-8	3/7/2005	Chloromethane	TR	0.67	0.25	2	ug/L	1	J
SWB-8	6/1/2005	Chloromethane	<		0.3	2	ug/L	1	
SWB-8	3/1/2006	Chloromethane	<		0.3	2	UG/L	1	
SWB-8	3/7/2008	Chloromethane	<		0.3	2	UG/L	1	
SWB-8	3/3/2009	Chloromethane	<		0.3	2	UG/L	1	
SWB-9	3/4/2003	Chloromethane	<		0.91	2	ug/L	1	
SWB-9	12/3/2003	Chloromethane	<		1.8	4	ug/L	2	
SWB-9	3/5/2004	Chloromethane	<		0.91	2	ug/L	1	
SWB-9	5/27/2004	Chloromethane	<		0.91	2	ug/L	1	
SWB-9	12/1/2004	Chloromethane	<		0.91	2	ug/L	1	
SWB-9	3/3/2005	Chloromethane	<		0.25	2	ug/L	1	
SWB-9	6/2/2005	Chloromethane	<		0.3	2	ug/L	1	
SWB-9	9/1/2005	Chloromethane	=	5.3	0.3	2	ug/L	1	J
SWB-9	12/1/2005	Chloromethane	<		0.3	2	UG/L	1	
SWB-9	3/2/2006	Chloromethane	<		1.2	8	UG/L	4	
SWB-9	6/1/2006	Chloromethane	TR	1.6	0.3	2	UG/L	1	J
SWB-9	12/4/2006	Chloromethane	TR	0.81	0.3	2	UG/L	1	J
SWB-9	3/5/2007	Chloromethane	TR	0.39	0.3	2	UG/L	1	J
SWB-9	3/6/2008	Chloromethane	<		0.3	2	UG/L	1	
SWB-9	6/5/2008	Chloromethane	TR	1.9	0.3	2	UG/L	1	J
SWB-9	12/5/2008	Chloromethane	<		0.3	2	UG/L	1	
SWB-9	3/2/2009	Chloromethane	<		0.3	2	UG/L	1	
SWB-9	6/2/2009	Chloromethane	TR	0.77	0.3	2	UG/L	1	J
SWB-9	3/1/2010	Chloromethane	<	2	0.3	2	ug/L	1	
SWB-9	6/1/2010	CHLOROMETHANE	<	1.2	1.2	8	UG/L	1	
SWB-9	6/1/2010	CHLOROMETHANE	TR	0.39	0.3	2	UG/L	1	DNR
SWB-9	12/1/2010	CHLOROMETHANE	<	0.3	0.3	2	UG/L	1	
SWB-10	3/2/2010	Chromium	TR	0.0041	0.00066	0.01	MG/L	1	J NA
SWB-11	3/1/2010	Chromium	TR	0.00085	0.00066	0.01	mg/L	1	J
SWB-11	6/2/2010	CHROMIUM	<	0.0066	0.0066	0.1	MG/L	10	
SWB-3	3/1/2010	Chromium	TR	0.0052	0.00066	0.01	mg/L	1	J
SWB-3	6/1/2010	CHROMIUM	TR	0.0023	0.00066	0.01	MG/L	1	J
SWB-3	9/9/2010	CHROMIUM	<	0.0066	0.0066	0.1	MG/L	10	
SWB-6	3/2/2010	Chromium	TR	0.0054	0.0033	0.05	MG/L	5	J
SWB-6	6/2/2010	CHROMIUM	<	0.0066	0.0066	0.1	MG/L	10	
SWB-7	3/2/2010	Chromium	<	0.01	0.00066	0.01	MG/L	1	
SWB-7	6/1/2010	CHROMIUM	<	0.00066	0.00066	0.01	MG/L	1	
SWB-7	9/9/2010	CHROMIUM	<	0.0066	0.0066	0.1	MG/L	10	
SWB-7	12/1/2010	CHROMIUM	<	0.00066	0.00066	0.01	MG/L	1	
SWB-9	3/1/2010	Chromium	TR	0.0016	0.00066	0.01	mg/L	1	J
SWB-9	6/1/2010	CHROMIUM	<	0.0066	0.0066	0.1	MG/L	10	

tmpAnalyticalResultsOverTime

SWB-9	12/1/2010	CHROMIUM	TR	0.01	0.0015	0.01	MG/L	1 U
SWB-3	10/29/2002	Chromium-DISSOLVED	<		0.0037	0.05	mg/L	5 UJ
SWB-4	11/15/2002	Chromium-DISSOLVED	<	0.05	0.0037	0.05	mg/L	5 UJ
SWB-5	10/29/2002	Chromium-DISSOLVED	<		0.0037	0.05	mg/L	5 UJ
SWB-10	3/4/2004	Chromium-TOTAL	=	0.011	0.0021	0.01	mg/L	1
SWB-10	5/24/2004	Chromium-TOTAL	<		0.0021	0.01	mg/L	1
SWB-10	12/1/2004	Chromium-TOTAL	TR	0.0057	0.0012	0.01	mg/L	1 J
SWB-10	3/3/2005	Chromium-TOTAL	TR	0.0042	0.0012	0.01	mg/L	1 J
SWB-10	6/2/2005	Chromium-TOTAL	TR	0.0028	0.00082	0.01	mg/L	1 J
SWB-10	9/1/2005	Chromium-TOTAL	<		0.013	0.05	MG/L	5
SWB-10	3/2/2006	Chromium-TOTAL	<		0.013	0.05	MG/L	5
SWB-10	6/2/2006	Chromium-TOTAL	<		0.026	0.1	MG/L	10
SWB-10	3/1/2007	Chromium-TOTAL	TR	0.021	0.013	0.05	MG/L	5 J
SWB-10	3/7/2008	Chromium-TOTAL	TR	0.003	0.0026	0.01	MG/L	1 J
SWB-10	6/5/2008	Chromium-TOTAL	TR	0.0066	0.0033	0.05	MG/L	5 J
SWB-10	3/2/2009	Chromium-TOTAL	TR	0.0045	0.00066	0.01	MG/L	1 J
SWB-10	6/4/2009	Chromium-TOTAL	<		0.0066	0.1	MG/L	10
SWB-11	3/4/2004	Chromium-TOTAL	<		0.0021	0.01	mg/L	1
SWB-11	5/24/2004	Chromium-TOTAL	TR	0.0028	0.0021	0.01	mg/L	1 J
SWB-11	12/1/2004	Chromium-TOTAL	TR	0.0017	0.0012	0.01	mg/L	1 J
SWB-11	3/1/2005	Chromium-TOTAL	TR	0.0013	0.0012	0.01	mg/L	1 J
SWB-11	6/2/2005	Chromium-TOTAL	TR	0.0013	0.00082	0.01	mg/L	1 J
SWB-11	3/2/2006	Chromium-TOTAL	<		0.013	0.05	MG/L	5
SWB-11	6/1/2006	Chromium-TOTAL	<		0.026	0.1	MG/L	10
SWB-11	3/1/2007	Chromium-TOTAL	TR	0.032	0.013	0.05	MG/L	5 J
SWB-11	3/7/2008	Chromium-TOTAL	<		0.0026	0.01	MG/L	1
SWB-11	6/5/2008	Chromium-TOTAL	TR	0.0033	0.0033	0.05	MG/L	5 J
SWB-11	3/2/2009	Chromium-TOTAL	TR	0.0017	0.00066	0.01	MG/L	1 J
SWB-11	6/4/2009	Chromium-TOTAL	<		0.0066	0.1	MG/L	10
SWB-3	10/29/2002	Chromium-TOTAL	<		0.0037	0.05	mg/L	5
SWB-3	3/4/2003	Chromium-TOTAL	TR	0.0018	0.00074	0.01	mg/L	1 J
SWB-3	6/3/2003	Chromium-TOTAL	TR	0.0027	0.0021	0.01	mg/L	1 J
SWB-3	9/4/2003	Chromium-TOTAL	<		0.021	0.1	mg/L	10
SWB-3	12/2/2003	Chromium-TOTAL	<		0.0021	0.027	mg/L	1
SWB-3	3/1/2004	Chromium-TOTAL	TR	0.0022	0.0021	0.01	mg/L	1 J
SWB-3	6/1/2004	Chromium-TOTAL	<		0.0021	0.01	mg/L	1
SWB-3	9/1/2004	Chromium-TOTAL	<		0.006	0.05	mg/L	5
SWB-3	12/1/2004	Chromium-TOTAL	TR	0.0048	0.0012	0.01	mg/L	1 J
SWB-3	3/3/2005	Chromium-TOTAL	TR	0.0022	0.0012	0.01	mg/L	1 J
SWB-3	6/2/2005	Chromium-TOTAL	TR	0.0012	0.00082	0.01	mg/L	1 J
SWB-3	9/1/2005	Chromium-TOTAL	<		0.0026	0.01	MG/L	1
SWB-3	12/1/2005	Chromium-TOTAL	<		0.0026	0.01	MG/L	1
SWB-3	3/2/2006	Chromium-TOTAL	<		0.0026	0.01	MG/L	1
SWB-3	6/2/2006	Chromium-TOTAL	<		0.0026	0.01	MG/L	1
SWB-3	9/5/2006	Chromium-TOTAL	<		0.013	0.05	MG/L	5
SWB-3	12/4/2006	Chromium-TOTAL	TR	0.013	0.013	0.05	MG/L	5 J
SWB-3	3/1/2007	Chromium-TOTAL	<		0.013	0.05	MG/L	5
SWB-3	6/1/2007	Chromium-TOTAL	<		0.0026	0.01	MG/L	1
SWB-3	12/3/2007	Chromium-TOTAL	<		0.0026	0.01	MG/L	1
SWB-3	3/6/2008	Chromium-TOTAL	<		0.0026	0.01	MG/L	1
SWB-3	6/9/2008	Chromium-TOTAL	TR	0.0013	0.00066	0.01	MG/L	1 J
SWB-3	12/4/2008	Chromium-TOTAL	TR	0.0007	0.00066	0.01	MG/L	1 B
SWB-3	3/2/2009	Chromium-TOTAL	TR	0.0032	0.00066	0.01	MG/L	1 J
SWB-3	6/4/2009	Chromium-TOTAL	TR	0.0012	0.00066	0.01	MG/L	1 J
SWB-3	12/1/2009	Chromium-TOTAL	<		0.00066	0.01	MG/L	1
SWB-4	11/15/2002	Chromium-TOTAL	TR	0.0054	0.0037	0.05	mg/L	5 J
SWB-5	10/29/2002	Chromium-TOTAL	<		0.0074	0.1	mg/L	10 UJ

tmpAnalyticalResultsOverTime

SWB-6	3/4/2003	Chromium-TOTAL	TR	0.00088	0.00074	0.01	mg/L	1	J
SWB-6	6/3/2003	Chromium-TOTAL	<		0.0021	0.01	mg/L	1	
SWB-6	12/3/2003	Chromium-TOTAL	<		0.01	0.05	mg/L	5	
SWB-6	3/5/2004	Chromium-TOTAL	<		0.0021	0.01	mg/L	1	
SWB-6	6/1/2004	Chromium-TOTAL	TR	0.0021	0.0021	0.01	mg/L	1	J
SWB-6	12/1/2004	Chromium-TOTAL	TR	0.0022	0.0012	0.01	mg/L	1	J
SWB-6	3/7/2005	Chromium-TOTAL	<		0.0012	0.01	mg/L	1	
SWB-6	6/1/2005	Chromium-TOTAL	<		0.00082	0.01	mg/L	1	
SWB-6	12/2/2005	Chromium-TOTAL	<		0.026	0.1	MG/L	10	
SWB-6	3/1/2006	Chromium-TOTAL	<		0.0026	0.01	MG/L	1	
SWB-6	6/1/2006	Chromium-TOTAL	<		0.013	0.05	MG/L	5	
SWB-6	12/5/2006	Chromium-TOTAL	<		0.026	0.1	MG/L	10	
SWB-6	3/2/2007	Chromium-TOTAL	<		0.013	0.05	MG/L	5	
SWB-6	3/6/2008	Chromium-TOTAL	<		0.0026	0.01	MG/L	1	
SWB-6	6/9/2008	Chromium-TOTAL	TR	0.0036	0.0033	0.05	MG/L	5	J
SWB-6	12/5/2008	Chromium-TOTAL	<		0.0033	0.05	MG/L	5	
SWB-6	3/2/2009	Chromium-TOTAL	<		0.00066	0.01	MG/L	1	
SWB-6	6/5/2009	Chromium-TOTAL	<		0.0066	0.1	MG/L	10	
SWB-7	3/4/2003	Chromium-TOTAL	<		0.0015	0.02	mg/L	2	
SWB-7	6/3/2003	Chromium-TOTAL	TR	0.0093	0.0042	0.02	mg/L	2	J
SWB-7	3/1/2004	Chromium-TOTAL	<		0.0021	0.01	mg/L	1	
SWB-7	5/24/2004	Chromium-TOTAL	<		0.0021	0.01	mg/L	1	
SWB-7	12/1/2004	Chromium-TOTAL	TR	0.0015	0.0012	0.01	mg/L	1	J
SWB-7	3/7/2005	Chromium-TOTAL	<		0.0012	0.01	mg/L	1	
SWB-7	6/1/2005	Chromium-TOTAL	<		0.00082	0.01	mg/L	1	
SWB-7	9/1/2005	Chromium-TOTAL	<		0.0026	0.01	MG/L	1	
SWB-7	12/1/2005	Chromium-TOTAL	<		0.0026	0.01	MG/L	1	
SWB-7	3/1/2006	Chromium-TOTAL	<		0.0026	0.01	MG/L	1	
SWB-7	6/2/2006	Chromium-TOTAL	<		0.0026	0.01	MG/L	1	
SWB-7	9/5/2006	Chromium-TOTAL	<		0.0026	0.01	MG/L	1	
SWB-7	12/5/2006	Chromium-TOTAL	<		0.0026	0.01	MG/L	1	
SWB-7	3/2/2007	Chromium-TOTAL	<		0.0026	0.01	MG/L	1	
SWB-7	6/1/2007	Chromium-TOTAL	<		0.0026	0.01	MG/L	1	
SWB-7	9/7/2007	Chromium-TOTAL	TR	0.038	0.013	0.05	MG/L	5	J
SWB-7	12/3/2007	Chromium-TOTAL	<		0.0026	0.01	MG/L	1	
SWB-7	3/6/2008	Chromium-TOTAL	<		0.0026	0.01	MG/L	1	
SWB-7	6/6/2008	Chromium-TOTAL	<		0.00066	0.01	MG/L	1	
SWB-7	9/8/2008	Chromium-TOTAL	<		0.00066	0.01	MG/L	1	
SWB-7	12/5/2008	Chromium-TOTAL	<		0.00066	0.01	MG/L	1	
SWB-7	3/2/2009	Chromium-TOTAL	TR	0.0024	0.00066	0.01	MG/L	1	J
SWB-7	6/5/2009	Chromium-TOTAL	<		0.00066	0.01	MG/L	1	UJ
SWB-7	9/9/2009	Chromium-TOTAL	<		0.0033	0.05	MG/L	5	
SWB-7	12/1/2009	Chromium-TOTAL	<		0.00066	0.01	MG/L	1	
SWB-8	3/5/2004	Chromium-TOTAL	<		0.0021	0.01	mg/L	1	
SWB-8	3/7/2005	Chromium-TOTAL	<		0.0012	0.01	mg/L	1	
SWB-8	6/1/2005	Chromium-TOTAL	TR	0.0041	0.00082	0.01	mg/L	1	J
SWB-8	3/1/2006	Chromium-TOTAL	TR	0.0028	0.0026	0.01	MG/L	1	J
SWB-8	3/7/2008	Chromium-TOTAL	TR	0.0037	0.0026	0.01	MG/L	1	J
SWB-8	3/3/2009	Chromium-TOTAL	TR	0.002	0.00066	0.01	MG/L	1	J
SWB-9	3/4/2003	Chromium-TOTAL	TR	0.00086	0.00074	0.01	mg/L	1	J
SWB-9	12/3/2003	Chromium-TOTAL	<		0.01	0.05	mg/L	5	
SWB-9	3/5/2004	Chromium-TOTAL	<		0.0021	0.01	mg/L	1	
SWB-9	5/27/2004	Chromium-TOTAL	<		0.01	0.05	mg/L	5	
SWB-9	12/1/2004	Chromium-TOTAL	TR	0.002	0.0012	0.01	mg/L	1	J
SWB-9	3/3/2005	Chromium-TOTAL	<		0.0012	0.01	mg/L	1	
SWB-9	6/2/2005	Chromium-TOTAL	<		0.00082	0.01	mg/L	1	
SWB-9	9/1/2005	Chromium-TOTAL	<		0.026	0.1	MG/L	10	

tmpAnalyticalResultsOverTime

SWB-9	12/1/2005	Chromium-TOTAL	<		0.026	0.1	MG/L	10	
SWB-9	3/2/2006	Chromium-TOTAL	<		0.013	0.05	MG/L	5	
SWB-9	6/1/2006	Chromium-TOTAL	<		0.026	0.1	MG/L	10	
SWB-9	12/4/2006	Chromium-TOTAL	<		0.13	0.5	MG/L	50	
SWB-9	3/5/2007	Chromium-TOTAL	<		0.013	0.05	MG/L	5	
SWB-9	3/6/2008	Chromium-TOTAL	<		0.013	0.05	MG/L	5	
SWB-9	6/5/2008	Chromium-TOTAL	<		0.0033	0.05	MG/L	5	
SWB-9	12/5/2008	Chromium-TOTAL	<		0.0033	0.05	MG/L	5	
SWB-9	3/2/2009	Chromium-TOTAL	TR	0.0017	0.00066	0.01	MG/L	1 J	
SWB-9	6/2/2009	Chromium-TOTAL	TR	0.045	0.0066	0.1	MG/L	10 J	
SWB-10	3/4/2004	Chrysene	<		0.8	10	ug/L	1	NA
SWB-10	5/24/2004	Chrysene	<		0.8	10	ug/L	1 UJ	
SWB-10	12/1/2004	Chrysene	<		0.8	10	ug/L	1	
SWB-10	3/3/2005	Chrysene	<		2	10	ug/L	1	
SWB-10	6/2/2005	Chrysene	<		2	10	ug/L	1	
SWB-10	9/1/2005	Chrysene	<		2	10	ug/L	1	
SWB-10	3/2/2006	Chrysene	<		2	10	UG/L	1	
SWB-10	6/2/2006	Chrysene	<		1	10	UG/L	1	
SWB-10	3/1/2007	Chrysene	<		1	10	UG/L	1	
SWB-10	3/7/2008	Chrysene	<		0.54	10	UG/L	1	
SWB-10	6/5/2008	Chrysene	<		0.54	10	UG/L	1	
SWB-10	3/2/2009	Chrysene	<		0.54	4	UG/L	1	
SWB-10	3/2/2009	Chrysene	<		0.54	4	UG/L	1 R	
SWB-10	6/4/2009	Chrysene	<		0.54	4	UG/L	1 U	
SWB-10	3/2/2010	Chrysene	<	3.7	0.5	3.7	UG/L	1	
SWB-11	3/4/2004	Chrysene	<		0.8	10	ug/L	1	
SWB-11	5/24/2004	Chrysene	<		0.8	10	ug/L	1 UJ	
SWB-11	12/1/2004	Chrysene	<		0.8	10	ug/L	1	
SWB-11	3/1/2005	Chrysene	<		2	10	ug/L	1	
SWB-11	6/2/2005	Chrysene	<		2	10	ug/L	1	
SWB-11	3/2/2006	Chrysene	<		2	10	UG/L	1	
SWB-11	6/1/2006	Chrysene	<		1	10	UG/L	1	
SWB-11	3/1/2007	Chrysene	<		1	10	UG/L	1	
SWB-11	3/7/2008	Chrysene	<		0.54	10	UG/L	1	
SWB-11	6/5/2008	Chrysene	<		0.54	10	UG/L	1	
SWB-11	3/2/2009	Chrysene	<		0.54	4	UG/L	1	
SWB-11	6/4/2009	Chrysene	<		0.54	4	UG/L	1 U	
SWB-11	3/1/2010	Chrysene	<	3.7	0.51	3.7	ug/L	1	
SWB-11	6/2/2010	CHRYSENE	<	0.51	0.51	3.8	UG/L	1 UJ	
SWB-3	10/29/2002	Chrysene	<		1.7	10	ug/L	1	
SWB-3	3/4/2003	Chrysene	<		1.7	10	ug/L	1	
SWB-3	6/3/2003	Chrysene	<		1.7	10	ug/L	1	
SWB-3	9/4/2003	Chrysene	<		1.7	10	ug/L	1 UJ	
SWB-3	12/2/2003	Chrysene	<		0.8	10	ug/L	1	
SWB-3	3/1/2004	Chrysene	<		0.8	10	ug/L	1	
SWB-3	6/1/2004	Chrysene	<		0.8	10	ug/L	1	
SWB-3	9/1/2004	Chrysene	<		0.8	10	ug/L	1	
SWB-3	12/1/2004	Chrysene	<		0.8	10	ug/L	1	
SWB-3	3/3/2005	Chrysene	<		2	10	ug/L	1	
SWB-3	6/2/2005	Chrysene	<		2	10	ug/L	1	
SWB-3	9/1/2005	Chrysene	<		2	10	ug/L	1	
SWB-3	12/1/2005	Chrysene	<		2	10	UG/L	1 UJ	
SWB-3	3/2/2006	Chrysene	<		2	10	UG/L	1	
SWB-3	6/2/2006	Chrysene	<		1	10	UG/L	1	
SWB-3	9/5/2006	Chrysene	<		1	10	UG/L	1	
SWB-3	9/5/2006	Chrysene	<		0.02	1	UG/L	1	
SWB-3	12/4/2006	Chrysene	<		1	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	3/1/2007	Chrysene	<		1	10	UG/L	1
SWB-3	6/1/2007	Chrysene	<		1	10	UG/L	1
SWB-3	6/1/2007	Chrysene	<		1	10	UG/L	1 R
SWB-3	12/3/2007	Chrysene	<		0.54	10	UG/L	1
SWB-3	3/6/2008	Chrysene	<		0.54	10	UG/L	1
SWB-3	6/9/2008	Chrysene	<		0.54	10	UG/L	1
SWB-3	12/4/2008	Chrysene	<		0.54	4	UG/L	1
SWB-3	3/2/2009	Chrysene	<		0.54	4	UG/L	1
SWB-3	3/2/2009	Chrysene	TR	0.58	0.54	4	UG/L	1 R
SWB-3	6/4/2009	Chrysene	<		0.54	4	UG/L	1 U
SWB-3	12/1/2009	Chrysene	<		0.54	4	UG/L	1
SWB-3	12/1/2009	Chrysene	<		0.54	4	UG/L	1 DNR
SWB-3	3/1/2010	Chrysene	<	3.9	0.53	3.9	ug/L	1 UJ
SWB-3	6/1/2010	CHRYSENE	<	0.51	0.51	3.7	UG/L	1 UJ
SWB-3	6/1/2010	CHRYSENE	<	0.51	0.51	3.8	UG/L	1 DNR
SWB-3	9/9/2010	CHRYSENE	<	0.5	0.5	3.7	UG/L	1
SWB-4	11/15/2002	Chrysene	<		1.7	10	ug/L	1
SWB-5	10/29/2002	Chrysene	<		1.7	10	ug/L	1
SWB-6	3/4/2003	Chrysene	<		1.7	10	ug/L	1
SWB-6	6/3/2003	Chrysene	<		1.7	10	ug/L	1
SWB-6	12/3/2003	Chrysene	<		0.8	10	ug/L	1
SWB-6	3/5/2004	Chrysene	<		0.8	10	ug/L	1
SWB-6	6/1/2004	Chrysene	<		0.8	10	ug/L	1
SWB-6	12/1/2004	Chrysene	<		0.8	10	ug/L	1
SWB-6	3/7/2005	Chrysene	<		2	10	ug/L	1
SWB-6	6/1/2005	Chrysene	<		2	10	ug/L	1
SWB-6	12/2/2005	Chrysene	<		2	10	UG/L	1 UJ
SWB-6	3/1/2006	Chrysene	<		2	10	UG/L	1
SWB-6	6/1/2006	Chrysene	<		1	10	UG/L	1
SWB-6	12/5/2006	Chrysene	<		1	10	UG/L	1
SWB-6	3/2/2007	Chrysene	<		1	10	UG/L	1
SWB-6	3/6/2008	Chrysene	<		0.54	10	UG/L	1
SWB-6	6/9/2008	Chrysene	<		0.54	10	UG/L	1
SWB-6	12/5/2008	Chrysene	<		0.54	4	UG/L	1
SWB-6	12/5/2008	Chrysene	<		0.54	4	UG/L	1 R
SWB-6	3/2/2009	Chrysene	<		0.54	4	UG/L	1
SWB-6	3/2/2009	Chrysene	<		0.54	4	UG/L	1 R
SWB-6	6/5/2009	Chrysene	<		0.54	4	UG/L	1
SWB-6	3/2/2010	Chrysene	<	3.6	0.49	3.6	UG/L	1
SWB-6	6/2/2010	CHRYSENE	<	0.51	0.51	3.8	UG/L	1 DNR
SWB-6	6/2/2010	CHRYSENE	<	0.51	0.51	3.8	UG/L	1 UJ
SWB-7	3/4/2003	Chrysene	<		1.7	10	ug/L	1
SWB-7	6/3/2003	Chrysene	<		1.7	10	ug/L	1
SWB-7	3/1/2004	Chrysene	<		0.8	10	ug/L	1
SWB-7	5/24/2004	Chrysene	<		0.8	10	ug/L	1
SWB-7	12/1/2004	Chrysene	<		0.8	10	ug/L	1
SWB-7	3/7/2005	Chrysene	<		2	10	ug/L	1 UJ
SWB-7	6/1/2005	Chrysene	<		2	10	ug/L	1
SWB-7	9/1/2005	Chrysene	<		2	10	ug/L	1
SWB-7	12/1/2005	Chrysene	<		2	10	UG/L	1 UJ
SWB-7	3/1/2006	Chrysene	<		2	10	UG/L	1
SWB-7	6/2/2006	Chrysene	<		1	10	UG/L	1
SWB-7	9/5/2006	Chrysene	<		1	10	UG/L	1 UJ
SWB-7	9/5/2006	Chrysene	<		0.02	1	UG/L	1
SWB-7	12/5/2006	Chrysene	<		1	10	UG/L	1
SWB-7	3/2/2007	Chrysene	<		1	10	UG/L	1
SWB-7	6/1/2007	Chrysene	<		1	10	UG/L	1



tmpAnalyticalResultsOverTime

SWB-7	9/7/2007	Chrysene	<		0.54	10	UG/L	1	
SWB-7	12/3/2007	Chrysene	<		0.54	10	UG/L	1	
SWB-7	3/6/2008	Chrysene	<		0.54	10	UG/L	1	
SWB-7	6/6/2008	Chrysene	<		0.54	10	UG/L	1	
SWB-7	9/8/2008	Chrysene	<		0.54	4	UG/L	1	
SWB-7	12/5/2008	Chrysene	<		0.54	4	UG/L	1	
SWB-7	12/5/2008	Chrysene	<		0.54	4	UG/L	1	R
SWB-7	3/2/2009	Chrysene	<		0.54	4	UG/L	1	
SWB-7	3/2/2009	Chrysene	<		0.54	4	UG/L	1	R
SWB-7	6/5/2009	Chrysene	<	4	0.54	4	UG/L	1	UJ
SWB-7	9/9/2009	Chrysene	TR	4	0.54	4	UG/L	1	U
SWB-7	12/1/2009	Chrysene	<		0.54	4	UG/L	1	
SWB-7	3/2/2010	Chrysene	<	3.8	0.51	3.8	UG/L	1	
SWB-7	6/1/2010	CHRYSENE	<	0.52	0.52	3.8	UG/L	1	DNR
SWB-7	6/1/2010	CHRYSENE	<	0.54	0.54	4	UG/L	1	R
SWB-7	9/9/2010	CHRYSENE	<	0.52	0.52	3.9	UG/L	1	
SWB-7	12/1/2010	CHRYSENE	<	0.5	0.5	3.7	UG/L	1	
SWB-8	3/5/2004	Chrysene	<		0.8	10	ug/L	1	
SWB-8	3/7/2005	Chrysene	<		2	10	ug/L	1	
SWB-8	6/1/2005	Chrysene	<		2	10	ug/L	1	
SWB-8	3/1/2006	Chrysene	<		2	10	UG/L	1	
SWB-8	3/7/2008	Chrysene	<		0.54	10	UG/L	1	
SWB-8	3/3/2009	Chrysene	<		0.54	4	UG/L	1	
SWB-8	3/3/2009	Chrysene	<		0.54	4	UG/L	1	R
SWB-9	3/4/2003	Chrysene	<		1.7	10	ug/L	1	
SWB-9	12/3/2003	Chrysene	<		0.8	10	ug/L	1	
SWB-9	3/5/2004	Chrysene	<		0.8	10	ug/L	1	
SWB-9	5/27/2004	Chrysene	<		0.8	10	ug/L	1	UJ
SWB-9	12/1/2004	Chrysene	<		0.8	10	ug/L	1	
SWB-9	3/3/2005	Chrysene	<		2	10	ug/L	1	
SWB-9	6/2/2005	Chrysene	<		2	10	ug/L	1	
SWB-9	9/1/2005	Chrysene	<		2	10	ug/L	1	
SWB-9	12/1/2005	Chrysene	<		2	10	UG/L	1	UJ
SWB-9	3/2/2006	Chrysene	<		2	10	UG/L	1	
SWB-9	6/1/2006	Chrysene	<		1	10	UG/L	1	
SWB-9	12/4/2006	Chrysene	<		1	10	UG/L	1	
SWB-9	3/5/2007	Chrysene	<		1	10	UG/L	1	
SWB-9	3/6/2008	Chrysene	<		0.54	10	UG/L	1	
SWB-9	6/5/2008	Chrysene	<		0.54	10	UG/L	1	
SWB-9	12/5/2008	Chrysene	<		0.54	4	UG/L	1	
SWB-9	12/5/2008	Chrysene	<		0.54	4	UG/L	1	R
SWB-9	3/2/2009	Chrysene	<		0.54	4	UG/L	1	
SWB-9	3/2/2009	Chrysene	TR	0.56	0.54	4	UG/L	1	R
SWB-9	6/2/2009	Chrysene	<		0.54	4	UG/L	1	
SWB-9	6/2/2009	Chrysene	TR	0.72	0.54	4	UG/L	1	DNR
SWB-9	3/1/2010	Chrysene	<	3.7	0.5	3.7	ug/L	1	
SWB-9	6/1/2010	CHRYSENE	<	0.51	0.51	3.8	UG/L	1	DNR
SWB-9	6/1/2010	CHRYSENE	<	0.51	0.51	3.8	UG/L	1	UJ
SWB-9	12/1/2010	CHRYSENE	<	0.5	0.5	3.7	UG/L	1	UJ
SWB-10	3/4/2004	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1	NA
SWB-10	5/24/2004	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1	
SWB-10	12/1/2004	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1	
SWB-10	3/3/2005	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1	
SWB-10	6/2/2005	cis-1,2-Dichloroethene	<		0.15	1	ug/L	1	
SWB-10	9/1/2005	cis-1,2-Dichloroethene	<		0.15	1	ug/L	1	
SWB-10	3/2/2006	cis-1,2-Dichloroethene	<		0.6	4	UG/L	4	
SWB-10	6/2/2006	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-10	3/1/2007	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-10	3/7/2008	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-10	6/5/2008	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-10	3/2/2009	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-10	6/4/2009	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-10	3/2/2010	cis-1,2-Dichloroethene	<	1	0.15	1	UG/L	1
SWB-11	3/4/2004	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-11	5/24/2004	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-11	12/1/2004	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-11	3/1/2005	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-11	6/2/2005	cis-1,2-Dichloroethene	<		0.15	1	ug/L	1
SWB-11	3/2/2006	cis-1,2-Dichloroethene	<		1.5	10	UG/L	10
SWB-11	6/1/2006	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-11	3/1/2007	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-11	3/7/2008	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-11	6/5/2008	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-11	3/2/2009	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-11	6/4/2009	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-11	3/1/2010	cis-1,2-Dichloroethene	<	1	0.15	1	ug/L	1
SWB-11	6/2/2010	cis-1,2-DICHLOROETHENE	<	0.15	0.15	1	UG/L	1
SWB-3	10/29/2002	cis-1,2-Dichloroethene	<		0.33	1	ug/L	1
SWB-3	3/4/2003	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-3	6/3/2003	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-3	9/4/2003	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1 UJ
SWB-3	12/2/2003	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-3	3/1/2004	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-3	6/1/2004	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-3	9/1/2004	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-3	12/1/2004	cis-1,2-Dichloroethene	<		0.23	1.7	ug/L	1.66
SWB-3	3/3/2005	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-3	6/2/2005	cis-1,2-Dichloroethene	<		0.15	1	ug/L	1
SWB-3	9/1/2005	cis-1,2-Dichloroethene	<		0.15	1	ug/L	1
SWB-3	12/1/2005	cis-1,2-Dichloroethene	<		0.3	2	UG/L	2
SWB-3	3/2/2006	cis-1,2-Dichloroethene	<		0.6	4	UG/L	4
SWB-3	6/2/2006	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-3	9/5/2006	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-3	12/4/2006	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-3	3/1/2007	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-3	6/1/2007	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-3	12/3/2007	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-3	3/6/2008	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-3	6/9/2008	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-3	12/4/2008	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-3	3/2/2009	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-3	6/4/2009	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-3	12/1/2009	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-3	3/1/2010	cis-1,2-Dichloroethene	<	1	0.15	1	ug/L	1
SWB-3	3/1/2010	cis-1,2-Dichloroethene	<	2	0.3	2	ug/L	1 DNR
SWB-3	6/1/2010	cis-1,2-DICHLOROETHENE	<	0.15	0.15	1	UG/L	1 DNR
SWB-3	6/1/2010	cis-1,2-DICHLOROETHENE	<	0.6	0.6	4	UG/L	1
SWB-3	9/9/2010	cis-1,2-DICHLOROETHENE	<	0.15	0.15	1	UG/L	1 UJ
SWB-4	11/15/2002	cis-1,2-Dichloroethene	<		0.33	1	ug/L	1
SWB-5	10/29/2002	cis-1,2-Dichloroethene	<		0.33	1	ug/L	1
SWB-6	3/4/2003	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-6	6/3/2003	cis-1,2-Dichloroethene	<		0.28	2	ug/L	2
SWB-6	12/3/2003	cis-1,2-Dichloroethene	<		0.28	2	ug/L	2
SWB-6	3/5/2004	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	6/1/2004	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-6	12/1/2004	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-6	3/7/2005	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-6	6/1/2005	cis-1,2-Dichloroethene	<		0.15	1	ug/L	1
SWB-6	12/2/2005	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-6	3/1/2006	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-6	6/1/2006	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-6	12/5/2006	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-6	3/2/2007	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-6	3/6/2008	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-6	6/9/2008	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-6	12/5/2008	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-6	3/2/2009	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-6	6/5/2009	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-6	3/2/2010	cis-1,2-Dichloroethene	<	1	0.15	1	UG/L	1
SWB-6	6/2/2010	cis-1,2-DICHLOROETHENE	<	0.15	0.15	1	UG/L	1
SWB-7	3/4/2003	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-7	6/3/2003	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-7	3/1/2004	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-7	5/24/2004	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-7	12/1/2004	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-7	3/7/2005	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-7	6/1/2005	cis-1,2-Dichloroethene	<		0.15	1	ug/L	1
SWB-7	9/1/2005	cis-1,2-Dichloroethene	<		0.15	1	ug/L	1
SWB-7	12/1/2005	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-7	3/1/2006	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-7	6/2/2006	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-7	9/5/2006	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-7	12/5/2006	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-7	3/2/2007	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-7	6/1/2007	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-7	9/7/2007	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-7	12/3/2007	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-7	3/6/2008	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-7	6/6/2008	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-7	9/8/2008	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-7	12/5/2008	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-7	3/2/2009	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-7	6/5/2009	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-7	9/9/2009	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-7	12/1/2009	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-7	3/2/2010	cis-1,2-Dichloroethene	<	1	0.15	1	UG/L	1
SWB-7	6/1/2010	cis-1,2-DICHLOROETHENE	<	0.15	0.15	1	UG/L	1 DNR
SWB-7	6/1/2010	cis-1,2-DICHLOROETHENE	<	0.6	0.6	4	UG/L	1
SWB-7	9/9/2010	cis-1,2-DICHLOROETHENE	<	0.15	0.15	1	UG/L	1 UJ
SWB-7	12/1/2010	cis-1,2-DICHLOROETHENE	<	0.15	0.15	1	UG/L	1
SWB-8	3/5/2004	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-8	3/7/2005	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-8	6/1/2005	cis-1,2-Dichloroethene	<		0.15	1	ug/L	1
SWB-8	3/1/2006	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-8	3/7/2008	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-8	3/3/2009	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1
SWB-9	3/4/2003	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-9	12/3/2003	cis-1,2-Dichloroethene	<		0.28	2	ug/L	2
SWB-9	3/5/2004	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-9	5/27/2004	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1
SWB-9	12/1/2004	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-9	3/3/2005	cis-1,2-Dichloroethene	<		0.14	1	ug/L	1	
SWB-9	6/2/2005	cis-1,2-Dichloroethene	<		0.15	1	ug/L	1	
SWB-9	9/1/2005	cis-1,2-Dichloroethene	<		0.15	1	ug/L	1	UJ
SWB-9	12/1/2005	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-9	3/2/2006	cis-1,2-Dichloroethene	<		0.6	4	UG/L	4	
SWB-9	6/1/2006	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-9	12/4/2006	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-9	3/5/2007	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-9	3/6/2008	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-9	6/5/2008	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1	R
SWB-9	12/5/2008	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-9	3/2/2009	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-9	6/2/2009	cis-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-9	3/1/2010	cis-1,2-Dichloroethene	<		1	0.15	ug/L	1	
SWB-9	6/1/2010	cis-1,2-DICHLOROETHENE	<		0.15	0.15	UG/L	1	DNR
SWB-9	6/1/2010	cis-1,2-DICHLOROETHENE	<		0.6	0.6	UG/L	4	
SWB-9	12/1/2010	cis-1,2-DICHLOROETHENE	<		0.15	0.15	UG/L	1	
SWB-10	3/4/2004	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1	NA
SWB-10	5/24/2004	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1	
SWB-10	12/1/2004	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1	
SWB-10	3/3/2005	cis-1,3-Dichloropropene	<		0.12	1	ug/L	1	
SWB-10	6/2/2005	cis-1,3-Dichloropropene	<		0.16	1	ug/L	1	
SWB-10	9/1/2005	cis-1,3-Dichloropropene	<		0.16	1	ug/L	1	
SWB-10	3/2/2006	cis-1,3-Dichloropropene	<		0.64	4	UG/L	4	
SWB-10	6/2/2006	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-10	3/1/2007	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-10	3/7/2008	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-10	6/5/2008	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-10	3/2/2009	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-10	6/4/2009	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-10	3/2/2010	cis-1,3-Dichloropropene	<		1	0.16	UG/L	1	
SWB-11	3/4/2004	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1	
SWB-11	5/24/2004	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1	
SWB-11	12/1/2004	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1	
SWB-11	3/1/2005	cis-1,3-Dichloropropene	<		0.12	1	ug/L	1	
SWB-11	6/2/2005	cis-1,3-Dichloropropene	<		0.16	1	ug/L	1	
SWB-11	3/2/2006	cis-1,3-Dichloropropene	<		1.6	10	UG/L	10	
SWB-11	6/1/2006	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-11	3/1/2007	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-11	3/7/2008	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-11	6/5/2008	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-11	3/2/2009	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-11	6/4/2009	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-11	3/1/2010	cis-1,3-Dichloropropene	<		1	0.16	ug/L	1	
SWB-11	6/2/2010	cis-1,3-DICHLOROPROPENE	<		0.16	0.16	UG/L	1	
SWB-3	10/29/2002	cis-1,3-Dichloropropene	<		0.31	1	ug/L	1	
SWB-3	3/4/2003	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1	
SWB-3	6/3/2003	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1	
SWB-3	9/4/2003	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1	UJ
SWB-3	12/2/2003	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1	
SWB-3	3/1/2004	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1	
SWB-3	6/1/2004	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1	
SWB-3	9/1/2004	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1	
SWB-3	12/1/2004	cis-1,3-Dichloropropene	<		0.32	1.7	ug/L	1.66	
SWB-3	3/3/2005	cis-1,3-Dichloropropene	<		0.12	1	ug/L	1	
SWB-3	6/2/2005	cis-1,3-Dichloropropene	<		0.16	1	ug/L	1	
SWB-3	9/1/2005	cis-1,3-Dichloropropene	<		0.16	1	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	12/1/2005	cis-1,3-Dichloropropene	<		0.32	2	UG/L	2
SWB-3	3/2/2006	cis-1,3-Dichloropropene	<		0.64	4	UG/L	4
SWB-3	6/2/2006	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-3	9/5/2006	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-3	12/4/2006	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-3	3/1/2007	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-3	6/1/2007	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-3	12/3/2007	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-3	3/6/2008	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-3	6/9/2008	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-3	12/4/2008	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-3	3/2/2009	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-3	6/4/2009	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-3	12/1/2009	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-3	3/1/2010	cis-1,3-Dichloropropene	<	1	0.16	1	ug/L	1
SWB-3	3/1/2010	cis-1,3-Dichloropropene	<	2	0.32	2	ug/L	1 DNR
SWB-3	6/1/2010	cis-1,3-DICHLOROPROPENE	<	0.16	0.16	1	UG/L	1 DNR
SWB-3	6/1/2010	cis-1,3-DICHLOROPROPENE	<	0.64	0.64	4	UG/L	1
SWB-3	9/9/2010	cis-1,3-DICHLOROPROPENE	<	0.16	0.16	1	UG/L	1 UJ
SWB-4	11/15/2002	cis-1,3-Dichloropropene	<		0.31	1	ug/L	1
SWB-5	10/29/2002	cis-1,3-Dichloropropene	<		0.31	1	ug/L	1
SWB-6	3/4/2003	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1
SWB-6	6/3/2003	cis-1,3-Dichloropropene	<		0.38	2	ug/L	2
SWB-6	12/3/2003	cis-1,3-Dichloropropene	<		0.38	2	ug/L	2
SWB-6	3/5/2004	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1
SWB-6	6/1/2004	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1
SWB-6	12/1/2004	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1
SWB-6	3/7/2005	cis-1,3-Dichloropropene	<		0.12	1	ug/L	1
SWB-6	6/1/2005	cis-1,3-Dichloropropene	<		0.16	1	ug/L	1
SWB-6	12/2/2005	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-6	3/1/2006	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-6	6/1/2006	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-6	12/5/2006	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-6	3/2/2007	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-6	3/6/2008	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-6	6/9/2008	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-6	12/5/2008	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-6	3/2/2009	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-6	6/5/2009	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-6	3/2/2010	cis-1,3-Dichloropropene	<	1	0.16	1	UG/L	1
SWB-6	6/2/2010	cis-1,3-DICHLOROPROPENE	<	0.16	0.16	1	UG/L	1
SWB-7	3/4/2003	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1
SWB-7	6/3/2003	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1
SWB-7	3/1/2004	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1
SWB-7	5/24/2004	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1
SWB-7	12/1/2004	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1
SWB-7	3/7/2005	cis-1,3-Dichloropropene	<		0.12	1	ug/L	1
SWB-7	6/1/2005	cis-1,3-Dichloropropene	<		0.16	1	ug/L	1
SWB-7	9/1/2005	cis-1,3-Dichloropropene	<		0.16	1	ug/L	1
SWB-7	12/1/2005	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-7	3/1/2006	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-7	6/2/2006	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-7	9/5/2006	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-7	12/5/2006	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-7	3/2/2007	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-7	6/1/2007	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1
SWB-7	9/7/2007	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	12/3/2007	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-7	3/6/2008	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-7	6/6/2008	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-7	9/8/2008	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-7	12/5/2008	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-7	3/2/2009	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-7	6/5/2009	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-7	9/9/2009	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-7	12/1/2009	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-7	3/2/2010	cis-1,3-Dichloropropene	<	1	0.16	1	UG/L	1	
SWB-7	6/1/2010	cis-1,3-DICHLOROPROPENE	<	0.16	0.16	1	UG/L	1	DNR
SWB-7	6/1/2010	cis-1,3-DICHLOROPROPENE	<	0.64	0.64	4	UG/L	1	
SWB-7	9/9/2010	cis-1,3-DICHLOROPROPENE	<	0.16	0.16	1	UG/L	1	UJ
SWB-7	12/1/2010	cis-1,3-DICHLOROPROPENE	<	0.16	0.16	1	UG/L	1	
SWB-8	3/5/2004	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1	
SWB-8	3/7/2005	cis-1,3-Dichloropropene	<		0.12	1	ug/L	1	
SWB-8	6/1/2005	cis-1,3-Dichloropropene	<		0.16	1	ug/L	1	
SWB-8	3/1/2006	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-8	3/7/2008	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-8	3/3/2009	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-9	3/4/2003	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1	
SWB-9	12/3/2003	cis-1,3-Dichloropropene	<		0.38	2	ug/L	2	
SWB-9	3/5/2004	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1	
SWB-9	5/27/2004	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1	
SWB-9	12/1/2004	cis-1,3-Dichloropropene	<		0.19	1	ug/L	1	
SWB-9	3/3/2005	cis-1,3-Dichloropropene	<		0.12	1	ug/L	1	
SWB-9	6/2/2005	cis-1,3-Dichloropropene	<		0.16	1	ug/L	1	
SWB-9	9/1/2005	cis-1,3-Dichloropropene	<		0.16	1	ug/L	1	UJ
SWB-9	12/1/2005	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-9	3/2/2006	cis-1,3-Dichloropropene	<		0.64	4	UG/L	4	
SWB-9	6/1/2006	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-9	12/4/2006	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-9	3/5/2007	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-9	3/6/2008	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-9	6/5/2008	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	R
SWB-9	12/5/2008	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-9	3/2/2009	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-9	6/2/2009	cis-1,3-Dichloropropene	<		0.16	1	UG/L	1	
SWB-9	3/1/2010	cis-1,3-Dichloropropene	<	1	0.16	1	ug/L	1	
SWB-9	6/1/2010	cis-1,3-DICHLOROPROPENE	<	0.16	0.16	1	UG/L	1	DNR
SWB-9	6/1/2010	cis-1,3-DICHLOROPROPENE	<	0.64	0.64	4	UG/L	1	
SWB-9	12/1/2010	cis-1,3-DICHLOROPROPENE	<	0.16	0.16	1	UG/L	1	
SWB-10	3/4/2004	cis-1,4-Dichloro-2-butene	<		0.42	1	ug/L	1	NA
SWB-10	5/24/2004	cis-1,4-Dichloro-2-butene	<		0.42	1	ug/L	1	
SWB-10	12/1/2004	cis-1,4-Dichloro-2-butene	<		0.42	1	ug/L	1	
SWB-10	3/3/2005	cis-1,4-Dichloro-2-butene	<		0.26	1	ug/L	1	
SWB-10	6/2/2005	cis-1,4-Dichloro-2-butene	<		0.9	1	ug/L	1	
SWB-10	9/1/2005	cis-1,4-Dichloro-2-butene	<		0.9	1	ug/L	1	
SWB-10	3/2/2006	cis-1,4-Dichloro-2-butene	<		3.6	4	UG/L	4	
SWB-10	6/2/2006	cis-1,4-Dichloro-2-butene	<		0.9	1	UG/L	1	
SWB-10	3/1/2007	cis-1,4-Dichloro-2-butene	<		0.9	3	UG/L	1	
SWB-10	3/7/2008	cis-1,4-Dichloro-2-butene	<		0.9	3	UG/L	1	
SWB-10	6/5/2008	cis-1,4-Dichloro-2-butene	<		0.9	26	UG/L	1	U
SWB-10	3/2/2009	cis-1,4-Dichloro-2-butene	<		0.9	3	UG/L	1	
SWB-10	6/4/2009	cis-1,4-Dichloro-2-butene	<		0.9	3	UG/L	1	
SWB-10	3/2/2010	cis-1,4-Dichloro-2-butene	<	3	0.9	3	UG/L	1	
SWB-11	3/4/2004	cis-1,4-Dichloro-2-butene	<		0.42	1	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-11	5/24/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1
SWB-11	12/1/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1
SWB-11	3/1/2005	cis-1,4-Dichloro-2-butene	<	0.26	1	ug/L	1
SWB-11	6/2/2005	cis-1,4-Dichloro-2-butene	<	0.9	1	ug/L	1
SWB-11	3/2/2006	cis-1,4-Dichloro-2-butene	<	9	10	UG/L	10
SWB-11	6/1/2006	cis-1,4-Dichloro-2-butene	<	0.9	1	UG/L	1
SWB-11	3/1/2007	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1
SWB-11	3/7/2008	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1
SWB-11	6/5/2008	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1
SWB-11	3/2/2009	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1
SWB-11	6/4/2009	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1
SWB-11	3/1/2010	cis-1,4-Dichloro-2-butene	<	0.9	3	ug/L	1
SWB-11	6/2/2010	cis-1,4-DICHLORO-2-BUTENE	<	0.9	3	UG/L	1
SWB-3	10/29/2002	cis-1,4-Dichloro-2-butene	<	0.82	1	ug/L	1
SWB-3	3/4/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1
SWB-3	6/3/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1
SWB-3	9/4/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1 UJ
SWB-3	12/2/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1
SWB-3	3/1/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1
SWB-3	6/1/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1
SWB-3	9/1/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1
SWB-3	12/1/2004	cis-1,4-Dichloro-2-butene	<	0.7	1.7	ug/L	1.66
SWB-3	3/3/2005	cis-1,4-Dichloro-2-butene	<	0.26	1	ug/L	1
SWB-3	6/2/2005	cis-1,4-Dichloro-2-butene	<	0.9	1	ug/L	1
SWB-3	9/1/2005	cis-1,4-Dichloro-2-butene	<	0.9	1	ug/L	1
SWB-3	12/1/2005	cis-1,4-Dichloro-2-butene	<	1.8	2	UG/L	2
SWB-3	3/2/2006	cis-1,4-Dichloro-2-butene	<	3.6	4	UG/L	4
SWB-3	6/2/2006	cis-1,4-Dichloro-2-butene	<	0.9	1	UG/L	1
SWB-3	9/5/2006	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1
SWB-3	12/4/2006	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1
SWB-3	3/1/2007	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1
SWB-3	6/1/2007	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1
SWB-3	12/3/2007	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1
SWB-3	3/6/2008	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1
SWB-3	6/9/2008	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1
SWB-3	12/4/2008	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1
SWB-3	3/2/2009	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1
SWB-3	6/4/2009	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1
SWB-3	12/1/2009	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1
SWB-3	3/1/2010	cis-1,4-Dichloro-2-butene	<	0.9	3	ug/L	1
SWB-3	3/1/2010	cis-1,4-Dichloro-2-butene	<	1.8	6	ug/L	1 DNR
SWB-3	6/1/2010	cis-1,4-DICHLORO-2-BUTENE	<	0.9	3	UG/L	1 DNR
SWB-3	6/1/2010	cis-1,4-DICHLORO-2-BUTENE	<	3.6	12	UG/L	1
SWB-3	9/9/2010	cis-1,4-DICHLORO-2-BUTENE	<	0.9	3	UG/L	1 UJ
SWB-4	11/15/2002	cis-1,4-Dichloro-2-butene	<	0.82	1	ug/L	1
SWB-5	10/29/2002	cis-1,4-Dichloro-2-butene	<	0.82	1	ug/L	1
SWB-6	3/4/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1
SWB-6	6/3/2003	cis-1,4-Dichloro-2-butene	<	0.84	2	ug/L	2
SWB-6	12/3/2003	cis-1,4-Dichloro-2-butene	<	0.84	2	ug/L	2
SWB-6	3/5/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1 UJ
SWB-6	6/1/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1
SWB-6	12/1/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1
SWB-6	3/7/2005	cis-1,4-Dichloro-2-butene	<	0.26	1	ug/L	1
SWB-6	6/1/2005	cis-1,4-Dichloro-2-butene	<	0.9	1	ug/L	1
SWB-6	12/2/2005	cis-1,4-Dichloro-2-butene	<	0.9	1	UG/L	1
SWB-6	3/1/2006	cis-1,4-Dichloro-2-butene	<	0.9	1	UG/L	1
SWB-6	6/1/2006	cis-1,4-Dichloro-2-butene	<	0.9	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	12/5/2006	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-6	3/2/2007	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-6	3/6/2008	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-6	6/9/2008	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-6	12/5/2008	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-6	3/2/2009	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-6	6/5/2009	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-6	3/2/2010	cis-1,4-Dichloro-2-butene	<	3	0.9	3	UG/L	1
SWB-6	6/2/2010	cis-1,4-DICHLORO-2-BUTENE	<	0.9	0.9	3	UG/L	1
SWB-7	3/4/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
SWB-7	6/3/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
SWB-7	3/1/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
SWB-7	5/24/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
SWB-7	12/1/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
SWB-7	3/7/2005	cis-1,4-Dichloro-2-butene	<	0.26	1	ug/L	1	
SWB-7	6/1/2005	cis-1,4-Dichloro-2-butene	<	0.9	1	ug/L	1	
SWB-7	9/1/2005	cis-1,4-Dichloro-2-butene	<	0.9	1	ug/L	1	
SWB-7	12/1/2005	cis-1,4-Dichloro-2-butene	<	0.9	1	UG/L	1	
SWB-7	3/1/2006	cis-1,4-Dichloro-2-butene	<	0.9	1	UG/L	1	
SWB-7	6/2/2006	cis-1,4-Dichloro-2-butene	<	0.9	1	UG/L	1	
SWB-7	9/5/2006	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-7	12/5/2006	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-7	3/2/2007	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-7	6/1/2007	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-7	9/7/2007	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-7	12/3/2007	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-7	3/6/2008	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-7	6/6/2008	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-7	9/8/2008	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-7	12/5/2008	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-7	3/2/2009	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-7	6/5/2009	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-7	9/9/2009	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-7	12/1/2009	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-7	3/2/2010	cis-1,4-Dichloro-2-butene	<	3	0.9	3	UG/L	1
SWB-7	6/1/2010	cis-1,4-DICHLORO-2-BUTENE	<	0.9	0.9	3	UG/L	1 DNR
SWB-7	6/1/2010	cis-1,4-DICHLORO-2-BUTENE	<	3.6	3.6	12	UG/L	1
SWB-7	9/9/2010	cis-1,4-DICHLORO-2-BUTENE	<	0.9	0.9	3	UG/L	1 UJ
SWB-7	12/1/2010	cis-1,4-DICHLORO-2-BUTENE	<	0.9	0.9	3	UG/L	1
SWB-8	3/5/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1 UJ	
SWB-8	3/7/2005	cis-1,4-Dichloro-2-butene	<	0.26	1	ug/L	1	
SWB-8	6/1/2005	cis-1,4-Dichloro-2-butene	<	0.9	1	ug/L	1	
SWB-8	3/1/2006	cis-1,4-Dichloro-2-butene	<	0.9	1	UG/L	1	
SWB-8	3/7/2008	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-8	3/3/2009	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	
SWB-9	3/4/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
SWB-9	12/3/2003	cis-1,4-Dichloro-2-butene	<	0.84	2	ug/L	2	
SWB-9	3/5/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1 UJ	
SWB-9	5/27/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
SWB-9	12/1/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
SWB-9	3/3/2005	cis-1,4-Dichloro-2-butene	<	0.26	1	ug/L	1	
SWB-9	6/2/2005	cis-1,4-Dichloro-2-butene	<	0.9	1	ug/L	1	
SWB-9	9/1/2005	cis-1,4-Dichloro-2-butene	<	0.9	1	ug/L	1 UJ	
SWB-9	12/1/2005	cis-1,4-Dichloro-2-butene	<	0.9	1	UG/L	1	
SWB-9	3/2/2006	cis-1,4-Dichloro-2-butene	<	3.6	4	UG/L	4	
SWB-9	6/1/2006	cis-1,4-Dichloro-2-butene	<	0.9	1	UG/L	1	
SWB-9	12/4/2006	cis-1,4-Dichloro-2-butene	<	0.9	3	UG/L	1	



tmpAnalyticalResultsOverTime

SWB-9	3/5/2007	cis-1,4-Dichloro-2-butene	<		0.9	3	UG/L	1		
SWB-9	3/6/2008	cis-1,4-Dichloro-2-butene	<		0.9	3	UG/L	1		
SWB-9	6/5/2008	cis-1,4-Dichloro-2-butene	<		0.9	3	UG/L	1 R		
SWB-9	12/5/2008	cis-1,4-Dichloro-2-butene	<		0.9	3	UG/L	1		
SWB-9	3/2/2009	cis-1,4-Dichloro-2-butene	<		0.9	3	UG/L	1		
SWB-9	6/2/2009	cis-1,4-Dichloro-2-butene	<		0.9	3	UG/L	1		
SWB-9	3/1/2010	cis-1,4-Dichloro-2-butene	<	3	0.9	3	ug/L	1		
SWB-9	6/1/2010	cis-1,4-DICHLORO-2-BUTENE	<	0.9	0.9	3	UG/L	1 DNR		
SWB-9	6/1/2010	cis-1,4-DICHLORO-2-BUTENE	<	3.6	3.6	12	UG/L	1		
SWB-9	12/1/2010	cis-1,4-DICHLORO-2-BUTENE	<	0.9	0.9	3	UG/L	1		
SWB-10	3/2/2010	Copper	TR	0.0096	0.0014	0.01	MG/L	1 J	NA	
SWB-11	3/1/2010	Copper	=	0.013	0.0014	0.01	mg/L	1		
SWB-11	6/2/2010	COPPER	TR	0.024	0.0014	0.1	MG/L	10 J		
SWB-3	3/1/2010	Copper	TR	0.0071	0.0014	0.01	mg/L	1 J		
SWB-3	6/1/2010	COPPER	TR	0.0032	0.00014	0.01	MG/L	1 J		
SWB-3	9/9/2010	COPPER	TR	0.019	0.014	0.1	MG/L	10 J		
SWB-6	3/2/2010	Copper	TR	0.016	0.0068	0.05	MG/L	5 J		
SWB-6	6/2/2010	COPPER	TR	0.0035	0.0014	0.1	MG/L	10 J		
SWB-7	3/2/2010	Copper	TR	0.0016	0.0014	0.01	MG/L	1 J		
SWB-7	6/1/2010	COPPER	<	0.00014	0.00014	0.01	MG/L	1		
SWB-7	9/9/2010	COPPER	<	0.014	0.014	0.1	MG/L	10		
SWB-7	12/1/2010	COPPER	<	0.0014	0.0014	0.01	MG/L	1		
SWB-9	3/1/2010	Copper	TR	0.0054	0.0014	0.01	mg/L	1 J		
SWB-9	6/1/2010	COPPER	TR	0.0088	0.0014	0.1	MG/L	10 J		
SWB-9	12/1/2010	COPPER	TR	0.0092	0.0014	0.01	MG/L	1 J		
SWB-3	10/29/2002	Copper-DISSOLVED	TR	0.015	0.0038	0.05	mg/L	5 J		0.029 mg/L
SWB-4	11/15/2002	Copper-DISSOLVED	TR	0.018	0.0038	0.05	mg/L	5 J		
SWB-5	10/29/2002	Copper-DISSOLVED	TR	0.011	0.0038	0.05	mg/L	5 J		
SWB-10	3/4/2004	Copper-TOTAL	<	0.01	0.00097	0.01	mg/L	1 U	NA	
SWB-10	5/24/2004	Copper-TOTAL	<	0.01	0.00097	0.01	mg/L	1 U		
SWB-10	12/1/2004	Copper-TOTAL	TR	0.0055	0.0016	0.01	mg/L	1 J		
SWB-10	3/3/2005	Copper-TOTAL	TR	0.003	0.0016	0.01	mg/L	1 J		
SWB-10	6/2/2005	Copper-TOTAL	TR	0.0051	0.0045	0.01	mg/L	1 J		
SWB-10	9/1/2005	Copper-TOTAL	<		0.022	0.05	MG/L	5		
SWB-10	3/2/2006	Copper-TOTAL	<		0.022	0.05	MG/L	5		
SWB-10	6/2/2006	Copper-TOTAL	<		0.045	0.1	MG/L	10		
SWB-10	3/1/2007	Copper-TOTAL	TR	0.046	0.022	0.05	MG/L	5 J		
SWB-10	3/7/2008	Copper-TOTAL	<		0.0045	0.01	MG/L	1		
SWB-10	6/5/2008	Copper-TOTAL	TR	0.02	0.0068	0.05	MG/L	5 J		
SWB-10	3/2/2009	Copper-TOTAL	TR	0.0054	0.0014	0.01	MG/L	1 J		
SWB-10	6/4/2009	Copper-TOTAL	TR	0.038	0.014	0.1	MG/L	10 J		
SWB-11	3/4/2004	Copper-TOTAL	=	0.01	0.00097	0.01	mg/L	1		
SWB-11	5/24/2004	Copper-TOTAL	=	0.022	0.00097	0.01	mg/L	1		
SWB-11	12/1/2004	Copper-TOTAL	=	0.011	0.0016	0.01	mg/L	1		
SWB-11	3/1/2005	Copper-TOTAL	TR	0.0074	0.0016	0.01	mg/L	1 J		
SWB-11	6/2/2005	Copper-TOTAL	TR	0.006	0.0045	0.01	mg/L	1 J		
SWB-11	3/2/2006	Copper-TOTAL	<		0.022	0.05	MG/L	5		
SWB-11	6/1/2006	Copper-TOTAL	<		0.045	0.1	MG/L	10		
SWB-11	3/1/2007	Copper-TOTAL	=	0.068	0.022	0.05	MG/L	5		
SWB-11	3/7/2008	Copper-TOTAL	TR	0.0063	0.0045	0.01	MG/L	1 J		
SWB-11	6/5/2008	Copper-TOTAL	TR	0.026	0.0068	0.05	MG/L	5 J		
SWB-11	3/2/2009	Copper-TOTAL	TR	0.0084	0.0014	0.01	MG/L	1 J		
SWB-11	6/4/2009	Copper-TOTAL	TR	0.03	0.014	0.1	MG/L	10 J		
SWB-3	10/29/2002	Copper-TOTAL	TR	0.018	0.0038	0.05	mg/L	5 J		
SWB-3	3/4/2003	Copper-TOTAL	TR	0.0075	0.00076	0.01	mg/L	1 J		
SWB-3	6/3/2003	Copper-TOTAL	=	0.018	0.00097	0.01	mg/L	1 J		
SWB-3	9/4/2003	Copper-TOTAL	TR	0.081	0.0097	0.1	mg/L	10 J		

tmpAnalyticalResultsOverTime

SWB-3	12/2/2003	Copper-TOTAL	=	0.028	0.00097	0.01	mg/L	1
SWB-3	3/1/2004	Copper-TOTAL	<	0.01	0.00097	0.01	mg/L	1 U
SWB-3	6/1/2004	Copper-TOTAL	<	0.014	0.00097	0.014	mg/L	1 U
SWB-3	9/1/2004	Copper-TOTAL	<		0.008	0.05	mg/L	5
SWB-3	12/1/2004	Copper-TOTAL	TR	0.0025	0.0016	0.01	mg/L	1 J
SWB-3	3/3/2005	Copper-TOTAL	TR	0.0041	0.0016	0.01	mg/L	1 J
SWB-3	6/2/2005	Copper-TOTAL	TR	0.005	0.0045	0.01	mg/L	1 J
SWB-3	9/1/2005	Copper-TOTAL	=	0.012	0.0045	0.01	MG/L	1
SWB-3	12/1/2005	Copper-TOTAL	TR	0.0064	0.0045	0.01	MG/L	1 J
SWB-3	3/2/2006	Copper-TOTAL	TR	0.0066	0.0045	0.01	MG/L	1 J
SWB-3	6/2/2006	Copper-TOTAL	<		0.0045	0.01	MG/L	1
SWB-3	9/5/2006	Copper-TOTAL	<		0.022	0.05	MG/L	5
SWB-3	12/4/2006	Copper-TOTAL	TR	0.039	0.022	0.05	MG/L	5 J
SWB-3	3/1/2007	Copper-TOTAL	<		0.022	0.05	MG/L	5
SWB-3	6/1/2007	Copper-TOTAL	TR	0.007	0.0045	0.01	MG/L	1 J
SWB-3	12/3/2007	Copper-TOTAL	TR	0.0098	0.0045	0.01	MG/L	1 J
SWB-3	3/6/2008	Copper-TOTAL	TR	0.0056	0.0045	0.01	MG/L	1 J
SWB-3	6/9/2008	Copper-TOTAL	<	0.01	0.0014	0.01	MG/L	1 U
SWB-3	12/4/2008	Copper-TOTAL	TR	0.0029	0.0014	0.01	MG/L	1 B
SWB-3	3/2/2009	Copper-TOTAL	TR	0.0067	0.0014	0.01	MG/L	1 J
SWB-3	6/4/2009	Copper-TOTAL	TR	0.008	0.0014	0.01	MG/L	1 J
SWB-3	12/1/2009	Copper-TOTAL	TR	0.0071	0.0014	0.01	MG/L	1 J
SWB-4	11/15/2002	Copper-TOTAL	TR	0.021	0.0038	0.05	mg/L	5 J
SWB-5	10/29/2002	Copper-TOTAL	TR	0.015	0.0076	0.1	mg/L	10 J
SWB-6	3/4/2003	Copper-TOTAL	TR	0.007	0.00076	0.01	mg/L	1 J
SWB-6	6/3/2003	Copper-TOTAL	=	0.018	0.00097	0.01	mg/L	1 J
SWB-6	12/3/2003	Copper-TOTAL	=	0.057	0.0048	0.05	mg/L	5
SWB-6	3/5/2004	Copper-TOTAL	TR	0.0096	0.00097	0.01	mg/L	1 J
SWB-6	6/1/2004	Copper-TOTAL	<	0.011	0.00097	0.011	mg/L	1 U
SWB-6	12/1/2004	Copper-TOTAL	TR	0.0099	0.0016	0.01	mg/L	1 J
SWB-6	3/7/2005	Copper-TOTAL	<	0.01	0.0016	0.01	mg/L	1 U
SWB-6	6/1/2005	Copper-TOTAL	<		0.0045	0.01	mg/L	1
SWB-6	12/2/2005	Copper-TOTAL	<		0.045	0.1	MG/L	10
SWB-6	3/1/2006	Copper-TOTAL	<		0.0045	0.01	MG/L	1
SWB-6	6/1/2006	Copper-TOTAL	<		0.022	0.05	MG/L	5
SWB-6	12/5/2006	Copper-TOTAL	<		0.045	0.1	MG/L	10
SWB-6	3/2/2007	Copper-TOTAL	<		0.022	0.05	MG/L	5
SWB-6	3/6/2008	Copper-TOTAL	TR	0.0062	0.0045	0.01	MG/L	1 J
SWB-6	6/9/2008	Copper-TOTAL	TR	0.012	0.0068	0.05	MG/L	5 J
SWB-6	12/5/2008	Copper-TOTAL	TR	0.016	0.0068	0.05	MG/L	5 J
SWB-6	3/2/2009	Copper-TOTAL	TR	0.0029	0.0014	0.01	MG/L	1 J
SWB-6	6/5/2009	Copper-TOTAL	TR	0.019	0.014	0.1	MG/L	10 J
SWB-7	3/4/2003	Copper-TOTAL	<		0.0015	0.02	mg/L	2
SWB-7	6/3/2003	Copper-TOTAL	TR	0.018	0.0019	0.02	mg/L	2 J
SWB-7	3/1/2004	Copper-TOTAL	<	0.01	0.00097	0.01	mg/L	1 U
SWB-7	5/24/2004	Copper-TOTAL	<	0.01	0.00097	0.01	mg/L	1 U
SWB-7	12/1/2004	Copper-TOTAL	<		0.0016	0.01	mg/L	1
SWB-7	3/7/2005	Copper-TOTAL	<	0.01	0.0016	0.01	mg/L	1 U
SWB-7	6/1/2005	Copper-TOTAL	<		0.0045	0.01	mg/L	1
SWB-7	9/1/2005	Copper-TOTAL	<		0.0045	0.01	MG/L	1
SWB-7	12/1/2005	Copper-TOTAL	<		0.0045	0.01	MG/L	1
SWB-7	3/1/2006	Copper-TOTAL	<		0.0045	0.01	MG/L	1
SWB-7	6/2/2006	Copper-TOTAL	<		0.0045	0.01	MG/L	1
SWB-7	9/5/2006	Copper-TOTAL	<		0.0045	0.01	MG/L	1
SWB-7	12/5/2006	Copper-TOTAL	<		0.0045	0.01	MG/L	1
SWB-7	3/2/2007	Copper-TOTAL	<		0.0045	0.01	MG/L	1
SWB-7	6/1/2007	Copper-TOTAL	<		0.0045	0.01	MG/L	1

tmpAnalyticalResultsOverTime

SWB-7	9/7/2007	Copper-TOTAL	<		0.022	0.05	MG/L	5	
SWB-7	12/3/2007	Copper-TOTAL	TR	0.006	0.0045	0.01	MG/L	1 J	
SWB-7	3/6/2008	Copper-TOTAL	<		0.0045	0.01	MG/L	1	
SWB-7	6/6/2008	Copper-TOTAL	<		0.0014	0.01	MG/L	1	
SWB-7	9/8/2008	Copper-TOTAL	<		0.0014	0.01	MG/L	1 UJ	
SWB-7	12/5/2008	Copper-TOTAL	<		0.0014	0.01	MG/L	1	
SWB-7	3/2/2009	Copper-TOTAL	TR	0.0029	0.0014	0.01	MG/L	1 J	
SWB-7	6/5/2009	Copper-TOTAL	TR	0.0035	0.0014	0.01	MG/L	1 J	
SWB-7	9/9/2009	Copper-TOTAL	<		0.0068	0.05	MG/L	5	
SWB-7	12/1/2009	Copper-TOTAL	TR	0.0039	0.0014	0.01	MG/L	1 J	
SWB-8	3/5/2004	Copper-TOTAL	TR	0.0086	0.00097	0.01	mg/L	1 J	
SWB-8	3/7/2005	Copper-TOTAL	<	0.01	0.0016	0.01	mg/L	1 U	
SWB-8	6/1/2005	Copper-TOTAL	=	0.014	0.0045	0.01	mg/L	1 J	
SWB-8	3/1/2006	Copper-TOTAL	=	0.013	0.0045	0.01	MG/L	1	
SWB-8	3/7/2008	Copper-TOTAL	=	0.013	0.0045	0.01	MG/L	1	
SWB-8	3/3/2009	Copper-TOTAL	TR	0.0072	0.0014	0.01	MG/L	1 J	
SWB-9	3/4/2003	Copper-TOTAL	TR	0.0073	0.00076	0.01	mg/L	1 J	
SWB-9	12/3/2003	Copper-TOTAL	=	0.052	0.0048	0.05	mg/L	5	
SWB-9	3/5/2004	Copper-TOTAL	TR	0.0081	0.00097	0.01	mg/L	1 J	
SWB-9	5/27/2004	Copper-TOTAL	TR	0.022	0.0048	0.05	mg/L	5 J	
SWB-9	12/1/2004	Copper-TOTAL	TR	0.0037	0.0016	0.01	mg/L	1 J	
SWB-9	3/3/2005	Copper-TOTAL	<		0.0016	0.01	mg/L	1	
SWB-9	6/2/2005	Copper-TOTAL	TR	0.0059	0.0045	0.01	mg/L	1 J	
SWB-9	9/1/2005	Copper-TOTAL	<		0.045	0.1	MG/L	10	
SWB-9	12/1/2005	Copper-TOTAL	<		0.045	0.1	MG/L	10	
SWB-9	3/2/2006	Copper-TOTAL	<		0.022	0.05	MG/L	5	
SWB-9	6/1/2006	Copper-TOTAL	<		0.045	0.1	MG/L	10	
SWB-9	12/4/2006	Copper-TOTAL	<		0.22	0.5	MG/L	50	
SWB-9	3/5/2007	Copper-TOTAL	<		0.022	0.05	MG/L	5	
SWB-9	3/6/2008	Copper-TOTAL	<		0.022	0.05	MG/L	5	
SWB-9	6/5/2008	Copper-TOTAL	TR	0.018	0.0068	0.05	MG/L	5 J	
SWB-9	12/5/2008	Copper-TOTAL	<		0.0068	0.05	MG/L	5	
SWB-9	3/2/2009	Copper-TOTAL	TR	0.0063	0.0014	0.01	MG/L	1 J	
SWB-9	6/2/2009	Copper-TOTAL	<		0.014	0.1	MG/L	10	
SWB-10	3/4/2004	Cyclohexane	<		0.36	2	ug/L	1	NA
SWB-10	3/4/2004	Cyclohexane	TI	28			ug/L	1 NJ	
SWB-10	5/24/2004	Cyclohexane	<		0.36	2	ug/L	1	
SWB-10	12/1/2004	Cyclohexane	<		0.36	2	ug/L	1	
SWB-10	3/3/2005	Cyclohexane	<		0.26	2	ug/L	1	
SWB-10	3/3/2005	Cyclohexane	TI	26			ug/L	1 NJ	
SWB-10	6/2/2005	Cyclohexane	<		0.28	2	ug/L	1	
SWB-10	6/2/2005	Cyclohexane	TI	37			ug/L	1 NJ	
SWB-10	9/1/2005	Cyclohexane	<		0.28	2	ug/L	1	
SWB-10	9/1/2005	Cyclohexane	TI	34			ug/L	1 NJ	
SWB-10	3/2/2006	Cyclohexane	<		1.1	8	UG/L	4	
SWB-10	6/2/2006	Cyclohexane	<		0.28	2	UG/L	1	
SWB-10	6/2/2006	Cyclohexane	TI	62			UG/L	1 NJ	
SWB-10	3/1/2007	Cyclohexane	<		0.28	2	UG/L	1	
SWB-10	3/7/2008	Cyclohexane	<		0.28	2	UG/L	1	
SWB-10	3/7/2008	Cyclohexane	TI	15			UG/L	1 NJ	
SWB-10	6/5/2008	Cyclohexane	<		0.28	2	UG/L	1	
SWB-10	3/2/2009	Cyclohexane	<		0.28	2	UG/L	1	
SWB-10	6/4/2009	Cyclohexane	<		0.28	2	UG/L	1	
SWB-10	3/2/2010	Cyclohexane	<	2	0.28	2	UG/L	1	
SWB-11	3/4/2004	Cyclohexane	<		0.36	2	ug/L	1	
SWB-11	3/4/2004	Cyclohexane	TI	26			ug/L	1 NJ	
SWB-11	5/24/2004	Cyclohexane	<		0.36	2	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-11	12/1/2004	Cyclohexane	<		0.36	2	ug/L	1
SWB-11	3/1/2005	Cyclohexane	<		0.26	2	ug/L	1
SWB-11	6/2/2005	Cyclohexane	<		0.28	2	ug/L	1
SWB-11	6/2/2005	Cyclohexane	TI	39			ug/L	1 NJ
SWB-11	3/2/2006	Cyclohexane	<		2.8	20	UG/L	10
SWB-11	6/1/2006	Cyclohexane	<		0.28	2	UG/L	1
SWB-11	6/1/2006	Cyclohexane	TI	51			UG/L	1 NJ
SWB-11	3/1/2007	Cyclohexane	<		0.28	2	UG/L	1
SWB-11	3/7/2008	Cyclohexane	<		0.28	2	UG/L	1
SWB-11	3/7/2008	Cyclohexane	TI	21			UG/L	1 NJ
SWB-11	6/5/2008	Cyclohexane	<		0.28	2	UG/L	1
SWB-11	3/2/2009	Cyclohexane	<		0.28	2	UG/L	1
SWB-11	6/4/2009	Cyclohexane	<		0.28	2	UG/L	1
SWB-11	3/1/2010	Cyclohexane	<	2	0.28	2	ug/L	1
SWB-11	6/2/2010	CYCLOHEXANE	<	0.28	0.28	2	UG/L	1
SWB-3	10/29/2002	Cyclohexane	<		0.49	2	ug/L	1
SWB-3	3/4/2003	Cyclohexane	<		0.36	2	ug/L	1
SWB-3	6/3/2003	Cyclohexane	<		0.36	2	ug/L	1
SWB-3	9/4/2003	Cyclohexane	<		0.36	2	ug/L	1 UJ
SWB-3	12/2/2003	Cyclohexane	<		0.36	2	ug/L	1
SWB-3	3/1/2004	Cyclohexane	<		0.36	2	ug/L	1
SWB-3	3/1/2004	Cyclohexane	TI	26			ug/L	1 NJ
SWB-3	6/1/2004	Cyclohexane	<		0.36	2	ug/L	1
SWB-3	9/1/2004	Cyclohexane	<		0.36	2	ug/L	1
SWB-3	12/1/2004	Cyclohexane	<		0.6	3.3	ug/L	1.66
SWB-3	3/3/2005	Cyclohexane	<		0.26	2	ug/L	1
SWB-3	3/3/2005	Cyclohexane	TI	25			ug/L	1 NJ
SWB-3	6/2/2005	Cyclohexane	<		0.28	2	ug/L	1
SWB-3	6/2/2005	Cyclohexane	TI	41			ug/L	1 NJ
SWB-3	9/1/2005	Cyclohexane	<		0.28	2	ug/L	1
SWB-3	9/1/2005	Cyclohexane	TI	34			ug/L	1 NJ
SWB-3	12/1/2005	Cyclohexane	<		0.56	4	UG/L	2
SWB-3	12/1/2005	Cyclohexane	TI	54			UG/L	1 NJ
SWB-3	3/2/2006	Cyclohexane	<		1.1	8	UG/L	4
SWB-3	6/2/2006	Cyclohexane	<		0.28	2	UG/L	1
SWB-3	6/2/2006	Cyclohexane	TI	38			UG/L	1 NJ
SWB-3	9/5/2006	Cyclohexane	<		0.28	2	UG/L	1
SWB-3	12/4/2006	Cyclohexane	<		0.28	2	UG/L	1
SWB-3	3/1/2007	Cyclohexane	<		0.28	2	UG/L	1
SWB-3	6/1/2007	Cyclohexane	<		0.28	2	UG/L	1
SWB-3	12/3/2007	Cyclohexane	<		0.28	2	UG/L	1
SWB-3	3/6/2008	Cyclohexane	<		0.28	2	UG/L	1
SWB-3	6/9/2008	Cyclohexane	<		0.28	2	UG/L	1
SWB-3	12/4/2008	Cyclohexane	<		0.28	2	UG/L	1
SWB-3	3/2/2009	Cyclohexane	<		0.28	2	UG/L	1
SWB-3	6/4/2009	Cyclohexane	<		0.28	2	UG/L	1
SWB-3	12/1/2009	Cyclohexane	<		0.28	2	UG/L	1
SWB-3	3/1/2010	Cyclohexane	<	2	0.28	2	ug/L	1
SWB-3	3/1/2010	Cyclohexane	<	4	0.56	4	ug/L	1 DNR
SWB-3	6/1/2010	CYCLOHEXANE	<	0.28	0.28	2	UG/L	1 DNR
SWB-3	6/1/2010	CYCLOHEXANE	<	1.1	1.1	8	UG/L	1
SWB-3	9/9/2010	CYCLOHEXANE	<	0.28	0.28	2	UG/L	1
SWB-4	11/15/2002	Cyclohexane	<		0.49	2	ug/L	1
SWB-5	10/29/2002	Cyclohexane	<		0.49	2	ug/L	1
SWB-6	3/4/2003	Cyclohexane	<		0.36	2	ug/L	1
SWB-6	6/3/2003	Cyclohexane	<		0.72	4	ug/L	2
SWB-6	12/3/2003	Cyclohexane	<		0.72	4	ug/L	2

tmpAnalyticalResultsOverTime

SWB-6	3/5/2004	Cyclohexane	<		0.36	2	ug/L	1
SWB-6	6/1/2004	Cyclohexane	<		0.36	2	ug/L	1
SWB-6	12/1/2004	Cyclohexane	<		0.36	2	ug/L	1
SWB-6	3/7/2005	Cyclohexane	<		0.26	2	ug/L	1
SWB-6	3/7/2005	Cyclohexane	TI	14			ug/L	1 NJ
SWB-6	6/1/2005	Cyclohexane	<		0.28	2	ug/L	1
SWB-6	6/1/2005	Cyclohexane	TI	49			ug/L	1 NJ
SWB-6	12/2/2005	Cyclohexane	<		0.28	2	UG/L	1
SWB-6	3/1/2006	Cyclohexane	<		0.28	2	UG/L	1
SWB-6	6/1/2006	Cyclohexane	<		0.28	2	UG/L	1
SWB-6	6/1/2006	Cyclohexane	TI	52			UG/L	1 NJ
SWB-6	12/5/2006	Cyclohexane	<		0.28	2	UG/L	1
SWB-6	12/5/2006	Cyclohexane	TI	19			UG/L	1 J
SWB-6	3/2/2007	Cyclohexane	<		0.28	2	UG/L	1
SWB-6	3/6/2008	Cyclohexane	<		0.28	2	UG/L	1
SWB-6	6/9/2008	Cyclohexane	<		0.28	2	UG/L	1
SWB-6	12/5/2008	Cyclohexane	<		0.28	2	UG/L	1
SWB-6	3/2/2009	Cyclohexane	<		0.28	2	UG/L	1
SWB-6	6/5/2009	Cyclohexane	<		0.28	2	UG/L	1
SWB-6	3/2/2010	Cyclohexane	<	2	0.28	2	UG/L	1
SWB-6	6/2/2010	CYCLOHEXANE	<	0.28	0.28	2	UG/L	1
SWB-7	3/4/2003	Cyclohexane	<		0.36	2	ug/L	1
SWB-7	6/3/2003	Cyclohexane	<		0.36	2	ug/L	1
SWB-7	3/1/2004	Cyclohexane	<		0.36	2	ug/L	1
SWB-7	3/1/2004	Cyclohexane	TI	34			ug/L	1 NJ
SWB-7	5/24/2004	Cyclohexane	<		0.36	2	ug/L	1
SWB-7	12/1/2004	Cyclohexane	<		0.36	2	ug/L	1
SWB-7	3/7/2005	Cyclohexane	<		0.26	2	ug/L	1
SWB-7	6/1/2005	Cyclohexane	<		0.28	2	ug/L	1
SWB-7	6/1/2005	Cyclohexane	TI	42			ug/L	1 NJ
SWB-7	9/1/2005	Cyclohexane	<		0.28	2	ug/L	1
SWB-7	9/1/2005	Cyclohexane	TI	23			ug/L	1 NJ
SWB-7	12/1/2005	Cyclohexane	<		0.28	2	UG/L	1
SWB-7	12/1/2005	Cyclohexane	TI	70			UG/L	1 NJ
SWB-7	3/1/2006	Cyclohexane	<		0.28	2	UG/L	1
SWB-7	6/2/2006	Cyclohexane	<		0.28	2	UG/L	1
SWB-7	6/2/2006	Cyclohexane	TI	52			UG/L	1 NJ
SWB-7	9/5/2006	Cyclohexane	<		0.28	2	UG/L	1
SWB-7	12/5/2006	Cyclohexane	<		0.28	2	UG/L	1
SWB-7	12/5/2006	Cyclohexane	TI	22			UG/L	1 NJ
SWB-7	3/2/2007	Cyclohexane	<		0.28	2	UG/L	1
SWB-7	6/1/2007	Cyclohexane	<		0.28	2	UG/L	1
SWB-7	9/7/2007	Cyclohexane	<		0.28	2	UG/L	1
SWB-7	12/3/2007	Cyclohexane	<		0.28	2	UG/L	1
SWB-7	3/6/2008	Cyclohexane	<		0.28	2	UG/L	1
SWB-7	6/6/2008	Cyclohexane	<		0.28	2	UG/L	1
SWB-7	9/8/2008	Cyclohexane	<		0.28	2	UG/L	1
SWB-7	12/5/2008	Cyclohexane	<		0.28	2	UG/L	1
SWB-7	3/2/2009	Cyclohexane	<		0.28	2	UG/L	1
SWB-7	6/5/2009	Cyclohexane	<		0.28	2	UG/L	1
SWB-7	9/9/2009	Cyclohexane	<		0.28	2	UG/L	1
SWB-7	12/1/2009	Cyclohexane	<		0.28	2	UG/L	1
SWB-7	3/2/2010	Cyclohexane	<	2	0.28	2	UG/L	1
SWB-7	6/1/2010	CYCLOHEXANE	<	0.28	0.28	2	UG/L	1 DNR
SWB-7	6/1/2010	CYCLOHEXANE	<	1.1	1.1	8	UG/L	1
SWB-7	9/9/2010	CYCLOHEXANE	<	0.28	0.28	2	UG/L	1
SWB-7	12/1/2010	CYCLOHEXANE	<	0.28	0.28	2	UG/L	1

tmpAnalyticalResultsOverTime

SWB-8	3/5/2004	Cyclohexane	<		0.36	2	ug/L	1	
SWB-8	3/7/2005	Cyclohexane	<		0.26	2	ug/L	1	
SWB-8	3/7/2005	Cyclohexane	TI	20			ug/L	1	NJ
SWB-8	6/1/2005	Cyclohexane	<		0.28	2	ug/L	1	
SWB-8	6/1/2005	Cyclohexane	TI	52			ug/L	1	NJ
SWB-8	3/1/2006	Cyclohexane	<		0.28	2	UG/L	1	
SWB-8	3/7/2008	Cyclohexane	<		0.28	2	UG/L	1	
SWB-8	3/7/2008	Cyclohexane	TI	17			UG/L	1	NJ
SWB-8	3/3/2009	Cyclohexane	<		0.28	2	UG/L	1	
SWB-9	3/4/2003	Cyclohexane	<		0.36	2	ug/L	1	
SWB-9	12/3/2003	Cyclohexane	<		0.72	4	ug/L	2	
SWB-9	3/5/2004	Cyclohexane	<		0.36	2	ug/L	1	
SWB-9	5/27/2004	Cyclohexane	<		0.36	2	ug/L	1	
SWB-9	12/1/2004	Cyclohexane	<		0.36	2	ug/L	1	
SWB-9	3/3/2005	Cyclohexane	<		0.26	2	ug/L	1	
SWB-9	3/3/2005	Cyclohexane	TI	21			ug/L	1	NJ
SWB-9	6/2/2005	Cyclohexane	<		0.28	2	ug/L	1	
SWB-9	6/2/2005	Cyclohexane	TI	41			ug/L	1	NJ
SWB-9	9/1/2005	Cyclohexane	<		0.28	2	ug/L	1	UJ
SWB-9	9/1/2005	Cyclohexane	TI	43			ug/L	1	NJ
SWB-9	12/1/2005	Cyclohexane	<		0.28	2	UG/L	1	
SWB-9	12/1/2005	Cyclohexane	TI	72			UG/L	1	NJ
SWB-9	3/2/2006	Cyclohexane	<		1.1	8	UG/L	4	
SWB-9	6/1/2006	Cyclohexane	<		0.28	2	UG/L	1	
SWB-9	6/1/2006	Cyclohexane	TI	52			UG/L	1	NJ
SWB-9	12/4/2006	Cyclohexane	<		0.28	2	UG/L	1	
SWB-9	3/5/2007	Cyclohexane	<		0.28	2	UG/L	1	
SWB-9	3/6/2008	Cyclohexane	<		0.28	2	UG/L	1	
SWB-9	6/5/2008	Cyclohexane	<		0.28	2	UG/L	1	R
SWB-9	12/5/2008	Cyclohexane	<		0.28	2	UG/L	1	
SWB-9	3/2/2009	Cyclohexane	<		0.28	2	UG/L	1	
SWB-9	6/2/2009	Cyclohexane	<		0.28	2	UG/L	1	
SWB-9	3/1/2010	Cyclohexane	<	2	0.28	2	ug/L	1	
SWB-9	6/1/2010	CYCLOHEXANE	<	0.28	0.28	2	UG/L	1	DNR
SWB-9	6/1/2010	CYCLOHEXANE	<	1.1	1.1	8	UG/L	1	
SWB-9	12/1/2010	CYCLOHEXANE	<	0.28	0.28	2	UG/L	1	
SWB-10	3/4/2004	Cyclohexanone	<		16	20	ug/L	1	NA
SWB-10	5/24/2004	Cyclohexanone	<		16	20	ug/L	1	
SWB-10	12/1/2004	Cyclohexanone	<		16	20	ug/L	1	
SWB-10	3/3/2005	Cyclohexanone	<		16	20	ug/L	1	
SWB-10	6/2/2005	Cyclohexanone	<		3	20	ug/L	1	
SWB-10	9/1/2005	Cyclohexanone	<		3	20	ug/L	1	
SWB-10	3/2/2006	Cyclohexanone	<		12	160	UG/L	4	
SWB-10	6/2/2006	Cyclohexanone	<		32	40	UG/L	1	
SWB-10	3/1/2007	Cyclohexanone	<		32	100	UG/L	1	
SWB-10	3/7/2008	Cyclohexanone	<		32	100	UG/L	1	
SWB-10	6/5/2008	Cyclohexanone	<		32	100	UG/L	1	
SWB-10	3/2/2009	Cyclohexanone	<		32	100	UG/L	1	
SWB-10	6/4/2009	Cyclohexanone	<		32	100	UG/L	1	
SWB-10	3/2/2010	Cyclohexanone	<	100	32	100	UG/L	1	
SWB-11	3/4/2004	Cyclohexanone	<		16	20	ug/L	1	
SWB-11	5/24/2004	Cyclohexanone	<		16	20	ug/L	1	
SWB-11	12/1/2004	Cyclohexanone	<		16	20	ug/L	1	
SWB-11	3/1/2005	Cyclohexanone	<		16	20	ug/L	1	
SWB-11	6/2/2005	Cyclohexanone	<		3	20	ug/L	1	
SWB-11	3/2/2006	Cyclohexanone	<		30	400	UG/L	10	
SWB-11	6/1/2006	Cyclohexanone	<		32	40	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-11	3/1/2007	Cyclohexanone	<	32	100	UG/L	1	
SWB-11	3/7/2008	Cyclohexanone	<	32	100	UG/L	1	
SWB-11	6/5/2008	Cyclohexanone	<	32	100	UG/L	1	
SWB-11	3/2/2009	Cyclohexanone	<	32	100	UG/L	1	
SWB-11	6/4/2009	Cyclohexanone	<	32	100	UG/L	1	
SWB-11	3/1/2010	Cyclohexanone	<	100	32	100	ug/L	1
SWB-11	6/2/2010	CYCLOHEXANONE	<	32	32	100	UG/L	1
SWB-3	10/29/2002	Cyclohexanone	<	16	20	ug/L	1	
SWB-3	3/4/2003	Cyclohexanone	<	16	20	ug/L	1	
SWB-3	6/3/2003	Cyclohexanone	<	16	20	ug/L	1	
SWB-3	9/4/2003	Cyclohexanone	<	16	20	ug/L	1 UJ	
SWB-3	12/2/2003	Cyclohexanone	<	16	20	ug/L	1	
SWB-3	3/1/2004	Cyclohexanone	<	16	20	ug/L	1	
SWB-3	6/1/2004	Cyclohexanone	<	16	20	ug/L	1	
SWB-3	9/1/2004	Cyclohexanone	<	16	20	ug/L	1	
SWB-3	12/1/2004	Cyclohexanone	<	27	33	ug/L	1.66	
SWB-3	3/3/2005	Cyclohexanone	<	16	20	ug/L	1	
SWB-3	6/2/2005	Cyclohexanone	<	3	20	ug/L	1	
SWB-3	9/1/2005	Cyclohexanone	<	3	20	ug/L	1	
SWB-3	12/1/2005	Cyclohexanone	<	6	80	UG/L	2	
SWB-3	3/2/2006	Cyclohexanone	<	12	160	UG/L	4	
SWB-3	6/2/2006	Cyclohexanone	<	32	40	UG/L	1	
SWB-3	9/5/2006	Cyclohexanone	<	32	100	UG/L	1	
SWB-3	12/4/2006	Cyclohexanone	<	32	100	UG/L	1	
SWB-3	3/1/2007	Cyclohexanone	<	32	100	UG/L	1	
SWB-3	6/1/2007	Cyclohexanone	<	32	100	UG/L	1	
SWB-3	12/3/2007	Cyclohexanone	<	32	100	UG/L	1	
SWB-3	3/6/2008	Cyclohexanone	<	32	100	UG/L	1	
SWB-3	6/9/2008	Cyclohexanone	<	32	100	UG/L	1	
SWB-3	12/4/2008	Cyclohexanone	<	32	100	UG/L	1	
SWB-3	3/2/2009	Cyclohexanone	<	32	100	UG/L	1	
SWB-3	6/4/2009	Cyclohexanone	<	32	100	UG/L	1	
SWB-3	12/1/2009	Cyclohexanone	<	32	100	UG/L	1	
SWB-3	3/1/2010	Cyclohexanone	<	100	32	100	ug/L	1
SWB-3	3/1/2010	Cyclohexanone	<	200	63	200	ug/L	1 DNR
SWB-3	6/1/2010	CYCLOHEXANONE	<	32	32	100	UG/L	1 DNR
SWB-3	6/1/2010	CYCLOHEXANONE	<	130	130	400	UG/L	1
SWB-3	9/9/2010	CYCLOHEXANONE	<	32	32	100	UG/L	1
SWB-4	11/15/2002	Cyclohexanone	<	16	20	ug/L	1	
SWB-5	10/29/2002	Cyclohexanone	<	16	20	ug/L	1	
SWB-6	3/4/2003	Cyclohexanone	<	16	20	ug/L	1	
SWB-6	6/3/2003	Cyclohexanone	<	32	40	ug/L	2	
SWB-6	12/3/2003	Cyclohexanone	<	32	40	ug/L	2	
SWB-6	3/5/2004	Cyclohexanone	<	16	20	ug/L	1	
SWB-6	6/1/2004	Cyclohexanone	<	16	20	ug/L	1	
SWB-6	12/1/2004	Cyclohexanone	<	16	20	ug/L	1	
SWB-6	3/7/2005	Cyclohexanone	<	16	20	ug/L	1	
SWB-6	6/1/2005	Cyclohexanone	<	3	20	ug/L	1	
SWB-6	12/2/2005	Cyclohexanone	<	3	40	UG/L	1	
SWB-6	3/1/2006	Cyclohexanone	<	3	40	UG/L	1	
SWB-6	6/1/2006	Cyclohexanone	<	32	40	UG/L	1	
SWB-6	12/5/2006	Cyclohexanone	<	32	100	UG/L	1	
SWB-6	3/2/2007	Cyclohexanone	<	32	100	UG/L	1	
SWB-6	3/6/2008	Cyclohexanone	<	32	100	UG/L	1	
SWB-6	6/9/2008	Cyclohexanone	<	32	100	UG/L	1	
SWB-6	12/5/2008	Cyclohexanone	<	32	100	UG/L	1	
SWB-6	3/2/2009	Cyclohexanone	<	32	100	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-6	6/5/2009	Cyclohexanone	<		32	100	UG/L	1
SWB-6	3/2/2010	Cyclohexanone	<	100	32	100	UG/L	1
SWB-6	6/2/2010	CYCLOHEXANONE	<	32	32	100	UG/L	1
SWB-7	3/4/2003	Cyclohexanone	<		16	20	ug/L	1
SWB-7	6/3/2003	Cyclohexanone	<		16	20	ug/L	1
SWB-7	3/1/2004	Cyclohexanone	<		16	20	ug/L	1
SWB-7	5/24/2004	Cyclohexanone	<		16	20	ug/L	1
SWB-7	12/1/2004	Cyclohexanone	<		16	20	ug/L	1
SWB-7	3/7/2005	Cyclohexanone	<		16	20	ug/L	1
SWB-7	6/1/2005	Cyclohexanone	<		3	20	ug/L	1
SWB-7	9/1/2005	Cyclohexanone	<		3	20	ug/L	1
SWB-7	12/1/2005	Cyclohexanone	<		3	40	UG/L	1
SWB-7	3/1/2006	Cyclohexanone	<		3	40	UG/L	1
SWB-7	6/2/2006	Cyclohexanone	<		32	40	UG/L	1
SWB-7	9/5/2006	Cyclohexanone	<		32	100	UG/L	1
SWB-7	12/5/2006	Cyclohexanone	<		32	100	UG/L	1
SWB-7	3/2/2007	Cyclohexanone	<		32	100	UG/L	1
SWB-7	6/1/2007	Cyclohexanone	<		32	100	UG/L	1
SWB-7	9/7/2007	Cyclohexanone	<		32	100	UG/L	1
SWB-7	12/3/2007	Cyclohexanone	<		32	100	UG/L	1
SWB-7	3/6/2008	Cyclohexanone	<		32	100	UG/L	1
SWB-7	6/6/2008	Cyclohexanone	<		32	100	UG/L	1
SWB-7	9/8/2008	Cyclohexanone	<		32	100	UG/L	1
SWB-7	12/5/2008	Cyclohexanone	<		32	100	UG/L	1
SWB-7	3/2/2009	Cyclohexanone	<		32	100	UG/L	1
SWB-7	6/5/2009	Cyclohexanone	<		32	100	UG/L	1
SWB-7	9/9/2009	Cyclohexanone	<		32	100	UG/L	1
SWB-7	12/1/2009	Cyclohexanone	<		32	100	UG/L	1
SWB-7	3/2/2010	Cyclohexanone	<	100	32	100	UG/L	1
SWB-7	6/1/2010	CYCLOHEXANONE	<	32	32	100	UG/L	1 DNR
SWB-7	6/1/2010	CYCLOHEXANONE	<	130	130	400	UG/L	1
SWB-7	9/9/2010	CYCLOHEXANONE	<	32	32	100	UG/L	1
SWB-7	12/1/2010	CYCLOHEXANONE	<	32	32	100	UG/L	1
SWB-8	3/5/2004	Cyclohexanone	<		16	20	ug/L	1
SWB-8	3/7/2005	Cyclohexanone	<		16	20	ug/L	1
SWB-8	6/1/2005	Cyclohexanone	<		3	20	ug/L	1
SWB-8	3/1/2006	Cyclohexanone	<		3	40	UG/L	1
SWB-8	3/7/2008	Cyclohexanone	<		32	100	UG/L	1
SWB-8	3/3/2009	Cyclohexanone	<		32	100	UG/L	1
SWB-9	3/4/2003	Cyclohexanone	<		16	20	ug/L	1
SWB-9	12/3/2003	Cyclohexanone	<		32	40	ug/L	2
SWB-9	3/5/2004	Cyclohexanone	<		16	20	ug/L	1
SWB-9	5/27/2004	Cyclohexanone	<		16	20	ug/L	1
SWB-9	12/1/2004	Cyclohexanone	<		16	20	ug/L	1
SWB-9	3/3/2005	Cyclohexanone	<		16	20	ug/L	1
SWB-9	6/2/2005	Cyclohexanone	<		3	20	ug/L	1
SWB-9	9/1/2005	Cyclohexanone	<		3	20	ug/L	1 UJ
SWB-9	12/1/2005	Cyclohexanone	<		3	40	UG/L	1
SWB-9	3/2/2006	Cyclohexanone	<		12	160	UG/L	4
SWB-9	6/1/2006	Cyclohexanone	<		32	40	UG/L	1
SWB-9	12/4/2006	Cyclohexanone	<		32	100	UG/L	1
SWB-9	3/5/2007	Cyclohexanone	<		32	100	UG/L	1
SWB-9	3/6/2008	Cyclohexanone	<		32	100	UG/L	1
SWB-9	6/5/2008	Cyclohexanone	<		32	100	UG/L	1 R
SWB-9	12/5/2008	Cyclohexanone	<		32	100	UG/L	1
SWB-9	3/2/2009	Cyclohexanone	<		32	100	UG/L	1
SWB-9	6/2/2009	Cyclohexanone	<		32	100	UG/L	1



tmpAnalyticalResultsOverTime

SWB-9	3/1/2010 Cyclohexanone	<	100	32	100	ug/L	1	
SWB-9	6/1/2010 CYCLOHEXANONE	<	32	32	100	UG/L	1	DNR
SWB-9	6/1/2010 CYCLOHEXANONE	<	130	130	400	UG/L	1	
SWB-9	12/1/2010 CYCLOHEXANONE	<	32	32	100	UG/L	1	
SWB-10	9/1/2005 Cyclotetrasiloxane, octamethyl	TI	0			ug/L	1	NJ NA
SWB-10	3/2/2009 Cyclotetrasiloxane, octamethyl	<	5.1			UG/L	1	U
SWB-11	3/4/2004 Cyclotetrasiloxane, octamethyl	TI	2			ug/L	1	NJ
SWB-11	3/1/2005 Cyclotetrasiloxane, octamethyl	TI	5.1			ug/L	1	NJ
SWB-11	6/1/2006 Cyclotetrasiloxane, octamethyl	TI	3.8			UG/L	1	NJ
SWB-3	12/1/2004 Cyclotetrasiloxane, octamethyl	TI	1.8			ug/L	1.66	NJ
SWB-3	9/5/2006 Cyclotetrasiloxane, octamethyl	TI	6			UG/L	1	NJ
SWB-3	6/9/2008 Cyclotetrasiloxane, octamethyl	TI	3.1			UG/L	1	NJ
SWB-3	3/2/2009 Cyclotetrasiloxane, octamethyl	<	3			UG/L	1	U
SWB-3	6/4/2009 Cyclotetrasiloxane, octamethyl	TI	1.1			UG/L	1	NJ
SWB-3	12/1/2009 Cyclotetrasiloxane, octamethyl	TI	2.7			UG/L	1	U
SWB-6	3/5/2004 Cyclotetrasiloxane, octamethyl	TI	6.2			ug/L	1	NJ
SWB-6	12/1/2004 Cyclotetrasiloxane, octamethyl	TI	3.8			ug/L	1	NJ
SWB-6	3/2/2009 Cyclotetrasiloxane, octamethyl	<	3.1			UG/L	1	U
SWB-7	12/1/2004 Cyclotetrasiloxane, octamethyl	TI	1.8			ug/L	1	NJ
SWB-7	3/7/2005 Cyclotetrasiloxane, octamethyl	TI	3.4			ug/L	1	NJ
SWB-7	9/1/2005 Cyclotetrasiloxane, octamethyl	TI	0			ug/L	1	NJ
SWB-7	12/1/2005 Cyclotetrasiloxane, octamethyl	TI	13			UG/L	1	NJ
SWB-7	3/1/2006 Cyclotetrasiloxane, octamethyl	TI	1.4			UG/L	1	NJ
SWB-7	9/5/2006 Cyclotetrasiloxane, octamethyl	TI	7.6			UG/L	1	NJ
SWB-7	12/5/2006 Cyclotetrasiloxane, octamethyl	TI	1.8			UG/L	1	NJ
SWB-7	12/1/2009 Cyclotetrasiloxane, octamethyl	TI	1.8			UG/L	1	U
SWB-8	3/1/2006 Cyclotetrasiloxane, octamethyl	TI	2.6			UG/L	1	NJ
SWB-9	9/1/2005 Cyclotetrasiloxane, octamethyl	TI	0			ug/L	1	NJ
SWB-9	12/1/2010 Cyclotetrasiloxane, octamethyl	TR	5.3			UG/L	1	NJ NA
SWB-10	3/4/2004 Cyclotrisiloxane, hexamethyl-	TI	1.7			ug/L	1	NJ NA
SWB-10	3/3/2005 Cyclotrisiloxane, hexamethyl-	TI	2.1			ug/L	1	NJ
SWB-10	3/2/2009 Cyclotrisiloxane, hexamethyl-	TI	2.1			UG/L	1	NJ
SWB-10	6/4/2009 Cyclotrisiloxane, hexamethyl-	TI	1.6			UG/L	1	NJ
SWB-11	12/1/2004 Cyclotrisiloxane, hexamethyl-	TI	2.4			ug/L	1	NJ
SWB-11	3/1/2005 Cyclotrisiloxane, hexamethyl-	TI	4.7			ug/L	1	NJ
SWB-11	6/1/2006 Cyclotrisiloxane, hexamethyl-	TI	2.5			UG/L	1	NJ
SWB-11	3/7/2008 Cyclotrisiloxane, hexamethyl-	TI	1.7			UG/L	1	NJ
SWB-11	3/2/2009 Cyclotrisiloxane, hexamethyl-	TI	2.2			UG/L	1	NJ
SWB-3	3/6/2008 Cyclotrisiloxane, hexamethyl-	TI	1.3			UG/L	1	NJ
SWB-6	3/6/2008 Cyclotrisiloxane, hexamethyl-	TI	1.8			UG/L	1	NJ
SWB-6	3/2/2009 Cyclotrisiloxane, hexamethyl-	TI	1.5			UG/L	1	NJ
SWB-7	3/1/2004 Cyclotrisiloxane, hexamethyl-	TI	2.7			ug/L	1	NJ
SWB-7	12/1/2005 Cyclotrisiloxane, hexamethyl-	TI	2			UG/L	1	NJ
SWB-7	3/6/2008 Cyclotrisiloxane, hexamethyl-	TI	1.9			UG/L	1	NJ
SWB-8	3/7/2005 Cyclotrisiloxane, hexamethyl-	TI	1.3			ug/L	1	NJ
SWB-8	3/7/2008 Cyclotrisiloxane, hexamethyl-	TI	1.7			UG/L	1	NJ
SWB-9	3/3/2005 Cyclotrisiloxane, hexamethyl-	TI	1.8			ug/L	1	NJ
SWB-9	6/5/2008 Cyclotrisiloxane, hexamethyl-	TI	4.5			UG/L	1	NJ
SWB-9	3/2/2009 Cyclotrisiloxane, hexamethyl-	TI	1.4			UG/L	1	NJ
SWB-9	12/1/2010 Cyclotrisiloxane, hexamethyl-	TR	1.5			UG/L	1	NJ NA
SWB-10	3/4/2004 Diallate	<		2	20	ug/L	1	NA
SWB-10	5/24/2004 Diallate	<		2	20	ug/L	1	UJ
SWB-10	12/1/2004 Diallate	<		2	20	ug/L	1	
SWB-10	3/3/2005 Diallate	<		2	20	ug/L	1	
SWB-10	6/2/2005 Diallate	<		2	20	ug/L	1	
SWB-10	9/1/2005 Diallate	<		2	20	ug/L	1	
SWB-10	3/2/2006 Diallate	<		2	20	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-10	6/2/2006	Diallate	<		0.92	20	UG/L	1
SWB-10	3/1/2007	Diallate	<		0.92	20	UG/L	1
SWB-10	3/7/2008	Diallate	<		2	20	UG/L	1
SWB-10	6/5/2008	Diallate	<		2	20	UG/L	1
SWB-10	3/2/2009	Diallate	<		2	20	UG/L	1
SWB-10	3/2/2009	Diallate	<		2	20	UG/L	1 R
SWB-10	6/4/2009	Diallate	<		2	20	UG/L	1
SWB-10	3/2/2010	Diallate	<	19	1.9	19	UG/L	1
SWB-11	3/4/2004	Diallate	<		2	20	ug/L	1
SWB-11	5/24/2004	Diallate	<		2	20	ug/L	1 UJ
SWB-11	12/1/2004	Diallate	<		2	20	ug/L	1
SWB-11	3/1/2005	Diallate	<		2	20	ug/L	1
SWB-11	6/2/2005	Diallate	<		2	20	ug/L	1
SWB-11	3/2/2006	Diallate	<		2	20	UG/L	1
SWB-11	6/1/2006	Diallate	<		0.92	20	UG/L	1
SWB-11	3/1/2007	Diallate	<		0.92	20	UG/L	1
SWB-11	3/7/2008	Diallate	<		2	20	UG/L	1
SWB-11	6/5/2008	Diallate	<		2	20	UG/L	1
SWB-11	3/2/2009	Diallate	<		2	20	UG/L	1
SWB-11	6/4/2009	Diallate	<		2	20	UG/L	1
SWB-11	3/1/2010	Diallate	<	19	1.9	19	ug/L	1
SWB-11	6/2/2010	DIALLATE	<	0.53	0.53	5.3	UG/L	1
SWB-3	10/29/2002	Diallate	<		1.5	20	ug/L	1
SWB-3	3/4/2003	Diallate	<		1.5	20	ug/L	1
SWB-3	6/3/2003	Diallate	<		1.5	20	ug/L	1
SWB-3	9/4/2003	Diallate	<		2	20	ug/L	1 UJ
SWB-3	12/2/2003	Diallate	<		2	20	ug/L	1
SWB-3	3/1/2004	Diallate	<		2	20	ug/L	1
SWB-3	6/1/2004	Diallate	<		2	20	ug/L	1
SWB-3	9/1/2004	Diallate	<		2	20	ug/L	1
SWB-3	12/1/2004	Diallate	<		2	20	ug/L	1
SWB-3	3/3/2005	Diallate	<		2	20	ug/L	1
SWB-3	6/2/2005	Diallate	<		2	20	ug/L	1
SWB-3	9/1/2005	Diallate	<		2	20	ug/L	1
SWB-3	12/1/2005	Diallate	<		2	20	UG/L	1 UJ
SWB-3	3/2/2006	Diallate	<		2	20	UG/L	1
SWB-3	6/2/2006	Diallate	<		0.92	20	UG/L	1
SWB-3	9/5/2006	Diallate	<		0.92	20	UG/L	1
SWB-3	12/4/2006	Diallate	<		0.92	20	UG/L	1
SWB-3	3/1/2007	Diallate	<		0.92	20	UG/L	1
SWB-3	6/1/2007	Diallate	<		0.92	20	UG/L	1
SWB-3	6/1/2007	Diallate	<		0.92	20	UG/L	1 R
SWB-3	12/3/2007	Diallate	<		0.92	20	UG/L	1
SWB-3	3/6/2008	Diallate	<		2	20	UG/L	1
SWB-3	6/9/2008	Diallate	<		2	20	UG/L	1
SWB-3	12/4/2008	Diallate	<		2	20	UG/L	1
SWB-3	3/2/2009	Diallate	<		2	20	UG/L	1
SWB-3	3/2/2009	Diallate	<		2	20	UG/L	1 R
SWB-3	6/4/2009	Diallate	<		2	20	UG/L	1
SWB-3	12/1/2009	Diallate	<		2	20	UG/L	1
SWB-3	12/1/2009	Diallate	<		2	20	UG/L	1 DNR
SWB-3	3/1/2010	Diallate	<	19	1.9	19	ug/L	1 UJ
SWB-3	6/1/2010	DIALLATE	<	0.52	0.52	5.2	UG/L	1
SWB-3	6/1/2010	DIALLATE	<	0.53	0.53	5.3	UG/L	1 DNR
SWB-3	9/9/2010	DIALLATE	<	0.52	0.52	5.2	UG/L	1
SWB-4	11/15/2002	Diallate	<		1.5	20	ug/L	1
SWB-5	10/29/2002	Diallate	<		1.5	20	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	3/4/2003	Diallate	<		1.5	20	ug/L	1
SWB-6	6/3/2003	Diallate	<		1.5	20	ug/L	1
SWB-6	12/3/2003	Diallate	<		2	20	ug/L	1
SWB-6	3/5/2004	Diallate	<		2	20	ug/L	1
SWB-6	6/1/2004	Diallate	<		2	20	ug/L	1
SWB-6	12/1/2004	Diallate	<		2	20	ug/L	1
SWB-6	3/7/2005	Diallate	<		2	20	ug/L	1
SWB-6	6/1/2005	Diallate	<		2	20	ug/L	1
SWB-6	12/2/2005	Diallate	<		2	20	UG/L	1 UJ
SWB-6	3/1/2006	Diallate	<		2	20	UG/L	1
SWB-6	6/1/2006	Diallate	<		0.92	20	UG/L	1
SWB-6	12/5/2006	Diallate	<		0.92	20	UG/L	1
SWB-6	3/2/2007	Diallate	<		0.92	20	UG/L	1
SWB-6	3/6/2008	Diallate	<		2	20	UG/L	1
SWB-6	6/9/2008	Diallate	<		2	20	UG/L	1
SWB-6	12/5/2008	Diallate	<		2	20	UG/L	1
SWB-6	12/5/2008	Diallate	<		2	20	UG/L	1 R
SWB-6	3/2/2009	Diallate	<		2	20	UG/L	1
SWB-6	3/2/2009	Diallate	<		2	20	UG/L	1 R
SWB-6	6/5/2009	Diallate	<		2	20	UG/L	1
SWB-6	3/2/2010	Diallate	<	18	1.8	18	UG/L	1
SWB-6	6/2/2010	DIALLATE	<	0.53	0.53	5.3	UG/L	1
SWB-6	6/2/2010	DIALLATE	<	0.53	0.53	5.3	UG/L	1 DNR
SWB-7	3/4/2003	Diallate	<		1.5	20	ug/L	1
SWB-7	6/3/2003	Diallate	<		1.5	20	ug/L	1
SWB-7	3/1/2004	Diallate	<		2	20	ug/L	1
SWB-7	5/24/2004	Diallate	<		2	20	ug/L	1
SWB-7	12/1/2004	Diallate	<		2	20	ug/L	1
SWB-7	3/7/2005	Diallate	<		2	20	ug/L	1 UJ
SWB-7	6/1/2005	Diallate	<		2	20	ug/L	1
SWB-7	9/1/2005	Diallate	<		2	20	ug/L	1
SWB-7	12/1/2005	Diallate	<		2	20	UG/L	1 UJ
SWB-7	3/1/2006	Diallate	<		2	20	UG/L	1
SWB-7	6/2/2006	Diallate	<		0.92	20	UG/L	1
SWB-7	9/5/2006	Diallate	<		0.92	20	UG/L	1 UJ
SWB-7	12/5/2006	Diallate	<		0.92	20	UG/L	1
SWB-7	3/2/2007	Diallate	<		0.92	20	UG/L	1
SWB-7	6/1/2007	Diallate	<		0.92	20	UG/L	1
SWB-7	9/7/2007	Diallate	<		0.92	20	UG/L	1
SWB-7	12/3/2007	Diallate	<		0.92	20	UG/L	1
SWB-7	3/6/2008	Diallate	<		2	20	UG/L	1
SWB-7	6/6/2008	Diallate	<		2	20	UG/L	1
SWB-7	9/8/2008	Diallate	<		2	20	UG/L	1
SWB-7	12/5/2008	Diallate	<		2	20	UG/L	1
SWB-7	12/5/2008	Diallate	<		2	20	UG/L	1 R
SWB-7	3/2/2009	Diallate	<		2	20	UG/L	1
SWB-7	3/2/2009	Diallate	<		2	20	UG/L	1 R
SWB-7	6/5/2009	Diallate	<		2	20	UG/L	1
SWB-7	9/9/2009	Diallate	<		2	20	UG/L	1
SWB-7	12/1/2009	Diallate	<		2	20	UG/L	1
SWB-7	3/2/2010	Diallate	<	19	1.9	19	UG/L	1
SWB-7	6/1/2010	DIALLATE	<	0.54	0.54	5.4	UG/L	1 DNR
SWB-7	6/1/2010	DIALLATE	<	0.56	0.56	5.6	UG/L	1 R
SWB-7	9/9/2010	DIALLATE	<	0.54	0.54	5.4	UG/L	1
SWB-7	12/1/2010	DIALLATE	<	0.52	0.52	5.2	UG/L	1
SWB-8	3/5/2004	Diallate	<		2	20	ug/L	1
SWB-8	3/7/2005	Diallate	<		2	20	ug/L	1

tmpAnalyticalResultsOverTime

SWB-8	6/1/2005	Diallate	<		2	20	ug/L	1	
SWB-8	3/1/2006	Diallate	<		2	20	UG/L	1	
SWB-8	3/7/2008	Diallate	<		2	20	UG/L	1	
SWB-8	3/3/2009	Diallate	<		2	20	UG/L	1	
SWB-8	3/3/2009	Diallate	<		2	20	UG/L	1	R
SWB-9	3/4/2003	Diallate	<		1.5	20	ug/L	1	
SWB-9	12/3/2003	Diallate	<		2	20	ug/L	1	
SWB-9	3/5/2004	Diallate	<		2	20	ug/L	1	
SWB-9	5/27/2004	Diallate	<		2	20	ug/L	1	UJ
SWB-9	12/1/2004	Diallate	<		2	20	ug/L	1	
SWB-9	3/3/2005	Diallate	<		2	20	ug/L	1	
SWB-9	6/2/2005	Diallate	<		2	20	ug/L	1	
SWB-9	9/1/2005	Diallate	<		2	20	ug/L	1	
SWB-9	12/1/2005	Diallate	<		2	20	UG/L	1	UJ
SWB-9	3/2/2006	Diallate	<		2	20	UG/L	1	
SWB-9	6/1/2006	Diallate	<		0.92	20	UG/L	1	
SWB-9	12/4/2006	Diallate	<		0.92	20	UG/L	1	
SWB-9	3/5/2007	Diallate	<		0.92	20	UG/L	1	
SWB-9	3/6/2008	Diallate	<		2	20	UG/L	1	
SWB-9	6/5/2008	Diallate	<		2	20	UG/L	1	
SWB-9	12/5/2008	Diallate	<		2	20	UG/L	1	
SWB-9	12/5/2008	Diallate	<		2	20	UG/L	1	R
SWB-9	3/2/2009	Diallate	<		2	20	UG/L	1	
SWB-9	3/2/2009	Diallate	<		2	20	UG/L	1	R
SWB-9	6/2/2009	Diallate	<		2	20	UG/L	1	
SWB-9	6/2/2009	Diallate	<		2	20	UG/L	1	DNR
SWB-9	3/1/2010	Diallate	<	18	1.8	18	ug/L	1	
SWB-9	6/1/2010	DIALLATE	<	0.53	0.53	5.3	UG/L	1	
SWB-9	6/1/2010	DIALLATE	<	0.53	0.53	5.3	UG/L	1	DNR
SWB-9	12/1/2010	DIALLATE	<	0.52	0.52	5.2	UG/L	1	
SWB-10	3/4/2004	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1	NA
SWB-10	5/24/2004	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1	UJ
SWB-10	12/1/2004	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1	
SWB-10	3/3/2005	Dibenz(a,h)anthracene	<		1.4	10	ug/L	1	
SWB-10	6/2/2005	Dibenz(a,h)anthracene	<		1.4	10	ug/L	1	
SWB-10	9/1/2005	Dibenz(a,h)anthracene	<		1.4	10	ug/L	1	
SWB-10	3/2/2006	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1	
SWB-10	6/2/2006	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1	
SWB-10	3/1/2007	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1	
SWB-10	3/7/2008	Dibenz(a,h)anthracene	<		0.51	10	UG/L	1	
SWB-10	6/5/2008	Dibenz(a,h)anthracene	<		0.51	10	UG/L	1	
SWB-10	3/2/2009	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1	
SWB-10	3/2/2009	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1	R
SWB-10	6/4/2009	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1	
SWB-10	3/2/2010	Dibenz(a,h)anthracene	<	3.7	0.48	3.7	UG/L	1	
SWB-11	3/4/2004	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1	
SWB-11	5/24/2004	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1	UJ
SWB-11	12/1/2004	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1	
SWB-11	3/1/2005	Dibenz(a,h)anthracene	<		1.4	10	ug/L	1	
SWB-11	6/2/2005	Dibenz(a,h)anthracene	<		1.4	10	ug/L	1	
SWB-11	3/2/2006	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1	
SWB-11	6/1/2006	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1	
SWB-11	3/1/2007	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1	
SWB-11	3/7/2008	Dibenz(a,h)anthracene	<		0.51	10	UG/L	1	
SWB-11	6/5/2008	Dibenz(a,h)anthracene	<		0.51	10	UG/L	1	
SWB-11	3/2/2009	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1	
SWB-11	6/4/2009	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-11	3/1/2010	Dibenz(a,h)anthracene	<	3.7	0.48	3.7	ug/L	1
SWB-11	6/2/2010	DIBENZ(a,h)ANTHRACENE	<	0.48	0.48	3.8	UG/L	1
SWB-3	10/29/2002	Dibenz(a,h)anthracene	<		1.3	10	ug/L	1
SWB-3	3/4/2003	Dibenz(a,h)anthracene	<		1.3	10	ug/L	1
SWB-3	6/3/2003	Dibenz(a,h)anthracene	<		1.3	10	ug/L	1
SWB-3	9/4/2003	Dibenz(a,h)anthracene	<		1.3	10	ug/L	1 UJ
SWB-3	12/2/2003	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1
SWB-3	3/1/2004	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1
SWB-3	6/1/2004	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1
SWB-3	9/1/2004	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1
SWB-3	12/1/2004	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1
SWB-3	3/3/2005	Dibenz(a,h)anthracene	<		1.4	10	ug/L	1
SWB-3	6/2/2005	Dibenz(a,h)anthracene	<		1.4	10	ug/L	1
SWB-3	9/1/2005	Dibenz(a,h)anthracene	<		1.4	10	ug/L	1
SWB-3	12/1/2005	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1 UJ
SWB-3	3/2/2006	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1
SWB-3	6/2/2006	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1
SWB-3	9/5/2006	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1
SWB-3	12/4/2006	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1
SWB-3	3/1/2007	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1
SWB-3	6/1/2007	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1
SWB-3	6/1/2007	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1 R
SWB-3	12/3/2007	Dibenz(a,h)anthracene	<		0.51	10	UG/L	1
SWB-3	3/6/2008	Dibenz(a,h)anthracene	<		0.51	10	UG/L	1
SWB-3	6/9/2008	Dibenz(a,h)anthracene	<		0.51	10	UG/L	1
SWB-3	12/4/2008	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1
SWB-3	3/2/2009	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1
SWB-3	3/2/2009	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1 R
SWB-3	6/4/2009	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1
SWB-3	12/1/2009	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1
SWB-3	12/1/2009	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1 DNR
SWB-3	3/1/2010	Dibenz(a,h)anthracene	<	3.9	0.5	3.9	ug/L	1 UJ
SWB-3	6/1/2010	DIBENZ(a,h)ANTHRACENE	<	0.48	0.48	3.7	UG/L	1
SWB-3	6/1/2010	DIBENZ(a,h)ANTHRACENE	<	0.48	0.48	3.8	UG/L	1 DNR
SWB-3	9/9/2010	DIBENZ(a,h)ANTHRACENE	<	0.48	0.48	3.7	UG/L	1
SWB-4	11/15/2002	Dibenz(a,h)anthracene	<		1.3	10	ug/L	1
SWB-5	10/29/2002	Dibenz(a,h)anthracene	<		1.3	10	ug/L	1
SWB-6	3/4/2003	Dibenz(a,h)anthracene	<		1.3	10	ug/L	1
SWB-6	6/3/2003	Dibenz(a,h)anthracene	<		1.3	10	ug/L	1
SWB-6	12/3/2003	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1
SWB-6	3/5/2004	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1
SWB-6	6/1/2004	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1
SWB-6	12/1/2004	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1
SWB-6	3/7/2005	Dibenz(a,h)anthracene	<		1.4	10	ug/L	1
SWB-6	6/1/2005	Dibenz(a,h)anthracene	<		1.4	10	ug/L	1
SWB-6	12/2/2005	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1 UJ
SWB-6	3/1/2006	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1
SWB-6	6/1/2006	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1
SWB-6	12/5/2006	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1
SWB-6	3/2/2007	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1
SWB-6	3/6/2008	Dibenz(a,h)anthracene	<		0.51	10	UG/L	1
SWB-6	6/9/2008	Dibenz(a,h)anthracene	<		0.51	10	UG/L	1
SWB-6	12/5/2008	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1
SWB-6	12/5/2008	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1 R
SWB-6	3/2/2009	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1
SWB-6	3/2/2009	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1 R
SWB-6	6/5/2009	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	3/2/2010	Dibenz(a,h)anthracene	<	3.6	0.46	3.6	UG/L	1
SWB-6	6/2/2010	DIBENZ(a,h)ANTHRACENE	<	0.48	0.48	3.8	UG/L	1 DNR
SWB-6	6/2/2010	DIBENZ(a,h)ANTHRACENE	<	0.49	0.49	3.8	UG/L	1
SWB-7	3/4/2003	Dibenz(a,h)anthracene	<		1.3	10	ug/L	1
SWB-7	6/3/2003	Dibenz(a,h)anthracene	<		1.3	10	ug/L	1
SWB-7	3/1/2004	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1
SWB-7	5/24/2004	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1
SWB-7	12/1/2004	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1
SWB-7	3/7/2005	Dibenz(a,h)anthracene	<		1.4	10	ug/L	1 UJ
SWB-7	6/1/2005	Dibenz(a,h)anthracene	<		1.4	10	ug/L	1
SWB-7	9/1/2005	Dibenz(a,h)anthracene	<		1.4	10	ug/L	1
SWB-7	12/1/2005	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1 UJ
SWB-7	3/1/2006	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1
SWB-7	6/2/2006	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1
SWB-7	9/5/2006	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1 UJ
SWB-7	12/5/2006	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1
SWB-7	3/2/2007	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1
SWB-7	6/1/2007	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1
SWB-7	9/7/2007	Dibenz(a,h)anthracene	<		0.51	10	UG/L	1
SWB-7	12/3/2007	Dibenz(a,h)anthracene	<		0.51	10	UG/L	1
SWB-7	3/6/2008	Dibenz(a,h)anthracene	<		0.51	10	UG/L	1
SWB-7	6/6/2008	Dibenz(a,h)anthracene	<		0.51	10	UG/L	1
SWB-7	9/8/2008	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1
SWB-7	12/5/2008	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1
SWB-7	12/5/2008	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1 R
SWB-7	3/2/2009	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1
SWB-7	3/2/2009	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1 R
SWB-7	6/5/2009	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1
SWB-7	9/9/2009	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1
SWB-7	12/1/2009	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1
SWB-7	3/2/2010	Dibenz(a,h)anthracene	<	3.8	0.48	3.8	UG/L	1
SWB-7	6/1/2010	DIBENZ(a,h)ANTHRACENE	<	0.49	0.49	3.8	UG/L	1 DNR
SWB-7	6/1/2010	DIBENZ(a,h)ANTHRACENE	<	0.51	0.51	4	UG/L	1 R
SWB-7	9/9/2010	DIBENZ(a,h)ANTHRACENE	<	0.49	0.49	3.9	UG/L	1
SWB-7	12/1/2010	DIBENZ(a,h)ANTHRACENE	<	0.48	0.48	3.7	UG/L	1
SWB-8	3/5/2004	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1
SWB-8	3/7/2005	Dibenz(a,h)anthracene	<		1.4	10	ug/L	1
SWB-8	6/1/2005	Dibenz(a,h)anthracene	<		1.4	10	ug/L	1
SWB-8	3/1/2006	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1
SWB-8	3/7/2008	Dibenz(a,h)anthracene	<		0.51	10	UG/L	1
SWB-8	3/3/2009	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1
SWB-8	3/3/2009	Dibenz(a,h)anthracene	<		0.51	4	UG/L	1 R
SWB-9	3/4/2003	Dibenz(a,h)anthracene	<		1.3	10	ug/L	1
SWB-9	12/3/2003	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1
SWB-9	3/5/2004	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1
SWB-9	5/27/2004	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1 UJ
SWB-9	12/1/2004	Dibenz(a,h)anthracene	<		0.9	10	ug/L	1
SWB-9	3/3/2005	Dibenz(a,h)anthracene	<		1.4	10	ug/L	1
SWB-9	6/2/2005	Dibenz(a,h)anthracene	<		1.4	10	ug/L	1
SWB-9	9/1/2005	Dibenz(a,h)anthracene	<		1.4	10	ug/L	1
SWB-9	12/1/2005	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1 UJ
SWB-9	3/2/2006	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1
SWB-9	6/1/2006	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1
SWB-9	12/4/2006	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1
SWB-9	3/5/2007	Dibenz(a,h)anthracene	<		1.4	10	UG/L	1
SWB-9	3/6/2008	Dibenz(a,h)anthracene	<		0.51	10	UG/L	1
SWB-9	6/5/2008	Dibenz(a,h)anthracene	<		0.51	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	12/5/2008	Dibenz(a,h)anthracene	<	0.51	4	UG/L	1	
SWB-9	12/5/2008	Dibenz(a,h)anthracene	<	0.51	4	UG/L	1 R	
SWB-9	3/2/2009	Dibenz(a,h)anthracene	<	0.51	4	UG/L	1	
SWB-9	3/2/2009	Dibenz(a,h)anthracene	<	0.51	4	UG/L	1 R	
SWB-9	6/2/2009	Dibenz(a,h)anthracene	<	0.51	4	UG/L	1	
SWB-9	6/2/2009	Dibenz(a,h)anthracene	<	0.51	4	UG/L	1 DNR	
SWB-9	3/1/2010	Dibenz(a,h)anthracene	<	3.7	0.47	3.7	ug/L	1
SWB-9	6/1/2010	DIBENZ(a,h)ANTHRACENE	<	0.48	0.48	3.8	UG/L	1
SWB-9	6/1/2010	DIBENZ(a,h)ANTHRACENE	<	0.48	0.48	3.8	UG/L	1 DNR
SWB-9	12/1/2010	DIBENZ(a,h)ANTHRACENE	<	0.47	0.47	3.7	UG/L	1 UJ
SWB-10	3/4/2004	Dibenzofuran	<	0.6	10	ug/L	1	0.0037 mg/L
SWB-10	5/24/2004	Dibenzofuran	<	0.6	10	ug/L	1 UJ	
SWB-10	12/1/2004	Dibenzofuran	<	0.6	10	ug/L	1	
SWB-10	3/3/2005	Dibenzofuran	<	1.7	10	ug/L	1	
SWB-10	6/2/2005	Dibenzofuran	<	1.7	10	ug/L	1	
SWB-10	9/1/2005	Dibenzofuran	<	1.7	10	ug/L	1	
SWB-10	3/2/2006	Dibenzofuran	<	1.7	10	UG/L	1	
SWB-10	6/2/2006	Dibenzofuran	<	1.7	10	UG/L	1	
SWB-10	3/1/2007	Dibenzofuran	<	1.7	10	UG/L	1	
SWB-10	3/7/2008	Dibenzofuran	<	0.29	10	UG/L	1	
SWB-10	6/5/2008	Dibenzofuran	<	0.29	10	UG/L	1	
SWB-10	3/2/2009	Dibenzofuran	<	0.29	4	UG/L	1	
SWB-10	3/2/2009	Dibenzofuran	<	0.29	4	UG/L	1 R	
SWB-10	6/4/2009	Dibenzofuran	<	0.29	4	UG/L	1	
SWB-10	3/2/2010	Dibenzofuran	<	3.7	0.27	3.7	UG/L	1
SWB-11	3/4/2004	Dibenzofuran	<	0.6	10	ug/L	1	
SWB-11	5/24/2004	Dibenzofuran	<	0.6	10	ug/L	1 UJ	
SWB-11	12/1/2004	Dibenzofuran	<	0.6	10	ug/L	1	
SWB-11	3/1/2005	Dibenzofuran	<	1.7	10	ug/L	1	
SWB-11	6/2/2005	Dibenzofuran	<	1.7	10	ug/L	1	
SWB-11	3/2/2006	Dibenzofuran	<	1.7	10	UG/L	1	
SWB-11	6/1/2006	Dibenzofuran	<	1.7	10	UG/L	1	
SWB-11	3/1/2007	Dibenzofuran	<	1.7	10	UG/L	1	
SWB-11	3/7/2008	Dibenzofuran	<	0.29	10	UG/L	1	
SWB-11	6/5/2008	Dibenzofuran	<	0.29	10	UG/L	1	
SWB-11	3/2/2009	Dibenzofuran	<	0.29	4	UG/L	1	
SWB-11	6/4/2009	Dibenzofuran	<	0.29	4	UG/L	1	
SWB-11	3/1/2010	Dibenzofuran	<	3.7	0.27	3.7	ug/L	1
SWB-11	6/2/2010	Dibenzofuran	<	0.27	0.27	3.8	UG/L	1
SWB-3	10/29/2002	Dibenzofuran	<	5	10	ug/L	1	
SWB-3	3/4/2003	Dibenzofuran	<	5	10	ug/L	1	
SWB-3	6/3/2003	Dibenzofuran	<	5	10	ug/L	1	
SWB-3	9/4/2003	Dibenzofuran	<	5	10	ug/L	1 UJ	
SWB-3	12/2/2003	Dibenzofuran	<	0.6	10	ug/L	1	
SWB-3	3/1/2004	Dibenzofuran	<	0.6	10	ug/L	1	
SWB-3	6/1/2004	Dibenzofuran	<	0.6	10	ug/L	1	
SWB-3	9/1/2004	Dibenzofuran	<	0.6	10	ug/L	1	
SWB-3	12/1/2004	Dibenzofuran	<	0.6	10	ug/L	1	
SWB-3	3/3/2005	Dibenzofuran	<	1.7	10	ug/L	1	
SWB-3	6/2/2005	Dibenzofuran	<	1.7	10	ug/L	1	
SWB-3	9/1/2005	Dibenzofuran	<	1.7	10	ug/L	1	
SWB-3	12/1/2005	Dibenzofuran	<	1.7	10	UG/L	1 UJ	
SWB-3	3/2/2006	Dibenzofuran	<	1.7	10	UG/L	1	
SWB-3	6/2/2006	Dibenzofuran	<	1.7	10	UG/L	1	
SWB-3	9/5/2006	Dibenzofuran	<	1.7	10	UG/L	1	
SWB-3	12/4/2006	Dibenzofuran	<	1.7	10	UG/L	1	
SWB-3	3/1/2007	Dibenzofuran	<	1.7	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	6/1/2007	Dibenzofuran	<	1.7	10	UG/L	1	
SWB-3	6/1/2007	Dibenzofuran	<	1.7	10	UG/L	1 R	
SWB-3	12/3/2007	Dibenzofuran	<	0.29	10	UG/L	1	
SWB-3	3/6/2008	Dibenzofuran	<	0.29	10	UG/L	1	
SWB-3	6/9/2008	Dibenzofuran	<	0.29	10	UG/L	1	
SWB-3	12/4/2008	Dibenzofuran	<	0.29	4	UG/L	1	
SWB-3	3/2/2009	Dibenzofuran	<	0.29	4	UG/L	1	
SWB-3	3/2/2009	Dibenzofuran	<	0.29	4	UG/L	1 R	
SWB-3	6/4/2009	Dibenzofuran	<	0.29	4	UG/L	1	
SWB-3	12/1/2009	Dibenzofuran	<	0.29	4	UG/L	1	
SWB-3	12/1/2009	Dibenzofuran	<	0.29	4	UG/L	1 DNR	
SWB-3	3/1/2010	Dibenzofuran	<	3.9	0.28	3.9	ug/L	1 UJ
SWB-3	6/1/2010	Dibenzofuran	<	0.27	0.27	3.7	UG/L	1
SWB-3	6/1/2010	Dibenzofuran	<	0.27	0.27	3.8	UG/L	1 DNR
SWB-3	9/9/2010	Dibenzofuran	<	0.27	0.27	3.7	UG/L	1
SWB-4	11/15/2002	Dibenzofuran	<	5	10	ug/L	1	
SWB-5	10/29/2002	Dibenzofuran	<	5	10	ug/L	1	
SWB-6	3/4/2003	Dibenzofuran	<	5	10	ug/L	1	
SWB-6	6/3/2003	Dibenzofuran	<	5	10	ug/L	1	
SWB-6	12/3/2003	Dibenzofuran	<	0.6	10	ug/L	1	
SWB-6	3/5/2004	Dibenzofuran	<	0.6	10	ug/L	1	
SWB-6	6/1/2004	Dibenzofuran	<	0.6	10	ug/L	1	
SWB-6	12/1/2004	Dibenzofuran	<	0.6	10	ug/L	1	
SWB-6	3/7/2005	Dibenzofuran	<	1.7	10	ug/L	1	
SWB-6	6/1/2005	Dibenzofuran	<	1.7	10	ug/L	1	
SWB-6	12/2/2005	Dibenzofuran	<	1.7	10	UG/L	1 UJ	
SWB-6	3/1/2006	Dibenzofuran	<	1.7	10	UG/L	1	
SWB-6	6/1/2006	Dibenzofuran	<	1.7	10	UG/L	1	
SWB-6	12/5/2006	Dibenzofuran	<	1.7	10	UG/L	1	
SWB-6	3/2/2007	Dibenzofuran	<	1.7	10	UG/L	1	
SWB-6	3/6/2008	Dibenzofuran	<	0.29	10	UG/L	1	
SWB-6	6/9/2008	Dibenzofuran	<	0.29	10	UG/L	1	
SWB-6	12/5/2008	Dibenzofuran	<	0.29	4	UG/L	1	
SWB-6	12/5/2008	Dibenzofuran	<	0.29	4	UG/L	1 R	
SWB-6	3/2/2009	Dibenzofuran	<	0.29	4	UG/L	1	
SWB-6	3/2/2009	Dibenzofuran	<	0.29	4	UG/L	1 R	
SWB-6	6/5/2009	Dibenzofuran	<	0.29	4	UG/L	1	
SWB-6	3/2/2010	Dibenzofuran	<	3.6	0.26	3.6	UG/L	1
SWB-6	6/2/2010	Dibenzofuran	<	0.27	0.27	3.8	UG/L	1 DNR
SWB-6	6/2/2010	Dibenzofuran	<	0.28	0.28	3.8	UG/L	1
SWB-7	3/4/2003	Dibenzofuran	<	5	10	ug/L	1	
SWB-7	6/3/2003	Dibenzofuran	<	5	10	ug/L	1	
SWB-7	3/1/2004	Dibenzofuran	<	0.6	10	ug/L	1	
SWB-7	5/24/2004	Dibenzofuran	<	0.6	10	ug/L	1	
SWB-7	12/1/2004	Dibenzofuran	<	0.6	10	ug/L	1	
SWB-7	3/7/2005	Dibenzofuran	<	1.7	10	ug/L	1 UJ	
SWB-7	6/1/2005	Dibenzofuran	<	1.7	10	ug/L	1	
SWB-7	9/1/2005	Dibenzofuran	<	1.7	10	ug/L	1	
SWB-7	12/1/2005	Dibenzofuran	<	1.7	10	UG/L	1 UJ	
SWB-7	3/1/2006	Dibenzofuran	<	1.7	10	UG/L	1	
SWB-7	6/2/2006	Dibenzofuran	<	1.7	10	UG/L	1	
SWB-7	9/5/2006	Dibenzofuran	<	1.7	10	UG/L	1 UJ	
SWB-7	12/5/2006	Dibenzofuran	<	1.7	10	UG/L	1	
SWB-7	3/2/2007	Dibenzofuran	<	1.7	10	UG/L	1	
SWB-7	6/1/2007	Dibenzofuran	<	1.7	10	UG/L	1	
SWB-7	9/7/2007	Dibenzofuran	<	0.29	10	UG/L	1	
SWB-7	12/3/2007	Dibenzofuran	<	0.29	10	UG/L	1	



tmpAnalyticalResultsOverTime

SWB-7	3/6/2008	Dibenzofuran	<		0.29	10	UG/L	1	
SWB-7	6/6/2008	Dibenzofuran	<		0.29	10	UG/L	1	
SWB-7	9/8/2008	Dibenzofuran	<		0.29	4	UG/L	1	
SWB-7	12/5/2008	Dibenzofuran	<		0.29	4	UG/L	1	
SWB-7	12/5/2008	Dibenzofuran	<		0.29	4	UG/L	1	R
SWB-7	3/2/2009	Dibenzofuran	<		0.29	4	UG/L	1	
SWB-7	3/2/2009	Dibenzofuran	<		0.29	4	UG/L	1	R
SWB-7	6/5/2009	Dibenzofuran	<		0.29	4	UG/L	1	
SWB-7	9/9/2009	Dibenzofuran	<		0.29	4	UG/L	1	
SWB-7	12/1/2009	Dibenzofuran	<		0.29	4	UG/L	1	
SWB-7	3/2/2010	Dibenzofuran	<	3.8	0.28	3.8	UG/L	1	
SWB-7	6/1/2010	Dibenzofuran	<	0.28	0.28	3.8	UG/L	1	DNR
SWB-7	6/1/2010	Dibenzofuran	<	0.29	0.29	4	UG/L	1	R
SWB-7	9/9/2010	Dibenzofuran	<	0.28	0.28	3.9	UG/L	1	
SWB-7	12/1/2010	Dibenzofuran	<	0.27	0.27	3.7	UG/L	1	
SWB-8	3/5/2004	Dibenzofuran	<		0.6	10	ug/L	1	
SWB-8	3/7/2005	Dibenzofuran	<		1.7	10	ug/L	1	
SWB-8	6/1/2005	Dibenzofuran	<		1.7	10	ug/L	1	
SWB-8	3/1/2006	Dibenzofuran	<		1.7	10	UG/L	1	
SWB-8	3/7/2008	Dibenzofuran	<		0.29	10	UG/L	1	
SWB-8	3/3/2009	Dibenzofuran	<		0.29	4	UG/L	1	
SWB-8	3/3/2009	Dibenzofuran	<		0.29	4	UG/L	1	R
SWB-9	3/4/2003	Dibenzofuran	<		5	10	ug/L	1	
SWB-9	12/3/2003	Dibenzofuran	<		0.6	10	ug/L	1	
SWB-9	3/5/2004	Dibenzofuran	<		0.6	10	ug/L	1	
SWB-9	5/27/2004	Dibenzofuran	<		0.6	10	ug/L	1	UJ
SWB-9	12/1/2004	Dibenzofuran	<		0.6	10	ug/L	1	
SWB-9	3/3/2005	Dibenzofuran	<		1.7	10	ug/L	1	
SWB-9	6/2/2005	Dibenzofuran	<		1.7	10	ug/L	1	
SWB-9	9/1/2005	Dibenzofuran	<		1.7	10	ug/L	1	
SWB-9	12/1/2005	Dibenzofuran	<		1.7	10	UG/L	1	UJ
SWB-9	3/2/2006	Dibenzofuran	<		1.7	10	UG/L	1	
SWB-9	6/1/2006	Dibenzofuran	<		1.7	10	UG/L	1	
SWB-9	12/4/2006	Dibenzofuran	<		1.7	10	UG/L	1	
SWB-9	3/5/2007	Dibenzofuran	<		1.7	10	UG/L	1	
SWB-9	3/6/2008	Dibenzofuran	<		0.29	10	UG/L	1	
SWB-9	6/5/2008	Dibenzofuran	<		0.29	10	UG/L	1	
SWB-9	12/5/2008	Dibenzofuran	<		0.29	4	UG/L	1	
SWB-9	12/5/2008	Dibenzofuran	<		0.29	4	UG/L	1	R
SWB-9	3/2/2009	Dibenzofuran	<		0.29	4	UG/L	1	
SWB-9	3/2/2009	Dibenzofuran	<		0.29	4	UG/L	1	R
SWB-9	6/2/2009	Dibenzofuran	<		0.29	4	UG/L	1	
SWB-9	6/2/2009	Dibenzofuran	<		0.29	4	UG/L	1	DNR
SWB-9	3/1/2010	Dibenzofuran	<	3.7	0.27	3.7	ug/L	1	
SWB-9	6/1/2010	Dibenzofuran	<	0.27	0.27	3.8	UG/L	1	
SWB-9	6/1/2010	Dibenzofuran	<	0.27	0.27	3.8	UG/L	1	DNR
SWB-9	12/1/2010	Dibenzofuran	<	0.27	0.27	3.7	UG/L	1	
SWB-11	6/2/2010	DIBROMOCHLOROMETHANE	<	0.17	0.17	1	UG/L	1	NA
SWB-3	6/1/2010	DIBROMOCHLOROMETHANE	<	0.68	0.68	4	UG/L	1	
SWB-3	6/1/2010	DIBROMOCHLOROMETHANE	TR	0.41	0.17	1	UG/L	1	DNR
SWB-3	9/9/2010	DIBROMOCHLOROMETHANE	<	0.17	0.17	1	UG/L	1	UJ
SWB-6	6/2/2010	DIBROMOCHLOROMETHANE	<	0.17	0.17	1	UG/L	1	
SWB-7	6/1/2010	DIBROMOCHLOROMETHANE	<	0.17	0.17	1	UG/L	1	DNR
SWB-7	6/1/2010	DIBROMOCHLOROMETHANE	<	0.68	0.68	4	UG/L	1	
SWB-7	9/9/2010	DIBROMOCHLOROMETHANE	<	0.17	0.17	1	UG/L	1	UJ
SWB-7	12/1/2010	DIBROMOCHLOROMETHANE	<	0.17	0.17	1	UG/L	1	
SWB-9	6/1/2010	DIBROMOCHLOROMETHANE	<	0.17	0.17	1	UG/L	1	DNR

tmpAnalyticalResultsOverTime

SWB-9	6/1/2010	DIBROMOCHLOROMETHANE	<	0.68	0.68	4	UG/L	1	
SWB-9	12/1/2010	DIBROMOCHLOROMETHANE	<	0.17	0.17	1	UG/L	1	
SWB-10	3/4/2004	Dibromomethane	<		0.31	1	ug/L	1	NA
SWB-10	5/24/2004	Dibromomethane	<		0.31	1	ug/L	1	
SWB-10	12/1/2004	Dibromomethane	<		0.31	1	ug/L	1	
SWB-10	3/3/2005	Dibromomethane	<		0.13	1	ug/L	1	
SWB-10	6/2/2005	Dibromomethane	<		0.17	1	ug/L	1	
SWB-10	9/1/2005	Dibromomethane	<		0.17	1	ug/L	1	
SWB-10	3/2/2006	Dibromomethane	<		0.68	4	UG/L	4	
SWB-10	6/2/2006	Dibromomethane	<		0.17	1	UG/L	1	
SWB-10	3/1/2007	Dibromomethane	<		0.17	1	UG/L	1	
SWB-10	3/7/2008	Dibromomethane	<		0.17	1	UG/L	1	
SWB-10	6/5/2008	Dibromomethane	<		0.17	1	UG/L	1	
SWB-10	3/2/2009	Dibromomethane	<		0.17	1	UG/L	1	
SWB-10	6/4/2009	Dibromomethane	<		0.17	1	UG/L	1	
SWB-10	3/2/2010	Dibromomethane	<	1	0.17	1	UG/L	1	
SWB-11	3/4/2004	Dibromomethane	<		0.31	1	ug/L	1	
SWB-11	5/24/2004	Dibromomethane	<		0.31	1	ug/L	1	
SWB-11	12/1/2004	Dibromomethane	<		0.31	1	ug/L	1	
SWB-11	3/1/2005	Dibromomethane	<		0.13	1	ug/L	1	
SWB-11	6/2/2005	Dibromomethane	<		0.17	1	ug/L	1	
SWB-11	3/2/2006	Dibromomethane	<		1.7	10	UG/L	10	
SWB-11	6/1/2006	Dibromomethane	<		0.17	1	UG/L	1	
SWB-11	3/1/2007	Dibromomethane	<		0.17	1	UG/L	1	
SWB-11	3/7/2008	Dibromomethane	<		0.17	1	UG/L	1	
SWB-11	6/5/2008	Dibromomethane	<		0.17	1	UG/L	1	
SWB-11	3/2/2009	Dibromomethane	<		0.17	1	UG/L	1	
SWB-11	6/4/2009	Dibromomethane	<		0.17	1	UG/L	1	
SWB-11	3/1/2010	Dibromomethane	<	1	0.17	1	ug/L	1	
SWB-11	6/2/2010	DIBROMOMETHANE	<	0.17	0.17	1	UG/L	1	
SWB-3	10/29/2002	Dibromomethane	<		0.4	1	ug/L	1	
SWB-3	3/4/2003	Dibromomethane	<		0.31	1	ug/L	1	
SWB-3	6/3/2003	Dibromomethane	<		0.31	1	ug/L	1	
SWB-3	9/4/2003	Dibromomethane	<		0.31	1	ug/L	1	UJ
SWB-3	12/2/2003	Dibromomethane	<		0.31	1	ug/L	1	
SWB-3	3/1/2004	Dibromomethane	<		0.31	1	ug/L	1	
SWB-3	6/1/2004	Dibromomethane	<		0.31	1	ug/L	1	
SWB-3	9/1/2004	Dibromomethane	<		0.31	1	ug/L	1	
SWB-3	12/1/2004	Dibromomethane	<		0.51	1.7	ug/L	1.66	
SWB-3	3/3/2005	Dibromomethane	<		0.13	1	ug/L	1	
SWB-3	6/2/2005	Dibromomethane	<		0.17	1	ug/L	1	
SWB-3	9/1/2005	Dibromomethane	<		0.17	1	ug/L	1	
SWB-3	12/1/2005	Dibromomethane	<		0.34	2	UG/L	2	
SWB-3	3/2/2006	Dibromomethane	<		0.68	4	UG/L	4	
SWB-3	6/2/2006	Dibromomethane	<		0.17	1	UG/L	1	
SWB-3	9/5/2006	Dibromomethane	<		0.17	1	UG/L	1	
SWB-3	12/4/2006	Dibromomethane	<		0.17	1	UG/L	1	
SWB-3	3/1/2007	Dibromomethane	<		0.17	1	UG/L	1	
SWB-3	6/1/2007	Dibromomethane	<		0.17	1	UG/L	1	
SWB-3	12/3/2007	Dibromomethane	<		0.17	1	UG/L	1	
SWB-3	3/6/2008	Dibromomethane	<		0.17	1	UG/L	1	
SWB-3	6/9/2008	Dibromomethane	<		0.17	1	UG/L	1	
SWB-3	12/4/2008	Dibromomethane	<		0.17	1	UG/L	1	
SWB-3	3/2/2009	Dibromomethane	<		0.17	1	UG/L	1	
SWB-3	6/4/2009	Dibromomethane	<		0.17	1	UG/L	1	
SWB-3	12/1/2009	Dibromomethane	<		0.17	1	UG/L	1	
SWB-3	3/1/2010	Dibromomethane	<	1	0.17	1	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	3/1/2010	Dibromomethane	<	2	0.34	2	ug/L	1 DNR
SWB-3	6/1/2010	DIBROMOMETHANE	<	0.17	0.17	1	UG/L	1 DNR
SWB-3	6/1/2010	DIBROMOMETHANE	<	0.68	0.68	4	UG/L	1
SWB-3	9/9/2010	DIBROMOMETHANE	<	0.17	0.17	1	UG/L	1 UJ
SWB-4	11/15/2002	Dibromomethane	<		0.4	1	ug/L	1
SWB-5	10/29/2002	Dibromomethane	<		0.4	1	ug/L	1
SWB-6	3/4/2003	Dibromomethane	<		0.31	1	ug/L	1
SWB-6	6/3/2003	Dibromomethane	<		0.62	2	ug/L	2
SWB-6	12/3/2003	Dibromomethane	<		0.62	2	ug/L	2
SWB-6	3/5/2004	Dibromomethane	<		0.31	1	ug/L	1
SWB-6	6/1/2004	Dibromomethane	<		0.31	1	ug/L	1
SWB-6	12/1/2004	Dibromomethane	<		0.31	1	ug/L	1
SWB-6	3/7/2005	Dibromomethane	<		0.13	1	ug/L	1
SWB-6	6/1/2005	Dibromomethane	<		0.17	1	ug/L	1
SWB-6	12/2/2005	Dibromomethane	<		0.17	1	UG/L	1
SWB-6	3/1/2006	Dibromomethane	<		0.17	1	UG/L	1
SWB-6	6/1/2006	Dibromomethane	<		0.17	1	UG/L	1
SWB-6	12/5/2006	Dibromomethane	<		0.17	1	UG/L	1
SWB-6	3/2/2007	Dibromomethane	<		0.17	1	UG/L	1
SWB-6	3/6/2008	Dibromomethane	<		0.17	1	UG/L	1
SWB-6	6/9/2008	Dibromomethane	<		0.17	1	UG/L	1
SWB-6	12/5/2008	Dibromomethane	<		0.17	1	UG/L	1
SWB-6	3/2/2009	Dibromomethane	<		0.17	1	UG/L	1
SWB-6	6/5/2009	Dibromomethane	<		0.17	1	UG/L	1
SWB-6	3/2/2010	Dibromomethane	<	1	0.17	1	UG/L	1
SWB-6	6/2/2010	DIBROMOMETHANE	<	0.17	0.17	1	UG/L	1
SWB-7	3/4/2003	Dibromomethane	<		0.31	1	ug/L	1
SWB-7	6/3/2003	Dibromomethane	<		0.31	1	ug/L	1
SWB-7	3/1/2004	Dibromomethane	<		0.31	1	ug/L	1
SWB-7	5/24/2004	Dibromomethane	<		0.31	1	ug/L	1
SWB-7	12/1/2004	Dibromomethane	<		0.31	1	ug/L	1
SWB-7	3/7/2005	Dibromomethane	<		0.13	1	ug/L	1
SWB-7	6/1/2005	Dibromomethane	<		0.17	1	ug/L	1
SWB-7	9/1/2005	Dibromomethane	<		0.17	1	ug/L	1
SWB-7	12/1/2005	Dibromomethane	<		0.17	1	UG/L	1
SWB-7	3/1/2006	Dibromomethane	<		0.17	1	UG/L	1
SWB-7	6/2/2006	Dibromomethane	<		0.17	1	UG/L	1
SWB-7	9/5/2006	Dibromomethane	<		0.17	1	UG/L	1
SWB-7	12/5/2006	Dibromomethane	<		0.17	1	UG/L	1
SWB-7	3/2/2007	Dibromomethane	<		0.17	1	UG/L	1
SWB-7	6/1/2007	Dibromomethane	<		0.17	1	UG/L	1
SWB-7	9/7/2007	Dibromomethane	<		0.17	1	UG/L	1
SWB-7	12/3/2007	Dibromomethane	<		0.17	1	UG/L	1
SWB-7	3/6/2008	Dibromomethane	<		0.17	1	UG/L	1
SWB-7	6/6/2008	Dibromomethane	<		0.17	1	UG/L	1
SWB-7	9/8/2008	Dibromomethane	<		0.17	1	UG/L	1
SWB-7	12/5/2008	Dibromomethane	<		0.17	1	UG/L	1
SWB-7	3/2/2009	Dibromomethane	<		0.17	1	UG/L	1
SWB-7	6/5/2009	Dibromomethane	<		0.17	1	UG/L	1
SWB-7	9/9/2009	Dibromomethane	<		0.17	1	UG/L	1
SWB-7	12/1/2009	Dibromomethane	<		0.17	1	UG/L	1
SWB-7	3/2/2010	Dibromomethane	<	1	0.17	1	UG/L	1
SWB-7	6/1/2010	DIBROMOMETHANE	<	0.17	0.17	1	UG/L	1 DNR
SWB-7	6/1/2010	DIBROMOMETHANE	<	0.68	0.68	4	UG/L	1
SWB-7	9/9/2010	DIBROMOMETHANE	<	0.17	0.17	1	UG/L	1 UJ
SWB-7	12/1/2010	DIBROMOMETHANE	<	0.17	0.17	1	UG/L	1
SWB-8	3/5/2004	Dibromomethane	<		0.31	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-8	3/7/2005	Dibromomethane	<		0.13	1	ug/L	1	
SWB-8	6/1/2005	Dibromomethane	<		0.17	1	ug/L	1	
SWB-8	3/1/2006	Dibromomethane	<		0.17	1	UG/L	1	
SWB-8	3/7/2008	Dibromomethane	<		0.17	1	UG/L	1	
SWB-8	3/3/2009	Dibromomethane	<		0.17	1	UG/L	1	
SWB-9	3/4/2003	Dibromomethane	<		0.31	1	ug/L	1	
SWB-9	12/3/2003	Dibromomethane	<		0.62	2	ug/L	2	
SWB-9	3/5/2004	Dibromomethane	<		0.31	1	ug/L	1	
SWB-9	5/27/2004	Dibromomethane	<		0.31	1	ug/L	1	
SWB-9	12/1/2004	Dibromomethane	<		0.31	1	ug/L	1	
SWB-9	3/3/2005	Dibromomethane	<		0.13	1	ug/L	1	
SWB-9	6/2/2005	Dibromomethane	<		0.17	1	ug/L	1	
SWB-9	9/1/2005	Dibromomethane	<		0.17	1	ug/L	1	UJ
SWB-9	12/1/2005	Dibromomethane	<		0.17	1	UG/L	1	
SWB-9	3/2/2006	Dibromomethane	<		0.68	4	UG/L	4	
SWB-9	6/1/2006	Dibromomethane	<		0.17	1	UG/L	1	
SWB-9	12/4/2006	Dibromomethane	<		0.17	1	UG/L	1	
SWB-9	3/5/2007	Dibromomethane	<		0.17	1	UG/L	1	
SWB-9	3/6/2008	Dibromomethane	<		0.17	1	UG/L	1	
SWB-9	6/5/2008	Dibromomethane	<		0.17	1	UG/L	1	R
SWB-9	12/5/2008	Dibromomethane	<		0.17	1	UG/L	1	
SWB-9	3/2/2009	Dibromomethane	<		0.17	1	UG/L	1	
SWB-9	6/2/2009	Dibromomethane	<		0.17	1	UG/L	1	
SWB-9	3/1/2010	Dibromomethane	<	1	0.17	1	ug/L	1	
SWB-9	6/1/2010	DIBROMOMETHANE	<	0.17	0.17	1	UG/L	1	DNR
SWB-9	6/1/2010	DIBROMOMETHANE	<	0.68	0.68	4	UG/L	1	
SWB-9	12/1/2010	DIBROMOMETHANE	<	0.17	0.17	1	UG/L	1	
SWB-10	3/4/2004	Dichlorodifluoromethane	<		0.22	2	ug/L	1	NA
SWB-10	5/24/2004	Dichlorodifluoromethane	<		0.22	2	ug/L	1	
SWB-10	12/1/2004	Dichlorodifluoromethane	<		0.22	2	ug/L	1	
SWB-10	3/3/2005	Dichlorodifluoromethane	<		0.26	2	ug/L	1	
SWB-10	6/2/2005	Dichlorodifluoromethane	<		0.31	2	ug/L	1	
SWB-10	9/1/2005	Dichlorodifluoromethane	<		0.31	2	ug/L	1	
SWB-10	3/2/2006	Dichlorodifluoromethane	<		1.2	8	UG/L	4	
SWB-10	6/2/2006	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-10	3/1/2007	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-10	3/7/2008	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-10	6/5/2008	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-10	3/2/2009	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-10	6/4/2009	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-10	3/2/2010	Dichlorodifluoromethane	<	2	0.31	2	UG/L	1	
SWB-11	3/4/2004	Dichlorodifluoromethane	<		0.22	2	ug/L	1	
SWB-11	5/24/2004	Dichlorodifluoromethane	<		0.22	2	ug/L	1	
SWB-11	12/1/2004	Dichlorodifluoromethane	<		0.22	2	ug/L	1	
SWB-11	3/1/2005	Dichlorodifluoromethane	<		0.26	2	ug/L	1	
SWB-11	6/2/2005	Dichlorodifluoromethane	<		0.31	2	ug/L	1	
SWB-11	3/2/2006	Dichlorodifluoromethane	<		3.1	20	UG/L	10	
SWB-11	6/1/2006	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-11	3/1/2007	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-11	3/7/2008	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-11	6/5/2008	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-11	3/2/2009	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-11	6/4/2009	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-11	3/1/2010	Dichlorodifluoromethane	<	2	0.31	2	ug/L	1	
SWB-11	6/2/2010	DICHLORODIFLUOROMETHANE	<	0.31	0.31	2	UG/L	1	
SWB-3	10/29/2002	Dichlorodifluoromethane	<		0.44	2	ug/L	1	
SWB-3	3/4/2003	Dichlorodifluoromethane	<		0.22	2	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	6/3/2003	Dichlorodifluoromethane	<		0.22	2	ug/L	1	
SWB-3	9/4/2003	Dichlorodifluoromethane	<		0.22	2	ug/L	1	UJ
SWB-3	12/2/2003	Dichlorodifluoromethane	<		0.22	2	ug/L	1	
SWB-3	3/1/2004	Dichlorodifluoromethane	<		0.22	2	ug/L	1	
SWB-3	6/1/2004	Dichlorodifluoromethane	<		0.22	2	ug/L	1	
SWB-3	9/1/2004	Dichlorodifluoromethane	<		0.22	2	ug/L	1	
SWB-3	12/1/2004	Dichlorodifluoromethane	<		0.37	3.3	ug/L	1.66	
SWB-3	3/3/2005	Dichlorodifluoromethane	<		0.26	2	ug/L	1	
SWB-3	6/2/2005	Dichlorodifluoromethane	<		0.31	2	ug/L	1	
SWB-3	9/1/2005	Dichlorodifluoromethane	<		0.31	2	ug/L	1	
SWB-3	12/1/2005	Dichlorodifluoromethane	<		0.62	4	UG/L	2	
SWB-3	3/2/2006	Dichlorodifluoromethane	<		1.2	8	UG/L	4	
SWB-3	6/2/2006	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-3	9/5/2006	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-3	12/4/2006	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-3	3/1/2007	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-3	6/1/2007	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-3	12/3/2007	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-3	3/6/2008	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-3	6/9/2008	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-3	12/4/2008	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-3	3/2/2009	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-3	6/4/2009	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-3	12/1/2009	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-3	3/1/2010	Dichlorodifluoromethane	<	2	0.31	2	ug/L	1	
SWB-3	3/1/2010	Dichlorodifluoromethane	<	4	0.62	4	ug/L	1	DNR
SWB-3	6/1/2010	DICHLORODIFLUOROMETHANE	<	0.31	0.31	2	UG/L	1	DNR
SWB-3	6/1/2010	DICHLORODIFLUOROMETHANE	<	1.2	1.2	8	UG/L	1	
SWB-3	9/9/2010	DICHLORODIFLUOROMETHANE	<	0.31	0.31	2	UG/L	1	
SWB-4	11/15/2002	Dichlorodifluoromethane	<		0.44	2	ug/L	1	
SWB-5	10/29/2002	Dichlorodifluoromethane	<		0.44	2	ug/L	1	
SWB-6	3/4/2003	Dichlorodifluoromethane	<		0.22	2	ug/L	1	
SWB-6	6/3/2003	Dichlorodifluoromethane	<		0.44	4	ug/L	2	
SWB-6	12/3/2003	Dichlorodifluoromethane	<		0.44	4	ug/L	2	
SWB-6	3/5/2004	Dichlorodifluoromethane	<		0.22	2	ug/L	1	
SWB-6	6/1/2004	Dichlorodifluoromethane	<		0.22	2	ug/L	1	
SWB-6	12/1/2004	Dichlorodifluoromethane	<		0.22	2	ug/L	1	
SWB-6	3/7/2005	Dichlorodifluoromethane	<		0.26	2	ug/L	1	
SWB-6	6/1/2005	Dichlorodifluoromethane	<		0.31	2	ug/L	1	
SWB-6	12/2/2005	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-6	3/1/2006	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-6	6/1/2006	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-6	12/5/2006	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-6	3/2/2007	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-6	3/6/2008	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-6	6/9/2008	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-6	12/5/2008	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-6	3/2/2009	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-6	6/5/2009	Dichlorodifluoromethane	<		0.31	2	UG/L	1	
SWB-6	3/2/2010	Dichlorodifluoromethane	<	2	0.31	2	UG/L	1	
SWB-6	6/2/2010	DICHLORODIFLUOROMETHANE	<	0.31	0.31	2	UG/L	1	
SWB-7	3/4/2003	Dichlorodifluoromethane	<		0.22	2	ug/L	1	
SWB-7	6/3/2003	Dichlorodifluoromethane	<		0.22	2	ug/L	1	
SWB-7	3/1/2004	Dichlorodifluoromethane	<		0.22	2	ug/L	1	
SWB-7	5/24/2004	Dichlorodifluoromethane	<		0.22	2	ug/L	1	
SWB-7	12/1/2004	Dichlorodifluoromethane	<		0.22	2	ug/L	1	
SWB-7	3/7/2005	Dichlorodifluoromethane	<		0.26	2	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-7	6/1/2005	Dichlorodifluoromethane	<	0.31	2	ug/L	1	
SWB-7	9/1/2005	Dichlorodifluoromethane	<	0.31	2	ug/L	1	
SWB-7	12/1/2005	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-7	3/1/2006	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-7	6/2/2006	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-7	9/5/2006	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-7	12/5/2006	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-7	3/2/2007	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-7	6/1/2007	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-7	9/7/2007	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-7	12/3/2007	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-7	3/6/2008	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-7	6/6/2008	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-7	9/8/2008	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-7	12/5/2008	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-7	3/2/2009	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-7	6/5/2009	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-7	9/9/2009	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-7	12/1/2009	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-7	3/2/2010	Dichlorodifluoromethane	<	2	0.31	2	UG/L	1
SWB-7	6/1/2010	DICHLORODIFLUOROMETHANE	<	0.31	0.31	2	UG/L	1 DNR
SWB-7	6/1/2010	DICHLORODIFLUOROMETHANE	<	1.2	1.2	8	UG/L	1
SWB-7	9/9/2010	DICHLORODIFLUOROMETHANE	<	0.31	0.31	2	UG/L	1
SWB-7	12/1/2010	DICHLORODIFLUOROMETHANE	<	0.31	0.31	2	UG/L	1
SWB-8	3/5/2004	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
SWB-8	3/7/2005	Dichlorodifluoromethane	<	0.26	2	ug/L	1	
SWB-8	6/1/2005	Dichlorodifluoromethane	<	0.31	2	ug/L	1	
SWB-8	3/1/2006	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-8	3/7/2008	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-8	3/3/2009	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-9	3/4/2003	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
SWB-9	12/3/2003	Dichlorodifluoromethane	<	0.44	4	ug/L	2	
SWB-9	3/5/2004	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
SWB-9	5/27/2004	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
SWB-9	12/1/2004	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
SWB-9	3/3/2005	Dichlorodifluoromethane	<	0.26	2	ug/L	1	
SWB-9	6/2/2005	Dichlorodifluoromethane	<	0.31	2	ug/L	1	
SWB-9	9/1/2005	Dichlorodifluoromethane	<	0.31	2	ug/L	1 UJ	
SWB-9	12/1/2005	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-9	3/2/2006	Dichlorodifluoromethane	<	1.2	8	UG/L	4	
SWB-9	6/1/2006	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-9	12/4/2006	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-9	3/5/2007	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-9	3/6/2008	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-9	6/5/2008	Dichlorodifluoromethane	<	0.31	2	UG/L	1 R	
SWB-9	12/5/2008	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-9	3/2/2009	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-9	6/2/2009	Dichlorodifluoromethane	<	0.31	2	UG/L	1	
SWB-9	3/1/2010	Dichlorodifluoromethane	<	2	0.31	2	ug/L	1
SWB-9	6/1/2010	DICHLORODIFLUOROMETHANE	<	0.31	0.31	2	UG/L	1 DNR
SWB-9	6/1/2010	DICHLORODIFLUOROMETHANE	<	1.2	1.2	8	UG/L	1
SWB-9	12/1/2010	DICHLORODIFLUOROMETHANE	<	0.31	0.31	2	UG/L	1
SWB-10	3/4/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1	
SWB-10	5/24/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1	
SWB-10	12/1/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1	
SWB-10	3/3/2005	Dichlorofluoromethane	<	0.41	2	ug/L	1	
SWB-10	6/2/2005	Dichlorofluoromethane	<	0.41	2	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-10	9/1/2005	Dichlorofluoromethane	<		0.41	2	ug/L	1
SWB-10	3/2/2006	Dichlorofluoromethane	<		1.6	8	UG/L	4
SWB-10	6/2/2006	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-10	3/1/2007	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-10	3/7/2008	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-10	6/5/2008	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-10	3/2/2009	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-10	6/4/2009	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-10	3/2/2010	Dichlorofluoromethane	<	2	0.22	2	UG/L	1
SWB-11	3/4/2004	Dichlorofluoromethane	<		0.21	2	ug/L	1
SWB-11	5/24/2004	Dichlorofluoromethane	<		0.21	2	ug/L	1
SWB-11	12/1/2004	Dichlorofluoromethane	<		0.21	2	ug/L	1
SWB-11	3/1/2005	Dichlorofluoromethane	<		0.41	2	ug/L	1
SWB-11	6/2/2005	Dichlorofluoromethane	<		0.41	2	ug/L	1
SWB-11	3/2/2006	Dichlorofluoromethane	<		4.1	20	UG/L	10
SWB-11	6/1/2006	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-11	3/1/2007	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-11	3/7/2008	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-11	6/5/2008	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-11	3/2/2009	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-11	6/4/2009	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-11	3/1/2010	Dichlorofluoromethane	<	2	0.22	2	ug/L	1
SWB-11	6/2/2010	DICHLOROFLUOROMETHANE	<	0.22	0.22	2	UG/L	1
SWB-3	10/29/2002	Dichlorofluoromethane	<		0.66	2	ug/L	1
SWB-3	3/4/2003	Dichlorofluoromethane	<		0.21	2	ug/L	1
SWB-3	6/3/2003	Dichlorofluoromethane	<		0.21	2	ug/L	1
SWB-3	9/4/2003	Dichlorofluoromethane	<		0.21	2	ug/L	1 UJ
SWB-3	12/2/2003	Dichlorofluoromethane	<		0.21	2	ug/L	1
SWB-3	3/1/2004	Dichlorofluoromethane	<		0.21	2	ug/L	1
SWB-3	6/1/2004	Dichlorofluoromethane	<		0.21	2	ug/L	1
SWB-3	9/1/2004	Dichlorofluoromethane	<		0.21	2	ug/L	1
SWB-3	12/1/2004	Dichlorofluoromethane	<		0.35	3.3	ug/L	1.66
SWB-3	3/3/2005	Dichlorofluoromethane	<		0.41	2	ug/L	1
SWB-3	6/2/2005	Dichlorofluoromethane	<		0.41	2	ug/L	1
SWB-3	9/1/2005	Dichlorofluoromethane	<		0.41	2	ug/L	1
SWB-3	12/1/2005	Dichlorofluoromethane	<		0.82	4	UG/L	2
SWB-3	3/2/2006	Dichlorofluoromethane	<		1.6	8	UG/L	4
SWB-3	6/2/2006	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-3	9/5/2006	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-3	12/4/2006	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-3	3/1/2007	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-3	6/1/2007	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-3	12/3/2007	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-3	3/6/2008	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-3	6/9/2008	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-3	12/4/2008	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-3	3/2/2009	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-3	6/4/2009	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-3	12/1/2009	Dichlorofluoromethane	<		0.22	2	UG/L	1
SWB-3	3/1/2010	Dichlorofluoromethane	<	2	0.22	2	ug/L	1
SWB-3	3/1/2010	Dichlorofluoromethane	<	4	0.44	4	ug/L	1 DNR
SWB-3	6/1/2010	DICHLOROFLUOROMETHANE	<	0.22	0.22	2	UG/L	1 DNR
SWB-3	6/1/2010	DICHLOROFLUOROMETHANE	<	0.88	0.88	8	UG/L	1
SWB-3	9/9/2010	DICHLOROFLUOROMETHANE	<	0.22	0.22	2	UG/L	1
SWB-4	11/15/2002	Dichlorofluoromethane	<		0.66	2	ug/L	1
SWB-5	10/29/2002	Dichlorofluoromethane	<		0.66	2	ug/L	1
SWB-6	3/4/2003	Dichlorofluoromethane	<		0.21	2	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	6/3/2003	Dichlorofluoromethane	<	0.42	4	ug/L	2	
SWB-6	12/3/2003	Dichlorofluoromethane	<	0.42	4	ug/L	2	
SWB-6	3/5/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1	
SWB-6	6/1/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1	
SWB-6	12/1/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1	
SWB-6	3/7/2005	Dichlorofluoromethane	<	0.41	2	ug/L	1	
SWB-6	6/1/2005	Dichlorofluoromethane	<	0.41	2	ug/L	1	
SWB-6	12/2/2005	Dichlorofluoromethane	<	0.41	2	UG/L	1	
SWB-6	3/1/2006	Dichlorofluoromethane	<	0.41	2	UG/L	1	
SWB-6	6/1/2006	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-6	12/5/2006	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-6	3/2/2007	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-6	3/6/2008	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-6	6/9/2008	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-6	12/5/2008	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-6	3/2/2009	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-6	6/5/2009	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-6	3/2/2010	Dichlorofluoromethane	<	2	0.22	2	UG/L	1
SWB-6	6/2/2010	DICHLOROFLUOROMETHANE	<	0.22	2	UG/L	1	
SWB-7	3/4/2003	Dichlorofluoromethane	<	0.21	2	ug/L	1	
SWB-7	6/3/2003	Dichlorofluoromethane	<	0.21	2	ug/L	1	
SWB-7	3/1/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1	
SWB-7	5/24/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1	
SWB-7	12/1/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1	
SWB-7	3/7/2005	Dichlorofluoromethane	<	0.41	2	ug/L	1	
SWB-7	6/1/2005	Dichlorofluoromethane	<	0.41	2	ug/L	1	
SWB-7	9/1/2005	Dichlorofluoromethane	<	0.41	2	ug/L	1	
SWB-7	12/1/2005	Dichlorofluoromethane	<	0.41	2	UG/L	1	
SWB-7	3/1/2006	Dichlorofluoromethane	<	0.41	2	UG/L	1	
SWB-7	6/2/2006	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-7	9/5/2006	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-7	12/5/2006	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-7	3/2/2007	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-7	6/1/2007	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-7	9/7/2007	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-7	12/3/2007	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-7	3/6/2008	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-7	6/6/2008	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-7	9/8/2008	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-7	12/5/2008	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-7	3/2/2009	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-7	6/5/2009	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-7	9/9/2009	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-7	12/1/2009	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-7	3/2/2010	Dichlorofluoromethane	<	2	0.22	2	UG/L	1
SWB-7	6/1/2010	DICHLOROFLUOROMETHANE	<	0.22	2	UG/L	1 DNR	
SWB-7	6/1/2010	DICHLOROFLUOROMETHANE	<	0.88	8	UG/L	1	
SWB-7	9/9/2010	DICHLOROFLUOROMETHANE	<	0.22	2	UG/L	1	
SWB-7	12/1/2010	DICHLOROFLUOROMETHANE	<	0.22	2	UG/L	1	
SWB-8	3/5/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1	
SWB-8	3/7/2005	Dichlorofluoromethane	<	0.41	2	ug/L	1	
SWB-8	6/1/2005	Dichlorofluoromethane	<	0.41	2	ug/L	1	
SWB-8	3/1/2006	Dichlorofluoromethane	<	0.41	2	UG/L	1	
SWB-8	3/7/2008	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-8	3/3/2009	Dichlorofluoromethane	<	0.22	2	UG/L	1	
SWB-9	3/4/2003	Dichlorofluoromethane	<	0.21	2	ug/L	1	
SWB-9	12/3/2003	Dichlorofluoromethane	<	0.42	4	ug/L	2	



tmpAnalyticalResultsOverTime

SWB-9	3/5/2004	Dichlorofluoromethane	<		0.21	2	ug/L	1		
SWB-9	5/27/2004	Dichlorofluoromethane	<		0.21	2	ug/L	1		
SWB-9	12/1/2004	Dichlorofluoromethane	<		0.21	2	ug/L	1		
SWB-9	3/3/2005	Dichlorofluoromethane	<		0.41	2	ug/L	1		
SWB-9	6/2/2005	Dichlorofluoromethane	<		0.41	2	ug/L	1		
SWB-9	9/1/2005	Dichlorofluoromethane	<		0.41	2	ug/L	1	UJ	
SWB-9	12/1/2005	Dichlorofluoromethane	<		0.41	2	UG/L	1		
SWB-9	3/2/2006	Dichlorofluoromethane	<		1.6	8	UG/L	4		
SWB-9	6/1/2006	Dichlorofluoromethane	<		0.22	2	UG/L	1		
SWB-9	12/4/2006	Dichlorofluoromethane	<		0.22	2	UG/L	1		
SWB-9	3/5/2007	Dichlorofluoromethane	<		0.22	2	UG/L	1		
SWB-9	3/6/2008	Dichlorofluoromethane	<		0.22	2	UG/L	1		
SWB-9	6/5/2008	Dichlorofluoromethane	<		0.22	2	UG/L	1	R	
SWB-9	12/5/2008	Dichlorofluoromethane	<		0.22	2	UG/L	1		
SWB-9	3/2/2009	Dichlorofluoromethane	<		0.22	2	UG/L	1		
SWB-9	6/2/2009	Dichlorofluoromethane	<		0.22	2	UG/L	1		
SWB-9	3/1/2010	Dichlorofluoromethane	<	2	0.22	2	ug/L	1		
SWB-9	6/1/2010	DICHLOROFLUOROMETHANE	<	0.22	0.22	2	UG/L	1	DNR	
SWB-9	6/1/2010	DICHLOROFLUOROMETHANE	<	0.88	0.88	8	UG/L	1		
SWB-9	12/1/2010	DICHLOROFLUOROMETHANE	<	0.22	0.22	2	UG/L	1		
SWB-10	6/4/2009	Dichloriodomethane	TI		4.1		UG/L	1	NJ	NA
SWB-3	9/4/2003	Dichloriodomethane	TI		6.2		ug/L	1	NJ	
SWB-3	12/4/2008	Dichloriodomethane	TI		4.2		UG/L	1	J	
SWB-3	6/4/2009	Dichloriodomethane	TI		7.1		UG/L	1	NJ	
SWB-3	9/9/2010	Dichloriodomethane	TI		5.4		UG/L	1	NJ	
SWB-6	6/1/2004	Dichloriodomethane	TI		5.1		ug/L	1	NJ	
SWB-10	3/4/2004	Diethyl phthalate	<		0.7	10	ug/L	1		0.21 mg/L
SWB-10	5/24/2004	Diethyl phthalate	<		0.7	10	ug/L	1	UJ	
SWB-10	12/1/2004	Diethyl phthalate	<		0.7	10	ug/L	1		
SWB-10	3/3/2005	Diethyl phthalate	<		1.8	10	ug/L	1		
SWB-10	6/2/2005	Diethyl phthalate	<		1.8	10	ug/L	1		
SWB-10	9/1/2005	Diethyl phthalate	<		1.8	10	ug/L	1		
SWB-10	3/2/2006	Diethyl phthalate	<		1.8	10	UG/L	1		
SWB-10	6/2/2006	Diethyl phthalate	<		5	10	UG/L	1		
SWB-10	3/1/2007	Diethyl phthalate	<		5	10	UG/L	1		
SWB-10	3/7/2008	Diethyl phthalate	<		0.38	10	UG/L	1		
SWB-10	6/5/2008	Diethyl phthalate	<		0.38	10	UG/L	1		
SWB-10	3/2/2009	Diethyl phthalate	<		0.38	4	UG/L	1		
SWB-10	3/2/2009	Diethyl phthalate	<		0.38	4	UG/L	1	R	
SWB-10	6/4/2009	Diethyl phthalate	<		0.38	4	UG/L	1		
SWB-10	3/2/2010	Diethyl phthalate	<	3.7	0.35	3.7	UG/L	1		
SWB-11	3/4/2004	Diethyl phthalate	<		0.7	10	ug/L	1		
SWB-11	5/24/2004	Diethyl phthalate	<		0.7	10	ug/L	1	UJ	
SWB-11	12/1/2004	Diethyl phthalate	<		0.7	10	ug/L	1		
SWB-11	3/1/2005	Diethyl phthalate	<		1.8	10	ug/L	1		
SWB-11	6/2/2005	Diethyl phthalate	<		1.8	10	ug/L	1		
SWB-11	3/2/2006	Diethyl phthalate	<		1.8	10	UG/L	1		
SWB-11	6/1/2006	Diethyl phthalate	<		5	10	UG/L	1		
SWB-11	3/1/2007	Diethyl phthalate	<		5	10	UG/L	1		
SWB-11	3/7/2008	Diethyl phthalate	<		0.38	10	UG/L	1		
SWB-11	6/5/2008	Diethyl phthalate	<		0.38	10	UG/L	1		
SWB-11	3/2/2009	Diethyl phthalate	<		0.38	4	UG/L	1		
SWB-11	6/4/2009	Diethyl phthalate	<		0.38	4	UG/L	1		
SWB-11	3/1/2010	Diethyl phthalate	<	3.7	0.36	3.7	ug/L	1		
SWB-11	6/2/2010	DIETHYL PHTHALATE	<	0.36	0.36	3.8	UG/L	1		
SWB-3	10/29/2002	Diethyl phthalate	<		1.1	10	ug/L	1		
SWB-3	3/4/2003	Diethyl phthalate	<		1.1	10	ug/L	1		

tmpAnalyticalResultsOverTime

SWB-3	6/3/2003	Diethyl phthalate	<		1.1	10	ug/L	1
SWB-3	9/4/2003	Diethyl phthalate	<		1.1	10	ug/L	1 UJ
SWB-3	12/2/2003	Diethyl phthalate	<		0.7	10	ug/L	1
SWB-3	3/1/2004	Diethyl phthalate	<		0.7	10	ug/L	1
SWB-3	6/1/2004	Diethyl phthalate	<		0.7	10	ug/L	1
SWB-3	9/1/2004	Diethyl phthalate	<		0.7	10	ug/L	1
SWB-3	12/1/2004	Diethyl phthalate	<		0.7	10	ug/L	1
SWB-3	3/3/2005	Diethyl phthalate	<		1.8	10	ug/L	1
SWB-3	6/2/2005	Diethyl phthalate	<		1.8	10	ug/L	1
SWB-3	9/1/2005	Diethyl phthalate	<		1.8	10	ug/L	1
SWB-3	12/1/2005	Diethyl phthalate	<		1.8	10	UG/L	1 UJ
SWB-3	3/2/2006	Diethyl phthalate	<		1.8	10	UG/L	1
SWB-3	6/2/2006	Diethyl phthalate	<		5	10	UG/L	1
SWB-3	9/5/2006	Diethyl phthalate	<		5	10	UG/L	1
SWB-3	12/4/2006	Diethyl phthalate	<		5	10	UG/L	1
SWB-3	3/1/2007	Diethyl phthalate	<		5	10	UG/L	1
SWB-3	6/1/2007	Diethyl phthalate	<		5	10	UG/L	1
SWB-3	6/1/2007	Diethyl phthalate	<		5	10	UG/L	1 R
SWB-3	12/3/2007	Diethyl phthalate	<		0.38	10	UG/L	1
SWB-3	3/6/2008	Diethyl phthalate	<		0.38	10	UG/L	1
SWB-3	6/9/2008	Diethyl phthalate	<		0.38	10	UG/L	1
SWB-3	12/4/2008	Diethyl phthalate	<		0.38	4	UG/L	1
SWB-3	3/2/2009	Diethyl phthalate	<		0.38	4	UG/L	1
SWB-3	3/2/2009	Diethyl phthalate	<		0.38	4	UG/L	1 R
SWB-3	6/4/2009	Diethyl phthalate	TR	0.41	0.38	4	UG/L	1 J
SWB-3	12/1/2009	Diethyl phthalate	<		0.38	4	UG/L	1
SWB-3	12/1/2009	Diethyl phthalate	<		0.38	4	UG/L	1 DNR
SWB-3	3/1/2010	Diethyl phthalate	<	3.9	0.37	3.9	ug/L	1 UJ
SWB-3	6/1/2010	DIETHYL PHTHALATE	<	0.36	0.36	3.8	UG/L	1 DNR
SWB-3	6/1/2010	DIETHYL PHTHALATE	TR	0.36	0.36	3.7	UG/L	1 J
SWB-3	9/9/2010	DIETHYL PHTHALATE	<	0.35	0.35	3.7	UG/L	1
SWB-4	11/15/2002	Diethyl phthalate	<		1.1	10	ug/L	1
SWB-5	10/29/2002	Diethyl phthalate	<		1.1	10	ug/L	1
SWB-6	3/4/2003	Diethyl phthalate	<		1.1	10	ug/L	1
SWB-6	6/3/2003	Diethyl phthalate	<		1.1	10	ug/L	1
SWB-6	12/3/2003	Diethyl phthalate	<		0.7	10	ug/L	1
SWB-6	3/5/2004	Diethyl phthalate	<		0.7	10	ug/L	1
SWB-6	6/1/2004	Diethyl phthalate	<		0.7	10	ug/L	1
SWB-6	12/1/2004	Diethyl phthalate	<		0.7	10	ug/L	1
SWB-6	3/7/2005	Diethyl phthalate	<		1.8	10	ug/L	1
SWB-6	6/1/2005	Diethyl phthalate	<		1.8	10	ug/L	1
SWB-6	12/2/2005	Diethyl phthalate	<		1.8	10	UG/L	1 UJ
SWB-6	3/1/2006	Diethyl phthalate	<		1.8	10	UG/L	1
SWB-6	6/1/2006	Diethyl phthalate	<		5	10	UG/L	1
SWB-6	12/5/2006	Diethyl phthalate	<		5	10	UG/L	1
SWB-6	3/2/2007	Diethyl phthalate	<		5	10	UG/L	1
SWB-6	3/6/2008	Diethyl phthalate	<		0.38	10	UG/L	1
SWB-6	6/9/2008	Diethyl phthalate	<		0.38	10	UG/L	1
SWB-6	12/5/2008	Diethyl phthalate	<		0.38	4	UG/L	1
SWB-6	12/5/2008	Diethyl phthalate	<		0.38	4	UG/L	1 R
SWB-6	3/2/2009	Diethyl phthalate	<		0.38	4	UG/L	1
SWB-6	3/2/2009	Diethyl phthalate	<		0.38	4	UG/L	1 R
SWB-6	6/5/2009	Diethyl phthalate	TR	0.42	0.38	4	UG/L	1 J
SWB-6	3/2/2010	Diethyl phthalate	<	3.6	0.35	3.6	UG/L	1
SWB-6	6/2/2010	DIETHYL PHTHALATE	<	0.36	0.36	3.8	UG/L	1
SWB-6	6/2/2010	DIETHYL PHTHALATE	<	0.36	0.36	3.8	UG/L	1 DNR
SWB-7	3/4/2003	Diethyl phthalate	<		1.1	10	ug/L	1

tmpAnalyticalResultsOverTime

SWB-7	6/3/2003	Diethyl phthalate	<	1.1	10	ug/L	1	
SWB-7	3/1/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
SWB-7	5/24/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
SWB-7	12/1/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
SWB-7	3/7/2005	Diethyl phthalate	<	1.8	10	ug/L	1 UJ	
SWB-7	6/1/2005	Diethyl phthalate	<	1.8	10	ug/L	1	
SWB-7	9/1/2005	Diethyl phthalate	<	1.8	10	ug/L	1	
SWB-7	12/1/2005	Diethyl phthalate	<	1.8	10	UG/L	1 UJ	
SWB-7	3/1/2006	Diethyl phthalate	<	1.8	10	UG/L	1	
SWB-7	6/2/2006	Diethyl phthalate	<	5	10	UG/L	1	
SWB-7	9/5/2006	Diethyl phthalate	<	5	10	UG/L	1	
SWB-7	12/5/2006	Diethyl phthalate	<	5	10	UG/L	1	
SWB-7	3/2/2007	Diethyl phthalate	<	5	10	UG/L	1	
SWB-7	6/1/2007	Diethyl phthalate	<	5	10	UG/L	1	
SWB-7	9/7/2007	Diethyl phthalate	<	0.38	10	UG/L	1	
SWB-7	12/3/2007	Diethyl phthalate	<	0.38	10	UG/L	1	
SWB-7	3/6/2008	Diethyl phthalate	<	0.38	10	UG/L	1	
SWB-7	6/6/2008	Diethyl phthalate	<	0.38	10	UG/L	1	
SWB-7	9/8/2008	Diethyl phthalate	<	0.38	4	UG/L	1	
SWB-7	12/5/2008	Diethyl phthalate	<	0.38	4	UG/L	1	
SWB-7	12/5/2008	Diethyl phthalate	<	0.38	4	UG/L	1 R	
SWB-7	3/2/2009	Diethyl phthalate	<	0.38	4	UG/L	1	
SWB-7	3/2/2009	Diethyl phthalate	<	0.38	4	UG/L	1 R	
SWB-7	6/5/2009	Diethyl phthalate	<	0.38	4	UG/L	1	
SWB-7	9/9/2009	Diethyl phthalate	<	0.38	4	UG/L	1	
SWB-7	12/1/2009	Diethyl phthalate	<	0.38	4	UG/L	1	
SWB-7	3/2/2010	Diethyl phthalate	<	3.8	0.36	3.8	UG/L	1
SWB-7	6/1/2010	DIETHYL PHTHALATE	<	0.36	0.36	3.8	UG/L	1 DNR
SWB-7	6/1/2010	DIETHYL PHTHALATE	<	0.38	0.38	4	UG/L	1 R
SWB-7	9/9/2010	DIETHYL PHTHALATE	<	0.37	0.37	3.9	UG/L	1
SWB-7	12/1/2010	DIETHYL PHTHALATE	<	0.35	0.35	3.7	UG/L	1
SWB-8	3/5/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
SWB-8	3/7/2005	Diethyl phthalate	<	1.8	10	ug/L	1	
SWB-8	6/1/2005	Diethyl phthalate	<	1.8	10	ug/L	1	
SWB-8	3/1/2006	Diethyl phthalate	<	1.8	10	UG/L	1	
SWB-8	3/7/2008	Diethyl phthalate	<	0.38	10	UG/L	1	
SWB-8	3/3/2009	Diethyl phthalate	<	0.38	4	UG/L	1	
SWB-8	3/3/2009	Diethyl phthalate	<	0.38	4	UG/L	1 R	
SWB-9	3/4/2003	Diethyl phthalate	<	1.1	10	ug/L	1	
SWB-9	12/3/2003	Diethyl phthalate	<	0.7	10	ug/L	1	
SWB-9	3/5/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
SWB-9	5/27/2004	Diethyl phthalate	<	0.7	10	ug/L	1 UJ	
SWB-9	12/1/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
SWB-9	3/3/2005	Diethyl phthalate	<	1.8	10	ug/L	1	
SWB-9	6/2/2005	Diethyl phthalate	<	1.8	10	ug/L	1	
SWB-9	9/1/2005	Diethyl phthalate	<	1.8	10	ug/L	1	
SWB-9	12/1/2005	Diethyl phthalate	<	1.8	10	UG/L	1 UJ	
SWB-9	3/2/2006	Diethyl phthalate	<	1.8	10	UG/L	1	
SWB-9	6/1/2006	Diethyl phthalate	<	5	10	UG/L	1	
SWB-9	12/4/2006	Diethyl phthalate	<	5	10	UG/L	1	
SWB-9	3/5/2007	Diethyl phthalate	<	5	10	UG/L	1	
SWB-9	3/6/2008	Diethyl phthalate	<	0.38	10	UG/L	1	
SWB-9	6/5/2008	Diethyl phthalate	<	0.38	10	UG/L	1	
SWB-9	12/5/2008	Diethyl phthalate	<	0.38	4	UG/L	1	
SWB-9	12/5/2008	Diethyl phthalate	<	0.38	4	UG/L	1 R	
SWB-9	3/2/2009	Diethyl phthalate	<	0.38	4	UG/L	1	
SWB-9	3/2/2009	Diethyl phthalate	<	0.38	4	UG/L	1 R	

tmpAnalyticalResultsOverTime

SWB-9	6/2/2009	Diethyl phthalate	<		0.38	4	UG/L	1	
SWB-9	6/2/2009	Diethyl phthalate	<		0.38	4	UG/L	1	DNR
SWB-9	3/1/2010	Diethyl phthalate	<	3.7	0.35	3.7	ug/L	1	
SWB-9	6/1/2010	DIETHYL PHTHALATE	<	0.36	0.36	3.8	UG/L	1	
SWB-9	6/1/2010	DIETHYL PHTHALATE	<	0.36	0.36	3.8	UG/L	1	DNR
SWB-9	12/1/2010	DIETHYL PHTHALATE	<	0.35	0.35	3.7	UG/L	1	
SWB-10	9/1/2005	Diethyltoluamide	TI		21		ug/L	1	NJ NA
SWB-6	3/1/2006	Diethyltoluamide	TI		6		UG/L	1	NJ
SWB-10	3/4/2004	Dimethoate	<		2	20	ug/L	1	NA
SWB-10	5/24/2004	Dimethoate	<		2	20	ug/L	1	UJ
SWB-10	12/1/2004	Dimethoate	<		2	20	ug/L	1	
SWB-10	3/3/2005	Dimethoate	<		2	20	ug/L	1	
SWB-10	6/2/2005	Dimethoate	<		2	20	ug/L	1	
SWB-10	9/1/2005	Dimethoate	<		2	20	ug/L	1	
SWB-10	3/2/2006	Dimethoate	<		2	20	UG/L	1	
SWB-10	6/2/2006	Dimethoate	<		1.1	20	UG/L	1	
SWB-10	3/1/2007	Dimethoate	<		1.1	20	UG/L	1	
SWB-10	3/7/2008	Dimethoate	<		1.1	20	UG/L	1	
SWB-10	6/5/2008	Dimethoate	<		1.1	20	UG/L	1	
SWB-10	3/2/2009	Dimethoate	<		1.1	20	UG/L	1	
SWB-10	3/2/2009	Dimethoate	<		1.1	20	UG/L	1	R
SWB-10	6/4/2009	Dimethoate	<		1.1	20	UG/L	1	
SWB-10	3/2/2010	Dimethoate	<	19	0.99	19	UG/L	1	
SWB-11	3/4/2004	Dimethoate	<		2	20	ug/L	1	
SWB-11	5/24/2004	Dimethoate	<		2	20	ug/L	1	UJ
SWB-11	12/1/2004	Dimethoate	<		2	20	ug/L	1	
SWB-11	3/1/2005	Dimethoate	<		2	20	ug/L	1	
SWB-11	6/2/2005	Dimethoate	<		2	20	ug/L	1	
SWB-11	3/2/2006	Dimethoate	<		2	20	UG/L	1	
SWB-11	6/1/2006	Dimethoate	<		1.1	20	UG/L	1	
SWB-11	3/1/2007	Dimethoate	<		1.1	20	UG/L	1	
SWB-11	3/7/2008	Dimethoate	<		1.1	20	UG/L	1	
SWB-11	6/5/2008	Dimethoate	<		1.1	20	UG/L	1	
SWB-11	3/2/2009	Dimethoate	<		1.1	20	UG/L	1	
SWB-11	6/4/2009	Dimethoate	<		1.1	20	UG/L	1	
SWB-11	3/1/2010	Dimethoate	<	19	0.99	19	ug/L	1	
SWB-11	6/2/2010	DIMETHOATE	<	1	1	19	UG/L	1	
SWB-3	10/29/2002	Dimethoate	<		2.1	20	ug/L	1	
SWB-3	3/4/2003	Dimethoate	<		2.1	20	ug/L	1	
SWB-3	6/3/2003	Dimethoate	<		2.1	20	ug/L	1	
SWB-3	9/4/2003	Dimethoate	<		2	20	ug/L	1	UJ
SWB-3	12/2/2003	Dimethoate	<		2	20	ug/L	1	
SWB-3	3/1/2004	Dimethoate	<		2	20	ug/L	1	
SWB-3	6/1/2004	Dimethoate	<		2	20	ug/L	1	
SWB-3	9/1/2004	Dimethoate	<		2	20	ug/L	1	
SWB-3	12/1/2004	Dimethoate	<		2	20	ug/L	1	
SWB-3	3/3/2005	Dimethoate	<		2	20	ug/L	1	
SWB-3	6/2/2005	Dimethoate	<		2	20	ug/L	1	
SWB-3	9/1/2005	Dimethoate	<		2	20	ug/L	1	
SWB-3	12/1/2005	Dimethoate	<		2	20	UG/L	1	UJ
SWB-3	3/2/2006	Dimethoate	<		2	20	UG/L	1	
SWB-3	6/2/2006	Dimethoate	<		1.1	20	UG/L	1	
SWB-3	9/5/2006	Dimethoate	<		1.1	20	UG/L	1	
SWB-3	12/4/2006	Dimethoate	<		1.1	20	UG/L	1	
SWB-3	3/1/2007	Dimethoate	<		1.1	20	UG/L	1	
SWB-3	6/1/2007	Dimethoate	<		1.1	20	UG/L	1	
SWB-3	6/1/2007	Dimethoate	<		1.1	20	UG/L	1	R

tmpAnalyticalResultsOverTime

SWB-3	12/3/2007	Dimethoate	<		1.1	20	UG/L	1
SWB-3	3/6/2008	Dimethoate	<		1.1	20	UG/L	1
SWB-3	6/9/2008	Dimethoate	<		1.1	20	UG/L	1
SWB-3	12/4/2008	Dimethoate	<		1.1	20	UG/L	1
SWB-3	3/2/2009	Dimethoate	<		1.1	20	UG/L	1
SWB-3	3/2/2009	Dimethoate	<		1.1	20	UG/L	1 R
SWB-3	6/4/2009	Dimethoate	<		1.1	20	UG/L	1
SWB-3	12/1/2009	Dimethoate	<		1.1	20	UG/L	1
SWB-3	12/1/2009	Dimethoate	<		1.1	20	UG/L	1 DNR
SWB-3	3/1/2010	Dimethoate	<	19	1	19	ug/L	1 UJ
SWB-3	6/1/2010	DIMETHOATE	<	0.99	0.99	19	UG/L	1
SWB-3	6/1/2010	DIMETHOATE	<	1	1	19	UG/L	1 DNR
SWB-3	9/9/2010	DIMETHOATE	<	0.99	0.99	19	UG/L	1
SWB-4	11/15/2002	Dimethoate	<		2.1	20	ug/L	1
SWB-5	10/29/2002	Dimethoate	<		2.1	20	ug/L	1
SWB-6	3/4/2003	Dimethoate	<		2.1	20	ug/L	1
SWB-6	6/3/2003	Dimethoate	<		2.1	20	ug/L	1
SWB-6	12/3/2003	Dimethoate	<		2	20	ug/L	1
SWB-6	3/5/2004	Dimethoate	<		2	20	ug/L	1
SWB-6	6/1/2004	Dimethoate	<		2	20	ug/L	1
SWB-6	12/1/2004	Dimethoate	<		2	20	ug/L	1
SWB-6	3/7/2005	Dimethoate	<		2	20	ug/L	1
SWB-6	6/1/2005	Dimethoate	<		2	20	ug/L	1
SWB-6	12/2/2005	Dimethoate	<		2	20	UG/L	1 UJ
SWB-6	3/1/2006	Dimethoate	<		2	20	UG/L	1
SWB-6	6/1/2006	Dimethoate	<		1.1	20	UG/L	1
SWB-6	12/5/2006	Dimethoate	<		1.1	20	UG/L	1
SWB-6	3/2/2007	Dimethoate	<		1.1	20	UG/L	1
SWB-6	6/9/2008	Dimethoate	<		1.1	20	UG/L	1
SWB-6	3/6/2008	Dimethoate	<		1.1	20	UG/L	1
SWB-6	12/5/2008	Dimethoate	<		1.1	20	UG/L	1
SWB-6	12/5/2008	Dimethoate	<		1.1	20	UG/L	1 R
SWB-6	3/2/2009	Dimethoate	<		1.1	20	UG/L	1
SWB-6	3/2/2009	Dimethoate	<		1.1	20	UG/L	1 R
SWB-6	6/5/2009	Dimethoate	<		1.1	20	UG/L	1
SWB-6	3/2/2010	Dimethoate	<	18	0.97	18	UG/L	1
SWB-6	6/2/2010	DIMETHOATE	<	1	1	19	UG/L	1
SWB-6	6/2/2010	DIMETHOATE	<	1	1	19	UG/L	1 DNR
SWB-7	3/4/2003	Dimethoate	<		2.1	20	ug/L	1
SWB-7	6/3/2003	Dimethoate	<		2.1	20	ug/L	1
SWB-7	3/1/2004	Dimethoate	<		2	20	ug/L	1
SWB-7	5/24/2004	Dimethoate	<		2	20	ug/L	1
SWB-7	12/1/2004	Dimethoate	<		2	20	ug/L	1
SWB-7	3/7/2005	Dimethoate	<		2	20	ug/L	1 UJ
SWB-7	6/1/2005	Dimethoate	<		2	20	ug/L	1
SWB-7	9/1/2005	Dimethoate	<		2	20	ug/L	1
SWB-7	12/1/2005	Dimethoate	<		2	20	UG/L	1 UJ
SWB-7	3/1/2006	Dimethoate	<		2	20	UG/L	1
SWB-7	6/2/2006	Dimethoate	<		1.1	20	UG/L	1
SWB-7	9/5/2006	Dimethoate	<		1.1	20	UG/L	1 UJ
SWB-7	12/5/2006	Dimethoate	<		1.1	20	UG/L	1
SWB-7	3/2/2007	Dimethoate	<		1.1	20	UG/L	1
SWB-7	6/1/2007	Dimethoate	<		1.1	20	UG/L	1
SWB-7	9/7/2007	Dimethoate	<		1.1	20	UG/L	1
SWB-7	12/3/2007	Dimethoate	<		1.1	20	UG/L	1
SWB-7	3/6/2008	Dimethoate	<		1.1	20	UG/L	1
SWB-7	6/6/2008	Dimethoate	<		1.1	20	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	9/8/2008	Dimethoate	<		1.1	20	UG/L	1	
SWB-7	12/5/2008	Dimethoate	<		1.1	20	UG/L	1	
SWB-7	12/5/2008	Dimethoate	<		1.1	20	UG/L	1	R
SWB-7	3/2/2009	Dimethoate	<		1.1	20	UG/L	1	
SWB-7	3/2/2009	Dimethoate	<		1.1	20	UG/L	1	R
SWB-7	6/5/2009	Dimethoate	<		1.1	20	UG/L	1	
SWB-7	9/9/2009	Dimethoate	<		1.1	20	UG/L	1	
SWB-7	12/1/2009	Dimethoate	<		1.1	20	UG/L	1	
SWB-7	3/2/2010	Dimethoate	<	19	1	19	UG/L	1	
SWB-7	6/1/2010	DIMETHOATE	<	1	1	19	UG/L	1	DNR
SWB-7	6/1/2010	DIMETHOATE	<	1.1	1.1	20	UG/L	1	R
SWB-7	9/9/2010	DIMETHOATE	<	1	1	19	UG/L	1	
SWB-7	12/1/2010	DIMETHOATE	<	0.99	0.99	19	UG/L	1	
SWB-8	3/5/2004	Dimethoate	<		2	20	ug/L	1	
SWB-8	3/7/2005	Dimethoate	<		2	20	ug/L	1	
SWB-8	6/1/2005	Dimethoate	<		2	20	ug/L	1	
SWB-8	3/1/2006	Dimethoate	<		2	20	UG/L	1	
SWB-8	3/7/2008	Dimethoate	<		1.1	20	UG/L	1	
SWB-8	3/3/2009	Dimethoate	<		1.1	20	UG/L	1	
SWB-8	3/3/2009	Dimethoate	<		1.1	20	UG/L	1	R
SWB-9	3/4/2003	Dimethoate	<		2.1	20	ug/L	1	
SWB-9	12/3/2003	Dimethoate	<		2	20	ug/L	1	
SWB-9	3/5/2004	Dimethoate	<		2	20	ug/L	1	
SWB-9	5/27/2004	Dimethoate	<		2	20	ug/L	1	UJ
SWB-9	12/1/2004	Dimethoate	<		2	20	ug/L	1	
SWB-9	3/3/2005	Dimethoate	<		2	20	ug/L	1	
SWB-9	6/2/2005	Dimethoate	<		2	20	ug/L	1	
SWB-9	9/1/2005	Dimethoate	<		2	20	ug/L	1	
SWB-9	12/1/2005	Dimethoate	<		2	20	UG/L	1	UJ
SWB-9	3/2/2006	Dimethoate	<		2	20	UG/L	1	
SWB-9	6/1/2006	Dimethoate	<		1.1	20	UG/L	1	
SWB-9	12/4/2006	Dimethoate	<		1.1	20	UG/L	1	
SWB-9	3/5/2007	Dimethoate	<		1.1	20	UG/L	1	
SWB-9	3/6/2008	Dimethoate	<		1.1	20	UG/L	1	
SWB-9	6/5/2008	Dimethoate	<		1.1	20	UG/L	1	
SWB-9	12/5/2008	Dimethoate	<		1.1	20	UG/L	1	
SWB-9	12/5/2008	Dimethoate	<		1.1	20	UG/L	1	R
SWB-9	3/2/2009	Dimethoate	<		1.1	20	UG/L	1	
SWB-9	3/2/2009	Dimethoate	<		1.1	20	UG/L	1	R
SWB-9	6/2/2009	Dimethoate	<		1.1	20	UG/L	1	
SWB-9	6/2/2009	Dimethoate	<		1.1	20	UG/L	1	DNR
SWB-9	3/1/2010	Dimethoate	<	18	0.98	18	ug/L	1	
SWB-9	6/1/2010	DIMETHOATE	<	0.99	0.99	19	UG/L	1	DNR
SWB-9	6/1/2010	DIMETHOATE	<	1	1	19	UG/L	1	
SWB-9	12/1/2010	DIMETHOATE	<	0.99	0.99	19	UG/L	1	
SWB-10	3/4/2004	Dimethyl phthalate	<		0.8	10	ug/L	1	NA
SWB-10	5/24/2004	Dimethyl phthalate	<		0.8	10	ug/L	1	UJ
SWB-10	12/1/2004	Dimethyl phthalate	<		0.8	10	ug/L	1	
SWB-10	3/3/2005	Dimethyl phthalate	<		1.7	10	ug/L	1	
SWB-10	6/2/2005	Dimethyl phthalate	<		1.7	10	ug/L	1	
SWB-10	9/1/2005	Dimethyl phthalate	<		1.7	10	ug/L	1	
SWB-10	3/2/2006	Dimethyl phthalate	<		1.7	10	UG/L	1	
SWB-10	6/2/2006	Dimethyl phthalate	<		5	10	UG/L	1	
SWB-10	3/1/2007	Dimethyl phthalate	<		5	10	UG/L	1	
SWB-10	3/7/2008	Dimethyl phthalate	<		0.21	10	UG/L	1	
SWB-10	6/5/2008	Dimethyl phthalate	<		0.21	10	UG/L	1	
SWB-10	3/2/2009	Dimethyl phthalate	<		0.21	4	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-10	3/2/2009	Dimethyl phthalate	<		0.21	4	UG/L	1 R
SWB-10	6/4/2009	Dimethyl phthalate	TR	0.25	0.21	4	UG/L	1 J
SWB-10	3/2/2010	Dimethyl phthalate	TR	0.72	0.2	3.7	UG/L	1 J
SWB-11	3/4/2004	Dimethyl phthalate	<		0.8	10	ug/L	1
SWB-11	5/24/2004	Dimethyl phthalate	<		0.8	10	ug/L	1 UJ
SWB-11	12/1/2004	Dimethyl phthalate	<		0.8	10	ug/L	1
SWB-11	3/1/2005	Dimethyl phthalate	<		1.7	10	ug/L	1
SWB-11	6/2/2005	Dimethyl phthalate	<		1.7	10	ug/L	1
SWB-11	3/2/2006	Dimethyl phthalate	<		1.7	10	UG/L	1
SWB-11	6/1/2006	Dimethyl phthalate	<		5	10	UG/L	1
SWB-11	3/1/2007	Dimethyl phthalate	<		5	10	UG/L	1
SWB-11	3/7/2008	Dimethyl phthalate	<		0.21	10	UG/L	1
SWB-11	6/5/2008	Dimethyl phthalate	<		0.21	10	UG/L	1
SWB-11	3/2/2009	Dimethyl phthalate	<		0.21	4	UG/L	1
SWB-11	6/4/2009	Dimethyl phthalate	TR	1.7	0.21	4	UG/L	1 J
SWB-11	3/1/2010	Dimethyl phthalate	TR	0.65	0.2	3.7	ug/L	1 J
SWB-11	6/2/2010	DIMETHYL PHTHALATE	<	0.2	0.2	3.8	UG/L	1
SWB-3	10/29/2002	Dimethyl phthalate	<		5	10	ug/L	1
SWB-3	3/4/2003	Dimethyl phthalate	<		5	10	ug/L	1
SWB-3	6/3/2003	Dimethyl phthalate	<		5	10	ug/L	1
SWB-3	9/4/2003	Dimethyl phthalate	<		5	10	ug/L	1 UJ
SWB-3	12/2/2003	Dimethyl phthalate	<		0.8	10	ug/L	1
SWB-3	3/1/2004	Dimethyl phthalate	<		0.8	10	ug/L	1
SWB-3	6/1/2004	Dimethyl phthalate	<		0.8	10	ug/L	1
SWB-3	9/1/2004	Dimethyl phthalate	<		0.8	10	ug/L	1
SWB-3	12/1/2004	Dimethyl phthalate	<		0.8	10	ug/L	1
SWB-3	3/3/2005	Dimethyl phthalate	<		1.7	10	ug/L	1
SWB-3	6/2/2005	Dimethyl phthalate	<		1.7	10	ug/L	1
SWB-3	9/1/2005	Dimethyl phthalate	<		1.7	10	ug/L	1
SWB-3	12/1/2005	Dimethyl phthalate	<		1.7	10	UG/L	1 UJ
SWB-3	3/2/2006	Dimethyl phthalate	<		1.7	10	UG/L	1
SWB-3	6/2/2006	Dimethyl phthalate	<		5	10	UG/L	1
SWB-3	9/5/2006	Dimethyl phthalate	<		5	10	UG/L	1
SWB-3	12/4/2006	Dimethyl phthalate	<		5	10	UG/L	1
SWB-3	3/1/2007	Dimethyl phthalate	<		5	10	UG/L	1
SWB-3	6/1/2007	Dimethyl phthalate	<		5	10	UG/L	1
SWB-3	6/1/2007	Dimethyl phthalate	<		5	10	UG/L	1 R
SWB-3	12/3/2007	Dimethyl phthalate	<		1	10	UG/L	1
SWB-3	3/6/2008	Dimethyl phthalate	<		0.21	10	UG/L	1
SWB-3	6/9/2008	Dimethyl phthalate	<		0.21	10	UG/L	1
SWB-3	12/4/2008	Dimethyl phthalate	<		0.21	4	UG/L	1
SWB-3	12/4/2008	Dimethyl phthalate	TR	0.31	0.21	4	UG/L	1 J
SWB-3	3/2/2009	Dimethyl phthalate	<		0.21	4	UG/L	1
SWB-3	3/2/2009	Dimethyl phthalate	<		0.21	4	UG/L	1 R
SWB-3	6/4/2009	Dimethyl phthalate	TR	0.38	0.21	4	UG/L	1 J
SWB-3	12/1/2009	Dimethyl phthalate	TR	1.9	0.21	4	UG/L	1 J
SWB-3	12/1/2009	Dimethyl phthalate	TR	3.1	0.21	4	UG/L	1 DNR
SWB-3	3/1/2010	Dimethyl phthalate	=	5.7	0.2	3.9	ug/L	1 J
SWB-3	6/1/2010	DIMETHYL PHTHALATE	=	4.4	0.2	3.7	UG/L	1
SWB-3	6/1/2010	DIMETHYL PHTHALATE	TR	3.4	0.2	3.8	UG/L	1 DNR
SWB-3	9/9/2010	DIMETHYL PHTHALATE	TR	1.7	0.2	3.7	UG/L	1 J
SWB-4	11/15/2002	Dimethyl phthalate	<		5	10	ug/L	1
SWB-5	10/29/2002	Dimethyl phthalate	<		5	10	ug/L	1
SWB-6	3/4/2003	Dimethyl phthalate	<		5	10	ug/L	1
SWB-6	6/3/2003	Dimethyl phthalate	<		5	10	ug/L	1
SWB-6	12/3/2003	Dimethyl phthalate	<		0.8	10	ug/L	1
SWB-6	3/5/2004	Dimethyl phthalate	<		0.8	10	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	6/1/2004	Dimethyl phthalate	<		0.8	10	ug/L	1
SWB-6	12/1/2004	Dimethyl phthalate	<		0.8	10	ug/L	1
SWB-6	3/7/2005	Dimethyl phthalate	<		1.7	10	ug/L	1
SWB-6	6/1/2005	Dimethyl phthalate	<		1.7	10	ug/L	1
SWB-6	12/2/2005	Dimethyl phthalate	<		1.7	10	UG/L	1 UJ
SWB-6	3/1/2006	Dimethyl phthalate	<		1.7	10	UG/L	1
SWB-6	6/1/2006	Dimethyl phthalate	<		5	10	UG/L	1
SWB-6	12/5/2006	Dimethyl phthalate	<		5	10	UG/L	1
SWB-6	3/2/2007	Dimethyl phthalate	<		5	10	UG/L	1
SWB-6	6/9/2008	Dimethyl phthalate	<		0.21	10	UG/L	1
SWB-6	3/6/2008	Dimethyl phthalate	<		0.21	10	UG/L	1
SWB-6	12/5/2008	Dimethyl phthalate	<		0.21	4	UG/L	1 R
SWB-6	12/5/2008	Dimethyl phthalate	TR	0.32	0.21	4	UG/L	1 J
SWB-6	3/2/2009	Dimethyl phthalate	<		0.21	4	UG/L	1
SWB-6	3/2/2009	Dimethyl phthalate	<		0.21	4	UG/L	1 R
SWB-6	6/5/2009	Dimethyl phthalate	TR	3.6	0.21	4	UG/L	1 J
SWB-6	3/2/2010	Dimethyl phthalate	TR	1.2	0.19	3.6	UG/L	1 J
SWB-6	6/2/2010	DIMETHYL PHTHALATE	TR	2.5	0.2	3.8	UG/L	1 J
SWB-6	6/2/2010	DIMETHYL PHTHALATE	TR	3.4	0.2	3.8	UG/L	1 DNR
SWB-7	3/4/2003	Dimethyl phthalate	<		5	10	ug/L	1
SWB-7	6/3/2003	Dimethyl phthalate	<		5	10	ug/L	1
SWB-7	3/1/2004	Dimethyl phthalate	<		0.8	10	ug/L	1
SWB-7	5/24/2004	Dimethyl phthalate	<		0.8	10	ug/L	1
SWB-7	12/1/2004	Dimethyl phthalate	<		0.8	10	ug/L	1
SWB-7	3/7/2005	Dimethyl phthalate	<		1.7	10	ug/L	1 UJ
SWB-7	6/1/2005	Dimethyl phthalate	<		1.7	10	ug/L	1
SWB-7	9/1/2005	Dimethyl phthalate	<		1.7	10	ug/L	1
SWB-7	12/1/2005	Dimethyl phthalate	<		1.7	10	UG/L	1 UJ
SWB-7	3/1/2006	Dimethyl phthalate	<		1.7	10	UG/L	1
SWB-7	6/2/2006	Dimethyl phthalate	<		5	10	UG/L	1
SWB-7	9/5/2006	Dimethyl phthalate	<		5	10	UG/L	1 UJ
SWB-7	12/5/2006	Dimethyl phthalate	<		5	10	UG/L	1
SWB-7	3/2/2007	Dimethyl phthalate	<		5	10	UG/L	1
SWB-7	6/1/2007	Dimethyl phthalate	<		5	10	UG/L	1
SWB-7	9/7/2007	Dimethyl phthalate	<		1	10	UG/L	1
SWB-7	12/3/2007	Dimethyl phthalate	<		1	10	UG/L	1
SWB-7	3/6/2008	Dimethyl phthalate	<		0.21	10	UG/L	1
SWB-7	6/6/2008	Dimethyl phthalate	<		0.21	10	UG/L	1
SWB-7	9/8/2008	Dimethyl phthalate	<		0.21	4	UG/L	1
SWB-7	12/5/2008	Dimethyl phthalate	<		0.21	4	UG/L	1
SWB-7	12/5/2008	Dimethyl phthalate	<		0.21	4	UG/L	1 R
SWB-7	3/2/2009	Dimethyl phthalate	<		0.21	4	UG/L	1
SWB-7	3/2/2009	Dimethyl phthalate	<		0.21	4	UG/L	1 R
SWB-7	6/5/2009	Dimethyl phthalate	TR	1.1	0.21	4	UG/L	1 J
SWB-7	9/9/2009	Dimethyl phthalate	TR	1.1	0.21	4	UG/L	1 J
SWB-7	12/1/2009	Dimethyl phthalate	TR	0.73	0.21	4	UG/L	1 J
SWB-7	3/2/2010	Dimethyl phthalate	TR	0.65	0.2	3.8	UG/L	1 J
SWB-7	6/1/2010	DIMETHYL PHTHALATE	TR	1.8	0.2	3.8	UG/L	1 DNR
SWB-7	6/1/2010	DIMETHYL PHTHALATE	TR	2.1	0.21	4	UG/L	1 J
SWB-7	9/9/2010	DIMETHYL PHTHALATE	TR	0.41	0.2	3.9	UG/L	1 J
SWB-7	12/1/2010	DIMETHYL PHTHALATE	TR	0.41	0.2	3.7	UG/L	1 J
SWB-8	3/5/2004	Dimethyl phthalate	<		0.8	10	ug/L	1
SWB-8	3/7/2005	Dimethyl phthalate	<		1.7	10	ug/L	1
SWB-8	6/1/2005	Dimethyl phthalate	<		1.7	10	ug/L	1
SWB-8	3/1/2006	Dimethyl phthalate	<		1.7	10	UG/L	1
SWB-8	3/7/2008	Dimethyl phthalate	<		0.21	10	UG/L	1
SWB-8	3/3/2009	Dimethyl phthalate	<		0.21	4	UG/L	1



tmpAnalyticalResultsOverTime

SWB-8	3/3/2009	Dimethyl phthalate	<	0.21	4	UG/L	1 R	
SWB-9	3/4/2003	Dimethyl phthalate	<	5	10	ug/L	1	
SWB-9	12/3/2003	Dimethyl phthalate	<	0.8	10	ug/L	1	
SWB-9	3/5/2004	Dimethyl phthalate	<	0.8	10	ug/L	1	
SWB-9	5/27/2004	Dimethyl phthalate	<	0.8	10	ug/L	1 UJ	
SWB-9	12/1/2004	Dimethyl phthalate	<	0.8	10	ug/L	1	
SWB-9	3/3/2005	Dimethyl phthalate	<	1.7	10	ug/L	1	
SWB-9	6/2/2005	Dimethyl phthalate	<	1.7	10	ug/L	1	
SWB-9	9/1/2005	Dimethyl phthalate	<	1.7	10	ug/L	1	
SWB-9	12/1/2005	Dimethyl phthalate	<	1.7	10	UG/L	1 UJ	
SWB-9	3/2/2006	Dimethyl phthalate	<	1.7	10	UG/L	1	
SWB-9	6/1/2006	Dimethyl phthalate	<	5	10	UG/L	1	
SWB-9	12/4/2006	Dimethyl phthalate	<	5	10	UG/L	1	
SWB-9	3/5/2007	Dimethyl phthalate	<	5	10	UG/L	1	
SWB-9	3/6/2008	Dimethyl phthalate	<	0.21	10	UG/L	1	
SWB-9	6/5/2008	Dimethyl phthalate	<	0.21	10	UG/L	1	
SWB-9	12/5/2008	Dimethyl phthalate	<	0.21	4	UG/L	1	
SWB-9	12/5/2008	Dimethyl phthalate	<	0.21	4	UG/L	1 R	
SWB-9	3/2/2009	Dimethyl phthalate	<	0.21	4	UG/L	1	
SWB-9	3/2/2009	Dimethyl phthalate	<	0.21	4	UG/L	1 R	
SWB-9	6/2/2009	Dimethyl phthalate	TR	0.43	0.21	4	UG/L	1 J
SWB-9	6/2/2009	Dimethyl phthalate	TR	0.68	0.21	4	UG/L	1 DNR
SWB-9	3/1/2010	Dimethyl phthalate	<	3.7	0.19	3.7	ug/L	1
SWB-9	6/1/2010	DIMETHYL PHTHALATE	<	0.2	0.2	3.8	UG/L	1
SWB-9	6/1/2010	DIMETHYL PHTHALATE	<	0.2	0.2	3.8	UG/L	1 DNR
SWB-9	12/1/2010	DIMETHYL PHTHALATE	<	0.2	0.2	3.7	UG/L	1
SWB-10	9/1/2005	Dimethyl sulfide	TI	0			ug/L	1 NJ NA
SWB-7	3/4/2003	Dimethyl sulfide	TI	2.1			ug/L	1 NJ
SWB-7	6/3/2003	Dimethyl sulfide	TI	1.6			ug/L	1 NJ
SWB-7	6/6/2008	Dimethyl sulfide	TI	1.4			UG/L	1 NJ
SWB-7	9/8/2008	Dimethyl sulfide	TI	1.6			UG/L	1 NJ
SWB-7	3/2/2009	Dimethyl sulfide	TI	5.8			UG/L	1 NJ
SWB-10	6/5/2008	Dimethyl sulfone	TI	15			UG/L	1 NJ
SWB-10	6/4/2009	Dimethyl sulfone	TI	6.4			UG/L	1 NJ
SWB-11	5/24/2004	Dimethyl sulfone	TI	8.1			ug/L	1 NJ
SWB-11	6/5/2008	Dimethyl sulfone	TI	15			UG/L	1 NJ
SWB-11	6/4/2009	Dimethyl sulfone	TI	12			UG/L	1 NJ
SWB-3	9/4/2003	Dimethyl sulfone	TI	160			ug/L	1 NJ
SWB-9	9/1/2005	Dimethyl sulfone	TI	10			ug/L	1 NJ
SWB-10	6/5/2008	Dimethyl sulfoxide	TI	28			UG/L	1 NJ
SWB-10	6/4/2009	Dimethyl sulfoxide	TI	9			UG/L	1 NJ
SWB-11	6/1/2006	Dimethyl sulfoxide	TI	8.4			UG/L	1 NJ
SWB-11	6/5/2008	Dimethyl sulfoxide	TI	22			UG/L	1 NJ
SWB-11	6/4/2009	Dimethyl sulfoxide	TI	13			UG/L	1 NJ
SWB-3	9/4/2003	Dimethyl sulfoxide	TI	36			ug/L	1 NJ
SWB-3	9/4/2003	Dimethyl sulfoxide	TI	37			ug/L	1 NJ
SWB-6	6/3/2003	Dimethyl sulfoxide	TI	7.1			ug/L	1 NJ
SWB-6	12/5/2006	Dimethyl sulfoxide	TI	4.8			UG/L	1 J
SWB-6	6/9/2008	Dimethyl sulfoxide	TI	9			UG/L	1 NJ
SWB-6	12/5/2008	Dimethyl sulfoxide	TI	12			UG/L	1 NJ
SWB-9	9/1/2005	Dimethyl sulfoxide	TI	28			ug/L	1 NJ
SWB-9	12/1/2005	Dimethyl sulfoxide	TI	8.2			UG/L	1 NJ
SWB-9	6/1/2006	Dimethyl sulfoxide	TI	14			UG/L	1 NJ
SWB-9	12/4/2006	Dimethyl sulfoxide	TI	5.3			UG/L	1 NJ
SWB-9	12/5/2008	Dimethyl sulfoxide	TI	4.4			UG/L	1 NJ
SWB-9	6/2/2009	Dimethyl sulfoxide	TI	14			UG/L	1 NJ
SWB-9	6/2/2009	Dimethyl sulfoxide	TI	28			UG/L	1 DNR

tmpAnalyticalResultsOverTime

Well ID	Date	Compound	Result	Concentration	Units	Limit	Notes
SWB-10	3/4/2004	Di-n-butyl phthalate	<	0.8	ug/L	10	0.035 mg/L
SWB-10	5/24/2004	Di-n-butyl phthalate	<	0.8	ug/L	10	1 UJ
SWB-10	12/1/2004	Di-n-butyl phthalate	<	0.8	ug/L	10	1
SWB-10	3/3/2005	Di-n-butyl phthalate	<	1.9	ug/L	10	1
SWB-10	6/2/2005	Di-n-butyl phthalate	<	1.9	ug/L	10	1
SWB-10	9/1/2005	Di-n-butyl phthalate	<	1.9	ug/L	10	1
SWB-10	3/2/2006	Di-n-butyl phthalate	<	1.9	UG/L	10	1
SWB-10	6/2/2006	Di-n-butyl phthalate	<	5	UG/L	10	1
SWB-10	3/1/2007	Di-n-butyl phthalate	<	5	UG/L	10	1
SWB-10	3/7/2008	Di-n-butyl phthalate	<	1.2	UG/L	10	1
SWB-10	6/5/2008	Di-n-butyl phthalate	<	1.2	UG/L	10	1
SWB-10	3/2/2009	Di-n-butyl phthalate	<	1.2	UG/L	4	1
SWB-10	3/2/2009	Di-n-butyl phthalate	<	1.2	UG/L	4	1 R
SWB-10	6/4/2009	Di-n-butyl phthalate	<	1.2	UG/L	4	1
SWB-10	3/2/2010	Di-n-butyl phthalate	<	3.7	1.1	3.7	UG/L
SWB-11	3/4/2004	Di-n-butyl phthalate	<	0.8	ug/L	10	1
SWB-11	5/24/2004	Di-n-butyl phthalate	<	0.8	ug/L	10	1 UJ
SWB-11	12/1/2004	Di-n-butyl phthalate	<	0.8	ug/L	10	1
SWB-11	3/1/2005	Di-n-butyl phthalate	<	1.9	ug/L	10	1
SWB-11	6/2/2005	Di-n-butyl phthalate	<	1.9	ug/L	10	1
SWB-11	3/2/2006	Di-n-butyl phthalate	<	1.9	UG/L	10	1
SWB-11	6/1/2006	Di-n-butyl phthalate	<	5	UG/L	10	1
SWB-11	3/1/2007	Di-n-butyl phthalate	<	5	UG/L	10	1
SWB-11	3/7/2008	Di-n-butyl phthalate	<	1.2	UG/L	10	1
SWB-11	6/5/2008	Di-n-butyl phthalate	<	1.2	UG/L	10	1
SWB-11	3/2/2009	Di-n-butyl phthalate	<	1.2	UG/L	4	1
SWB-11	6/4/2009	Di-n-butyl phthalate	<	1.2	UG/L	4	1
SWB-11	3/1/2010	Di-n-butyl phthalate	<	3.7	1.1	3.7	ug/L
SWB-11	6/2/2010	DI-n-BUTYL PHTHALATE	<	1.1	1.1	3.8	UG/L
SWB-3	10/29/2002	Di-n-butyl phthalate	<	1.1	ug/L	10	1
SWB-3	3/4/2003	Di-n-butyl phthalate	<	1.1	ug/L	10	1
SWB-3	6/3/2003	Di-n-butyl phthalate	<	1.1	ug/L	10	1
SWB-3	9/4/2003	Di-n-butyl phthalate	<	1.1	ug/L	10	1 UJ
SWB-3	12/2/2003	Di-n-butyl phthalate	<	0.8	ug/L	10	1
SWB-3	3/1/2004	Di-n-butyl phthalate	<	0.8	ug/L	10	1
SWB-3	6/1/2004	Di-n-butyl phthalate	<	0.8	ug/L	10	1
SWB-3	9/1/2004	Di-n-butyl phthalate	<	0.8	ug/L	10	1
SWB-3	12/1/2004	Di-n-butyl phthalate	<	0.8	ug/L	10	1
SWB-3	3/3/2005	Di-n-butyl phthalate	<	1.9	ug/L	10	1
SWB-3	6/2/2005	Di-n-butyl phthalate	<	1.9	ug/L	10	1
SWB-3	9/1/2005	Di-n-butyl phthalate	<	1.9	ug/L	10	1
SWB-3	12/1/2005	Di-n-butyl phthalate	<	1.9	UG/L	10	1 UJ
SWB-3	3/2/2006	Di-n-butyl phthalate	<	1.9	UG/L	10	1
SWB-3	6/2/2006	Di-n-butyl phthalate	<	5	UG/L	10	1
SWB-3	9/5/2006	Di-n-butyl phthalate	<	5	UG/L	10	1
SWB-3	12/4/2006	Di-n-butyl phthalate	<	5	UG/L	10	1
SWB-3	3/1/2007	Di-n-butyl phthalate	<	5	UG/L	10	1
SWB-3	6/1/2007	Di-n-butyl phthalate	<	5	UG/L	10	1
SWB-3	6/1/2007	Di-n-butyl phthalate	<	5	UG/L	10	1 R
SWB-3	12/3/2007	Di-n-butyl phthalate	<	1.2	UG/L	10	1
SWB-3	3/6/2008	Di-n-butyl phthalate	<	1.2	UG/L	10	1
SWB-3	6/9/2008	Di-n-butyl phthalate	<	1.2	UG/L	10	1
SWB-3	12/4/2008	Di-n-butyl phthalate	<	1.2	UG/L	4	1
SWB-3	3/2/2009	Di-n-butyl phthalate	<	1.2	UG/L	4	1
SWB-3	3/2/2009	Di-n-butyl phthalate	<	1.2	UG/L	4	1 R
SWB-3	6/4/2009	Di-n-butyl phthalate	<	1.2	UG/L	4	1
SWB-3	12/1/2009	Di-n-butyl phthalate	<	1.2	UG/L	4	1

tmpAnalyticalResultsOverTime

SWB-3	12/1/2009	Di-n-butyl phthalate	<		1.2	4	UG/L	1 DNR
SWB-3	3/1/2010	Di-n-butyl phthalate	<	3.9	1.1	3.9	ug/L	1 UJ
SWB-3	6/1/2010	DI-n-BUTYL PHTHALATE	<	1.1	1.1	3.7	UG/L	1
SWB-3	6/1/2010	DI-n-BUTYL PHTHALATE	<	1.1	1.1	3.8	UG/L	1 DNR
SWB-3	9/9/2010	DI-n-BUTYL PHTHALATE	<	1.1	1.1	3.7	UG/L	1
SWB-4	11/15/2002	Di-n-butyl phthalate	<		1.1	10	ug/L	1
SWB-5	10/29/2002	Di-n-butyl phthalate	<		1.1	10	ug/L	1
SWB-6	3/4/2003	Di-n-butyl phthalate	<		1.1	10	ug/L	1
SWB-6	6/3/2003	Di-n-butyl phthalate	<		1.1	10	ug/L	1
SWB-6	12/3/2003	Di-n-butyl phthalate	<		0.8	10	ug/L	1
SWB-6	3/5/2004	Di-n-butyl phthalate	<		0.8	10	ug/L	1
SWB-6	6/1/2004	Di-n-butyl phthalate	<		0.8	10	ug/L	1
SWB-6	12/1/2004	Di-n-butyl phthalate	<		0.8	10	ug/L	1
SWB-6	3/7/2005	Di-n-butyl phthalate	<		1.9	10	ug/L	1
SWB-6	6/1/2005	Di-n-butyl phthalate	<		1.9	10	ug/L	1
SWB-6	12/2/2005	Di-n-butyl phthalate	<		1.9	10	UG/L	1 UJ
SWB-6	3/1/2006	Di-n-butyl phthalate	<		1.9	10	UG/L	1
SWB-6	6/1/2006	Di-n-butyl phthalate	<		5	10	UG/L	1
SWB-6	12/5/2006	Di-n-butyl phthalate	<		5	10	UG/L	1
SWB-6	3/2/2007	Di-n-butyl phthalate	<		5	10	UG/L	1
SWB-6	6/9/2008	Di-n-butyl phthalate	<		1.2	10	UG/L	1
SWB-6	3/6/2008	Di-n-butyl phthalate	<		1.2	10	UG/L	1
SWB-6	12/5/2008	Di-n-butyl phthalate	<		1.2	4	UG/L	1
SWB-6	12/5/2008	Di-n-butyl phthalate	<		1.2	4	UG/L	1 R
SWB-6	3/2/2009	Di-n-butyl phthalate	<		1.2	4	UG/L	1
SWB-6	3/2/2009	Di-n-butyl phthalate	<		1.2	4	UG/L	1 R
SWB-6	6/5/2009	Di-n-butyl phthalate	<		1.2	4	UG/L	1
SWB-6	3/2/2010	Di-n-butyl phthalate	<	3.6	1.1	3.6	UG/L	1
SWB-6	6/2/2010	DI-n-BUTYL PHTHALATE	<	1.1	1.1	3.8	UG/L	1
SWB-6	6/2/2010	DI-n-BUTYL PHTHALATE	<	1.1	1.1	3.8	UG/L	1 DNR
SWB-7	3/4/2003	Di-n-butyl phthalate	<		1.1	10	ug/L	1
SWB-7	6/3/2003	Di-n-butyl phthalate	<		1.1	10	ug/L	1
SWB-7	3/1/2004	Di-n-butyl phthalate	<		0.8	10	ug/L	1
SWB-7	5/24/2004	Di-n-butyl phthalate	<		0.8	10	ug/L	1
SWB-7	12/1/2004	Di-n-butyl phthalate	<		0.8	10	ug/L	1
SWB-7	3/7/2005	Di-n-butyl phthalate	<		1.9	10	ug/L	1 UJ
SWB-7	6/1/2005	Di-n-butyl phthalate	<		1.9	10	ug/L	1
SWB-7	9/1/2005	Di-n-butyl phthalate	<		1.9	10	ug/L	1
SWB-7	12/1/2005	Di-n-butyl phthalate	<		1.9	10	UG/L	1 UJ
SWB-7	3/1/2006	Di-n-butyl phthalate	<		1.9	10	UG/L	1
SWB-7	6/2/2006	Di-n-butyl phthalate	<		5	10	UG/L	1
SWB-7	9/5/2006	Di-n-butyl phthalate	<		5	10	UG/L	1 UJ
SWB-7	12/5/2006	Di-n-butyl phthalate	<		5	10	UG/L	1
SWB-7	3/2/2007	Di-n-butyl phthalate	<		5	10	UG/L	1
SWB-7	6/1/2007	Di-n-butyl phthalate	<		5	10	UG/L	1
SWB-7	9/7/2007	Di-n-butyl phthalate	<		1.2	10	UG/L	1
SWB-7	12/3/2007	Di-n-butyl phthalate	<		1.2	10	UG/L	1
SWB-7	3/6/2008	Di-n-butyl phthalate	<		1.2	10	UG/L	1
SWB-7	6/6/2008	Di-n-butyl phthalate	<		1.2	10	UG/L	1
SWB-7	9/8/2008	Di-n-butyl phthalate	<		1.2	4	UG/L	1
SWB-7	12/5/2008	Di-n-butyl phthalate	<		1.2	4	UG/L	1
SWB-7	12/5/2008	Di-n-butyl phthalate	<		1.2	4	UG/L	1 R
SWB-7	3/2/2009	Di-n-butyl phthalate	<		1.2	4	UG/L	1
SWB-7	3/2/2009	Di-n-butyl phthalate	<		1.2	4	UG/L	1 R
SWB-7	6/5/2009	Di-n-butyl phthalate	<		1.2	4	UG/L	1
SWB-7	9/9/2009	Di-n-butyl phthalate	<		1.2	4	UG/L	1
SWB-7	12/1/2009	Di-n-butyl phthalate	<		1.2	4	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	3/2/2010	Di-n-butyl phthalate	<	3.8	1.1	3.8	UG/L	1	
SWB-7	6/1/2010	DI-n-BUTYL PHTHALATE	<	1.1	1.1	3.8	UG/L	1	DNR
SWB-7	6/1/2010	DI-n-BUTYL PHTHALATE	<	1.2	1.2	4	UG/L	1	R
SWB-7	9/9/2010	DI-n-BUTYL PHTHALATE	<	1.1	1.1	3.9	UG/L	1	
SWB-7	12/1/2010	DI-n-BUTYL PHTHALATE	<	1.1	1.1	3.7	UG/L	1	
SWB-8	3/5/2004	Di-n-butyl phthalate	<		0.8	10	ug/L	1	
SWB-8	3/7/2005	Di-n-butyl phthalate	<		1.9	10	ug/L	1	
SWB-8	6/1/2005	Di-n-butyl phthalate	<		1.9	10	ug/L	1	
SWB-8	3/1/2006	Di-n-butyl phthalate	<		1.9	10	UG/L	1	
SWB-8	3/7/2008	Di-n-butyl phthalate	<		1.2	10	UG/L	1	
SWB-8	3/3/2009	Di-n-butyl phthalate	<		1.2	4	UG/L	1	
SWB-8	3/3/2009	Di-n-butyl phthalate	<		1.2	4	UG/L	1	R
SWB-9	3/4/2003	Di-n-butyl phthalate	<		1.1	10	ug/L	1	
SWB-9	12/3/2003	Di-n-butyl phthalate	<		0.8	10	ug/L	1	
SWB-9	3/5/2004	Di-n-butyl phthalate	<		0.8	10	ug/L	1	
SWB-9	5/27/2004	Di-n-butyl phthalate	<		0.8	10	ug/L	1	UJ
SWB-9	12/1/2004	Di-n-butyl phthalate	<		0.8	10	ug/L	1	
SWB-9	3/3/2005	Di-n-butyl phthalate	<		1.9	10	ug/L	1	
SWB-9	6/2/2005	Di-n-butyl phthalate	<		1.9	10	ug/L	1	
SWB-9	9/1/2005	Di-n-butyl phthalate	<		1.9	10	ug/L	1	
SWB-9	12/1/2005	Di-n-butyl phthalate	<		1.9	10	UG/L	1	UJ
SWB-9	3/2/2006	Di-n-butyl phthalate	<		1.9	10	UG/L	1	
SWB-9	6/1/2006	Di-n-butyl phthalate	<		5	10	UG/L	1	
SWB-9	12/4/2006	Di-n-butyl phthalate	<		5	10	UG/L	1	
SWB-9	3/5/2007	Di-n-butyl phthalate	<		5	10	UG/L	1	
SWB-9	3/6/2008	Di-n-butyl phthalate	<		1.2	10	UG/L	1	
SWB-9	6/5/2008	Di-n-butyl phthalate	<		1.2	10	UG/L	1	
SWB-9	12/5/2008	Di-n-butyl phthalate	<		1.2	4	UG/L	1	
SWB-9	12/5/2008	Di-n-butyl phthalate	<		1.2	4	UG/L	1	R
SWB-9	3/2/2009	Di-n-butyl phthalate	<		1.2	4	UG/L	1	
SWB-9	3/2/2009	Di-n-butyl phthalate	<		1.2	4	UG/L	1	R
SWB-9	6/2/2009	Di-n-butyl phthalate	<		1.2	4	UG/L	1	
SWB-9	6/2/2009	Di-n-butyl phthalate	<		1.2	4	UG/L	1	DNR
SWB-9	3/1/2010	Di-n-butyl phthalate	<	3.7	1.1	3.7	ug/L	1	
SWB-9	6/1/2010	DI-n-BUTYL PHTHALATE	<	1.1	1.1	3.8	UG/L	1	
SWB-9	6/1/2010	DI-n-BUTYL PHTHALATE	<	1.1	1.1	3.8	UG/L	1	DNR
SWB-9	12/1/2010	DI-n-BUTYL PHTHALATE	<	1.1	1.1	3.7	UG/L	1	
SWB-10	3/4/2004	Di-n-octyl phthalate	<		1	10	ug/L	1	NA
SWB-10	5/24/2004	Di-n-octyl phthalate	<		1	10	ug/L	1	UJ
SWB-10	12/1/2004	Di-n-octyl phthalate	<		1	10	ug/L	1	
SWB-10	3/3/2005	Di-n-octyl phthalate	<		1.1	10	ug/L	1	
SWB-10	6/2/2005	Di-n-octyl phthalate	<		1.1	10	ug/L	1	
SWB-10	9/1/2005	Di-n-octyl phthalate	<		1.1	10	ug/L	1	
SWB-10	3/2/2006	Di-n-octyl phthalate	<		1.1	10	UG/L	1	
SWB-10	6/2/2006	Di-n-octyl phthalate	<		5	10	UG/L	1	
SWB-10	3/1/2007	Di-n-octyl phthalate	<		5	10	UG/L	1	
SWB-10	3/7/2008	Di-n-octyl phthalate	<		0.35	10	UG/L	1	
SWB-10	6/5/2008	Di-n-octyl phthalate	<		0.35	10	UG/L	1	
SWB-10	3/2/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1	
SWB-10	3/2/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1	R
SWB-10	6/4/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1	
SWB-10	3/2/2010	Di-n-octyl phthalate	<	3.7	0.33	3.7	UG/L	1	
SWB-11	3/4/2004	Di-n-octyl phthalate	<		1	10	ug/L	1	
SWB-11	5/24/2004	Di-n-octyl phthalate	<		1	10	ug/L	1	UJ
SWB-11	12/1/2004	Di-n-octyl phthalate	<		1	10	ug/L	1	
SWB-11	3/1/2005	Di-n-octyl phthalate	<		1.1	10	ug/L	1	
SWB-11	6/2/2005	Di-n-octyl phthalate	<		1.1	10	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-11	3/2/2006	Di-n-octyl phthalate	<		1.1	10	UG/L	1
SWB-11	6/1/2006	Di-n-octyl phthalate	<		5	10	UG/L	1
SWB-11	3/1/2007	Di-n-octyl phthalate	<		5	10	UG/L	1
SWB-11	3/7/2008	Di-n-octyl phthalate	<		0.35	10	UG/L	1
SWB-11	6/5/2008	Di-n-octyl phthalate	<		0.35	10	UG/L	1
SWB-11	3/2/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1
SWB-11	6/4/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1
SWB-11	3/1/2010	Di-n-octyl phthalate	<	3.7	0.33	3.7	ug/L	1
SWB-11	6/2/2010	DI-N-OCTYL PHTHALATE	<	0.33	0.33	3.8	UG/L	1
SWB-3	10/29/2002	Di-n-octyl phthalate	<		1.5	10	ug/L	1
SWB-3	3/4/2003	Di-n-octyl phthalate	<		1.5	10	ug/L	1
SWB-3	6/3/2003	Di-n-octyl phthalate	<		1.5	10	ug/L	1
SWB-3	9/4/2003	Di-n-octyl phthalate	<		1.5	10	ug/L	1 UJ
SWB-3	12/2/2003	Di-n-octyl phthalate	<		1	10	ug/L	1
SWB-3	3/1/2004	Di-n-octyl phthalate	<		1	10	ug/L	1
SWB-3	6/1/2004	Di-n-octyl phthalate	<		1	10	ug/L	1
SWB-3	9/1/2004	Di-n-octyl phthalate	<		1	10	ug/L	1
SWB-3	12/1/2004	Di-n-octyl phthalate	<		1	10	ug/L	1
SWB-3	3/3/2005	Di-n-octyl phthalate	<		1.1	10	ug/L	1
SWB-3	6/2/2005	Di-n-octyl phthalate	<		1.1	10	ug/L	1
SWB-3	9/1/2005	Di-n-octyl phthalate	<		1.1	10	ug/L	1
SWB-3	12/1/2005	Di-n-octyl phthalate	<		1.1	10	UG/L	1 UJ
SWB-3	3/2/2006	Di-n-octyl phthalate	<		1.1	10	UG/L	1
SWB-3	6/2/2006	Di-n-octyl phthalate	<		5	10	UG/L	1
SWB-3	9/5/2006	Di-n-octyl phthalate	<		5	10	UG/L	1
SWB-3	12/4/2006	Di-n-octyl phthalate	<		5	10	UG/L	1
SWB-3	3/1/2007	Di-n-octyl phthalate	<		5	10	UG/L	1
SWB-3	6/1/2007	Di-n-octyl phthalate	<		5	10	UG/L	1
SWB-3	6/1/2007	Di-n-octyl phthalate	<		5	10	UG/L	1 R
SWB-3	12/3/2007	Di-n-octyl phthalate	<		0.35	10	UG/L	1
SWB-3	3/6/2008	Di-n-octyl phthalate	<		0.35	10	UG/L	1
SWB-3	6/9/2008	Di-n-octyl phthalate	<		0.35	10	UG/L	1
SWB-3	12/4/2008	Di-n-octyl phthalate	<		0.35	4	UG/L	1
SWB-3	3/2/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1
SWB-3	3/2/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1 R
SWB-3	6/4/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1
SWB-3	12/1/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1 DNR
SWB-3	12/1/2009	Di-n-octyl phthalate	TR	0.35	0.35	4	UG/L	1 J
SWB-3	3/1/2010	Di-n-octyl phthalate	<	3.9	0.34	3.9	ug/L	1 UJ
SWB-3	6/1/2010	DI-N-OCTYL PHTHALATE	<	0.33	0.33	3.7	UG/L	1
SWB-3	6/1/2010	DI-N-OCTYL PHTHALATE	<	0.33	0.33	3.8	UG/L	1 DNR
SWB-3	9/9/2010	DI-N-OCTYL PHTHALATE	<	0.33	0.33	3.7	UG/L	1
SWB-4	11/15/2002	Di-n-octyl phthalate	<		1.5	10	ug/L	1
SWB-5	10/29/2002	Di-n-octyl phthalate	<		1.5	10	ug/L	1
SWB-6	3/4/2003	Di-n-octyl phthalate	<		1.5	10	ug/L	1
SWB-6	6/3/2003	Di-n-octyl phthalate	<		1.5	10	ug/L	1
SWB-6	12/3/2003	Di-n-octyl phthalate	<		1	10	ug/L	1
SWB-6	3/5/2004	Di-n-octyl phthalate	<		1	10	ug/L	1
SWB-6	6/1/2004	Di-n-octyl phthalate	<		1	10	ug/L	1
SWB-6	12/1/2004	Di-n-octyl phthalate	<		1	10	ug/L	1
SWB-6	3/7/2005	Di-n-octyl phthalate	<		1.1	10	ug/L	1
SWB-6	6/1/2005	Di-n-octyl phthalate	<		1.1	10	ug/L	1
SWB-6	12/2/2005	Di-n-octyl phthalate	<		1.1	10	UG/L	1 UJ
SWB-6	3/1/2006	Di-n-octyl phthalate	<		1.1	10	UG/L	1
SWB-6	6/1/2006	Di-n-octyl phthalate	<		5	10	UG/L	1
SWB-6	12/5/2006	Di-n-octyl phthalate	<		5	10	UG/L	1
SWB-6	3/2/2007	Di-n-octyl phthalate	<		5	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	6/9/2008	Di-n-octyl phthalate	<		0.35	10	UG/L	1
SWB-6	3/6/2008	Di-n-octyl phthalate	<		0.35	10	UG/L	1
SWB-6	12/5/2008	Di-n-octyl phthalate	<		0.35	4	UG/L	1
SWB-6	12/5/2008	Di-n-octyl phthalate	<		0.35	4	UG/L	1 R
SWB-6	3/2/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1
SWB-6	3/2/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1 R
SWB-6	6/5/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1
SWB-6	3/2/2010	Di-n-octyl phthalate	<	3.6	0.32	3.6	UG/L	1
SWB-6	6/2/2010	DI-N-OCTYL PHTHALATE	<	0.33	0.33	3.8	UG/L	1
SWB-6	6/2/2010	DI-N-OCTYL PHTHALATE	<	0.33	0.33	3.8	UG/L	1 DNR
SWB-7	3/4/2003	Di-n-octyl phthalate	<		1.5	10	ug/L	1
SWB-7	6/3/2003	Di-n-octyl phthalate	<		1.5	10	ug/L	1
SWB-7	3/1/2004	Di-n-octyl phthalate	<		1	10	ug/L	1
SWB-7	5/24/2004	Di-n-octyl phthalate	<		1	10	ug/L	1
SWB-7	12/1/2004	Di-n-octyl phthalate	<		1	10	ug/L	1
SWB-7	3/7/2005	Di-n-octyl phthalate	<		1.1	10	ug/L	1 UJ
SWB-7	6/1/2005	Di-n-octyl phthalate	<		1.1	10	ug/L	1
SWB-7	9/1/2005	Di-n-octyl phthalate	<		1.1	10	ug/L	1
SWB-7	12/1/2005	Di-n-octyl phthalate	<		1.1	10	UG/L	1 UJ
SWB-7	3/1/2006	Di-n-octyl phthalate	<		1.1	10	UG/L	1
SWB-7	6/2/2006	Di-n-octyl phthalate	<		5	10	UG/L	1
SWB-7	9/5/2006	Di-n-octyl phthalate	<		5	10	UG/L	1 UJ
SWB-7	12/5/2006	Di-n-octyl phthalate	<		5	10	UG/L	1
SWB-7	3/2/2007	Di-n-octyl phthalate	<		5	10	UG/L	1
SWB-7	6/1/2007	Di-n-octyl phthalate	<		5	10	UG/L	1
SWB-7	9/7/2007	Di-n-octyl phthalate	<		0.35	10	UG/L	1
SWB-7	12/3/2007	Di-n-octyl phthalate	<		0.35	10	UG/L	1
SWB-7	3/6/2008	Di-n-octyl phthalate	<		0.35	10	UG/L	1
SWB-7	6/6/2008	Di-n-octyl phthalate	<		0.35	10	UG/L	1
SWB-7	9/8/2008	Di-n-octyl phthalate	<		0.35	4	UG/L	1
SWB-7	12/5/2008	Di-n-octyl phthalate	<		0.35	4	UG/L	1
SWB-7	12/5/2008	Di-n-octyl phthalate	<		0.35	4	UG/L	1 R
SWB-7	3/2/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1
SWB-7	3/2/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1 R
SWB-7	6/5/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1
SWB-7	9/9/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1
SWB-7	12/1/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1
SWB-7	3/2/2010	Di-n-octyl phthalate	<	3.8	0.33	3.8	UG/L	1
SWB-7	6/1/2010	DI-N-OCTYL PHTHALATE	<	0.33	0.33	3.8	UG/L	1 DNR
SWB-7	6/1/2010	DI-N-OCTYL PHTHALATE	<	0.35	0.35	4	UG/L	1 R
SWB-7	9/9/2010	DI-N-OCTYL PHTHALATE	<	0.34	0.34	3.9	UG/L	1
SWB-7	12/1/2010	DI-N-OCTYL PHTHALATE	<	0.33	0.33	3.7	UG/L	1 UJ
SWB-8	3/5/2004	Di-n-octyl phthalate	<		1	10	ug/L	1
SWB-8	3/7/2005	Di-n-octyl phthalate	<		1.1	10	ug/L	1
SWB-8	6/1/2005	Di-n-octyl phthalate	<		1.1	10	ug/L	1
SWB-8	3/1/2006	Di-n-octyl phthalate	<		1.1	10	UG/L	1
SWB-8	3/7/2008	Di-n-octyl phthalate	<		0.35	10	UG/L	1
SWB-8	3/3/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1
SWB-8	3/3/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1 R
SWB-9	3/4/2003	Di-n-octyl phthalate	<		1.5	10	ug/L	1
SWB-9	12/3/2003	Di-n-octyl phthalate	<		1	10	ug/L	1
SWB-9	3/5/2004	Di-n-octyl phthalate	<		1	10	ug/L	1
SWB-9	5/27/2004	Di-n-octyl phthalate	<		1	10	ug/L	1 UJ
SWB-9	12/1/2004	Di-n-octyl phthalate	<		1	10	ug/L	1
SWB-9	3/3/2005	Di-n-octyl phthalate	<		1.1	10	ug/L	1
SWB-9	6/2/2005	Di-n-octyl phthalate	<		1.1	10	ug/L	1
SWB-9	9/1/2005	Di-n-octyl phthalate	<		1.1	10	ug/L	1

tmpAnalyticalResultsOverTime

SWB-9	12/1/2005	Di-n-octyl phthalate	<		1.1	10	UG/L	1 UJ	
SWB-9	3/2/2006	Di-n-octyl phthalate	<		1.1	10	UG/L	1	
SWB-9	6/1/2006	Di-n-octyl phthalate	<		5	10	UG/L	1	
SWB-9	12/4/2006	Di-n-octyl phthalate	<		5	10	UG/L	1	
SWB-9	3/5/2007	Di-n-octyl phthalate	<		5	10	UG/L	1	
SWB-9	3/6/2008	Di-n-octyl phthalate	<		0.35	10	UG/L	1	
SWB-9	6/5/2008	Di-n-octyl phthalate	<		0.35	10	UG/L	1	
SWB-9	12/5/2008	Di-n-octyl phthalate	<		0.35	4	UG/L	1	
SWB-9	12/5/2008	Di-n-octyl phthalate	<		0.35	4	UG/L	1 R	
SWB-9	3/2/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1	
SWB-9	3/2/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1 R	
SWB-9	6/2/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1	
SWB-9	6/2/2009	Di-n-octyl phthalate	<		0.35	4	UG/L	1 DNR	
SWB-9	3/1/2010	Di-n-octyl phthalate	<	3.7	0.32	3.7	ug/L	1	
SWB-9	6/1/2010	DI-N-OCTYL PHTHALATE	<	0.33	0.33	3.8	UG/L	1	
SWB-9	6/1/2010	DI-N-OCTYL PHTHALATE	<	0.33	0.33	3.8	UG/L	1 DNR	
SWB-9	12/1/2010	DI-N-OCTYL PHTHALATE	<	0.33	0.33	3.7	UG/L	1 UJ	
SWB-10	3/4/2004	Diphenylamine	<		2	10	ug/L	1	NA
SWB-10	5/24/2004	Diphenylamine	<		2	10	ug/L	1 UJ	
SWB-10	12/1/2004	Diphenylamine	<		2	10	ug/L	1	
SWB-10	3/3/2005	Diphenylamine	<		2	10	ug/L	1	
SWB-10	6/2/2005	Diphenylamine	<		2	10	ug/L	1	
SWB-10	9/1/2005	Diphenylamine	<		2	10	ug/L	1	
SWB-10	3/2/2006	Diphenylamine	<		2	10	UG/L	1	
SWB-10	6/2/2006	Diphenylamine	<		1.1	10	UG/L	1	
SWB-10	3/1/2007	Diphenylamine	<		1.1	10	UG/L	1	
SWB-10	3/7/2008	Diphenylamine	<		1.1	10	UG/L	1	
SWB-10	6/5/2008	Diphenylamine	<		1.1	10	UG/L	1	
SWB-10	3/2/2009	Diphenylamine	<		1.1	10	UG/L	1	
SWB-10	3/2/2009	Diphenylamine	<		1.1	10	UG/L	1 R	
SWB-10	6/4/2009	Diphenylamine	<		1.1	10	UG/L	1	
SWB-10	3/2/2010	Diphenylamine	<	9.3	0.99	9.3	UG/L	1	
SWB-11	3/4/2004	Diphenylamine	<		2	10	ug/L	1	
SWB-11	5/24/2004	Diphenylamine	<		2	10	ug/L	1 UJ	
SWB-11	12/1/2004	Diphenylamine	<		2	10	ug/L	1	
SWB-11	3/1/2005	Diphenylamine	<		2	10	ug/L	1	
SWB-11	6/2/2005	Diphenylamine	<		2	10	ug/L	1	
SWB-11	3/2/2006	Diphenylamine	<		2	10	UG/L	1	
SWB-11	6/1/2006	Diphenylamine	<		1.1	10	UG/L	1	
SWB-11	3/1/2007	Diphenylamine	<		1.1	10	UG/L	1	
SWB-11	3/7/2008	Diphenylamine	<		1.1	10	UG/L	1	
SWB-11	6/5/2008	Diphenylamine	<		1.1	10	UG/L	1	
SWB-11	3/2/2009	Diphenylamine	<		1.1	10	UG/L	1	
SWB-11	6/4/2009	Diphenylamine	<		1.1	10	UG/L	1	
SWB-11	3/1/2010	Diphenylamine	<	9.4	0.99	9.4	ug/L	1	
SWB-11	6/2/2010	DIPHENYLAMINE	<	1	1	9.5	UG/L	1	
SWB-3	10/29/2002	Diphenylamine	<		1.2	10	ug/L	1	
SWB-3	3/4/2003	Diphenylamine	<		1.2	10	ug/L	1	
SWB-3	6/3/2003	Diphenylamine	<		1.2	10	ug/L	1	
SWB-3	9/4/2003	Diphenylamine	<		1	10	ug/L	1 UJ	
SWB-3	12/2/2003	Diphenylamine	<		1	10	ug/L	1	
SWB-3	3/1/2004	Diphenylamine	<		2	10	ug/L	1	
SWB-3	6/1/2004	Diphenylamine	<		2	10	ug/L	1	
SWB-3	9/1/2004	Diphenylamine	<		2	10	ug/L	1	
SWB-3	12/1/2004	Diphenylamine	<		2	10	ug/L	1	
SWB-3	3/3/2005	Diphenylamine	<		2	10	ug/L	1	
SWB-3	6/2/2005	Diphenylamine	<		2	10	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	9/1/2005	Diphenylamine	<		2	10	ug/L	1
SWB-3	12/1/2005	Diphenylamine	<		2	10	UG/L	1 UJ
SWB-3	3/2/2006	Diphenylamine	<		2	10	UG/L	1
SWB-3	6/2/2006	Diphenylamine	<		1.1	10	UG/L	1
SWB-3	9/5/2006	Diphenylamine	<		1.1	10	UG/L	1
SWB-3	12/4/2006	Diphenylamine	<		1.1	10	UG/L	1
SWB-3	3/1/2007	Diphenylamine	<		1.1	10	UG/L	1
SWB-3	6/1/2007	Diphenylamine	<		1.1	10	UG/L	1
SWB-3	6/1/2007	Diphenylamine	<		1.1	10	UG/L	1 R
SWB-3	12/3/2007	Diphenylamine	<		1.1	10	UG/L	1
SWB-3	3/6/2008	Diphenylamine	<		1.1	10	UG/L	1
SWB-3	6/9/2008	Diphenylamine	<		1.1	10	UG/L	1
SWB-3	12/4/2008	Diphenylamine	<		1.1	10	UG/L	1
SWB-3	3/2/2009	Diphenylamine	<		1.1	10	UG/L	1
SWB-3	3/2/2009	Diphenylamine	<		1.1	10	UG/L	1 R
SWB-3	6/4/2009	Diphenylamine	<		1.1	10	UG/L	1
SWB-3	12/1/2009	Diphenylamine	<		1.1	10	UG/L	1
SWB-3	12/1/2009	Diphenylamine	<		1.1	10	UG/L	1 DNR
SWB-3	3/1/2010	Diphenylamine	<	9.7	1	9.7	ug/L	1 UJ
SWB-3	6/1/2010	DIPHENYLAMINE	<	0.99	0.99	9.4	UG/L	1
SWB-3	6/1/2010	DIPHENYLAMINE	<	1	1	9.4	UG/L	1 DNR
SWB-3	9/9/2010	DIPHENYLAMINE	<	0.99	0.99	9.3	UG/L	1
SWB-4	11/15/2002	Diphenylamine	<		1.2	10	ug/L	1
SWB-5	10/29/2002	Diphenylamine	<		1.2	10	ug/L	1
SWB-6	3/4/2003	Diphenylamine	<		1.2	10	ug/L	1
SWB-6	6/3/2003	Diphenylamine	<		1.2	10	ug/L	1
SWB-6	12/3/2003	Diphenylamine	<		1	10	ug/L	1
SWB-6	3/5/2004	Diphenylamine	<		2	10	ug/L	1
SWB-6	6/1/2004	Diphenylamine	<		2	10	ug/L	1
SWB-6	12/1/2004	Diphenylamine	<		2	10	ug/L	1
SWB-6	3/7/2005	Diphenylamine	<		2	10	ug/L	1
SWB-6	6/1/2005	Diphenylamine	<		2	10	ug/L	1
SWB-6	12/2/2005	Diphenylamine	<		2	10	UG/L	1 UJ
SWB-6	3/1/2006	Diphenylamine	<		2	10	UG/L	1
SWB-6	6/1/2006	Diphenylamine	<		1.1	10	UG/L	1
SWB-6	12/5/2006	Diphenylamine	<		1.1	10	UG/L	1
SWB-6	3/2/2007	Diphenylamine	<		1.1	10	UG/L	1
SWB-6	6/9/2008	Diphenylamine	<		1.1	10	UG/L	1
SWB-6	3/6/2008	Diphenylamine	<		1.1	10	UG/L	1
SWB-6	12/5/2008	Diphenylamine	<		1.1	10	UG/L	1
SWB-6	12/5/2008	Diphenylamine	<		1.1	10	UG/L	1 R
SWB-6	3/2/2009	Diphenylamine	<		1.1	10	UG/L	1
SWB-6	3/2/2009	Diphenylamine	<		1.1	10	UG/L	1 R
SWB-6	6/5/2009	Diphenylamine	<		1.1	10	UG/L	1
SWB-6	3/2/2010	Diphenylamine	<	9.1	0.97	9.1	UG/L	1
SWB-6	6/2/2010	DIPHENYLAMINE	<	1	1	9.4	UG/L	1 DNR
SWB-6	6/2/2010	DIPHENYLAMINE	<	1	1	9.5	UG/L	1
SWB-7	3/4/2003	Diphenylamine	<		1.2	10	ug/L	1
SWB-7	6/3/2003	Diphenylamine	<		1.2	10	ug/L	1
SWB-7	3/1/2004	Diphenylamine	<		2	10	ug/L	1
SWB-7	5/24/2004	Diphenylamine	<		2	10	ug/L	1
SWB-7	12/1/2004	Diphenylamine	<		2	10	ug/L	1
SWB-7	3/7/2005	Diphenylamine	<		2	10	ug/L	1 UJ
SWB-7	6/1/2005	Diphenylamine	<		2	10	ug/L	1
SWB-7	9/1/2005	Diphenylamine	<		2	10	ug/L	1
SWB-7	12/1/2005	Diphenylamine	<		2	10	UG/L	1 UJ
SWB-7	3/1/2006	Diphenylamine	<		2	10	UG/L	1



tmpAnalyticalResultsOverTime

SWB-7	6/2/2006	Diphenylamine	<	1.1	10	UG/L	1		
SWB-7	9/5/2006	Diphenylamine	<	1.1	10	UG/L	1 UJ		
SWB-7	12/5/2006	Diphenylamine	<	1.1	10	UG/L	1		
SWB-7	3/2/2007	Diphenylamine	<	1.1	10	UG/L	1		
SWB-7	6/1/2007	Diphenylamine	<	1.1	10	UG/L	1		
SWB-7	9/7/2007	Diphenylamine	<	1.1	10	UG/L	1		
SWB-7	12/3/2007	Diphenylamine	<	1.1	10	UG/L	1		
SWB-7	3/6/2008	Diphenylamine	<	1.1	10	UG/L	1		
SWB-7	6/6/2008	Diphenylamine	<	1.1	10	UG/L	1		
SWB-7	9/8/2008	Diphenylamine	<	1.1	10	UG/L	1		
SWB-7	12/5/2008	Diphenylamine	<	1.1	10	UG/L	1		
SWB-7	12/5/2008	Diphenylamine	<	1.1	10	UG/L	1 R		
SWB-7	3/2/2009	Diphenylamine	<	1.1	10	UG/L	1		
SWB-7	3/2/2009	Diphenylamine	<	1.1	10	UG/L	1 R		
SWB-7	6/5/2009	Diphenylamine	<	1.1	10	UG/L	1		
SWB-7	9/9/2009	Diphenylamine	<	1.1	10	UG/L	1		
SWB-7	12/1/2009	Diphenylamine	<	1.1	10	UG/L	1		
SWB-7	3/2/2010	Diphenylamine	<	9.5	1	9.5	UG/L	1	
SWB-7	6/1/2010	DIPHENYLAMINE	<	1	1	9.6	UG/L	1 DNR	
SWB-7	6/1/2010	DIPHENYLAMINE	<	1.1	1.1	10	UG/L	1 R	
SWB-7	9/9/2010	DIPHENYLAMINE	<	1	1	9.6	UG/L	1	
SWB-7	12/1/2010	DIPHENYLAMINE	<	0.99	0.99	9.3	UG/L	1	
SWB-8	3/5/2004	Diphenylamine	<		2	10	ug/L	1	
SWB-8	3/7/2005	Diphenylamine	<		2	10	ug/L	1	
SWB-8	6/1/2005	Diphenylamine	<		2	10	ug/L	1	
SWB-8	3/1/2006	Diphenylamine	<		2	10	UG/L	1	
SWB-8	3/7/2008	Diphenylamine	<		1.1	10	UG/L	1	
SWB-8	3/3/2009	Diphenylamine	<		1.1	10	UG/L	1	
SWB-8	3/3/2009	Diphenylamine	<		1.1	10	UG/L	1 R	
SWB-9	3/4/2003	Diphenylamine	<		1.2	10	ug/L	1	
SWB-9	12/3/2003	Diphenylamine	<		1	10	ug/L	1	
SWB-9	3/5/2004	Diphenylamine	<		2	10	ug/L	1	
SWB-9	5/27/2004	Diphenylamine	<		2	10	ug/L	1 UJ	
SWB-9	12/1/2004	Diphenylamine	<		2	10	ug/L	1	
SWB-9	3/3/2005	Diphenylamine	<		2	10	ug/L	1	
SWB-9	6/2/2005	Diphenylamine	<		2	10	ug/L	1	
SWB-9	9/1/2005	Diphenylamine	<		2	10	ug/L	1	
SWB-9	12/1/2005	Diphenylamine	<		2	10	UG/L	1 UJ	
SWB-9	3/2/2006	Diphenylamine	<		2	10	UG/L	1	
SWB-9	6/1/2006	Diphenylamine	<		1.1	10	UG/L	1	
SWB-9	12/4/2006	Diphenylamine	<		1.1	10	UG/L	1	
SWB-9	3/5/2007	Diphenylamine	<		1.1	10	UG/L	1	
SWB-9	3/6/2008	Diphenylamine	<		1.1	10	UG/L	1	
SWB-9	6/5/2008	Diphenylamine	<		1.1	10	UG/L	1	
SWB-9	12/5/2008	Diphenylamine	<		1.1	10	UG/L	1	
SWB-9	12/5/2008	Diphenylamine	<		1.1	10	UG/L	1 R	
SWB-9	3/2/2009	Diphenylamine	<		1.1	10	UG/L	1	
SWB-9	3/2/2009	Diphenylamine	<		1.1	10	UG/L	1 R	
SWB-9	6/2/2009	Diphenylamine	<		1.1	10	UG/L	1	
SWB-9	6/2/2009	Diphenylamine	<		1.1	10	UG/L	1 DNR	
SWB-9	3/1/2010	Diphenylamine	<		9.2	0.98	9.2	ug/L	1
SWB-9	6/1/2010	DIPHENYLAMINE	<		0.99	0.99	9.4	UG/L	1 DNR
SWB-9	6/1/2010	DIPHENYLAMINE	<		1	1	9.5	UG/L	1
SWB-9	12/1/2010	DIPHENYLAMINE	<		0.99	0.99	9.3	UG/L	1
SWB-10	6/5/2008	Disulfide, dimethyl	TI		2		UG/L	1 NJ	NA
SWB-3	9/4/2003	Disulfide, dimethyl	TI		3.3		ug/L	1 NJ	
SWB-6	12/3/2003	Disulfide, dimethyl	TI		2.5		ug/L	2 NJ	

tmpAnalyticalResultsOverTime

SWB-6	12/5/2006	Disulfide, dimethyl	TI	4.8		UG/L	1	NJ	
SWB-10	3/4/2004	Disulfoton	<		2	50	ug/L	1	NA
SWB-10	5/24/2004	Disulfoton	<		2	50	ug/L	1	UJ
SWB-10	12/1/2004	Disulfoton	<		2	50	ug/L	1	
SWB-10	3/3/2005	Disulfoton	<		2	50	ug/L	1	
SWB-10	6/2/2005	Disulfoton	<		2	50	ug/L	1	
SWB-10	9/1/2005	Disulfoton	<		2	50	ug/L	1	
SWB-10	3/2/2006	Disulfoton	<		2	50	UG/L	1	
SWB-10	6/2/2006	Disulfoton	<		1.1	50	UG/L	1	
SWB-10	3/1/2007	Disulfoton	<		1.1	50	UG/L	1	
SWB-10	3/7/2008	Disulfoton	<		1.1	50	UG/L	1	
SWB-10	6/5/2008	Disulfoton	<		1.1	50	UG/L	1	
SWB-10	3/2/2009	Disulfoton	<		1.1	50	UG/L	1	
SWB-10	3/2/2009	Disulfoton	<		1.1	50	UG/L	1	R
SWB-10	6/4/2009	Disulfoton	<		1.1	50	UG/L	1	
SWB-10	3/2/2010	Disulfoton	<	47	1.1	47	UG/L	1	
SWB-11	3/4/2004	Disulfoton	<		2	50	ug/L	1	
SWB-11	5/24/2004	Disulfoton	<		2	50	ug/L	1	UJ
SWB-11	12/1/2004	Disulfoton	<		2	50	ug/L	1	
SWB-11	3/1/2005	Disulfoton	<		2	50	ug/L	1	
SWB-11	6/2/2005	Disulfoton	<		2	50	ug/L	1	
SWB-11	3/2/2006	Disulfoton	<		2	50	UG/L	1	
SWB-11	6/1/2006	Disulfoton	<		1.1	50	UG/L	1	
SWB-11	3/1/2007	Disulfoton	<		1.1	50	UG/L	1	
SWB-11	3/7/2008	Disulfoton	<		1.1	50	UG/L	1	
SWB-11	6/5/2008	Disulfoton	<		1.1	50	UG/L	1	
SWB-11	3/2/2009	Disulfoton	<		1.1	50	UG/L	1	
SWB-11	6/4/2009	Disulfoton	<		1.1	50	UG/L	1	
SWB-11	3/1/2010	Disulfoton	<	47	1.1	47	ug/L	1	
SWB-11	6/2/2010	DISULFOTON	<	1.1	1.1	47	UG/L	1	
SWB-3	10/29/2002	Disulfoton	<		5.6	50	ug/L	1	
SWB-3	3/4/2003	Disulfoton	<		5.6	50	ug/L	1	
SWB-3	6/3/2003	Disulfoton	<		5.6	50	ug/L	1	
SWB-3	9/4/2003	Disulfoton	<		6	50	ug/L	1	UJ
SWB-3	12/2/2003	Disulfoton	<		6	50	ug/L	1	
SWB-3	3/1/2004	Disulfoton	<		2	50	ug/L	1	
SWB-3	6/1/2004	Disulfoton	<		2	50	ug/L	1	
SWB-3	9/1/2004	Disulfoton	<		2	50	ug/L	1	
SWB-3	12/1/2004	Disulfoton	<		2	50	ug/L	1	
SWB-3	3/3/2005	Disulfoton	<		2	50	ug/L	1	
SWB-3	6/2/2005	Disulfoton	<		2	50	ug/L	1	
SWB-3	9/1/2005	Disulfoton	<		2	50	ug/L	1	
SWB-3	12/1/2005	Disulfoton	<		2	50	UG/L	1	UJ
SWB-3	3/2/2006	Disulfoton	<		2	50	UG/L	1	
SWB-3	6/2/2006	Disulfoton	<		1.1	50	UG/L	1	
SWB-3	9/5/2006	Disulfoton	<		1.1	50	UG/L	1	
SWB-3	12/4/2006	Disulfoton	<		1.1	50	UG/L	1	
SWB-3	3/1/2007	Disulfoton	<		1.1	50	UG/L	1	
SWB-3	6/1/2007	Disulfoton	<		1.1	50	UG/L	1	
SWB-3	6/1/2007	Disulfoton	<		1.1	50	UG/L	1	R
SWB-3	12/3/2007	Disulfoton	<		1.1	50	UG/L	1	
SWB-3	3/6/2008	Disulfoton	<		1.1	50	UG/L	1	
SWB-3	6/9/2008	Disulfoton	<		1.1	50	UG/L	1	
SWB-3	12/4/2008	Disulfoton	<		1.1	50	UG/L	1	
SWB-3	3/2/2009	Disulfoton	<		1.1	50	UG/L	1	
SWB-3	3/2/2009	Disulfoton	<		1.1	50	UG/L	1	R
SWB-3	6/4/2009	Disulfoton	<		1.1	50	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	12/1/2009	Disulfoton	<		1.1	50	UG/L	1
SWB-3	12/1/2009	Disulfoton	<		1.1	50	UG/L	1 DNR
SWB-3	3/1/2010	Disulfoton	<	49	1.1	49	ug/L	1 UJ
SWB-3	6/1/2010	DISULFOTON	<	1.1	1.1	47	UG/L	1
SWB-3	6/1/2010	DISULFOTON	<	1.1	1.1	47	UG/L	1 DNR
SWB-3	9/9/2010	DISULFOTON	<	1.1	1.1	47	UG/L	1
SWB-4	11/15/2002	Disulfoton	<		5.6	50	ug/L	1
SWB-5	10/29/2002	Disulfoton	<		5.6	50	ug/L	1
SWB-6	3/4/2003	Disulfoton	<		5.6	50	ug/L	1
SWB-6	6/3/2003	Disulfoton	<		5.6	50	ug/L	1
SWB-6	12/3/2003	Disulfoton	<		6	50	ug/L	1
SWB-6	3/5/2004	Disulfoton	<		2	50	ug/L	1
SWB-6	6/1/2004	Disulfoton	<		2	50	ug/L	1
SWB-6	12/1/2004	Disulfoton	<		2	50	ug/L	1
SWB-6	3/7/2005	Disulfoton	<		2	50	ug/L	1
SWB-6	6/1/2005	Disulfoton	<		2	50	ug/L	1
SWB-6	12/2/2005	Disulfoton	<		2	50	UG/L	1 UJ
SWB-6	3/1/2006	Disulfoton	<		2	50	UG/L	1
SWB-6	6/1/2006	Disulfoton	<		1.1	50	UG/L	1
SWB-6	12/5/2006	Disulfoton	<		1.1	50	UG/L	1
SWB-6	3/2/2007	Disulfoton	<		1.1	50	UG/L	1
SWB-6	6/9/2008	Disulfoton	<		1.1	50	UG/L	1
SWB-6	3/6/2008	Disulfoton	<		1.1	50	UG/L	1
SWB-6	12/5/2008	Disulfoton	<		1.1	50	UG/L	1
SWB-6	12/5/2008	Disulfoton	<		1.1	50	UG/L	1 R
SWB-6	3/2/2009	Disulfoton	<		1.1	50	UG/L	1
SWB-6	3/2/2009	Disulfoton	<		1.1	50	UG/L	1 R
SWB-6	6/5/2009	Disulfoton	<		1.1	50	UG/L	1
SWB-6	3/2/2010	Disulfoton	<	46	1	46	UG/L	1
SWB-6	6/2/2010	DISULFOTON	<	1.1	1.1	47	UG/L	1 DNR
SWB-6	6/2/2010	DISULFOTON	<	1.1	1.1	48	UG/L	1
SWB-7	3/4/2003	Disulfoton	<		5.6	50	ug/L	1
SWB-7	6/3/2003	Disulfoton	<		5.6	50	ug/L	1
SWB-7	3/1/2004	Disulfoton	<		2	50	ug/L	1
SWB-7	5/24/2004	Disulfoton	<		2	50	ug/L	1
SWB-7	12/1/2004	Disulfoton	<		2	50	ug/L	1
SWB-7	3/7/2005	Disulfoton	<		2	50	ug/L	1 UJ
SWB-7	6/1/2005	Disulfoton	<		2	50	ug/L	1
SWB-7	9/1/2005	Disulfoton	<		2	50	ug/L	1
SWB-7	12/1/2005	Disulfoton	<		2	50	UG/L	1 UJ
SWB-7	3/1/2006	Disulfoton	<		2	50	UG/L	1
SWB-7	6/2/2006	Disulfoton	<		1.1	50	UG/L	1
SWB-7	9/5/2006	Disulfoton	<		1.1	50	UG/L	1 UJ
SWB-7	12/5/2006	Disulfoton	<		1.1	50	UG/L	1
SWB-7	3/2/2007	Disulfoton	<		1.1	50	UG/L	1
SWB-7	6/1/2007	Disulfoton	<		1.1	50	UG/L	1
SWB-7	9/7/2007	Disulfoton	<		1.1	50	UG/L	1
SWB-7	12/3/2007	Disulfoton	<		1.1	50	UG/L	1
SWB-7	3/6/2008	Disulfoton	<		1.1	50	UG/L	1
SWB-7	6/6/2008	Disulfoton	<		1.1	50	UG/L	1
SWB-7	9/8/2008	Disulfoton	<		1.1	50	UG/L	1
SWB-7	12/5/2008	Disulfoton	<		1.1	50	UG/L	1
SWB-7	12/5/2008	Disulfoton	<		1.1	50	UG/L	1 R
SWB-7	3/2/2009	Disulfoton	<		1.1	50	UG/L	1
SWB-7	3/2/2009	Disulfoton	<		1.1	50	UG/L	1 R
SWB-7	6/5/2009	Disulfoton	<		1.1	50	UG/L	1
SWB-7	9/9/2009	Disulfoton	<		1.1	50	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	12/1/2009	Disulfoton	<		1.1	50	UG/L	1	
SWB-7	3/2/2010	Disulfoton	<	47	1.1	47	UG/L	1	
SWB-7	6/1/2010	DISULFOTON	<	1.1	1.1	48	UG/L	1	DNR
SWB-7	6/1/2010	DISULFOTON	<	1.1	1.1	50	UG/L	1	R
SWB-7	9/9/2010	DISULFOTON	<	1.1	1.1	48	UG/L	1	
SWB-7	12/1/2010	DISULFOTON	<	1.1	1.1	47	UG/L	1	
SWB-8	3/5/2004	Disulfoton	<		2	50	ug/L	1	
SWB-8	3/7/2005	Disulfoton	<		2	50	ug/L	1	
SWB-8	6/1/2005	Disulfoton	<		2	50	ug/L	1	
SWB-8	3/1/2006	Disulfoton	<		2	50	UG/L	1	
SWB-8	3/7/2008	Disulfoton	<		1.1	50	UG/L	1	
SWB-8	3/3/2009	Disulfoton	<		1.1	50	UG/L	1	
SWB-8	3/3/2009	Disulfoton	<		1.1	50	UG/L	1	R
SWB-9	3/4/2003	Disulfoton	<		5.6	50	ug/L	1	
SWB-9	12/3/2003	Disulfoton	<		6	50	ug/L	1	
SWB-9	3/5/2004	Disulfoton	<		2	50	ug/L	1	
SWB-9	5/27/2004	Disulfoton	<		2	50	ug/L	1	UJ
SWB-9	12/1/2004	Disulfoton	<		2	50	ug/L	1	
SWB-9	3/3/2005	Disulfoton	<		2	50	ug/L	1	
SWB-9	6/2/2005	Disulfoton	<		2	50	ug/L	1	
SWB-9	9/1/2005	Disulfoton	<		2	50	ug/L	1	
SWB-9	12/1/2005	Disulfoton	<		2	50	UG/L	1	UJ
SWB-9	3/2/2006	Disulfoton	<		2	50	UG/L	1	
SWB-9	6/1/2006	Disulfoton	<		1.1	50	UG/L	1	
SWB-9	12/4/2006	Disulfoton	<		1.1	50	UG/L	1	
SWB-9	3/5/2007	Disulfoton	<		1.1	50	UG/L	1	
SWB-9	3/6/2008	Disulfoton	<		1.1	50	UG/L	1	
SWB-9	6/5/2008	Disulfoton	<		1.1	50	UG/L	1	
SWB-9	12/5/2008	Disulfoton	<		1.1	50	UG/L	1	
SWB-9	12/5/2008	Disulfoton	<		1.1	50	UG/L	1	R
SWB-9	3/2/2009	Disulfoton	<		1.1	50	UG/L	1	
SWB-9	3/2/2009	Disulfoton	<		1.1	50	UG/L	1	R
SWB-9	6/2/2009	Disulfoton	<		1.1	50	UG/L	1	
SWB-9	6/2/2009	Disulfoton	<		1.1	50	UG/L	1	DNR
SWB-9	3/1/2010	Disulfoton	<	46	1.1	46	ug/L	1	
SWB-9	6/1/2010	DISULFOTON	<	1.1	1.1	47	UG/L	1	
SWB-9	6/1/2010	DISULFOTON	<	1.1	1.1	47	UG/L	1	DNR
SWB-9	12/1/2010	DISULFOTON	<	1.1	1.1	46	UG/L	1	
SWB-10	3/4/2004	Ethanol	<		78	200	ug/L	1	NA
SWB-10	5/24/2004	Ethanol	<		78	200	ug/L	1	
SWB-10	12/1/2004	Ethanol	<		78	200	ug/L	1	UJ
SWB-10	3/3/2005	Ethanol	<		33	200	ug/L	1	
SWB-10	6/2/2005	Ethanol	<		83	200	ug/L	1	
SWB-10	9/1/2005	Ethanol	<		83	200	ug/L	1	
SWB-10	3/2/2006	Ethanol	<		330	800	UG/L	4	
SWB-10	6/2/2006	Ethanol	<		94	200	UG/L	1	
SWB-10	3/1/2007	Ethanol	<		94	300	UG/L	1	
SWB-10	3/7/2008	Ethanol	<		94	300	UG/L	1	
SWB-10	6/5/2008	Ethanol	<		94	300	UG/L	1	
SWB-10	3/2/2009	Ethanol	<		94	300	UG/L	1	
SWB-10	6/4/2009	Ethanol	<		94	300	UG/L	1	
SWB-10	3/2/2010	Ethanol	<	300	94	300	UG/L	1	
SWB-11	3/4/2004	Ethanol	<		78	200	ug/L	1	
SWB-11	5/24/2004	Ethanol	<		78	200	ug/L	1	
SWB-11	12/1/2004	Ethanol	<		78	200	ug/L	1	UJ
SWB-11	3/1/2005	Ethanol	<		33	200	ug/L	1	
SWB-11	6/2/2005	Ethanol	<		83	200	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-11	3/2/2006	Ethanol	<		830	2000	UG/L	10
SWB-11	6/1/2006	Ethanol	<		94	200	UG/L	1
SWB-11	3/1/2007	Ethanol	<		94	300	UG/L	1
SWB-11	3/7/2008	Ethanol	<		94	300	UG/L	1
SWB-11	6/5/2008	Ethanol	<		94	300	UG/L	1
SWB-11	3/2/2009	Ethanol	<		94	300	UG/L	1
SWB-11	6/4/2009	Ethanol	<		94	300	UG/L	1
SWB-11	3/1/2010	Ethanol	<	300	94	300	ug/L	1
SWB-11	6/2/2010	ETHANOL	<	94	94	300	UG/L	1
SWB-3	10/29/2002	Ethanol	<		61	200	ug/L	1
SWB-3	3/4/2003	Ethanol	<		78	200	ug/L	1
SWB-3	6/3/2003	Ethanol	<		78	200	ug/L	1
SWB-3	9/4/2003	Ethanol	=	530	78	200	ug/L	1 J
SWB-3	12/2/2003	Ethanol	<		78	200	ug/L	1
SWB-3	3/1/2004	Ethanol	TR	90	78	200	ug/L	1 J
SWB-3	6/1/2004	Ethanol	<		78	200	ug/L	1
SWB-3	9/1/2004	Ethanol	<		78	200	ug/L	1
SWB-3	12/1/2004	Ethanol	<		130	330	ug/L	1.66
SWB-3	3/3/2005	Ethanol	<		33	200	ug/L	1
SWB-3	6/2/2005	Ethanol	<		83	200	ug/L	1
SWB-3	9/1/2005	Ethanol	<		83	200	ug/L	1
SWB-3	12/1/2005	Ethanol	<		170	400	UG/L	2
SWB-3	3/2/2006	Ethanol	<		330	800	UG/L	4
SWB-3	6/2/2006	Ethanol	<		94	200	UG/L	1
SWB-3	9/5/2006	Ethanol	<		94	300	UG/L	1
SWB-3	12/4/2006	Ethanol	<		94	300	UG/L	1
SWB-3	3/1/2007	Ethanol	<		94	300	UG/L	1
SWB-3	6/1/2007	Ethanol	<		94	300	UG/L	1
SWB-3	12/3/2007	Ethanol	<		94	300	UG/L	1
SWB-3	3/6/2008	Ethanol	<		94	300	UG/L	1
SWB-3	6/9/2008	Ethanol	<		94	300	UG/L	1
SWB-3	12/4/2008	Ethanol	<		94	300	UG/L	1
SWB-3	3/2/2009	Ethanol	<		94	300	UG/L	1
SWB-3	6/4/2009	Ethanol	<		94	300	UG/L	1
SWB-3	12/1/2009	Ethanol	<		94	300	UG/L	1
SWB-3	3/1/2010	Ethanol	<	300	94	300	ug/L	1
SWB-3	3/1/2010	Ethanol	<	600	190	600	ug/L	1 DNR
SWB-3	6/1/2010	ETHANOL	<	94	94	300	UG/L	1 DNR
SWB-3	6/1/2010	ETHANOL	<	380	380	1200	UG/L	1
SWB-3	9/9/2010	ETHANOL	<	94	94	300	UG/L	1
SWB-4	11/15/2002	Ethanol	<		61	200	ug/L	1
SWB-5	10/29/2002	Ethanol	<		61	200	ug/L	1
SWB-6	3/4/2003	Ethanol	<		78	200	ug/L	1
SWB-6	6/3/2003	Ethanol	<		160	400	ug/L	2
SWB-6	12/3/2003	Ethanol	<		160	400	ug/L	2
SWB-6	3/5/2004	Ethanol	<		78	200	ug/L	1
SWB-6	6/1/2004	Ethanol	<		78	200	ug/L	1
SWB-6	12/1/2004	Ethanol	<		78	200	ug/L	1 UJ
SWB-6	3/7/2005	Ethanol	<		33	200	ug/L	1
SWB-6	6/1/2005	Ethanol	<		83	200	ug/L	1
SWB-6	12/2/2005	Ethanol	<		83	200	UG/L	1
SWB-6	3/1/2006	Ethanol	<		83	200	UG/L	1
SWB-6	6/1/2006	Ethanol	<		94	200	UG/L	1
SWB-6	12/5/2006	Ethanol	<		94	300	UG/L	1
SWB-6	3/2/2007	Ethanol	<		94	300	UG/L	1
SWB-6	6/9/2008	Ethanol	<		94	300	UG/L	1
SWB-6	3/6/2008	Ethanol	<		94	300	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	12/5/2008	Ethanol	<		94	300	UG/L	1
SWB-6	3/2/2009	Ethanol	<		94	300	UG/L	1
SWB-6	6/5/2009	Ethanol	<		94	300	UG/L	1
SWB-6	3/2/2010	Ethanol	<	300	94	300	UG/L	1
SWB-6	6/2/2010	ETHANOL	<	94	94	300	UG/L	1
SWB-7	3/4/2003	Ethanol	<		78	200	ug/L	1
SWB-7	6/3/2003	Ethanol	<		78	200	ug/L	1
SWB-7	3/1/2004	Ethanol	<		78	200	ug/L	1
SWB-7	5/24/2004	Ethanol	<		78	200	ug/L	1
SWB-7	12/1/2004	Ethanol	<		78	200	ug/L	1
SWB-7	3/7/2005	Ethanol	<		33	200	ug/L	1
SWB-7	6/1/2005	Ethanol	<		83	200	ug/L	1
SWB-7	9/1/2005	Ethanol	<		83	200	ug/L	1
SWB-7	12/1/2005	Ethanol	<		83	200	UG/L	1
SWB-7	3/1/2006	Ethanol	<		83	200	UG/L	1
SWB-7	6/2/2006	Ethanol	<		94	200	UG/L	1
SWB-7	9/5/2006	Ethanol	<		94	300	UG/L	1
SWB-7	12/5/2006	Ethanol	<		94	300	UG/L	1
SWB-7	3/2/2007	Ethanol	<		94	300	UG/L	1
SWB-7	6/1/2007	Ethanol	<		94	300	UG/L	1
SWB-7	9/7/2007	Ethanol	TR	290	94	300	UG/L	1 J
SWB-7	12/3/2007	Ethanol	<		94	300	UG/L	1
SWB-7	3/6/2008	Ethanol	<		94	300	UG/L	1
SWB-7	6/6/2008	Ethanol	<		94	300	UG/L	1
SWB-7	9/8/2008	Ethanol	TR	100	94	300	UG/L	1 J
SWB-7	12/5/2008	Ethanol	<		94	300	UG/L	1
SWB-7	3/2/2009	Ethanol	<		94	300	UG/L	1
SWB-7	6/5/2009	Ethanol	<		94	300	UG/L	1
SWB-7	9/9/2009	Ethanol	<		94	300	UG/L	1
SWB-7	12/1/2009	Ethanol	<		94	300	UG/L	1
SWB-7	3/2/2010	Ethanol	<	300	94	300	UG/L	1
SWB-7	6/1/2010	ETHANOL	<	94	94	300	UG/L	1 DNR
SWB-7	6/1/2010	ETHANOL	<	380	380	1200	UG/L	1
SWB-7	9/9/2010	ETHANOL	<	94	94	300	UG/L	1
SWB-7	12/1/2010	ETHANOL	<	94	94	300	UG/L	1
SWB-8	3/5/2004	Ethanol	<		78	200	ug/L	1
SWB-8	3/7/2005	Ethanol	<		33	200	ug/L	1
SWB-8	6/1/2005	Ethanol	<		83	200	ug/L	1
SWB-8	3/1/2006	Ethanol	<		83	200	UG/L	1
SWB-8	3/7/2008	Ethanol	<		94	300	UG/L	1
SWB-8	3/3/2009	Ethanol	<		94	300	UG/L	1
SWB-9	3/4/2003	Ethanol	<		78	200	ug/L	1
SWB-9	12/3/2003	Ethanol	<		160	400	ug/L	2
SWB-9	3/5/2004	Ethanol	<		78	200	ug/L	1
SWB-9	5/27/2004	Ethanol	<		78	200	ug/L	1
SWB-9	12/1/2004	Ethanol	<		78	200	ug/L	1 UJ
SWB-9	3/3/2005	Ethanol	<		33	200	ug/L	1
SWB-9	6/2/2005	Ethanol	<		83	200	ug/L	1
SWB-9	9/1/2005	Ethanol	<		83	200	ug/L	1 UJ
SWB-9	12/1/2005	Ethanol	<		83	200	UG/L	1
SWB-9	3/2/2006	Ethanol	<		330	800	UG/L	4
SWB-9	6/1/2006	Ethanol	<		94	200	UG/L	1
SWB-9	12/4/2006	Ethanol	<		94	300	UG/L	1
SWB-9	3/5/2007	Ethanol	<		94	300	UG/L	1
SWB-9	3/6/2008	Ethanol	<		94	300	UG/L	1
SWB-9	6/5/2008	Ethanol	<		94	300	UG/L	1 R
SWB-9	12/5/2008	Ethanol	<		94	300	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	3/2/2009	Ethanol	<		94	300	UG/L	1		
SWB-9	6/2/2009	Ethanol	<		94	300	UG/L	1		
SWB-9	3/1/2010	Ethanol	<	300	94	300	ug/L	1		
SWB-9	6/1/2010	ETHANOL	<	94	94	300	UG/L	1	DNR	
SWB-9	6/1/2010	ETHANOL	<	380	380	1200	UG/L	1		
SWB-9	12/1/2010	ETHANOL	<	94	94	300	UG/L	1		
SWB-9	9/1/2005	Ethanol, 2-(2-butoxyethoxy)-	TI		8.5		ug/L	1	NJ	NA
SWB-11	3/1/2005	Ethanol, 2-(2-ethoxyethoxy)-	TI		6.8		ug/L	1	NJ	
SWB-10	6/2/2005	Ethanol, 2,2'-oxybis-	TI		9.3		ug/L	1	NJ	NA
SWB-3	3/2/2009	Ethanol, 2,2'-oxybis-	TI		43		UG/L	1	NJ	
SWB-7	12/5/2006	Ethanol, 2,2'-oxybis-	TI		7.1		UG/L	1	NJ	
SWB-10	3/4/2004	Ethyl acetate	<		0.78	5	ug/L	1		NA
SWB-10	5/24/2004	Ethyl acetate	<		0.78	5	ug/L	1		
SWB-10	12/1/2004	Ethyl acetate	<		0.78	5	ug/L	1		
SWB-10	3/3/2005	Ethyl acetate	<		0.33	5	ug/L	1		
SWB-10	6/2/2005	Ethyl acetate	<		1.2	5	ug/L	1		
SWB-10	9/1/2005	Ethyl acetate	<		1.2	5	ug/L	1		
SWB-10	3/2/2006	Ethyl acetate	<		4.8	20	UG/L	4		
SWB-10	6/2/2006	Ethyl acetate	<		1.2	5	UG/L	1		
SWB-10	3/1/2007	Ethyl acetate	<		1.2	5	UG/L	1		
SWB-10	3/7/2008	Ethyl acetate	<		1.2	5	UG/L	1		
SWB-10	6/5/2008	Ethyl acetate	<		1.2	5	UG/L	1		
SWB-10	3/2/2009	Ethyl acetate	<		1.2	5	UG/L	1		
SWB-10	6/4/2009	Ethyl acetate	<		1.2	5	UG/L	1		
SWB-10	3/2/2010	Ethyl acetate	<	5	1.2	5	UG/L	1		
SWB-11	3/4/2004	Ethyl acetate	<		0.78	5	ug/L	1		
SWB-11	5/24/2004	Ethyl acetate	<		0.78	5	ug/L	1		
SWB-11	12/1/2004	Ethyl acetate	<		0.78	5	ug/L	1		
SWB-11	3/1/2005	Ethyl acetate	<		0.33	5	ug/L	1		
SWB-11	6/2/2005	Ethyl acetate	<		1.2	5	ug/L	1		
SWB-11	3/2/2006	Ethyl acetate	<		12	50	UG/L	10		
SWB-11	6/1/2006	Ethyl acetate	<		1.2	5	UG/L	1		
SWB-11	3/1/2007	Ethyl acetate	<		1.2	5	UG/L	1		
SWB-11	3/7/2008	Ethyl acetate	<		1.2	5	UG/L	1		
SWB-11	6/5/2008	Ethyl acetate	<		1.2	5	UG/L	1		
SWB-11	3/2/2009	Ethyl acetate	<		1.2	5	UG/L	1		
SWB-11	6/4/2009	Ethyl acetate	<		1.2	5	UG/L	1		
SWB-11	3/1/2010	Ethyl acetate	<	5	1.2	5	ug/L	1		
SWB-11	6/2/2010	ETHYL ACETATE	<	1.2	1.2	5	UG/L	1		
SWB-3	10/29/2002	Ethyl acetate	<		0.74	5	ug/L	1		
SWB-3	3/4/2003	Ethyl acetate	<		0.78	5	ug/L	1		
SWB-3	6/3/2003	Ethyl acetate	<		0.78	5	ug/L	1		
SWB-3	9/4/2003	Ethyl acetate	<		0.78	5	ug/L	1	UJ	
SWB-3	12/2/2003	Ethyl acetate	<		0.78	5	ug/L	1		
SWB-3	3/1/2004	Ethyl acetate	<		0.78	5	ug/L	1		
SWB-3	6/1/2004	Ethyl acetate	<		0.78	5	ug/L	1		
SWB-3	9/1/2004	Ethyl acetate	<		0.78	5	ug/L	1		
SWB-3	12/1/2004	Ethyl acetate	<		1.3	8.3	ug/L	1.66		
SWB-3	3/3/2005	Ethyl acetate	<		0.33	5	ug/L	1		
SWB-3	6/2/2005	Ethyl acetate	<		1.2	5	ug/L	1		
SWB-3	9/1/2005	Ethyl acetate	<		1.2	5	ug/L	1		
SWB-3	12/1/2005	Ethyl acetate	<		2.4	10	UG/L	2		
SWB-3	3/2/2006	Ethyl acetate	<		4.8	20	UG/L	4		
SWB-3	6/2/2006	Ethyl acetate	<		1.2	5	UG/L	1		
SWB-3	9/5/2006	Ethyl acetate	<		1.2	5	UG/L	1		
SWB-3	12/4/2006	Ethyl acetate	<		1.2	5	UG/L	1		
SWB-3	3/1/2007	Ethyl acetate	<		1.2	5	UG/L	1		

tmpAnalyticalResultsOverTime

SWB-3	6/1/2007	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-3	12/3/2007	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-3	3/6/2008	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-3	6/9/2008	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-3	12/4/2008	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-3	3/2/2009	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-3	6/4/2009	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-3	12/1/2009	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-3	3/1/2010	Ethyl acetate	<	5	1.2	5	ug/L	1	
SWB-3	3/1/2010	Ethyl acetate	<	10	2.4	10	ug/L	1	DNR
SWB-3	6/1/2010	ETHYL ACETATE	<	1.2	1.2	5	UG/L	1	DNR
SWB-3	6/1/2010	ETHYL ACETATE	<	4.8	4.8	20	UG/L	1	
SWB-3	9/9/2010	ETHYL ACETATE	<	1.2	1.2	5	UG/L	1	
SWB-4	11/15/2002	Ethyl acetate	<		0.74	5	ug/L	1	
SWB-5	10/29/2002	Ethyl acetate	<		0.74	5	ug/L	1	
SWB-6	3/4/2003	Ethyl acetate	<		0.78	5	ug/L	1	
SWB-6	6/3/2003	Ethyl acetate	<		1.6	10	ug/L	2	
SWB-6	12/3/2003	Ethyl acetate	<		1.6	10	ug/L	2	
SWB-6	3/5/2004	Ethyl acetate	<		0.78	5	ug/L	1	
SWB-6	6/1/2004	Ethyl acetate	<		0.78	5	ug/L	1	
SWB-6	12/1/2004	Ethyl acetate	<		0.78	5	ug/L	1	
SWB-6	3/7/2005	Ethyl acetate	=	5.7	0.33	5	ug/L	1	
SWB-6	6/1/2005	Ethyl acetate	<		1.2	5	ug/L	1	
SWB-6	12/2/2005	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-6	3/1/2006	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-6	6/1/2006	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-6	12/5/2006	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-6	3/2/2007	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-6	6/9/2008	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-6	3/6/2008	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-6	12/5/2008	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-6	3/2/2009	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-6	6/5/2009	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-6	3/2/2010	Ethyl acetate	<	5	1.2	5	UG/L	1	
SWB-6	6/2/2010	ETHYL ACETATE	<	1.2	1.2	5	UG/L	1	
SWB-7	3/4/2003	Ethyl acetate	<		0.78	5	ug/L	1	
SWB-7	6/3/2003	Ethyl acetate	<		0.78	5	ug/L	1	
SWB-7	3/1/2004	Ethyl acetate	<		0.78	5	ug/L	1	
SWB-7	5/24/2004	Ethyl acetate	<		0.78	5	ug/L	1	
SWB-7	12/1/2004	Ethyl acetate	TR	2.1	0.78	5	ug/L	1	J
SWB-7	3/7/2005	Ethyl acetate	<		0.33	5	ug/L	1	
SWB-7	6/1/2005	Ethyl acetate	<		1.2	5	ug/L	1	
SWB-7	9/1/2005	Ethyl acetate	<		1.2	5	ug/L	1	
SWB-7	12/1/2005	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-7	3/1/2006	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-7	6/2/2006	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-7	9/5/2006	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-7	12/5/2006	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-7	3/2/2007	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-7	6/1/2007	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-7	9/7/2007	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-7	12/3/2007	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-7	3/6/2008	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-7	6/6/2008	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-7	9/8/2008	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-7	12/5/2008	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-7	3/2/2009	Ethyl acetate	<		1.2	5	UG/L	1	



tmpAnalyticalResultsOverTime

SWB-7	6/5/2009	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-7	9/9/2009	Ethyl acetate	=	5.2	1.2	5	UG/L	1	
SWB-7	12/1/2009	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-7	3/2/2010	Ethyl acetate	<	5	1.2	5	UG/L	1	
SWB-7	6/1/2010	ETHYL ACETATE	<	1.2	1.2	5	UG/L	1	DNR
SWB-7	6/1/2010	ETHYL ACETATE	<	4.8	4.8	20	UG/L	1	
SWB-7	9/9/2010	ETHYL ACETATE	<	1.2	1.2	5	UG/L	1	
SWB-7	12/1/2010	ETHYL ACETATE	<	1.2	1.2	5	UG/L	1	
SWB-8	3/5/2004	Ethyl acetate	<		0.78	5	ug/L	1	
SWB-8	3/7/2005	Ethyl acetate	TR	4.8	0.33	5	ug/L	1	J
SWB-8	6/1/2005	Ethyl acetate	<		1.2	5	ug/L	1	
SWB-8	3/1/2006	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-8	3/7/2008	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-8	3/3/2009	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-9	3/4/2003	Ethyl acetate	<		0.78	5	ug/L	1	
SWB-9	12/3/2003	Ethyl acetate	<		1.6	10	ug/L	2	
SWB-9	3/5/2004	Ethyl acetate	<		0.78	5	ug/L	1	
SWB-9	5/27/2004	Ethyl acetate	<		0.78	5	ug/L	1	
SWB-9	12/1/2004	Ethyl acetate	<		0.78	5	ug/L	1	
SWB-9	3/3/2005	Ethyl acetate	<		0.33	5	ug/L	1	
SWB-9	6/2/2005	Ethyl acetate	<		1.2	5	ug/L	1	
SWB-9	9/1/2005	Ethyl acetate	<		1.2	5	ug/L	1	UJ
SWB-9	12/1/2005	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-9	3/2/2006	Ethyl acetate	<		4.8	20	UG/L	4	
SWB-9	6/1/2006	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-9	12/4/2006	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-9	3/5/2007	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-9	3/6/2008	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-9	6/5/2008	Ethyl acetate	<		1.2	5	UG/L	1	R
SWB-9	12/5/2008	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-9	3/2/2009	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-9	6/2/2009	Ethyl acetate	<		1.2	5	UG/L	1	
SWB-9	3/1/2010	Ethyl acetate	<	5	1.2	5	ug/L	1	
SWB-9	6/1/2010	ETHYL ACETATE	<	1.2	1.2	5	UG/L	1	DNR
SWB-9	6/1/2010	ETHYL ACETATE	<	4.8	4.8	20	UG/L	1	
SWB-9	12/1/2010	ETHYL ACETATE	<	1.2	1.2	5	UG/L	1	
SWB-10	3/4/2004	Ethyl ether	<		0.26	2	ug/L	1	NA
SWB-10	5/24/2004	Ethyl ether	<		0.26	2	ug/L	1	
SWB-10	12/1/2004	Ethyl ether	<		0.26	2	ug/L	1	
SWB-10	3/3/2005	Ethyl ether	<		0.16	2	ug/L	1	
SWB-10	6/2/2005	Ethyl ether	<		0.26	2	ug/L	1	
SWB-10	9/1/2005	Ethyl ether	<		0.26	2	ug/L	1	
SWB-10	3/2/2006	Ethyl ether	<		1	8	UG/L	4	
SWB-10	6/2/2006	Ethyl ether	<		0.26	2	UG/L	1	
SWB-10	3/1/2007	Ethyl ether	<		0.26	2	UG/L	1	
SWB-10	3/7/2008	Ethyl ether	<		0.26	2	UG/L	1	
SWB-10	6/5/2008	Ethyl ether	<		0.26	2	UG/L	1	
SWB-10	3/2/2009	Ethyl ether	<		0.26	2	UG/L	1	
SWB-10	6/4/2009	Ethyl ether	<		0.26	2	UG/L	1	
SWB-10	3/2/2010	Ethyl ether	<	2	0.26	2	UG/L	1	
SWB-11	3/4/2004	Ethyl ether	<		0.26	2	ug/L	1	
SWB-11	5/24/2004	Ethyl ether	<		0.26	2	ug/L	1	
SWB-11	12/1/2004	Ethyl ether	<		0.26	2	ug/L	1	
SWB-11	3/1/2005	Ethyl ether	<		0.16	2	ug/L	1	
SWB-11	6/2/2005	Ethyl ether	<		0.26	2	ug/L	1	
SWB-11	3/2/2006	Ethyl ether	<		2.6	20	UG/L	10	
SWB-11	6/1/2006	Ethyl ether	<		0.26	2	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-11	3/1/2007	Ethyl ether	<		0.26	2	UG/L	1
SWB-11	3/7/2008	Ethyl ether	<		0.26	2	UG/L	1
SWB-11	6/5/2008	Ethyl ether	<		0.26	2	UG/L	1
SWB-11	3/2/2009	Ethyl ether	<		0.26	2	UG/L	1
SWB-11	6/4/2009	Ethyl ether	<		0.26	2	UG/L	1
SWB-11	3/1/2010	Ethyl ether	<	2	0.26	2	ug/L	1
SWB-11	6/2/2010	ETHYL ETHER	<	0.26	0.26	2	UG/L	1
SWB-3	10/29/2002	Ethyl ether	<		0.86	2	ug/L	1
SWB-3	3/4/2003	Ethyl ether	<		0.26	2	ug/L	1
SWB-3	6/3/2003	Ethyl ether	<		0.26	2	ug/L	1
SWB-3	9/4/2003	Ethyl ether	<		0.26	2	ug/L	1 UJ
SWB-3	12/2/2003	Ethyl ether	<		0.26	2	ug/L	1
SWB-3	3/1/2004	Ethyl ether	<		0.26	2	ug/L	1
SWB-3	6/1/2004	Ethyl ether	<		0.26	2	ug/L	1
SWB-3	9/1/2004	Ethyl ether	<		0.26	2	ug/L	1
SWB-3	12/1/2004	Ethyl ether	<		0.43	3.3	ug/L	1.66
SWB-3	3/3/2005	Ethyl ether	<		0.16	2	ug/L	1
SWB-3	6/2/2005	Ethyl ether	<		0.26	2	ug/L	1
SWB-3	9/1/2005	Ethyl ether	<		0.26	2	ug/L	1
SWB-3	12/1/2005	Ethyl ether	<		0.52	4	UG/L	2
SWB-3	3/2/2006	Ethyl ether	<		1	8	UG/L	4
SWB-3	6/2/2006	Ethyl ether	<		0.26	2	UG/L	1
SWB-3	9/5/2006	Ethyl ether	<		0.26	2	UG/L	1
SWB-3	12/4/2006	Ethyl ether	<		0.26	2	UG/L	1
SWB-3	3/1/2007	Ethyl ether	<		0.26	2	UG/L	1
SWB-3	6/1/2007	Ethyl ether	<	2	0.26	2	UG/L	1 U
SWB-3	12/3/2007	Ethyl ether	<		0.26	2	UG/L	1
SWB-3	3/6/2008	Ethyl ether	<		0.26	2	UG/L	1
SWB-3	6/9/2008	Ethyl ether	<		0.26	2	UG/L	1
SWB-3	12/4/2008	Ethyl ether	<		0.26	2	UG/L	1
SWB-3	3/2/2009	Ethyl ether	<		0.26	2	UG/L	1
SWB-3	6/4/2009	Ethyl ether	<		0.26	2	UG/L	1
SWB-3	12/1/2009	Ethyl ether	<		0.26	2	UG/L	1
SWB-3	3/1/2010	Ethyl ether	<	2	0.26	2	ug/L	1
SWB-3	3/1/2010	Ethyl ether	<	4	0.52	4	ug/L	1 DNR
SWB-3	6/1/2010	ETHYL ETHER	<	0.26	0.26	2	UG/L	1 DNR
SWB-3	6/1/2010	ETHYL ETHER	<	1	1	8	UG/L	1
SWB-3	9/9/2010	ETHYL ETHER	<	0.26	0.26	2	UG/L	1
SWB-4	11/15/2002	Ethyl ether	<		0.86	2	ug/L	1
SWB-5	10/29/2002	Ethyl ether	<		0.86	2	ug/L	1
SWB-6	3/4/2003	Ethyl ether	<		0.26	2	ug/L	1
SWB-6	6/3/2003	Ethyl ether	<		0.52	4	ug/L	2
SWB-6	12/3/2003	Ethyl ether	<		0.52	4	ug/L	2
SWB-6	3/5/2004	Ethyl ether	<		0.26	2	ug/L	1
SWB-6	6/1/2004	Ethyl ether	<		0.26	2	ug/L	1
SWB-6	12/1/2004	Ethyl ether	<		0.26	2	ug/L	1
SWB-6	3/7/2005	Ethyl ether	<		0.16	2	ug/L	1
SWB-6	6/1/2005	Ethyl ether	<		0.26	2	ug/L	1
SWB-6	12/2/2005	Ethyl ether	<		0.26	2	UG/L	1
SWB-6	3/1/2006	Ethyl ether	<		0.26	2	UG/L	1
SWB-6	6/1/2006	Ethyl ether	<		0.26	2	UG/L	1
SWB-6	12/5/2006	Ethyl ether	<		0.26	2	UG/L	1
SWB-6	3/2/2007	Ethyl ether	<		0.26	2	UG/L	1
SWB-6	6/9/2008	Ethyl ether	<		0.26	2	UG/L	1
SWB-6	3/6/2008	Ethyl ether	<		0.26	2	UG/L	1
SWB-6	12/5/2008	Ethyl ether	<		0.26	2	UG/L	1
SWB-6	3/2/2009	Ethyl ether	<		0.26	2	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	6/5/2009	Ethyl ether	<		0.26	2	UG/L	1
SWB-6	3/2/2010	Ethyl ether	<	2	0.26	2	UG/L	1
SWB-6	6/2/2010	ETHYL ETHER	<	0.26	0.26	2	UG/L	1
SWB-7	3/4/2003	Ethyl ether	<		0.26	2	ug/L	1
SWB-7	6/3/2003	Ethyl ether	<		0.26	2	ug/L	1
SWB-7	3/1/2004	Ethyl ether	<		0.26	2	ug/L	1
SWB-7	5/24/2004	Ethyl ether	<		0.26	2	ug/L	1
SWB-7	12/1/2004	Ethyl ether	<		0.26	2	ug/L	1
SWB-7	3/7/2005	Ethyl ether	<		0.16	2	ug/L	1
SWB-7	6/1/2005	Ethyl ether	<		0.26	2	ug/L	1
SWB-7	9/1/2005	Ethyl ether	<		0.26	2	ug/L	1
SWB-7	12/1/2005	Ethyl ether	<		0.26	2	UG/L	1
SWB-7	3/1/2006	Ethyl ether	<		0.26	2	UG/L	1
SWB-7	6/2/2006	Ethyl ether	<		0.26	2	UG/L	1
SWB-7	9/5/2006	Ethyl ether	<		0.26	2	UG/L	1
SWB-7	12/5/2006	Ethyl ether	<		0.26	2	UG/L	1
SWB-7	3/2/2007	Ethyl ether	<		0.26	2	UG/L	1
SWB-7	6/1/2007	Ethyl ether	<	2	0.26	2	UG/L	1 U
SWB-7	9/7/2007	Ethyl ether	<		0.26	2	UG/L	1
SWB-7	12/3/2007	Ethyl ether	<		0.26	2	UG/L	1
SWB-7	3/6/2008	Ethyl ether	<		0.26	2	UG/L	1
SWB-7	6/6/2008	Ethyl ether	<		0.26	2	UG/L	1
SWB-7	9/8/2008	Ethyl ether	<		0.26	2	UG/L	1
SWB-7	12/5/2008	Ethyl ether	<		0.26	2	UG/L	1
SWB-7	3/2/2009	Ethyl ether	<		0.26	2	UG/L	1
SWB-7	6/5/2009	Ethyl ether	<		0.26	2	UG/L	1
SWB-7	9/9/2009	Ethyl ether	<		0.26	2	UG/L	1
SWB-7	12/1/2009	Ethyl ether	<		0.26	2	UG/L	1
SWB-7	3/2/2010	Ethyl ether	<	2	0.26	2	UG/L	1
SWB-7	6/1/2010	ETHYL ETHER	<	0.26	0.26	2	UG/L	1 DNR
SWB-7	6/1/2010	ETHYL ETHER	<	1	1	8	UG/L	1
SWB-7	9/9/2010	ETHYL ETHER	<	0.26	0.26	2	UG/L	1
SWB-7	12/1/2010	ETHYL ETHER	<	0.26	0.26	2	UG/L	1
SWB-8	3/5/2004	Ethyl ether	<		0.26	2	ug/L	1
SWB-8	3/7/2005	Ethyl ether	<		0.16	2	ug/L	1
SWB-8	6/1/2005	Ethyl ether	<		0.26	2	ug/L	1
SWB-8	3/1/2006	Ethyl ether	<		0.26	2	UG/L	1
SWB-8	3/7/2008	Ethyl ether	<		0.26	2	UG/L	1
SWB-8	3/3/2009	Ethyl ether	<		0.26	2	UG/L	1
SWB-9	3/4/2003	Ethyl ether	<		0.26	2	ug/L	1
SWB-9	12/3/2003	Ethyl ether	<		0.52	4	ug/L	2
SWB-9	3/5/2004	Ethyl ether	<		0.26	2	ug/L	1
SWB-9	5/27/2004	Ethyl ether	<		0.26	2	ug/L	1
SWB-9	12/1/2004	Ethyl ether	<		0.26	2	ug/L	1
SWB-9	3/3/2005	Ethyl ether	<		0.16	2	ug/L	1
SWB-9	6/2/2005	Ethyl ether	<		0.26	2	ug/L	1
SWB-9	9/1/2005	Ethyl ether	<		0.26	2	ug/L	1 UJ
SWB-9	12/1/2005	Ethyl ether	<		0.26	2	UG/L	1
SWB-9	3/2/2006	Ethyl ether	<		1	8	UG/L	4
SWB-9	6/1/2006	Ethyl ether	<		0.26	2	UG/L	1
SWB-9	12/4/2006	Ethyl ether	<		0.26	2	UG/L	1
SWB-9	3/5/2007	Ethyl ether	<		0.26	2	UG/L	1
SWB-9	3/6/2008	Ethyl ether	<		0.26	2	UG/L	1
SWB-9	6/5/2008	Ethyl ether	<		0.26	2	UG/L	1 R
SWB-9	12/5/2008	Ethyl ether	<		0.26	2	UG/L	1
SWB-9	3/2/2009	Ethyl ether	<		0.26	2	UG/L	1
SWB-9	6/2/2009	Ethyl ether	<		0.26	2	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	3/1/2010	Ethyl ether	<	2	0.26	2	ug/L	1	
SWB-9	6/1/2010	ETHYL ETHER	<	0.26	0.26	2	UG/L	1	DNR
SWB-9	6/1/2010	ETHYL ETHER	<	1	1	8	UG/L	1	
SWB-9	12/1/2010	ETHYL ETHER	<	0.26	0.26	2	UG/L	1	
SWB-10	3/4/2004	Ethyl methacrylate	<		0.48	1	ug/L	1	NA
SWB-10	5/24/2004	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-10	12/1/2004	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-10	3/3/2005	Ethyl methacrylate	<		0.55	1	ug/L	1	
SWB-10	6/2/2005	Ethyl methacrylate	<		0.33	1	ug/L	1	
SWB-10	9/1/2005	Ethyl methacrylate	<		0.33	1	ug/L	1	
SWB-10	3/2/2006	Ethyl methacrylate	<		1.3	4	UG/L	4	
SWB-10	6/2/2006	Ethyl methacrylate	<		0.86	1	UG/L	1	
SWB-10	3/1/2007	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-10	3/7/2008	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-10	6/5/2008	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-10	3/2/2009	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-10	6/4/2009	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-10	3/2/2010	Ethyl methacrylate	<	3	0.86	3	UG/L	1	
SWB-11	3/4/2004	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-11	5/24/2004	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-11	12/1/2004	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-11	3/1/2005	Ethyl methacrylate	<		0.55	1	ug/L	1	
SWB-11	6/2/2005	Ethyl methacrylate	<		0.33	1	ug/L	1	
SWB-11	3/2/2006	Ethyl methacrylate	<		3.3	10	UG/L	10	
SWB-11	6/1/2006	Ethyl methacrylate	<		0.86	1	UG/L	1	
SWB-11	3/1/2007	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-11	3/7/2008	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-11	6/5/2008	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-11	3/2/2009	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-11	6/4/2009	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-11	3/1/2010	Ethyl methacrylate	<	3	0.86	3	ug/L	1	
SWB-11	6/2/2010	ETHYL METHACRYLATE	<	0.86	0.86	3	UG/L	1	
SWB-3	10/29/2002	Ethyl methacrylate	<		0.79	1	ug/L	1	
SWB-3	3/4/2003	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-3	6/3/2003	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-3	9/4/2003	Ethyl methacrylate	<		0.48	1	ug/L	1	UJ
SWB-3	12/2/2003	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-3	3/1/2004	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-3	6/1/2004	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-3	9/1/2004	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-3	12/1/2004	Ethyl methacrylate	<		0.8	1.7	ug/L	1.66	
SWB-3	3/3/2005	Ethyl methacrylate	<		0.55	1	ug/L	1	
SWB-3	6/2/2005	Ethyl methacrylate	<		0.33	1	ug/L	1	
SWB-3	9/1/2005	Ethyl methacrylate	<		0.33	1	ug/L	1	
SWB-3	12/1/2005	Ethyl methacrylate	<		0.66	2	UG/L	2	
SWB-3	3/2/2006	Ethyl methacrylate	<		1.3	4	UG/L	4	
SWB-3	6/2/2006	Ethyl methacrylate	<		0.86	1	UG/L	1	
SWB-3	9/5/2006	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-3	12/4/2006	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-3	3/1/2007	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-3	6/1/2007	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-3	12/3/2007	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-3	3/6/2008	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-3	6/9/2008	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-3	12/4/2008	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-3	3/2/2009	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-3	6/4/2009	Ethyl methacrylate	<		0.86	3	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	12/1/2009	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-3	3/1/2010	Ethyl methacrylate	<	3	0.86	3	ug/L	1	
SWB-3	3/1/2010	Ethyl methacrylate	<	6	1.7	6	ug/L	1	DNR
SWB-3	6/1/2010	ETHYL METHACRYLATE	<	0.86	0.86	3	UG/L	1	DNR
SWB-3	6/1/2010	ETHYL METHACRYLATE	<	3.4	3.4	12	UG/L	1	
SWB-3	9/9/2010	ETHYL METHACRYLATE	<	0.86	0.86	3	UG/L	1	
SWB-4	11/15/2002	Ethyl methacrylate	<		0.79	1	ug/L	1	
SWB-5	10/29/2002	Ethyl methacrylate	<		0.79	1	ug/L	1	
SWB-6	3/4/2003	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-6	6/3/2003	Ethyl methacrylate	<		0.96	2	ug/L	2	
SWB-6	12/3/2003	Ethyl methacrylate	<		0.96	2	ug/L	2	
SWB-6	3/5/2004	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-6	6/1/2004	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-6	12/1/2004	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-6	3/7/2005	Ethyl methacrylate	<		0.55	1	ug/L	1	
SWB-6	6/1/2005	Ethyl methacrylate	<		0.33	1	ug/L	1	
SWB-6	12/2/2005	Ethyl methacrylate	<		0.33	1	UG/L	1	
SWB-6	3/1/2006	Ethyl methacrylate	<		0.33	1	UG/L	1	
SWB-6	6/1/2006	Ethyl methacrylate	<		0.86	1	UG/L	1	
SWB-6	12/5/2006	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-6	3/2/2007	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-6	6/9/2008	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-6	3/6/2008	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-6	12/5/2008	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-6	3/2/2009	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-6	6/5/2009	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-6	3/2/2010	Ethyl methacrylate	<	3	0.86	3	UG/L	1	
SWB-6	6/2/2010	ETHYL METHACRYLATE	<	0.86	0.86	3	UG/L	1	
SWB-7	3/4/2003	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-7	6/3/2003	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-7	3/1/2004	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-7	5/24/2004	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-7	12/1/2004	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-7	3/7/2005	Ethyl methacrylate	<		0.55	1	ug/L	1	
SWB-7	6/1/2005	Ethyl methacrylate	<		0.33	1	ug/L	1	
SWB-7	9/1/2005	Ethyl methacrylate	<		0.33	1	ug/L	1	
SWB-7	12/1/2005	Ethyl methacrylate	<		0.33	1	UG/L	1	
SWB-7	3/1/2006	Ethyl methacrylate	<		0.33	1	UG/L	1	
SWB-7	6/2/2006	Ethyl methacrylate	<		0.86	1	UG/L	1	
SWB-7	9/5/2006	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-7	12/5/2006	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-7	3/2/2007	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-7	6/1/2007	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-7	9/7/2007	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-7	12/3/2007	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-7	3/6/2008	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-7	6/6/2008	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-7	9/8/2008	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-7	12/5/2008	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-7	3/2/2009	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-7	6/5/2009	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-7	9/9/2009	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-7	12/1/2009	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-7	3/2/2010	Ethyl methacrylate	<	3	0.86	3	UG/L	1	
SWB-7	6/1/2010	ETHYL METHACRYLATE	<	0.86	0.86	3	UG/L	1	DNR
SWB-7	6/1/2010	ETHYL METHACRYLATE	<	3.4	3.4	12	UG/L	1	
SWB-7	9/9/2010	ETHYL METHACRYLATE	<	0.86	0.86	3	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-7	12/1/2010	ETHYL METHACRYLATE	<	0.86	0.86	3	UG/L	1	
SWB-8	3/5/2004	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-8	3/7/2005	Ethyl methacrylate	<		0.55	1	ug/L	1	
SWB-8	6/1/2005	Ethyl methacrylate	<		0.33	1	ug/L	1	
SWB-8	3/1/2006	Ethyl methacrylate	<		0.33	1	UG/L	1	
SWB-8	3/7/2008	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-8	3/3/2009	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-9	3/4/2003	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-9	12/3/2003	Ethyl methacrylate	<		0.96	2	ug/L	2	
SWB-9	3/5/2004	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-9	5/27/2004	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-9	12/1/2004	Ethyl methacrylate	<		0.48	1	ug/L	1	
SWB-9	3/3/2005	Ethyl methacrylate	<		0.55	1	ug/L	1	
SWB-9	6/2/2005	Ethyl methacrylate	<		0.33	1	ug/L	1	
SWB-9	9/1/2005	Ethyl methacrylate	<		0.33	1	ug/L	1	UJ
SWB-9	12/1/2005	Ethyl methacrylate	<		0.33	1	UG/L	1	
SWB-9	3/2/2006	Ethyl methacrylate	<		1.3	4	UG/L	4	
SWB-9	6/1/2006	Ethyl methacrylate	<		0.86	1	UG/L	1	
SWB-9	12/4/2006	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-9	3/5/2007	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-9	3/6/2008	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-9	6/5/2008	Ethyl methacrylate	<		0.86	3	UG/L	1	R
SWB-9	12/5/2008	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-9	3/2/2009	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-9	6/2/2009	Ethyl methacrylate	<		0.86	3	UG/L	1	
SWB-9	3/1/2010	Ethyl methacrylate	<	3	0.86	3	ug/L	1	
SWB-9	6/1/2010	ETHYL METHACRYLATE	<	0.86	0.86	3	UG/L	1	DNR
SWB-9	6/1/2010	ETHYL METHACRYLATE	<	3.4	3.4	12	UG/L	1	
SWB-9	12/1/2010	ETHYL METHACRYLATE	<	0.86	0.86	3	UG/L	1	
SWB-10	3/4/2004	Ethyl methanesulfonate	<		2	10	ug/L	1	NA
SWB-10	5/24/2004	Ethyl methanesulfonate	<		2	10	ug/L	1	UJ
SWB-10	12/1/2004	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-10	3/3/2005	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-10	6/2/2005	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-10	9/1/2005	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-10	3/2/2006	Ethyl methanesulfonate	<		2	10	UG/L	1	
SWB-10	6/2/2006	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-10	3/1/2007	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-10	3/7/2008	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-10	6/5/2008	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-10	3/2/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-10	3/2/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1	R
SWB-10	6/4/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-10	3/2/2010	Ethyl methanesulfonate	<	9.3	0.88	9.3	UG/L	1	
SWB-11	3/4/2004	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-11	5/24/2004	Ethyl methanesulfonate	<		2	10	ug/L	1	UJ
SWB-11	12/1/2004	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-11	3/1/2005	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-11	6/2/2005	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-11	3/2/2006	Ethyl methanesulfonate	<		2	10	UG/L	1	
SWB-11	6/1/2006	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-11	3/1/2007	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-11	3/7/2008	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-11	6/5/2008	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-11	3/2/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-11	6/4/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-11	3/1/2010	Ethyl methanesulfonate	<	9.4	0.88	9.4	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-11	6/2/2010	ETHYL METHANESULFONATE	<	0.89	0.89	9.5	UG/L	1	
SWB-3	10/29/2002	Ethyl methanesulfonate	<		1.8	10	ug/L	1	
SWB-3	3/4/2003	Ethyl methanesulfonate	<		1.8	10	ug/L	1	
SWB-3	6/3/2003	Ethyl methanesulfonate	<		1.8	10	ug/L	1	
SWB-3	9/4/2003	Ethyl methanesulfonate	<		2	10	ug/L	1 UJ	
SWB-3	12/2/2003	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-3	3/1/2004	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-3	6/1/2004	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-3	9/1/2004	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-3	12/1/2004	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-3	3/3/2005	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-3	6/2/2005	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-3	9/1/2005	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-3	12/1/2005	Ethyl methanesulfonate	<		2	10	UG/L	1 UJ	
SWB-3	3/2/2006	Ethyl methanesulfonate	<		2	10	UG/L	1	
SWB-3	6/2/2006	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-3	9/5/2006	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-3	12/4/2006	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-3	3/1/2007	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-3	6/1/2007	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-3	6/1/2007	Ethyl methanesulfonate	<		0.94	10	UG/L	1 R	
SWB-3	12/3/2007	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-3	3/6/2008	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-3	6/9/2008	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-3	12/4/2008	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-3	3/2/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-3	3/2/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1 R	
SWB-3	6/4/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-3	12/1/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-3	12/1/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1 DNR	
SWB-3	3/1/2010	Ethyl methanesulfonate	<		9.7	9.7	ug/L	1 UJ	
SWB-3	6/1/2010	ETHYL METHANESULFONATE	<		0.88	0.88	UG/L	1	
SWB-3	6/1/2010	ETHYL METHANESULFONATE	<		0.89	0.89	UG/L	1 DNR	
SWB-3	9/9/2010	ETHYL METHANESULFONATE	<		0.88	0.88	UG/L	1	
SWB-4	11/15/2002	Ethyl methanesulfonate	<		1.8	10	ug/L	1	
SWB-5	10/29/2002	Ethyl methanesulfonate	<		1.8	10	ug/L	1	
SWB-6	3/4/2003	Ethyl methanesulfonate	<		1.8	10	ug/L	1	
SWB-6	6/3/2003	Ethyl methanesulfonate	<		1.8	10	ug/L	1	
SWB-6	12/3/2003	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-6	3/5/2004	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-6	6/1/2004	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-6	12/1/2004	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-6	3/7/2005	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-6	6/1/2005	Ethyl methanesulfonate	<		2	10	ug/L	1	
SWB-6	12/2/2005	Ethyl methanesulfonate	<		2	10	UG/L	1 UJ	
SWB-6	3/1/2006	Ethyl methanesulfonate	<		2	10	UG/L	1	
SWB-6	6/1/2006	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-6	12/5/2006	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-6	3/2/2007	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-6	6/9/2008	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-6	3/6/2008	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-6	12/5/2008	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-6	12/5/2008	Ethyl methanesulfonate	<		0.94	10	UG/L	1 R	
SWB-6	3/2/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-6	3/2/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1 R	
SWB-6	6/5/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-6	3/2/2010	Ethyl methanesulfonate	<		9.1	0.86	9.1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	6/2/2010	ETHYL METHANESULFONATE	<	0.89	0.89	9.4	UG/L	1 DNR
SWB-6	6/2/2010	ETHYL METHANESULFONATE	<	0.9	0.9	9.5	UG/L	1
SWB-7	3/4/2003	Ethyl methanesulfonate	<		1.8	10	ug/L	1
SWB-7	6/3/2003	Ethyl methanesulfonate	<		1.8	10	ug/L	1
SWB-7	3/1/2004	Ethyl methanesulfonate	<		2	10	ug/L	1
SWB-7	5/24/2004	Ethyl methanesulfonate	<		2	10	ug/L	1
SWB-7	12/1/2004	Ethyl methanesulfonate	<		2	10	ug/L	1
SWB-7	3/7/2005	Ethyl methanesulfonate	<		2	10	ug/L	1 UJ
SWB-7	6/1/2005	Ethyl methanesulfonate	<		2	10	ug/L	1
SWB-7	9/1/2005	Ethyl methanesulfonate	<		2	10	ug/L	1
SWB-7	12/1/2005	Ethyl methanesulfonate	<		2	10	UG/L	1 UJ
SWB-7	3/1/2006	Ethyl methanesulfonate	<		2	10	UG/L	1
SWB-7	6/2/2006	Ethyl methanesulfonate	<		0.94	10	UG/L	1
SWB-7	9/5/2006	Ethyl methanesulfonate	<		0.94	10	UG/L	1 UJ
SWB-7	12/5/2006	Ethyl methanesulfonate	<		0.94	10	UG/L	1
SWB-7	3/2/2007	Ethyl methanesulfonate	<		0.94	10	UG/L	1
SWB-7	6/1/2007	Ethyl methanesulfonate	<		0.94	10	UG/L	1
SWB-7	9/7/2007	Ethyl methanesulfonate	<		0.94	10	UG/L	1
SWB-7	12/3/2007	Ethyl methanesulfonate	<		0.94	10	UG/L	1
SWB-7	3/6/2008	Ethyl methanesulfonate	<		0.94	10	UG/L	1
SWB-7	6/6/2008	Ethyl methanesulfonate	<		0.94	10	UG/L	1
SWB-7	9/8/2008	Ethyl methanesulfonate	<		0.94	10	UG/L	1
SWB-7	12/5/2008	Ethyl methanesulfonate	<		0.94	10	UG/L	1
SWB-7	12/5/2008	Ethyl methanesulfonate	<		0.94	10	UG/L	1 R
SWB-7	3/2/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1
SWB-7	3/2/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1 R
SWB-7	6/5/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1
SWB-7	9/9/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1
SWB-7	12/1/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1
SWB-7	3/2/2010	Ethyl methanesulfonate	<	9.5	0.89	9.5	UG/L	1
SWB-7	6/1/2010	ETHYL METHANESULFONATE	<	0.9	0.9	9.6	UG/L	1 DNR
SWB-7	6/1/2010	ETHYL METHANESULFONATE	<	0.94	0.94	10	UG/L	1 R
SWB-7	9/9/2010	ETHYL METHANESULFONATE	<	0.91	0.91	9.6	UG/L	1
SWB-7	12/1/2010	ETHYL METHANESULFONATE	<	0.88	0.88	9.3	UG/L	1
SWB-8	3/5/2004	Ethyl methanesulfonate	<		2	10	ug/L	1
SWB-8	3/7/2005	Ethyl methanesulfonate	<		2	10	ug/L	1
SWB-8	6/1/2005	Ethyl methanesulfonate	<		2	10	ug/L	1
SWB-8	3/1/2006	Ethyl methanesulfonate	<		2	10	UG/L	1
SWB-8	3/7/2008	Ethyl methanesulfonate	<		0.94	10	UG/L	1
SWB-8	3/3/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1
SWB-8	3/3/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1 R
SWB-9	3/4/2003	Ethyl methanesulfonate	<		1.8	10	ug/L	1
SWB-9	12/3/2003	Ethyl methanesulfonate	<		2	10	ug/L	1
SWB-9	3/5/2004	Ethyl methanesulfonate	<		2	10	ug/L	1
SWB-9	5/27/2004	Ethyl methanesulfonate	<		2	10	ug/L	1 UJ
SWB-9	12/1/2004	Ethyl methanesulfonate	<		2	10	ug/L	1
SWB-9	3/3/2005	Ethyl methanesulfonate	<		2	10	ug/L	1
SWB-9	6/2/2005	Ethyl methanesulfonate	<		2	10	ug/L	1
SWB-9	9/1/2005	Ethyl methanesulfonate	<		2	10	ug/L	1
SWB-9	12/1/2005	Ethyl methanesulfonate	<		2	10	UG/L	1 UJ
SWB-9	3/2/2006	Ethyl methanesulfonate	<		2	10	UG/L	1
SWB-9	6/1/2006	Ethyl methanesulfonate	<		0.94	10	UG/L	1
SWB-9	12/4/2006	Ethyl methanesulfonate	<		0.94	10	UG/L	1
SWB-9	3/5/2007	Ethyl methanesulfonate	<		0.94	10	UG/L	1
SWB-9	3/6/2008	Ethyl methanesulfonate	<		0.94	10	UG/L	1
SWB-9	6/5/2008	Ethyl methanesulfonate	<		0.94	10	UG/L	1
SWB-9	12/5/2008	Ethyl methanesulfonate	<		0.94	10	UG/L	1



tmpAnalyticalResultsOverTime

SWB-9	12/5/2008	Ethyl methanesulfonate	<		0.94	10	UG/L	1 R	
SWB-9	3/2/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-9	3/2/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1 R	
SWB-9	6/2/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1	
SWB-9	6/2/2009	Ethyl methanesulfonate	<		0.94	10	UG/L	1 DNR	
SWB-9	3/1/2010	Ethyl methanesulfonate	<	9.2	0.87	9.2	ug/L	1	
SWB-9	6/1/2010	ETHYL METHANESULFONATE	<	0.88	0.88	9.4	UG/L	1 DNR	
SWB-9	6/1/2010	ETHYL METHANESULFONATE	<	0.89	0.89	9.5	UG/L	1	
SWB-9	12/1/2010	ETHYL METHANESULFONATE	<	0.88	0.88	9.3	UG/L	1	
SWB-10	3/4/2004	Ethylbenzene	<		0.12	1	ug/L	1	0.0073 mg/L
SWB-10	5/24/2004	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-10	12/1/2004	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-10	3/3/2005	Ethylbenzene	<		0.22	1	ug/L	1	
SWB-10	6/2/2005	Ethylbenzene	<		0.16	1	ug/L	1	
SWB-10	9/1/2005	Ethylbenzene	<		0.16	1	ug/L	1	
SWB-10	3/2/2006	Ethylbenzene	<		0.64	4	UG/L	4	
SWB-10	6/2/2006	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-10	3/1/2007	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-10	3/7/2008	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-10	6/5/2008	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-10	3/2/2009	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-10	6/4/2009	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-10	3/2/2010	Ethylbenzene	<	1	0.16	1	UG/L	1	
SWB-11	3/4/2004	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-11	5/24/2004	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-11	12/1/2004	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-11	3/1/2005	Ethylbenzene	<		0.22	1	ug/L	1	
SWB-11	6/2/2005	Ethylbenzene	<		0.16	1	ug/L	1	
SWB-11	3/2/2006	Ethylbenzene	<		1.6	10	UG/L	10	
SWB-11	6/1/2006	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-11	3/1/2007	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-11	3/7/2008	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-11	6/5/2008	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-11	3/2/2009	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-11	6/4/2009	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-11	3/1/2010	Ethylbenzene	<	1	0.16	1	ug/L	1	
SWB-11	6/2/2010	ETHYLBENZENE	<	0.16	0.16	1	UG/L	1 UJ	
SWB-3	10/29/2002	Ethylbenzene	<		0.51	1	ug/L	1	
SWB-3	3/4/2003	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-3	6/3/2003	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-3	9/4/2003	Ethylbenzene	<		0.12	1	ug/L	1 UJ	
SWB-3	12/2/2003	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-3	3/1/2004	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-3	6/1/2004	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-3	9/1/2004	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-3	12/1/2004	Ethylbenzene	<		0.2	1.7	ug/L	1.66	
SWB-3	3/3/2005	Ethylbenzene	<		0.22	1	ug/L	1	
SWB-3	6/2/2005	Ethylbenzene	<		0.16	1	ug/L	1	
SWB-3	9/1/2005	Ethylbenzene	<		0.16	1	ug/L	1	
SWB-3	12/1/2005	Ethylbenzene	<		0.32	2	UG/L	2	
SWB-3	3/2/2006	Ethylbenzene	<		0.64	4	UG/L	4	
SWB-3	6/2/2006	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-3	9/5/2006	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-3	12/4/2006	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-3	3/1/2007	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-3	6/1/2007	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-3	12/3/2007	Ethylbenzene	<		0.16	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	3/6/2008	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-3	6/9/2008	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-3	12/4/2008	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-3	3/2/2009	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-3	6/4/2009	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-3	12/1/2009	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-3	3/1/2010	Ethylbenzene	<	1	0.16	1	ug/L	1	
SWB-3	3/1/2010	Ethylbenzene	<	2	0.32	2	ug/L	1	DNR
SWB-3	6/1/2010	ETHYLBENZENE	<	0.16	0.16	1	UG/L	1	DNR
SWB-3	6/1/2010	ETHYLBENZENE	<	0.64	0.64	4	UG/L	1	UJ
SWB-3	9/9/2010	ETHYLBENZENE	<	0.16	0.16	1	UG/L	1	UJ
SWB-4	11/15/2002	Ethylbenzene	<		0.51	1	ug/L	1	
SWB-5	10/29/2002	Ethylbenzene	<		0.51	1	ug/L	1	
SWB-6	3/4/2003	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-6	6/3/2003	Ethylbenzene	<		0.24	2	ug/L	2	
SWB-6	12/3/2003	Ethylbenzene	<		0.24	2	ug/L	2	
SWB-6	3/5/2004	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-6	6/1/2004	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-6	12/1/2004	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-6	3/7/2005	Ethylbenzene	<		0.22	1	ug/L	1	
SWB-6	6/1/2005	Ethylbenzene	<		0.16	1	ug/L	1	
SWB-6	12/2/2005	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-6	3/1/2006	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-6	6/1/2006	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-6	12/5/2006	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-6	3/2/2007	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-6	6/9/2008	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-6	3/6/2008	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-6	12/5/2008	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-6	3/2/2009	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-6	6/5/2009	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-6	3/2/2010	Ethylbenzene	<	1	0.16	1	UG/L	1	
SWB-6	6/2/2010	ETHYLBENZENE	<	0.16	0.16	1	UG/L	1	UJ
SWB-7	3/4/2003	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-7	6/3/2003	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-7	3/1/2004	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-7	5/24/2004	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-7	12/1/2004	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-7	3/7/2005	Ethylbenzene	<		0.22	1	ug/L	1	
SWB-7	6/1/2005	Ethylbenzene	<		0.16	1	ug/L	1	
SWB-7	9/1/2005	Ethylbenzene	<		0.16	1	ug/L	1	
SWB-7	12/1/2005	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-7	3/1/2006	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-7	6/2/2006	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-7	9/5/2006	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-7	12/5/2006	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-7	3/2/2007	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-7	6/1/2007	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-7	9/7/2007	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-7	12/3/2007	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-7	3/6/2008	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-7	6/6/2008	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-7	9/8/2008	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-7	12/5/2008	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-7	3/2/2009	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-7	6/5/2009	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-7	9/9/2009	Ethylbenzene	<		0.16	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-7	12/1/2009	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-7	3/2/2010	Ethylbenzene	<	1	0.16	1	UG/L	1	
SWB-7	6/1/2010	ETHYLBENZENE	<	0.16	0.16	1	UG/L	1	DNR
SWB-7	6/1/2010	ETHYLBENZENE	<	0.64	0.64	4	UG/L	1	UJ
SWB-7	9/9/2010	ETHYLBENZENE	<	0.16	0.16	1	UG/L	1	UJ
SWB-7	12/1/2010	ETHYLBENZENE	<	0.16	0.16	1	UG/L	1	
SWB-8	3/5/2004	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-8	3/7/2005	Ethylbenzene	<		0.22	1	ug/L	1	
SWB-8	6/1/2005	Ethylbenzene	<		0.16	1	ug/L	1	
SWB-8	3/1/2006	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-8	3/7/2008	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-8	3/3/2009	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-9	3/4/2003	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-9	12/3/2003	Ethylbenzene	<		0.24	2	ug/L	2	
SWB-9	3/5/2004	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-9	5/27/2004	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-9	12/1/2004	Ethylbenzene	<		0.12	1	ug/L	1	
SWB-9	3/3/2005	Ethylbenzene	<		0.22	1	ug/L	1	
SWB-9	6/2/2005	Ethylbenzene	<		0.16	1	ug/L	1	
SWB-9	9/1/2005	Ethylbenzene	<		0.16	1	ug/L	1	UJ
SWB-9	12/1/2005	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-9	3/2/2006	Ethylbenzene	<		0.64	4	UG/L	4	
SWB-9	6/1/2006	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-9	12/4/2006	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-9	3/5/2007	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-9	3/6/2008	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-9	6/5/2008	Ethylbenzene	<		0.16	1	UG/L	1	R
SWB-9	12/5/2008	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-9	3/2/2009	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-9	6/2/2009	Ethylbenzene	<		0.16	1	UG/L	1	
SWB-9	3/1/2010	Ethylbenzene	<	1	0.16	1	ug/L	1	
SWB-9	6/1/2010	ETHYLBENZENE	<	0.16	0.16	1	UG/L	1	DNR
SWB-9	6/1/2010	ETHYLBENZENE	<	0.64	0.64	4	UG/L	1	UJ
SWB-9	12/1/2010	ETHYLBENZENE	<	0.16	0.16	1	UG/L	1	
SWB-10	3/4/2004	Fluoranthene	<		0.7	10	ug/L	1	NA
SWB-10	5/24/2004	Fluoranthene	<		0.7	10	ug/L	1	UJ
SWB-10	12/1/2004	Fluoranthene	<		0.7	10	ug/L	1	
SWB-10	3/3/2005	Fluoranthene	<		1.8	10	ug/L	1	
SWB-10	6/2/2005	Fluoranthene	<		1.8	10	ug/L	1	
SWB-10	9/1/2005	Fluoranthene	<		1.8	10	ug/L	1	
SWB-10	3/2/2006	Fluoranthene	<		1.8	10	UG/L	1	
SWB-10	6/2/2006	Fluoranthene	<		5	10	UG/L	1	
SWB-10	3/1/2007	Fluoranthene	<		5	10	UG/L	1	
SWB-10	3/7/2008	Fluoranthene	<		0.2	10	UG/L	1	
SWB-10	6/5/2008	Fluoranthene	<		0.2	10	UG/L	1	
SWB-10	3/2/2009	Fluoranthene	<		0.2	4	UG/L	1	
SWB-10	3/2/2009	Fluoranthene	<		0.2	4	UG/L	1	R
SWB-10	6/4/2009	Fluoranthene	<		0.2	4	UG/L	1	
SWB-10	3/2/2010	Fluoranthene	<	3.7	0.19	3.7	UG/L	1	
SWB-11	3/4/2004	Fluoranthene	<		0.7	10	ug/L	1	
SWB-11	5/24/2004	Fluoranthene	<		0.7	10	ug/L	1	UJ
SWB-11	12/1/2004	Fluoranthene	<		0.7	10	ug/L	1	
SWB-11	3/1/2005	Fluoranthene	<		1.8	10	ug/L	1	
SWB-11	6/2/2005	Fluoranthene	<		1.8	10	ug/L	1	
SWB-11	3/2/2006	Fluoranthene	<		1.8	10	UG/L	1	
SWB-11	6/1/2006	Fluoranthene	<		5	10	UG/L	1	
SWB-11	3/1/2007	Fluoranthene	<		5	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-11	3/7/2008	Fluoranthene	<		0.2	10	UG/L	1
SWB-11	6/5/2008	Fluoranthene	<		0.2	10	UG/L	1
SWB-11	3/2/2009	Fluoranthene	<		0.2	4	UG/L	1
SWB-11	6/4/2009	Fluoranthene	<		0.2	4	UG/L	1
SWB-11	3/1/2010	Fluoranthene	<	3.7	0.19	3.7	ug/L	1
SWB-11	6/2/2010	FLUORANTHENE	<	0.19	0.19	3.8	UG/L	1
SWB-3	10/29/2002	Fluoranthene	<		1.5	10	ug/L	1
SWB-3	3/4/2003	Fluoranthene	<		1.5	10	ug/L	1
SWB-3	6/3/2003	Fluoranthene	<		1.5	10	ug/L	1
SWB-3	9/4/2003	Fluoranthene	<		1.5	10	ug/L	1 UJ
SWB-3	12/2/2003	Fluoranthene	<		0.7	10	ug/L	1
SWB-3	3/1/2004	Fluoranthene	<		0.7	10	ug/L	1
SWB-3	6/1/2004	Fluoranthene	<		0.7	10	ug/L	1
SWB-3	9/1/2004	Fluoranthene	<		0.7	10	ug/L	1
SWB-3	12/1/2004	Fluoranthene	<		0.7	10	ug/L	1
SWB-3	3/3/2005	Fluoranthene	<		1.8	10	ug/L	1
SWB-3	6/2/2005	Fluoranthene	<		1.8	10	ug/L	1
SWB-3	9/1/2005	Fluoranthene	<		1.8	10	ug/L	1
SWB-3	12/1/2005	Fluoranthene	<		1.8	10	UG/L	1 UJ
SWB-3	3/2/2006	Fluoranthene	<		1.8	10	UG/L	1
SWB-3	6/2/2006	Fluoranthene	<		5	10	UG/L	1
SWB-3	9/5/2006	Fluoranthene	<		5	10	UG/L	1
SWB-3	9/5/2006	Fluoranthene	<		0.01	5	UG/L	1
SWB-3	12/4/2006	Fluoranthene	<		5	10	UG/L	1
SWB-3	3/1/2007	Fluoranthene	<		5	10	UG/L	1
SWB-3	6/1/2007	Fluoranthene	<		5	10	UG/L	1
SWB-3	6/1/2007	Fluoranthene	<		5	10	UG/L	1 R
SWB-3	12/3/2007	Fluoranthene	<		0.2	10	UG/L	1
SWB-3	3/6/2008	Fluoranthene	<		0.2	10	UG/L	1
SWB-3	6/9/2008	Fluoranthene	<		0.2	10	UG/L	1
SWB-3	12/4/2008	Fluoranthene	<		0.2	4	UG/L	1
SWB-3	3/2/2009	Fluoranthene	<		0.2	4	UG/L	1
SWB-3	3/2/2009	Fluoranthene	<		0.2	4	UG/L	1 R
SWB-3	6/4/2009	Fluoranthene	<		0.2	4	UG/L	1
SWB-3	12/1/2009	Fluoranthene	<		0.2	4	UG/L	1
SWB-3	12/1/2009	Fluoranthene	<		0.2	4	UG/L	1 DNR
SWB-3	3/1/2010	Fluoranthene	<	3.9	0.19	3.9	ug/L	1 UJ
SWB-3	6/1/2010	FLUORANTHENE	<	0.19	0.19	3.7	UG/L	1
SWB-3	6/1/2010	FLUORANTHENE	<	0.19	0.19	3.8	UG/L	1 DNR
SWB-3	9/9/2010	FLUORANTHENE	<	0.19	0.19	3.7	UG/L	1
SWB-4	11/15/2002	Fluoranthene	<		1.5	10	ug/L	1
SWB-5	10/29/2002	Fluoranthene	<		1.5	10	ug/L	1
SWB-6	3/4/2003	Fluoranthene	<		1.5	10	ug/L	1
SWB-6	6/3/2003	Fluoranthene	<		1.5	10	ug/L	1
SWB-6	12/3/2003	Fluoranthene	<		0.7	10	ug/L	1
SWB-6	3/5/2004	Fluoranthene	<		0.7	10	ug/L	1
SWB-6	6/1/2004	Fluoranthene	<		0.7	10	ug/L	1
SWB-6	12/1/2004	Fluoranthene	<		0.7	10	ug/L	1
SWB-6	3/7/2005	Fluoranthene	<		1.8	10	ug/L	1
SWB-6	6/1/2005	Fluoranthene	<		1.8	10	ug/L	1
SWB-6	12/2/2005	Fluoranthene	<		1.8	10	UG/L	1 UJ
SWB-6	3/1/2006	Fluoranthene	<		1.8	10	UG/L	1
SWB-6	6/1/2006	Fluoranthene	<		5	10	UG/L	1
SWB-6	12/5/2006	Fluoranthene	<		5	10	UG/L	1
SWB-6	3/2/2007	Fluoranthene	<		5	10	UG/L	1
SWB-6	6/9/2008	Fluoranthene	<		0.2	10	UG/L	1
SWB-6	3/6/2008	Fluoranthene	<		0.2	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	12/5/2008	Fluoranthene	<		0.2	4	UG/L	1
SWB-6	12/5/2008	Fluoranthene	<		0.2	4	UG/L	1 R
SWB-6	3/2/2009	Fluoranthene	<		0.2	4	UG/L	1
SWB-6	3/2/2009	Fluoranthene	<		0.2	4	UG/L	1 R
SWB-6	6/5/2009	Fluoranthene	<		0.2	4	UG/L	1
SWB-6	3/2/2010	Fluoranthene	<	3.6	0.18	3.6	UG/L	1
SWB-6	6/2/2010	FLUORANTHENE	<	0.19	0.19	3.8	UG/L	1
SWB-6	6/2/2010	FLUORANTHENE	<	0.19	0.19	3.8	UG/L	1 DNR
SWB-7	3/4/2003	Fluoranthene	<		1.5	10	ug/L	1
SWB-7	6/3/2003	Fluoranthene	<		1.5	10	ug/L	1
SWB-7	3/1/2004	Fluoranthene	<		0.7	10	ug/L	1
SWB-7	5/24/2004	Fluoranthene	<		0.7	10	ug/L	1
SWB-7	12/1/2004	Fluoranthene	<		0.7	10	ug/L	1
SWB-7	3/7/2005	Fluoranthene	<		1.8	10	ug/L	1 UJ
SWB-7	6/1/2005	Fluoranthene	<		1.8	10	ug/L	1
SWB-7	9/1/2005	Fluoranthene	<		1.8	10	ug/L	1
SWB-7	12/1/2005	Fluoranthene	<		1.8	10	UG/L	1 UJ
SWB-7	3/1/2006	Fluoranthene	<		1.8	10	UG/L	1
SWB-7	6/2/2006	Fluoranthene	<		5	10	UG/L	1
SWB-7	9/5/2006	Fluoranthene	<		5	10	UG/L	1 UJ
SWB-7	9/5/2006	Fluoranthene	<		0.01	5	UG/L	1
SWB-7	12/5/2006	Fluoranthene	<		5	10	UG/L	1
SWB-7	3/2/2007	Fluoranthene	<		5	10	UG/L	1
SWB-7	6/1/2007	Fluoranthene	<		5	10	UG/L	1
SWB-7	9/7/2007	Fluoranthene	<		0.2	10	UG/L	1
SWB-7	12/3/2007	Fluoranthene	<		0.2	10	UG/L	1
SWB-7	3/6/2008	Fluoranthene	<		0.2	10	UG/L	1
SWB-7	6/6/2008	Fluoranthene	<		0.2	10	UG/L	1
SWB-7	9/8/2008	Fluoranthene	<		0.2	4	UG/L	1
SWB-7	12/5/2008	Fluoranthene	<		0.2	4	UG/L	1
SWB-7	12/5/2008	Fluoranthene	<		0.2	4	UG/L	1 R
SWB-7	3/2/2009	Fluoranthene	<		0.2	4	UG/L	1
SWB-7	3/2/2009	Fluoranthene	<		0.2	4	UG/L	1 R
SWB-7	6/5/2009	Fluoranthene	<		0.2	4	UG/L	1
SWB-7	9/9/2009	Fluoranthene	<		0.2	4	UG/L	1
SWB-7	12/1/2009	Fluoranthene	<		0.2	4	UG/L	1
SWB-7	3/2/2010	Fluoranthene	<	3.8	0.19	3.8	UG/L	1
SWB-7	6/1/2010	FLUORANTHENE	<	0.19	0.19	3.8	UG/L	1 DNR
SWB-7	6/1/2010	FLUORANTHENE	<	0.2	0.2	4	UG/L	1 R
SWB-7	9/9/2010	FLUORANTHENE	<	0.19	0.19	3.9	UG/L	1
SWB-7	12/1/2010	FLUORANTHENE	<	0.19	0.19	3.7	UG/L	1
SWB-8	3/5/2004	Fluoranthene	<		0.7	10	ug/L	1
SWB-8	3/7/2005	Fluoranthene	<		1.8	10	ug/L	1
SWB-8	6/1/2005	Fluoranthene	<		1.8	10	ug/L	1
SWB-8	3/1/2006	Fluoranthene	<		1.8	10	UG/L	1
SWB-8	3/7/2008	Fluoranthene	<		0.2	10	UG/L	1
SWB-8	3/3/2009	Fluoranthene	<		0.2	4	UG/L	1
SWB-8	3/3/2009	Fluoranthene	<		0.2	4	UG/L	1 R
SWB-9	3/4/2003	Fluoranthene	<		1.5	10	ug/L	1
SWB-9	12/3/2003	Fluoranthene	<		0.7	10	ug/L	1
SWB-9	3/5/2004	Fluoranthene	<		0.7	10	ug/L	1
SWB-9	5/27/2004	Fluoranthene	<		0.7	10	ug/L	1 UJ
SWB-9	12/1/2004	Fluoranthene	<		0.7	10	ug/L	1
SWB-9	3/3/2005	Fluoranthene	<		1.8	10	ug/L	1
SWB-9	6/2/2005	Fluoranthene	<		1.8	10	ug/L	1
SWB-9	9/1/2005	Fluoranthene	<		1.8	10	ug/L	1
SWB-9	12/1/2005	Fluoranthene	<		1.8	10	UG/L	1 UJ

tmpAnalyticalResultsOverTime

SWB-9	3/2/2006	Fluoranthene	<		1.8	10	UG/L	1	
SWB-9	6/1/2006	Fluoranthene	<		5	10	UG/L	1	
SWB-9	12/4/2006	Fluoranthene	<		5	10	UG/L	1	
SWB-9	3/5/2007	Fluoranthene	<		5	10	UG/L	1	
SWB-9	3/6/2008	Fluoranthene	<		0.2	10	UG/L	1	
SWB-9	6/5/2008	Fluoranthene	<		0.2	10	UG/L	1	
SWB-9	12/5/2008	Fluoranthene	<		0.2	4	UG/L	1	
SWB-9	12/5/2008	Fluoranthene	<		0.2	4	UG/L	1	R
SWB-9	3/2/2009	Fluoranthene	<		0.2	4	UG/L	1	
SWB-9	3/2/2009	Fluoranthene	<		0.2	4	UG/L	1	R
SWB-9	6/2/2009	Fluoranthene	<		0.2	4	UG/L	1	
SWB-9	6/2/2009	Fluoranthene	<		0.2	4	UG/L	1	DNR
SWB-9	3/1/2010	Fluoranthene	<	3.7	0.18	3.7	ug/L	1	
SWB-9	6/1/2010	FLUORANTHENE	<	0.19	0.19	3.8	UG/L	1	
SWB-9	6/1/2010	FLUORANTHENE	<	0.19	0.19	3.8	UG/L	1	DNR
SWB-9	12/1/2010	FLUORANTHENE	<	0.19	0.19	3.7	UG/L	1	
SWB-10	3/4/2004	Fluorene	<		0.6	10	ug/L	1	0.0039 mg/L
SWB-10	5/24/2004	Fluorene	<		0.6	10	ug/L	1	UJ
SWB-10	12/1/2004	Fluorene	<		0.6	10	ug/L	1	
SWB-10	3/3/2005	Fluorene	<		1.7	10	ug/L	1	
SWB-10	6/2/2005	Fluorene	<		1.7	10	ug/L	1	
SWB-10	9/1/2005	Fluorene	<		1.7	10	ug/L	1	
SWB-10	3/2/2006	Fluorene	<		1.7	10	UG/L	1	
SWB-10	6/2/2006	Fluorene	<		1	10	UG/L	1	
SWB-10	3/1/2007	Fluorene	<		1	10	UG/L	1	
SWB-10	3/7/2008	Fluorene	<		0.31	10	UG/L	1	
SWB-10	6/5/2008	Fluorene	<		0.31	10	UG/L	1	
SWB-10	3/2/2009	Fluorene	<		0.31	4	UG/L	1	
SWB-10	3/2/2009	Fluorene	<		0.31	4	UG/L	1	R
SWB-10	6/4/2009	Fluorene	<		0.31	4	UG/L	1	
SWB-10	3/2/2010	Fluorene	<	3.7	0.29	3.7	UG/L	1	
SWB-11	3/4/2004	Fluorene	<		0.6	10	ug/L	1	
SWB-11	5/24/2004	Fluorene	<		0.6	10	ug/L	1	UJ
SWB-11	12/1/2004	Fluorene	<		0.6	10	ug/L	1	
SWB-11	3/1/2005	Fluorene	<		1.7	10	ug/L	1	
SWB-11	6/2/2005	Fluorene	<		1.7	10	ug/L	1	
SWB-11	3/2/2006	Fluorene	<		1.7	10	UG/L	1	
SWB-11	6/1/2006	Fluorene	<		1	10	UG/L	1	
SWB-11	3/1/2007	Fluorene	<		1	10	UG/L	1	
SWB-11	3/7/2008	Fluorene	<		0.31	10	UG/L	1	
SWB-11	6/5/2008	Fluorene	<		0.31	10	UG/L	1	
SWB-11	3/2/2009	Fluorene	<		0.31	4	UG/L	1	
SWB-11	6/4/2009	Fluorene	<		0.31	4	UG/L	1	
SWB-11	3/1/2010	Fluorene	<	3.7	0.29	3.7	ug/L	1	
SWB-11	6/2/2010	FLUORENE	<	0.29	0.29	3.8	UG/L	1	
SWB-3	10/29/2002	Fluorene	<		1.3	10	ug/L	1	
SWB-3	3/4/2003	Fluorene	<		1.3	10	ug/L	1	
SWB-3	6/3/2003	Fluorene	<		1.3	10	ug/L	1	
SWB-3	9/4/2003	Fluorene	<		1.3	10	ug/L	1	UJ
SWB-3	12/2/2003	Fluorene	<		0.6	10	ug/L	1	
SWB-3	3/1/2004	Fluorene	<		0.6	10	ug/L	1	
SWB-3	6/1/2004	Fluorene	<		0.6	10	ug/L	1	
SWB-3	9/1/2004	Fluorene	<		0.6	10	ug/L	1	
SWB-3	12/1/2004	Fluorene	<		0.6	10	ug/L	1	
SWB-3	3/3/2005	Fluorene	<		1.7	10	ug/L	1	
SWB-3	6/2/2005	Fluorene	<		1.7	10	ug/L	1	
SWB-3	9/1/2005	Fluorene	<		1.7	10	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	12/1/2005	Fluorene	<		1.7	10	UG/L	1 UJ
SWB-3	3/2/2006	Fluorene	<		1.7	10	UG/L	1
SWB-3	6/2/2006	Fluorene	<		1	10	UG/L	1
SWB-3	9/5/2006	Fluorene	<		1	10	UG/L	1
SWB-3	9/5/2006	Fluorene	<		0.05	1	UG/L	1
SWB-3	12/4/2006	Fluorene	<		1	10	UG/L	1
SWB-3	3/1/2007	Fluorene	<		1	10	UG/L	1
SWB-3	6/1/2007	Fluorene	<		1	10	UG/L	1
SWB-3	6/1/2007	Fluorene	<		1	10	UG/L	1 R
SWB-3	12/3/2007	Fluorene	<		0.31	10	UG/L	1
SWB-3	3/6/2008	Fluorene	<		0.31	10	UG/L	1
SWB-3	6/9/2008	Fluorene	<		0.31	10	UG/L	1
SWB-3	12/4/2008	Fluorene	<		0.31	4	UG/L	1
SWB-3	3/2/2009	Fluorene	<		0.31	4	UG/L	1
SWB-3	3/2/2009	Fluorene	<		0.31	4	UG/L	1 R
SWB-3	6/4/2009	Fluorene	<		0.31	4	UG/L	1
SWB-3	12/1/2009	Fluorene	<		0.31	4	UG/L	1
SWB-3	12/1/2009	Fluorene	<		0.31	4	UG/L	1 DNR
SWB-3	3/1/2010	Fluorene	<	3.9	0.3	3.9	ug/L	1 UJ
SWB-3	6/1/2010	FLUORENE	<	0.29	0.29	3.7	UG/L	1
SWB-3	6/1/2010	FLUORENE	<	0.29	0.29	3.8	UG/L	1 DNR
SWB-3	9/9/2010	FLUORENE	<	0.29	0.29	3.7	UG/L	1
SWB-4	11/15/2002	Fluorene	<		1.3	10	ug/L	1
SWB-5	10/29/2002	Fluorene	<		1.3	10	ug/L	1
SWB-6	3/4/2003	Fluorene	<		1.3	10	ug/L	1
SWB-6	6/3/2003	Fluorene	<		1.3	10	ug/L	1
SWB-6	12/3/2003	Fluorene	<		0.6	10	ug/L	1
SWB-6	3/5/2004	Fluorene	<		0.6	10	ug/L	1
SWB-6	6/1/2004	Fluorene	<		0.6	10	ug/L	1
SWB-6	12/1/2004	Fluorene	<		0.6	10	ug/L	1
SWB-6	3/7/2005	Fluorene	<		1.7	10	ug/L	1
SWB-6	6/1/2005	Fluorene	<		1.7	10	ug/L	1
SWB-6	12/2/2005	Fluorene	<		1.7	10	UG/L	1 UJ
SWB-6	3/1/2006	Fluorene	<		1.7	10	UG/L	1
SWB-6	6/1/2006	Fluorene	<		1	10	UG/L	1
SWB-6	12/5/2006	Fluorene	<		1	10	UG/L	1
SWB-6	3/2/2007	Fluorene	<		1	10	UG/L	1
SWB-6	6/9/2008	Fluorene	<		0.31	10	UG/L	1
SWB-6	3/6/2008	Fluorene	<		0.31	10	UG/L	1
SWB-6	12/5/2008	Fluorene	<		0.31	4	UG/L	1
SWB-6	12/5/2008	Fluorene	<		0.31	4	UG/L	1 R
SWB-6	3/2/2009	Fluorene	<		0.31	4	UG/L	1
SWB-6	3/2/2009	Fluorene	<		0.31	4	UG/L	1 R
SWB-6	6/5/2009	Fluorene	<		0.31	4	UG/L	1
SWB-6	3/2/2010	Fluorene	<	3.6	0.28	3.6	UG/L	1
SWB-6	6/2/2010	FLUORENE	<	0.29	0.29	3.8	UG/L	1 DNR
SWB-6	6/2/2010	FLUORENE	<	0.3	0.3	3.8	UG/L	1
SWB-7	3/4/2003	Fluorene	<		1.3	10	ug/L	1
SWB-7	6/3/2003	Fluorene	<		1.3	10	ug/L	1
SWB-7	3/1/2004	Fluorene	<		0.6	10	ug/L	1
SWB-7	5/24/2004	Fluorene	<		0.6	10	ug/L	1
SWB-7	12/1/2004	Fluorene	<		0.6	10	ug/L	1
SWB-7	3/7/2005	Fluorene	<		1.7	10	ug/L	1 UJ
SWB-7	6/1/2005	Fluorene	<		1.7	10	ug/L	1
SWB-7	9/1/2005	Fluorene	<		1.7	10	ug/L	1
SWB-7	12/1/2005	Fluorene	<		1.7	10	UG/L	1 UJ
SWB-7	3/1/2006	Fluorene	<		1.7	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	6/2/2006	Fluorene	<		1	10	UG/L	1	
SWB-7	9/5/2006	Fluorene	<		1	10	UG/L	1 UJ	
SWB-7	9/5/2006	Fluorene	<		0.05	1	UG/L	1	
SWB-7	12/5/2006	Fluorene	<		1	10	UG/L	1	
SWB-7	3/2/2007	Fluorene	<		1	10	UG/L	1	
SWB-7	6/1/2007	Fluorene	<		1	10	UG/L	1	
SWB-7	9/7/2007	Fluorene	<		0.31	10	UG/L	1	
SWB-7	12/3/2007	Fluorene	<		0.31	10	UG/L	1	
SWB-7	3/6/2008	Fluorene	<		0.31	10	UG/L	1	
SWB-7	6/6/2008	Fluorene	<		0.31	10	UG/L	1	
SWB-7	9/8/2008	Fluorene	<		0.31	4	UG/L	1	
SWB-7	12/5/2008	Fluorene	<		0.31	4	UG/L	1	
SWB-7	12/5/2008	Fluorene	<		0.31	4	UG/L	1 R	
SWB-7	3/2/2009	Fluorene	<		0.31	4	UG/L	1	
SWB-7	3/2/2009	Fluorene	<		0.31	4	UG/L	1 R	
SWB-7	6/5/2009	Fluorene	<		0.31	4	UG/L	1	
SWB-7	9/9/2009	Fluorene	<		0.31	4	UG/L	1	
SWB-7	12/1/2009	Fluorene	<		0.31	4	UG/L	1	
SWB-7	3/2/2010	Fluorene	<	3.8	0.29	3.8	UG/L	1	
SWB-7	6/1/2010	FLUORENE	<	0.3	0.3	3.8	UG/L	1 DNR	
SWB-7	6/1/2010	FLUORENE	<	0.31	0.31	4	UG/L	1 R	
SWB-7	9/9/2010	FLUORENE	<	0.3	0.3	3.9	UG/L	1	
SWB-7	12/1/2010	FLUORENE	<	0.29	0.29	3.7	UG/L	1	
SWB-8	3/5/2004	Fluorene	<		0.6	10	ug/L	1	
SWB-8	3/7/2005	Fluorene	<		1.7	10	ug/L	1	
SWB-8	6/1/2005	Fluorene	<		1.7	10	ug/L	1	
SWB-8	3/1/2006	Fluorene	<		1.7	10	UG/L	1	
SWB-8	3/7/2008	Fluorene	<		0.31	10	UG/L	1	
SWB-8	3/3/2009	Fluorene	<		0.31	4	UG/L	1	
SWB-8	3/3/2009	Fluorene	<		0.31	4	UG/L	1 R	
SWB-9	3/4/2003	Fluorene	<		1.3	10	ug/L	1	
SWB-9	12/3/2003	Fluorene	<		0.6	10	ug/L	1	
SWB-9	3/5/2004	Fluorene	<		0.6	10	ug/L	1	
SWB-9	5/27/2004	Fluorene	<		0.6	10	ug/L	1 UJ	
SWB-9	12/1/2004	Fluorene	<		0.6	10	ug/L	1	
SWB-9	3/3/2005	Fluorene	<		1.7	10	ug/L	1	
SWB-9	6/2/2005	Fluorene	<		1.7	10	ug/L	1	
SWB-9	9/1/2005	Fluorene	<		1.7	10	ug/L	1	
SWB-9	12/1/2005	Fluorene	<		1.7	10	UG/L	1 UJ	
SWB-9	3/2/2006	Fluorene	<		1.7	10	UG/L	1	
SWB-9	6/1/2006	Fluorene	<		1	10	UG/L	1	
SWB-9	12/4/2006	Fluorene	<		1	10	UG/L	1	
SWB-9	3/5/2007	Fluorene	<		1	10	UG/L	1	
SWB-9	3/6/2008	Fluorene	<		0.31	10	UG/L	1	
SWB-9	6/5/2008	Fluorene	<		0.31	10	UG/L	1	
SWB-9	12/5/2008	Fluorene	<		0.31	4	UG/L	1	
SWB-9	12/5/2008	Fluorene	<		0.31	4	UG/L	1 R	
SWB-9	3/2/2009	Fluorene	<		0.31	4	UG/L	1	
SWB-9	3/2/2009	Fluorene	<		0.31	4	UG/L	1 R	
SWB-9	6/2/2009	Fluorene	<		0.31	4	UG/L	1	
SWB-9	6/2/2009	Fluorene	<		0.31	4	UG/L	1 DNR	
SWB-9	3/1/2010	Fluorene	<	3.7	0.29	3.7	ug/L	1	
SWB-9	6/1/2010	FLUORENE	<	0.29	0.29	3.8	UG/L	1	
SWB-9	6/1/2010	FLUORENE	<	0.29	0.29	3.8	UG/L	1 DNR	
SWB-9	12/1/2010	FLUORENE	<	0.29	0.29	3.7	UG/L	1	
SWB-10	3/4/2004	Fluoride	<	0.12	0.016	0.12	mg/L	1 U	NA
SWB-10	5/24/2004	Fluoride	=	0.25	0.016	0.1	mg/L	1 J	



tmpAnalyticalResultsOverTime

SWB-10	12/1/2004	Fluoride	=	0.17	0.017	0.1	mg/L	1
SWB-10	3/3/2005	Fluoride	<	0.16	0.017	0.1	mg/L	1 U
SWB-10	6/2/2005	Fluoride	=	0.23	0.0057	0.1	mg/L	1
SWB-10	9/1/2005	Fluoride	=	0.16	0.0057	0.1	MG/L	1 J
SWB-10	3/2/2006	Fluoride	=	0.2	0.016	0.1	MG/L	1
SWB-10	6/2/2006	Fluoride	=	0.17	0.016	0.1	MG/L	1
SWB-10	3/1/2007	Fluoride	=	0.18	0.016	0.1	MG/L	1 J
SWB-10	3/7/2008	Fluoride	=	0.21	0.035	0.1	MG/L	1
SWB-10	6/5/2008	Fluoride	<	0.1	0.035	0.1	MG/L	1 U
SWB-10	3/2/2009	Fluoride	<		1.2	2	MG/L	20
SWB-10	6/4/2009	Fluoride	<		3	25	MG/L	50
SWB-10	3/2/2010	Fluoride	<	2	1.2	2	MG/L	20
SWB-11	3/4/2004	Fluoride	=	0.54	0.016	0.1	mg/L	1
SWB-11	5/24/2004	Fluoride	=	1.8	0.016	0.1	mg/L	1 J
SWB-11	12/1/2004	Fluoride	=	0.87	0.017	0.1	mg/L	1
SWB-11	3/1/2005	Fluoride	<	0.8	0.017	0.8	mg/L	1 U
SWB-11	6/2/2005	Fluoride	=	1	0.0057	0.1	mg/L	1
SWB-11	3/2/2006	Fluoride	=	0.91	0.016	0.1	MG/L	1
SWB-11	6/1/2006	Fluoride	=	1.2	0.016	0.1	MG/L	1
SWB-11	3/1/2007	Fluoride	=	0.85	0.016	0.1	MG/L	1 J
SWB-11	3/7/2008	Fluoride	=	0.69	0.035	0.1	MG/L	1
SWB-11	6/5/2008	Fluoride	=	2.6	0.18	0.5	MG/L	5
SWB-11	3/2/2009	Fluoride	<		0.6	1	MG/L	10
SWB-11	6/4/2009	Fluoride	<		3	25	MG/L	50
SWB-11	3/1/2010	Fluoride	<	2	1.2	2	mg/L	20
SWB-11	6/2/2010	FLUORIDE	<	3	3	5	MG/L	50
SWB-3	10/29/2002	Fluoride	=	1.9	0.026	0.1	mg/L	1 J
SWB-3	3/4/2003	Fluoride	=	1.8	0.016	0.1	mg/L	1
SWB-3	6/3/2003	Fluoride	=	3.6	0.016	0.1	mg/L	1 J
SWB-3	9/4/2003	Fluoride	=	4.9	0.016	0.1	mg/L	1
SWB-3	12/2/2003	Fluoride	=	1.8	0.016	0.1	mg/L	1 J
SWB-3	3/1/2004	Fluoride	=	0.38	0.016	0.1	mg/L	1
SWB-3	6/1/2004	Fluoride	=	1.8	0.016	0.1	mg/L	1 J
SWB-3	9/1/2004	Fluoride	=	2.3	0.017	0.1	mg/L	1 J
SWB-3	12/1/2004	Fluoride	=	2	0.017	0.1	mg/L	1
SWB-3	3/3/2005	Fluoride	=	1.4	0.017	0.1	mg/L	1
SWB-3	6/2/2005	Fluoride	=	1.5	0.0057	0.1	mg/L	1
SWB-3	9/1/2005	Fluoride	=	2.2	0.0057	0.1	MG/L	1 J
SWB-3	12/1/2005	Fluoride	=	2.3	0.0057	0.1	MG/L	1
SWB-3	3/2/2006	Fluoride	=	2	0.016	0.1	MG/L	1
SWB-3	6/2/2006	Fluoride	=	1.8	0.016	0.1	MG/L	1
SWB-3	9/5/2006	Fluoride	=	0.58	0.016	0.1	MG/L	1 J
SWB-3	12/4/2006	Fluoride	=	2.6	0.032	0.2	MG/L	2
SWB-3	3/1/2007	Fluoride	=	1.7	0.016	0.1	MG/L	1 J
SWB-3	6/1/2007	Fluoride	=	2.3	0.016	0.1	MG/L	1
SWB-3	12/3/2007	Fluoride	=	2.5	0.016	0.1	MG/L	1
SWB-3	3/6/2008	Fluoride	=	0.66	0.035	0.1	MG/L	1
SWB-3	6/9/2008	Fluoride	=	2.5	0.035	0.1	MG/L	1
SWB-3	12/4/2008	Fluoride	=	2.4	0.6	1	MG/L	10 G
SWB-3	3/2/2009	Fluoride	TR	0.78	0.6	1	MG/L	10 J
SWB-3	6/4/2009	Fluoride	TR	2.3	0.6	5	MG/L	10 J
SWB-3	12/1/2009	Fluoride	=	2.5	0.6	1	MG/L	10
SWB-3	3/1/2010	Fluoride	=	2.1	0.6	1	mg/L	10
SWB-3	6/1/2010	FLUORIDE	=	2.3	0.6	1	MG/L	10
SWB-3	9/9/2010	FLUORIDE	=	2.4	1.2	2	MG/L	20
SWB-4	11/15/2002	Fluoride	=	2.3	0.026	0.1	mg/L	1 J
SWB-5	10/29/2002	Fluoride	=	0.97	0.026	0.1	mg/L	1 J

tmpAnalyticalResultsOverTime

SWB-6	3/4/2003	Fluoride	=	5.5	0.16	1	mg/L	10
SWB-6	6/3/2003	Fluoride	=	8.4	0.08	0.5	mg/L	5 J
SWB-6	12/3/2003	Fluoride	=	1.8	0.016	0.1	mg/L	1 J
SWB-6	3/5/2004	Fluoride	=	1.4	0.016	0.1	mg/L	1
SWB-6	6/1/2004	Fluoride	=	3.4	0.016	0.1	mg/L	1 J
SWB-6	12/1/2004	Fluoride	=	2.4	0.017	0.1	mg/L	1
SWB-6	3/7/2005	Fluoride	=	2.2	0.017	0.1	mg/L	1
SWB-6	6/1/2005	Fluoride	=	2.6	0.0057	0.1	mg/L	1
SWB-6	12/2/2005	Fluoride	=	2.5	0.0057	0.1	MG/L	1
SWB-6	3/1/2006	Fluoride	=	2.6	0.016	0.1	MG/L	1
SWB-6	6/1/2006	Fluoride	=	3.5	0.016	0.1	MG/L	1
SWB-6	12/5/2006	Fluoride	=	4.1	0.064	0.4	MG/L	4
SWB-6	3/2/2007	Fluoride	=	2.7	0.016	0.1	MG/L	1 J
SWB-6	6/9/2008	Fluoride	=	3.5	0.035	0.1	MG/L	1
SWB-6	3/6/2008	Fluoride	=	2.1	0.035	0.1	MG/L	1
SWB-6	12/5/2008	Fluoride	<		6	10	MG/L	100
SWB-6	3/2/2009	Fluoride	=	2.2	1.2	2	MG/L	20
SWB-6	6/5/2009	Fluoride	=	5.4	3	5	MG/L	50
SWB-6	3/2/2010	Fluoride	=	3.4	1.2	2	MG/L	20
SWB-6	6/2/2010	FLUORIDE	TR	3.5	3	5	MG/L	50 J
SWB-7	3/4/2003	Fluoride	=	1.8	0.016	0.1	mg/L	1
SWB-7	6/3/2003	Fluoride	=	1.8	0.016	0.1	mg/L	1 J
SWB-7	3/1/2004	Fluoride	=	1.4	0.016	0.1	mg/L	1
SWB-7	5/24/2004	Fluoride	=	1.2	0.016	0.1	mg/L	1 J
SWB-7	12/1/2004	Fluoride	=	1.9	0.017	0.1	mg/L	1
SWB-7	3/7/2005	Fluoride	=	0.99	0.017	0.1	mg/L	1
SWB-7	6/1/2005	Fluoride	=	0.73	0.0057	0.1	mg/L	1
SWB-7	9/1/2005	Fluoride	=	1.1	0.0057	0.1	MG/L	1 J
SWB-7	12/1/2005	Fluoride	=	1.5	0.0057	0.1	MG/L	1
SWB-7	3/1/2006	Fluoride	=	0.77	0.016	0.1	MG/L	1
SWB-7	6/2/2006	Fluoride	=	0.54	0.016	0.1	MG/L	1
SWB-7	9/5/2006	Fluoride	=	1.3	0.016	0.1	MG/L	1
SWB-7	12/5/2006	Fluoride	=	1.7	0.032	0.2	MG/L	2
SWB-7	3/2/2007	Fluoride	=	0.58	0.016	0.1	MG/L	1 J
SWB-7	6/1/2007	Fluoride	=	1.1	0.016	0.1	MG/L	1
SWB-7	9/7/2007	Fluoride	=	2	0.08	0.5	MG/L	5
SWB-7	12/3/2007	Fluoride	=	1.5	0.016	0.1	MG/L	1
SWB-7	3/6/2008	Fluoride	=	0.74	0.035	0.1	MG/L	1
SWB-7	6/6/2008	Fluoride	=	0.26	0.035	0.1	MG/L	1
SWB-7	9/8/2008	Fluoride	=	1.9	0.6	1	MG/L	10
SWB-7	12/5/2008	Fluoride	TR	1.4	1.2	2	MG/L	20 J
SWB-7	3/2/2009	Fluoride	=	0.76	0.3	0.5	MG/L	5
SWB-7	6/5/2009	Fluoride	=	1.4	0.6	1	MG/L	10
SWB-7	9/9/2009	Fluoride	=	1.8	0.6	1	MG/L	10
SWB-7	12/1/2009	Fluoride	=	2.2	0.6	1	MG/L	10
SWB-7	3/2/2010	Fluoride	TR	0.41	0.3	0.5	MG/L	5 J
SWB-7	6/1/2010	FLUORIDE	=	1.6	0.3	0.5	MG/L	5
SWB-7	9/9/2010	FLUORIDE	=	1.8	0.6	1	MG/L	10
SWB-7	12/1/2010	FLUORIDE	=	1.8	0.6	1	MG/L	10
SWB-8	3/5/2004	Fluoride	<	0.13	0.016	0.13	mg/L	1 U
SWB-8	3/7/2005	Fluoride	=	0.24	0.017	0.1	mg/L	1
SWB-8	6/1/2005	Fluoride	=	0.38	0.0057	0.1	mg/L	1
SWB-8	3/1/2006	Fluoride	=	0.34	0.016	0.1	MG/L	1
SWB-8	3/7/2008	Fluoride	=	0.22	0.035	0.1	MG/L	1
SWB-8	3/3/2009	Fluoride	<		0.3	0.5	MG/L	5
SWB-9	3/4/2003	Fluoride	=	0.38	0.016	0.1	mg/L	1
SWB-9	12/3/2003	Fluoride	=	0.3	0.016	0.1	mg/L	1 J

tmpAnalyticalResultsOverTime

SWB-9	3/5/2004	Fluoride	=	0.16	0.016	0.1	mg/L	1	
SWB-9	5/27/2004	Fluoride	=	0.42	0.016	0.1	mg/L	1	J
SWB-9	12/1/2004	Fluoride	=	0.24	0.017	0.1	mg/L	1	
SWB-9	3/3/2005	Fluoride	<	0.32	0.017	0.32	mg/L	1	U
SWB-9	6/2/2005	Fluoride	=	0.38	0.0057	0.1	mg/L	1	
SWB-9	9/1/2005	Fluoride	=	0.26	0.0057	0.1	MG/L	1	J
SWB-9	12/1/2005	Fluoride	=	0.26	0.0057	0.1	MG/L	1	
SWB-9	3/2/2006	Fluoride	=	0.37	0.016	0.1	MG/L	1	
SWB-9	6/1/2006	Fluoride	=	0.47	0.016	0.1	MG/L	1	
SWB-9	12/4/2006	Fluoride	=	0.73	0.064	0.4	MG/L	4	
SWB-9	3/5/2007	Fluoride	=	0.25	0.016	0.1	MG/L	1	J
SWB-9	3/6/2008	Fluoride	=	0.25	0.035	0.1	MG/L	1	
SWB-9	6/5/2008	Fluoride	<	0.16	0.035	0.16	MG/L	1	U
SWB-9	12/5/2008	Fluoride	<		6	10	MG/L	100	
SWB-9	3/2/2009	Fluoride	<		1.2	2	MG/L	20	
SWB-9	6/2/2009	Fluoride	<		6	50	MG/L	100	
SWB-9	3/1/2010	Fluoride	<	2	1.2	2	mg/L	20	
SWB-9	6/1/2010	FLUORIDE	<	6	6	10	MG/L	100	
SWB-9	12/1/2010	FLUORIDE	<	1.2	1.2	2	MG/L	20	
SWB-10	3/4/2004	Gross Alpha	<	3.3		9.2	5.4 pCi/L	1	U
SWB-10	5/24/2004	Gross Alpha	<	6.3		12	7.2 pCi/L	1	UJ
SWB-10	12/1/2004	Gross Alpha	=	10.9		7.5	5.8 pCi/L	1	
SWB-10	3/3/2005	Gross Alpha	=	5.5		0.9	1.1 pCi/L	1	J
SWB-10	6/2/2005	Gross Alpha	=	2.4		2.1	1.5 pCi/L	1	J
SWB-10	9/1/2005	Gross Alpha	<	0.8		1.9	1.2 pCi/L	1	UJ
SWB-10	3/2/2006	Gross Alpha	=	7		1.3	1.9 pCi/L	1	
SWB-10	6/2/2006	GROSS ALPHA	=	4.1		1.3	1.4 pCi/L	1	
SWB-10	3/1/2007	Gross Alpha	=	4.7		1.3	1.5 pCi/L	1	J
SWB-10	3/7/2008	Gross Alpha	=	1.46		1.2	0.93 pCi/L	1	J
SWB-10	6/5/2008	Gross Alpha	<	7		14	8.6 pCi/L	2	
SWB-10	3/2/2009	Gross Alpha	=	3.8		1.3	1.3 pCi/L	1	J
SWB-10	6/4/2009	Gross Alpha	=	4.7		3.2	2.7 pCi/L	1	
SWB-10	3/2/2010	Gross Alpha	<	3.5		4.6	3.1 PCI/L	1	
SWB-11	3/4/2004	Gross Alpha	=	37		10	12 pCi/L	1	
SWB-11	5/24/2004	Gross Alpha	=	11.6		8.8	6.8 pCi/L	1	J
SWB-11	12/1/2004	Gross Alpha	=	13.6		7.6	6.2 pCi/L	1	
SWB-11	3/1/2005	Gross Alpha	=	17.8		0.9	2.4 pCi/L	1	J
SWB-11	6/2/2005	Gross Alpha	=	12.4		1.9	2.7 pCi/L	1	
SWB-11	3/2/2006	Gross Alpha	=	15.8		1	2.7 pCi/L	1	
SWB-11	6/1/2006	GROSS ALPHA	=	14.9		1.7	3 pCi/L	1	
SWB-11	3/1/2007	Gross Alpha	=	8.5		1.7	2.2 pCi/L	1	J
SWB-11	3/7/2008	Gross Alpha	=	4.1		1.3	1.4 pCi/L	1	J
SWB-11	6/5/2008	Gross Alpha	=	79		10	17 pCi/L	2	
SWB-11	3/2/2009	Gross Alpha	=	8.9		1.3	1.8 pCi/L	1	J
SWB-11	6/4/2009	Gross Alpha	=	4		1.6	1.4 pCi/L	1	
SWB-11	3/1/2010	Gross Alpha	=	22.3		2.2	4.4 PCI/L	1	
SWB-11	6/2/2010	Gross Alpha	<	3.2		3.8	2.5 PCI/L	1	
SWB-2	6/21/2000	GROSS ALPHA	=	344		92.8	189 pCi/L		
SWB-3	6/21/2000	GROSS ALPHA	<	239		239	168 pCi/L	1	
SWB-3	10/29/2002	Gross Alpha	<	4		190	100 pCi/L	1	U
SWB-3	3/4/2003	Gross Alpha	<	210		670	390 pCi/L	1	U
SWB-3	6/3/2003	Gross Alpha	=	50.2		2.2	6.5 pCi/L	1	J
SWB-3	9/4/2003	Gross Alpha	=	670		4	72 pCi/L	1	J
SWB-3	12/2/2003	Gross Alpha	=	74		13	18 pCi/L	1	
SWB-3	3/1/2004	Gross Alpha	=	12		11	8.2 pCi/L	1	
SWB-3	6/1/2004	Gross Alpha	=	42		9	11 pCi/L	1	J
SWB-3	9/1/2004	Gross Alpha	=	36		15	14 pCi/L	1	

NA

tmpAnalyticalResultsOverTime

SWB-3	12/1/2004	Gross Alpha	=	28.3	6	7.6 pCi/L	1
SWB-3	3/3/2005	Gross Alpha	=	16.5	1	2.3 pCi/L	1 J
SWB-3	6/2/2005	Gross Alpha	=	10.9	2.3	3 pCi/L	1
SWB-3	9/1/2005	Gross Alpha	=	22.2	2.8	4.5 pCi/L	1 J
SWB-3	12/1/2005	Gross Alpha	=	21.4	2.7	4.3 pCi/L	1
SWB-3	3/2/2006	Gross Alpha	=	6	1.3	1.7 pCi/L	1
SWB-3	6/2/2006	GROSS ALPHA	=	11.2	1.2	2.3 pCi/L	1
SWB-3	9/5/2006	Gross Alpha	=	35	9	11 pCi/L	1 J
SWB-3	12/4/2006	Gross Alpha	=	5.2	1.1	1.5 pCi/L	1 J
SWB-3	3/1/2007	Gross Alpha	=	10.6	1.9	2.5 pCi/L	1 J
SWB-3	6/1/2007	Gross Alpha	=	5.1	1.3	1.4 pCi/L	1
SWB-3	12/3/2007	Gross Alpha	=	4.7	1.5	1.5 pCi/L	1 J
SWB-3	3/6/2008	Gross Alpha	=	2.54	0.96	0.95 pCi/L	1 J
SWB-3	6/9/2008	Gross Alpha	=	12.4	1.8	3.1 pCi/L	1
SWB-3	12/4/2008	Gross Alpha	<	6	25	14 pCi/L	1 U
SWB-3	3/2/2009	Gross Alpha	=	10.1	1.5	1.9 pCi/L	1 J
SWB-3	6/4/2009	Gross Alpha	=	5.1	3	2.5 pCi/L	1
SWB-3	12/1/2009	Gross Alpha	=	8.1	1.6	1.8 PCI/L	1 J
SWB-3	3/1/2010	Gross Alpha	=	11	2.7	3.3 PCI/L	1
SWB-3	6/1/2010	Gross Alpha	=	6.5	1.7	1.9 PCI/L	1
SWB-3	9/9/2010	Gross Alpha	=	27	11	11 PCI/L	1
SWB-4	11/15/2002	Gross Alpha	<	30	410	210 pCi/L	1 U
SWB-5	10/29/2002	Gross Alpha	<	-20	1300	690 pCi/L	1 U
SWB-6	3/4/2003	Gross Alpha	<	-220	1100	500 pCi/L	1 U
SWB-6	6/3/2003	Gross Alpha	=	8	2	2 pCi/L	1 J
SWB-6	12/3/2003	Gross Alpha	=	155	15	29 pCi/L	1
SWB-6	3/5/2004	Gross Alpha	=	32	14	13 pCi/L	1
SWB-6	6/1/2004	Gross Alpha	=	57	21	20 pCi/L	1 J
SWB-6	12/1/2004	Gross Alpha	=	96	7	16 pCi/L	1
SWB-6	3/7/2005	Gross Alpha	=	42.3	1.8	5 pCi/L	1 J
SWB-6	6/1/2005	Gross Alpha	=	17.9	1.8	3.2 pCi/L	1
SWB-6	12/2/2005	Gross Alpha	=	10.7	7.4	5.7 pCi/L	1
SWB-6	3/1/2006	Gross Alpha	=	18.8	1	3.1 pCi/L	1
SWB-6	6/1/2006	GROSS ALPHA	=	16.1	1.6	3.1 pCi/L	1
SWB-6	12/5/2006	Gross Alpha	=	50.6	1.6	6.8 pCi/L	1
SWB-6	3/2/2007	Gross Alpha	=	6.2	2	2 pCi/L	1 J
SWB-6	6/9/2008	Gross Alpha	=	12.8	5.2	5.4 pCi/L	1
SWB-6	3/6/2008	Gross Alpha	=	12.2	1.1	2.3 pCi/L	1
SWB-6	12/5/2008	Gross Alpha	=	70	13	20 pCi/L	1
SWB-6	3/2/2009	Gross Alpha	=	19.8	1.8	3.2 pCi/L	1 J
SWB-6	6/5/2009	Gross Alpha	=	15.4	2.7	4.1 pCi/L	1
SWB-6	3/2/2010	Gross Alpha	=	28.6	6.5	8.1 PCI/L	2
SWB-6	6/2/2010	Gross Alpha	=	3.5	3.2	2.2 PCI/L	1
SWB-7	3/4/2003	Gross Alpha	<	230	710	410 pCi/L	1 U
SWB-7	6/3/2003	Gross Alpha	=	7.7	2.3	2 pCi/L	1 J
SWB-7	3/1/2004	Gross Alpha	<	5.3	11	6.7 pCi/L	1 U
SWB-7	5/24/2004	Gross Alpha	=	13.1	11	8 pCi/L	1 J
SWB-7	12/1/2004	Gross Alpha	<	4.7	7.5	4.8 pCi/L	1 U
SWB-7	3/7/2005	Gross Alpha	=	3.28	0.42	0.6 pCi/L	1 J
SWB-7	6/1/2005	Gross Alpha	=	2.22	1.2	0.95 pCi/L	1 J
SWB-7	9/1/2005	Gross Alpha	=	8.6	2.6	2.8 pCi/L	1 J
SWB-7	12/1/2005	Gross Alpha	<	2.8	2.8	1.9 pCi/L	1 U
SWB-7	3/1/2006	Gross Alpha	=	3.4	0.8	1 pCi/L	1
SWB-7	6/2/2006	GROSS ALPHA	=	4.8	1.8	1.7 pCi/L	1
SWB-7	9/5/2006	Gross Alpha	=	1.96	1.2	0.997 pCi/L	1 J
SWB-7	12/5/2006	Gross Alpha	=	3	1.1	1.2 pCi/L	1
SWB-7	3/2/2007	Gross Alpha	<	0.51	1	0.55 pCi/L	1 UJ

tmpAnalyticalResultsOverTime

SWB-7	6/1/2007	Gross Alpha	=	1.84	0.85	0.78 pCi/L	1	J	
SWB-7	9/7/2007	Gross Alpha	=	4.4	2	1.7 pCi/L	1		
SWB-7	12/3/2007	Gross Alpha	=	2.6	1.3	1.2 pCi/L	1	J	
SWB-7	3/6/2008	Gross Alpha	=	1.33	0.94	0.76 pCi/L	1	J	
SWB-7	6/6/2008	Gross Alpha	=	13.3	4.3	4.7 pCi/L	1		
SWB-7	9/8/2008	Gross Alpha	=	6.5	2.3	2.5 pCi/L	1		
SWB-7	12/5/2008	Gross Alpha	=	16	14	11 pCi/L	1		
SWB-7	3/2/2009	Gross Alpha	=	3.3	1.7	1.4 pCi/L	1	J	
SWB-7	6/5/2009	Gross Alpha	=	8.3	2.3	2.2 pCi/L	1		
SWB-7	9/9/2009	Gross Alpha	=	5.5	1.7	1.6 PCI/L	1		
SWB-7	12/1/2009	Gross Alpha	=	10.8	2.3	2.5 PCI/L	1	J	
SWB-7	3/2/2010	Gross Alpha	<	0.7	2.3	1.3 PCI/L	1		
SWB-7	6/1/2010	Gross Alpha	=	1.7	1.3	1 PCI/L	1		
SWB-7	9/9/2010	Gross Alpha	<	0	6.3	3 PCI/L	1		
SWB-7	12/1/2010	Gross Alpha	<	3.7	4.6	3 PCI/L	1		
SWB-8	3/5/2004	Gross Alpha	<	3.7	12	6.9 pCi/L	1	U	
SWB-8	3/7/2005	Gross Alpha	=	4.8	1.5	1.3 pCi/L	1	J	
SWB-8	6/1/2005	Gross Alpha	<	0.9	2.6	1.5 pCi/L	1	U	
SWB-8	3/1/2006	Gross Alpha	=	4.8	1	1.3 pCi/L	1		
SWB-8	3/7/2008	Gross Alpha	=	2	1.8	1.3 pCi/L	1	J	
SWB-8	3/3/2009	Gross Alpha	=	4.2	2.9	2.4 pCi/L	1	J	
SWB-9	3/4/2003	Gross Alpha	<	-60	1000	520 pCi/L	1	U	
SWB-9	12/3/2003	Gross Alpha	<	1.1	18	9.7 pCi/L	1	U	
SWB-9	3/5/2004	Gross Alpha	=	14.9	12	8.9 pCi/L	1		
SWB-9	5/27/2004	Gross Alpha	<	16	29	18 pCi/L	1	UJ	
SWB-9	12/1/2004	Gross Alpha	=	29.5	8.1	8.5 pCi/L	1		
SWB-9	3/3/2005	Gross Alpha	=	17.9	1.8	2.8 pCi/L	1	J	
SWB-9	6/2/2005	Gross Alpha	=	3.5	2.1	1.7 pCi/L	1		
SWB-9	9/1/2005	Gross Alpha	<	1.8	2.8	1.8 pCi/L	1	UJ	
SWB-9	12/1/2005	Gross Alpha	=	7.6	7.2	5.1 pCi/L	1		
SWB-9	3/2/2006	Gross Alpha	=	10.3	3.1	2.8 pCi/L	1		
SWB-9	6/1/2006	GROSS ALPHA	=	2.3	1.2	1.1 pCi/L	1	J	
SWB-9	12/4/2006	Gross Alpha	=	1.4	1.1	0.84 pCi/L	1	J	
SWB-9	3/5/2007	Gross Alpha	<	0.9	2.3	1.2 pCi/L	1	UJ	
SWB-9	3/6/2008	Gross Alpha	=	1.35	0.87	0.74 pCi/L	1	J	
SWB-9	6/5/2008	Gross Alpha	<	5.1	17	9.5 pCi/L	1	UJ	
SWB-9	12/5/2008	Gross Alpha	<	11.9	14	9.9 pCi/L	1		
SWB-9	3/2/2009	Gross Alpha	=	14.1	2.3	3 pCi/L	1	J	
SWB-9	6/2/2009	Gross Alpha	<	3.9	7.8	4.8 pCi/L	1		
SWB-9	3/1/2010	Gross Alpha	=	12.4	2.3	3.4 PCI/L	1		
SWB-9	6/1/2010	Gross Alpha	<	2.6	3.5	2.3 PCI/L	1		
SWB-9	12/1/2010	Gross Alpha	=	19.5	3.8	4.5 PCI/L	1		
SWB-10	3/4/2004	Gross Beta	=	123	34	30 pCi/L	1	J	NA
SWB-10	5/24/2004	Gross Beta	=	510	380	250 pCi/L	1		
SWB-10	12/1/2004	Gross Beta	=	312	68	61 pCi/L	1		
SWB-10	3/3/2005	Gross Beta	=	291	71	61 pCi/L	1		
SWB-10	6/2/2005	Gross Beta	=	231	85	63 pCi/L	1		
SWB-10	9/1/2005	Gross Beta	=	1420	200	230 pCi/L	1	J	
SWB-10	3/2/2006	Gross Beta	=	290	150	110 pCi/L	1		
SWB-10	6/2/2006	GROSS BETA	=	1030	480	330 pCi/L	1		
SWB-10	3/1/2007	Gross Beta	=	341	100	72 pCi/L	1	J	
SWB-10	3/7/2008	Gross Beta	=	344	77	68 pCi/L	1		
SWB-10	6/5/2008	Gross Beta	=	3510	700	630 pCi/L	1		
SWB-10	3/2/2009	Gross Beta	=	268	75	66 pCi/L	1		
SWB-10	6/4/2009	Gross Beta	=	1530	190	240 pCi/L	1		
SWB-10	3/2/2010	Gross Beta	=	440	160	120 PCI/L	1		
SWB-11	3/4/2004	Gross Beta	=	127	51	39 pCi/L	1	J	

tmpAnalyticalResultsOverTime

SWB-11	5/24/2004	Gross Beta	=	630	380	260 pCi/L	1
SWB-11	12/1/2004	Gross Beta	=	257	80	62 pCi/L	1
SWB-11	3/1/2005	Gross Beta	=	316	100	79 pCi/L	1
SWB-11	6/2/2005	Gross Beta	=	419	110	90 pCi/L	1
SWB-11	3/2/2006	Gross Beta	<	220	240	150 pCi/L	1 U
SWB-11	6/1/2006	GROSS BETA	=	740	380	270 pCi/L	1
SWB-11	3/1/2007	Gross Beta	=	432	99	79 pCi/L	1 J
SWB-11	3/7/2008	Gross Beta	=	273	49	47 pCi/L	1
SWB-11	6/5/2008	Gross Beta	=	1660	350	310 pCi/L	1
SWB-11	3/2/2009	Gross Beta	=	142	59	46 pCi/L	1
SWB-11	6/4/2009	Gross Beta	=	1050	120	160 pCi/L	1
SWB-11	3/1/2010	Gross Beta	=	154	110	77 PCI/L	1
SWB-11	6/2/2010	Gross Beta	=	6650	680	840 PCI/L	1
SWB-2	6/21/2000	GROSS BETA	=	382	45.3	43.6 pCi/L	
SWB-3	6/21/2000	GROSS BETA	=	564	320	207 pCi/L	1
SWB-3	10/29/2002	Gross Beta	=	228	130	90 pCi/L	1
SWB-3	3/4/2003	Gross Beta	<	550	780	480 pCi/L	1 U
SWB-3	6/3/2003	Gross Beta	=	1050	230	190 pCi/L	1
SWB-3	9/4/2003	Gross Beta	=	1240	400	310 pCi/L	1
SWB-3	12/2/2003	Gross Beta	=	300	190	130 pCi/L	1
SWB-3	3/1/2004	Gross Beta	=	34	19	13 pCi/L	1
SWB-3	6/1/2004	Gross Beta	=	159	130	85 pCi/L	1
SWB-3	9/1/2004	Gross Beta	=	850	230	190 pCi/L	1
SWB-3	12/1/2004	Gross Beta	=	71	50	34 pCi/L	1
SWB-3	3/3/2005	Gross Beta	=	173	47	39 pCi/L	1
SWB-3	6/2/2005	Gross Beta	=	140	45	35 pCi/L	1
SWB-3	9/1/2005	Gross Beta	=	282	65	59 pCi/L	1 J
SWB-3	12/1/2005	Gross Beta	=	390	130	100 pCi/L	1
SWB-3	3/2/2006	Gross Beta	=	133	120	78 pCi/L	1
SWB-3	6/2/2006	GROSS BETA	<	110	210	130 pCi/L	1 U
SWB-3	9/5/2006	Gross Beta	=	780	380	270 pCi/L	1
SWB-3	12/4/2006	Gross Beta	=	161	100	68 pCi/L	1
SWB-3	3/1/2007	Gross Beta	=	194	98	59 pCi/L	1 J
SWB-3	6/1/2007	Gross Beta	=	94	37	23 pCi/L	1
SWB-3	12/3/2007	Gross Beta	=	111	42	31 pCi/L	1
SWB-3	3/6/2008	Gross Beta	=	21.1	5.7	5.1 pCi/L	1
SWB-3	6/9/2008	Gross Beta	=	106	33	26 pCi/L	1
SWB-3	12/4/2008	Gross Beta	=	97	41	33 pCi/L	1
SWB-3	3/2/2009	Gross Beta	=	58	34	25 pCi/L	1
SWB-3	6/4/2009	Gross Beta	=	80	22	20 pCi/L	1
SWB-3	12/1/2009	Gross Beta	=	94	84	55 PCI/L	1
SWB-3	3/1/2010	Gross Beta	<	54	59	38 PCI/L	1
SWB-3	6/1/2010	Gross Beta	=	186	94	66 PCI/L	1
SWB-3	9/9/2010	Gross Beta	=	138	93	68 PCI/L	1
SWB-4	11/15/2002	Gross Beta	=	950	390	290 pCi/L	1
SWB-5	10/29/2002	Gross Beta	=	1200	720	490 pCi/L	1
SWB-6	3/4/2003	Gross Beta	=	24700	900	2800 pCi/L	1
SWB-6	6/3/2003	Gross Beta	=	446	39	56 pCi/L	1
SWB-6	12/3/2003	Gross Beta	=	1640	390	340 pCi/L	1
SWB-6	3/5/2004	Gross Beta	=	183	52	45 pCi/L	1 J
SWB-6	6/1/2004	Gross Beta	=	830	390	280 pCi/L	1
SWB-6	12/1/2004	Gross Beta	=	900	200	180 pCi/L	1
SWB-6	3/7/2005	Gross Beta	=	350	68	65 pCi/L	1
SWB-6	6/1/2005	Gross Beta	=	316	63	59 pCi/L	1
SWB-6	12/2/2005	Gross Beta	=	1320	410	320 pCi/L	1
SWB-6	3/1/2006	Gross Beta	=	398	120	99 pCi/L	1
SWB-6	6/1/2006	GROSS BETA	=	520	210	150 pCi/L	1

tmpAnalyticalResultsOverTime

SWB-6	12/5/2006	Gross Beta	=	770	200	170 pCi/L	1
SWB-6	3/2/2007	Gross Beta	=	870	190	160 pCi/L	1 J
SWB-6	6/9/2008	Gross Beta	=	1350	160	180 pCi/L	1
SWB-6	3/6/2008	Gross Beta	=	397	75	70 pCi/L	1
SWB-6	12/5/2008	Gross Beta	=	880	220	200 pCi/L	1
SWB-6	3/2/2009	Gross Beta	=	295	99	85 pCi/L	1
SWB-6	6/5/2009	Gross Beta	=	650	100	120 pCi/L	1
SWB-6	3/2/2010	Gross Beta	=	820	320	240 PCI/L	1
SWB-6	6/2/2010	Gross Beta	=	1020	330	260 PCI/L	1
SWB-7	3/4/2003	Gross Beta	<	160	730	430 pCi/L	1 U
SWB-7	6/3/2003	Gross Beta	=	147	23	23 pCi/L	1
SWB-7	3/1/2004	Gross Beta	=	53.5	9.8	9.6 pCi/L	1
SWB-7	5/24/2004	Gross Beta	=	327	93	76 pCi/L	1
SWB-7	12/1/2004	Gross Beta	=	140	32	28 pCi/L	1
SWB-7	3/7/2005	Gross Beta	=	153	23	25 pCi/L	1
SWB-7	6/1/2005	Gross Beta	=	128	24	23 pCi/L	1
SWB-7	9/1/2005	Gross Beta	=	265	37	43 pCi/L	1 J
SWB-7	12/1/2005	Gross Beta	=	229	57	51 pCi/L	1
SWB-7	3/1/2006	Gross Beta	=	67	40	28 pCi/L	1
SWB-7	6/2/2006	GROSS BETA	=	328	95	77 pCi/L	1
SWB-7	9/5/2006	Gross Beta	=	300	94	74 pCi/L	1
SWB-7	12/5/2006	Gross Beta	=	135	47	36 pCi/L	1
SWB-7	3/2/2007	Gross Beta	=	56	15	11 pCi/L	1 J
SWB-7	6/1/2007	Gross Beta	=	199	43	35 pCi/L	1
SWB-7	9/7/2007	Gross Beta	=	246	67	50 pCi/L	1
SWB-7	12/3/2007	Gross Beta	=	173	41	35 pCi/L	1
SWB-7	3/6/2008	Gross Beta	=	90	14	15 pCi/L	1
SWB-7	6/6/2008	Gross Beta	=	156	27	29 pCi/L	1
SWB-7	9/8/2008	Gross Beta	=	146	53	44 pCi/L	1
SWB-7	12/5/2008	Gross Beta	=	116	44	36 pCi/L	1
SWB-7	3/2/2009	Gross Beta	=	105	42	34 pCi/L	1
SWB-7	6/5/2009	Gross Beta	=	146	18	23 pCi/L	1
SWB-7	9/9/2009	Gross Beta	<	-22	56	30 PCI/L	1
SWB-7	12/1/2009	Gross Beta	=	206	81	60 PCI/L	1
SWB-7	3/2/2010	Gross Beta	=	42	14	11 PCI/L	1
SWB-7	6/1/2010	Gross Beta	=	167	46	38 PCI/L	1
SWB-7	9/9/2010	Gross Beta	=	218	57	55 PCI/L	1
SWB-7	12/1/2010	Gross Beta	=	146	48	42 PCI/L	1
SWB-8	3/5/2004	Gross Beta	=	133	30	29 pCi/L	1 J
SWB-8	3/7/2005	Gross Beta	=	274	68	59 pCi/L	1
SWB-8	6/1/2005	Gross Beta	=	278	62	55 pCi/L	1
SWB-8	3/1/2006	Gross Beta	=	151	60	47 pCi/L	1
SWB-8	3/7/2008	Gross Beta	=	116	15	18 pCi/L	1
SWB-8	3/3/2009	Gross Beta	=	84	33	25 pCi/L	1
SWB-9	3/4/2003	Gross Beta	<	360	950	570 pCi/L	1 U
SWB-9	12/3/2003	Gross Beta	=	630	380	260 pCi/L	1
SWB-9	3/5/2004	Gross Beta	=	126	66	49 pCi/L	1 J
SWB-9	5/27/2004	Gross Beta	=	1010	730	490 pCi/L	1
SWB-9	12/1/2004	Gross Beta	=	341	97	79 pCi/L	1
SWB-9	3/3/2005	Gross Beta	=	380	190	130 pCi/L	1
SWB-9	6/2/2005	Gross Beta	=	520	200	150 pCi/L	1
SWB-9	9/1/2005	Gross Beta	=	1810	680	520 pCi/L	1 J
SWB-9	12/1/2005	Gross Beta	=	1480	810	560 pCi/L	1
SWB-9	3/2/2006	Gross Beta	<	130	350	210 pCi/L	1 U
SWB-9	6/1/2006	GROSS BETA	=	1230	790	530 pCi/L	1
SWB-9	12/4/2006	Gross Beta	=	640	190	150 pCi/L	1
SWB-9	3/5/2007	Gross Beta	=	570	130	110 pCi/L	1 J

tmpAnalyticalResultsOverTime

SWB-9	3/6/2008	Gross Beta	=	420		140	110 pCi/L	1		
SWB-9	6/5/2008	Gross Beta	=	3580		660	630 pCi/L	1		
SWB-9	12/5/2008	Gross Beta	=	710		240	200 pCi/L	1		
SWB-9	3/2/2009	Gross Beta	=	390		120	100 pCi/L	1		
SWB-9	6/2/2009	Gross Beta	=	3200		2200	1500 pCi/L	1		
SWB-9	3/1/2010	Gross Beta	=	430		110	100 pCi/L	1		
SWB-9	6/1/2010	Gross Beta	=	1660		620	470 pCi/L	1		
SWB-9	12/1/2010	Gross Beta	=	390		190	150 pCi/L	1		
SWB-3	10/29/2002	Hafnium-DISSOLVED	<		0.1	0.2	mg/L	UJ		NA
SWB-3	3/4/2003	Hafnium-DISSOLVED	<		0.1	0.2	mg/L	U		
SWB-3	9/4/2003	Hafnium-DISSOLVED	=	0.1	0.1	0.2	mg/L	J		
SWB-4	11/15/2002	Hafnium-DISSOLVED	<		0.1	0.2	mg/L	UJ		
SWB-5	10/29/2002	Hafnium-DISSOLVED	<		0.1	0.2	mg/L	UJ		
SWB-6	3/4/2003	Hafnium-DISSOLVED	<		0.1	0.2	mg/L	U		
SWB-7	3/4/2003	Hafnium-DISSOLVED	<		0.1	0.2	mg/L	U		
SWB-9	3/4/2003	Hafnium-DISSOLVED	<		0.1	0.2	mg/L	U		
SWB-10	3/4/2004	Hafnium-TOTAL	<		0.0001	0.01	mg/L	1 UJ		NA
SWB-10	5/24/2004	Hafnium-TOTAL	<		0.0001	0.01	mg/L	1		
SWB-10	12/1/2004	Hafnium-TOTAL	<		0.0001	0.01	mg/L	1		
SWB-10	3/3/2005	Hafnium-TOTAL	<		0.0001	0.01	mg/L	1		
SWB-10	6/2/2005	Hafnium-TOTAL	<		0.0001	0.01	mg/L	1		
SWB-10	9/1/2005	Hafnium-Total	<		0.0002	0.01	mg/l	10		
SWB-10	3/2/2006	Hafnium-TOTAL	<		0.0002	0.01	mg/l	20		
SWB-10	6/2/2006	Hafnium-TOTAL	<		0.004	0.01	mg/l	20		
SWB-10	3/1/2007	Hafnium-TOTAL	<		0.0001	0.01	mg/l	1		
SWB-10	3/7/2008	Hafnium-TOTAL	<		0.0002	0.01	mg/l	20		
SWB-10	6/5/2008	Hafnium-TOTAL	<		0.00005	0.02	mg/l			
SWB-10	3/2/2009	Hafnium-TOTAL	<		0.000106		0.1	MG/L	10	
SWB-10	6/4/2009	Hafnium-TOTAL	<		0.00212		0.2	MG/L	20 U	
SWB-10	3/2/2010	Hafnium-TOTAL	<		0.00565		0.05	MG/L	5	
SWB-11	3/4/2004	Hafnium-TOTAL	<		0.0001	0.01	mg/L	1 UJ		
SWB-11	5/24/2004	Hafnium-TOTAL	<		0.0001	0.01	mg/L	1		
SWB-11	12/1/2004	Hafnium-TOTAL	<		0.0001	0.01	mg/L	1		
SWB-11	3/1/2005	Hafnium-TOTAL	<		0.0001	0.01	mg/L	1		
SWB-11	6/2/2005	Hafnium-TOTAL	<		0.0001	0.01	mg/L	1		
SWB-11	3/2/2006	Hafnium-TOTAL	<		0.0002	0.01	mg/l	20		
SWB-11	6/1/2006	Hafnium-TOTAL	<		0.004	0.01	mg/l	20		
SWB-11	3/1/2007	Hafnium-TOTAL	<		0.0001	0.01	mg/l	1		
SWB-11	3/7/2008	Hafnium-TOTAL	<		0.0002	0.01	mg/l	20		
SWB-11	6/5/2008	Hafnium-TOTAL	<		0.00005	0.02	mg/l			
SWB-11	3/2/2009	Hafnium-TOTAL	<		0.000106		0.1	MG/L	10	
SWB-11	6/4/2009	Hafnium-TOTAL	<		0.00212		0.2	MG/L	20 U	
SWB-11	3/1/2010	Hafnium-TOTAL	TR	0.0078	0.00565		0.05	MG/L	5 J	
SWB-11	6/2/2010	Hafnium-TOTAL	<		0.0113		0.1	MG/L	10	
SWB-3	10/29/2002	Hafnium-TOTAL	<		0.1	0.2	mg/L	UJ		
SWB-3	3/4/2003	Hafnium-TOTAL	<		0.1	0.2	mg/L	U		
SWB-3	6/3/2003	Hafnium-TOTAL	<		0.1	0.2	mg/L	U		
SWB-3	9/4/2003	Hafnium-TOTAL	=	0.2	0.1	0.2	mg/L	J		
SWB-3	12/2/2003	Hafnium-TOTAL	<		0.0007	0.01	mg/L	J		
SWB-3	3/1/2004	Hafnium-TOTAL	<		0.0001	0.01	mg/L	1 UJ		
SWB-3	6/1/2004	Hafnium-TOTAL	<		0.0001	0.01	mg/L	1		
SWB-3	9/1/2004	Hafnium-TOTAL	<		0.0001	0.01	mg/L	1		
SWB-3	12/1/2004	Hafnium-TOTAL	<		0.0001	0.01	mg/L	1		
SWB-3	3/3/2005	Hafnium-TOTAL	<		0.0001	0.01	mg/L	1		
SWB-3	6/2/2005	Hafnium-TOTAL	<		0.0001	0.01	mg/L	1		
SWB-3	9/1/2005	Hafnium-Total	<		0.0002	0.01	mg/l	10		
SWB-3	12/1/2005	Hafnium-TOTAL	<		0.0001	0.01	mg/l	1		



tmpAnalyticalResultsOverTime

SWB-3	3/2/2006	Hafnium-TOTAL	<		0.0002	0.01		mg/l	20
SWB-3	6/2/2006	Hafnium-TOTAL	<		0.004	0.01		mg/l	20
SWB-3	9/5/2006	Hafnium-TOTAL	<		0.0002	0.01		mg/l	20
SWB-3	12/4/2006	Hafnium-TOTAL	=	0.015	0.0002	0.01		mg/L	50
SWB-3	3/1/2007	Hafnium-TOTAL	<		0.0001	0.01		mg/l	1
SWB-3	6/1/2007	Hafnium-TOTAL	<		0.0002	0.01		mg/l	20
SWB-3	12/3/2007	Hafnium-TOTAL	<		0.0002	0.01		mg/l	20 U
SWB-3	3/6/2008	Hafnium-TOTAL	<		0.0002	0.01		mg/l	20
SWB-3	6/9/2008	Hafnium-TOTAL	<		0.00005	0.01		mg/l	
SWB-3	3/2/2009	Hafnium-TOTAL	TR	0.0014	0.000106		0.1	MG/L	10
SWB-3	6/4/2009	Hafnium-TOTAL	<		0.00212		0.2	MG/L	20 U
SWB-3	12/1/2009	Hafnium-TOTAL	TR	0.01	0.001		0.01	MG/L	1 U
SWB-3	3/1/2010	Hafnium-TOTAL	TR	0.0371	0.00565		0.05	MG/L	5 J
SWB-3	6/1/2010	Hafnium-TOTAL	<		0.00113		0.1	MG/L	10
SWB-3	9/9/2010	Hafnium-TOTAL	<		0.0011	0.01	0.01	MG/L	1
SWB-4	11/15/2002	Hafnium-TOTAL	<		0.1	0.2		mg/L	U
SWB-5	10/29/2002	Hafnium-TOTAL	<		0.1	0.2		mg/L	U
SWB-6	3/4/2003	Hafnium-TOTAL	<		0.1	0.2		mg/L	U
SWB-6	6/3/2003	Hafnium-TOTAL	<		0.1	0.2		mg/L	U
SWB-6	12/3/2003	Hafnium-TOTAL	<		0.0007	0.01		mg/L	J
SWB-6	3/5/2004	Hafnium-TOTAL	<		0.0001	0.01		mg/L	1 UJ
SWB-6	6/1/2004	Hafnium-TOTAL	<		0.0001	0.01		mg/L	1
SWB-6	12/1/2004	Hafnium-TOTAL	<		0.0001	0.01		mg/L	1
SWB-6	3/7/2005	Hafnium-TOTAL	<		0.0001	0.01		mg/L	1
SWB-6	6/1/2005	Hafnium-TOTAL	<		0.0001	0.01		mg/L	1
SWB-6	12/2/2005	Hafnium-TOTAL	<		0.0001	0.01		mg/l	1
SWB-6	3/1/2006	Hafnium-TOTAL	<		0.0002	0.01		mg/l	20
SWB-6	6/1/2006	Hafnium-TOTAL	<		0.004	0.01		mg/l	20
SWB-6	12/5/2006	Hafnium-TOTAL	<		0.0002	0.01		mg/L	50
SWB-6	3/2/2007	Hafnium-TOTAL	<		0.0001	0.01		mg/l	1
SWB-6	6/9/2008	Hafnium-TOTAL	<		0.00005	0.01		mg/l	
SWB-6	3/6/2008	Hafnium-TOTAL	<		0.0002	0.01		mg/l	20
SWB-6	12/5/2008	Hafnium-TOTAL	<		4		0.01	mg/L	
SWB-6	3/2/2009	Hafnium-TOTAL	<		0.000106		0.1	MG/L	10
SWB-6	6/5/2009	Hafnium-TOTAL	TR	0.014	0.00212		0.2	MG/L	20 J
SWB-6	3/2/2010	Hafnium-TOTAL	TR	0.0115	0.00565		0.05	MG/L	5 J
SWB-6	6/2/2010	Hafnium-TOTAL	<		0.0113		0.1	MG/L	10
SWB-7	3/4/2003	Hafnium-TOTAL	<		0.1	0.2		mg/L	U
SWB-7	6/3/2003	Hafnium-TOTAL	<		0.1	0.2		mg/L	U
SWB-7	3/1/2004	Hafnium-TOTAL	<		0.0001	0.01		mg/L	1 UJ
SWB-7	5/24/2004	Hafnium-TOTAL	<		0.0001	0.01		mg/L	1
SWB-7	12/1/2004	Hafnium-TOTAL	<		0.0001	0.01		mg/L	1
SWB-7	3/7/2005	Hafnium-TOTAL	<		0.0001	0.01		mg/L	1
SWB-7	6/1/2005	Hafnium-TOTAL	<		0.0001	0.01		mg/L	1
SWB-7	9/1/2005	Hafnium-Total	<		0.0002	0.01		mg/l	10
SWB-7	12/1/2005	Hafnium-TOTAL	<		0.0001	0.01		mg/l	1
SWB-7	3/1/2006	Hafnium-TOTAL	<		0.0002	0.01		mg/l	20
SWB-7	6/2/2006	Hafnium-TOTAL	<		0.004	0.01		mg/l	20
SWB-7	9/5/2006	Hafnium-TOTAL	<		0.0002	0.01		mg/l	20
SWB-7	12/5/2006	Hafnium-TOTAL	<		0.0002	0.01		mg/L	50
SWB-7	3/2/2007	Hafnium-TOTAL	<		0.0001	0.01		mg/l	1
SWB-7	6/1/2007	Hafnium-TOTAL	<		0.0002	0.01		mg/l	20
SWB-7	9/7/2007	Hafnium-TOTAL	<		0.0002	0.01		mg/l	20 U
SWB-7	12/3/2007	Hafnium-TOTAL	<		0.0002	0.01		mg/l	20 U
SWB-7	3/6/2008	Hafnium-TOTAL	<		0.0002	0.01		mg/l	20
SWB-7	6/6/2008	Hafnium-TOTAL	<		0.00005	0.01		mg/l	
SWB-7	9/8/2008	Hafnium-TOTAL	<		0.00005	0.01		mg/l	20

tmpAnalyticalResultsOverTime

SWB-7	12/5/2008	Hafnium-TOTAL	<		1	0.0025	mg/L			
SWB-7	3/2/2009	Hafnium-TOTAL	<		0.000106	0.1	MG/L	10		
SWB-7	6/5/2009	Hafnium-TOTAL	<		0.00212	0.2	MG/L	20		
SWB-7	9/9/2009	Hafnium-TOTAL	TR	0.0031	0.00053	0.05	0.05	MG/L	5 J	
SWB-7	12/1/2009	Hafnium-TOTAL	TR	0.01	0.00053		0.01	MG/L	1 U	
SWB-7	3/2/2010	Hafnium-TOTAL	<		0.00565		0.05	MG/L	5	
SWB-7	6/1/2010	Hafnium-TOTAL	<		0.00113		0.01	MG/L	1	
SWB-7	9/9/2010	Hafnium-TOTAL	<		0.0011	0.01	0.01	MG/L	1	
SWB-7	12/1/2010	Hafnium-TOTAL	<		0.0113		0.1	mg/L	10	
SWB-8	3/5/2004	Hafnium-TOTAL	<		0.0001	0.01		mg/L	1 UJ	
SWB-8	3/7/2005	Hafnium-TOTAL	<		0.0001	0.01		mg/L	1	
SWB-8	6/1/2005	Hafnium-TOTAL	<		0.0001	0.01		mg/L	1	
SWB-8	3/1/2006	Hafnium-TOTAL	<		0.0002	0.01		mg/l	20	
SWB-8	3/7/2008	Hafnium-TOTAL	<		0.0002	0.01		mg/l	20	
SWB-8	3/3/2009	Hafnium-TOTAL	<		0.00106		0.1	MG/L	10	
SWB-9	3/4/2003	Hafnium-TOTAL	<		0.1	0.2		mg/L	U	
SWB-9	12/3/2003	Hafnium-TOTAL	<		0.0007	0.01		mg/L	J	
SWB-9	3/5/2004	Hafnium-TOTAL	<		0.0001	0.01		mg/L	1 UJ	
SWB-9	5/27/2004	Hafnium-TOTAL	<		0.0001	0.01		mg/L	1	
SWB-9	12/1/2004	Hafnium-TOTAL	<		0.0001	0.01		mg/L	1	
SWB-9	3/3/2005	Hafnium-TOTAL	<		0.0001	0.01		mg/L	1	
SWB-9	6/2/2005	Hafnium-TOTAL	<		0.0001	0.01		mg/L	1	
SWB-9	9/1/2005	Hafnium-TOTAL	=	0.03	0.0002	0.01		mg/l	20	
SWB-9	12/1/2005	Hafnium-TOTAL	<		0.0001	0.01		mg/l	1	
SWB-9	3/2/2006	Hafnium-TOTAL	<		0.0002	0.01		mg/l	20	
SWB-9	6/1/2006	Hafnium-TOTAL	<		0.004	0.01		mg/l	20	
SWB-9	12/4/2006	Hafnium-TOTAL	<		0.0002	0.01		mg/L	50	
SWB-9	3/5/2007	Hafnium-TOTAL	<		0.0001	0.01		mg/l	1	
SWB-9	3/6/2008	Hafnium-TOTAL	<		0.0002	0.01		mg/l	20	
SWB-9	6/5/2008	Hafnium-TOTAL	<		0.00005	0.02		mg/l		
SWB-9	12/5/2008	Hafnium-TOTAL	<		4		0.01	mg/L		
SWB-9	3/2/2009	Hafnium-TOTAL	<		0.000106		0.1	MG/L	10	
SWB-9	6/2/2009	Hafnium-TOTAL	TR	0.015	0.00212		0.2	MG/L	20 J	
SWB-9	3/1/2010	Hafnium-TOTAL	TR	0.0221	0.00565		0.05	MG/L	5 J	
SWB-9	6/1/2010	Hafnium-TOTAL	<		0.0565		0.5	MG/L	50	
SWB-9	12/1/2010	Hafnium-TOTAL	TR	0.0016	0.0011		0.01	mg/L	1	
SWB-11	3/1/2005	Heptadecane, 8-methyl-	TI	1.2				ug/L	1 NJ	NA
SWB-10	3/4/2004	Hexachlorobenzene	<		0.8		10	ug/L	1	NA
SWB-10	5/24/2004	Hexachlorobenzene	<		0.8		10	ug/L	1 UJ	
SWB-10	12/1/2004	Hexachlorobenzene	<		0.8		10	ug/L	1	
SWB-10	3/3/2005	Hexachlorobenzene	<		2.1		10	ug/L	1	
SWB-10	6/2/2005	Hexachlorobenzene	<		2.1		10	ug/L	1	
SWB-10	9/1/2005	Hexachlorobenzene	<		2.1		10	ug/L	1	
SWB-10	3/2/2006	Hexachlorobenzene	<		2.1		10	UG/L	1	
SWB-10	6/2/2006	Hexachlorobenzene	<		2.1		10	UG/L	1	
SWB-10	3/1/2007	Hexachlorobenzene	<		2.1		10	UG/L	1	
SWB-10	3/1/2007	Hexachlorobenzene	<		0.05		1	UG/L	1	
SWB-10	3/7/2008	Hexachlorobenzene	<		0.66		10	UG/L	1	
SWB-10	3/7/2008	Hexachlorobenzene	<		0.05		1	UG/L	1	
SWB-10	6/5/2008	Hexachlorobenzene	<		0.66		10	UG/L	1	
SWB-10	6/5/2008	Hexachlorobenzene	<		0.05		1	UG/L	1	
SWB-10	3/2/2009	Hexachlorobenzene	<		0.66		10	UG/L	1 R	
SWB-10	3/2/2009	Hexachlorobenzene	<		0.05		1	UG/L	1	
SWB-10	6/4/2009	Hexachlorobenzene	<		0.66		10	UG/L	1 DNR	
SWB-10	6/4/2009	Hexachlorobenzene	<		0.05		1	UG/L	1 R	
SWB-10	3/2/2010	Hexachlorobenzene	<	9.3	0.62		9.3	UG/L	1 DNR	
SWB-10	3/2/2010	Hexachlorobenzene	<	0.97	0.048		0.97	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-11	3/4/2004	Hexachlorobenzene	<	0.8	10	ug/L	1	
SWB-11	5/24/2004	Hexachlorobenzene	<	0.8	10	ug/L	1 UJ	
SWB-11	12/1/2004	Hexachlorobenzene	<	0.8	10	ug/L	1	
SWB-11	3/1/2005	Hexachlorobenzene	<	2.1	10	ug/L	1	
SWB-11	6/2/2005	Hexachlorobenzene	<	2.1	10	ug/L	1	
SWB-11	3/2/2006	Hexachlorobenzene	<	2.1	10	UG/L	1	
SWB-11	6/1/2006	Hexachlorobenzene	<	2.1	10	UG/L	1	
SWB-11	3/1/2007	Hexachlorobenzene	<	2.1	10	UG/L	1	
SWB-11	3/1/2007	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-11	3/7/2008	Hexachlorobenzene	<	0.66	10	UG/L	1	
SWB-11	3/7/2008	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-11	6/5/2008	Hexachlorobenzene	<	0.66	10	UG/L	1	
SWB-11	6/5/2008	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-11	3/2/2009	Hexachlorobenzene	<	0.66	10	UG/L	1 R	
SWB-11	3/2/2009	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-11	6/4/2009	Hexachlorobenzene	<	0.66	10	UG/L	1 DNR	
SWB-11	6/4/2009	Hexachlorobenzene	<	0.05	1	UG/L	1 DNR	
SWB-11	6/4/2009	Hexachlorobenzene	<	0.05	1	UG/L	1 R	
SWB-11	3/1/2010	Hexachlorobenzene	<	9.4	9.4	ug/L	1 DNR	
SWB-11	3/1/2010	Hexachlorobenzene	<	0.96	0.048	0.96	ug/L	1
SWB-11	6/2/2010	HEXACHLORO BENZENE	<	0.048	0.048	0.95	UG/L	1 UJ
SWB-11	6/2/2010	HEXACHLORO BENZENE	<	0.05	0.05	1	UG/L	1 DNR
SWB-11	6/2/2010	HEXACHLORO BENZENE	<	0.63	0.63	9.5	UG/L	1 DNR
SWB-3	10/29/2002	Hexachlorobenzene	<	1.7	10	ug/L	1	
SWB-3	3/4/2003	Hexachlorobenzene	<	1.7	10	ug/L	1	
SWB-3	6/3/2003	Hexachlorobenzene	<	1.7	10	ug/L	1	
SWB-3	9/4/2003	Hexachlorobenzene	<	1.7	10	ug/L	1 UJ	
SWB-3	12/2/2003	Hexachlorobenzene	<	0.8	10	ug/L	1	
SWB-3	3/1/2004	Hexachlorobenzene	<	0.8	10	ug/L	1	
SWB-3	6/1/2004	Hexachlorobenzene	<	0.8	10	ug/L	1	
SWB-3	9/1/2004	Hexachlorobenzene	<	0.8	10	ug/L	1	
SWB-3	12/1/2004	Hexachlorobenzene	<	0.8	10	ug/L	1	
SWB-3	3/3/2005	Hexachlorobenzene	<	2.1	10	ug/L	1	
SWB-3	6/2/2005	Hexachlorobenzene	<	2.1	10	ug/L	1	
SWB-3	9/1/2005	Hexachlorobenzene	<	2.1	10	ug/L	1	
SWB-3	12/1/2005	Hexachlorobenzene	<	2.1	10	UG/L	1 UJ	
SWB-3	3/2/2006	Hexachlorobenzene	<	2.1	10	UG/L	1	
SWB-3	6/2/2006	Hexachlorobenzene	<	2.1	10	UG/L	1	
SWB-3	9/5/2006	Hexachlorobenzene	<	2.1	10	UG/L	1	
SWB-3	9/5/2006	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-3	12/4/2006	Hexachlorobenzene	<	2.1	10	UG/L	1	
SWB-3	12/4/2006	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-3	3/1/2007	Hexachlorobenzene	<	2.1	10	UG/L	1	
SWB-3	3/1/2007	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-3	6/1/2007	Hexachlorobenzene	<	2.1	10	UG/L	1	
SWB-3	6/1/2007	Hexachlorobenzene	<	2.1	10	UG/L	1 R	
SWB-3	6/1/2007	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-3	12/3/2007	Hexachlorobenzene	<	0.66	10	UG/L	1	
SWB-3	12/3/2007	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-3	3/6/2008	Hexachlorobenzene	<	0.66	10	UG/L	1	
SWB-3	3/6/2008	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-3	6/9/2008	Hexachlorobenzene	<	0.66	10	UG/L	1	
SWB-3	6/9/2008	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-3	12/4/2008	Hexachlorobenzene	<	0.66	10	UG/L	1	
SWB-3	12/4/2008	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-3	3/2/2009	Hexachlorobenzene	<	0.66	10	UG/L	1	
SWB-3	3/2/2009	Hexachlorobenzene	<	0.66	10	UG/L	1 R	

tmpAnalyticalResultsOverTime

SWB-3	3/2/2009	Hexachlorobenzene	<		0.05	1	UG/L	1
SWB-3	3/2/2009	Hexachlorobenzene	<		0.05	1	UG/L	1 R
SWB-3	6/4/2009	Hexachlorobenzene	<		0.66	10	UG/L	1 DNR
SWB-3	6/4/2009	Hexachlorobenzene	<		0.05	1	UG/L	1 R
SWB-3	12/1/2009	Hexachlorobenzene	<		0.66	10	UG/L	1 DNR
SWB-3	12/1/2009	Hexachlorobenzene	<		0.05	1	UG/L	1
SWB-3	12/1/2009	Hexachlorobenzene	<		0.05	1	UG/L	1 DNR
SWB-3	3/1/2010	Hexachlorobenzene	<	9.7	0.64	9.7	ug/L	1 DNR
SWB-3	3/1/2010	Hexachlorobenzene	<	0.98	0.049	0.98	ug/L	1
SWB-3	6/1/2010	HEXACHLORO BENZENE	<	0.048	0.048	0.96	UG/L	1
SWB-3	6/1/2010	HEXACHLORO BENZENE	<	0.62	0.62	9.4	UG/L	1 DNR
SWB-3	9/9/2010	HEXACHLORO BENZENE	<	0.047	0.047	0.94	UG/L	1
SWB-3	9/9/2010	HEXACHLORO BENZENE	<	0.62	0.62	9.3	UG/L	1 DNR
SWB-4	11/15/2002	Hexachlorobenzene	<		1.7	10	ug/L	1
SWB-5	10/29/2002	Hexachlorobenzene	<		1.7	10	ug/L	1
SWB-6	3/4/2003	Hexachlorobenzene	<		1.7	10	ug/L	1
SWB-6	6/3/2003	Hexachlorobenzene	<		1.7	10	ug/L	1
SWB-6	12/3/2003	Hexachlorobenzene	<		0.8	10	ug/L	1
SWB-6	3/5/2004	Hexachlorobenzene	<		0.8	10	ug/L	1
SWB-6	6/1/2004	Hexachlorobenzene	<		0.8	10	ug/L	1
SWB-6	12/1/2004	Hexachlorobenzene	<		0.8	10	ug/L	1
SWB-6	3/7/2005	Hexachlorobenzene	<		2.1	10	ug/L	1
SWB-6	6/1/2005	Hexachlorobenzene	<		2.1	10	ug/L	1
SWB-6	12/2/2005	Hexachlorobenzene	<		2.1	10	UG/L	1 UJ
SWB-6	3/1/2006	Hexachlorobenzene	<		2.1	10	UG/L	1
SWB-6	6/1/2006	Hexachlorobenzene	<		2.1	10	UG/L	1
SWB-6	12/5/2006	Hexachlorobenzene	<		2.1	10	UG/L	1
SWB-6	12/5/2006	Hexachlorobenzene	<		0.05	1	UG/L	1
SWB-6	3/2/2007	Hexachlorobenzene	<		2.1	10	UG/L	1
SWB-6	3/2/2007	Hexachlorobenzene	<		0.05	1	UG/L	1
SWB-6	6/9/2008	Hexachlorobenzene	<		0.66	10	UG/L	1
SWB-6	6/9/2008	Hexachlorobenzene	<		0.05	1	UG/L	1
SWB-6	3/6/2008	Hexachlorobenzene	<		0.66	10	UG/L	1
SWB-6	3/6/2008	Hexachlorobenzene	<		0.05	1	UG/L	1
SWB-6	12/5/2008	Hexachlorobenzene	<		0.66	10	UG/L	1
SWB-6	12/5/2008	Hexachlorobenzene	<		0.66	10	UG/L	1 R
SWB-6	12/5/2008	Hexachlorobenzene	<		0.05	1	UG/L	1 R
SWB-6	3/2/2009	Hexachlorobenzene	<		0.66	10	UG/L	1 R
SWB-6	3/2/2009	Hexachlorobenzene	<		0.05	1	UG/L	1
SWB-6	6/5/2009	Hexachlorobenzene	<		0.66	10	UG/L	1 DNR
SWB-6	6/5/2009	Hexachlorobenzene	<		0.05	1	UG/L	1 R
SWB-6	3/2/2010	Hexachlorobenzene	<	9.1	0.6	9.1	UG/L	1 DNR
SWB-6	3/2/2010	Hexachlorobenzene	<	0.92	0.046	0.92	UG/L	1
SWB-6	6/2/2010	HEXACHLORO BENZENE	<	0.047	0.047	0.95	UG/L	1 UJ
SWB-6	6/2/2010	HEXACHLORO BENZENE	<	0.05	0.05	0.99	UG/L	1 DNR
SWB-6	6/2/2010	HEXACHLORO BENZENE	<	0.62	0.62	9.4	UG/L	1 DNR
SWB-6	6/2/2010	HEXACHLORO BENZENE	<	0.63	0.63	9.5	UG/L	1 DNR
SWB-7	3/4/2003	Hexachlorobenzene	<		1.7	10	ug/L	1
SWB-7	6/3/2003	Hexachlorobenzene	<		1.7	10	ug/L	1
SWB-7	3/1/2004	Hexachlorobenzene	<		0.8	10	ug/L	1
SWB-7	5/24/2004	Hexachlorobenzene	<		0.8	10	ug/L	1
SWB-7	12/1/2004	Hexachlorobenzene	<		0.8	10	ug/L	1
SWB-7	3/7/2005	Hexachlorobenzene	<		2.1	10	ug/L	1 UJ
SWB-7	6/1/2005	Hexachlorobenzene	<		2.1	10	ug/L	1
SWB-7	9/1/2005	Hexachlorobenzene	<		2.1	10	ug/L	1
SWB-7	12/1/2005	Hexachlorobenzene	<		2.1	10	UG/L	1 UJ
SWB-7	3/1/2006	Hexachlorobenzene	<		2.1	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	6/2/2006	Hexachlorobenzene	<	2.1	10	UG/L	1	
SWB-7	9/5/2006	Hexachlorobenzene	<	2.1	10	UG/L	1 UJ	
SWB-7	9/5/2006	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-7	12/5/2006	Hexachlorobenzene	<	2.1	10	UG/L	1	
SWB-7	12/5/2006	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-7	3/2/2007	Hexachlorobenzene	<	2.1	10	UG/L	1	
SWB-7	3/2/2007	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-7	6/1/2007	Hexachlorobenzene	<	2.1	10	UG/L	1	
SWB-7	6/1/2007	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-7	9/7/2007	Hexachlorobenzene	<	0.66	10	UG/L	1	
SWB-7	9/7/2007	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-7	12/3/2007	Hexachlorobenzene	<	0.66	10	UG/L	1	
SWB-7	12/3/2007	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-7	3/6/2008	Hexachlorobenzene	<	0.66	10	UG/L	1	
SWB-7	3/6/2008	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-7	6/6/2008	Hexachlorobenzene	<	0.66	10	UG/L	1	
SWB-7	6/6/2008	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-7	9/8/2008	Hexachlorobenzene	<	0.66	10	UG/L	1	
SWB-7	9/8/2008	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-7	12/5/2008	Hexachlorobenzene	<	0.66	10	UG/L	1	
SWB-7	12/5/2008	Hexachlorobenzene	<	0.66	10	UG/L	1 R	
SWB-7	12/5/2008	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-7	12/5/2008	Hexachlorobenzene	<	0.05	1	UG/L	1 R	
SWB-7	3/2/2009	Hexachlorobenzene	<	0.66	10	UG/L	1 R	
SWB-7	3/2/2009	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-7	6/5/2009	Hexachlorobenzene	<	0.66	10	UG/L	1 DNR	
SWB-7	6/5/2009	Hexachlorobenzene	<	0.05	1	UG/L	1 R	
SWB-7	9/9/2009	Hexachlorobenzene	<	0.66	10	UG/L	1 DNR	
SWB-7	9/9/2009	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-7	12/1/2009	Hexachlorobenzene	<	0.66	10	UG/L	1 DNR	
SWB-7	12/1/2009	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-7	3/2/2010	Hexachlorobenzene	<	9.5	0.63	9.5	UG/L	1 DNR
SWB-7	3/2/2010	Hexachlorobenzene	<	0.95	0.047	0.95	UG/L	1
SWB-7	6/1/2010	HEXACHLORO BENZENE	<	0.049	0.049	0.99	UG/L	1
SWB-7	6/1/2010	HEXACHLORO BENZENE	<	0.63	0.63	9.6	UG/L	1 DNR
SWB-7	6/1/2010	HEXACHLORO BENZENE	<	0.66	0.66	10	UG/L	1 DNR
SWB-7	9/9/2010	HEXACHLORO BENZENE	<	0.05	0.05	0.99	UG/L	1
SWB-7	9/9/2010	HEXACHLORO BENZENE	<	0.64	0.64	9.6	UG/L	1 DNR
SWB-7	12/1/2010	HEXACHLORO BENZENE	<	0.047	0.047	0.95	UG/L	1 UJ
SWB-7	12/1/2010	HEXACHLORO BENZENE	<	0.62	0.62	9.3	UG/L	1 DNR
SWB-8	3/5/2004	Hexachlorobenzene	<	0.8	10	ug/L	1	
SWB-8	3/7/2005	Hexachlorobenzene	<	2.1	10	ug/L	1	
SWB-8	6/1/2005	Hexachlorobenzene	<	2.1	10	ug/L	1	
SWB-8	3/1/2006	Hexachlorobenzene	<	2.1	10	UG/L	1	
SWB-8	3/7/2008	Hexachlorobenzene	<	0.66	10	UG/L	1	
SWB-8	3/7/2008	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-8	3/3/2009	Hexachlorobenzene	<	0.66	10	UG/L	1 R	
SWB-8	3/3/2009	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-9	3/4/2003	Hexachlorobenzene	<	1.7	10	ug/L	1	
SWB-9	12/3/2003	Hexachlorobenzene	<	0.8	10	ug/L	1	
SWB-9	3/5/2004	Hexachlorobenzene	<	0.8	10	ug/L	1	
SWB-9	5/27/2004	Hexachlorobenzene	<	0.8	10	ug/L	1 UJ	
SWB-9	12/1/2004	Hexachlorobenzene	<	0.8	10	ug/L	1	
SWB-9	3/3/2005	Hexachlorobenzene	<	2.1	10	ug/L	1	
SWB-9	6/2/2005	Hexachlorobenzene	<	2.1	10	ug/L	1	
SWB-9	9/1/2005	Hexachlorobenzene	<	2.1	10	ug/L	1	
SWB-9	12/1/2005	Hexachlorobenzene	<	2.1	10	UG/L	1 UJ	

tmpAnalyticalResultsOverTime

SWB-9	3/2/2006	Hexachlorobenzene	<	2.1	10	UG/L	1	
SWB-9	6/1/2006	Hexachlorobenzene	<	2.1	10	UG/L	1	
SWB-9	12/4/2006	Hexachlorobenzene	<	2.1	10	UG/L	1	
SWB-9	12/4/2006	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-9	3/5/2007	Hexachlorobenzene	<	2.1	10	UG/L	1	
SWB-9	3/5/2007	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-9	3/6/2008	Hexachlorobenzene	<	0.66	10	UG/L	1	
SWB-9	3/6/2008	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-9	6/5/2008	Hexachlorobenzene	<	0.66	10	UG/L	1	
SWB-9	6/5/2008	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-9	6/5/2008	Hexachlorobenzene	<	0.25	5	UG/L	5	
SWB-9	12/5/2008	Hexachlorobenzene	<	0.66	10	UG/L	1	
SWB-9	12/5/2008	Hexachlorobenzene	<	0.66	10	UG/L	1	R
SWB-9	12/5/2008	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-9	12/5/2008	Hexachlorobenzene	<	0.05	1	UG/L	1	R
SWB-9	3/2/2009	Hexachlorobenzene	<	0.66	10	UG/L	1	R
SWB-9	3/2/2009	Hexachlorobenzene	<	0.05	1	UG/L	1	
SWB-9	3/2/2009	Hexachlorobenzene	<	0.05	1	UG/L	1	R
SWB-9	6/2/2009	Hexachlorobenzene	<	0.66	10	UG/L	1	DNR
SWB-9	6/2/2009	Hexachlorobenzene	<	0.05	1	UG/L	1	DNR
SWB-9	6/2/2009	Hexachlorobenzene	<	0.05	1	UG/L	1	R
SWB-9	3/1/2010	Hexachlorobenzene	<	9.2	0.61	9.2	ug/L	1 DNR
SWB-9	3/1/2010	Hexachlorobenzene	<	0.95	0.047	0.95	ug/L	1
SWB-9	6/1/2010	HEXACHLORO BENZENE	<	0.047	0.047	0.95	UG/L	1
SWB-9	6/1/2010	HEXACHLORO BENZENE	<	0.62	0.62	9.4	UG/L	1 DNR
SWB-9	6/1/2010	HEXACHLORO BENZENE	<	0.62	0.62	9.5	UG/L	1 DNR
SWB-9	12/1/2010	HEXACHLORO BENZENE	<	0.048	0.048	0.95	UG/L	1 UJ
SWB-9	12/1/2010	HEXACHLORO BENZENE	<	0.61	0.61	9.3	UG/L	1 DNR
SWB-10	3/4/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	NA
SWB-10	5/24/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	
SWB-10	12/1/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	
SWB-10	3/3/2005	Hexachlorobutadiene	<	0.33	1	ug/L	1	
SWB-10	6/2/2005	Hexachlorobutadiene	<	0.12	1	ug/L	1	
SWB-10	9/1/2005	Hexachlorobutadiene	<	0.12	1	ug/L	1	
SWB-10	3/2/2006	Hexachlorobutadiene	<	0.48	4	UG/L	4	
SWB-10	6/2/2006	Hexachlorobutadiene	<	0.12	1	UG/L	1	
SWB-10	3/1/2007	Hexachlorobutadiene	<	0.12	1	UG/L	1	
SWB-10	3/7/2008	Hexachlorobutadiene	<	0.12	1	UG/L	1	
SWB-10	6/5/2008	Hexachlorobutadiene	<	0.12	1	UG/L	1	
SWB-10	3/2/2009	Hexachlorobutadiene	<	0.12	1	UG/L	1	
SWB-10	6/4/2009	Hexachlorobutadiene	<	0.12	1	UG/L	1	UJ
SWB-10	3/2/2010	Hexachlorobutadiene	<	1	0.12	1	UG/L	1 UJ
SWB-11	3/4/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	
SWB-11	5/24/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	
SWB-11	12/1/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	
SWB-11	3/1/2005	Hexachlorobutadiene	<	0.33	1	ug/L	1	
SWB-11	6/2/2005	Hexachlorobutadiene	<	0.12	1	ug/L	1	
SWB-11	3/2/2006	Hexachlorobutadiene	<	1.2	10	UG/L	10	
SWB-11	6/1/2006	Hexachlorobutadiene	<	0.12	1	UG/L	1	
SWB-11	3/1/2007	Hexachlorobutadiene	<	0.12	1	UG/L	1	
SWB-11	3/7/2008	Hexachlorobutadiene	<	0.12	1	UG/L	1	
SWB-11	6/5/2008	Hexachlorobutadiene	<	0.12	1	UG/L	1	
SWB-11	3/2/2009	Hexachlorobutadiene	<	0.12	1	UG/L	1	
SWB-11	6/4/2009	Hexachlorobutadiene	<	0.12	1	UG/L	1	UJ
SWB-11	3/1/2010	Hexachlorobutadiene	<	1	0.12	1	ug/L	1 UJ
SWB-11	6/2/2010	HEXACHLORO BUTADIENE	<	0.12	0.12	1	UG/L	1 UJ
SWB-3	10/29/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	10/29/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1
SWB-3	3/4/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1
SWB-3	6/3/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1
SWB-3	9/4/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1 UJ
SWB-3	12/2/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1
SWB-3	3/1/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1
SWB-3	6/1/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1
SWB-3	9/1/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1
SWB-3	12/1/2004	Hexachlorobutadiene	<	0.3	1.7	ug/L	1.66
SWB-3	3/3/2005	Hexachlorobutadiene	<	0.33	1	ug/L	1
SWB-3	6/2/2005	Hexachlorobutadiene	<	0.12	1	ug/L	1
SWB-3	9/1/2005	Hexachlorobutadiene	<	0.12	1	ug/L	1
SWB-3	12/1/2005	Hexachlorobutadiene	<	0.24	2	UG/L	2
SWB-3	3/2/2006	Hexachlorobutadiene	<	0.48	4	UG/L	4
SWB-3	6/2/2006	Hexachlorobutadiene	<	0.12	1	UG/L	1
SWB-3	9/5/2006	Hexachlorobutadiene	<	0.12	1	UG/L	1
SWB-3	12/4/2006	Hexachlorobutadiene	<	0.12	1	UG/L	1
SWB-3	3/1/2007	Hexachlorobutadiene	<	0.12	1	UG/L	1
SWB-3	6/1/2007	Hexachlorobutadiene	<	0.12	1	UG/L	1
SWB-3	12/3/2007	Hexachlorobutadiene	<	0.12	1	UG/L	1
SWB-3	3/6/2008	Hexachlorobutadiene	<	0.12	1	UG/L	1
SWB-3	6/9/2008	Hexachlorobutadiene	<	0.12	1	UG/L	1
SWB-3	12/4/2008	Hexachlorobutadiene	<	0.12	1	UG/L	1
SWB-3	3/2/2009	Hexachlorobutadiene	<	0.12	1	UG/L	1
SWB-3	6/4/2009	Hexachlorobutadiene	<	0.12	1	UG/L	1 UJ
SWB-3	12/1/2009	Hexachlorobutadiene	<	0.12	1	UG/L	1
SWB-3	3/1/2010	Hexachlorobutadiene	<	1	1	ug/L	1 UJ
SWB-3	3/1/2010	Hexachlorobutadiene	<	2	2	ug/L	1 DNR
SWB-3	6/1/2010	HEXACHLOROBUTADIENE	<	0.12	1	UG/L	1 DNR
SWB-3	6/1/2010	HEXACHLOROBUTADIENE	<	0.48	4	UG/L	1 UJ
SWB-3	9/9/2010	HEXACHLOROBUTADIENE	<	0.12	1	UG/L	1 UJ
SWB-4	11/15/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1
SWB-4	11/15/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1
SWB-5	10/29/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1
SWB-5	10/29/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1
SWB-6	3/4/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1
SWB-6	6/3/2003	Hexachlorobutadiene	<	0.36	2	ug/L	2
SWB-6	12/3/2003	Hexachlorobutadiene	<	0.36	2	ug/L	2
SWB-6	3/5/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1
SWB-6	6/1/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1
SWB-6	12/1/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1
SWB-6	3/7/2005	Hexachlorobutadiene	<	0.33	1	ug/L	1
SWB-6	6/1/2005	Hexachlorobutadiene	<	0.12	1	ug/L	1
SWB-6	12/2/2005	Hexachlorobutadiene	<	0.12	1	UG/L	1
SWB-6	3/1/2006	Hexachlorobutadiene	<	0.12	1	UG/L	1
SWB-6	6/1/2006	Hexachlorobutadiene	<	0.12	1	UG/L	1
SWB-6	12/5/2006	Hexachlorobutadiene	<	0.12	1	UG/L	1
SWB-6	3/2/2007	Hexachlorobutadiene	<	0.12	1	UG/L	1
SWB-6	6/9/2008	Hexachlorobutadiene	<	0.12	1	UG/L	1
SWB-6	3/6/2008	Hexachlorobutadiene	<	0.12	1	UG/L	1
SWB-6	12/5/2008	Hexachlorobutadiene	<	0.12	1	UG/L	1
SWB-6	3/2/2009	Hexachlorobutadiene	<	0.12	1	UG/L	1
SWB-6	6/5/2009	Hexachlorobutadiene	<	0.12	1	UG/L	1 UJ
SWB-6	3/2/2010	Hexachlorobutadiene	<	1	1	UG/L	1 UJ
SWB-6	6/2/2010	HEXACHLOROBUTADIENE	<	0.12	1	UG/L	1 UJ
SWB-7	3/4/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1
SWB-7	6/3/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-7	3/1/2004	Hexachlorobutadiene	<		0.18	1	ug/L	1	
SWB-7	5/24/2004	Hexachlorobutadiene	<		0.18	1	ug/L	1	
SWB-7	12/1/2004	Hexachlorobutadiene	<		0.18	1	ug/L	1	
SWB-7	3/7/2005	Hexachlorobutadiene	<		0.33	1	ug/L	1	
SWB-7	6/1/2005	Hexachlorobutadiene	<		0.12	1	ug/L	1	
SWB-7	9/1/2005	Hexachlorobutadiene	<		0.12	1	ug/L	1	
SWB-7	12/1/2005	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-7	3/1/2006	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-7	6/2/2006	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-7	9/5/2006	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-7	12/5/2006	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-7	3/2/2007	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-7	6/1/2007	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-7	9/7/2007	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-7	12/3/2007	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-7	3/6/2008	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-7	6/6/2008	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-7	9/8/2008	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-7	12/5/2008	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-7	3/2/2009	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-7	6/5/2009	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-7	9/9/2009	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-7	12/1/2009	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-7	3/2/2010	Hexachlorobutadiene	<	1	0.12	1	UG/L	1	UJ
SWB-7	6/1/2010	HEXACHLOROBUTADIENE	<	0.12	0.12	1	UG/L	1	DNR
SWB-7	6/1/2010	HEXACHLOROBUTADIENE	<	0.48	0.48	4	UG/L	1	UJ
SWB-7	9/9/2010	HEXACHLOROBUTADIENE	<	0.12	0.12	1	UG/L	1	UJ
SWB-7	12/1/2010	HEXACHLOROBUTADIENE	<	0.12	0.12	1	UG/L	1	
SWB-8	3/5/2004	Hexachlorobutadiene	<		0.18	1	ug/L	1	
SWB-8	3/7/2005	Hexachlorobutadiene	<		0.33	1	ug/L	1	
SWB-8	6/1/2005	Hexachlorobutadiene	<		0.12	1	ug/L	1	
SWB-8	3/1/2006	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-8	3/7/2008	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-8	3/3/2009	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-9	3/4/2003	Hexachlorobutadiene	<		0.18	1	ug/L	1	
SWB-9	12/3/2003	Hexachlorobutadiene	<		0.36	2	ug/L	2	
SWB-9	3/5/2004	Hexachlorobutadiene	<		0.18	1	ug/L	1	
SWB-9	5/27/2004	Hexachlorobutadiene	<		0.18	1	ug/L	1	
SWB-9	12/1/2004	Hexachlorobutadiene	<		0.18	1	ug/L	1	
SWB-9	3/3/2005	Hexachlorobutadiene	<		0.33	1	ug/L	1	
SWB-9	6/2/2005	Hexachlorobutadiene	<		0.12	1	ug/L	1	
SWB-9	9/1/2005	Hexachlorobutadiene	<		0.12	1	ug/L	1	UJ
SWB-9	12/1/2005	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-9	3/2/2006	Hexachlorobutadiene	<		0.48	4	UG/L	4	
SWB-9	6/1/2006	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-9	12/4/2006	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-9	3/5/2007	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-9	3/6/2008	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-9	6/5/2008	Hexachlorobutadiene	<		0.12	1	UG/L	1	R
SWB-9	12/5/2008	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-9	3/2/2009	Hexachlorobutadiene	<		0.12	1	UG/L	1	
SWB-9	6/2/2009	Hexachlorobutadiene	<		0.12	1	UG/L	1	UJ
SWB-9	3/1/2010	Hexachlorobutadiene	<	1	0.12	1	ug/L	1	UJ
SWB-9	6/1/2010	HEXACHLOROBUTADIENE	<	0.12	0.12	1	UG/L	1	DNR
SWB-9	6/1/2010	HEXACHLOROBUTADIENE	<	0.48	0.48	4	UG/L	1	UJ
SWB-9	12/1/2010	HEXACHLOROBUTADIENE	<	0.12	0.12	1	UG/L	1	
SWB-10	3/4/2004	Hexachlorocyclopentadiene	<		5	50	ug/L	1	NA



tmpAnalyticalResultsOverTime

SWB-10	5/24/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1 UJ
SWB-10	12/1/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1
SWB-10	3/3/2005	Hexachlorocyclopentadiene	<	5	50	ug/L	1
SWB-10	6/2/2005	Hexachlorocyclopentadiene	<	5	50	ug/L	1
SWB-10	9/1/2005	Hexachlorocyclopentadiene	<	5	50	ug/L	1
SWB-10	3/2/2006	Hexachlorocyclopentadiene	<	5	50	UG/L	1
SWB-10	6/2/2006	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-10	3/1/2007	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-10	3/7/2008	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-10	6/5/2008	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-10	3/2/2009	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-10	3/2/2009	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1 R
SWB-10	6/4/2009	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-10	3/2/2010	Hexachlorocyclopentadiene	<	47	47	UG/L	1
SWB-11	3/4/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1
SWB-11	5/24/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1 UJ
SWB-11	12/1/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1
SWB-11	3/1/2005	Hexachlorocyclopentadiene	<	5	50	ug/L	1
SWB-11	6/2/2005	Hexachlorocyclopentadiene	<	5	50	ug/L	1
SWB-11	3/2/2006	Hexachlorocyclopentadiene	<	5	50	UG/L	1
SWB-11	6/1/2006	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-11	3/1/2007	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-11	3/7/2008	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-11	6/5/2008	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-11	3/2/2009	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-11	6/4/2009	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-11	3/1/2010	Hexachlorocyclopentadiene	<	47	47	ug/L	1
SWB-11	6/2/2010	HEXACHLOROCYCLOPENTADIENE	<	1.5	47	UG/L	1
SWB-3	10/29/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1
SWB-3	3/4/2003	Hexachlorocyclopentadiene	<	5	50	ug/L	1
SWB-3	6/3/2003	Hexachlorocyclopentadiene	<	5	50	ug/L	1
SWB-3	9/4/2003	Hexachlorocyclopentadiene	<	5	50	ug/L	1 UJ
SWB-3	12/2/2003	Hexachlorocyclopentadiene	<	5	50	ug/L	1
SWB-3	3/1/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1
SWB-3	6/1/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1
SWB-3	9/1/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1
SWB-3	12/1/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1
SWB-3	3/3/2005	Hexachlorocyclopentadiene	<	5	50	ug/L	1
SWB-3	6/2/2005	Hexachlorocyclopentadiene	<	5	50	ug/L	1
SWB-3	9/1/2005	Hexachlorocyclopentadiene	<	5	50	ug/L	1
SWB-3	12/1/2005	Hexachlorocyclopentadiene	<	5	50	UG/L	1 UJ
SWB-3	3/2/2006	Hexachlorocyclopentadiene	<	5	50	UG/L	1
SWB-3	6/2/2006	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-3	9/5/2006	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-3	12/4/2006	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-3	3/1/2007	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-3	6/1/2007	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-3	6/1/2007	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1 R
SWB-3	12/3/2007	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-3	3/6/2008	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-3	6/9/2008	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-3	12/4/2008	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-3	3/2/2009	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-3	3/2/2009	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1 R
SWB-3	6/4/2009	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-3	12/1/2009	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1
SWB-3	12/1/2009	Hexachlorocyclopentadiene	<	1.5	50	UG/L	1 DNR

tmpAnalyticalResultsOverTime

SWB-3	3/1/2010	Hexachlorocyclopentadiene	<	49	1.5	49	ug/L	1 UJ
SWB-3	6/1/2010	HEXACHLOROCYCLOPENTADIENE	<	1.4	1.4	47	UG/L	1
SWB-3	6/1/2010	HEXACHLOROCYCLOPENTADIENE	<	1.4	1.4	47	UG/L	1 DNR
SWB-3	9/9/2010	HEXACHLOROCYCLOPENTADIENE	<	1.4	1.4	47	UG/L	1
SWB-4	11/15/2002	Hexachlorocyclopentadiene	<		5	50	ug/L	1
SWB-5	10/29/2002	Hexachlorocyclopentadiene	<		5	50	ug/L	1
SWB-6	3/4/2003	Hexachlorocyclopentadiene	<		5	50	ug/L	1
SWB-6	6/3/2003	Hexachlorocyclopentadiene	<		5	50	ug/L	1
SWB-6	12/3/2003	Hexachlorocyclopentadiene	<		5	50	ug/L	1
SWB-6	3/5/2004	Hexachlorocyclopentadiene	<		5	50	ug/L	1
SWB-6	6/1/2004	Hexachlorocyclopentadiene	<		5	50	ug/L	1
SWB-6	12/1/2004	Hexachlorocyclopentadiene	<		5	50	ug/L	1
SWB-6	3/7/2005	Hexachlorocyclopentadiene	<		5	50	ug/L	1
SWB-6	6/1/2005	Hexachlorocyclopentadiene	<		5	50	ug/L	1
SWB-6	12/2/2005	Hexachlorocyclopentadiene	<		5	50	UG/L	1 UJ
SWB-6	3/1/2006	Hexachlorocyclopentadiene	<		5	50	UG/L	1
SWB-6	6/1/2006	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-6	12/5/2006	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-6	3/2/2007	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-6	6/9/2008	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-6	3/6/2008	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-6	12/5/2008	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-6	12/5/2008	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1 R
SWB-6	3/2/2009	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-6	3/2/2009	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1 R
SWB-6	6/5/2009	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-6	3/2/2010	Hexachlorocyclopentadiene	<	46	1.4	46	UG/L	1
SWB-6	6/2/2010	HEXACHLOROCYCLOPENTADIENE	<	1.4	1.4	47	UG/L	1 DNR
SWB-6	6/2/2010	HEXACHLOROCYCLOPENTADIENE	<	1.5	1.5	48	UG/L	1
SWB-7	3/4/2003	Hexachlorocyclopentadiene	<		5	50	ug/L	1
SWB-7	6/3/2003	Hexachlorocyclopentadiene	<		5	50	ug/L	1
SWB-7	3/1/2004	Hexachlorocyclopentadiene	<		5	50	ug/L	1
SWB-7	5/24/2004	Hexachlorocyclopentadiene	<		5	50	ug/L	1
SWB-7	12/1/2004	Hexachlorocyclopentadiene	<		5	50	ug/L	1
SWB-7	3/7/2005	Hexachlorocyclopentadiene	<		5	50	ug/L	1 UJ
SWB-7	6/1/2005	Hexachlorocyclopentadiene	<		5	50	ug/L	1
SWB-7	9/1/2005	Hexachlorocyclopentadiene	<		5	50	ug/L	1
SWB-7	12/1/2005	Hexachlorocyclopentadiene	<		5	50	UG/L	1 UJ
SWB-7	3/1/2006	Hexachlorocyclopentadiene	<		5	50	UG/L	1
SWB-7	6/2/2006	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-7	9/5/2006	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1 UJ
SWB-7	12/5/2006	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-7	3/2/2007	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-7	6/1/2007	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-7	9/7/2007	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-7	12/3/2007	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-7	3/6/2008	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-7	6/6/2008	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-7	9/8/2008	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-7	12/5/2008	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-7	12/5/2008	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1 R
SWB-7	3/2/2009	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-7	3/2/2009	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1 R
SWB-7	6/5/2009	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-7	9/9/2009	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-7	12/1/2009	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1
SWB-7	3/2/2010	Hexachlorocyclopentadiene	<	47	1.5	47	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	6/1/2010	HEXACHLOROCYCLOPENTADIENE	<	1.5	1.5	48	UG/L	1 DNR	
SWB-7	6/1/2010	HEXACHLOROCYCLOPENTADIENE	<	1.5	1.5	50	UG/L	1 R	
SWB-7	9/9/2010	HEXACHLOROCYCLOPENTADIENE	<	1.5	1.5	48	UG/L	1	
SWB-7	12/1/2010	HEXACHLOROCYCLOPENTADIENE	<	1.4	1.4	47	UG/L	1 R	
SWB-8	3/5/2004	Hexachlorocyclopentadiene	<		5	50	ug/L	1	
SWB-8	3/7/2005	Hexachlorocyclopentadiene	<		5	50	ug/L	1	
SWB-8	6/1/2005	Hexachlorocyclopentadiene	<		5	50	ug/L	1	
SWB-8	3/1/2006	Hexachlorocyclopentadiene	<		5	50	UG/L	1	
SWB-8	3/7/2008	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1	
SWB-8	3/3/2009	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1	
SWB-8	3/3/2009	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1 R	
SWB-9	3/4/2003	Hexachlorocyclopentadiene	<		5	50	ug/L	1	
SWB-9	12/3/2003	Hexachlorocyclopentadiene	<		5	50	ug/L	1	
SWB-9	3/5/2004	Hexachlorocyclopentadiene	<		5	50	ug/L	1	
SWB-9	5/27/2004	Hexachlorocyclopentadiene	<		5	50	ug/L	1 UJ	
SWB-9	12/1/2004	Hexachlorocyclopentadiene	<		5	50	ug/L	1	
SWB-9	3/3/2005	Hexachlorocyclopentadiene	<		5	50	ug/L	1	
SWB-9	6/2/2005	Hexachlorocyclopentadiene	<		5	50	ug/L	1	
SWB-9	9/1/2005	Hexachlorocyclopentadiene	<		5	50	ug/L	1	
SWB-9	12/1/2005	Hexachlorocyclopentadiene	<		5	50	UG/L	1 UJ	
SWB-9	3/2/2006	Hexachlorocyclopentadiene	<		5	50	UG/L	1	
SWB-9	6/1/2006	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1	
SWB-9	12/4/2006	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1	
SWB-9	3/5/2007	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1	
SWB-9	3/6/2008	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1	
SWB-9	6/5/2008	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1	
SWB-9	12/5/2008	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1	
SWB-9	12/5/2008	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1 R	
SWB-9	3/2/2009	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1	
SWB-9	3/2/2009	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1 R	
SWB-9	6/2/2009	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1	
SWB-9	6/2/2009	Hexachlorocyclopentadiene	<		1.5	50	UG/L	1 DNR	
SWB-9	3/1/2010	Hexachlorocyclopentadiene	<	46	1.4	46	ug/L	1	
SWB-9	6/1/2010	HEXACHLOROCYCLOPENTADIENE	<	1.4	1.4	47	UG/L	1	
SWB-9	6/1/2010	HEXACHLOROCYCLOPENTADIENE	<	1.4	1.4	47	UG/L	1 DNR	
SWB-9	12/1/2010	HEXACHLOROCYCLOPENTADIENE	<	1.4	1.4	46	UG/L	1 R	
SWB-10	3/4/2004	Hexachloroethane	<		0.8	10	ug/L	1	0.012 mg/L
SWB-10	5/24/2004	Hexachloroethane	<		0.8	10	ug/L	1 UJ	
SWB-10	12/1/2004	Hexachloroethane	<		0.8	10	ug/L	1	
SWB-10	3/3/2005	Hexachloroethane	<		1.4	10	ug/L	1	
SWB-10	6/2/2005	Hexachloroethane	<		1.4	10	ug/L	1	
SWB-10	9/1/2005	Hexachloroethane	<		1.4	10	ug/L	1	
SWB-10	3/2/2006	Hexachloroethane	<		1.4	10	UG/L	1	
SWB-10	6/2/2006	Hexachloroethane	<		0.46	10	UG/L	1	
SWB-10	3/1/2007	Hexachloroethane	<		0.46	10	UG/L	1	
SWB-10	3/7/2008	Hexachloroethane	<		0.46	10	UG/L	1	
SWB-10	6/5/2008	Hexachloroethane	<		0.46	10	UG/L	1	
SWB-10	3/2/2009	Hexachloroethane	<		2.1	10	UG/L	1	
SWB-10	3/2/2009	Hexachloroethane	<		2.1	10	UG/L	1 R	
SWB-10	6/4/2009	Hexachloroethane	<		2.1	10	UG/L	1	
SWB-10	3/2/2010	Hexachloroethane	<	9.3	2	9.3	UG/L	1	
SWB-11	3/4/2004	Hexachloroethane	<		0.8	10	ug/L	1	
SWB-11	5/24/2004	Hexachloroethane	<		0.8	10	ug/L	1 UJ	
SWB-11	12/1/2004	Hexachloroethane	<		0.8	10	ug/L	1	
SWB-11	3/1/2005	Hexachloroethane	<		1.4	10	ug/L	1	
SWB-11	6/2/2005	Hexachloroethane	<		1.4	10	ug/L	1	
SWB-11	3/2/2006	Hexachloroethane	<		1.4	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-11	6/1/2006	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-11	3/1/2007	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-11	3/7/2008	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-11	6/5/2008	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-11	3/2/2009	Hexachloroethane	<	2.1	10	UG/L	1	
SWB-11	6/4/2009	Hexachloroethane	<	2.1	10	UG/L	1	
SWB-11	3/1/2010	Hexachloroethane	<	9.4	2	9.4	ug/L	1
SWB-11	6/2/2010	HEXACHLOROETHANE	<	2	2	9.5	UG/L	1
SWB-3	10/29/2002	Hexachloroethane	<	2.2	10	ug/L	1	
SWB-3	3/4/2003	Hexachloroethane	<	2.2	10	ug/L	1	
SWB-3	6/3/2003	Hexachloroethane	<	2.2	10	ug/L	1	
SWB-3	9/4/2003	Hexachloroethane	<	2.2	10	ug/L	1 UJ	
SWB-3	12/2/2003	Hexachloroethane	<	0.8	10	ug/L	1	
SWB-3	3/1/2004	Hexachloroethane	<	0.8	10	ug/L	1	
SWB-3	6/1/2004	Hexachloroethane	<	0.8	10	ug/L	1	
SWB-3	9/1/2004	Hexachloroethane	<	0.8	10	ug/L	1	
SWB-3	12/1/2004	Hexachloroethane	<	0.8	10	ug/L	1	
SWB-3	3/3/2005	Hexachloroethane	<	1.4	10	ug/L	1	
SWB-3	6/2/2005	Hexachloroethane	<	1.4	10	ug/L	1	
SWB-3	9/1/2005	Hexachloroethane	<	1.4	10	ug/L	1	
SWB-3	12/1/2005	Hexachloroethane	<	1.4	10	UG/L	1 UJ	
SWB-3	3/2/2006	Hexachloroethane	<	1.4	10	UG/L	1	
SWB-3	6/2/2006	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-3	9/5/2006	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-3	12/4/2006	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-3	3/1/2007	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-3	6/1/2007	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-3	6/1/2007	Hexachloroethane	<	0.46	10	UG/L	1 R	
SWB-3	12/3/2007	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-3	3/6/2008	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-3	6/9/2008	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-3	12/4/2008	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-3	3/2/2009	Hexachloroethane	<	2.1	10	UG/L	1	
SWB-3	3/2/2009	Hexachloroethane	<	2.1	10	UG/L	1 R	
SWB-3	6/4/2009	Hexachloroethane	<	2.1	10	UG/L	1	
SWB-3	12/1/2009	Hexachloroethane	<	2.1	10	UG/L	1	
SWB-3	12/1/2009	Hexachloroethane	<	2.1	10	UG/L	1 DNR	
SWB-3	3/1/2010	Hexachloroethane	<	9.7	2	9.7	ug/L	1 UJ
SWB-3	6/1/2010	HEXACHLOROETHANE	<	2	2	9.4	UG/L	1
SWB-3	6/1/2010	HEXACHLOROETHANE	<	2	2	9.4	UG/L	1 DNR
SWB-3	9/9/2010	HEXACHLOROETHANE	<	2	2	9.3	UG/L	1
SWB-4	11/15/2002	Hexachloroethane	<	2.2	10	ug/L	1	
SWB-5	10/29/2002	Hexachloroethane	<	2.2	10	ug/L	1	
SWB-6	3/4/2003	Hexachloroethane	<	2.2	10	ug/L	1	
SWB-6	6/3/2003	Hexachloroethane	<	2.2	10	ug/L	1	
SWB-6	12/3/2003	Hexachloroethane	<	0.8	10	ug/L	1	
SWB-6	3/5/2004	Hexachloroethane	<	0.8	10	ug/L	1	
SWB-6	6/1/2004	Hexachloroethane	<	0.8	10	ug/L	1	
SWB-6	12/1/2004	Hexachloroethane	<	0.8	10	ug/L	1	
SWB-6	3/7/2005	Hexachloroethane	<	1.4	10	ug/L	1	
SWB-6	6/1/2005	Hexachloroethane	<	1.4	10	ug/L	1	
SWB-6	12/2/2005	Hexachloroethane	<	1.4	10	UG/L	1 UJ	
SWB-6	3/1/2006	Hexachloroethane	<	1.4	10	UG/L	1	
SWB-6	6/1/2006	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-6	12/5/2006	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-6	3/2/2007	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-6	6/9/2008	Hexachloroethane	<	0.46	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-6	3/6/2008	Hexachloroethane	<		0.46	10	UG/L	1
SWB-6	12/5/2008	Hexachloroethane	<		0.46	10	UG/L	1
SWB-6	12/5/2008	Hexachloroethane	<		0.46	10	UG/L	1 R
SWB-6	3/2/2009	Hexachloroethane	<		2.1	10	UG/L	1
SWB-6	3/2/2009	Hexachloroethane	<		2.1	10	UG/L	1 R
SWB-6	6/5/2009	Hexachloroethane	<		2.1	10	UG/L	1
SWB-6	3/2/2010	Hexachloroethane	<	9.1	1.9	9.1	UG/L	1
SWB-6	6/2/2010	HEXACHLOROETHANE	<	2	2	9.4	UG/L	1 DNR
SWB-6	6/2/2010	HEXACHLOROETHANE	<	2	2	9.5	UG/L	1
SWB-7	3/4/2003	Hexachloroethane	<		2.2	10	ug/L	1
SWB-7	6/3/2003	Hexachloroethane	<		2.2	10	ug/L	1
SWB-7	3/1/2004	Hexachloroethane	<		0.8	10	ug/L	1
SWB-7	5/24/2004	Hexachloroethane	<		0.8	10	ug/L	1
SWB-7	12/1/2004	Hexachloroethane	<		0.8	10	ug/L	1
SWB-7	3/7/2005	Hexachloroethane	<		1.4	10	ug/L	1 UJ
SWB-7	6/1/2005	Hexachloroethane	<		1.4	10	ug/L	1
SWB-7	9/1/2005	Hexachloroethane	<		1.4	10	ug/L	1
SWB-7	12/1/2005	Hexachloroethane	<		1.4	10	UG/L	1 UJ
SWB-7	3/1/2006	Hexachloroethane	<		1.4	10	UG/L	1
SWB-7	6/2/2006	Hexachloroethane	<		0.46	10	UG/L	1
SWB-7	9/5/2006	Hexachloroethane	<		0.46	10	UG/L	1 UJ
SWB-7	12/5/2006	Hexachloroethane	<		0.46	10	UG/L	1
SWB-7	3/2/2007	Hexachloroethane	<		0.46	10	UG/L	1
SWB-7	6/1/2007	Hexachloroethane	<		0.46	10	UG/L	1
SWB-7	9/7/2007	Hexachloroethane	<		0.46	10	UG/L	1
SWB-7	12/3/2007	Hexachloroethane	<		0.46	10	UG/L	1
SWB-7	3/6/2008	Hexachloroethane	<		0.46	10	UG/L	1
SWB-7	6/6/2008	Hexachloroethane	<		0.46	10	UG/L	1
SWB-7	9/8/2008	Hexachloroethane	<		0.46	10	UG/L	1
SWB-7	12/5/2008	Hexachloroethane	<		0.46	10	UG/L	1
SWB-7	12/5/2008	Hexachloroethane	<		0.46	10	UG/L	1 R
SWB-7	3/2/2009	Hexachloroethane	<		2.1	10	UG/L	1
SWB-7	3/2/2009	Hexachloroethane	<		2.1	10	UG/L	1 R
SWB-7	6/5/2009	Hexachloroethane	<		2.1	10	UG/L	1
SWB-7	9/9/2009	Hexachloroethane	<		2.1	10	UG/L	1
SWB-7	12/1/2009	Hexachloroethane	<		2.1	10	UG/L	1
SWB-7	3/2/2010	Hexachloroethane	<	9.5	2	9.5	UG/L	1
SWB-7	6/1/2010	HEXACHLOROETHANE	<	2	2	9.6	UG/L	1 DNR
SWB-7	6/1/2010	HEXACHLOROETHANE	<	2.1	2.1	10	UG/L	1 R
SWB-7	9/9/2010	HEXACHLOROETHANE	<	2	2	9.6	UG/L	1
SWB-7	12/1/2010	HEXACHLOROETHANE	<	2	2	9.3	UG/L	1
SWB-8	3/5/2004	Hexachloroethane	<		0.8	10	ug/L	1
SWB-8	3/7/2005	Hexachloroethane	<		1.4	10	ug/L	1
SWB-8	6/1/2005	Hexachloroethane	<		1.4	10	ug/L	1
SWB-8	3/1/2006	Hexachloroethane	<		1.4	10	UG/L	1
SWB-8	3/7/2008	Hexachloroethane	<		0.46	10	UG/L	1
SWB-8	3/3/2009	Hexachloroethane	<		2.1	10	UG/L	1
SWB-8	3/3/2009	Hexachloroethane	<		2.1	10	UG/L	1 R
SWB-9	3/4/2003	Hexachloroethane	<		2.2	10	ug/L	1
SWB-9	12/3/2003	Hexachloroethane	<		0.8	10	ug/L	1
SWB-9	3/5/2004	Hexachloroethane	<		0.8	10	ug/L	1
SWB-9	5/27/2004	Hexachloroethane	<		0.8	10	ug/L	1 UJ
SWB-9	12/1/2004	Hexachloroethane	<		0.8	10	ug/L	1
SWB-9	3/3/2005	Hexachloroethane	<		1.4	10	ug/L	1
SWB-9	6/2/2005	Hexachloroethane	<		1.4	10	ug/L	1
SWB-9	9/1/2005	Hexachloroethane	<		1.4	10	ug/L	1
SWB-9	12/1/2005	Hexachloroethane	<		1.4	10	UG/L	1 UJ

tmpAnalyticalResultsOverTime

SWB-9	3/2/2006	Hexachloroethane	<	1.4	10	UG/L	1	
SWB-9	6/1/2006	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-9	12/4/2006	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-9	3/5/2007	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-9	3/6/2008	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-9	6/5/2008	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-9	12/5/2008	Hexachloroethane	<	0.46	10	UG/L	1	
SWB-9	12/5/2008	Hexachloroethane	<	0.46	10	UG/L	1	R
SWB-9	3/2/2009	Hexachloroethane	<	2.1	10	UG/L	1	
SWB-9	3/2/2009	Hexachloroethane	<	2.1	10	UG/L	1	R
SWB-9	6/2/2009	Hexachloroethane	<	2.1	10	UG/L	1	
SWB-9	6/2/2009	Hexachloroethane	<	2.1	10	UG/L	1	DNR
SWB-9	3/1/2010	Hexachloroethane	<	9.2	1.9	ug/L	1	
SWB-9	6/1/2010	HEXACHLOROETHANE	<	2	2	UG/L	1	DNR
SWB-9	6/1/2010	HEXACHLOROETHANE	<	2	2	UG/L	1	
SWB-9	12/1/2010	HEXACHLOROETHANE	<	2	2	UG/L	1	
SWB-10	3/4/2004	Hexachloropropene	<	1	100	ug/L	1	NA
SWB-10	5/24/2004	Hexachloropropene	<	1	100	ug/L	1	UJ
SWB-10	12/1/2004	Hexachloropropene	<	1	100	ug/L	1	
SWB-10	3/3/2005	Hexachloropropene	<	1	100	ug/L	1	
SWB-10	6/2/2005	Hexachloropropene	<	1	100	ug/L	1	
SWB-10	9/1/2005	Hexachloropropene	<	1	100	ug/L	1	
SWB-10	3/2/2006	Hexachloropropene	<	1	100	UG/L	1	
SWB-10	6/2/2006	Hexachloropropene	<	1	100	UG/L	1	
SWB-10	3/1/2007	Hexachloropropene	<	2	100	UG/L	1	
SWB-10	3/7/2008	Hexachloropropene	<	2	100	UG/L	1	
SWB-10	6/5/2008	Hexachloropropene	<	2	100	UG/L	1	
SWB-10	3/2/2009	Hexachloropropene	<	2	100	UG/L	1	
SWB-10	3/2/2009	Hexachloropropene	<	2	100	UG/L	1	R
SWB-10	6/4/2009	Hexachloropropene	<	2	100	UG/L	1	
SWB-10	3/2/2010	Hexachloropropene	<	93	1.9	UG/L	1	
SWB-11	3/4/2004	Hexachloropropene	<	1	100	ug/L	1	
SWB-11	5/24/2004	Hexachloropropene	<	1	100	ug/L	1	UJ
SWB-11	12/1/2004	Hexachloropropene	<	1	100	ug/L	1	
SWB-11	3/1/2005	Hexachloropropene	<	1	100	ug/L	1	
SWB-11	6/2/2005	Hexachloropropene	<	1	100	ug/L	1	
SWB-11	3/2/2006	Hexachloropropene	<	1	100	UG/L	1	
SWB-11	6/1/2006	Hexachloropropene	<	1	100	UG/L	1	
SWB-11	3/1/2007	Hexachloropropene	<	2	100	UG/L	1	
SWB-11	3/7/2008	Hexachloropropene	<	2	100	UG/L	1	
SWB-11	6/5/2008	Hexachloropropene	<	2	100	UG/L	1	
SWB-11	3/2/2009	Hexachloropropene	<	2	100	UG/L	1	
SWB-11	6/4/2009	Hexachloropropene	<	2	100	UG/L	1	
SWB-11	3/1/2010	Hexachloropropene	<	94	1.9	ug/L	1	
SWB-11	6/2/2010	HEXACHLOROPROPENE	<	1.9	1.9	UG/L	1	
SWB-3	10/29/2002	Hexachloropropene	<	1.1	100	ug/L	1	
SWB-3	3/4/2003	Hexachloropropene	<	1.1	100	ug/L	1	
SWB-3	6/3/2003	Hexachloropropene	<	1.1	100	ug/L	1	
SWB-3	9/4/2003	Hexachloropropene	<	1	100	ug/L	1	UJ
SWB-3	12/2/2003	Hexachloropropene	<	1	100	ug/L	1	
SWB-3	3/1/2004	Hexachloropropene	<	1	100	ug/L	1	
SWB-3	6/1/2004	Hexachloropropene	<	1	100	ug/L	1	
SWB-3	9/1/2004	Hexachloropropene	<	1	100	ug/L	1	
SWB-3	12/1/2004	Hexachloropropene	<	1	100	ug/L	1	
SWB-3	3/3/2005	Hexachloropropene	<	1	100	ug/L	1	
SWB-3	6/2/2005	Hexachloropropene	<	1	100	ug/L	1	
SWB-3	9/1/2005	Hexachloropropene	<	1	100	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	12/1/2005	Hexachloropropene	<	1	100	UG/L	1 UJ	
SWB-3	3/2/2006	Hexachloropropene	<	1	100	UG/L	1	
SWB-3	6/2/2006	Hexachloropropene	<	1	100	UG/L	1	
SWB-3	9/5/2006	Hexachloropropene	<	2	100	UG/L	1	
SWB-3	12/4/2006	Hexachloropropene	<	2	100	UG/L	1	
SWB-3	3/1/2007	Hexachloropropene	<	2	100	UG/L	1	
SWB-3	6/1/2007	Hexachloropropene	<	2	100	UG/L	1	
SWB-3	6/1/2007	Hexachloropropene	<	2	100	UG/L	1 R	
SWB-3	12/3/2007	Hexachloropropene	<	2	100	UG/L	1	
SWB-3	3/6/2008	Hexachloropropene	<	2	100	UG/L	1	
SWB-3	6/9/2008	Hexachloropropene	<	2	100	UG/L	1	
SWB-3	12/4/2008	Hexachloropropene	<	2	100	UG/L	1	
SWB-3	3/2/2009	Hexachloropropene	<	2	100	UG/L	1	
SWB-3	3/2/2009	Hexachloropropene	<	2	100	UG/L	1 R	
SWB-3	6/4/2009	Hexachloropropene	<	2	100	UG/L	1	
SWB-3	12/1/2009	Hexachloropropene	<	2	100	UG/L	1	
SWB-3	12/1/2009	Hexachloropropene	<	2	100	UG/L	1 DNR	
SWB-3	3/1/2010	Hexachloropropene	<	97	1.9	97	ug/L	1 UJ
SWB-3	6/1/2010	HEXACHLOROPROPENE	<	1.9	1.9	94	UG/L	1
SWB-3	6/1/2010	HEXACHLOROPROPENE	<	1.9	1.9	94	UG/L	1 DNR
SWB-3	9/9/2010	HEXACHLOROPROPENE	<	1.9	1.9	93	UG/L	1
SWB-4	11/15/2002	Hexachloropropene	<	1.1	100	ug/L	1	
SWB-5	10/29/2002	Hexachloropropene	<	1.1	100	ug/L	1	
SWB-6	3/4/2003	Hexachloropropene	<	1.1	100	ug/L	1	
SWB-6	6/3/2003	Hexachloropropene	<	1.1	100	ug/L	1	
SWB-6	12/3/2003	Hexachloropropene	<	1	100	ug/L	1	
SWB-6	3/5/2004	Hexachloropropene	<	1	100	ug/L	1	
SWB-6	6/1/2004	Hexachloropropene	<	1	100	ug/L	1	
SWB-6	12/1/2004	Hexachloropropene	<	1	100	ug/L	1	
SWB-6	3/7/2005	Hexachloropropene	<	1	100	ug/L	1	
SWB-6	6/1/2005	Hexachloropropene	<	1	100	ug/L	1	
SWB-6	12/2/2005	Hexachloropropene	<	1	100	UG/L	1 UJ	
SWB-6	3/1/2006	Hexachloropropene	<	1	100	UG/L	1	
SWB-6	6/1/2006	Hexachloropropene	<	1	100	UG/L	1	
SWB-6	12/5/2006	Hexachloropropene	<	2	100	UG/L	1	
SWB-6	3/2/2007	Hexachloropropene	<	2	100	UG/L	1	
SWB-6	6/9/2008	Hexachloropropene	<	2	100	UG/L	1	
SWB-6	3/6/2008	Hexachloropropene	<	2	100	UG/L	1	
SWB-6	12/5/2008	Hexachloropropene	<	2	100	UG/L	1	
SWB-6	12/5/2008	Hexachloropropene	<	2	100	UG/L	1 R	
SWB-6	3/2/2009	Hexachloropropene	<	2	100	UG/L	1	
SWB-6	3/2/2009	Hexachloropropene	<	2	100	UG/L	1 R	
SWB-6	6/5/2009	Hexachloropropene	<	2	100	UG/L	1	
SWB-6	3/2/2010	Hexachloropropene	<	91	1.8	91	UG/L	1
SWB-6	6/2/2010	HEXACHLOROPROPENE	<	1.9	1.9	94	UG/L	1 DNR
SWB-6	6/2/2010	HEXACHLOROPROPENE	<	1.9	1.9	95	UG/L	1
SWB-7	3/4/2003	Hexachloropropene	<	1.1	100	ug/L	1	
SWB-7	6/3/2003	Hexachloropropene	<	1.1	100	ug/L	1	
SWB-7	3/1/2004	Hexachloropropene	<	1	100	ug/L	1	
SWB-7	5/24/2004	Hexachloropropene	<	1	100	ug/L	1	
SWB-7	12/1/2004	Hexachloropropene	<	1	100	ug/L	1	
SWB-7	3/7/2005	Hexachloropropene	<	1	100	ug/L	1 UJ	
SWB-7	6/1/2005	Hexachloropropene	<	1	100	ug/L	1	
SWB-7	9/1/2005	Hexachloropropene	<	1	100	ug/L	1	
SWB-7	12/1/2005	Hexachloropropene	<	1	100	UG/L	1 UJ	
SWB-7	3/1/2006	Hexachloropropene	<	1	100	UG/L	1	
SWB-7	6/2/2006	Hexachloropropene	<	1	100	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-7	9/5/2006	Hexachloropropene	<		2	100	UG/L	1	UJ	
SWB-7	12/5/2006	Hexachloropropene	<		2	100	UG/L	1		
SWB-7	3/2/2007	Hexachloropropene	<		2	100	UG/L	1		
SWB-7	6/1/2007	Hexachloropropene	<		2	100	UG/L	1		
SWB-7	9/7/2007	Hexachloropropene	<		2	100	UG/L	1		
SWB-7	12/3/2007	Hexachloropropene	<		2	100	UG/L	1		
SWB-7	3/6/2008	Hexachloropropene	<		2	100	UG/L	1		
SWB-7	6/6/2008	Hexachloropropene	<		2	100	UG/L	1		
SWB-7	9/8/2008	Hexachloropropene	<		2	100	UG/L	1		
SWB-7	12/5/2008	Hexachloropropene	<		2	100	UG/L	1		
SWB-7	12/5/2008	Hexachloropropene	<		2	100	UG/L	1	R	
SWB-7	3/2/2009	Hexachloropropene	<		2	100	UG/L	1		
SWB-7	3/2/2009	Hexachloropropene	<		2	100	UG/L	1	R	
SWB-7	6/5/2009	Hexachloropropene	<		2	100	UG/L	1		
SWB-7	9/9/2009	Hexachloropropene	<		2	100	UG/L	1		
SWB-7	12/1/2009	Hexachloropropene	<		2	100	UG/L	1		
SWB-7	3/2/2010	Hexachloropropene	<	95	1.9	95	UG/L	1		
SWB-7	6/1/2010	HEXACHLOROPROPENE	<	1.9	1.9	96	UG/L	1	DNR	
SWB-7	6/1/2010	HEXACHLOROPROPENE	<	2	2	100	UG/L	1	R	
SWB-7	9/9/2010	HEXACHLOROPROPENE	<	1.9	1.9	96	UG/L	1		
SWB-7	12/1/2010	HEXACHLOROPROPENE	<	1.9	1.9	93	UG/L	1		
SWB-8	3/5/2004	Hexachloropropene	<		1	100	ug/L	1		
SWB-8	3/7/2005	Hexachloropropene	<		1	100	ug/L	1		
SWB-8	6/1/2005	Hexachloropropene	<		1	100	ug/L	1		
SWB-8	3/1/2006	Hexachloropropene	<		1	100	UG/L	1		
SWB-8	3/7/2008	Hexachloropropene	<		2	100	UG/L	1		
SWB-8	3/3/2009	Hexachloropropene	<		2	100	UG/L	1		
SWB-8	3/3/2009	Hexachloropropene	<		2	100	UG/L	1	R	
SWB-9	3/4/2003	Hexachloropropene	<		1.1	100	ug/L	1		
SWB-9	12/3/2003	Hexachloropropene	<		1	100	ug/L	1		
SWB-9	3/5/2004	Hexachloropropene	<		1	100	ug/L	1		
SWB-9	5/27/2004	Hexachloropropene	<		1	100	ug/L	1	UJ	
SWB-9	12/1/2004	Hexachloropropene	<		1	100	ug/L	1		
SWB-9	3/3/2005	Hexachloropropene	<		1	100	ug/L	1		
SWB-9	6/2/2005	Hexachloropropene	<		1	100	ug/L	1		
SWB-9	9/1/2005	Hexachloropropene	<		1	100	ug/L	1		
SWB-9	12/1/2005	Hexachloropropene	<		1	100	UG/L	1	UJ	
SWB-9	3/2/2006	Hexachloropropene	<		1	100	UG/L	1		
SWB-9	6/1/2006	Hexachloropropene	<		1	100	UG/L	1		
SWB-9	12/4/2006	Hexachloropropene	<		2	100	UG/L	1		
SWB-9	3/5/2007	Hexachloropropene	<		2	100	UG/L	1		
SWB-9	3/6/2008	Hexachloropropene	<		2	100	UG/L	1		
SWB-9	6/5/2008	Hexachloropropene	<		2	100	UG/L	1		
SWB-9	12/5/2008	Hexachloropropene	<		2	100	UG/L	1		
SWB-9	12/5/2008	Hexachloropropene	<		2	100	UG/L	1	R	
SWB-9	3/2/2009	Hexachloropropene	<		2	100	UG/L	1		
SWB-9	3/2/2009	Hexachloropropene	<		2	100	UG/L	1	R	
SWB-9	6/2/2009	Hexachloropropene	<		2	100	UG/L	1		
SWB-9	6/2/2009	Hexachloropropene	<		2	100	UG/L	1	DNR	
SWB-9	3/1/2010	Hexachloropropene	<	92	1.8	92	ug/L	1		
SWB-9	6/1/2010	HEXACHLOROPROPENE	<	1.9	1.9	94	UG/L	1	DNR	
SWB-9	6/1/2010	HEXACHLOROPROPENE	<	1.9	1.9	95	UG/L	1		
SWB-9	12/1/2010	HEXACHLOROPROPENE	<	1.9	1.9	93	UG/L	1		
SWB-11	3/7/2008	Hexadecanoic acid	TI	6.9			UG/L	1	NJ	NA
SWB-3	6/4/2009	Hexadecanoic acid	TI	6.9			UG/L	1	NJ	
SWB-6	6/1/2006	Hexadecanoic acid	TI	6.8			UG/L	1	NJ	
SWB-6	6/9/2008	Hexadecanoic acid	TI	6.2			UG/L	1	NJ	



tmpAnalyticalResultsOverTime

SWB-7	6/3/2003	Hexadecanoic acid	TI	12		ug/L	1	NJ	
SWB-7	9/7/2007	Hexadecanoic acid	TI	4.9		UG/L	1	NJ	
SWB-7	6/5/2009	Hexadecanoic acid	TI	4.5		UG/L	1	NJ	
SWB-7	12/1/2010	Hexadecanoic acid	TR	4.1		UG/L	1	NJ	
SWB-8	6/1/2005	Hexadecanoic acid	TI	4		ug/L	1	NJ	
SWB-9	6/2/2009	Hexadecanoic acid	TI	5.4		UG/L	1	DNR	
SWB-10	3/4/2004	Hexane	<		0.26	ug/L	1		0.00058 mg/L
SWB-10	5/24/2004	Hexane	<		0.26	ug/L	1		
SWB-10	12/1/2004	Hexane	<		0.26	ug/L	1		
SWB-10	3/3/2005	Hexane	<		0.26	ug/L	1		
SWB-10	6/2/2005	Hexane	<		0.18	ug/L	1		
SWB-10	9/1/2005	Hexane	<		0.18	ug/L	1		
SWB-10	3/2/2006	Hexane	<		0.72	UG/L	4		
SWB-10	6/2/2006	Hexane	<		0.42	UG/L	1		
SWB-10	3/1/2007	Hexane	<		0.42	UG/L	2		
SWB-10	3/7/2008	Hexane	<		0.42	UG/L	2		
SWB-10	6/5/2008	Hexane	<		0.42	UG/L	2		
SWB-10	3/2/2009	Hexane	<		0.42	UG/L	2		
SWB-10	6/4/2009	Hexane	<		0.42	UG/L	2		
SWB-10	3/2/2010	Hexane	<	2	0.42	UG/L	2		
SWB-11	3/4/2004	Hexane	<		0.26	ug/L	1		
SWB-11	5/24/2004	Hexane	<		0.26	ug/L	1		
SWB-11	12/1/2004	Hexane	<		0.26	ug/L	1		
SWB-11	3/1/2005	Hexane	<		0.26	ug/L	1		
SWB-11	6/2/2005	Hexane	<		0.18	ug/L	1		
SWB-11	3/2/2006	Hexane	<		1.8	UG/L	10		10
SWB-11	6/1/2006	Hexane	<		0.42	UG/L	1		
SWB-11	3/1/2007	Hexane	<		0.42	UG/L	2		
SWB-11	3/7/2008	Hexane	<		0.42	UG/L	2		
SWB-11	6/5/2008	Hexane	<		0.42	UG/L	2		
SWB-11	3/2/2009	Hexane	<		0.42	UG/L	2		
SWB-11	6/4/2009	Hexane	<		0.42	UG/L	2		
SWB-11	3/1/2010	Hexane	<	2	0.42	ug/L	2		
SWB-11	6/2/2010	HEXANE	<	0.42	0.42	UG/L	2		
SWB-3	10/29/2002	Hexane	<		0.8	ug/L	1		
SWB-3	3/4/2003	Hexane	<		0.26	ug/L	1		
SWB-3	6/3/2003	Hexane	<		0.26	ug/L	1		
SWB-3	9/4/2003	Hexane	<		0.26	ug/L	1		1 UJ
SWB-3	12/2/2003	Hexane	<		0.26	ug/L	1		
SWB-3	3/1/2004	Hexane	<		0.26	ug/L	1		
SWB-3	6/1/2004	Hexane	<		0.26	ug/L	1		
SWB-3	9/1/2004	Hexane	<		0.26	ug/L	1		
SWB-3	12/1/2004	Hexane	<		0.43	ug/L	1.7		1.66
SWB-3	3/3/2005	Hexane	<		0.26	ug/L	1		
SWB-3	6/2/2005	Hexane	<		0.18	ug/L	1		
SWB-3	9/1/2005	Hexane	<		0.18	ug/L	1		
SWB-3	12/1/2005	Hexane	<		0.36	UG/L	2		
SWB-3	3/2/2006	Hexane	<		0.72	UG/L	4		
SWB-3	6/2/2006	Hexane	<		0.42	UG/L	1		
SWB-3	9/5/2006	Hexane	<		0.42	UG/L	2		
SWB-3	12/4/2006	Hexane	<		0.42	UG/L	2		
SWB-3	3/1/2007	Hexane	<		0.42	UG/L	2		
SWB-3	6/1/2007	Hexane	<		0.42	UG/L	2		
SWB-3	12/3/2007	Hexane	<		0.42	UG/L	2		
SWB-3	3/6/2008	Hexane	<		0.42	UG/L	2		
SWB-3	6/9/2008	Hexane	<		0.42	UG/L	2		
SWB-3	12/4/2008	Hexane	<		0.42	UG/L	2		

tmpAnalyticalResultsOverTime

SWB-3	3/2/2009	Hexane	<		0.42	2	UG/L	1
SWB-3	6/4/2009	Hexane	<		0.42	2	UG/L	1
SWB-3	12/1/2009	Hexane	<		0.42	2	UG/L	1
SWB-3	3/1/2010	Hexane	<	2	0.42	2	ug/L	1
SWB-3	3/1/2010	Hexane	<	4	0.84	4	ug/L	1 DNR
SWB-3	6/1/2010	HEXANE	<	0.42	0.42	2	UG/L	1 DNR
SWB-3	6/1/2010	HEXANE	<	1.7	1.7	8	UG/L	1
SWB-3	9/9/2010	HEXANE	<	0.42	0.42	2	UG/L	1
SWB-4	11/15/2002	Hexane	<		0.8	1	ug/L	1
SWB-5	10/29/2002	Hexane	<		0.8	1	ug/L	1
SWB-6	3/4/2003	Hexane	<		0.26	1	ug/L	1
SWB-6	6/3/2003	Hexane	<		0.52	2	ug/L	2
SWB-6	12/3/2003	Hexane	<		0.52	2	ug/L	2
SWB-6	3/5/2004	Hexane	<		0.26	1	ug/L	1
SWB-6	6/1/2004	Hexane	<		0.26	1	ug/L	1
SWB-6	12/1/2004	Hexane	<		0.26	1	ug/L	1
SWB-6	3/7/2005	Hexane	<		0.26	1	ug/L	1
SWB-6	6/1/2005	Hexane	<		0.18	1	ug/L	1
SWB-6	12/2/2005	Hexane	<		0.18	1	UG/L	1
SWB-6	3/1/2006	Hexane	<		0.18	1	UG/L	1
SWB-6	6/1/2006	Hexane	<		0.42	1	UG/L	1
SWB-6	12/5/2006	Hexane	<		0.42	2	UG/L	1
SWB-6	3/2/2007	Hexane	<		0.42	2	UG/L	1
SWB-6	6/9/2008	Hexane	<		0.42	2	UG/L	1
SWB-6	3/6/2008	Hexane	<		0.42	2	UG/L	1
SWB-6	12/5/2008	Hexane	<		0.42	2	UG/L	1
SWB-6	3/2/2009	Hexane	<		0.42	2	UG/L	1
SWB-6	6/5/2009	Hexane	<		0.42	2	UG/L	1
SWB-6	3/2/2010	Hexane	<	2	0.42	2	UG/L	1
SWB-6	6/2/2010	HEXANE	<	0.42	0.42	2	UG/L	1
SWB-7	3/4/2003	Hexane	<		0.26	1	ug/L	1
SWB-7	6/3/2003	Hexane	<		0.26	1	ug/L	1
SWB-7	3/1/2004	Hexane	<		0.26	1	ug/L	1
SWB-7	5/24/2004	Hexane	<		0.26	1	ug/L	1
SWB-7	12/1/2004	Hexane	<		0.26	1	ug/L	1
SWB-7	3/7/2005	Hexane	<		0.26	1	ug/L	1
SWB-7	6/1/2005	Hexane	<		0.18	1	ug/L	1
SWB-7	9/1/2005	Hexane	<		0.18	1	ug/L	1
SWB-7	12/1/2005	Hexane	<		0.18	1	UG/L	1
SWB-7	3/1/2006	Hexane	<		0.18	1	UG/L	1
SWB-7	6/2/2006	Hexane	<		0.42	1	UG/L	1
SWB-7	9/5/2006	Hexane	<		0.42	2	UG/L	1
SWB-7	12/5/2006	Hexane	<		0.42	2	UG/L	1
SWB-7	3/2/2007	Hexane	<		0.42	2	UG/L	1
SWB-7	6/1/2007	Hexane	<		0.42	2	UG/L	1
SWB-7	9/7/2007	Hexane	<		0.42	2	UG/L	1
SWB-7	12/3/2007	Hexane	<		0.42	2	UG/L	1
SWB-7	3/6/2008	Hexane	<		0.42	2	UG/L	1
SWB-7	6/6/2008	Hexane	<		0.42	2	UG/L	1
SWB-7	9/8/2008	Hexane	<		0.42	2	UG/L	1
SWB-7	12/5/2008	Hexane	<		0.42	2	UG/L	1
SWB-7	3/2/2009	Hexane	<		0.42	2	UG/L	1
SWB-7	6/5/2009	Hexane	<		0.42	2	UG/L	1
SWB-7	9/9/2009	Hexane	<		0.42	2	UG/L	1
SWB-7	12/1/2009	Hexane	<		0.42	2	UG/L	1
SWB-7	3/2/2010	Hexane	<	2	0.42	2	UG/L	1
SWB-7	6/1/2010	HEXANE	<	0.42	0.42	2	UG/L	1 DNR

tmpAnalyticalResultsOverTime

SWB-7	6/1/2010	HEXANE	<	1.7	1.7	8	UG/L	1	
SWB-7	9/9/2010	HEXANE	<	0.42	0.42	2	UG/L	1	
SWB-7	12/1/2010	HEXANE	<	0.42	0.42	2	UG/L	1	
SWB-8	3/5/2004	Hexane	<		0.26	1	ug/L	1	
SWB-8	3/7/2005	Hexane	<		0.26	1	ug/L	1	
SWB-8	6/1/2005	Hexane	<		0.18	1	ug/L	1	
SWB-8	3/1/2006	Hexane	<		0.18	1	UG/L	1	
SWB-8	3/7/2008	Hexane	<		0.42	2	UG/L	1	
SWB-8	3/3/2009	Hexane	<		0.42	2	UG/L	1	
SWB-9	3/4/2003	Hexane	<		0.26	1	ug/L	1	
SWB-9	12/3/2003	Hexane	<		0.52	2	ug/L	2	
SWB-9	3/5/2004	Hexane	<		0.26	1	ug/L	1	
SWB-9	5/27/2004	Hexane	<		0.26	1	ug/L	1	
SWB-9	12/1/2004	Hexane	<		0.26	1	ug/L	1	
SWB-9	3/3/2005	Hexane	<		0.26	1	ug/L	1	
SWB-9	6/2/2005	Hexane	<		0.18	1	ug/L	1	
SWB-9	9/1/2005	Hexane	<		0.18	1	ug/L	1	UJ
SWB-9	12/1/2005	Hexane	<		0.18	1	UG/L	1	
SWB-9	3/2/2006	Hexane	<		0.72	4	UG/L	4	
SWB-9	6/1/2006	Hexane	<		0.42	1	UG/L	1	
SWB-9	12/4/2006	Hexane	<		0.42	2	UG/L	1	
SWB-9	3/5/2007	Hexane	<		0.42	2	UG/L	1	
SWB-9	3/6/2008	Hexane	<		0.42	2	UG/L	1	
SWB-9	6/5/2008	Hexane	<		0.42	2	UG/L	1	R
SWB-9	12/5/2008	Hexane	<		0.42	2	UG/L	1	
SWB-9	3/2/2009	Hexane	<		0.42	2	UG/L	1	
SWB-9	6/2/2009	Hexane	<		0.42	2	UG/L	1	
SWB-9	3/1/2010	Hexane	<	2	0.42	2	ug/L	1	
SWB-9	6/1/2010	HEXANE	<	0.42	0.42	2	UG/L	1	DNR
SWB-9	6/1/2010	HEXANE	<	1.7	1.7	8	UG/L	1	
SWB-9	12/1/2010	HEXANE	<	0.42	0.42	2	UG/L	1	
SWB-10	3/4/2004	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1	NA
SWB-10	5/24/2004	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1	UJ
SWB-10	12/1/2004	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1	
SWB-10	3/3/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	ug/L	1	
SWB-10	6/2/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	ug/L	1	
SWB-10	9/1/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	ug/L	1	
SWB-10	3/2/2006	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1	
SWB-10	6/2/2006	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1	
SWB-10	3/1/2007	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1	
SWB-10	3/7/2008	Indeno(1,2,3-cd)pyrene	<		0.65	10	UG/L	1	
SWB-10	6/5/2008	Indeno(1,2,3-cd)pyrene	<		0.65	10	UG/L	1	
SWB-10	3/2/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1	
SWB-10	3/2/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1	R
SWB-10	6/4/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1	
SWB-10	3/2/2010	INDENO(1,2,3-cd)PYRENE	<	3.7	0.61	3.7	UG/L	1	
SWB-11	3/4/2004	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1	
SWB-11	5/24/2004	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1	UJ
SWB-11	12/1/2004	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1	
SWB-11	3/1/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	ug/L	1	
SWB-11	6/2/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	ug/L	1	
SWB-11	3/2/2006	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1	
SWB-11	6/1/2006	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1	
SWB-11	3/1/2007	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1	
SWB-11	3/7/2008	Indeno(1,2,3-cd)pyrene	<		0.65	10	UG/L	1	
SWB-11	6/5/2008	Indeno(1,2,3-cd)pyrene	<		0.65	10	UG/L	1	
SWB-11	3/2/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-11	6/4/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1
SWB-11	3/1/2010	INDENO(1,2,3-cd)PYRENE	<	3.7	0.61	3.7	ug/L	1
SWB-11	6/2/2010	INDENO(1,2,3-cd)PYRENE	<	0.62	0.62	3.8	UG/L	1 UJ
SWB-3	10/29/2002	Indeno(1,2,3-cd)pyrene	<		1.2	10	ug/L	1
SWB-3	3/4/2003	Indeno(1,2,3-cd)pyrene	<		1.2	10	ug/L	1
SWB-3	6/3/2003	Indeno(1,2,3-cd)pyrene	<		1.2	10	ug/L	1
SWB-3	9/4/2003	Indeno(1,2,3-cd)pyrene	<		1.2	10	ug/L	1 UJ
SWB-3	12/2/2003	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1
SWB-3	3/1/2004	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1
SWB-3	6/1/2004	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1
SWB-3	9/1/2004	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1
SWB-3	12/1/2004	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1
SWB-3	3/3/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	ug/L	1
SWB-3	6/2/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	ug/L	1
SWB-3	9/1/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	ug/L	1
SWB-3	12/1/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1 UJ
SWB-3	3/2/2006	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1
SWB-3	6/2/2006	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1
SWB-3	9/5/2006	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1
SWB-3	12/4/2006	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1
SWB-3	3/1/2007	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1
SWB-3	6/1/2007	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1
SWB-3	6/1/2007	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1 R
SWB-3	12/3/2007	Indeno(1,2,3-cd)pyrene	<		0.65	10	UG/L	1
SWB-3	3/6/2008	Indeno(1,2,3-cd)pyrene	<		0.65	10	UG/L	1
SWB-3	6/9/2008	Indeno(1,2,3-cd)pyrene	<		0.65	10	UG/L	1
SWB-3	12/4/2008	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1
SWB-3	3/2/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1
SWB-3	3/2/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1 R
SWB-3	6/4/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1
SWB-3	12/1/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1
SWB-3	12/1/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1 DNR
SWB-3	3/1/2010	INDENO(1,2,3-cd)PYRENE	<	3.9	0.63	3.9	ug/L	1 UJ
SWB-3	6/1/2010	INDENO(1,2,3-cd)PYRENE	<	0.61	0.61	3.7	UG/L	1 UJ
SWB-3	6/1/2010	INDENO(1,2,3-cd)PYRENE	<	0.61	0.61	3.8	UG/L	1 DNR
SWB-3	9/9/2010	INDENO(1,2,3-cd)PYRENE	<	0.61	0.61	3.7	UG/L	1 UJ
SWB-4	11/15/2002	Indeno(1,2,3-cd)pyrene	<		1.2	10	ug/L	1
SWB-5	10/29/2002	Indeno(1,2,3-cd)pyrene	<		1.2	10	ug/L	1
SWB-6	3/4/2003	Indeno(1,2,3-cd)pyrene	<		1.2	10	ug/L	1
SWB-6	6/3/2003	Indeno(1,2,3-cd)pyrene	<		1.2	10	ug/L	1
SWB-6	12/3/2003	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1
SWB-6	3/5/2004	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1
SWB-6	6/1/2004	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1
SWB-6	12/1/2004	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1
SWB-6	3/7/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	ug/L	1
SWB-6	6/1/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	ug/L	1
SWB-6	12/2/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1 UJ
SWB-6	3/1/2006	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1
SWB-6	6/1/2006	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1
SWB-6	12/5/2006	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1
SWB-6	3/2/2007	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1
SWB-6	6/9/2008	Indeno(1,2,3-cd)pyrene	<		0.65	10	UG/L	1
SWB-6	3/6/2008	Indeno(1,2,3-cd)pyrene	<		0.65	10	UG/L	1
SWB-6	12/5/2008	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1
SWB-6	12/5/2008	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1 R
SWB-6	3/2/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1
SWB-6	3/2/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1 R

tmpAnalyticalResultsOverTime

SWB-6	6/5/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1
SWB-6	3/2/2010	INDENO(1,2,3-cd)PYRENE	<	3.6	0.59	3.6	UG/L	1
SWB-6	6/2/2010	INDENO(1,2,3-cd)PYRENE	<	0.61	0.61	3.8	UG/L	1 DNR
SWB-6	6/2/2010	INDENO(1,2,3-cd)PYRENE	<	0.62	0.62	3.8	UG/L	1 UJ
SWB-7	3/4/2003	Indeno(1,2,3-cd)pyrene	<		1.2	10	ug/L	1
SWB-7	6/3/2003	Indeno(1,2,3-cd)pyrene	<		1.2	10	ug/L	1
SWB-7	3/1/2004	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1
SWB-7	5/24/2004	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1
SWB-7	12/1/2004	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1
SWB-7	3/7/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	ug/L	1 UJ
SWB-7	6/1/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	ug/L	1
SWB-7	9/1/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	ug/L	1
SWB-7	12/1/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1 UJ
SWB-7	3/1/2006	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1
SWB-7	6/2/2006	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1
SWB-7	9/5/2006	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1 UJ
SWB-7	12/5/2006	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1
SWB-7	3/2/2007	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1
SWB-7	6/1/2007	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1
SWB-7	9/7/2007	Indeno(1,2,3-cd)pyrene	<		0.65	10	UG/L	1
SWB-7	12/3/2007	Indeno(1,2,3-cd)pyrene	<		0.65	10	UG/L	1
SWB-7	3/6/2008	Indeno(1,2,3-cd)pyrene	<		0.65	10	UG/L	1
SWB-7	6/6/2008	Indeno(1,2,3-cd)pyrene	<		0.65	10	UG/L	1
SWB-7	9/8/2008	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1
SWB-7	12/5/2008	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1
SWB-7	12/5/2008	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1 R
SWB-7	3/2/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1
SWB-7	3/2/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1 R
SWB-7	6/5/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1
SWB-7	9/9/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1
SWB-7	12/1/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1
SWB-7	3/2/2010	INDENO(1,2,3-cd)PYRENE	<	3.8	0.62	3.8	UG/L	1
SWB-7	6/1/2010	INDENO(1,2,3-cd)PYRENE	<	0.62	0.62	3.8	UG/L	1 DNR
SWB-7	6/1/2010	INDENO(1,2,3-cd)PYRENE	<	0.65	0.65	4	UG/L	1 R
SWB-7	9/9/2010	INDENO(1,2,3-cd)PYRENE	<	0.63	0.63	3.9	UG/L	1 UJ
SWB-7	12/1/2010	INDENO(1,2,3-cd)PYRENE	<	0.61	0.61	3.7	UG/L	1 UJ
SWB-8	3/5/2004	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1
SWB-8	3/7/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	ug/L	1
SWB-8	6/1/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	ug/L	1
SWB-8	3/1/2006	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1
SWB-8	3/7/2008	Indeno(1,2,3-cd)pyrene	<		0.65	10	UG/L	1
SWB-8	3/3/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1
SWB-8	3/3/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1 R
SWB-9	3/4/2003	Indeno(1,2,3-cd)pyrene	<		1.2	10	ug/L	1
SWB-9	12/3/2003	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1
SWB-9	3/5/2004	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1
SWB-9	5/27/2004	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1 UJ
SWB-9	12/1/2004	Indeno(1,2,3-cd)pyrene	<		0.8	10	ug/L	1
SWB-9	3/3/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	ug/L	1
SWB-9	6/2/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	ug/L	1
SWB-9	9/1/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	ug/L	1
SWB-9	12/1/2005	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1 UJ
SWB-9	3/2/2006	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1
SWB-9	6/1/2006	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1
SWB-9	12/4/2006	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1
SWB-9	3/5/2007	Indeno(1,2,3-cd)pyrene	<		1.5	10	UG/L	1
SWB-9	3/6/2008	Indeno(1,2,3-cd)pyrene	<		0.65	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	6/5/2008	Indeno(1,2,3-cd)pyrene	<		0.65	10	UG/L	1	
SWB-9	12/5/2008	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1	
SWB-9	12/5/2008	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1 R	
SWB-9	3/2/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1	
SWB-9	3/2/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1 R	
SWB-9	6/2/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1	
SWB-9	6/2/2009	Indeno(1,2,3-cd)pyrene	<		0.65	4	UG/L	1 DNR	
SWB-9	3/1/2010	INDENO(1,2,3-cd)PYRENE	<	3.7	0.6	3.7	ug/L	1	
SWB-9	6/1/2010	INDENO(1,2,3-cd)PYRENE	<	0.61	0.61	3.8	UG/L	1 DNR	
SWB-9	6/1/2010	INDENO(1,2,3-cd)PYRENE	<	0.61	0.61	3.8	UG/L	1 UJ	
SWB-9	12/1/2010	INDENO(1,2,3-cd)PYRENE	<	0.6	0.6	3.7	UG/L	1 UJ	
SWB-10	3/4/2004	Iodomethane	<		0.19	1	ug/L	1	NA
SWB-10	5/24/2004	Iodomethane	<		0.19	1	ug/L	1	
SWB-10	12/1/2004	Iodomethane	<		0.19	1	ug/L	1	
SWB-10	3/3/2005	Iodomethane	<		0.29	1	ug/L	1	
SWB-10	6/2/2005	Iodomethane	<		0.23	1	ug/L	1	
SWB-10	9/1/2005	Iodomethane	<		0.23	1	ug/L	1	
SWB-10	3/2/2006	Iodomethane	<		0.92	4	UG/L	4	
SWB-10	6/2/2006	Iodomethane	<		0.23	1	UG/L	1	
SWB-10	3/1/2007	Iodomethane	<		0.23	1	UG/L	1	
SWB-10	3/7/2008	Iodomethane	<		0.23	1	UG/L	1	
SWB-10	6/5/2008	Iodomethane	<		0.23	1	UG/L	1	
SWB-10	3/2/2009	Iodomethane	<		0.23	1	UG/L	1	
SWB-10	6/4/2009	Iodomethane	<		0.23	1	UG/L	1	
SWB-10	3/2/2010	Iodomethane	<	1	0.23	1	UG/L	1	
SWB-11	3/4/2004	Iodomethane	<		0.19	1	ug/L	1	
SWB-11	5/24/2004	Iodomethane	<		0.19	1	ug/L	1	
SWB-11	12/1/2004	Iodomethane	<		0.19	1	ug/L	1	
SWB-11	3/1/2005	Iodomethane	<		0.29	1	ug/L	1	
SWB-11	6/2/2005	Iodomethane	TR	0.81	0.23	1	ug/L	1 J	
SWB-11	3/2/2006	Iodomethane	<		2.3	10	UG/L	10	
SWB-11	6/1/2006	Iodomethane	<		0.23	1	UG/L	1	
SWB-11	3/1/2007	Iodomethane	<		0.23	1	UG/L	1	
SWB-11	3/7/2008	Iodomethane	<		0.23	1	UG/L	1	
SWB-11	6/5/2008	Iodomethane	TR	0.34	0.23	1	UG/L	1 J	
SWB-11	3/2/2009	Iodomethane	<		0.23	1	UG/L	1	
SWB-11	6/4/2009	Iodomethane	<		0.23	1	UG/L	1	
SWB-11	3/1/2010	Iodomethane	<	1	0.23	1	ug/L	1	
SWB-11	6/2/2010	IODOMETHANE	<	0.23	0.23	1	UG/L	1	
SWB-3	10/29/2002	Iodomethane	<		0.42	1	ug/L	1	
SWB-3	3/4/2003	Iodomethane	<		0.19	1	ug/L	1	
SWB-3	6/3/2003	Iodomethane	<		0.19	1	ug/L	1	
SWB-3	9/4/2003	Iodomethane	TR	0.5	0.19	1	ug/L	1 J	
SWB-3	12/2/2003	Iodomethane	<		0.19	1	ug/L	1	
SWB-3	3/1/2004	Iodomethane	<		0.19	1	ug/L	1	
SWB-3	6/1/2004	Iodomethane	<		0.19	1	ug/L	1	
SWB-3	9/1/2004	Iodomethane	TR	0.2	0.19	1	ug/L	1 J	
SWB-3	12/1/2004	Iodomethane	<		0.32	1.7	ug/L	1.66	
SWB-3	3/3/2005	Iodomethane	<		0.29	1	ug/L	1	
SWB-3	6/2/2005	Iodomethane	<		0.23	1	ug/L	1	
SWB-3	9/1/2005	Iodomethane	<		0.23	1	ug/L	1	
SWB-3	12/1/2005	Iodomethane	<		0.46	2	UG/L	2	
SWB-3	3/2/2006	Iodomethane	<		0.92	4	UG/L	4	
SWB-3	6/2/2006	Iodomethane	<		0.23	1	UG/L	1	
SWB-3	9/5/2006	Iodomethane	<		0.23	1	UG/L	1	
SWB-3	12/4/2006	Iodomethane	<		0.23	1	UG/L	1	
SWB-3	3/1/2007	Iodomethane	<		0.23	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	6/1/2007	Iodomethane	<		0.23	1	UG/L	1	
SWB-3	12/3/2007	Iodomethane	<		0.23	1	UG/L	1	
SWB-3	3/6/2008	Iodomethane	<		0.23	1	UG/L	1	
SWB-3	6/9/2008	Iodomethane	<		0.23	1	UG/L	1	
SWB-3	12/4/2008	Iodomethane	<		0.23	1	UG/L	1	
SWB-3	3/2/2009	Iodomethane	<		0.23	1	UG/L	1	
SWB-3	6/4/2009	Iodomethane	<		0.23	1	UG/L	1	
SWB-3	12/1/2009	Iodomethane	<		0.23	1	UG/L	1	
SWB-3	3/1/2010	Iodomethane	<	1	0.23	1	ug/L	1	
SWB-3	3/1/2010	Iodomethane	<	2	0.46	2	ug/L	1	DNR
SWB-3	6/1/2010	IODOMETHANE	<	0.23	0.23	1	UG/L	1	DNR
SWB-3	6/1/2010	IODOMETHANE	<	0.92	0.92	4	UG/L	1	
SWB-3	9/9/2010	IODOMETHANE	<	0.23	0.23	1	UG/L	1	
SWB-4	11/15/2002	Iodomethane	<		0.42	1	ug/L	1	
SWB-5	10/29/2002	Iodomethane	<		0.42	1	ug/L	1	
SWB-6	3/4/2003	Iodomethane	<		0.19	1	ug/L	1	
SWB-6	6/3/2003	Iodomethane	<		0.38	2	ug/L	2	
SWB-6	12/3/2003	Iodomethane	<		0.38	2	ug/L	2	
SWB-6	3/5/2004	Iodomethane	<		0.19	1	ug/L	1	
SWB-6	6/1/2004	Iodomethane	<		0.19	1	ug/L	1	
SWB-6	12/1/2004	Iodomethane	<		0.19	1	ug/L	1	
SWB-6	3/7/2005	Iodomethane	<		0.29	1	ug/L	1	
SWB-6	6/1/2005	Iodomethane	<		0.23	1	ug/L	1	
SWB-6	12/2/2005	Iodomethane	<		0.23	1	UG/L	1	
SWB-6	3/1/2006	Iodomethane	<		0.23	1	UG/L	1	
SWB-6	6/1/2006	Iodomethane	<		0.23	1	UG/L	1	
SWB-6	12/5/2006	Iodomethane	<		0.23	1	UG/L	1	
SWB-6	3/2/2007	Iodomethane	<		0.23	1	UG/L	1	
SWB-6	6/9/2008	Iodomethane	<		0.23	1	UG/L	1	
SWB-6	3/6/2008	Iodomethane	<		0.23	1	UG/L	1	
SWB-6	12/5/2008	Iodomethane	<		0.23	1	UG/L	1	
SWB-6	3/2/2009	Iodomethane	<		0.23	1	UG/L	1	
SWB-6	6/5/2009	Iodomethane	<		0.23	1	UG/L	1	
SWB-6	3/2/2010	Iodomethane	<	1	0.23	1	UG/L	1	
SWB-6	6/2/2010	IODOMETHANE	<	0.23	0.23	1	UG/L	1	
SWB-7	3/4/2003	Iodomethane	<		0.19	1	ug/L	1	
SWB-7	6/3/2003	Iodomethane	<		0.19	1	ug/L	1	
SWB-7	3/1/2004	Iodomethane	<		0.19	1	ug/L	1	
SWB-7	5/24/2004	Iodomethane	<		0.19	1	ug/L	1	
SWB-7	12/1/2004	Iodomethane	<		0.19	1	ug/L	1	
SWB-7	3/7/2005	Iodomethane	<		0.29	1	ug/L	1	
SWB-7	6/1/2005	Iodomethane	<		0.23	1	ug/L	1	
SWB-7	9/1/2005	Iodomethane	<		0.23	1	ug/L	1	
SWB-7	12/1/2005	Iodomethane	<		0.23	1	UG/L	1	
SWB-7	3/1/2006	Iodomethane	<		0.23	1	UG/L	1	
SWB-7	6/2/2006	Iodomethane	<		0.23	1	UG/L	1	
SWB-7	9/5/2006	Iodomethane	<		0.23	1	UG/L	1	
SWB-7	12/5/2006	Iodomethane	<		0.23	1	UG/L	1	
SWB-7	3/2/2007	Iodomethane	<		0.23	1	UG/L	1	
SWB-7	6/1/2007	Iodomethane	<		0.23	1	UG/L	1	
SWB-7	9/7/2007	Iodomethane	<		0.23	1	UG/L	1	
SWB-7	12/3/2007	Iodomethane	<		0.23	1	UG/L	1	
SWB-7	3/6/2008	Iodomethane	<		0.23	1	UG/L	1	
SWB-7	6/6/2008	Iodomethane	<		0.23	1	UG/L	1	
SWB-7	9/8/2008	Iodomethane	<		0.23	1	UG/L	1	
SWB-7	12/5/2008	Iodomethane	<		0.23	1	UG/L	1	
SWB-7	3/2/2009	Iodomethane	<		0.23	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-7	6/5/2009	Iodomethane	<		0.23	1	UG/L	1	
SWB-7	9/9/2009	Iodomethane	<		0.23	1	UG/L	1	
SWB-7	12/1/2009	Iodomethane	<		0.23	1	UG/L	1	
SWB-7	3/2/2010	Iodomethane	<	1	0.23	1	UG/L	1	
SWB-7	6/1/2010	IODOMETHANE	<	0.23	0.23	1	UG/L	1	DNR
SWB-7	6/1/2010	IODOMETHANE	<	0.92	0.92	4	UG/L	1	
SWB-7	9/9/2010	IODOMETHANE	<	0.23	0.23	1	UG/L	1	
SWB-7	12/1/2010	IODOMETHANE	<	0.23	0.23	1	UG/L	1	
SWB-8	3/5/2004	Iodomethane	<		0.19	1	ug/L	1	
SWB-8	3/7/2005	Iodomethane	<		0.29	1	ug/L	1	
SWB-8	6/1/2005	Iodomethane	<		0.23	1	ug/L	1	
SWB-8	3/1/2006	Iodomethane	<		0.23	1	UG/L	1	
SWB-8	3/7/2008	Iodomethane	<		0.23	1	UG/L	1	
SWB-8	3/3/2009	Iodomethane	<		0.23	1	UG/L	1	
SWB-9	3/4/2003	Iodomethane	<		0.19	1	ug/L	1	
SWB-9	12/3/2003	Iodomethane	<		0.38	2	ug/L	2	
SWB-9	3/5/2004	Iodomethane	<		0.19	1	ug/L	1	
SWB-9	5/27/2004	Iodomethane	<		0.19	1	ug/L	1	
SWB-9	12/1/2004	Iodomethane	<		0.19	1	ug/L	1	
SWB-9	3/3/2005	Iodomethane	<		0.29	1	ug/L	1	
SWB-9	6/2/2005	Iodomethane	<		0.23	1	ug/L	1	
SWB-9	9/1/2005	Iodomethane	<		0.23	1	ug/L	1	UJ
SWB-9	12/1/2005	Iodomethane	<		0.23	1	UG/L	1	
SWB-9	3/2/2006	Iodomethane	<		0.92	4	UG/L	4	
SWB-9	6/1/2006	Iodomethane	=	1.1	0.23	1	UG/L	1	J
SWB-9	12/4/2006	Iodomethane	<		0.23	1	UG/L	1	
SWB-9	3/5/2007	Iodomethane	<		0.23	1	UG/L	1	
SWB-9	3/6/2008	Iodomethane	<		0.23	1	UG/L	1	
SWB-9	6/5/2008	Iodomethane	TR	0.31	0.23	1	UG/L	1	J
SWB-9	12/5/2008	Iodomethane	<		0.23	1	UG/L	1	
SWB-9	3/2/2009	Iodomethane	<		0.23	1	UG/L	1	
SWB-9	6/2/2009	Iodomethane	<		0.23	1	UG/L	1	
SWB-9	3/1/2010	Iodomethane	<	1	0.23	1	ug/L	1	
SWB-9	6/1/2010	IODOMETHANE	<	0.23	0.23	1	UG/L	1	DNR
SWB-9	6/1/2010	IODOMETHANE	<	0.92	0.92	4	UG/L	1	
SWB-9	12/1/2010	IODOMETHANE	<	0.23	0.23	1	UG/L	1	
SWB-10	3/2/2010	Iron	=	0.74	0.044	0.2	MG/L	2	NA
SWB-11	3/1/2010	Iron	TR	0.055	0.022	0.1	mg/L	1	J
SWB-11	6/2/2010	IRON	TR	1.4	0.22	1	MG/L	10	J
SWB-3	3/1/2010	Iron	TR	0.022	0.022	0.1	mg/L	1	J
SWB-3	6/1/2010	IRON	TR	0.1	0.048	0.1	MG/L	1	UJ
SWB-3	9/9/2010	IRON	<	0.22	0.22	1	MG/L	10	
SWB-6	3/2/2010	Iron	<	0.5	0.11	0.5	MG/L	5	
SWB-6	6/2/2010	IRON	TR	0.69	0.22	1	MG/L	10	J
SWB-7	3/2/2010	Iron	TR	0.023	0.022	0.1	MG/L	1	J
SWB-7	6/1/2010	IRON	<	0.022	0.022	0.1	MG/L	1	UJ
SWB-7	9/9/2010	IRON	<	0.22	0.22	1	MG/L	10	
SWB-7	12/1/2010	IRON	TR	0.37	0.22	1	MG/L	10	J
SWB-9	3/1/2010	Iron	TR	0.097	0.022	0.1	mg/L	1	J
SWB-9	6/1/2010	IRON	TR	1	0.22	1	MG/L	10	UJ
SWB-9	12/1/2010	IRON	TR	0.92	0.22	1	MG/L	10	J
SWB-3	10/29/2002	Iron-DISSOLVED	TR	0.053	0.013	0.1	mg/L	1	J
SWB-4	11/15/2002	Iron-DISSOLVED	TR	0.041	0.013	0.1	mg/L	1	J
SWB-5	10/29/2002	Iron-DISSOLVED	<		0.026	0.2	mg/L	2	
SWB-10	3/4/2004	Iron-TOTAL	=	0.68	0.019	0.1	mg/L	1	NA
SWB-10	5/24/2004	Iron-TOTAL	=	0.23	0.019	0.1	mg/L	1	
SWB-10	12/1/2004	Iron-TOTAL	=	0.95	0.028	0.1	mg/L	1	



tmpAnalyticalResultsOverTime

SWB-10	3/3/2005	Iron-TOTAL	=	0.12	0.028	0.1	mg/L	1
SWB-10	6/2/2005	Iron-TOTAL	=	0.15	0.021	0.1	mg/L	1
SWB-10	9/1/2005	Iron-TOTAL	TR	0.38	0.21	1	MG/L	10 J
SWB-10	3/2/2006	Iron-TOTAL	=	1.4	0.1	0.5	MG/L	5
SWB-10	6/2/2006	Iron-TOTAL	<		0.22	1	MG/L	10
SWB-10	3/1/2007	Iron-TOTAL	=	16	0.11	0.5	MG/L	5
SWB-10	3/7/2008	Iron-TOTAL	<		0.022	0.1	MG/L	1
SWB-10	6/5/2008	Iron-TOTAL	=	5.3	0.11	0.5	MG/L	5
SWB-10	3/2/2009	Iron-TOTAL	=	0.15	0.022	0.1	MG/L	1 J
SWB-10	6/4/2009	Iron-TOTAL	TR	0.31	0.22	1	MG/L	10 J
SWB-11	3/4/2004	Iron-TOTAL	=	0.28	0.019	0.1	mg/L	1
SWB-11	5/24/2004	Iron-TOTAL	=	0.47	0.019	0.1	mg/L	1
SWB-11	12/1/2004	Iron-TOTAL	=	0.94	0.028	0.1	mg/L	1
SWB-11	3/1/2005	Iron-TOTAL	=	0.7	0.028	0.1	mg/L	1
SWB-11	6/2/2005	Iron-TOTAL	=	0.49	0.021	0.1	mg/L	1
SWB-11	3/2/2006	Iron-TOTAL	=	1.1	0.1	0.5	MG/L	5
SWB-11	6/1/2006	Iron-TOTAL	=	1.4	0.22	1	MG/L	10
SWB-11	3/1/2007	Iron-TOTAL	=	27	1.1	5	MG/L	50
SWB-11	3/7/2008	Iron-TOTAL	<		0.022	0.1	MG/L	1
SWB-11	6/5/2008	Iron-TOTAL	=	2.5	0.11	0.5	MG/L	5
SWB-11	3/2/2009	Iron-TOTAL	=	1.2	0.022	0.1	MG/L	1 J
SWB-11	6/4/2009	Iron-TOTAL	TR	0.56	0.22	1	MG/L	10 J
SWB-3	10/29/2002	Iron-TOTAL	=	2	0.013	0.1	mg/L	1
SWB-3	3/4/2003	Iron-TOTAL	=	0.13	0.013	0.1	mg/L	1
SWB-3	6/3/2003	Iron-TOTAL	=	1.6	0.019	0.1	mg/L	1 J
SWB-3	9/4/2003	Iron-TOTAL	=	0.14	0.019	0.1	mg/L	1
SWB-3	12/2/2003	Iron-TOTAL	=	2.2	0.019	0.1	mg/L	1
SWB-3	3/1/2004	Iron-TOTAL	=	0.12	0.019	0.1	mg/L	1
SWB-3	6/1/2004	Iron-TOTAL	=	0.21	0.019	0.1	mg/L	1
SWB-3	9/1/2004	Iron-TOTAL	=	0.39	0.028	0.1	mg/L	1
SWB-3	12/1/2004	Iron-TOTAL	=	0.1	0.028	0.1	mg/L	1
SWB-3	3/3/2005	Iron-TOTAL	=	0.19	0.028	0.1	mg/L	1
SWB-3	6/2/2005	Iron-TOTAL	=	0.17	0.021	0.1	mg/L	1
SWB-3	9/1/2005	Iron-TOTAL	TR	0.26	0.1	0.5	MG/L	5 J
SWB-3	12/1/2005	Iron-TOTAL	<		0.021	0.1	MG/L	1
SWB-3	3/2/2006	Iron-TOTAL	=	0.58	0.021	0.1	MG/L	1
SWB-3	6/2/2006	Iron-TOTAL	TR	0.074	0.022	0.1	MG/L	1 J
SWB-3	9/5/2006	Iron-TOTAL	<		0.11	0.5	MG/L	5
SWB-3	12/4/2006	Iron-TOTAL	=	5.1	0.11	0.5	MG/L	5 J
SWB-3	3/1/2007	Iron-TOTAL	TR	0.17	0.11	0.5	MG/L	5 J
SWB-3	6/1/2007	Iron-TOTAL	=	0.33	0.022	0.1	MG/L	1
SWB-3	12/3/2007	Iron-TOTAL	TR	0.027	0.022	0.1	MG/L	1 J
SWB-3	3/6/2008	Iron-TOTAL	=	0.19	0.022	0.1	MG/L	1
SWB-3	6/9/2008	Iron-TOTAL	TR	0.027	0.022	0.1	MG/L	1 J
SWB-3	12/4/2008	Iron-TOTAL	TR	0.022	0.022	0.1	MG/L	1 B
SWB-3	3/2/2009	Iron-TOTAL	=	0.12	0.022	0.1	MG/L	1 J
SWB-3	6/4/2009	Iron-TOTAL	=	0.17	0.022	0.1	MG/L	1
SWB-3	12/1/2009	Iron-TOTAL	<		0.022	0.1	MG/L	1
SWB-4	11/15/2002	Iron-TOTAL	TR	0.086	0.013	0.1	mg/L	1 J
SWB-5	10/29/2002	Iron-TOTAL	=	0.2	0.026	0.2	mg/L	1
SWB-6	3/4/2003	Iron-TOTAL	TR	0.042	0.013	0.1	mg/L	1 J
SWB-6	6/3/2003	Iron-TOTAL	=	0.41	0.019	0.1	mg/L	1
SWB-6	12/3/2003	Iron-TOTAL	=	0.28	0.019	0.1	mg/L	1
SWB-6	3/5/2004	Iron-TOTAL	=	0.44	0.019	0.1	mg/L	1
SWB-6	6/1/2004	Iron-TOTAL	=	0.56	0.095	0.5	mg/L	5
SWB-6	12/1/2004	Iron-TOTAL	=	0.2	0.028	0.1	mg/L	1
SWB-6	3/7/2005	Iron-TOTAL	=	0.15	0.028	0.1	mg/L	1

tmpAnalyticalResultsOverTime

SWB-6	6/1/2005	Iron-TOTAL	=	0.16	0.021	0.1	mg/L	1
SWB-6	12/2/2005	Iron-TOTAL	<		0.21	1	MG/L	10
SWB-6	3/1/2006	Iron-TOTAL	<		0.021	0.1	MG/L	1
SWB-6	6/1/2006	Iron-TOTAL	<		0.11	0.5	MG/L	5
SWB-6	12/5/2006	Iron-TOTAL	<		0.22	1	MG/L	10 R
SWB-6	3/2/2007	Iron-TOTAL	<		0.11	0.5	MG/L	5
SWB-6	6/9/2008	Iron-TOTAL	<		0.11	0.5	MG/L	5
SWB-6	3/6/2008	Iron-TOTAL	=	0.13	0.022	0.1	MG/L	1
SWB-6	12/5/2008	Iron-TOTAL	=	4	0.11	0.5	MG/L	5
SWB-6	3/2/2009	Iron-TOTAL	TR	0.093	0.022	0.1	MG/L	1 J
SWB-6	6/5/2009	Iron-TOTAL	TR	0.31	0.22	1	MG/L	10 J
SWB-7	3/4/2003	Iron-TOTAL	TR	0.039	0.013	0.1	mg/L	1 J
SWB-7	6/3/2003	Iron-TOTAL	=	11	0.019	0.1	mg/L	1
SWB-7	3/1/2004	Iron-TOTAL	TR	0.078	0.019	0.1	mg/L	1 J
SWB-7	5/24/2004	Iron-TOTAL	TR	0.099	0.019	0.1	mg/L	1 J
SWB-7	12/1/2004	Iron-TOTAL	TR	0.069	0.028	0.1	mg/L	1 J
SWB-7	3/7/2005	Iron-TOTAL	=	0.14	0.028	0.1	mg/L	1
SWB-7	6/1/2005	Iron-TOTAL	TR	0.088	0.021	0.1	mg/L	1 J
SWB-7	9/1/2005	Iron-TOTAL	TR	0.05	0.021	0.1	MG/L	1 J
SWB-7	12/1/2005	Iron-TOTAL	<		0.021	0.1	MG/L	1
SWB-7	3/1/2006	Iron-TOTAL	=	0.38	0.021	0.1	MG/L	1 J
SWB-7	6/2/2006	Iron-TOTAL	TR	0.034	0.022	0.1	MG/L	1 J
SWB-7	9/5/2006	Iron-TOTAL	TR	0.029	0.022	0.1	MG/L	1 J
SWB-7	12/5/2006	Iron-TOTAL	<		0.022	0.1	MG/L	1 R
SWB-7	3/2/2007	Iron-TOTAL	TR	0.023	0.022	0.1	MG/L	1 J
SWB-7	6/1/2007	Iron-TOTAL	=	0.2	0.022	0.1	MG/L	1
SWB-7	9/7/2007	Iron-TOTAL	<		0.11	0.5	MG/L	5
SWB-7	12/3/2007	Iron-TOTAL	TR	0.024	0.022	0.1	MG/L	1 J
SWB-7	3/6/2008	Iron-TOTAL	TR	0.088	0.022	0.1	MG/L	1 J
SWB-7	6/6/2008	Iron-TOTAL	TR	0.022	0.022	0.1	MG/L	1 J
SWB-7	9/8/2008	Iron-TOTAL	<		0.022	0.1	MG/L	1
SWB-7	12/5/2008	Iron-TOTAL	=	0.14	0.022	0.1	MG/L	1
SWB-7	3/2/2009	Iron-TOTAL	=	2.1	0.022	0.1	MG/L	1 J
SWB-7	6/5/2009	Iron-TOTAL	=	0.32	0.022	0.1	MG/L	1
SWB-7	9/9/2009	Iron-TOTAL	TR	0.11	0.11	0.5	MG/L	5 J
SWB-7	12/1/2009	Iron-TOTAL	=	0.12	0.022	0.1	MG/L	1
SWB-8	3/5/2004	Iron-TOTAL	=	0.13	0.019	0.1	mg/L	1
SWB-8	3/7/2005	Iron-TOTAL	=	0.24	0.028	0.1	mg/L	1
SWB-8	6/1/2005	Iron-TOTAL	=	2	0.021	0.1	mg/L	1
SWB-8	3/1/2006	Iron-TOTAL	=	4.7	0.021	0.1	MG/L	1
SWB-8	3/7/2008	Iron-TOTAL	=	2.8	0.022	0.1	MG/L	1
SWB-8	3/3/2009	Iron-TOTAL	=	1.4	0.022	0.1	MG/L	1 J
SWB-9	3/4/2003	Iron-TOTAL	=	0.97	0.013	0.1	mg/L	1
SWB-9	12/3/2003	Iron-TOTAL	=	3.1	0.019	0.1	mg/L	1
SWB-9	3/5/2004	Iron-TOTAL	=	0.24	0.019	0.1	mg/L	1
SWB-9	5/27/2004	Iron-TOTAL	=	3.1	0.095	0.5	mg/L	5
SWB-9	12/1/2004	Iron-TOTAL	=	0.37	0.028	0.1	mg/L	1
SWB-9	3/3/2005	Iron-TOTAL	=	0.37	0.028	0.1	mg/L	1
SWB-9	6/2/2005	Iron-TOTAL	=	0.2	0.021	0.1	mg/L	1
SWB-9	9/1/2005	Iron-TOTAL	<		0.21	1	MG/L	10 UJ
SWB-9	12/1/2005	Iron-TOTAL	<		0.21	1	MG/L	10
SWB-9	3/2/2006	Iron-TOTAL	=	0.55	0.1	0.5	MG/L	5
SWB-9	6/1/2006	Iron-TOTAL	<		0.22	1	MG/L	10
SWB-9	12/4/2006	Iron-TOTAL	<		1.1	5	MG/L	50 R
SWB-9	3/5/2007	Iron-TOTAL	=	2.5	0.11	0.5	MG/L	5
SWB-9	3/6/2008	Iron-TOTAL	TR	0.16	0.11	0.5	MG/L	5 J
SWB-9	6/5/2008	Iron-TOTAL	TR	0.26	0.11	0.5	MG/L	5 J

tmpAnalyticalResultsOverTime

SWB-9	12/5/2008	Iron-TOTAL	TR	0.21	0.11	0.5	MG/L	5	J	
SWB-9	3/2/2009	Iron-TOTAL	=	1	0.022	0.1	MG/L	1	J	
SWB-9	6/2/2009	Iron-TOTAL	TR	0.25	0.22	1	MG/L	10	J	
SWB-10	3/4/2004	Isobutyl alcohol	<		15	50	ug/L	1		NA
SWB-10	5/24/2004	Isobutyl alcohol	<		15	50	ug/L	1		
SWB-10	12/1/2004	Isobutyl alcohol	<		15	50	ug/L	1		
SWB-10	3/3/2005	Isobutyl alcohol	<		8.7	50	ug/L	1		
SWB-10	6/2/2005	Isobutyl alcohol	<		11	50	ug/L	1		
SWB-10	9/1/2005	Isobutyl alcohol	<		11	50	ug/L	1		
SWB-10	3/2/2006	Isobutyl alcohol	<		44	200	UG/L	4		
SWB-10	6/2/2006	Isobutyl alcohol	<		36	50	UG/L	1		
SWB-10	3/1/2007	Isobutyl alcohol	<		36	110	UG/L	1		
SWB-10	3/7/2008	Isobutyl alcohol	<		36	110	UG/L	1		
SWB-10	6/5/2008	Isobutyl alcohol	<		36	110	UG/L	1		
SWB-10	3/2/2009	Isobutyl alcohol	<		36	110	UG/L	1		
SWB-10	6/4/2009	Isobutyl alcohol	<		36	110	UG/L	1		
SWB-10	3/2/2010	Isobutyl alcohol	<	110	36	110	UG/L	1		
SWB-11	3/4/2004	Isobutyl alcohol	<		15	50	ug/L	1		
SWB-11	5/24/2004	Isobutyl alcohol	<		15	50	ug/L	1		
SWB-11	12/1/2004	Isobutyl alcohol	<		15	50	ug/L	1		
SWB-11	3/1/2005	Isobutyl alcohol	<		8.7	50	ug/L	1		
SWB-11	6/2/2005	Isobutyl alcohol	<		11	50	ug/L	1		
SWB-11	3/2/2006	Isobutyl alcohol	<		110	500	UG/L	10		
SWB-11	6/1/2006	Isobutyl alcohol	<		36	50	UG/L	1		
SWB-11	3/1/2007	Isobutyl alcohol	<		36	110	UG/L	1		
SWB-11	3/7/2008	Isobutyl alcohol	<		36	110	UG/L	1		
SWB-11	6/5/2008	Isobutyl alcohol	<		36	110	UG/L	1		
SWB-11	3/2/2009	Isobutyl alcohol	<		36	110	UG/L	1		
SWB-11	6/4/2009	Isobutyl alcohol	<		36	110	UG/L	1		
SWB-11	3/1/2010	Isobutyl alcohol	<	110	36	110	ug/L	1		
SWB-11	6/2/2010	ISOBUTYL ALCOHOL	<	36	36	110	UG/L	1		
SWB-3	10/29/2002	Isobutyl alcohol	<		26	50	ug/L	1		
SWB-3	3/4/2003	Isobutyl alcohol	<		15	50	ug/L	1		
SWB-3	6/3/2003	Isobutyl alcohol	<		15	50	ug/L	1		
SWB-3	9/4/2003	Isobutyl alcohol	<		15	50	ug/L	1	UJ	
SWB-3	12/2/2003	Isobutyl alcohol	<		15	50	ug/L	1		
SWB-3	3/1/2004	Isobutyl alcohol	<		15	50	ug/L	1		
SWB-3	6/1/2004	Isobutyl alcohol	<		15	50	ug/L	1		
SWB-3	9/1/2004	Isobutyl alcohol	<		15	50	ug/L	1		
SWB-3	12/1/2004	Isobutyl alcohol	<		25	83	ug/L	1.66		
SWB-3	3/3/2005	Isobutyl alcohol	<		8.7	50	ug/L	1		
SWB-3	6/2/2005	Isobutyl alcohol	<		11	50	ug/L	1		
SWB-3	9/1/2005	Isobutyl alcohol	<		11	50	ug/L	1		
SWB-3	12/1/2005	Isobutyl alcohol	<		22	100	UG/L	2		
SWB-3	3/2/2006	Isobutyl alcohol	<		44	200	UG/L	4		
SWB-3	6/2/2006	Isobutyl alcohol	<		36	50	UG/L	1		
SWB-3	9/5/2006	Isobutyl alcohol	<		36	110	UG/L	1		
SWB-3	12/4/2006	Isobutyl alcohol	<		36	110	UG/L	1		
SWB-3	3/1/2007	Isobutyl alcohol	<		36	110	UG/L	1		
SWB-3	6/1/2007	Isobutyl alcohol	<		36	110	UG/L	1		
SWB-3	12/3/2007	Isobutyl alcohol	<		36	110	UG/L	1		
SWB-3	3/6/2008	Isobutyl alcohol	<		36	110	UG/L	1		
SWB-3	6/9/2008	Isobutyl alcohol	<		36	110	UG/L	1		
SWB-3	12/4/2008	Isobutyl alcohol	<		36	110	UG/L	1		
SWB-3	3/2/2009	Isobutyl alcohol	<		36	110	UG/L	1		
SWB-3	6/4/2009	Isobutyl alcohol	<		36	110	UG/L	1		
SWB-3	12/1/2009	Isobutyl alcohol	<		36	110	UG/L	1		

tmpAnalyticalResultsOverTime

SWB-3	3/1/2010	Isobutyl alcohol	<	110	36	110	ug/L	1
SWB-3	3/1/2010	Isobutyl alcohol	<	220	73	220	ug/L	1 DNR
SWB-3	6/1/2010	ISOBUTYL ALCOHOL	<	36	36	110	UG/L	1 DNR
SWB-3	6/1/2010	ISOBUTYL ALCOHOL	<	150	150	440	UG/L	1
SWB-3	9/9/2010	ISOBUTYL ALCOHOL	<	36	36	110	UG/L	1
SWB-4	11/15/2002	Isobutyl alcohol	<		26	50	ug/L	1
SWB-5	10/29/2002	Isobutyl alcohol	<		26	50	ug/L	1
SWB-6	3/4/2003	Isobutyl alcohol	<		15	50	ug/L	1
SWB-6	6/3/2003	Isobutyl alcohol	<		30	100	ug/L	2
SWB-6	12/3/2003	Isobutyl alcohol	<		30	100	ug/L	2
SWB-6	3/5/2004	Isobutyl alcohol	<		15	50	ug/L	1
SWB-6	6/1/2004	Isobutyl alcohol	<		15	50	ug/L	1
SWB-6	12/1/2004	Isobutyl alcohol	<		15	50	ug/L	1
SWB-6	3/7/2005	Isobutyl alcohol	<		8.7	50	ug/L	1
SWB-6	6/1/2005	Isobutyl alcohol	<		11	50	ug/L	1
SWB-6	12/2/2005	Isobutyl alcohol	<		11	50	UG/L	1
SWB-6	3/1/2006	Isobutyl alcohol	<		11	50	UG/L	1
SWB-6	6/1/2006	Isobutyl alcohol	<		36	50	UG/L	1
SWB-6	12/5/2006	Isobutyl alcohol	<		36	110	UG/L	1
SWB-6	3/2/2007	Isobutyl alcohol	<		36	110	UG/L	1
SWB-6	6/9/2008	Isobutyl alcohol	<		36	110	UG/L	1
SWB-6	3/6/2008	Isobutyl alcohol	<		36	110	UG/L	1
SWB-6	12/5/2008	Isobutyl alcohol	<		36	110	UG/L	1
SWB-6	3/2/2009	Isobutyl alcohol	<		36	110	UG/L	1
SWB-6	6/5/2009	Isobutyl alcohol	<		36	110	UG/L	1
SWB-6	3/2/2010	Isobutyl alcohol	<	110	36	110	UG/L	1
SWB-6	6/2/2010	ISOBUTYL ALCOHOL	<	36	36	110	UG/L	1
SWB-7	3/4/2003	Isobutyl alcohol	<		15	50	ug/L	1
SWB-7	6/3/2003	Isobutyl alcohol	<		15	50	ug/L	1
SWB-7	3/1/2004	Isobutyl alcohol	<		15	50	ug/L	1
SWB-7	5/24/2004	Isobutyl alcohol	<		15	50	ug/L	1
SWB-7	12/1/2004	Isobutyl alcohol	<		15	50	ug/L	1
SWB-7	3/7/2005	Isobutyl alcohol	<		8.7	50	ug/L	1
SWB-7	6/1/2005	Isobutyl alcohol	<		11	50	ug/L	1
SWB-7	9/1/2005	Isobutyl alcohol	<		11	50	ug/L	1
SWB-7	12/1/2005	Isobutyl alcohol	<		11	50	UG/L	1
SWB-7	3/1/2006	Isobutyl alcohol	<		11	50	UG/L	1
SWB-7	6/2/2006	Isobutyl alcohol	<		36	50	UG/L	1
SWB-7	9/5/2006	Isobutyl alcohol	<		36	110	UG/L	1
SWB-7	12/5/2006	Isobutyl alcohol	<		36	110	UG/L	1
SWB-7	3/2/2007	Isobutyl alcohol	<		36	110	UG/L	1
SWB-7	6/1/2007	Isobutyl alcohol	<		36	110	UG/L	1
SWB-7	9/7/2007	Isobutyl alcohol	<		36	110	UG/L	1
SWB-7	12/3/2007	Isobutyl alcohol	<		36	110	UG/L	1
SWB-7	3/6/2008	Isobutyl alcohol	<		36	110	UG/L	1
SWB-7	6/6/2008	Isobutyl alcohol	<		36	110	UG/L	1
SWB-7	9/8/2008	Isobutyl alcohol	<		36	110	UG/L	1
SWB-7	12/5/2008	Isobutyl alcohol	<		36	110	UG/L	1
SWB-7	3/2/2009	Isobutyl alcohol	<		36	110	UG/L	1
SWB-7	6/5/2009	Isobutyl alcohol	<		36	110	UG/L	1
SWB-7	9/9/2009	Isobutyl alcohol	<		36	110	UG/L	1
SWB-7	12/1/2009	Isobutyl alcohol	<		36	110	UG/L	1
SWB-7	3/2/2010	Isobutyl alcohol	<	110	36	110	UG/L	1
SWB-7	6/1/2010	ISOBUTYL ALCOHOL	<	36	36	110	UG/L	1 DNR
SWB-7	6/1/2010	ISOBUTYL ALCOHOL	<	150	150	440	UG/L	1
SWB-7	9/9/2010	ISOBUTYL ALCOHOL	<	36	36	110	UG/L	1
SWB-7	12/1/2010	ISOBUTYL ALCOHOL	<	36	36	110	UG/L	1

tmpAnalyticalResultsOverTime

SWB-8	3/5/2004	Isobutyl alcohol	<		15	50	ug/L	1	
SWB-8	3/7/2005	Isobutyl alcohol	<		8.7	50	ug/L	1	
SWB-8	6/1/2005	Isobutyl alcohol	<		11	50	ug/L	1	
SWB-8	3/1/2006	Isobutyl alcohol	<		11	50	UG/L	1	
SWB-8	3/7/2008	Isobutyl alcohol	<		36	110	UG/L	1	
SWB-8	3/3/2009	Isobutyl alcohol	<		36	110	UG/L	1	
SWB-9	3/4/2003	Isobutyl alcohol	<		15	50	ug/L	1	
SWB-9	12/3/2003	Isobutyl alcohol	<		30	100	ug/L	2	
SWB-9	3/5/2004	Isobutyl alcohol	<		15	50	ug/L	1	
SWB-9	5/27/2004	Isobutyl alcohol	<		15	50	ug/L	1	
SWB-9	12/1/2004	Isobutyl alcohol	<		15	50	ug/L	1	
SWB-9	3/3/2005	Isobutyl alcohol	<		8.7	50	ug/L	1	
SWB-9	6/2/2005	Isobutyl alcohol	<		11	50	ug/L	1	
SWB-9	9/1/2005	Isobutyl alcohol	<		11	50	ug/L	1	UJ
SWB-9	12/1/2005	Isobutyl alcohol	<		11	50	UG/L	1	
SWB-9	3/2/2006	Isobutyl alcohol	<		44	200	UG/L	4	
SWB-9	6/1/2006	Isobutyl alcohol	<		36	50	UG/L	1	
SWB-9	12/4/2006	Isobutyl alcohol	<		36	110	UG/L	1	
SWB-9	3/5/2007	Isobutyl alcohol	<		36	110	UG/L	1	
SWB-9	3/6/2008	Isobutyl alcohol	<		36	110	UG/L	1	
SWB-9	6/5/2008	Isobutyl alcohol	<		36	110	UG/L	1	R
SWB-9	12/5/2008	Isobutyl alcohol	<		36	110	UG/L	1	
SWB-9	3/2/2009	Isobutyl alcohol	<		36	110	UG/L	1	
SWB-9	6/2/2009	Isobutyl alcohol	<		36	110	UG/L	1	
SWB-9	3/1/2010	Isobutyl alcohol	<	110	36	110	ug/L	1	
SWB-9	6/1/2010	ISOBUTYL ALCOHOL	<	36	36	110	UG/L	1	DNR
SWB-9	6/1/2010	ISOBUTYL ALCOHOL	<	150	150	440	UG/L	1	
SWB-9	12/1/2010	ISOBUTYL ALCOHOL	<	36	36	110	UG/L	1	
SWB-10	3/4/2004	Isodrin	<		5	10	ug/L	1	NA
SWB-10	5/24/2004	Isodrin	<		5	10	ug/L	1	UJ
SWB-10	12/1/2004	Isodrin	<		5	10	ug/L	1	
SWB-10	3/3/2005	Isodrin	<		5	10	ug/L	1	
SWB-10	6/2/2005	Isodrin	<		5	10	ug/L	1	
SWB-10	9/1/2005	Isodrin	<		5	10	ug/L	1	
SWB-10	3/2/2006	Isodrin	<		5	10	UG/L	1	
SWB-10	6/2/2006	Isodrin	<		2	10	UG/L	1	
SWB-10	3/1/2007	Isodrin	<		2	10	UG/L	1	
SWB-10	3/7/2008	Isodrin	<		1.8	10	UG/L	1	
SWB-10	6/5/2008	Isodrin	<		1.8	10	UG/L	1	
SWB-10	3/2/2009	Isodrin	<		1.8	10	UG/L	1	
SWB-10	3/2/2009	Isodrin	<		1.8	10	UG/L	1	R
SWB-10	6/4/2009	Isodrin	<		1.8	10	UG/L	1	
SWB-10	3/2/2010	Isodrin	<	9.3	1.6	9.3	UG/L	1	
SWB-11	3/4/2004	Isodrin	<		5	10	ug/L	1	
SWB-11	5/24/2004	Isodrin	<		5	10	ug/L	1	UJ
SWB-11	12/1/2004	Isodrin	<		5	10	ug/L	1	
SWB-11	3/1/2005	Isodrin	<		5	10	ug/L	1	
SWB-11	6/2/2005	Isodrin	<		5	10	ug/L	1	
SWB-11	3/2/2006	Isodrin	<		5	10	UG/L	1	
SWB-11	6/1/2006	Isodrin	<		2	10	UG/L	1	
SWB-11	3/1/2007	Isodrin	<		2	10	UG/L	1	
SWB-11	3/7/2008	Isodrin	<		1.8	10	UG/L	1	
SWB-11	6/5/2008	Isodrin	<		1.8	10	UG/L	1	
SWB-11	3/2/2009	Isodrin	<		1.8	10	UG/L	1	
SWB-11	6/4/2009	Isodrin	<		1.8	10	UG/L	1	
SWB-11	3/1/2010	Isodrin	<	9.4	1.7	9.4	ug/L	1	
SWB-11	6/2/2010	ISODRIN	<	1.7	1.7	9.5	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	10/29/2002	Isodrin	<		2.6	10	ug/L	1
SWB-3	3/4/2003	Isodrin	<		2.6	10	ug/L	1
SWB-3	6/3/2003	Isodrin	<		2.6	10	ug/L	1
SWB-3	9/4/2003	Isodrin	<		3	10	ug/L	1 UJ
SWB-3	12/2/2003	Isodrin	<		3	10	ug/L	1
SWB-3	3/1/2004	Isodrin	<		5	10	ug/L	1
SWB-3	6/1/2004	Isodrin	<		5	10	ug/L	1
SWB-3	9/1/2004	Isodrin	<		5	10	ug/L	1
SWB-3	12/1/2004	Isodrin	<		5	10	ug/L	1
SWB-3	3/3/2005	Isodrin	<		5	10	ug/L	1
SWB-3	6/2/2005	Isodrin	<		5	10	ug/L	1
SWB-3	9/1/2005	Isodrin	<		5	10	ug/L	1
SWB-3	12/1/2005	Isodrin	<		5	10	UG/L	1 UJ
SWB-3	3/2/2006	Isodrin	<		5	10	UG/L	1
SWB-3	6/2/2006	Isodrin	<		2	10	UG/L	1
SWB-3	9/5/2006	Isodrin	<		2	10	UG/L	1
SWB-3	12/4/2006	Isodrin	<		2	10	UG/L	1
SWB-3	3/1/2007	Isodrin	<		2	10	UG/L	1
SWB-3	6/1/2007	Isodrin	<		2	10	UG/L	1
SWB-3	6/1/2007	Isodrin	<		2	10	UG/L	1 R
SWB-3	12/3/2007	Isodrin	<		2	10	UG/L	1
SWB-3	3/6/2008	Isodrin	<		1.8	10	UG/L	1
SWB-3	6/9/2008	Isodrin	<		1.8	10	UG/L	1
SWB-3	12/4/2008	Isodrin	<		1.8	10	UG/L	1
SWB-3	3/2/2009	Isodrin	<		1.8	10	UG/L	1
SWB-3	3/2/2009	Isodrin	<		1.8	10	UG/L	1 R
SWB-3	6/4/2009	Isodrin	<		1.8	10	UG/L	1
SWB-3	12/1/2009	Isodrin	<		1.8	10	UG/L	1
SWB-3	12/1/2009	Isodrin	<		1.8	10	UG/L	1 DNR
SWB-3	3/1/2010	Isodrin	<	9.7	1.7	9.7	ug/L	1 UJ
SWB-3	6/1/2010	ISODRIN	<	1.7	1.7	9.4	UG/L	1
SWB-3	6/1/2010	ISODRIN	<	1.7	1.7	9.4	UG/L	1 DNR
SWB-3	9/9/2010	ISODRIN	<	1.7	1.7	9.3	UG/L	1
SWB-4	11/15/2002	Isodrin	<		2.6	10	ug/L	1
SWB-5	10/29/2002	Isodrin	<		2.6	10	ug/L	1
SWB-6	3/4/2003	Isodrin	<		2.6	10	ug/L	1
SWB-6	6/3/2003	Isodrin	<		2.6	10	ug/L	1
SWB-6	12/3/2003	Isodrin	<		3	10	ug/L	1
SWB-6	3/5/2004	Isodrin	<		5	10	ug/L	1
SWB-6	6/1/2004	Isodrin	<		5	10	ug/L	1
SWB-6	12/1/2004	Isodrin	<		5	10	ug/L	1
SWB-6	3/7/2005	Isodrin	<		5	10	ug/L	1
SWB-6	6/1/2005	Isodrin	<		5	10	ug/L	1
SWB-6	12/2/2005	Isodrin	<		5	10	UG/L	1 UJ
SWB-6	3/1/2006	Isodrin	<		5	10	UG/L	1
SWB-6	6/1/2006	Isodrin	<		2	10	UG/L	1
SWB-6	12/5/2006	Isodrin	<		2	10	UG/L	1
SWB-6	3/2/2007	Isodrin	<		2	10	UG/L	1
SWB-6	6/9/2008	Isodrin	<		1.8	10	UG/L	1
SWB-6	3/6/2008	Isodrin	<		1.8	10	UG/L	1
SWB-6	12/5/2008	Isodrin	<		1.8	10	UG/L	1
SWB-6	12/5/2008	Isodrin	<		1.8	10	UG/L	1 R
SWB-6	3/2/2009	Isodrin	<		1.8	10	UG/L	1
SWB-6	3/2/2009	Isodrin	<		1.8	10	UG/L	1 R
SWB-6	6/5/2009	Isodrin	<		1.8	10	UG/L	1
SWB-6	3/2/2010	Isodrin	<	9.1	1.6	9.1	UG/L	1
SWB-6	6/2/2010	ISODRIN	<	1.7	1.7	9.4	UG/L	1 DNR

tmpAnalyticalResultsOverTime

SWB-6	6/2/2010	ISODRIN	<	1.7	1.7	9.5	UG/L	1
SWB-7	3/4/2003	Isodrin	<		2.6	10	ug/L	1
SWB-7	6/3/2003	Isodrin	<		2.6	10	ug/L	1
SWB-7	3/1/2004	Isodrin	<		5	10	ug/L	1
SWB-7	5/24/2004	Isodrin	<		5	10	ug/L	1
SWB-7	12/1/2004	Isodrin	<		5	10	ug/L	1
SWB-7	3/7/2005	Isodrin	<		5	10	ug/L	1 UJ
SWB-7	6/1/2005	Isodrin	<		5	10	ug/L	1
SWB-7	9/1/2005	Isodrin	<		5	10	ug/L	1
SWB-7	12/1/2005	Isodrin	<		5	10	UG/L	1 UJ
SWB-7	3/1/2006	Isodrin	<		5	10	UG/L	1
SWB-7	6/2/2006	Isodrin	<		2	10	UG/L	1
SWB-7	9/5/2006	Isodrin	<		2	10	UG/L	1 UJ
SWB-7	12/5/2006	Isodrin	<		2	10	UG/L	1
SWB-7	3/2/2007	Isodrin	<		2	10	UG/L	1
SWB-7	6/1/2007	Isodrin	<		2	10	UG/L	1
SWB-7	9/7/2007	Isodrin	<		2	10	UG/L	1
SWB-7	12/3/2007	Isodrin	<		2	10	UG/L	1
SWB-7	3/6/2008	Isodrin	<		1.8	10	UG/L	1
SWB-7	6/6/2008	Isodrin	<		1.8	10	UG/L	1
SWB-7	9/8/2008	Isodrin	<		1.8	10	UG/L	1
SWB-7	12/5/2008	Isodrin	<		1.8	10	UG/L	1
SWB-7	12/5/2008	Isodrin	<		1.8	10	UG/L	1 R
SWB-7	3/2/2009	Isodrin	<		1.8	10	UG/L	1
SWB-7	3/2/2009	Isodrin	<		1.8	10	UG/L	1 R
SWB-7	6/5/2009	Isodrin	<		1.8	10	UG/L	1
SWB-7	9/9/2009	Isodrin	<		1.8	10	UG/L	1
SWB-7	12/1/2009	Isodrin	<		1.8	10	UG/L	1
SWB-7	3/2/2010	Isodrin	<	9.5	1.7	9.5	UG/L	1
SWB-7	6/1/2010	ISODRIN	<	1.7	1.7	9.6	UG/L	1 DNR
SWB-7	6/1/2010	ISODRIN	<	1.8	1.8	10	UG/L	1 R
SWB-7	9/9/2010	ISODRIN	<	1.7	1.7	9.6	UG/L	1
SWB-7	12/1/2010	ISODRIN	<	1.6	1.6	9.3	UG/L	1
SWB-8	3/5/2004	Isodrin	<		5	10	ug/L	1
SWB-8	3/7/2005	Isodrin	<		5	10	ug/L	1
SWB-8	6/1/2005	Isodrin	<		5	10	ug/L	1
SWB-8	3/1/2006	Isodrin	<		5	10	UG/L	1
SWB-8	3/7/2008	Isodrin	<		1.8	10	UG/L	1
SWB-8	3/3/2009	Isodrin	<		1.8	10	UG/L	1
SWB-8	3/3/2009	Isodrin	<		1.8	10	UG/L	1 R
SWB-9	3/4/2003	Isodrin	<		2.6	10	ug/L	1
SWB-9	12/3/2003	Isodrin	<		3	10	ug/L	1
SWB-9	3/5/2004	Isodrin	<		5	10	ug/L	1
SWB-9	5/27/2004	Isodrin	<		5	10	ug/L	1 UJ
SWB-9	12/1/2004	Isodrin	<		5	10	ug/L	1
SWB-9	3/3/2005	Isodrin	<		5	10	ug/L	1
SWB-9	6/2/2005	Isodrin	<		5	10	ug/L	1
SWB-9	9/1/2005	Isodrin	<		5	10	ug/L	1
SWB-9	12/1/2005	Isodrin	<		5	10	UG/L	1 UJ
SWB-9	3/2/2006	Isodrin	<		5	10	UG/L	1
SWB-9	6/1/2006	Isodrin	<		2	10	UG/L	1
SWB-9	12/4/2006	Isodrin	<		2	10	UG/L	1
SWB-9	3/5/2007	Isodrin	<		2	10	UG/L	1
SWB-9	3/6/2008	Isodrin	<		1.8	10	UG/L	1
SWB-9	6/5/2008	Isodrin	<		1.8	10	UG/L	1
SWB-9	12/5/2008	Isodrin	<		1.8	10	UG/L	1
SWB-9	12/5/2008	Isodrin	<		1.8	10	UG/L	1 R

tmpAnalyticalResultsOverTime

SWB-9	3/2/2009	Isodrin	<		1.8	10	UG/L	1	
SWB-9	3/2/2009	Isodrin	<		1.8	10	UG/L	1 R	
SWB-9	6/2/2009	Isodrin	<		1.8	10	UG/L	1	
SWB-9	6/2/2009	Isodrin	<		1.8	10	UG/L	1 DNR	
SWB-9	3/1/2010	Isodrin	<	9.2	1.6	9.2	ug/L	1	
SWB-9	6/1/2010	ISODRIN	<	1.7	1.7	9.4	UG/L	1 DNR	
SWB-9	6/1/2010	ISODRIN	<	1.7	1.7	9.5	UG/L	1	
SWB-9	12/1/2010	ISODRIN	<	1.6	1.6	9.3	UG/L	1	
SWB-10	3/4/2004	Isophorone	<		0.9	10	ug/L	1	NA
SWB-10	5/24/2004	Isophorone	<		0.9	10	ug/L	1 UJ	
SWB-10	12/1/2004	Isophorone	<		0.9	10	ug/L	1	
SWB-10	3/3/2005	Isophorone	<		1.5	10	ug/L	1	
SWB-10	6/2/2005	Isophorone	<		1.5	10	ug/L	1	
SWB-10	9/1/2005	Isophorone	<		1.5	10	ug/L	1	
SWB-10	3/2/2006	Isophorone	<		1.5	10	UG/L	1	
SWB-10	6/2/2006	Isophorone	<		1.5	10	UG/L	1	
SWB-10	3/1/2007	Isophorone	<		1.5	10	UG/L	1	
SWB-10	3/7/2008	Isophorone	<		0.21	10	UG/L	1	
SWB-10	6/5/2008	Isophorone	<		0.21	10	UG/L	1	
SWB-10	3/2/2009	Isophorone	<		0.21	10	UG/L	1	
SWB-10	3/2/2009	Isophorone	<		0.21	10	UG/L	1 R	
SWB-10	6/4/2009	Isophorone	<		0.21	10	UG/L	1	
SWB-10	3/2/2010	Isophorone	<	9.3	0.2	9.3	UG/L	1	
SWB-11	3/4/2004	Isophorone	<		0.9	10	ug/L	1	
SWB-11	5/24/2004	Isophorone	<		0.9	10	ug/L	1 UJ	
SWB-11	12/1/2004	Isophorone	<		0.9	10	ug/L	1	
SWB-11	3/1/2005	Isophorone	<		1.5	10	ug/L	1	
SWB-11	6/2/2005	Isophorone	<		1.5	10	ug/L	1	
SWB-11	3/2/2006	Isophorone	<		1.5	10	UG/L	1	
SWB-11	6/1/2006	Isophorone	<		1.5	10	UG/L	1	
SWB-11	3/1/2007	Isophorone	<		1.5	10	UG/L	1	
SWB-11	3/7/2008	Isophorone	<		0.21	10	UG/L	1	
SWB-11	6/5/2008	Isophorone	<		0.21	10	UG/L	1	
SWB-11	3/2/2009	Isophorone	<		0.21	10	UG/L	1	
SWB-11	6/4/2009	Isophorone	<		0.21	10	UG/L	1	
SWB-11	3/1/2010	Isophorone	<	9.4	0.2	9.4	ug/L	1	
SWB-11	6/2/2010	ISOPHORONE	<	0.2	0.2	9.5	UG/L	1	
SWB-3	10/29/2002	Isophorone	<		2.3	10	ug/L	1	
SWB-3	3/4/2003	Isophorone	<		2.3	10	ug/L	1	
SWB-3	6/3/2003	Isophorone	<		2.3	10	ug/L	1	
SWB-3	9/4/2003	Isophorone	<		2.3	10	ug/L	1 UJ	
SWB-3	12/2/2003	Isophorone	<		0.9	10	ug/L	1	
SWB-3	3/1/2004	Isophorone	<		0.9	10	ug/L	1	
SWB-3	6/1/2004	Isophorone	<		0.9	10	ug/L	1	
SWB-3	9/1/2004	Isophorone	<		0.9	10	ug/L	1	
SWB-3	12/1/2004	Isophorone	<		0.9	10	ug/L	1	
SWB-3	3/3/2005	Isophorone	<		1.5	10	ug/L	1	
SWB-3	6/2/2005	Isophorone	<		1.5	10	ug/L	1	
SWB-3	9/1/2005	Isophorone	<		1.5	10	ug/L	1	
SWB-3	12/1/2005	Isophorone	<		1.5	10	UG/L	1 UJ	
SWB-3	3/2/2006	Isophorone	<		1.5	10	UG/L	1	
SWB-3	6/2/2006	Isophorone	<		1.5	10	UG/L	1	
SWB-3	9/5/2006	Isophorone	<		1.5	10	UG/L	1	
SWB-3	12/4/2006	Isophorone	<		1.5	10	UG/L	1	
SWB-3	3/1/2007	Isophorone	<		1.5	10	UG/L	1	
SWB-3	6/1/2007	Isophorone	<		1.5	10	UG/L	1	
SWB-3	6/1/2007	Isophorone	<		1.5	10	UG/L	1 R	



tmpAnalyticalResultsOverTime

SWB-3	12/3/2007	Isophorone	<		0.21	10	UG/L	1
SWB-3	3/6/2008	Isophorone	<		0.21	10	UG/L	1
SWB-3	6/9/2008	Isophorone	<		0.21	10	UG/L	1
SWB-3	12/4/2008	Isophorone	<		0.21	10	UG/L	1
SWB-3	3/2/2009	Isophorone	<		0.21	10	UG/L	1
SWB-3	3/2/2009	Isophorone	<		0.21	10	UG/L	1 R
SWB-3	6/4/2009	Isophorone	<		0.21	10	UG/L	1
SWB-3	12/1/2009	Isophorone	<		0.21	10	UG/L	1
SWB-3	12/1/2009	Isophorone	<		0.21	10	UG/L	1 DNR
SWB-3	3/1/2010	Isophorone	<	9.7	0.2	9.7	ug/L	1 UJ
SWB-3	6/1/2010	ISOPHORONE	<	0.2	0.2	9.4	UG/L	1
SWB-3	6/1/2010	ISOPHORONE	<	0.2	0.2	9.4	UG/L	1 DNR
SWB-3	9/9/2010	ISOPHORONE	<	0.2	0.2	9.3	UG/L	1
SWB-4	11/15/2002	Isophorone	<		2.3	10	ug/L	1
SWB-5	10/29/2002	Isophorone	<		2.3	10	ug/L	1
SWB-6	3/4/2003	Isophorone	<		2.3	10	ug/L	1
SWB-6	6/3/2003	Isophorone	<		2.3	10	ug/L	1
SWB-6	12/3/2003	Isophorone	<		0.9	10	ug/L	1
SWB-6	3/5/2004	Isophorone	<		0.9	10	ug/L	1
SWB-6	6/1/2004	Isophorone	<		0.9	10	ug/L	1
SWB-6	12/1/2004	Isophorone	<		0.9	10	ug/L	1
SWB-6	3/7/2005	Isophorone	<		1.5	10	ug/L	1
SWB-6	6/1/2005	Isophorone	<		1.5	10	ug/L	1
SWB-6	12/2/2005	Isophorone	<		1.5	10	UG/L	1 UJ
SWB-6	3/1/2006	Isophorone	<		1.5	10	UG/L	1
SWB-6	6/1/2006	Isophorone	<		1.5	10	UG/L	1
SWB-6	12/5/2006	Isophorone	<		1.5	10	UG/L	1
SWB-6	3/2/2007	Isophorone	<		1.5	10	UG/L	1
SWB-6	6/9/2008	Isophorone	<		0.21	10	UG/L	1
SWB-6	3/6/2008	Isophorone	<		0.21	10	UG/L	1
SWB-6	12/5/2008	Isophorone	<		0.21	10	UG/L	1
SWB-6	12/5/2008	Isophorone	<		0.21	10	UG/L	1 R
SWB-6	3/2/2009	Isophorone	<		0.21	10	UG/L	1
SWB-6	3/2/2009	Isophorone	<		0.21	10	UG/L	1 R
SWB-6	6/5/2009	Isophorone	TR	0.31	0.21	10	UG/L	1 J
SWB-6	3/2/2010	Isophorone	<	9.1	0.19	9.1	UG/L	1
SWB-6	6/2/2010	ISOPHORONE	<	0.2	0.2	9.5	UG/L	1
SWB-6	6/2/2010	ISOPHORONE	TR	0.27	0.2	9.4	UG/L	1 DNR
SWB-7	3/4/2003	Isophorone	<		2.3	10	ug/L	1
SWB-7	6/3/2003	Isophorone	<		2.3	10	ug/L	1
SWB-7	3/1/2004	Isophorone	<		0.9	10	ug/L	1
SWB-7	5/24/2004	Isophorone	<		0.9	10	ug/L	1
SWB-7	12/1/2004	Isophorone	<		0.9	10	ug/L	1
SWB-7	3/7/2005	Isophorone	<		1.5	10	ug/L	1 UJ
SWB-7	6/1/2005	Isophorone	<		1.5	10	ug/L	1
SWB-7	9/1/2005	Isophorone	<		1.5	10	ug/L	1
SWB-7	12/1/2005	Isophorone	<		1.5	10	UG/L	1 UJ
SWB-7	3/1/2006	Isophorone	<		1.5	10	UG/L	1
SWB-7	6/2/2006	Isophorone	<		1.5	10	UG/L	1
SWB-7	9/5/2006	Isophorone	<		1.5	10	UG/L	1 UJ
SWB-7	12/5/2006	Isophorone	<		1.5	10	UG/L	1
SWB-7	3/2/2007	Isophorone	<		1.5	10	UG/L	1
SWB-7	6/1/2007	Isophorone	<		1.5	10	UG/L	1
SWB-7	9/7/2007	Isophorone	<		0.21	10	UG/L	1
SWB-7	12/3/2007	Isophorone	<		0.21	10	UG/L	1
SWB-7	3/6/2008	Isophorone	<		0.21	10	UG/L	1
SWB-7	6/6/2008	Isophorone	<		0.21	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	9/8/2008	Isophorone	<		0.21	10	UG/L	1		
SWB-7	12/5/2008	Isophorone	<		0.21	10	UG/L	1		
SWB-7	12/5/2008	Isophorone	<		0.21	10	UG/L	1	R	
SWB-7	3/2/2009	Isophorone	<		0.21	10	UG/L	1		
SWB-7	3/2/2009	Isophorone	<		0.21	10	UG/L	1	R	
SWB-7	6/5/2009	Isophorone	TR	0.24	0.21	10	UG/L	1	J	
SWB-7	9/9/2009	Isophorone	<		0.21	10	UG/L	1		
SWB-7	12/1/2009	Isophorone	<		0.21	10	UG/L	1		
SWB-7	3/2/2010	Isophorone	<	9.5	0.2	9.5	UG/L	1		
SWB-7	6/1/2010	ISOPHORONE	<	0.2	0.2	9.6	UG/L	1	DNR	
SWB-7	6/1/2010	ISOPHORONE	<	0.21	0.21	10	UG/L	1	R	
SWB-7	9/9/2010	ISOPHORONE	<	0.2	0.2	9.6	UG/L	1		
SWB-7	12/1/2010	ISOPHORONE	<	0.2	0.2	9.3	UG/L	1		
SWB-8	3/5/2004	Isophorone	<		0.9	10	ug/L	1		
SWB-8	3/7/2005	Isophorone	<		1.5	10	ug/L	1		
SWB-8	6/1/2005	Isophorone	<		1.5	10	ug/L	1		
SWB-8	3/1/2006	Isophorone	<		1.5	10	UG/L	1		
SWB-8	3/7/2008	Isophorone	<		0.21	10	UG/L	1		
SWB-8	3/3/2009	Isophorone	<		0.21	10	UG/L	1		
SWB-8	3/3/2009	Isophorone	<		0.21	10	UG/L	1	R	
SWB-9	3/4/2003	Isophorone	<		2.3	10	ug/L	1		
SWB-9	12/3/2003	Isophorone	<		0.9	10	ug/L	1		
SWB-9	3/5/2004	Isophorone	<		0.9	10	ug/L	1		
SWB-9	5/27/2004	Isophorone	<		0.9	10	ug/L	1	UJ	
SWB-9	12/1/2004	Isophorone	<		0.9	10	ug/L	1		
SWB-9	3/3/2005	Isophorone	<		1.5	10	ug/L	1		
SWB-9	6/2/2005	Isophorone	<		1.5	10	ug/L	1		
SWB-9	9/1/2005	Isophorone	<		1.5	10	ug/L	1		
SWB-9	12/1/2005	Isophorone	<		1.5	10	UG/L	1	UJ	
SWB-9	3/2/2006	Isophorone	<		1.5	10	UG/L	1		
SWB-9	6/1/2006	Isophorone	<		1.5	10	UG/L	1		
SWB-9	12/4/2006	Isophorone	<		1.5	10	UG/L	1		
SWB-9	3/5/2007	Isophorone	<		1.5	10	UG/L	1		
SWB-9	3/6/2008	Isophorone	<		0.21	10	UG/L	1		
SWB-9	6/5/2008	Isophorone	<		0.21	10	UG/L	1		
SWB-9	12/5/2008	Isophorone	<		0.21	10	UG/L	1		
SWB-9	12/5/2008	Isophorone	<		0.21	10	UG/L	1	R	
SWB-9	3/2/2009	Isophorone	<		0.21	10	UG/L	1		
SWB-9	3/2/2009	Isophorone	<		0.21	10	UG/L	1	R	
SWB-9	6/2/2009	Isophorone	<		0.21	10	UG/L	1		
SWB-9	6/2/2009	Isophorone	TR	0.28	0.21	10	UG/L	1	DNR	
SWB-9	3/1/2010	Isophorone	<	9.2	0.19	9.2	ug/L	1		
SWB-9	6/1/2010	ISOPHORONE	<	0.2	0.2	9.4	UG/L	1	DNR	
SWB-9	6/1/2010	ISOPHORONE	<	0.2	0.2	9.5	UG/L	1		
SWB-9	12/1/2010	ISOPHORONE	<	0.2	0.2	9.3	UG/L	1		
SWB-3	3/1/2010	ISOPROPANOL	TI	17	13	40	ug/L	1	NJ	NA
SWB-10	3/4/2004	Isopropyl ether	<		1.1	10	ug/L	1		NA
SWB-10	5/24/2004	Isopropyl ether	<		1.1	10	ug/L	1		
SWB-10	12/1/2004	Isopropyl ether	<		1.1	10	ug/L	1		
SWB-10	3/3/2005	Isopropyl ether	<		0.52	10	ug/L	1		
SWB-10	6/2/2005	Isopropyl ether	<		0.74	10	ug/L	1		
SWB-10	9/1/2005	Isopropyl ether	<		0.74	10	ug/L	1		
SWB-10	3/2/2006	Isopropyl ether	<		3	40	UG/L	4		
SWB-10	6/2/2006	Isopropyl ether	<		0.74	10	UG/L	1		
SWB-10	3/1/2007	Isopropyl ether	<		0.74	10	UG/L	1		
SWB-10	3/7/2008	Isopropyl ether	<		0.74	10	UG/L	1		
SWB-10	6/5/2008	Isopropyl ether	<		0.74	10	UG/L	1		

tmpAnalyticalResultsOverTime

SWB-10	3/2/2009	Isopropyl ether	<		0.74	10	UG/L	1
SWB-10	6/4/2009	Isopropyl ether	<		0.74	10	UG/L	1
SWB-10	3/2/2010	Isopropyl ether	<	10	0.74	10	UG/L	1
SWB-11	3/4/2004	Isopropyl ether	<		1.1	10	ug/L	1
SWB-11	5/24/2004	Isopropyl ether	<		1.1	10	ug/L	1
SWB-11	12/1/2004	Isopropyl ether	<		1.1	10	ug/L	1
SWB-11	3/1/2005	Isopropyl ether	<		0.52	10	ug/L	1
SWB-11	6/2/2005	Isopropyl ether	<		0.74	10	ug/L	1
SWB-11	3/2/2006	Isopropyl ether	<		7.4	100	UG/L	10
SWB-11	6/1/2006	Isopropyl ether	<		0.74	10	UG/L	1
SWB-11	3/1/2007	Isopropyl ether	<		0.74	10	UG/L	1
SWB-11	3/7/2008	Isopropyl ether	<		0.74	10	UG/L	1
SWB-11	6/5/2008	Isopropyl ether	<		0.74	10	UG/L	1
SWB-11	3/2/2009	Isopropyl ether	<		0.74	10	UG/L	1
SWB-11	6/4/2009	Isopropyl ether	<		0.74	10	UG/L	1
SWB-11	3/1/2010	Isopropyl ether	<	10	0.74	10	ug/L	1
SWB-11	6/2/2010	ISOPROPYL ETHER	<	0.74	0.74	10	UG/L	1
SWB-3	10/29/2002	Isopropyl ether	<		1.7	10	ug/L	1
SWB-3	3/4/2003	Isopropyl ether	<		1.1	10	ug/L	1
SWB-3	6/3/2003	Isopropyl ether	<		1.1	10	ug/L	1
SWB-3	9/4/2003	Isopropyl ether	<		1.1	10	ug/L	1 UJ
SWB-3	12/2/2003	Isopropyl ether	<		1.1	10	ug/L	1
SWB-3	3/1/2004	Isopropyl ether	<		1.1	10	ug/L	1
SWB-3	6/1/2004	Isopropyl ether	<		1.1	10	ug/L	1
SWB-3	9/1/2004	Isopropyl ether	<		1.1	10	ug/L	1
SWB-3	12/1/2004	Isopropyl ether	<		1.8	17	ug/L	1.66
SWB-3	3/3/2005	Isopropyl ether	<		0.52	10	ug/L	1
SWB-3	6/2/2005	Isopropyl ether	<		0.74	10	ug/L	1
SWB-3	9/1/2005	Isopropyl ether	<		0.74	10	ug/L	1
SWB-3	12/1/2005	Isopropyl ether	<		1.5	20	UG/L	2
SWB-3	3/2/2006	Isopropyl ether	<		3	40	UG/L	4
SWB-3	6/2/2006	Isopropyl ether	<		0.74	10	UG/L	1
SWB-3	9/5/2006	Isopropyl ether	<		0.74	10	UG/L	1
SWB-3	12/4/2006	Isopropyl ether	<		0.74	10	UG/L	1
SWB-3	3/1/2007	Isopropyl ether	<		0.74	10	UG/L	1
SWB-3	6/1/2007	Isopropyl ether	<		0.74	10	UG/L	1
SWB-3	12/3/2007	Isopropyl ether	<		0.74	10	UG/L	1
SWB-3	3/6/2008	Isopropyl ether	<		0.74	10	UG/L	1
SWB-3	6/9/2008	Isopropyl ether	<		0.74	10	UG/L	1
SWB-3	12/4/2008	Isopropyl ether	<		0.74	10	UG/L	1
SWB-3	3/2/2009	Isopropyl ether	<		0.74	10	UG/L	1
SWB-3	6/4/2009	Isopropyl ether	<		0.74	10	UG/L	1
SWB-3	12/1/2009	Isopropyl ether	<		0.74	10	UG/L	1
SWB-3	3/1/2010	Isopropyl ether	<	10	0.74	10	ug/L	1
SWB-3	3/1/2010	Isopropyl ether	<	20	1.5	20	ug/L	1 DNR
SWB-3	6/1/2010	ISOPROPYL ETHER	<	0.74	0.74	10	UG/L	1 DNR
SWB-3	6/1/2010	ISOPROPYL ETHER	<	3	3	40	UG/L	1
SWB-3	9/9/2010	ISOPROPYL ETHER	<	0.74	0.74	10	UG/L	1
SWB-4	11/15/2002	Isopropyl ether	<		1.7	10	ug/L	1
SWB-5	10/29/2002	Isopropyl ether	<		1.7	10	ug/L	1
SWB-6	3/4/2003	Isopropyl ether	<		1.1	10	ug/L	1
SWB-6	6/3/2003	Isopropyl ether	<		2.2	20	ug/L	2
SWB-6	12/3/2003	Isopropyl ether	<		2.2	20	ug/L	2
SWB-6	3/5/2004	Isopropyl ether	<		1.1	10	ug/L	1
SWB-6	6/1/2004	Isopropyl ether	<		1.1	10	ug/L	1
SWB-6	12/1/2004	Isopropyl ether	<		1.1	10	ug/L	1
SWB-6	3/7/2005	Isopropyl ether	<		0.52	10	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	6/1/2005	Isopropyl ether	<		0.74	10	ug/L	1
SWB-6	12/2/2005	Isopropyl ether	<		0.74	10	UG/L	1
SWB-6	3/1/2006	Isopropyl ether	<		0.74	10	UG/L	1
SWB-6	6/1/2006	Isopropyl ether	<		0.74	10	UG/L	1
SWB-6	12/5/2006	Isopropyl ether	<		0.74	10	UG/L	1
SWB-6	3/2/2007	Isopropyl ether	<		0.74	10	UG/L	1
SWB-6	6/9/2008	Isopropyl ether	<		0.74	10	UG/L	1
SWB-6	3/6/2008	Isopropyl ether	<		0.74	10	UG/L	1
SWB-6	12/5/2008	Isopropyl ether	<		0.74	10	UG/L	1
SWB-6	3/2/2009	Isopropyl ether	<		0.74	10	UG/L	1
SWB-6	6/5/2009	Isopropyl ether	<		0.74	10	UG/L	1
SWB-6	3/2/2010	Isopropyl ether	<	10	0.74	10	UG/L	1
SWB-6	6/2/2010	ISOPROPYL ETHER	<	0.74	0.74	10	UG/L	1
SWB-7	3/4/2003	Isopropyl ether	<		1.1	10	ug/L	1
SWB-7	6/3/2003	Isopropyl ether	<		1.1	10	ug/L	1
SWB-7	3/1/2004	Isopropyl ether	<		1.1	10	ug/L	1
SWB-7	5/24/2004	Isopropyl ether	<		1.1	10	ug/L	1
SWB-7	12/1/2004	Isopropyl ether	<		1.1	10	ug/L	1
SWB-7	3/7/2005	Isopropyl ether	<		0.52	10	ug/L	1
SWB-7	6/1/2005	Isopropyl ether	<		0.74	10	ug/L	1
SWB-7	9/1/2005	Isopropyl ether	<		0.74	10	ug/L	1
SWB-7	12/1/2005	Isopropyl ether	<		0.74	10	UG/L	1
SWB-7	3/1/2006	Isopropyl ether	<		0.74	10	UG/L	1
SWB-7	6/2/2006	Isopropyl ether	<		0.74	10	UG/L	1
SWB-7	9/5/2006	Isopropyl ether	<		0.74	10	UG/L	1
SWB-7	12/5/2006	Isopropyl ether	<		0.74	10	UG/L	1
SWB-7	3/2/2007	Isopropyl ether	<		0.74	10	UG/L	1
SWB-7	6/1/2007	Isopropyl ether	<		0.74	10	UG/L	1
SWB-7	9/7/2007	Isopropyl ether	<		0.74	10	UG/L	1
SWB-7	12/3/2007	Isopropyl ether	<		0.74	10	UG/L	1
SWB-7	3/6/2008	Isopropyl ether	<		0.74	10	UG/L	1
SWB-7	6/6/2008	Isopropyl ether	<		0.74	10	UG/L	1
SWB-7	9/8/2008	Isopropyl ether	<		0.74	10	UG/L	1
SWB-7	12/5/2008	Isopropyl ether	<		0.74	10	UG/L	1
SWB-7	3/2/2009	Isopropyl ether	<		0.74	10	UG/L	1
SWB-7	6/5/2009	Isopropyl ether	<		0.74	10	UG/L	1
SWB-7	9/9/2009	Isopropyl ether	<		0.74	10	UG/L	1
SWB-7	12/1/2009	Isopropyl ether	<		0.74	10	UG/L	1
SWB-7	3/2/2010	Isopropyl ether	<	10	0.74	10	UG/L	1
SWB-7	6/1/2010	ISOPROPYL ETHER	<	0.74	0.74	10	UG/L	1 DNR
SWB-7	6/1/2010	ISOPROPYL ETHER	<	3	3	40	UG/L	1
SWB-7	9/9/2010	ISOPROPYL ETHER	<	0.74	0.74	10	UG/L	1
SWB-7	12/1/2010	ISOPROPYL ETHER	<	0.74	0.74	10	UG/L	1
SWB-8	3/5/2004	Isopropyl ether	<		1.1	10	ug/L	1
SWB-8	3/7/2005	Isopropyl ether	<		0.52	10	ug/L	1
SWB-8	6/1/2005	Isopropyl ether	<		0.74	10	ug/L	1
SWB-8	3/1/2006	Isopropyl ether	<		0.74	10	UG/L	1
SWB-8	3/7/2008	Isopropyl ether	<		0.74	10	UG/L	1
SWB-8	3/3/2009	Isopropyl ether	<		0.74	10	UG/L	1
SWB-9	3/4/2003	Isopropyl ether	<		1.1	10	ug/L	1
SWB-9	12/3/2003	Isopropyl ether	<		2.2	20	ug/L	2
SWB-9	3/5/2004	Isopropyl ether	<		1.1	10	ug/L	1
SWB-9	5/27/2004	Isopropyl ether	<		1.1	10	ug/L	1
SWB-9	12/1/2004	Isopropyl ether	<		1.1	10	ug/L	1
SWB-9	3/3/2005	Isopropyl ether	<		0.52	10	ug/L	1
SWB-9	6/2/2005	Isopropyl ether	<		0.74	10	ug/L	1
SWB-9	9/1/2005	Isopropyl ether	<		0.74	10	ug/L	1 UJ

tmpAnalyticalResultsOverTime

SWB-9	12/1/2005	Isopropyl ether	<		0.74	10	UG/L	1	
SWB-9	3/2/2006	Isopropyl ether	<		3	40	UG/L	4	
SWB-9	6/1/2006	Isopropyl ether	<		0.74	10	UG/L	1	
SWB-9	12/4/2006	Isopropyl ether	<		0.74	10	UG/L	1	
SWB-9	3/5/2007	Isopropyl ether	<		0.74	10	UG/L	1	
SWB-9	3/6/2008	Isopropyl ether	<		0.74	10	UG/L	1	
SWB-9	6/5/2008	Isopropyl ether	<		0.74	10	UG/L	1	R
SWB-9	12/5/2008	Isopropyl ether	<		0.74	10	UG/L	1	
SWB-9	3/2/2009	Isopropyl ether	<		0.74	10	UG/L	1	
SWB-9	6/2/2009	Isopropyl ether	<		0.74	10	UG/L	1	
SWB-9	3/1/2010	Isopropyl ether	<	10	0.74	10	ug/L	1	
SWB-9	6/1/2010	ISOPROPYL ETHER	<	0.74	0.74	10	UG/L	1	DNR
SWB-9	6/1/2010	ISOPROPYL ETHER	<	3	3	40	UG/L	1	
SWB-9	12/1/2010	ISOPROPYL ETHER	<	0.74	0.74	10	UG/L	1	
SWB-10	3/4/2004	Isopropylbenzene	<		0.17	1	ug/L	1	NA
SWB-10	5/24/2004	Isopropylbenzene	<		0.17	1	ug/L	1	
SWB-10	12/1/2004	Isopropylbenzene	<		0.17	1	ug/L	1	
SWB-10	3/3/2005	Isopropylbenzene	<		0.25	1	ug/L	1	
SWB-10	6/2/2005	Isopropylbenzene	<		0.19	1	ug/L	1	
SWB-10	9/1/2005	Isopropylbenzene	<		0.19	1	ug/L	1	
SWB-10	3/2/2006	Isopropylbenzene	<		0.76	4	UG/L	4	
SWB-10	6/2/2006	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-10	3/1/2007	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-10	3/7/2008	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-10	6/5/2008	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-10	3/2/2009	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-10	6/4/2009	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-10	3/2/2010	Isopropylbenzene	<	1	0.19	1	UG/L	1	
SWB-11	3/4/2004	Isopropylbenzene	<		0.17	1	ug/L	1	
SWB-11	5/24/2004	Isopropylbenzene	<		0.17	1	ug/L	1	
SWB-11	12/1/2004	Isopropylbenzene	<		0.17	1	ug/L	1	
SWB-11	3/1/2005	Isopropylbenzene	<		0.25	1	ug/L	1	
SWB-11	6/2/2005	Isopropylbenzene	<		0.19	1	ug/L	1	
SWB-11	3/2/2006	Isopropylbenzene	<		1.9	10	UG/L	10	
SWB-11	6/1/2006	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-11	3/1/2007	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-11	3/7/2008	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-11	6/5/2008	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-11	3/2/2009	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-11	6/4/2009	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-11	3/1/2010	Isopropylbenzene	<	1	0.19	1	ug/L	1	
SWB-11	6/2/2010	ISOPROPYLBENZENE	<	0.19	0.19	1	UG/L	1	UJ
SWB-3	10/29/2002	Isopropylbenzene	<		0.3	1	ug/L	1	
SWB-3	3/4/2003	Isopropylbenzene	<		0.17	1	ug/L	1	
SWB-3	6/3/2003	Isopropylbenzene	<		0.17	1	ug/L	1	
SWB-3	9/4/2003	Isopropylbenzene	<		0.17	1	ug/L	1	UJ
SWB-3	12/2/2003	Isopropylbenzene	<		0.17	1	ug/L	1	
SWB-3	3/1/2004	Isopropylbenzene	<		0.17	1	ug/L	1	
SWB-3	6/1/2004	Isopropylbenzene	<		0.17	1	ug/L	1	
SWB-3	9/1/2004	Isopropylbenzene	<		0.17	1	ug/L	1	
SWB-3	12/1/2004	Isopropylbenzene	<		0.28	1.7	ug/L	1	1.66
SWB-3	3/3/2005	Isopropylbenzene	<		0.25	1	ug/L	1	
SWB-3	6/2/2005	Isopropylbenzene	<		0.19	1	ug/L	1	
SWB-3	9/1/2005	Isopropylbenzene	<		0.19	1	ug/L	1	
SWB-3	12/1/2005	Isopropylbenzene	<		0.38	2	UG/L	2	
SWB-3	3/2/2006	Isopropylbenzene	<		0.76	4	UG/L	4	
SWB-3	6/2/2006	Isopropylbenzene	<		0.19	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	9/5/2006	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-3	12/4/2006	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-3	3/1/2007	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-3	6/1/2007	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-3	12/3/2007	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-3	3/6/2008	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-3	6/9/2008	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-3	12/4/2008	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-3	3/2/2009	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-3	6/4/2009	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-3	12/1/2009	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-3	3/1/2010	Isopropylbenzene	<		1	0.19	1	ug/L	1
SWB-3	3/1/2010	Isopropylbenzene	<		2	0.38	2	ug/L	1 DNR
SWB-3	6/1/2010	ISOPROPYLBENZENE	<		0.19	0.19	1	UG/L	1 DNR
SWB-3	6/1/2010	ISOPROPYLBENZENE	<		0.76	0.76	4	UG/L	1 UJ
SWB-3	9/9/2010	ISOPROPYLBENZENE	<		0.19	0.19	1	UG/L	1 UJ
SWB-4	11/15/2002	Isopropylbenzene	<		0.3		1	ug/L	1
SWB-5	10/29/2002	Isopropylbenzene	<		0.3		1	ug/L	1
SWB-6	3/4/2003	Isopropylbenzene	<		0.17		1	ug/L	1
SWB-6	6/3/2003	Isopropylbenzene	<		0.34		2	ug/L	2
SWB-6	12/3/2003	Isopropylbenzene	<		0.34		2	ug/L	2
SWB-6	3/5/2004	Isopropylbenzene	<		0.17		1	ug/L	1
SWB-6	6/1/2004	Isopropylbenzene	<		0.17		1	ug/L	1
SWB-6	12/1/2004	Isopropylbenzene	<		0.17		1	ug/L	1
SWB-6	3/7/2005	Isopropylbenzene	<		0.25		1	ug/L	1
SWB-6	6/1/2005	Isopropylbenzene	<		0.19		1	ug/L	1
SWB-6	12/2/2005	Isopropylbenzene	<		0.19		1	UG/L	1
SWB-6	3/1/2006	Isopropylbenzene	<		0.19		1	UG/L	1
SWB-6	6/1/2006	Isopropylbenzene	<		0.19		1	UG/L	1
SWB-6	12/5/2006	Isopropylbenzene	<		0.19		1	UG/L	1
SWB-6	3/2/2007	Isopropylbenzene	<		0.19		1	UG/L	1
SWB-6	6/9/2008	Isopropylbenzene	<		0.19		1	UG/L	1
SWB-6	3/6/2008	Isopropylbenzene	<		0.19		1	UG/L	1
SWB-6	12/5/2008	Isopropylbenzene	<		0.19		1	UG/L	1
SWB-6	3/2/2009	Isopropylbenzene	<		0.19		1	UG/L	1
SWB-6	6/5/2009	Isopropylbenzene	<		0.19		1	UG/L	1
SWB-6	3/2/2010	Isopropylbenzene	<		1	0.19	1	UG/L	1
SWB-6	6/2/2010	ISOPROPYLBENZENE	<		0.19	0.19	1	UG/L	1 UJ
SWB-7	3/4/2003	Isopropylbenzene	<		0.17		1	ug/L	1
SWB-7	6/3/2003	Isopropylbenzene	<		0.17		1	ug/L	1
SWB-7	3/1/2004	Isopropylbenzene	<		0.17		1	ug/L	1
SWB-7	5/24/2004	Isopropylbenzene	<		0.17		1	ug/L	1
SWB-7	12/1/2004	Isopropylbenzene	<		0.17		1	ug/L	1
SWB-7	3/7/2005	Isopropylbenzene	<		0.25		1	ug/L	1
SWB-7	6/1/2005	Isopropylbenzene	<		0.19		1	ug/L	1
SWB-7	9/1/2005	Isopropylbenzene	<		0.19		1	ug/L	1
SWB-7	12/1/2005	Isopropylbenzene	<		0.19		1	UG/L	1
SWB-7	3/1/2006	Isopropylbenzene	<		0.19		1	UG/L	1
SWB-7	6/2/2006	Isopropylbenzene	<		0.19		1	UG/L	1
SWB-7	9/5/2006	Isopropylbenzene	<		0.19		1	UG/L	1
SWB-7	12/5/2006	Isopropylbenzene	<		0.19		1	UG/L	1
SWB-7	3/2/2007	Isopropylbenzene	<		0.19		1	UG/L	1
SWB-7	6/1/2007	Isopropylbenzene	<		0.19		1	UG/L	1
SWB-7	9/7/2007	Isopropylbenzene	<		0.19		1	UG/L	1
SWB-7	12/3/2007	Isopropylbenzene	<		0.19		1	UG/L	1
SWB-7	3/6/2008	Isopropylbenzene	<		0.19		1	UG/L	1
SWB-7	6/6/2008	Isopropylbenzene	<		0.19		1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	9/8/2008	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-7	12/5/2008	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-7	3/2/2009	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-7	6/5/2009	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-7	9/9/2009	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-7	12/1/2009	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-7	3/2/2010	Isopropylbenzene	<	1	0.19	1	UG/L	1	
SWB-7	6/1/2010	ISOPROPYLBENZENE	<	0.19	0.19	1	UG/L	1	DNR
SWB-7	6/1/2010	ISOPROPYLBENZENE	<	0.76	0.76	4	UG/L	1	UJ
SWB-7	9/9/2010	ISOPROPYLBENZENE	<	0.19	0.19	1	UG/L	1	UJ
SWB-7	12/1/2010	ISOPROPYLBENZENE	<	0.19	0.19	1	UG/L	1	
SWB-8	3/5/2004	Isopropylbenzene	<		0.17	1	ug/L	1	
SWB-8	3/7/2005	Isopropylbenzene	<		0.25	1	ug/L	1	
SWB-8	6/1/2005	Isopropylbenzene	<		0.19	1	ug/L	1	
SWB-8	3/1/2006	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-8	3/7/2008	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-8	3/3/2009	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-9	3/4/2003	Isopropylbenzene	<		0.17	1	ug/L	1	
SWB-9	12/3/2003	Isopropylbenzene	<		0.34	2	ug/L	2	
SWB-9	3/5/2004	Isopropylbenzene	<		0.17	1	ug/L	1	
SWB-9	5/27/2004	Isopropylbenzene	<		0.17	1	ug/L	1	
SWB-9	12/1/2004	Isopropylbenzene	<		0.17	1	ug/L	1	
SWB-9	3/3/2005	Isopropylbenzene	<		0.25	1	ug/L	1	
SWB-9	6/2/2005	Isopropylbenzene	<		0.19	1	ug/L	1	
SWB-9	9/1/2005	Isopropylbenzene	<		0.19	1	ug/L	1	UJ
SWB-9	12/1/2005	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-9	3/2/2006	Isopropylbenzene	<		0.76	4	UG/L	4	
SWB-9	6/1/2006	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-9	12/4/2006	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-9	3/5/2007	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-9	3/6/2008	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-9	6/5/2008	Isopropylbenzene	<		0.19	1	UG/L	1	R
SWB-9	12/5/2008	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-9	3/2/2009	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-9	6/2/2009	Isopropylbenzene	<		0.19	1	UG/L	1	
SWB-9	3/1/2010	Isopropylbenzene	<	1	0.19	1	ug/L	1	
SWB-9	6/1/2010	ISOPROPYLBENZENE	<	0.19	0.19	1	UG/L	1	DNR
SWB-9	6/1/2010	ISOPROPYLBENZENE	<	0.76	0.76	4	UG/L	1	UJ
SWB-9	12/1/2010	ISOPROPYLBENZENE	<	0.19	0.19	1	UG/L	1	
SWB-10	3/4/2004	Isosafrole	<		3	20	ug/L	1	NA
SWB-10	5/24/2004	Isosafrole	<		3	20	ug/L	1	UJ
SWB-10	12/1/2004	Isosafrole	<		3	20	ug/L	1	
SWB-10	3/3/2005	Isosafrole	<		3	20	ug/L	1	
SWB-10	6/2/2005	Isosafrole	<		3	20	ug/L	1	
SWB-10	9/1/2005	Isosafrole	<		3	20	ug/L	1	
SWB-10	3/2/2006	Isosafrole	<		3	20	UG/L	1	
SWB-10	6/2/2006	Isosafrole	<		1.2	20	UG/L	1	
SWB-10	3/1/2007	Isosafrole	<		1.2	20	UG/L	1	
SWB-10	3/7/2008	Isosafrole	<		2	20	UG/L	1	
SWB-10	6/5/2008	Isosafrole	<		2	20	UG/L	1	
SWB-10	3/2/2009	Isosafrole	<		2	20	UG/L	1	
SWB-10	3/2/2009	Isosafrole	<		2	20	UG/L	1	R
SWB-10	6/4/2009	Isosafrole	<		2	20	UG/L	1	
SWB-10	3/2/2010	Isosafrole	<	19	1.9	19	UG/L	1	
SWB-11	3/4/2004	Isosafrole	<		3	20	ug/L	1	
SWB-11	5/24/2004	Isosafrole	<		3	20	ug/L	1	UJ
SWB-11	12/1/2004	Isosafrole	<		3	20	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-11	3/1/2005	Isosafrole	<		3	20	ug/L	1
SWB-11	6/2/2005	Isosafrole	<		3	20	ug/L	1
SWB-11	3/2/2006	Isosafrole	<		3	20	UG/L	1
SWB-11	6/1/2006	Isosafrole	<		1.2	20	UG/L	1
SWB-11	3/1/2007	Isosafrole	<		1.2	20	UG/L	1
SWB-11	3/7/2008	Isosafrole	<		2	20	UG/L	1
SWB-11	6/5/2008	Isosafrole	<		2	20	UG/L	1
SWB-11	3/2/2009	Isosafrole	<		2	20	UG/L	1
SWB-11	6/4/2009	Isosafrole	<		2	20	UG/L	1
SWB-11	3/1/2010	Isosafrole	<	19	1.9	19	ug/L	1
SWB-11	6/2/2010	ISOSAFROLE	<	0.33	0.33	3.3	UG/L	1
SWB-3	10/29/2002	Isosafrole	<		2	20	ug/L	1
SWB-3	3/4/2003	Isosafrole	<		2	20	ug/L	1
SWB-3	6/3/2003	Isosafrole	<		2	20	ug/L	1
SWB-3	9/4/2003	Isosafrole	<		2	20	ug/L	1 UJ
SWB-3	12/2/2003	Isosafrole	<		2	20	ug/L	1
SWB-3	3/1/2004	Isosafrole	<		3	20	ug/L	1
SWB-3	6/1/2004	Isosafrole	<		3	20	ug/L	1
SWB-3	9/1/2004	Isosafrole	<		3	20	ug/L	1
SWB-3	12/1/2004	Isosafrole	<		3	20	ug/L	1
SWB-3	3/3/2005	Isosafrole	<		3	20	ug/L	1
SWB-3	6/2/2005	Isosafrole	<		3	20	ug/L	1
SWB-3	9/1/2005	Isosafrole	<		3	20	ug/L	1
SWB-3	12/1/2005	Isosafrole	<		3	20	UG/L	1 UJ
SWB-3	3/2/2006	Isosafrole	<		3	20	UG/L	1
SWB-3	6/2/2006	Isosafrole	<		1.2	20	UG/L	1
SWB-3	9/5/2006	Isosafrole	<		1.2	20	UG/L	1
SWB-3	12/4/2006	Isosafrole	<		1.2	20	UG/L	1
SWB-3	3/1/2007	Isosafrole	<		1.2	20	UG/L	1
SWB-3	6/1/2007	Isosafrole	<		1.2	20	UG/L	1
SWB-3	6/1/2007	Isosafrole	<		1.2	20	UG/L	1 R
SWB-3	12/3/2007	Isosafrole	<		1.2	20	UG/L	1
SWB-3	3/6/2008	Isosafrole	<		2	20	UG/L	1
SWB-3	6/9/2008	Isosafrole	<		2	20	UG/L	1
SWB-3	12/4/2008	Isosafrole	<		2	20	UG/L	1
SWB-3	3/2/2009	Isosafrole	<		2	20	UG/L	1
SWB-3	3/2/2009	Isosafrole	<		2	20	UG/L	1 R
SWB-3	6/4/2009	Isosafrole	<		2	20	UG/L	1
SWB-3	12/1/2009	Isosafrole	<		2	20	UG/L	1
SWB-3	12/1/2009	Isosafrole	<		2	20	UG/L	1 DNR
SWB-3	3/1/2010	Isosafrole	<	19	1.9	19	ug/L	1 UJ
SWB-3	6/1/2010	ISOSAFROLE	<	0.33	0.33	3.3	UG/L	1
SWB-3	6/1/2010	ISOSAFROLE	<	0.33	0.33	3.3	UG/L	1 DNR
SWB-3	9/9/2010	ISOSAFROLE	<	0.33	0.33	3.3	UG/L	1
SWB-4	11/15/2002	Isosafrole	<		2	20	ug/L	1
SWB-5	10/29/2002	Isosafrole	<		2	20	ug/L	1
SWB-6	3/4/2003	Isosafrole	<		2	20	ug/L	1
SWB-6	6/3/2003	Isosafrole	<		2	20	ug/L	1
SWB-6	12/3/2003	Isosafrole	<		2	20	ug/L	1
SWB-6	3/5/2004	Isosafrole	<		3	20	ug/L	1
SWB-6	6/1/2004	Isosafrole	<		3	20	ug/L	1
SWB-6	12/1/2004	Isosafrole	<		3	20	ug/L	1
SWB-6	3/7/2005	Isosafrole	<		3	20	ug/L	1
SWB-6	6/1/2005	Isosafrole	<		3	20	ug/L	1
SWB-6	12/2/2005	Isosafrole	<		3	20	UG/L	1 UJ
SWB-6	3/1/2006	Isosafrole	<		3	20	UG/L	1
SWB-6	6/1/2006	Isosafrole	<		1.2	20	UG/L	1



tmpAnalyticalResultsOverTime

SWB-6	12/5/2006	Isosafrole	<		1.2	20	UG/L	1
SWB-6	3/2/2007	Isosafrole	<		1.2	20	UG/L	1
SWB-6	6/9/2008	Isosafrole	<		2	20	UG/L	1
SWB-6	3/6/2008	Isosafrole	<		2	20	UG/L	1
SWB-6	12/5/2008	Isosafrole	<		2	20	UG/L	1
SWB-6	12/5/2008	Isosafrole	<		2	20	UG/L	1 R
SWB-6	3/2/2009	Isosafrole	<		2	20	UG/L	1
SWB-6	3/2/2009	Isosafrole	<		2	20	UG/L	1 R
SWB-6	6/5/2009	Isosafrole	<		2	20	UG/L	1
SWB-6	3/2/2010	Isosafrole	<	18	1.8	18	UG/L	1
SWB-6	6/2/2010	ISOSAFROLE	<	0.33	0.33	3.3	UG/L	1
SWB-6	6/2/2010	ISOSAFROLE	<	0.33	0.33	3.3	UG/L	1 DNR
SWB-7	3/4/2003	Isosafrole	<		2	20	ug/L	1
SWB-7	6/3/2003	Isosafrole	<		2	20	ug/L	1
SWB-7	3/1/2004	Isosafrole	<		3	20	ug/L	1
SWB-7	5/24/2004	Isosafrole	<		3	20	ug/L	1
SWB-7	12/1/2004	Isosafrole	<		3	20	ug/L	1
SWB-7	3/7/2005	Isosafrole	<		3	20	ug/L	1 UJ
SWB-7	6/1/2005	Isosafrole	<		3	20	ug/L	1
SWB-7	9/1/2005	Isosafrole	<		3	20	ug/L	1
SWB-7	12/1/2005	Isosafrole	<		3	20	UG/L	1 UJ
SWB-7	3/1/2006	Isosafrole	<		3	20	UG/L	1
SWB-7	6/2/2006	Isosafrole	<		1.2	20	UG/L	1
SWB-7	9/5/2006	Isosafrole	<		1.2	20	UG/L	1 UJ
SWB-7	12/5/2006	Isosafrole	<		1.2	20	UG/L	1
SWB-7	3/2/2007	Isosafrole	<		1.2	20	UG/L	1
SWB-7	6/1/2007	Isosafrole	<		1.2	20	UG/L	1
SWB-7	9/7/2007	Isosafrole	<		1.2	20	UG/L	1
SWB-7	12/3/2007	Isosafrole	<		1.2	20	UG/L	1
SWB-7	3/6/2008	Isosafrole	<		2	20	UG/L	1
SWB-7	6/6/2008	Isosafrole	<		2	20	UG/L	1
SWB-7	9/8/2008	Isosafrole	<		2	20	UG/L	1
SWB-7	12/5/2008	Isosafrole	<		2	20	UG/L	1
SWB-7	12/5/2008	Isosafrole	<		2	20	UG/L	1 R
SWB-7	3/2/2009	Isosafrole	<		2	20	UG/L	1
SWB-7	3/2/2009	Isosafrole	<		2	20	UG/L	1 R
SWB-7	6/5/2009	Isosafrole	<		2	20	UG/L	1
SWB-7	9/9/2009	Isosafrole	<		2	20	UG/L	1
SWB-7	12/1/2009	Isosafrole	<		2	20	UG/L	1
SWB-7	3/2/2010	Isosafrole	<	19	1.9	19	UG/L	1
SWB-7	6/1/2010	ISOSAFROLE	<	0.33	0.33	3.3	UG/L	1 DNR
SWB-7	6/1/2010	ISOSAFROLE	<	0.35	0.35	3.5	UG/L	1 R
SWB-7	9/9/2010	ISOSAFROLE	<	0.34	0.34	3.4	UG/L	1
SWB-7	12/1/2010	ISOSAFROLE	<	0.93	0.93	3.3	UG/L	1
SWB-8	3/5/2004	Isosafrole	<		3	20	ug/L	1
SWB-8	3/7/2005	Isosafrole	<		3	20	ug/L	1
SWB-8	6/1/2005	Isosafrole	<		3	20	ug/L	1
SWB-8	3/1/2006	Isosafrole	<		3	20	UG/L	1
SWB-8	3/7/2008	Isosafrole	<		2	20	UG/L	1
SWB-8	3/3/2009	Isosafrole	<		2	20	UG/L	1
SWB-8	3/3/2009	Isosafrole	<		2	20	UG/L	1 R
SWB-9	3/4/2003	Isosafrole	<		2	20	ug/L	1
SWB-9	12/3/2003	Isosafrole	<		2	20	ug/L	1
SWB-9	3/5/2004	Isosafrole	<		3	20	ug/L	1
SWB-9	5/27/2004	Isosafrole	<		3	20	ug/L	1 UJ
SWB-9	12/1/2004	Isosafrole	<		3	20	ug/L	1
SWB-9	3/3/2005	Isosafrole	<		3	20	ug/L	1

tmpAnalyticalResultsOverTime

SWB-9	6/2/2005	Isosafrole	<		3	20	ug/L	1	
SWB-9	9/1/2005	Isosafrole	<		3	20	ug/L	1	
SWB-9	12/1/2005	Isosafrole	<		3	20	UG/L	1 UJ	
SWB-9	3/2/2006	Isosafrole	<		3	20	UG/L	1	
SWB-9	6/1/2006	Isosafrole	<		1.2	20	UG/L	1	
SWB-9	12/4/2006	Isosafrole	<		1.2	20	UG/L	1	
SWB-9	3/5/2007	Isosafrole	<		1.2	20	UG/L	1	
SWB-9	3/6/2008	Isosafrole	<		2	20	UG/L	1	
SWB-9	6/5/2008	Isosafrole	<		2	20	UG/L	1	
SWB-9	12/5/2008	Isosafrole	<		2	20	UG/L	1	
SWB-9	12/5/2008	Isosafrole	<		2	20	UG/L	1 R	
SWB-9	3/2/2009	Isosafrole	<		2	20	UG/L	1	
SWB-9	3/2/2009	Isosafrole	<		2	20	UG/L	1 R	
SWB-9	6/2/2009	Isosafrole	<		2	20	UG/L	1	
SWB-9	6/2/2009	Isosafrole	<		2	20	UG/L	1 DNR	
SWB-9	3/1/2010	Isosafrole	<	18	1.8	18	ug/L	1	
SWB-9	6/1/2010	ISOSAFROLE	<	0.33	0.33	3.3	UG/L	1	
SWB-9	6/1/2010	ISOSAFROLE	<	0.33	0.33	3.3	UG/L	1 DNR	
SWB-9	12/1/2010	ISOSAFROLE	<	0.93	0.93	3.3	UG/L	1	
SWB-10	3/2/2010	Lead	<	0.01	0.0018	0.01	MG/L	10	NA
SWB-11	3/1/2010	Lead	<	0.01	0.0018	0.01	mg/L	10	
SWB-11	6/2/2010	LEAD	<	0.018	0.018	0.1	MG/L	100	
SWB-3	3/1/2010	Lead	<	0.005	0.0009	0.005	mg/L	5	
SWB-3	6/1/2010	LEAD	<	0.0036	0.0036	0.02	MG/L	20	
SWB-3	9/9/2010	LEAD	<	0.0009	0.0009	0.005	MG/L	5 UJ	
SWB-6	3/2/2010	Lead	<	0.01	0.0018	0.01	MG/L	10	
SWB-6	6/2/2010	LEAD	TR	0.0056	0.0045	0.025	MG/L	25 J	
SWB-7	3/2/2010	Lead	<	0.002	0.00036	0.002	MG/L	2	
SWB-7	6/1/2010	LEAD	<	0.0036	0.0036	0.02	MG/L	20	
SWB-7	9/9/2010	LEAD	<	0.0009	0.0009	0.005	MG/L	5 UJ	
SWB-7	12/1/2010	LEAD	<	0.0009	0.0009	0.005	MG/L	5 UJ	
SWB-9	3/1/2010	Lead	<	0.01	0.0018	0.01	mg/L	10	
SWB-9	6/1/2010	LEAD	<	0.018	0.018	0.1	MG/L	100	
SWB-9	12/1/2010	LEAD	TR	0.0012	0.0009	0.005	MG/L	5 J	
SWB-3	10/29/2002	Lead-DISSOLVED	<		0.01	0.015	mg/L	5	0.011 mg/L
SWB-4	11/15/2002	Lead-DISSOLVED	<		0.01	0.015	mg/L	5	
SWB-5	10/29/2002	Lead-DISSOLVED	=	0.048	0.01	0.015	mg/L	5	
SWB-10	3/4/2004	Lead-TOTAL	<		0.0021	0.003	mg/L	1	NA
SWB-10	5/24/2004	Lead-TOTAL	<		0.0021	0.009	mg/L	1	
SWB-10	12/1/2004	Lead-TOTAL	<		0.0015	0.003	mg/L	1	
SWB-10	3/3/2005	Lead-TOTAL	<		0.0015	0.003	mg/L	1	
SWB-10	6/2/2005	Lead-TOTAL	<		0.0022	0.003	mg/L	1	
SWB-10	9/1/2005	Lead-TOTAL	<		0.013	0.015	MG/L	5 UJ	
SWB-10	3/2/2006	Lead-TOTAL	TR	0.0025	0.0009	0.01	MG/L	10 J	
SWB-10	6/2/2006	Lead-TOTAL	<		0.0036	0.02	MG/L	20	
SWB-10	3/1/2007	Lead-TOTAL	=	0.019	0.0018	0.01	MG/L	10 J	
SWB-10	3/7/2008	Lead-TOTAL	<		0.0036	0.02	MG/L	20	
SWB-10	6/5/2008	Lead-TOTAL	=	0.021	0.0036	0.02	MG/L	20 J	
SWB-10	3/2/2009	Lead-TOTAL	<		0.0009	0.005	MG/L	5	
SWB-10	6/4/2009	Lead-TOTAL	<		0.0018	0.01	MG/L	10 UJ	
SWB-11	3/4/2004	Lead-TOTAL	<		0.0021	0.003	mg/L	1	
SWB-11	5/24/2004	Lead-TOTAL	<		0.0021	0.014	mg/L	1	
SWB-11	12/1/2004	Lead-TOTAL	<		0.0015	0.003	mg/L	1	
SWB-11	3/1/2005	Lead-TOTAL	<		0.0015	0.003	mg/L	1	
SWB-11	6/2/2005	Lead-TOTAL	<		0.0022	0.003	mg/L	1	
SWB-11	3/2/2006	Lead-TOTAL	TR	0.0014	0.0009	0.01	MG/L	10 J	
SWB-11	6/1/2006	Lead-TOTAL	<		0.0036	0.02	MG/L	20	

tmpAnalyticalResultsOverTime

SWB-11	3/1/2007	Lead-TOTAL	=	0.035	0.0018	0.01	MG/L	10	J
SWB-11	3/7/2008	Lead-TOTAL	<		0.0018	0.01	MG/L	10	
SWB-11	6/5/2008	Lead-TOTAL	<		0.0036	0.02	MG/L	20	UJ
SWB-11	3/2/2009	Lead-TOTAL	<		0.0009	0.005	MG/L	5	
SWB-11	6/4/2009	Lead-TOTAL	<		0.0018	0.01	MG/L	10	UJ
SWB-3	10/29/2002	Lead-TOTAL	<		0.01	0.015	mg/L	5	
SWB-3	3/4/2003	Lead-TOTAL	<		0.002	0.003	mg/L	1	
SWB-3	6/3/2003	Lead-TOTAL	<		0.0021	0.003	mg/L	1	UJ
SWB-3	9/4/2003	Lead-TOTAL	<		0.021	0.03	mg/L	10	R
SWB-3	12/2/2003	Lead-TOTAL	<		0.0021	0.003	mg/L	1	
SWB-3	3/1/2004	Lead-TOTAL	<		0.0021	0.003	mg/L	1	
SWB-3	6/1/2004	Lead-TOTAL	<		0.0021	0.003	mg/L	1	
SWB-3	9/1/2004	Lead-TOTAL	<		0.0075	0.015	mg/L	5	
SWB-3	12/1/2004	Lead-TOTAL	<		0.0015	0.003	mg/L	1	
SWB-3	3/3/2005	Lead-TOTAL	<		0.0015	0.003	mg/L	1	
SWB-3	6/2/2005	Lead-TOTAL	<		0.0022	0.003	mg/L	1	
SWB-3	9/1/2005	Lead-TOTAL	<		0.0026	0.003	MG/L	1	UJ
SWB-3	12/1/2005	Lead-TOTAL	TR	0.00015	0.00009	0.001	MG/L	1	J
SWB-3	3/2/2006	Lead-TOTAL	<		0.0009	0.01	MG/L	10	
SWB-3	6/2/2006	Lead-TOTAL	<		0.0018	0.01	MG/L	10	
SWB-3	9/5/2006	Lead-TOTAL	<		0.0018	0.01	MG/L	10	
SWB-3	12/4/2006	Lead-TOTAL	TR	0.0091	0.0018	0.01	MG/L	10	J
SWB-3	3/1/2007	Lead-TOTAL	<		0.0018	0.01	MG/L	10	UJ
SWB-3	6/1/2007	Lead-TOTAL	<		0.0009	0.005	MG/L	5	
SWB-3	12/3/2007	Lead-TOTAL	<		0.00018	0.001	MG/L	1	
SWB-3	3/6/2008	Lead-TOTAL	TR	0.00036	0.00018	0.001	MG/L	1	J
SWB-3	6/9/2008	Lead-TOTAL	<		0.0009	0.005	MG/L	5	UJ
SWB-3	12/4/2008	Lead-TOTAL	<		0.00018	0.001	MG/L	1	
SWB-3	3/2/2009	Lead-TOTAL	<		0.0009	0.005	MG/L	5	
SWB-3	6/4/2009	Lead-TOTAL	TR	0.00024	0.00018	0.001	MG/L	1	J
SWB-3	12/1/2009	Lead-TOTAL	<		0.0018	0.01	MG/L	10	
SWB-4	11/15/2002	Lead-TOTAL	<		0.01	0.015	mg/L	5	
SWB-5	10/29/2002	Lead-TOTAL	=	0.051	0.02	0.03	mg/L	10	
SWB-6	3/4/2003	Lead-TOTAL	<		0.002	0.003	mg/L	1	
SWB-6	6/3/2003	Lead-TOTAL	<		0.0021	0.015	mg/L	1	UJ
SWB-6	12/3/2003	Lead-TOTAL	<		0.01	0.015	mg/L	5	
SWB-6	3/5/2004	Lead-TOTAL	<		0.0021	0.003	mg/L	1	
SWB-6	6/1/2004	Lead-TOTAL	<		0.0021	0.019	mg/L	1	
SWB-6	12/1/2004	Lead-TOTAL	<		0.0075	0.015	mg/L	5	
SWB-6	3/7/2005	Lead-TOTAL	<		0.0015	0.007	mg/L	1	
SWB-6	6/1/2005	Lead-TOTAL	<		0.0022	0.003	mg/L	1	
SWB-6	12/2/2005	Lead-TOTAL	TR	0.0017	0.0009	0.01	MG/L	10	J
SWB-6	3/1/2006	Lead-TOTAL	TR	0.00054	0.00045	0.005	MG/L	5	J
SWB-6	6/1/2006	Lead-TOTAL	<		0.0018	0.01	MG/L	10	
SWB-6	12/5/2006	Lead-TOTAL	<		0.0036	0.02	MG/L	20	UJ
SWB-6	3/2/2007	Lead-TOTAL	<		0.0018	0.01	MG/L	10	UJ
SWB-6	6/9/2008	Lead-TOTAL	TR	0.014	0.0036	0.02	MG/L	20	J
SWB-6	3/6/2008	Lead-TOTAL	TR	0.0016	0.0009	0.005	MG/L	5	J
SWB-6	12/5/2008	Lead-TOTAL	=	0.028	0.0036	0.02	MG/L	20	
SWB-6	3/2/2009	Lead-TOTAL	TR	0.00091	0.0009	0.005	MG/L	5	J
SWB-6	6/5/2009	Lead-TOTAL	TR	0.0017	0.00036	0.002	MG/L	2	J
SWB-7	3/4/2003	Lead-TOTAL	<		0.004	0.006	mg/L	2	
SWB-7	6/3/2003	Lead-TOTAL	=	0.0082	0.0042	0.006	mg/L	2	J
SWB-7	3/1/2004	Lead-TOTAL	<		0.0021	0.003	mg/L	1	
SWB-7	5/24/2004	Lead-TOTAL	<		0.0021	0.011	mg/L	1	
SWB-7	12/1/2004	Lead-TOTAL	<		0.0015	0.003	mg/L	1	
SWB-7	3/7/2005	Lead-TOTAL	<		0.0015	0.003	mg/L	1	

tmpAnalyticalResultsOverTime

SWB-7	6/1/2005	Lead-TOTAL	<		0.0022	0.003	mg/L	1	
SWB-7	9/1/2005	Lead-TOTAL	<		0.0026	0.007	MG/L	1	UJ
SWB-7	12/1/2005	Lead-TOTAL	TR	0.000092	0.00009	0.001	MG/L	1	J
SWB-7	3/1/2006	Lead-TOTAL	<		0.00018	0.002	MG/L	2	
SWB-7	6/2/2006	Lead-TOTAL	<		0.0009	0.005	MG/L	5	
SWB-7	9/5/2006	Lead-TOTAL	<		0.00018	0.001	MG/L	1	
SWB-7	12/5/2006	Lead-TOTAL	<		0.0018	0.01	MG/L	10	UJ
SWB-7	3/2/2007	Lead-TOTAL	<		0.0018	0.01	MG/L	10	UJ
SWB-7	6/1/2007	Lead-TOTAL	<		0.0009	0.005	MG/L	5	
SWB-7	9/7/2007	Lead-TOTAL	TR	0.00019	0.00018	0.001	MG/L	1	J
SWB-7	12/3/2007	Lead-TOTAL	<		0.00018	0.001	MG/L	1	
SWB-7	3/6/2008	Lead-TOTAL	TR	0.00024	0.00018	0.001	MG/L	1	J
SWB-7	6/6/2008	Lead-TOTAL	<		0.00018	0.001	MG/L	1	UJ
SWB-7	9/8/2008	Lead-TOTAL	<		0.0009	0.005	MG/L	5	
SWB-7	12/5/2008	Lead-TOTAL	<		0.00018	0.001	MG/L	1	
SWB-7	3/2/2009	Lead-TOTAL	=	0.001	0.00018	0.001	MG/L	1	
SWB-7	6/5/2009	Lead-TOTAL	<		0.00036	0.002	MG/L	2	
SWB-7	9/9/2009	Lead-TOTAL	<		0.0018	0.01	MG/L	10	
SWB-7	12/1/2009	Lead-TOTAL	<		0.0009	0.005	MG/L	5	
SWB-8	3/5/2004	Lead-TOTAL	<		0.0021	0.003	mg/L	1	
SWB-8	3/7/2005	Lead-TOTAL	<		0.0015	0.003	mg/L	1	
SWB-8	6/1/2005	Lead-TOTAL	<		0.0022	0.003	mg/L	1	
SWB-8	3/1/2006	Lead-TOTAL	=	0.01	0.00045	0.005	MG/L	5	
SWB-8	3/7/2008	Lead-TOTAL	=	0.0078	0.0009	0.005	MG/L	5	
SWB-8	3/3/2009	Lead-TOTAL	TR	0.0032	0.0009	0.005	MG/L	5	J
SWB-9	3/4/2003	Lead-TOTAL	<		0.002	0.003	mg/L	1	
SWB-9	12/3/2003	Lead-TOTAL	<		0.01	0.015	mg/L	5	
SWB-9	3/5/2004	Lead-TOTAL	<		0.0021	0.003	mg/L	1	
SWB-9	5/27/2004	Lead-TOTAL	<		0.01	0.015	mg/L	5	
SWB-9	12/1/2004	Lead-TOTAL	<		0.0015	0.003	mg/L	1	
SWB-9	3/3/2005	Lead-TOTAL	<		0.0015	0.003	mg/L	1	
SWB-9	6/2/2005	Lead-TOTAL	<		0.0022	0.007	mg/L	1	
SWB-9	9/1/2005	Lead-TOTAL	<		0.026	0.03	MG/L	10	UJ
SWB-9	12/1/2005	Lead-TOTAL	TR	0.0089	0.0009	0.01	MG/L	10	J
SWB-9	3/2/2006	Lead-TOTAL	<		0.0009	0.01	MG/L	10	
SWB-9	6/1/2006	Lead-TOTAL	<		0.009	0.05	MG/L	50	
SWB-9	12/4/2006	Lead-TOTAL	TR	0.0019	0.0018	0.01	MG/L	10	J
SWB-9	3/5/2007	Lead-TOTAL	<		0.0036	0.02	MG/L	20	UJ
SWB-9	3/6/2008	Lead-TOTAL	<		0.0018	0.01	MG/L	10	
SWB-9	6/5/2008	Lead-TOTAL	=	0.03	0.0036	0.02	MG/L	20	J
SWB-9	12/5/2008	Lead-TOTAL	<		0.0018	0.01	MG/L	10	
SWB-9	3/2/2009	Lead-TOTAL	<		0.0018	0.01	MG/L	10	
SWB-9	6/2/2009	Lead-TOTAL	=	0.012	0.0018	0.01	MG/L	10	
SWB-10	3/2/2010	Magnesium	=	280	0.011	0.2	MG/L	1	NA
SWB-11	3/1/2010	Magnesium	=	280	0.011	0.2	mg/L	1	
SWB-11	6/2/2010	MAGNESIUM	TR	1500	0.11	2	MG/L	10	
SWB-3	3/1/2010	Magnesium	=	440	0.011	0.2	mg/L	1	
SWB-3	6/1/2010	MAGNESIUM	TR	420	0.011	0.2	MG/L	1	
SWB-3	9/9/2010	MAGNESIUM	=	900	0.11	2	MG/L	10	
SWB-6	3/2/2010	Magnesium	=	1900	0.054	1	MG/L	5	
SWB-6	6/2/2010	MAGNESIUM	TR	3100	0.11	2	MG/L	10	
SWB-7	3/2/2010	Magnesium	=	95	0.011	0.2	MG/L	1	
SWB-7	6/1/2010	MAGNESIUM	TR	460	0.011	0.2	MG/L	1	
SWB-7	9/9/2010	MAGNESIUM	=	1100	0.11	2	MG/L	10	
SWB-7	12/1/2010	MAGNESIUM	=	940	0.11	2	MG/L	10	
SWB-9	3/1/2010	Magnesium	=	550	0.011	0.2	mg/L	1	
SWB-9	6/1/2010	MAGNESIUM	TR	3000	0.11	2	MG/L	10	

tmpAnalyticalResultsOverTime

SWB-9	12/1/2010	MAGNESIUM	=	810	0.11	2	MG/L	10	
SWB-3	10/29/2002	Magnesium-DISSOLVED	=	410	0.024	0.2	mg/L	1	NA
SWB-4	11/15/2002	Magnesium-DISSOLVED	=	3200	0.12	1	mg/L	5	
SWB-5	10/29/2002	Magnesium-DISSOLVED	=	2800	0.24	2	mg/L	10	
SWB-10	3/4/2004	Magnesium-TOTAL	=	110	0.027	0.2	mg/L	1	NA
SWB-10	5/24/2004	Magnesium-TOTAL	=	650	0.027	0.2	mg/L	1	
SWB-10	12/1/2004	Magnesium-TOTAL	=	270	0.017	0.2	mg/L	1	
SWB-10	3/3/2005	Magnesium-TOTAL	=	260	0.017	0.2	mg/L	1	
SWB-10	6/2/2005	Magnesium-TOTAL	=	200	0.043	0.2	mg/L	1	
SWB-10	9/1/2005	Magnesium-TOTAL	=	1200	0.43	2	MG/L	10	
SWB-10	3/2/2006	Magnesium-TOTAL	=	580	0.21	1	MG/L	5	
SWB-10	6/2/2006	Magnesium-TOTAL	=	1100	0.43	2	MG/L	10	
SWB-10	3/1/2007	Magnesium-TOTAL	=	500	2.1	10	MG/L	50	
SWB-10	3/7/2008	Magnesium-TOTAL	=	400	0.043	0.2	MG/L	1	
SWB-10	6/5/2008	Magnesium-TOTAL	=	4100	0.054	1	MG/L	5	
SWB-10	3/2/2009	Magnesium-TOTAL	=	320	0.011	0.2	MG/L	1	
SWB-10	6/4/2009	Magnesium-TOTAL	=	1800	0.11	2	MG/L	10	
SWB-11	3/4/2004	Magnesium-TOTAL	=	180	0.027	0.2	mg/L	1	
SWB-11	5/24/2004	Magnesium-TOTAL	=	1200	0.14	1	mg/L	5	
SWB-11	12/1/2004	Magnesium-TOTAL	=	340	0.017	0.2	mg/L	1	
SWB-11	3/1/2005	Magnesium-TOTAL	=	330	0.017	0.2	mg/L	1	
SWB-11	6/2/2005	Magnesium-TOTAL	=	420	0.043	0.2	mg/L	1	
SWB-11	3/2/2006	Magnesium-TOTAL	=	540	0.21	1	MG/L	5	
SWB-11	6/1/2006	Magnesium-TOTAL	=	1100	0.43	2	MG/L	10	
SWB-11	3/1/2007	Magnesium-TOTAL	=	560	2.1	10	MG/L	50	
SWB-11	3/7/2008	Magnesium-TOTAL	=	320	0.043	0.2	MG/L	1	
SWB-11	6/5/2008	Magnesium-TOTAL	=	3000	0.054	1	MG/L	5	
SWB-11	3/2/2009	Magnesium-TOTAL	=	240	0.011	0.2	MG/L	1	
SWB-11	6/4/2009	Magnesium-TOTAL	=	1200	0.11	2	MG/L	10	
SWB-3	10/29/2002	Magnesium-TOTAL	=	420	0.024	0.2	mg/L	1	
SWB-3	3/4/2003	Magnesium-TOTAL	=	300	0.024	0.2	mg/L	1	
SWB-3	6/3/2003	Magnesium-TOTAL	=	990	0.027	0.2	mg/L	1	
SWB-3	9/4/2003	Magnesium-TOTAL	=	340	0.027	0.2	mg/L	1	
SWB-3	12/2/2003	Magnesium-TOTAL	=	720	0.027	0.2	mg/L	1	
SWB-3	3/1/2004	Magnesium-TOTAL	=	58	0.027	0.2	mg/L	1	
SWB-3	6/1/2004	Magnesium-TOTAL	=	430	0.027	0.2	mg/L	1	
SWB-3	9/1/2004	Magnesium-TOTAL	=	2700	0.085	1	mg/L	5	
SWB-3	12/1/2004	Magnesium-TOTAL	=	360	0.017	0.2	mg/L	1	
SWB-3	3/3/2005	Magnesium-TOTAL	=	340	0.017	0.2	mg/L	1	
SWB-3	6/2/2005	Magnesium-TOTAL	=	270	0.043	0.2	mg/L	1	
SWB-3	9/1/2005	Magnesium-TOTAL	=	540	0.21	1	MG/L	5	
SWB-3	12/1/2005	Magnesium-TOTAL	=	530	0.043	0.2	MG/L	1	
SWB-3	3/2/2006	Magnesium-TOTAL	=	460	0.043	0.2	MG/L	1	
SWB-3	6/2/2006	Magnesium-TOTAL	=	540	0.43	2	MG/L	10	
SWB-3	9/5/2006	Magnesium-TOTAL	=	1700	0.21	1	MG/L	5	
SWB-3	12/4/2006	Magnesium-TOTAL	=	820	0.21	1	MG/L	5	
SWB-3	3/1/2007	Magnesium-TOTAL	=	670	2.1	10	MG/L	50	
SWB-3	6/1/2007	Magnesium-TOTAL	=	350	0.043	0.2	MG/L	1	
SWB-3	12/3/2007	Magnesium-TOTAL	=	410	0.043	0.2	MG/L	1	
SWB-3	3/6/2008	Magnesium-TOTAL	=	60	0.043	0.2	MG/L	1	
SWB-3	6/9/2008	Magnesium-TOTAL	=	360	0.011	0.2	MG/L	1	
SWB-3	12/4/2008	Magnesium-TOTAL	=	370	0.011	0.2	MG/L	1 J	
SWB-3	3/2/2009	Magnesium-TOTAL	=	210	0.011	0.2	MG/L	1	
SWB-3	6/4/2009	Magnesium-TOTAL	=	380	0.011	0.2	MG/L	1	
SWB-3	12/1/2009	Magnesium-TOTAL	=	480	0.011	0.2	MG/L	1	
SWB-4	11/15/2002	Magnesium-TOTAL	=	2900	0.12	1	mg/L	5	
SWB-5	10/29/2002	Magnesium-TOTAL	=	2900	0.096	0.8	mg/L	4	

tmpAnalyticalResultsOverTime

SWB-6	3/4/2003	Magnesium-TOTAL	=	1400	0.12	1	mg/L	5
SWB-6	6/3/2003	Magnesium-TOTAL	=	5500	0.27	2	mg/L	10
SWB-6	12/3/2003	Magnesium-TOTAL	=	2500	0.14	1	mg/L	5
SWB-6	3/5/2004	Magnesium-TOTAL	=	390	0.027	0.2	mg/L	1
SWB-6	6/1/2004	Magnesium-TOTAL	=	1900	0.14	1	mg/L	5
SWB-6	12/1/2004	Magnesium-TOTAL	=	1700	0.085	1	mg/L	5
SWB-6	3/7/2005	Magnesium-TOTAL	=	770	0.017	0.2	mg/L	1
SWB-6	6/1/2005	Magnesium-TOTAL	=	630	0.043	0.2	mg/L	1
SWB-6	12/2/2005	Magnesium-TOTAL	=	3000	0.43	2	MG/L	10
SWB-6	3/1/2006	Magnesium-TOTAL	=	1000	0.043	0.2	MG/L	1
SWB-6	6/1/2006	Magnesium-TOTAL	=	1300	0.21	1	MG/L	5
SWB-6	12/5/2006	Magnesium-TOTAL	=	2100	0.43	2	MG/L	10
SWB-6	3/2/2007	Magnesium-TOTAL	=	1900	0.21	1	MG/L	5
SWB-6	6/9/2008	Magnesium-TOTAL	=	4900	0.054	1	MG/L	5
SWB-6	3/6/2008	Magnesium-TOTAL	=	940	0.043	0.2	MG/L	1
SWB-6	12/5/2008	Magnesium-TOTAL	=	2900	0.054	1	MG/L	5
SWB-6	3/2/2009	Magnesium-TOTAL	=	1100	0.011	0.2	MG/L	1
SWB-6	6/5/2009	Magnesium-TOTAL	=	1800	0.11	2	MG/L	10
SWB-7	3/4/2003	Magnesium-TOTAL	=	150	0.024	0.2	mg/L	1
SWB-7	6/3/2003	Magnesium-TOTAL	=	350	0.027	0.2	mg/L	1
SWB-7	3/1/2004	Magnesium-TOTAL	=	130	0.027	0.2	mg/L	1
SWB-7	5/24/2004	Magnesium-TOTAL	=	860	0.027	0.2	mg/L	1
SWB-7	12/1/2004	Magnesium-TOTAL	=	390	0.017	0.2	mg/L	1
SWB-7	3/7/2005	Magnesium-TOTAL	=	320	0.017	0.2	mg/L	1
SWB-7	6/1/2005	Magnesium-TOTAL	=	360	0.043	0.2	mg/L	1
SWB-7	9/1/2005	Magnesium-TOTAL	=	570	0.043	0.2	MG/L	1
SWB-7	12/1/2005	Magnesium-TOTAL	=	560	0.043	0.2	MG/L	1
SWB-7	3/1/2006	Magnesium-TOTAL	=	260	0.043	0.2	MG/L	1
SWB-7	6/2/2006	Magnesium-TOTAL	=	830	0.43	2	MG/L	10
SWB-7	9/5/2006	Magnesium-TOTAL	=	910	0.043	0.2	MG/L	1
SWB-7	12/5/2006	Magnesium-TOTAL	=	800	0.043	0.2	MG/L	1
SWB-7	3/2/2007	Magnesium-TOTAL	=	170	0.043	0.2	MG/L	1
SWB-7	6/1/2007	Magnesium-TOTAL	=	760	0.043	0.2	MG/L	1
SWB-7	9/7/2007	Magnesium-TOTAL	=	1000	0.21	1	MG/L	5
SWB-7	12/3/2007	Magnesium-TOTAL	=	850	0.043	0.2	MG/L	1
SWB-7	3/6/2008	Magnesium-TOTAL	=	310	0.043	0.2	MG/L	1
SWB-7	6/6/2008	Magnesium-TOTAL	=	800	0.011	0.2	MG/L	1
SWB-7	9/8/2008	Magnesium-TOTAL	=	820	0.011	0.2	MG/L	1
SWB-7	12/5/2008	Magnesium-TOTAL	=	550	0.011	0.2	MG/L	1
SWB-7	3/2/2009	Magnesium-TOTAL	=	240	0.011	0.2	MG/L	1
SWB-7	6/5/2009	Magnesium-TOTAL	=	620	0.011	0.2	MG/L	1
SWB-7	9/9/2009	Magnesium-TOTAL	=	760	0.054	1	MG/L	5
SWB-7	12/1/2009	Magnesium-TOTAL	=	730	0.011	0.2	MG/L	1
SWB-8	3/5/2004	Magnesium-TOTAL	=	140	0.027	0.2	mg/L	1
SWB-8	3/7/2005	Magnesium-TOTAL	=	290	0.017	0.2	mg/L	1
SWB-8	6/1/2005	Magnesium-TOTAL	=	260	0.043	0.2	mg/L	1
SWB-8	3/1/2006	Magnesium-TOTAL	=	310	0.043	0.2	MG/L	1
SWB-8	3/7/2008	Magnesium-TOTAL	=	110	0.043	0.2	MG/L	1
SWB-8	3/3/2009	Magnesium-TOTAL	=	89	0.011	0.2	MG/L	1
SWB-9	3/4/2003	Magnesium-TOTAL	=	710	0.024	0.2	mg/L	1
SWB-9	12/3/2003	Magnesium-TOTAL	=	1000	0.14	1	mg/L	5
SWB-9	3/5/2004	Magnesium-TOTAL	=	300	0.027	0.2	mg/L	1
SWB-9	5/27/2004	Magnesium-TOTAL	=	2900	0.14	1	mg/L	5
SWB-9	12/1/2004	Magnesium-TOTAL	=	590	0.085	1	mg/L	5
SWB-9	3/3/2005	Magnesium-TOTAL	=	730	0.017	0.2	mg/L	1
SWB-9	6/2/2005	Magnesium-TOTAL	=	710	0.043	0.2	mg/L	1
SWB-9	9/1/2005	Magnesium-TOTAL	=	9200	0.43	2	MG/L	10

tmpAnalyticalResultsOverTime

SWB-9	12/1/2005	Magnesium-TOTAL	=	1700	0.43	2	MG/L	10	
SWB-9	3/2/2006	Magnesium-TOTAL	=	1200	0.21	1	MG/L	5	
SWB-9	6/1/2006	Magnesium-TOTAL	=	2800	0.43	2	MG/L	10	
SWB-9	12/4/2006	Magnesium-TOTAL	=	1700	2.1	10	MG/L	50	
SWB-9	3/5/2007	Magnesium-TOTAL	=	1300	0.21	1	MG/L	5	
SWB-9	3/6/2008	Magnesium-TOTAL	=	720	0.21	1	MG/L	5	
SWB-9	6/5/2008	Magnesium-TOTAL	=	8400	0.054	1	MG/L	5	
SWB-9	12/5/2008	Magnesium-TOTAL	=	1100	0.054	1	MG/L	5	
SWB-9	3/2/2009	Magnesium-TOTAL	=	750	0.011	0.2	MG/L	1	
SWB-9	6/2/2009	Magnesium-TOTAL	=	3600	0.11	2	MG/L	10	
SWB-10	3/2/2010	Mercury	TR	0.0002	0.000035	0.0002	MG/L	1 UJ	NA
SWB-11	3/1/2010	Mercury	<	0.0002	0.000027	0.0002	mg/L	1 UJ	
SWB-11	6/2/2010	MERCURY	<	0.000027	0.000027	0.0002	MG/L	1 UJ	
SWB-3	3/1/2010	Mercury	<	0.0002	0.000027	0.0002	mg/L	1 UJ	
SWB-3	6/1/2010	MERCURY	<	0.000027	0.000027	0.0002	MG/L	1 UJ	
SWB-3	9/9/2010	MERCURY	<	0.000027	0.000027	0.0002	MG/L	1	
SWB-6	3/2/2010	Mercury	TR	0.0002	0.00005	0.0002	MG/L	1 UJ	
SWB-6	6/2/2010	MERCURY	<	0.000027	0.000027	0.0002	MG/L	1 UJ	
SWB-7	3/2/2010	Mercury	TR	0.0002	0.000036	0.0002	MG/L	1 UJ	
SWB-7	6/1/2010	MERCURY	<	0.000027	0.000027	0.0002	MG/L	1 UJ	
SWB-7	9/9/2010	MERCURY	<	0.000027	0.000027	0.0002	MG/L	1	
SWB-7	12/1/2010	MERCURY	TR	0.0002	0.000055	0.0002	MG/L	1 U	
SWB-9	3/1/2010	Mercury	<	0.0002	0.000027	0.0002	mg/L	1 UJ	
SWB-9	6/1/2010	MERCURY	<	0.000027	0.000027	0.0002	MG/L	1 UJ	
SWB-9	12/1/2010	MERCURY	TR	0.0002	0.000059	0.0002	MG/L	1 U	
SWB-3	10/29/2002	Mercury-DISSOLVED	<		0.000028	0.0002	mg/L	1	0.00012 mg/L
SWB-4	11/15/2002	Mercury-DISSOLVED	<		0.000028	0.0002	mg/L	1	
SWB-5	10/29/2002	Mercury-DISSOLVED	<		0.000028	0.0002	mg/L	1	
SWB-10	3/4/2004	Mercury-TOTAL	<		0.000054	0.0002	mg/L	1	NA
SWB-10	5/24/2004	Mercury-TOTAL	<	0.0002	0.000025	0.0002	mg/L	1 UJ	
SWB-10	12/1/2004	Mercury-TOTAL	<		0.000044	0.0002	mg/L	1	
SWB-10	3/3/2005	Mercury-TOTAL	<	0.0002	0.000044	0.0002	mg/L	1 UJ	
SWB-10	6/2/2005	Mercury-TOTAL	<		0.000044	0.0002	mg/L	1 UJ	
SWB-10	9/1/2005	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1 UJ	
SWB-10	3/2/2006	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	
SWB-10	6/2/2006	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1 UJ	
SWB-10	3/1/2007	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	
SWB-10	3/7/2008	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	
SWB-10	6/5/2008	Mercury-TOTAL	<	0.0002	0.000027	0.0002	MG/L	1 UJ	
SWB-10	3/2/2009	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	
SWB-10	6/4/2009	Mercury-TOTAL	TR	0.000057	0.000027	0.0002	MG/L	1 J	
SWB-11	3/4/2004	Mercury-TOTAL	<		0.000054	0.0002	mg/L	1	
SWB-11	5/24/2004	Mercury-TOTAL	<	0.0002	0.000025	0.0002	mg/L	1 UJ	
SWB-11	12/1/2004	Mercury-TOTAL	<		0.000044	0.0002	mg/L	1	
SWB-11	3/1/2005	Mercury-TOTAL	<		0.000044	0.0002	mg/L	1 UJ	
SWB-11	6/2/2005	Mercury-TOTAL	<		0.000044	0.0002	mg/L	1 UJ	
SWB-11	3/2/2006	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	
SWB-11	6/1/2006	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1 UJ	
SWB-11	3/1/2007	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	
SWB-11	3/7/2008	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	
SWB-11	6/5/2008	Mercury-TOTAL	<	0.0002	0.000027	0.0002	MG/L	1 UJ	
SWB-11	3/2/2009	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	
SWB-11	6/4/2009	Mercury-TOTAL	TR	0.00003	0.000027	0.0002	MG/L	1 J	
SWB-3	10/29/2002	Mercury-TOTAL	TR	0.000029	0.000028	0.0002	mg/L	1 J	
SWB-3	3/4/2003	Mercury-TOTAL	<		0.000015	0.0002	mg/L	1	
SWB-3	6/3/2003	Mercury-TOTAL	<	0.0002	0.000015	0.0002	mg/L	1 UJ	
SWB-3	9/4/2003	Mercury-TOTAL	<	0.0002	0.000054	0.0002	mg/L	1 UJ	

tmpAnalyticalResultsOverTime

SWB-3	12/2/2003	Mercury-TOTAL	TR	0.000054	0.000054	0.0002	mg/L	1	J
SWB-3	3/1/2004	Mercury-TOTAL	<		0.000054	0.0002	mg/L	1	
SWB-3	6/1/2004	Mercury-TOTAL	<		0.000025	0.0002	mg/L	1	UJ
SWB-3	9/1/2004	Mercury-TOTAL	TR	0.000032	0.000025	0.0002	mg/L	1	J
SWB-3	12/1/2004	Mercury-TOTAL	<		0.000044	0.0002	mg/L	1	
SWB-3	3/3/2005	Mercury-TOTAL	<	0.0002	0.000044	0.0002	mg/L	1	UJ
SWB-3	6/2/2005	Mercury-TOTAL	<		0.000044	0.0002	mg/L	1	UJ
SWB-3	9/1/2005	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	UJ
SWB-3	12/1/2005	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	UJ
SWB-3	3/2/2006	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	
SWB-3	6/2/2006	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	UJ
SWB-3	9/5/2006	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	UJ
SWB-3	12/4/2006	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	UJ
SWB-3	3/1/2007	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	
SWB-3	6/1/2007	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	
SWB-3	12/3/2007	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	UJ
SWB-3	3/6/2008	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	
SWB-3	6/9/2008	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	UJ
SWB-3	12/4/2008	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	
SWB-3	3/2/2009	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	
SWB-3	6/4/2009	Mercury-TOTAL	TR	0.000027	0.000027	0.0002	MG/L	1	J
SWB-3	12/1/2009	Mercury-TOTAL	TR	0.000054	0.000027	0.0002	MG/L	1	J
SWB-4	11/15/2002	Mercury-TOTAL	<		0.000028	0.0002	mg/L	1	
SWB-5	10/29/2002	Mercury-TOTAL	<		0.000028	0.0002	mg/L	1	
SWB-6	3/4/2003	Mercury-TOTAL	<		0.000015	0.0002	mg/L	1	
SWB-6	6/3/2003	Mercury-TOTAL	<	0.0002	0.000015	0.0002	mg/L	1	UJ
SWB-6	12/3/2003	Mercury-TOTAL	TR	0.000068	0.000054	0.0002	mg/L	1	J
SWB-6	3/5/2004	Mercury-TOTAL	<		0.000054	0.0002	mg/L	1	UJ
SWB-6	6/1/2004	Mercury-TOTAL	<		0.000025	0.0002	mg/L	1	UJ
SWB-6	12/1/2004	Mercury-TOTAL	<	0.0002	0.000044	0.0002	mg/L	1	U
SWB-6	3/7/2005	Mercury-TOTAL	<		0.000044	0.0002	mg/L	1	UJ
SWB-6	6/1/2005	Mercury-TOTAL	<		0.000044	0.0002	mg/L	1	UJ
SWB-6	12/2/2005	Mercury-TOTAL	<	0.0002	0.000027	0.0002	MG/L	1	UJ
SWB-6	3/1/2006	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	
SWB-6	6/1/2006	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	UJ
SWB-6	12/5/2006	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	UJ
SWB-6	3/2/2007	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	
SWB-6	6/9/2008	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	UJ
SWB-6	3/6/2008	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	
SWB-6	12/5/2008	Mercury-TOTAL	<	0.0002	0.000027	0.0002	MG/L	1	UJ
SWB-6	3/2/2009	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	
SWB-6	6/5/2009	Mercury-TOTAL	<	0.0002	0.000027	0.0002	MG/L	1	UJ
SWB-7	3/4/2003	Mercury-TOTAL	<		0.000015	0.0002	mg/L	1	
SWB-7	6/3/2003	Mercury-TOTAL	<	0.0002	0.000015	0.0002	mg/L	1	UJ
SWB-7	3/1/2004	Mercury-TOTAL	<		0.000054	0.0002	mg/L	1	
SWB-7	5/24/2004	Mercury-TOTAL	<	0.0002	0.000025	0.0002	mg/L	1	UJ
SWB-7	12/1/2004	Mercury-TOTAL	<		0.000044	0.0002	mg/L	1	
SWB-7	3/7/2005	Mercury-TOTAL	<	0.0002	0.000044	0.0002	mg/L	1	UJ
SWB-7	6/1/2005	Mercury-TOTAL	TR	0.000069	0.000044	0.0002	mg/L	1	J
SWB-7	9/1/2005	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	UJ
SWB-7	12/1/2005	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	UJ
SWB-7	3/1/2006	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	
SWB-7	6/2/2006	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	UJ
SWB-7	9/5/2006	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	UJ
SWB-7	12/5/2006	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	UJ
SWB-7	3/2/2007	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	
SWB-7	6/1/2007	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	



tmpAnalyticalResultsOverTime

SWB-7	9/7/2007	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	UJ	
SWB-7	12/3/2007	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	UJ	
SWB-7	3/6/2008	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1		
SWB-7	6/6/2008	Mercury-TOTAL	<	0.0002	0.000027	0.0002	MG/L	1	UJ	
SWB-7	9/8/2008	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1		
SWB-7	12/5/2008	Mercury-TOTAL	<	0.0002	0.000027	0.0002	MG/L	1	UJ	
SWB-7	3/2/2009	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1		
SWB-7	6/5/2009	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	U	
SWB-7	9/9/2009	Mercury-TOTAL	TR	0.000027	0.000027	0.0002	MG/L	1	J	
SWB-7	12/1/2009	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1		
SWB-8	3/5/2004	Mercury-TOTAL	<		0.000054	0.0002	mg/L	1	UJ	
SWB-8	3/7/2005	Mercury-TOTAL	<	0.0002	0.000044	0.0002	mg/L	1	UJ	
SWB-8	6/1/2005	Mercury-TOTAL	<		0.000044	0.0002	mg/L	1	UJ	
SWB-8	3/1/2006	Mercury-TOTAL	TR	0.000047	0.000027	0.0002	MG/L	1	J	
SWB-8	3/7/2008	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1		
SWB-8	3/3/2009	Mercury-TOTAL	TR	0.000032	0.000027	0.0002	MG/L	1	J	
SWB-9	3/4/2003	Mercury-TOTAL	<		0.000015	0.0002	mg/L	1		
SWB-9	12/3/2003	Mercury-TOTAL	TR	0.000059	0.000054	0.0002	mg/L	1	J	
SWB-9	3/5/2004	Mercury-TOTAL	<		0.000054	0.0002	mg/L	1	UJ	
SWB-9	5/27/2004	Mercury-TOTAL	<	0.0002	0.000025	0.0002	mg/L	1	UJ	
SWB-9	12/1/2004	Mercury-TOTAL	<	0.0002	0.000044	0.0002	mg/L	1	U	
SWB-9	3/3/2005	Mercury-TOTAL	<	0.0002	0.000044	0.0002	mg/L	1	UJ	
SWB-9	6/2/2005	Mercury-TOTAL	<		0.000044	0.0002	mg/L	1	UJ	
SWB-9	9/1/2005	Mercury-TOTAL	<		0.00027	0.002	MG/L	10	UJ	
SWB-9	12/1/2005	Mercury-TOTAL	<		0.00027	0.002	MG/L	10	UJ	
SWB-9	3/2/2006	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1		
SWB-9	6/1/2006	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	UJ	
SWB-9	12/4/2006	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1	UJ	
SWB-9	3/5/2007	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1		
SWB-9	3/6/2008	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1		
SWB-9	6/5/2008	Mercury-TOTAL	<	0.0002	0.000027	0.0002	MG/L	1	UJ	
SWB-9	12/5/2008	Mercury-TOTAL	<	0.0002	0.000027	0.0002	MG/L	1	UJ	
SWB-9	3/2/2009	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1		
SWB-9	6/2/2009	Mercury-TOTAL	<	0.0002	0.000027	0.0002	MG/L	1	UJ	
SWB-10	3/4/2004	Methacrylonitrile	<		2.3	10	ug/L	1		NA
SWB-10	5/24/2004	Methacrylonitrile	<		2.3	10	ug/L	1		
SWB-10	12/1/2004	Methacrylonitrile	<		2.3	10	ug/L	1		
SWB-10	3/3/2005	Methacrylonitrile	<		0.93	10	ug/L	1		
SWB-10	6/2/2005	Methacrylonitrile	<		1.6	10	ug/L	1		
SWB-10	9/1/2005	Methacrylonitrile	<		1.6	10	ug/L	1		
SWB-10	3/2/2006	Methacrylonitrile	<		6.4	40	UG/L	4		
SWB-10	6/2/2006	Methacrylonitrile	<		1.6	10	UG/L	1		
SWB-10	3/1/2007	Methacrylonitrile	<		1.6	10	UG/L	1		
SWB-10	3/7/2008	Methacrylonitrile	<		1.6	10	UG/L	1		
SWB-10	6/5/2008	Methacrylonitrile	<		1.6	10	UG/L	1		
SWB-10	3/2/2009	Methacrylonitrile	<		1.6	10	UG/L	1		
SWB-10	6/4/2009	Methacrylonitrile	<		1.6	10	UG/L	1		
SWB-10	3/2/2010	Methacrylonitrile	<	10	1.6	10	UG/L	1		
SWB-11	3/4/2004	Methacrylonitrile	<		2.3	10	ug/L	1		
SWB-11	5/24/2004	Methacrylonitrile	<		2.3	10	ug/L	1		
SWB-11	12/1/2004	Methacrylonitrile	<		2.3	10	ug/L	1		
SWB-11	3/1/2005	Methacrylonitrile	<		0.93	10	ug/L	1		
SWB-11	6/2/2005	Methacrylonitrile	<		1.6	10	ug/L	1		
SWB-11	3/2/2006	Methacrylonitrile	<		16	100	UG/L	10		
SWB-11	6/1/2006	Methacrylonitrile	<		1.6	10	UG/L	1		
SWB-11	3/1/2007	Methacrylonitrile	<		1.6	10	UG/L	1		
SWB-11	3/7/2008	Methacrylonitrile	<		1.6	10	UG/L	1		

tmpAnalyticalResultsOverTime

SWB-11	6/5/2008	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-11	3/2/2009	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-11	6/4/2009	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-11	3/1/2010	Methacrylonitrile	<	10	1.6	10	ug/L	1
SWB-11	6/2/2010	METHACRYLONITRILE	<	1.6	1.6	10	UG/L	1
SWB-3	10/29/2002	Methacrylonitrile	<		4.7	10	ug/L	1
SWB-3	3/4/2003	Methacrylonitrile	<		2.3	10	ug/L	1
SWB-3	6/3/2003	Methacrylonitrile	<		2.3	10	ug/L	1
SWB-3	9/4/2003	Methacrylonitrile	<		2.3	10	ug/L	1 UJ
SWB-3	12/2/2003	Methacrylonitrile	<		2.3	10	ug/L	1
SWB-3	3/1/2004	Methacrylonitrile	<		2.3	10	ug/L	1
SWB-3	6/1/2004	Methacrylonitrile	<		2.3	10	ug/L	1
SWB-3	9/1/2004	Methacrylonitrile	<		2.3	10	ug/L	1
SWB-3	12/1/2004	Methacrylonitrile	<		3.8	17	ug/L	1.66
SWB-3	3/3/2005	Methacrylonitrile	<		0.93	10	ug/L	1
SWB-3	6/2/2005	Methacrylonitrile	<		1.6	10	ug/L	1
SWB-3	9/1/2005	Methacrylonitrile	<		1.6	10	ug/L	1
SWB-3	12/1/2005	Methacrylonitrile	<		3.2	20	UG/L	2
SWB-3	3/2/2006	Methacrylonitrile	<		6.4	40	UG/L	4
SWB-3	6/2/2006	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-3	9/5/2006	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-3	12/4/2006	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-3	3/1/2007	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-3	6/1/2007	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-3	12/3/2007	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-3	3/6/2008	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-3	6/9/2008	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-3	12/4/2008	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-3	3/2/2009	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-3	6/4/2009	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-3	12/1/2009	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-3	3/1/2010	Methacrylonitrile	<	10	1.6	10	ug/L	1
SWB-3	3/1/2010	Methacrylonitrile	<	20	3.2	20	ug/L	1 DNR
SWB-3	6/1/2010	METHACRYLONITRILE	<	1.6	1.6	10	UG/L	1 DNR
SWB-3	6/1/2010	METHACRYLONITRILE	<	6.4	6.4	40	UG/L	1
SWB-3	9/9/2010	METHACRYLONITRILE	<	1.6	1.6	10	UG/L	1
SWB-4	11/15/2002	Methacrylonitrile	<		4.7	10	ug/L	1
SWB-5	10/29/2002	Methacrylonitrile	<		4.7	10	ug/L	1
SWB-6	3/4/2003	Methacrylonitrile	<		2.3	10	ug/L	1
SWB-6	6/3/2003	Methacrylonitrile	<		4.6	20	ug/L	2
SWB-6	12/3/2003	Methacrylonitrile	<		4.6	20	ug/L	2
SWB-6	3/5/2004	Methacrylonitrile	<		2.3	10	ug/L	1
SWB-6	6/1/2004	Methacrylonitrile	<		2.3	10	ug/L	1
SWB-6	12/1/2004	Methacrylonitrile	<		2.3	10	ug/L	1
SWB-6	3/7/2005	Methacrylonitrile	<		0.93	10	ug/L	1
SWB-6	6/1/2005	Methacrylonitrile	<		1.6	10	ug/L	1
SWB-6	12/2/2005	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-6	3/1/2006	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-6	6/1/2006	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-6	12/5/2006	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-6	3/2/2007	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-6	6/9/2008	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-6	3/6/2008	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-6	12/5/2008	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-6	3/2/2009	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-6	6/5/2009	Methacrylonitrile	<		1.6	10	UG/L	1
SWB-6	3/2/2010	Methacrylonitrile	<	10	1.6	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	6/2/2010	METHACRYLONITRILE	<	1.6	1.6	10	UG/L	1	
SWB-7	3/4/2003	Methacrylonitrile	<		2.3	10	ug/L	1	
SWB-7	6/3/2003	Methacrylonitrile	<		2.3	10	ug/L	1	
SWB-7	3/1/2004	Methacrylonitrile	<		2.3	10	ug/L	1	
SWB-7	5/24/2004	Methacrylonitrile	<		2.3	10	ug/L	1	
SWB-7	12/1/2004	Methacrylonitrile	<		2.3	10	ug/L	1	
SWB-7	3/7/2005	Methacrylonitrile	<		0.93	10	ug/L	1	
SWB-7	6/1/2005	Methacrylonitrile	<		1.6	10	ug/L	1	
SWB-7	9/1/2005	Methacrylonitrile	<		1.6	10	ug/L	1	
SWB-7	12/1/2005	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-7	3/1/2006	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-7	6/2/2006	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-7	9/5/2006	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-7	12/5/2006	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-7	3/2/2007	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-7	6/1/2007	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-7	9/7/2007	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-7	12/3/2007	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-7	3/6/2008	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-7	6/6/2008	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-7	9/8/2008	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-7	12/5/2008	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-7	3/2/2009	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-7	6/5/2009	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-7	9/9/2009	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-7	12/1/2009	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-7	3/2/2010	Methacrylonitrile	<	10	1.6	10	UG/L	1	
SWB-7	6/1/2010	METHACRYLONITRILE	<	1.6	1.6	10	UG/L	1	DNR
SWB-7	6/1/2010	METHACRYLONITRILE	<	6.4	6.4	40	UG/L	1	
SWB-7	9/9/2010	METHACRYLONITRILE	<	1.6	1.6	10	UG/L	1	
SWB-7	12/1/2010	METHACRYLONITRILE	<	1.6	1.6	10	UG/L	1	
SWB-8	3/5/2004	Methacrylonitrile	<		2.3	10	ug/L	1	
SWB-8	3/7/2005	Methacrylonitrile	<		0.93	10	ug/L	1	
SWB-8	6/1/2005	Methacrylonitrile	<		1.6	10	ug/L	1	
SWB-8	3/1/2006	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-8	3/7/2008	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-8	3/3/2009	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-9	3/4/2003	Methacrylonitrile	<		2.3	10	ug/L	1	
SWB-9	12/3/2003	Methacrylonitrile	<		4.6	20	ug/L	2	
SWB-9	3/5/2004	Methacrylonitrile	<		2.3	10	ug/L	1	
SWB-9	5/27/2004	Methacrylonitrile	<		2.3	10	ug/L	1	
SWB-9	12/1/2004	Methacrylonitrile	<		2.3	10	ug/L	1	
SWB-9	3/3/2005	Methacrylonitrile	<		0.93	10	ug/L	1	
SWB-9	6/2/2005	Methacrylonitrile	<		1.6	10	ug/L	1	
SWB-9	9/1/2005	Methacrylonitrile	<		1.6	10	ug/L	1	UJ
SWB-9	12/1/2005	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-9	3/2/2006	Methacrylonitrile	<		6.4	40	UG/L	4	
SWB-9	6/1/2006	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-9	12/4/2006	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-9	3/5/2007	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-9	3/6/2008	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-9	6/5/2008	Methacrylonitrile	<		1.6	10	UG/L	1	R
SWB-9	12/5/2008	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-9	3/2/2009	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-9	6/2/2009	Methacrylonitrile	<		1.6	10	UG/L	1	
SWB-9	3/1/2010	Methacrylonitrile	<	10	1.6	10	ug/L	1	
SWB-9	6/1/2010	METHACRYLONITRILE	<	1.6	1.6	10	UG/L	1	DNR

tmpAnalyticalResultsOverTime

SWB-9	6/1/2010	METHACRYLONITRILE	<	6.4	6.4	40	UG/L	1		
SWB-9	12/1/2010	METHACRYLONITRILE	<	1.6	1.6	10	UG/L	1		
SWB-3	9/4/2003	Methane, tribromo-	TI	13			ug/L	1	NJ	NA
SWB-9	6/5/2008	Methane, tribromo-	TI	26			UG/L	1	NJ	
SWB-10	3/4/2004	Methapyrilene	<		20	50	ug/L	1		NA
SWB-10	5/24/2004	Methapyrilene	<		20	50	ug/L	1	UJ	
SWB-10	12/1/2004	Methapyrilene	<		20	50	ug/L	1		
SWB-10	3/3/2005	Methapyrilene	<		20	50	ug/L	1		
SWB-10	6/2/2005	Methapyrilene	<		20	50	ug/L	1		
SWB-10	9/1/2005	Methapyrilene	<		20	50	ug/L	1		
SWB-10	3/2/2006	Methapyrilene	<		20	50	UG/L	1		
SWB-10	6/2/2006	Methapyrilene	<		20	50	UG/L	1		
SWB-10	3/1/2007	Methapyrilene	<		20	50	UG/L	1		
SWB-10	3/7/2008	Methapyrilene	<		20	50	UG/L	1		
SWB-10	6/5/2008	Methapyrilene	<		20	50	UG/L	1		
SWB-10	3/2/2009	Methapyrilene	<		20	50	UG/L	1		
SWB-10	3/2/2009	Methapyrilene	<		20	50	UG/L	1	R	
SWB-10	6/4/2009	Methapyrilene	<		20	50	UG/L	1		
SWB-10	3/2/2010	Methapyrilene	<	47	19	47	UG/L	1		
SWB-11	3/4/2004	Methapyrilene	<		20	50	ug/L	1		
SWB-11	5/24/2004	Methapyrilene	<		20	50	ug/L	1	UJ	
SWB-11	12/1/2004	Methapyrilene	<		20	50	ug/L	1		
SWB-11	3/1/2005	Methapyrilene	<		20	50	ug/L	1	UJ	
SWB-11	6/2/2005	Methapyrilene	<		20	50	ug/L	1		
SWB-11	3/2/2006	Methapyrilene	<		20	50	UG/L	1		
SWB-11	6/1/2006	Methapyrilene	<		20	50	UG/L	1		
SWB-11	3/1/2007	Methapyrilene	<		20	50	UG/L	1		
SWB-11	3/7/2008	Methapyrilene	<		20	50	UG/L	1		
SWB-11	6/5/2008	Methapyrilene	<		20	50	UG/L	1		
SWB-11	3/2/2009	Methapyrilene	<		20	50	UG/L	1		
SWB-11	6/4/2009	Methapyrilene	<		20	50	UG/L	1		
SWB-11	3/1/2010	Methapyrilene	<	47	19	47	ug/L	1		
SWB-11	6/2/2010	METHAPYRILENE	<	19	19	47	UG/L	1		
SWB-3	10/29/2002	Methapyrilene	<		30	50	ug/L	1		
SWB-3	3/4/2003	Methapyrilene	<		30	50	ug/L	1		
SWB-3	6/3/2003	Methapyrilene	<		30	50	ug/L	1		
SWB-3	9/4/2003	Methapyrilene	<		30	50	ug/L	1	UJ	
SWB-3	12/2/2003	Methapyrilene	<		30	50	ug/L	1		
SWB-3	3/1/2004	Methapyrilene	<		20	50	ug/L	1		
SWB-3	6/1/2004	Methapyrilene	<		20	50	ug/L	1		
SWB-3	9/1/2004	Methapyrilene	<		20	50	ug/L	1		
SWB-3	12/1/2004	Methapyrilene	<		20	50	ug/L	1		
SWB-3	3/3/2005	Methapyrilene	<		20	50	ug/L	1		
SWB-3	6/2/2005	Methapyrilene	<		20	50	ug/L	1		
SWB-3	9/1/2005	Methapyrilene	<		20	50	ug/L	1		
SWB-3	12/1/2005	Methapyrilene	<		20	50	UG/L	1	UJ	
SWB-3	3/2/2006	Methapyrilene	<		20	50	UG/L	1		
SWB-3	6/2/2006	Methapyrilene	<		20	50	UG/L	1		
SWB-3	9/5/2006	Methapyrilene	<		20	50	UG/L	1		
SWB-3	12/4/2006	Methapyrilene	<		20	50	UG/L	1		
SWB-3	3/1/2007	Methapyrilene	<		20	50	UG/L	1		
SWB-3	6/1/2007	Methapyrilene	<		20	50	UG/L	1		
SWB-3	6/1/2007	Methapyrilene	<		20	50	UG/L	1	R	
SWB-3	12/3/2007	Methapyrilene	<		20	50	UG/L	1		
SWB-3	3/6/2008	Methapyrilene	<		20	50	UG/L	1		
SWB-3	6/9/2008	Methapyrilene	<		20	50	UG/L	1		
SWB-3	12/4/2008	Methapyrilene	<		20	50	UG/L	1		

tmpAnalyticalResultsOverTime

SWB-3	3/2/2009	Methapyrilene	<		20	50	UG/L	1
SWB-3	3/2/2009	Methapyrilene	<		20	50	UG/L	1 R
SWB-3	6/4/2009	Methapyrilene	<		20	50	UG/L	1
SWB-3	12/1/2009	Methapyrilene	<		20	50	UG/L	1
SWB-3	12/1/2009	Methapyrilene	<		20	50	UG/L	1 DNR
SWB-3	3/1/2010	Methapyrilene	<	49	19	49	ug/L	1 UJ
SWB-3	6/1/2010	METHAPYRILENE	<	19	19	47	UG/L	1
SWB-3	6/1/2010	METHAPYRILENE	<	19	19	47	UG/L	1 DNR
SWB-3	9/9/2010	METHAPYRILENE	<	19	19	47	UG/L	1
SWB-4	11/15/2002	Methapyrilene	<		30	50	ug/L	1
SWB-5	10/29/2002	Methapyrilene	<		30	50	ug/L	1
SWB-6	3/4/2003	Methapyrilene	<		30	50	ug/L	1
SWB-6	6/3/2003	Methapyrilene	<		30	50	ug/L	1
SWB-6	12/3/2003	Methapyrilene	<		30	50	ug/L	1
SWB-6	3/5/2004	Methapyrilene	<		20	50	ug/L	1
SWB-6	6/1/2004	Methapyrilene	<		20	50	ug/L	1
SWB-6	12/1/2004	Methapyrilene	<		20	50	ug/L	1
SWB-6	3/7/2005	Methapyrilene	<		20	50	ug/L	1
SWB-6	6/1/2005	Methapyrilene	<		20	50	ug/L	1
SWB-6	12/2/2005	Methapyrilene	<		20	50	UG/L	1 UJ
SWB-6	3/1/2006	Methapyrilene	<		20	50	UG/L	1
SWB-6	6/1/2006	Methapyrilene	<		20	50	UG/L	1
SWB-6	12/5/2006	Methapyrilene	<		20	50	UG/L	1
SWB-6	3/2/2007	Methapyrilene	<		20	50	UG/L	1
SWB-6	6/9/2008	Methapyrilene	<		20	50	UG/L	1
SWB-6	3/6/2008	Methapyrilene	<		20	50	UG/L	1
SWB-6	12/5/2008	Methapyrilene	<		20	50	UG/L	1
SWB-6	12/5/2008	Methapyrilene	<		20	50	UG/L	1 R
SWB-6	3/2/2009	Methapyrilene	<		20	50	UG/L	1
SWB-6	3/2/2009	Methapyrilene	<		20	50	UG/L	1 R
SWB-6	6/5/2009	Methapyrilene	<		20	50	UG/L	1
SWB-6	3/2/2010	Methapyrilene	<	46	18	46	UG/L	1
SWB-6	6/2/2010	METHAPYRILENE	<	19	19	47	UG/L	1 DNR
SWB-6	6/2/2010	METHAPYRILENE	<	19	19	48	UG/L	1
SWB-7	3/4/2003	Methapyrilene	<		30	50	ug/L	1
SWB-7	6/3/2003	Methapyrilene	<		30	50	ug/L	1
SWB-7	3/1/2004	Methapyrilene	<		20	50	ug/L	1
SWB-7	5/24/2004	Methapyrilene	<		20	50	ug/L	1
SWB-7	12/1/2004	Methapyrilene	<		20	50	ug/L	1
SWB-7	3/7/2005	Methapyrilene	<		20	50	ug/L	1 UJ
SWB-7	6/1/2005	Methapyrilene	<		20	50	ug/L	1
SWB-7	9/1/2005	Methapyrilene	<		20	50	ug/L	1
SWB-7	12/1/2005	Methapyrilene	<		20	50	UG/L	1 UJ
SWB-7	3/1/2006	Methapyrilene	<		20	50	UG/L	1
SWB-7	6/2/2006	Methapyrilene	<		20	50	UG/L	1
SWB-7	9/5/2006	Methapyrilene	<		20	50	UG/L	1 UJ
SWB-7	12/5/2006	Methapyrilene	<		20	50	UG/L	1
SWB-7	3/2/2007	Methapyrilene	<		20	50	UG/L	1
SWB-7	6/1/2007	Methapyrilene	<		20	50	UG/L	1
SWB-7	9/7/2007	Methapyrilene	<		20	50	UG/L	1
SWB-7	12/3/2007	Methapyrilene	<		20	50	UG/L	1
SWB-7	3/6/2008	Methapyrilene	<		20	50	UG/L	1
SWB-7	6/6/2008	Methapyrilene	<		20	50	UG/L	1
SWB-7	9/8/2008	Methapyrilene	<		20	50	UG/L	1
SWB-7	12/5/2008	Methapyrilene	<		20	50	UG/L	1
SWB-7	12/5/2008	Methapyrilene	<		20	50	UG/L	1 R
SWB-7	3/2/2009	Methapyrilene	<		20	50	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	3/2/2009	Methapyrilene	<		20	50	UG/L	1	R	
SWB-7	6/5/2009	Methapyrilene	<		20	50	UG/L	1		
SWB-7	9/9/2009	Methapyrilene	<		20	50	UG/L	1		
SWB-7	12/1/2009	Methapyrilene	<		20	50	UG/L	1		
SWB-7	3/2/2010	Methapyrilene	<	47	19	47	UG/L	1		
SWB-7	6/1/2010	METHAPYRILENE	<	19	19	48	UG/L	1	DNR	
SWB-7	6/1/2010	METHAPYRILENE	<	20	20	50	UG/L	1	R	
SWB-7	9/9/2010	METHAPYRILENE	<	19	19	48	UG/L	1		
SWB-7	12/1/2010	METHAPYRILENE	<	19	19	47	UG/L	1		
SWB-8	3/5/2004	Methapyrilene	<		20	50	ug/L	1		
SWB-8	3/7/2005	Methapyrilene	<		20	50	ug/L	1		
SWB-8	6/1/2005	Methapyrilene	<		20	50	ug/L	1		
SWB-8	3/1/2006	Methapyrilene	<		20	50	UG/L	1		
SWB-8	3/7/2008	Methapyrilene	<		20	50	UG/L	1		
SWB-8	3/3/2009	Methapyrilene	<		20	50	UG/L	1		
SWB-8	3/3/2009	Methapyrilene	<		20	50	UG/L	1	R	
SWB-9	3/4/2003	Methapyrilene	<		30	50	ug/L	1		
SWB-9	12/3/2003	Methapyrilene	<		30	50	ug/L	1		
SWB-9	3/5/2004	Methapyrilene	<		20	50	ug/L	1		
SWB-9	5/27/2004	Methapyrilene	<		20	50	ug/L	1	UJ	
SWB-9	12/1/2004	Methapyrilene	<		20	50	ug/L	1		
SWB-9	3/3/2005	Methapyrilene	<		20	50	ug/L	1		
SWB-9	6/2/2005	Methapyrilene	<		20	50	ug/L	1		
SWB-9	9/1/2005	Methapyrilene	<		20	50	ug/L	1		
SWB-9	12/1/2005	Methapyrilene	<		20	50	UG/L	1	UJ	
SWB-9	3/2/2006	Methapyrilene	<		20	50	UG/L	1		
SWB-9	6/1/2006	Methapyrilene	<		20	50	UG/L	1		
SWB-9	12/4/2006	Methapyrilene	<		20	50	UG/L	1		
SWB-9	3/5/2007	Methapyrilene	<		20	50	UG/L	1		
SWB-9	3/6/2008	Methapyrilene	<		20	50	UG/L	1		
SWB-9	6/5/2008	Methapyrilene	<		20	50	UG/L	1		
SWB-9	12/5/2008	Methapyrilene	<		20	50	UG/L	1		
SWB-9	12/5/2008	Methapyrilene	<		20	50	UG/L	1	R	
SWB-9	3/2/2009	Methapyrilene	<		20	50	UG/L	1		
SWB-9	3/2/2009	Methapyrilene	<		20	50	UG/L	1	R	
SWB-9	6/2/2009	Methapyrilene	<		20	50	UG/L	1		
SWB-9	6/2/2009	Methapyrilene	<		20	50	UG/L	1	DNR	
SWB-9	3/1/2010	Methapyrilene	<	46	18	46	ug/L	1		
SWB-9	6/1/2010	METHAPYRILENE	<	19	19	47	UG/L	1		
SWB-9	6/1/2010	METHAPYRILENE	<	19	19	47	UG/L	1	DNR	
SWB-9	12/1/2010	METHAPYRILENE	<	19	19	46	UG/L	1		
SWB-3	6/9/2008	Methyl isobutyl ketone	TI	84			UG/L	1	NJ	NA
SWB-10	3/4/2004	Methyl methacrylate	<		0.57	1	ug/L	1		NA
SWB-10	5/24/2004	Methyl methacrylate	<		0.57	1	ug/L	1		
SWB-10	12/1/2004	Methyl methacrylate	<		0.57	1	ug/L	1		
SWB-10	3/3/2005	Methyl methacrylate	<		1.1	1	ug/L	1		
SWB-10	6/2/2005	Methyl methacrylate	<		0.42	1	ug/L	1		
SWB-10	9/1/2005	Methyl methacrylate	<		0.42	1	ug/L	1		
SWB-10	3/2/2006	Methyl methacrylate	<		1.7	8	UG/L	4		
SWB-10	6/2/2006	Methyl methacrylate	<		1.1	2	UG/L	1		
SWB-10	3/1/2007	Methyl methacrylate	<		1.1	4	UG/L	1		
SWB-10	3/7/2008	Methyl methacrylate	<		1.1	4	UG/L	1		
SWB-10	6/5/2008	Methyl methacrylate	<		1.1	4	UG/L	1		
SWB-10	3/2/2009	Methyl methacrylate	<		1.1	4	UG/L	1		
SWB-10	6/4/2009	Methyl methacrylate	<		1.1	4	UG/L	1		
SWB-10	3/2/2010	Methyl methacrylate	<	4	1.1	4	UG/L	1		
SWB-11	3/4/2004	Methyl methacrylate	<		0.57	1	ug/L	1		

tmpAnalyticalResultsOverTime

SWB-11	5/24/2004	Methyl methacrylate	<	0.57	1	ug/L	1
SWB-11	12/1/2004	Methyl methacrylate	<	0.57	1	ug/L	1
SWB-11	3/1/2005	Methyl methacrylate	<	1.1	1	ug/L	1
SWB-11	6/2/2005	Methyl methacrylate	<	0.42	1	ug/L	1
SWB-11	3/2/2006	Methyl methacrylate	<	4.2	20	UG/L	10
SWB-11	6/1/2006	Methyl methacrylate	<	1.1	2	UG/L	1
SWB-11	3/1/2007	Methyl methacrylate	<	1.1	4	UG/L	1
SWB-11	3/7/2008	Methyl methacrylate	<	1.1	4	UG/L	1
SWB-11	6/5/2008	Methyl methacrylate	<	1.1	4	UG/L	1
SWB-11	3/2/2009	Methyl methacrylate	<	1.1	4	UG/L	1
SWB-11	6/4/2009	Methyl methacrylate	<	1.1	4	UG/L	1
SWB-11	3/1/2010	Methyl methacrylate	<	4	4	ug/L	1
SWB-11	6/2/2010	METHYL METHACRYLATE	<	1.1	4	UG/L	1
SWB-3	10/29/2002	Methyl methacrylate	<	0.81	1	ug/L	1
SWB-3	3/4/2003	Methyl methacrylate	<	0.57	1	ug/L	1
SWB-3	6/3/2003	Methyl methacrylate	<	0.57	1	ug/L	1
SWB-3	9/4/2003	Methyl methacrylate	<	0.57	1	ug/L	1 UJ
SWB-3	12/2/2003	Methyl methacrylate	<	0.57	1	ug/L	1
SWB-3	3/1/2004	Methyl methacrylate	<	0.57	1	ug/L	1
SWB-3	6/1/2004	Methyl methacrylate	<	0.57	1	ug/L	1
SWB-3	9/1/2004	Methyl methacrylate	<	0.57	1	ug/L	1
SWB-3	12/1/2004	Methyl methacrylate	<	0.95	1.7	ug/L	1.66
SWB-3	3/3/2005	Methyl methacrylate	<	1.1	1	ug/L	1
SWB-3	6/2/2005	Methyl methacrylate	<	0.42	1	ug/L	1
SWB-3	9/1/2005	Methyl methacrylate	<	0.42	1	ug/L	1
SWB-3	12/1/2005	Methyl methacrylate	<	0.84	4	UG/L	2
SWB-3	3/2/2006	Methyl methacrylate	<	1.7	8	UG/L	4
SWB-3	6/2/2006	Methyl methacrylate	<	1.1	2	UG/L	1
SWB-3	9/5/2006	Methyl methacrylate	<	1.1	4	UG/L	1
SWB-3	12/4/2006	Methyl methacrylate	<	1.1	4	UG/L	1
SWB-3	3/1/2007	Methyl methacrylate	<	1.1	4	UG/L	1
SWB-3	6/1/2007	Methyl methacrylate	<	1.1	4	UG/L	1
SWB-3	12/3/2007	Methyl methacrylate	<	1.1	4	UG/L	1
SWB-3	3/6/2008	Methyl methacrylate	<	1.1	4	UG/L	1
SWB-3	6/9/2008	Methyl methacrylate	<	1.1	4	UG/L	1
SWB-3	12/4/2008	Methyl methacrylate	<	1.1	4	UG/L	1
SWB-3	3/2/2009	Methyl methacrylate	<	1.1	4	UG/L	1
SWB-3	6/4/2009	Methyl methacrylate	<	1.1	4	UG/L	1
SWB-3	12/1/2009	Methyl methacrylate	<	1.1	4	UG/L	1
SWB-3	3/1/2010	Methyl methacrylate	<	4	4	ug/L	1
SWB-3	3/1/2010	Methyl methacrylate	<	8	8	ug/L	1 DNR
SWB-3	6/1/2010	METHYL METHACRYLATE	<	1.1	4	UG/L	1 DNR
SWB-3	6/1/2010	METHYL METHACRYLATE	<	4.4	16	UG/L	1
SWB-3	9/9/2010	METHYL METHACRYLATE	<	1.1	4	UG/L	1
SWB-4	11/15/2002	Methyl methacrylate	<	0.81	1	ug/L	1
SWB-5	10/29/2002	Methyl methacrylate	<	0.81	1	ug/L	1
SWB-6	3/4/2003	Methyl methacrylate	<	0.57	1	ug/L	1
SWB-6	6/3/2003	Methyl methacrylate	<	1.1	2	ug/L	2
SWB-6	12/3/2003	Methyl methacrylate	<	1.1	2	ug/L	2
SWB-6	3/5/2004	Methyl methacrylate	<	0.57	1	ug/L	1
SWB-6	6/1/2004	Methyl methacrylate	<	0.57	1	ug/L	1
SWB-6	12/1/2004	Methyl methacrylate	<	0.57	1	ug/L	1
SWB-6	3/7/2005	Methyl methacrylate	<	1.1	1	ug/L	1
SWB-6	6/1/2005	Methyl methacrylate	<	0.42	1	ug/L	1
SWB-6	12/2/2005	Methyl methacrylate	<	0.42	2	UG/L	1
SWB-6	3/1/2006	Methyl methacrylate	<	0.42	2	UG/L	1
SWB-6	6/1/2006	Methyl methacrylate	<	1.1	2	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	12/5/2006	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-6	3/2/2007	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-6	6/9/2008	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-6	3/6/2008	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-6	12/5/2008	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-6	3/2/2009	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-6	6/5/2009	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-6	3/2/2010	Methyl methacrylate	<	4	1.1	4	UG/L	1	
SWB-6	6/2/2010	METHYL METHACRYLATE	<	1.1	1.1	4	UG/L	1	
SWB-7	3/4/2003	Methyl methacrylate	<		0.57	1	ug/L	1	
SWB-7	6/3/2003	Methyl methacrylate	<		0.57	1	ug/L	1	
SWB-7	3/1/2004	Methyl methacrylate	<		0.57	1	ug/L	1	
SWB-7	5/24/2004	Methyl methacrylate	<		0.57	1	ug/L	1	
SWB-7	12/1/2004	Methyl methacrylate	<		0.57	1	ug/L	1	
SWB-7	3/7/2005	Methyl methacrylate	<		1.1	1	ug/L	1	
SWB-7	6/1/2005	Methyl methacrylate	<		0.42	1	ug/L	1	
SWB-7	9/1/2005	Methyl methacrylate	<		0.42	1	ug/L	1	
SWB-7	12/1/2005	Methyl methacrylate	<		0.42	2	UG/L	1	
SWB-7	3/1/2006	Methyl methacrylate	<		0.42	2	UG/L	1	
SWB-7	6/2/2006	Methyl methacrylate	<		1.1	2	UG/L	1	
SWB-7	9/5/2006	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-7	12/5/2006	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-7	3/2/2007	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-7	6/1/2007	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-7	9/7/2007	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-7	12/3/2007	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-7	3/6/2008	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-7	6/6/2008	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-7	9/8/2008	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-7	12/5/2008	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-7	3/2/2009	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-7	6/5/2009	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-7	9/9/2009	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-7	12/1/2009	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-7	3/2/2010	Methyl methacrylate	<	4	1.1	4	UG/L	1	
SWB-7	6/1/2010	METHYL METHACRYLATE	<	1.1	1.1	4	UG/L	1	DNR
SWB-7	6/1/2010	METHYL METHACRYLATE	<	4.4	4.4	16	UG/L	1	
SWB-7	9/9/2010	METHYL METHACRYLATE	<	1.1	1.1	4	UG/L	1	
SWB-7	12/1/2010	METHYL METHACRYLATE	<	1.1	1.1	4	UG/L	1	
SWB-8	3/5/2004	Methyl methacrylate	<		0.57	1	ug/L	1	
SWB-8	3/7/2005	Methyl methacrylate	<		1.1	1	ug/L	1	
SWB-8	6/1/2005	Methyl methacrylate	<		0.42	1	ug/L	1	
SWB-8	3/1/2006	Methyl methacrylate	<		0.42	2	UG/L	1	
SWB-8	3/7/2008	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-8	3/3/2009	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-9	3/4/2003	Methyl methacrylate	<		0.57	1	ug/L	1	
SWB-9	12/3/2003	Methyl methacrylate	<		1.1	2	ug/L	2	
SWB-9	3/5/2004	Methyl methacrylate	<		0.57	1	ug/L	1	
SWB-9	5/27/2004	Methyl methacrylate	<		0.57	1	ug/L	1	
SWB-9	12/1/2004	Methyl methacrylate	<		0.57	1	ug/L	1	
SWB-9	3/3/2005	Methyl methacrylate	<		1.1	1	ug/L	1	
SWB-9	6/2/2005	Methyl methacrylate	<		0.42	1	ug/L	1	
SWB-9	9/1/2005	Methyl methacrylate	<		0.42	1	ug/L	1	UJ
SWB-9	12/1/2005	Methyl methacrylate	<		0.42	2	UG/L	1	
SWB-9	3/2/2006	Methyl methacrylate	<		1.7	8	UG/L	4	
SWB-9	6/1/2006	Methyl methacrylate	<		1.1	2	UG/L	1	
SWB-9	12/4/2006	Methyl methacrylate	<		1.1	4	UG/L	1	



tmpAnalyticalResultsOverTime

SWB-9	3/5/2007	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-9	3/6/2008	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-9	6/5/2008	Methyl methacrylate	<		1.1	4	UG/L	1 R	
SWB-9	12/5/2008	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-9	3/2/2009	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-9	6/2/2009	Methyl methacrylate	<		1.1	4	UG/L	1	
SWB-9	3/1/2010	Methyl methacrylate	<	4	1.1	4	ug/L	1	
SWB-9	6/1/2010	METHYL METHACRYLATE	<	1.1	1.1	4	UG/L	1 DNR	
SWB-9	6/1/2010	METHYL METHACRYLATE	<	4.4	4.4	16	UG/L	1	
SWB-9	12/1/2010	METHYL METHACRYLATE	<	1.1	1.1	4	UG/L	1	
SWB-10	3/4/2004	Methyl methanesulfonate	<		2	10	ug/L	1	NA
SWB-10	5/24/2004	Methyl methanesulfonate	<		2	10	ug/L	1 UJ	
SWB-10	12/1/2004	Methyl methanesulfonate	<		2	10	ug/L	1	
SWB-10	3/3/2005	Methyl methanesulfonate	<		2	10	ug/L	1	
SWB-10	6/2/2005	Methyl methanesulfonate	<		2	10	ug/L	1	
SWB-10	9/1/2005	Methyl methanesulfonate	<		2	10	ug/L	1	
SWB-10	3/2/2006	Methyl methanesulfonate	<		2	10	UG/L	1	
SWB-10	6/2/2006	Methyl methanesulfonate	<		0.93	10	UG/L	1	
SWB-10	3/1/2007	Methyl methanesulfonate	<		0.93	10	UG/L	1	
SWB-10	3/7/2008	Methyl methanesulfonate	<		1	10	UG/L	1	
SWB-10	6/5/2008	Methyl methanesulfonate	<		1	10	UG/L	1	
SWB-10	3/2/2009	Methyl methanesulfonate	<		1	10	UG/L	1	
SWB-10	3/2/2009	Methyl methanesulfonate	<		1	10	UG/L	1 R	
SWB-10	6/4/2009	Methyl methanesulfonate	<		1	10	UG/L	1	
SWB-10	3/2/2010	Methyl methanesulfonate	<	9.3	0.93	9.3	UG/L	1	
SWB-11	3/4/2004	Methyl methanesulfonate	<		2	10	ug/L	1	
SWB-11	5/24/2004	Methyl methanesulfonate	<		2	10	ug/L	1 UJ	
SWB-11	12/1/2004	Methyl methanesulfonate	<		2	10	ug/L	1	
SWB-11	3/1/2005	Methyl methanesulfonate	<		2	10	ug/L	1	
SWB-11	6/2/2005	Methyl methanesulfonate	<		2	10	ug/L	1	
SWB-11	3/2/2006	Methyl methanesulfonate	<		2	10	UG/L	1	
SWB-11	6/1/2006	Methyl methanesulfonate	<		0.93	10	UG/L	1	
SWB-11	3/1/2007	Methyl methanesulfonate	<		0.93	10	UG/L	1	
SWB-11	3/7/2008	Methyl methanesulfonate	<		1	10	UG/L	1	
SWB-11	6/5/2008	Methyl methanesulfonate	<		1	10	UG/L	1	
SWB-11	3/2/2009	Methyl methanesulfonate	<		1	10	UG/L	1	
SWB-11	6/4/2009	Methyl methanesulfonate	<		1	10	UG/L	1	
SWB-11	3/1/2010	Methyl methanesulfonate	<	9.4	0.94	9.4	ug/L	1	
SWB-11	6/2/2010	METHYL METHANESULFONATE	<	0.95	0.95	9.5	UG/L	1	
SWB-3	10/29/2002	Methyl methanesulfonate	<		2.2	10	ug/L	1	
SWB-3	3/4/2003	Methyl methanesulfonate	<		2.2	10	ug/L	1	
SWB-3	6/3/2003	Methyl methanesulfonate	<		2.2	10	ug/L	1	
SWB-3	9/4/2003	Methyl methanesulfonate	<		2	10	ug/L	1 UJ	
SWB-3	12/2/2003	Methyl methanesulfonate	<		2	10	ug/L	1	
SWB-3	3/1/2004	Methyl methanesulfonate	<		2	10	ug/L	1	
SWB-3	6/1/2004	Methyl methanesulfonate	<		2	10	ug/L	1	
SWB-3	9/1/2004	Methyl methanesulfonate	<		2	10	ug/L	1	
SWB-3	12/1/2004	Methyl methanesulfonate	<		2	10	ug/L	1	
SWB-3	3/3/2005	Methyl methanesulfonate	<		2	10	ug/L	1	
SWB-3	6/2/2005	Methyl methanesulfonate	<		2	10	ug/L	1	
SWB-3	9/1/2005	Methyl methanesulfonate	<		2	10	ug/L	1	
SWB-3	12/1/2005	Methyl methanesulfonate	<		2	10	UG/L	1 UJ	
SWB-3	3/2/2006	Methyl methanesulfonate	<		2	10	UG/L	1	
SWB-3	6/2/2006	Methyl methanesulfonate	<		0.93	10	UG/L	1	
SWB-3	9/5/2006	Methyl methanesulfonate	<		0.93	10	UG/L	1	
SWB-3	12/4/2006	Methyl methanesulfonate	<		0.93	10	UG/L	1	
SWB-3	3/1/2007	Methyl methanesulfonate	<		0.93	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	6/1/2007	Methyl methanesulfonate	<	0.93		10	UG/L	1
SWB-3	6/1/2007	Methyl methanesulfonate	<	0.93		10	UG/L	1 R
SWB-3	12/3/2007	Methyl methanesulfonate	<	0.93		10	UG/L	1
SWB-3	3/6/2008	Methyl methanesulfonate	<	1		10	UG/L	1
SWB-3	6/9/2008	Methyl methanesulfonate	<	1		10	UG/L	1
SWB-3	12/4/2008	Methyl methanesulfonate	<	1		10	UG/L	1
SWB-3	3/2/2009	Methyl methanesulfonate	<	1		10	UG/L	1
SWB-3	3/2/2009	Methyl methanesulfonate	<	1		10	UG/L	1 R
SWB-3	6/4/2009	Methyl methanesulfonate	<	1		10	UG/L	1
SWB-3	12/1/2009	Methyl methanesulfonate	<	1		10	UG/L	1
SWB-3	12/1/2009	Methyl methanesulfonate	<	1		10	UG/L	1 DNR
SWB-3	3/1/2010	Methyl methanesulfonate	<	9.7	0.97	9.7	ug/L	1 UJ
SWB-3	6/1/2010	METHYL METHANESULFONATE	<	0.94	0.94	9.4	UG/L	1
SWB-3	6/1/2010	METHYL METHANESULFONATE	<	0.94	0.94	9.4	UG/L	1 DNR
SWB-3	9/9/2010	METHYL METHANESULFONATE	<	0.93	0.93	9.3	UG/L	1
SWB-4	11/15/2002	Methyl methanesulfonate	<	2.2		10	ug/L	1
SWB-5	10/29/2002	Methyl methanesulfonate	<	2.2		10	ug/L	1
SWB-6	3/4/2003	Methyl methanesulfonate	<	2.2		10	ug/L	1
SWB-6	6/3/2003	Methyl methanesulfonate	<	2.2		10	ug/L	1
SWB-6	12/3/2003	Methyl methanesulfonate	<	2		10	ug/L	1
SWB-6	3/5/2004	Methyl methanesulfonate	<	2		10	ug/L	1
SWB-6	6/1/2004	Methyl methanesulfonate	<	2		10	ug/L	1
SWB-6	12/1/2004	Methyl methanesulfonate	<	2		10	ug/L	1
SWB-6	3/7/2005	Methyl methanesulfonate	<	2		10	ug/L	1
SWB-6	6/1/2005	Methyl methanesulfonate	<	2		10	ug/L	1
SWB-6	12/2/2005	Methyl methanesulfonate	<	2		10	UG/L	1 UJ
SWB-6	3/1/2006	Methyl methanesulfonate	<	2		10	UG/L	1
SWB-6	6/1/2006	Methyl methanesulfonate	<	0.93		10	UG/L	1
SWB-6	12/5/2006	Methyl methanesulfonate	<	0.93		10	UG/L	1
SWB-6	3/2/2007	Methyl methanesulfonate	<	0.93		10	UG/L	1
SWB-6	6/9/2008	Methyl methanesulfonate	<	1		10	UG/L	1
SWB-6	3/6/2008	Methyl methanesulfonate	<	1		10	UG/L	1
SWB-6	12/5/2008	Methyl methanesulfonate	<	1		10	UG/L	1
SWB-6	12/5/2008	Methyl methanesulfonate	<	1		10	UG/L	1 R
SWB-6	3/2/2009	Methyl methanesulfonate	<	1		10	UG/L	1
SWB-6	3/2/2009	Methyl methanesulfonate	<	1		10	UG/L	1 R
SWB-6	6/5/2009	Methyl methanesulfonate	<	1		10	UG/L	1
SWB-6	3/2/2010	Methyl methanesulfonate	<	9.1	0.91	9.1	UG/L	1
SWB-6	6/2/2010	METHYL METHANESULFONATE	<	0.94	0.94	9.4	UG/L	1 DNR
SWB-6	6/2/2010	METHYL METHANESULFONATE	<	0.95	0.95	9.5	UG/L	1
SWB-7	3/4/2003	Methyl methanesulfonate	<	2.2		10	ug/L	1
SWB-7	6/3/2003	Methyl methanesulfonate	<	2.2		10	ug/L	1
SWB-7	3/1/2004	Methyl methanesulfonate	<	2		10	ug/L	1
SWB-7	5/24/2004	Methyl methanesulfonate	<	2		10	ug/L	1
SWB-7	12/1/2004	Methyl methanesulfonate	<	2		10	ug/L	1
SWB-7	3/7/2005	Methyl methanesulfonate	<	2		10	ug/L	1 UJ
SWB-7	6/1/2005	Methyl methanesulfonate	<	2		10	ug/L	1
SWB-7	9/1/2005	Methyl methanesulfonate	<	2		10	ug/L	1
SWB-7	12/1/2005	Methyl methanesulfonate	<	2		10	UG/L	1 UJ
SWB-7	3/1/2006	Methyl methanesulfonate	<	2		10	UG/L	1
SWB-7	6/2/2006	Methyl methanesulfonate	<	0.93		10	UG/L	1
SWB-7	9/5/2006	Methyl methanesulfonate	<	0.93		10	UG/L	1 UJ
SWB-7	12/5/2006	Methyl methanesulfonate	<	0.93		10	UG/L	1
SWB-7	3/2/2007	Methyl methanesulfonate	<	0.93		10	UG/L	1
SWB-7	6/1/2007	Methyl methanesulfonate	<	0.93		10	UG/L	1
SWB-7	9/7/2007	Methyl methanesulfonate	<	0.93		10	UG/L	1
SWB-7	12/3/2007	Methyl methanesulfonate	<	0.93		10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	3/6/2008	Methyl methanesulfonate	<	1	10	UG/L	1	
SWB-7	6/6/2008	Methyl methanesulfonate	<	1	10	UG/L	1	
SWB-7	9/8/2008	Methyl methanesulfonate	<	1	10	UG/L	1	
SWB-7	12/5/2008	Methyl methanesulfonate	<	1	10	UG/L	1	
SWB-7	12/5/2008	Methyl methanesulfonate	<	1	10	UG/L	1	R
SWB-7	3/2/2009	Methyl methanesulfonate	<	1	10	UG/L	1	
SWB-7	3/2/2009	Methyl methanesulfonate	<	1	10	UG/L	1	R
SWB-7	6/5/2009	Methyl methanesulfonate	<	1	10	UG/L	1	
SWB-7	9/9/2009	Methyl methanesulfonate	<	1	10	UG/L	1	
SWB-7	12/1/2009	Methyl methanesulfonate	<	1	10	UG/L	1	
SWB-7	3/2/2010	Methyl methanesulfonate	<	9.5	0.95	9.5	UG/L	1
SWB-7	6/1/2010	METHYL METHANESULFONATE	<	0.96	0.96	9.6	UG/L	1 DNR
SWB-7	6/1/2010	METHYL METHANESULFONATE	<	1	1	10	UG/L	1 R
SWB-7	9/9/2010	METHYL METHANESULFONATE	<	0.96	0.96	9.6	UG/L	1
SWB-7	12/1/2010	METHYL METHANESULFONATE	<	0.93	0.93	9.3	UG/L	1
SWB-8	3/5/2004	Methyl methanesulfonate	<	2	10	ug/L	1	
SWB-8	3/7/2005	Methyl methanesulfonate	<	2	10	ug/L	1	
SWB-8	6/1/2005	Methyl methanesulfonate	<	2	10	ug/L	1	
SWB-8	3/1/2006	Methyl methanesulfonate	<	2	10	UG/L	1	
SWB-8	3/7/2008	Methyl methanesulfonate	<	1	10	UG/L	1	
SWB-8	3/3/2009	Methyl methanesulfonate	<	1	10	UG/L	1	
SWB-8	3/3/2009	Methyl methanesulfonate	<	1	10	UG/L	1	R
SWB-9	3/4/2003	Methyl methanesulfonate	<	2.2	10	ug/L	1	
SWB-9	12/3/2003	Methyl methanesulfonate	<	2	10	ug/L	1	
SWB-9	3/5/2004	Methyl methanesulfonate	<	2	10	ug/L	1	
SWB-9	5/27/2004	Methyl methanesulfonate	<	2	10	ug/L	1	UJ
SWB-9	12/1/2004	Methyl methanesulfonate	<	2	10	ug/L	1	
SWB-9	3/3/2005	Methyl methanesulfonate	<	2	10	ug/L	1	
SWB-9	6/2/2005	Methyl methanesulfonate	<	2	10	ug/L	1	
SWB-9	9/1/2005	Methyl methanesulfonate	<	2	10	ug/L	1	
SWB-9	12/1/2005	Methyl methanesulfonate	<	2	10	UG/L	1	UJ
SWB-9	3/2/2006	Methyl methanesulfonate	<	2	10	UG/L	1	
SWB-9	6/1/2006	Methyl methanesulfonate	<	0.93	10	UG/L	1	
SWB-9	12/4/2006	Methyl methanesulfonate	<	0.93	10	UG/L	1	
SWB-9	3/5/2007	Methyl methanesulfonate	<	0.93	10	UG/L	1	
SWB-9	3/6/2008	Methyl methanesulfonate	<	1	10	UG/L	1	
SWB-9	6/5/2008	Methyl methanesulfonate	<	1	10	UG/L	1	
SWB-9	12/5/2008	Methyl methanesulfonate	<	1	10	UG/L	1	
SWB-9	12/5/2008	Methyl methanesulfonate	<	1	10	UG/L	1	R
SWB-9	3/2/2009	Methyl methanesulfonate	<	1	10	UG/L	1	
SWB-9	3/2/2009	Methyl methanesulfonate	<	1	10	UG/L	1	R
SWB-9	6/2/2009	Methyl methanesulfonate	<	1	10	UG/L	1	
SWB-9	6/2/2009	Methyl methanesulfonate	<	1	10	UG/L	1	DNR
SWB-9	3/1/2010	Methyl methanesulfonate	<	9.2	0.92	9.2	ug/L	1
SWB-9	6/1/2010	METHYL METHANESULFONATE	<	0.94	0.94	9.4	UG/L	1 DNR
SWB-9	6/1/2010	METHYL METHANESULFONATE	<	0.95	0.95	9.5	UG/L	1
SWB-9	12/1/2010	METHYL METHANESULFONATE	<	0.93	0.93	9.3	UG/L	1
SWB-10	3/4/2004	Methyl parathion	<	2	50	ug/L	1	NA
SWB-10	5/24/2004	Methyl parathion	<	2	50	ug/L	1	UJ
SWB-10	12/1/2004	Methyl parathion	<	2	50	ug/L	1	
SWB-10	3/3/2005	Methyl parathion	<	2	50	ug/L	1	
SWB-10	6/2/2005	Methyl parathion	<	2	50	ug/L	1	
SWB-10	9/1/2005	Methyl parathion	<	2	50	ug/L	1	
SWB-10	3/2/2006	Methyl parathion	<	2	50	UG/L	1	
SWB-10	6/2/2006	Methyl parathion	<	2	50	UG/L	1	
SWB-10	3/1/2007	Methyl parathion	<	2	50	UG/L	1	
SWB-10	3/7/2008	Methyl parathion	<	3.2	50	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-10	6/5/2008	Methyl parathion	<		3.2	50	UG/L	1
SWB-10	3/2/2009	Methyl parathion	<		3.2	50	UG/L	1
SWB-10	3/2/2009	Methyl parathion	<		3.2	50	UG/L	1 R
SWB-10	6/4/2009	Methyl parathion	<		3.2	50	UG/L	1
SWB-10	3/2/2010	Methyl parathion	<	47	3	47	UG/L	1
SWB-11	3/4/2004	Methyl parathion	<		2	50	ug/L	1
SWB-11	5/24/2004	Methyl parathion	<		2	50	ug/L	1 UJ
SWB-11	12/1/2004	Methyl parathion	<		2	50	ug/L	1
SWB-11	3/1/2005	Methyl parathion	<		2	50	ug/L	1
SWB-11	6/2/2005	Methyl parathion	<		2	50	ug/L	1
SWB-11	3/2/2006	Methyl parathion	<		2	50	UG/L	1
SWB-11	6/1/2006	Methyl parathion	<		2	50	UG/L	1
SWB-11	3/1/2007	Methyl parathion	<		2	50	UG/L	1
SWB-11	3/7/2008	Methyl parathion	<		3.2	50	UG/L	1
SWB-11	6/5/2008	Methyl parathion	<		3.2	50	UG/L	1
SWB-11	3/2/2009	Methyl parathion	<		3.2	50	UG/L	1
SWB-11	6/4/2009	Methyl parathion	<		3.2	50	UG/L	1
SWB-11	3/1/2010	Methyl parathion	<	47	3	47	ug/L	1
SWB-11	6/2/2010	METHYL PARATHION	<	3.1	3.1	47	UG/L	1
SWB-3	10/29/2002	Methyl parathion	<		1.9	50	ug/L	1
SWB-3	3/4/2003	Methyl parathion	<		1.9	50	ug/L	1
SWB-3	6/3/2003	Methyl parathion	<		1.9	50	ug/L	1
SWB-3	9/4/2003	Methyl parathion	<		2	50	ug/L	1 UJ
SWB-3	12/2/2003	Methyl parathion	<		2	50	ug/L	1
SWB-3	3/1/2004	Methyl parathion	<		2	50	ug/L	1
SWB-3	6/1/2004	Methyl parathion	<		2	50	ug/L	1
SWB-3	9/1/2004	Methyl parathion	<		2	50	ug/L	1
SWB-3	12/1/2004	Methyl parathion	<		2	50	ug/L	1
SWB-3	3/3/2005	Methyl parathion	<		2	50	ug/L	1
SWB-3	6/2/2005	Methyl parathion	<		2	50	ug/L	1
SWB-3	9/1/2005	Methyl parathion	<		2	50	ug/L	1
SWB-3	12/1/2005	Methyl parathion	<		2	50	UG/L	1 UJ
SWB-3	3/2/2006	Methyl parathion	<		2	50	UG/L	1
SWB-3	6/2/2006	Methyl parathion	<		2	50	UG/L	1
SWB-3	9/5/2006	Methyl parathion	<		2	50	UG/L	1
SWB-3	12/4/2006	Methyl parathion	<		2	50	UG/L	1
SWB-3	3/1/2007	Methyl parathion	<		2	50	UG/L	1
SWB-3	6/1/2007	Methyl parathion	<		2	50	UG/L	1
SWB-3	6/1/2007	Methyl parathion	<		2	50	UG/L	1 R
SWB-3	12/3/2007	Methyl parathion	<		2	50	UG/L	1
SWB-3	3/6/2008	Methyl parathion	<		3.2	50	UG/L	1
SWB-3	6/9/2008	Methyl parathion	<		3.2	50	UG/L	1
SWB-3	12/4/2008	Methyl parathion	<		3.2	50	UG/L	1
SWB-3	3/2/2009	Methyl parathion	<		3.2	50	UG/L	1
SWB-3	3/2/2009	Methyl parathion	<		3.2	50	UG/L	1 R
SWB-3	6/4/2009	Methyl parathion	<		3.2	50	UG/L	1
SWB-3	12/1/2009	Methyl parathion	<		3.2	50	UG/L	1
SWB-3	12/1/2009	Methyl parathion	<		3.2	50	UG/L	1 DNR
SWB-3	3/1/2010	Methyl parathion	<	49	3.1	49	ug/L	1 UJ
SWB-3	6/1/2010	METHYL PARATHION	<	3	3	47	UG/L	1
SWB-3	6/1/2010	METHYL PARATHION	<	3	3	47	UG/L	1 DNR
SWB-3	9/9/2010	METHYL PARATHION	<	3	3	47	UG/L	1
SWB-4	11/15/2002	Methyl parathion	<		1.9	50	ug/L	1
SWB-5	10/29/2002	Methyl parathion	<		1.9	50	ug/L	1
SWB-6	3/4/2003	Methyl parathion	<		1.9	50	ug/L	1
SWB-6	6/3/2003	Methyl parathion	<		1.9	50	ug/L	1
SWB-6	12/3/2003	Methyl parathion	<		2	50	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	3/5/2004	Methyl parathion	<	2	50	ug/L	1	
SWB-6	6/1/2004	Methyl parathion	<	2	50	ug/L	1	
SWB-6	12/1/2004	Methyl parathion	<	2	50	ug/L	1	
SWB-6	3/7/2005	Methyl parathion	<	2	50	ug/L	1	
SWB-6	6/1/2005	Methyl parathion	<	2	50	ug/L	1	
SWB-6	12/2/2005	Methyl parathion	<	2	50	UG/L	1 UJ	
SWB-6	3/1/2006	Methyl parathion	<	2	50	UG/L	1	
SWB-6	6/1/2006	Methyl parathion	<	2	50	UG/L	1	
SWB-6	12/5/2006	Methyl parathion	<	2	50	UG/L	1	
SWB-6	3/2/2007	Methyl parathion	<	2	50	UG/L	1	
SWB-6	6/9/2008	Methyl parathion	<	3.2	50	UG/L	1	
SWB-6	3/6/2008	Methyl parathion	<	3.2	50	UG/L	1	
SWB-6	12/5/2008	Methyl parathion	<	3.2	50	UG/L	1	
SWB-6	12/5/2008	Methyl parathion	<	3.2	50	UG/L	1 R	
SWB-6	3/2/2009	Methyl parathion	<	3.2	50	UG/L	1	
SWB-6	3/2/2009	Methyl parathion	<	3.2	50	UG/L	1 R	
SWB-6	6/5/2009	Methyl parathion	<	3.2	50	UG/L	1	
SWB-6	3/2/2010	Methyl parathion	<	46	2.9	46	UG/L	1
SWB-6	6/2/2010	METHYL PARATHION	<	3	3	47	UG/L	1 DNR
SWB-6	6/2/2010	METHYL PARATHION	<	3.1	3.1	48	UG/L	1
SWB-7	3/4/2003	Methyl parathion	<	1.9	50	ug/L	1	
SWB-7	6/3/2003	Methyl parathion	<	1.9	50	ug/L	1	
SWB-7	3/1/2004	Methyl parathion	<	2	50	ug/L	1	
SWB-7	5/24/2004	Methyl parathion	<	2	50	ug/L	1	
SWB-7	12/1/2004	Methyl parathion	<	2	50	ug/L	1	
SWB-7	3/7/2005	Methyl parathion	<	2	50	ug/L	1 UJ	
SWB-7	6/1/2005	Methyl parathion	<	2	50	ug/L	1	
SWB-7	9/1/2005	Methyl parathion	<	2	50	ug/L	1	
SWB-7	12/1/2005	Methyl parathion	<	2	50	UG/L	1 UJ	
SWB-7	3/1/2006	Methyl parathion	<	2	50	UG/L	1	
SWB-7	6/2/2006	Methyl parathion	<	2	50	UG/L	1	
SWB-7	9/5/2006	Methyl parathion	<	2	50	UG/L	1 UJ	
SWB-7	12/5/2006	Methyl parathion	<	2	50	UG/L	1	
SWB-7	3/2/2007	Methyl parathion	<	2	50	UG/L	1	
SWB-7	6/1/2007	Methyl parathion	<	2	50	UG/L	1	
SWB-7	9/7/2007	Methyl parathion	<	2	50	UG/L	1	
SWB-7	12/3/2007	Methyl parathion	<	2	50	UG/L	1	
SWB-7	3/6/2008	Methyl parathion	<	3.2	50	UG/L	1	
SWB-7	6/6/2008	Methyl parathion	<	3.2	50	UG/L	1	
SWB-7	9/8/2008	Methyl parathion	<	3.2	50	UG/L	1	
SWB-7	12/5/2008	Methyl parathion	<	3.2	50	UG/L	1	
SWB-7	12/5/2008	Methyl parathion	<	3.2	50	UG/L	1 R	
SWB-7	3/2/2009	Methyl parathion	<	3.2	50	UG/L	1	
SWB-7	3/2/2009	Methyl parathion	<	3.2	50	UG/L	1 R	
SWB-7	6/5/2009	Methyl parathion	<	3.2	50	UG/L	1	
SWB-7	9/9/2009	Methyl parathion	<	3.2	50	UG/L	1	
SWB-7	12/1/2009	Methyl parathion	<	3.2	50	UG/L	1	
SWB-7	3/2/2010	Methyl parathion	<	47	3.1	47	UG/L	1
SWB-7	6/1/2010	METHYL PARATHION	<	3.1	3.1	48	UG/L	1 DNR
SWB-7	6/1/2010	METHYL PARATHION	<	3.2	3.2	50	UG/L	1 R
SWB-7	9/9/2010	METHYL PARATHION	<	3.1	3.1	48	UG/L	1
SWB-7	12/1/2010	METHYL PARATHION	<	3	3	47	UG/L	1
SWB-8	3/5/2004	Methyl parathion	<	2	50	ug/L	1	
SWB-8	3/7/2005	Methyl parathion	<	2	50	ug/L	1	
SWB-8	6/1/2005	Methyl parathion	<	2	50	ug/L	1	
SWB-8	3/1/2006	Methyl parathion	<	2	50	UG/L	1	
SWB-8	3/7/2008	Methyl parathion	<	3.2	50	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-8	3/3/2009	Methyl parathion	<	3.2	50	UG/L	1	
SWB-8	3/3/2009	Methyl parathion	<	3.2	50	UG/L	1	R
SWB-9	3/4/2003	Methyl parathion	<	1.9	50	ug/L	1	
SWB-9	12/3/2003	Methyl parathion	<	2	50	ug/L	1	
SWB-9	3/5/2004	Methyl parathion	<	2	50	ug/L	1	
SWB-9	5/27/2004	Methyl parathion	<	2	50	ug/L	1	UJ
SWB-9	12/1/2004	Methyl parathion	<	2	50	ug/L	1	
SWB-9	3/3/2005	Methyl parathion	<	2	50	ug/L	1	
SWB-9	6/2/2005	Methyl parathion	<	2	50	ug/L	1	
SWB-9	9/1/2005	Methyl parathion	<	2	50	ug/L	1	
SWB-9	12/1/2005	Methyl parathion	<	2	50	UG/L	1	UJ
SWB-9	3/2/2006	Methyl parathion	<	2	50	UG/L	1	
SWB-9	6/1/2006	Methyl parathion	<	2	50	UG/L	1	
SWB-9	12/4/2006	Methyl parathion	<	2	50	UG/L	1	
SWB-9	3/5/2007	Methyl parathion	<	2	50	UG/L	1	
SWB-9	3/6/2008	Methyl parathion	<	3.2	50	UG/L	1	
SWB-9	6/5/2008	Methyl parathion	<	3.2	50	UG/L	1	
SWB-9	12/5/2008	Methyl parathion	<	3.2	50	UG/L	1	
SWB-9	12/5/2008	Methyl parathion	<	3.2	50	UG/L	1	R
SWB-9	3/2/2009	Methyl parathion	<	3.2	50	UG/L	1	
SWB-9	3/2/2009	Methyl parathion	<	3.2	50	UG/L	1	R
SWB-9	6/2/2009	Methyl parathion	<	3.2	50	UG/L	1	
SWB-9	6/2/2009	Methyl parathion	<	3.2	50	UG/L	1	DNR
SWB-9	3/1/2010	Methyl parathion	<	46	3	46	ug/L	1
SWB-9	6/1/2010	METHYL PARATHION	<	3	3	47	UG/L	1
SWB-9	6/1/2010	METHYL PARATHION	<	3	3	47	UG/L	1 DNR
SWB-9	12/1/2010	METHYL PARATHION	<	3	3	46	UG/L	1
SWB-10	3/4/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	NA
SWB-10	5/24/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
SWB-10	12/1/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
SWB-10	3/3/2005	Methyl tert-butyl ether	<	0.19	5	ug/L	1	
SWB-10	6/2/2005	Methyl tert-butyl ether	<	0.25	5	ug/L	1	
SWB-10	9/1/2005	Methyl tert-butyl ether	<	0.25	5	ug/L	1	
SWB-10	3/2/2006	Methyl tert-butyl ether	<	1	20	UG/L	4	
SWB-10	6/2/2006	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-10	3/1/2007	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-10	3/7/2008	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-10	6/5/2008	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-10	3/2/2009	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-10	6/4/2009	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-10	3/2/2010	Methyl tert-butyl ether	<	5	0.25	5	UG/L	1
SWB-11	3/4/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
SWB-11	5/24/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
SWB-11	12/1/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
SWB-11	3/1/2005	Methyl tert-butyl ether	<	0.19	5	ug/L	1	
SWB-11	6/2/2005	Methyl tert-butyl ether	<	0.25	5	ug/L	1	
SWB-11	3/2/2006	Methyl tert-butyl ether	<	2.5	50	UG/L	10	
SWB-11	6/1/2006	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-11	3/1/2007	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-11	3/7/2008	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-11	6/5/2008	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-11	3/2/2009	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-11	6/4/2009	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-11	3/1/2010	Methyl tert-butyl ether	<	5	0.25	5	ug/L	1
SWB-11	6/2/2010	METHYL tert-BUTYL ETHER	<	0.25	0.25	5	UG/L	1
SWB-3	10/29/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
SWB-3	3/4/2003	Methyl tert-butyl ether	<	0.38	5	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	6/3/2003	Methyl tert-butyl ether	<		0.38	5	ug/L	1
SWB-3	9/4/2003	Methyl tert-butyl ether	<		0.38	5	ug/L	1 UJ
SWB-3	12/2/2003	Methyl tert-butyl ether	<		0.38	5	ug/L	1
SWB-3	3/1/2004	Methyl tert-butyl ether	<		0.38	5	ug/L	1
SWB-3	6/1/2004	Methyl tert-butyl ether	<		0.38	5	ug/L	1
SWB-3	9/1/2004	Methyl tert-butyl ether	<		0.38	5	ug/L	1
SWB-3	12/1/2004	Methyl tert-butyl ether	<		0.63	8.3	ug/L	1.66
SWB-3	3/3/2005	Methyl tert-butyl ether	<		0.19	5	ug/L	1
SWB-3	6/2/2005	Methyl tert-butyl ether	<		0.25	5	ug/L	1
SWB-3	9/1/2005	Methyl tert-butyl ether	<		0.25	5	ug/L	1
SWB-3	12/1/2005	Methyl tert-butyl ether	<		0.5	10	UG/L	2
SWB-3	3/2/2006	Methyl tert-butyl ether	<		1	20	UG/L	4
SWB-3	6/2/2006	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-3	9/5/2006	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-3	12/4/2006	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-3	3/1/2007	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-3	6/1/2007	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-3	12/3/2007	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-3	3/6/2008	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-3	6/9/2008	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-3	12/4/2008	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-3	3/2/2009	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-3	6/4/2009	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-3	12/1/2009	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-3	3/1/2010	Methyl tert-butyl ether	<	5	0.25	5	ug/L	1
SWB-3	3/1/2010	Methyl tert-butyl ether	<	10	0.5	10	ug/L	1 DNR
SWB-3	6/1/2010	METHYL tert-BUTYL ETHER	<	0.25	0.25	5	UG/L	1 DNR
SWB-3	6/1/2010	METHYL tert-BUTYL ETHER	<	1	1	20	UG/L	1
SWB-3	9/9/2010	METHYL tert-BUTYL ETHER	<	0.25	0.25	5	UG/L	1 UJ
SWB-4	11/15/2002	Methyl tert-butyl ether	<		0.88	5	ug/L	1
SWB-5	10/29/2002	Methyl tert-butyl ether	<		0.88	5	ug/L	1
SWB-6	3/4/2003	Methyl tert-butyl ether	<		0.38	5	ug/L	1
SWB-6	6/3/2003	Methyl tert-butyl ether	<		0.76	10	ug/L	2
SWB-6	12/3/2003	Methyl tert-butyl ether	<		0.76	10	ug/L	2
SWB-6	3/5/2004	Methyl tert-butyl ether	<		0.38	5	ug/L	1
SWB-6	6/1/2004	Methyl tert-butyl ether	<		0.38	5	ug/L	1
SWB-6	12/1/2004	Methyl tert-butyl ether	<		0.38	5	ug/L	1
SWB-6	3/7/2005	Methyl tert-butyl ether	<		0.19	5	ug/L	1
SWB-6	6/1/2005	Methyl tert-butyl ether	<		0.25	5	ug/L	1
SWB-6	12/2/2005	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-6	3/1/2006	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-6	6/1/2006	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-6	12/5/2006	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-6	3/2/2007	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-6	6/9/2008	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-6	3/6/2008	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-6	12/5/2008	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-6	3/2/2009	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-6	6/5/2009	Methyl tert-butyl ether	<		0.25	5	UG/L	1
SWB-6	3/2/2010	Methyl tert-butyl ether	<	5	0.25	5	UG/L	1
SWB-6	6/2/2010	METHYL tert-BUTYL ETHER	<	0.25	0.25	5	UG/L	1
SWB-7	3/4/2003	Methyl tert-butyl ether	<		0.38	5	ug/L	1
SWB-7	6/3/2003	Methyl tert-butyl ether	<		0.38	5	ug/L	1
SWB-7	3/1/2004	Methyl tert-butyl ether	<		0.38	5	ug/L	1
SWB-7	5/24/2004	Methyl tert-butyl ether	<		0.38	5	ug/L	1
SWB-7	12/1/2004	Methyl tert-butyl ether	<		0.38	5	ug/L	1
SWB-7	3/7/2005	Methyl tert-butyl ether	<		0.19	5	ug/L	1

tmpAnalyticalResultsOverTime

SWB-7	6/1/2005	Methyl tert-butyl ether	<	0.25	5	ug/L	1	
SWB-7	9/1/2005	Methyl tert-butyl ether	<	0.25	5	ug/L	1	
SWB-7	12/1/2005	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-7	3/1/2006	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-7	6/2/2006	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-7	9/5/2006	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-7	12/5/2006	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-7	3/2/2007	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-7	6/1/2007	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-7	9/7/2007	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-7	12/3/2007	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-7	3/6/2008	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-7	6/6/2008	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-7	9/8/2008	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-7	12/5/2008	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-7	3/2/2009	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-7	6/5/2009	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-7	9/9/2009	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-7	12/1/2009	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-7	3/2/2010	Methyl tert-butyl ether	<	5	0.25	5	UG/L	1
SWB-7	6/1/2010	METHYL tert-BUTYL ETHER	<	0.25	0.25	5	UG/L	1 DNR
SWB-7	6/1/2010	METHYL tert-BUTYL ETHER	<	1	1	20	UG/L	1
SWB-7	9/9/2010	METHYL tert-BUTYL ETHER	<	0.25	0.25	5	UG/L	1 UJ
SWB-7	12/1/2010	METHYL tert-BUTYL ETHER	<	0.25	0.25	5	UG/L	1
SWB-8	3/5/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
SWB-8	3/7/2005	Methyl tert-butyl ether	<	0.19	5	ug/L	1	
SWB-8	6/1/2005	Methyl tert-butyl ether	<	0.25	5	ug/L	1	
SWB-8	3/1/2006	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-8	3/7/2008	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-8	3/3/2009	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-9	3/4/2003	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
SWB-9	12/3/2003	Methyl tert-butyl ether	<	0.76	10	ug/L	2	
SWB-9	3/5/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
SWB-9	5/27/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
SWB-9	12/1/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
SWB-9	3/3/2005	Methyl tert-butyl ether	<	0.19	5	ug/L	1	
SWB-9	6/2/2005	Methyl tert-butyl ether	<	0.25	5	ug/L	1	
SWB-9	9/1/2005	Methyl tert-butyl ether	<	0.25	5	ug/L	1 UJ	
SWB-9	12/1/2005	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-9	3/2/2006	Methyl tert-butyl ether	<	1	20	UG/L	4	
SWB-9	6/1/2006	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-9	12/4/2006	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-9	3/5/2007	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-9	3/6/2008	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-9	6/5/2008	Methyl tert-butyl ether	<	0.25	5	UG/L	1 R	
SWB-9	12/5/2008	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-9	3/2/2009	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-9	6/2/2009	Methyl tert-butyl ether	<	0.25	5	UG/L	1	
SWB-9	3/1/2010	Methyl tert-butyl ether	<	5	0.25	5	ug/L	1
SWB-9	6/1/2010	METHYL tert-BUTYL ETHER	<	0.25	0.25	5	UG/L	1 DNR
SWB-9	6/1/2010	METHYL tert-BUTYL ETHER	<	1	1	20	UG/L	1
SWB-9	12/1/2010	METHYL tert-BUTYL ETHER	<	0.25	0.25	5	UG/L	1
SWB-10	3/4/2004	Methylene chloride	<	1	0.21	1	ug/L	1 U
SWB-10	5/24/2004	Methylene chloride	<	0.21	1	1	ug/L	1
SWB-10	12/1/2004	Methylene chloride	<	1	0.21	1	ug/L	1 U
SWB-10	3/3/2005	Methylene chloride	<	0.26	1	ug/L	1	
SWB-10	6/2/2005	Methylene chloride	<	0.32	1	ug/L	1	

2.2 mg/L



tmpAnalyticalResultsOverTime

SWB-10	9/1/2005	Methylene chloride	<		0.32	1	ug/L	1
SWB-10	3/2/2006	Methylene chloride	<	8	1.3	8	UG/L	4 UJ
SWB-10	6/2/2006	Methylene chloride	<		0.32	2	UG/L	1
SWB-10	3/1/2007	Methylene chloride	<		0.32	5	UG/L	1
SWB-10	3/7/2008	Methylene chloride	<	5	0.32	5	UG/L	1 U
SWB-10	6/5/2008	Methylene chloride	<		0.32	5	UG/L	1
SWB-10	3/2/2009	Methylene chloride	<		0.32	5	UG/L	1
SWB-10	6/4/2009	Methylene chloride	<		0.32	5	UG/L	1
SWB-10	3/2/2010	Methylene Chloride	TR	2	1.8	2	UG/L	1 U
SWB-11	3/4/2004	METHYLENE CHLORIDE	<	1	0.21	1	ug/L	1 U
SWB-11	5/24/2004	Methylene chloride	<		0.21	1	ug/L	1
SWB-11	12/1/2004	Methylene chloride	<	1	0.21	1	ug/L	1 U
SWB-11	3/1/2005	Methylene chloride	<		0.26	1	ug/L	1
SWB-11	6/2/2005	Methylene chloride	<		0.32	1	ug/L	1
SWB-11	3/2/2006	Methylene chloride	TR	4.7	3.2	20	UG/L	10 J
SWB-11	6/1/2006	Methylene chloride	<		0.32	2	UG/L	1
SWB-11	6/1/2006	Methylene chloride	TI	5.6			UG/L	1 NJ
SWB-11	3/1/2007	Methylene chloride	<		0.32	5	UG/L	1
SWB-11	3/7/2008	Methylene chloride	<		0.32	5	UG/L	1
SWB-11	6/5/2008	Methylene chloride	<		0.32	5	UG/L	1
SWB-11	3/2/2009	Methylene chloride	<		0.32	5	UG/L	1
SWB-11	6/4/2009	Methylene chloride	<		0.32	5	UG/L	1
SWB-11	3/1/2010	Methylene Chloride	TR	2	0.68	2	ug/L	1 U
SWB-11	6/2/2010	METHYLENE CHLORIDE	<	0.32	0.32	2	UG/L	1
SWB-3	10/29/2002	Methylene chloride	<		0.86	1	ug/L	1
SWB-3	3/4/2003	Methylene chloride	<		0.21	1	ug/L	1
SWB-3	6/3/2003	Methylene chloride	<	1	0.21	1	ug/L	1 U
SWB-3	9/4/2003	Methylene chloride	<	1	0.21	1	ug/L	1 UJ
SWB-3	12/2/2003	Methylene chloride	<		0.21	1	ug/L	1
SWB-3	3/1/2004	Methylene chloride	<	1	0.21	1	ug/L	1 U
SWB-3	6/1/2004	Methylene chloride	<	1	0.21	1	ug/L	1 U
SWB-3	9/1/2004	Methylene chloride	<	1	0.21	1	ug/L	1 U
SWB-3	12/1/2004	Methylene chloride	TR	1.7	0.35	1.7	ug/L	1.66
SWB-3	3/3/2005	Methylene chloride	<		0.26	1	ug/L	1
SWB-3	6/2/2005	Methylene chloride	<		0.32	1	ug/L	1
SWB-3	9/1/2005	Methylene chloride	<		0.32	1	ug/L	1
SWB-3	12/1/2005	Methylene chloride	<		0.64	4	UG/L	2
SWB-3	3/2/2006	Methylene chloride	<	8	1.3	8	UG/L	4 U
SWB-3	6/2/2006	Methylene chloride	<		0.32	2	UG/L	1
SWB-3	9/5/2006	Methylene chloride	<	5	0.32	5	UG/L	1 U
SWB-3	12/4/2006	Methylene chloride	<		0.32	5	UG/L	1
SWB-3	3/1/2007	Methylene chloride	<		0.32	5	UG/L	1
SWB-3	6/1/2007	Methylene chloride	TR	0.33	0.32	5	UG/L	1 J
SWB-3	12/3/2007	Methylene chloride	<		0.32	5	UG/L	1
SWB-3	3/6/2008	Methylene chloride	<	5	0.32	5	UG/L	1 U
SWB-3	6/9/2008	Methylene chloride	<	5	0.32	5	UG/L	1 U
SWB-3	12/4/2008	Methylene chloride	<		0.32	5	UG/L	1
SWB-3	3/2/2009	Methylene chloride	<		0.32	5	UG/L	1
SWB-3	6/4/2009	Methylene chloride	TR	0.37	0.32	5	UG/L	1 J
SWB-3	12/1/2009	Methylene chloride	<		0.32	5	UG/L	1
SWB-3	3/1/2010	Methylene Chloride	TR	1.4	0.32	2	ug/L	1 DNR
SWB-3	3/1/2010	Methylene Chloride	TR	4	1.6	4	ug/L	1 U
SWB-3	6/1/2010	METHYLENE CHLORIDE	<	1.3	1.3	8	UG/L	1
SWB-3	6/1/2010	METHYLENE CHLORIDE	TR	0.54	0.32	2	UG/L	1 DNR
SWB-3	9/9/2010	METHYLENE CHLORIDE	<	0.32	0.32	2	UG/L	1 UJ
SWB-4	11/15/2002	Methylene chloride	<		0.86	1	ug/L	1
SWB-5	10/29/2002	Methylene chloride	<		0.86	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	3/4/2003	Methylene chloride	<		0.21	1	ug/L	1
SWB-6	6/3/2003	Methylene chloride	<		0.42	2	ug/L	2
SWB-6	12/3/2003	Methylene chloride	<		0.42	2	ug/L	2
SWB-6	3/5/2004	Methylene chloride	<	1	0.21	1	ug/L	1 U
SWB-6	6/1/2004	Methylene chloride	<	1	0.21	1	ug/L	1 U
SWB-6	12/1/2004	Methylene chloride	<	1	0.21	1	ug/L	1 U
SWB-6	3/7/2005	Methylene chloride	<		0.26	1	ug/L	1
SWB-6	6/1/2005	Methylene chloride	<		0.32	1	ug/L	1
SWB-6	12/2/2005	Methylene chloride	<		0.32	2	UG/L	1
SWB-6	3/1/2006	Methylene chloride	<		0.32	2	UG/L	1
SWB-6	6/1/2006	Methylene chloride	<		0.32	2	UG/L	1
SWB-6	12/5/2006	Methylene chloride	<		0.32	5	UG/L	1
SWB-6	3/2/2007	Methylene chloride	<	5	0.32	5	UG/L	1 U
SWB-6	6/9/2008	Methylene chloride	<	5	0.32	5	UG/L	1 U
SWB-6	3/6/2008	Methylene chloride	<	5	0.32	5	UG/L	1 U
SWB-6	12/5/2008	Methylene chloride	<		0.32	5	UG/L	1
SWB-6	3/2/2009	Methylene chloride	<		0.32	5	UG/L	1
SWB-6	6/5/2009	Methylene chloride	<		0.32	5	UG/L	1
SWB-6	3/2/2010	Methylene Chloride	TR	2	1.2	2	UG/L	1 U
SWB-6	6/2/2010	METHYLENE CHLORIDE	<	0.32	0.32	2	UG/L	1
SWB-7	3/4/2003	Methylene chloride	<		0.21	1	ug/L	1
SWB-7	6/3/2003	Methylene chloride	<		0.21	1	ug/L	1
SWB-7	3/1/2004	Methylene chloride	<	1	0.21	1	ug/L	1 U
SWB-7	5/24/2004	Methylene chloride	<		0.21	1	ug/L	1
SWB-7	12/1/2004	Methylene chloride	<	1	0.21	1	ug/L	1 U
SWB-7	3/7/2005	Methylene chloride	<		0.26	1	ug/L	1
SWB-7	6/1/2005	Methylene chloride	<		0.32	1	ug/L	1
SWB-7	9/1/2005	Methylene chloride	<		0.32	1	ug/L	1
SWB-7	12/1/2005	Methylene chloride	<		0.32	2	UG/L	1
SWB-7	3/1/2006	Methylene chloride	<		0.32	2	UG/L	1
SWB-7	6/2/2006	Methylene chloride	<		0.32	2	UG/L	1
SWB-7	6/2/2006	Methylene chloride	TI	9.4			UG/L	1 NJ
SWB-7	9/5/2006	Methylene chloride	<		0.32	5	UG/L	1
SWB-7	12/5/2006	Methylene chloride	<		0.32	5	UG/L	1
SWB-7	3/2/2007	Methylene chloride	<	5	0.32	5	UG/L	1 U
SWB-7	6/1/2007	Methylene chloride	<		0.32	5	UG/L	1
SWB-7	9/7/2007	Methylene chloride	<		0.32	5	UG/L	1
SWB-7	12/3/2007	Methylene chloride	<		0.32	5	UG/L	1
SWB-7	3/6/2008	Methylene chloride	<	5	0.32	5	UG/L	1 U
SWB-7	6/6/2008	Methylene chloride	<	5	0.32	5	UG/L	1 U
SWB-7	9/8/2008	Methylene chloride	<	5	0.32	5	UG/L	1 U
SWB-7	12/5/2008	Methylene chloride	<		0.32	5	UG/L	1
SWB-7	3/2/2009	Methylene chloride	<		0.32	5	UG/L	1
SWB-7	6/5/2009	Methylene chloride	<		0.32	5	UG/L	1
SWB-7	9/9/2009	Methylene chloride	<		0.32	5	UG/L	1
SWB-7	12/1/2009	Methylene chloride	<		0.32	5	UG/L	1
SWB-7	3/2/2010	Methylene Chloride	TR	2	1	2	UG/L	1 U
SWB-7	6/1/2010	METHYLENE CHLORIDE	<	1.3	1.3	8	UG/L	1
SWB-7	6/1/2010	METHYLENE CHLORIDE	TR	0.34	0.32	2	UG/L	1 DNR
SWB-7	9/9/2010	METHYLENE CHLORIDE	<	0.32	0.32	2	UG/L	1 UJ
SWB-7	12/1/2010	METHYLENE CHLORIDE	<	0.32	0.32	2	UG/L	1
SWB-8	3/5/2004	Methylene chloride	<	1	0.21	1	ug/L	1 U
SWB-8	3/7/2005	Methylene chloride	<		0.26	1	ug/L	1
SWB-8	6/1/2005	Methylene chloride	<		0.32	1	ug/L	1
SWB-8	3/1/2006	Methylene chloride	<		0.32	2	UG/L	1
SWB-8	3/7/2008	Methylene chloride	<	5	0.32	5	UG/L	1 U
SWB-8	3/3/2009	Methylene chloride	<		0.32	5	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	3/4/2003	Methylene chloride	<		0.21	1	ug/L	1	
SWB-9	12/3/2003	Methylene chloride	<		0.42	2	ug/L	2	
SWB-9	3/5/2004	Methylene chloride	<	1	0.21	1	ug/L	1 U	
SWB-9	5/27/2004	Methylene chloride	<	1	0.21	1	ug/L	1 U	
SWB-9	12/1/2004	Methylene chloride	<	1	0.21	1	ug/L	1 U	
SWB-9	3/3/2005	Methylene chloride	<		0.26	1	ug/L	1	
SWB-9	6/2/2005	Methylene chloride	<		0.32	1	ug/L	1	
SWB-9	9/1/2005	Methylene chloride	<		0.32	1	ug/L	1 UJ	
SWB-9	12/1/2005	Methylene chloride	<		0.32	2	UG/L	1	
SWB-9	3/2/2006	Methylene chloride	<	8	1.3	8	UG/L	4 U	
SWB-9	6/1/2006	Methylene chloride	<	2	0.32	2	UG/L	1 U	
SWB-9	6/1/2006	Methylene chloride	TI	13			UG/L	1 NJ	
SWB-9	12/4/2006	Methylene chloride	<		0.32	5	UG/L	1	
SWB-9	3/5/2007	Methylene chloride	<	5	0.32	5	UG/L	1 U	
SWB-9	3/6/2008	Methylene chloride	<	5	0.32	5	UG/L	1 U	
SWB-9	6/5/2008	Methylene chloride	TR	0.36	0.32	5	UG/L	1 R	
SWB-9	12/5/2008	Methylene chloride	<		0.32	5	UG/L	1	
SWB-9	3/2/2009	Methylene chloride	<		0.32	5	UG/L	1	
SWB-9	6/2/2009	Methylene chloride	<		0.32	5	UG/L	1	
SWB-9	3/1/2010	Methylene Chloride	TR	2	0.97	2	ug/L	1 U	
SWB-9	6/1/2010	METHYLENE CHLORIDE	<	1.3	1.3	8	UG/L	1	
SWB-9	6/1/2010	METHYLENE CHLORIDE	TR	0.32	0.32	2	UG/L	1 DNR	
SWB-9	12/1/2010	METHYLENE CHLORIDE	<	0.32	0.32	2	UG/L	1	
SWB-10	3/4/2004	Naphthalene	<		0.5	1	ug/L	1	0.012 mg/L
SWB-10	5/24/2004	Naphthalene	<		0.5	1	ug/L	1	
SWB-10	12/1/2004	Naphthalene	<		0.5	1	ug/L	1	
SWB-10	3/3/2005	Naphthalene	<		0.29	1	ug/L	1	
SWB-10	6/2/2005	Naphthalene	<		0.22	1	ug/L	1	
SWB-10	9/1/2005	Naphthalene	<		0.22	1	ug/L	1	
SWB-10	3/2/2006	Naphthalene	<		0.88	4	UG/L	4	
SWB-10	6/2/2006	Naphthalene	<		0.22	1	UG/L	1	
SWB-10	3/1/2007	Naphthalene	<		0.22	1	UG/L	1	
SWB-10	3/1/2007	Naphthalene	<		1.5	10	UG/L	1	
SWB-10	3/7/2008	Naphthalene	<		0.22	1	UG/L	1	
SWB-10	3/7/2008	Naphthalene	<		0.29	10	UG/L	1	
SWB-10	6/5/2008	Naphthalene	<		0.22	1	UG/L	1	
SWB-10	6/5/2008	Naphthalene	<		0.29	10	UG/L	1	
SWB-10	3/2/2009	Naphthalene	<		0.22	1	UG/L	1	
SWB-10	3/2/2009	Naphthalene	<		0.29	4	UG/L	1	
SWB-10	3/2/2009	Naphthalene	<		0.29	4	UG/L	1 R	
SWB-10	6/4/2009	Naphthalene	<		0.22	1	UG/L	1	
SWB-10	6/4/2009	Naphthalene	<		0.29	4	UG/L	1	
SWB-10	3/2/2010	Naphthalene	<	1	0.22	1	UG/L	1	
SWB-10	3/2/2010	Naphthalene	<	3.7	0.27	3.7	UG/L	1	
SWB-11	3/4/2004	Naphthalene	<		0.5	1	ug/L	1	
SWB-11	5/24/2004	Naphthalene	<		0.5	1	ug/L	1	
SWB-11	12/1/2004	Naphthalene	<		0.5	1	ug/L	1	
SWB-11	3/1/2005	Naphthalene	<		0.29	1	ug/L	1	
SWB-11	6/2/2005	Naphthalene	<		0.22	1	ug/L	1	
SWB-11	3/2/2006	Naphthalene	<		2.2	10	UG/L	10	
SWB-11	6/1/2006	Naphthalene	<		0.22	1	UG/L	1	
SWB-11	3/1/2007	Naphthalene	<		0.22	1	UG/L	1	
SWB-11	3/1/2007	Naphthalene	<		1.5	10	UG/L	1	
SWB-11	3/7/2008	Naphthalene	<		0.22	1	UG/L	1	
SWB-11	3/7/2008	Naphthalene	<		0.29	10	UG/L	1	
SWB-11	6/5/2008	Naphthalene	<		0.22	1	UG/L	1	
SWB-11	6/5/2008	Naphthalene	<		0.29	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-11	3/2/2009	Naphthalene	<		0.22	1	UG/L	1	
SWB-11	3/2/2009	Naphthalene	<		0.29	4	UG/L	1	
SWB-11	6/4/2009	Naphthalene	<		0.22	1	UG/L	1	
SWB-11	6/4/2009	Naphthalene	<		0.29	4	UG/L	1	
SWB-11	3/1/2010	Naphthalene	<	1	0.22	1	ug/L	1	
SWB-11	3/1/2010	Naphthalene	<	3.7	0.27	3.7	ug/L	1	
SWB-11	6/2/2010	NAPHTHALENE	<	0.22	0.22	1	UG/L	1	
SWB-11	6/2/2010	NAPHTHALENE	<	0.27	0.27	3.8	UG/L	1	
SWB-3	10/29/2002	Naphthalene	<		0.78	1	ug/L	1	
SWB-3	10/29/2002	Naphthalene	<		1.2	10	ug/L	1	
SWB-3	3/4/2003	Naphthalene	<		0.5	1	ug/L	1	
SWB-3	6/3/2003	Naphthalene	<		0.5	1	ug/L	1	
SWB-3	9/4/2003	Naphthalene	<		0.5	1	ug/L	1	UJ
SWB-3	12/2/2003	Naphthalene	<		0.5	1	ug/L	1	
SWB-3	3/1/2004	Naphthalene	<		0.5	1	ug/L	1	
SWB-3	6/1/2004	Naphthalene	<		0.5	1	ug/L	1	
SWB-3	9/1/2004	Naphthalene	<		0.5	1	ug/L	1	
SWB-3	12/1/2004	Naphthalene	<		0.83	1.7	ug/L	1.66	
SWB-3	3/3/2005	Naphthalene	<		0.29	1	ug/L	1	
SWB-3	6/2/2005	Naphthalene	<		0.22	1	ug/L	1	
SWB-3	9/1/2005	Naphthalene	<		0.22	1	ug/L	1	
SWB-3	12/1/2005	Naphthalene	<		0.44	2	UG/L	2	
SWB-3	3/2/2006	Naphthalene	<		0.88	4	UG/L	4	
SWB-3	6/2/2006	Naphthalene	<		0.22	1	UG/L	1	
SWB-3	9/5/2006	Naphthalene	<		0.22	1	UG/L	1	
SWB-3	9/5/2006	Naphthalene	<		1.5	10	UG/L	1	
SWB-3	9/5/2006	Naphthalene	<		0.01	5	UG/L	1	
SWB-3	12/4/2006	Naphthalene	<		0.22	1	UG/L	1	
SWB-3	12/4/2006	Naphthalene	<		1.5	10	UG/L	1	
SWB-3	3/1/2007	Naphthalene	<		0.22	1	UG/L	1	
SWB-3	3/1/2007	Naphthalene	<		1.5	10	UG/L	1	
SWB-3	6/1/2007	Naphthalene	<		0.22	1	UG/L	1	
SWB-3	6/1/2007	Naphthalene	<		1.5	10	UG/L	1	
SWB-3	6/1/2007	Naphthalene	<		1.5	10	UG/L	1	R
SWB-3	12/3/2007	Naphthalene	<		0.22	1	UG/L	1	
SWB-3	12/3/2007	Naphthalene	<		0.29	10	UG/L	1	
SWB-3	3/6/2008	Naphthalene	<		0.22	1	UG/L	1	
SWB-3	3/6/2008	Naphthalene	<		0.29	10	UG/L	1	
SWB-3	6/9/2008	Naphthalene	<		0.22	1	UG/L	1	
SWB-3	6/9/2008	Naphthalene	<		0.29	10	UG/L	1	
SWB-3	12/4/2008	Naphthalene	<		0.22	1	UG/L	1	
SWB-3	12/4/2008	Naphthalene	<		0.29	4	UG/L	1	
SWB-3	3/2/2009	Naphthalene	<		0.22	1	UG/L	1	
SWB-3	3/2/2009	Naphthalene	<		0.29	4	UG/L	1	
SWB-3	3/2/2009	Naphthalene	<		0.29	4	UG/L	1	R
SWB-3	6/4/2009	Naphthalene	<		0.22	1	UG/L	1	
SWB-3	6/4/2009	Naphthalene	<		0.29	4	UG/L	1	
SWB-3	12/1/2009	Naphthalene	<		0.22	1	UG/L	1	
SWB-3	12/1/2009	Naphthalene	<		0.29	4	UG/L	1	
SWB-3	12/1/2009	Naphthalene	<		0.29	4	UG/L	1	DNR
SWB-3	3/1/2010	Naphthalene	<	1	0.22	1	ug/L	1	
SWB-3	3/1/2010	Naphthalene	<	2	0.44	2	ug/L	1	DNR
SWB-3	3/1/2010	Naphthalene	<	3.9	0.28	3.9	ug/L	1	UJ
SWB-3	6/1/2010	NAPHTHALENE	<	0.22	0.22	1	UG/L	1	DNR
SWB-3	6/1/2010	NAPHTHALENE	<	0.88	0.88	4	UG/L	1	
SWB-3	6/1/2010	NAPHTHALENE	<	0.27	0.27	3.7	UG/L	1	
SWB-3	6/1/2010	NAPHTHALENE	<	0.27	0.27	3.8	UG/L	1	DNR

tmpAnalyticalResultsOverTime

SWB-3	9/9/2010	NAPHTHALENE	<	0.22	0.22	1	UG/L	1 UJ
SWB-3	9/9/2010	NAPHTHALENE	<	0.27	0.27	3.7	UG/L	1
SWB-4	11/15/2002	Naphthalene	<		0.78	1	ug/L	1
SWB-4	11/15/2002	Naphthalene	<		1.2	10	ug/L	1
SWB-5	10/29/2002	Naphthalene	<		0.78	1	ug/L	1
SWB-5	10/29/2002	Naphthalene	<		1.2	10	ug/L	1
SWB-6	3/4/2003	Naphthalene	<		0.5	1	ug/L	1
SWB-6	6/3/2003	Naphthalene	<		1	2	ug/L	2
SWB-6	12/3/2003	Naphthalene	<		1	2	ug/L	2
SWB-6	3/5/2004	Naphthalene	<		0.5	1	ug/L	1
SWB-6	6/1/2004	Naphthalene	<		0.5	1	ug/L	1
SWB-6	12/1/2004	Naphthalene	<		0.5	1	ug/L	1
SWB-6	3/7/2005	Naphthalene	<		0.29	1	ug/L	1
SWB-6	6/1/2005	Naphthalene	<		0.22	1	ug/L	1
SWB-6	12/2/2005	Naphthalene	<		0.22	1	UG/L	1
SWB-6	3/1/2006	Naphthalene	<		0.22	1	UG/L	1
SWB-6	6/1/2006	Naphthalene	<	1	0.22	1	UG/L	1 U
SWB-6	12/5/2006	Naphthalene	<		0.22	1	UG/L	1
SWB-6	12/5/2006	Naphthalene	<		1.5	10	UG/L	1
SWB-6	3/2/2007	Naphthalene	<		0.22	1	UG/L	1
SWB-6	3/2/2007	Naphthalene	<		1.5	10	UG/L	1
SWB-6	6/9/2008	Naphthalene	<		0.22	1	UG/L	1
SWB-6	6/9/2008	Naphthalene	<		0.29	10	UG/L	1
SWB-6	3/6/2008	Naphthalene	<		0.22	1	UG/L	1
SWB-6	3/6/2008	Naphthalene	<		0.29	10	UG/L	1
SWB-6	12/5/2008	Naphthalene	<		0.22	1	UG/L	1
SWB-6	12/5/2008	Naphthalene	<		0.29	4	UG/L	1
SWB-6	12/5/2008	Naphthalene	<		0.29	4	UG/L	1 R
SWB-6	3/2/2009	Naphthalene	<		0.22	1	UG/L	1
SWB-6	3/2/2009	Naphthalene	<		0.29	4	UG/L	1
SWB-6	3/2/2009	Naphthalene	<		0.29	4	UG/L	1 R
SWB-6	6/5/2009	Naphthalene	<		0.22	1	UG/L	1
SWB-6	6/5/2009	Naphthalene	<		0.29	4	UG/L	1
SWB-6	3/2/2010	Naphthalene	<	1	0.22	1	UG/L	1
SWB-6	3/2/2010	Naphthalene	<	3.6	0.26	3.6	UG/L	1
SWB-6	6/2/2010	NAPHTHALENE	<	0.22	0.22	1	UG/L	1
SWB-6	6/2/2010	NAPHTHALENE	<	0.27	0.27	3.8	UG/L	1 DNR
SWB-6	6/2/2010	NAPHTHALENE	<	0.28	0.28	3.8	UG/L	1
SWB-7	3/4/2003	Naphthalene	<		0.5	1	ug/L	1
SWB-7	6/3/2003	Naphthalene	<		0.5	1	ug/L	1
SWB-7	3/1/2004	Naphthalene	<		0.5	1	ug/L	1
SWB-7	5/24/2004	Naphthalene	<		0.5	1	ug/L	1
SWB-7	12/1/2004	Naphthalene	<		0.5	1	ug/L	1
SWB-7	3/7/2005	Naphthalene	=	1.6	0.29	1	ug/L	1
SWB-7	6/1/2005	Naphthalene	<		0.22	1	ug/L	1
SWB-7	9/1/2005	Naphthalene	<		0.22	1	ug/L	1
SWB-7	12/1/2005	Naphthalene	<		0.22	1	UG/L	1
SWB-7	3/1/2006	Naphthalene	<		0.22	1	UG/L	1
SWB-7	6/2/2006	Naphthalene	<		0.22	1	UG/L	1
SWB-7	9/5/2006	Naphthalene	<		0.22	1	UG/L	1
SWB-7	9/5/2006	Naphthalene	<		1.5	10	UG/L	1 UJ
SWB-7	9/5/2006	Naphthalene	<		0.01	5	UG/L	1
SWB-7	12/5/2006	Naphthalene	<		0.22	1	UG/L	1
SWB-7	12/5/2006	Naphthalene	<		1.5	10	UG/L	1
SWB-7	3/2/2007	Naphthalene	<		0.22	1	UG/L	1
SWB-7	3/2/2007	Naphthalene	<		1.5	10	UG/L	1
SWB-7	6/1/2007	Naphthalene	<		0.22	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	6/1/2007	Naphthalene	<		1.5	10	UG/L	1	
SWB-7	9/7/2007	Naphthalene	<		0.22	1	UG/L	1	
SWB-7	9/7/2007	Naphthalene	<		0.29	10	UG/L	1	
SWB-7	12/3/2007	Naphthalene	<		0.22	1	UG/L	1	
SWB-7	12/3/2007	Naphthalene	<		0.29	10	UG/L	1	
SWB-7	3/6/2008	Naphthalene	<		0.22	1	UG/L	1	
SWB-7	3/6/2008	Naphthalene	<		0.29	10	UG/L	1	
SWB-7	6/6/2008	Naphthalene	<		0.22	1	UG/L	1	
SWB-7	6/6/2008	Naphthalene	<		0.29	10	UG/L	1	
SWB-7	9/8/2008	Naphthalene	<		0.22	1	UG/L	1	
SWB-7	9/8/2008	Naphthalene	<		0.29	4	UG/L	1	
SWB-7	12/5/2008	Naphthalene	<		0.22	1	UG/L	1	
SWB-7	12/5/2008	Naphthalene	<		0.29	4	UG/L	1	
SWB-7	12/5/2008	Naphthalene	<		0.29	4	UG/L	1	R
SWB-7	3/2/2009	Naphthalene	<		0.22	1	UG/L	1	
SWB-7	3/2/2009	Naphthalene	<		0.29	4	UG/L	1	
SWB-7	3/2/2009	Naphthalene	<		0.29	4	UG/L	1	R
SWB-7	6/5/2009	Naphthalene	<		0.22	1	UG/L	1	
SWB-7	6/5/2009	Naphthalene	<		0.29	4	UG/L	1	
SWB-7	9/9/2009	Naphthalene	<		0.22	1	UG/L	1	
SWB-7	9/9/2009	Naphthalene	<		0.29	4	UG/L	1	
SWB-7	12/1/2009	Naphthalene	<		0.22	1	UG/L	1	
SWB-7	12/1/2009	Naphthalene	<		0.29	4	UG/L	1	
SWB-7	3/2/2010	Naphthalene	<	1	0.22	1	UG/L	1	
SWB-7	3/2/2010	Naphthalene	<	3.8	0.28	3.8	UG/L	1	
SWB-7	6/1/2010	NAPHTHALENE	<	0.22	0.22	1	UG/L	1	DNR
SWB-7	6/1/2010	NAPHTHALENE	<	0.88	0.88	4	UG/L	1	
SWB-7	6/1/2010	NAPHTHALENE	<	0.28	0.28	3.8	UG/L	1	DNR
SWB-7	6/1/2010	NAPHTHALENE	<	0.29	0.29	4	UG/L	1	R
SWB-7	9/9/2010	NAPHTHALENE	<	0.22	0.22	1	UG/L	1	UJ
SWB-7	9/9/2010	NAPHTHALENE	<	0.28	0.28	3.9	UG/L	1	
SWB-7	12/1/2010	NAPHTHALENE	<	0.22	0.22	1	UG/L	1	
SWB-7	12/1/2010	NAPHTHALENE	<	0.27	0.27	3.7	UG/L	1	
SWB-8	3/5/2004	Naphthalene	<		0.5	1	ug/L	1	
SWB-8	3/7/2005	Naphthalene	<		0.29	1	ug/L	1	
SWB-8	6/1/2005	Naphthalene	<		0.22	1	ug/L	1	
SWB-8	3/1/2006	Naphthalene	<		0.22	1	UG/L	1	
SWB-8	3/7/2008	Naphthalene	<		0.22	1	UG/L	1	
SWB-8	3/7/2008	Naphthalene	<		0.29	10	UG/L	1	
SWB-8	3/3/2009	Naphthalene	<		0.22	1	UG/L	1	
SWB-8	3/3/2009	Naphthalene	<		0.29	4	UG/L	1	
SWB-8	3/3/2009	Naphthalene	<		0.29	4	UG/L	1	R
SWB-9	3/4/2003	Naphthalene	<		0.5	1	ug/L	1	
SWB-9	12/3/2003	Naphthalene	<		1	2	ug/L	2	
SWB-9	3/5/2004	Naphthalene	<		0.5	1	ug/L	1	
SWB-9	5/27/2004	Naphthalene	<		0.5	1	ug/L	1	
SWB-9	12/1/2004	Naphthalene	<		0.5	1	ug/L	1	
SWB-9	3/3/2005	Naphthalene	<		0.29	1	ug/L	1	
SWB-9	6/2/2005	Naphthalene	<		0.22	1	ug/L	1	
SWB-9	9/1/2005	Naphthalene	<		0.22	1	ug/L	1	UJ
SWB-9	12/1/2005	Naphthalene	<		0.22	1	UG/L	1	
SWB-9	3/2/2006	Naphthalene	<		0.88	4	UG/L	4	
SWB-9	6/1/2006	Naphthalene	<		0.22	1	UG/L	1	
SWB-9	12/4/2006	Naphthalene	<		0.22	1	UG/L	1	
SWB-9	12/4/2006	Naphthalene	<		1.5	10	UG/L	1	
SWB-9	3/5/2007	Naphthalene	<		0.22	1	UG/L	1	
SWB-9	3/5/2007	Naphthalene	<		1.5	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-9	3/6/2008	Naphthalene	<		0.22	1	UG/L	1	
SWB-9	3/6/2008	Naphthalene	<		0.29	10	UG/L	1	
SWB-9	6/5/2008	Naphthalene	<		0.22	1	UG/L	1 R	
SWB-9	6/5/2008	Naphthalene	<		0.29	10	UG/L	1	
SWB-9	12/5/2008	Naphthalene	<		0.22	1	UG/L	1	
SWB-9	12/5/2008	Naphthalene	<		0.29	4	UG/L	1	
SWB-9	12/5/2008	Naphthalene	<		0.29	4	UG/L	1 R	
SWB-9	3/2/2009	Naphthalene	<		0.22	1	UG/L	1	
SWB-9	3/2/2009	Naphthalene	<		0.29	4	UG/L	1	
SWB-9	3/2/2009	Naphthalene	<		0.29	4	UG/L	1 R	
SWB-9	6/2/2009	Naphthalene	<		0.22	1	UG/L	1	
SWB-9	6/2/2009	Naphthalene	<		0.29	4	UG/L	1	
SWB-9	6/2/2009	Naphthalene	<		0.29	4	UG/L	1 DNR	
SWB-9	3/1/2010	Naphthalene	<		1	0.22	1	ug/L	1
SWB-9	3/1/2010	Naphthalene	<		3.7	0.27	3.7	ug/L	1
SWB-9	6/1/2010	NAPHTHALENE	<		0.22	0.22	1	UG/L	1 DNR
SWB-9	6/1/2010	NAPHTHALENE	<		0.88	0.88	4	UG/L	1
SWB-9	6/1/2010	NAPHTHALENE	<		0.27	0.27	3.8	UG/L	1
SWB-9	6/1/2010	NAPHTHALENE	<		0.27	0.27	3.8	UG/L	1 DNR
SWB-9	12/1/2010	NAPHTHALENE	<		0.22	0.22	1	UG/L	1
SWB-9	12/1/2010	NAPHTHALENE	<		0.27	0.27	3.7	UG/L	1
SWB-10	3/4/2004	n-Butanol	<			19	50	ug/L	1 NA
SWB-10	5/24/2004	n-Butanol	<			19	50	ug/L	1
SWB-10	12/1/2004	n-Butanol	<			19	50	ug/L	1
SWB-10	3/3/2005	n-Butanol	<			24	50	ug/L	1
SWB-10	6/2/2005	n-Butanol	<			17	50	ug/L	1
SWB-10	9/1/2005	n-Butanol	<			17	50	ug/L	1
SWB-10	3/2/2006	n-Butanol	<			68	200	UG/L	4
SWB-10	6/2/2006	n-Butanol	<			17	50	UG/L	1
SWB-10	3/1/2007	n-Butanol	<			17	60	UG/L	1
SWB-10	3/7/2008	n-Butanol	<			17	60	UG/L	1
SWB-10	6/5/2008	n-Butanol	<			17	60	UG/L	1
SWB-10	3/2/2009	n-Butanol	<			17	60	UG/L	1
SWB-10	6/4/2009	n-Butanol	<			17	60	UG/L	1
SWB-10	3/2/2010	n-Butanol	<		60	17	60	UG/L	1
SWB-11	3/4/2004	n-Butanol	<			19	50	ug/L	1
SWB-11	5/24/2004	n-Butanol	<			19	50	ug/L	1
SWB-11	12/1/2004	n-Butanol	<			19	50	ug/L	1
SWB-11	3/1/2005	n-Butanol	<			24	50	ug/L	1
SWB-11	6/2/2005	n-Butanol	<			17	50	ug/L	1
SWB-11	3/2/2006	n-Butanol	<			170	500	UG/L	10
SWB-11	6/1/2006	n-Butanol	<			17	50	UG/L	1
SWB-11	3/1/2007	n-Butanol	<			17	60	UG/L	1
SWB-11	3/7/2008	n-Butanol	<			17	60	UG/L	1
SWB-11	6/5/2008	n-Butanol	<			17	60	UG/L	1
SWB-11	3/2/2009	n-Butanol	<			17	60	UG/L	1
SWB-11	6/4/2009	n-Butanol	<			17	60	UG/L	1
SWB-11	3/1/2010	n-Butanol	<		60	17	60	ug/L	1
SWB-11	6/2/2010	n-BUTANOL	<		17	17	60	UG/L	1
SWB-3	10/29/2002	n-Butanol	<			42	50	ug/L	1
SWB-3	3/4/2003	n-Butanol	<			19	50	ug/L	1
SWB-3	6/3/2003	n-Butanol	<			19	50	ug/L	1
SWB-3	9/4/2003	n-Butanol	<			19	50	ug/L	1 UJ
SWB-3	12/2/2003	n-Butanol	<			19	50	ug/L	1
SWB-3	3/1/2004	n-Butanol	<			19	50	ug/L	1
SWB-3	6/1/2004	n-Butanol	<			19	50	ug/L	1
SWB-3	9/1/2004	n-Butanol	<			19	50	ug/L	1

tmpAnalyticalResultsOverTime

SWB-3	12/1/2004	n-Butanol	<	32	83	ug/L	1.66	
SWB-3	3/3/2005	n-Butanol	<	24	50	ug/L	1	
SWB-3	6/2/2005	n-Butanol	<	17	50	ug/L	1	
SWB-3	9/1/2005	n-Butanol	<	17	50	ug/L	1	
SWB-3	12/1/2005	n-Butanol	<	34	100	UG/L	2	
SWB-3	3/2/2006	n-Butanol	<	68	200	UG/L	4	
SWB-3	6/2/2006	n-Butanol	<	17	50	UG/L	1	
SWB-3	9/5/2006	n-Butanol	<	17	60	UG/L	1	
SWB-3	12/4/2006	n-Butanol	<	17	60	UG/L	1	
SWB-3	3/1/2007	n-Butanol	<	17	60	UG/L	1	
SWB-3	6/1/2007	n-Butanol	<	17	60	UG/L	1	
SWB-3	12/3/2007	n-Butanol	<	17	60	UG/L	1	
SWB-3	3/6/2008	n-Butanol	<	17	60	UG/L	1	
SWB-3	6/9/2008	n-Butanol	<	17	60	UG/L	1	
SWB-3	12/4/2008	n-Butanol	<	17	60	UG/L	1	
SWB-3	3/2/2009	n-Butanol	<	17	60	UG/L	1	
SWB-3	6/4/2009	n-Butanol	<	17	60	UG/L	1	
SWB-3	12/1/2009	n-Butanol	<	17	60	UG/L	1	
SWB-3	3/1/2010	n-Butanol	<	60	17	ug/L	1	
SWB-3	3/1/2010	n-Butanol	<	120	34	120	ug/L	1 DNR
SWB-3	6/1/2010	n-BUTANOL	<	17	17	60	UG/L	1 DNR
SWB-3	6/1/2010	n-BUTANOL	<	68	68	240	UG/L	1
SWB-3	9/9/2010	n-BUTANOL	<	17	17	60	UG/L	1
SWB-4	11/15/2002	n-Butanol	<	42	50	ug/L	1	
SWB-5	10/29/2002	n-Butanol	<	42	50	ug/L	1	
SWB-6	3/4/2003	n-Butanol	<	19	50	ug/L	1	
SWB-6	6/3/2003	n-Butanol	<	38	100	ug/L	2	
SWB-6	12/3/2003	n-Butanol	<	38	100	ug/L	2	
SWB-6	3/5/2004	n-Butanol	<	19	50	ug/L	1	
SWB-6	6/1/2004	n-Butanol	<	19	50	ug/L	1	
SWB-6	12/1/2004	n-Butanol	<	19	50	ug/L	1	
SWB-6	3/7/2005	n-Butanol	<	24	50	ug/L	1	
SWB-6	6/1/2005	n-Butanol	<	17	50	ug/L	1	
SWB-6	12/2/2005	n-Butanol	<	17	50	UG/L	1	
SWB-6	3/1/2006	n-Butanol	<	17	50	UG/L	1	
SWB-6	6/1/2006	n-Butanol	<	17	50	UG/L	1	
SWB-6	12/5/2006	n-Butanol	<	17	60	UG/L	1	
SWB-6	3/2/2007	n-Butanol	<	17	60	UG/L	1	
SWB-6	6/9/2008	n-Butanol	<	17	60	UG/L	1	
SWB-6	3/6/2008	n-Butanol	<	17	60	UG/L	1	
SWB-6	12/5/2008	n-Butanol	<	17	60	UG/L	1	
SWB-6	3/2/2009	n-Butanol	<	17	60	UG/L	1	
SWB-6	6/5/2009	n-Butanol	<	17	60	UG/L	1	
SWB-6	3/2/2010	n-Butanol	<	60	17	60	UG/L	1
SWB-6	6/2/2010	n-BUTANOL	<	17	17	60	UG/L	1
SWB-7	3/4/2003	n-Butanol	<	19	50	ug/L	1	
SWB-7	6/3/2003	n-Butanol	<	19	50	ug/L	1	
SWB-7	3/1/2004	n-Butanol	<	19	50	ug/L	1	
SWB-7	5/24/2004	n-Butanol	<	19	50	ug/L	1	
SWB-7	12/1/2004	n-Butanol	<	19	50	ug/L	1	
SWB-7	3/7/2005	n-Butanol	<	24	50	ug/L	1	
SWB-7	6/1/2005	n-Butanol	<	17	50	ug/L	1	
SWB-7	9/1/2005	n-Butanol	<	17	50	ug/L	1	
SWB-7	12/1/2005	n-Butanol	<	17	50	UG/L	1	
SWB-7	3/1/2006	n-Butanol	<	17	50	UG/L	1	
SWB-7	6/2/2006	n-Butanol	<	17	50	UG/L	1	
SWB-7	9/5/2006	n-Butanol	<	17	60	UG/L	1	



tmpAnalyticalResultsOverTime

SWB-7	12/5/2006	n-Butanol	<		17	60	UG/L	1	
SWB-7	3/2/2007	n-Butanol	<		17	60	UG/L	1	
SWB-7	6/1/2007	n-Butanol	<		17	60	UG/L	1	
SWB-7	9/7/2007	n-Butanol	<		17	60	UG/L	1	
SWB-7	12/3/2007	n-Butanol	<		17	60	UG/L	1	
SWB-7	3/6/2008	n-Butanol	<		17	60	UG/L	1	
SWB-7	6/6/2008	n-Butanol	<		17	60	UG/L	1	
SWB-7	9/8/2008	n-Butanol	<		17	60	UG/L	1	UJ
SWB-7	12/5/2008	n-Butanol	<		17	60	UG/L	1	
SWB-7	3/2/2009	n-Butanol	<		17	60	UG/L	1	
SWB-7	6/5/2009	n-Butanol	<		17	60	UG/L	1	
SWB-7	9/9/2009	n-Butanol	<		17	60	UG/L	1	
SWB-7	12/1/2009	n-Butanol	<		17	60	UG/L	1	
SWB-7	3/2/2010	n-Butanol	<	60	17	60	UG/L	1	
SWB-7	6/1/2010	n-BUTANOL	<	17	17	60	UG/L	1	DNR
SWB-7	6/1/2010	n-BUTANOL	<	68	68	240	UG/L	1	
SWB-7	9/9/2010	n-BUTANOL	<	17	17	60	UG/L	1	
SWB-7	12/1/2010	n-BUTANOL	<	17	17	60	UG/L	1	
SWB-8	3/5/2004	n-Butanol	<		19	50	ug/L	1	
SWB-8	3/7/2005	n-Butanol	<		24	50	ug/L	1	
SWB-8	6/1/2005	n-Butanol	<		17	50	ug/L	1	
SWB-8	3/1/2006	n-Butanol	<		17	50	UG/L	1	
SWB-8	3/7/2008	n-Butanol	<		17	60	UG/L	1	
SWB-8	3/3/2009	n-Butanol	<		17	60	UG/L	1	
SWB-9	3/4/2003	n-Butanol	<		19	50	ug/L	1	
SWB-9	12/3/2003	n-Butanol	<		38	100	ug/L	2	
SWB-9	3/5/2004	n-Butanol	<		19	50	ug/L	1	
SWB-9	5/27/2004	n-Butanol	<		19	50	ug/L	1	
SWB-9	12/1/2004	n-Butanol	<		19	50	ug/L	1	
SWB-9	3/3/2005	n-Butanol	<		24	50	ug/L	1	
SWB-9	6/2/2005	n-Butanol	<		17	50	ug/L	1	
SWB-9	9/1/2005	n-Butanol	<		17	50	ug/L	1	UJ
SWB-9	12/1/2005	n-Butanol	<		17	50	UG/L	1	
SWB-9	3/2/2006	n-Butanol	<		68	200	UG/L	4	
SWB-9	6/1/2006	n-Butanol	<		17	50	UG/L	1	
SWB-9	12/4/2006	n-Butanol	<		17	60	UG/L	1	
SWB-9	3/5/2007	n-Butanol	<		17	60	UG/L	1	
SWB-9	3/6/2008	n-Butanol	<		17	60	UG/L	1	
SWB-9	6/5/2008	n-Butanol	<		17	60	UG/L	1	R
SWB-9	12/5/2008	n-Butanol	<		17	60	UG/L	1	
SWB-9	3/2/2009	n-Butanol	<		17	60	UG/L	1	
SWB-9	6/2/2009	n-Butanol	<		17	60	UG/L	1	
SWB-9	3/1/2010	n-Butanol	<	60	17	60	ug/L	1	
SWB-9	6/1/2010	n-BUTANOL	<	17	17	60	UG/L	1	DNR
SWB-9	6/1/2010	n-BUTANOL	<	68	68	240	UG/L	1	
SWB-9	12/1/2010	n-BUTANOL	<	17	17	60	UG/L	1	
SWB-10	3/4/2004	n-Butylbenzene	<		0.21	1	ug/L	1	NA
SWB-10	5/24/2004	n-Butylbenzene	<		0.21	1	ug/L	1	
SWB-10	12/1/2004	n-Butylbenzene	<		0.21	1	ug/L	1	
SWB-10	3/3/2005	n-Butylbenzene	<		0.27	1	ug/L	1	
SWB-10	6/2/2005	n-Butylbenzene	<		0.14	1	ug/L	1	
SWB-10	9/1/2005	n-Butylbenzene	<		0.14	1	ug/L	1	
SWB-10	3/2/2006	n-Butylbenzene	<		0.56	4	UG/L	4	
SWB-10	6/2/2006	n-Butylbenzene	<		0.14	1	UG/L	1	
SWB-10	3/1/2007	n-Butylbenzene	<		0.14	1	UG/L	1	
SWB-10	3/7/2008	n-Butylbenzene	<		0.14	1	UG/L	1	
SWB-10	6/5/2008	n-Butylbenzene	<		0.14	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-10	3/2/2009	n-Butylbenzene	<		0.14	1	UG/L	1
SWB-10	6/4/2009	n-Butylbenzene	<		0.14	1	UG/L	1 UJ
SWB-10	3/2/2010	n-Butylbenzene	<	1	0.14	1	UG/L	1
SWB-11	3/4/2004	n-Butylbenzene	<		0.21	1	ug/L	1
SWB-11	5/24/2004	n-Butylbenzene	<		0.21	1	ug/L	1
SWB-11	12/1/2004	n-Butylbenzene	<		0.21	1	ug/L	1
SWB-11	3/1/2005	n-Butylbenzene	<		0.27	1	ug/L	1
SWB-11	6/2/2005	n-Butylbenzene	<		0.14	1	ug/L	1
SWB-11	3/2/2006	n-Butylbenzene	<		1.4	10	UG/L	10
SWB-11	6/1/2006	n-Butylbenzene	<		0.14	1	UG/L	1
SWB-11	3/1/2007	n-Butylbenzene	<		0.14	1	UG/L	1
SWB-11	3/7/2008	n-Butylbenzene	<		0.14	1	UG/L	1
SWB-11	6/5/2008	n-Butylbenzene	<		0.14	1	UG/L	1
SWB-11	3/2/2009	n-Butylbenzene	<		0.14	1	UG/L	1
SWB-11	6/4/2009	n-Butylbenzene	<		0.14	1	UG/L	1 UJ
SWB-11	3/1/2010	n-Butylbenzene	<	1	0.14	1	ug/L	1
SWB-11	6/2/2010	n-BUTYLBENZENE	<	0.14	0.14	1	UG/L	1 UJ
SWB-3	10/29/2002	n-Butylbenzene	<		0.41	1	ug/L	1
SWB-3	3/4/2003	n-Butylbenzene	<		0.21	1	ug/L	1
SWB-3	6/3/2003	n-Butylbenzene	<		0.21	1	ug/L	1
SWB-3	9/4/2003	n-Butylbenzene	<		0.21	1	ug/L	1 UJ
SWB-3	12/2/2003	n-Butylbenzene	<		0.21	1	ug/L	1
SWB-3	3/1/2004	n-Butylbenzene	<		0.21	1	ug/L	1
SWB-3	6/1/2004	n-Butylbenzene	<		0.21	1	ug/L	1
SWB-3	9/1/2004	n-Butylbenzene	<		0.21	1	ug/L	1
SWB-3	12/1/2004	n-Butylbenzene	<		0.35	1.7	ug/L	1.66
SWB-3	3/3/2005	n-Butylbenzene	<		0.27	1	ug/L	1
SWB-3	6/2/2005	n-Butylbenzene	<		0.14	1	ug/L	1
SWB-3	9/1/2005	n-Butylbenzene	<		0.14	1	ug/L	1
SWB-3	12/1/2005	n-Butylbenzene	<		0.28	2	UG/L	2
SWB-3	3/2/2006	n-Butylbenzene	<		0.56	4	UG/L	4
SWB-3	6/2/2006	n-Butylbenzene	<		0.14	1	UG/L	1
SWB-3	9/5/2006	n-Butylbenzene	<		0.14	1	UG/L	1
SWB-3	12/4/2006	n-Butylbenzene	<		0.14	1	UG/L	1
SWB-3	3/1/2007	n-Butylbenzene	<		0.14	1	UG/L	1
SWB-3	6/1/2007	n-Butylbenzene	<		0.14	1	UG/L	1
SWB-3	12/3/2007	n-Butylbenzene	<		0.14	1	UG/L	1
SWB-3	3/6/2008	n-Butylbenzene	<		0.14	1	UG/L	1
SWB-3	6/9/2008	n-Butylbenzene	<		0.14	1	UG/L	1
SWB-3	12/4/2008	n-Butylbenzene	<		0.14	1	UG/L	1
SWB-3	3/2/2009	n-Butylbenzene	<		0.14	1	UG/L	1
SWB-3	6/4/2009	n-Butylbenzene	<		0.14	1	UG/L	1 UJ
SWB-3	12/1/2009	n-Butylbenzene	<		0.14	1	UG/L	1
SWB-3	3/1/2010	n-Butylbenzene	<	1	0.14	1	ug/L	1
SWB-3	3/1/2010	n-Butylbenzene	<	2	0.28	2	ug/L	1 DNR
SWB-3	6/1/2010	n-BUTYLBENZENE	<	0.14	0.14	1	UG/L	1 DNR
SWB-3	6/1/2010	n-BUTYLBENZENE	<	0.56	0.56	4	UG/L	1 UJ
SWB-3	9/9/2010	n-BUTYLBENZENE	<	0.14	0.14	1	UG/L	1 UJ
SWB-4	11/15/2002	n-Butylbenzene	<		0.41	1	ug/L	1
SWB-5	10/29/2002	n-Butylbenzene	<		0.41	1	ug/L	1
SWB-6	3/4/2003	n-Butylbenzene	<		0.21	1	ug/L	1
SWB-6	6/3/2003	n-Butylbenzene	<		0.42	2	ug/L	2
SWB-6	12/3/2003	n-Butylbenzene	<		0.42	2	ug/L	2
SWB-6	3/5/2004	n-Butylbenzene	<		0.21	1	ug/L	1
SWB-6	6/1/2004	n-Butylbenzene	<		0.21	1	ug/L	1
SWB-6	12/1/2004	n-Butylbenzene	<		0.21	1	ug/L	1
SWB-6	3/7/2005	n-Butylbenzene	<		0.27	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	6/1/2005	n-Butylbenzene	<	0.14	1	ug/L	1
SWB-6	12/2/2005	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-6	3/1/2006	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-6	6/1/2006	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-6	12/5/2006	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-6	3/2/2007	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-6	6/9/2008	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-6	3/6/2008	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-6	12/5/2008	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-6	3/2/2009	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-6	6/5/2009	n-Butylbenzene	<	0.14	1	UG/L	1 UJ
SWB-6	3/2/2010	n-Butylbenzene	<	1	1	UG/L	1
SWB-6	6/2/2010	n-BUTYLBENZENE	<	0.14	1	UG/L	1 UJ
SWB-7	3/4/2003	n-Butylbenzene	<	0.21	1	ug/L	1
SWB-7	6/3/2003	n-Butylbenzene	<	0.21	1	ug/L	1
SWB-7	3/1/2004	n-Butylbenzene	<	0.21	1	ug/L	1
SWB-7	5/24/2004	n-Butylbenzene	<	0.21	1	ug/L	1
SWB-7	12/1/2004	n-Butylbenzene	<	0.21	1	ug/L	1
SWB-7	3/7/2005	n-Butylbenzene	<	0.27	1	ug/L	1
SWB-7	6/1/2005	n-Butylbenzene	<	0.14	1	ug/L	1
SWB-7	9/1/2005	n-Butylbenzene	<	0.14	1	ug/L	1
SWB-7	12/1/2005	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-7	3/1/2006	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-7	6/2/2006	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-7	9/5/2006	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-7	12/5/2006	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-7	3/2/2007	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-7	6/1/2007	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-7	9/7/2007	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-7	12/3/2007	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-7	3/6/2008	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-7	6/6/2008	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-7	9/8/2008	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-7	12/5/2008	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-7	3/2/2009	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-7	6/5/2009	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-7	9/9/2009	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-7	12/1/2009	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-7	3/2/2010	n-Butylbenzene	<	1	1	UG/L	1
SWB-7	6/1/2010	n-BUTYLBENZENE	<	0.14	1	UG/L	1 DNR
SWB-7	6/1/2010	n-BUTYLBENZENE	<	0.56	4	UG/L	1 UJ
SWB-7	9/9/2010	n-BUTYLBENZENE	<	0.14	1	UG/L	1 UJ
SWB-7	12/1/2010	n-BUTYLBENZENE	<	0.14	1	UG/L	1
SWB-8	3/5/2004	n-Butylbenzene	<	0.21	1	ug/L	1
SWB-8	3/7/2005	n-Butylbenzene	<	0.27	1	ug/L	1
SWB-8	6/1/2005	n-Butylbenzene	<	0.14	1	ug/L	1
SWB-8	3/1/2006	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-8	3/7/2008	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-8	3/3/2009	n-Butylbenzene	<	0.14	1	UG/L	1
SWB-9	3/4/2003	n-Butylbenzene	<	0.21	1	ug/L	1
SWB-9	12/3/2003	n-Butylbenzene	<	0.42	2	ug/L	2
SWB-9	3/5/2004	n-Butylbenzene	<	0.21	1	ug/L	1
SWB-9	5/27/2004	n-Butylbenzene	<	0.21	1	ug/L	1
SWB-9	12/1/2004	n-Butylbenzene	<	0.21	1	ug/L	1
SWB-9	3/3/2005	n-Butylbenzene	<	0.27	1	ug/L	1
SWB-9	6/2/2005	n-Butylbenzene	<	0.14	1	ug/L	1
SWB-9	9/1/2005	n-Butylbenzene	<	0.14	1	ug/L	1 UJ

tmpAnalyticalResultsOverTime

SWB-9	12/1/2005	n-Butylbenzene	<		0.14	1	UG/L	1	
SWB-9	3/2/2006	n-Butylbenzene	<		0.56	4	UG/L	4	
SWB-9	6/1/2006	n-Butylbenzene	<		0.14	1	UG/L	1	
SWB-9	12/4/2006	n-Butylbenzene	<		0.14	1	UG/L	1	
SWB-9	3/5/2007	n-Butylbenzene	<		0.14	1	UG/L	1	
SWB-9	3/6/2008	n-Butylbenzene	<		0.14	1	UG/L	1	
SWB-9	6/5/2008	n-Butylbenzene	<		0.14	1	UG/L	1 R	
SWB-9	12/5/2008	n-Butylbenzene	<		0.14	1	UG/L	1	
SWB-9	3/2/2009	n-Butylbenzene	<		0.14	1	UG/L	1	
SWB-9	6/2/2009	n-Butylbenzene	<		0.14	1	UG/L	1 UJ	
SWB-9	3/1/2010	n-Butylbenzene	<	1	0.14	1	ug/L	1	
SWB-9	6/1/2010	n-BUTYLBENZENE	<	0.14	0.14	1	UG/L	1 DNR	
SWB-9	6/1/2010	n-BUTYLBENZENE	<	0.56	0.56	4	UG/L	1 UJ	
SWB-9	12/1/2010	n-BUTYLBENZENE	<	0.14	0.14	1	UG/L	1	
SWB-10	3/2/2010	Nickel	TR	0.0027	0.0013	0.04	MG/L	1 J	NA
SWB-11	3/1/2010	Nickel	TR	0.006	0.0013	0.04	mg/L	1 J	
SWB-11	6/2/2010	NICKEL	TR	0.025	0.013	0.4	MG/L	10 J	
SWB-3	3/1/2010	Nickel	TR	0.035	0.0013	0.04	mg/L	1 J	
SWB-3	6/1/2010	NICKEL	TR	0.031	0.0013	0.04	MG/L	1 J	
SWB-3	9/9/2010	NICKEL	TR	0.074	0.013	0.4	MG/L	10 J	
SWB-6	3/2/2010	Nickel	<	0.2	0.0064	0.2	MG/L	5	
SWB-6	6/2/2010	NICKEL	TR	0.016	0.013	0.4	MG/L	10 J	
SWB-7	3/2/2010	Nickel	<	0.04	0.0013	0.04	MG/L	1	
SWB-7	6/1/2010	NICKEL	TR	0.0016	0.0013	0.04	MG/L	1 J	
SWB-7	9/9/2010	NICKEL	<	0.013	0.013	0.4	MG/L	10	
SWB-7	12/1/2010	NICKEL	TR	0.0014	0.0013	0.04	MG/L	1 J	
SWB-9	3/1/2010	Nickel	TR	0.0018	0.0013	0.04	mg/L	1 J	
SWB-9	6/1/2010	NICKEL	<	0.013	0.013	0.4	MG/L	10	
SWB-9	12/1/2010	NICKEL	TR	0.0041	0.0013	0.04	MG/L	1 J	
SWB-3	10/29/2002	Nickel-DISSOLVED	TR	0.018	0.0085	0.2	mg/L	5 J	0.17 Mg/L
SWB-4	11/15/2002	Nickel-DISSOLVED	TR	0.068	0.0085	0.2	mg/L	5 J	
SWB-5	10/29/2002	Nickel-DISSOLVED	TR	0.14	0.0085	0.2	mg/L	5 J	
SWB-10	3/4/2004	Nickel-TOTAL	<		0.0042	0.04	mg/L	1	NA
SWB-10	5/24/2004	Nickel-TOTAL	<		0.0042	0.04	mg/L	1	
SWB-10	12/1/2004	Nickel-TOTAL	TR	0.0032	0.002	0.04	mg/L	1 J	
SWB-10	3/3/2005	Nickel-TOTAL	<		0.002	0.04	mg/L	1	
SWB-10	6/2/2005	Nickel-TOTAL	<		0.0012	0.04	mg/L	1 UJ	
SWB-10	9/1/2005	Nickel-TOTAL	TR	0.016	0.0058	0.2	MG/L	5 J	
SWB-10	3/2/2006	Nickel-TOTAL	<		0.0058	0.2	MG/L	5	
SWB-10	6/2/2006	Nickel-TOTAL	<		0.078	0.4	MG/L	10	
SWB-10	3/1/2007	Nickel-TOTAL	<		0.039	0.2	MG/L	5	
SWB-10	3/7/2008	Nickel-TOTAL	<		0.0078	0.04	MG/L	1	
SWB-10	6/5/2008	Nickel-TOTAL	TR	0.0096	0.0064	0.2	MG/L	5 J	
SWB-10	3/2/2009	Nickel-TOTAL	TR	0.0015	0.0013	0.04	MG/L	1 J	
SWB-10	6/4/2009	Nickel-TOTAL	<		0.013	0.4	MG/L	10	
SWB-11	3/4/2004	Nickel-TOTAL	TR	0.0052	0.0042	0.04	mg/L	1 J	
SWB-11	5/24/2004	Nickel-TOTAL	TR	0.018	0.0042	0.04	mg/L	1 J	
SWB-11	12/1/2004	Nickel-TOTAL	TR	0.011	0.002	0.04	mg/L	1 J	
SWB-11	3/1/2005	Nickel-TOTAL	TR	0.0066	0.002	0.04	mg/L	1 J	
SWB-11	6/2/2005	Nickel-TOTAL	TR	0.0087	0.0012	0.04	mg/L	1 J	
SWB-11	3/2/2006	Nickel-TOTAL	<		0.0058	0.2	MG/L	5	
SWB-11	6/1/2006	Nickel-TOTAL	<		0.078	0.4	MG/L	10	
SWB-11	3/1/2007	Nickel-TOTAL	TR	0.055	0.039	0.2	MG/L	5 J	
SWB-11	3/7/2008	Nickel-TOTAL	<		0.0078	0.04	MG/L	1	
SWB-11	6/5/2008	Nickel-TOTAL	TR	0.043	0.0064	0.2	MG/L	5 J	
SWB-11	3/2/2009	Nickel-TOTAL	TR	0.0062	0.0013	0.04	MG/L	1 J	
SWB-11	6/4/2009	Nickel-TOTAL	<		0.013	0.4	MG/L	10	

tmpAnalyticalResultsOverTime

SWB-3	10/29/2002	Nickel-TOTAL	TR	0.025	0.0085	0.2	mg/L	5 J
SWB-3	3/4/2003	Nickel-TOTAL	TR	0.019	0.0017	0.04	mg/L	1 J
SWB-3	6/3/2003	Nickel-TOTAL	=	0.074	0.0042	0.04	mg/L	1
SWB-3	9/4/2003	Nickel-TOTAL	TR	0.13	0.042	0.4	mg/L	10 J
SWB-3	12/2/2003	Nickel-TOTAL	=	0.052	0.0042	0.04	mg/L	1
SWB-3	3/1/2004	Nickel-TOTAL	TR	0.0074	0.0042	0.04	mg/L	1 J
SWB-3	6/1/2004	Nickel-TOTAL	TR	0.027	0.0042	0.04	mg/L	1 J
SWB-3	9/1/2004	Nickel-TOTAL	TR	0.06	0.01	0.2	mg/L	5 J
SWB-3	12/1/2004	Nickel-TOTAL	TR	0.029	0.002	0.04	mg/L	1 J
SWB-3	3/3/2005	Nickel-TOTAL	TR	0.019	0.002	0.04	mg/L	1 J
SWB-3	6/2/2005	Nickel-TOTAL	TR	0.017	0.0012	0.04	mg/L	1 J
SWB-3	9/1/2005	Nickel-TOTAL	TR	0.036	0.0012	0.04	MG/L	1 J
SWB-3	12/1/2005	Nickel-TOTAL	TR	0.032	0.0012	0.04	MG/L	1 J
SWB-3	3/2/2006	Nickel-TOTAL	TR	0.021	0.0012	0.04	MG/L	1 J
SWB-3	6/2/2006	Nickel-TOTAL	TR	0.017	0.0078	0.04	MG/L	1 J
SWB-3	9/5/2006	Nickel-TOTAL	TR	0.051	0.039	0.2	MG/L	5 J
SWB-3	12/4/2006	Nickel-TOTAL	TR	0.049	0.039	0.2	MG/L	5 J
SWB-3	3/1/2007	Nickel-TOTAL	<		0.039	0.2	MG/L	5
SWB-3	6/1/2007	Nickel-TOTAL	TR	0.039	0.0078	0.04	MG/L	1 J
SWB-3	12/3/2007	Nickel-TOTAL	=	0.046	0.0078	0.04	MG/L	1
SWB-3	3/6/2008	Nickel-TOTAL	<		0.0078	0.04	MG/L	1
SWB-3	6/9/2008	Nickel-TOTAL	=	0.04	0.0013	0.04	MG/L	1
SWB-3	12/4/2008	Nickel-TOTAL	=	0.04	0.0013	0.04	MG/L	1
SWB-3	3/2/2009	Nickel-TOTAL	TR	0.016	0.0013	0.04	MG/L	1 J
SWB-3	6/4/2009	Nickel-TOTAL	=	0.041	0.0013	0.04	MG/L	1
SWB-3	12/1/2009	Nickel-TOTAL	=	0.046	0.0013	0.04	MG/L	1
SWB-4	11/15/2002	Nickel-TOTAL	TR	0.083	0.0085	0.2	mg/L	5 J
SWB-5	10/29/2002	Nickel-TOTAL	TR	0.14	0.017	0.4	mg/L	10 J
SWB-6	3/4/2003	Nickel-TOTAL	TR	0.0046	0.0017	0.04	mg/L	1 J
SWB-6	6/3/2003	Nickel-TOTAL	TR	0.02	0.0042	0.04	mg/L	1 J
SWB-6	12/3/2003	Nickel-TOTAL	TR	0.027	0.021	0.2	mg/L	5 J
SWB-6	3/5/2004	Nickel-TOTAL	<		0.0042	0.04	mg/L	1
SWB-6	6/1/2004	Nickel-TOTAL	TR	0.0092	0.0042	0.04	mg/L	1 J
SWB-6	12/1/2004	Nickel-TOTAL	TR	0.0081	0.002	0.04	mg/L	1 J
SWB-6	3/7/2005	Nickel-TOTAL	TR	0.0045	0.002	0.04	mg/L	1 J
SWB-6	6/1/2005	Nickel-TOTAL	TR	0.005	0.0012	0.04	mg/L	1 J
SWB-6	12/2/2005	Nickel-TOTAL	<		0.012	0.3	MG/L	10
SWB-6	3/1/2006	Nickel-TOTAL	<	0.04	0.0012	0.04	MG/L	1 UJ
SWB-6	6/1/2006	Nickel-TOTAL	<		0.039	0.2	MG/L	5
SWB-6	12/5/2006	Nickel-TOTAL	<		0.078	0.4	MG/L	10
SWB-6	3/2/2007	Nickel-TOTAL	<		0.039	0.2	MG/L	5
SWB-6	6/9/2008	Nickel-TOTAL	TR	0.014	0.0064	0.2	MG/L	5 J
SWB-6	3/6/2008	Nickel-TOTAL	<		0.0078	0.04	MG/L	1
SWB-6	12/5/2008	Nickel-TOTAL	TR	0.03	0.0064	0.2	MG/L	5 J
SWB-6	3/2/2009	Nickel-TOTAL	TR	0.0045	0.0013	0.04	MG/L	1 J
SWB-6	6/5/2009	Nickel-TOTAL	<		0.013	0.4	MG/L	10
SWB-7	3/4/2003	Nickel-TOTAL	<		0.0034	0.08	mg/L	2 UJ
SWB-7	6/3/2003	Nickel-TOTAL	TR	0.017	0.0084	0.08	mg/L	2 J
SWB-7	3/1/2004	Nickel-TOTAL	<		0.0042	0.04	mg/L	1
SWB-7	5/24/2004	Nickel-TOTAL	<		0.0042	0.04	mg/L	1
SWB-7	12/1/2004	Nickel-TOTAL	TR	0.0022	0.002	0.04	mg/L	1 J
SWB-7	3/7/2005	Nickel-TOTAL	<		0.002	0.04	mg/L	1
SWB-7	6/1/2005	Nickel-TOTAL	TR	0.0012	0.0012	0.04	mg/L	1 J
SWB-7	9/1/2005	Nickel-TOTAL	TR	0.0019	0.0012	0.04	MG/L	1 J
SWB-7	12/1/2005	Nickel-TOTAL	<		0.0012	0.04	MG/L	1
SWB-7	3/1/2006	Nickel-TOTAL	<		0.0012	0.04	MG/L	1
SWB-7	6/2/2006	Nickel-TOTAL	<		0.0078	0.04	MG/L	1

tmpAnalyticalResultsOverTime

SWB-7	9/5/2006	Nickel-TOTAL	<		0.0078	0.04	MG/L	1	
SWB-7	12/5/2006	Nickel-TOTAL	<		0.0078	0.04	MG/L	1	
SWB-7	3/2/2007	Nickel-TOTAL	<		0.0078	0.04	MG/L	1	
SWB-7	6/1/2007	Nickel-TOTAL	<		0.0078	0.04	MG/L	1	
SWB-7	9/7/2007	Nickel-TOTAL	<		0.039	0.2	MG/L	5	
SWB-7	12/3/2007	Nickel-TOTAL	<		0.0078	0.04	MG/L	1	
SWB-7	3/6/2008	Nickel-TOTAL	<		0.0078	0.04	MG/L	1	
SWB-7	6/6/2008	Nickel-TOTAL	<		0.0013	0.04	MG/L	1	
SWB-7	9/8/2008	Nickel-TOTAL	TR	0.0014	0.0013	0.04	MG/L	1	J
SWB-7	12/5/2008	Nickel-TOTAL	TR	0.0014	0.0013	0.04	MG/L	1	J
SWB-7	3/2/2009	Nickel-TOTAL	TR	0.0026	0.0013	0.04	MG/L	1	J
SWB-7	6/5/2009	Nickel-TOTAL	<		0.0013	0.04	MG/L	1	
SWB-7	9/9/2009	Nickel-TOTAL	<		0.0064	0.2	MG/L	5	
SWB-7	12/1/2009	Nickel-TOTAL	TR	0.0014	0.0013	0.04	MG/L	1	J
SWB-8	3/5/2004	Nickel-TOTAL	<		0.0042	0.04	mg/L	1	
SWB-8	3/7/2005	Nickel-TOTAL	<		0.002	0.04	mg/L	1	
SWB-8	6/1/2005	Nickel-TOTAL	TR	0.004	0.0012	0.04	mg/L	1	J
SWB-8	3/1/2006	Nickel-TOTAL	<	0.04	0.0012	0.04	MG/L	1	UJ
SWB-8	3/7/2008	Nickel-TOTAL	<		0.0078	0.04	MG/L	1	
SWB-8	3/3/2009	Nickel-TOTAL	TR	0.0023	0.0013	0.04	MG/L	1	J
SWB-9	3/4/2003	Nickel-TOTAL	TR	0.0084	0.0017	0.04	mg/L	1	J
SWB-9	12/3/2003	Nickel-TOTAL	<		0.021	0.2	mg/L	5	
SWB-9	3/5/2004	Nickel-TOTAL	<		0.0042	0.04	mg/L	1	
SWB-9	5/27/2004	Nickel-TOTAL	TR	0.025	0.021	0.2	mg/L	5	J
SWB-9	12/1/2004	Nickel-TOTAL	TR	0.0054	0.002	0.04	mg/L	1	J
SWB-9	3/3/2005	Nickel-TOTAL	TR	0.0026	0.002	0.04	mg/L	1	J
SWB-9	6/2/2005	Nickel-TOTAL	TR	0.0038	0.0012	0.04	mg/L	1	J
SWB-9	9/1/2005	Nickel-TOTAL	TR	0.029	0.012	0.4	MG/L	10	J
SWB-9	12/1/2005	Nickel-TOTAL	<		0.012	0.4	MG/L	10	
SWB-9	3/2/2006	Nickel-TOTAL	<		0.0058	0.2	MG/L	5	
SWB-9	6/1/2006	Nickel-TOTAL	<		0.078	0.4	MG/L	10	
SWB-9	12/4/2006	Nickel-TOTAL	<		0.39	2	MG/L	50	
SWB-9	3/5/2007	Nickel-TOTAL	<		0.039	0.2	MG/L	5	
SWB-9	3/6/2008	Nickel-TOTAL	<		0.039	0.2	MG/L	5	
SWB-9	6/5/2008	Nickel-TOTAL	TR	0.02	0.0064	0.2	MG/L	5	J
SWB-9	12/5/2008	Nickel-TOTAL	TR	0.0067	0.0064	0.2	MG/L	5	J
SWB-9	3/2/2009	Nickel-TOTAL	TR	0.0048	0.0013	0.04	MG/L	1	J
SWB-9	6/2/2009	Nickel-TOTAL	TR	0.041	0.013	0.4	MG/L	10	J
SWB-10	3/4/2004	Nitrate	=	32	0.021	0.1	mg/L	1	NA
SWB-10	5/24/2004	Nitrate	=	99	0.021	0.1	mg/L	1	
SWB-10	12/1/2004	Nitrate	=	59	0.021	0.1	mg/L	1	
SWB-10	3/3/2005	Nitrate	=	40	0.021	0.1	mg/L	1	
SWB-10	6/2/2005	Nitrate	=	1.8	0.021	0.1	mg/L	1	
SWB-10	9/1/2005	Nitrate	<		0.021	0.1	MG/L	1	
SWB-10	3/2/2006	Nitrate	=	27	0.019	0.1	MG/L	1	
SWB-10	6/2/2006	Nitrate	=	0.43	0.019	0.1	MG/L	1	
SWB-10	3/1/2007	Nitrate	=	3.8	0.019	0.1	MG/L	1	
SWB-10	3/7/2008	Nitrate	=	46	0.019	0.1	MG/L	1	J
SWB-10	6/5/2008	Nitrate	=	140	0.019	0.1	MG/L	1	
SWB-10	3/2/2009	Nitrate	=	30	0.019	0.1	MG/L	1	
SWB-10	6/4/2009	Nitrate	=	24	0.019	0.1	MG/L	1	
SWB-10	3/2/2010	NITRATE	=	9	0.019	0.1	MG/L	1	
SWB-11	3/4/2004	Nitrate	=	30	0.021	0.1	mg/L	1	
SWB-11	5/24/2004	Nitrate	=	68	0.021	0.1	mg/L	1	
SWB-11	12/1/2004	Nitrate	=	30	0.021	0.1	mg/L	1	
SWB-11	3/1/2005	Nitrate	=	38	0.021	0.1	mg/L	1	
SWB-11	6/2/2005	Nitrate	=	7.4	0.021	0.1	mg/L	1	

tmpAnalyticalResultsOverTime

SWB-11	3/2/2006	Nitrate	=	30	0.019	0.1	MG/L	1
SWB-11	6/1/2006	Nitrate	=	19	0.019	0.1	MG/L	1
SWB-11	3/1/2007	Nitrate	=	41	0.019	0.1	MG/L	1
SWB-11	3/7/2008	Nitrate	=	38	0.019	0.1	MG/L	1 J
SWB-11	6/5/2008	Nitrate	=	110	0.019	0.1	MG/L	1
SWB-11	3/2/2009	Nitrate	=	27	0.019	0.1	MG/L	1
SWB-11	6/4/2009	Nitrate	=	23	0.019	0.1	MG/L	1
SWB-11	3/1/2010	NITRATE	=	25	0.019	0.1	mg/L	1
SWB-11	6/2/2010	NITRATE	=	32	0.019	0.1	MG/L	1
SWB-3	10/29/2002	Nitrate	=	170	0.4	4	mg/L	40
SWB-3	3/4/2003	Nitrate	=	120	0.012	10	mg/L	1
SWB-3	6/3/2003	Nitrate	=	270	0.012	0.1	mg/L	1
SWB-3	9/4/2003	Nitrate	=	71	0.012	0.1	mg/L	1
SWB-3	12/2/2003	Nitrate	=	310	0.021	0.1	mg/L	1
SWB-3	3/1/2004	Nitrate	=	35	0.021	0.1	mg/L	1
SWB-3	6/1/2004	Nitrate	=	130	0.021	0.1	mg/L	1
SWB-3	9/1/2004	Nitrate	=	590	0.021	0.1	mg/L	1
SWB-3	12/1/2004	Nitrate	=	170	0.021	0.1	mg/L	1
SWB-3	3/3/2005	Nitrate	=	120	0.021	0.1	mg/L	1
SWB-3	6/2/2005	Nitrate	=	81	0.021	0.1	mg/L	1 J
SWB-3	9/1/2005	Nitrate	=	160	0.021	0.1	MG/L	1
SWB-3	12/1/2005	Nitrate	=	180	0.021	0.1	MG/L	1
SWB-3	3/2/2006	Nitrate	=	120	0.019	0.1	MG/L	1
SWB-3	6/2/2006	Nitrate	=	110	0.019	0.1	MG/L	1
SWB-3	9/5/2006	Nitrate	=	260	0.019	0.1	MG/L	1
SWB-3	12/4/2006	Nitrate	=	130	0.019	0.1	MG/L	1
SWB-3	3/1/2007	Nitrate	=	130	0.019	0.1	MG/L	1
SWB-3	6/1/2007	Nitrate	=	120	0.019	0.1	MG/L	1
SWB-3	12/3/2007	Nitrate	=	200	0.019	0.1	MG/L	1
SWB-3	3/6/2008	Nitrate	=	39	0.019	0.1	MG/L	1
SWB-3	6/9/2008	Nitrate	=	160	0.019	0.1	MG/L	1
SWB-3	12/4/2008	Nitrate	=	220	0.019	0.1	MG/L	1
SWB-3	3/2/2009	Nitrate	=	89	0.019	0.1	MG/L	1
SWB-3	6/4/2009	Nitrate	=	130	0.019	0.1	MG/L	1
SWB-3	12/1/2009	Nitrate	=	190	0.019	0.1	MG/L	1
SWB-3	3/1/2010	NITRATE	=	230	0.019	0.1	mg/L	1
SWB-3	6/1/2010	NITRATE	=	160	0.019	0.1	MG/L	1
SWB-3	9/9/2010	NITRATE	=	720	0.019	0.1	MG/L	1
SWB-4	11/15/2002	Nitrate	=	2300	0.01	0.1	mg/L	1
SWB-5	10/29/2002	Nitrate	=	2300	5	50	mg/L	500
SWB-6	3/4/2003	Nitrate	=	490	0.012	10	mg/L	1
SWB-6	6/3/2003	Nitrate	=	1700	0.012	0.1	mg/L	1
SWB-6	12/3/2003	Nitrate	=	180	0.021	0.1	mg/L	1
SWB-6	3/5/2004	Nitrate	=	250	0.021	0.1	mg/L	1
SWB-6	6/1/2004	Nitrate	=	680	0.021	0.1	mg/L	1
SWB-6	12/1/2004	Nitrate	=	940	0.021	0.1	mg/L	1
SWB-6	3/7/2005	Nitrate	=	460	0.021	0.1	mg/L	1
SWB-6	6/1/2005	Nitrate	=	220	0.021	0.1	mg/L	1
SWB-6	12/2/2005	Nitrate	=	1000	0.021	0.1	MG/L	1
SWB-6	3/1/2006	Nitrate	=	450	0.019	0.1	MG/L	1
SWB-6	6/1/2006	Nitrate	=	410	0.019	0.1	MG/L	1
SWB-6	12/5/2006	Nitrate	=	850	0.019	0.1	MG/L	1
SWB-6	3/2/2007	Nitrate	=	890	0.019	0.1	MG/L	1
SWB-6	6/9/2008	Nitrate	=	4100	0.019	0.1	MG/L	1
SWB-6	3/6/2008	Nitrate	=	750	0.019	0.1	MG/L	1
SWB-6	12/5/2008	Nitrate	=	1600	0.019	0.1	MG/L	1
SWB-6	3/2/2009	Nitrate	=	690	0.019	0.1	MG/L	1

tmpAnalyticalResultsOverTime

SWB-6	6/5/2009 Nitrate	=	1100	0.019	0.1	MG/L	1
SWB-6	3/2/2010 NITRATE	=	1200	0.019	0.1	MG/L	1
SWB-6	6/2/2010 NITRATE	=	1900	0.019	0.1	MG/L	1
SWB-7	3/4/2003 Nitrate	TR	0.034	0.012	0.1	mg/L	1 J
SWB-7	6/3/2003 Nitrate	=	0.15	0.012	0.1	mg/L	1
SWB-7	3/1/2004 Nitrate	=	3.1	0.021	0.1	mg/L	1
SWB-7	5/24/2004 Nitrate	=	23	0.021	0.1	mg/L	1
SWB-7	12/1/2004 Nitrate	TR	0.022	0.021	0.1	mg/L	1 J
SWB-7	3/7/2005 Nitrate	=	44	0.021	0.1	mg/L	1
SWB-7	6/1/2005 Nitrate	=	54	0.021	0.1	mg/L	1
SWB-7	9/1/2005 Nitrate	<		0.021	0.1	MG/L	1
SWB-7	12/1/2005 Nitrate	TR	0.023	0.021	0.1	MG/L	1 J
SWB-7	3/1/2006 Nitrate	=	2.8	0.019	0.1	MG/L	1
SWB-7	6/2/2006 Nitrate	=	99	0.019	0.1	MG/L	1
SWB-7	9/5/2006 Nitrate	=	0.16	0.019	0.1	MG/L	1
SWB-7	12/5/2006 Nitrate	=	0.66	0.019	0.1	MG/L	1
SWB-7	3/2/2007 Nitrate	TR	0.075	0.019	0.1	MG/L	1 J
SWB-7	6/1/2007 Nitrate	TR	0.084	0.019	0.1	MG/L	1 J
SWB-7	9/7/2007 Nitrate	TR	0.042	0.019	0.1	MG/L	1 J
SWB-7	12/3/2007 Nitrate	<		0.019	0.1	MG/L	1
SWB-7	3/6/2008 Nitrate	<		0.019	0.1	MG/L	1
SWB-7	6/6/2008 Nitrate	TR	0.048	0.019	0.1	MG/L	1 J
SWB-7	9/8/2008 Nitrate	<		0.019	0.1	MG/L	1
SWB-7	12/5/2008 Nitrate	=	0.11	0.019	0.1	MG/L	1
SWB-7	3/2/2009 Nitrate	<		0.019	0.1	MG/L	1
SWB-7	6/5/2009 Nitrate	=	23	0.019	0.1	MG/L	1
SWB-7	9/9/2009 Nitrate	=	0.48	0.019	0.1	MG/L	1
SWB-7	12/1/2009 Nitrate	<		0.019	0.1	MG/L	1
SWB-7	3/2/2010 NITRATE	=	6.2	0.019	0.1	MG/L	1
SWB-7	6/1/2010 NITRATE	TR	0.071	0.019	0.1	MG/L	1 J
SWB-7	9/9/2010 NITRATE	=	0.1	0.019	0.1	MG/L	1
SWB-7	12/1/2010 NITRATE	TR	0.022	0.019	0.1	MG/L	1 J
SWB-8	3/5/2004 Nitrate	=	110	0.021	0.1	mg/L	1
SWB-8	3/7/2005 Nitrate	=	180	0.021	0.1	mg/L	1
SWB-8	6/1/2005 Nitrate	=	72	0.021	0.1	mg/L	1
SWB-8	3/1/2006 Nitrate	=	220	0.019	0.1	MG/L	1
SWB-8	3/7/2008 Nitrate	=	88	0.019	0.1	MG/L	1 J
SWB-8	3/3/2009 Nitrate	=	77	0.019	0.1	MG/L	1
SWB-9	3/4/2003 Nitrate	=	420	0.012	10	mg/L	1
SWB-9	12/3/2003 Nitrate	=	600	0.021	0.1	mg/L	1
SWB-9	3/5/2004 Nitrate	=	200	0.021	0.1	mg/L	1
SWB-9	5/27/2004 Nitrate	=	1400	0.021	0.1	mg/L	1
SWB-9	12/1/2004 Nitrate	=	390	0.021	0.1	mg/L	1
SWB-9	3/3/2005 Nitrate	=	420	0.021	0.1	mg/L	1
SWB-9	6/2/2005 Nitrate	=	330	0.021	0.1	mg/L	1
SWB-9	9/1/2005 Nitrate	=	3200	0.021	0.1	MG/L	1
SWB-9	12/1/2005 Nitrate	=	680	0.021	0.1	MG/L	1
SWB-9	3/2/2006 Nitrate	=	470	0.019	0.1	MG/L	1
SWB-9	6/1/2006 Nitrate	=	1100	0.019	0.1	MG/L	1
SWB-9	12/4/2006 Nitrate	=	660	0.019	0.1	MG/L	1
SWB-9	3/5/2007 Nitrate	=	580	0.019	0.1	MG/L	1
SWB-9	3/6/2008 Nitrate	=	420	0.019	0.1	MG/L	1
SWB-9	6/5/2008 Nitrate	=	5000	0.019	0.1	MG/L	1
SWB-9	12/5/2008 Nitrate	=	660	0.019	0.1	MG/L	1
SWB-9	3/2/2009 Nitrate	=	400	0.019	0.1	MG/L	1
SWB-9	6/2/2009 Nitrate	=	1600	0.019	0.1	MG/L	1
SWB-9	3/1/2010 NITRATE	=	380	0.019	0.1	mg/L	1



tmpAnalyticalResultsOverTime

SWB-9	6/1/2010	NITRATE	=	1700	0.019	0.1	MG/L	1	
SWB-9	12/1/2010	NITRATE	=	440	0.019	0.1	MG/L	1	
SWB-10	3/4/2004	Nitrate-Nitrite	=	33	0.21	1	mg/L	10	NA
SWB-10	5/24/2004	Nitrate-Nitrite	=	100	1	5	mg/L	50	
SWB-10	12/1/2004	Nitrate-Nitrite	=	60	0.78	2.5	mg/L	25	
SWB-10	3/3/2005	Nitrate-Nitrite	=	41	1.6	5	mg/L	50	
SWB-10	6/2/2005	Nitrate-Nitrite	=	1.9	0.031	0.1	mg/L	1	
SWB-10	9/1/2005	Nitrate-Nitrite	<		0.031	0.1	MG/L	1	
SWB-10	3/2/2006	Nitrate-Nitrite	=	28	0.096	0.5	MG/L	5	
SWB-10	6/2/2006	Nitrate-Nitrite	=	0.49	0.019	0.1	MG/L	1	
SWB-10	3/1/2007	Nitrate-Nitrite	=	4.1	0.019	0.1	MG/L	1	
SWB-10	3/7/2008	Nitrate-Nitrite	=	46	0.19	1	MG/L	10	
SWB-10	6/5/2008	Nitrate-Nitrite	=	140	0.48	2.5	MG/L	25	
SWB-10	3/2/2009	Nitrate-Nitrite	=	30	0.38	2	MG/L	20	
SWB-10	6/4/2009	Nitrate-Nitrite	=	25	0.38	2	MG/L	20	
SWB-10	3/2/2010	NITRATE-NITRITE	=	9.3	0.019	0.1	MG/L	1 J	
SWB-11	3/4/2004	Nitrate-Nitrite	=	30	0.21	1	mg/L	10	
SWB-11	5/24/2004	Nitrate-Nitrite	=	72	0.21	1	mg/L	10	
SWB-11	12/1/2004	Nitrate-Nitrite	=	30	0.31	1	mg/L	10	
SWB-11	3/1/2005	Nitrate-Nitrite	=	39	0.31	1	mg/L	10	
SWB-11	6/2/2005	Nitrate-Nitrite	=	7.6	0.031	0.1	mg/L	1	
SWB-11	3/2/2006	Nitrate-Nitrite	=	31	0.096	0.5	MG/L	5	
SWB-11	6/1/2006	Nitrate-Nitrite	=	20	0.096	0.5	MG/L	5	
SWB-11	3/1/2007	Nitrate-Nitrite	=	42	0.19	1	MG/L	10	
SWB-11	3/7/2008	Nitrate-Nitrite	=	39	0.19	1	MG/L	10	
SWB-11	6/5/2008	Nitrate-Nitrite	=	110	0.96	5	MG/L	50	
SWB-11	3/2/2009	Nitrate-Nitrite	=	28	0.38	2	MG/L	20	
SWB-11	6/4/2009	Nitrate-Nitrite	=	25	0.38	2	MG/L	20	
SWB-11	3/1/2010	NITRATE-NITRITE	=	26	0.19	1	mg/L	10 J	
SWB-11	6/2/2010	NITRATE-NITRITE	=	35	0.19	1	MG/L	10	
SWB-3	10/29/2002	Nitrate-Nitrite	=	170	0.48	4	mg/L	40 J	
SWB-3	3/4/2003	Nitrate-Nitrite	=	120	1.2	10	mg/L	100 J	
SWB-3	6/3/2003	Nitrate-Nitrite	=	270	1.2	10	mg/L	100	
SWB-3	9/4/2003	Nitrate-Nitrite	=	84	0.24	2	mg/L	20	
SWB-3	12/2/2003	Nitrate-Nitrite	=	320	4.2	20	mg/L	200	
SWB-3	3/1/2004	Nitrate-Nitrite	=	35	0.21	1	mg/L	10	
SWB-3	6/1/2004	Nitrate-Nitrite	=	130	0.42	2	mg/L	20	
SWB-3	9/1/2004	Nitrate-Nitrite	=	590	4.2	20	mg/L	200	
SWB-3	12/1/2004	Nitrate-Nitrite	=	180	1.6	5	mg/L	50	
SWB-3	3/3/2005	Nitrate-Nitrite	=	120	0.78	2.5	mg/L	25	
SWB-3	6/2/2005	Nitrate-Nitrite	=	82	0.78	2.5	mg/L	25	
SWB-3	9/1/2005	Nitrate-Nitrite	=	170	1.6	5	MG/L	50	
SWB-3	12/1/2005	Nitrate-Nitrite	=	190	3.1	10	MG/L	100	
SWB-3	3/2/2006	Nitrate-Nitrite	=	130	0.96	5	MG/L	50	
SWB-3	6/2/2006	Nitrate-Nitrite	=	110	0.96	5	MG/L	50	
SWB-3	9/5/2006	Nitrate-Nitrite	=	260	0.96	5	MG/L	50	
SWB-3	12/4/2006	Nitrate-Nitrite	=	130	0.48	2.5	MG/L	25	
SWB-3	3/1/2007	Nitrate-Nitrite	=	130	0.48	2.5	MG/L	25	
SWB-3	6/1/2007	Nitrate-Nitrite	=	120	0.48	2.5	MG/L	25	
SWB-3	12/3/2007	Nitrate-Nitrite	=	200	1.9	10	MG/L	100	
SWB-3	3/6/2008	Nitrate-Nitrite	=	39	0.96	5	MG/L	50	
SWB-3	6/9/2008	Nitrate-Nitrite	=	170	1.9	10	MG/L	100	
SWB-3	12/4/2008	Nitrate-Nitrite	=	220	3.8	20	MG/L	200 q	
SWB-3	3/2/2009	Nitrate-Nitrite	=	90	0.96	5	MG/L	50	
SWB-3	6/4/2009	Nitrate-Nitrite	=	130	1.9	10	MG/L	100	
SWB-3	12/1/2009	Nitrate-Nitrite	=	190	0.38	2	MG/L	20	
SWB-3	3/1/2010	NITRATE-NITRITE	=	230	1.9	10	mg/L	100 J	

tmpAnalyticalResultsOverTime

SWB-3	6/1/2010	NITRATE-NITRITE	=	160	0.95	5	MG/L	50
SWB-3	9/9/2010	NITRATE-NITRITE	=	720	1.9	10	MG/L	100
SWB-4	11/15/2002	Nitrate-Nitrite	=	2300	6	50	mg/L	500 J
SWB-5	10/29/2002	Nitrate-Nitrite	=	2300	6	50	mg/L	500 J
SWB-6	3/4/2003	Nitrate-Nitrite	=	490	1.2	10	mg/L	100 J
SWB-6	6/3/2003	Nitrate-Nitrite	=	1700	12	100	mg/L	1000
SWB-6	12/3/2003	Nitrate-Nitrite	=	190	4.2	20	mg/L	200
SWB-6	3/5/2004	Nitrate-Nitrite	=	250	4.2	20	mg/L	200
SWB-6	6/1/2004	Nitrate-Nitrite	=	680	4.2	20	mg/L	200
SWB-6	12/1/2004	Nitrate-Nitrite	=	950	6.2	20	mg/L	200
SWB-6	3/7/2005	Nitrate-Nitrite	=	460	3.1	10	mg/L	100
SWB-6	6/1/2005	Nitrate-Nitrite	=	220	6.2	20	mg/L	200
SWB-6	12/2/2005	Nitrate-Nitrite	=	1000	31	100	MG/L	1000
SWB-6	3/1/2006	Nitrate-Nitrite	=	450	9.6	50	MG/L	500
SWB-6	6/1/2006	Nitrate-Nitrite	=	420	1.9	10	MG/L	100
SWB-6	12/5/2006	Nitrate-Nitrite	=	850	4.8	25	MG/L	250
SWB-6	3/2/2007	Nitrate-Nitrite	=	900	4.8	25	MG/L	250
SWB-6	6/9/2008	Nitrate-Nitrite	=	4100	19	100	MG/L	1000
SWB-6	3/6/2008	Nitrate-Nitrite	=	730	1.9	10	MG/L	100
SWB-6	12/5/2008	Nitrate-Nitrite	=	1600	3.8	20	MG/L	200
SWB-6	3/2/2009	Nitrate-Nitrite	=	690	9.6	50	MG/L	500
SWB-6	6/5/2009	Nitrate-Nitrite	=	1100	3.8	20	MG/L	200
SWB-6	3/2/2010	NITRATE-NITRITE	=	1200	3.8	20	MG/L	200 J
SWB-6	6/2/2010	NITRATE-NITRITE	=	1900	3.8	20	MG/L	200
SWB-7	3/4/2003	Nitrate-Nitrite	TR	0.04	0.01	0.1	mg/L	1 J
SWB-7	6/3/2003	Nitrate-Nitrite	=	0.15	0.01	0.1	mg/L	1
SWB-7	3/1/2004	Nitrate-Nitrite	=	3.5	0.021	0.1	mg/L	1
SWB-7	5/24/2004	Nitrate-Nitrite	=	28	0.21	1	mg/L	10
SWB-7	12/1/2004	Nitrate-Nitrite	<		0.031	0.1	mg/L	1
SWB-7	3/7/2005	Nitrate-Nitrite	=	44	0.31	1	mg/L	10
SWB-7	6/1/2005	Nitrate-Nitrite	=	57	0.31	1	mg/L	10
SWB-7	9/1/2005	Nitrate-Nitrite	<		0.031	0.1	MG/L	1
SWB-7	12/1/2005	Nitrate-Nitrite	TR	0.043	0.031	0.1	MG/L	1 J
SWB-7	3/1/2006	Nitrate-Nitrite	=	2.9	0.019	0.1	MG/L	1
SWB-7	6/2/2006	Nitrate-Nitrite	=	100	0.48	2.5	MG/L	25
SWB-7	9/5/2006	Nitrate-Nitrite	=	0.17	0.019	0.1	MG/L	1
SWB-7	12/5/2006	Nitrate-Nitrite	=	0.67	0.019	0.1	MG/L	1
SWB-7	3/2/2007	Nitrate-Nitrite	TR	0.079	0.019	0.1	MG/L	1 J
SWB-7	6/1/2007	Nitrate-Nitrite	=	0.14	0.019	0.1	MG/L	1
SWB-7	9/7/2007	Nitrate-Nitrite	TR	0.045	0.019	0.1	MG/L	1 J
SWB-7	12/3/2007	Nitrate-Nitrite	<		0.019	0.1	MG/L	1
SWB-7	3/6/2008	Nitrate-Nitrite	<		0.019	0.1	MG/L	1
SWB-7	6/6/2008	Nitrate-Nitrite	TR	0.051	0.019	0.1	MG/L	1 J
SWB-7	9/8/2008	Nitrate-Nitrite	TR	0.019	0.019	0.1	MG/L	1 J
SWB-7	12/5/2008	Nitrate-Nitrite	=	0.12	0.019	0.1	MG/L	1
SWB-7	3/2/2009	Nitrate-Nitrite	<		0.019	0.1	MG/L	1
SWB-7	6/5/2009	Nitrate-Nitrite	=	27	0.19	1	MG/L	10
SWB-7	9/9/2009	Nitrate-Nitrite	=	0.5	0.019	0.1	MG/L	1
SWB-7	12/1/2009	Nitrate-Nitrite	<		0.019	0.1	MG/L	1
SWB-7	3/2/2010	NITRATE-NITRITE	=	6.2	0.019	0.1	MG/L	1 J
SWB-7	6/1/2010	NITRATE-NITRITE	TR	0.071	0.019	0.1	MG/L	1 J
SWB-7	9/9/2010	NITRATE-NITRITE	=	0.11	0.019	0.1	MG/L	1
SWB-7	12/1/2010	NITRATE-NITRITE	TR	0.022	0.019	0.1	MG/L	1 J
SWB-8	3/5/2004	Nitrate-Nitrite	=	110	1	5	mg/L	50
SWB-8	3/7/2005	Nitrate-Nitrite	=	180	0.78	2.5	mg/L	25
SWB-8	6/1/2005	Nitrate-Nitrite	=	72	1.6	5	mg/L	50
SWB-8	3/1/2006	Nitrate-Nitrite	=	220	1.9	10	MG/L	100

tmpAnalyticalResultsOverTime

SWB-8	3/7/2008	Nitrate-Nitrite	=	89	0.48	2.5	MG/L	25	
SWB-8	3/3/2009	Nitrate-Nitrite	=	77	0.38	2	MG/L	20	
SWB-9	3/4/2003	Nitrate-Nitrite	=	420	1.2	10	mg/L	100 J	
SWB-9	12/3/2003	Nitrate-Nitrite	=	600	4.2	20	mg/L	200	
SWB-9	3/5/2004	Nitrate-Nitrite	=	200	4.2	20	mg/L	200	
SWB-9	5/27/2004	Nitrate-Nitrite	=	1400	4.2	20	mg/L	200	
SWB-9	12/1/2004	Nitrate-Nitrite	=	390	3.1	10	mg/L	100	
SWB-9	3/3/2005	Nitrate-Nitrite	=	420	3.1	10	mg/L	100	
SWB-9	6/2/2005	Nitrate-Nitrite	=	330	3.1	10	mg/L	100	
SWB-9	9/1/2005	Nitrate-Nitrite	=	3200	31	100	MG/L	1000	
SWB-9	12/1/2005	Nitrate-Nitrite	=	680	3.1	10	MG/L	100	
SWB-9	3/2/2006	Nitrate-Nitrite	=	470	1.9	10	MG/L	100	
SWB-9	6/1/2006	Nitrate-Nitrite	=	1100	9.6	50	MG/L	500	
SWB-9	12/4/2006	Nitrate-Nitrite	=	660	9.6	50	MG/L	500	
SWB-9	3/5/2007	Nitrate-Nitrite	=	580	9.6	50	MG/L	500	
SWB-9	3/6/2008	Nitrate-Nitrite	=	420	1.9	10	MG/L	100	
SWB-9	6/5/2008	Nitrate-Nitrite	=	5000	96	500	MG/L	5000	
SWB-9	12/5/2008	Nitrate-Nitrite	=	660	3.8	20	MG/L	200	
SWB-9	3/2/2009	Nitrate-Nitrite	=	400	1.9	10	MG/L	100	
SWB-9	6/2/2009	Nitrate-Nitrite	=	1600	3.8	20	MG/L	200	
SWB-9	3/1/2010	NITRATE-NITRITE	=	380	1.9	10	mg/L	100 J	
SWB-9	6/1/2010	NITRATE-NITRITE	=	1700	3.8	20	MG/L	200	
SWB-9	12/1/2010	NITRATE-NITRITE	=	440	1.9	10	MG/L	100	
SWB-3	10/29/2002	Nitrite	=	1.3	0.04	0.2	mg/L	20	NA
SWB-4	11/15/2002	Nitrite	=	2.6	0.04	0.2	mg/L	20	
SWB-5	10/29/2002	Nitrite	=	0.64	0.02	0.1	mg/L	10	
SWB-10	3/4/2004	Nitrobenzene	<		2	10	ug/L	1	NA
SWB-10	5/24/2004	Nitrobenzene	<		2	10	ug/L	1 UJ	
SWB-10	12/1/2004	Nitrobenzene	<		2	10	ug/L	1	
SWB-10	3/3/2005	Nitrobenzene	<		1.2	10	ug/L	1	
SWB-10	6/2/2005	Nitrobenzene	<		1.2	10	ug/L	1	
SWB-10	9/1/2005	Nitrobenzene	<		1.2	10	ug/L	1	
SWB-10	3/2/2006	Nitrobenzene	<		1.2	10	UG/L	1	
SWB-10	6/2/2006	Nitrobenzene	<		5	10	UG/L	1	
SWB-10	3/1/2007	Nitrobenzene	<		5	10	UG/L	1	
SWB-10	3/7/2008	Nitrobenzene	<		0.81	10	UG/L	1	
SWB-10	6/5/2008	Nitrobenzene	<		0.81	10	UG/L	1	
SWB-10	3/2/2009	Nitrobenzene	<		0.81	10	UG/L	1	
SWB-10	3/2/2009	Nitrobenzene	<		0.81	10	UG/L	1 R	
SWB-10	6/4/2009	Nitrobenzene	<		0.81	10	UG/L	1	
SWB-10	3/2/2010	Nitrobenzene	<	9.3	0.75	9.3	UG/L	1	
SWB-11	3/4/2004	Nitrobenzene	<		2	10	ug/L	1	
SWB-11	5/24/2004	Nitrobenzene	<		2	10	ug/L	1 UJ	
SWB-11	12/1/2004	Nitrobenzene	<		2	10	ug/L	1	
SWB-11	3/1/2005	Nitrobenzene	<		1.2	10	ug/L	1	
SWB-11	6/2/2005	Nitrobenzene	<		1.2	10	ug/L	1	
SWB-11	3/2/2006	Nitrobenzene	<		1.2	10	UG/L	1	
SWB-11	6/1/2006	Nitrobenzene	<		5	10	UG/L	1	
SWB-11	3/1/2007	Nitrobenzene	<		5	10	UG/L	1	
SWB-11	3/7/2008	Nitrobenzene	<		0.81	10	UG/L	1	
SWB-11	6/5/2008	Nitrobenzene	<		0.81	10	UG/L	1	
SWB-11	3/2/2009	Nitrobenzene	<		0.81	10	UG/L	1	
SWB-11	6/4/2009	Nitrobenzene	<		0.81	10	UG/L	1	
SWB-11	3/1/2010	Nitrobenzene	<	9.4	0.76	9.4	ug/L	1	
SWB-11	6/2/2010	NITROBENZENE	<	0.77	0.77	9.5	UG/L	1	
SWB-3	10/29/2002	Nitrobenzene	<		2.5	10	ug/L	1	
SWB-3	3/4/2003	Nitrobenzene	<		2.5	10	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	6/3/2003	Nitrobenzene	<		2.5	10	ug/L	1
SWB-3	9/4/2003	Nitrobenzene	<		2.5	10	ug/L	1 UJ
SWB-3	12/2/2003	Nitrobenzene	<		2	10	ug/L	1
SWB-3	3/1/2004	Nitrobenzene	<		2	10	ug/L	1
SWB-3	6/1/2004	Nitrobenzene	<		2	10	ug/L	1
SWB-3	9/1/2004	Nitrobenzene	<		2	10	ug/L	1
SWB-3	12/1/2004	Nitrobenzene	<		2	10	ug/L	1
SWB-3	3/3/2005	Nitrobenzene	<		1.2	10	ug/L	1
SWB-3	6/2/2005	Nitrobenzene	<		1.2	10	ug/L	1
SWB-3	9/1/2005	Nitrobenzene	<		1.2	10	ug/L	1
SWB-3	12/1/2005	Nitrobenzene	<		1.2	10	UG/L	1 UJ
SWB-3	3/2/2006	Nitrobenzene	<		1.2	10	UG/L	1
SWB-3	6/2/2006	Nitrobenzene	<		5	10	UG/L	1
SWB-3	9/5/2006	Nitrobenzene	<		5	10	UG/L	1
SWB-3	12/4/2006	Nitrobenzene	<		5	10	UG/L	1
SWB-3	3/1/2007	Nitrobenzene	<		5	10	UG/L	1
SWB-3	6/1/2007	Nitrobenzene	<		5	10	UG/L	1
SWB-3	6/1/2007	Nitrobenzene	<		5	10	UG/L	1 R
SWB-3	12/3/2007	Nitrobenzene	<		0.81	10	UG/L	1
SWB-3	3/6/2008	Nitrobenzene	<		0.81	10	UG/L	1
SWB-3	6/9/2008	Nitrobenzene	<		0.81	10	UG/L	1
SWB-3	12/4/2008	Nitrobenzene	<		0.81	10	UG/L	1
SWB-3	3/2/2009	Nitrobenzene	<		0.81	10	UG/L	1
SWB-3	3/2/2009	Nitrobenzene	<		0.81	10	UG/L	1 R
SWB-3	6/4/2009	Nitrobenzene	<		0.81	10	UG/L	1
SWB-3	12/1/2009	Nitrobenzene	<		0.81	10	UG/L	1
SWB-3	12/1/2009	Nitrobenzene	<		0.81	10	UG/L	1 DNR
SWB-3	3/1/2010	Nitrobenzene	<	9.7	0.79	9.7	ug/L	1 UJ
SWB-3	6/1/2010	NITROBENZENE	<	0.76	0.76	9.4	UG/L	1
SWB-3	6/1/2010	NITROBENZENE	<	0.76	0.76	9.4	UG/L	1 DNR
SWB-3	9/9/2010	NITROBENZENE	<	0.76	0.76	9.3	UG/L	1
SWB-4	11/15/2002	Nitrobenzene	<		2.5	10	ug/L	1
SWB-5	10/29/2002	Nitrobenzene	<		2.5	10	ug/L	1
SWB-6	3/4/2003	Nitrobenzene	<		2.5	10	ug/L	1
SWB-6	6/3/2003	Nitrobenzene	<		2.5	10	ug/L	1
SWB-6	12/3/2003	Nitrobenzene	<		2	10	ug/L	1
SWB-6	3/5/2004	Nitrobenzene	<		2	10	ug/L	1
SWB-6	6/1/2004	Nitrobenzene	<		2	10	ug/L	1
SWB-6	12/1/2004	Nitrobenzene	<		2	10	ug/L	1
SWB-6	3/7/2005	Nitrobenzene	<		1.2	10	ug/L	1
SWB-6	6/1/2005	Nitrobenzene	<		1.2	10	ug/L	1
SWB-6	12/2/2005	Nitrobenzene	<		1.2	10	UG/L	1 UJ
SWB-6	3/1/2006	Nitrobenzene	<		1.2	10	UG/L	1
SWB-6	6/1/2006	Nitrobenzene	<		5	10	UG/L	1
SWB-6	12/5/2006	Nitrobenzene	<		5	10	UG/L	1
SWB-6	3/2/2007	Nitrobenzene	<		5	10	UG/L	1
SWB-6	6/9/2008	Nitrobenzene	<		0.81	10	UG/L	1
SWB-6	3/6/2008	Nitrobenzene	<		0.81	10	UG/L	1
SWB-6	12/5/2008	Nitrobenzene	<		0.81	10	UG/L	1
SWB-6	12/5/2008	Nitrobenzene	<		0.81	10	UG/L	1 R
SWB-6	3/2/2009	Nitrobenzene	<		0.81	10	UG/L	1
SWB-6	3/2/2009	Nitrobenzene	<		0.81	10	UG/L	1 R
SWB-6	6/5/2009	Nitrobenzene	<		0.81	10	UG/L	1
SWB-6	3/2/2010	Nitrobenzene	<	9.1	0.74	9.1	UG/L	1
SWB-6	6/2/2010	NITROBENZENE	<	0.76	0.76	9.4	UG/L	1 DNR
SWB-6	6/2/2010	NITROBENZENE	<	0.77	0.77	9.5	UG/L	1
SWB-7	3/4/2003	Nitrobenzene	<		2.5	10	ug/L	1

tmpAnalyticalResultsOverTime

SWB-7	6/3/2003	Nitrobenzene	<	2.5	10	ug/L	1	
SWB-7	3/1/2004	Nitrobenzene	<	2	10	ug/L	1	
SWB-7	5/24/2004	Nitrobenzene	<	2	10	ug/L	1	
SWB-7	12/1/2004	Nitrobenzene	<	2	10	ug/L	1	
SWB-7	3/7/2005	Nitrobenzene	<	1.2	10	ug/L	1 UJ	
SWB-7	6/1/2005	Nitrobenzene	<	1.2	10	ug/L	1	
SWB-7	9/1/2005	Nitrobenzene	<	1.2	10	ug/L	1	
SWB-7	12/1/2005	Nitrobenzene	<	1.2	10	UG/L	1 UJ	
SWB-7	3/1/2006	Nitrobenzene	<	1.2	10	UG/L	1	
SWB-7	6/2/2006	Nitrobenzene	<	5	10	UG/L	1	
SWB-7	9/5/2006	Nitrobenzene	<	5	10	UG/L	1 UJ	
SWB-7	12/5/2006	Nitrobenzene	<	5	10	UG/L	1	
SWB-7	3/2/2007	Nitrobenzene	<	5	10	UG/L	1	
SWB-7	6/1/2007	Nitrobenzene	<	5	10	UG/L	1	
SWB-7	9/7/2007	Nitrobenzene	<	0.81	10	UG/L	1	
SWB-7	12/3/2007	Nitrobenzene	<	0.81	10	UG/L	1	
SWB-7	3/6/2008	Nitrobenzene	<	0.81	10	UG/L	1	
SWB-7	6/6/2008	Nitrobenzene	<	0.81	10	UG/L	1	
SWB-7	9/8/2008	Nitrobenzene	<	0.81	10	UG/L	1	
SWB-7	12/5/2008	Nitrobenzene	<	0.81	10	UG/L	1	
SWB-7	12/5/2008	Nitrobenzene	<	0.81	10	UG/L	1 R	
SWB-7	3/2/2009	Nitrobenzene	<	0.81	10	UG/L	1	
SWB-7	3/2/2009	Nitrobenzene	<	0.81	10	UG/L	1 R	
SWB-7	6/5/2009	Nitrobenzene	<	0.81	10	UG/L	1	
SWB-7	9/9/2009	Nitrobenzene	<	0.81	10	UG/L	1	
SWB-7	12/1/2009	Nitrobenzene	<	0.81	10	UG/L	1	
SWB-7	3/2/2010	Nitrobenzene	<	9.5	0.77	9.5	UG/L	1
SWB-7	6/1/2010	NITROBENZENE	<	0.78	0.78	9.6	UG/L	1 DNR
SWB-7	6/1/2010	NITROBENZENE	<	0.81	0.81	10	UG/L	1 R
SWB-7	9/9/2010	NITROBENZENE	<	0.78	0.78	9.6	UG/L	1
SWB-7	12/1/2010	NITROBENZENE	<	0.75	0.75	9.3	UG/L	1
SWB-8	3/5/2004	Nitrobenzene	<	2	10	ug/L	1	
SWB-8	3/7/2005	Nitrobenzene	<	1.2	10	ug/L	1	
SWB-8	6/1/2005	Nitrobenzene	<	1.2	10	ug/L	1	
SWB-8	3/1/2006	Nitrobenzene	<	1.2	10	UG/L	1	
SWB-8	3/7/2008	Nitrobenzene	<	0.81	10	UG/L	1	
SWB-8	3/3/2009	Nitrobenzene	<	0.81	10	UG/L	1	
SWB-8	3/3/2009	Nitrobenzene	<	0.81	10	UG/L	1 R	
SWB-9	3/4/2003	Nitrobenzene	<	2.5	10	ug/L	1	
SWB-9	12/3/2003	Nitrobenzene	<	2	10	ug/L	1	
SWB-9	3/5/2004	Nitrobenzene	<	2	10	ug/L	1	
SWB-9	5/27/2004	Nitrobenzene	<	2	10	ug/L	1 UJ	
SWB-9	12/1/2004	Nitrobenzene	<	2	10	ug/L	1	
SWB-9	3/3/2005	Nitrobenzene	<	1.2	10	ug/L	1	
SWB-9	6/2/2005	Nitrobenzene	<	1.2	10	ug/L	1	
SWB-9	9/1/2005	Nitrobenzene	<	1.2	10	ug/L	1	
SWB-9	12/1/2005	Nitrobenzene	<	1.2	10	UG/L	1 UJ	
SWB-9	3/2/2006	Nitrobenzene	<	1.2	10	UG/L	1	
SWB-9	6/1/2006	Nitrobenzene	<	5	10	UG/L	1	
SWB-9	12/4/2006	Nitrobenzene	<	5	10	UG/L	1	
SWB-9	3/5/2007	Nitrobenzene	<	5	10	UG/L	1	
SWB-9	3/6/2008	Nitrobenzene	<	0.81	10	UG/L	1	
SWB-9	6/5/2008	Nitrobenzene	<	0.81	10	UG/L	1	
SWB-9	12/5/2008	Nitrobenzene	<	0.81	10	UG/L	1	
SWB-9	12/5/2008	Nitrobenzene	<	0.81	10	UG/L	1 R	
SWB-9	3/2/2009	Nitrobenzene	<	0.81	10	UG/L	1	
SWB-9	3/2/2009	Nitrobenzene	<	0.81	10	UG/L	1 R	

tmpAnalyticalResultsOverTime

SWB-9	6/2/2009	Nitrobenzene	<		0.81	10	UG/L	1	
SWB-9	6/2/2009	Nitrobenzene	<		0.81	10	UG/L	1	DNR
SWB-9	3/1/2010	Nitrobenzene	<	9.2	0.75	9.2	ug/L	1	
SWB-9	6/1/2010	NITROBENZENE	<	0.76	0.76	9.4	UG/L	1	DNR
SWB-9	6/1/2010	NITROBENZENE	<	0.77	0.77	9.5	UG/L	1	
SWB-9	12/1/2010	NITROBENZENE	<	0.75	0.75	9.3	UG/L	1	
SWB-10	3/4/2004	N-Nitrosodiethylamine	<		2	10	ug/L	1	NA
SWB-10	5/24/2004	N-Nitrosodiethylamine	<		2	10	ug/L	1	UJ
SWB-10	12/1/2004	N-Nitrosodiethylamine	<		2	10	ug/L	1	
SWB-10	3/3/2005	N-Nitrosodiethylamine	<		2	10	ug/L	1	
SWB-10	6/2/2005	N-Nitrosodiethylamine	<		2	10	ug/L	1	
SWB-10	9/1/2005	N-Nitrosodiethylamine	<		2	10	ug/L	1	
SWB-10	3/2/2006	N-Nitrosodiethylamine	<		2	10	UG/L	1	
SWB-10	6/2/2006	N-Nitrosodiethylamine	<		1.1	10	UG/L	1	
SWB-10	3/1/2007	N-Nitrosodiethylamine	<		1.1	10	UG/L	1	
SWB-10	3/7/2008	N-Nitrosodiethylamine	<		1.7	10	UG/L	1	
SWB-10	6/5/2008	N-Nitrosodiethylamine	<		1.7	10	UG/L	1	
SWB-10	3/2/2009	N-Nitrosodiethylamine	<		1.7	10	UG/L	1	
SWB-10	3/2/2009	N-Nitrosodiethylamine	<		1.7	10	UG/L	1	R
SWB-10	6/4/2009	N-Nitrosodiethylamine	<		1.7	10	UG/L	1	
SWB-10	3/2/2010	N-Nitrosodiethylamine	<	9.3	1.6	9.3	UG/L	1	
SWB-11	3/4/2004	N-Nitrosodiethylamine	<		2	10	ug/L	1	
SWB-11	5/24/2004	N-Nitrosodiethylamine	<		2	10	ug/L	1	UJ
SWB-11	12/1/2004	N-Nitrosodiethylamine	<		2	10	ug/L	1	
SWB-11	3/1/2005	N-Nitrosodiethylamine	<		2	10	ug/L	1	
SWB-11	6/2/2005	N-Nitrosodiethylamine	<		2	10	ug/L	1	
SWB-11	3/2/2006	N-Nitrosodiethylamine	<		2	10	UG/L	1	
SWB-11	6/1/2006	N-Nitrosodiethylamine	<		1.1	10	UG/L	1	
SWB-11	3/1/2007	N-Nitrosodiethylamine	<		1.1	10	UG/L	1	
SWB-11	3/7/2008	N-Nitrosodiethylamine	<		1.7	10	UG/L	1	
SWB-11	6/5/2008	N-Nitrosodiethylamine	<		1.7	10	UG/L	1	
SWB-11	3/2/2009	N-Nitrosodiethylamine	<		1.7	10	UG/L	1	
SWB-11	6/4/2009	N-Nitrosodiethylamine	<		1.7	10	UG/L	1	
SWB-11	3/1/2010	N-Nitrosodiethylamine	<	9.4	1.6	9.4	ug/L	1	
SWB-11	6/2/2010	N-NITROSODIETHYLAMINE	<	1.6	1.6	9.5	UG/L	1	
SWB-3	10/29/2002	N-Nitrosodiethylamine	<		2	10	ug/L	1	
SWB-3	3/4/2003	N-Nitrosodiethylamine	<		2	10	ug/L	1	
SWB-3	6/3/2003	N-Nitrosodiethylamine	<		2	10	ug/L	1	
SWB-3	9/4/2003	N-Nitrosodiethylamine	<		2	10	ug/L	1	UJ
SWB-3	12/2/2003	N-Nitrosodiethylamine	<		2	10	ug/L	1	
SWB-3	3/1/2004	N-Nitrosodiethylamine	<		2	10	ug/L	1	
SWB-3	6/1/2004	N-Nitrosodiethylamine	<		2	10	ug/L	1	
SWB-3	9/1/2004	N-Nitrosodiethylamine	<		2	10	ug/L	1	
SWB-3	12/1/2004	N-Nitrosodiethylamine	<		2	10	ug/L	1	
SWB-3	3/3/2005	N-Nitrosodiethylamine	<		2	10	ug/L	1	
SWB-3	6/2/2005	N-Nitrosodiethylamine	<		2	10	ug/L	1	
SWB-3	9/1/2005	N-Nitrosodiethylamine	<		2	10	ug/L	1	
SWB-3	12/1/2005	N-Nitrosodiethylamine	<		2	10	UG/L	1	UJ
SWB-3	3/2/2006	N-Nitrosodiethylamine	<		2	10	UG/L	1	
SWB-3	6/2/2006	N-Nitrosodiethylamine	<		1.1	10	UG/L	1	
SWB-3	9/5/2006	N-Nitrosodiethylamine	<		1.1	10	UG/L	1	
SWB-3	12/4/2006	N-Nitrosodiethylamine	<		1.1	10	UG/L	1	
SWB-3	3/1/2007	N-Nitrosodiethylamine	<		1.1	10	UG/L	1	
SWB-3	6/1/2007	N-Nitrosodiethylamine	<		1.1	10	UG/L	1	
SWB-3	6/1/2007	N-Nitrosodiethylamine	<		1.1	10	UG/L	1	R
SWB-3	12/3/2007	N-Nitrosodiethylamine	<		1.1	10	UG/L	1	
SWB-3	3/6/2008	N-Nitrosodiethylamine	<		1.7	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	6/9/2008	N-Nitrosodiethylamine	<	1.7	10	UG/L	1
SWB-3	12/4/2008	N-Nitrosodiethylamine	<	1.7	10	UG/L	1
SWB-3	3/2/2009	N-Nitrosodiethylamine	<	1.7	10	UG/L	1
SWB-3	3/2/2009	N-Nitrosodiethylamine	<	1.7	10	UG/L	1 R
SWB-3	6/4/2009	N-Nitrosodiethylamine	<	1.7	10	UG/L	1
SWB-3	12/1/2009	N-Nitrosodiethylamine	<	1.7	10	UG/L	1
SWB-3	12/1/2009	N-Nitrosodiethylamine	<	1.7	10	UG/L	1 DNR
SWB-3	3/1/2010	N-Nitrosodiethylamine	<	9.7	1.7	9.7 ug/L	1 UJ
SWB-3	6/1/2010	N-NITROSODIETHYLAMINE	<	1.6	1.6	9.4 UG/L	1
SWB-3	6/1/2010	N-NITROSODIETHYLAMINE	<	1.6	1.6	9.4 UG/L	1 DNR
SWB-3	9/9/2010	N-NITROSODIETHYLAMINE	<	1.6	1.6	9.3 UG/L	1
SWB-4	11/15/2002	N-Nitrosodiethylamine	<	2	10	ug/L	1
SWB-5	10/29/2002	N-Nitrosodiethylamine	<	2	10	ug/L	1
SWB-6	3/4/2003	N-Nitrosodiethylamine	<	2	10	ug/L	1
SWB-6	6/3/2003	N-Nitrosodiethylamine	<	2	10	ug/L	1
SWB-6	12/3/2003	N-Nitrosodiethylamine	<	2	10	ug/L	1
SWB-6	3/5/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1
SWB-6	6/1/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1
SWB-6	12/1/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1
SWB-6	3/7/2005	N-Nitrosodiethylamine	<	2	10	ug/L	1
SWB-6	6/1/2005	N-Nitrosodiethylamine	<	2	10	ug/L	1
SWB-6	12/2/2005	N-Nitrosodiethylamine	<	2	10	UG/L	1 UJ
SWB-6	3/1/2006	N-Nitrosodiethylamine	<	2	10	UG/L	1
SWB-6	6/1/2006	N-Nitrosodiethylamine	<	1.1	10	UG/L	1
SWB-6	12/5/2006	N-Nitrosodiethylamine	<	1.1	10	UG/L	1
SWB-6	3/2/2007	N-Nitrosodiethylamine	<	1.1	10	UG/L	1
SWB-6	6/9/2008	N-Nitrosodiethylamine	<	1.7	10	UG/L	1
SWB-6	3/6/2008	N-Nitrosodiethylamine	<	1.7	10	UG/L	1
SWB-6	12/5/2008	N-Nitrosodiethylamine	<	1.7	10	UG/L	1
SWB-6	12/5/2008	N-Nitrosodiethylamine	<	1.7	10	UG/L	1 R
SWB-6	3/2/2009	N-Nitrosodiethylamine	<	1.7	10	UG/L	1
SWB-6	3/2/2009	N-Nitrosodiethylamine	<	1.7	10	UG/L	1 R
SWB-6	6/5/2009	N-Nitrosodiethylamine	<	1.7	10	UG/L	1
SWB-6	3/2/2010	N-Nitrosodiethylamine	<	9.1	1.6	9.1 UG/L	1
SWB-6	6/2/2010	N-NITROSODIETHYLAMINE	<	1.6	1.6	9.4 UG/L	1 DNR
SWB-6	6/2/2010	N-NITROSODIETHYLAMINE	<	1.6	1.6	9.5 UG/L	1
SWB-7	3/4/2003	N-Nitrosodiethylamine	<	2	10	ug/L	1
SWB-7	6/3/2003	N-Nitrosodiethylamine	<	2	10	ug/L	1
SWB-7	3/1/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1
SWB-7	5/24/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1
SWB-7	12/1/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1
SWB-7	3/7/2005	N-Nitrosodiethylamine	<	2	10	ug/L	1 UJ
SWB-7	6/1/2005	N-Nitrosodiethylamine	<	2	10	ug/L	1
SWB-7	9/1/2005	N-Nitrosodiethylamine	<	2	10	ug/L	1
SWB-7	12/1/2005	N-Nitrosodiethylamine	<	2	10	UG/L	1 UJ
SWB-7	3/1/2006	N-Nitrosodiethylamine	<	2	10	UG/L	1
SWB-7	6/2/2006	N-Nitrosodiethylamine	<	1.1	10	UG/L	1
SWB-7	9/5/2006	N-Nitrosodiethylamine	<	1.1	10	UG/L	1 UJ
SWB-7	12/5/2006	N-Nitrosodiethylamine	<	1.1	10	UG/L	1
SWB-7	3/2/2007	N-Nitrosodiethylamine	<	1.1	10	UG/L	1
SWB-7	6/1/2007	N-Nitrosodiethylamine	<	1.1	10	UG/L	1
SWB-7	9/7/2007	N-Nitrosodiethylamine	<	1.1	10	UG/L	1
SWB-7	12/3/2007	N-Nitrosodiethylamine	<	1.1	10	UG/L	1
SWB-7	3/6/2008	N-Nitrosodiethylamine	<	1.7	10	UG/L	1
SWB-7	6/6/2008	N-Nitrosodiethylamine	<	1.7	10	UG/L	1
SWB-7	9/8/2008	N-Nitrosodiethylamine	<	1.7	10	UG/L	1
SWB-7	12/5/2008	N-Nitrosodiethylamine	<	1.7	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	12/5/2008	N-Nitrosodiethylamine	<		1.7	10	UG/L	1 R
SWB-7	3/2/2009	N-Nitrosodiethylamine	<		1.7	10	UG/L	1
SWB-7	3/2/2009	N-Nitrosodiethylamine	<		1.7	10	UG/L	1 R
SWB-7	6/5/2009	N-Nitrosodiethylamine	<		1.7	10	UG/L	1
SWB-7	9/9/2009	N-Nitrosodiethylamine	<		1.7	10	UG/L	1
SWB-7	12/1/2009	N-Nitrosodiethylamine	<		1.7	10	UG/L	1
SWB-7	3/2/2010	N-Nitrosodiethylamine	<	9.5	1.6	9.5	UG/L	1
SWB-7	6/1/2010	N-NITROSODIETHYLAMINE	<	1.7	1.7	9.6	UG/L	1 DNR
SWB-7	6/1/2010	N-NITROSODIETHYLAMINE	<	1.7	1.7	10	UG/L	1 R
SWB-7	9/9/2010	N-NITROSODIETHYLAMINE	<	1.7	1.7	9.6	UG/L	1
SWB-7	12/1/2010	N-NITROSODIETHYLAMINE	<	1.6	1.6	9.3	UG/L	1
SWB-8	3/5/2004	N-Nitrosodiethylamine	<		2	10	ug/L	1
SWB-8	3/7/2005	N-Nitrosodiethylamine	<		2	10	ug/L	1
SWB-8	6/1/2005	N-Nitrosodiethylamine	<		2	10	ug/L	1
SWB-8	3/1/2006	N-Nitrosodiethylamine	<		2	10	UG/L	1
SWB-8	3/7/2008	N-Nitrosodiethylamine	<		1.7	10	UG/L	1
SWB-8	3/3/2009	N-Nitrosodiethylamine	<		1.7	10	UG/L	1
SWB-8	3/3/2009	N-Nitrosodiethylamine	<		1.7	10	UG/L	1 R
SWB-9	3/4/2003	N-Nitrosodiethylamine	<		2	10	ug/L	1
SWB-9	12/3/2003	N-Nitrosodiethylamine	<		2	10	ug/L	1
SWB-9	3/5/2004	N-Nitrosodiethylamine	<		2	10	ug/L	1
SWB-9	5/27/2004	N-Nitrosodiethylamine	<		2	10	ug/L	1 UJ
SWB-9	12/1/2004	N-Nitrosodiethylamine	<		2	10	ug/L	1
SWB-9	3/3/2005	N-Nitrosodiethylamine	<		2	10	ug/L	1
SWB-9	6/2/2005	N-Nitrosodiethylamine	<		2	10	ug/L	1
SWB-9	9/1/2005	N-Nitrosodiethylamine	<		2	10	ug/L	1
SWB-9	12/1/2005	N-Nitrosodiethylamine	<		2	10	UG/L	1 UJ
SWB-9	3/2/2006	N-Nitrosodiethylamine	<		2	10	UG/L	1
SWB-9	6/1/2006	N-Nitrosodiethylamine	<		1.1	10	UG/L	1
SWB-9	12/4/2006	N-Nitrosodiethylamine	<		1.1	10	UG/L	1
SWB-9	3/5/2007	N-Nitrosodiethylamine	<		1.1	10	UG/L	1
SWB-9	3/6/2008	N-Nitrosodiethylamine	<		1.7	10	UG/L	1
SWB-9	6/5/2008	N-Nitrosodiethylamine	<		1.7	10	UG/L	1
SWB-9	12/5/2008	N-Nitrosodiethylamine	<		1.7	10	UG/L	1
SWB-9	12/5/2008	N-Nitrosodiethylamine	<		1.7	10	UG/L	1 R
SWB-9	3/2/2009	N-Nitrosodiethylamine	<		1.7	10	UG/L	1
SWB-9	3/2/2009	N-Nitrosodiethylamine	<		1.7	10	UG/L	1 R
SWB-9	6/2/2009	N-Nitrosodiethylamine	<		1.7	10	UG/L	1
SWB-9	6/2/2009	N-Nitrosodiethylamine	<		1.7	10	UG/L	1 DNR
SWB-9	3/1/2010	N-Nitrosodiethylamine	<	9.2	1.6	9.2	ug/L	1
SWB-9	6/1/2010	N-NITROSODIETHYLAMINE	<	1.6	1.6	9.4	UG/L	1 DNR
SWB-9	6/1/2010	N-NITROSODIETHYLAMINE	<	1.6	1.6	9.5	UG/L	1
SWB-9	12/1/2010	N-NITROSODIETHYLAMINE	<	1.6	1.6	9.3	UG/L	1
SWB-10	3/4/2004	N-Nitrosodimethylamine	<		0.8	10	ug/L	1
SWB-10	5/24/2004	N-Nitrosodimethylamine	<		0.8	10	ug/L	1 UJ
SWB-10	12/1/2004	N-Nitrosodimethylamine	<		0.8	10	ug/L	1
SWB-10	3/3/2005	N-Nitrosodimethylamine	<		1.6	10	ug/L	1
SWB-10	6/2/2005	N-Nitrosodimethylamine	<		1.6	10	ug/L	1
SWB-10	9/1/2005	N-Nitrosodimethylamine	<		1.6	10	ug/L	1
SWB-10	3/2/2006	N-Nitrosodimethylamine	<		1.6	10	UG/L	1
SWB-10	6/2/2006	N-Nitrosodimethylamine	<		1.6	10	UG/L	1
SWB-10	3/1/2007	N-Nitrosodimethylamine	<		1.6	10	UG/L	1
SWB-10	3/1/2007	N-Nitrosodimethylamine	<		0.11	5	UG/L	1
SWB-10	3/7/2008	N-Nitrosodimethylamine	<		0.29	10	UG/L	1
SWB-10	3/7/2008	N-Nitrosodimethylamine	<		0.11	5	UG/L	1
SWB-10	6/5/2008	N-Nitrosodimethylamine	<		0.29	10	UG/L	1
SWB-10	6/5/2008	N-Nitrosodimethylamine	<		0.11	5	UG/L	1



tmpAnalyticalResultsOverTime

SWB-10	3/2/2009	N-Nitrosodimethylamine	<		0.29	10	UG/L	1 R
SWB-10	3/2/2009	N-Nitrosodimethylamine	<		0.11	5	UG/L	1
SWB-10	6/4/2009	N-Nitrosodimethylamine	<		0.29	10	UG/L	1 DNR
SWB-10	6/4/2009	N-Nitrosodimethylamine	<		0.11	5	UG/L	1 R
SWB-10	3/2/2010	N-Nitrosodimethylamine	<	9.3	0.27	9.3	UG/L	1 DNR
SWB-10	3/2/2010	N-Nitrosodimethylamine	<	4.8	0.11	4.8	UG/L	1
SWB-11	3/4/2004	N-Nitrosodimethylamine	<		0.8	10	ug/L	1
SWB-11	5/24/2004	N-Nitrosodimethylamine	<		0.8	10	ug/L	1 UJ
SWB-11	12/1/2004	N-Nitrosodimethylamine	<		0.8	10	ug/L	1
SWB-11	3/1/2005	N-Nitrosodimethylamine	<		1.6	10	ug/L	1
SWB-11	6/2/2005	N-Nitrosodimethylamine	<		1.6	10	ug/L	1
SWB-11	3/2/2006	N-Nitrosodimethylamine	<		1.6	10	UG/L	1
SWB-11	6/1/2006	N-Nitrosodimethylamine	<		1.6	10	UG/L	1
SWB-11	3/1/2007	N-Nitrosodimethylamine	<		1.6	10	UG/L	1
SWB-11	3/1/2007	N-Nitrosodimethylamine	<		0.11	5	UG/L	1
SWB-11	3/7/2008	N-Nitrosodimethylamine	<		0.29	10	UG/L	1
SWB-11	3/7/2008	N-Nitrosodimethylamine	<		0.11	5	UG/L	1
SWB-11	6/5/2008	N-Nitrosodimethylamine	<		0.29	10	UG/L	1
SWB-11	6/5/2008	N-Nitrosodimethylamine	<		0.11	5	UG/L	1
SWB-11	3/2/2009	N-Nitrosodimethylamine	<		0.29	10	UG/L	1 R
SWB-11	3/2/2009	N-Nitrosodimethylamine	<		0.11	5	UG/L	1
SWB-11	6/4/2009	N-Nitrosodimethylamine	<		0.29	10	UG/L	1 DNR
SWB-11	6/4/2009	N-Nitrosodimethylamine	<		0.11	5	UG/L	1 DNR
SWB-11	6/4/2009	N-Nitrosodimethylamine	<		0.11	5	UG/L	1 R
SWB-11	3/1/2010	N-Nitrosodimethylamine	<	9.4	0.27	9.4	ug/L	1 DNR
SWB-11	3/1/2010	N-Nitrosodimethylamine	<	4.8	0.11	4.8	ug/L	1
SWB-11	6/2/2010	N-NITROSODIMETHYLAMINE	<		0.1	4.8	UG/L	1 UJ
SWB-11	6/2/2010	N-NITROSODIMETHYLAMINE	<	0.11	0.11	5	UG/L	1 DNR
SWB-11	6/2/2010	N-NITROSODIMETHYLAMINE	<	0.27	0.27	9.5	UG/L	1 DNR
SWB-3	10/29/2002	N-Nitrosodimethylamine	<		2.1	10	ug/L	1
SWB-3	3/4/2003	N-Nitrosodimethylamine	<		2.1	10	ug/L	1
SWB-3	6/3/2003	N-Nitrosodimethylamine	<		2.1	10	ug/L	1
SWB-3	9/4/2003	N-Nitrosodimethylamine	<		2.1	10	ug/L	1 UJ
SWB-3	12/2/2003	N-Nitrosodimethylamine	<		0.8	10	ug/L	1
SWB-3	3/1/2004	N-Nitrosodimethylamine	<		0.8	10	ug/L	1
SWB-3	6/1/2004	N-Nitrosodimethylamine	<		0.8	10	ug/L	1
SWB-3	9/1/2004	N-Nitrosodimethylamine	<		0.8	10	ug/L	1
SWB-3	12/1/2004	N-Nitrosodimethylamine	<		0.8	10	ug/L	1
SWB-3	3/3/2005	N-Nitrosodimethylamine	<		1.6	10	ug/L	1
SWB-3	6/2/2005	N-Nitrosodimethylamine	<		1.6	10	ug/L	1
SWB-3	9/1/2005	N-Nitrosodimethylamine	<		1.6	10	ug/L	1
SWB-3	12/1/2005	N-Nitrosodimethylamine	<		1.6	10	UG/L	1 UJ
SWB-3	3/2/2006	N-Nitrosodimethylamine	<		1.6	10	UG/L	1
SWB-3	6/2/2006	N-Nitrosodimethylamine	<		1.6	10	UG/L	1
SWB-3	9/5/2006	N-Nitrosodimethylamine	<		1.6	10	UG/L	1
SWB-3	9/5/2006	N-Nitrosodimethylamine	<		0.11	5	UG/L	1
SWB-3	12/4/2006	N-Nitrosodimethylamine	<		1.6	10	UG/L	1
SWB-3	12/4/2006	N-Nitrosodimethylamine	<		0.11	5	UG/L	1
SWB-3	3/1/2007	N-Nitrosodimethylamine	<		1.6	10	UG/L	1
SWB-3	3/1/2007	N-Nitrosodimethylamine	<		0.11	5	UG/L	1
SWB-3	6/1/2007	N-Nitrosodimethylamine	<		1.6	10	UG/L	1
SWB-3	6/1/2007	N-Nitrosodimethylamine	<		1.6	10	UG/L	1 R
SWB-3	6/1/2007	N-Nitrosodimethylamine	<		0.11	5	UG/L	1
SWB-3	12/3/2007	N-Nitrosodimethylamine	<		0.29	10	UG/L	1
SWB-3	12/3/2007	N-Nitrosodimethylamine	<		0.11	5	UG/L	1
SWB-3	3/6/2008	N-Nitrosodimethylamine	<		0.29	10	UG/L	1
SWB-3	3/6/2008	N-Nitrosodimethylamine	<		0.11	5	UG/L	1

tmpAnalyticalResultsOverTime

SWB-3	6/9/2008	N-Nitrosodimethylamine	<		0.29	10	UG/L	1
SWB-3	6/9/2008	N-Nitrosodimethylamine	<		0.11	5	UG/L	1
SWB-3	12/4/2008	N-Nitrosodimethylamine	<		0.29	10	UG/L	1
SWB-3	12/4/2008	N-Nitrosodimethylamine	<		0.11	5	UG/L	1
SWB-3	3/2/2009	N-Nitrosodimethylamine	<		0.29	10	UG/L	1 R
SWB-3	3/2/2009	N-Nitrosodimethylamine	<		0.11	5	UG/L	1
SWB-3	3/2/2009	N-Nitrosodimethylamine	<		0.11	5	UG/L	1 R
SWB-3	6/4/2009	N-Nitrosodimethylamine	<		0.29	10	UG/L	1 DNR
SWB-3	6/4/2009	N-Nitrosodimethylamine	<		0.11	5	UG/L	1 R
SWB-3	12/1/2009	N-Nitrosodimethylamine	<		0.29	10	UG/L	1 DNR
SWB-3	12/1/2009	N-Nitrosodimethylamine	<		0.11	5	UG/L	1
SWB-3	12/1/2009	N-Nitrosodimethylamine	<		0.11	5	UG/L	1 DNR
SWB-3	3/1/2010	N-Nitrosodimethylamine	<	9.7	0.28	9.7	ug/L	1 DNR
SWB-3	3/1/2010	N-Nitrosodimethylamine	<	4.9	0.11	4.9	ug/L	1
SWB-3	6/1/2010	N-NITROSODIMETHYLAMINE	<	0.11	0.11	4.8	UG/L	1
SWB-3	6/1/2010	N-NITROSODIMETHYLAMINE	<	0.27	0.27	9.4	UG/L	1 DNR
SWB-3	9/9/2010	N-NITROSODIMETHYLAMINE	<	0.1	0.1	4.7	UG/L	1
SWB-3	9/9/2010	N-NITROSODIMETHYLAMINE	<	0.27	0.27	9.3	UG/L	1 DNR
SWB-4	11/15/2002	N-Nitrosodimethylamine	<		2.1	10	ug/L	1
SWB-5	10/29/2002	N-Nitrosodimethylamine	<		2.1	10	ug/L	1
SWB-6	3/4/2003	N-Nitrosodimethylamine	<		2.1	10	ug/L	1
SWB-6	6/3/2003	N-Nitrosodimethylamine	<		2.1	10	ug/L	1
SWB-6	12/3/2003	N-Nitrosodimethylamine	<		0.8	10	ug/L	1
SWB-6	3/5/2004	N-Nitrosodimethylamine	<		0.8	10	ug/L	1
SWB-6	6/1/2004	N-Nitrosodimethylamine	<		0.8	10	ug/L	1
SWB-6	12/1/2004	N-Nitrosodimethylamine	<		0.8	10	ug/L	1
SWB-6	3/7/2005	N-Nitrosodimethylamine	<		1.6	10	ug/L	1
SWB-6	6/1/2005	N-Nitrosodimethylamine	<		1.6	10	ug/L	1
SWB-6	12/2/2005	N-Nitrosodimethylamine	<		1.6	10	UG/L	1 UJ
SWB-6	3/1/2006	N-Nitrosodimethylamine	<		1.6	10	UG/L	1
SWB-6	6/1/2006	N-Nitrosodimethylamine	<		1.6	10	UG/L	1
SWB-6	12/5/2006	N-Nitrosodimethylamine	<		1.6	10	UG/L	1
SWB-6	12/5/2006	N-Nitrosodimethylamine	<		0.11	5	UG/L	1
SWB-6	3/2/2007	N-Nitrosodimethylamine	<		1.6	10	UG/L	1
SWB-6	3/2/2007	N-Nitrosodimethylamine	<		0.11	5	UG/L	1
SWB-6	6/9/2008	N-Nitrosodimethylamine	<		0.29	10	UG/L	1
SWB-6	6/9/2008	N-Nitrosodimethylamine	<		0.11	5	UG/L	1
SWB-6	3/6/2008	N-Nitrosodimethylamine	<		0.29	10	UG/L	1
SWB-6	3/6/2008	N-Nitrosodimethylamine	<		0.11	5	UG/L	1
SWB-6	12/5/2008	N-Nitrosodimethylamine	<		0.29	10	UG/L	1
SWB-6	12/5/2008	N-Nitrosodimethylamine	<		0.29	10	UG/L	1 R
SWB-6	12/5/2008	N-Nitrosodimethylamine	<		0.11	5	UG/L	1 R
SWB-6	3/2/2009	N-Nitrosodimethylamine	<		0.29	10	UG/L	1 R
SWB-6	3/2/2009	N-Nitrosodimethylamine	<		0.11	5	UG/L	1
SWB-6	6/5/2009	N-Nitrosodimethylamine	<		0.29	10	UG/L	1 DNR
SWB-6	6/5/2009	N-Nitrosodimethylamine	<		0.11	5	UG/L	1 R
SWB-6	3/2/2010	N-Nitrosodimethylamine	<	9.1	0.26	9.1	UG/L	1 DNR
SWB-6	3/2/2010	N-Nitrosodimethylamine	<	4.6	0.1	4.6	UG/L	1
SWB-6	6/2/2010	N-NITROSODIMETHYLAMINE	<	0.1	0.1	4.7	UG/L	1 UJ
SWB-6	6/2/2010	N-NITROSODIMETHYLAMINE	<	0.11	0.11	5	UG/L	1 DNR
SWB-6	6/2/2010	N-NITROSODIMETHYLAMINE	<	0.27	0.27	9.4	UG/L	1 DNR
SWB-6	6/2/2010	N-NITROSODIMETHYLAMINE	<	0.28	0.28	9.5	UG/L	1 DNR
SWB-7	3/4/2003	N-Nitrosodimethylamine	<		2.1	10	ug/L	1
SWB-7	6/3/2003	N-Nitrosodimethylamine	<		2.1	10	ug/L	1
SWB-7	3/1/2004	N-Nitrosodimethylamine	<		0.8	10	ug/L	1
SWB-7	5/24/2004	N-Nitrosodimethylamine	<		0.8	10	ug/L	1
SWB-7	12/1/2004	N-Nitrosodimethylamine	<		0.8	10	ug/L	1

tmpAnalyticalResultsOverTime

SWB-7	3/7/2005	N-Nitrosodimethylamine	<	1.6	10	ug/L	1 UJ
SWB-7	6/1/2005	N-Nitrosodimethylamine	<	1.6	10	ug/L	1
SWB-7	9/1/2005	N-Nitrosodimethylamine	<	1.6	10	ug/L	1
SWB-7	12/1/2005	N-Nitrosodimethylamine	<	1.6	10	UG/L	1 UJ
SWB-7	3/1/2006	N-Nitrosodimethylamine	<	1.6	10	UG/L	1
SWB-7	6/2/2006	N-Nitrosodimethylamine	<	1.6	10	UG/L	1
SWB-7	9/5/2006	N-Nitrosodimethylamine	<	1.6	10	UG/L	1 UJ
SWB-7	9/5/2006	N-Nitrosodimethylamine	<	0.11	5	UG/L	1
SWB-7	12/5/2006	N-Nitrosodimethylamine	<	1.6	10	UG/L	1
SWB-7	12/5/2006	N-Nitrosodimethylamine	<	0.11	5	UG/L	1
SWB-7	3/2/2007	N-Nitrosodimethylamine	<	1.6	10	UG/L	1
SWB-7	3/2/2007	N-Nitrosodimethylamine	<	0.11	5	UG/L	1
SWB-7	6/1/2007	N-Nitrosodimethylamine	<	1.6	10	UG/L	1
SWB-7	6/1/2007	N-Nitrosodimethylamine	<	0.11	5	UG/L	1
SWB-7	9/7/2007	N-Nitrosodimethylamine	<	0.29	10	UG/L	1
SWB-7	9/7/2007	N-Nitrosodimethylamine	<	0.11	5	UG/L	1
SWB-7	12/3/2007	N-Nitrosodimethylamine	<	0.29	10	UG/L	1
SWB-7	12/3/2007	N-Nitrosodimethylamine	<	0.11	5	UG/L	1
SWB-7	3/6/2008	N-Nitrosodimethylamine	<	0.29	10	UG/L	1
SWB-7	3/6/2008	N-Nitrosodimethylamine	<	0.11	5	UG/L	1
SWB-7	6/6/2008	N-Nitrosodimethylamine	<	0.29	10	UG/L	1
SWB-7	6/6/2008	N-Nitrosodimethylamine	<	0.11	5	UG/L	1
SWB-7	9/8/2008	N-Nitrosodimethylamine	<	0.29	10	UG/L	1
SWB-7	9/8/2008	N-Nitrosodimethylamine	<	0.11	5	UG/L	1
SWB-7	12/5/2008	N-Nitrosodimethylamine	<	0.29	10	UG/L	1
SWB-7	12/5/2008	N-Nitrosodimethylamine	<	0.29	10	UG/L	1 R
SWB-7	12/5/2008	N-Nitrosodimethylamine	<	0.11	5	UG/L	1
SWB-7	12/5/2008	N-Nitrosodimethylamine	<	0.11	5	UG/L	1 R
SWB-7	3/2/2009	N-Nitrosodimethylamine	<	0.29	10	UG/L	1 R
SWB-7	3/2/2009	N-Nitrosodimethylamine	<	0.11	5	UG/L	1
SWB-7	6/5/2009	N-Nitrosodimethylamine	<	0.29	10	UG/L	1 DNR
SWB-7	6/5/2009	N-Nitrosodimethylamine	<	0.11	5	UG/L	1 R
SWB-7	9/9/2009	N-Nitrosodimethylamine	<	0.29	10	UG/L	1 DNR
SWB-7	9/9/2009	N-Nitrosodimethylamine	<	0.11	5	UG/L	1
SWB-7	12/1/2009	N-Nitrosodimethylamine	<	0.29	10	UG/L	1 DNR
SWB-7	12/1/2009	N-Nitrosodimethylamine	<	0.11	5	UG/L	1
SWB-7	3/2/2010	N-Nitrosodimethylamine	<	9.5	9.5	UG/L	1 DNR
SWB-7	3/2/2010	N-Nitrosodimethylamine	<	4.7	4.7	UG/L	1
SWB-7	6/1/2010	N-NITROSODIMETHYLAMINE	<	0.11	4.9	UG/L	1
SWB-7	6/1/2010	N-NITROSODIMETHYLAMINE	<	0.28	9.6	UG/L	1 DNR
SWB-7	6/1/2010	N-NITROSODIMETHYLAMINE	<	0.29	10	UG/L	1 DNR
SWB-7	9/9/2010	N-NITROSODIMETHYLAMINE	<	0.11	5	UG/L	1
SWB-7	9/9/2010	N-NITROSODIMETHYLAMINE	<	0.28	9.6	UG/L	1 DNR
SWB-7	12/1/2010	N-NITROSODIMETHYLAMINE	<	0.1	4.7	UG/L	1
SWB-7	12/1/2010	N-NITROSODIMETHYLAMINE	<	0.27	9.3	UG/L	1 DNR
SWB-8	3/5/2004	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
SWB-8	3/7/2005	N-Nitrosodimethylamine	<	1.6	10	ug/L	1
SWB-8	6/1/2005	N-Nitrosodimethylamine	<	1.6	10	ug/L	1
SWB-8	3/1/2006	N-Nitrosodimethylamine	<	1.6	10	UG/L	1
SWB-8	3/7/2008	N-Nitrosodimethylamine	<	0.29	10	UG/L	1
SWB-8	3/7/2008	N-Nitrosodimethylamine	<	0.11	5	UG/L	1
SWB-8	3/3/2009	N-Nitrosodimethylamine	<	0.29	10	UG/L	1 R
SWB-8	3/3/2009	N-Nitrosodimethylamine	<	0.11	5	UG/L	1
SWB-9	3/4/2003	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
SWB-9	12/3/2003	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
SWB-9	3/5/2004	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
SWB-9	5/27/2004	N-Nitrosodimethylamine	<	0.8	10	ug/L	1 UJ

tmpAnalyticalResultsOverTime

SWB-9	12/1/2004	N-Nitrosodimethylamine	<	0.8	10	ug/L	1		
SWB-9	3/3/2005	N-Nitrosodimethylamine	<	1.6	10	ug/L	1		
SWB-9	6/2/2005	N-Nitrosodimethylamine	<	1.6	10	ug/L	1		
SWB-9	9/1/2005	N-Nitrosodimethylamine	<	1.6	10	ug/L	1		
SWB-9	12/1/2005	N-Nitrosodimethylamine	<	1.6	10	UG/L	1	UJ	
SWB-9	3/2/2006	N-Nitrosodimethylamine	<	1.6	10	UG/L	1		
SWB-9	6/1/2006	N-Nitrosodimethylamine	<	1.6	10	UG/L	1		
SWB-9	12/4/2006	N-Nitrosodimethylamine	<	1.6	10	UG/L	1		
SWB-9	12/4/2006	N-Nitrosodimethylamine	<	0.11	5	UG/L	1		
SWB-9	3/5/2007	N-Nitrosodimethylamine	<	1.6	10	UG/L	1		
SWB-9	3/5/2007	N-Nitrosodimethylamine	<	0.11	5	UG/L	1		
SWB-9	3/6/2008	N-Nitrosodimethylamine	<	0.29	10	UG/L	1		
SWB-9	3/6/2008	N-Nitrosodimethylamine	<	0.11	5	UG/L	1		
SWB-9	6/5/2008	N-Nitrosodimethylamine	<	0.29	10	UG/L	1		
SWB-9	6/5/2008	N-Nitrosodimethylamine	<	0.11	5	UG/L	1		
SWB-9	6/5/2008	N-Nitrosodimethylamine	<	0.55	25	UG/L	5		
SWB-9	12/5/2008	N-Nitrosodimethylamine	<	0.29	10	UG/L	1		
SWB-9	12/5/2008	N-Nitrosodimethylamine	<	0.29	10	UG/L	1	R	
SWB-9	12/5/2008	N-Nitrosodimethylamine	<	0.11	5	UG/L	1		
SWB-9	12/5/2008	N-Nitrosodimethylamine	<	0.11	5	UG/L	1	R	
SWB-9	3/2/2009	N-Nitrosodimethylamine	<	0.29	10	UG/L	1	R	
SWB-9	3/2/2009	N-Nitrosodimethylamine	<	0.11	5	UG/L	1		
SWB-9	3/2/2009	N-Nitrosodimethylamine	<	0.11	5	UG/L	1	R	
SWB-9	6/2/2009	N-Nitrosodimethylamine	<	0.29	10	UG/L	1	DNR	
SWB-9	6/2/2009	N-Nitrosodimethylamine	<	0.11	5	UG/L	1	DNR	
SWB-9	6/2/2009	N-Nitrosodimethylamine	<	0.11	5	UG/L	1	R	
SWB-9	3/1/2010	N-Nitrosodimethylamine	<	9.2	0.27	9.2	ug/L	1	DNR
SWB-9	3/1/2010	N-Nitrosodimethylamine	<	4.7	0.1	4.7	ug/L	1	
SWB-9	6/1/2010	N-NITROSODIMETHYLAMINE	<	0.1	0.1	4.7	UG/L	1	
SWB-9	6/1/2010	N-NITROSODIMETHYLAMINE	<	0.27	0.27	9.4	UG/L	1	DNR
SWB-9	6/1/2010	N-NITROSODIMETHYLAMINE	<	0.27	0.27	9.5	UG/L	1	DNR
SWB-9	12/1/2010	N-NITROSODIMETHYLAMINE	<	0.1	0.1	4.8	UG/L	1	
SWB-9	12/1/2010	N-NITROSODIMETHYLAMINE	<	0.27	0.27	9.3	UG/L	1	DNR
SWB-10	3/4/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1		NA
SWB-10	5/24/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	UJ	
SWB-10	12/1/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1		
SWB-10	3/3/2005	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1		
SWB-10	6/2/2005	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1		
SWB-10	9/1/2005	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1		
SWB-10	3/2/2006	N-Nitrosodi-n-butylamine	<	2	10	UG/L	1		
SWB-10	6/2/2006	N-Nitrosodi-n-butylamine	<	2	10	UG/L	1		
SWB-10	3/1/2007	N-Nitrosodi-n-butylamine	<	2	10	UG/L	1		
SWB-10	3/7/2008	N-Nitrosodi-n-butylamine	<	1.2	10	UG/L	1		
SWB-10	6/5/2008	N-Nitrosodi-n-butylamine	<	1.2	10	UG/L	1		
SWB-10	3/2/2009	N-Nitrosodi-n-butylamine	<	1.2	10	UG/L	1		
SWB-10	3/2/2009	N-Nitrosodi-n-butylamine	<	1.2	10	UG/L	1	R	
SWB-10	6/4/2009	N-Nitrosodi-n-butylamine	<	1.2	10	UG/L	1		
SWB-10	3/2/2010	N-Nitrosodi-n-butylamine	<	9.3	1.1	9.3	UG/L	1	
SWB-11	3/4/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1		
SWB-11	5/24/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	UJ	
SWB-11	12/1/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1		
SWB-11	3/1/2005	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1		
SWB-11	6/2/2005	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1		
SWB-11	3/2/2006	N-Nitrosodi-n-butylamine	<	2	10	UG/L	1		
SWB-11	6/1/2006	N-Nitrosodi-n-butylamine	<	2	10	UG/L	1		
SWB-11	3/1/2007	N-Nitrosodi-n-butylamine	<	2	10	UG/L	1		
SWB-11	3/7/2008	N-Nitrosodi-n-butylamine	<	1.2	10	UG/L	1		

tmpAnalyticalResultsOverTime

SWB-11	6/5/2008	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-11	3/2/2009	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-11	6/4/2009	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-11	3/1/2010	N-Nitrosodi-n-butylamine	<	9.4	1.1	9.4	ug/L	1
SWB-11	6/2/2010	N-NITROSODI-n-BUTYLAMINE	<	1.2	1.2	9.5	UG/L	1
SWB-3	10/29/2002	N-Nitrosodi-n-butylamine	<		2.1	10	ug/L	1
SWB-3	3/4/2003	N-Nitrosodi-n-butylamine	<		2.1	10	ug/L	1
SWB-3	6/3/2003	N-Nitrosodi-n-butylamine	<		2.1	10	ug/L	1
SWB-3	9/4/2003	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1 UJ
SWB-3	12/2/2003	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-3	3/1/2004	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-3	6/1/2004	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-3	9/1/2004	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-3	12/1/2004	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-3	3/3/2005	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-3	6/2/2005	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-3	9/1/2005	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-3	12/1/2005	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1 UJ
SWB-3	3/2/2006	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1
SWB-3	6/2/2006	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1
SWB-3	9/5/2006	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1
SWB-3	12/4/2006	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1
SWB-3	3/1/2007	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1
SWB-3	6/1/2007	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1
SWB-3	6/1/2007	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1 R
SWB-3	12/3/2007	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1
SWB-3	3/6/2008	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-3	6/9/2008	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-3	12/4/2008	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-3	3/2/2009	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-3	3/2/2009	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1 R
SWB-3	6/4/2009	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-3	12/1/2009	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-3	12/1/2009	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1 DNR
SWB-3	3/1/2010	N-Nitrosodi-n-butylamine	<	9.7	1.2	9.7	ug/L	1 UJ
SWB-3	6/1/2010	N-NITROSODI-n-BUTYLAMINE	<	1.1	1.1	9.4	UG/L	1
SWB-3	6/1/2010	N-NITROSODI-n-BUTYLAMINE	<	1.1	1.1	9.4	UG/L	1 DNR
SWB-3	9/9/2010	N-NITROSODI-n-BUTYLAMINE	<	1.1	1.1	9.3	UG/L	1
SWB-4	11/15/2002	N-Nitrosodi-n-butylamine	<		2.1	10	ug/L	1
SWB-5	10/29/2002	N-Nitrosodi-n-butylamine	<		2.1	10	ug/L	1
SWB-6	3/4/2003	N-Nitrosodi-n-butylamine	<		2.1	10	ug/L	1
SWB-6	6/3/2003	N-Nitrosodi-n-butylamine	<		2.1	10	ug/L	1
SWB-6	12/3/2003	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-6	3/5/2004	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-6	6/1/2004	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-6	12/1/2004	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-6	3/7/2005	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-6	6/1/2005	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-6	12/2/2005	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1 UJ
SWB-6	3/1/2006	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1
SWB-6	6/1/2006	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1
SWB-6	12/5/2006	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1
SWB-6	3/2/2007	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1
SWB-6	6/9/2008	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-6	3/6/2008	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-6	12/5/2008	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-6	12/5/2008	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1 R

tmpAnalyticalResultsOverTime

SWB-6	3/2/2009	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-6	3/2/2009	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1 R
SWB-6	6/5/2009	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-6	3/2/2010	N-Nitrosodi-n-butylamine	<	9.1	1.1	9.1	UG/L	1
SWB-6	6/2/2010	N-NITROSODI-n-BUTYLAMINE	<	1.1	1.1	9.4	UG/L	1 DNR
SWB-6	6/2/2010	N-NITROSODI-n-BUTYLAMINE	<	1.2	1.2	9.5	UG/L	1
SWB-7	3/4/2003	N-Nitrosodi-n-butylamine	<		2.1	10	ug/L	1
SWB-7	6/3/2003	N-Nitrosodi-n-butylamine	<		2.1	10	ug/L	1
SWB-7	3/1/2004	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-7	5/24/2004	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-7	12/1/2004	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-7	3/7/2005	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1 UJ
SWB-7	6/1/2005	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-7	9/1/2005	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-7	12/1/2005	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1 UJ
SWB-7	3/1/2006	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1
SWB-7	6/2/2006	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1
SWB-7	9/5/2006	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1 UJ
SWB-7	12/5/2006	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1
SWB-7	3/2/2007	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1
SWB-7	6/1/2007	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1
SWB-7	9/7/2007	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1
SWB-7	12/3/2007	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1
SWB-7	3/6/2008	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-7	6/6/2008	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-7	9/8/2008	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-7	12/5/2008	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-7	12/5/2008	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1 R
SWB-7	3/2/2009	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-7	3/2/2009	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1 R
SWB-7	6/5/2009	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-7	9/9/2009	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-7	12/1/2009	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-7	3/2/2010	N-Nitrosodi-n-butylamine	<	9.5	1.2	9.5	UG/L	1
SWB-7	6/1/2010	N-NITROSODI-n-BUTYLAMINE	<	1.2	1.2	9.6	UG/L	1 DNR
SWB-7	6/1/2010	N-NITROSODI-n-BUTYLAMINE	<	1.2	1.2	10	UG/L	1 R
SWB-7	9/9/2010	N-NITROSODI-n-BUTYLAMINE	<	1.2	1.2	9.6	UG/L	1
SWB-7	12/1/2010	N-NITROSODI-n-BUTYLAMINE	<	1.1	1.1	9.3	UG/L	1
SWB-8	3/5/2004	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-8	3/7/2005	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-8	6/1/2005	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-8	3/1/2006	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1
SWB-8	3/7/2008	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-8	3/3/2009	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1
SWB-8	3/3/2009	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1 R
SWB-9	3/4/2003	N-Nitrosodi-n-butylamine	<		2.1	10	ug/L	1
SWB-9	12/3/2003	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-9	3/5/2004	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-9	5/27/2004	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1 UJ
SWB-9	12/1/2004	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-9	3/3/2005	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-9	6/2/2005	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-9	9/1/2005	N-Nitrosodi-n-butylamine	<		2	10	ug/L	1
SWB-9	12/1/2005	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1 UJ
SWB-9	3/2/2006	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1
SWB-9	6/1/2006	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1
SWB-9	12/4/2006	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	3/5/2007	N-Nitrosodi-n-butylamine	<		2	10	UG/L	1	
SWB-9	3/6/2008	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1	
SWB-9	6/5/2008	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1	
SWB-9	12/5/2008	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1	
SWB-9	12/5/2008	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1	R
SWB-9	3/2/2009	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1	
SWB-9	3/2/2009	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1	R
SWB-9	6/2/2009	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1	
SWB-9	6/2/2009	N-Nitrosodi-n-butylamine	<		1.2	10	UG/L	1	DNR
SWB-9	3/1/2010	N-Nitrosodi-n-butylamine	<	9.2	1.1	9.2	ug/L	1	
SWB-9	6/1/2010	N-NITROSODI-n-BUTYLAMINE	<	1.1	1.1	9.4	UG/L	1	DNR
SWB-9	6/1/2010	N-NITROSODI-n-BUTYLAMINE	<	1.2	1.2	9.5	UG/L	1	
SWB-9	12/1/2010	N-NITROSODI-n-BUTYLAMINE	<	1.1	1.1	9.3	UG/L	1	
SWB-10	3/4/2004	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1	NA
SWB-10	5/24/2004	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1	UJ
SWB-10	12/1/2004	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1	
SWB-10	3/3/2005	N-Nitrosodi-n-propylamine	<		1.4	10	ug/L	1	
SWB-10	6/2/2005	N-Nitrosodi-n-propylamine	<		1.4	10	ug/L	1	
SWB-10	9/1/2005	N-Nitrosodi-n-propylamine	<		1.4	10	ug/L	1	
SWB-10	3/2/2006	N-Nitrosodi-n-propylamine	<		1.4	10	UG/L	1	
SWB-10	6/2/2006	N-Nitrosodi-n-propylamine	<		5	10	UG/L	1	
SWB-10	3/1/2007	N-Nitrosodi-n-propylamine	<		5	10	UG/L	1	
SWB-10	3/7/2008	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-10	6/5/2008	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-10	3/2/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-10	3/2/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	R
SWB-10	6/4/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-10	3/2/2010	N-Nitrosodi-n-propylamine	<	9.3	0.33	9.3	UG/L	1	
SWB-11	3/4/2004	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1	
SWB-11	5/24/2004	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1	UJ
SWB-11	12/1/2004	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1	
SWB-11	3/1/2005	N-Nitrosodi-n-propylamine	<		1.4	10	ug/L	1	
SWB-11	6/2/2005	N-Nitrosodi-n-propylamine	<		1.4	10	ug/L	1	
SWB-11	3/2/2006	N-Nitrosodi-n-propylamine	<		1.4	10	UG/L	1	
SWB-11	6/1/2006	N-Nitrosodi-n-propylamine	<		5	10	UG/L	1	
SWB-11	3/1/2007	N-Nitrosodi-n-propylamine	<		5	10	UG/L	1	
SWB-11	3/7/2008	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-11	6/5/2008	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-11	3/2/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-11	6/4/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-11	3/1/2010	N-Nitrosodi-n-propylamine	<	9.4	0.33	9.4	ug/L	1	
SWB-11	6/2/2010	N-NITROSODI-n-PROPYLAMINE	<	0.33	0.33	9.5	UG/L	1	
SWB-3	10/29/2002	N-Nitrosodi-n-propylamine	<		1.6	10	ug/L	1	
SWB-3	3/4/2003	N-Nitrosodi-n-propylamine	<		1.6	10	ug/L	1	
SWB-3	6/3/2003	N-Nitrosodi-n-propylamine	<		1.6	10	ug/L	1	
SWB-3	9/4/2003	N-Nitrosodi-n-propylamine	<		1.6	10	ug/L	1	UJ
SWB-3	12/2/2003	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1	
SWB-3	3/1/2004	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1	
SWB-3	6/1/2004	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1	
SWB-3	9/1/2004	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1	
SWB-3	12/1/2004	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1	
SWB-3	3/3/2005	N-Nitrosodi-n-propylamine	<		1.4	10	ug/L	1	
SWB-3	6/2/2005	N-Nitrosodi-n-propylamine	<		1.4	10	ug/L	1	
SWB-3	9/1/2005	N-Nitrosodi-n-propylamine	<		1.4	10	ug/L	1	
SWB-3	12/1/2005	N-Nitrosodi-n-propylamine	<		1.4	10	UG/L	1	UJ
SWB-3	3/2/2006	N-Nitrosodi-n-propylamine	<		1.4	10	UG/L	1	
SWB-3	6/2/2006	N-Nitrosodi-n-propylamine	<		5	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	9/5/2006	N-Nitrosodi-n-propylamine	<		5	10	UG/L	1
SWB-3	12/4/2006	N-Nitrosodi-n-propylamine	<		5	10	UG/L	1
SWB-3	3/1/2007	N-Nitrosodi-n-propylamine	<		5	10	UG/L	1
SWB-3	6/1/2007	N-Nitrosodi-n-propylamine	<		5	10	UG/L	1
SWB-3	6/1/2007	N-Nitrosodi-n-propylamine	<		5	10	UG/L	1 R
SWB-3	12/3/2007	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1
SWB-3	3/6/2008	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1
SWB-3	6/9/2008	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1
SWB-3	12/4/2008	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1
SWB-3	3/2/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1
SWB-3	3/2/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1 R
SWB-3	6/4/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1
SWB-3	12/1/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1
SWB-3	12/1/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1 DNR
SWB-3	3/1/2010	N-Nitrosodi-n-propylamine	<	9.7	0.34	9.7	ug/L	1 UJ
SWB-3	6/1/2010	N-NITROSODI-n-PROPYLAMINE	<	0.33	0.33	9.4	UG/L	1 DNR
SWB-3	6/1/2010	N-NITROSODI-n-PROPYLAMINE	<	0.33	0.33	9.4	UG/L	1 UJ
SWB-3	9/9/2010	N-NITROSODI-n-PROPYLAMINE	<	0.33	0.33	9.3	UG/L	1
SWB-4	11/15/2002	N-Nitrosodi-n-propylamine	<		1.6	10	ug/L	1
SWB-5	10/29/2002	N-Nitrosodi-n-propylamine	<		1.6	10	ug/L	1
SWB-6	3/4/2003	N-Nitrosodi-n-propylamine	<		1.6	10	ug/L	1
SWB-6	6/3/2003	N-Nitrosodi-n-propylamine	<		1.6	10	ug/L	1
SWB-6	12/3/2003	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1
SWB-6	3/5/2004	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1
SWB-6	6/1/2004	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1
SWB-6	12/1/2004	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1
SWB-6	3/7/2005	N-Nitrosodi-n-propylamine	<		1.4	10	ug/L	1
SWB-6	6/1/2005	N-Nitrosodi-n-propylamine	<		1.4	10	ug/L	1
SWB-6	12/2/2005	N-Nitrosodi-n-propylamine	<		1.4	10	UG/L	1 UJ
SWB-6	3/1/2006	N-Nitrosodi-n-propylamine	<		1.4	10	UG/L	1
SWB-6	6/1/2006	N-Nitrosodi-n-propylamine	<		5	10	UG/L	1
SWB-6	12/5/2006	N-Nitrosodi-n-propylamine	<		5	10	UG/L	1
SWB-6	3/2/2007	N-Nitrosodi-n-propylamine	<		5	10	UG/L	1
SWB-6	6/9/2008	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1
SWB-6	3/6/2008	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1
SWB-6	12/5/2008	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1
SWB-6	12/5/2008	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1 R
SWB-6	3/2/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1
SWB-6	3/2/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1 R
SWB-6	6/5/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1
SWB-6	3/2/2010	N-Nitrosodi-n-propylamine	<	9.1	0.32	9.1	UG/L	1
SWB-6	6/2/2010	N-NITROSODI-n-PROPYLAMINE	<	0.33	0.33	9.4	UG/L	1 DNR
SWB-6	6/2/2010	N-NITROSODI-n-PROPYLAMINE	<	0.33	0.33	9.5	UG/L	1
SWB-7	3/4/2003	N-Nitrosodi-n-propylamine	<		1.6	10	ug/L	1
SWB-7	6/3/2003	N-Nitrosodi-n-propylamine	<		1.6	10	ug/L	1
SWB-7	3/1/2004	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1
SWB-7	5/24/2004	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1
SWB-7	12/1/2004	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1
SWB-7	3/7/2005	N-Nitrosodi-n-propylamine	<		1.4	10	ug/L	1 UJ
SWB-7	6/1/2005	N-Nitrosodi-n-propylamine	<		1.4	10	ug/L	1
SWB-7	9/1/2005	N-Nitrosodi-n-propylamine	<		1.4	10	ug/L	1
SWB-7	12/1/2005	N-Nitrosodi-n-propylamine	<		1.4	10	UG/L	1 UJ
SWB-7	3/1/2006	N-Nitrosodi-n-propylamine	<		1.4	10	UG/L	1
SWB-7	6/2/2006	N-Nitrosodi-n-propylamine	<		5	10	UG/L	1
SWB-7	9/5/2006	N-Nitrosodi-n-propylamine	<		5	10	UG/L	1 UJ
SWB-7	12/5/2006	N-Nitrosodi-n-propylamine	<		5	10	UG/L	1
SWB-7	3/2/2007	N-Nitrosodi-n-propylamine	<		5	10	UG/L	1



tmpAnalyticalResultsOverTime

SWB-7	6/1/2007	N-Nitrosodi-n-propylamine	<		5	10	UG/L	1	
SWB-7	9/7/2007	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-7	12/3/2007	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-7	3/6/2008	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-7	6/6/2008	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-7	9/8/2008	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-7	12/5/2008	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-7	12/5/2008	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	R
SWB-7	3/2/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-7	3/2/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	R
SWB-7	6/5/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-7	9/9/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-7	12/1/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-7	3/2/2010	N-Nitrosodi-n-propylamine	<	9.5	0.33	9.5	UG/L	1	
SWB-7	6/1/2010	N-NITROSODI-n-PROPYLAMINE	<	0.33	0.33	9.6	UG/L	1	DNR
SWB-7	6/1/2010	N-NITROSODI-n-PROPYLAMINE	<	0.35	0.35	10	UG/L	1	R
SWB-7	9/9/2010	N-NITROSODI-n-PROPYLAMINE	<	0.34	0.34	9.6	UG/L	1	
SWB-7	12/1/2010	N-NITROSODI-n-PROPYLAMINE	<	0.33	0.33	9.3	UG/L	1	
SWB-8	3/5/2004	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1	
SWB-8	3/7/2005	N-Nitrosodi-n-propylamine	<		1.4	10	ug/L	1	
SWB-8	6/1/2005	N-Nitrosodi-n-propylamine	<		1.4	10	ug/L	1	
SWB-8	3/1/2006	N-Nitrosodi-n-propylamine	<		1.4	10	UG/L	1	
SWB-8	3/7/2008	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-8	3/3/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-8	3/3/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	R
SWB-9	3/4/2003	N-Nitrosodi-n-propylamine	<		1.6	10	ug/L	1	
SWB-9	12/3/2003	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1	
SWB-9	3/5/2004	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1	
SWB-9	5/27/2004	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1	UJ
SWB-9	12/1/2004	N-Nitrosodi-n-propylamine	<		0.7	10	ug/L	1	
SWB-9	3/3/2005	N-Nitrosodi-n-propylamine	<		1.4	10	ug/L	1	
SWB-9	6/2/2005	N-Nitrosodi-n-propylamine	<		1.4	10	ug/L	1	
SWB-9	9/1/2005	N-Nitrosodi-n-propylamine	<		1.4	10	ug/L	1	
SWB-9	12/1/2005	N-Nitrosodi-n-propylamine	<		1.4	10	UG/L	1	UJ
SWB-9	3/2/2006	N-Nitrosodi-n-propylamine	<		1.4	10	UG/L	1	
SWB-9	6/1/2006	N-Nitrosodi-n-propylamine	<		5	10	UG/L	1	
SWB-9	12/4/2006	N-Nitrosodi-n-propylamine	<		5	10	UG/L	1	
SWB-9	3/5/2007	N-Nitrosodi-n-propylamine	<		5	10	UG/L	1	
SWB-9	3/6/2008	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-9	6/5/2008	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-9	12/5/2008	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-9	12/5/2008	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	R
SWB-9	3/2/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-9	3/2/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	R
SWB-9	6/2/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	
SWB-9	6/2/2009	N-Nitrosodi-n-propylamine	<		0.35	10	UG/L	1	DNR
SWB-9	3/1/2010	N-Nitrosodi-n-propylamine	<	9.2	0.32	9.2	ug/L	1	
SWB-9	6/1/2010	N-NITROSODI-n-PROPYLAMINE	<	0.33	0.33	9.4	UG/L	1	DNR
SWB-9	6/1/2010	N-NITROSODI-n-PROPYLAMINE	<	0.33	0.33	9.5	UG/L	1	
SWB-9	12/1/2010	N-NITROSODI-n-PROPYLAMINE	<	0.33	0.33	9.3	UG/L	1	
SWB-10	3/4/2004	N-Nitrosodiphenylamine	<		1	10	ug/L	1	NA
SWB-10	5/24/2004	N-Nitrosodiphenylamine	<		1	10	ug/L	1	UJ
SWB-10	12/1/2004	N-Nitrosodiphenylamine	<		1	10	ug/L	1	
SWB-10	3/3/2005	N-Nitrosodiphenylamine	<		2.6	10	ug/L	1	
SWB-10	6/2/2005	N-Nitrosodiphenylamine	<		2.6	10	ug/L	1	
SWB-10	9/1/2005	N-Nitrosodiphenylamine	<		2.6	10	ug/L	1	
SWB-10	3/2/2006	N-Nitrosodiphenylamine	<		2.6	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-10	6/2/2006	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-10	3/1/2007	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-10	3/7/2008	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-10	6/5/2008	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-10	3/2/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-10	3/2/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1 R
SWB-10	6/4/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-10	3/2/2010	N-Nitrosodiphenylamine	<	9.3	9.3	UG/L	1 UJ
SWB-11	3/4/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1
SWB-11	5/24/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1 UJ
SWB-11	12/1/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1
SWB-11	3/1/2005	N-Nitrosodiphenylamine	<	2.6	10	ug/L	1
SWB-11	6/2/2005	N-Nitrosodiphenylamine	<	2.6	10	ug/L	1
SWB-11	3/2/2006	N-Nitrosodiphenylamine	<	2.6	10	UG/L	1
SWB-11	6/1/2006	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-11	3/1/2007	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-11	3/7/2008	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-11	6/5/2008	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-11	3/2/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-11	6/4/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-11	3/1/2010	N-Nitrosodiphenylamine	<	9.4	9.4	ug/L	1 UJ
SWB-11	6/2/2010	N-NITROSODIPHENYLAMINE	<	0.42	9.5	UG/L	1 UJ
SWB-3	10/29/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1
SWB-3	3/4/2003	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1
SWB-3	6/3/2003	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1
SWB-3	9/4/2003	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1 UJ
SWB-3	12/2/2003	N-Nitrosodiphenylamine	<	1	10	ug/L	1
SWB-3	3/1/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1
SWB-3	6/1/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1
SWB-3	9/1/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1
SWB-3	12/1/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1
SWB-3	3/3/2005	N-Nitrosodiphenylamine	<	2.6	10	ug/L	1
SWB-3	6/2/2005	N-Nitrosodiphenylamine	<	2.6	10	ug/L	1
SWB-3	9/1/2005	N-Nitrosodiphenylamine	<	2.6	10	ug/L	1
SWB-3	12/1/2005	N-Nitrosodiphenylamine	<	2.6	10	UG/L	1 UJ
SWB-3	3/2/2006	N-Nitrosodiphenylamine	<	2.6	10	UG/L	1
SWB-3	6/2/2006	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-3	9/5/2006	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-3	12/4/2006	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-3	3/1/2007	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-3	6/1/2007	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-3	6/1/2007	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1 R
SWB-3	12/3/2007	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-3	3/6/2008	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-3	6/9/2008	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-3	12/4/2008	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-3	3/2/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-3	3/2/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1 R
SWB-3	6/4/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1 UJ
SWB-3	12/1/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-3	12/1/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1 DNR
SWB-3	3/1/2010	N-Nitrosodiphenylamine	<	9.7	9.7	ug/L	1 UJ
SWB-3	6/1/2010	N-NITROSODIPHENYLAMINE	<	0.41	9.4	UG/L	1
SWB-3	6/1/2010	N-NITROSODIPHENYLAMINE	<	0.41	9.4	UG/L	1 DNR
SWB-3	9/9/2010	N-NITROSODIPHENYLAMINE	<	0.41	9.3	UG/L	1
SWB-4	11/15/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1
SWB-5	10/29/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	3/4/2003	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
SWB-6	6/3/2003	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
SWB-6	12/3/2003	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
SWB-6	3/5/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
SWB-6	6/1/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
SWB-6	12/1/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
SWB-6	3/7/2005	N-Nitrosodiphenylamine	<	2.6	10	ug/L	1	
SWB-6	6/1/2005	N-Nitrosodiphenylamine	<	2.6	10	ug/L	1	
SWB-6	12/2/2005	N-Nitrosodiphenylamine	<	2.6	10	UG/L	1 UJ	
SWB-6	3/1/2006	N-Nitrosodiphenylamine	<	2.6	10	UG/L	1	
SWB-6	6/1/2006	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1	
SWB-6	12/5/2006	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1	
SWB-6	3/2/2007	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1	
SWB-6	6/9/2008	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1	
SWB-6	3/6/2008	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1	
SWB-6	12/5/2008	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1 R	
SWB-6	12/5/2008	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1 UJ	
SWB-6	3/2/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1	
SWB-6	3/2/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1 R	
SWB-6	6/5/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1	
SWB-6	3/2/2010	N-Nitrosodiphenylamine	<	9.1	0.4	9.1	UG/L	1 UJ
SWB-6	6/2/2010	N-NITROSODIPHENYLAMINE	<	0.41	0.41	9.4	UG/L	1 DNR
SWB-6	6/2/2010	N-NITROSODIPHENYLAMINE	<	0.42	0.42	9.5	UG/L	1 UJ
SWB-7	3/4/2003	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
SWB-7	6/3/2003	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
SWB-7	3/1/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
SWB-7	5/24/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
SWB-7	12/1/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
SWB-7	3/7/2005	N-Nitrosodiphenylamine	<	2.6	10	ug/L	1 UJ	
SWB-7	6/1/2005	N-Nitrosodiphenylamine	<	2.6	10	ug/L	1	
SWB-7	9/1/2005	N-Nitrosodiphenylamine	<	2.6	10	ug/L	1	
SWB-7	12/1/2005	N-Nitrosodiphenylamine	<	2.6	10	UG/L	1 UJ	
SWB-7	3/1/2006	N-Nitrosodiphenylamine	<	2.6	10	UG/L	1	
SWB-7	6/2/2006	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1	
SWB-7	9/5/2006	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1 UJ	
SWB-7	12/5/2006	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1	
SWB-7	3/2/2007	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1	
SWB-7	6/1/2007	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1	
SWB-7	9/7/2007	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1	
SWB-7	12/3/2007	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1	
SWB-7	3/6/2008	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1	
SWB-7	6/6/2008	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1	
SWB-7	9/8/2008	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1	
SWB-7	12/5/2008	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1 R	
SWB-7	12/5/2008	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1 UJ	
SWB-7	3/2/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1	
SWB-7	3/2/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1 R	
SWB-7	6/5/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1	
SWB-7	9/9/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1	
SWB-7	12/1/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1	
SWB-7	3/2/2010	N-Nitrosodiphenylamine	<	9.5	0.42	9.5	UG/L	1 UJ
SWB-7	6/1/2010	N-NITROSODIPHENYLAMINE	<	0.42	0.42	9.6	UG/L	1 DNR
SWB-7	6/1/2010	N-NITROSODIPHENYLAMINE	<	0.44	0.44	10	UG/L	1 R
SWB-7	9/9/2010	N-NITROSODIPHENYLAMINE	<	0.42	0.42	9.6	UG/L	1
SWB-7	12/1/2010	N-NITROSODIPHENYLAMINE	<	0.41	0.41	9.3	UG/L	1
SWB-8	3/5/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
SWB-8	3/7/2005	N-Nitrosodiphenylamine	<	2.6	10	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-8	6/1/2005	N-Nitrosodiphenylamine	<	2.6	10	ug/L	1
SWB-8	3/1/2006	N-Nitrosodiphenylamine	<	2.6	10	UG/L	1
SWB-8	3/7/2008	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-8	3/3/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-8	3/3/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1 R
SWB-9	3/4/2003	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1
SWB-9	12/3/2003	N-Nitrosodiphenylamine	<	1	10	ug/L	1
SWB-9	3/5/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1
SWB-9	5/27/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1 UJ
SWB-9	12/1/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1
SWB-9	3/3/2005	N-Nitrosodiphenylamine	<	2.6	10	ug/L	1
SWB-9	6/2/2005	N-Nitrosodiphenylamine	<	2.6	10	ug/L	1
SWB-9	9/1/2005	N-Nitrosodiphenylamine	<	2.6	10	ug/L	1
SWB-9	12/1/2005	N-Nitrosodiphenylamine	<	2.6	10	UG/L	1 UJ
SWB-9	3/2/2006	N-Nitrosodiphenylamine	<	2.6	10	UG/L	1
SWB-9	6/1/2006	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-9	12/4/2006	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-9	3/5/2007	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-9	3/6/2008	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-9	6/5/2008	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-9	12/5/2008	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1 R
SWB-9	12/5/2008	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1 UJ
SWB-9	3/2/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-9	3/2/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1 R
SWB-9	6/2/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1
SWB-9	6/2/2009	N-Nitrosodiphenylamine	<	0.44	10	UG/L	1 DNR
SWB-9	3/1/2010	N-Nitrosodiphenylamine	<	9.2	9.2	ug/L	1 UJ
SWB-9	6/1/2010	N-NITROSODIPHENYLAMINE	<	0.41	9.4	UG/L	1 DNR
SWB-9	6/1/2010	N-NITROSODIPHENYLAMINE	<	0.42	9.5	UG/L	1 UJ
SWB-9	12/1/2010	N-NITROSODIPHENYLAMINE	<	0.41	9.3	UG/L	1
SWB-10	3/4/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1
SWB-10	5/24/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1 UJ
SWB-10	12/1/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1
SWB-10	3/3/2005	N-Nitrosomethylethylamine	<	2	10	ug/L	1
SWB-10	6/2/2005	N-Nitrosomethylethylamine	<	2	10	ug/L	1
SWB-10	9/1/2005	N-Nitrosomethylethylamine	<	2	10	ug/L	1
SWB-10	3/2/2006	N-Nitrosomethylethylamine	<	2	10	UG/L	1
SWB-10	6/2/2006	N-Nitrosomethylethylamine	<	0.96	10	UG/L	1
SWB-10	3/1/2007	N-Nitrosomethylethylamine	<	0.96	10	UG/L	1
SWB-10	3/7/2008	N-Nitrosomethylethylamine	<	1.8	10	UG/L	1
SWB-10	6/5/2008	N-Nitrosomethylethylamine	<	1.8	10	UG/L	1
SWB-10	3/2/2009	N-Nitrosomethylethylamine	<	1.8	10	UG/L	1
SWB-10	3/2/2009	N-Nitrosomethylethylamine	<	1.8	10	UG/L	1 R
SWB-10	6/4/2009	N-Nitrosomethylethylamine	<	1.8	10	UG/L	1
SWB-10	3/2/2010	N-Nitrosomethylethylamine	<	9.3	9.3	UG/L	1
SWB-11	3/4/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1
SWB-11	5/24/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1 UJ
SWB-11	12/1/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1
SWB-11	3/1/2005	N-Nitrosomethylethylamine	<	2	10	ug/L	1
SWB-11	6/2/2005	N-Nitrosomethylethylamine	<	2	10	ug/L	1
SWB-11	3/2/2006	N-Nitrosomethylethylamine	<	2	10	UG/L	1
SWB-11	6/1/2006	N-Nitrosomethylethylamine	<	0.96	10	UG/L	1
SWB-11	3/1/2007	N-Nitrosomethylethylamine	<	0.96	10	UG/L	1
SWB-11	3/7/2008	N-Nitrosomethylethylamine	<	1.8	10	UG/L	1
SWB-11	6/5/2008	N-Nitrosomethylethylamine	<	1.8	10	UG/L	1
SWB-11	3/2/2009	N-Nitrosomethylethylamine	<	1.8	10	UG/L	1
SWB-11	6/4/2009	N-Nitrosomethylethylamine	<	1.8	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-11	3/1/2010	N-Nitrosomethylethylamine	<	9.4	1.6	9.4	ug/L	1
SWB-11	6/2/2010	N-NITROSOMETHYLETHYLAMINE	<	1.7	1.7	9.5	UG/L	1
SWB-3	10/29/2002	N-Nitrosomethylethylamine	<		2.3	10	ug/L	1
SWB-3	3/4/2003	N-Nitrosomethylethylamine	<		2.3	10	ug/L	1
SWB-3	6/3/2003	N-Nitrosomethylethylamine	<		2.3	10	ug/L	1
SWB-3	9/4/2003	N-Nitrosomethylethylamine	<		2	10	ug/L	1 UJ
SWB-3	12/2/2003	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-3	3/1/2004	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-3	6/1/2004	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-3	9/1/2004	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-3	12/1/2004	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-3	3/3/2005	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-3	6/2/2005	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-3	9/1/2005	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-3	12/1/2005	N-Nitrosomethylethylamine	<		2	10	UG/L	1 UJ
SWB-3	3/2/2006	N-Nitrosomethylethylamine	<		2	10	UG/L	1
SWB-3	6/2/2006	N-Nitrosomethylethylamine	<		0.96	10	UG/L	1
SWB-3	9/5/2006	N-Nitrosomethylethylamine	<		0.96	10	UG/L	1
SWB-3	12/4/2006	N-Nitrosomethylethylamine	<		0.96	10	UG/L	1
SWB-3	3/1/2007	N-Nitrosomethylethylamine	<		0.96	10	UG/L	1
SWB-3	6/1/2007	N-Nitrosomethylethylamine	<		0.96	10	UG/L	1
SWB-3	6/1/2007	N-Nitrosomethylethylamine	<		0.96	10	UG/L	1 R
SWB-3	12/3/2007	N-Nitrosomethylethylamine	<		0.96	10	UG/L	1
SWB-3	3/6/2008	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1
SWB-3	6/9/2008	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1
SWB-3	12/4/2008	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1
SWB-3	3/2/2009	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1
SWB-3	3/2/2009	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1 R
SWB-3	6/4/2009	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1
SWB-3	12/1/2009	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1
SWB-3	12/1/2009	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1 DNR
SWB-3	3/1/2010	N-Nitrosomethylethylamine	<	9.7	1.7	9.7	ug/L	1 UJ
SWB-3	6/1/2010	N-NITROSOMETHYLETHYLAMINE	<	1.6	1.6	9.4	UG/L	1
SWB-3	6/1/2010	N-NITROSOMETHYLETHYLAMINE	<	1.7	1.7	9.4	UG/L	1 DNR
SWB-3	9/9/2010	N-NITROSOMETHYLETHYLAMINE	<	1.6	1.6	9.3	UG/L	1
SWB-4	11/15/2002	N-Nitrosomethylethylamine	<		2.3	10	ug/L	1
SWB-5	10/29/2002	N-Nitrosomethylethylamine	<		2.3	10	ug/L	1
SWB-6	3/4/2003	N-Nitrosomethylethylamine	<		2.3	10	ug/L	1
SWB-6	6/3/2003	N-Nitrosomethylethylamine	<		2.3	10	ug/L	1
SWB-6	12/3/2003	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-6	3/5/2004	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-6	6/1/2004	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-6	12/1/2004	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-6	3/7/2005	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-6	6/1/2005	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-6	12/2/2005	N-Nitrosomethylethylamine	<		2	10	UG/L	1 UJ
SWB-6	3/1/2006	N-Nitrosomethylethylamine	<		2	10	UG/L	1
SWB-6	6/1/2006	N-Nitrosomethylethylamine	<		0.96	10	UG/L	1
SWB-6	12/5/2006	N-Nitrosomethylethylamine	<		0.96	10	UG/L	1
SWB-6	3/2/2007	N-Nitrosomethylethylamine	<		0.96	10	UG/L	1
SWB-6	6/9/2008	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1
SWB-6	3/6/2008	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1
SWB-6	12/5/2008	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1
SWB-6	12/5/2008	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1 R
SWB-6	3/2/2009	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1
SWB-6	3/2/2009	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1 R
SWB-6	6/5/2009	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	3/2/2010	N-Nitrosomethylethylamine	<	9.1	1.6	9.1	UG/L	1
SWB-6	6/2/2010	N-NITROSOMETHYLETHYLAMINE	<	1.7	1.7	9.4	UG/L	1 DNR
SWB-6	6/2/2010	N-NITROSOMETHYLETHYLAMINE	<	1.7	1.7	9.5	UG/L	1
SWB-7	3/4/2003	N-Nitrosomethylethylamine	<		2.3	10	ug/L	1
SWB-7	6/3/2003	N-Nitrosomethylethylamine	<		2.3	10	ug/L	1
SWB-7	3/1/2004	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-7	5/24/2004	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-7	12/1/2004	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-7	3/7/2005	N-Nitrosomethylethylamine	<		2	10	ug/L	1 UJ
SWB-7	6/1/2005	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-7	9/1/2005	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-7	12/1/2005	N-Nitrosomethylethylamine	<		2	10	UG/L	1 UJ
SWB-7	3/1/2006	N-Nitrosomethylethylamine	<		2	10	UG/L	1
SWB-7	6/2/2006	N-Nitrosomethylethylamine	<		0.96	10	UG/L	1
SWB-7	9/5/2006	N-Nitrosomethylethylamine	<		0.96	10	UG/L	1 UJ
SWB-7	12/5/2006	N-Nitrosomethylethylamine	<		0.96	10	UG/L	1
SWB-7	3/2/2007	N-Nitrosomethylethylamine	<		0.96	10	UG/L	1
SWB-7	6/1/2007	N-Nitrosomethylethylamine	<		0.96	10	UG/L	1
SWB-7	9/7/2007	N-Nitrosomethylethylamine	<		0.96	10	UG/L	1
SWB-7	12/3/2007	N-Nitrosomethylethylamine	<		0.96	10	UG/L	1
SWB-7	3/6/2008	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1
SWB-7	6/6/2008	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1
SWB-7	9/8/2008	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1
SWB-7	12/5/2008	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1
SWB-7	12/5/2008	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1 R
SWB-7	3/2/2009	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1
SWB-7	3/2/2009	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1 R
SWB-7	6/5/2009	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1
SWB-7	9/9/2009	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1
SWB-7	12/1/2009	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1
SWB-7	3/2/2010	N-Nitrosomethylethylamine	<	9.5	1.7	9.5	UG/L	1
SWB-7	6/1/2010	N-NITROSOMETHYLETHYLAMINE	<	1.7	1.7	9.6	UG/L	1 DNR
SWB-7	6/1/2010	N-NITROSOMETHYLETHYLAMINE	<	1.8	1.8	10	UG/L	1 R
SWB-7	9/9/2010	N-NITROSOMETHYLETHYLAMINE	<	1.7	1.7	9.6	UG/L	1
SWB-7	12/1/2010	N-NITROSOMETHYLETHYLAMINE	<	1.6	1.6	9.3	UG/L	1
SWB-8	3/5/2004	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-8	3/7/2005	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-8	6/1/2005	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-8	3/1/2006	N-Nitrosomethylethylamine	<		2	10	UG/L	1
SWB-8	3/7/2008	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1
SWB-8	3/3/2009	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1
SWB-8	3/3/2009	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1 R
SWB-9	3/4/2003	N-Nitrosomethylethylamine	<		2.3	10	ug/L	1
SWB-9	12/3/2003	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-9	3/5/2004	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-9	5/27/2004	N-Nitrosomethylethylamine	<		2	10	ug/L	1 UJ
SWB-9	12/1/2004	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-9	3/3/2005	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-9	6/2/2005	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-9	9/1/2005	N-Nitrosomethylethylamine	<		2	10	ug/L	1
SWB-9	12/1/2005	N-Nitrosomethylethylamine	<		2	10	UG/L	1 UJ
SWB-9	3/2/2006	N-Nitrosomethylethylamine	<		2	10	UG/L	1
SWB-9	6/1/2006	N-Nitrosomethylethylamine	<		0.96	10	UG/L	1
SWB-9	12/4/2006	N-Nitrosomethylethylamine	<		0.96	10	UG/L	1
SWB-9	3/5/2007	N-Nitrosomethylethylamine	<		0.96	10	UG/L	1
SWB-9	3/6/2008	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1
SWB-9	6/5/2008	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	12/5/2008	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1	
SWB-9	12/5/2008	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1 R	
SWB-9	3/2/2009	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1	
SWB-9	3/2/2009	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1 R	
SWB-9	6/2/2009	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1	
SWB-9	6/2/2009	N-Nitrosomethylethylamine	<		1.8	10	UG/L	1 DNR	
SWB-9	3/1/2010	N-Nitrosomethylethylamine	<	9.2	1.6	9.2	ug/L	1	
SWB-9	6/1/2010	N-NITROSOMETHYLETHYLAMINE	<	1.7	1.7	9.4	UG/L	1 DNR	
SWB-9	6/1/2010	N-NITROSOMETHYLETHYLAMINE	<	1.7	1.7	9.5	UG/L	1	
SWB-9	12/1/2010	N-NITROSOMETHYLETHYLAMINE	<	1.6	1.6	9.3	UG/L	1	
SWB-10	3/4/2004	N-Nitrosomorpholine	<		2	10	ug/L	1	NA
SWB-10	5/24/2004	N-Nitrosomorpholine	<		2	10	ug/L	1 UJ	
SWB-10	12/1/2004	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-10	3/3/2005	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-10	6/2/2005	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-10	9/1/2005	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-10	3/2/2006	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-10	6/2/2006	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-10	3/1/2007	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-10	3/7/2008	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-10	6/5/2008	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-10	3/2/2009	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-10	3/2/2009	N-Nitrosomorpholine	<		2	10	UG/L	1 R	
SWB-10	6/4/2009	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-10	3/2/2010	N-Nitrosomorpholine	<	9.3	1.9	9.3	UG/L	1	
SWB-11	3/4/2004	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-11	5/24/2004	N-Nitrosomorpholine	<		2	10	ug/L	1 UJ	
SWB-11	12/1/2004	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-11	3/1/2005	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-11	6/2/2005	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-11	3/2/2006	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-11	6/1/2006	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-11	3/1/2007	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-11	3/7/2008	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-11	6/5/2008	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-11	3/2/2009	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-11	6/4/2009	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-11	3/1/2010	N-Nitrosomorpholine	<	9.4	1.9	9.4	ug/L	1	
SWB-11	6/2/2010	N-NITROSOMORPHOLINE	<	1.9	1.9	9.5	UG/L	1	
SWB-3	10/29/2002	N-Nitrosomorpholine	<		2.4	10	ug/L	1	
SWB-3	3/4/2003	N-Nitrosomorpholine	<		2.4	10	ug/L	1	
SWB-3	6/3/2003	N-Nitrosomorpholine	<		2.4	10	ug/L	1	
SWB-3	9/4/2003	N-Nitrosomorpholine	<		2	10	ug/L	1 UJ	
SWB-3	12/2/2003	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-3	3/1/2004	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-3	6/1/2004	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-3	9/1/2004	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-3	12/1/2004	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-3	3/3/2005	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-3	6/2/2005	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-3	9/1/2005	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-3	12/1/2005	N-Nitrosomorpholine	<		2	10	UG/L	1 UJ	
SWB-3	3/2/2006	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-3	6/2/2006	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-3	9/5/2006	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-3	12/4/2006	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-3	3/1/2007	N-Nitrosomorpholine	<		2	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	6/1/2007	N-Nitrosomorpholine	<		2	10	UG/L	1
SWB-3	6/1/2007	N-Nitrosomorpholine	<		2	10	UG/L	1 R
SWB-3	12/3/2007	N-Nitrosomorpholine	<		2	10	UG/L	1
SWB-3	3/6/2008	N-Nitrosomorpholine	<		2	10	UG/L	1
SWB-3	6/9/2008	N-Nitrosomorpholine	<		2	10	UG/L	1
SWB-3	12/4/2008	N-Nitrosomorpholine	<		2	10	UG/L	1
SWB-3	3/2/2009	N-Nitrosomorpholine	<		2	10	UG/L	1
SWB-3	3/2/2009	N-Nitrosomorpholine	<		2	10	UG/L	1 R
SWB-3	6/4/2009	N-Nitrosomorpholine	<		2	10	UG/L	1
SWB-3	12/1/2009	N-Nitrosomorpholine	<		2	10	UG/L	1
SWB-3	12/1/2009	N-Nitrosomorpholine	<		2	10	UG/L	1 DNR
SWB-3	3/1/2010	N-Nitrosomorpholine	<	9.7	1.9	9.7	ug/L	1 UJ
SWB-3	6/1/2010	N-NITROSOMORPHOLINE	<	1.9	1.9	9.4	UG/L	1
SWB-3	6/1/2010	N-NITROSOMORPHOLINE	<	1.9	1.9	9.4	UG/L	1 DNR
SWB-3	9/9/2010	N-NITROSOMORPHOLINE	<	1.9	1.9	9.3	UG/L	1
SWB-4	11/15/2002	N-Nitrosomorpholine	<		2.4	10	ug/L	1
SWB-5	10/29/2002	N-Nitrosomorpholine	<		2.4	10	ug/L	1
SWB-6	3/4/2003	N-Nitrosomorpholine	<		2.4	10	ug/L	1
SWB-6	6/3/2003	N-Nitrosomorpholine	<		2.4	10	ug/L	1
SWB-6	12/3/2003	N-Nitrosomorpholine	<		2	10	ug/L	1
SWB-6	3/5/2004	N-Nitrosomorpholine	<		2	10	ug/L	1
SWB-6	6/1/2004	N-Nitrosomorpholine	<		2	10	ug/L	1
SWB-6	12/1/2004	N-Nitrosomorpholine	<		2	10	ug/L	1
SWB-6	3/7/2005	N-Nitrosomorpholine	<		2	10	ug/L	1
SWB-6	6/1/2005	N-Nitrosomorpholine	<		2	10	ug/L	1
SWB-6	12/2/2005	N-Nitrosomorpholine	<		2	10	UG/L	1 UJ
SWB-6	3/1/2006	N-Nitrosomorpholine	<		2	10	UG/L	1
SWB-6	6/1/2006	N-Nitrosomorpholine	<		2	10	UG/L	1
SWB-6	12/5/2006	N-Nitrosomorpholine	TR	4.2	2	10	UG/L	1 J
SWB-6	3/2/2007	N-Nitrosomorpholine	<		2	10	UG/L	1
SWB-6	6/9/2008	N-Nitrosomorpholine	TR	2.8	2	10	UG/L	1 J
SWB-6	3/6/2008	N-Nitrosomorpholine	<		2	10	UG/L	1
SWB-6	12/5/2008	N-Nitrosomorpholine	TR	2.7	2	10	UG/L	1 J
SWB-6	12/5/2008	N-Nitrosomorpholine	TR	3.5	2	10	UG/L	1 R
SWB-6	3/2/2009	N-Nitrosomorpholine	<		2	10	UG/L	1
SWB-6	3/2/2009	N-Nitrosomorpholine	<		2	10	UG/L	1 R
SWB-6	6/5/2009	N-Nitrosomorpholine	<		2	10	UG/L	1
SWB-6	3/2/2010	N-Nitrosomorpholine	<	9.1	1.8	9.1	UG/L	1
SWB-6	6/2/2010	N-NITROSOMORPHOLINE	<	1.9	1.9	9.4	UG/L	1 DNR
SWB-6	6/2/2010	N-NITROSOMORPHOLINE	<	1.9	1.9	9.5	UG/L	1
SWB-7	3/4/2003	N-Nitrosomorpholine	<		2.4	10	ug/L	1
SWB-7	6/3/2003	N-Nitrosomorpholine	<		2.4	10	ug/L	1
SWB-7	3/1/2004	N-Nitrosomorpholine	<		2	10	ug/L	1
SWB-7	5/24/2004	N-Nitrosomorpholine	<		2	10	ug/L	1
SWB-7	12/1/2004	N-Nitrosomorpholine	<		2	10	ug/L	1
SWB-7	3/7/2005	N-Nitrosomorpholine	<		2	10	ug/L	1 UJ
SWB-7	6/1/2005	N-Nitrosomorpholine	<		2	10	ug/L	1
SWB-7	9/1/2005	N-Nitrosomorpholine	<		2	10	ug/L	1
SWB-7	12/1/2005	N-Nitrosomorpholine	<		2	10	UG/L	1 UJ
SWB-7	3/1/2006	N-Nitrosomorpholine	<		2	10	UG/L	1
SWB-7	6/2/2006	N-Nitrosomorpholine	<		2	10	UG/L	1
SWB-7	9/5/2006	N-Nitrosomorpholine	<		2	10	UG/L	1 UJ
SWB-7	12/5/2006	N-Nitrosomorpholine	<		2	10	UG/L	1
SWB-7	3/2/2007	N-Nitrosomorpholine	<		2	10	UG/L	1
SWB-7	6/1/2007	N-Nitrosomorpholine	<		2	10	UG/L	1
SWB-7	9/7/2007	N-Nitrosomorpholine	<		2	10	UG/L	1
SWB-7	12/3/2007	N-Nitrosomorpholine	<		2	10	UG/L	1



tmpAnalyticalResultsOverTime

SWB-7	3/6/2008	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-7	6/6/2008	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-7	9/8/2008	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-7	12/5/2008	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-7	12/5/2008	N-Nitrosomorpholine	<		2	10	UG/L	1	R
SWB-7	3/2/2009	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-7	3/2/2009	N-Nitrosomorpholine	<		2	10	UG/L	1	R
SWB-7	6/5/2009	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-7	9/9/2009	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-7	12/1/2009	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-7	3/2/2010	N-Nitrosomorpholine	<	9.5	1.9	9.5	UG/L	1	
SWB-7	6/1/2010	N-NITROSOMORPHOLINE	<	1.9	1.9	9.6	UG/L	1	DNR
SWB-7	6/1/2010	N-NITROSOMORPHOLINE	<	2	2	10	UG/L	1	R
SWB-7	9/9/2010	N-NITROSOMORPHOLINE	<	1.9	1.9	9.6	UG/L	1	
SWB-7	12/1/2010	N-NITROSOMORPHOLINE	<	1.9	1.9	9.3	UG/L	1	
SWB-8	3/5/2004	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-8	3/7/2005	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-8	6/1/2005	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-8	3/1/2006	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-8	3/7/2008	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-8	3/3/2009	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-8	3/3/2009	N-Nitrosomorpholine	<		2	10	UG/L	1	R
SWB-9	3/4/2003	N-Nitrosomorpholine	<		2.4	10	ug/L	1	
SWB-9	12/3/2003	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-9	3/5/2004	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-9	5/27/2004	N-Nitrosomorpholine	<		2	10	ug/L	1	UJ
SWB-9	12/1/2004	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-9	3/3/2005	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-9	6/2/2005	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-9	9/1/2005	N-Nitrosomorpholine	<		2	10	ug/L	1	
SWB-9	12/1/2005	N-Nitrosomorpholine	<		2	10	UG/L	1	UJ
SWB-9	3/2/2006	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-9	6/1/2006	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-9	12/4/2006	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-9	3/5/2007	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-9	3/6/2008	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-9	6/5/2008	N-Nitrosomorpholine	TR	3.5	2	10	UG/L	1	J
SWB-9	12/5/2008	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-9	12/5/2008	N-Nitrosomorpholine	<		2	10	UG/L	1	R
SWB-9	3/2/2009	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-9	3/2/2009	N-Nitrosomorpholine	<		2	10	UG/L	1	R
SWB-9	6/2/2009	N-Nitrosomorpholine	<		2	10	UG/L	1	
SWB-9	6/2/2009	N-Nitrosomorpholine	<		2	10	UG/L	1	DNR
SWB-9	3/1/2010	N-Nitrosomorpholine	<	9.2	1.8	9.2	ug/L	1	
SWB-9	6/1/2010	N-NITROSOMORPHOLINE	<	1.9	1.9	9.4	UG/L	1	DNR
SWB-9	6/1/2010	N-NITROSOMORPHOLINE	<	1.9	1.9	9.5	UG/L	1	
SWB-9	12/1/2010	N-NITROSOMORPHOLINE	<	1.9	1.9	9.3	UG/L	1	
SWB-10	3/4/2004	N-Nitrosopiperidine	<		2	10	ug/L	1	NA
SWB-10	5/24/2004	N-Nitrosopiperidine	<		2	10	ug/L	1	UJ
SWB-10	12/1/2004	N-Nitrosopiperidine	<		2	10	ug/L	1	
SWB-10	3/3/2005	N-Nitrosopiperidine	<		2	10	ug/L	1	
SWB-10	6/2/2005	N-Nitrosopiperidine	<		2	10	ug/L	1	
SWB-10	9/1/2005	N-Nitrosopiperidine	<		2	10	ug/L	1	
SWB-10	3/2/2006	N-Nitrosopiperidine	<		2	10	UG/L	1	
SWB-10	6/2/2006	N-Nitrosopiperidine	<		2	10	UG/L	1	
SWB-10	3/1/2007	N-Nitrosopiperidine	<		2	10	UG/L	1	
SWB-10	3/7/2008	N-Nitrosopiperidine	<		2	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-10	6/5/2008	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-10	3/2/2009	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-10	3/2/2009	N-Nitrosopiperidine	<		2	10	UG/L	1 R
SWB-10	6/4/2009	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-10	3/2/2010	N-Nitrosopiperidine	<	9.3	1.9	9.3	UG/L	1
SWB-11	3/4/2004	N-Nitrosopiperidine	<		2	10	ug/L	1
SWB-11	5/24/2004	N-Nitrosopiperidine	<		2	10	ug/L	1 UJ
SWB-11	12/1/2004	N-Nitrosopiperidine	<		2	10	ug/L	1
SWB-11	3/1/2005	N-Nitrosopiperidine	<		2	10	ug/L	1
SWB-11	6/2/2005	N-Nitrosopiperidine	<		2	10	ug/L	1
SWB-11	3/2/2006	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-11	6/1/2006	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-11	3/1/2007	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-11	3/7/2008	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-11	6/5/2008	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-11	3/2/2009	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-11	6/4/2009	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-11	3/1/2010	N-Nitrosopiperidine	<	9.4	1.9	9.4	ug/L	1
SWB-11	6/2/2010	N-NITROSOPIPERIDINE	<	1.9	1.9	9.5	UG/L	1
SWB-3	10/29/2002	N-Nitrosopiperidine	<		1.8	10	ug/L	1
SWB-3	3/4/2003	N-Nitrosopiperidine	<		1.8	10	ug/L	1
SWB-3	6/3/2003	N-Nitrosopiperidine	<		1.8	10	ug/L	1
SWB-3	9/4/2003	N-Nitrosopiperidine	<		2	10	ug/L	1 UJ
SWB-3	12/2/2003	N-Nitrosopiperidine	<		2	10	ug/L	1
SWB-3	3/1/2004	N-Nitrosopiperidine	<		2	10	ug/L	1
SWB-3	6/1/2004	N-Nitrosopiperidine	<		2	10	ug/L	1
SWB-3	9/1/2004	N-Nitrosopiperidine	<		2	10	ug/L	1
SWB-3	12/1/2004	N-Nitrosopiperidine	<		2	10	ug/L	1
SWB-3	3/3/2005	N-Nitrosopiperidine	<		2	10	ug/L	1
SWB-3	6/2/2005	N-Nitrosopiperidine	<		2	10	ug/L	1
SWB-3	9/1/2005	N-Nitrosopiperidine	<		2	10	ug/L	1
SWB-3	12/1/2005	N-Nitrosopiperidine	<		2	10	UG/L	1 UJ
SWB-3	3/2/2006	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-3	6/2/2006	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-3	9/5/2006	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-3	12/4/2006	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-3	3/1/2007	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-3	6/1/2007	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-3	6/1/2007	N-Nitrosopiperidine	<		2	10	UG/L	1 R
SWB-3	12/3/2007	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-3	3/6/2008	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-3	6/9/2008	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-3	12/4/2008	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-3	3/2/2009	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-3	3/2/2009	N-Nitrosopiperidine	<		2	10	UG/L	1 R
SWB-3	6/4/2009	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-3	12/1/2009	N-Nitrosopiperidine	<		2	10	UG/L	1
SWB-3	12/1/2009	N-Nitrosopiperidine	<		2	10	UG/L	1 DNR
SWB-3	3/1/2010	N-Nitrosopiperidine	<	9.7	1.9	9.7	ug/L	1 UJ
SWB-3	6/1/2010	N-NITROSOPIPERIDINE	<	1.9	1.9	9.4	UG/L	1
SWB-3	6/1/2010	N-NITROSOPIPERIDINE	<	1.9	1.9	9.4	UG/L	1 DNR
SWB-3	9/9/2010	N-NITROSOPIPERIDINE	<	1.9	1.9	9.3	UG/L	1
SWB-4	11/15/2002	N-Nitrosopiperidine	<		1.8	10	ug/L	1
SWB-5	10/29/2002	N-Nitrosopiperidine	<		1.8	10	ug/L	1
SWB-6	3/4/2003	N-Nitrosopiperidine	<		1.8	10	ug/L	1
SWB-6	6/3/2003	N-Nitrosopiperidine	<		1.8	10	ug/L	1
SWB-6	12/3/2003	N-Nitrosopiperidine	<		2	10	ug/L	1

tmpAnalyticalResultsOverTime

SWB-6	3/5/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
SWB-6	6/1/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
SWB-6	12/1/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
SWB-6	3/7/2005	N-Nitrosopiperidine	<	2	10	ug/L	1	
SWB-6	6/1/2005	N-Nitrosopiperidine	<	2	10	ug/L	1	
SWB-6	12/2/2005	N-Nitrosopiperidine	<	2	10	UG/L	1 UJ	
SWB-6	3/1/2006	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-6	6/1/2006	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-6	12/5/2006	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-6	3/2/2007	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-6	6/9/2008	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-6	3/6/2008	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-6	12/5/2008	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-6	12/5/2008	N-Nitrosopiperidine	<	2	10	UG/L	1 R	
SWB-6	3/2/2009	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-6	3/2/2009	N-Nitrosopiperidine	<	2	10	UG/L	1 R	
SWB-6	6/5/2009	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-6	3/2/2010	N-Nitrosopiperidine	<	9.1	1.8	9.1	UG/L	1
SWB-6	6/2/2010	N-NITROSOPIPERIDINE	<	1.9	1.9	9.4	UG/L	1 DNR
SWB-6	6/2/2010	N-NITROSOPIPERIDINE	<	1.9	1.9	9.5	UG/L	1
SWB-7	3/4/2003	N-Nitrosopiperidine	<	1.8	10	ug/L	1	
SWB-7	6/3/2003	N-Nitrosopiperidine	<	1.8	10	ug/L	1	
SWB-7	3/1/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
SWB-7	5/24/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
SWB-7	12/1/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
SWB-7	3/7/2005	N-Nitrosopiperidine	<	2	10	ug/L	1 UJ	
SWB-7	6/1/2005	N-Nitrosopiperidine	<	2	10	ug/L	1	
SWB-7	9/1/2005	N-Nitrosopiperidine	<	2	10	ug/L	1	
SWB-7	12/1/2005	N-Nitrosopiperidine	<	2	10	UG/L	1 UJ	
SWB-7	3/1/2006	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-7	6/2/2006	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-7	9/5/2006	N-Nitrosopiperidine	<	2	10	UG/L	1 UJ	
SWB-7	12/5/2006	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-7	3/2/2007	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-7	6/1/2007	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-7	9/7/2007	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-7	12/3/2007	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-7	3/6/2008	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-7	6/6/2008	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-7	9/8/2008	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-7	12/5/2008	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-7	12/5/2008	N-Nitrosopiperidine	<	2	10	UG/L	1 R	
SWB-7	3/2/2009	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-7	3/2/2009	N-Nitrosopiperidine	<	2	10	UG/L	1 R	
SWB-7	6/5/2009	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-7	9/9/2009	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-7	12/1/2009	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-7	3/2/2010	N-Nitrosopiperidine	<	9.5	1.9	9.5	UG/L	1
SWB-7	6/1/2010	N-NITROSOPIPERIDINE	<	1.9	1.9	9.6	UG/L	1 DNR
SWB-7	6/1/2010	N-NITROSOPIPERIDINE	<	2	2	10	UG/L	1 R
SWB-7	9/9/2010	N-NITROSOPIPERIDINE	<	1.9	1.9	9.6	UG/L	1
SWB-7	12/1/2010	N-NITROSOPIPERIDINE	<	1.9	1.9	9.3	UG/L	1
SWB-8	3/5/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
SWB-8	3/7/2005	N-Nitrosopiperidine	<	2	10	ug/L	1	
SWB-8	6/1/2005	N-Nitrosopiperidine	<	2	10	ug/L	1	
SWB-8	3/1/2006	N-Nitrosopiperidine	<	2	10	UG/L	1	
SWB-8	3/7/2008	N-Nitrosopiperidine	<	2	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-8	3/3/2009	N-Nitrosopiperidine	<		2	10	UG/L	1	
SWB-8	3/3/2009	N-Nitrosopiperidine	<		2	10	UG/L	1	R
SWB-9	3/4/2003	N-Nitrosopiperidine	<		1.8	10	ug/L	1	
SWB-9	12/3/2003	N-Nitrosopiperidine	<		2	10	ug/L	1	
SWB-9	3/5/2004	N-Nitrosopiperidine	<		2	10	ug/L	1	
SWB-9	5/27/2004	N-Nitrosopiperidine	<		2	10	ug/L	1	UJ
SWB-9	12/1/2004	N-Nitrosopiperidine	<		2	10	ug/L	1	
SWB-9	3/3/2005	N-Nitrosopiperidine	<		2	10	ug/L	1	
SWB-9	6/2/2005	N-Nitrosopiperidine	<		2	10	ug/L	1	
SWB-9	9/1/2005	N-Nitrosopiperidine	<		2	10	ug/L	1	
SWB-9	12/1/2005	N-Nitrosopiperidine	<		2	10	UG/L	1	UJ
SWB-9	3/2/2006	N-Nitrosopiperidine	<		2	10	UG/L	1	
SWB-9	6/1/2006	N-Nitrosopiperidine	<		2	10	UG/L	1	
SWB-9	12/4/2006	N-Nitrosopiperidine	<		2	10	UG/L	1	
SWB-9	3/5/2007	N-Nitrosopiperidine	<		2	10	UG/L	1	
SWB-9	3/6/2008	N-Nitrosopiperidine	<		2	10	UG/L	1	
SWB-9	6/5/2008	N-Nitrosopiperidine	<		2	10	UG/L	1	
SWB-9	12/5/2008	N-Nitrosopiperidine	<		2	10	UG/L	1	
SWB-9	12/5/2008	N-Nitrosopiperidine	<		2	10	UG/L	1	R
SWB-9	3/2/2009	N-Nitrosopiperidine	<		2	10	UG/L	1	
SWB-9	3/2/2009	N-Nitrosopiperidine	<		2	10	UG/L	1	R
SWB-9	6/2/2009	N-Nitrosopiperidine	<		2	10	UG/L	1	
SWB-9	6/2/2009	N-Nitrosopiperidine	<		2	10	UG/L	1	DNR
SWB-9	3/1/2010	N-Nitrosopiperidine	<	9.2	1.8	9.2	ug/L	1	
SWB-9	6/1/2010	N-NITROSOPIPERIDINE	<	1.9	1.9	9.4	UG/L	1	DNR
SWB-9	6/1/2010	N-NITROSOPIPERIDINE	<	1.9	1.9	9.5	UG/L	1	
SWB-9	12/1/2010	N-NITROSOPIPERIDINE	<	1.9	1.9	9.3	UG/L	1	
SWB-10	3/4/2004	N-Nitrosopyrrolidine	<		2	10	ug/L	1	NA
SWB-10	5/24/2004	N-Nitrosopyrrolidine	<		2	10	ug/L	1	UJ
SWB-10	12/1/2004	N-Nitrosopyrrolidine	<		2	10	ug/L	1	
SWB-10	3/3/2005	N-Nitrosopyrrolidine	<		2	10	ug/L	1	
SWB-10	6/2/2005	N-Nitrosopyrrolidine	<		2	10	ug/L	1	
SWB-10	9/1/2005	N-Nitrosopyrrolidine	<		2	10	ug/L	1	
SWB-10	3/2/2006	N-Nitrosopyrrolidine	<		2	10	UG/L	1	
SWB-10	6/2/2006	N-Nitrosopyrrolidine	<		0.8	10	UG/L	1	
SWB-10	3/1/2007	N-Nitrosopyrrolidine	<		0.8	10	UG/L	1	
SWB-10	3/7/2008	N-Nitrosopyrrolidine	<		0.8	10	UG/L	1	
SWB-10	6/5/2008	N-Nitrosopyrrolidine	<		0.8	10	UG/L	1	
SWB-10	3/2/2009	N-Nitrosopyrrolidine	<		0.8	10	UG/L	1	
SWB-10	3/2/2009	N-Nitrosopyrrolidine	<		0.8	10	UG/L	1	R
SWB-10	6/4/2009	N-Nitrosopyrrolidine	<		0.8	10	UG/L	1	
SWB-10	3/2/2010	N-Nitrosopyrrolidine	<	9.3	0.75	9.3	UG/L	1	
SWB-11	3/4/2004	N-Nitrosopyrrolidine	<		2	10	ug/L	1	
SWB-11	5/24/2004	N-Nitrosopyrrolidine	<		2	10	ug/L	1	UJ
SWB-11	12/1/2004	N-Nitrosopyrrolidine	<		2	10	ug/L	1	
SWB-11	3/1/2005	N-Nitrosopyrrolidine	<		2	10	ug/L	1	
SWB-11	6/2/2005	N-Nitrosopyrrolidine	<		2	10	ug/L	1	
SWB-11	3/2/2006	N-Nitrosopyrrolidine	<		2	10	UG/L	1	
SWB-11	6/1/2006	N-Nitrosopyrrolidine	<		0.8	10	UG/L	1	
SWB-11	3/1/2007	N-Nitrosopyrrolidine	<		0.8	10	UG/L	1	
SWB-11	3/7/2008	N-Nitrosopyrrolidine	<		0.8	10	UG/L	1	
SWB-11	6/5/2008	N-Nitrosopyrrolidine	<		0.8	10	UG/L	1	
SWB-11	3/2/2009	N-Nitrosopyrrolidine	<		0.8	10	UG/L	1	
SWB-11	6/4/2009	N-Nitrosopyrrolidine	<		0.8	10	UG/L	1	
SWB-11	3/1/2010	N-Nitrosopyrrolidine	<	9.4	0.75	9.4	ug/L	1	
SWB-11	6/2/2010	N-NITROSOPYRROLIDINE	<	0.76	0.76	9.5	UG/L	1	
SWB-3	10/29/2002	N-Nitrosopyrrolidine	<		2.3	10	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	3/4/2003	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
SWB-3	6/3/2003	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
SWB-3	9/4/2003	N-Nitrosopyrrolidine	<	2	10	ug/L	1 UJ	
SWB-3	12/2/2003	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-3	3/1/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-3	6/1/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-3	9/1/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-3	12/1/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-3	3/3/2005	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-3	6/2/2005	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-3	9/1/2005	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-3	12/1/2005	N-Nitrosopyrrolidine	<	2	10	UG/L	1 UJ	
SWB-3	3/2/2006	N-Nitrosopyrrolidine	<	2	10	UG/L	1	
SWB-3	6/2/2006	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-3	9/5/2006	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-3	12/4/2006	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-3	3/1/2007	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-3	6/1/2007	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-3	6/1/2007	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1 R	
SWB-3	12/3/2007	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-3	3/6/2008	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-3	6/9/2008	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-3	12/4/2008	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-3	3/2/2009	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-3	3/2/2009	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1 R	
SWB-3	6/4/2009	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-3	12/1/2009	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-3	12/1/2009	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1 DNR	
SWB-3	3/1/2010	N-Nitrosopyrrolidine	<	9.7	0.78	9.7	ug/L	1 UJ
SWB-3	6/1/2010	N-NITROSOPYRROLIDINE	<	0.75	0.75	9.4	UG/L	1
SWB-3	6/1/2010	N-NITROSOPYRROLIDINE	<	0.76	0.76	9.4	UG/L	1 DNR
SWB-3	9/9/2010	N-NITROSOPYRROLIDINE	<	0.75	0.75	9.3	UG/L	1
SWB-4	11/15/2002	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
SWB-5	10/29/2002	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
SWB-6	3/4/2003	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
SWB-6	6/3/2003	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
SWB-6	12/3/2003	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-6	3/5/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-6	6/1/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-6	12/1/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-6	3/7/2005	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-6	6/1/2005	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-6	12/2/2005	N-Nitrosopyrrolidine	<	2	10	UG/L	1 UJ	
SWB-6	3/1/2006	N-Nitrosopyrrolidine	<	2	10	UG/L	1	
SWB-6	6/1/2006	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-6	12/5/2006	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-6	3/2/2007	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-6	6/9/2008	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-6	3/6/2008	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-6	12/5/2008	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-6	12/5/2008	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1 R	
SWB-6	3/2/2009	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-6	3/2/2009	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1 R	
SWB-6	6/5/2009	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-6	3/2/2010	N-Nitrosopyrrolidine	<	9.1	0.73	9.1	UG/L	1
SWB-6	6/2/2010	N-NITROSOPYRROLIDINE	<	0.76	0.76	9.4	UG/L	1 DNR
SWB-6	6/2/2010	N-NITROSOPYRROLIDINE	<	0.77	0.77	9.5	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	3/4/2003	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
SWB-7	6/3/2003	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
SWB-7	3/1/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-7	5/24/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-7	12/1/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-7	3/7/2005	N-Nitrosopyrrolidine	<	2	10	ug/L	1 UJ	
SWB-7	6/1/2005	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-7	9/1/2005	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-7	12/1/2005	N-Nitrosopyrrolidine	<	2	10	UG/L	1 UJ	
SWB-7	3/1/2006	N-Nitrosopyrrolidine	<	2	10	UG/L	1	
SWB-7	6/2/2006	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-7	9/5/2006	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1 UJ	
SWB-7	12/5/2006	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-7	3/2/2007	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-7	6/1/2007	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-7	9/7/2007	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-7	12/3/2007	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-7	3/6/2008	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-7	6/6/2008	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-7	9/8/2008	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-7	12/5/2008	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-7	12/5/2008	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1 R	
SWB-7	3/2/2009	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-7	3/2/2009	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1 R	
SWB-7	6/5/2009	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-7	9/9/2009	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-7	12/1/2009	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-7	3/2/2010	N-Nitrosopyrrolidine	<	9.5	0.76	9.5	UG/L	1
SWB-7	6/1/2010	N-NITROSOPYRROLIDINE	<	0.77	0.77	9.6	UG/L	1 DNR
SWB-7	6/1/2010	N-NITROSOPYRROLIDINE	<	0.8	0.8	10	UG/L	1 R
SWB-7	9/9/2010	N-NITROSOPYRROLIDINE	<	0.77	0.77	9.6	UG/L	1
SWB-7	12/1/2010	N-NITROSOPYRROLIDINE	<	0.75	0.75	9.3	UG/L	1
SWB-8	3/5/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-8	3/7/2005	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-8	6/1/2005	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-8	3/1/2006	N-Nitrosopyrrolidine	<	2	10	UG/L	1	
SWB-8	3/7/2008	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-8	3/3/2009	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-8	3/3/2009	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1 R	
SWB-9	3/4/2003	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
SWB-9	12/3/2003	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-9	3/5/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-9	5/27/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1 UJ	
SWB-9	12/1/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-9	3/3/2005	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-9	6/2/2005	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-9	9/1/2005	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
SWB-9	12/1/2005	N-Nitrosopyrrolidine	<	2	10	UG/L	1 UJ	
SWB-9	3/2/2006	N-Nitrosopyrrolidine	<	2	10	UG/L	1	
SWB-9	6/1/2006	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-9	12/4/2006	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-9	3/5/2007	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-9	3/6/2008	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-9	6/5/2008	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-9	12/5/2008	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	
SWB-9	12/5/2008	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1 R	
SWB-9	3/2/2009	N-Nitrosopyrrolidine	<	0.8	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-9	3/2/2009	N-Nitrosopyrrolidine	<		0.8	10	UG/L	1	R	
SWB-9	6/2/2009	N-Nitrosopyrrolidine	<		0.8	10	UG/L	1		
SWB-9	6/2/2009	N-Nitrosopyrrolidine	<		0.8	10	UG/L	1	DNR	
SWB-9	3/1/2010	N-Nitrosopyrrolidine	<	9.2	0.74	9.2	ug/L	1		
SWB-9	6/1/2010	N-NITROSOPYRROLIDINE	<	0.75	0.75	9.4	UG/L	1	DNR	
SWB-9	6/1/2010	N-NITROSOPYRROLIDINE	<	0.76	0.76	9.5	UG/L	1		
SWB-9	12/1/2010	N-NITROSOPYRROLIDINE	<	0.75	0.75	9.3	UG/L	1		
SWB-10	3/4/2004	n-Propylbenzene	<		0.17	1	ug/L	1		NA
SWB-10	5/24/2004	n-Propylbenzene	<		0.17	1	ug/L	1		
SWB-10	12/1/2004	n-Propylbenzene	<		0.17	1	ug/L	1		
SWB-10	3/3/2005	n-Propylbenzene	<		0.29	1	ug/L	1		
SWB-10	6/2/2005	n-Propylbenzene	<		0.16	1	ug/L	1		
SWB-10	9/1/2005	n-Propylbenzene	<		0.16	1	ug/L	1		
SWB-10	3/2/2006	n-Propylbenzene	<		0.64	4	UG/L	4		
SWB-10	6/2/2006	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-10	3/1/2007	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-10	3/7/2008	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-10	6/5/2008	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-10	3/2/2009	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-10	6/4/2009	n-Propylbenzene	<		0.16	1	UG/L	1	UJ	
SWB-10	3/2/2010	n-Propylbenzene	<	1	0.16	1	UG/L	1		
SWB-11	3/4/2004	n-Propylbenzene	<		0.17	1	ug/L	1		
SWB-11	5/24/2004	n-Propylbenzene	<		0.17	1	ug/L	1		
SWB-11	12/1/2004	n-Propylbenzene	<		0.17	1	ug/L	1		
SWB-11	3/1/2005	n-Propylbenzene	<		0.29	1	ug/L	1		
SWB-11	6/2/2005	n-Propylbenzene	<		0.16	1	ug/L	1		
SWB-11	3/2/2006	n-Propylbenzene	<		1.6	10	UG/L	10		
SWB-11	6/1/2006	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-11	3/1/2007	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-11	3/7/2008	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-11	6/5/2008	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-11	3/2/2009	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-11	6/4/2009	n-Propylbenzene	<		0.16	1	UG/L	1	UJ	
SWB-11	3/1/2010	n-Propylbenzene	<	1	0.16	1	ug/L	1		
SWB-11	6/2/2010	n-PROPYLBENZENE	<	0.16	0.16	1	UG/L	1	UJ	
SWB-3	10/29/2002	n-Propylbenzene	<		0.33	1	ug/L	1		
SWB-3	3/4/2003	n-Propylbenzene	<		0.17	1	ug/L	1		
SWB-3	6/3/2003	n-Propylbenzene	<		0.17	1	ug/L	1		
SWB-3	9/4/2003	n-Propylbenzene	<		0.17	1	ug/L	1	UJ	
SWB-3	12/2/2003	n-Propylbenzene	<		0.17	1	ug/L	1		
SWB-3	3/1/2004	n-Propylbenzene	<		0.17	1	ug/L	1		
SWB-3	6/1/2004	n-Propylbenzene	<		0.17	1	ug/L	1		
SWB-3	9/1/2004	n-Propylbenzene	<		0.17	1	ug/L	1		
SWB-3	12/1/2004	n-Propylbenzene	<		0.28	1.7	ug/L	1.66		
SWB-3	3/3/2005	n-Propylbenzene	<		0.29	1	ug/L	1		
SWB-3	6/2/2005	n-Propylbenzene	<		0.16	1	ug/L	1		
SWB-3	9/1/2005	n-Propylbenzene	<		0.16	1	ug/L	1		
SWB-3	12/1/2005	n-Propylbenzene	<		0.32	2	UG/L	2		
SWB-3	3/2/2006	n-Propylbenzene	<		0.64	4	UG/L	4		
SWB-3	6/2/2006	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-3	9/5/2006	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-3	12/4/2006	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-3	3/1/2007	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-3	6/1/2007	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-3	12/3/2007	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-3	3/6/2008	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-3	6/9/2008	n-Propylbenzene	<		0.16	1	UG/L	1		

tmpAnalyticalResultsOverTime

SWB-3	12/4/2008	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-3	3/2/2009	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-3	6/4/2009	n-Propylbenzene	<		0.16	1	UG/L	1 UJ
SWB-3	12/1/2009	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-3	3/1/2010	n-Propylbenzene	<	1	0.16	1	ug/L	1
SWB-3	3/1/2010	n-Propylbenzene	<	2	0.32	2	ug/L	1 DNR
SWB-3	6/1/2010	n-PROPYLBENZENE	<	0.16	0.16	1	UG/L	1 DNR
SWB-3	6/1/2010	n-PROPYLBENZENE	<	0.64	0.64	4	UG/L	1 UJ
SWB-3	9/9/2010	n-PROPYLBENZENE	<	0.16	0.16	1	UG/L	1 UJ
SWB-4	11/15/2002	n-Propylbenzene	<		0.33	1	ug/L	1
SWB-5	10/29/2002	n-Propylbenzene	<		0.33	1	ug/L	1
SWB-6	3/4/2003	n-Propylbenzene	<		0.17	1	ug/L	1
SWB-6	6/3/2003	n-Propylbenzene	<		0.34	2	ug/L	2
SWB-6	12/3/2003	n-Propylbenzene	<		0.34	2	ug/L	2
SWB-6	3/5/2004	n-Propylbenzene	<		0.17	1	ug/L	1
SWB-6	6/1/2004	n-Propylbenzene	<		0.17	1	ug/L	1
SWB-6	12/1/2004	n-Propylbenzene	<		0.17	1	ug/L	1
SWB-6	3/7/2005	n-Propylbenzene	<		0.29	1	ug/L	1
SWB-6	6/1/2005	n-Propylbenzene	<		0.16	1	ug/L	1
SWB-6	12/2/2005	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-6	3/1/2006	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-6	6/1/2006	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-6	12/5/2006	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-6	3/2/2007	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-6	6/9/2008	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-6	3/6/2008	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-6	12/5/2008	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-6	3/2/2009	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-6	6/5/2009	n-Propylbenzene	<		0.16	1	UG/L	1 UJ
SWB-6	3/2/2010	n-Propylbenzene	<	1	0.16	1	UG/L	1
SWB-6	6/2/2010	n-PROPYLBENZENE	<	0.16	0.16	1	UG/L	1 UJ
SWB-7	3/4/2003	n-Propylbenzene	<		0.17	1	ug/L	1
SWB-7	6/3/2003	n-Propylbenzene	<		0.17	1	ug/L	1
SWB-7	3/1/2004	n-Propylbenzene	<		0.17	1	ug/L	1
SWB-7	5/24/2004	n-Propylbenzene	<		0.17	1	ug/L	1
SWB-7	12/1/2004	n-Propylbenzene	<		0.17	1	ug/L	1
SWB-7	3/7/2005	n-Propylbenzene	<		0.29	1	ug/L	1
SWB-7	6/1/2005	n-Propylbenzene	<		0.16	1	ug/L	1
SWB-7	9/1/2005	n-Propylbenzene	<		0.16	1	ug/L	1
SWB-7	12/1/2005	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-7	3/1/2006	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-7	6/2/2006	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-7	9/5/2006	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-7	12/5/2006	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-7	3/2/2007	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-7	6/1/2007	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-7	9/7/2007	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-7	12/3/2007	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-7	3/6/2008	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-7	6/6/2008	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-7	9/8/2008	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-7	12/5/2008	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-7	3/2/2009	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-7	6/5/2009	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-7	9/9/2009	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-7	12/1/2009	n-Propylbenzene	<		0.16	1	UG/L	1
SWB-7	3/2/2010	n-Propylbenzene	<	1	0.16	1	UG/L	1



tmpAnalyticalResultsOverTime

SWB-7	6/1/2010	n-PROPYLBENZENE	<	0.16	0.16	1	UG/L	1	DNR	
SWB-7	6/1/2010	n-PROPYLBENZENE	<	0.64	0.64	4	UG/L	1	UJ	
SWB-7	9/9/2010	n-PROPYLBENZENE	<	0.16	0.16	1	UG/L	1	UJ	
SWB-7	12/1/2010	n-PROPYLBENZENE	<	0.16	0.16	1	UG/L	1		
SWB-8	3/5/2004	n-Propylbenzene	<		0.17	1	ug/L	1		
SWB-8	3/7/2005	n-Propylbenzene	<		0.29	1	ug/L	1		
SWB-8	6/1/2005	n-Propylbenzene	<		0.16	1	ug/L	1		
SWB-8	3/1/2006	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-8	3/7/2008	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-8	3/3/2009	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-9	3/4/2003	n-Propylbenzene	<		0.17	1	ug/L	1		
SWB-9	12/3/2003	n-Propylbenzene	<		0.34	2	ug/L	2		
SWB-9	3/5/2004	n-Propylbenzene	<		0.17	1	ug/L	1		
SWB-9	5/27/2004	n-Propylbenzene	<		0.17	1	ug/L	1		
SWB-9	12/1/2004	n-Propylbenzene	<		0.17	1	ug/L	1		
SWB-9	3/3/2005	n-Propylbenzene	<		0.29	1	ug/L	1		
SWB-9	6/2/2005	n-Propylbenzene	<		0.16	1	ug/L	1		
SWB-9	9/1/2005	n-Propylbenzene	<		0.16	1	ug/L	1	UJ	
SWB-9	12/1/2005	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-9	3/2/2006	n-Propylbenzene	<		0.64	4	UG/L	4		
SWB-9	6/1/2006	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-9	12/4/2006	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-9	3/5/2007	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-9	3/6/2008	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-9	6/5/2008	n-Propylbenzene	<		0.16	1	UG/L	1	R	
SWB-9	12/5/2008	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-9	3/2/2009	n-Propylbenzene	<		0.16	1	UG/L	1		
SWB-9	6/2/2009	n-Propylbenzene	<		0.16	1	UG/L	1	UJ	
SWB-9	3/1/2010	n-Propylbenzene	<	1	0.16	1	ug/L	1		
SWB-9	6/1/2010	n-PROPYLBENZENE	<	0.16	0.16	1	UG/L	1	DNR	
SWB-9	6/1/2010	n-PROPYLBENZENE	<	0.64	0.64	4	UG/L	1	UJ	
SWB-9	12/1/2010	n-PROPYLBENZENE	<	0.16	0.16	1	UG/L	1		
SWB-10	3/4/2004	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1		NA
SWB-10	5/24/2004	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1	UJ	
SWB-10	12/1/2004	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1		
SWB-10	3/3/2005	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1		
SWB-10	6/2/2005	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1		
SWB-10	9/1/2005	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1		
SWB-10	3/2/2006	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1		
SWB-10	6/2/2006	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1		
SWB-10	3/1/2007	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1		
SWB-10	3/7/2008	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1		
SWB-10	6/5/2008	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1		
SWB-10	3/2/2009	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1		
SWB-10	3/2/2009	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1	R	
SWB-10	6/4/2009	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1		
SWB-10	3/2/2010	O,O,O-Triethyl phosphorothioate	<	47	1.9	47	UG/L	1		
SWB-11	3/4/2004	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1		
SWB-11	5/24/2004	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1	UJ	
SWB-11	12/1/2004	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1		
SWB-11	3/1/2005	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1		
SWB-11	6/2/2005	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1		
SWB-11	3/2/2006	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1		
SWB-11	6/1/2006	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1		
SWB-11	3/1/2007	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1		
SWB-11	3/7/2008	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1		
SWB-11	6/5/2008	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1		

tmpAnalyticalResultsOverTime

SWB-11	3/2/2009	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-11	6/4/2009	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-11	3/1/2010	O,O,O-Triethyl phosphorothioate	<	47	1.9	47	ug/L	1
SWB-11	6/2/2010	O,O,O-TRIETHYL PHOSPHOROTHIOATE	<	1.9	1.9	47	UG/L	1
SWB-3	10/29/2002	O,O,O-Triethyl phosphorothioate	<		1.6	50	ug/L	1
SWB-3	3/4/2003	O,O,O-Triethyl phosphorothioate	<		1.6	50	ug/L	1
SWB-3	6/3/2003	O,O,O-Triethyl phosphorothioate	<		1.6	50	ug/L	1
SWB-3	9/4/2003	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1 UJ
SWB-3	12/2/2003	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-3	3/1/2004	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-3	6/1/2004	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-3	9/1/2004	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-3	12/1/2004	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-3	3/3/2005	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-3	6/2/2005	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-3	9/1/2005	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-3	12/1/2005	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1 UJ
SWB-3	3/2/2006	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-3	6/2/2006	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-3	9/5/2006	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-3	12/4/2006	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-3	3/1/2007	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-3	6/1/2007	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-3	6/1/2007	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1 R
SWB-3	12/3/2007	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-3	3/6/2008	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-3	6/9/2008	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-3	12/4/2008	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-3	3/2/2009	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-3	3/2/2009	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1 R
SWB-3	6/4/2009	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-3	12/1/2009	O,O,O-Triethyl phosphorothioate	<		10	50	UG/L	1
SWB-3	12/1/2009	O,O,O-Triethyl phosphorothioate	<		10	50	UG/L	1 DNR
SWB-3	3/1/2010	O,O,O-Triethyl phosphorothioate	<	49	1.9	49	ug/L	1 UJ
SWB-3	6/1/2010	O,O,O-TRIETHYL PHOSPHOROTHIOATE	<	1.9	1.9	47	UG/L	1
SWB-3	6/1/2010	O,O,O-TRIETHYL PHOSPHOROTHIOATE	<	1.9	1.9	47	UG/L	1 DNR
SWB-3	9/9/2010	O,O,O-TRIETHYL PHOSPHOROTHIOATE	<	1.9	1.9	47	UG/L	1
SWB-4	11/15/2002	O,O,O-Triethyl phosphorothioate	<		1.6	50	ug/L	1
SWB-5	10/29/2002	O,O,O-Triethyl phosphorothioate	<		1.6	50	ug/L	1
SWB-6	3/4/2003	O,O,O-Triethyl phosphorothioate	<		1.6	50	ug/L	1
SWB-6	6/3/2003	O,O,O-Triethyl phosphorothioate	<		1.6	50	ug/L	1
SWB-6	12/3/2003	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-6	3/5/2004	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-6	6/1/2004	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-6	12/1/2004	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-6	3/7/2005	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-6	6/1/2005	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-6	12/2/2005	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1 UJ
SWB-6	3/1/2006	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-6	6/1/2006	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-6	12/5/2006	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-6	3/2/2007	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-6	6/9/2008	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-6	3/6/2008	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-6	12/5/2008	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-6	12/5/2008	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1 R
SWB-6	3/2/2009	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	3/2/2009	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1 R
SWB-6	6/5/2009	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-6	3/2/2010	O,O,O-Triethyl phosphorothioate	<	46	1.8	46	UG/L	1
SWB-6	6/2/2010	O,O,O-TRIETHYL PHOSPHOROTHIOATE	<	1.9	1.9	47	UG/L	1 DNR
SWB-6	6/2/2010	O,O,O-TRIETHYL PHOSPHOROTHIOATE	<	1.9	1.9	48	UG/L	1
SWB-7	3/4/2003	O,O,O-Triethyl phosphorothioate	<		1.6	50	ug/L	1
SWB-7	6/3/2003	O,O,O-Triethyl phosphorothioate	<		1.6	50	ug/L	1
SWB-7	3/1/2004	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-7	5/24/2004	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-7	12/1/2004	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-7	3/7/2005	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1 UJ
SWB-7	6/1/2005	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-7	9/1/2005	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-7	12/1/2005	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1 UJ
SWB-7	3/1/2006	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-7	6/2/2006	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-7	9/5/2006	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1 UJ
SWB-7	12/5/2006	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-7	3/2/2007	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-7	6/1/2007	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-7	9/7/2007	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-7	12/3/2007	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-7	3/6/2008	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-7	6/6/2008	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-7	9/8/2008	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-7	12/5/2008	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-7	12/5/2008	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1 R
SWB-7	3/2/2009	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-7	3/2/2009	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1 R
SWB-7	6/5/2009	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-7	9/9/2009	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-7	12/1/2009	O,O,O-Triethyl phosphorothioate	<		10	50	UG/L	1
SWB-7	3/2/2010	O,O,O-Triethyl phosphorothioate	<	47	1.9	47	UG/L	1
SWB-7	6/1/2010	O,O,O-TRIETHYL PHOSPHOROTHIOATE	<	1.9	1.9	48	UG/L	1 DNR
SWB-7	6/1/2010	O,O,O-TRIETHYL PHOSPHOROTHIOATE	<	2	2	50	UG/L	1 R
SWB-7	9/9/2010	O,O,O-TRIETHYL PHOSPHOROTHIOATE	<	1.9	1.9	48	UG/L	1
SWB-7	12/1/2010	O,O,O-TRIETHYL PHOSPHOROTHIOATE	<	1.9	1.9	47	UG/L	1
SWB-8	3/5/2004	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-8	3/7/2005	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-8	6/1/2005	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-8	3/1/2006	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-8	3/7/2008	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-8	3/3/2009	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-8	3/3/2009	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1 R
SWB-9	3/4/2003	O,O,O-Triethyl phosphorothioate	<		1.6	50	ug/L	1
SWB-9	12/3/2003	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-9	3/5/2004	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-9	5/27/2004	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1 UJ
SWB-9	12/1/2004	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-9	3/3/2005	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-9	6/2/2005	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-9	9/1/2005	O,O,O-Triethyl phosphorothioate	<		2	50	ug/L	1
SWB-9	12/1/2005	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1 UJ
SWB-9	3/2/2006	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-9	6/1/2006	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-9	12/4/2006	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1
SWB-9	3/5/2007	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	3/6/2008	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1		
SWB-9	6/5/2008	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1		
SWB-9	12/5/2008	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1		
SWB-9	12/5/2008	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1	R	
SWB-9	3/2/2009	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1		
SWB-9	3/2/2009	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1	R	
SWB-9	6/2/2009	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1		
SWB-9	6/2/2009	O,O,O-Triethyl phosphorothioate	<		2	50	UG/L	1	DNR	
SWB-9	3/1/2010	O,O,O-Triethyl phosphorothioate	<	46	1.8	46	ug/L	1		
SWB-9	6/1/2010	O,O,O-TRIETHYL PHOSPHOROTHIOATE	<	1.9	1.9	47	UG/L	1		
SWB-9	6/1/2010	O,O,O-TRIETHYL PHOSPHOROTHIOATE	<	1.9	1.9	47	UG/L	1	DNR	NA
SWB-9	12/1/2010	O,O,O-TRIETHYL PHOSPHOROTHIOATE	<	1.9	1.9	46	UG/L	1		
SWB-3	6/1/2004	Octadecanoic acid, butyl ester	TI		10		ug/L	1	NJ	
SWB-11	3/1/2010	OCTAMETHYLCYCLOTETRASILOXANE	TI		1.3		ug/L	1	U	NA
SWB-3	3/1/2010	OCTAMETHYLCYCLOTETRASILOXANE	TI		1.3		ug/L	1	U	
SWB-6	6/9/2008	Oleic acid	TI		11		UG/L	1	NJ	NA
SWB-10	3/4/2004	o-Toluidine	<		2	10	ug/L	1		NA
SWB-10	5/24/2004	o-Toluidine	<		2	10	ug/L	1	UJ	
SWB-10	12/1/2004	o-Toluidine	<		2	10	ug/L	1		
SWB-10	3/3/2005	o-Toluidine	<		2	10	ug/L	1		
SWB-10	6/2/2005	o-Toluidine	<		2	10	ug/L	1		
SWB-10	9/1/2005	o-Toluidine	<		2	10	ug/L	1		
SWB-10	3/2/2006	o-Toluidine	<		2	10	UG/L	1		
SWB-10	6/2/2006	o-Toluidine	<		0.9	10	UG/L	1		
SWB-10	3/1/2007	o-Toluidine	<		0.9	10	UG/L	1		
SWB-10	3/7/2008	o-Toluidine	<		1.4	10	UG/L	1		
SWB-10	6/5/2008	o-Toluidine	<		1.4	10	UG/L	1		
SWB-10	3/2/2009	o-Toluidine	<		1.4	10	UG/L	1		
SWB-10	3/2/2009	o-Toluidine	<		1.4	10	UG/L	1	R	
SWB-10	6/4/2009	o-Toluidine	<		1.4	10	UG/L	1		
SWB-10	3/2/2010	o-Toluidine	<	9.3	1.3	9.3	UG/L	1		
SWB-11	3/4/2004	o-Toluidine	<		2	10	ug/L	1		
SWB-11	5/24/2004	o-Toluidine	<		2	10	ug/L	1	UJ	
SWB-11	12/1/2004	o-Toluidine	<		2	10	ug/L	1		
SWB-11	3/1/2005	o-Toluidine	<		2	10	ug/L	1		
SWB-11	6/2/2005	o-Toluidine	<		2	10	ug/L	1		
SWB-11	3/2/2006	o-Toluidine	<		2	10	UG/L	1		
SWB-11	6/1/2006	o-Toluidine	<		0.9	10	UG/L	1		
SWB-11	3/1/2007	o-Toluidine	<		0.9	10	UG/L	1		
SWB-11	3/7/2008	o-Toluidine	<		1.4	10	UG/L	1		
SWB-11	6/5/2008	o-Toluidine	<		1.4	10	UG/L	1		
SWB-11	3/2/2009	o-Toluidine	<		1.4	10	UG/L	1		
SWB-11	6/4/2009	o-Toluidine	<		1.4	10	UG/L	1		
SWB-11	3/1/2010	o-Toluidine	<	9.4	1.3	9.4	ug/L	1		
SWB-11	6/2/2010	o-TOLUIDINE	<	1.3	1.3	9.5	UG/L	1		
SWB-3	10/29/2002	o-Toluidine	<		1.5	10	ug/L	1		
SWB-3	3/4/2003	o-Toluidine	<		1.5	10	ug/L	1		
SWB-3	6/3/2003	o-Toluidine	<		1.5	10	ug/L	1		
SWB-3	9/4/2003	o-Toluidine	<		2	10	ug/L	1	UJ	
SWB-3	12/2/2003	o-Toluidine	<		2	10	ug/L	1		
SWB-3	3/1/2004	o-Toluidine	<		2	10	ug/L	1		
SWB-3	6/1/2004	o-Toluidine	<		2	10	ug/L	1		
SWB-3	9/1/2004	o-Toluidine	<		2	10	ug/L	1		
SWB-3	12/1/2004	o-Toluidine	<		2	10	ug/L	1		
SWB-3	3/3/2005	o-Toluidine	<		2	10	ug/L	1		
SWB-3	6/2/2005	o-Toluidine	<		2	10	ug/L	1		
SWB-3	9/1/2005	o-Toluidine	<		2	10	ug/L	1		

tmpAnalyticalResultsOverTime

SWB-3	12/1/2005	o-Toluidine	<		2	10	UG/L	1 UJ
SWB-3	3/2/2006	o-Toluidine	<		2	10	UG/L	1
SWB-3	6/2/2006	o-Toluidine	<		0.9	10	UG/L	1
SWB-3	9/5/2006	o-Toluidine	<		0.9	10	UG/L	1
SWB-3	12/4/2006	o-Toluidine	<		0.9	10	UG/L	1
SWB-3	3/1/2007	o-Toluidine	<		0.9	10	UG/L	1
SWB-3	6/1/2007	o-Toluidine	<		0.9	10	UG/L	1
SWB-3	6/1/2007	o-Toluidine	<		0.9	10	UG/L	1 R
SWB-3	12/3/2007	o-Toluidine	<		0.9	10	UG/L	1
SWB-3	3/6/2008	o-Toluidine	<		1.4	10	UG/L	1
SWB-3	6/9/2008	o-Toluidine	<		1.4	10	UG/L	1
SWB-3	12/4/2008	o-Toluidine	<		1.4	10	UG/L	1
SWB-3	3/2/2009	o-Toluidine	<		1.4	10	UG/L	1
SWB-3	3/2/2009	o-Toluidine	<		1.4	10	UG/L	1 R
SWB-3	6/4/2009	o-Toluidine	<		1.4	10	UG/L	1
SWB-3	12/1/2009	o-Toluidine	<		1.4	10	UG/L	1
SWB-3	12/1/2009	o-Toluidine	<		1.4	10	UG/L	1 DNR
SWB-3	3/1/2010	o-Toluidine	<	9.7	1.4	9.7	ug/L	1 UJ
SWB-3	6/1/2010	o-TOLUIDINE	<	1.3	1.3	9.4	UG/L	1
SWB-3	6/1/2010	o-TOLUIDINE	<	1.3	1.3	9.4	UG/L	1 DNR
SWB-3	9/9/2010	o-TOLUIDINE	<	1.3	1.3	9.3	UG/L	1
SWB-4	11/15/2002	o-Toluidine	<		1.5	10	ug/L	1
SWB-5	10/29/2002	o-Toluidine	<		1.5	10	ug/L	1
SWB-6	3/4/2003	o-Toluidine	<		1.5	10	ug/L	1
SWB-6	6/3/2003	o-Toluidine	<		1.5	10	ug/L	1
SWB-6	12/3/2003	o-Toluidine	<		2	10	ug/L	1
SWB-6	3/5/2004	o-Toluidine	<		2	10	ug/L	1
SWB-6	6/1/2004	o-Toluidine	<		2	10	ug/L	1
SWB-6	12/1/2004	o-Toluidine	<		2	10	ug/L	1
SWB-6	3/7/2005	o-Toluidine	<		2	10	ug/L	1
SWB-6	6/1/2005	o-Toluidine	<		2	10	ug/L	1
SWB-6	12/2/2005	o-Toluidine	<		2	10	UG/L	1 UJ
SWB-6	3/1/2006	o-Toluidine	<		2	10	UG/L	1
SWB-6	6/1/2006	o-Toluidine	<		0.9	10	UG/L	1
SWB-6	12/5/2006	o-Toluidine	<		0.9	10	UG/L	1
SWB-6	3/2/2007	o-Toluidine	<		0.9	10	UG/L	1
SWB-6	6/9/2008	o-Toluidine	<		1.4	10	UG/L	1
SWB-6	3/6/2008	o-Toluidine	<		1.4	10	UG/L	1
SWB-6	12/5/2008	o-Toluidine	<		1.4	10	UG/L	1
SWB-6	12/5/2008	o-Toluidine	<		1.4	10	UG/L	1 R
SWB-6	3/2/2009	o-Toluidine	<		1.4	10	UG/L	1
SWB-6	3/2/2009	o-Toluidine	<		1.4	10	UG/L	1 R
SWB-6	6/5/2009	o-Toluidine	<		1.4	10	UG/L	1
SWB-6	3/2/2010	o-Toluidine	<	9.1	1.3	9.1	UG/L	1
SWB-6	6/2/2010	o-TOLUIDINE	<	1.3	1.3	9.4	UG/L	1 DNR
SWB-6	6/2/2010	o-TOLUIDINE	<	1.3	1.3	9.5	UG/L	1
SWB-7	3/4/2003	o-Toluidine	<		1.5	10	ug/L	1
SWB-7	6/3/2003	o-Toluidine	<		1.5	10	ug/L	1
SWB-7	3/1/2004	o-Toluidine	<		2	10	ug/L	1
SWB-7	5/24/2004	o-Toluidine	<		2	10	ug/L	1
SWB-7	12/1/2004	o-Toluidine	<		2	10	ug/L	1
SWB-7	3/7/2005	o-Toluidine	<		2	10	ug/L	1 UJ
SWB-7	6/1/2005	o-Toluidine	<		2	10	ug/L	1
SWB-7	9/1/2005	o-Toluidine	<		2	10	ug/L	1
SWB-7	12/1/2005	o-Toluidine	<		2	10	UG/L	1 UJ
SWB-7	3/1/2006	o-Toluidine	<		2	10	UG/L	1
SWB-7	6/2/2006	o-Toluidine	<		0.9	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	9/5/2006	o-Toluidine	<		0.9	10	UG/L	1 UJ	
SWB-7	12/5/2006	o-Toluidine	<		0.9	10	UG/L	1	
SWB-7	3/2/2007	o-Toluidine	<		0.9	10	UG/L	1	
SWB-7	6/1/2007	o-Toluidine	<		0.9	10	UG/L	1	
SWB-7	9/7/2007	o-Toluidine	<		0.9	10	UG/L	1	
SWB-7	12/3/2007	o-Toluidine	<		0.9	10	UG/L	1	
SWB-7	3/6/2008	o-Toluidine	<		1.4	10	UG/L	1	
SWB-7	6/6/2008	o-Toluidine	<		1.4	10	UG/L	1	
SWB-7	9/8/2008	o-Toluidine	<		1.4	10	UG/L	1	
SWB-7	12/5/2008	o-Toluidine	<		1.4	10	UG/L	1	
SWB-7	12/5/2008	o-Toluidine	<		1.4	10	UG/L	1 R	
SWB-7	3/2/2009	o-Toluidine	<		1.4	10	UG/L	1	
SWB-7	3/2/2009	o-Toluidine	<		1.4	10	UG/L	1 R	
SWB-7	6/5/2009	o-Toluidine	<		1.4	10	UG/L	1	
SWB-7	9/9/2009	o-Toluidine	<		1.4	10	UG/L	1	
SWB-7	12/1/2009	o-Toluidine	<		1.4	10	UG/L	1	
SWB-7	3/2/2010	o-Toluidine	<	9.5	1.3	9.5	UG/L	1	
SWB-7	6/1/2010	o-TOLUIDINE	<	1.3	1.3	9.6	UG/L	1 DNR	
SWB-7	6/1/2010	o-TOLUIDINE	<	1.4	1.4	10	UG/L	1 R	
SWB-7	9/9/2010	o-TOLUIDINE	<	1.3	1.3	9.6	UG/L	1	
SWB-7	12/1/2010	o-TOLUIDINE	<	1.3	1.3	9.3	UG/L	1	
SWB-8	3/5/2004	o-Toluidine	<		2	10	ug/L	1	
SWB-8	3/7/2005	o-Toluidine	<		2	10	ug/L	1	
SWB-8	6/1/2005	o-Toluidine	<		2	10	ug/L	1	
SWB-8	3/1/2006	o-Toluidine	<		2	10	UG/L	1	
SWB-8	3/7/2008	o-Toluidine	<		1.4	10	UG/L	1	
SWB-8	3/3/2009	o-Toluidine	<		1.4	10	UG/L	1	
SWB-8	3/3/2009	o-Toluidine	<		1.4	10	UG/L	1 R	
SWB-9	3/4/2003	o-Toluidine	<		1.5	10	ug/L	1	
SWB-9	12/3/2003	o-Toluidine	<		2	10	ug/L	1	
SWB-9	3/5/2004	o-Toluidine	<		2	10	ug/L	1	
SWB-9	5/27/2004	o-Toluidine	<		2	10	ug/L	1 UJ	
SWB-9	12/1/2004	o-Toluidine	<		2	10	ug/L	1	
SWB-9	3/3/2005	o-Toluidine	<		2	10	ug/L	1	
SWB-9	6/2/2005	o-Toluidine	<		2	10	ug/L	1	
SWB-9	9/1/2005	o-Toluidine	<		2	10	ug/L	1	
SWB-9	12/1/2005	o-Toluidine	<		2	10	UG/L	1 UJ	
SWB-9	3/2/2006	o-Toluidine	<		2	10	UG/L	1	
SWB-9	6/1/2006	o-Toluidine	<		0.9	10	UG/L	1	
SWB-9	12/4/2006	o-Toluidine	<		0.9	10	UG/L	1	
SWB-9	3/5/2007	o-Toluidine	<		0.9	10	UG/L	1	
SWB-9	3/6/2008	o-Toluidine	<		1.4	10	UG/L	1	
SWB-9	6/5/2008	o-Toluidine	<		1.4	10	UG/L	1	
SWB-9	12/5/2008	o-Toluidine	<		1.4	10	UG/L	1	
SWB-9	12/5/2008	o-Toluidine	<		1.4	10	UG/L	1 R	
SWB-9	3/2/2009	o-Toluidine	<		1.4	10	UG/L	1	
SWB-9	3/2/2009	o-Toluidine	<		1.4	10	UG/L	1 R	
SWB-9	6/2/2009	o-Toluidine	<		1.4	10	UG/L	1	
SWB-9	6/2/2009	o-Toluidine	<		1.4	10	UG/L	1 DNR	
SWB-9	3/1/2010	o-Toluidine	<	9.2	1.3	9.2	ug/L	1	
SWB-9	6/1/2010	o-TOLUIDINE	<	1.3	1.3	9.4	UG/L	1 DNR	
SWB-9	6/1/2010	o-TOLUIDINE	<	1.3	1.3	9.5	UG/L	1	
SWB-9	12/1/2010	o-TOLUIDINE	<	1.3	1.3	9.3	UG/L	1	
SWB-10	3/4/2004	Parathion	<		2	50	ug/L	1	0.00013 mg/L
SWB-10	5/24/2004	Parathion	<		2	50	ug/L	1 UJ	
SWB-10	12/1/2004	Parathion	<		2	50	ug/L	1	
SWB-10	3/3/2005	Parathion	<		2	50	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-10	6/2/2005	Parathion	<		2	50	ug/L	1
SWB-10	9/1/2005	Parathion	<		2	50	ug/L	1
SWB-10	3/2/2006	Parathion	<		2	50	UG/L	1
SWB-10	6/2/2006	Parathion	<		2	50	UG/L	1
SWB-10	3/1/2007	Parathion	<		2	50	UG/L	1
SWB-10	3/7/2008	Parathion	<		2	50	UG/L	1
SWB-10	6/5/2008	Parathion	<		2	50	UG/L	1
SWB-10	3/2/2009	Parathion	<		2	50	UG/L	1
SWB-10	3/2/2009	Parathion	<		2	50	UG/L	1 R
SWB-10	6/4/2009	Parathion	<		2	50	UG/L	1
SWB-10	3/2/2010	Parathion	<	47	1.9	47	UG/L	1
SWB-11	3/4/2004	Parathion	<		2	50	ug/L	1
SWB-11	5/24/2004	Parathion	<		2	50	ug/L	1 UJ
SWB-11	12/1/2004	Parathion	<		2	50	ug/L	1
SWB-11	3/1/2005	Parathion	<		2	50	ug/L	1
SWB-11	6/2/2005	Parathion	<		2	50	ug/L	1
SWB-11	3/2/2006	Parathion	<		2	50	UG/L	1
SWB-11	6/1/2006	Parathion	<		2	50	UG/L	1
SWB-11	3/1/2007	Parathion	<		2	50	UG/L	1
SWB-11	3/7/2008	Parathion	<		2	50	UG/L	1
SWB-11	6/5/2008	Parathion	<		2	50	UG/L	1
SWB-11	3/2/2009	Parathion	<		2	50	UG/L	1
SWB-11	6/4/2009	Parathion	<		2	50	UG/L	1
SWB-11	3/1/2010	Parathion	<	47	1.9	47	ug/L	1
SWB-11	6/2/2010	PARATHION	<	1.9	1.9	47	UG/L	1
SWB-3	10/29/2002	Parathion	<		2.1	50	ug/L	1
SWB-3	3/4/2003	Parathion	<		2.1	50	ug/L	1
SWB-3	6/3/2003	Parathion	<		2.1	50	ug/L	1
SWB-3	9/4/2003	Parathion	<		2	50	ug/L	1 UJ
SWB-3	12/2/2003	Parathion	<		2	50	ug/L	1
SWB-3	3/1/2004	Parathion	<		2	50	ug/L	1
SWB-3	6/1/2004	Parathion	<		2	50	ug/L	1
SWB-3	9/1/2004	Parathion	<		2	50	ug/L	1
SWB-3	12/1/2004	Parathion	<		2	50	ug/L	1
SWB-3	3/3/2005	Parathion	<		2	50	ug/L	1
SWB-3	6/2/2005	Parathion	<		2	50	ug/L	1
SWB-3	9/1/2005	Parathion	<		2	50	ug/L	1
SWB-3	12/1/2005	Parathion	<		2	50	UG/L	1 UJ
SWB-3	3/2/2006	Parathion	<		2	50	UG/L	1
SWB-3	6/2/2006	Parathion	<		2	50	UG/L	1
SWB-3	9/5/2006	Parathion	<		2	50	UG/L	1
SWB-3	12/4/2006	Parathion	<		2	50	UG/L	1
SWB-3	3/1/2007	Parathion	<		2	50	UG/L	1
SWB-3	6/1/2007	Parathion	<		2	50	UG/L	1
SWB-3	6/1/2007	Parathion	<		2	50	UG/L	1 R
SWB-3	12/3/2007	Parathion	<		2	50	UG/L	1
SWB-3	3/6/2008	Parathion	<		2	50	UG/L	1
SWB-3	6/9/2008	Parathion	<		2	50	UG/L	1
SWB-3	12/4/2008	Parathion	<		2	50	UG/L	1
SWB-3	3/2/2009	Parathion	<		2	50	UG/L	1
SWB-3	3/2/2009	Parathion	<		2	50	UG/L	1 R
SWB-3	6/4/2009	Parathion	<		2	50	UG/L	1
SWB-3	12/1/2009	Parathion	<		10	50	UG/L	1
SWB-3	12/1/2009	Parathion	<		10	50	UG/L	1 DNR
SWB-3	3/1/2010	Parathion	<	49	1.9	49	ug/L	1 UJ
SWB-3	6/1/2010	PARATHION	<	1.9	1.9	47	UG/L	1
SWB-3	6/1/2010	PARATHION	<	1.9	1.9	47	UG/L	1 DNR

tmpAnalyticalResultsOverTime

SWB-3	9/9/2010	PARATHION	<	1.9	1.9	47	UG/L	1
SWB-4	11/15/2002	Parathion	<		2.1	50	ug/L	1
SWB-5	10/29/2002	Parathion	<		2.1	50	ug/L	1
SWB-6	3/4/2003	Parathion	<		2.1	50	ug/L	1
SWB-6	6/3/2003	Parathion	<		2.1	50	ug/L	1
SWB-6	12/3/2003	Parathion	<		2	50	ug/L	1
SWB-6	3/5/2004	Parathion	<		2	50	ug/L	1
SWB-6	6/1/2004	Parathion	<		2	50	ug/L	1
SWB-6	12/1/2004	Parathion	<		2	50	ug/L	1
SWB-6	3/7/2005	Parathion	<		2	50	ug/L	1
SWB-6	6/1/2005	Parathion	<		2	50	ug/L	1
SWB-6	12/2/2005	Parathion	<		2	50	UG/L	1 UJ
SWB-6	3/1/2006	Parathion	<		2	50	UG/L	1
SWB-6	6/1/2006	Parathion	<		2	50	UG/L	1
SWB-6	12/5/2006	Parathion	<		2	50	UG/L	1
SWB-6	3/2/2007	Parathion	<		2	50	UG/L	1
SWB-6	6/9/2008	Parathion	<		2	50	UG/L	1
SWB-6	3/6/2008	Parathion	<		2	50	UG/L	1
SWB-6	12/5/2008	Parathion	<		2	50	UG/L	1
SWB-6	12/5/2008	Parathion	<		2	50	UG/L	1 R
SWB-6	3/2/2009	Parathion	<		2	50	UG/L	1
SWB-6	3/2/2009	Parathion	<		2	50	UG/L	1 R
SWB-6	6/5/2009	Parathion	<		2	50	UG/L	1
SWB-6	3/2/2010	Parathion	<	46	1.8	46	UG/L	1
SWB-6	6/2/2010	PARATHION	<	1.9	1.9	47	UG/L	1 DNR
SWB-6	6/2/2010	PARATHION	<	1.9	1.9	48	UG/L	1
SWB-7	3/4/2003	Parathion	<		2.1	50	ug/L	1
SWB-7	6/3/2003	Parathion	<		2.1	50	ug/L	1
SWB-7	3/1/2004	Parathion	<		2	50	ug/L	1
SWB-7	5/24/2004	Parathion	<		2	50	ug/L	1
SWB-7	12/1/2004	Parathion	<		2	50	ug/L	1
SWB-7	3/7/2005	Parathion	<		2	50	ug/L	1 UJ
SWB-7	6/1/2005	Parathion	<		2	50	ug/L	1
SWB-7	9/1/2005	Parathion	<		2	50	ug/L	1
SWB-7	12/1/2005	Parathion	<		2	50	UG/L	1 UJ
SWB-7	3/1/2006	Parathion	<		2	50	UG/L	1
SWB-7	6/2/2006	Parathion	<		2	50	UG/L	1
SWB-7	9/5/2006	Parathion	<		2	50	UG/L	1 UJ
SWB-7	12/5/2006	Parathion	<		2	50	UG/L	1
SWB-7	3/2/2007	Parathion	<		2	50	UG/L	1
SWB-7	6/1/2007	Parathion	<		2	50	UG/L	1
SWB-7	9/7/2007	Parathion	<		2	50	UG/L	1
SWB-7	12/3/2007	Parathion	<		2	50	UG/L	1
SWB-7	3/6/2008	Parathion	<		2	50	UG/L	1
SWB-7	6/6/2008	Parathion	<		2	50	UG/L	1
SWB-7	9/8/2008	Parathion	<		2	50	UG/L	1
SWB-7	12/5/2008	Parathion	<		2	50	UG/L	1
SWB-7	12/5/2008	Parathion	<		2	50	UG/L	1 R
SWB-7	3/2/2009	Parathion	<		2	50	UG/L	1
SWB-7	3/2/2009	Parathion	<		2	50	UG/L	1 R
SWB-7	6/5/2009	Parathion	<		2	50	UG/L	1
SWB-7	9/9/2009	Parathion	<		2	50	UG/L	1
SWB-7	12/1/2009	Parathion	<		10	50	UG/L	1
SWB-7	3/2/2010	Parathion	<	47	1.9	47	UG/L	1
SWB-7	6/1/2010	PARATHION	<	1.9	1.9	48	UG/L	1 DNR
SWB-7	6/1/2010	PARATHION	<	2	2	50	UG/L	1 R
SWB-7	9/9/2010	PARATHION	<	1.9	1.9	48	UG/L	1



tmpAnalyticalResultsOverTime

SWB-7	12/1/2010	PARATHION	<	1.9	1.9	47	UG/L	1	
SWB-8	3/5/2004	Parathion	<		2	50	ug/L	1	
SWB-8	3/7/2005	Parathion	<		2	50	ug/L	1	
SWB-8	6/1/2005	Parathion	<		2	50	ug/L	1	
SWB-8	3/1/2006	Parathion	<		2	50	UG/L	1	
SWB-8	3/7/2008	Parathion	<		2	50	UG/L	1	
SWB-8	3/3/2009	Parathion	<		2	50	UG/L	1	
SWB-8	3/3/2009	Parathion	<		2	50	UG/L	1	R
SWB-9	3/4/2003	Parathion	<		2.1	50	ug/L	1	
SWB-9	12/3/2003	Parathion	<		2	50	ug/L	1	
SWB-9	3/5/2004	Parathion	<		2	50	ug/L	1	
SWB-9	5/27/2004	Parathion	<		2	50	ug/L	1	UJ
SWB-9	12/1/2004	Parathion	<		2	50	ug/L	1	
SWB-9	3/3/2005	Parathion	<		2	50	ug/L	1	
SWB-9	6/2/2005	Parathion	<		2	50	ug/L	1	
SWB-9	9/1/2005	Parathion	<		2	50	ug/L	1	
SWB-9	12/1/2005	Parathion	<		2	50	UG/L	1	UJ
SWB-9	3/2/2006	Parathion	<		2	50	UG/L	1	
SWB-9	6/1/2006	Parathion	<		2	50	UG/L	1	
SWB-9	12/4/2006	Parathion	<		2	50	UG/L	1	
SWB-9	3/5/2007	Parathion	<		2	50	UG/L	1	
SWB-9	3/6/2008	Parathion	<		2	50	UG/L	1	
SWB-9	6/5/2008	Parathion	<		2	50	UG/L	1	
SWB-9	12/5/2008	Parathion	<		2	50	UG/L	1	
SWB-9	12/5/2008	Parathion	<		2	50	UG/L	1	R
SWB-9	3/2/2009	Parathion	<		2	50	UG/L	1	
SWB-9	3/2/2009	Parathion	<		2	50	UG/L	1	R
SWB-9	6/2/2009	Parathion	<		2	50	UG/L	1	
SWB-9	6/2/2009	Parathion	<		2	50	UG/L	1	DNR
SWB-9	3/1/2010	Parathion	<	46	1.8	46	ug/L	1	
SWB-9	6/1/2010	PARATHION	<	1.9	1.9	47	UG/L	1	
SWB-9	6/1/2010	PARATHION	<	1.9	1.9	47	UG/L	1	DNR
SWB-9	12/1/2010	PARATHION	<	1.9	1.9	46	UG/L	1	
SWB-10	3/4/2004	Pentachlorobenzene	<		2	10	ug/L	1	0.00047
SWB-10	5/24/2004	Pentachlorobenzene	<		2	10	ug/L	1	UJ
SWB-10	12/1/2004	Pentachlorobenzene	<		2	10	ug/L	1	
SWB-10	3/3/2005	Pentachlorobenzene	<		2	10	ug/L	1	
SWB-10	6/2/2005	Pentachlorobenzene	<		2	10	ug/L	1	
SWB-10	9/1/2005	Pentachlorobenzene	<		2	10	ug/L	1	
SWB-10	3/2/2006	Pentachlorobenzene	<		2	10	UG/L	1	
SWB-10	6/2/2006	Pentachlorobenzene	<		2	10	UG/L	1	
SWB-10	3/1/2007	Pentachlorobenzene	<		2	10	UG/L	1	
SWB-10	3/7/2008	Pentachlorobenzene	<		2	10	UG/L	1	
SWB-10	6/5/2008	Pentachlorobenzene	<		2	10	UG/L	1	
SWB-10	3/2/2009	Pentachlorobenzene	<		2	10	UG/L	1	
SWB-10	3/2/2009	Pentachlorobenzene	<		2	10	UG/L	1	R
SWB-10	6/4/2009	Pentachlorobenzene	<		2	10	UG/L	1	
SWB-10	3/2/2010	Pentachlorobenzene	<	9.3	1.9	9.3	UG/L	1	
SWB-11	3/4/2004	Pentachlorobenzene	<		2	10	ug/L	1	
SWB-11	5/24/2004	Pentachlorobenzene	<		2	10	ug/L	1	UJ
SWB-11	12/1/2004	Pentachlorobenzene	<		2	10	ug/L	1	
SWB-11	3/1/2005	Pentachlorobenzene	<		2	10	ug/L	1	
SWB-11	6/2/2005	Pentachlorobenzene	<		2	10	ug/L	1	
SWB-11	3/2/2006	Pentachlorobenzene	<		2	10	UG/L	1	
SWB-11	6/1/2006	Pentachlorobenzene	<		2	10	UG/L	1	
SWB-11	3/1/2007	Pentachlorobenzene	<		2	10	UG/L	1	
SWB-11	3/7/2008	Pentachlorobenzene	<		2	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-11	6/5/2008	Pentachlorobenzene	<		2	10	UG/L	1
SWB-11	3/2/2009	Pentachlorobenzene	<		2	10	UG/L	1
SWB-11	6/4/2009	Pentachlorobenzene	<		2	10	UG/L	1
SWB-11	3/1/2010	Pentachlorobenzene	<	9.4	1.9	9.4	ug/L	1
SWB-11	6/2/2010	PENTACHLORO BENZENE	<	1.9	1.9	9.5	UG/L	1
SWB-3	10/29/2002	Pentachlorobenzene	<		1.6	10	ug/L	1
SWB-3	3/4/2003	Pentachlorobenzene	<		1.6	10	ug/L	1
SWB-3	6/3/2003	Pentachlorobenzene	<		1.6	10	ug/L	1
SWB-3	9/4/2003	Pentachlorobenzene	<		2	10	ug/L	1 UJ
SWB-3	12/2/2003	Pentachlorobenzene	<		2	10	ug/L	1
SWB-3	3/1/2004	Pentachlorobenzene	<		2	10	ug/L	1
SWB-3	6/1/2004	Pentachlorobenzene	<		2	10	ug/L	1
SWB-3	9/1/2004	Pentachlorobenzene	<		2	10	ug/L	1
SWB-3	12/1/2004	Pentachlorobenzene	<		2	10	ug/L	1
SWB-3	3/3/2005	Pentachlorobenzene	<		2	10	ug/L	1
SWB-3	6/2/2005	Pentachlorobenzene	<		2	10	ug/L	1
SWB-3	9/1/2005	Pentachlorobenzene	<		2	10	ug/L	1
SWB-3	12/1/2005	Pentachlorobenzene	<		2	10	UG/L	1 UJ
SWB-3	3/2/2006	Pentachlorobenzene	<		2	10	UG/L	1
SWB-3	6/2/2006	Pentachlorobenzene	<		2	10	UG/L	1
SWB-3	9/5/2006	Pentachlorobenzene	<		2	10	UG/L	1
SWB-3	12/4/2006	Pentachlorobenzene	<		2	10	UG/L	1
SWB-3	3/1/2007	Pentachlorobenzene	<		2	10	UG/L	1
SWB-3	6/1/2007	Pentachlorobenzene	<		2	10	UG/L	1
SWB-3	6/1/2007	Pentachlorobenzene	<		2	10	UG/L	1 R
SWB-3	12/3/2007	Pentachlorobenzene	<		2	10	UG/L	1
SWB-3	3/6/2008	Pentachlorobenzene	<		2	10	UG/L	1
SWB-3	6/9/2008	Pentachlorobenzene	<		2	10	UG/L	1
SWB-3	12/4/2008	Pentachlorobenzene	<		2	10	UG/L	1
SWB-3	3/2/2009	Pentachlorobenzene	<		2	10	UG/L	1
SWB-3	3/2/2009	Pentachlorobenzene	<		2	10	UG/L	1 R
SWB-3	6/4/2009	Pentachlorobenzene	<		2	10	UG/L	1
SWB-3	12/1/2009	Pentachlorobenzene	<		2	10	UG/L	1
SWB-3	12/1/2009	Pentachlorobenzene	<		2	10	UG/L	1 DNR
SWB-3	3/1/2010	Pentachlorobenzene	<	9.7	1.9	9.7	ug/L	1 UJ
SWB-3	6/1/2010	PENTACHLORO BENZENE	<	1.9	1.9	9.4	UG/L	1
SWB-3	6/1/2010	PENTACHLORO BENZENE	<	1.9	1.9	9.4	UG/L	1 DNR
SWB-3	9/9/2010	PENTACHLORO BENZENE	<	1.9	1.9	9.3	UG/L	1
SWB-4	11/15/2002	Pentachlorobenzene	<		1.6	10	ug/L	1
SWB-5	10/29/2002	Pentachlorobenzene	<		1.6	10	ug/L	1
SWB-6	3/4/2003	Pentachlorobenzene	<		1.6	10	ug/L	1
SWB-6	6/3/2003	Pentachlorobenzene	<		1.6	10	ug/L	1
SWB-6	12/3/2003	Pentachlorobenzene	<		2	10	ug/L	1
SWB-6	3/5/2004	Pentachlorobenzene	<		2	10	ug/L	1
SWB-6	6/1/2004	Pentachlorobenzene	<		2	10	ug/L	1
SWB-6	12/1/2004	Pentachlorobenzene	<		2	10	ug/L	1
SWB-6	3/7/2005	Pentachlorobenzene	<		2	10	ug/L	1
SWB-6	6/1/2005	Pentachlorobenzene	<		2	10	ug/L	1
SWB-6	12/2/2005	Pentachlorobenzene	<		2	10	UG/L	1 UJ
SWB-6	3/1/2006	Pentachlorobenzene	<		2	10	UG/L	1
SWB-6	6/1/2006	Pentachlorobenzene	<		2	10	UG/L	1
SWB-6	12/5/2006	Pentachlorobenzene	<		2	10	UG/L	1
SWB-6	3/2/2007	Pentachlorobenzene	<		2	10	UG/L	1
SWB-6	6/9/2008	Pentachlorobenzene	<		2	10	UG/L	1
SWB-6	3/6/2008	Pentachlorobenzene	<		2	10	UG/L	1
SWB-6	12/5/2008	Pentachlorobenzene	<		2	10	UG/L	1
SWB-6	12/5/2008	Pentachlorobenzene	<		2	10	UG/L	1 R

tmpAnalyticalResultsOverTime

SWB-6	3/2/2009	Pentachlorobenzene	<		2	10	UG/L	1
SWB-6	3/2/2009	Pentachlorobenzene	<		2	10	UG/L	1 R
SWB-6	6/5/2009	Pentachlorobenzene	<		2	10	UG/L	1
SWB-6	3/2/2010	Pentachlorobenzene	<	9.1	1.8	9.1	UG/L	1
SWB-6	6/2/2010	PENTACHLORO BENZENE	<	1.9	1.9	9.4	UG/L	1 DNR
SWB-6	6/2/2010	PENTACHLORO BENZENE	<	1.9	1.9	9.5	UG/L	1
SWB-7	3/4/2003	Pentachlorobenzene	<		1.6	10	ug/L	1
SWB-7	6/3/2003	Pentachlorobenzene	<		1.6	10	ug/L	1
SWB-7	3/1/2004	Pentachlorobenzene	<		2	10	ug/L	1
SWB-7	5/24/2004	Pentachlorobenzene	<		2	10	ug/L	1
SWB-7	12/1/2004	Pentachlorobenzene	<		2	10	ug/L	1
SWB-7	3/7/2005	Pentachlorobenzene	<		2	10	ug/L	1 UJ
SWB-7	6/1/2005	Pentachlorobenzene	<		2	10	ug/L	1
SWB-7	9/1/2005	Pentachlorobenzene	<		2	10	ug/L	1
SWB-7	12/1/2005	Pentachlorobenzene	<		2	10	UG/L	1 UJ
SWB-7	3/1/2006	Pentachlorobenzene	<		2	10	UG/L	1
SWB-7	6/2/2006	Pentachlorobenzene	<		2	10	UG/L	1
SWB-7	9/5/2006	Pentachlorobenzene	<		2	10	UG/L	1 UJ
SWB-7	12/5/2006	Pentachlorobenzene	<		2	10	UG/L	1
SWB-7	3/2/2007	Pentachlorobenzene	<		2	10	UG/L	1
SWB-7	6/1/2007	Pentachlorobenzene	<		2	10	UG/L	1
SWB-7	9/7/2007	Pentachlorobenzene	<		2	10	UG/L	1
SWB-7	12/3/2007	Pentachlorobenzene	<		2	10	UG/L	1
SWB-7	3/6/2008	Pentachlorobenzene	<		2	10	UG/L	1
SWB-7	6/6/2008	Pentachlorobenzene	<		2	10	UG/L	1
SWB-7	9/8/2008	Pentachlorobenzene	<		2	10	UG/L	1
SWB-7	12/5/2008	Pentachlorobenzene	<		2	10	UG/L	1
SWB-7	12/5/2008	Pentachlorobenzene	<		2	10	UG/L	1 R
SWB-7	3/2/2009	Pentachlorobenzene	<		2	10	UG/L	1
SWB-7	3/2/2009	Pentachlorobenzene	<		2	10	UG/L	1 R
SWB-7	6/5/2009	Pentachlorobenzene	<		2	10	UG/L	1
SWB-7	9/9/2009	Pentachlorobenzene	<		2	10	UG/L	1
SWB-7	12/1/2009	Pentachlorobenzene	<		2	10	UG/L	1
SWB-7	3/2/2010	Pentachlorobenzene	<	9.5	1.9	9.5	UG/L	1
SWB-7	6/1/2010	PENTACHLORO BENZENE	<	1.9	1.9	9.6	UG/L	1 DNR
SWB-7	6/1/2010	PENTACHLORO BENZENE	<	2	2	10	UG/L	1 R
SWB-7	9/9/2010	PENTACHLORO BENZENE	<	1.9	1.9	9.6	UG/L	1
SWB-7	12/1/2010	PENTACHLORO BENZENE	<	1.9	1.9	9.3	UG/L	1
SWB-8	3/5/2004	Pentachlorobenzene	<		2	10	ug/L	1
SWB-8	3/7/2005	Pentachlorobenzene	<		2	10	ug/L	1
SWB-8	6/1/2005	Pentachlorobenzene	<		2	10	ug/L	1
SWB-8	3/1/2006	Pentachlorobenzene	<		2	10	UG/L	1
SWB-8	3/7/2008	Pentachlorobenzene	<		2	10	UG/L	1
SWB-8	3/3/2009	Pentachlorobenzene	<		2	10	UG/L	1
SWB-8	3/3/2009	Pentachlorobenzene	<		2	10	UG/L	1 R
SWB-9	3/4/2003	Pentachlorobenzene	<		1.6	10	ug/L	1
SWB-9	12/3/2003	Pentachlorobenzene	<		2	10	ug/L	1
SWB-9	3/5/2004	Pentachlorobenzene	<		2	10	ug/L	1
SWB-9	5/27/2004	Pentachlorobenzene	<		2	10	ug/L	1 UJ
SWB-9	12/1/2004	Pentachlorobenzene	<		2	10	ug/L	1
SWB-9	3/3/2005	Pentachlorobenzene	<		2	10	ug/L	1
SWB-9	6/2/2005	Pentachlorobenzene	<		2	10	ug/L	1
SWB-9	9/1/2005	Pentachlorobenzene	<		2	10	ug/L	1
SWB-9	12/1/2005	Pentachlorobenzene	<		2	10	UG/L	1 UJ
SWB-9	3/2/2006	Pentachlorobenzene	<		2	10	UG/L	1
SWB-9	6/1/2006	Pentachlorobenzene	<		2	10	UG/L	1
SWB-9	12/4/2006	Pentachlorobenzene	<		2	10	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	3/5/2007	Pentachlorobenzene	<		2	10	UG/L	1	
SWB-9	3/6/2008	Pentachlorobenzene	<		2	10	UG/L	1	
SWB-9	6/5/2008	Pentachlorobenzene	<		2	10	UG/L	1	
SWB-9	12/5/2008	Pentachlorobenzene	<		2	10	UG/L	1	
SWB-9	12/5/2008	Pentachlorobenzene	<		2	10	UG/L	1	R
SWB-9	3/2/2009	Pentachlorobenzene	<		2	10	UG/L	1	
SWB-9	3/2/2009	Pentachlorobenzene	<		2	10	UG/L	1	R
SWB-9	6/2/2009	Pentachlorobenzene	<		2	10	UG/L	1	
SWB-9	6/2/2009	Pentachlorobenzene	<		2	10	UG/L	1	DNR
SWB-9	3/1/2010	Pentachlorobenzene	<	9.2	1.8	9.2	ug/L	1	
SWB-9	6/1/2010	PENTACHLOROENZENE	<	1.9	1.9	9.4	UG/L	1	DNR
SWB-9	6/1/2010	PENTACHLOROENZENE	<	1.9	1.9	9.5	UG/L	1	
SWB-9	12/1/2010	PENTACHLOROENZENE	<	1.9	1.9	9.3	UG/L	1	
SWB-10	3/4/2004	Pentachloroethane	<		2	50	ug/L	1	NA
SWB-10	5/24/2004	Pentachloroethane	<		2	50	ug/L	1	UJ
SWB-10	12/1/2004	Pentachloroethane	<		2	50	ug/L	1	
SWB-10	3/3/2005	Pentachloroethane	<		2	50	ug/L	1	
SWB-10	6/2/2005	Pentachloroethane	<		2	50	ug/L	1	
SWB-10	9/1/2005	Pentachloroethane	<		2	50	ug/L	1	
SWB-10	3/2/2006	Pentachloroethane	<		2	50	UG/L	1	
SWB-10	6/2/2006	Pentachloroethane	<		2	50	UG/L	1	
SWB-10	3/1/2007	Pentachloroethane	<		2	50	UG/L	1	
SWB-10	3/7/2008	Pentachloroethane	<		2	50	UG/L	1	
SWB-10	6/5/2008	Pentachloroethane	<		2	50	UG/L	1	
SWB-10	3/2/2009	Pentachloroethane	<		2	50	UG/L	1	
SWB-10	3/2/2009	Pentachloroethane	<		2	50	UG/L	1	R
SWB-10	6/4/2009	Pentachloroethane	<		2	50	UG/L	1	
SWB-10	3/2/2010	Pentachloroethane	<	47	1.9	47	UG/L	1	
SWB-11	3/4/2004	Pentachloroethane	<		2	50	ug/L	1	
SWB-11	5/24/2004	Pentachloroethane	<		2	50	ug/L	1	UJ
SWB-11	12/1/2004	Pentachloroethane	<		2	50	ug/L	1	
SWB-11	3/1/2005	Pentachloroethane	<		2	50	ug/L	1	
SWB-11	6/2/2005	Pentachloroethane	<		2	50	ug/L	1	
SWB-11	3/2/2006	Pentachloroethane	<		2	50	UG/L	1	
SWB-11	6/1/2006	Pentachloroethane	<		2	50	UG/L	1	
SWB-11	3/1/2007	Pentachloroethane	<		2	50	UG/L	1	
SWB-11	3/7/2008	Pentachloroethane	<		2	50	UG/L	1	
SWB-11	6/5/2008	Pentachloroethane	<		2	50	UG/L	1	
SWB-11	3/2/2009	Pentachloroethane	<		2	50	UG/L	1	
SWB-11	6/4/2009	Pentachloroethane	<		2	50	UG/L	1	
SWB-11	3/1/2010	Pentachloroethane	<	47	1.9	47	ug/L	1	
SWB-11	6/2/2010	PENTACHLOROETHANE	<	1.9	1.9	47	UG/L	1	
SWB-3	10/29/2002	Pentachloroethane	<		2.3	50	ug/L	1	
SWB-3	3/4/2003	Pentachloroethane	<		2.3	50	ug/L	1	
SWB-3	6/3/2003	Pentachloroethane	<		2.3	50	ug/L	1	
SWB-3	9/4/2003	Pentachloroethane	<		2	50	ug/L	1	UJ
SWB-3	12/2/2003	Pentachloroethane	<		2	50	ug/L	1	
SWB-3	3/1/2004	Pentachloroethane	<		2	50	ug/L	1	
SWB-3	6/1/2004	Pentachloroethane	<		2	50	ug/L	1	
SWB-3	9/1/2004	Pentachloroethane	<		2	50	ug/L	1	
SWB-3	12/1/2004	Pentachloroethane	<		2	50	ug/L	1	
SWB-3	3/3/2005	Pentachloroethane	<		2	50	ug/L	1	
SWB-3	6/2/2005	Pentachloroethane	<		2	50	ug/L	1	
SWB-3	9/1/2005	Pentachloroethane	<		2	50	ug/L	1	
SWB-3	12/1/2005	Pentachloroethane	<		2	50	UG/L	1	UJ
SWB-3	3/2/2006	Pentachloroethane	<		2	50	UG/L	1	
SWB-3	6/2/2006	Pentachloroethane	<		2	50	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	9/5/2006	Pentachloroethane	<	2	50	UG/L	1	
SWB-3	12/4/2006	Pentachloroethane	<	2	50	UG/L	1	
SWB-3	3/1/2007	Pentachloroethane	<	2	50	UG/L	1	
SWB-3	6/1/2007	Pentachloroethane	<	2	50	UG/L	1	
SWB-3	6/1/2007	Pentachloroethane	<	2	50	UG/L	1 R	
SWB-3	12/3/2007	Pentachloroethane	<	2	50	UG/L	1	
SWB-3	3/6/2008	Pentachloroethane	<	2	50	UG/L	1	
SWB-3	6/9/2008	Pentachloroethane	<	2	50	UG/L	1	
SWB-3	12/4/2008	Pentachloroethane	<	2	50	UG/L	1	
SWB-3	3/2/2009	Pentachloroethane	<	2	50	UG/L	1	
SWB-3	3/2/2009	Pentachloroethane	<	2	50	UG/L	1 R	
SWB-3	6/4/2009	Pentachloroethane	<	2	50	UG/L	1	
SWB-3	12/1/2009	Pentachloroethane	<	2	50	UG/L	1	
SWB-3	12/1/2009	Pentachloroethane	<	2	50	UG/L	1 DNR	
SWB-3	3/1/2010	Pentachloroethane	<	49	1.9	49	ug/L	1 UJ
SWB-3	6/1/2010	PENTACHLOROETHANE	<	1.9	1.9	47	UG/L	1
SWB-3	6/1/2010	PENTACHLOROETHANE	<	1.9	1.9	47	UG/L	1 DNR
SWB-3	9/9/2010	PENTACHLOROETHANE	<	1.9	1.9	47	UG/L	1
SWB-4	11/15/2002	Pentachloroethane	<	2.3	50	ug/L	1	
SWB-5	10/29/2002	Pentachloroethane	<	2.3	50	ug/L	1	
SWB-6	3/4/2003	Pentachloroethane	<	2.3	50	ug/L	1	
SWB-6	6/3/2003	Pentachloroethane	<	2.3	50	ug/L	1	
SWB-6	12/3/2003	Pentachloroethane	<	2	50	ug/L	1	
SWB-6	3/5/2004	Pentachloroethane	<	2	50	ug/L	1	
SWB-6	6/1/2004	Pentachloroethane	<	2	50	ug/L	1	
SWB-6	12/1/2004	Pentachloroethane	<	2	50	ug/L	1	
SWB-6	3/7/2005	Pentachloroethane	<	2	50	ug/L	1	
SWB-6	6/1/2005	Pentachloroethane	<	2	50	ug/L	1	
SWB-6	12/2/2005	Pentachloroethane	<	2	50	UG/L	1 UJ	
SWB-6	3/1/2006	Pentachloroethane	<	2	50	UG/L	1	
SWB-6	6/1/2006	Pentachloroethane	<	2	50	UG/L	1	
SWB-6	12/5/2006	Pentachloroethane	<	2	50	UG/L	1	
SWB-6	3/2/2007	Pentachloroethane	<	2	50	UG/L	1	
SWB-6	6/9/2008	Pentachloroethane	<	2	50	UG/L	1	
SWB-6	3/6/2008	Pentachloroethane	<	2	50	UG/L	1	
SWB-6	12/5/2008	Pentachloroethane	<	2	50	UG/L	1	
SWB-6	12/5/2008	Pentachloroethane	<	2	50	UG/L	1 R	
SWB-6	3/2/2009	Pentachloroethane	<	2	50	UG/L	1	
SWB-6	3/2/2009	Pentachloroethane	<	2	50	UG/L	1 R	
SWB-6	6/5/2009	Pentachloroethane	<	2	50	UG/L	1	
SWB-6	3/2/2010	Pentachloroethane	<	46	1.8	46	UG/L	1
SWB-6	6/2/2010	PENTACHLOROETHANE	<	1.9	1.9	47	UG/L	1 DNR
SWB-6	6/2/2010	PENTACHLOROETHANE	<	1.9	1.9	48	UG/L	1 UJ
SWB-7	3/4/2003	Pentachloroethane	<	2.3	50	ug/L	1	
SWB-7	6/3/2003	Pentachloroethane	<	2.3	50	ug/L	1	
SWB-7	3/1/2004	Pentachloroethane	<	2	50	ug/L	1	
SWB-7	5/24/2004	Pentachloroethane	<	2	50	ug/L	1	
SWB-7	12/1/2004	Pentachloroethane	<	2	50	ug/L	1	
SWB-7	3/7/2005	Pentachloroethane	<	2	50	ug/L	1 UJ	
SWB-7	6/1/2005	Pentachloroethane	<	2	50	ug/L	1	
SWB-7	9/1/2005	Pentachloroethane	<	2	50	ug/L	1	
SWB-7	12/1/2005	Pentachloroethane	<	2	50	UG/L	1 UJ	
SWB-7	3/1/2006	Pentachloroethane	<	2	50	UG/L	1	
SWB-7	6/2/2006	Pentachloroethane	<	2	50	UG/L	1	
SWB-7	9/5/2006	Pentachloroethane	<	2	50	UG/L	1 UJ	
SWB-7	12/5/2006	Pentachloroethane	<	2	50	UG/L	1	
SWB-7	3/2/2007	Pentachloroethane	<	2	50	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-7	6/1/2007	Pentachloroethane	<		2	50	UG/L	1	
SWB-7	9/7/2007	Pentachloroethane	<		2	50	UG/L	1	
SWB-7	12/3/2007	Pentachloroethane	<		2	50	UG/L	1	
SWB-7	3/6/2008	Pentachloroethane	<		2	50	UG/L	1	
SWB-7	6/6/2008	Pentachloroethane	<		2	50	UG/L	1	
SWB-7	9/8/2008	Pentachloroethane	<		2	50	UG/L	1	
SWB-7	12/5/2008	Pentachloroethane	<		2	50	UG/L	1	
SWB-7	12/5/2008	Pentachloroethane	<		2	50	UG/L	1	R
SWB-7	3/2/2009	Pentachloroethane	<		2	50	UG/L	1	
SWB-7	3/2/2009	Pentachloroethane	<		2	50	UG/L	1	R
SWB-7	6/5/2009	Pentachloroethane	<		2	50	UG/L	1	
SWB-7	9/9/2009	Pentachloroethane	<		2	50	UG/L	1	
SWB-7	12/1/2009	Pentachloroethane	<		2	50	UG/L	1	
SWB-7	3/2/2010	Pentachloroethane	<	47	1.9	47	UG/L	1	
SWB-7	6/1/2010	PENTACHLOROETHANE	<	1.9	1.9	48	UG/L	1	DNR
SWB-7	6/1/2010	PENTACHLOROETHANE	<	2	2	50	UG/L	1	R
SWB-7	9/9/2010	PENTACHLOROETHANE	<	1.9	1.9	48	UG/L	1	
SWB-7	12/1/2010	PENTACHLOROETHANE	<	1.9	1.9	47	UG/L	1	
SWB-8	3/5/2004	Pentachloroethane	<		2	50	ug/L	1	
SWB-8	3/7/2005	Pentachloroethane	<		2	50	ug/L	1	
SWB-8	6/1/2005	Pentachloroethane	<		2	50	ug/L	1	
SWB-8	3/1/2006	Pentachloroethane	<		2	50	UG/L	1	
SWB-8	3/7/2008	Pentachloroethane	<		2	50	UG/L	1	
SWB-8	3/3/2009	Pentachloroethane	<		2	50	UG/L	1	
SWB-8	3/3/2009	Pentachloroethane	<		2	50	UG/L	1	R
SWB-9	3/4/2003	Pentachloroethane	<		2.3	50	ug/L	1	
SWB-9	12/3/2003	Pentachloroethane	<		2	50	ug/L	1	
SWB-9	3/5/2004	Pentachloroethane	<		2	50	ug/L	1	
SWB-9	5/27/2004	Pentachloroethane	<		2	50	ug/L	1	UJ
SWB-9	12/1/2004	Pentachloroethane	<		2	50	ug/L	1	
SWB-9	3/3/2005	Pentachloroethane	<		2	50	ug/L	1	
SWB-9	6/2/2005	Pentachloroethane	<		2	50	ug/L	1	
SWB-9	9/1/2005	Pentachloroethane	<		2	50	ug/L	1	
SWB-9	12/1/2005	Pentachloroethane	<		2	50	UG/L	1	UJ
SWB-9	3/2/2006	Pentachloroethane	<		2	50	UG/L	1	
SWB-9	6/1/2006	Pentachloroethane	<		2	50	UG/L	1	
SWB-9	12/4/2006	Pentachloroethane	<		2	50	UG/L	1	
SWB-9	3/5/2007	Pentachloroethane	<		2	50	UG/L	1	
SWB-9	3/6/2008	Pentachloroethane	<		2	50	UG/L	1	
SWB-9	6/5/2008	Pentachloroethane	<		2	50	UG/L	1	
SWB-9	12/5/2008	Pentachloroethane	<		2	50	UG/L	1	
SWB-9	12/5/2008	Pentachloroethane	<		2	50	UG/L	1	R
SWB-9	3/2/2009	Pentachloroethane	<		2	50	UG/L	1	
SWB-9	3/2/2009	Pentachloroethane	<		2	50	UG/L	1	R
SWB-9	6/2/2009	Pentachloroethane	<		2	50	UG/L	1	
SWB-9	6/2/2009	Pentachloroethane	<		2	50	UG/L	1	DNR
SWB-9	3/1/2010	Pentachloroethane	<	46	1.8	46	ug/L	1	
SWB-9	6/1/2010	PENTACHLOROETHANE	<	1.9	1.9	47	UG/L	1	
SWB-9	6/1/2010	PENTACHLOROETHANE	<	1.9	1.9	47	UG/L	1	DNR
SWB-9	12/1/2010	PENTACHLOROETHANE	<	1.9	1.9	46	UG/L	1	
SWB-10	3/4/2004	Pentachloronitrobenzene	<		2	50	ug/L	1	NA
SWB-10	5/24/2004	Pentachloronitrobenzene	<		2	50	ug/L	1	UJ
SWB-10	12/1/2004	Pentachloronitrobenzene	<		2	50	ug/L	1	
SWB-10	3/3/2005	Pentachloronitrobenzene	<		2	50	ug/L	1	
SWB-10	6/2/2005	Pentachloronitrobenzene	<		2	50	ug/L	1	
SWB-10	9/1/2005	Pentachloronitrobenzene	<		2	50	ug/L	1	
SWB-10	3/2/2006	Pentachloronitrobenzene	<		2	50	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-10	6/2/2006	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-10	3/1/2007	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-10	3/7/2008	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-10	6/5/2008	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-10	3/2/2009	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-10	3/2/2009	Pentachloronitrobenzene	<	2	50	UG/L	1 R	
SWB-10	6/4/2009	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-10	3/2/2010	Pentachloronitrobenzene	<	47	1.9	47	UG/L	1
SWB-11	3/4/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-11	5/24/2004	Pentachloronitrobenzene	<	2	50	ug/L	1 UJ	
SWB-11	12/1/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-11	3/1/2005	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-11	6/2/2005	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-11	3/2/2006	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-11	6/1/2006	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-11	3/1/2007	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-11	3/7/2008	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-11	6/5/2008	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-11	3/2/2009	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-11	6/4/2009	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-11	3/1/2010	Pentachloronitrobenzene	<	47	1.9	47	ug/L	1
SWB-11	6/2/2010	PENTACHLORONITROBENZENE	<	1.9	1.9	47	UG/L	1
SWB-3	10/29/2002	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
SWB-3	3/4/2003	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
SWB-3	6/3/2003	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
SWB-3	9/4/2003	Pentachloronitrobenzene	<	2	50	ug/L	1 UJ	
SWB-3	12/2/2003	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-3	3/1/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-3	6/1/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-3	9/1/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-3	12/1/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-3	3/3/2005	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-3	6/2/2005	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-3	9/1/2005	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-3	12/1/2005	Pentachloronitrobenzene	<	2	50	UG/L	1 UJ	
SWB-3	3/2/2006	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-3	6/2/2006	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-3	9/5/2006	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-3	12/4/2006	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-3	3/1/2007	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-3	6/1/2007	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-3	6/1/2007	Pentachloronitrobenzene	<	2	50	UG/L	1 R	
SWB-3	12/3/2007	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-3	3/6/2008	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-3	6/9/2008	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-3	12/4/2008	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-3	3/2/2009	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-3	3/2/2009	Pentachloronitrobenzene	<	2	50	UG/L	1 R	
SWB-3	6/4/2009	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-3	12/1/2009	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-3	12/1/2009	Pentachloronitrobenzene	<	2	50	UG/L	1 DNR	
SWB-3	3/1/2010	Pentachloronitrobenzene	<	49	1.9	49	ug/L	1 UJ
SWB-3	6/1/2010	PENTACHLORONITROBENZENE	<	1.9	1.9	47	UG/L	1
SWB-3	6/1/2010	PENTACHLORONITROBENZENE	<	1.9	1.9	47	UG/L	1 DNR
SWB-3	9/9/2010	PENTACHLORONITROBENZENE	<	1.9	1.9	47	UG/L	1
SWB-4	11/15/2002	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
SWB-5	10/29/2002	Pentachloronitrobenzene	<	2.4	50	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-6	3/4/2003	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
SWB-6	6/3/2003	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
SWB-6	12/3/2003	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-6	3/5/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-6	6/1/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-6	12/1/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-6	3/7/2005	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-6	6/1/2005	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-6	12/2/2005	Pentachloronitrobenzene	<	2	50	UG/L	1 UJ	
SWB-6	3/1/2006	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-6	6/1/2006	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-6	12/5/2006	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-6	3/2/2007	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-6	6/9/2008	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-6	3/6/2008	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-6	12/5/2008	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-6	12/5/2008	Pentachloronitrobenzene	<	2	50	UG/L	1 R	
SWB-6	3/2/2009	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-6	3/2/2009	Pentachloronitrobenzene	<	2	50	UG/L	1 R	
SWB-6	6/5/2009	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-6	3/2/2010	Pentachloronitrobenzene	<	46	1.8	46	UG/L	1
SWB-6	6/2/2010	PENTACHLORONITROBENZENE	<	1.9	1.9	47	UG/L	1 DNR
SWB-6	6/2/2010	PENTACHLORONITROBENZENE	<	1.9	1.9	48	UG/L	1
SWB-7	3/4/2003	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
SWB-7	6/3/2003	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
SWB-7	3/1/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-7	5/24/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-7	12/1/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-7	3/7/2005	Pentachloronitrobenzene	<	2	50	ug/L	1 UJ	
SWB-7	6/1/2005	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-7	9/1/2005	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-7	12/1/2005	Pentachloronitrobenzene	<	2	50	UG/L	1 UJ	
SWB-7	3/1/2006	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-7	6/2/2006	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-7	9/5/2006	Pentachloronitrobenzene	<	2	50	UG/L	1 UJ	
SWB-7	12/5/2006	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-7	3/2/2007	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-7	6/1/2007	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-7	9/7/2007	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-7	12/3/2007	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-7	3/6/2008	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-7	6/6/2008	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-7	9/8/2008	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-7	12/5/2008	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-7	12/5/2008	Pentachloronitrobenzene	<	2	50	UG/L	1 R	
SWB-7	3/2/2009	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-7	3/2/2009	Pentachloronitrobenzene	<	2	50	UG/L	1 R	
SWB-7	6/5/2009	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-7	9/9/2009	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-7	12/1/2009	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-7	3/2/2010	Pentachloronitrobenzene	<	47	1.9	47	UG/L	1
SWB-7	6/1/2010	PENTACHLORONITROBENZENE	<	1.9	1.9	48	UG/L	1 DNR
SWB-7	6/1/2010	PENTACHLORONITROBENZENE	<	2	2	50	UG/L	1 R
SWB-7	9/9/2010	PENTACHLORONITROBENZENE	<	1.9	1.9	48	UG/L	1
SWB-7	12/1/2010	PENTACHLORONITROBENZENE	<	1.9	1.9	47	UG/L	1
SWB-8	3/5/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-8	3/7/2005	Pentachloronitrobenzene	<	2	50	ug/L	1	



tmpAnalyticalResultsOverTime

SWB-8	6/1/2005	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-8	3/1/2006	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-8	3/7/2008	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-8	3/3/2009	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-8	3/3/2009	Pentachloronitrobenzene	<	2	50	UG/L	1	R
SWB-9	3/4/2003	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
SWB-9	12/3/2003	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-9	3/5/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-9	5/27/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	UJ
SWB-9	12/1/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-9	3/3/2005	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-9	6/2/2005	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-9	9/1/2005	Pentachloronitrobenzene	<	2	50	ug/L	1	
SWB-9	12/1/2005	Pentachloronitrobenzene	<	2	50	UG/L	1	UJ
SWB-9	3/2/2006	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-9	6/1/2006	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-9	12/4/2006	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-9	3/5/2007	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-9	3/6/2008	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-9	6/5/2008	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-9	12/5/2008	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-9	12/5/2008	Pentachloronitrobenzene	<	2	50	UG/L	1	R
SWB-9	3/2/2009	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-9	3/2/2009	Pentachloronitrobenzene	<	2	50	UG/L	1	R
SWB-9	6/2/2009	Pentachloronitrobenzene	<	2	50	UG/L	1	
SWB-9	6/2/2009	Pentachloronitrobenzene	<	2	50	UG/L	1	DNR
SWB-9	3/1/2010	Pentachloronitrobenzene	<	46	1.8	46	ug/L	1
SWB-9	6/1/2010	PENTACHLORONITROBENZENE	<	1.9	1.9	47	UG/L	1
SWB-9	6/1/2010	PENTACHLORONITROBENZENE	<	1.9	1.9	47	UG/L	1 DNR
SWB-9	12/1/2010	PENTACHLORONITROBENZENE	<	1.9	1.9	46	UG/L	1
SWB-10	3/4/2004	Pentachlorophenol	<	5	50	ug/L	1	0.15 mg/L
SWB-10	5/24/2004	Pentachlorophenol	<	5	50	ug/L	1	UJ
SWB-10	12/1/2004	Pentachlorophenol	<	5	50	ug/L	1	
SWB-10	3/3/2005	Pentachlorophenol	<	10	50	ug/L	1	
SWB-10	6/2/2005	Pentachlorophenol	<	10	50	ug/L	1	
SWB-10	9/1/2005	Pentachlorophenol	<	10	50	ug/L	1	
SWB-10	9/1/2005	Pentachlorophenol	<	2	4	ug/L	1	
SWB-10	3/2/2006	Pentachlorophenol	<	10	50	UG/L	1	
SWB-10	3/2/2006	Pentachlorophenol	<	0.13	1	UG/L	1	UJ
SWB-10	6/2/2006	Pentachlorophenol	<	20	50	UG/L	1	
SWB-10	6/2/2006	Pentachlorophenol	<	0.64	5	UG/L	5	
SWB-10	3/1/2007	Pentachlorophenol	<	20	50	UG/L	1	
SWB-10	3/1/2007	Pentachlorophenol	<	0.64	5	UG/L	5	
SWB-10	3/7/2008	Pentachlorophenol	<	20	50	UG/L	1	
SWB-10	3/7/2008	Pentachlorophenol	<	0.13	1	UG/L	1	
SWB-10	6/5/2008	Pentachlorophenol	<	20	50	UG/L	1	
SWB-10	6/5/2008	Pentachlorophenol	<	0.64	5	UG/L	5	R
SWB-10	3/2/2009	Pentachlorophenol	<	20	50	UG/L	1	R
SWB-10	3/2/2009	Pentachlorophenol	<	0.36	1	UG/L	1	
SWB-10	6/4/2009	Pentachlorophenol	<	20	50	UG/L	1	DNR
SWB-10	6/4/2009	Pentachlorophenol	<	0.72	2	UG/L	2	
SWB-10	3/2/2010	Pentachlorophenol	<	47	19	47	UG/L	1 DNR
SWB-10	3/2/2010	Pentachlorophenol	<	25	9	25	UG/L	25
SWB-11	3/4/2004	Pentachlorophenol	<	5	50	ug/L	1	
SWB-11	5/24/2004	Pentachlorophenol	<	5	50	ug/L	1	UJ
SWB-11	12/1/2004	Pentachlorophenol	<	5	50	ug/L	1	
SWB-11	3/1/2005	Pentachlorophenol	<	10	50	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-11	6/2/2005	Pentachlorophenol	<		10	50	ug/L	1
SWB-11	3/2/2006	Pentachlorophenol	<		10	50	UG/L	1
SWB-11	3/2/2006	Pentachlorophenol	<		0.13	1	UG/L	1 UJ
SWB-11	6/1/2006	Pentachlorophenol	<		20	50	UG/L	1
SWB-11	6/1/2006	Pentachlorophenol	<		0.64	5	UG/L	5
SWB-11	3/1/2007	Pentachlorophenol	<		20	50	UG/L	1
SWB-11	3/1/2007	Pentachlorophenol	<		0.64	5	UG/L	5
SWB-11	3/7/2008	Pentachlorophenol	<		20	50	UG/L	1
SWB-11	3/7/2008	Pentachlorophenol	<		0.13	1	UG/L	1
SWB-11	6/5/2008	Pentachlorophenol	<		20	50	UG/L	1
SWB-11	6/5/2008	Pentachlorophenol	<		0.64	5	UG/L	5 R
SWB-11	3/2/2009	Pentachlorophenol	<		20	50	UG/L	1 R
SWB-11	3/2/2009	Pentachlorophenol	<		0.36	1	UG/L	1
SWB-11	6/4/2009	Pentachlorophenol	<		20	50	UG/L	1 DNR
SWB-11	6/4/2009	Pentachlorophenol	<		0.72	2	UG/L	2
SWB-11	3/1/2010	Pentachlorophenol	<	47	19	47	ug/L	1 DNR
SWB-11	3/1/2010	Pentachlorophenol	<	25	9	25	ug/L	25
SWB-11	6/2/2010	PENTACHLOROPHENOL	<	19	19	47	UG/L	1 DNR
SWB-11	6/2/2010	PENTACHLOROPHENOL	<	1.8	1.8	5	UG/L	10
SWB-3	10/29/2002	Pentachlorophenol	<		11	50	ug/L	1
SWB-3	3/4/2003	Pentachlorophenol	<		11	50	ug/L	1 R
SWB-3	6/3/2003	Pentachlorophenol	<		11	50	ug/L	1
SWB-3	9/4/2003	Pentachlorophenol	<		11	50	ug/L	1 R
SWB-3	12/2/2003	Pentachlorophenol	<		5	50	ug/L	1 R
SWB-3	3/1/2004	Pentachlorophenol	<		5	50	ug/L	1
SWB-3	6/1/2004	Pentachlorophenol	<		5	50	ug/L	1
SWB-3	9/1/2004	Pentachlorophenol	<		5	50	ug/L	1
SWB-3	12/1/2004	Pentachlorophenol	<		5	50	ug/L	1
SWB-3	3/3/2005	Pentachlorophenol	<		10	50	ug/L	1
SWB-3	6/2/2005	Pentachlorophenol	<		10	50	ug/L	1
SWB-3	9/1/2005	Pentachlorophenol	<		10	50	ug/L	1 R
SWB-3	9/1/2005	Pentachlorophenol	<		2	4	ug/L	1
SWB-3	12/1/2005	Pentachlorophenol	<		10	50	UG/L	1 R
SWB-3	3/2/2006	Pentachlorophenol	<		10	50	UG/L	1 R
SWB-3	3/2/2006	Pentachlorophenol	<		0.13	1	UG/L	1 UJ
SWB-3	6/2/2006	Pentachlorophenol	<		20	50	UG/L	1 R
SWB-3	6/2/2006	Pentachlorophenol	<		0.64	5	UG/L	5
SWB-3	9/5/2006	Pentachlorophenol	<		20	50	UG/L	1 UJ
SWB-3	9/5/2006	Pentachlorophenol	<		13	100	UG/L	100
SWB-3	12/4/2006	Pentachlorophenol	<		20	50	UG/L	1 R
SWB-3	12/4/2006	Pentachlorophenol	<		0.64	5	UG/L	5 UJ
SWB-3	3/1/2007	Pentachlorophenol	<		20	50	UG/L	1 UJ
SWB-3	3/1/2007	Pentachlorophenol	<		0.64	5	UG/L	5
SWB-3	6/1/2007	Pentachlorophenol	<		20	50	UG/L	1 R
SWB-3	6/1/2007	Pentachlorophenol	<		0.13	1	UG/L	1
SWB-3	12/3/2007	Pentachlorophenol	<		20	50	UG/L	1
SWB-3	12/3/2007	Pentachlorophenol	<		0.13	1	UG/L	1 R
SWB-3	3/6/2008	Pentachlorophenol	<		20	50	UG/L	1
SWB-3	3/6/2008	Pentachlorophenol	<		0.13	1	UG/L	1
SWB-3	6/9/2008	Pentachlorophenol	<		20	50	UG/L	1 R
SWB-3	6/9/2008	Pentachlorophenol	<		0.64	5	UG/L	5 R
SWB-3	12/4/2008	Pentachlorophenol	<		20	50	UG/L	1
SWB-3	12/4/2008	Pentachlorophenol	<		0.36	1	UG/L	1
SWB-3	3/2/2009	Pentachlorophenol	<		20	50	UG/L	1 R
SWB-3	3/2/2009	Pentachlorophenol	<		0.36	1	UG/L	1
SWB-3	6/4/2009	Pentachlorophenol	<		20	50	UG/L	1 DNR
SWB-3	6/4/2009	Pentachlorophenol	<		0.36	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-3	12/1/2009	Pentachlorophenol	<		20	50	UG/L	1 DNR
SWB-3	12/1/2009	Pentachlorophenol	<		20	50	UG/L	1 R
SWB-3	12/1/2009	Pentachlorophenol	<		0.36	1	UG/L	1
SWB-3	3/1/2010	Pentachlorophenol	<	49	19	49	ug/L	1 DNR
SWB-3	3/1/2010	Pentachlorophenol	<	25	9	25	ug/L	25
SWB-3	6/1/2010	PENTACHLOROPHENOL	<	19	19	47	UG/L	1 DNR
SWB-3	6/1/2010	PENTACHLOROPHENOL	<	0.36	0.36	1	UG/L	2
SWB-3	9/9/2010	PENTACHLOROPHENOL	<	19	19	47	UG/L	1 R
SWB-3	9/9/2010	PENTACHLOROPHENOL	<	18	18	50	UG/L	100
SWB-4	11/15/2002	Pentachlorophenol	<		11	50	ug/L	1 UJ
SWB-5	10/29/2002	Pentachlorophenol	<		11	50	ug/L	1
SWB-6	3/4/2003	Pentachlorophenol	<		11	50	ug/L	1
SWB-6	6/3/2003	Pentachlorophenol	<		11	50	ug/L	1
SWB-6	12/3/2003	Pentachlorophenol	<		5	50	ug/L	1
SWB-6	3/5/2004	Pentachlorophenol	<		5	50	ug/L	1
SWB-6	6/1/2004	Pentachlorophenol	<		5	50	ug/L	1
SWB-6	12/1/2004	Pentachlorophenol	<		5	50	ug/L	1
SWB-6	3/7/2005	Pentachlorophenol	<		10	50	ug/L	1
SWB-6	6/1/2005	Pentachlorophenol	<		10	50	ug/L	1
SWB-6	12/2/2005	Pentachlorophenol	<		10	50	UG/L	1
SWB-6	3/1/2006	Pentachlorophenol	<		10	50	UG/L	1
SWB-6	3/1/2006	Pentachlorophenol	<		0.13	1	UG/L	1 UJ
SWB-6	6/1/2006	Pentachlorophenol	<		20	50	UG/L	1
SWB-6	6/1/2006	Pentachlorophenol	<		0.64	5	UG/L	5
SWB-6	12/5/2006	Pentachlorophenol	<		20	50	UG/L	1
SWB-6	12/5/2006	Pentachlorophenol	<		0.64	5	UG/L	5 UJ
SWB-6	3/2/2007	Pentachlorophenol	<		20	50	UG/L	1
SWB-6	3/2/2007	Pentachlorophenol	<		0.64	5	UG/L	5
SWB-6	6/9/2008	Pentachlorophenol	<		20	50	UG/L	1
SWB-6	6/9/2008	Pentachlorophenol	<		0.64	5	UG/L	5 R
SWB-6	3/6/2008	Pentachlorophenol	<		20	50	UG/L	1
SWB-6	3/6/2008	Pentachlorophenol	<		0.13	1	UG/L	1
SWB-6	12/5/2008	Pentachlorophenol	<		20	50	UG/L	1
SWB-6	12/5/2008	Pentachlorophenol	<		20	50	UG/L	1 R
SWB-6	12/5/2008	Pentachlorophenol	<		0.36	1	UG/L	1
SWB-6	3/2/2009	Pentachlorophenol	<		20	50	UG/L	1 R
SWB-6	3/2/2009	Pentachlorophenol	<		0.36	1	UG/L	1
SWB-6	6/5/2009	Pentachlorophenol	<		20	50	UG/L	1 DNR
SWB-6	6/5/2009	Pentachlorophenol	<		0.36	1	UG/L	1
SWB-6	3/2/2010	Pentachlorophenol	<	46	18	46	UG/L	1 DNR
SWB-6	3/2/2010	Pentachlorophenol	<	25	9	25	UG/L	25
SWB-6	6/2/2010	PENTACHLOROPHENOL	<	19	19	47	UG/L	1 DNR
SWB-6	6/2/2010	PENTACHLOROPHENOL	<	19	19	48	UG/L	1 DNR
SWB-6	6/2/2010	PENTACHLOROPHENOL	<	1.8	1.8	5	UG/L	10
SWB-7	3/4/2003	Pentachlorophenol	<		11	50	ug/L	1
SWB-7	6/3/2003	Pentachlorophenol	<		11	50	ug/L	1
SWB-7	3/1/2004	Pentachlorophenol	<		5	50	ug/L	1
SWB-7	5/24/2004	Pentachlorophenol	<		5	50	ug/L	1
SWB-7	12/1/2004	Pentachlorophenol	<		5	50	ug/L	1
SWB-7	3/7/2005	Pentachlorophenol	<		10	50	ug/L	1 UJ
SWB-7	6/1/2005	Pentachlorophenol	TR	11	10	50	ug/L	1 J
SWB-7	9/1/2005	Pentachlorophenol	<		10	50	ug/L	1
SWB-7	9/1/2005	Pentachlorophenol	<		2	4	ug/L	1
SWB-7	12/1/2005	Pentachlorophenol	<		10	50	UG/L	1
SWB-7	3/1/2006	Pentachlorophenol	<		10	50	UG/L	1
SWB-7	3/1/2006	Pentachlorophenol	<		0.13	1	UG/L	1 UJ
SWB-7	6/2/2006	Pentachlorophenol	<		20	50	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	6/2/2006	Pentachlorophenol	<	0.64	5	UG/L	5	
SWB-7	9/5/2006	Pentachlorophenol	<	20	50	UG/L	1 UJ	
SWB-7	9/5/2006	Pentachlorophenol	<	1.3	10	UG/L	10	
SWB-7	12/5/2006	Pentachlorophenol	<	20	50	UG/L	1	
SWB-7	12/5/2006	Pentachlorophenol	<	0.13	1	UG/L	1 UJ	
SWB-7	3/2/2007	Pentachlorophenol	<	20	50	UG/L	1	
SWB-7	3/2/2007	Pentachlorophenol	<	0.64	5	UG/L	5	
SWB-7	6/1/2007	Pentachlorophenol	<	20	50	UG/L	1	
SWB-7	6/1/2007	Pentachlorophenol	<	0.13	1	UG/L	1	
SWB-7	9/7/2007	Pentachlorophenol	<	20	50	UG/L	1	
SWB-7	9/7/2007	Pentachlorophenol	<	0.13	1	UG/L	1	
SWB-7	12/3/2007	Pentachlorophenol	<	20	50	UG/L	1	
SWB-7	12/3/2007	Pentachlorophenol	<	0.13	1	UG/L	1	
SWB-7	3/6/2008	Pentachlorophenol	<	20	50	UG/L	1	
SWB-7	3/6/2008	Pentachlorophenol	<	0.13	1	UG/L	1	
SWB-7	6/6/2008	Pentachlorophenol	<	20	50	UG/L	1	
SWB-7	6/6/2008	Pentachlorophenol	<	0.64	5	UG/L	5 R	
SWB-7	9/8/2008	Pentachlorophenol	<	20	50	UG/L	1	
SWB-7	9/8/2008	Pentachlorophenol	<	0.13	1	UG/L	1	
SWB-7	12/5/2008	Pentachlorophenol	<	20	50	UG/L	1	
SWB-7	12/5/2008	Pentachlorophenol	<	20	50	UG/L	1 R	
SWB-7	12/5/2008	Pentachlorophenol	<	0.36	1	UG/L	1	
SWB-7	3/2/2009	Pentachlorophenol	<	20	50	UG/L	1 R	
SWB-7	3/2/2009	Pentachlorophenol	<	0.36	1	UG/L	1	
SWB-7	6/5/2009	Pentachlorophenol	<	20	50	UG/L	1 DNR	
SWB-7	6/5/2009	Pentachlorophenol	<	0.36	1	UG/L	1	
SWB-7	9/9/2009	Pentachlorophenol	<	20	50	UG/L	1 DNR	
SWB-7	9/9/2009	Pentachlorophenol	<	0.36	1	UG/L	1	
SWB-7	12/1/2009	Pentachlorophenol	<	20	50	UG/L	1 DNR	
SWB-7	12/1/2009	Pentachlorophenol	<	0.36	1	UG/L	1	
SWB-7	3/2/2010	Pentachlorophenol	<	47	19	47	UG/L	1 DNR
SWB-7	3/2/2010	Pentachlorophenol	<	25	9	25	UG/L	25
SWB-7	6/1/2010	PENTACHLOROPHENOL	<	19	19	48	UG/L	1 DNR
SWB-7	6/1/2010	PENTACHLOROPHENOL	<	20	20	50	UG/L	1 DNR
SWB-7	6/1/2010	PENTACHLOROPHENOL	<	0.36	0.36	1	UG/L	2
SWB-7	9/9/2010	PENTACHLOROPHENOL	<	19	19	48	UG/L	1
SWB-7	9/9/2010	PENTACHLOROPHENOL	<	18	18	50	UG/L	100 DNR
SWB-7	12/1/2010	PENTACHLOROPHENOL	<	19	19	47	UG/L	1
SWB-7	12/1/2010	PENTACHLOROPHENOL	<	18	18	50	UG/L	50 DNR
SWB-8	3/5/2004	Pentachlorophenol	<	5	50	ug/L	1	
SWB-8	3/7/2005	Pentachlorophenol	<	10	50	ug/L	1	
SWB-8	6/1/2005	Pentachlorophenol	<	10	50	ug/L	1	
SWB-8	3/1/2006	Pentachlorophenol	<	10	50	UG/L	1	
SWB-8	3/1/2006	Pentachlorophenol	<	0.13	1	UG/L	1 UJ	
SWB-8	3/7/2008	Pentachlorophenol	<	20	50	UG/L	1	
SWB-8	3/7/2008	Pentachlorophenol	<	0.13	1	UG/L	1	
SWB-8	3/3/2009	Pentachlorophenol	<	20	50	UG/L	1 R	
SWB-8	3/3/2009	Pentachlorophenol	<	0.36	1	UG/L	1	
SWB-9	3/4/2003	Pentachlorophenol	<	11	50	ug/L	1 UJ	
SWB-9	12/3/2003	Pentachlorophenol	<	5	50	ug/L	1	
SWB-9	3/5/2004	Pentachlorophenol	<	5	50	ug/L	1	
SWB-9	5/27/2004	Pentachlorophenol	<	5	50	ug/L	1 UJ	
SWB-9	12/1/2004	Pentachlorophenol	TR	9.7	5	50	ug/L	1 J
SWB-9	3/3/2005	Pentachlorophenol	<	10	50	ug/L	1	
SWB-9	6/2/2005	Pentachlorophenol	<	10	50	ug/L	1	
SWB-9	9/1/2005	Pentachlorophenol	<	10	50	ug/L	1 UJ	
SWB-9	9/1/2005	Pentachlorophenol	<	2	4	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-9	12/1/2005	Pentachlorophenol	<		10	50	UG/L	1		
SWB-9	3/2/2006	Pentachlorophenol	<		10	50	UG/L	1		
SWB-9	3/2/2006	Pentachlorophenol	<	0.13		1	UG/L	1 UJ		
SWB-9	6/1/2006	Pentachlorophenol	<		20	50	UG/L	1 UJ		
SWB-9	6/1/2006	Pentachlorophenol	<		1.3	10	UG/L	10		
SWB-9	12/4/2006	Pentachlorophenol	<		20	50	UG/L	1		
SWB-9	12/4/2006	Pentachlorophenol	<	0.64		5	UG/L	5 UJ		
SWB-9	3/5/2007	Pentachlorophenol	<		20	50	UG/L	1		
SWB-9	3/5/2007	Pentachlorophenol	<	0.64		5	UG/L	5		
SWB-9	3/6/2008	Pentachlorophenol	<		20	50	UG/L	1		
SWB-9	3/6/2008	Pentachlorophenol	<	0.25		2	UG/L	2		
SWB-9	6/5/2008	Pentachlorophenol	<		20	50	UG/L	1 R		
SWB-9	6/5/2008	Pentachlorophenol	<	0.64		5	UG/L	5 R		
SWB-9	12/5/2008	Pentachlorophenol	<		20	50	UG/L	1		
SWB-9	12/5/2008	Pentachlorophenol	<		20	50	UG/L	1 R		
SWB-9	12/5/2008	Pentachlorophenol	<	3.6		10	UG/L	10		
SWB-9	3/2/2009	Pentachlorophenol	<		20	50	UG/L	1 R		
SWB-9	3/2/2009	Pentachlorophenol	<	0.36		1	UG/L	1		
SWB-9	3/2/2009	Pentachlorophenol	<	0.36		1	UG/L	1 UJ		
SWB-9	3/2/2009	Pentachlorophenol	<	0.72		2	UG/L	2 R		
SWB-9	6/2/2009	Pentachlorophenol	<		20	50	UG/L	1 DNR		
SWB-9	6/2/2009	Pentachlorophenol	<	1.8		5	UG/L	5		
SWB-9	3/1/2010	Pentachlorophenol	<	46	18	46	ug/L	1 DNR		
SWB-9	3/1/2010	Pentachlorophenol	<	25	9	25	ug/L	25		
SWB-9	6/1/2010	PENTACHLOROPHENOL	<	19	19	47	UG/L	1 DNR		
SWB-9	6/1/2010	PENTACHLOROPHENOL	<	1.8	1.8	5	UG/L	10		
SWB-9	12/1/2010	PENTACHLOROPHENOL	<	19	19	46	UG/L	1 DNR		
SWB-9	12/1/2010	PENTACHLOROPHENOL	<	3.6	3.6	10	UG/L	10		
SWB-10	3/4/2004	Pentadecane	TI	1.7			ug/L	1 NJ	NA	
SWB-10	3/4/2004	pH	=	8		0.1	none	1 J	NA	
SWB-10	12/1/2004	pH	=	8.8		0.1	none	1 J		
SWB-10	3/3/2005	pH	=	9.4		0.1	none	1 J		
SWB-10	6/2/2005	pH	=	8.6		0.1	none	1 J		
SWB-10	9/1/2005	pH	=	8.8		0.1	NONE	1 J		
SWB-10	3/2/2006	pH	=	8.8		0.1	NONE	1 J		
SWB-10	6/2/2006	pH	=	8.4		0.1	NONE	1 J		
SWB-10	3/1/2007	pH	=	8.8		0.1	NONE	1 J		
SWB-10	3/7/2008	pH	=	9.1		0.1	NONE	1 J		
SWB-10	6/5/2008	pH	=	7.8		0.1	NONE	1 J		
SWB-10	3/2/2009	pH	=	8.6		0.1	NONE	1 J		
SWB-10	6/4/2009	pH	=	8.7		0.1	NONE	1 J		
SWB-10	3/2/2010	pH	=	8.92	0.1	0.1	PH UNITS	1 J		
SWB-11	3/4/2004	pH	=	7.9		0.1	none	1 J		
SWB-11	12/1/2004	pH	=	8.7		0.1	none	1 J		
SWB-11	3/1/2005	pH	=	8.8		0.1	none	1 J		
SWB-11	6/2/2005	pH	=	8.2		0.1	none	1 J		
SWB-11	3/2/2006	pH	=	8.9		0.1	NONE	1 J		
SWB-11	6/1/2006	pH	=	8.5		0.1	NONE	1 J		
SWB-11	3/1/2007	pH	=	8.5		0.1	NONE	1 J		
SWB-11	3/7/2008	pH	=	9		0.1	NONE	1 J		
SWB-11	6/5/2008	pH	=	7.8		0.1	NONE	1 J		
SWB-11	3/2/2009	pH	=	8.7		0.1	NONE	1 J		
SWB-11	6/4/2009	pH	=	9.3		0.1	NONE	1 J		
SWB-11	3/1/2010	pH	=	8.81	0.1	0.1	PH UNITS	1 J		
SWB-11	6/2/2010	PH	=	9.12	0.1	0.1	NONE	1 J		
SWB-3	6/21/2000	pH	<	7.4	0.01	0.05	none	1		
SWB-3	3/4/2003	pH	=	8		0.1	none	1 J		

tmpAnalyticalResultsOverTime

SWB-3	6/3/2003	pH	=	7.5		0.1	none	1	J
SWB-3	9/4/2003	pH	=	8.5		0.1	none	1	J
SWB-3	12/2/2003	pH	=	7.8		0.1	none	1	J
SWB-3	3/1/2004	pH	=	8.2		0.1	none	1	J
SWB-3	6/1/2004	pH	=	8.3		0.1	none	1	J
SWB-3	9/1/2004	pH	=	8.3		0.1	none	1	J
SWB-3	12/1/2004	pH	=	7.9		0.1	none	1	J
SWB-3	3/3/2005	pH	=	8.4		0.1	none	1	J
SWB-3	6/2/2005	pH	=	8		0.1	none	1	J
SWB-3	9/1/2005	pH	=	8		0.1	NONE	1	J
SWB-3	12/1/2005	pH	=	7.9		0.1	NONE	1	J
SWB-3	3/2/2006	pH	=	8.3		0.1	NONE	1	J
SWB-3	6/2/2006	pH	=	8.1		0.1	NONE	1	J
SWB-3	9/5/2006	pH	=	8		0.1	NONE	1	J
SWB-3	12/4/2006	pH	=	8		0.1	NONE	1	J
SWB-3	3/1/2007	pH	=	8.2		0.1	NONE	1	J
SWB-3	6/1/2007	pH	=	8.1		0.1	NONE	1	J
SWB-3	12/3/2007	pH	=	7.8		0.1	NONE	1	J
SWB-3	3/6/2008	pH	=	8.6		0.1	NONE	1	J
SWB-3	6/9/2008	pH	=	7.9		0.1	NONE	1	J
SWB-3	12/4/2008	pH	=	7.9		0.1	NONE	1	J
SWB-3	3/2/2009	pH	=	8.2		0.1	NONE	1	J
SWB-3	6/4/2009	pH	=	8.1		0.1	NONE	1	J
SWB-3	12/1/2009	pH	=	7.7		0.1	NONE	1	J
SWB-3	3/1/2010	pH	=	8.16	0.1	0.1	PH UNITS	1	J
SWB-3	6/1/2010	PH	=	8.37	0.1	0.1	NONE	1	J
SWB-3	9/9/2010	PH	=	7.67	0.1	0.1	PH UNITS	1	J
SWB-6	3/4/2003	pH	=	7.6		0.1	none	1	J
SWB-6	6/3/2003	pH	=	6.9		0.1	none	1	J
SWB-6	12/3/2003	pH	=	6.7		0.1	none	1	J
SWB-6	3/5/2004	pH	=	7.5		0.1	none	1	J
SWB-6	6/1/2004	pH	=	7.3		0.1	none	1	J
SWB-6	12/1/2004	pH	=	7.3		0.1	none	1	J
SWB-6	3/7/2005	pH	=	7.9		0.1	none	1	J
SWB-6	6/1/2005	pH	=	7.9		0.1	none	1	J
SWB-6	12/2/2005	pH	=	7.1		0.1	NONE	1	J
SWB-6	3/1/2006	pH	=	7.9		0.1	NONE	1	J
SWB-6	6/1/2006	pH	=	7.8		0.1	NONE	1	J
SWB-6	12/5/2006	pH	=	6.9		0.1	NONE	1	J
SWB-6	3/2/2007	pH	=	7.3		0.1	NONE	1	J
SWB-6	6/9/2008	pH	=	6.4		0.1	NONE	1	J
SWB-6	3/6/2008	pH	=	7.5		0.1	NONE	1	J
SWB-6	12/5/2008	pH	=	6.2		0.1	NONE	1	J
SWB-6	3/2/2009	pH	=	7.4		0.1	NONE	1	J
SWB-6	6/5/2009	pH	=	7		0.1	NONE	1	J
SWB-6	3/2/2010	pH	=	7.21	0.1	0.1	PH UNITS	1	J
SWB-6	6/2/2010	PH	=	6.69	0.1	0.1	NONE	1	J
SWB-7	3/4/2003	pH	=	9.1		0.1	none	1	J
SWB-7	6/3/2003	pH	=	9		0.1	none	1	J
SWB-7	3/1/2004	pH	=	9.1		0.1	none	1	J
SWB-7	12/1/2004	pH	=	8.9		0.1	none	1	J
SWB-7	3/7/2005	pH	=	9.2		0.1	none	1	J
SWB-7	6/1/2005	pH	=	8.5		0.1	none	1	J
SWB-7	9/1/2005	pH	=	8.2		0.1	NONE	1	J
SWB-7	12/1/2005	pH	=	8.2		0.1	NONE	1	J
SWB-7	3/1/2006	pH	=	8.8		0.1	NONE	1	J
SWB-7	6/2/2006	pH	=	8.4		0.1	NONE	1	J

tmpAnalyticalResultsOverTime

SWB-7	9/5/2006	pH	=	8.1		0.1	NONE	1	J	
SWB-7	12/5/2006	pH	=	7.7		0.1	NONE	1	J	
SWB-7	3/2/2007	pH	=	8.9		0.1	NONE	1	J	
SWB-7	6/1/2007	pH	=	8.2		0.1	NONE	1	J	
SWB-7	9/7/2007	pH	=	8		0.1	NONE	1	J	
SWB-7	12/3/2007	pH	=	8.1		0.1	NONE	1	J	
SWB-7	3/6/2008	pH	=	8.8		0.1	NONE	1	J	
SWB-7	6/6/2008	pH	=	8.8		0.1	NONE	1	J	
SWB-7	9/8/2008	pH	=	8.2		0.1	NONE	1	J	
SWB-7	12/5/2008	pH	=	8.6		0.1	NONE	1	J	
SWB-7	3/2/2009	pH	=	8.5		0.1	NONE	1	J	
SWB-7	6/5/2009	pH	=	8.8		0.1	NONE	1	J	
SWB-7	9/9/2009	pH	=	7.5		0.1	NONE	1	J	
SWB-7	12/1/2009	pH	=	7.5		0.1	NONE	1	J	
SWB-7	3/2/2010	pH	=	8.73	0.1	0.1	PH UNITS	1	J	
SWB-7	6/1/2010	PH	=	8.49	0.1	0.1	NONE	1	J	
SWB-7	9/9/2010	PH	=	7.99	0.1	0.1	PH UNITS	1	J	
SWB-7	12/1/2010	PH	=	7.73	0.1	0.1	PH UNITS	1	J	
SWB-8	3/5/2004	pH	=	7.1		0.1	none	1	J	
SWB-8	3/7/2005	pH	=	7.4		0.1	none	1	J	
SWB-8	6/1/2005	pH	=	7.2		0.1	none	1	J	
SWB-8	3/1/2006	pH	=	7		0.1	NONE	1	J	
SWB-8	3/7/2008	pH	=	7.4		0.1	NONE	1	J	
SWB-8	3/3/2009	pH	=	7.1		0.1	NONE	1	J	
SWB-9	3/4/2003	pH	=	6.7		0.1	none	1	J	
SWB-9	12/3/2003	pH	=	6.6		0.1	none	1	J	
SWB-9	3/5/2004	pH	=	7.4		0.1	none	1	J	
SWB-9	12/1/2004	pH	=	7.3		0.1	none	1	J	
SWB-9	3/3/2005	pH	=	8		0.1	none	1	J	
SWB-9	6/2/2005	pH	=	8.1		0.1	none	1	J	
SWB-9	9/1/2005	pH	=	7		0.1	NONE	1	J	
SWB-9	12/1/2005	pH	=	7.2		0.1	NONE	1	J	
SWB-9	3/2/2006	pH	=	8		0.1	NONE	1	J	
SWB-9	6/1/2006	pH	=	7.7		0.1	NONE	1	J	
SWB-9	12/4/2006	pH	=	7.1		0.1	NONE	1	J	
SWB-9	3/5/2007	pH	=	7.4		0.1	NONE	1	J	
SWB-9	3/6/2008	pH	=	7.8		0.1	NONE	1	J	
SWB-9	6/5/2008	pH	=	6.1		0.1	NONE	1	J	
SWB-9	12/5/2008	pH	=	7.3		0.1	NONE	1	J	
SWB-9	3/2/2009	pH	=	7.5		0.1	NONE	1	J	
SWB-9	6/2/2009	pH	=	6.4		0.1	NONE	1	J	
SWB-9	3/1/2010	pH	=	7.41	0.1	0.1	PH UNITS	1	J	
SWB-9	6/1/2010	PH	=	6.57	0.1	0.1	NONE	1	J	
SWB-9	12/1/2010	PH	=	7.32	0.1	0.1	PH UNITS	1	J	
SWB-10	3/4/2004	Phenacetin	<		2	20	ug/L	1		NA
SWB-10	5/24/2004	Phenacetin	<		2	20	ug/L	1	UJ	
SWB-10	12/1/2004	Phenacetin	<		2	20	ug/L	1		
SWB-10	3/3/2005	Phenacetin	<		2	20	ug/L	1		
SWB-10	6/2/2005	Phenacetin	<		2	20	ug/L	1		
SWB-10	9/1/2005	Phenacetin	<		2	20	ug/L	1		
SWB-10	3/2/2006	Phenacetin	<		2	20	UG/L	1		
SWB-10	6/2/2006	Phenacetin	<		1.1	20	UG/L	1		
SWB-10	3/1/2007	Phenacetin	<		1.1	20	UG/L	1		
SWB-10	3/7/2008	Phenacetin	<		1.1	20	UG/L	1		
SWB-10	6/5/2008	Phenacetin	<		1.1	20	UG/L	1		
SWB-10	3/2/2009	Phenacetin	<		1.1	20	UG/L	1		
SWB-10	3/2/2009	Phenacetin	<		1.1	20	UG/L	1	R	

tmpAnalyticalResultsOverTime

SWB-10	6/4/2009	Phenacetin	<		1.1	20	UG/L	1
SWB-10	3/2/2010	Phenacetin	<	19	1	19	UG/L	1
SWB-11	3/4/2004	Phenacetin	<		2	20	ug/L	1
SWB-11	5/24/2004	Phenacetin	<		2	20	ug/L	1 UJ
SWB-11	12/1/2004	Phenacetin	<		2	20	ug/L	1
SWB-11	3/1/2005	Phenacetin	<		2	20	ug/L	1
SWB-11	6/2/2005	Phenacetin	<		2	20	ug/L	1
SWB-11	3/2/2006	Phenacetin	<		2	20	UG/L	1
SWB-11	6/1/2006	Phenacetin	<		1.1	20	UG/L	1
SWB-11	3/1/2007	Phenacetin	<		1.1	20	UG/L	1
SWB-11	3/7/2008	Phenacetin	<		1.1	20	UG/L	1
SWB-11	6/5/2008	Phenacetin	<		1.1	20	UG/L	1
SWB-11	3/2/2009	Phenacetin	<		1.1	20	UG/L	1
SWB-11	6/4/2009	Phenacetin	<		1.1	20	UG/L	1
SWB-11	3/1/2010	Phenacetin	<	19	1	19	ug/L	1
SWB-11	6/2/2010	PHENACETIN	<	1	1	19	UG/L	1
SWB-3	10/29/2002	Phenacetin	<		1.3	20	ug/L	1
SWB-3	3/4/2003	Phenacetin	<		1.3	20	ug/L	1
SWB-3	6/3/2003	Phenacetin	<		1.3	20	ug/L	1
SWB-3	9/4/2003	Phenacetin	<		1	20	ug/L	1 UJ
SWB-3	12/2/2003	Phenacetin	<		1	20	ug/L	1
SWB-3	3/1/2004	Phenacetin	<		2	20	ug/L	1
SWB-3	6/1/2004	Phenacetin	<		2	20	ug/L	1
SWB-3	9/1/2004	Phenacetin	<		2	20	ug/L	1
SWB-3	12/1/2004	Phenacetin	<		2	20	ug/L	1
SWB-3	3/3/2005	Phenacetin	<		2	20	ug/L	1
SWB-3	6/2/2005	Phenacetin	<		2	20	ug/L	1
SWB-3	9/1/2005	Phenacetin	<		2	20	ug/L	1
SWB-3	12/1/2005	Phenacetin	<		2	20	UG/L	1 UJ
SWB-3	3/2/2006	Phenacetin	<		2	20	UG/L	1
SWB-3	6/2/2006	Phenacetin	<		1.1	20	UG/L	1
SWB-3	9/5/2006	Phenacetin	<		1.1	20	UG/L	1
SWB-3	12/4/2006	Phenacetin	<		1.1	20	UG/L	1
SWB-3	3/1/2007	Phenacetin	<		1.1	20	UG/L	1
SWB-3	6/1/2007	Phenacetin	<		1.1	20	UG/L	1
SWB-3	6/1/2007	Phenacetin	<		1.1	20	UG/L	1 R
SWB-3	12/3/2007	Phenacetin	<		1.1	20	UG/L	1
SWB-3	3/6/2008	Phenacetin	<		1.1	20	UG/L	1
SWB-3	6/9/2008	Phenacetin	<		1.1	20	UG/L	1
SWB-3	12/4/2008	Phenacetin	<		1.1	20	UG/L	1
SWB-3	3/2/2009	Phenacetin	<		1.1	20	UG/L	1
SWB-3	3/2/2009	Phenacetin	<		1.1	20	UG/L	1 R
SWB-3	6/4/2009	Phenacetin	<		1.1	20	UG/L	1
SWB-3	12/1/2009	Phenacetin	<		1.1	20	UG/L	1
SWB-3	12/1/2009	Phenacetin	<		1.1	20	UG/L	1 DNR
SWB-3	3/1/2010	Phenacetin	<	19	1.1	19	ug/L	1 UJ
SWB-3	6/1/2010	PHENACETIN	<	1	1	19	UG/L	1
SWB-3	6/1/2010	PHENACETIN	<	1	1	19	UG/L	1 DNR
SWB-3	9/9/2010	PHENACETIN	<	1	1	19	UG/L	1
SWB-4	11/15/2002	Phenacetin	<		1.3	20	ug/L	1
SWB-5	10/29/2002	Phenacetin	<		1.3	20	ug/L	1
SWB-6	3/4/2003	Phenacetin	<		1.3	20	ug/L	1
SWB-6	6/3/2003	Phenacetin	<		1.3	20	ug/L	1
SWB-6	12/3/2003	Phenacetin	<		1	20	ug/L	1
SWB-6	3/5/2004	Phenacetin	<		2	20	ug/L	1
SWB-6	6/1/2004	Phenacetin	<		2	20	ug/L	1
SWB-6	12/1/2004	Phenacetin	<		2	20	ug/L	1



tmpAnalyticalResultsOverTime

SWB-6	3/7/2005	Phenacetin	<		2	20	ug/L	1
SWB-6	6/1/2005	Phenacetin	<		2	20	ug/L	1
SWB-6	12/2/2005	Phenacetin	<		2	20	UG/L	1 UJ
SWB-6	3/1/2006	Phenacetin	<		2	20	UG/L	1
SWB-6	6/1/2006	Phenacetin	<		1.1	20	UG/L	1
SWB-6	12/5/2006	Phenacetin	<		1.1	20	UG/L	1
SWB-6	3/2/2007	Phenacetin	<		1.1	20	UG/L	1
SWB-6	6/9/2008	Phenacetin	<		1.1	20	UG/L	1
SWB-6	3/6/2008	Phenacetin	<		1.1	20	UG/L	1
SWB-6	12/5/2008	Phenacetin	<		1.1	20	UG/L	1
SWB-6	12/5/2008	Phenacetin	<		1.1	20	UG/L	1 R
SWB-6	3/2/2009	Phenacetin	<		1.1	20	UG/L	1
SWB-6	3/2/2009	Phenacetin	<		1.1	20	UG/L	1 R
SWB-6	6/5/2009	Phenacetin	<		1.1	20	UG/L	1
SWB-6	3/2/2010	Phenacetin	<	18	0.98	18	UG/L	1
SWB-6	6/2/2010	PHENACETIN	<	1	1	19	UG/L	1
SWB-6	6/2/2010	PHENACETIN	<	1	1	19	UG/L	1 DNR
SWB-7	3/4/2003	Phenacetin	<		1.3	20	ug/L	1
SWB-7	6/3/2003	Phenacetin	<		1.3	20	ug/L	1
SWB-7	3/1/2004	Phenacetin	<		2	20	ug/L	1
SWB-7	5/24/2004	Phenacetin	<		2	20	ug/L	1
SWB-7	12/1/2004	Phenacetin	<		2	20	ug/L	1
SWB-7	3/7/2005	Phenacetin	<		2	20	ug/L	1 UJ
SWB-7	6/1/2005	Phenacetin	<		2	20	ug/L	1
SWB-7	9/1/2005	Phenacetin	<		2	20	ug/L	1
SWB-7	12/1/2005	Phenacetin	<		2	20	UG/L	1 UJ
SWB-7	3/1/2006	Phenacetin	<		2	20	UG/L	1
SWB-7	6/2/2006	Phenacetin	<		1.1	20	UG/L	1
SWB-7	9/5/2006	Phenacetin	<		1.1	20	UG/L	1 UJ
SWB-7	12/5/2006	Phenacetin	<		1.1	20	UG/L	1
SWB-7	3/2/2007	Phenacetin	<		1.1	20	UG/L	1
SWB-7	6/1/2007	Phenacetin	<		1.1	20	UG/L	1
SWB-7	9/7/2007	Phenacetin	<		1.1	20	UG/L	1
SWB-7	12/3/2007	Phenacetin	<		1.1	20	UG/L	1
SWB-7	3/6/2008	Phenacetin	<		1.1	20	UG/L	1
SWB-7	6/6/2008	Phenacetin	<		1.1	20	UG/L	1
SWB-7	9/8/2008	Phenacetin	<		1.1	20	UG/L	1
SWB-7	12/5/2008	Phenacetin	<		1.1	20	UG/L	1
SWB-7	12/5/2008	Phenacetin	<		1.1	20	UG/L	1 R
SWB-7	3/2/2009	Phenacetin	<		1.1	20	UG/L	1
SWB-7	3/2/2009	Phenacetin	<		1.1	20	UG/L	1 R
SWB-7	6/5/2009	Phenacetin	<		1.1	20	UG/L	1
SWB-7	9/9/2009	Phenacetin	<		1.1	20	UG/L	1
SWB-7	12/1/2009	Phenacetin	<		1.1	20	UG/L	1
SWB-7	3/2/2010	Phenacetin	<	19	1	19	UG/L	1
SWB-7	6/1/2010	PHENACETIN	<	1	1	19	UG/L	1 DNR
SWB-7	6/1/2010	PHENACETIN	<	1.1	1.1	20	UG/L	1 R
SWB-7	9/9/2010	PHENACETIN	<	1	1	19	UG/L	1
SWB-7	12/1/2010	PHENACETIN	<	1	1	19	UG/L	1
SWB-8	3/5/2004	Phenacetin	<		2	20	ug/L	1
SWB-8	3/7/2005	Phenacetin	<		2	20	ug/L	1
SWB-8	6/1/2005	Phenacetin	<		2	20	ug/L	1
SWB-8	3/1/2006	Phenacetin	<		2	20	UG/L	1
SWB-8	3/7/2008	Phenacetin	<		1.1	20	UG/L	1
SWB-8	3/3/2009	Phenacetin	<		1.1	20	UG/L	1
SWB-8	3/3/2009	Phenacetin	<		1.1	20	UG/L	1 R
SWB-9	3/4/2003	Phenacetin	<		1.3	20	ug/L	1

tmpAnalyticalResultsOverTime

SWB-9	12/3/2003	Phenacetin	<	1	20	ug/L	1	
SWB-9	3/5/2004	Phenacetin	<	2	20	ug/L	1	
SWB-9	5/27/2004	Phenacetin	<	2	20	ug/L	1 UJ	
SWB-9	12/1/2004	Phenacetin	<	2	20	ug/L	1	
SWB-9	3/3/2005	Phenacetin	<	2	20	ug/L	1	
SWB-9	6/2/2005	Phenacetin	<	2	20	ug/L	1	
SWB-9	9/1/2005	Phenacetin	<	2	20	ug/L	1	
SWB-9	12/1/2005	Phenacetin	<	2	20	UG/L	1 UJ	
SWB-9	3/2/2006	Phenacetin	<	2	20	UG/L	1	
SWB-9	6/1/2006	Phenacetin	<	1.1	20	UG/L	1	
SWB-9	12/4/2006	Phenacetin	<	1.1	20	UG/L	1	
SWB-9	3/5/2007	Phenacetin	<	1.1	20	UG/L	1	
SWB-9	3/6/2008	Phenacetin	<	1.1	20	UG/L	1	
SWB-9	6/5/2008	Phenacetin	<	1.1	20	UG/L	1	
SWB-9	12/5/2008	Phenacetin	<	1.1	20	UG/L	1	
SWB-9	12/5/2008	Phenacetin	<	1.1	20	UG/L	1 R	
SWB-9	3/2/2009	Phenacetin	<	1.1	20	UG/L	1	
SWB-9	3/2/2009	Phenacetin	<	1.1	20	UG/L	1 R	
SWB-9	6/2/2009	Phenacetin	<	1.1	20	UG/L	1	
SWB-9	6/2/2009	Phenacetin	<	1.1	20	UG/L	1 DNR	
SWB-9	3/1/2010	Phenacetin	<	18	18	ug/L	1	
SWB-9	6/1/2010	PHENACETIN	<	1	19	UG/L	1	
SWB-9	6/1/2010	PHENACETIN	<	1	19	UG/L	1 DNR	
SWB-9	12/1/2010	PHENACETIN	<	1	19	UG/L	1	
SWB-10	3/4/2004	Phenanthrene	<	0.7	10	ug/L	1	NA
SWB-10	5/24/2004	Phenanthrene	<	0.7	10	ug/L	1 UJ	
SWB-10	12/1/2004	Phenanthrene	<	0.7	10	ug/L	1	
SWB-10	3/3/2005	Phenanthrene	<	2	10	ug/L	1	
SWB-10	6/2/2005	Phenanthrene	<	2	10	ug/L	1	
SWB-10	9/1/2005	Phenanthrene	<	2	10	ug/L	1	
SWB-10	3/2/2006	Phenanthrene	<	2	10	UG/L	1	
SWB-10	6/2/2006	Phenanthrene	<	1	10	UG/L	1	
SWB-10	3/1/2007	Phenanthrene	<	1	10	UG/L	1	
SWB-10	3/7/2008	Phenanthrene	<	0.26	10	UG/L	1	
SWB-10	6/5/2008	Phenanthrene	<	0.26	10	UG/L	1	
SWB-10	3/2/2009	Phenanthrene	<	0.26	4	UG/L	1	
SWB-10	3/2/2009	Phenanthrene	<	0.26	4	UG/L	1 R	
SWB-10	6/4/2009	Phenanthrene	<	0.26	4	UG/L	1	
SWB-10	3/2/2010	Phenanthrene	<	3.7	3.7	UG/L	1	
SWB-11	3/4/2004	Phenanthrene	<	0.7	10	ug/L	1	
SWB-11	5/24/2004	Phenanthrene	<	0.7	10	ug/L	1 UJ	
SWB-11	12/1/2004	Phenanthrene	<	0.7	10	ug/L	1	
SWB-11	3/1/2005	Phenanthrene	<	2	10	ug/L	1	
SWB-11	6/2/2005	Phenanthrene	<	2	10	ug/L	1	
SWB-11	3/2/2006	Phenanthrene	<	2	10	UG/L	1	
SWB-11	6/1/2006	Phenanthrene	<	1	10	UG/L	1	
SWB-11	3/1/2007	Phenanthrene	<	1	10	UG/L	1	
SWB-11	3/7/2008	Phenanthrene	<	0.26	10	UG/L	1	
SWB-11	6/5/2008	Phenanthrene	<	0.26	10	UG/L	1	
SWB-11	3/2/2009	Phenanthrene	<	0.26	4	UG/L	1	
SWB-11	6/4/2009	Phenanthrene	<	0.26	4	UG/L	1	
SWB-11	3/1/2010	Phenanthrene	<	3.7	3.7	ug/L	1	
SWB-11	6/2/2010	PHENANTHRENE	<	0.25	3.8	UG/L	1 UJ	
SWB-3	10/29/2002	Phenanthrene	<	1.3	10	ug/L	1	
SWB-3	3/4/2003	Phenanthrene	<	1.3	10	ug/L	1	
SWB-3	6/3/2003	Phenanthrene	<	1.3	10	ug/L	1	
SWB-3	9/4/2003	Phenanthrene	<	1.3	10	ug/L	1 UJ	

tmpAnalyticalResultsOverTime

SWB-3	12/2/2003	Phenanthrene	<	0.7	10	ug/L	1	
SWB-3	3/1/2004	Phenanthrene	<	0.7	10	ug/L	1	
SWB-3	6/1/2004	Phenanthrene	<	0.7	10	ug/L	1	
SWB-3	9/1/2004	Phenanthrene	<	0.7	10	ug/L	1	
SWB-3	12/1/2004	Phenanthrene	<	0.7	10	ug/L	1	
SWB-3	3/3/2005	Phenanthrene	<	2	10	ug/L	1	
SWB-3	6/2/2005	Phenanthrene	<	2	10	ug/L	1	
SWB-3	9/1/2005	Phenanthrene	<	2	10	ug/L	1	
SWB-3	12/1/2005	Phenanthrene	<	2	10	UG/L	1 UJ	
SWB-3	3/2/2006	Phenanthrene	<	2	10	UG/L	1	
SWB-3	6/2/2006	Phenanthrene	<	1	10	UG/L	1	
SWB-3	9/5/2006	Phenanthrene	<	1	10	UG/L	1	
SWB-3	9/5/2006	Phenanthrene	<	0.22	10	UG/L	1	
SWB-3	12/4/2006	Phenanthrene	<	1	10	UG/L	1	
SWB-3	3/1/2007	Phenanthrene	<	1	10	UG/L	1	
SWB-3	6/1/2007	Phenanthrene	<	1	10	UG/L	1	
SWB-3	6/1/2007	Phenanthrene	<	1	10	UG/L	1 R	
SWB-3	12/3/2007	Phenanthrene	<	0.26	10	UG/L	1	
SWB-3	3/6/2008	Phenanthrene	<	0.26	10	UG/L	1	
SWB-3	6/9/2008	Phenanthrene	<	0.26	10	UG/L	1	
SWB-3	12/4/2008	Phenanthrene	<	0.26	4	UG/L	1	
SWB-3	3/2/2009	Phenanthrene	<	0.26	4	UG/L	1	
SWB-3	3/2/2009	Phenanthrene	<	0.26	4	UG/L	1 R	
SWB-3	6/4/2009	Phenanthrene	<	0.26	4	UG/L	1	
SWB-3	12/1/2009	Phenanthrene	<	0.26	4	UG/L	1	
SWB-3	12/1/2009	Phenanthrene	<	0.26	4	UG/L	1 DNR	
SWB-3	3/1/2010	Phenanthrene	<	3.9	0.25	3.9	ug/L	1 UJ
SWB-3	6/1/2010	PHENANTHRENE	<	0.24	0.24	3.7	UG/L	1 UJ
SWB-3	6/1/2010	PHENANTHRENE	<	0.25	0.25	3.8	UG/L	1 DNR
SWB-3	9/9/2010	PHENANTHRENE	<	0.24	0.24	3.7	UG/L	1
SWB-4	11/15/2002	Phenanthrene	<	1.3	10	ug/L	1	
SWB-5	10/29/2002	Phenanthrene	<	1.3	10	ug/L	1	
SWB-6	3/4/2003	Phenanthrene	<	1.3	10	ug/L	1	
SWB-6	6/3/2003	Phenanthrene	<	1.3	10	ug/L	1	
SWB-6	12/3/2003	Phenanthrene	<	0.7	10	ug/L	1	
SWB-6	3/5/2004	Phenanthrene	<	0.7	10	ug/L	1	
SWB-6	6/1/2004	Phenanthrene	<	0.7	10	ug/L	1	
SWB-6	12/1/2004	Phenanthrene	<	0.7	10	ug/L	1	
SWB-6	3/7/2005	Phenanthrene	<	2	10	ug/L	1	
SWB-6	6/1/2005	Phenanthrene	<	2	10	ug/L	1	
SWB-6	12/2/2005	Phenanthrene	<	2	10	UG/L	1 UJ	
SWB-6	3/1/2006	Phenanthrene	<	2	10	UG/L	1	
SWB-6	6/1/2006	Phenanthrene	<	1	10	UG/L	1	
SWB-6	12/5/2006	Phenanthrene	<	1	10	UG/L	1	
SWB-6	3/2/2007	Phenanthrene	<	1	10	UG/L	1	
SWB-6	6/9/2008	Phenanthrene	<	0.26	10	UG/L	1	
SWB-6	3/6/2008	Phenanthrene	<	0.26	10	UG/L	1	
SWB-6	12/5/2008	Phenanthrene	<	0.26	4	UG/L	1	
SWB-6	12/5/2008	Phenanthrene	<	0.26	4	UG/L	1 R	
SWB-6	3/2/2009	Phenanthrene	<	0.26	4	UG/L	1	
SWB-6	3/2/2009	Phenanthrene	<	0.26	4	UG/L	1 R	
SWB-6	6/5/2009	Phenanthrene	<	0.26	4	UG/L	1	
SWB-6	3/2/2010	Phenanthrene	<	3.6	0.24	3.6	UG/L	1
SWB-6	6/2/2010	PHENANTHRENE	<	0.24	0.24	3.8	UG/L	1 DNR
SWB-6	6/2/2010	PHENANTHRENE	<	0.25	0.25	3.8	UG/L	1
SWB-7	3/4/2003	Phenanthrene	<	1.3	10	ug/L	1	
SWB-7	6/3/2003	Phenanthrene	<	1.3	10	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-7	3/1/2004	Phenanthrene	<	0.7	10	ug/L	1	
SWB-7	5/24/2004	Phenanthrene	<	0.7	10	ug/L	1	
SWB-7	12/1/2004	Phenanthrene	<	0.7	10	ug/L	1	
SWB-7	3/7/2005	Phenanthrene	<	2	10	ug/L	1 UJ	
SWB-7	6/1/2005	Phenanthrene	<	2	10	ug/L	1	
SWB-7	9/1/2005	Phenanthrene	<	2	10	ug/L	1	
SWB-7	12/1/2005	Phenanthrene	<	2	10	UG/L	1 UJ	
SWB-7	3/1/2006	Phenanthrene	<	2	10	UG/L	1	
SWB-7	6/2/2006	Phenanthrene	<	1	10	UG/L	1	
SWB-7	9/5/2006	Phenanthrene	<	1	10	UG/L	1 UJ	
SWB-7	9/5/2006	Phenanthrene	<	0.22	10	UG/L	1	
SWB-7	12/5/2006	Phenanthrene	<	1	10	UG/L	1	
SWB-7	3/2/2007	Phenanthrene	<	1	10	UG/L	1	
SWB-7	6/1/2007	Phenanthrene	<	1	10	UG/L	1	
SWB-7	9/7/2007	Phenanthrene	<	0.26	10	UG/L	1	
SWB-7	12/3/2007	Phenanthrene	<	0.26	10	UG/L	1	
SWB-7	3/6/2008	Phenanthrene	<	0.26	10	UG/L	1	
SWB-7	6/6/2008	Phenanthrene	<	0.26	10	UG/L	1	
SWB-7	9/8/2008	Phenanthrene	<	0.26	4	UG/L	1	
SWB-7	12/5/2008	Phenanthrene	<	0.26	4	UG/L	1	
SWB-7	12/5/2008	Phenanthrene	<	0.26	4	UG/L	1 R	
SWB-7	3/2/2009	Phenanthrene	<	0.26	4	UG/L	1	
SWB-7	3/2/2009	Phenanthrene	<	0.26	4	UG/L	1 R	
SWB-7	6/5/2009	Phenanthrene	<	0.26	4	UG/L	1	
SWB-7	9/9/2009	Phenanthrene	<	0.26	4	UG/L	1	
SWB-7	12/1/2009	Phenanthrene	<	0.26	4	UG/L	1	
SWB-7	3/2/2010	Phenanthrene	<	3.8	0.25	3.8	UG/L	1
SWB-7	6/1/2010	PHENANTHRENE	<	0.25	0.25	3.8	UG/L	1 DNR
SWB-7	6/1/2010	PHENANTHRENE	<	0.26	0.26	4	UG/L	1 R
SWB-7	9/9/2010	PHENANTHRENE	<	0.25	0.25	3.9	UG/L	1
SWB-7	12/1/2010	PHENANTHRENE	<	0.24	0.24	3.7	UG/L	1
SWB-8	3/5/2004	Phenanthrene	<	0.7	10	ug/L	1	
SWB-8	3/7/2005	Phenanthrene	<	2	10	ug/L	1	
SWB-8	6/1/2005	Phenanthrene	<	2	10	ug/L	1	
SWB-8	3/1/2006	Phenanthrene	<	2	10	UG/L	1	
SWB-8	3/7/2008	Phenanthrene	<	0.26	10	UG/L	1	
SWB-8	3/3/2009	Phenanthrene	<	0.26	4	UG/L	1	
SWB-8	3/3/2009	Phenanthrene	<	0.26	4	UG/L	1 R	
SWB-9	3/4/2003	Phenanthrene	<	1.3	10	ug/L	1	
SWB-9	12/3/2003	Phenanthrene	<	0.7	10	ug/L	1	
SWB-9	3/5/2004	Phenanthrene	<	0.7	10	ug/L	1	
SWB-9	5/27/2004	Phenanthrene	<	0.7	10	ug/L	1 UJ	
SWB-9	12/1/2004	Phenanthrene	<	0.7	10	ug/L	1	
SWB-9	3/3/2005	Phenanthrene	<	2	10	ug/L	1	
SWB-9	6/2/2005	Phenanthrene	<	2	10	ug/L	1	
SWB-9	9/1/2005	Phenanthrene	<	2	10	ug/L	1	
SWB-9	12/1/2005	Phenanthrene	<	2	10	UG/L	1 UJ	
SWB-9	3/2/2006	Phenanthrene	<	2	10	UG/L	1	
SWB-9	6/1/2006	Phenanthrene	<	1	10	UG/L	1	
SWB-9	12/4/2006	Phenanthrene	<	1	10	UG/L	1	
SWB-9	3/5/2007	Phenanthrene	<	1	10	UG/L	1	
SWB-9	3/6/2008	Phenanthrene	<	0.26	10	UG/L	1	
SWB-9	6/5/2008	Phenanthrene	<	0.26	10	UG/L	1	
SWB-9	12/5/2008	Phenanthrene	<	0.26	4	UG/L	1	
SWB-9	12/5/2008	Phenanthrene	<	0.26	4	UG/L	1 R	
SWB-9	3/2/2009	Phenanthrene	<	0.26	4	UG/L	1	
SWB-9	3/2/2009	Phenanthrene	<	0.26	4	UG/L	1 R	

tmpAnalyticalResultsOverTime

SWB-9	6/2/2009	Phenanthrene	<		0.26	4	UG/L	1	
SWB-9	6/2/2009	Phenanthrene	<		0.26	4	UG/L	1	DNR
SWB-9	3/1/2010	Phenanthrene	<	3.7	0.24	3.7	ug/L	1	
SWB-9	6/1/2010	PHENANTHRENE	<	0.24	0.24	3.8	UG/L	1	DNR
SWB-9	6/1/2010	PHENANTHRENE	<	0.25	0.25	3.8	UG/L	1	UJ
SWB-9	12/1/2010	PHENANTHRENE	<	0.24	0.24	3.7	UG/L	1	
SWB-10	3/4/2004	Phenol	<		0.9	10	ug/L	1	NA
SWB-10	5/24/2004	Phenol	<		0.9	10	ug/L	1	UJ
SWB-10	12/1/2004	Phenol	<		0.9	10	ug/L	1	
SWB-10	3/3/2005	Phenol	<		1.4	10	ug/L	1	
SWB-10	6/2/2005	Phenol	<		1.4	10	ug/L	1	
SWB-10	9/1/2005	Phenol	<		1.4	10	ug/L	1	
SWB-10	3/2/2006	Phenol	<		1.4	10	UG/L	1	
SWB-10	6/2/2006	Phenol	<		1.4	10	UG/L	1	
SWB-10	3/1/2007	Phenol	<		1.4	10	UG/L	1	
SWB-10	3/7/2008	Phenol	<		2	10	UG/L	1	
SWB-10	6/5/2008	Phenol	<		2	10	UG/L	1	
SWB-10	3/2/2009	Phenol	<		2	10	UG/L	1	
SWB-10	3/2/2009	Phenol	<		2	10	UG/L	1	R
SWB-10	6/4/2009	Phenol	<		2	10	UG/L	1	UJ
SWB-10	3/2/2010	Phenol	<	9.3	1.9	9.3	UG/L	1	
SWB-11	3/4/2004	Phenol	<		0.9	10	ug/L	1	
SWB-11	5/24/2004	Phenol	<		0.9	10	ug/L	1	UJ
SWB-11	12/1/2004	Phenol	<		0.9	10	ug/L	1	
SWB-11	3/1/2005	Phenol	<		1.4	10	ug/L	1	
SWB-11	6/2/2005	Phenol	<		1.4	10	ug/L	1	
SWB-11	3/2/2006	Phenol	<		1.4	10	UG/L	1	
SWB-11	6/1/2006	Phenol	<		1.4	10	UG/L	1	
SWB-11	3/1/2007	Phenol	<		1.4	10	UG/L	1	
SWB-11	3/7/2008	Phenol	<		2	10	UG/L	1	
SWB-11	6/5/2008	Phenol	TR	2.3	2	10	UG/L	1	J
SWB-11	3/2/2009	Phenol	<		2	10	UG/L	1	
SWB-11	6/4/2009	Phenol	<		2	10	UG/L	1	UJ
SWB-11	3/1/2010	Phenol	<	9.4	1.9	9.4	ug/L	1	
SWB-11	6/2/2010	PHENOL	<	1.9	1.9	9.5	UG/L	1	R
SWB-3	10/29/2002	Phenol	<		1.4	10	ug/L	1	
SWB-3	3/4/2003	Phenol	<		1.4	10	ug/L	1	R
SWB-3	6/3/2003	Phenol	<		1.4	10	ug/L	1	
SWB-3	9/4/2003	Phenol	<		1.4	10	ug/L	1	R
SWB-3	12/2/2003	Phenol	<		0.9	10	ug/L	1	
SWB-3	3/1/2004	Phenol	<		0.9	10	ug/L	1	
SWB-3	6/1/2004	Phenol	<		0.9	10	ug/L	1	
SWB-3	9/1/2004	Phenol	<		0.9	10	ug/L	1	
SWB-3	12/1/2004	Phenol	<		0.9	10	ug/L	1	
SWB-3	3/3/2005	Phenol	<		1.4	10	ug/L	1	
SWB-3	6/2/2005	Phenol	<		1.4	10	ug/L	1	
SWB-3	9/1/2005	Phenol	<		1.4	10	ug/L	1	R
SWB-3	12/1/2005	Phenol	<		1.4	10	UG/L	1	R
SWB-3	3/2/2006	Phenol	<		1.4	10	UG/L	1	R
SWB-3	6/2/2006	Phenol	<		1.4	10	UG/L	1	R
SWB-3	9/5/2006	Phenol	<		1.4	10	UG/L	1	UJ
SWB-3	12/4/2006	Phenol	<		1.4	10	UG/L	1	R
SWB-3	3/1/2007	Phenol	<		1.4	10	UG/L	1	
SWB-3	6/1/2007	Phenol	<		1.4	10	UG/L	1	R
SWB-3	12/3/2007	Phenol	<		0.31	10	UG/L	1	R
SWB-3	3/6/2008	Phenol	<		2	10	UG/L	1	
SWB-3	6/9/2008	Phenol	<		2	10	UG/L	1	R

tmpAnalyticalResultsOverTime

SWB-3	12/4/2008	Phenol	<		2	10	UG/L	1
SWB-3	3/2/2009	Phenol	<		2	10	UG/L	1
SWB-3	3/2/2009	Phenol	<		2	10	UG/L	1 R
SWB-3	6/4/2009	Phenol	<		2	10	UG/L	1 UJ
SWB-3	12/1/2009	Phenol	<		2	10	UG/L	1 DNR
SWB-3	12/1/2009	Phenol	<		2	10	UG/L	1 R
SWB-3	3/1/2010	Phenol	<	9.7	1.9	9.7	ug/L	1 UJ
SWB-3	6/1/2010	PHENOL	<	1.9	1.9	9.4	UG/L	1 DNR
SWB-3	6/1/2010	PHENOL	<	1.9	1.9	9.4	UG/L	1 R
SWB-3	9/9/2010	PHENOL	<	1.9	1.9	9.3	UG/L	1 R
SWB-4	11/15/2002	Phenol	<		1.4	10	ug/L	1 UJ
SWB-5	10/29/2002	Phenol	<		1.4	10	ug/L	1
SWB-6	3/4/2003	Phenol	<		1.4	10	ug/L	1
SWB-6	6/3/2003	Phenol	<		1.4	10	ug/L	1
SWB-6	12/3/2003	Phenol	TR	1.7	0.9	10	ug/L	1 J
SWB-6	3/5/2004	Phenol	<		0.9	10	ug/L	1
SWB-6	6/1/2004	Phenol	<		0.9	10	ug/L	1
SWB-6	12/1/2004	Phenol	<		0.9	10	ug/L	1
SWB-6	3/7/2005	Phenol	<		1.4	10	ug/L	1
SWB-6	6/1/2005	Phenol	<		1.4	10	ug/L	1
SWB-6	12/2/2005	Phenol	<		1.4	10	UG/L	1
SWB-6	3/1/2006	Phenol	<		1.4	10	UG/L	1
SWB-6	6/1/2006	Phenol	<		1.4	10	UG/L	1
SWB-6	12/5/2006	Phenol	<		1.4	10	UG/L	1
SWB-6	3/2/2007	Phenol	<		1.4	10	UG/L	1
SWB-6	6/9/2008	Phenol	<		2	10	UG/L	1
SWB-6	3/6/2008	Phenol	<		2	10	UG/L	1
SWB-6	12/5/2008	Phenol	<		2	10	UG/L	1 R
SWB-6	12/5/2008	Phenol	<		2	10	UG/L	1 UJ
SWB-6	3/2/2009	Phenol	<		2	10	UG/L	1
SWB-6	3/2/2009	Phenol	<		2	10	UG/L	1 R
SWB-6	6/5/2009	Phenol	<		2	10	UG/L	1 UJ
SWB-6	3/2/2010	Phenol	<	9.1	1.8	9.1	UG/L	1
SWB-6	6/2/2010	PHENOL	<	1.9	1.9	9.4	UG/L	1 DNR
SWB-6	6/2/2010	PHENOL	<	1.9	1.9	9.5	UG/L	1 UJ
SWB-7	3/4/2003	Phenol	<		1.4	10	ug/L	1
SWB-7	6/3/2003	Phenol	<		1.4	10	ug/L	1
SWB-7	3/1/2004	Phenol	<		0.9	10	ug/L	1
SWB-7	5/24/2004	Phenol	<		0.9	10	ug/L	1
SWB-7	12/1/2004	Phenol	<		0.9	10	ug/L	1
SWB-7	3/7/2005	Phenol	<		1.4	10	ug/L	1 UJ
SWB-7	6/1/2005	Phenol	<		1.4	10	ug/L	1
SWB-7	9/1/2005	Phenol	<		1.4	10	ug/L	1
SWB-7	12/1/2005	Phenol	<		1.4	10	UG/L	1
SWB-7	3/1/2006	Phenol	<		1.4	10	UG/L	1
SWB-7	6/2/2006	Phenol	<		1.4	10	UG/L	1
SWB-7	9/5/2006	Phenol	<		1.4	10	UG/L	1 UJ
SWB-7	12/5/2006	Phenol	<		1.4	10	UG/L	1
SWB-7	3/2/2007	Phenol	<		1.4	10	UG/L	1
SWB-7	6/1/2007	Phenol	<		1.4	10	UG/L	1
SWB-7	9/7/2007	Phenol	<		0.31	10	UG/L	1
SWB-7	12/3/2007	Phenol	<		0.31	10	UG/L	1 UJ
SWB-7	3/6/2008	Phenol	<		2	10	UG/L	1
SWB-7	6/6/2008	Phenol	<		2	10	UG/L	1
SWB-7	9/8/2008	Phenol	<		2	10	UG/L	1
SWB-7	12/5/2008	Phenol	<		2	10	UG/L	1 R
SWB-7	12/5/2008	Phenol	<		2	10	UG/L	1 UJ

tmpAnalyticalResultsOverTime

SWB-7	3/2/2009	Phenol	<		2	10	UG/L	1		
SWB-7	3/2/2009	Phenol	<		2	10	UG/L	1	R	
SWB-7	6/5/2009	Phenol	<		2	10	UG/L	1	UJ	
SWB-7	9/9/2009	Phenol	<		2	10	UG/L	1		
SWB-7	12/1/2009	Phenol	<		2	10	UG/L	1		
SWB-7	3/2/2010	Phenol	<	9.5	1.9	9.5	UG/L	1		
SWB-7	6/1/2010	PHENOL	<	1.9	1.9	9.6	UG/L	1	DNR	
SWB-7	6/1/2010	PHENOL	<	2	2	10	UG/L	1	UJ	
SWB-7	9/9/2010	PHENOL	<	1.9	1.9	9.6	UG/L	1		
SWB-7	12/1/2010	PHENOL	<	1.9	1.9	9.3	UG/L	1		
SWB-8	3/5/2004	Phenol	<		0.9	10	ug/L	1		
SWB-8	3/7/2005	Phenol	<		1.4	10	ug/L	1		
SWB-8	6/1/2005	Phenol	<		1.4	10	ug/L	1		
SWB-8	3/1/2006	Phenol	<		1.4	10	UG/L	1		
SWB-8	3/7/2008	Phenol	<		2	10	UG/L	1		
SWB-8	3/3/2009	Phenol	<		2	10	UG/L	1		
SWB-8	3/3/2009	Phenol	<		2	10	UG/L	1	R	
SWB-9	3/4/2003	Phenol	<		1.4	10	ug/L	1	UJ	
SWB-9	12/3/2003	Phenol	<		0.9	10	ug/L	1		
SWB-9	3/5/2004	Phenol	<		0.9	10	ug/L	1		
SWB-9	5/27/2004	Phenol	<		0.9	10	ug/L	1	UJ	
SWB-9	12/1/2004	Phenol	<		0.9	10	ug/L	1		
SWB-9	3/3/2005	Phenol	<		1.4	10	ug/L	1		
SWB-9	6/2/2005	Phenol	<		1.4	10	ug/L	1		
SWB-9	9/1/2005	Phenol	<		1.4	10	ug/L	1	UJ	
SWB-9	12/1/2005	Phenol	<		1.4	10	UG/L	1		
SWB-9	3/2/2006	Phenol	<		1.4	10	UG/L	1		
SWB-9	6/1/2006	Phenol	<		1.4	10	UG/L	1	UJ	
SWB-9	12/4/2006	Phenol	<		1.4	10	UG/L	1		
SWB-9	3/5/2007	Phenol	<		1.4	10	UG/L	1		
SWB-9	3/6/2008	Phenol	<		2	10	UG/L	1		
SWB-9	6/5/2008	Phenol	<		2	10	UG/L	1	R	
SWB-9	12/5/2008	Phenol	<		2	10	UG/L	1	R	
SWB-9	12/5/2008	Phenol	<		2	10	UG/L	1	UJ	
SWB-9	3/2/2009	Phenol	<		2	10	UG/L	1	R	
SWB-9	3/2/2009	Phenol	<		2	10	UG/L	1	UJ	
SWB-9	6/2/2009	Phenol	<		2	10	UG/L	1		
SWB-9	6/2/2009	Phenol	<		2	10	UG/L	1	DNR	
SWB-9	3/1/2010	Phenol	<	9.2	1.8	9.2	ug/L	1		
SWB-9	6/1/2010	PHENOL	<	1.9	1.9	9.4	UG/L	1	DNR	
SWB-9	6/1/2010	PHENOL	<	1.9	1.9	9.5	UG/L	1	UJ	
SWB-9	12/1/2010	PHENOL	<	1.9	1.9	9.3	UG/L	1		
SWB-11	6/4/2009	Phenol, 2,6-dibromo-4-nitro-	TI	9.5			UG/L	1	NJ	NA
SWB-3	9/1/2005	Phenol, 2,6-dibromo-4-nitro-	TI	13			ug/L	1	NJ	
SWB-3	3/2/2006	Phenol, 2,6-dibromo-4-nitro-	TI	12			UG/L	1	NJ	
SWB-3	6/9/2008	Phenol, 2,6-dibromo-4-nitro-	TI	4.7			UG/L	1	NJ	
SWB-3	12/4/2008	Phenol, 2,6-dibromo-4-nitro-	TI	8.2			UG/L	1	J	
SWB-3	3/2/2009	Phenol, 2,6-dibromo-4-nitro-	TI	6.3			UG/L	1	NJ	
SWB-3	6/4/2009	Phenol, 2,6-dibromo-4-nitro-	TI	9.1			UG/L	1	NJ	
SWB-3	12/1/2009	Phenol, 2,6-dibromo-4-nitro-	TI	8.7			UG/L	1	DNR	
SWB-3	12/1/2009	Phenol, 2,6-dibromo-4-nitro-	TI	9.3			UG/L	1	NJ	
SWB-11	5/24/2004	Phenol, 2-fluoro-4-nitro-	TI	6.2			ug/L	1	NJ	NA
SWB-11	6/4/2009	Phenol, 2-fluoro-4-nitro-	TI	8.5			UG/L	1	NJ	
SWB-3	6/1/2004	Phenol, 2-fluoro-4-nitro-	TI	9.4			ug/L	1	NJ	
SWB-3	6/2/2005	Phenol, 2-fluoro-4-nitro-	TI	3.9			ug/L	1	NJ	
SWB-3	9/1/2005	Phenol, 2-fluoro-4-nitro-	TI	7.7			ug/L	1	NJ	
SWB-3	12/1/2005	Phenol, 2-fluoro-4-nitro-	TI	6.6			UG/L	1	NJ	

tmpAnalyticalResultsOverTime

SWB-3	3/2/2006	Phenol, 2-fluoro-4-nitro-	TI	8.9			UG/L	1	NJ	
SWB-3	6/2/2006	Phenol, 2-fluoro-4-nitro-	TI	6.6			UG/L	1	NJ	
SWB-3	9/5/2006	Phenol, 2-fluoro-4-nitro-	TI	6.6			UG/L	1	NJ	
SWB-3	12/4/2006	Phenol, 2-fluoro-4-nitro-	TI	9			UG/L	1	NJ	
SWB-3	6/9/2008	Phenol, 2-fluoro-4-nitro-	TI	5.3			UG/L	1	NJ	
SWB-3	12/1/2009	Phenol, 2-fluoro-4-nitro-	TI	4.7			UG/L	1	DNR	
SWB-3	12/1/2009	Phenol, 2-fluoro-4-nitro-	TI	5.5			UG/L	1	NJ	
SWB-3	9/9/2010	Phenol, 2-fluoro-4-nitro-	TI	10			UG/L	1	NJ	
SWB-4	11/15/2002	Phenol, 2-fluoro-4-nitro-	TI	12			ug/L	1	NJ	
SWB-9	3/4/2003	Phenol, 2-fluoro-4-nitro-	TI	6.1			ug/L	1	NJ	
SWB-9	12/3/2003	Phenol, 2-fluoro-4-nitro-	TI	4.6			ug/L	1	NJ	
SWB-9	9/1/2005	Phenol, 2-fluoro-4-nitro-	TI	15			ug/L	1	NJ	
SWB-9	3/2/2006	Phenol, 2-fluoro-4-nitro-	TI	5.4			UG/L	1	NJ	
SWB-9	6/1/2006	Phenol, 2-fluoro-4-nitro-	TI	5.9			UG/L	1	NJ	
SWB-9	12/1/2010	Phenol, 2-fluoro-4-nitro-	TR	3.8			UG/L	1	NJ	
SWB-6	12/3/2003	Phenylethyl alcohol	TI	15			ug/L	1	NJ	
SWB-6	12/5/2008	Phenylethyl alcohol	TI	4.2			UG/L	1	R	
SWB-6	12/5/2008	Phenylethyl alcohol	TI	5.1			UG/L	1	NJ	
SWB-10	3/4/2004	Phorate	<		2	50	ug/L	1		NA
SWB-10	5/24/2004	Phorate	<		2	50	ug/L	1	UJ	
SWB-10	12/1/2004	Phorate	<		2	50	ug/L	1		
SWB-10	3/3/2005	Phorate	<		2	50	ug/L	1		
SWB-10	6/2/2005	Phorate	<		2	50	ug/L	1		
SWB-10	9/1/2005	Phorate	<		2	50	ug/L	1		
SWB-10	3/2/2006	Phorate	<		2	50	UG/L	1		
SWB-10	6/2/2006	Phorate	<		2	50	UG/L	1		
SWB-10	3/1/2007	Phorate	<		2	50	UG/L	1		
SWB-10	3/7/2008	Phorate	<		2	50	UG/L	1		
SWB-10	6/5/2008	Phorate	<		2	50	UG/L	1		
SWB-10	3/2/2009	Phorate	<		2	50	UG/L	1		
SWB-10	3/2/2009	Phorate	<		2	50	UG/L	1	R	
SWB-10	6/4/2009	Phorate	<		2	50	UG/L	1		
SWB-10	3/2/2010	Phorate	<	47	1.9	47	UG/L	1		
SWB-11	3/4/2004	Phorate	<		2	50	ug/L	1		
SWB-11	5/24/2004	Phorate	<		2	50	ug/L	1	UJ	
SWB-11	12/1/2004	Phorate	<		2	50	ug/L	1		
SWB-11	3/1/2005	Phorate	<		2	50	ug/L	1		
SWB-11	6/2/2005	Phorate	<		2	50	ug/L	1		
SWB-11	3/2/2006	Phorate	<		2	50	UG/L	1		
SWB-11	6/1/2006	Phorate	<		2	50	UG/L	1		
SWB-11	3/1/2007	Phorate	<		2	50	UG/L	1		
SWB-11	3/7/2008	Phorate	<		2	50	UG/L	1		
SWB-11	6/5/2008	Phorate	<		2	50	UG/L	1		
SWB-11	3/2/2009	Phorate	<		2	50	UG/L	1		
SWB-11	6/4/2009	Phorate	<		2	50	UG/L	1		
SWB-11	3/1/2010	Phorate	<	47	1.9	47	ug/L	1		
SWB-11	6/2/2010	PHORATE	<	1.9	1.9	47	UG/L	1		
SWB-3	10/29/2002	Phorate	<		1.3	50	ug/L	1		
SWB-3	3/4/2003	Phorate	<		1.3	50	ug/L	1		
SWB-3	6/3/2003	Phorate	<		1.3	50	ug/L	1		
SWB-3	9/4/2003	Phorate	<		1	50	ug/L	1	UJ	
SWB-3	12/2/2003	Phorate	<		1	50	ug/L	1		
SWB-3	3/1/2004	Phorate	<		2	50	ug/L	1		
SWB-3	6/1/2004	Phorate	<		2	50	ug/L	1		
SWB-3	9/1/2004	Phorate	<		2	50	ug/L	1		
SWB-3	12/1/2004	Phorate	<		2	50	ug/L	1		
SWB-3	3/3/2005	Phorate	<		2	50	ug/L	1		



tmpAnalyticalResultsOverTime

SWB-3	6/2/2005	Phorate	<	2	50	ug/L	1	
SWB-3	9/1/2005	Phorate	<	2	50	ug/L	1	
SWB-3	12/1/2005	Phorate	<	2	50	UG/L	1 UJ	
SWB-3	3/2/2006	Phorate	<	2	50	UG/L	1	
SWB-3	6/2/2006	Phorate	<	2	50	UG/L	1	
SWB-3	9/5/2006	Phorate	<	2	50	UG/L	1	
SWB-3	12/4/2006	Phorate	<	2	50	UG/L	1	
SWB-3	3/1/2007	Phorate	<	2	50	UG/L	1	
SWB-3	6/1/2007	Phorate	<	2	50	UG/L	1	
SWB-3	6/1/2007	Phorate	<	2	50	UG/L	1 R	
SWB-3	12/3/2007	Phorate	<	2	50	UG/L	1	
SWB-3	3/6/2008	Phorate	<	2	50	UG/L	1	
SWB-3	6/9/2008	Phorate	<	2	50	UG/L	1	
SWB-3	12/4/2008	Phorate	<	2	50	UG/L	1	
SWB-3	3/2/2009	Phorate	<	2	50	UG/L	1	
SWB-3	3/2/2009	Phorate	<	2	50	UG/L	1 R	
SWB-3	6/4/2009	Phorate	<	2	50	UG/L	1	
SWB-3	12/1/2009	Phorate	<	2	50	UG/L	1	
SWB-3	12/1/2009	Phorate	<	2	50	UG/L	1 DNR	
SWB-3	3/1/2010	Phorate	<	49	1.9	49	ug/L	1 UJ
SWB-3	6/1/2010	PHORATE	<	1.9	1.9	47	UG/L	1
SWB-3	6/1/2010	PHORATE	<	1.9	1.9	47	UG/L	1 DNR
SWB-3	9/9/2010	PHORATE	<	1.9	1.9	47	UG/L	1
SWB-4	11/15/2002	Phorate	<	1.3	50	ug/L	1	
SWB-5	10/29/2002	Phorate	<	1.3	50	ug/L	1	
SWB-6	3/4/2003	Phorate	<	1.3	50	ug/L	1	
SWB-6	6/3/2003	Phorate	<	1.3	50	ug/L	1	
SWB-6	12/3/2003	Phorate	<	1	50	ug/L	1	
SWB-6	3/5/2004	Phorate	<	2	50	ug/L	1	
SWB-6	6/1/2004	Phorate	<	2	50	ug/L	1	
SWB-6	12/1/2004	Phorate	<	2	50	ug/L	1	
SWB-6	3/7/2005	Phorate	<	2	50	ug/L	1	
SWB-6	6/1/2005	Phorate	<	2	50	ug/L	1	
SWB-6	12/2/2005	Phorate	<	2	50	UG/L	1 UJ	
SWB-6	3/1/2006	Phorate	<	2	50	UG/L	1	
SWB-6	6/1/2006	Phorate	<	2	50	UG/L	1	
SWB-6	12/5/2006	Phorate	<	2	50	UG/L	1	
SWB-6	3/2/2007	Phorate	<	2	50	UG/L	1	
SWB-6	6/9/2008	Phorate	<	2	50	UG/L	1	
SWB-6	3/6/2008	Phorate	<	2	50	UG/L	1	
SWB-6	12/5/2008	Phorate	<	2	50	UG/L	1	
SWB-6	12/5/2008	Phorate	<	2	50	UG/L	1 R	
SWB-6	3/2/2009	Phorate	<	2	50	UG/L	1	
SWB-6	3/2/2009	Phorate	<	2	50	UG/L	1 R	
SWB-6	6/5/2009	Phorate	<	2	50	UG/L	1	
SWB-6	3/2/2010	Phorate	<	46	1.8	46	UG/L	1
SWB-6	6/2/2010	PHORATE	<	1.9	1.9	47	UG/L	1 DNR
SWB-6	6/2/2010	PHORATE	<	1.9	1.9	48	UG/L	1
SWB-7	3/4/2003	Phorate	<	1.3	50	ug/L	1	
SWB-7	6/3/2003	Phorate	<	1.3	50	ug/L	1	
SWB-7	3/1/2004	Phorate	<	2	50	ug/L	1	
SWB-7	5/24/2004	Phorate	<	2	50	ug/L	1	
SWB-7	12/1/2004	Phorate	<	2	50	ug/L	1	
SWB-7	3/7/2005	Phorate	<	2	50	ug/L	1 UJ	
SWB-7	6/1/2005	Phorate	<	2	50	ug/L	1	
SWB-7	9/1/2005	Phorate	<	2	50	ug/L	1	
SWB-7	12/1/2005	Phorate	<	2	50	UG/L	1 UJ	

tmpAnalyticalResultsOverTime

SWB-7	3/1/2006	Phorate	<		2	50	UG/L	1	
SWB-7	6/2/2006	Phorate	<		2	50	UG/L	1	
SWB-7	9/5/2006	Phorate	<		2	50	UG/L	1	UJ
SWB-7	12/5/2006	Phorate	<		2	50	UG/L	1	
SWB-7	3/2/2007	Phorate	<		2	50	UG/L	1	
SWB-7	6/1/2007	Phorate	<		2	50	UG/L	1	
SWB-7	9/7/2007	Phorate	<		2	50	UG/L	1	
SWB-7	12/3/2007	Phorate	<		2	50	UG/L	1	
SWB-7	3/6/2008	Phorate	<		2	50	UG/L	1	
SWB-7	6/6/2008	Phorate	<		2	50	UG/L	1	
SWB-7	9/8/2008	Phorate	<		2	50	UG/L	1	
SWB-7	12/5/2008	Phorate	<		2	50	UG/L	1	
SWB-7	12/5/2008	Phorate	<		2	50	UG/L	1	R
SWB-7	3/2/2009	Phorate	<		2	50	UG/L	1	
SWB-7	3/2/2009	Phorate	<		2	50	UG/L	1	R
SWB-7	6/5/2009	Phorate	<		2	50	UG/L	1	
SWB-7	9/9/2009	Phorate	<		2	50	UG/L	1	
SWB-7	12/1/2009	Phorate	<		2	50	UG/L	1	
SWB-7	3/2/2010	Phorate	<	47	1.9	47	UG/L	1	
SWB-7	6/1/2010	PHORATE	<	1.9	1.9	48	UG/L	1	DNR
SWB-7	6/1/2010	PHORATE	<	2	2	50	UG/L	1	R
SWB-7	9/9/2010	PHORATE	<	1.9	1.9	48	UG/L	1	
SWB-7	12/1/2010	PHORATE	<	1.9	1.9	47	UG/L	1	
SWB-8	3/5/2004	Phorate	<		2	50	ug/L	1	
SWB-8	3/7/2005	Phorate	<		2	50	ug/L	1	
SWB-8	6/1/2005	Phorate	<		2	50	ug/L	1	
SWB-8	3/1/2006	Phorate	<		2	50	UG/L	1	
SWB-8	3/7/2008	Phorate	<		2	50	UG/L	1	
SWB-8	3/3/2009	Phorate	<		2	50	UG/L	1	
SWB-8	3/3/2009	Phorate	<		2	50	UG/L	1	R
SWB-9	3/4/2003	Phorate	<		1.3	50	ug/L	1	
SWB-9	12/3/2003	Phorate	<		1	50	ug/L	1	
SWB-9	3/5/2004	Phorate	<		2	50	ug/L	1	
SWB-9	5/27/2004	Phorate	<		2	50	ug/L	1	UJ
SWB-9	12/1/2004	Phorate	<		2	50	ug/L	1	
SWB-9	3/3/2005	Phorate	<		2	50	ug/L	1	
SWB-9	6/2/2005	Phorate	<		2	50	ug/L	1	
SWB-9	9/1/2005	Phorate	<		2	50	ug/L	1	
SWB-9	12/1/2005	Phorate	<		2	50	UG/L	1	UJ
SWB-9	3/2/2006	Phorate	<		2	50	UG/L	1	
SWB-9	6/1/2006	Phorate	<		2	50	UG/L	1	
SWB-9	12/4/2006	Phorate	<		2	50	UG/L	1	
SWB-9	3/5/2007	Phorate	<		2	50	UG/L	1	
SWB-9	3/6/2008	Phorate	<		2	50	UG/L	1	
SWB-9	6/5/2008	Phorate	<		2	50	UG/L	1	
SWB-9	12/5/2008	Phorate	<		2	50	UG/L	1	
SWB-9	12/5/2008	Phorate	<		2	50	UG/L	1	R
SWB-9	3/2/2009	Phorate	<		2	50	UG/L	1	
SWB-9	3/2/2009	Phorate	<		2	50	UG/L	1	R
SWB-9	6/2/2009	Phorate	<		2	50	UG/L	1	
SWB-9	6/2/2009	Phorate	<		2	50	UG/L	1	DNR
SWB-9	3/1/2010	Phorate	<	46	1.8	46	ug/L	1	
SWB-9	6/1/2010	PHORATE	<	1.9	1.9	47	UG/L	1	
SWB-9	6/1/2010	PHORATE	<	1.9	1.9	47	UG/L	1	DNR
SWB-9	12/1/2010	PHORATE	<	1.9	1.9	46	UG/L	1	
SWB-10	3/2/2010	Potassium	=	520	2.4	30	MG/L	10	NA
SWB-11	3/1/2010	Potassium	=	380	0.24	3	mg/L	1	

tmpAnalyticalResultsOverTime

SWB-11	6/2/2010	POTASSIUM	=	1400	2.4	30	MG/L	10
SWB-3	3/1/2010	Potassium	=	150	0.24	3	mg/L	1
SWB-3	6/1/2010	POTASSIUM	=	150	0.24	3	MG/L	1
SWB-3	9/9/2010	POTASSIUM	TR	240	2.4	30	MG/L	10
SWB-6	3/2/2010	Potassium	=	860	12	150	MG/L	50
SWB-6	6/2/2010	POTASSIUM	=	1400	2.4	30	MG/L	10
SWB-7	3/2/2010	Potassium	=	46	0.24	3	MG/L	1
SWB-7	6/1/2010	POTASSIUM	=	160	0.24	3	MG/L	1
SWB-7	9/9/2010	POTASSIUM	TR	310	2.4	30	MG/L	10
SWB-7	12/1/2010	POTASSIUM	=	310	2.4	30	MG/L	10
SWB-9	3/1/2010	Potassium	=	530	2.4	30	mg/L	10
SWB-9	6/1/2010	POTASSIUM	=	2000	2.4	30	MG/L	10
SWB-9	12/1/2010	POTASSIUM	=	780	2.4	30	MG/L	10
SWB-3	10/29/2002	Potassium-DISSOLVED	=	240	0.49	3	mg/L	1
SWB-4	11/15/2002	Potassium-DISSOLVED	=	1200	2.4	15	mg/L	5
SWB-5	10/29/2002	Potassium-DISSOLVED	=	2100	4.9	30	mg/L	10
SWB-10	3/4/2004	Potassium-TOTAL	=	160	0.46	3	mg/L	1
SWB-10	5/24/2004	Potassium-TOTAL	=	890	2.3	15	mg/L	5
SWB-10	12/1/2004	Potassium-TOTAL	=	390	0.25	3	mg/L	1
SWB-10	3/3/2005	Potassium-TOTAL	=	330	0.25	3	mg/L	1
SWB-10	6/2/2005	Potassium-TOTAL	=	320	0.24	3	mg/L	1
SWB-10	9/1/2005	Potassium-TOTAL	=	1700	2.4	30	MG/L	10
SWB-10	3/2/2006	Potassium-TOTAL	=	690	1.2	15	MG/L	5
SWB-10	6/2/2006	Potassium-TOTAL	=	1100	12	150	MG/L	50
SWB-10	3/1/2007	Potassium-TOTAL	=	690	1.2	15	MG/L	5
SWB-10	3/7/2008	Potassium-TOTAL	=	480	0.24	3	MG/L	1
SWB-10	6/5/2008	Potassium-TOTAL	=	3900	12	150	MG/L	50
SWB-10	3/2/2009	Potassium-TOTAL	=	430	0.24	3	MG/L	1
SWB-10	6/4/2009	Potassium-TOTAL	=	2100	2.4	30	MG/L	10
SWB-11	3/4/2004	Potassium-TOTAL	=	170	0.46	3	mg/L	1
SWB-11	5/24/2004	Potassium-TOTAL	=	1200	2.3	15	mg/L	5
SWB-11	12/1/2004	Potassium-TOTAL	=	360	0.25	3	mg/L	1
SWB-11	3/1/2005	Potassium-TOTAL	=	340	0.25	3	mg/L	1 J
SWB-11	6/2/2005	Potassium-TOTAL	=	530	0.24	3	mg/L	1
SWB-11	3/2/2006	Potassium-TOTAL	=	520	1.2	15	MG/L	5
SWB-11	6/1/2006	Potassium-TOTAL	=	1100	12	150	MG/L	50
SWB-11	3/1/2007	Potassium-TOTAL	=	490	12	150	MG/L	50
SWB-11	3/7/2008	Potassium-TOTAL	=	340	0.24	3	MG/L	1
SWB-11	6/5/2008	Potassium-TOTAL	=	2800	12	150	MG/L	50
SWB-11	3/2/2009	Potassium-TOTAL	=	310	0.24	3	MG/L	1
SWB-11	6/4/2009	Potassium-TOTAL	=	1400	2.4	30	MG/L	10
SWB-3	10/29/2002	Potassium-TOTAL	=	240	0.49	3	mg/L	1
SWB-3	3/4/2003	Potassium-TOTAL	=	160	0.49	3	mg/L	1
SWB-3	6/3/2003	Potassium-TOTAL	=	520	2.3	15	mg/L	5 J
SWB-3	9/4/2003	Potassium-TOTAL	=	1100	4.6	30	mg/L	10
SWB-3	12/2/2003	Potassium-TOTAL	=	370	0.46	3	mg/L	1
SWB-3	3/1/2004	Potassium-TOTAL	=	32	0.46	3	mg/L	1
SWB-3	6/1/2004	Potassium-TOTAL	=	250	0.46	3	mg/L	1
SWB-3	9/1/2004	Potassium-TOTAL	=	1500	1.2	15	mg/L	5
SWB-3	12/1/2004	Potassium-TOTAL	=	120	0.25	3	mg/L	1
SWB-3	3/3/2005	Potassium-TOTAL	=	190	0.25	3	mg/L	1
SWB-3	6/2/2005	Potassium-TOTAL	=	160	0.24	3	mg/L	1
SWB-3	9/1/2005	Potassium-TOTAL	=	270	1.2	15	MG/L	5
SWB-3	12/1/2005	Potassium-TOTAL	=	270	0.24	3	MG/L	1
SWB-3	3/2/2006	Potassium-TOTAL	=	280	0.24	3	MG/L	1
SWB-3	6/2/2006	Potassium-TOTAL	=	350	2.4	30	MG/L	10
SWB-3	9/5/2006	Potassium-TOTAL	=	1200	1.2	15	MG/L	5

## tmpAnalyticalResultsOverTime

SWB-3	12/4/2006	Potassium-TOTAL	=	460	1.2	15	MG/L	5
SWB-3	3/1/2007	Potassium-TOTAL	=	430	1.2	15	MG/L	5
SWB-3	6/1/2007	Potassium-TOTAL	=	120	0.24	3	MG/L	1
SWB-3	12/3/2007	Potassium-TOTAL	=	160	0.24	3	MG/L	1
SWB-3	3/6/2008	Potassium-TOTAL	=	47	0.24	3	MG/L	1
SWB-3	6/9/2008	Potassium-TOTAL	=	130	0.24	3	MG/L	1
SWB-3	12/4/2008	Potassium-TOTAL	=	130	0.24	3	MG/L	1
SWB-3	3/2/2009	Potassium-TOTAL	=	130	0.24	3	MG/L	1
SWB-3	6/4/2009	Potassium-TOTAL	=	120	0.24	3	MG/L	1
SWB-3	12/1/2009	Potassium-TOTAL	=	160	0.24	3	MG/L	1
SWB-4	11/15/2002	Potassium-TOTAL	=	1200	2.4	15	mg/L	5
SWB-5	10/29/2002	Potassium-TOTAL	=	2000	0.98	60	mg/L	20
SWB-6	3/4/2003	Potassium-TOTAL	=	730	0.49	3	mg/L	1
SWB-6	6/3/2003	Potassium-TOTAL	=	3500	4.6	30	mg/L	10 J
SWB-6	12/3/2003	Potassium-TOTAL	=	1800	2.3	15	mg/L	5
SWB-6	3/5/2004	Potassium-TOTAL	=	240	0.46	3	mg/L	1
SWB-6	6/1/2004	Potassium-TOTAL	=	1000	2.3	15	mg/L	5
SWB-6	12/1/2004	Potassium-TOTAL	=	920	1.2	15	mg/L	5
SWB-6	3/7/2005	Potassium-TOTAL	=	460	0.25	3	mg/L	1
SWB-6	6/1/2005	Potassium-TOTAL	=	430	0.24	3	mg/L	1
SWB-6	12/2/2005	Potassium-TOTAL	=	1600	2.4	30	MG/L	10
SWB-6	3/1/2006	Potassium-TOTAL	=	570	1.2	15	MG/L	5
SWB-6	6/1/2006	Potassium-TOTAL	=	900	1.2	15	MG/L	5
SWB-6	12/5/2006	Potassium-TOTAL	=	1600	2.4	30	MG/L	10
SWB-6	3/2/2007	Potassium-TOTAL	=	1000	1.2	15	MG/L	5
SWB-6	6/9/2008	Potassium-TOTAL	=	2600	12	150	MG/L	50
SWB-6	3/6/2008	Potassium-TOTAL	=	530	2.4	30	MG/L	10
SWB-6	12/5/2008	Potassium-TOTAL	=	2400	1.2	15	MG/L	5
SWB-6	3/2/2009	Potassium-TOTAL	=	540	2.4	30	MG/L	10
SWB-6	6/5/2009	Potassium-TOTAL	=	1000	2.4	30	MG/L	10
SWB-7	3/4/2003	Potassium-TOTAL	=	57	0.49	3	mg/L	1
SWB-7	6/3/2003	Potassium-TOTAL	=	150	0.46	3	mg/L	1 J
SWB-7	3/1/2004	Potassium-TOTAL	=	71	0.46	3	mg/L	1
SWB-7	5/24/2004	Potassium-TOTAL	=	360	0.46	3	mg/L	1
SWB-7	12/1/2004	Potassium-TOTAL	=	140	0.25	3	mg/L	1
SWB-7	3/7/2005	Potassium-TOTAL	=	170	0.25	3	mg/L	1
SWB-7	6/1/2005	Potassium-TOTAL	=	180	0.24	3	mg/L	1
SWB-7	9/1/2005	Potassium-TOTAL	=	300	0.24	3	MG/L	1
SWB-7	12/1/2005	Potassium-TOTAL	=	250	0.24	3	MG/L	1
SWB-7	3/1/2006	Potassium-TOTAL	=	130	0.24	3	MG/L	1
SWB-7	6/2/2006	Potassium-TOTAL	=	390	2.4	30	MG/L	10
SWB-7	9/5/2006	Potassium-TOTAL	=	370	1.2	15	MG/L	5
SWB-7	12/5/2006	Potassium-TOTAL	=	290	0.24	3	MG/L	1
SWB-7	3/2/2007	Potassium-TOTAL	=	78	0.24	3	MG/L	1
SWB-7	6/1/2007	Potassium-TOTAL	=	240	0.24	3	MG/L	1
SWB-7	9/7/2007	Potassium-TOTAL	=	300	1.2	15	MG/L	5
SWB-7	12/3/2007	Potassium-TOTAL	=	270	0.24	3	MG/L	1
SWB-7	3/6/2008	Potassium-TOTAL	=	110	0.24	3	MG/L	1
SWB-7	6/6/2008	Potassium-TOTAL	=	240	0.24	3	MG/L	1
SWB-7	9/8/2008	Potassium-TOTAL	=	270	0.24	3	MG/L	1
SWB-7	12/5/2008	Potassium-TOTAL	=	210	0.24	3	MG/L	1
SWB-7	3/2/2009	Potassium-TOTAL	=	84	0.24	3	MG/L	1
SWB-7	6/5/2009	Potassium-TOTAL	=	220	0.24	3	MG/L	1
SWB-7	9/9/2009	Potassium-TOTAL	=	230	1.2	15	MG/L	5 J
SWB-7	12/1/2009	Potassium-TOTAL	=	230	0.24	3	MG/L	1
SWB-8	3/5/2004	Potassium-TOTAL	=	140	0.46	3	mg/L	1
SWB-8	3/7/2005	Potassium-TOTAL	=	360	0.25	3	mg/L	1

tmpAnalyticalResultsOverTime

SWB-8	6/1/2005	Potassium-TOTAL	=	390	0.24	3	mg/L	1	
SWB-8	3/1/2006	Potassium-TOTAL	=	290	0.24	3	MG/L	1	
SWB-8	3/7/2008	Potassium-TOTAL	=	140	0.24	3	MG/L	1	
SWB-8	3/3/2009	Potassium-TOTAL	=	120	0.24	3	MG/L	1	
SWB-9	3/4/2003	Potassium-TOTAL	=	540	0.49	3	mg/L	1	
SWB-9	12/3/2003	Potassium-TOTAL	=	780	2.3	15	mg/L	5	
SWB-9	3/5/2004	Potassium-TOTAL	=	240	0.46	3	mg/L	1	
SWB-9	5/27/2004	Potassium-TOTAL	=	2400	2.3	15	mg/L	5	
SWB-9	12/1/2004	Potassium-TOTAL	=	390	1.2	15	mg/L	5	
SWB-9	3/3/2005	Potassium-TOTAL	=	490	1.2	15	mg/L	5	
SWB-9	6/2/2005	Potassium-TOTAL	=	550	1.2	15	mg/L	5	J
SWB-9	9/1/2005	Potassium-TOTAL	=	6800	4.7	60	MG/L	20	
SWB-9	12/1/2005	Potassium-TOTAL	=	1600	2.4	30	MG/L	10	
SWB-9	3/2/2006	Potassium-TOTAL	=	930	1.2	15	MG/L	5	
SWB-9	6/1/2006	Potassium-TOTAL	=	2300	12	150	MG/L	50	
SWB-9	12/4/2006	Potassium-TOTAL	=	1400	12	150	MG/L	50	
SWB-9	3/5/2007	Potassium-TOTAL	=	1100	1.2	15	MG/L	5	
SWB-9	3/6/2008	Potassium-TOTAL	=	570	1.2	15	MG/L	5	
SWB-9	6/5/2008	Potassium-TOTAL	=	5100	47	600	MG/L	200	
SWB-9	12/5/2008	Potassium-TOTAL	=	1000	1.2	15	MG/L	5	
SWB-9	3/2/2009	Potassium-TOTAL	=	540	2.4	30	MG/L	10	
SWB-9	6/2/2009	Potassium-TOTAL	=	2500	2.4	30	MG/L	10	
SWB-10	3/4/2004	Pronamide	<		2	20	ug/L	1	NA
SWB-10	5/24/2004	Pronamide	<		2	20	ug/L	1	UJ
SWB-10	12/1/2004	Pronamide	<		2	20	ug/L	1	
SWB-10	3/3/2005	Pronamide	<		2	20	ug/L	1	
SWB-10	6/2/2005	Pronamide	<		2	20	ug/L	1	
SWB-10	9/1/2005	Pronamide	<		2	20	ug/L	1	
SWB-10	3/2/2006	Pronamide	<		2	20	UG/L	1	
SWB-10	6/2/2006	Pronamide	<		2	20	UG/L	1	
SWB-10	3/1/2007	Pronamide	<		2	20	UG/L	1	
SWB-10	3/7/2008	Pronamide	<		2	20	UG/L	1	
SWB-10	6/5/2008	Pronamide	<		2	20	UG/L	1	
SWB-10	3/2/2009	Pronamide	<		2	20	UG/L	1	
SWB-10	3/2/2009	Pronamide	<		2	20	UG/L	1	R
SWB-10	6/4/2009	Pronamide	<		2	20	UG/L	1	
SWB-10	3/2/2010	Pronamide	<	19	1.9	19	UG/L	1	
SWB-11	3/4/2004	Pronamide	<		2	20	ug/L	1	
SWB-11	5/24/2004	Pronamide	<		2	20	ug/L	1	UJ
SWB-11	12/1/2004	Pronamide	<		2	20	ug/L	1	
SWB-11	3/1/2005	Pronamide	<		2	20	ug/L	1	
SWB-11	6/2/2005	Pronamide	<		2	20	ug/L	1	
SWB-11	3/2/2006	Pronamide	<		2	20	UG/L	1	
SWB-11	6/1/2006	Pronamide	<		2	20	UG/L	1	
SWB-11	3/1/2007	Pronamide	<		2	20	UG/L	1	
SWB-11	3/7/2008	Pronamide	<		2	20	UG/L	1	
SWB-11	6/5/2008	Pronamide	<		2	20	UG/L	1	
SWB-11	3/2/2009	Pronamide	<		2	20	UG/L	1	
SWB-11	6/4/2009	Pronamide	<		2	20	UG/L	1	
SWB-11	3/1/2010	Pronamide	<	19	1.9	19	ug/L	1	
SWB-11	6/2/2010	PRONAMIDE	<	1.9	1.9	19	UG/L	1	
SWB-3	10/29/2002	Pronamide	<		1.4	20	ug/L	1	
SWB-3	3/4/2003	Pronamide	<		1.4	20	ug/L	1	
SWB-3	6/3/2003	Pronamide	<		1.4	20	ug/L	1	
SWB-3	9/4/2003	Pronamide	<		1	20	ug/L	1	UJ
SWB-3	12/2/2003	Pronamide	<		1	20	ug/L	1	
SWB-3	3/1/2004	Pronamide	<		2	20	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	6/1/2004	Pronamide	<	2	20	ug/L	1
SWB-3	9/1/2004	Pronamide	<	2	20	ug/L	1
SWB-3	12/1/2004	Pronamide	<	2	20	ug/L	1
SWB-3	3/3/2005	Pronamide	<	2	20	ug/L	1
SWB-3	6/2/2005	Pronamide	<	2	20	ug/L	1
SWB-3	9/1/2005	Pronamide	<	2	20	ug/L	1
SWB-3	12/1/2005	Pronamide	<	2	20	UG/L	1 UJ
SWB-3	3/2/2006	Pronamide	<	2	20	UG/L	1
SWB-3	6/2/2006	Pronamide	<	2	20	UG/L	1
SWB-3	9/5/2006	Pronamide	<	2	20	UG/L	1
SWB-3	12/4/2006	Pronamide	<	2	20	UG/L	1
SWB-3	3/1/2007	Pronamide	<	2	20	UG/L	1
SWB-3	6/1/2007	Pronamide	<	2	20	UG/L	1
SWB-3	6/1/2007	Pronamide	<	2	20	UG/L	1 R
SWB-3	12/3/2007	Pronamide	<	2	20	UG/L	1
SWB-3	3/6/2008	Pronamide	<	2	20	UG/L	1
SWB-3	6/9/2008	Pronamide	<	2	20	UG/L	1
SWB-3	12/4/2008	Pronamide	<	2	20	UG/L	1
SWB-3	3/2/2009	Pronamide	<	2	20	UG/L	1
SWB-3	3/2/2009	Pronamide	<	2	20	UG/L	1 R
SWB-3	6/4/2009	Pronamide	<	2	20	UG/L	1
SWB-3	12/1/2009	Pronamide	<	2	20	UG/L	1
SWB-3	12/1/2009	Pronamide	<	2	20	UG/L	1 DNR
SWB-3	3/1/2010	Pronamide	<	19	19	ug/L	1 UJ
SWB-3	6/1/2010	PRONAMIDE	<	1.9	1.9	UG/L	1
SWB-3	6/1/2010	PRONAMIDE	<	1.9	1.9	UG/L	1 DNR
SWB-3	9/9/2010	PRONAMIDE	<	1.9	1.9	UG/L	1
SWB-4	11/15/2002	Pronamide	<	1.4	20	ug/L	1
SWB-5	10/29/2002	Pronamide	<	1.4	20	ug/L	1
SWB-6	3/4/2003	Pronamide	<	1.4	20	ug/L	1
SWB-6	6/3/2003	Pronamide	<	1.4	20	ug/L	1
SWB-6	12/3/2003	Pronamide	<	1	20	ug/L	1
SWB-6	3/5/2004	Pronamide	<	2	20	ug/L	1
SWB-6	6/1/2004	Pronamide	<	2	20	ug/L	1
SWB-6	12/1/2004	Pronamide	<	2	20	ug/L	1
SWB-6	3/7/2005	Pronamide	<	2	20	ug/L	1
SWB-6	6/1/2005	Pronamide	<	2	20	ug/L	1
SWB-6	12/2/2005	Pronamide	<	2	20	UG/L	1 UJ
SWB-6	3/1/2006	Pronamide	<	2	20	UG/L	1
SWB-6	6/1/2006	Pronamide	<	2	20	UG/L	1
SWB-6	12/5/2006	Pronamide	<	2	20	UG/L	1
SWB-6	3/2/2007	Pronamide	<	2	20	UG/L	1
SWB-6	6/9/2008	Pronamide	<	2	20	UG/L	1
SWB-6	3/6/2008	Pronamide	<	2	20	UG/L	1
SWB-6	12/5/2008	Pronamide	<	2	20	UG/L	1
SWB-6	12/5/2008	Pronamide	<	2	20	UG/L	1 R
SWB-6	3/2/2009	Pronamide	<	2	20	UG/L	1
SWB-6	3/2/2009	Pronamide	<	2	20	UG/L	1 R
SWB-6	6/5/2009	Pronamide	<	2	20	UG/L	1
SWB-6	3/2/2010	Pronamide	<	18	18	UG/L	1
SWB-6	6/2/2010	PRONAMIDE	<	1.9	1.9	UG/L	1
SWB-6	6/2/2010	PRONAMIDE	<	1.9	1.9	UG/L	1 DNR
SWB-7	3/4/2003	Pronamide	<	1.4	20	ug/L	1
SWB-7	6/3/2003	Pronamide	<	1.4	20	ug/L	1
SWB-7	3/1/2004	Pronamide	<	2	20	ug/L	1
SWB-7	5/24/2004	Pronamide	<	2	20	ug/L	1
SWB-7	12/1/2004	Pronamide	<	2	20	ug/L	1

tmpAnalyticalResultsOverTime

SWB-7	3/7/2005	Pronamide	<		2	20	ug/L	1 UJ
SWB-7	6/1/2005	Pronamide	<		2	20	ug/L	1
SWB-7	9/1/2005	Pronamide	<		2	20	ug/L	1
SWB-7	12/1/2005	Pronamide	<		2	20	UG/L	1 UJ
SWB-7	3/1/2006	Pronamide	<		2	20	UG/L	1
SWB-7	6/2/2006	Pronamide	<		2	20	UG/L	1
SWB-7	9/5/2006	Pronamide	<		2	20	UG/L	1 UJ
SWB-7	12/5/2006	Pronamide	<		2	20	UG/L	1
SWB-7	3/2/2007	Pronamide	<		2	20	UG/L	1
SWB-7	6/1/2007	Pronamide	<		2	20	UG/L	1
SWB-7	9/7/2007	Pronamide	<		2	20	UG/L	1
SWB-7	12/3/2007	Pronamide	<		2	20	UG/L	1
SWB-7	3/6/2008	Pronamide	<		2	20	UG/L	1
SWB-7	6/6/2008	Pronamide	<		2	20	UG/L	1
SWB-7	9/8/2008	Pronamide	<		2	20	UG/L	1
SWB-7	12/5/2008	Pronamide	<		2	20	UG/L	1
SWB-7	12/5/2008	Pronamide	<		2	20	UG/L	1 R
SWB-7	3/2/2009	Pronamide	<		2	20	UG/L	1
SWB-7	3/2/2009	Pronamide	<		2	20	UG/L	1 R
SWB-7	6/5/2009	Pronamide	<		2	20	UG/L	1
SWB-7	9/9/2009	Pronamide	<		2	20	UG/L	1
SWB-7	12/1/2009	Pronamide	<		2	20	UG/L	1
SWB-7	3/2/2010	Pronamide	<	19	1.9	19	UG/L	1
SWB-7	6/1/2010	PRONAMIDE	<	1.9	1.9	19	UG/L	1 DNR
SWB-7	6/1/2010	PRONAMIDE	<	2	2	20	UG/L	1 R
SWB-7	9/9/2010	PRONAMIDE	<	1.9	1.9	19	UG/L	1
SWB-7	12/1/2010	PRONAMIDE	<	1.9	1.9	19	UG/L	1
SWB-8	3/5/2004	Pronamide	<		2	20	ug/L	1
SWB-8	3/7/2005	Pronamide	<		2	20	ug/L	1
SWB-8	6/1/2005	Pronamide	<		2	20	ug/L	1
SWB-8	3/1/2006	Pronamide	<		2	20	UG/L	1
SWB-8	3/7/2008	Pronamide	<		2	20	UG/L	1
SWB-8	3/3/2009	Pronamide	<		2	20	UG/L	1
SWB-8	3/3/2009	Pronamide	<		2	20	UG/L	1 R
SWB-9	3/4/2003	Pronamide	<		1.4	20	ug/L	1
SWB-9	12/3/2003	Pronamide	<		1	20	ug/L	1
SWB-9	3/5/2004	Pronamide	<		2	20	ug/L	1
SWB-9	5/27/2004	Pronamide	<		2	20	ug/L	1 UJ
SWB-9	12/1/2004	Pronamide	<		2	20	ug/L	1
SWB-9	3/3/2005	Pronamide	<		2	20	ug/L	1
SWB-9	6/2/2005	Pronamide	<		2	20	ug/L	1
SWB-9	9/1/2005	Pronamide	<		2	20	ug/L	1
SWB-9	12/1/2005	Pronamide	<		2	20	UG/L	1 UJ
SWB-9	3/2/2006	Pronamide	<		2	20	UG/L	1
SWB-9	6/1/2006	Pronamide	<		2	20	UG/L	1
SWB-9	12/4/2006	Pronamide	<		2	20	UG/L	1
SWB-9	3/5/2007	Pronamide	<		2	20	UG/L	1
SWB-9	3/6/2008	Pronamide	<		2	20	UG/L	1
SWB-9	6/5/2008	Pronamide	<		2	20	UG/L	1
SWB-9	12/5/2008	Pronamide	<		2	20	UG/L	1
SWB-9	12/5/2008	Pronamide	<		2	20	UG/L	1 R
SWB-9	3/2/2009	Pronamide	<		2	20	UG/L	1
SWB-9	3/2/2009	Pronamide	<		2	20	UG/L	1 R
SWB-9	6/2/2009	Pronamide	<		2	20	UG/L	1
SWB-9	6/2/2009	Pronamide	<		2	20	UG/L	1 DNR
SWB-9	3/1/2010	Pronamide	<	18	1.8	18	ug/L	1
SWB-9	6/1/2010	PRONAMIDE	<	1.9	1.9	19	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	6/1/2010	PRONAMIDE	<	1.9	1.9	19	UG/L	1	DNR	
SWB-9	12/1/2010	PRONAMIDE	<	1.9	1.9	19	UG/L	1		
SWB-7	6/3/2003	Propanoic acid, 2-methyl-	TI	15			ug/L	1	NJ	NA
SWB-10	3/4/2004	Propionitrile	<		3.8	20	ug/L	1		NA
SWB-10	5/24/2004	Propionitrile	<		3.8	20	ug/L	1		
SWB-10	12/1/2004	Propionitrile	<		3.8	20	ug/L	1		
SWB-10	3/3/2005	Propionitrile	<		1.9	20	ug/L	1		
SWB-10	6/2/2005	Propionitrile	<		3.7	20	ug/L	1		
SWB-10	9/1/2005	Propionitrile	<		3.7	20	ug/L	1		
SWB-10	3/2/2006	Propionitrile	<		15	80	UG/L	4		
SWB-10	6/2/2006	Propionitrile	<		3.7	20	UG/L	1		
SWB-10	3/1/2007	Propionitrile	<		3.7	20	UG/L	1		
SWB-10	3/7/2008	Propionitrile	<		3.7	20	UG/L	1		
SWB-10	6/5/2008	Propionitrile	<		3.7	20	UG/L	1		
SWB-10	3/2/2009	Propionitrile	<		3.7	20	UG/L	1		
SWB-10	6/4/2009	Propionitrile	<		3.7	20	UG/L	1		
SWB-10	3/2/2010	Propionitrile	<	20	3.7	20	UG/L	1		
SWB-11	3/4/2004	Propionitrile	<		3.8	20	ug/L	1		
SWB-11	5/24/2004	Propionitrile	<		3.8	20	ug/L	1		
SWB-11	12/1/2004	Propionitrile	<		3.8	20	ug/L	1		
SWB-11	3/1/2005	Propionitrile	<		1.9	20	ug/L	1		
SWB-11	6/2/2005	Propionitrile	<		3.7	20	ug/L	1		
SWB-11	3/2/2006	Propionitrile	<		37	200	UG/L	10		
SWB-11	6/1/2006	Propionitrile	<		3.7	20	UG/L	1		
SWB-11	3/1/2007	Propionitrile	<		3.7	20	UG/L	1		
SWB-11	3/7/2008	Propionitrile	<		3.7	20	UG/L	1		
SWB-11	6/5/2008	Propionitrile	<		3.7	20	UG/L	1		
SWB-11	3/2/2009	Propionitrile	<		3.7	20	UG/L	1		
SWB-11	6/4/2009	Propionitrile	<		3.7	20	UG/L	1		
SWB-11	3/1/2010	Propionitrile	<	20	3.7	20	ug/L	1		
SWB-11	6/2/2010	PROPIONITRILE	<	3.7	3.7	20	UG/L	1		
SWB-3	10/29/2002	Propionitrile	<		8.2	20	ug/L	1		
SWB-3	3/4/2003	Propionitrile	<		3.8	20	ug/L	1		
SWB-3	6/3/2003	Propionitrile	<		3.8	20	ug/L	1		
SWB-3	9/4/2003	Propionitrile	<		3.8	20	ug/L	1	UJ	
SWB-3	12/2/2003	Propionitrile	<		3.8	20	ug/L	1		
SWB-3	3/1/2004	Propionitrile	<		3.8	20	ug/L	1		
SWB-3	6/1/2004	Propionitrile	<		3.8	20	ug/L	1		
SWB-3	9/1/2004	Propionitrile	<		3.8	20	ug/L	1		
SWB-3	12/1/2004	Propionitrile	<		6.3	33	ug/L	1.66		
SWB-3	3/3/2005	Propionitrile	<		1.9	20	ug/L	1		
SWB-3	6/2/2005	Propionitrile	<		3.7	20	ug/L	1		
SWB-3	9/1/2005	Propionitrile	<		3.7	20	ug/L	1		
SWB-3	12/1/2005	Propionitrile	<		7.4	40	UG/L	2		
SWB-3	3/2/2006	Propionitrile	<		15	80	UG/L	4		
SWB-3	6/2/2006	Propionitrile	<		3.7	20	UG/L	1		
SWB-3	9/5/2006	Propionitrile	<		3.7	20	UG/L	1		
SWB-3	12/4/2006	Propionitrile	<		3.7	20	UG/L	1		
SWB-3	3/1/2007	Propionitrile	<		3.7	20	UG/L	1		
SWB-3	6/1/2007	Propionitrile	<		3.7	20	UG/L	1		
SWB-3	12/3/2007	Propionitrile	<		3.7	20	UG/L	1		
SWB-3	3/6/2008	Propionitrile	<		3.7	20	UG/L	1		
SWB-3	6/9/2008	Propionitrile	<		3.7	20	UG/L	1		
SWB-3	12/4/2008	Propionitrile	<		3.7	20	UG/L	1		
SWB-3	3/2/2009	Propionitrile	<		3.7	20	UG/L	1		
SWB-3	6/4/2009	Propionitrile	<		3.7	20	UG/L	1		
SWB-3	12/1/2009	Propionitrile	<		3.7	20	UG/L	1		



tmpAnalyticalResultsOverTime

SWB-3	3/1/2010	Propionitrile	<	20	3.7	20	ug/L	1
SWB-3	3/1/2010	Propionitrile	<	40	7.4	40	ug/L	1 DNR
SWB-3	6/1/2010	PROPIONITRILE	<	3.7	3.7	20	UG/L	1 DNR
SWB-3	6/1/2010	PROPIONITRILE	<	15	15	80	UG/L	1
SWB-3	9/9/2010	PROPIONITRILE	<	3.7	3.7	20	UG/L	1
SWB-4	11/15/2002	Propionitrile	<		8.2	20	ug/L	1
SWB-5	10/29/2002	Propionitrile	<		8.2	20	ug/L	1
SWB-6	3/4/2003	Propionitrile	<		3.8	20	ug/L	1
SWB-6	6/3/2003	Propionitrile	<		7.6	40	ug/L	2
SWB-6	12/3/2003	Propionitrile	<		7.6	40	ug/L	2
SWB-6	3/5/2004	Propionitrile	<		3.8	20	ug/L	1
SWB-6	6/1/2004	Propionitrile	<		3.8	20	ug/L	1
SWB-6	12/1/2004	Propionitrile	<		3.8	20	ug/L	1
SWB-6	3/7/2005	Propionitrile	<		1.9	20	ug/L	1
SWB-6	6/1/2005	Propionitrile	<		3.7	20	ug/L	1
SWB-6	12/2/2005	Propionitrile	<		3.7	20	UG/L	1
SWB-6	3/1/2006	Propionitrile	<		3.7	20	UG/L	1
SWB-6	6/1/2006	Propionitrile	<		3.7	20	UG/L	1
SWB-6	12/5/2006	Propionitrile	<		3.7	20	UG/L	1
SWB-6	3/2/2007	Propionitrile	<		3.7	20	UG/L	1
SWB-6	6/9/2008	Propionitrile	<		3.7	20	UG/L	1
SWB-6	3/6/2008	Propionitrile	<		3.7	20	UG/L	1
SWB-6	12/5/2008	Propionitrile	<		3.7	20	UG/L	1
SWB-6	3/2/2009	Propionitrile	<		3.7	20	UG/L	1
SWB-6	6/5/2009	Propionitrile	<		3.7	20	UG/L	1
SWB-6	3/2/2010	Propionitrile	<	20	3.7	20	UG/L	1
SWB-6	6/2/2010	PROPIONITRILE	<	3.7	3.7	20	UG/L	1
SWB-7	3/4/2003	Propionitrile	<		3.8	20	ug/L	1
SWB-7	6/3/2003	Propionitrile	<		3.8	20	ug/L	1
SWB-7	3/1/2004	Propionitrile	<		3.8	20	ug/L	1
SWB-7	5/24/2004	Propionitrile	<		3.8	20	ug/L	1
SWB-7	12/1/2004	Propionitrile	<		3.8	20	ug/L	1
SWB-7	3/7/2005	Propionitrile	<		1.9	20	ug/L	1
SWB-7	6/1/2005	Propionitrile	<		3.7	20	ug/L	1
SWB-7	9/1/2005	Propionitrile	<		3.7	20	ug/L	1
SWB-7	12/1/2005	Propionitrile	<		3.7	20	UG/L	1
SWB-7	3/1/2006	Propionitrile	<		3.7	20	UG/L	1
SWB-7	6/2/2006	Propionitrile	<		3.7	20	UG/L	1
SWB-7	9/5/2006	Propionitrile	<		3.7	20	UG/L	1
SWB-7	12/5/2006	Propionitrile	<		3.7	20	UG/L	1
SWB-7	3/2/2007	Propionitrile	<		3.7	20	UG/L	1
SWB-7	6/1/2007	Propionitrile	<		3.7	20	UG/L	1
SWB-7	9/7/2007	Propionitrile	<		3.7	20	UG/L	1
SWB-7	12/3/2007	Propionitrile	<		3.7	20	UG/L	1
SWB-7	3/6/2008	Propionitrile	<		3.7	20	UG/L	1
SWB-7	6/6/2008	Propionitrile	<		3.7	20	UG/L	1
SWB-7	9/8/2008	Propionitrile	<		3.7	20	UG/L	1
SWB-7	12/5/2008	Propionitrile	<		3.7	20	UG/L	1
SWB-7	3/2/2009	Propionitrile	<		3.7	20	UG/L	1
SWB-7	6/5/2009	Propionitrile	<		3.7	20	UG/L	1
SWB-7	9/9/2009	Propionitrile	<		3.7	20	UG/L	1
SWB-7	12/1/2009	Propionitrile	<		3.7	20	UG/L	1
SWB-7	3/2/2010	Propionitrile	<	20	3.7	20	UG/L	1
SWB-7	6/1/2010	PROPIONITRILE	<	3.7	3.7	20	UG/L	1 DNR
SWB-7	6/1/2010	PROPIONITRILE	<	15	15	80	UG/L	1
SWB-7	9/9/2010	PROPIONITRILE	<	3.7	3.7	20	UG/L	1
SWB-7	12/1/2010	PROPIONITRILE	<	3.7	3.7	20	UG/L	1

tmpAnalyticalResultsOverTime

SWB-8	3/5/2004	Propionitrile	<		3.8	20	ug/L	1	
SWB-8	3/7/2005	Propionitrile	<		1.9	20	ug/L	1	
SWB-8	6/1/2005	Propionitrile	<		3.7	20	ug/L	1	
SWB-8	3/1/2006	Propionitrile	<		3.7	20	UG/L	1	
SWB-8	3/7/2008	Propionitrile	<		3.7	20	UG/L	1	
SWB-8	3/3/2009	Propionitrile	<		3.7	20	UG/L	1	
SWB-9	3/4/2003	Propionitrile	<		3.8	20	ug/L	1	
SWB-9	12/3/2003	Propionitrile	<		7.6	40	ug/L	2	
SWB-9	3/5/2004	Propionitrile	<		3.8	20	ug/L	1	
SWB-9	5/27/2004	Propionitrile	<		3.8	20	ug/L	1	
SWB-9	12/1/2004	Propionitrile	<		3.8	20	ug/L	1	
SWB-9	3/3/2005	Propionitrile	<		1.9	20	ug/L	1	
SWB-9	6/2/2005	Propionitrile	<		3.7	20	ug/L	1	
SWB-9	9/1/2005	Propionitrile	<		3.7	20	ug/L	1	UJ
SWB-9	12/1/2005	Propionitrile	<		3.7	20	UG/L	1	
SWB-9	3/2/2006	Propionitrile	<		15	80	UG/L	4	
SWB-9	6/1/2006	Propionitrile	<		3.7	20	UG/L	1	
SWB-9	12/4/2006	Propionitrile	<		3.7	20	UG/L	1	
SWB-9	3/5/2007	Propionitrile	<		3.7	20	UG/L	1	
SWB-9	3/6/2008	Propionitrile	<		3.7	20	UG/L	1	
SWB-9	6/5/2008	Propionitrile	<		3.7	20	UG/L	1	R
SWB-9	12/5/2008	Propionitrile	<		3.7	20	UG/L	1	
SWB-9	3/2/2009	Propionitrile	<		3.7	20	UG/L	1	
SWB-9	6/2/2009	Propionitrile	<		3.7	20	UG/L	1	
SWB-9	3/1/2010	Propionitrile	<	20	3.7	20	ug/L	1	
SWB-9	6/1/2010	PROPIONITRILE	<	3.7	3.7	20	UG/L	1	DNR
SWB-9	6/1/2010	PROPIONITRILE	<	15	15	80	UG/L	1	
SWB-9	12/1/2010	PROPIONITRILE	<	3.7	3.7	20	UG/L	1	
SWB-10	3/4/2004	Pyrene	<		0.8	10	ug/L	1	NA
SWB-10	5/24/2004	Pyrene	<		0.8	10	ug/L	1	UJ
SWB-10	12/1/2004	Pyrene	<		0.8	10	ug/L	1	
SWB-10	3/3/2005	Pyrene	<		2.1	10	ug/L	1	
SWB-10	6/2/2005	Pyrene	<		2.1	10	ug/L	1	
SWB-10	9/1/2005	Pyrene	<		2.1	10	ug/L	1	
SWB-10	3/2/2006	Pyrene	<		2.1	10	UG/L	1	
SWB-10	6/2/2006	Pyrene	<		0.37	10	UG/L	1	
SWB-10	3/1/2007	Pyrene	<		0.37	10	UG/L	1	
SWB-10	3/7/2008	Pyrene	<		0.37	10	UG/L	1	
SWB-10	6/5/2008	Pyrene	<		0.37	10	UG/L	1	
SWB-10	3/2/2009	Pyrene	<		0.37	10	UG/L	1	
SWB-10	3/2/2009	Pyrene	<		0.37	10	UG/L	1	R
SWB-10	6/4/2009	Pyrene	<		0.37	10	UG/L	1	
SWB-10	3/2/2010	Pyrene	<	9.3	0.34	9.3	UG/L	1	
SWB-11	3/4/2004	Pyrene	<		0.8	10	ug/L	1	
SWB-11	5/24/2004	Pyrene	<		0.8	10	ug/L	1	UJ
SWB-11	12/1/2004	Pyrene	<		0.8	10	ug/L	1	
SWB-11	3/1/2005	Pyrene	<		2.1	10	ug/L	1	
SWB-11	6/2/2005	Pyrene	<		2.1	10	ug/L	1	
SWB-11	3/2/2006	Pyrene	<		2.1	10	UG/L	1	
SWB-11	6/1/2006	Pyrene	<		0.37	10	UG/L	1	
SWB-11	3/1/2007	Pyrene	<		0.37	10	UG/L	1	
SWB-11	3/7/2008	Pyrene	<		0.37	10	UG/L	1	
SWB-11	6/5/2008	Pyrene	<		0.37	10	UG/L	1	
SWB-11	3/2/2009	Pyrene	<		0.37	10	UG/L	1	
SWB-11	6/4/2009	Pyrene	<		0.37	10	UG/L	1	
SWB-11	3/1/2010	Pyrene	<	9.4	0.35	9.4	ug/L	1	
SWB-11	6/2/2010	PYRENE	<	0.35	0.35	9.5	UG/L	1	UJ

tmpAnalyticalResultsOverTime

SWB-3	10/29/2002	Pyrene	<	2	10	ug/L	1
SWB-3	3/4/2003	Pyrene	<	2	10	ug/L	1
SWB-3	6/3/2003	Pyrene	<	2	10	ug/L	1
SWB-3	9/4/2003	Pyrene	<	2	10	ug/L	1 UJ
SWB-3	12/2/2003	Pyrene	<	0.8	10	ug/L	1
SWB-3	3/1/2004	Pyrene	<	0.8	10	ug/L	1
SWB-3	6/1/2004	Pyrene	<	0.8	10	ug/L	1
SWB-3	9/1/2004	Pyrene	<	0.8	10	ug/L	1
SWB-3	12/1/2004	Pyrene	<	0.8	10	ug/L	1
SWB-3	3/3/2005	Pyrene	<	2.1	10	ug/L	1
SWB-3	6/2/2005	Pyrene	<	2.1	10	ug/L	1
SWB-3	9/1/2005	Pyrene	<	2.1	10	ug/L	1
SWB-3	12/1/2005	Pyrene	<	2.1	10	UG/L	1 R
SWB-3	3/2/2006	Pyrene	<	2.1	10	UG/L	1
SWB-3	6/2/2006	Pyrene	<	0.37	10	UG/L	1
SWB-3	9/5/2006	Pyrene	<	0.37	10	UG/L	1 R
SWB-3	9/5/2006	Pyrene	<	0.44	20	UG/L	1 R
SWB-3	12/4/2006	Pyrene	<	0.37	10	UG/L	1 UJ
SWB-3	3/1/2007	Pyrene	<	0.37	10	UG/L	1
SWB-3	6/1/2007	Pyrene	<	0.37	10	UG/L	1
SWB-3	6/1/2007	Pyrene	<	0.37	10	UG/L	1 R
SWB-3	12/3/2007	Pyrene	<	0.37	10	UG/L	1 R
SWB-3	3/6/2008	Pyrene	<	0.37	10	UG/L	1
SWB-3	6/9/2008	Pyrene	<	0.37	10	UG/L	1
SWB-3	12/4/2008	Pyrene	<	0.37	10	UG/L	1
SWB-3	3/2/2009	Pyrene	<	0.37	10	UG/L	1
SWB-3	3/2/2009	Pyrene	<	0.37	10	UG/L	1 R
SWB-3	6/4/2009	Pyrene	<	0.37	10	UG/L	1
SWB-3	12/1/2009	Pyrene	<	0.37	10	UG/L	1
SWB-3	12/1/2009	Pyrene	<	0.37	10	UG/L	1 DNR
SWB-3	3/1/2010	Pyrene	<	9.7	9.7	ug/L	1 UJ
SWB-3	6/1/2010	PYRENE	<	0.35	9.4	UG/L	1 DNR
SWB-3	6/1/2010	PYRENE	<	0.35	9.4	UG/L	1 UJ
SWB-3	9/9/2010	PYRENE	<	0.35	9.3	UG/L	1
SWB-4	11/15/2002	Pyrene	<	2	10	ug/L	1
SWB-5	10/29/2002	Pyrene	<	2	10	ug/L	1
SWB-6	3/4/2003	Pyrene	<	2	10	ug/L	1
SWB-6	6/3/2003	Pyrene	<	2	10	ug/L	1
SWB-6	12/3/2003	Pyrene	<	0.8	10	ug/L	1
SWB-6	3/5/2004	Pyrene	<	0.8	10	ug/L	1
SWB-6	6/1/2004	Pyrene	<	0.8	10	ug/L	1
SWB-6	12/1/2004	Pyrene	<	0.8	10	ug/L	1
SWB-6	3/7/2005	Pyrene	<	2.1	10	ug/L	1
SWB-6	6/1/2005	Pyrene	<	2.1	10	ug/L	1
SWB-6	12/2/2005	Pyrene	<	2.1	10	UG/L	1 R
SWB-6	3/1/2006	Pyrene	<	2.1	10	UG/L	1
SWB-6	6/1/2006	Pyrene	<	0.37	10	UG/L	1 UJ
SWB-6	12/5/2006	Pyrene	<	0.37	10	UG/L	1 UJ
SWB-6	3/2/2007	Pyrene	<	0.37	10	UG/L	1
SWB-6	6/9/2008	Pyrene	<	0.37	10	UG/L	1
SWB-6	3/6/2008	Pyrene	<	0.37	10	UG/L	1
SWB-6	12/5/2008	Pyrene	<	0.37	10	UG/L	1
SWB-6	12/5/2008	Pyrene	<	0.37	10	UG/L	1 R
SWB-6	3/2/2009	Pyrene	<	0.37	10	UG/L	1
SWB-6	3/2/2009	Pyrene	<	0.37	10	UG/L	1 R
SWB-6	6/5/2009	Pyrene	<	0.37	10	UG/L	1
SWB-6	3/2/2010	Pyrene	<	9.1	9.1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	6/2/2010	PYRENE	<	0.35	0.35	9.4	UG/L	1	DNR
SWB-6	6/2/2010	PYRENE	<	0.35	0.35	9.5	UG/L	1	UJ
SWB-7	3/4/2003	Pyrene	<		2	10	ug/L	1	
SWB-7	6/3/2003	Pyrene	<		2	10	ug/L	1	
SWB-7	3/1/2004	Pyrene	<		0.8	10	ug/L	1	
SWB-7	5/24/2004	Pyrene	<		0.8	10	ug/L	1	
SWB-7	12/1/2004	Pyrene	<		0.8	10	ug/L	1	
SWB-7	3/7/2005	Pyrene	<		2.1	10	ug/L	1	UJ
SWB-7	6/1/2005	Pyrene	<		2.1	10	ug/L	1	
SWB-7	9/1/2005	Pyrene	<		2.1	10	ug/L	1	
SWB-7	12/1/2005	Pyrene	<		2.1	10	UG/L	1	R
SWB-7	3/1/2006	Pyrene	<		2.1	10	UG/L	1	
SWB-7	6/2/2006	Pyrene	<		0.37	10	UG/L	1	
SWB-7	9/5/2006	Pyrene	<		0.37	10	UG/L	1	R
SWB-7	9/5/2006	Pyrene	<		0.44	20	UG/L	1	R
SWB-7	12/5/2006	Pyrene	<		0.37	10	UG/L	1	UJ
SWB-7	3/2/2007	Pyrene	<		0.37	10	UG/L	1	
SWB-7	6/1/2007	Pyrene	<		0.37	10	UG/L	1	
SWB-7	9/7/2007	Pyrene	<		0.37	10	UG/L	1	
SWB-7	12/3/2007	Pyrene	<		0.37	10	UG/L	1	R
SWB-7	3/6/2008	Pyrene	<		0.37	10	UG/L	1	
SWB-7	6/6/2008	Pyrene	<		0.37	10	UG/L	1	
SWB-7	9/8/2008	Pyrene	<		0.37	10	UG/L	1	
SWB-7	12/5/2008	Pyrene	<		0.37	10	UG/L	1	
SWB-7	12/5/2008	Pyrene	<		0.37	10	UG/L	1	R
SWB-7	3/2/2009	Pyrene	<		0.37	10	UG/L	1	
SWB-7	3/2/2009	Pyrene	<		0.37	10	UG/L	1	R
SWB-7	6/5/2009	Pyrene	<		0.37	10	UG/L	1	
SWB-7	9/9/2009	Pyrene	<		0.37	10	UG/L	1	
SWB-7	12/1/2009	Pyrene	<		0.37	10	UG/L	1	
SWB-7	3/2/2010	Pyrene	<	9.5	0.35	9.5	UG/L	1	
SWB-7	6/1/2010	PYRENE	<	0.35	0.35	9.6	UG/L	1	DNR
SWB-7	6/1/2010	PYRENE	<	0.37	0.37	10	UG/L	1	R
SWB-7	9/9/2010	PYRENE	<	0.36	0.36	9.6	UG/L	1	
SWB-7	12/1/2010	PYRENE	<	0.34	0.34	9.3	UG/L	1	UJ
SWB-8	3/5/2004	Pyrene	<		0.8	10	ug/L	1	
SWB-8	3/7/2005	Pyrene	<		2.1	10	ug/L	1	
SWB-8	6/1/2005	Pyrene	<		2.1	10	ug/L	1	
SWB-8	3/1/2006	Pyrene	<		2.1	10	UG/L	1	
SWB-8	3/7/2008	Pyrene	<		0.37	10	UG/L	1	
SWB-8	3/3/2009	Pyrene	<		0.37	10	UG/L	1	
SWB-8	3/3/2009	Pyrene	<		0.37	10	UG/L	1	R
SWB-9	3/4/2003	Pyrene	<		2	10	ug/L	1	
SWB-9	12/3/2003	Pyrene	<		0.8	10	ug/L	1	
SWB-9	3/5/2004	Pyrene	<		0.8	10	ug/L	1	
SWB-9	5/27/2004	Pyrene	<		0.8	10	ug/L	1	UJ
SWB-9	12/1/2004	Pyrene	TR	1.3	0.8	10	ug/L	1	J
SWB-9	3/3/2005	Pyrene	<		2.1	10	ug/L	1	
SWB-9	6/2/2005	Pyrene	<		2.1	10	ug/L	1	
SWB-9	9/1/2005	Pyrene	<		2.1	10	ug/L	1	
SWB-9	12/1/2005	Pyrene	<		2.1	10	UG/L	1	R
SWB-9	3/2/2006	Pyrene	<		2.1	10	UG/L	1	
SWB-9	6/1/2006	Pyrene	<		0.37	10	UG/L	1	
SWB-9	12/4/2006	Pyrene	<		0.37	10	UG/L	1	UJ
SWB-9	3/5/2007	Pyrene	<		0.37	10	UG/L	1	UJ
SWB-9	3/6/2008	Pyrene	<		0.37	10	UG/L	1	
SWB-9	6/5/2008	Pyrene	<		0.37	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-9	12/5/2008	Pyrene	<		0.37	10	UG/L	1	
SWB-9	12/5/2008	Pyrene	<		0.37	10	UG/L	1	R
SWB-9	3/2/2009	Pyrene	<		0.37	10	UG/L	1	
SWB-9	3/2/2009	Pyrene	<		0.37	10	UG/L	1	R
SWB-9	6/2/2009	Pyrene	<		0.37	10	UG/L	1	
SWB-9	6/2/2009	Pyrene	<		0.37	10	UG/L	1	DNR
SWB-9	3/1/2010	Pyrene	<	9.2	0.34	9.2	ug/L	1	
SWB-9	6/1/2010	PYRENE	<	0.35	0.35	9.4	UG/L	1	DNR
SWB-9	6/1/2010	PYRENE	<	0.35	0.35	9.5	UG/L	1	UJ
SWB-9	12/1/2010	PYRENE	<	0.34	0.34	9.3	UG/L	1	UJ
SWB-10	3/4/2004	Pyridine	<		10	20	ug/L	1	NA
SWB-10	5/24/2004	Pyridine	<		10	20	ug/L	1	UJ
SWB-10	12/1/2004	Pyridine	<		10	20	ug/L	1	
SWB-10	3/3/2005	Pyridine	<		5.4	20	ug/L	1	
SWB-10	6/2/2005	Pyridine	<		5.4	20	ug/L	1	
SWB-10	9/1/2005	Pyridine	<		5.4	20	ug/L	1	
SWB-10	3/2/2006	Pyridine	<		5.4	20	UG/L	1	
SWB-10	6/2/2006	Pyridine	<		1.7	20	UG/L	1	
SWB-10	3/1/2007	Pyridine	<		1.7	20	UG/L	1	
SWB-10	3/7/2008	Pyridine	<		1.7	20	UG/L	1	
SWB-10	6/5/2008	Pyridine	<		1.7	20	UG/L	1	
SWB-10	3/2/2009	Pyridine	<		1.7	20	UG/L	1	R
SWB-10	3/2/2009	Pyridine	<		1.7	20	UG/L	1	UJ
SWB-10	6/4/2009	Pyridine	<		1.7	20	UG/L	1	
SWB-10	3/2/2010	Pyridine	<	19	1.6	19	UG/L	1	
SWB-11	3/4/2004	Pyridine	<		10	20	ug/L	1	
SWB-11	5/24/2004	Pyridine	<		10	20	ug/L	1	UJ
SWB-11	12/1/2004	Pyridine	<		10	20	ug/L	1	
SWB-11	3/1/2005	Pyridine	<		5.4	20	ug/L	1	
SWB-11	6/2/2005	Pyridine	<		5.4	20	ug/L	1	
SWB-11	3/2/2006	Pyridine	<		5.4	20	UG/L	1	
SWB-11	6/1/2006	Pyridine	<		1.7	20	UG/L	1	
SWB-11	3/1/2007	Pyridine	<		1.7	20	UG/L	1	
SWB-11	3/7/2008	Pyridine	<		1.7	20	UG/L	1	
SWB-11	6/5/2008	Pyridine	<		1.7	20	UG/L	1	
SWB-11	3/2/2009	Pyridine	<		1.7	20	UG/L	1	UJ
SWB-11	6/4/2009	Pyridine	<		1.7	20	UG/L	1	
SWB-11	3/1/2010	Pyridine	<	19	1.6	19	ug/L	1	
SWB-11	6/2/2010	PYRIDINE	<	1.6	1.6	19	UG/L	1	
SWB-3	10/29/2002	Pyridine	<		2.6	20	ug/L	1	
SWB-3	3/4/2003	Pyridine	<		2.6	20	ug/L	1	
SWB-3	6/3/2003	Pyridine	<		2.6	20	ug/L	1	
SWB-3	9/4/2003	Pyridine	<		2.6	20	ug/L	1	UJ
SWB-3	12/2/2003	Pyridine	<		10	20	ug/L	1	
SWB-3	3/1/2004	Pyridine	<		10	20	ug/L	1	
SWB-3	6/1/2004	Pyridine	<		10	20	ug/L	1	
SWB-3	9/1/2004	Pyridine	<		10	20	ug/L	1	
SWB-3	12/1/2004	Pyridine	<		10	20	ug/L	1	
SWB-3	3/3/2005	Pyridine	<		5.4	20	ug/L	1	
SWB-3	6/2/2005	Pyridine	<		5.4	20	ug/L	1	
SWB-3	9/1/2005	Pyridine	<		5.4	20	ug/L	1	
SWB-3	12/1/2005	Pyridine	<		5.4	20	UG/L	1	UJ
SWB-3	3/2/2006	Pyridine	<		5.4	20	UG/L	1	
SWB-3	6/2/2006	Pyridine	<		1.7	20	UG/L	1	
SWB-3	9/5/2006	Pyridine	<		1.7	20	UG/L	1	
SWB-3	12/4/2006	Pyridine	<		1.7	20	UG/L	1	
SWB-3	3/1/2007	Pyridine	<		1.7	20	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	6/1/2007	Pyridine	<		1.7	20	UG/L	1
SWB-3	6/1/2007	Pyridine	<		1.7	20	UG/L	1 R
SWB-3	12/3/2007	Pyridine	<		1.7	20	UG/L	1
SWB-3	3/6/2008	Pyridine	<		1.7	20	UG/L	1
SWB-3	6/9/2008	Pyridine	<		1.7	20	UG/L	1
SWB-3	12/4/2008	Pyridine	<		1.7	20	UG/L	1
SWB-3	3/2/2009	Pyridine	<		1.7	20	UG/L	1 R
SWB-3	3/2/2009	Pyridine	<		1.7	20	UG/L	1 UJ
SWB-3	6/4/2009	Pyridine	<		1.7	20	UG/L	1
SWB-3	12/1/2009	Pyridine	<		1.7	20	UG/L	1
SWB-3	12/1/2009	Pyridine	<		1.7	20	UG/L	1 DNR
SWB-3	3/1/2010	Pyridine	<	19	1.7	19	ug/L	1 UJ
SWB-3	6/1/2010	PYRIDINE	<	1.6	1.6	19	UG/L	1
SWB-3	6/1/2010	PYRIDINE	<	1.6	1.6	19	UG/L	1 DNR
SWB-3	9/9/2010	PYRIDINE	<	1.6	1.6	19	UG/L	1
SWB-4	11/15/2002	Pyridine	<		2.6	20	ug/L	1
SWB-5	10/29/2002	Pyridine	<		2.6	20	ug/L	1
SWB-6	3/4/2003	Pyridine	<		2.6	20	ug/L	1
SWB-6	6/3/2003	Pyridine	<		2.6	20	ug/L	1
SWB-6	12/3/2003	Pyridine	<		10	20	ug/L	1
SWB-6	3/5/2004	Pyridine	<		10	20	ug/L	1
SWB-6	6/1/2004	Pyridine	<		10	20	ug/L	1
SWB-6	12/1/2004	Pyridine	<		10	20	ug/L	1
SWB-6	3/7/2005	Pyridine	<		5.4	20	ug/L	1
SWB-6	6/1/2005	Pyridine	<		5.4	20	ug/L	1
SWB-6	12/2/2005	Pyridine	<		5.4	20	UG/L	1 UJ
SWB-6	3/1/2006	Pyridine	<		5.4	20	UG/L	1
SWB-6	6/1/2006	Pyridine	<		1.7	20	UG/L	1
SWB-6	12/5/2006	Pyridine	<		1.7	20	UG/L	1
SWB-6	3/2/2007	Pyridine	<		1.7	20	UG/L	1
SWB-6	6/9/2008	Pyridine	<		1.7	20	UG/L	1
SWB-6	3/6/2008	Pyridine	<		1.7	20	UG/L	1
SWB-6	12/5/2008	Pyridine	<		1.7	20	UG/L	1
SWB-6	12/5/2008	Pyridine	<		1.7	20	UG/L	1 R
SWB-6	3/2/2009	Pyridine	<		1.7	20	UG/L	1 R
SWB-6	3/2/2009	Pyridine	<		1.7	20	UG/L	1 UJ
SWB-6	6/5/2009	Pyridine	<		1.7	20	UG/L	1
SWB-6	3/2/2010	Pyridine	<	18	1.5	18	UG/L	1
SWB-6	6/2/2010	PYRIDINE	<	1.6	1.6	19	UG/L	1
SWB-6	6/2/2010	PYRIDINE	<	1.6	1.6	19	UG/L	1 DNR
SWB-7	3/4/2003	Pyridine	<		2.6	20	ug/L	1
SWB-7	6/3/2003	Pyridine	<		2.6	20	ug/L	1
SWB-7	3/1/2004	Pyridine	<		10	20	ug/L	1
SWB-7	5/24/2004	Pyridine	<		10	20	ug/L	1
SWB-7	12/1/2004	Pyridine	<		10	20	ug/L	1
SWB-7	3/7/2005	Pyridine	<		5.4	20	ug/L	1 UJ
SWB-7	6/1/2005	Pyridine	<		5.4	20	ug/L	1
SWB-7	9/1/2005	Pyridine	<		5.4	20	ug/L	1
SWB-7	12/1/2005	Pyridine	<		5.4	20	UG/L	1 UJ
SWB-7	3/1/2006	Pyridine	<		5.4	20	UG/L	1
SWB-7	6/2/2006	Pyridine	<		1.7	20	UG/L	1
SWB-7	9/5/2006	Pyridine	<		1.7	20	UG/L	1 UJ
SWB-7	12/5/2006	Pyridine	<		1.7	20	UG/L	1
SWB-7	3/2/2007	Pyridine	<		1.7	20	UG/L	1
SWB-7	6/1/2007	Pyridine	<		1.7	20	UG/L	1
SWB-7	9/7/2007	Pyridine	<		1.7	20	UG/L	1
SWB-7	12/3/2007	Pyridine	<		1.7	20	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	3/6/2008	Pyridine	<		1.7	20	UG/L	1		
SWB-7	6/6/2008	Pyridine	<		1.7	20	UG/L	1		
SWB-7	9/8/2008	Pyridine	<		1.7	20	UG/L	1		
SWB-7	12/5/2008	Pyridine	<		1.7	20	UG/L	1		
SWB-7	12/5/2008	Pyridine	<		1.7	20	UG/L	1	R	
SWB-7	3/2/2009	Pyridine	<		1.7	20	UG/L	1	R	
SWB-7	3/2/2009	Pyridine	<		1.7	20	UG/L	1	UJ	
SWB-7	6/5/2009	Pyridine	<		1.7	20	UG/L	1		
SWB-7	9/9/2009	Pyridine	<		1.7	20	UG/L	1		
SWB-7	12/1/2009	Pyridine	<		1.7	20	UG/L	1		
SWB-7	3/2/2010	Pyridine	<	19	1.6	19	UG/L	1		
SWB-7	6/1/2010	PYRIDINE	<	1.6	1.6	19	UG/L	1	DNR	
SWB-7	6/1/2010	PYRIDINE	<	1.7	1.7	20	UG/L	1	R	
SWB-7	9/9/2010	PYRIDINE	<	1.6	1.6	19	UG/L	1		
SWB-7	12/1/2010	PYRIDINE	<	1.6	1.6	19	UG/L	1		
SWB-8	3/5/2004	Pyridine	<		10	20	ug/L	1		
SWB-8	3/7/2005	Pyridine	<		5.4	20	ug/L	1		
SWB-8	6/1/2005	Pyridine	<		5.4	20	ug/L	1		
SWB-8	3/1/2006	Pyridine	<		5.4	20	UG/L	1		
SWB-8	3/7/2008	Pyridine	<		1.7	20	UG/L	1		
SWB-8	3/3/2009	Pyridine	<		1.7	20	UG/L	1	R	
SWB-8	3/3/2009	Pyridine	<		1.7	20	UG/L	1	UJ	
SWB-9	3/4/2003	Pyridine	<		2.6	20	ug/L	1		
SWB-9	12/3/2003	Pyridine	<		10	20	ug/L	1		
SWB-9	3/5/2004	Pyridine	<		10	20	ug/L	1		
SWB-9	5/27/2004	Pyridine	<		10	20	ug/L	1	UJ	
SWB-9	12/1/2004	Pyridine	<		10	20	ug/L	1		
SWB-9	3/3/2005	Pyridine	<		5.4	20	ug/L	1		
SWB-9	6/2/2005	Pyridine	<		5.4	20	ug/L	1		
SWB-9	9/1/2005	Pyridine	<		5.4	20	ug/L	1		
SWB-9	12/1/2005	Pyridine	<		5.4	20	UG/L	1	UJ	
SWB-9	3/2/2006	Pyridine	<		5.4	20	UG/L	1		
SWB-9	6/1/2006	Pyridine	<		1.7	20	UG/L	1		
SWB-9	12/4/2006	Pyridine	<		1.7	20	UG/L	1		
SWB-9	3/5/2007	Pyridine	<		1.7	20	UG/L	1		
SWB-9	3/6/2008	Pyridine	<		1.7	20	UG/L	1		
SWB-9	6/5/2008	Pyridine	<		1.7	20	UG/L	1		
SWB-9	12/5/2008	Pyridine	<		1.7	20	UG/L	1		
SWB-9	12/5/2008	Pyridine	<		1.7	20	UG/L	1	R	
SWB-9	3/2/2009	Pyridine	<		1.7	20	UG/L	1	R	
SWB-9	3/2/2009	Pyridine	<		1.7	20	UG/L	1	UJ	
SWB-9	6/2/2009	Pyridine	<		1.7	20	UG/L	1		
SWB-9	6/2/2009	Pyridine	<		1.7	20	UG/L	1	DNR	
SWB-9	3/1/2010	Pyridine	<	18	1.6	18	ug/L	1		
SWB-9	6/1/2010	PYRIDINE	<	1.6	1.6	19	UG/L	1		
SWB-9	6/1/2010	PYRIDINE	<	1.6	1.6	19	UG/L	1	DNR	
SWB-9	12/1/2010	PYRIDINE	<	1.6	1.6	19	UG/L	1		
SWB-6	12/3/2003	Quinazoline	TI		5.7		ug/L	1	NJ	NA
SWB-10	3/4/2004	Ra-226	=	0.139		0.12	0.089 pCi/L	1	J	NA
SWB-10	5/24/2004	Ra-226	=	0.41		0.15	0.15 pCi/L	1	J	
SWB-10	12/1/2004	Ra-226	=	0.39		0.25	0.2 pCi/L	1	J	
SWB-10	3/3/2005	Ra-226	<	0.25		0.36	0.24 pCi/L	1	U	
SWB-10	6/2/2005	Ra-226	<	0.11		0.21	0.13 pCi/L	1	U	
SWB-10	9/1/2005	Ra-226	<	0.01		0.24	0.13 pCi/L	1	R	
SWB-10	3/2/2006	Ra-226	<	0.16		0.24	0.15 pCi/L	1	U	
SWB-10	6/2/2006	Ra-226	=	1.02		0.17	0.25 pCi/L	1		
SWB-10	3/1/2007	Ra-226	=	0.29		0.16	0.14 pCi/L	1	J	

tmpAnalyticalResultsOverTime

SWB-10	3/7/2008 Ra-226	=	0.27	0.23	0.17 pCi/L	1 J
SWB-10	6/5/2008 Ra-226	=	1.78	0.25	0.41 pCi/L	1
SWB-10	3/2/2009 Ra-226	<	0.2	0.27	0.17 pCi/L	1
SWB-10	6/4/2009 Ra-226	=	1.2	0.16	0.28 pCi/L	1
SWB-10	3/2/2010 Ra-226	=	0.24	0.16	0.14 PCI/L	1 J
SWB-11	3/4/2004 Ra-226	=	0.2	0.13	0.11 pCi/L	1 J
SWB-11	5/24/2004 Ra-226	=	1.55	0.19	0.3 pCi/L	1
SWB-11	12/1/2004 Ra-226	=	0.38	0.22	0.18 pCi/L	1 J
SWB-11	3/1/2005 Ra-226	=	0.26	0.21	0.16 pCi/L	1 J
SWB-11	6/2/2005 Ra-226	=	0.41	0.27	0.2 pCi/L	1 J
SWB-11	3/2/2006 Ra-226	<	0.13	0.25	0.15 pCi/L	1 U
SWB-11	6/1/2006 Ra-226	=	0.76	0.15	0.21 pCi/L	1 J
SWB-11	3/1/2007 Ra-226	=	0.32	0.2	0.16 pCi/L	1 J
SWB-11	3/7/2008 Ra-226	=	0.46	0.18	0.17 pCi/L	1 J
SWB-11	6/5/2008 Ra-226	=	2.01	0.17	0.37 pCi/L	1 J
SWB-11	3/2/2009 Ra-226	=	0.29	0.22	0.17 pCi/L	1 J
SWB-11	6/4/2009 Ra-226	=	1.49	0.23	0.33 pCi/L	1
SWB-11	3/1/2010 Ra-226	=	0.45	0.19	0.19 PCI/L	1 J
SWB-11	6/2/2010 Ra-226	=	1.17	1.1	0.83 PCI/L	1
SWB-2	6/21/2000 Ra-226	=	3.8	0.8	0.6 pCi/L	
SWB-3	6/21/2000 Ra-226	=	3.7	0.8	0.6 pCi/L	1
SWB-3	10/29/2002 Ra-226	=	1.01	0.2	0.28 pCi/L	1
SWB-3	3/4/2003 Ra-226	=	0.49	0.23	0.22 pCi/L	1 J
SWB-3	6/3/2003 Ra-226	=	1.63	0.37	0.44 pCi/L	1
SWB-3	9/4/2003 Ra-226	=	0.96	0.32	0.33 pCi/L	1 J
SWB-3	12/2/2003 Ra-226	=	0.95	0.1	0.2 pCi/L	1 J
SWB-3	3/1/2004 Ra-226	=	0.35	0.19	0.16 pCi/L	1 J
SWB-3	6/1/2004 Ra-226	=	0.87	0.28	0.29 pCi/L	1 J
SWB-3	9/1/2004 Ra-226	=	3.88	0.25	0.59 pCi/L	1 J
SWB-3	12/1/2004 Ra-226	=	0.79	0.24	0.25 pCi/L	1 J
SWB-3	3/3/2005 Ra-226	<	0.33	0.36	0.25 pCi/L	1 U
SWB-3	6/2/2005 Ra-226	<	0.24	0.25	0.17 pCi/L	1 U
SWB-3	9/1/2005 Ra-226	=	0.83	0.32	0.28 pCi/L	1 J
SWB-3	12/1/2005 Ra-226	=	0.96	0.23	0.27 pCi/L	1 J
SWB-3	3/2/2006 Ra-226	<	0.22	0.25	0.17 pCi/L	1 U
SWB-3	6/2/2006 Ra-226	=	0.68	0.19	0.22 pCi/L	1 J
SWB-3	9/5/2006 Ra-226	=	2.46	0.2	0.44 pCi/L	1
SWB-3	12/4/2006 Ra-226	=	0.83	0.2	0.24 pCi/L	1 J
SWB-3	3/1/2007 Ra-226	=	0.36	0.2	0.17 pCi/L	1 J
SWB-3	6/1/2007 Ra-226	<	-0.038	0.2	0.092 pCi/L	1 U
SWB-3	12/3/2007 Ra-226	=	1.02	0.2	0.27 pCi/L	1
SWB-3	3/6/2008 Ra-226	<	0.05	0.18	0.1 pCi/L	1 U
SWB-3	6/9/2008 Ra-226	=	0.58	0.18	0.2 pCi/L	1 J
SWB-3	12/4/2008 Ra-226	=	0.43	0.2	0.18 pCi/L	1 J
SWB-3	3/2/2009 Ra-226	=	0.3	0.26	0.19 pCi/L	1 J
SWB-3	6/4/2009 Ra-226	=	0.64	0.16	0.2 pCi/L	1 J
SWB-3	12/1/2009 Ra-226	=	0.72	0.24	0.24 PCI/L	1 J
SWB-3	3/1/2010 Ra-226	=	1.09	0.23	0.29 PCI/L	1 J
SWB-3	6/1/2010 Ra-226	=	0.66	0.28	0.27 PCI/L	1
SWB-3	9/9/2010 Ra-226	=	0.86	0.22	0.25 PCI/L	1
SWB-4	11/15/2002 Ra-226	=	2.2	0.17	0.4 pCi/L	1
SWB-5	10/29/2002 Ra-226	=	2.25	0.32	0.49 pCi/L	1
SWB-6	3/4/2003 Ra-226	<	0.21	0.34	0.21 pCi/L	1 U
SWB-6	6/3/2003 Ra-226	=	1.03	0.58	0.48 pCi/L	1
SWB-6	12/3/2003 Ra-226	<	0.43	0.55	0.36 pCi/L	1 UJ
SWB-6	3/5/2004 Ra-226	=	0.31	0.21	0.16 pCi/L	1 J
SWB-6	6/1/2004 Ra-226	=	1.12	0.35	0.37 pCi/L	1 J



tmpAnalyticalResultsOverTime

SWB-6	12/1/2004	Ra-226	=	0.39	0.25	0.2 pCi/L	1 J
SWB-6	3/7/2005	Ra-226	=	0.2	0.18	0.13 pCi/L	1 J
SWB-6	6/1/2005	Ra-226	=	0.32	0.21	0.16 pCi/L	1 J
SWB-6	12/2/2005	Ra-226	=	0.9	0.3	0.28 pCi/L	1 J
SWB-6	3/1/2006	Ra-226	=	0.26	0.26	0.18 pCi/L	1 J
SWB-6	6/1/2006	Ra-226	=	0.4	0.17	0.16 pCi/L	1 J
SWB-6	12/5/2006	Ra-226	=	0.36	0.14	0.15 pCi/L	1 J
SWB-6	3/2/2007	Ra-226	=	0.63	0.22	0.23 pCi/L	1 J
SWB-6	6/9/2008	Ra-226	=	0.41	0.33	0.26 pCi/L	1 J
SWB-6	3/6/2008	Ra-226	=	0.3	0.2	0.16 pCi/L	1 J
SWB-6	12/5/2008	Ra-226	=	1.29	0.23	0.31 pCi/L	1
SWB-6	3/2/2009	Ra-226	=	0.51	0.17	0.19 pCi/L	1 J
SWB-6	6/5/2009	Ra-226	=	1.03	0.18	0.26 pCi/L	1
SWB-6	3/2/2010	Ra-226	=	0.48	0.17	0.18 pCi/L	1 J
SWB-6	6/2/2010	Ra-226	=	1.17	1	0.8 pCi/L	1
SWB-7	3/4/2003	Ra-226	<	0.04	0.28	0.15 pCi/L	1 U
SWB-7	6/3/2003	Ra-226	<	-0.02	0.28	0.14 pCi/L	1 U
SWB-7	3/1/2004	Ra-226	<	0.01	0.25	0.13 pCi/L	1 U
SWB-7	5/24/2004	Ra-226	=	0.34	0.12	0.12 pCi/L	1 J
SWB-7	12/1/2004	Ra-226	<	0.23	0.24	0.16 pCi/L	1 U
SWB-7	3/7/2005	Ra-226	=	0.23	0.23	0.16 pCi/L	1 J
SWB-7	6/1/2005	Ra-226	=	0.55	0.15	0.18 pCi/L	1 J
SWB-7	9/1/2005	Ra-226	=	0.4	0.39	0.26 pCi/L	1 J
SWB-7	12/1/2005	Ra-226	=	0.4	0.31	0.23 pCi/L	1 J
SWB-7	3/1/2006	Ra-226	<	0.1	0.24	0.14 pCi/L	1 U
SWB-7	6/2/2006	Ra-226	=	1.08	0.15	0.27 pCi/L	1
SWB-7	9/5/2006	Ra-226	=	0.6	0.18	0.2 pCi/L	1 J
SWB-7	12/5/2006	Ra-226	=	0.3	0.17	0.15 pCi/L	1 J
SWB-7	3/2/2007	Ra-226	<	0.06	0.22	0.13 pCi/L	1 U
SWB-7	6/1/2007	Ra-226	=	0.25	0.21	0.16 pCi/L	1 J
SWB-7	9/7/2007	Ra-226	=	0.33	0.14	0.14 pCi/L	1 J
SWB-7	12/3/2007	Ra-226	=	0.2	0.16	0.13 pCi/L	1 J
SWB-7	3/6/2008	Ra-226	=	0.28	0.21	0.16 pCi/L	1 J
SWB-7	6/6/2008	Ra-226	=	0.34	0.18	0.16 pCi/L	1 J
SWB-7	9/8/2008	Ra-226	=	0.42	0.21	0.19 pCi/L	1 J
SWB-7	12/5/2008	Ra-226	=	0.23	0.17	0.14 pCi/L	1 J
SWB-7	3/2/2009	Ra-226	=	0.25	0.16	0.14 pCi/L	1 J
SWB-7	6/5/2009	Ra-226	=	0.22	0.15	0.13 pCi/L	1 J
SWB-7	9/9/2009	Ra-226	=	0.51	0.17	0.17 pCi/L	1 J
SWB-7	12/1/2009	Ra-226	=	0.49	0.15	0.18 pCi/L	1 J
SWB-7	3/2/2010	Ra-226	<	0.04	0.18	0.1 pCi/L	1
SWB-7	6/1/2010	Ra-226	<	0.11	0.15	0.1 pCi/L	1
SWB-7	9/9/2010	Ra-226	=	0.28	0.19	0.15 pCi/L	1
SWB-7	12/1/2010	Ra-226	=	0.44	0.15	0.16 pCi/L	1
SWB-8	3/5/2004	Ra-226	=	0.31	0.18	0.15 pCi/L	1 J
SWB-8	3/7/2005	Ra-226	=	0.51	0.23	0.19 pCi/L	1 J
SWB-8	6/1/2005	Ra-226	=	0.73	0.18	0.22 pCi/L	1 J
SWB-8	3/1/2006	Ra-226	=	0.86	0.25	0.26 pCi/L	1 J
SWB-8	3/7/2008	Ra-226	=	0.269	0.086	0.098 pCi/L	1 J
SWB-8	3/3/2009	Ra-226	=	0.6	0.18	0.2 pCi/L	1 J
SWB-9	3/4/2003	Ra-226	=	0.47	0.25	0.22 pCi/L	1 J
SWB-9	12/3/2003	Ra-226	=	1.17	0.19	0.28 pCi/L	1 J
SWB-9	3/5/2004	Ra-226	=	0.31	0.18	0.15 pCi/L	1 J
SWB-9	5/27/2004	Ra-226	=	2.07	0.18	0.38 pCi/L	1
SWB-9	12/1/2004	Ra-226	<	0.25	0.29	0.2 pCi/L	1 U
SWB-9	3/3/2005	Ra-226	=	0.48	0.38	0.28 pCi/L	1 J
SWB-9	6/2/2005	Ra-226	=	0.65	0.19	0.21 pCi/L	1 J

tmpAnalyticalResultsOverTime

SWB-9	9/1/2005	Ra-226	<	0.13	0.24	0.15 pCi/L	1	R	
SWB-9	12/1/2005	Ra-226	=	1.45	0.39	0.42 pCi/L	1	J	
SWB-9	3/2/2006	Ra-226	=	0.28	0.26	0.18 pCi/L	1	J	
SWB-9	6/1/2006	Ra-226	<	0.04	0.14	0.08 pCi/L	1	U	
SWB-9	12/4/2006	Ra-226	<	0.01	0.32	0.16 pCi/L	1	UJ	
SWB-9	3/5/2007	Ra-226	<	0.18	0.4	0.24 pCi/L	1	UJ	
SWB-9	3/6/2008	Ra-226	=	0.48	0.18	0.18 pCi/L	1	J	
SWB-9	6/5/2008	Ra-226	<	0.012	0.17	0.088 pCi/L	1	UJ	
SWB-9	12/5/2008	Ra-226	=	1.14	0.19	0.28 pCi/L	1		
SWB-9	3/2/2009	Ra-226	=	0.42	0.2	0.18 pCi/L	1	J	
SWB-9	6/2/2009	Ra-226	=	2.04	0.49	0.54 pCi/L	1		
SWB-9	3/1/2010	Ra-226	=	0.8	0.16	0.22 pCi/L	1	J	
SWB-9	6/1/2010	Ra-226	=	2	1.2	1.1 pCi/L	1		
SWB-9	12/1/2010	Ra-226	=	0.78	0.52	0.43 pCi/L	1		
SWB-10	3/4/2004	Ra-228	=	1.23	0.71	0.49 pCi/L	1		NA
SWB-10	5/24/2004	Ra-228	=	3.15	0.73	0.64 pCi/L	1		
SWB-10	12/1/2004	Ra-228	=	1.4	1.1	0.72 pCi/L	1		
SWB-10	3/3/2005	Ra-228	=	2.1	1.9	1.2 pCi/L	1	J	
SWB-10	6/2/2005	Ra-228	=	1.42	0.72	0.5 pCi/L	1		
SWB-10	9/1/2005	Ra-228	=	1.04	0.92	0.6 pCi/L	1	J	
SWB-10	3/2/2006	Ra-228	=	1.57	0.66	0.48 pCi/L	1		
SWB-10	6/2/2006	Ra-228	=	2.38	0.71	0.57 pCi/L	1		
SWB-10	3/1/2007	Ra-228	=	1.4	0.75	0.52 pCi/L	1		
SWB-10	3/7/2008	Ra-228	=	1.18	0.55	0.42 pCi/L	1		
SWB-10	6/5/2008	Ra-228	=	5.8	1.2	1.1 pCi/L	1	J	
SWB-10	3/2/2009	Ra-228	=	1.66	0.69	0.51 pCi/L	1		
SWB-10	6/4/2009	Ra-228	=	3.52	0.44	0.55 pCi/L	1		
SWB-10	3/2/2010	Ra-228	=	1.24	0.45	0.36 pCi/L	1		
SWB-11	3/4/2004	Ra-228	=	1.05	0.73	0.49 pCi/L	1		
SWB-11	5/24/2004	Ra-228	=	2.87	0.8	0.66 pCi/L	1		
SWB-11	12/1/2004	Ra-228	=	0.99	0.83	0.54 pCi/L	1	J	
SWB-11	3/1/2005	Ra-228	=	1.16	0.82	0.55 pCi/L	1		
SWB-11	6/2/2005	Ra-228	=	1.17	0.74	0.5 pCi/L	1		
SWB-11	3/2/2006	Ra-228	=	1.43	0.75	0.52 pCi/L	1		
SWB-11	6/1/2006	Ra-228	=	1.52	0.69	0.49 pCi/L	1		
SWB-11	3/1/2007	Ra-228	=	1.08	0.75	0.5 pCi/L	1		
SWB-11	3/7/2008	Ra-228	=	0.69	0.49	0.34 pCi/L	1	J	
SWB-11	6/5/2008	Ra-228	=	4.15	0.7	0.69 pCi/L	1		
SWB-11	3/2/2009	Ra-228	=	0.94	0.46	0.35 pCi/L	1	J	
SWB-11	6/4/2009	Ra-228	=	1.89	0.49	0.44 pCi/L	1		
SWB-11	3/1/2010	Ra-228	=	1.82	1	0.7 pCi/L	1		
SWB-11	6/2/2010	Ra-228	=	5.8	4.3	2.9 pCi/L	1		
SWB-2	6/21/2000	Ra-228	=	5.9	1.7	1 pCi/L			
SWB-3	6/21/2000	Ra-228	=	4.3	1.7	0.9 pCi/L	1		
SWB-3	10/29/2002	Ra-228	=	2.69	0.65	0.56 pCi/L	1		
SWB-3	3/4/2003	Ra-228	=	1.02	0.99	0.64 pCi/L	1		
SWB-3	6/3/2003	Ra-228	=	3.8	1.1	0.89 pCi/L	1		
SWB-3	9/4/2003	Ra-228	=	1.66	1.3	0.83 pCi/L	1		
SWB-3	12/2/2003	Ra-228	=	2.07	0.91	0.66 pCi/L	1	J	
SWB-3	3/1/2004	Ra-228	<	0.12	0.91	0.54 pCi/L	1	U	
SWB-3	6/1/2004	Ra-228	=	1.83	1.4	0.91 pCi/L	1	J	
SWB-3	9/1/2004	Ra-228	=	3.76	0.86	0.75 pCi/L	1	J	
SWB-3	12/1/2004	Ra-228	=	1.31	0.95	0.63 pCi/L	1		
SWB-3	3/3/2005	Ra-228	=	1.37	1.2	0.8 pCi/L	1		
SWB-3	6/2/2005	Ra-228	<	0.71	0.82	0.52 pCi/L	1	U	
SWB-3	9/1/2005	Ra-228	=	2.12	0.83	0.61 pCi/L	1	J	
SWB-3	12/1/2005	Ra-228	=	2.31	0.93	0.68 pCi/L	1	J	

tmpAnalyticalResultsOverTime

SWB-3	3/2/2006	Ra-228	<	-0.26	0.8	0.45 pCi/L	1 U
SWB-3	6/2/2006	Ra-228	=	1.04	0.73	0.49 pCi/L	1
SWB-3	9/5/2006	Ra-228	=	4.77	0.92	0.87 pCi/L	1 J
SWB-3	12/4/2006	Ra-228	=	1.17	0.45	0.35 pCi/L	1
SWB-3	3/1/2007	Ra-228	=	0.81	0.67	0.44 pCi/L	1 J
SWB-3	6/1/2007	Ra-228	=	1.83	0.69	0.52 pCi/L	1
SWB-3	12/3/2007	Ra-228	=	0.95	0.67	0.45 pCi/L	1 J
SWB-3	3/6/2008	Ra-228	<	0.37	0.64	0.4 pCi/L	1 U
SWB-3	6/9/2008	Ra-228	=	1.62	0.75	0.54 pCi/L	1
SWB-3	12/4/2008	Ra-228	=	1.55	0.51	0.43 pCi/L	1
SWB-3	3/2/2009	Ra-228	=	0.82	0.53	0.38 pCi/L	1 J
SWB-3	6/4/2009	Ra-228	=	1.09	0.46	0.35 pCi/L	1
SWB-3	12/1/2009	Ra-228	=	1.49	0.4	0.36 PCI/L	1
SWB-3	3/1/2010	Ra-228	=	2.26	0.87	0.64 PCI/L	1
SWB-3	6/1/2010	Ra-228	=	2.3	1.5	1 PCI/L	1
SWB-3	9/9/2010	Ra-228	=	1.66	0.33	0.35 PCI/L	1
SWB-4	11/15/2002	Ra-228	=	6.5	0.9	1 pCi/L	1 J
SWB-5	10/29/2002	Ra-228	=	9.6	1.6	1.6 pCi/L	1
SWB-6	3/4/2003	Ra-228	=	2.9	1	0.8 pCi/L	1
SWB-6	6/3/2003	Ra-228	=	5.7	2	1.5 pCi/L	1
SWB-6	12/3/2003	Ra-228	=	2.3	1.6	1.1 pCi/L	1 J
SWB-6	3/5/2004	Ra-228	=	0.94	0.6	0.4 pCi/L	1 J
SWB-6	6/1/2004	Ra-228	=	7.9	1.5	1.4 pCi/L	1
SWB-6	12/1/2004	Ra-228	=	1.84	1	0.71 pCi/L	1
SWB-6	3/7/2005	Ra-228	=	0.86	0.67	0.44 pCi/L	1 J
SWB-6	6/1/2005	Ra-228	=	1.19	0.58	0.41 pCi/L	1
SWB-6	12/2/2005	Ra-228	<	-0.65	1.4	0.82 pCi/L	1 U
SWB-6	3/1/2006	Ra-228	=	1.57	0.7	0.5 pCi/L	1
SWB-6	6/1/2006	Ra-228	<	0.76	1.1	0.67 pCi/L	1 U
SWB-6	12/5/2006	Ra-228	=	0.8	0.76	0.49 pCi/L	1 J
SWB-6	3/2/2007	Ra-228	=	1.11	0.76	0.51 pCi/L	1
SWB-6	6/9/2008	Ra-228	=	1.49	1.3	0.87 pCi/L	1 J
SWB-6	3/6/2008	Ra-228	=	1.08	0.4	0.32 pCi/L	1
SWB-6	12/5/2008	Ra-228	=	1.99	0.71	0.59 pCi/L	1
SWB-6	3/2/2009	Ra-228	=	1.3	0.52	0.41 pCi/L	1
SWB-6	6/5/2009	Ra-228	=	1.92	0.36	0.38 pCi/L	1
SWB-6	3/2/2010	Ra-228	=	1.54	0.4	0.37 PCI/L	1
SWB-6	6/2/2010	Ra-228	=	4.6	3.9	2.6 PCI/L	1
SWB-7	3/4/2003	Ra-228	<	0.37	1.1	0.66 pCi/L	1 U
SWB-7	6/3/2003	Ra-228	<	0.87	1	0.65 pCi/L	1 U
SWB-7	3/1/2004	Ra-228	<	0.19	1.1	0.64 pCi/L	1 U
SWB-7	5/24/2004	Ra-228	=	1.42	0.92	0.61 pCi/L	1
SWB-7	12/1/2004	Ra-228	<	0.67	0.94	0.59 pCi/L	1 U
SWB-7	3/7/2005	Ra-228	=	1.17	0.64	0.46 pCi/L	1
SWB-7	6/1/2005	Ra-228	=	1.19	0.57	0.4 pCi/L	1
SWB-7	9/1/2005	Ra-228	=	2.11	0.84	0.62 pCi/L	1 J
SWB-7	12/1/2005	Ra-228	=	3.73	1	0.84 pCi/L	1 J
SWB-7	3/1/2006	Ra-228	<	0.32	0.77	0.47 pCi/L	1 U
SWB-7	6/2/2006	Ra-228	=	1.86	0.69	0.52 pCi/L	1
SWB-7	9/5/2006	Ra-228	=	1.17	0.9	0.6 pCi/L	1 J
SWB-7	12/5/2006	Ra-228	<	0.53	0.72	0.45 pCi/L	1 U
SWB-7	3/2/2007	Ra-228	<	0.55	0.99	0.61 pCi/L	1 U
SWB-7	6/1/2007	Ra-228	<	0.33	0.79	0.48 pCi/L	1 U
SWB-7	9/7/2007	Ra-228	=	0.77	0.71	0.46 pCi/L	1 J
SWB-7	12/3/2007	Ra-228	<	0.5	0.66	0.41 pCi/L	1 U
SWB-7	3/6/2008	Ra-228	<	0.31	0.52	0.32 pCi/L	1 U
SWB-7	6/6/2008	Ra-228	=	0.87	0.72	0.47 pCi/L	1 J

tmpAnalyticalResultsOverTime

SWB-7	9/8/2008	Ra-228	=	1.15	0.88	0.58 pCi/L	1	
SWB-7	12/5/2008	Ra-228	<	0.07	0.64	0.37 pCi/L	1	
SWB-7	3/2/2009	Ra-228	=	0.46	0.44	0.29 pCi/L	1	J
SWB-7	6/5/2009	Ra-228	<	0.28	0.36	0.23 pCi/L	1	
SWB-7	9/9/2009	Ra-228	=	1.24	0.62	0.44 PCI/L	1	
SWB-7	12/1/2009	Ra-228	<	0.49	0.51	0.33 PCI/L	1	
SWB-7	3/2/2010	Ra-228	<	0.12	0.39	0.23 PCI/L	1	
SWB-7	6/1/2010	Ra-228	<	0.42	0.77	0.47 PCI/L	1	
SWB-7	9/9/2010	Ra-228	=	0.65	0.38	0.27 PCI/L	1	
SWB-7	12/1/2010	Ra-228	=	0.67	0.38	0.28 PCI/L	1	
SWB-8	3/5/2004	Ra-228	=	1.2	0.56	0.4 pCi/L	1	
SWB-8	3/7/2005	Ra-228	=	2.06	0.71	0.57 pCi/L	1	
SWB-8	6/1/2005	Ra-228	=	2	0.63	0.49 pCi/L	1	
SWB-8	3/1/2006	Ra-228	=	1.12	0.67	0.45 pCi/L	1	
SWB-8	3/7/2008	Ra-228	=	1.17	0.54	0.41 pCi/L	1	
SWB-8	3/3/2009	Ra-228	=	0.8	0.48	0.35 pCi/L	1	J
SWB-9	3/4/2003	Ra-228	=	2.11	0.96	0.69 pCi/L	1	
SWB-9	12/3/2003	Ra-228	=	2.18	0.61	0.51 pCi/L	1	J
SWB-9	3/5/2004	Ra-228	=	1.23	0.58	0.42 pCi/L	1	
SWB-9	5/27/2004	Ra-228	=	5.46	0.59	0.85 pCi/L	1	
SWB-9	12/1/2004	Ra-228	=	2.17	1.1	0.77 pCi/L	1	
SWB-9	3/3/2005	Ra-228	=	2.01	1.2	0.82 pCi/L	1	
SWB-9	6/2/2005	Ra-228	=	1.16	1.1	0.67 pCi/L	1	
SWB-9	9/1/2005	Ra-228	=	1.76	0.91	0.64 pCi/L	1	J
SWB-9	12/1/2005	Ra-228	=	3	1.6	1.1 pCi/L	1	J
SWB-9	3/2/2006	Ra-228	=	2.05	0.86	0.63 pCi/L	1	
SWB-9	6/1/2006	Ra-228	<	0.15	0.62	0.37 pCi/L	1	U
SWB-9	12/4/2006	Ra-228	=	1.51	1.2	0.82 pCi/L	1	J
SWB-9	3/5/2007	Ra-228	<	0.5	2.1	1.3 pCi/L	1	UJ
SWB-9	3/6/2008	Ra-228	=	1.56	0.62	0.46 pCi/L	1	
SWB-9	6/5/2008	Ra-228	=	0.79	0.62	0.41 pCi/L	1	J
SWB-9	12/5/2008	Ra-228	=	2.84	0.71	0.66 pCi/L	1	
SWB-9	3/2/2009	Ra-228	=	1.2	0.49	0.39 pCi/L	1	
SWB-9	6/2/2009	Ra-228	=	5.47	0.79	0.91 pCi/L	1	
SWB-9	3/1/2010	Ra-228	=	1.48	0.73	0.52 PCI/L	1	
SWB-9	6/1/2010	Ra-228	=	13	7.4	5.1 PCI/L	1	
SWB-9	12/1/2010	Ra-228	=	2.4	1.1	0.87 PCI/L	1	
SWB-10	3/4/2004	sec-Butylbenzene	<		0.23	1 ug/L	1	NA
SWB-10	5/24/2004	sec-Butylbenzene	<		0.23	1 ug/L	1	
SWB-10	12/1/2004	sec-Butylbenzene	<		0.23	1 ug/L	1	
SWB-10	3/3/2005	sec-Butylbenzene	<		0.24	1 ug/L	1	
SWB-10	6/2/2005	sec-Butylbenzene	<		0.17	1 ug/L	1	
SWB-10	9/1/2005	sec-Butylbenzene	<		0.17	1 ug/L	1	
SWB-10	3/2/2006	sec-Butylbenzene	<		0.68	4 UG/L	4	
SWB-10	6/2/2006	sec-Butylbenzene	<		0.17	1 UG/L	1	
SWB-10	3/1/2007	sec-Butylbenzene	<		0.17	1 UG/L	1	
SWB-10	3/7/2008	sec-Butylbenzene	<		0.17	1 UG/L	1	
SWB-10	6/5/2008	sec-Butylbenzene	<		0.17	1 UG/L	1	
SWB-10	3/2/2009	sec-Butylbenzene	<		0.17	1 UG/L	1	
SWB-10	6/4/2009	sec-Butylbenzene	<		0.17	1 UG/L	1	UJ
SWB-10	3/2/2010	sec-Butylbenzene	<	1	0.17	1 UG/L	1	
SWB-11	3/4/2004	sec-Butylbenzene	<		0.23	1 ug/L	1	
SWB-11	5/24/2004	sec-Butylbenzene	<		0.23	1 ug/L	1	
SWB-11	12/1/2004	sec-Butylbenzene	<		0.23	1 ug/L	1	
SWB-11	3/1/2005	sec-Butylbenzene	<		0.24	1 ug/L	1	
SWB-11	6/2/2005	sec-Butylbenzene	<		0.17	1 ug/L	1	
SWB-11	3/2/2006	sec-Butylbenzene	<		1.7	10 UG/L	10	

tmpAnalyticalResultsOverTime

SWB-11	6/1/2006	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-11	3/1/2007	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-11	3/7/2008	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-11	6/5/2008	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-11	3/2/2009	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-11	6/4/2009	sec-Butylbenzene	<		0.17	1	UG/L	1 UJ
SWB-11	3/1/2010	sec-Butylbenzene	<	1	0.17	1	ug/L	1
SWB-11	6/2/2010	SEC-BUTYLBENZENE	<	0.17	0.17	1	UG/L	1 UJ
SWB-3	10/29/2002	sec-Butylbenzene	<		0.34	1	ug/L	1
SWB-3	3/4/2003	sec-Butylbenzene	<		0.23	1	ug/L	1
SWB-3	6/3/2003	sec-Butylbenzene	<		0.23	1	ug/L	1
SWB-3	9/4/2003	sec-Butylbenzene	<		0.23	1	ug/L	1 UJ
SWB-3	12/2/2003	sec-Butylbenzene	<		0.23	1	ug/L	1
SWB-3	3/1/2004	sec-Butylbenzene	<		0.23	1	ug/L	1
SWB-3	6/1/2004	sec-Butylbenzene	<		0.23	1	ug/L	1
SWB-3	9/1/2004	sec-Butylbenzene	<		0.23	1	ug/L	1
SWB-3	12/1/2004	sec-Butylbenzene	<		0.38	1.7	ug/L	1.66
SWB-3	3/3/2005	sec-Butylbenzene	<		0.24	1	ug/L	1
SWB-3	6/2/2005	sec-Butylbenzene	<		0.17	1	ug/L	1
SWB-3	9/1/2005	sec-Butylbenzene	<		0.17	1	ug/L	1
SWB-3	12/1/2005	sec-Butylbenzene	<		0.34	2	UG/L	2
SWB-3	3/2/2006	sec-Butylbenzene	<		0.68	4	UG/L	4
SWB-3	6/2/2006	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-3	9/5/2006	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-3	12/4/2006	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-3	3/1/2007	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-3	6/1/2007	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-3	12/3/2007	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-3	3/6/2008	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-3	6/9/2008	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-3	12/4/2008	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-3	3/2/2009	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-3	6/4/2009	sec-Butylbenzene	<		0.17	1	UG/L	1 UJ
SWB-3	12/1/2009	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-3	3/1/2010	sec-Butylbenzene	<	1	0.17	1	ug/L	1
SWB-3	3/1/2010	sec-Butylbenzene	<	2	0.34	2	ug/L	1 DNR
SWB-3	6/1/2010	SEC-BUTYLBENZENE	<	0.17	0.17	1	UG/L	1 DNR
SWB-3	6/1/2010	SEC-BUTYLBENZENE	<	0.68	0.68	4	UG/L	1 UJ
SWB-3	9/9/2010	SEC-BUTYLBENZENE	<	0.17	0.17	1	UG/L	1 UJ
SWB-4	11/15/2002	sec-Butylbenzene	<		0.34	1	ug/L	1
SWB-5	10/29/2002	sec-Butylbenzene	<		0.34	1	ug/L	1
SWB-6	3/4/2003	sec-Butylbenzene	<		0.23	1	ug/L	1
SWB-6	6/3/2003	sec-Butylbenzene	<		0.46	2	ug/L	2
SWB-6	12/3/2003	sec-Butylbenzene	<		0.46	2	ug/L	2
SWB-6	3/5/2004	sec-Butylbenzene	<		0.23	1	ug/L	1
SWB-6	6/1/2004	sec-Butylbenzene	<		0.23	1	ug/L	1
SWB-6	12/1/2004	sec-Butylbenzene	<		0.23	1	ug/L	1
SWB-6	3/7/2005	sec-Butylbenzene	<		0.24	1	ug/L	1
SWB-6	6/1/2005	sec-Butylbenzene	<		0.17	1	ug/L	1
SWB-6	12/2/2005	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-6	3/1/2006	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-6	6/1/2006	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-6	12/5/2006	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-6	3/2/2007	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-6	6/9/2008	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-6	3/6/2008	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-6	12/5/2008	sec-Butylbenzene	<		0.17	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-6	3/2/2009	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-6	6/5/2009	sec-Butylbenzene	<		0.17	1	UG/L	1 UJ
SWB-6	3/2/2010	sec-Butylbenzene	<	1	0.17	1	UG/L	1
SWB-6	6/2/2010	SEC-BUTYL BENZENE	<	0.17	0.17	1	UG/L	1 UJ
SWB-7	3/4/2003	sec-Butylbenzene	<		0.23	1	ug/L	1
SWB-7	6/3/2003	sec-Butylbenzene	<		0.23	1	ug/L	1
SWB-7	3/1/2004	sec-Butylbenzene	<		0.23	1	ug/L	1
SWB-7	5/24/2004	sec-Butylbenzene	<		0.23	1	ug/L	1
SWB-7	12/1/2004	sec-Butylbenzene	<		0.23	1	ug/L	1
SWB-7	3/7/2005	sec-Butylbenzene	<		0.24	1	ug/L	1
SWB-7	6/1/2005	sec-Butylbenzene	<		0.17	1	ug/L	1
SWB-7	9/1/2005	sec-Butylbenzene	<		0.17	1	ug/L	1
SWB-7	12/1/2005	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-7	3/1/2006	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-7	6/2/2006	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-7	9/5/2006	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-7	12/5/2006	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-7	3/2/2007	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-7	6/1/2007	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-7	9/7/2007	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-7	12/3/2007	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-7	3/6/2008	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-7	6/6/2008	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-7	9/8/2008	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-7	12/5/2008	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-7	3/2/2009	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-7	6/5/2009	sec-Butylbenzene	<		0.17	1	UG/L	1 UJ
SWB-7	9/9/2009	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-7	12/1/2009	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-7	3/2/2010	sec-Butylbenzene	<	1	0.17	1	UG/L	1
SWB-7	6/1/2010	SEC-BUTYL BENZENE	<	0.17	0.17	1	UG/L	1 DNR
SWB-7	6/1/2010	SEC-BUTYL BENZENE	<	0.68	0.68	4	UG/L	1 UJ
SWB-7	9/9/2010	SEC-BUTYL BENZENE	<	0.17	0.17	1	UG/L	1 UJ
SWB-7	12/1/2010	SEC-BUTYL BENZENE	<	0.17	0.17	1	UG/L	1
SWB-8	3/5/2004	sec-Butylbenzene	<		0.23	1	ug/L	1
SWB-8	3/7/2005	sec-Butylbenzene	<		0.24	1	ug/L	1
SWB-8	6/1/2005	sec-Butylbenzene	<		0.17	1	ug/L	1
SWB-8	3/1/2006	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-8	3/7/2008	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-8	3/3/2009	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-9	3/4/2003	sec-Butylbenzene	<		0.23	1	ug/L	1
SWB-9	12/3/2003	sec-Butylbenzene	<		0.46	2	ug/L	2
SWB-9	3/5/2004	sec-Butylbenzene	<		0.23	1	ug/L	1
SWB-9	5/27/2004	sec-Butylbenzene	<		0.23	1	ug/L	1
SWB-9	12/1/2004	sec-Butylbenzene	<		0.23	1	ug/L	1
SWB-9	3/3/2005	sec-Butylbenzene	<		0.24	1	ug/L	1
SWB-9	6/2/2005	sec-Butylbenzene	<		0.17	1	ug/L	1
SWB-9	9/1/2005	sec-Butylbenzene	<		0.17	1	ug/L	1 UJ
SWB-9	12/1/2005	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-9	3/2/2006	sec-Butylbenzene	<		0.68	4	UG/L	4
SWB-9	6/1/2006	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-9	12/4/2006	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-9	3/5/2007	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-9	3/6/2008	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-9	6/5/2008	sec-Butylbenzene	<		0.17	1	UG/L	1 R
SWB-9	12/5/2008	sec-Butylbenzene	<		0.17	1	UG/L	1
SWB-9	3/2/2009	sec-Butylbenzene	<		0.17	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	6/2/2009	sec-Butylbenzene	<		0.17	1	UG/L	1 UJ	
SWB-9	3/1/2010	sec-Butylbenzene	<	1	0.17	1	ug/L	1	
SWB-9	6/1/2010	SEC-BUTYL BENZENE	<	0.17	0.17	1	UG/L	1 DNR	
SWB-9	6/1/2010	SEC-BUTYL BENZENE	<	0.68	0.68	4	UG/L	1 UJ	
SWB-9	12/1/2010	SEC-BUTYL BENZENE	<	0.17	0.17	1	UG/L	1	
SWB-10	3/2/2010	Selenium	<	0.02	0.007	0.02	MG/L	10	NA
SWB-11	3/1/2010	Selenium	TR	0.016	0.007	0.02	mg/L	10 J	
SWB-11	6/2/2010	SELENIUM	<	0.07	0.07	0.2	MG/L	100	
SWB-3	3/1/2010	Selenium	=	0.01	0.0035	0.01	mg/L	5	
SWB-3	6/1/2010	SELENIUM	<	0.014	0.014	0.04	MG/L	20	
SWB-3	9/9/2010	SELENIUM	=	0.034	0.0035	0.01	MG/L	5 J	
SWB-6	3/2/2010	Selenium	<	0.02	0.007	0.02	MG/L	10	
SWB-6	6/2/2010	SELENIUM	<	0.018	0.018	0.05	MG/L	25	
SWB-7	3/2/2010	Selenium	<	0.004	0.0014	0.004	MG/L	2	
SWB-7	6/1/2010	SELENIUM	<	0.014	0.014	0.04	MG/L	20	
SWB-7	9/9/2010	SELENIUM	=	0.016	0.016	0.016	MG/L	5 UJ	
SWB-7	12/1/2010	SELENIUM	=	0.012	0.0035	0.01	MG/L	5 J	
SWB-9	3/1/2010	Selenium	TR	0.013	0.007	0.02	mg/L	10 J	
SWB-9	6/1/2010	SELENIUM	<	0.07	0.07	0.2	MG/L	100	
SWB-9	12/1/2010	SELENIUM	=	0.017	0.0035	0.01	MG/L	5 J	
SWB-3	10/29/2002	Selenium-DISSOLVED	=	0.02	0.00095	0.01	mg/L	5	0.0046 mg/L
SWB-4	11/15/2002	Selenium-DISSOLVED	=	0.03	0.00095	0.01	mg/L	5	
SWB-5	10/29/2002	Selenium-DISSOLVED	=	0.071	0.0019	0.02	mg/L	10	
SWB-10	3/4/2004	Selenium-TOTAL	<		0.0048	0.04	mg/L	20	0.005 mg/L
SWB-10	5/24/2004	Selenium-TOTAL	=	0.032	0.0008	0.01	mg/L	5 J	
SWB-10	12/1/2004	Selenium-TOTAL	<		0.00016	0.002	mg/L	1	
SWB-10	3/3/2005	Selenium-TOTAL	<	0.002	0.00016	0.002	mg/L	1 U	
SWB-10	6/2/2005	Selenium-TOTAL	=	0.016	0.0016	0.01	mg/L	5	
SWB-10	9/1/2005	Selenium-TOTAL	TR	0.04	0.013	0.08	MG/L	40 J	
SWB-10	3/2/2006	Selenium-TOTAL	TR	0.0038	0.0033	0.02	MG/L	10 J	
SWB-10	6/2/2006	Selenium-TOTAL	TR	0.039	0.014	0.04	MG/L	20 J	
SWB-10	3/1/2007	Selenium-TOTAL	<	0.02	0.007	0.02	MG/L	10 U	
SWB-10	3/7/2008	Selenium-TOTAL	TR	0.016	0.014	0.04	MG/L	20 J	
SWB-10	6/5/2008	Selenium-TOTAL	=	0.042	0.014	0.04	MG/L	20 J	
SWB-10	3/2/2009	Selenium-TOTAL	TR	0.006	0.0035	0.01	MG/L	5 J	
SWB-10	6/4/2009	Selenium-TOTAL	TR	0.018	0.007	0.02	MG/L	10 J	
SWB-11	3/4/2004	Selenium-TOTAL	<		0.0048	0.04	mg/L	20	
SWB-11	5/24/2004	Selenium-TOTAL	=	0.044	0.0008	0.01	mg/L	5	
SWB-11	12/1/2004	Selenium-TOTAL	=	0.0048	0.00016	0.002	mg/L	1	
SWB-11	3/1/2005	Selenium-TOTAL	=	0.018	0.0008	0.01	mg/L	5 J	
SWB-11	6/2/2005	Selenium-TOTAL	=	0.019	0.0016	0.01	mg/L	5	
SWB-11	3/2/2006	Selenium-TOTAL	TR	0.0043	0.0033	0.02	MG/L	10 J	
SWB-11	6/1/2006	Selenium-TOTAL	=	0.05	0.014	0.04	MG/L	20 J	
SWB-11	3/1/2007	Selenium-TOTAL	<	0.02	0.007	0.02	MG/L	10 U	
SWB-11	3/7/2008	Selenium-TOTAL	TR	0.018	0.007	0.02	MG/L	10 J	
SWB-11	6/5/2008	Selenium-TOTAL	=	0.067	0.014	0.04	MG/L	20 J	
SWB-11	3/2/2009	Selenium-TOTAL	TR	0.0054	0.0035	0.01	MG/L	5 J	
SWB-11	6/4/2009	Selenium-TOTAL	=	0.028	0.007	0.02	MG/L	10 J	
SWB-3	10/29/2002	Selenium-TOTAL	=	0.024	0.00095	0.01	mg/L	5	
SWB-3	3/4/2003	Selenium-TOTAL	TR	0.009	0.00095	0.01	mg/L	5 J	
SWB-3	6/3/2003	Selenium-TOTAL	=	0.022	0.0012	0.01	mg/L	5	
SWB-3	9/4/2003	Selenium-TOTAL	=	0.28	0.012	0.1	mg/L	50	
SWB-3	12/2/2003	Selenium-TOTAL	TR	0.022	0.0048	0.04	mg/L	20 J	
SWB-3	3/1/2004	Selenium-TOTAL	<		0.0048	0.04	mg/L	20	
SWB-3	6/1/2004	Selenium-TOTAL	TR	0.01	0.0016	0.02	mg/L	10 J	
SWB-3	9/1/2004	Selenium-TOTAL	=	0.042	0.0032	0.04	mg/L	20	
SWB-3	12/1/2004	Selenium-TOTAL	=	0.0035	0.00016	0.002	mg/L	1 J	

tmpAnalyticalResultsOverTime

SWB-3	3/3/2005	Selenium-TOTAL	=	0.0057	0.00016	0.002	mg/L	1	J
SWB-3	6/2/2005	Selenium-TOTAL	=	0.013	0.0016	0.01	mg/L	5	
SWB-3	9/1/2005	Selenium-TOTAL	TR	0.0081	0.0033	0.02	MG/L	10	J
SWB-3	12/1/2005	Selenium-TOTAL	=	0.0077	0.00033	0.002	MG/L	1	J
SWB-3	3/2/2006	Selenium-TOTAL	TR	0.0068	0.0033	0.02	MG/L	10	J
SWB-3	6/2/2006	Selenium-TOTAL	TR	0.014	0.007	0.02	MG/L	10	J
SWB-3	9/5/2006	Selenium-TOTAL	TR	0.015	0.007	0.02	MG/L	10	J
SWB-3	12/4/2006	Selenium-TOTAL	=	0.026	0.007	0.02	MG/L	10	J
SWB-3	3/1/2007	Selenium-TOTAL	<	0.02	0.007	0.02	MG/L	10	U
SWB-3	6/1/2007	Selenium-TOTAL	TR	0.0079	0.0035	0.01	MG/L	5	J
SWB-3	12/3/2007	Selenium-TOTAL	=	0.008	0.0007	0.002	MG/L	1	
SWB-3	3/6/2008	Selenium-TOTAL	TR	0.0019	0.0007	0.002	MG/L	1	J
SWB-3	6/9/2008	Selenium-TOTAL	TR	0.0089	0.0035	0.01	MG/L	5	J
SWB-3	12/4/2008	Selenium-TOTAL	=	0.0063	0.0007	0.002	MG/L	1	
SWB-3	3/2/2009	Selenium-TOTAL	TR	0.0071	0.0035	0.01	MG/L	5	J
SWB-3	6/4/2009	Selenium-TOTAL	=	0.0048	0.0007	0.002	MG/L	1	J
SWB-3	12/1/2009	Selenium-TOTAL	=	0.021	0.007	0.02	MG/L	10	
SWB-4	11/15/2002	Selenium-TOTAL	=	0.031	0.00095	0.01	mg/L	5	
SWB-5	10/29/2002	Selenium-TOTAL	=	0.074	0.00095	0.01	mg/L	5	
SWB-6	3/4/2003	Selenium-TOTAL	<	0.01	0.00095	0.01	mg/L	5	U
SWB-6	6/3/2003	Selenium-TOTAL	=	0.016	0.0012	0.01	mg/L	5	
SWB-6	12/3/2003	Selenium-TOTAL	=	0.067	0.0024	0.02	mg/L	10	J
SWB-6	3/5/2004	Selenium-TOTAL	<		0.0048	0.04	mg/L	20	
SWB-6	6/1/2004	Selenium-TOTAL	TR	0.014	0.0016	0.02	mg/L	10	J
SWB-6	12/1/2004	Selenium-TOTAL	<		0.00016	0.009	mg/L	1	
SWB-6	3/7/2005	Selenium-TOTAL	TR	0.0086	0.0008	0.01	mg/L	5	J
SWB-6	6/1/2005	Selenium-TOTAL	=	0.011	0.0016	0.01	mg/L	5	
SWB-6	12/2/2005	Selenium-TOTAL	TR	0.015	0.0033	0.02	MG/L	10	J
SWB-6	3/1/2006	Selenium-TOTAL	<		0.0016	0.01	MG/L	5	
SWB-6	6/1/2006	Selenium-TOTAL	<		0.007	0.02	MG/L	10	
SWB-6	12/5/2006	Selenium-TOTAL	=	0.045	0.014	0.04	MG/L	20	J
SWB-6	3/2/2007	Selenium-TOTAL	=	0.033	0.007	0.02	MG/L	10	
SWB-6	6/9/2008	Selenium-TOTAL	TR	0.032	0.014	0.04	MG/L	20	J
SWB-6	3/6/2008	Selenium-TOTAL	TR	0.0095	0.0035	0.01	MG/L	5	J
SWB-6	12/5/2008	Selenium-TOTAL	=	0.083	0.014	0.04	MG/L	20	J
SWB-6	3/2/2009	Selenium-TOTAL	TR	0.0048	0.0035	0.01	MG/L	5	J
SWB-6	6/5/2009	Selenium-TOTAL	TR	0.0037	0.0014	0.004	MG/L	2	J
SWB-7	3/4/2003	Selenium-TOTAL	<	0.01	0.00095	0.01	mg/L	5	U
SWB-7	6/3/2003	Selenium-TOTAL	TR	0.0069	0.0012	0.01	mg/L	5	J
SWB-7	3/1/2004	Selenium-TOTAL	<		0.0048	0.04	mg/L	20	
SWB-7	5/24/2004	Selenium-TOTAL	=	0.01	0.0008	0.01	mg/L	5	
SWB-7	12/1/2004	Selenium-TOTAL	<		0.00016	0.002	mg/L	1	
SWB-7	3/7/2005	Selenium-TOTAL	=	0.0047	0.00016	0.002	mg/L	1	J
SWB-7	6/1/2005	Selenium-TOTAL	TR	0.0026	0.0016	0.01	mg/L	5	J
SWB-7	9/1/2005	Selenium-TOTAL	TR	0.0027	0.0016	0.01	MG/L	5	J
SWB-7	12/1/2005	Selenium-TOTAL	=	0.003	0.00033	0.002	MG/L	1	J
SWB-7	3/1/2006	Selenium-TOTAL	<		0.00066	0.004	MG/L	2	
SWB-7	6/2/2006	Selenium-TOTAL	TR	0.0052	0.0035	0.01	MG/L	5	J
SWB-7	9/5/2006	Selenium-TOTAL	=	0.0027	0.0007	0.002	MG/L	1	J
SWB-7	12/5/2006	Selenium-TOTAL	<		0.007	0.02	MG/L	10	
SWB-7	3/2/2007	Selenium-TOTAL	<		0.007	0.02	MG/L	10	
SWB-7	6/1/2007	Selenium-TOTAL	=	0.014	0.0035	0.01	MG/L	5	J
SWB-7	9/7/2007	Selenium-TOTAL	<		0.0007	0.002	MG/L	1	
SWB-7	12/3/2007	Selenium-TOTAL	=	0.0073	0.0007	0.002	MG/L	1	
SWB-7	3/6/2008	Selenium-TOTAL	=	0.0025	0.0007	0.002	MG/L	1	J
SWB-7	6/6/2008	Selenium-TOTAL	<	0.0021	0.0007	0.0021	MG/L	1	U
SWB-7	9/8/2008	Selenium-TOTAL	<		0.0035	0.01	MG/L	5	



tmpAnalyticalResultsOverTime

SWB-7	12/5/2008	Selenium-TOTAL	<	0.004	0.0007	0.004	MG/L	1	U	
SWB-7	3/2/2009	Selenium-TOTAL	TR	0.00075	0.0007	0.002	MG/L	1	J	
SWB-7	6/5/2009	Selenium-TOTAL	<		0.0014	0.004	MG/L	2		
SWB-7	9/9/2009	Selenium-TOTAL	TR	0.014	0.007	0.02	MG/L	10	J	
SWB-7	12/1/2009	Selenium-TOTAL	=	0.011	0.0035	0.01	MG/L	5		
SWB-8	3/5/2004	Selenium-TOTAL	<		0.0048	0.04	mg/L	20		
SWB-8	3/7/2005	Selenium-TOTAL	=	0.011	0.0008	0.01	mg/L	5	J	
SWB-8	6/1/2005	Selenium-TOTAL	=	0.018	0.0016	0.01	mg/L	5		
SWB-8	3/1/2006	Selenium-TOTAL	<		0.0016	0.01	MG/L	5		
SWB-8	3/7/2008	Selenium-TOTAL	TR	0.0066	0.0035	0.01	MG/L	5	J	
SWB-8	3/3/2009	Selenium-TOTAL	<		0.0035	0.01	MG/L	5		
SWB-9	3/4/2003	Selenium-TOTAL	TR	0.0072	0.00095	0.01	mg/L	5	J	
SWB-9	12/3/2003	Selenium-TOTAL	=	0.026	0.0024	0.02	mg/L	10	J	
SWB-9	3/5/2004	Selenium-TOTAL	<		0.0048	0.04	mg/L	20		
SWB-9	5/27/2004	Selenium-TOTAL	=	0.028	0.0008	0.01	mg/L	5		
SWB-9	12/1/2004	Selenium-TOTAL	<	0.002	0.00016	0.002	mg/L	1	U	
SWB-9	3/3/2005	Selenium-TOTAL	=	0.012	0.0008	0.01	mg/L	5	J	
SWB-9	6/2/2005	Selenium-TOTAL	=	0.014	0.0016	0.01	mg/L	5		
SWB-9	9/1/2005	Selenium-TOTAL	TR	0.094	0.033	0.2	MG/L	100	J	
SWB-9	12/1/2005	Selenium-TOTAL	=	0.027	0.0033	0.02	MG/L	10		
SWB-9	3/2/2006	Selenium-TOTAL	TR	0.0071	0.0033	0.02	MG/L	10	J	
SWB-9	6/1/2006	Selenium-TOTAL	TR	0.072	0.035	0.1	MG/L	50	J	
SWB-9	12/4/2006	Selenium-TOTAL	=	0.034	0.007	0.02	MG/L	10	J	
SWB-9	3/5/2007	Selenium-TOTAL	TR	0.03	0.014	0.04	MG/L	20	J	
SWB-9	3/6/2008	Selenium-TOTAL	TR	0.015	0.007	0.02	MG/L	10	J	
SWB-9	6/5/2008	Selenium-TOTAL	=	0.11	0.014	0.04	MG/L	20	J	
SWB-9	12/5/2008	Selenium-TOTAL	=	0.042	0.007	0.02	MG/L	10	J	
SWB-9	3/2/2009	Selenium-TOTAL	TR	0.014	0.007	0.02	MG/L	10	J	
SWB-9	6/2/2009	Selenium-TOTAL	=	0.045	0.007	0.02	MG/L	10	J	
SWB-7	9/7/2007	Silane, fluorotrimethyl-	TI	2.1			UG/L	1	NJ	NA
SWB-7	9/7/2007	Silanol, trimethyl-	TI	1.5			UG/L	1	NJ	NA
SWB-10	3/2/2010	Silver	<	0.01	0.00093	0.01	MG/L	1	UJ	NA
SWB-11	3/1/2010	Silver	<	0.01	0.00093	0.01	mg/L	1	UJ	
SWB-11	6/2/2010	SILVER	<	0.0093	0.0093	0.1	MG/L	10		
SWB-3	3/1/2010	Silver	<	0.01	0.00093	0.01	mg/L	1	UJ	
SWB-3	6/1/2010	SILVER	TR	0.0014	0.00093	0.01	MG/L	1	J	
SWB-3	9/9/2010	SILVER	<	0.0093	0.0093	0.1	MG/L	10		
SWB-6	3/2/2010	Silver	<	0.05	0.0047	0.05	MG/L	5		
SWB-6	6/2/2010	SILVER	<	0.0093	0.0093	0.1	MG/L	10		
SWB-7	3/2/2010	Silver	<	0.01	0.00093	0.01	MG/L	1		
SWB-7	6/1/2010	SILVER	TR	0.0016	0.00093	0.01	MG/L	1	J	
SWB-7	9/9/2010	SILVER	TR	0.0094	0.0093	0.1	MG/L	10	J	
SWB-7	12/1/2010	SILVER	<	0.00093	0.00093	0.01	MG/L	1		
SWB-9	3/1/2010	Silver	<	0.01	0.00093	0.01	mg/L	1	UJ	
SWB-9	6/1/2010	SILVER	<	0.0093	0.0093	0.1	MG/L	10		
SWB-9	12/1/2010	SILVER	<	0.00093	0.00093	0.01	MG/L	1		
SWB-3	10/29/2002	Silver-DISSOLVED	<		0.0027	0.05	mg/L	5		NA
SWB-4	11/15/2002	Silver-DISSOLVED	<		0.0027	0.05	mg/L	5		
SWB-5	10/29/2002	Silver-DISSOLVED	TR	0.0028	0.0027	0.05	mg/L	5	J	
SWB-10	3/4/2004	Silver-TOTAL	<		0.0007	0.01	mg/L	1		0.005 mg/L
SWB-10	5/24/2004	Silver-TOTAL	<		0.0007	0.01	mg/L	1		
SWB-10	12/1/2004	Silver-TOTAL	<		0.00037	0.01	mg/L	1		
SWB-10	3/3/2005	Silver-TOTAL	<		0.00037	0.01	mg/L	1		
SWB-10	6/2/2005	Silver-TOTAL	<		0.00072	0.01	mg/L	1		
SWB-10	9/1/2005	Silver-TOTAL	<		0.014	0.05	MG/L	5		
SWB-10	3/2/2006	Silver-TOTAL	<		0.014	0.05	MG/L	5		
SWB-10	6/2/2006	Silver-TOTAL	<		0.028	0.1	MG/L	10		

tmpAnalyticalResultsOverTime

SWB-10	3/1/2007	Silver-TOTAL	<		0.014	0.05	MG/L	5
SWB-10	3/7/2008	Silver-TOTAL	<		0.0028	0.01	MG/L	1
SWB-10	6/5/2008	Silver-TOTAL	<		0.0047	0.05	MG/L	5 UJ
SWB-10	3/2/2009	Silver-TOTAL	<		0.00093	0.01	MG/L	1
SWB-10	6/4/2009	Silver-TOTAL	<		0.0093	0.1	MG/L	10
SWB-11	3/4/2004	Silver-TOTAL	<		0.0007	0.01	mg/L	1
SWB-11	5/24/2004	Silver-TOTAL	<		0.0007	0.01	mg/L	1
SWB-11	12/1/2004	Silver-TOTAL	<	0.01	0.00037	0.01	mg/L	1 U
SWB-11	3/1/2005	Silver-TOTAL	<		0.00037	0.005	mg/L	1
SWB-11	6/2/2005	Silver-TOTAL	<		0.00072	0.01	mg/L	1
SWB-11	3/2/2006	Silver-TOTAL	<		0.014	0.05	MG/L	5
SWB-11	6/1/2006	Silver-TOTAL	<		0.028	0.1	MG/L	10
SWB-11	3/1/2007	Silver-TOTAL	<		0.014	0.05	MG/L	5
SWB-11	3/7/2008	Silver-TOTAL	<		0.0028	0.01	MG/L	1
SWB-11	6/5/2008	Silver-TOTAL	<		0.0047	0.05	MG/L	5 UJ
SWB-11	3/2/2009	Silver-TOTAL	<		0.00093	0.01	MG/L	1
SWB-11	6/4/2009	Silver-TOTAL	<		0.0093	0.1	MG/L	10
SWB-3	10/29/2002	Silver-TOTAL	<		0.0027	0.05	mg/L	5
SWB-3	3/4/2003	Silver-TOTAL	<		0.00054	0.01	mg/L	1
SWB-3	6/3/2003	Silver-TOTAL	<		0.0007	0.01	mg/L	1
SWB-3	9/4/2003	Silver-TOTAL	<		0.007	0.1	mg/L	10 UJ
SWB-3	12/2/2003	Silver-TOTAL	<		0.0007	0.01	mg/L	1
SWB-3	3/1/2004	Silver-TOTAL	<		0.0007	0.01	mg/L	1
SWB-3	6/1/2004	Silver-TOTAL	<		0.0007	0.01	mg/L	1
SWB-3	9/1/2004	Silver-TOTAL	<		0.0018	0.05	mg/L	5
SWB-3	12/1/2004	Silver-TOTAL	<		0.00037	0.01	mg/L	1
SWB-3	3/3/2005	Silver-TOTAL	<		0.00037	0.01	mg/L	1
SWB-3	6/2/2005	Silver-TOTAL	<		0.00072	0.01	mg/L	1
SWB-3	9/1/2005	Silver-TOTAL	<		0.0028	0.01	MG/L	1
SWB-3	12/1/2005	Silver-TOTAL	<		0.0028	0.01	MG/L	1
SWB-3	3/2/2006	Silver-TOTAL	<		0.0028	0.01	MG/L	1
SWB-3	6/2/2006	Silver-TOTAL	<		0.0028	0.01	MG/L	1
SWB-3	9/5/2006	Silver-TOTAL	<		0.014	0.025	MG/L	5
SWB-3	12/4/2006	Silver-TOTAL	<		0.014	0.05	MG/L	5 R
SWB-3	3/1/2007	Silver-TOTAL	<		0.014	0.05	MG/L	5
SWB-3	6/1/2007	Silver-TOTAL	<		0.0028	0.01	MG/L	1 UJ
SWB-3	12/3/2007	Silver-TOTAL	<		0.0028	0.01	MG/L	1
SWB-3	3/6/2008	Silver-TOTAL	<		0.0028	0.01	MG/L	1
SWB-3	6/9/2008	Silver-TOTAL	<		0.00093	0.01	MG/L	1 UJ
SWB-3	12/4/2008	Silver-TOTAL	<		0.00093	0.01	MG/L	1
SWB-3	3/2/2009	Silver-TOTAL	<		0.00093	0.01	MG/L	1
SWB-3	6/4/2009	Silver-TOTAL	<		0.00093	0.01	MG/L	1
SWB-3	12/1/2009	Silver-TOTAL	<		0.00093	0.01	MG/L	1
SWB-4	11/15/2002	Silver-TOTAL	<		0.0027	0.05	mg/L	5
SWB-5	10/29/2002	Silver-TOTAL	<		0.0054	0.1	mg/L	10
SWB-6	3/4/2003	Silver-TOTAL	<		0.00054	0.01	mg/L	1
SWB-6	6/3/2003	Silver-TOTAL	TR	0.00095	0.0007	0.01	mg/L	1 J
SWB-6	12/3/2003	Silver-TOTAL	<		0.0035	0.05	mg/L	5
SWB-6	3/5/2004	Silver-TOTAL	<		0.0007	0.01	mg/L	1
SWB-6	6/1/2004	Silver-TOTAL	<		0.0007	0.01	mg/L	1
SWB-6	12/1/2004	Silver-TOTAL	<	0.01	0.00037	0.01	mg/L	1 U
SWB-6	3/7/2005	Silver-TOTAL	<		0.00037	0.005	mg/L	1
SWB-6	6/1/2005	Silver-TOTAL	<		0.00072	0.01	mg/L	1
SWB-6	12/2/2005	Silver-TOTAL	<		0.028	0.056	MG/L	10
SWB-6	3/1/2006	Silver-TOTAL	<		0.0028	0.01	MG/L	1
SWB-6	6/1/2006	Silver-TOTAL	<		0.014	0.05	MG/L	5
SWB-6	12/5/2006	Silver-TOTAL	<		0.028	0.1	MG/L	10 R

tmpAnalyticalResultsOverTime

SWB-6	3/2/2007	Silver-TOTAL	<	0.014	0.05	MG/L	5		
SWB-6	6/9/2008	Silver-TOTAL	<	0.0047	0.05	MG/L	5	UJ	
SWB-6	3/6/2008	Silver-TOTAL	<	0.0028	0.01	MG/L	1		
SWB-6	12/5/2008	Silver-TOTAL	<	0.0047	0.05	MG/L	5		
SWB-6	3/2/2009	Silver-TOTAL	<	0.00093	0.01	MG/L	1		
SWB-6	6/5/2009	Silver-TOTAL	<	0.0093	0.1	MG/L	10		
SWB-7	3/4/2003	Silver-TOTAL	<	0.0011	0.02	mg/L	2		
SWB-7	6/3/2003	Silver-TOTAL	<	0.0014	0.02	mg/L	2		
SWB-7	3/1/2004	Silver-TOTAL	<	0.0007	0.01	mg/L	1		
SWB-7	5/24/2004	Silver-TOTAL	<	0.0007	0.01	mg/L	1		
SWB-7	12/1/2004	Silver-TOTAL	<	0.00037	0.005	mg/L	1		
SWB-7	3/7/2005	Silver-TOTAL	<	0.00037	0.01	mg/L	1		
SWB-7	6/1/2005	Silver-TOTAL	<	0.00072	0.01	mg/L	1		
SWB-7	9/1/2005	Silver-TOTAL	<	0.0028	0.01	MG/L	1		
SWB-7	12/1/2005	Silver-TOTAL	<	0.0028	0.01	MG/L	1		
SWB-7	3/1/2006	Silver-TOTAL	<	0.0028	0.01	MG/L	1		
SWB-7	6/2/2006	Silver-TOTAL	<	0.0028	0.01	MG/L	1		
SWB-7	9/5/2006	Silver-TOTAL	<	0.0028	0.01	MG/L	1		
SWB-7	12/5/2006	Silver-TOTAL	<	0.0028	0.01	MG/L	1	R	
SWB-7	3/2/2007	Silver-TOTAL	<	0.0028	0.01	MG/L	1	UJ	
SWB-7	6/1/2007	Silver-TOTAL	<	0.0028	0.01	MG/L	1	UJ	
SWB-7	9/7/2007	Silver-TOTAL	<	0.014	0.05	MG/L	5		
SWB-7	12/3/2007	Silver-TOTAL	<	0.0028	0.01	MG/L	1		
SWB-7	3/6/2008	Silver-TOTAL	<	0.0028	0.01	MG/L	1		
SWB-7	6/6/2008	Silver-TOTAL	<	0.00093	0.01	MG/L	1	UJ	
SWB-7	9/8/2008	Silver-TOTAL	<	0.01	0.00093	0.01	MG/L	1	U
SWB-7	12/5/2008	Silver-TOTAL	<	0.00093	0.01	MG/L	1		
SWB-7	3/2/2009	Silver-TOTAL	<	0.00093	0.01	MG/L	1		
SWB-7	6/5/2009	Silver-TOTAL	<	0.00093	0.01	MG/L	1	UJ	
SWB-7	9/9/2009	Silver-TOTAL	<	0.0047	0.05	MG/L	5		
SWB-7	12/1/2009	Silver-TOTAL	<	0.00093	0.01	MG/L	1		
SWB-8	3/5/2004	Silver-TOTAL	<	0.0007	0.01	mg/L	1		
SWB-8	3/7/2005	Silver-TOTAL	<	0.00037	0.01	mg/L	1		
SWB-8	6/1/2005	Silver-TOTAL	<	0.00072	0.01	mg/L	1		
SWB-8	3/1/2006	Silver-TOTAL	<	0.0028	0.01	MG/L	1		
SWB-8	3/7/2008	Silver-TOTAL	<	0.0028	0.01	MG/L	1		
SWB-8	3/3/2009	Silver-TOTAL	<	0.00093	0.01	MG/L	1	UJ	
SWB-9	3/4/2003	Silver-TOTAL	<	0.00054	0.01	mg/L	1		
SWB-9	12/3/2003	Silver-TOTAL	<	0.0035	0.05	mg/L	5		
SWB-9	3/5/2004	Silver-TOTAL	<	0.0007	0.01	mg/L	1		
SWB-9	5/27/2004	Silver-TOTAL	<	0.0035	0.05	mg/L	5		
SWB-9	12/1/2004	Silver-TOTAL	<	0.01	0.00037	0.01	mg/L	1	U
SWB-9	3/3/2005	Silver-TOTAL	<	0.00037	0.01	mg/L	1		
SWB-9	6/2/2005	Silver-TOTAL	<	0.00072	0.005	mg/L	1		
SWB-9	9/1/2005	Silver-TOTAL	<	0.028	0.1	MG/L	10		
SWB-9	12/1/2005	Silver-TOTAL	<	0.028	0.1	MG/L	10		
SWB-9	3/2/2006	Silver-TOTAL	<	0.014	0.05	MG/L	5		
SWB-9	6/1/2006	Silver-TOTAL	<	0.028	0.1	MG/L	10		
SWB-9	12/4/2006	Silver-TOTAL	<	0.14	0.5	MG/L	50	R	
SWB-9	3/5/2007	Silver-TOTAL	<	0.014	0.05	MG/L	5		
SWB-9	3/6/2008	Silver-TOTAL	<	0.014	0.05	MG/L	5		
SWB-9	6/5/2008	Silver-TOTAL	<	0.0047	0.05	MG/L	5	UJ	
SWB-9	12/5/2008	Silver-TOTAL	<	0.0047	0.05	MG/L	5		
SWB-9	3/2/2009	Silver-TOTAL	<	0.00093	0.01	MG/L	1		
SWB-9	6/2/2009	Silver-TOTAL	<	0.0093	0.1	MG/L	10		
SWB-10	3/2/2010	Sodium	=	9000	0.092	1	MG/L	1	NA
SWB-11	3/1/2010	Sodium	=	7600	0.46	5	mg/L	5	

tmpAnalyticalResultsOverTime

SWB-11	6/2/2010	SODIUM	TR	28000	0.92	10	MG/L	10
SWB-3	3/1/2010	Sodium	=	4600	0.46	5	mg/L	5
SWB-3	6/1/2010	SODIUM	TR	4400	0.092	1	MG/L	1
SWB-3	9/9/2010	SODIUM	TR	9200	0.92	10	MG/L	10 J
SWB-6	3/2/2010	Sodium	=	10000	4.6	50	MG/L	50
SWB-6	6/2/2010	SODIUM	TR	17000	0.92	10	MG/L	10
SWB-7	3/2/2010	Sodium	=	550	0.092	1	MG/L	1
SWB-7	6/1/2010	SODIUM	TR	2300	0.092	1	MG/L	1
SWB-7	9/9/2010	SODIUM	TR	4900	0.92	10	MG/L	10 J
SWB-7	12/1/2010	SODIUM	=	4400	0.92	10	MG/L	10
SWB-9	3/1/2010	Sodium	=	11000	0.46	5	mg/L	5
SWB-9	6/1/2010	SODIUM	TR	41000	0.92	10	MG/L	10
SWB-9	12/1/2010	SODIUM	=	16000	0.92	10	MG/L	10
SWB-3	10/29/2002	Sodium-DISSOLVED	=	5500	1.5	5	mg/L	1
SWB-4	11/15/2002	Sodium-DISSOLVED	=	8400	7.5	25	mg/L	5
SWB-5	10/29/2002	Sodium-DISSOLVED	=	29000	15	50	mg/L	10
SWB-10	3/4/2004	Sodium-TOTAL	=	2500	1.1	5	mg/L	1
SWB-10	5/24/2004	Sodium-TOTAL	=	16000	5.5	25	mg/L	5
SWB-10	12/1/2004	Sodium-TOTAL	=	6500	1.4	5	mg/L	1
SWB-10	3/3/2005	Sodium-TOTAL	=	6500	1.4	5	mg/L	1
SWB-10	6/2/2005	Sodium-TOTAL	=	5600	1.1	5	mg/L	1
SWB-10	9/1/2005	Sodium-TOTAL	=	33000	11	50	MG/L	10
SWB-10	3/2/2006	Sodium-TOTAL	=	13000	0.16	25	MG/L	5
SWB-10	6/2/2006	Sodium-TOTAL	=	28000	0.92	50	MG/L	10
SWB-10	3/1/2007	Sodium-TOTAL	=	11000	4.6	250	MG/L	50
SWB-10	3/7/2008	Sodium-TOTAL	=	10000	4.6	250	MG/L	50
SWB-10	6/5/2008	Sodium-TOTAL	=	77000	4.6	250	MG/L	50
SWB-10	3/2/2009	Sodium-TOTAL	=	7600	0.092	1	MG/L	1
SWB-10	6/4/2009	Sodium-TOTAL	=	45000	0.92	10	MG/L	10
SWB-11	3/4/2004	Sodium-TOTAL	=	3300	1.1	5	mg/L	1
SWB-11	5/24/2004	Sodium-TOTAL	=	22000	5.5	25	mg/L	5
SWB-11	12/1/2004	Sodium-TOTAL	=	7300	1.4	5	mg/L	1
SWB-11	3/1/2005	Sodium-TOTAL	=	7200	1.4	5	mg/L	1
SWB-11	6/2/2005	Sodium-TOTAL	=	9200	5.5	25	mg/L	5
SWB-11	3/2/2006	Sodium-TOTAL	=	11000	0.16	25	MG/L	5
SWB-11	6/1/2006	Sodium-TOTAL	=	27000	0.92	50	MG/L	10
SWB-11	3/1/2007	Sodium-TOTAL	=	12000	4.6	250	MG/L	50
SWB-11	3/7/2008	Sodium-TOTAL	=	7700	0.092	5	MG/L	1
SWB-11	6/5/2008	Sodium-TOTAL	=	60000	4.6	250	MG/L	50
SWB-11	3/2/2009	Sodium-TOTAL	=	5700	0.092	1	MG/L	1
SWB-11	6/4/2009	Sodium-TOTAL	=	29000	0.92	10	MG/L	10
SWB-3	10/29/2002	Sodium-TOTAL	=	5700	1.5	5	mg/L	1
SWB-3	3/4/2003	Sodium-TOTAL	=	3800	1.5	5	mg/L	1
SWB-3	6/3/2003	Sodium-TOTAL	=	11000	5.5	25	mg/L	5
SWB-3	9/4/2003	Sodium-TOTAL	=	25000	11	50	mg/L	10
SWB-3	12/2/2003	Sodium-TOTAL	=	8600	1.1	5	mg/L	1
SWB-3	3/1/2004	Sodium-TOTAL	=	550	1.1	5	mg/L	1
SWB-3	6/1/2004	Sodium-TOTAL	=	5800	1.1	5	mg/L	1
SWB-3	9/1/2004	Sodium-TOTAL	=	36000	7	25	mg/L	5
SWB-3	12/1/2004	Sodium-TOTAL	=	3300	1.4	5	mg/L	1
SWB-3	3/3/2005	Sodium-TOTAL	=	4600	1.4	5	mg/L	1
SWB-3	6/2/2005	Sodium-TOTAL	=	3500	1.1	5	mg/L	1
SWB-3	9/1/2005	Sodium-TOTAL	=	6200	5.6	25	MG/L	5
SWB-3	12/1/2005	Sodium-TOTAL	=	6400	1.1	5	MG/L	1
SWB-3	3/2/2006	Sodium-TOTAL	=	6100	0.031	5	MG/L	1
SWB-3	6/2/2006	Sodium-TOTAL	=	7700	0.92	50	MG/L	10
SWB-3	9/5/2006	Sodium-TOTAL	=	26000	0.46	25	MG/L	5

tmpAnalyticalResultsOverTime

SWB-3	12/4/2006	Sodium-TOTAL	=	12000	0.46	25	MG/L	5
SWB-3	3/1/2007	Sodium-TOTAL	=	9300	4.6	250	MG/L	50
SWB-3	6/1/2007	Sodium-TOTAL	=	3600	0.092	5	MG/L	1
SWB-3	12/3/2007	Sodium-TOTAL	=	3800	0.092	5	MG/L	1
SWB-3	3/6/2008	Sodium-TOTAL	=	830	0.092	5	MG/L	1 J
SWB-3	6/9/2008	Sodium-TOTAL	=	3100	0.46	25	MG/L	5
SWB-3	12/4/2008	Sodium-TOTAL	=	3500	0.092	1	MG/L	1 J
SWB-3	3/2/2009	Sodium-TOTAL	=	3000	0.092	1	MG/L	1
SWB-3	6/4/2009	Sodium-TOTAL	=	3900	0.092	1	MG/L	1
SWB-3	12/1/2009	Sodium-TOTAL	=	4100	0.092	1	MG/L	1
SWB-4	11/15/2002	Sodium-TOTAL	=	6300	1.5	5	mg/L	1
SWB-5	10/29/2002	Sodium-TOTAL	=	30000	6	20	mg/L	4
SWB-6	3/4/2003	Sodium-TOTAL	=	6900	1.5	5	mg/L	1
SWB-6	6/3/2003	Sodium-TOTAL	=	31000	11	50	mg/L	10
SWB-6	12/3/2003	Sodium-TOTAL	=	30000	5.5	25	mg/L	5
SWB-6	3/5/2004	Sodium-TOTAL	=	2200	1.1	5	mg/L	1
SWB-6	6/1/2004	Sodium-TOTAL	=	11000	5.5	25	mg/L	5
SWB-6	12/1/2004	Sodium-TOTAL	=	10000	7	25	mg/L	5
SWB-6	3/7/2005	Sodium-TOTAL	=	4500	1.4	5	mg/L	1
SWB-6	6/1/2005	Sodium-TOTAL	=	4100	1.1	5	mg/L	1
SWB-6	12/2/2005	Sodium-TOTAL	=	17000	11	50	MG/L	10
SWB-6	3/1/2006	Sodium-TOTAL	=	5800	0.031	5	MG/L	1
SWB-6	6/1/2006	Sodium-TOTAL	=	8300	0.46	25	MG/L	5
SWB-6	12/5/2006	Sodium-TOTAL	=	26000	0.92	50	MG/L	10
SWB-6	3/2/2007	Sodium-TOTAL	=	11000	0.46	25	MG/L	5
SWB-6	6/9/2008	Sodium-TOTAL	=	27000	4.6	250	MG/L	50
SWB-6	3/6/2008	Sodium-TOTAL	=	6100	0.092	5	MG/L	1 J
SWB-6	12/5/2008	Sodium-TOTAL	=	38000	0.92	10	MG/L	10
SWB-6	3/2/2009	Sodium-TOTAL	=	6200	0.092	1	MG/L	1
SWB-6	6/5/2009	Sodium-TOTAL	=	11000	0.92	10	MG/L	10
SWB-7	3/4/2003	Sodium-TOTAL	=	1000	1.5	5	mg/L	1
SWB-7	6/3/2003	Sodium-TOTAL	=	2300	1.1	5	mg/L	1
SWB-7	3/1/2004	Sodium-TOTAL	=	800	1.1	5	mg/L	1
SWB-7	5/24/2004	Sodium-TOTAL	=	4600	1.1	5	mg/L	1
SWB-7	12/1/2004	Sodium-TOTAL	=	2400	1.4	5	mg/L	1
SWB-7	3/7/2005	Sodium-TOTAL	=	1800	1.4	5	mg/L	1
SWB-7	6/1/2005	Sodium-TOTAL	=	1500	1.1	5	mg/L	1
SWB-7	9/1/2005	Sodium-TOTAL	=	2900	1.1	5	MG/L	1
SWB-7	12/1/2005	Sodium-TOTAL	=	3000	1.1	5	MG/L	1
SWB-7	3/1/2006	Sodium-TOTAL	=	1400	0.031	5	MG/L	1
SWB-7	6/2/2006	Sodium-TOTAL	=	3500	0.92	50	MG/L	10
SWB-7	9/5/2006	Sodium-TOTAL	=	4200	0.46	25	MG/L	5
SWB-7	12/5/2006	Sodium-TOTAL	=	4100	0.092	5	MG/L	1
SWB-7	3/2/2007	Sodium-TOTAL	=	890	0.092	5	MG/L	1
SWB-7	6/1/2007	Sodium-TOTAL	=	3400	0.092	5	MG/L	1
SWB-7	9/7/2007	Sodium-TOTAL	=	4700	0.46	25	MG/L	5
SWB-7	12/3/2007	Sodium-TOTAL	=	4100	0.092	5	MG/L	1
SWB-7	3/6/2008	Sodium-TOTAL	=	1600	0.092	5	MG/L	1 J
SWB-7	6/6/2008	Sodium-TOTAL	=	3800	0.46	25	MG/L	5
SWB-7	9/8/2008	Sodium-TOTAL	=	4000	0.092	1	MG/L	1
SWB-7	12/5/2008	Sodium-TOTAL	=	3700	0.092	1	MG/L	1
SWB-7	3/2/2009	Sodium-TOTAL	=	1100	0.092	1	MG/L	1
SWB-7	6/5/2009	Sodium-TOTAL	=	3100	0.092	1	MG/L	1
SWB-7	9/9/2009	Sodium-TOTAL	=	3800	0.46	5	MG/L	5
SWB-7	12/1/2009	Sodium-TOTAL	=	3600	0.092	1	MG/L	1
SWB-8	3/5/2004	Sodium-TOTAL	=	1900	1.1	5	mg/L	1
SWB-8	3/7/2005	Sodium-TOTAL	=	4200	1.4	5	mg/L	1

tmpAnalyticalResultsOverTime

SWB-8	6/1/2005	Sodium-TOTAL	=	4800	1.1	5	mg/L	1	
SWB-8	3/1/2006	Sodium-TOTAL	=	2600	0.031	5	MG/L	1	
SWB-8	3/7/2008	Sodium-TOTAL	=	1600	0.092	5	MG/L	1	
SWB-8	3/3/2009	Sodium-TOTAL	=	1300	0.092	1	MG/L	1	
SWB-9	3/4/2003	Sodium-TOTAL	=	9600	7.5	25	mg/L	5	
SWB-9	12/3/2003	Sodium-TOTAL	=	13000	5.5	25	mg/L	5	
SWB-9	3/5/2004	Sodium-TOTAL	=	4500	1.1	5	mg/L	1	
SWB-9	5/27/2004	Sodium-TOTAL	=	45000	5.5	25	mg/L	5	
SWB-9	12/1/2004	Sodium-TOTAL	=	8900	7	25	mg/L	5	
SWB-9	3/3/2005	Sodium-TOTAL	=	11000	7	25	mg/L	5	
SWB-9	6/2/2005	Sodium-TOTAL	=	13000	5.5	25	mg/L	5	
SWB-9	9/1/2005	Sodium-TOTAL	=	77000	22	100	MG/L	20	
SWB-9	12/1/2005	Sodium-TOTAL	=	71000	11	50	MG/L	10	
SWB-9	3/2/2006	Sodium-TOTAL	=	22000	0.16	25	MG/L	5	
SWB-9	6/1/2006	Sodium-TOTAL	=	47000	0.92	50	MG/L	10	
SWB-9	12/4/2006	Sodium-TOTAL	=	51000	4.6	250	MG/L	50	
SWB-9	3/5/2007	Sodium-TOTAL	=	32000	0.46	25	MG/L	5	
SWB-9	3/6/2008	Sodium-TOTAL	=	13000	0.46	25	MG/L	5 J	
SWB-9	6/5/2008	Sodium-TOTAL	=	66000	18	1000	MG/L	200	
SWB-9	12/5/2008	Sodium-TOTAL	=	27000	0.46	5	MG/L	5	
SWB-9	3/2/2009	Sodium-TOTAL	=	12000	0.92	10	MG/L	10	
SWB-9	6/2/2009	Sodium-TOTAL	=	61000	0.92	10	MG/L	10	
SWB-10	3/4/2004	Styrene	<		0.14	1	ug/L	1	NA
SWB-10	5/24/2004	Styrene	<		0.14	1	ug/L	1	
SWB-10	12/1/2004	Styrene	<		0.14	1	ug/L	1	
SWB-10	3/3/2005	Styrene	<		0.17	1	ug/L	1	
SWB-10	6/2/2005	Styrene	<		0.17	1	ug/L	1	
SWB-10	9/1/2005	Styrene	<		0.17	1	ug/L	1	
SWB-10	3/2/2006	Styrene	<		0.68	4	UG/L	4	
SWB-10	6/2/2006	Styrene	<		0.17	1	UG/L	1	
SWB-10	3/1/2007	Styrene	<		0.17	1	UG/L	1	
SWB-10	3/7/2008	Styrene	<		0.17	1	UG/L	1	
SWB-10	6/5/2008	Styrene	<		0.17	1	UG/L	1	
SWB-10	3/2/2009	Styrene	<		0.17	1	UG/L	1	
SWB-10	6/4/2009	Styrene	<		0.17	1	UG/L	1 UJ	
SWB-10	3/2/2010	Styrene	<	1	0.17	1	UG/L	1 UJ	
SWB-11	3/4/2004	Styrene	<		0.14	1	ug/L	1	
SWB-11	5/24/2004	Styrene	<		0.14	1	ug/L	1	
SWB-11	12/1/2004	Styrene	<		0.14	1	ug/L	1	
SWB-11	3/1/2005	Styrene	<		0.17	1	ug/L	1	
SWB-11	6/2/2005	Styrene	<		0.17	1	ug/L	1	
SWB-11	3/2/2006	Styrene	<		1.7	10	UG/L	10	
SWB-11	6/1/2006	Styrene	<		0.17	1	UG/L	1	
SWB-11	3/1/2007	Styrene	<		0.17	1	UG/L	1	
SWB-11	3/7/2008	Styrene	<		0.17	1	UG/L	1	
SWB-11	6/5/2008	Styrene	<		0.17	1	UG/L	1	
SWB-11	3/2/2009	Styrene	<		0.17	1	UG/L	1	
SWB-11	6/4/2009	Styrene	<		0.17	1	UG/L	1 UJ	
SWB-11	3/1/2010	Styrene	<	1	0.17	1	ug/L	1 UJ	
SWB-11	6/2/2010	STYRENE	<	0.17	0.17	1	UG/L	1	
SWB-3	10/29/2002	Styrene	<		0.28	1	ug/L	1	
SWB-3	3/4/2003	Styrene	<		0.14	1	ug/L	1	
SWB-3	6/3/2003	Styrene	<		0.14	1	ug/L	1	
SWB-3	9/4/2003	Styrene	<		0.14	1	ug/L	1 UJ	
SWB-3	12/2/2003	Styrene	<		0.14	1	ug/L	1	
SWB-3	3/1/2004	Styrene	<		0.14	1	ug/L	1	
SWB-3	6/1/2004	Styrene	<		0.14	1	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	9/1/2004	Styrene	<		0.14	1	ug/L	1
SWB-3	12/1/2004	Styrene	<		0.23	1.7	ug/L	1.66
SWB-3	3/3/2005	Styrene	<		0.17	1	ug/L	1
SWB-3	6/2/2005	Styrene	<		0.17	1	ug/L	1
SWB-3	9/1/2005	Styrene	<		0.17	1	ug/L	1
SWB-3	12/1/2005	Styrene	<		0.34	2	UG/L	2
SWB-3	3/2/2006	Styrene	<		0.68	4	UG/L	4
SWB-3	6/2/2006	Styrene	<		0.17	1	UG/L	1
SWB-3	9/5/2006	Styrene	<		0.17	1	UG/L	1
SWB-3	12/4/2006	Styrene	<		0.17	1	UG/L	1
SWB-3	3/1/2007	Styrene	<		0.17	1	UG/L	1
SWB-3	6/1/2007	Styrene	<		0.17	1	UG/L	1
SWB-3	12/3/2007	Styrene	<		0.17	1	UG/L	1
SWB-3	3/6/2008	Styrene	<		0.17	1	UG/L	1
SWB-3	6/9/2008	Styrene	<		0.17	1	UG/L	1
SWB-3	12/4/2008	Styrene	<		0.17	1	UG/L	1
SWB-3	3/2/2009	Styrene	<		0.17	1	UG/L	1
SWB-3	6/4/2009	Styrene	<		0.17	1	UG/L	1 UJ
SWB-3	12/1/2009	Styrene	<		0.17	1	UG/L	1
SWB-3	3/1/2010	Styrene	<	1	0.17	1	ug/L	1 UJ
SWB-3	3/1/2010	Styrene	<	2	0.34	2	ug/L	1 DNR
SWB-3	6/1/2010	STYRENE	<	0.17	0.17	1	UG/L	1 DNR
SWB-3	6/1/2010	STYRENE	<	0.68	0.68	4	UG/L	1 UJ
SWB-3	9/9/2010	STYRENE	<	0.17	0.17	1	UG/L	1 UJ
SWB-4	11/15/2002	Styrene	<		0.28	1	ug/L	1
SWB-5	10/29/2002	Styrene	<		0.28	1	ug/L	1
SWB-6	3/4/2003	Styrene	<		0.14	1	ug/L	1
SWB-6	6/3/2003	Styrene	<		0.28	2	ug/L	2
SWB-6	12/3/2003	Styrene	<		0.28	2	ug/L	2
SWB-6	3/5/2004	Styrene	<		0.14	1	ug/L	1
SWB-6	6/1/2004	Styrene	<		0.14	1	ug/L	1
SWB-6	12/1/2004	Styrene	<		0.14	1	ug/L	1
SWB-6	3/7/2005	Styrene	<		0.17	1	ug/L	1
SWB-6	6/1/2005	Styrene	<		0.17	1	ug/L	1
SWB-6	12/2/2005	Styrene	<		0.17	1	UG/L	1
SWB-6	3/1/2006	Styrene	<		0.17	1	UG/L	1
SWB-6	6/1/2006	Styrene	<		0.17	1	UG/L	1
SWB-6	12/5/2006	Styrene	<		0.17	1	UG/L	1
SWB-6	3/2/2007	Styrene	<		0.17	1	UG/L	1
SWB-6	6/9/2008	Styrene	<		0.17	1	UG/L	1
SWB-6	3/6/2008	Styrene	<		0.17	1	UG/L	1
SWB-6	12/5/2008	Styrene	<		0.17	1	UG/L	1 UJ
SWB-6	3/2/2009	Styrene	<		0.17	1	UG/L	1
SWB-6	6/5/2009	Styrene	<		0.17	1	UG/L	1 UJ
SWB-6	3/2/2010	Styrene	<	1	0.17	1	UG/L	1 UJ
SWB-6	6/2/2010	STYRENE	<	0.17	0.17	1	UG/L	1 UJ
SWB-7	3/4/2003	Styrene	<		0.14	1	ug/L	1
SWB-7	6/3/2003	Styrene	<		0.14	1	ug/L	1
SWB-7	3/1/2004	Styrene	<		0.14	1	ug/L	1
SWB-7	5/24/2004	Styrene	<		0.14	1	ug/L	1
SWB-7	12/1/2004	Styrene	<		0.14	1	ug/L	1
SWB-7	3/7/2005	Styrene	<		0.17	1	ug/L	1
SWB-7	6/1/2005	Styrene	<		0.17	1	ug/L	1
SWB-7	9/1/2005	Styrene	<		0.17	1	ug/L	1
SWB-7	12/1/2005	Styrene	<		0.17	1	UG/L	1
SWB-7	3/1/2006	Styrene	<		0.17	1	UG/L	1
SWB-7	6/2/2006	Styrene	<		0.17	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	9/5/2006	Styrene	<		0.17	1	UG/L	1	
SWB-7	12/5/2006	Styrene	<		0.17	1	UG/L	1	
SWB-7	3/2/2007	Styrene	<		0.17	1	UG/L	1	
SWB-7	6/1/2007	Styrene	<		0.17	1	UG/L	1	
SWB-7	9/7/2007	Styrene	<		0.17	1	UG/L	1	
SWB-7	12/3/2007	Styrene	<		0.17	1	UG/L	1	
SWB-7	3/6/2008	Styrene	<		0.17	1	UG/L	1	
SWB-7	6/6/2008	Styrene	<		0.17	1	UG/L	1	
SWB-7	9/8/2008	Styrene	<		0.17	1	UG/L	1	
SWB-7	12/5/2008	Styrene	<		0.17	1	UG/L	1	UJ
SWB-7	3/2/2009	Styrene	<		0.17	1	UG/L	1	
SWB-7	6/5/2009	Styrene	<		0.17	1	UG/L	1	
SWB-7	9/9/2009	Styrene	<		0.17	1	UG/L	1	
SWB-7	12/1/2009	Styrene	<		0.17	1	UG/L	1	
SWB-7	3/2/2010	Styrene	<	1	0.17	1	UG/L	1	UJ
SWB-7	6/1/2010	STYRENE	<	0.17	0.17	1	UG/L	1	DNR
SWB-7	6/1/2010	STYRENE	<	0.68	0.68	4	UG/L	1	UJ
SWB-7	9/9/2010	STYRENE	<	0.17	0.17	1	UG/L	1	UJ
SWB-7	12/1/2010	STYRENE	<	0.17	0.17	1	UG/L	1	
SWB-8	3/5/2004	Styrene	<		0.14	1	ug/L	1	
SWB-8	3/7/2005	Styrene	<		0.17	1	ug/L	1	
SWB-8	6/1/2005	Styrene	<		0.17	1	ug/L	1	
SWB-8	3/1/2006	Styrene	<		0.17	1	UG/L	1	
SWB-8	3/7/2008	Styrene	<		0.17	1	UG/L	1	
SWB-8	3/3/2009	Styrene	<		0.17	1	UG/L	1	
SWB-9	3/4/2003	Styrene	<		0.14	1	ug/L	1	
SWB-9	12/3/2003	Styrene	<		0.28	2	ug/L	2	
SWB-9	3/5/2004	Styrene	<		0.14	1	ug/L	1	
SWB-9	5/27/2004	Styrene	<		0.14	1	ug/L	1	
SWB-9	12/1/2004	Styrene	<		0.14	1	ug/L	1	
SWB-9	3/3/2005	Styrene	<		0.17	1	ug/L	1	
SWB-9	6/2/2005	Styrene	<		0.17	1	ug/L	1	
SWB-9	9/1/2005	Styrene	<		0.17	1	ug/L	1	UJ
SWB-9	12/1/2005	Styrene	<		0.17	1	UG/L	1	
SWB-9	3/2/2006	Styrene	<		0.68	4	UG/L	4	
SWB-9	6/1/2006	Styrene	<		0.17	1	UG/L	1	
SWB-9	12/4/2006	Styrene	<		0.17	1	UG/L	1	
SWB-9	3/5/2007	Styrene	<		0.17	1	UG/L	1	
SWB-9	3/6/2008	Styrene	<		0.17	1	UG/L	1	
SWB-9	6/5/2008	Styrene	<		0.17	1	UG/L	1	R
SWB-9	12/5/2008	Styrene	<		0.17	1	UG/L	1	UJ
SWB-9	3/2/2009	Styrene	<		0.17	1	UG/L	1	
SWB-9	6/2/2009	Styrene	<		0.17	1	UG/L	1	UJ
SWB-9	3/1/2010	Styrene	<	1	0.17	1	ug/L	1	UJ
SWB-9	6/1/2010	STYRENE	<	0.17	0.17	1	UG/L	1	DNR
SWB-9	6/1/2010	STYRENE	<	0.68	0.68	4	UG/L	1	UJ
SWB-9	12/1/2010	STYRENE	<	0.17	0.17	1	UG/L	1	
SWB-10	3/4/2004	Sulfate	=	630	14	100	mg/L	20	NA
SWB-10	5/24/2004	Sulfate	=	5300	180	1200	mg/L	250	
SWB-10	12/1/2004	Sulfate	=	3000	76	500	mg/L	100	
SWB-10	3/3/2005	Sulfate	=	1900	76	500	mg/L	100	
SWB-10	6/2/2005	Sulfate	=	2000	76	500	mg/L	100	
SWB-10	9/1/2005	Sulfate	=	14000	380	2500	MG/L	500	
SWB-10	3/2/2006	Sulfate	=	4300	500	1000	MG/L	200	
SWB-10	6/2/2006	Sulfate	=	8200	620	1200	MG/L	250	
SWB-10	3/1/2007	Sulfate	=	4900	250	500	MG/L	100	
SWB-10	3/7/2008	Sulfate	=	2500	250	500	MG/L	100	



tmpAnalyticalResultsOverTime

SWB-10	6/5/2008 Sulfate	=	20000	2500	5000	MG/L	1000
SWB-10	3/2/2009 Sulfate	=	2300	23	500	MG/L	100
SWB-10	6/4/2009 Sulfate	=	12000	120	2500	MG/L	500
SWB-10	3/2/2010 Sulfate	=	4000	23	500	MG/L	100
SWB-11	3/4/2004 Sulfate	=	1300	36	250	mg/L	50
SWB-11	5/24/2004 Sulfate	=	8400	180	1200	mg/L	250
SWB-11	12/1/2004 Sulfate	=	3200	76	500	mg/L	100
SWB-11	3/1/2005 Sulfate	=	2300	76	500	mg/L	100
SWB-11	6/2/2005 Sulfate	=	2900	76	500	mg/L	100
SWB-11	3/2/2006 Sulfate	=	3700	500	1000	MG/L	200
SWB-11	6/1/2006 Sulfate	=	8900	500	1000	MG/L	200
SWB-11	3/1/2007 Sulfate	=	4500	500	1000	MG/L	200
SWB-11	3/7/2008 Sulfate	=	2000	250	500	MG/L	100
SWB-11	6/5/2008 Sulfate	=	17000	2500	5000	MG/L	1000
SWB-11	3/2/2009 Sulfate	=	1700	12	250	MG/L	50
SWB-11	6/4/2009 Sulfate	=	9500	46	1000	MG/L	200
SWB-11	3/1/2010 Sulfate	=	2800	23	500	mg/L	100
SWB-11	6/2/2010 SULFATE	=	9900	46	1000	MG/L	200
SWB-3	10/29/2002 Sulfate	=	2200	71	500	mg/L	100
SWB-3	3/4/2003 Sulfate	=	1200	36	250	mg/L	50
SWB-3	6/3/2003 Sulfate	=	3800	180	1200	mg/L	250
SWB-3	9/4/2003 Sulfate	=	3000	180	1200	mg/L	250 J
SWB-3	12/2/2003 Sulfate	=	2600	71	500	mg/L	100
SWB-3	3/1/2004 Sulfate	=	120	3.6	25	mg/L	5
SWB-3	6/1/2004 Sulfate	=	1500	71	500	mg/L	100
SWB-3	9/1/2004 Sulfate	=	4200	180	1200	mg/L	250
SWB-3	12/1/2004 Sulfate	=	780	38	250	mg/L	50
SWB-3	3/3/2005 Sulfate	=	1200	38	250	mg/L	50
SWB-3	6/2/2005 Sulfate	=	1000	38	250	mg/L	50
SWB-3	9/1/2005 Sulfate	=	1800	76	500	MG/L	100
SWB-3	12/1/2005 Sulfate	=	1200	76	500	MG/L	100
SWB-3	3/2/2006 Sulfate	=	1600	120	250	MG/L	50
SWB-3	6/2/2006 Sulfate	=	1700	120	250	MG/L	50
SWB-3	9/5/2006 Sulfate	=	6000	620	1200	MG/L	250 J
SWB-3	12/4/2006 Sulfate	=	6200	500	1000	MG/L	200
SWB-3	3/1/2007 Sulfate	=	2700	250	500	MG/L	100
SWB-3	6/1/2007 Sulfate	=	810	120	250	MG/L	50
SWB-3	12/3/2007 Sulfate	=	1300	120	250	MG/L	50
SWB-3	3/6/2008 Sulfate	=	160	12	25	MG/L	5
SWB-3	6/9/2008 Sulfate	=	730	120	250	MG/L	50
SWB-3	12/4/2008 Sulfate	=	920	12	250	MG/L	50 q
SWB-3	3/2/2009 Sulfate	=	620	4.6	100	MG/L	20
SWB-3	6/4/2009 Sulfate	=	630	4.6	100	MG/L	20
SWB-3	12/1/2009 Sulfate	=	850	4.6	100	MG/L	20
SWB-3	3/1/2010 Sulfate	=	850	4.6	100	mg/L	20
SWB-3	6/1/2010 SULFATE	=	1400	12	250	MG/L	50
SWB-3	9/9/2010 SULFATE	=	1400	12	250	MG/L	50
SWB-4	11/15/2002 Sulfate	=	1500	71	500	mg/L	100
SWB-5	10/29/2002 Sulfate	=	13000	360	2500	mg/L	500
SWB-6	3/4/2003 Sulfate	=	3200	71	500	mg/L	100
SWB-6	6/3/2003 Sulfate	=	12000	360	2500	mg/L	500
SWB-6	12/3/2003 Sulfate	=	36000	1400	10000	mg/L	2000
SWB-6	3/5/2004 Sulfate	=	1200	36	250	mg/L	50
SWB-6	6/1/2004 Sulfate	=	6200	180	1200	mg/L	250
SWB-6	12/1/2004 Sulfate	TR	8200	1500	10000	mg/L	2000
SWB-6	3/7/2005 Sulfate	=	2100	76	500	mg/L	100
SWB-6	6/1/2005 Sulfate	=	2200	76	500	mg/L	100

tmpAnalyticalResultsOverTime

SWB-6	12/2/2005	Sulfate	=	6100	760	5000	MG/L	1000
SWB-6	3/1/2006	Sulfate	=	2500	23	500	MG/L	100
SWB-6	6/1/2006	Sulfate	=	4400	500	1000	MG/L	200
SWB-6	12/5/2006	Sulfate	=	18000	2500	5000	MG/L	1000
SWB-6	3/2/2007	Sulfate	=	4400	500	1000	MG/L	200
SWB-6	6/9/2008	Sulfate	=	4800	1200	2500	MG/L	500
SWB-6	3/6/2008	Sulfate	=	3100	250	500	MG/L	100
SWB-6	12/5/2008	Sulfate	=	30000	460	10000	MG/L	2000
SWB-6	3/2/2009	Sulfate	=	2700	23	500	MG/L	100
SWB-6	6/5/2009	Sulfate	=	5300	46	1000	MG/L	200
SWB-6	3/2/2010	Sulfate	=	3800	23	500	MG/L	100
SWB-6	6/2/2010	SULFATE	=	5900	46	1000	MG/L	200
SWB-7	3/4/2003	Sulfate	=	390	14	100	mg/L	20
SWB-7	6/3/2003	Sulfate	=	1100	36	250	mg/L	50
SWB-7	3/1/2004	Sulfate	=	360	14	100	mg/L	20
SWB-7	5/24/2004	Sulfate	=	1800	71	500	mg/L	100
SWB-7	12/1/2004	Sulfate	=	900	38	250	mg/L	50
SWB-7	3/7/2005	Sulfate	=	680	38	250	mg/L	50
SWB-7	6/1/2005	Sulfate	=	730	38	250	mg/L	50
SWB-7	9/1/2005	Sulfate	=	1100	76	500	MG/L	100
SWB-7	12/1/2005	Sulfate	=	1300	38	250	MG/L	50
SWB-7	3/1/2006	Sulfate	=	500	4.6	100	MG/L	20
SWB-7	6/2/2006	Sulfate	=	1400	120	250	MG/L	50
SWB-7	9/5/2006	Sulfate	=	2000	500	1000	MG/L	200 J
SWB-7	12/5/2006	Sulfate	=	1900	250	500	MG/L	100
SWB-7	3/2/2007	Sulfate	=	480	120	250	MG/L	50
SWB-7	6/1/2007	Sulfate	=	1900	250	500	MG/L	100
SWB-7	9/7/2007	Sulfate	=	2900	250	500	MG/L	100
SWB-7	12/3/2007	Sulfate	=	2400	250	500	MG/L	100
SWB-7	3/6/2008	Sulfate	=	650	120	250	MG/L	50
SWB-7	6/6/2008	Sulfate	=	11	2.5	5	MG/L	1
SWB-7	9/8/2008	Sulfate	=	2000	12	250	MG/L	50
SWB-7	12/5/2008	Sulfate	=	1800	12	250	MG/L	50
SWB-7	3/2/2009	Sulfate	=	520	4.6	100	MG/L	20
SWB-7	6/5/2009	Sulfate	=	1400	23	500	MG/L	100
SWB-7	9/9/2009	Sulfate	=	2000	12	250	MG/L	50
SWB-7	12/1/2009	Sulfate	=	2100	46	1000	MG/L	200
SWB-7	3/2/2010	Sulfate	=	210	1.2	25	MG/L	5
SWB-7	6/1/2010	SULFATE	=	1100	23	500	MG/L	100
SWB-7	9/9/2010	SULFATE	=	2900	46	1000	MG/L	200
SWB-7	12/1/2010	SULFATE	=	2500	23	500	MG/L	100
SWB-8	3/5/2004	Sulfate	=	1700	36	250	mg/L	50
SWB-8	3/7/2005	Sulfate	=	2200	76	500	mg/L	100
SWB-8	6/1/2005	Sulfate	=	2100	76	500	mg/L	100
SWB-8	3/1/2006	Sulfate	=	1700	12	250	MG/L	50
SWB-8	3/7/2008	Sulfate	=	1400	120	250	MG/L	50
SWB-8	3/3/2009	Sulfate	=	1500	23	500	MG/L	100
SWB-9	3/4/2003	Sulfate	=	2800	71	500	mg/L	100
SWB-9	12/3/2003	Sulfate	=	3200	71	500	mg/L	100
SWB-9	3/5/2004	Sulfate	=	1100	36	250	mg/L	50
SWB-9	5/27/2004	Sulfate	=	5200	180	1200	mg/L	250
SWB-9	12/1/2004	Sulfate	=	2800	76	500	mg/L	100
SWB-9	3/3/2005	Sulfate	=	2600	76	500	mg/L	100
SWB-9	6/2/2005	Sulfate	=	3200	76	500	mg/L	100
SWB-9	9/1/2005	Sulfate	=	5500	190	1200	MG/L	250
SWB-9	12/1/2005	Sulfate	=	4900	150	1000	MG/L	200
SWB-9	3/2/2006	Sulfate	=	3600	1200	2500	MG/L	500

tmpAnalyticalResultsOverTime

SWB-9	6/1/2006 Sulfate	=	8100	620	1200	MG/L	250		
SWB-9	12/4/2006 Sulfate	=	5200	500	1000	MG/L	200		
SWB-9	3/5/2007 Sulfate	<		500	1000	MG/L	200		
SWB-9	3/6/2008 Sulfate	=	2900	250	500	MG/L	100		
SWB-9	6/5/2008 Sulfate	=	3500	500	1000	MG/L	200		
SWB-9	12/5/2008 Sulfate	=	5000	46	1000	MG/L	200		
SWB-9	3/2/2009 Sulfate	=	2600	23	500	MG/L	100		
SWB-9	6/2/2009 Sulfate	=	6600	120	2500	MG/L	500		
SWB-9	3/1/2010 Sulfate	=	2900	23	500	mg/L	100		
SWB-9	6/1/2010 SULFATE	=	5400	46	1000	MG/L	200		
SWB-9	12/1/2010 SULFATE	=	3700	23	500	MG/L	100		
SWB-3	6/1/2004 Sulfur dioxide	TI	6.7			ug/L		1 NJ	NA
SWB-10	3/4/2004 tert-Butyl alcohol	<		5.1	50	ug/L	1		NA
SWB-10	5/24/2004 tert-Butyl alcohol	<		5.1	50	ug/L	1		
SWB-10	12/1/2004 tert-Butyl alcohol	<		5.1	50	ug/L	1		
SWB-10	3/3/2005 tert-Butyl alcohol	<		4.8	50	ug/L	1		
SWB-10	6/2/2005 tert-Butyl alcohol	<		3.8	50	ug/L	1		
SWB-10	9/1/2005 tert-Butyl alcohol	<		3.8	50	ug/L	1		
SWB-10	3/2/2006 tert-Butyl alcohol	<		15	200	UG/L	4		
SWB-10	6/2/2006 tert-Butyl alcohol	<		3.8	50	UG/L	1		
SWB-10	3/1/2007 tert-Butyl alcohol	<		3.8	50	UG/L	1		
SWB-10	3/7/2008 tert-Butyl alcohol	<		3.8	50	UG/L	1		
SWB-10	6/5/2008 tert-Butyl alcohol	<		3.8	50	UG/L	1		
SWB-10	3/2/2009 tert-Butyl alcohol	TR	4.3	3.8	50	UG/L	1 J		
SWB-10	6/4/2009 tert-Butyl alcohol	<		3.8	50	UG/L	1		
SWB-10	3/2/2010 tert-Butyl alcohol	<	50	3.8	50	UG/L	1		
SWB-11	3/4/2004 tert-Butyl alcohol	<		5.1	50	ug/L	1		
SWB-11	5/24/2004 tert-Butyl alcohol	<		5.1	50	ug/L	1		
SWB-11	12/1/2004 tert-Butyl alcohol	<		5.1	50	ug/L	1		
SWB-11	3/1/2005 tert-Butyl alcohol	<		4.8	50	ug/L	1		
SWB-11	6/2/2005 tert-Butyl alcohol	<		3.8	50	ug/L	1		
SWB-11	3/2/2006 tert-Butyl alcohol	<		38	500	UG/L	10		
SWB-11	6/1/2006 tert-Butyl alcohol	<		3.8	50	UG/L	1		
SWB-11	3/1/2007 tert-Butyl alcohol	<		3.8	50	UG/L	1		
SWB-11	3/7/2008 tert-Butyl alcohol	<		3.8	50	UG/L	1		
SWB-11	6/5/2008 tert-Butyl alcohol	<		3.8	50	UG/L	1		
SWB-11	3/2/2009 tert-Butyl alcohol	<		3.8	50	UG/L	1		
SWB-11	6/4/2009 tert-Butyl alcohol	<		3.8	50	UG/L	1		
SWB-11	3/1/2010 tert-Butyl alcohol	<	50	3.8	50	ug/L	1		
SWB-11	6/2/2010 tert-BUTYL ALCOHOL	<	3.8	3.8	50	UG/L	1		
SWB-3	10/29/2002 tert-Butyl alcohol	<		10	50	ug/L	1		
SWB-3	3/4/2003 tert-Butyl alcohol	<		5.1	50	ug/L	1		
SWB-3	6/3/2003 tert-Butyl alcohol	<		5.1	50	ug/L	1		
SWB-3	9/4/2003 tert-Butyl alcohol	<		5.1	50	ug/L	1 UJ		
SWB-3	12/2/2003 tert-Butyl alcohol	<		5.1	50	ug/L	1		
SWB-3	3/1/2004 tert-Butyl alcohol	<		5.1	50	ug/L	1		
SWB-3	6/1/2004 tert-Butyl alcohol	<		5.1	50	ug/L	1		
SWB-3	9/1/2004 tert-Butyl alcohol	<		5.1	50	ug/L	1		
SWB-3	12/1/2004 tert-Butyl alcohol	<		8.5	83	ug/L	1.66		
SWB-3	3/3/2005 tert-Butyl alcohol	<		4.8	50	ug/L	1		
SWB-3	6/2/2005 tert-Butyl alcohol	<		3.8	50	ug/L	1		
SWB-3	9/1/2005 tert-Butyl alcohol	<		3.8	50	ug/L	1		
SWB-3	12/1/2005 tert-Butyl alcohol	<		7.6	100	UG/L	2		
SWB-3	3/2/2006 tert-Butyl alcohol	<		15	200	UG/L	4		
SWB-3	6/2/2006 tert-Butyl alcohol	<		3.8	50	UG/L	1		
SWB-3	9/5/2006 tert-Butyl alcohol	<		3.8	50	UG/L	1		
SWB-3	12/4/2006 tert-Butyl alcohol	<		3.8	50	UG/L	1		

tmpAnalyticalResultsOverTime

SWB-3	3/1/2007	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-3	6/1/2007	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-3	12/3/2007	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-3	3/6/2008	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-3	6/9/2008	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-3	12/4/2008	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-3	3/2/2009	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-3	6/4/2009	tert-Butyl alcohol	TR	4.8	3.8	50	UG/L	1 J
SWB-3	12/1/2009	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-3	3/1/2010	tert-Butyl alcohol	<	50	3.8	50	ug/L	1
SWB-3	3/1/2010	tert-Butyl alcohol	<	100	7.6	100	ug/L	1 DNR
SWB-3	6/1/2010	tert-BUTYL ALCOHOL	<	3.8	3.8	50	UG/L	1 DNR
SWB-3	6/1/2010	tert-BUTYL ALCOHOL	<	15	15	200	UG/L	1
SWB-3	9/9/2010	tert-BUTYL ALCOHOL	<	3.8	3.8	50	UG/L	1
SWB-4	11/15/2002	tert-Butyl alcohol	<		10	50	ug/L	1
SWB-5	10/29/2002	tert-Butyl alcohol	<		10	50	ug/L	1
SWB-6	3/4/2003	tert-Butyl alcohol	<		5.1	50	ug/L	1
SWB-6	6/3/2003	tert-Butyl alcohol	<		10	100	ug/L	2
SWB-6	12/3/2003	tert-Butyl alcohol	<		10	100	ug/L	2
SWB-6	3/5/2004	tert-Butyl alcohol	<		5.1	50	ug/L	1
SWB-6	6/1/2004	tert-Butyl alcohol	<		5.1	50	ug/L	1
SWB-6	12/1/2004	tert-Butyl alcohol	<		5.1	50	ug/L	1
SWB-6	3/7/2005	tert-Butyl alcohol	<		4.8	50	ug/L	1
SWB-6	6/1/2005	tert-Butyl alcohol	<		3.8	50	ug/L	1
SWB-6	12/2/2005	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-6	3/1/2006	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-6	6/1/2006	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-6	12/5/2006	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-6	3/2/2007	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-6	6/9/2008	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-6	3/6/2008	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-6	12/5/2008	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-6	3/2/2009	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-6	6/5/2009	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-6	3/2/2010	tert-Butyl alcohol	<	50	3.8	50	UG/L	1
SWB-6	6/2/2010	tert-BUTYL ALCOHOL	<	3.8	3.8	50	UG/L	1
SWB-7	3/4/2003	tert-Butyl alcohol	<		5.1	50	ug/L	1
SWB-7	6/3/2003	tert-Butyl alcohol	TR	19	5.1	50	ug/L	1 J
SWB-7	3/1/2004	tert-Butyl alcohol	<		5.1	50	ug/L	1
SWB-7	5/24/2004	tert-Butyl alcohol	<		5.1	50	ug/L	1
SWB-7	12/1/2004	tert-Butyl alcohol	<		5.1	50	ug/L	1
SWB-7	3/7/2005	tert-Butyl alcohol	<		4.8	50	ug/L	1
SWB-7	6/1/2005	tert-Butyl alcohol	<		3.8	50	ug/L	1
SWB-7	9/1/2005	tert-Butyl alcohol	<		3.8	50	ug/L	1
SWB-7	12/1/2005	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-7	3/1/2006	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-7	6/2/2006	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-7	9/5/2006	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-7	12/5/2006	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-7	3/2/2007	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-7	6/1/2007	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-7	9/7/2007	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-7	12/3/2007	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-7	3/6/2008	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-7	6/6/2008	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-7	9/8/2008	tert-Butyl alcohol	<		3.8	50	UG/L	1
SWB-7	12/5/2008	tert-Butyl alcohol	<		3.8	50	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	3/2/2009	tert-Butyl alcohol	<		3.8	50	UG/L	1	
SWB-7	6/5/2009	tert-Butyl alcohol	<		3.8	50	UG/L	1	
SWB-7	9/9/2009	tert-Butyl alcohol	TR	11	3.8	50	UG/L	1	J
SWB-7	12/1/2009	tert-Butyl alcohol	<		3.8	50	UG/L	1	
SWB-7	3/2/2010	tert-Butyl alcohol	<	50	3.8	50	UG/L	1	
SWB-7	6/1/2010	tert-BUTYL ALCOHOL	<	3.8	3.8	50	UG/L	1	DNR
SWB-7	6/1/2010	tert-BUTYL ALCOHOL	<	15	15	200	UG/L	1	
SWB-7	9/9/2010	tert-BUTYL ALCOHOL	<	3.8	3.8	50	UG/L	1	
SWB-7	12/1/2010	tert-BUTYL ALCOHOL	<	3.8	3.8	50	UG/L	1	
SWB-8	3/5/2004	tert-Butyl alcohol	<		5.1	50	ug/L	1	
SWB-8	3/7/2005	tert-Butyl alcohol	<		4.8	50	ug/L	1	
SWB-8	6/1/2005	tert-Butyl alcohol	<		3.8	50	ug/L	1	
SWB-8	3/1/2006	tert-Butyl alcohol	<		3.8	50	UG/L	1	
SWB-8	3/7/2008	tert-Butyl alcohol	<		3.8	50	UG/L	1	
SWB-8	3/3/2009	tert-Butyl alcohol	<		3.8	50	UG/L	1	
SWB-9	3/4/2003	tert-Butyl alcohol	<		5.1	50	ug/L	1	
SWB-9	12/3/2003	tert-Butyl alcohol	<		10	100	ug/L	2	
SWB-9	3/5/2004	tert-Butyl alcohol	<		5.1	50	ug/L	1	
SWB-9	5/27/2004	tert-Butyl alcohol	<		5.1	50	ug/L	1	
SWB-9	12/1/2004	tert-Butyl alcohol	<		5.1	50	ug/L	1	
SWB-9	3/3/2005	tert-Butyl alcohol	<		4.8	50	ug/L	1	
SWB-9	6/2/2005	tert-Butyl alcohol	<		3.8	50	ug/L	1	
SWB-9	9/1/2005	tert-Butyl alcohol	<		3.8	50	ug/L	1	UJ
SWB-9	12/1/2005	tert-Butyl alcohol	<		3.8	50	UG/L	1	
SWB-9	3/2/2006	tert-Butyl alcohol	<		15	200	UG/L	4	
SWB-9	6/1/2006	tert-Butyl alcohol	<		3.8	50	UG/L	1	
SWB-9	12/4/2006	tert-Butyl alcohol	<		3.8	50	UG/L	1	
SWB-9	3/5/2007	tert-Butyl alcohol	<		3.8	50	UG/L	1	
SWB-9	3/6/2008	tert-Butyl alcohol	<		3.8	50	UG/L	1	
SWB-9	6/5/2008	tert-Butyl alcohol	<		3.8	50	UG/L	1	R
SWB-9	12/5/2008	tert-Butyl alcohol	<		3.8	50	UG/L	1	
SWB-9	3/2/2009	tert-Butyl alcohol	<		3.8	50	UG/L	1	
SWB-9	6/2/2009	tert-Butyl alcohol	<		3.8	50	UG/L	1	
SWB-9	3/1/2010	tert-Butyl alcohol	<	50	3.8	50	ug/L	1	
SWB-9	6/1/2010	tert-BUTYL ALCOHOL	<	3.8	3.8	50	UG/L	1	DNR
SWB-9	6/1/2010	tert-BUTYL ALCOHOL	<	15	15	200	UG/L	1	
SWB-9	12/1/2010	tert-BUTYL ALCOHOL	<	3.8	3.8	50	UG/L	1	
SWB-10	3/4/2004	tert-Butylbenzene	<		0.17	1	ug/L	1	NA
SWB-10	5/24/2004	tert-Butylbenzene	<		0.17	1	ug/L	1	
SWB-10	12/1/2004	tert-Butylbenzene	<		0.17	1	ug/L	1	
SWB-10	3/3/2005	tert-Butylbenzene	<		0.23	1	ug/L	1	
SWB-10	6/2/2005	tert-Butylbenzene	<		0.16	1	ug/L	1	
SWB-10	9/1/2005	tert-Butylbenzene	<		0.16	1	ug/L	1	
SWB-10	3/2/2006	tert-Butylbenzene	<		0.64	4	UG/L	4	
SWB-10	6/2/2006	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-10	3/1/2007	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-10	3/7/2008	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-10	6/5/2008	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-10	3/2/2009	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-10	6/4/2009	tert-Butylbenzene	<		0.16	1	UG/L	1	UJ
SWB-10	3/2/2010	tert-Butylbenzene	<	1	0.16	1	UG/L	1	
SWB-11	3/4/2004	tert-Butylbenzene	<		0.17	1	ug/L	1	
SWB-11	5/24/2004	tert-Butylbenzene	<		0.17	1	ug/L	1	
SWB-11	12/1/2004	tert-Butylbenzene	<		0.17	1	ug/L	1	
SWB-11	3/1/2005	tert-Butylbenzene	<		0.23	1	ug/L	1	
SWB-11	6/2/2005	tert-Butylbenzene	<		0.16	1	ug/L	1	
SWB-11	3/2/2006	tert-Butylbenzene	<		1.6	10	UG/L	10	

tmpAnalyticalResultsOverTime

SWB-11	6/1/2006	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-11	3/1/2007	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-11	3/7/2008	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-11	6/5/2008	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-11	3/2/2009	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-11	6/4/2009	tert-Butylbenzene	<		0.16	1	UG/L	1	UJ
SWB-11	3/1/2010	tert-Butylbenzene	<	1	0.16	1	ug/L	1	
SWB-11	6/2/2010	tert-BUTYLBENZENE	<	0.16	0.16	1	UG/L	1	UJ
SWB-3	10/29/2002	tert-Butylbenzene	<		0.29	1	ug/L	1	
SWB-3	3/4/2003	tert-Butylbenzene	<		0.17	1	ug/L	1	
SWB-3	6/3/2003	tert-Butylbenzene	<		0.17	1	ug/L	1	
SWB-3	9/4/2003	tert-Butylbenzene	<		0.17	1	ug/L	1	UJ
SWB-3	12/2/2003	tert-Butylbenzene	<		0.17	1	ug/L	1	
SWB-3	3/1/2004	tert-Butylbenzene	<		0.17	1	ug/L	1	
SWB-3	6/1/2004	tert-Butylbenzene	<		0.17	1	ug/L	1	
SWB-3	9/1/2004	tert-Butylbenzene	<		0.17	1	ug/L	1	
SWB-3	12/1/2004	tert-Butylbenzene	<		0.28	1.7	ug/L	1.66	
SWB-3	3/3/2005	tert-Butylbenzene	<		0.23	1	ug/L	1	
SWB-3	6/2/2005	tert-Butylbenzene	<		0.16	1	ug/L	1	
SWB-3	9/1/2005	tert-Butylbenzene	<		0.16	1	ug/L	1	
SWB-3	12/1/2005	tert-Butylbenzene	<		0.32	2	UG/L	2	
SWB-3	3/2/2006	tert-Butylbenzene	<		0.64	4	UG/L	4	
SWB-3	6/2/2006	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-3	9/5/2006	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-3	12/4/2006	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-3	3/1/2007	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-3	6/1/2007	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-3	12/3/2007	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-3	3/6/2008	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-3	6/9/2008	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-3	12/4/2008	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-3	3/2/2009	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-3	6/4/2009	tert-Butylbenzene	<		0.16	1	UG/L	1	UJ
SWB-3	12/1/2009	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-3	3/1/2010	tert-Butylbenzene	<	1	0.16	1	ug/L	1	
SWB-3	3/1/2010	tert-Butylbenzene	<	2	0.32	2	ug/L	1	DNR
SWB-3	6/1/2010	tert-BUTYLBENZENE	<	0.16	0.16	1	UG/L	1	DNR
SWB-3	6/1/2010	tert-BUTYLBENZENE	<	0.64	0.64	4	UG/L	1	UJ
SWB-3	9/9/2010	tert-BUTYLBENZENE	<	0.16	0.16	1	UG/L	1	UJ
SWB-4	11/15/2002	tert-Butylbenzene	<		0.29	1	ug/L	1	
SWB-5	10/29/2002	tert-Butylbenzene	<		0.29	1	ug/L	1	
SWB-6	3/4/2003	tert-Butylbenzene	<		0.17	1	ug/L	1	
SWB-6	6/3/2003	tert-Butylbenzene	<		0.34	2	ug/L	2	
SWB-6	12/3/2003	tert-Butylbenzene	<		0.34	2	ug/L	2	
SWB-6	3/5/2004	tert-Butylbenzene	<		0.17	1	ug/L	1	
SWB-6	6/1/2004	tert-Butylbenzene	<		0.17	1	ug/L	1	
SWB-6	12/1/2004	tert-Butylbenzene	<		0.17	1	ug/L	1	
SWB-6	3/7/2005	tert-Butylbenzene	<		0.23	1	ug/L	1	
SWB-6	6/1/2005	tert-Butylbenzene	<		0.16	1	ug/L	1	
SWB-6	12/2/2005	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-6	3/1/2006	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-6	6/1/2006	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-6	12/5/2006	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-6	3/2/2007	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-6	6/9/2008	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-6	3/6/2008	tert-Butylbenzene	<		0.16	1	UG/L	1	
SWB-6	12/5/2008	tert-Butylbenzene	<		0.16	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-6	3/2/2009	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-6	6/5/2009	tert-Butylbenzene	<		0.16	1	UG/L	1 UJ
SWB-6	3/2/2010	tert-Butylbenzene	<	1	0.16	1	UG/L	1
SWB-6	6/2/2010	tert-BUTYLBENZENE	<	0.16	0.16	1	UG/L	1 UJ
SWB-7	3/4/2003	tert-Butylbenzene	<		0.17	1	ug/L	1
SWB-7	6/3/2003	tert-Butylbenzene	<		0.17	1	ug/L	1
SWB-7	3/1/2004	tert-Butylbenzene	<		0.17	1	ug/L	1
SWB-7	5/24/2004	tert-Butylbenzene	<		0.17	1	ug/L	1
SWB-7	12/1/2004	tert-Butylbenzene	<		0.17	1	ug/L	1
SWB-7	3/7/2005	tert-Butylbenzene	<		0.23	1	ug/L	1
SWB-7	6/1/2005	tert-Butylbenzene	<		0.16	1	ug/L	1
SWB-7	9/1/2005	tert-Butylbenzene	<		0.16	1	ug/L	1
SWB-7	12/1/2005	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-7	3/1/2006	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-7	6/2/2006	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-7	9/5/2006	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-7	12/5/2006	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-7	3/2/2007	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-7	6/1/2007	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-7	9/7/2007	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-7	12/3/2007	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-7	3/6/2008	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-7	6/6/2008	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-7	9/8/2008	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-7	12/5/2008	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-7	3/2/2009	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-7	6/5/2009	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-7	9/9/2009	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-7	12/1/2009	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-7	3/2/2010	tert-Butylbenzene	<	1	0.16	1	UG/L	1
SWB-7	6/1/2010	tert-BUTYLBENZENE	<	0.16	0.16	1	UG/L	1 DNR
SWB-7	6/1/2010	tert-BUTYLBENZENE	<	0.64	0.64	4	UG/L	1 UJ
SWB-7	9/9/2010	tert-BUTYLBENZENE	<	0.16	0.16	1	UG/L	1 UJ
SWB-7	12/1/2010	tert-BUTYLBENZENE	<	0.16	0.16	1	UG/L	1
SWB-8	3/5/2004	tert-Butylbenzene	<		0.17	1	ug/L	1
SWB-8	3/7/2005	tert-Butylbenzene	<		0.23	1	ug/L	1
SWB-8	6/1/2005	tert-Butylbenzene	<		0.16	1	ug/L	1
SWB-8	3/1/2006	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-8	3/7/2008	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-8	3/3/2009	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-9	3/4/2003	tert-Butylbenzene	<		0.17	1	ug/L	1
SWB-9	12/3/2003	tert-Butylbenzene	<		0.34	2	ug/L	2
SWB-9	3/5/2004	tert-Butylbenzene	<		0.17	1	ug/L	1
SWB-9	5/27/2004	tert-Butylbenzene	<		0.17	1	ug/L	1
SWB-9	12/1/2004	tert-Butylbenzene	<		0.17	1	ug/L	1
SWB-9	3/3/2005	tert-Butylbenzene	<		0.23	1	ug/L	1
SWB-9	6/2/2005	tert-Butylbenzene	<		0.16	1	ug/L	1
SWB-9	9/1/2005	tert-Butylbenzene	<		0.16	1	ug/L	1 UJ
SWB-9	12/1/2005	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-9	3/2/2006	tert-Butylbenzene	<		0.64	4	UG/L	4
SWB-9	6/1/2006	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-9	12/4/2006	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-9	3/5/2007	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-9	3/6/2008	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-9	6/5/2008	tert-Butylbenzene	<		0.16	1	UG/L	1 R
SWB-9	12/5/2008	tert-Butylbenzene	<		0.16	1	UG/L	1
SWB-9	3/2/2009	tert-Butylbenzene	<		0.16	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	6/2/2009	tert-Butylbenzene	<		0.16	1	UG/L	1 UJ	
SWB-9	3/1/2010	tert-Butylbenzene	<	1	0.16	1	ug/L	1	
SWB-9	6/1/2010	tert-BUTYLBENZENE	<	0.16	0.16	1	UG/L	1 DNR	
SWB-9	6/1/2010	tert-BUTYLBENZENE	<	0.64	0.64	4	UG/L	1 UJ	
SWB-9	12/1/2010	tert-BUTYLBENZENE	<	0.16	0.16	1	UG/L	1	
SWB-10	3/4/2004	Tetrachloroethene	<		0.26	1	ug/L	1	0.098 mg/L
SWB-10	5/24/2004	Tetrachloroethene	<		0.26	1	ug/L	1	
SWB-10	12/1/2004	Tetrachloroethene	<		0.26	1	ug/L	1	
SWB-10	3/3/2005	Tetrachloroethene	<		0.2	1	ug/L	1	
SWB-10	6/2/2005	Tetrachloroethene	<		0.2	1	ug/L	1	
SWB-10	9/1/2005	Tetrachloroethene	<		0.2	1	ug/L	1	
SWB-10	3/2/2006	Tetrachloroethene	<		0.8	4	UG/L	4	
SWB-10	6/2/2006	Tetrachloroethene	<		0.2	1	UG/L	1	
SWB-10	3/1/2007	Tetrachloroethene	<		0.2	1	UG/L	1	
SWB-10	3/7/2008	Tetrachloroethene	<		0.2	1	UG/L	1	
SWB-10	6/5/2008	Tetrachloroethene	<		0.2	1	UG/L	1	
SWB-10	3/2/2009	Tetrachloroethene	<		0.2	1	UG/L	1	
SWB-10	6/4/2009	Tetrachloroethene	<		0.2	1	UG/L	1	
SWB-10	3/2/2010	Tetrachloroethene	<	1	0.2	1	UG/L	1	
SWB-11	3/4/2004	Tetrachloroethene	<		0.26	1	ug/L	1	
SWB-11	5/24/2004	Tetrachloroethene	<		0.26	1	ug/L	1	
SWB-11	12/1/2004	Tetrachloroethene	<		0.26	1	ug/L	1	
SWB-11	3/1/2005	Tetrachloroethene	<		0.2	1	ug/L	1	
SWB-11	6/2/2005	Tetrachloroethene	<		0.2	1	ug/L	1	
SWB-11	3/2/2006	Tetrachloroethene	<		2	10	UG/L	10	
SWB-11	6/1/2006	Tetrachloroethene	<		0.2	1	UG/L	1	
SWB-11	3/1/2007	Tetrachloroethene	<		0.2	1	UG/L	1	
SWB-11	3/7/2008	Tetrachloroethene	<		0.2	1	UG/L	1	
SWB-11	6/5/2008	Tetrachloroethene	<		0.2	1	UG/L	1	
SWB-11	3/2/2009	Tetrachloroethene	<		0.2	1	UG/L	1	
SWB-11	6/4/2009	Tetrachloroethene	<		0.2	1	UG/L	1	
SWB-11	3/1/2010	Tetrachloroethene	<	1	0.2	1	ug/L	1	
SWB-11	6/2/2010	TETRACHLOROETHENE	<	0.2	0.2	1	UG/L	1 UJ	
SWB-3	10/29/2002	Tetrachloroethene	<		0.27	1	ug/L	1	
SWB-3	3/4/2003	Tetrachloroethene	<		0.26	1	ug/L	1	
SWB-3	6/3/2003	Tetrachloroethene	<		0.26	1	ug/L	1	
SWB-3	9/4/2003	Tetrachloroethene	<		0.26	1	ug/L	1 UJ	
SWB-3	12/2/2003	Tetrachloroethene	<		0.26	1	ug/L	1	
SWB-3	3/1/2004	Tetrachloroethene	<		0.26	1	ug/L	1	
SWB-3	6/1/2004	Tetrachloroethene	<		0.26	1	ug/L	1	
SWB-3	9/1/2004	Tetrachloroethene	<		0.26	1	ug/L	1	
SWB-3	12/1/2004	Tetrachloroethene	TR	0.59	0.43	1.7	ug/L	1.66 J	
SWB-3	3/3/2005	Tetrachloroethene	<		0.2	1	ug/L	1	
SWB-3	6/2/2005	Tetrachloroethene	<		0.2	1	ug/L	1	
SWB-3	9/1/2005	Tetrachloroethene	<		0.2	1	ug/L	1	
SWB-3	12/1/2005	Tetrachloroethene	TR	0.43	0.4	2	UG/L	2 J	
SWB-3	3/2/2006	Tetrachloroethene	<		0.8	4	UG/L	4	
SWB-3	6/2/2006	Tetrachloroethene	<		0.2	1	UG/L	1	
SWB-3	9/5/2006	Tetrachloroethene	<		0.2	1	UG/L	1	
SWB-3	12/4/2006	Tetrachloroethene	<		0.2	1	UG/L	1	
SWB-3	3/1/2007	Tetrachloroethene	<		0.2	1	UG/L	1	
SWB-3	6/1/2007	Tetrachloroethene	<		0.2	1	UG/L	1	
SWB-3	12/3/2007	Tetrachloroethene	TR	0.4	0.2	1	UG/L	1 J	
SWB-3	3/6/2008	Tetrachloroethene	<		0.2	1	UG/L	1	
SWB-3	6/9/2008	Tetrachloroethene	TR	0.22	0.2	1	UG/L	1 J	
SWB-3	12/4/2008	Tetrachloroethene	TR	0.27	0.2	1	UG/L	1 J	
SWB-3	3/2/2009	Tetrachloroethene	<		0.2	1	UG/L	1	



tmpAnalyticalResultsOverTime

SWB-3	6/4/2009	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-3	12/1/2009	Tetrachloroethene	TR	0.32	0.2	1	UG/L	1 J
SWB-3	3/1/2010	Tetrachloroethene	<	2	0.4	2	ug/L	1 DNR
SWB-3	3/1/2010	Tetrachloroethene	TR	0.29	0.2	1	ug/L	1 J
SWB-3	6/1/2010	TETRACHLOROETHENE	<	0.2	0.2	1	UG/L	1 DNR
SWB-3	6/1/2010	TETRACHLOROETHENE	<	0.8	0.8	4	UG/L	1 UJ
SWB-3	9/9/2010	TETRACHLOROETHENE	<	0.2	0.2	1	UG/L	1 UJ
SWB-4	11/15/2002	Tetrachloroethene	<		0.27	1	ug/L	1
SWB-5	10/29/2002	Tetrachloroethene	<		0.27	1	ug/L	1
SWB-6	3/4/2003	Tetrachloroethene	<		0.26	1	ug/L	1
SWB-6	6/3/2003	Tetrachloroethene	<		0.52	2	ug/L	2
SWB-6	12/3/2003	Tetrachloroethene	<		0.52	2	ug/L	2
SWB-6	3/5/2004	Tetrachloroethene	<		0.26	1	ug/L	1
SWB-6	6/1/2004	Tetrachloroethene	<		0.26	1	ug/L	1
SWB-6	12/1/2004	Tetrachloroethene	<		0.26	1	ug/L	1
SWB-6	3/7/2005	Tetrachloroethene	<		0.2	1	ug/L	1
SWB-6	6/1/2005	Tetrachloroethene	<		0.2	1	ug/L	1
SWB-6	12/2/2005	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-6	3/1/2006	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-6	6/1/2006	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-6	12/5/2006	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-6	3/2/2007	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-6	6/9/2008	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-6	3/6/2008	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-6	12/5/2008	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-6	3/2/2009	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-6	6/5/2009	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-6	3/2/2010	Tetrachloroethene	<	1	0.2	1	UG/L	1
SWB-6	6/2/2010	TETRACHLOROETHENE	<	0.2	0.2	1	UG/L	1 UJ
SWB-7	3/4/2003	Tetrachloroethene	<		0.26	1	ug/L	1
SWB-7	6/3/2003	Tetrachloroethene	<		0.26	1	ug/L	1
SWB-7	3/1/2004	Tetrachloroethene	<		0.26	1	ug/L	1
SWB-7	5/24/2004	Tetrachloroethene	<		0.26	1	ug/L	1
SWB-7	12/1/2004	Tetrachloroethene	<		0.26	1	ug/L	1
SWB-7	3/7/2005	Tetrachloroethene	<		0.2	1	ug/L	1
SWB-7	6/1/2005	Tetrachloroethene	<		0.2	1	ug/L	1
SWB-7	9/1/2005	Tetrachloroethene	<		0.2	1	ug/L	1
SWB-7	12/1/2005	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-7	3/1/2006	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-7	6/2/2006	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-7	9/5/2006	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-7	12/5/2006	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-7	3/2/2007	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-7	6/1/2007	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-7	9/7/2007	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-7	12/3/2007	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-7	3/6/2008	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-7	6/6/2008	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-7	9/8/2008	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-7	12/5/2008	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-7	3/2/2009	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-7	6/5/2009	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-7	9/9/2009	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-7	12/1/2009	Tetrachloroethene	<		0.2	1	UG/L	1
SWB-7	3/2/2010	Tetrachloroethene	<	1	0.2	1	UG/L	1
SWB-7	6/1/2010	TETRACHLOROETHENE	<	0.2	0.2	1	UG/L	1 DNR
SWB-7	6/1/2010	TETRACHLOROETHENE	<	0.8	0.8	4	UG/L	1 UJ

tmpAnalyticalResultsOverTime

SWB-7	9/9/2010	TETRACHLOROETHENE	<	0.2	0.2	1	UG/L	1	UJ	
SWB-7	12/1/2010	TETRACHLOROETHENE	<	0.2	0.2	1	UG/L	1		
SWB-8	3/5/2004	Tetrachloroethene	<		0.26	1	ug/L	1		
SWB-8	3/7/2005	Tetrachloroethene	<		0.2	1	ug/L	1		
SWB-8	6/1/2005	Tetrachloroethene	<		0.2	1	ug/L	1		
SWB-8	3/1/2006	Tetrachloroethene	<		0.2	1	UG/L	1		
SWB-8	3/7/2008	Tetrachloroethene	<		0.2	1	UG/L	1		
SWB-8	3/3/2009	Tetrachloroethene	<		0.2	1	UG/L	1		
SWB-9	3/4/2003	Tetrachloroethene	<		0.26	1	ug/L	1		
SWB-9	12/3/2003	Tetrachloroethene	<		0.52	2	ug/L	2		
SWB-9	3/5/2004	Tetrachloroethene	<		0.26	1	ug/L	1		
SWB-9	5/27/2004	Tetrachloroethene	<		0.26	1	ug/L	1		
SWB-9	12/1/2004	Tetrachloroethene	<		0.26	1	ug/L	1		
SWB-9	3/3/2005	Tetrachloroethene	<		0.2	1	ug/L	1		
SWB-9	6/2/2005	Tetrachloroethene	<		0.2	1	ug/L	1		
SWB-9	9/1/2005	Tetrachloroethene	<		0.2	1	ug/L	1	UJ	
SWB-9	12/1/2005	Tetrachloroethene	<		0.2	1	UG/L	1		
SWB-9	3/2/2006	Tetrachloroethene	<		0.8	4	UG/L	4		
SWB-9	6/1/2006	Tetrachloroethene	<		0.2	1	UG/L	1		
SWB-9	12/4/2006	Tetrachloroethene	<		0.2	1	UG/L	1		
SWB-9	3/5/2007	Tetrachloroethene	<		0.2	1	UG/L	1		
SWB-9	3/6/2008	Tetrachloroethene	<		0.2	1	UG/L	1		
SWB-9	6/5/2008	Tetrachloroethene	<		0.2	1	UG/L	1	R	
SWB-9	12/5/2008	Tetrachloroethene	<		0.2	1	UG/L	1		
SWB-9	3/2/2009	Tetrachloroethene	<		0.2	1	UG/L	1		
SWB-9	6/2/2009	Tetrachloroethene	<		0.2	1	UG/L	1		
SWB-9	3/1/2010	Tetrachloroethene	<	1	0.2	1	ug/L	1		
SWB-9	6/1/2010	TETRACHLOROETHENE	<	0.2	0.2	1	UG/L	1	DNR	
SWB-9	6/1/2010	TETRACHLOROETHENE	<	0.8	0.8	4	UG/L	1	UJ	
SWB-9	12/1/2010	TETRACHLOROETHENE	<	0.2	0.2	1	UG/L	1		
SWB-6	6/1/2004	Tetradecanoic acid	TI	24			ug/L	1	NJ	NA
SWB-6	6/1/2005	Tetradecanoic acid	TI	4.3			ug/L	1	NJ	
SWB-8	6/1/2005	Tetradecanoic acid	TI	4.5			ug/L	1	NJ	
SWB-10	3/4/2004	Tetrahydrofuran	<		1.7	5	ug/L	1		NA
SWB-10	5/24/2004	Tetrahydrofuran	<		1.7	5	ug/L	1		
SWB-10	12/1/2004	Tetrahydrofuran	<		1.7	5	ug/L	1		
SWB-10	3/3/2005	Tetrahydrofuran	<		1.4	5	ug/L	1		
SWB-10	6/2/2005	Tetrahydrofuran	<		0.81	5	ug/L	1		
SWB-10	9/1/2005	Tetrahydrofuran	<		0.81	5	ug/L	1		
SWB-10	3/2/2006	Tetrahydrofuran	<		3.2	20	UG/L	4		
SWB-10	6/2/2006	Tetrahydrofuran	TR	2.7	2	5	UG/L	1	J	
SWB-10	3/1/2007	Tetrahydrofuran	<		2	7	UG/L	1		
SWB-10	3/7/2008	Tetrahydrofuran	<		2	7	UG/L	1		
SWB-10	6/5/2008	Tetrahydrofuran	<		2	7	UG/L	1		
SWB-10	3/2/2009	Tetrahydrofuran	<		2	7	UG/L	1		
SWB-10	6/4/2009	Tetrahydrofuran	<		2	7	UG/L	1		
SWB-10	3/2/2010	Tetrahydrofuran	<	7	2	7	UG/L	1		
SWB-11	3/4/2004	Tetrahydrofuran	<		1.7	5	ug/L	1		
SWB-11	5/24/2004	Tetrahydrofuran	<		1.7	5	ug/L	1		
SWB-11	12/1/2004	Tetrahydrofuran	<		1.7	5	ug/L	1		
SWB-11	3/1/2005	Tetrahydrofuran	<		1.4	5	ug/L	1		
SWB-11	6/2/2005	Tetrahydrofuran	<		0.81	5	ug/L	1		
SWB-11	3/2/2006	Tetrahydrofuran	<		8.1	50	UG/L	10		
SWB-11	6/1/2006	Tetrahydrofuran	<		2	5	UG/L	1		
SWB-11	3/1/2007	Tetrahydrofuran	<		2	7	UG/L	1		
SWB-11	3/7/2008	Tetrahydrofuran	<		2	7	UG/L	1		
SWB-11	6/5/2008	Tetrahydrofuran	<		2	7	UG/L	1		

tmpAnalyticalResultsOverTime

SWB-11	3/2/2009	Tetrahydrofuran	<		2	7	UG/L	1
SWB-11	6/4/2009	Tetrahydrofuran	<		2	7	UG/L	1
SWB-11	3/1/2010	Tetrahydrofuran	<	7	2	7	ug/L	1
SWB-11	6/2/2010	TETRAHYDROFURAN	<	2	2	7	UG/L	1
SWB-3	10/29/2002	Tetrahydrofuran	<		2.1	5	ug/L	1
SWB-3	3/4/2003	Tetrahydrofuran	<		1.7	5	ug/L	1
SWB-3	6/3/2003	Tetrahydrofuran	<		1.7	5	ug/L	1
SWB-3	9/4/2003	Tetrahydrofuran	<		1.7	5	ug/L	1 UJ
SWB-3	12/2/2003	Tetrahydrofuran	<		1.7	5	ug/L	1
SWB-3	3/1/2004	Tetrahydrofuran	<		1.7	5	ug/L	1
SWB-3	6/1/2004	Tetrahydrofuran	<		1.7	5	ug/L	1
SWB-3	9/1/2004	Tetrahydrofuran	<		1.7	5	ug/L	1
SWB-3	12/1/2004	Tetrahydrofuran	<		2.8	8.3	ug/L	1.66
SWB-3	3/3/2005	Tetrahydrofuran	<		1.4	5	ug/L	1
SWB-3	6/2/2005	Tetrahydrofuran	<		0.81	5	ug/L	1
SWB-3	9/1/2005	Tetrahydrofuran	<		0.81	5	ug/L	1
SWB-3	12/1/2005	Tetrahydrofuran	<		1.6	10	UG/L	2
SWB-3	3/2/2006	Tetrahydrofuran	<		3.2	20	UG/L	4
SWB-3	6/2/2006	Tetrahydrofuran	<		2	5	UG/L	1
SWB-3	9/5/2006	Tetrahydrofuran	<		2	7	UG/L	1
SWB-3	12/4/2006	Tetrahydrofuran	<		2	7	UG/L	1
SWB-3	3/1/2007	Tetrahydrofuran	<		2	7	UG/L	1
SWB-3	6/1/2007	Tetrahydrofuran	<		2	7	UG/L	1
SWB-3	12/3/2007	Tetrahydrofuran	<		2	7	UG/L	1
SWB-3	3/6/2008	Tetrahydrofuran	<		2	7	UG/L	1
SWB-3	6/9/2008	Tetrahydrofuran	<		2	7	UG/L	1
SWB-3	12/4/2008	Tetrahydrofuran	<		2	7	UG/L	1
SWB-3	3/2/2009	Tetrahydrofuran	<		2	7	UG/L	1
SWB-3	6/4/2009	Tetrahydrofuran	<		2	7	UG/L	1
SWB-3	12/1/2009	Tetrahydrofuran	<		2	7	UG/L	1
SWB-3	3/1/2010	Tetrahydrofuran	<	7	2	7	ug/L	1
SWB-3	3/1/2010	Tetrahydrofuran	<	14	4.1	14	ug/L	1 DNR
SWB-3	6/1/2010	TETRAHYDROFURAN	<	2	2	7	UG/L	1 DNR
SWB-3	6/1/2010	TETRAHYDROFURAN	<	8.1	8.1	28	UG/L	1
SWB-3	9/9/2010	TETRAHYDROFURAN	<	2	2	7	UG/L	1
SWB-4	11/15/2002	Tetrahydrofuran	<		2.1	5	ug/L	1
SWB-5	10/29/2002	Tetrahydrofuran	<		2.1	5	ug/L	1
SWB-6	3/4/2003	Tetrahydrofuran	<		1.7	5	ug/L	1
SWB-6	6/3/2003	Tetrahydrofuran	<		3.4	10	ug/L	2
SWB-6	12/3/2003	Tetrahydrofuran	<		3.4	10	ug/L	2
SWB-6	3/5/2004	Tetrahydrofuran	<		1.7	5	ug/L	1
SWB-6	6/1/2004	Tetrahydrofuran	<		1.7	5	ug/L	1
SWB-6	12/1/2004	Tetrahydrofuran	<		1.7	5	ug/L	1
SWB-6	3/7/2005	Tetrahydrofuran	<		1.4	5	ug/L	1
SWB-6	6/1/2005	Tetrahydrofuran	<		0.81	5	ug/L	1
SWB-6	12/2/2005	Tetrahydrofuran	<		0.81	5	UG/L	1
SWB-6	3/1/2006	Tetrahydrofuran	<		0.81	5	UG/L	1
SWB-6	6/1/2006	Tetrahydrofuran	<		2	5	UG/L	1
SWB-6	12/5/2006	Tetrahydrofuran	<		2	7	UG/L	1
SWB-6	3/2/2007	Tetrahydrofuran	<		2	7	UG/L	1
SWB-6	6/9/2008	Tetrahydrofuran	<		2	7	UG/L	1
SWB-6	3/6/2008	Tetrahydrofuran	<		2	7	UG/L	1
SWB-6	12/5/2008	Tetrahydrofuran	<		2	7	UG/L	1
SWB-6	3/2/2009	Tetrahydrofuran	<		2	7	UG/L	1
SWB-6	6/5/2009	Tetrahydrofuran	<		2	7	UG/L	1
SWB-6	3/2/2010	Tetrahydrofuran	<	7	2	7	UG/L	1
SWB-6	6/2/2010	TETRAHYDROFURAN	<	2	2	7	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	3/4/2003	Tetrahydrofuran	<	1.7	5	ug/L	1	
SWB-7	6/3/2003	Tetrahydrofuran	<	1.7	5	ug/L	1	
SWB-7	3/1/2004	Tetrahydrofuran	<	1.7	5	ug/L	1	
SWB-7	5/24/2004	Tetrahydrofuran	<	1.7	5	ug/L	1	
SWB-7	12/1/2004	Tetrahydrofuran	<	1.7	5	ug/L	1	
SWB-7	3/7/2005	Tetrahydrofuran	<	1.4	5	ug/L	1	
SWB-7	6/1/2005	Tetrahydrofuran	<	0.81	5	ug/L	1	
SWB-7	9/1/2005	Tetrahydrofuran	<	0.81	5	ug/L	1	
SWB-7	12/1/2005	Tetrahydrofuran	<	0.81	5	UG/L	1	
SWB-7	3/1/2006	Tetrahydrofuran	<	0.81	5	UG/L	1	
SWB-7	6/2/2006	Tetrahydrofuran	<	2	5	UG/L	1	
SWB-7	9/5/2006	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-7	12/5/2006	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-7	3/2/2007	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-7	6/1/2007	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-7	9/7/2007	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-7	12/3/2007	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-7	3/6/2008	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-7	6/6/2008	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-7	9/8/2008	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-7	12/5/2008	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-7	3/2/2009	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-7	6/5/2009	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-7	9/9/2009	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-7	12/1/2009	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-7	3/2/2010	Tetrahydrofuran	<	7	2	7	UG/L	1
SWB-7	6/1/2010	TETRAHYDROFURAN	<	2	2	7	UG/L	1 DNR
SWB-7	6/1/2010	TETRAHYDROFURAN	<	8.1	8.1	28	UG/L	1
SWB-7	9/9/2010	TETRAHYDROFURAN	<	2	2	7	UG/L	1
SWB-7	12/1/2010	TETRAHYDROFURAN	<	2	2	7	UG/L	1
SWB-8	3/5/2004	Tetrahydrofuran	<	1.7	5	ug/L	1	
SWB-8	3/7/2005	Tetrahydrofuran	<	1.4	5	ug/L	1	
SWB-8	6/1/2005	Tetrahydrofuran	<	0.81	5	ug/L	1	
SWB-8	3/1/2006	Tetrahydrofuran	<	0.81	5	UG/L	1	
SWB-8	3/7/2008	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-8	3/3/2009	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-9	3/4/2003	Tetrahydrofuran	<	1.7	5	ug/L	1	
SWB-9	12/3/2003	Tetrahydrofuran	<	3.4	10	ug/L	2	
SWB-9	3/5/2004	Tetrahydrofuran	<	1.7	5	ug/L	1	
SWB-9	5/27/2004	Tetrahydrofuran	<	1.7	5	ug/L	1	
SWB-9	12/1/2004	Tetrahydrofuran	<	1.7	5	ug/L	1	
SWB-9	3/3/2005	Tetrahydrofuran	<	1.4	5	ug/L	1	
SWB-9	6/2/2005	Tetrahydrofuran	<	0.81	5	ug/L	1	
SWB-9	9/1/2005	Tetrahydrofuran	<	0.81	5	ug/L	1 UJ	
SWB-9	12/1/2005	Tetrahydrofuran	<	0.81	5	UG/L	1	
SWB-9	3/2/2006	Tetrahydrofuran	<	3.2	20	UG/L	4	
SWB-9	6/1/2006	Tetrahydrofuran	<	2	5	UG/L	1	
SWB-9	12/4/2006	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-9	3/5/2007	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-9	3/6/2008	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-9	6/5/2008	Tetrahydrofuran	<	2	7	UG/L	1 R	
SWB-9	12/5/2008	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-9	3/2/2009	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-9	6/2/2009	Tetrahydrofuran	<	2	7	UG/L	1	
SWB-9	3/1/2010	Tetrahydrofuran	<	7	2	7	ug/L	1
SWB-9	6/1/2010	TETRAHYDROFURAN	<	2	2	7	UG/L	1 DNR
SWB-9	6/1/2010	TETRAHYDROFURAN	<	8.1	8.1	28	UG/L	1

tmpAnalyticalResultsOverTime

SWB-9	12/1/2010	TETRAHYDROFURAN	<	2	2	7	UG/L	1	
SWB-10	3/4/2004	Th-230	=	0.26		0.19	0.19 pCi/L	1 J	NA
SWB-10	5/24/2004	Th-230	=	0.39		0.11	0.19 pCi/L	1 J	
SWB-10	12/1/2004	Th-230	=	0.2		0.18	0.17 pCi/L	1 J	
SWB-10	3/3/2005	Th-230	<	0.03		0.18	0.1 pCi/L	1 U	
SWB-10	6/2/2005	Th-230	<	0.09		0.15	0.12 pCi/L	1 U	
SWB-10	9/1/2005	Th-230	=	0.23		0.11	0.16 pCi/L	1 J	
SWB-10	3/2/2006	Th-230	=	0.47		0.1	0.21 pCi/L	1 J	
SWB-10	6/2/2006	Th-230	=	0.28		0.08	0.19 pCi/L	1 J	
SWB-10	3/1/2007	Th-230	=	0.21		0.13	0.17 pCi/L	1 J	
SWB-10	3/7/2008	Th-230	=	0.17		0.11	0.13 pCi/L	1 J	
SWB-10	6/5/2008	Th-230	=	0.15		0.13	0.13 pCi/L	1 J	
SWB-10	3/2/2009	Th-230	<	0.11		0.15	0.12 pCi/L	1	
SWB-10	6/4/2009	Th-230	<	0.079		0.12	0.098 pCi/L	1	
SWB-10	3/2/2010	Th-230	=	0.18		0.14	0.16 pCi/L	1 J	
SWB-11	3/4/2004	Th-230	<	0.18		0.18	0.16 pCi/L	1 U	
SWB-11	5/24/2004	Th-230	=	0.16		0.1	0.13 pCi/L	1 J	
SWB-11	12/1/2004	Th-230	<	0.04		0.2	0.12 pCi/L	1 U	
SWB-11	3/1/2005	Th-230	<	0.21		0.22	0.19 pCi/L	1 U	
SWB-11	6/2/2005	Th-230	=	0.24		0.09	0.15 pCi/L	1 J	
SWB-11	3/2/2006	Th-230	=	0.29		0.09	0.16 pCi/L	1 J	
SWB-11	6/1/2006	Th-230	=	0.43		0.26	0.27 pCi/L	1 J	
SWB-11	3/1/2007	Th-230	=	0.52		0.1	0.23 pCi/L	1 J	
SWB-11	3/7/2008	Th-230	<	0.13		0.13	0.12 pCi/L	1 U	
SWB-11	6/5/2008	Th-230	=	0.58		0.24	0.3 pCi/L	1 J	
SWB-11	3/2/2009	Th-230	=	0.34		0.2	0.21 pCi/L	1 J	
SWB-11	6/4/2009	Th-230	=	0.2		0.13	0.15 pCi/L	1 J	
SWB-11	3/1/2010	Th-230	<	0.12		0.18	0.14 pCi/L	1	
SWB-11	6/2/2010	Th-230	=	0.18		0.11	0.14 pCi/L	1	
SWB-2	6/21/2000	Th-230	=	6.2		1.6	3.3 pCi/L		
SWB-3	6/21/2000	Th-230	=	5.3		1.1	2.5 pCi/L	1	
SWB-3	10/29/2002	Th-230	=	0.72		0.09	0.34 pCi/L	1 J	
SWB-3	3/4/2003	Th-230	=	0.61		0.21	0.31 pCi/L	1 J	
SWB-3	6/3/2003	Th-230	<	0.07		0.42	0.18 pCi/L	1 UJ	
SWB-3	9/4/2003	Th-230	=	0.25		0.25	0.21 pCi/L	1 J	
SWB-3	12/2/2003	Th-230	=	0.52		0.37	0.31 pCi/L	1 J	
SWB-3	3/1/2004	Th-230	<	0.09		0.19	0.11 pCi/L	1 U	
SWB-3	6/1/2004	Th-230	=	0.71		0.21	0.33 pCi/L	1 J	
SWB-3	9/1/2004	Th-230	=	0.37		0.17	0.22 pCi/L	1 J	
SWB-3	12/1/2004	Th-230	=	0.19		0.19	0.16 pCi/L	1 J	
SWB-3	3/3/2005	Th-230	<	0.14		0.19	0.15 pCi/L	1 U	
SWB-3	6/2/2005	Th-230	<	0.082		0.11	0.095 pCi/L	1 U	
SWB-3	9/1/2005	Th-230	=	0.16		0.05	0.12 pCi/L	1 J	
SWB-3	12/1/2005	Th-230	<	0.079		0.089	0.085 pCi/L	1 U	
SWB-3	3/2/2006	Th-230	=	0.75		0.12	0.26 pCi/L	1 J	
SWB-3	6/2/2006	Th-230	=	0.26		0.16	0.18 pCi/L	1 J	
SWB-3	9/5/2006	Th-230	=	0.22		0.11	0.16 pCi/L	1 J	
SWB-3	12/4/2006	Th-230	=	0.25		0.16	0.18 pCi/L	1 J	
SWB-3	3/1/2007	Th-230	=	0.17		0.11	0.13 pCi/L	1 J	
SWB-3	6/1/2007	Th-230	<	0.12		0.13	0.12 pCi/L	1 U	
SWB-3	12/3/2007	Th-230	=	0.26		0.15	0.19 pCi/L	1 J	
SWB-3	3/6/2008	Th-230	=	0.41		0.11	0.21 pCi/L	1 J	
SWB-3	6/9/2008	Th-230	<	0.14		0.27	0.19 pCi/L	1 UJ	
SWB-3	12/4/2008	Th-230	=	0.53		0.13	0.25 pCi/L	1 J	
SWB-3	3/2/2009	Th-230	=	0.58		0.22	0.26 pCi/L	1 J	
SWB-3	6/4/2009	Th-230	<	0.056		0.13	0.089 pCi/L	1	
SWB-3	12/1/2009	Th-230	<	0.2		0.21	0.21 pCi/L	1 UJ	

tmpAnalyticalResultsOverTime

SWB-3	3/1/2010 Th-230	<	0.14	0.17	0.14 PCI/L	1
SWB-3	6/1/2010 Th-230	<	0.038	0.1	0.076 PCI/L	1
SWB-3	9/9/2010 Th-230	=	0.16	0.16	0.14 PCI/L	1 J
SWB-4	11/15/2002 Th-230	=	0.5	0.2	0.31 pCi/L	1 J
SWB-5	10/29/2002 Th-230	=	1.37	0.2	0.49 pCi/L	1 J
SWB-6	3/4/2003 Th-230	=	0.48	0.32	0.49 pCi/L	1 J
SWB-6	6/3/2003 Th-230	=	0.24	0.24	0.23 pCi/L	1 J
SWB-6	12/3/2003 Th-230	<	0.2	0.64	0.33 pCi/L	1 UJ
SWB-6	3/5/2004 Th-230	<	0.31	0.38	0.28 pCi/L	1 UJ
SWB-6	6/1/2004 Th-230	=	0.27	0.25	0.23 pCi/L	1 J
SWB-6	12/1/2004 Th-230	=	0.23	0.18	0.2 pCi/L	1 J
SWB-6	3/7/2005 Th-230	<	0.05	0.25	0.13 pCi/L	1 UJ
SWB-6	6/1/2005 Th-230	=	0.08	0.07	0.11 pCi/L	1 J
SWB-6	12/2/2005 Th-230	=	0.26	0.16	0.2 pCi/L	1 J
SWB-6	3/1/2006 Th-230	=	0.28	0.12	0.17 pCi/L	1 J
SWB-6	6/1/2006 Th-230	=	0.32	0.14	0.28 pCi/L	1 J
SWB-6	12/5/2006 Th-230	<	0.09	0.21	0.15 pCi/L	1 U
SWB-6	3/2/2007 Th-230	=	0.47	0.3	0.37 pCi/L	1 J
SWB-6	6/9/2008 Th-230	<	0.08	0.12	0.1 pCi/L	1 U
SWB-6	3/6/2008 Th-230	=	0.29	0.16	0.21 pCi/L	1 J
SWB-6	12/5/2008 Th-230	=	0.24	0.16	0.18 pCi/L	1 J
SWB-6	3/2/2009 Th-230	=	0.23	0.22	0.2 pCi/L	1 J
SWB-6	6/5/2009 Th-230	=	1.03	0.73	0.76 pCi/L	1 J
SWB-6	3/2/2010 Th-230	=	0.41	0.38	0.33 PCI/L	1 J
SWB-6	6/2/2010 Th-230	<	0.35	0.65	0.47 PCI/L	1
SWB-7	3/4/2003 Th-230	=	0.62	0.38	0.47 pCi/L	1 J
SWB-7	6/3/2003 Th-230	<	0.12	0.75	0.32 pCi/L	1 UJ
SWB-7	3/1/2004 Th-230	<	0.25	0.26	0.21 pCi/L	1 U
SWB-7	5/24/2004 Th-230	=	0.21	0.1	0.14 pCi/L	1 J
SWB-7	12/1/2004 Th-230	<	0.2	0.23	0.19 pCi/L	1 U
SWB-7	3/7/2005 Th-230	<	0.1	0.16	0.13 pCi/L	1 U
SWB-7	6/1/2005 Th-230	=	0.16	0.12	0.14 pCi/L	1 J
SWB-7	9/1/2005 Th-230	=	0.16	0.15	0.15 pCi/L	1 J
SWB-7	12/1/2005 Th-230	<	0.04	0.12	0.12 pCi/L	1 U
SWB-7	3/1/2006 Th-230	=	0.26	0.11	0.17 pCi/L	1 J
SWB-7	6/2/2006 Th-230	=	0.19	0.19	0.18 pCi/L	1 J
SWB-7	9/5/2006 Th-230	=	0.4	0.1	0.2 pCi/L	1 J
SWB-7	12/5/2006 Th-230	=	0.64	0.14	0.26 pCi/L	1 J
SWB-7	3/2/2007 Th-230	=	0.32	0.15	0.22 pCi/L	1 J
SWB-7	6/1/2007 Th-230	<	0.14	0.18	0.16 pCi/L	1 U
SWB-7	9/7/2007 Th-230	=	0.36	0.14	0.23 pCi/L	1 J
SWB-7	12/3/2007 Th-230	=	0.32	0.17	0.22 pCi/L	1 J
SWB-7	3/6/2008 Th-230	=	0.19	0.14	0.16 pCi/L	1 J
SWB-7	6/6/2008 Th-230	=	0.3	0.26	0.26 pCi/L	1 J
SWB-7	9/8/2008 Th-230	<	0.06	0.22	0.12 pCi/L	1 UJ
SWB-7	12/5/2008 Th-230	=	0.25	0.12	0.17 pCi/L	1 J
SWB-7	3/2/2009 Th-230	=	0.89	0.27	0.48 pCi/L	1 J
SWB-7	6/5/2009 Th-230	<	-0.04	0.49	0.18 pCi/L	1 UJ
SWB-7	9/9/2009 Th-230	=	0.49	0.29	0.31 PCI/L	1 J
SWB-7	12/1/2009 Th-230	<	0.15	0.23	0.17 PCI/L	1 UJ
SWB-7	3/2/2010 Th-230	<	0.17	0.24	0.18 PCI/L	1 UJ
SWB-7	6/1/2010 Th-230	<	0.09	1.1	0.44 PCI/L	1 UJ
SWB-7	9/9/2010 Th-230	<	0.21	0.22	0.18 PCI/L	1
SWB-7	12/1/2010 Th-230	<	0.23	0.53	0.36 PCI/L	1
SWB-8	3/5/2004 Th-230	=	0.2	0.17	0.18 pCi/L	1 J
SWB-8	3/7/2005 Th-230	=	0.77	0.26	0.42 pCi/L	1 J
SWB-8	6/1/2005 Th-230	<	0.06	0.19	0.12 pCi/L	1 U

tmpAnalyticalResultsOverTime

SWB-8	3/1/2006 Th-230	=	0.23	0.06	0.15 pCi/L	1 J	
SWB-8	3/7/2008 Th-230	=	0.29	0.08	0.18 pCi/L	1 J	
SWB-8	3/3/2009 Th-230	=	0.41	0.11	0.26 pCi/L	1 J	
SWB-9	3/4/2003 Th-230	=	0.68	0.2	0.37 pCi/L	1 J	
SWB-9	12/3/2003 Th-230	=	0.35	0.29	0.26 pCi/L	1 J	
SWB-9	3/5/2004 Th-230	=	0.38	0.16	0.23 pCi/L	1 J	
SWB-9	5/27/2004 Th-230	=	0.45	0.13	0.22 pCi/L	1 J	
SWB-9	12/1/2004 Th-230	<	0	0.1	0 pCi/L	1 U	
SWB-9	3/3/2005 Th-230	=	0.22	0.17	0.17 pCi/L	1 J	
SWB-9	6/2/2005 Th-230	=	0.24	0.06	0.16 pCi/L	1 J	
SWB-9	9/1/2005 Th-230	<	0.11	0.15	0.13 pCi/L	1 U	
SWB-9	12/1/2005 Th-230	<	0.085	0.095	0.092 pCi/L	1 U	
SWB-9	3/2/2006 Th-230	=	0.29	0.1	0.16 pCi/L	1 J	
SWB-9	6/1/2006 Th-230	=	0.18	0.13	0.14 pCi/L	1 J	
SWB-9	12/4/2006 Th-230	=	0.27	0.13	0.17 pCi/L	1 J	
SWB-9	3/5/2007 Th-230	=	0.43	0.26	0.3 pCi/L	1 J	
SWB-9	3/6/2008 Th-230	=	0.3	0.1	0.17 pCi/L	1 J	
SWB-9	6/5/2008 Th-230	=	0.23	0.18	0.19 pCi/L	1 J	
SWB-9	12/5/2008 Th-230	<	0.13	0.18	0.15 pCi/L	1	
SWB-9	3/2/2009 Th-230	=	0.35	0.14	0.2 pCi/L	1 J	
SWB-9	6/2/2009 Th-230	=	0.29	0.2	0.21 pCi/L	1 J	
SWB-9	3/1/2010 Th-230	=	0.19	0.17	0.15 pCi/L	1 J	
SWB-9	6/1/2010 Th-230	<	0.13	0.19	0.14 pCi/L	1	
SWB-9	12/1/2010 Th-230	=	0.25	0.19	0.19 pCi/L	1	
SWB-10	3/4/2004 Th-232	<	0.028	0.076	0.056 pCi/L	1 U	NA
SWB-10	5/24/2004 Th-232	<	0.017	0.098	0.049 pCi/L	1 U	
SWB-10	12/1/2004 Th-232	<	0	0.07	0 pCi/L	1 U	
SWB-10	3/3/2005 Th-232	<	0.048	0.15	0.092 pCi/L	1 U	
SWB-10	6/2/2005 Th-232	<	-0.005	0.11	-0.058 pCi/L	1 U	
SWB-10	9/1/2005 Th-232	<	0.026	0.069	0.072 pCi/L	1 U	
SWB-10	3/2/2006 Th-232	<	-0.008	0.11	0.053 pCi/L	1 U	
SWB-10	6/2/2006 Th-232	<	-0.01	0.14	0.065 pCi/L	1 U	
SWB-10	3/1/2007 Th-232	<	-0.006	0.13	0.068 pCi/L	1 U	
SWB-10	3/7/2008 Th-232	<	0.037	0.11	0.065 pCi/L	1 U	
SWB-10	6/5/2008 Th-232	<	-0.015	0.14	0.017 pCi/L	1 U	
SWB-10	3/2/2009 Th-232	<	0	0.071	0.023 pCi/L	1	
SWB-10	6/4/2009 Th-232	<	-0.007	0.13	0.012 pCi/L	1	
SWB-10	3/2/2010 Th-232	<	0.051	0.16	0.091 pCi/L	1	
SWB-11	3/4/2004 Th-232	<	0.025	0.15	0.064 pCi/L	1 U	
SWB-11	5/24/2004 Th-232	<	0	0.06	0 pCi/L	1 U	
SWB-11	12/1/2004 Th-232	<	0	0.1	0 pCi/L	1 U	
SWB-11	3/1/2005 Th-232	<	0.036	0.15	0.088 pCi/L	1 U	
SWB-11	6/2/2005 Th-232	<	0.018	0.093	0.048 pCi/L	1 U	
SWB-11	3/2/2006 Th-232	<	0	0.06	0 pCi/L	1 U	
SWB-11	6/1/2006 Th-232	<	-0.005	0.26	0.14 pCi/L	1 U	
SWB-11	3/1/2007 Th-232	<	-0.008	0.11	0.053 pCi/L	1 U	
SWB-11	3/7/2008 Th-232	<	0.005	0.14	0.052 pCi/L	1 U	
SWB-11	6/5/2008 Th-232	<	0.08	0.2	0.12 pCi/L	1 U	
SWB-11	3/2/2009 Th-232	<	0.022	0.13	0.059 pCi/L	1	
SWB-11	6/4/2009 Th-232	<	0.042	0.13	0.074 pCi/L	1	
SWB-11	3/1/2010 Th-232	<	-0.031	0.2	0.027 pCi/L	1	
SWB-11	6/2/2010 Th-232	<	0	0.07	0.022 pCi/L	1	
SWB-2	6/21/2000 Th-232	<	2	2	0.7 pCi/L		
SWB-3	6/21/2000 Th-232	<	1.2	1.2	0.5 pCi/L	1	
SWB-3	10/29/2002 Th-232	<	0.12	0.16	0.13 pCi/L	1 U	
SWB-3	3/4/2003 Th-232	<	-0.024	0.21	0.025 pCi/L	1 U	
SWB-3	6/3/2003 Th-232	<	0	0.2	0 pCi/L	1 UJ	

tmpAnalyticalResultsOverTime

SWB-3	9/4/2003 Th-232	<	0.08	0.11	0.11 pCi/L	1 U
SWB-3	12/2/2003 Th-232	<	0.11	0.43	0.2 pCi/L	1 U
SWB-3	3/1/2004 Th-232	<	0.028	0.075	0.056 pCi/L	1 U
SWB-3	6/1/2004 Th-232	<	0	0.02	0 pCi/L	1 U
SWB-3	9/1/2004 Th-232	<	0.056	0.076	0.097 pCi/L	1 U
SWB-3	12/1/2004 Th-232	<	0.044	0.15	0.095 pCi/L	1 U
SWB-3	3/3/2005 Th-232	<	0.006	0.14	0.063 pCi/L	1 U
SWB-3	6/2/2005 Th-232	<	0.006	0.13	0.06 pCi/L	1 U
SWB-3	9/1/2005 Th-232	<	0	0.1	0 pCi/L	1 U
SWB-3	12/1/2005 Th-232	<	0.038	0.088	0.061 pCi/L	1 U
SWB-3	3/2/2006 Th-232	<	-0.004	0.09	0.046 pCi/L	1 U
SWB-3	6/2/2006 Th-232	<	0.068	0.1	0.086 pCi/L	1 U
SWB-3	9/5/2006 Th-232	<	0.016	0.12	0.06 pCi/L	1 U
SWB-3	12/4/2006 Th-232	<	-0.014	0.14	0.063 pCi/L	1 U
SWB-3	3/1/2007 Th-232	<	0.024	0.14	0.076 pCi/L	1 U
SWB-3	6/1/2007 Th-232	<	-0.019	0.15	0.067 pCi/L	1 U
SWB-3	12/3/2007 Th-232	<	0.055	0.13	0.087 pCi/L	1 U
SWB-3	3/6/2008 Th-232	<	-0.009	0.12	0.013 pCi/L	1 U
SWB-3	6/9/2008 Th-232	<	-0.0024	0.19	0.0098 pCi/L	1 UJ
SWB-3	12/4/2008 Th-232	<	-0.005	0.12	0.01 pCi/L	1 U
SWB-3	3/2/2009 Th-232	<	0.06	0.13	0.087 pCi/L	1
SWB-3	6/4/2009 Th-232	<	0.044	0.17	0.09 pCi/L	1
SWB-3	12/1/2009 Th-232	<	0.05	0.14	0.1 PCI/L	1 UJ
SWB-3	3/1/2010 Th-232	<	0.031	0.083	0.061 PCI/L	1
SWB-3	6/1/2010 Th-232	<	-0.007	0.16	0.014 PCI/L	1
SWB-3	9/9/2010 Th-232	<	0.006	0.14	0.05 PCI/L	1
SWB-4	11/15/2002 Th-232	<	0.042	0.11	0.084 pCi/L	1 UJ
SWB-5	10/29/2002 Th-232	<	0.06	0.2	0.1 pCi/L	1 U
SWB-6	3/4/2003 Th-232	<	0.12	0.32	0.24 pCi/L	1 U
SWB-6	6/3/2003 Th-232	<	-0.01	0.24	0.02 pCi/L	1 UJ
SWB-6	12/3/2003 Th-232	<	0.06	0.52	0.19 pCi/L	1 UJ
SWB-6	3/5/2004 Th-232	<	0	0.1	0 pCi/L	1 UJ
SWB-6	6/1/2004 Th-232	<	0	0.4	0 pCi/L	1 U
SWB-6	12/1/2004 Th-232	<	0	0.1	0 pCi/L	1 U
SWB-6	3/7/2005 Th-232	<	0	0.3	0 pCi/L	1 UJ
SWB-6	6/1/2005 Th-232	<	-0.005	0.12	-0.059 pCi/L	1 U
SWB-6	12/2/2005 Th-232	<	0.031	0.16	0.082 pCi/L	1 UJ
SWB-6	3/1/2006 Th-232	<	-0.018	0.14	0.065 pCi/L	1 U
SWB-6	6/1/2006 Th-232	<	-0.01	0.22	0.11 pCi/L	1 UJ
SWB-6	12/5/2006 Th-232	<	0.008	0.19	0.086 pCi/L	1 U
SWB-6	3/2/2007 Th-232	<	0.004	0.38	0.17 pCi/L	1 UJ
SWB-6	6/9/2008 Th-232	<	0.051	0.13	0.083 pCi/L	1 U
SWB-6	3/6/2008 Th-232	<	-0.021	0.2	0.024 pCi/L	1 U
SWB-6	12/5/2008 Th-232	<	0.045	0.17	0.092 pCi/L	1
SWB-6	3/2/2009 Th-232	<	0.012	0.21	0.08 pCi/L	1
SWB-6	6/5/2009 Th-232	<	0.09	0.57	0.26 pCi/L	1
SWB-6	3/2/2010 Th-232	<	0.13	0.28	0.19 PCI/L	1 UJ
SWB-6	6/2/2010 Th-232	<	0.26	0.36	0.37 PCI/L	1
SWB-7	3/4/2003 Th-232	<	0.06	0.38	0.16 pCi/L	1 U
SWB-7	6/3/2003 Th-232	<	0	0.4	0 pCi/L	1 UJ
SWB-7	3/1/2004 Th-232	<	0	0.1	0 pCi/L	1 U
SWB-7	5/24/2004 Th-232	<	0	0.06	0 pCi/L	1 U
SWB-7	12/1/2004 Th-232	<	0	0.2	0 pCi/L	1 U
SWB-7	3/7/2005 Th-232	<	0	0.2	0 pCi/L	1 U
SWB-7	6/1/2005 Th-232	<	0.012	0.15	0.068 pCi/L	1 U
SWB-7	9/1/2005 Th-232	<	0.018	0.14	0.067 pCi/L	1 U
SWB-7	12/1/2005 Th-232	<	-0.008	0.18	0.093 pCi/L	1 U



tmpAnalyticalResultsOverTime

SWB-7	3/1/2006 Th-232	<	0			0.07	0 pCi/L	1	U
SWB-7	6/2/2006 Th-232	<	-0.006			0.15	0.075 pCi/L	1	U
SWB-7	9/5/2006 Th-232	<	0.019			0.1	0.051 pCi/L	1	U
SWB-7	12/5/2006 Th-232	<	0.005			0.13	0.058 pCi/L	1	U
SWB-7	3/2/2007 Th-232	<	0.002			0.22	0.099 pCi/L	1	U
SWB-7	6/1/2007 Th-232	<	-0.021			0.2	0.093 pCi/L	1	U
SWB-7	9/7/2007 Th-232	<	-0.006			0.14	0.073 pCi/L	1	U
SWB-7	12/3/2007 Th-232	<	0.2			0.21	0.18 pCi/L	1	U
SWB-7	3/6/2008 Th-232	<	-0.006			0.14	0.012 pCi/L	1	U
SWB-7	6/6/2008 Th-232	<	0.04			0.23	0.11 pCi/L	1	UJ
SWB-7	9/8/2008 Th-232	<	0.018			0.22	0.084 pCi/L	1	UJ
SWB-7	12/5/2008 Th-232	<	0			0.077	0.025 pCi/L	1	
SWB-7	3/2/2009 Th-232	<	0.18			0.27	0.22 pCi/L	1	UJ
SWB-7	6/5/2009 Th-232	<	0.13			0.33	0.2 pCi/L	1	UJ
SWB-7	9/9/2009 Th-232	<	-0.008			0.19	0.017 PCI/L	1	UJ
SWB-7	12/1/2009 Th-232	<	0.08			0.1	0.11 PCI/L	1	UJ
SWB-7	3/2/2010 Th-232	<	0.052			0.11	0.091 PCI/L	1	UJ
SWB-7	6/1/2010 Th-232	<	0			0.57	0.18 PCI/L	1	UJ
SWB-7	9/9/2010 Th-232	<	0.046			0.19	0.099 PCI/L	1	
SWB-7	12/1/2010 Th-232	<	0			0.34	0.11 PCI/L	1	
SWB-8	3/5/2004 Th-232	<	0.035			0.094	0.07 pCi/L	1	U
SWB-8	3/7/2005 Th-232	<	0			0.3	0 pCi/L	1	UJ
SWB-8	6/1/2005 Th-232	<	0.024			0.13	0.065 pCi/L	1	U
SWB-8	3/1/2006 Th-232	<	-0.004			0.089	0.045 pCi/L	1	U
SWB-8	3/7/2008 Th-232	<	0.018			0.14	0.06 pCi/L	1	U
SWB-8	3/3/2009 Th-232	<	0			0.11	0.036 pCi/L	1	UJ
SWB-9	3/4/2003 Th-232	<	0.043			0.12	0.086 pCi/L	1	U
SWB-9	12/3/2003 Th-232	<	0.05			0.25	0.11 pCi/L	1	U
SWB-9	3/5/2004 Th-232	<	-0.023			0.19	0.023 pCi/L	1	U
SWB-9	5/27/2004 Th-232	=	0.08			0.07	0.1 pCi/L	1	J
SWB-9	12/1/2004 Th-232	<	0			0.1	0 pCi/L	1	U
SWB-9	3/3/2005 Th-232	<	0.027			0.15	0.086 pCi/L	1	U
SWB-9	6/2/2005 Th-232	<	0.024			0.064	0.067 pCi/L	1	U
SWB-9	9/1/2005 Th-232	<	0			0.2	0 pCi/L	1	U
SWB-9	12/1/2005 Th-232	<	0.022			0.06	0.063 pCi/L	1	U
SWB-9	3/2/2006 Th-232	<	0			0.05	0 pCi/L	1	U
SWB-9	6/1/2006 Th-232	<	-0.013			0.13	0.059 pCi/L	1	U
SWB-9	12/4/2006 Th-232	<	0.027			0.13	0.072 pCi/L	1	U
SWB-9	3/5/2007 Th-232	<	0.017			0.21	0.099 pCi/L	1	UJ
SWB-9	3/6/2008 Th-232	<	0			0.062	0.02 pCi/L	1	U
SWB-9	6/5/2008 Th-232	<	-0.009			0.16	0.015 pCi/L	1	U
SWB-9	12/5/2008 Th-232	<	-0.02			0.19	0.023 pCi/L	1	
SWB-9	3/2/2009 Th-232	<	0.063			0.14	0.092 pCi/L	1	
SWB-9	6/2/2009 Th-232	<	-0.019			0.19	0.023 pCi/L	1	
SWB-9	3/1/2010 Th-232	<	-0.019			0.15	0.019 PCI/L	1	
SWB-9	6/1/2010 Th-232	<	-0.011			0.14	0.015 PCI/L	1	
SWB-9	12/1/2010 Th-232	<	0.005			0.19	0.067 PCI/L	1	
SWB-10	3/4/2004 Thiocyanate as SCN	=	0.22	0.038	0.05		mg/L	1	NA
SWB-10	5/24/2004 Thiocyanate as SCN	=	1.25	0.038	0.05		mg/L	1	
SWB-10	12/1/2004 Thiocyanate as SCN	=	0.56	0.038	0.05		mg/L	1	
SWB-10	3/3/2005 Thiocyanate as SCN	=	0.63	0.038	0.05		mg/L	1	
SWB-10	6/2/2005 Thiocyanate as SCN	=	0.42	0.038	0.05		mg/L	1	
SWB-10	9/1/2005 Thiocyanate as SCN	=	3.34	0.02	0.05		mg/l	10	
SWB-10	3/2/2006 Thiocyanate as SCN	=	1.1	0.04	0.05		mg/l	2	
SWB-10	6/2/2006 Thiocyanate as SCN	=	2.15	0.04	0.05		mg/l	3	
SWB-10	3/1/2007 Thiocyanate as SCN	=	0.9	0.04	0.05		mg/l	1	
SWB-10	3/7/2008 Thiocyanate as SCN	=	0.67	0.04	0.05		mg/l	1	

tmpAnalyticalResultsOverTime

SWB-10	6/5/2008	Thiocyanate as SCN	=	7.98	0.04	5		mg/l	
SWB-10	3/2/2009	Thiocyanate as SCN	=	0.73	0.025	0.05		MG/L	1
SWB-10	6/4/2009	Thiocyanate as SCN	=	5.4	0.25	0.5		mg/L	
SWB-10	3/2/2010	Thiocyanate as SCN	=	0.59	0.061		0.5	MG/L	1
SWB-11	3/4/2004	Thiocyanate as SCN	=	0.28	0.038	0.05		mg/L	1
SWB-11	5/24/2004	Thiocyanate as SCN	=	2.12	0.038	0.05		mg/L	1
SWB-11	12/1/2004	Thiocyanate as SCN	=	0.63	0.038	0.05		mg/L	1
SWB-11	3/1/2005	Thiocyanate as SCN	=	0.77	0.038	0.05		mg/L	1
SWB-11	6/2/2005	Thiocyanate as SCN	=	0.91	0.038	0.05		mg/L	1
SWB-11	3/2/2006	Thiocyanate as SCN	=	0.99	0.04	0.05		mg/l	1
SWB-11	6/1/2006	Thiocyanate as SCN	=	2.09	0.04	0.05		mg/l	3
SWB-11	3/1/2007	Thiocyanate as SCN	=	0.86	0.04	0.05		mg/l	1
SWB-11	3/7/2008	Thiocyanate as SCN	=	0.42	0.04	0.05		mg/l	1
SWB-11	6/5/2008	Thiocyanate as SCN	=	5.03	0.04	1.25		mg/l	J
SWB-11	3/2/2009	Thiocyanate as SCN	=	0.49	0.025	0.05		MG/L	1
SWB-11	6/4/2009	Thiocyanate as SCN	=	3.4	0.12	0.25		mg/L	
SWB-11	3/1/2010	Thiocyanate as SCN	=	0.55	0.061		0.5	mg/L	1
SWB-11	6/2/2010	Thiocyanate as SCN	=	2.5	0.061		0.5	MG/L	1
SWB-3	10/29/2002	Thiocyanate as SCN	<		0.5	3		mg/L	U
SWB-3	3/4/2003	Thiocyanate as SCN	=	0.1	0.1	0.5		mg/L	J
SWB-3	6/3/2003	Thiocyanate as SCN	=	1.1	0.1	0.5		mg/L	J
SWB-3	9/4/2003	Thiocyanate as SCN	=	4	2	10		mg/L	J
SWB-3	12/2/2003	Thiocyanate as SCN	=	0.57	0.009	0.05		mg/L	
SWB-3	3/1/2004	Thiocyanate as SCN	=	0.17	0.038	0.05		mg/L	1
SWB-3	6/1/2004	Thiocyanate as SCN	=	0.56	0.038	0.05		mg/L	1
SWB-3	9/1/2004	Thiocyanate as SCN	=	5.4	0.038	0.05		mg/L	1
SWB-3	12/1/2004	Thiocyanate as SCN	=	0.41	0.038	0.05		mg/L	1
SWB-3	3/3/2005	Thiocyanate as SCN	=	0.58	0.038	0.05		mg/L	1
SWB-3	6/2/2005	Thiocyanate as SCN	=	0.25	0.038	0.05		mg/L	1
SWB-3	9/1/2005	Thiocyanate as SCN	=	0.7	0.02	0.05		mg/l	1
SWB-3	12/1/2005	Thiocyanate as SCN	=	0.71	0.02	0.05		mg/l	1
SWB-3	3/2/2006	Thiocyanate as SCN	=	0.56	0.04	0.05		mg/l	1
SWB-3	6/2/2006	Thiocyanate as SCN	=	0.74	0.04	0.05		mg/l	1
SWB-3	9/5/2006	Thiocyanate as SCN	=	2.15	0.04	0.05		mg/l	5
SWB-3	12/4/2006	Thiocyanate as SCN	=	0.74	0.04	0.05		mg/L	1
SWB-3	3/1/2007	Thiocyanate as SCN	=	0.86	0.04	0.05		mg/l	1
SWB-3	6/1/2007	Thiocyanate as SCN	=	0.34	0.04	0.05		mg/l	1
SWB-3	12/3/2007	Thiocyanate as SCN	=	0.24	0.04	0.05		mg/l	1
SWB-3	3/6/2008	Thiocyanate as SCN	<		0.04	0.05		mg/l	1 U
SWB-3	6/9/2008	Thiocyanate as SCN	=	0.19	0.04	0.05		mg/l	
SWB-3	3/2/2009	Thiocyanate as SCN	=	0.27	0.025	0.05		MG/L	1
SWB-3	6/4/2009	Thiocyanate as SCN	=	0.41	0.025	0.05		mg/L	
SWB-3	12/1/2009	Thiocyanate as SCN	=	0.43	0.025	0.05		mg/L	
SWB-3	3/1/2010	Thiocyanate as SCN	TR	0.38	0.061		0.5	mg/L	1 J
SWB-3	6/1/2010	THIOCYANATE as SCN	TR	0.3	0.061		0.5	MG/L	1 J
SWB-3	9/9/2010	THIOCYANATE as SCN	TR	0.33	0.061		0.5	MG/L	1 J
SWB-4	11/15/2002	Thiocyanate as SCN	=	1	1	5		mg/L	J
SWB-5	10/29/2002	Thiocyanate as SCN	=	11.4	0.5	3		mg/L	
SWB-6	3/4/2003	Thiocyanate as SCN	<		2	10		mg/L	U
SWB-6	6/3/2003	Thiocyanate as SCN	=	5.8	0.1	0.5		mg/L	J
SWB-6	12/3/2003	Thiocyanate as SCN	=	1.43	0.009	0.05		mg/L	
SWB-6	3/5/2004	Thiocyanate as SCN	=	0.36	0.038	0.05		mg/L	1
SWB-6	6/1/2004	Thiocyanate as SCN	=	1.52	0.038	0.05		mg/L	1
SWB-6	12/1/2004	Thiocyanate as SCN	=	1.04	0.038	0.05		mg/L	1
SWB-6	3/7/2005	Thiocyanate as SCN	=	0.68	0.038	0.05		mg/L	1
SWB-6	6/1/2005	Thiocyanate as SCN	=	0.56	0.038	0.05		mg/L	1
SWB-6	12/2/2005	Thiocyanate as SCN	=	2.59	0.02	0.05		mg/l	1

tmpAnalyticalResultsOverTime

SWB-6	3/1/2006	Thiocyanate as SCN	=	0.71	0.04	0.05		mg/l	1
SWB-6	6/1/2006	Thiocyanate as SCN	=	1.01	0.04	0.05		mg/l	1
SWB-6	12/5/2006	Thiocyanate as SCN	=	2.28	0.04	0.05		mg/L	5
SWB-6	3/2/2007	Thiocyanate as SCN	=	1.19	0.04	0.05		mg/l	1
SWB-6	6/9/2008	Thiocyanate as SCN	=	3.95	0.04	0.25		mg/l	
SWB-6	3/6/2008	Thiocyanate as SCN	=	0.54	0.04	0.05		mg/l	1
SWB-6	12/5/2008	Thiocyanate as SCN	=	4.12	0.04	0.05		mg/L	5
SWB-6	3/2/2009	Thiocyanate as SCN	=	0.84	0.025	0.05		MG/L	1
SWB-6	6/5/2009	Thiocyanate as SCN	=	2.5	0.12	0.25		mg/L	
SWB-6	3/2/2010	Thiocyanate as SCN	=	1.6	0.061		0.5	MG/L	1
SWB-6	6/2/2010	Thiocyanate as SCN	=	3	0.061		0.5	MG/L	1
SWB-7	3/4/2003	Thiocyanate as SCN	=	0.3	0.1	0.5		mg/L	J
SWB-7	6/3/2003	Thiocyanate as SCN	=	0.3	0.1	0.5		mg/L	J
SWB-7	3/1/2004	Thiocyanate as SCN	=	0.12	0.038	0.05		mg/L	1
SWB-7	5/24/2004	Thiocyanate as SCN	=	0.61	0.038	0.05		mg/L	1
SWB-7	12/1/2004	Thiocyanate as SCN	=	0.19	0.038	0.05		mg/L	1
SWB-7	3/7/2005	Thiocyanate as SCN	=	0.3	0.038	0.05		mg/L	1
SWB-7	6/1/2005	Thiocyanate as SCN	=	0.08	0.038	0.05		mg/L	1
SWB-7	9/1/2005	Thiocyanate as SCN	=	0.33	0.02	0.05		mg/l	1
SWB-7	12/1/2005	Thiocyanate as SCN	=	0.3	0.02	0.05		mg/l	1
SWB-7	3/1/2006	Thiocyanate as SCN	=	0.29	0.04	0.05		mg/l	1
SWB-7	6/2/2006	Thiocyanate as SCN	=	0.43	0.04	0.05		mg/l	1
SWB-7	9/5/2006	Thiocyanate as SCN	=	0.51	0.04	0.05		mg/l	1
SWB-7	12/5/2006	Thiocyanate as SCN	=	0.33	0.04	0.05		mg/L	1
SWB-7	3/2/2007	Thiocyanate as SCN	=	0.08	0.04	0.05		mg/l	1
SWB-7	6/1/2007	Thiocyanate as SCN	=	0.35	0.04	0.05		mg/l	1
SWB-7	9/7/2007	Thiocyanate as SCN	=	0.3	0.04	0.05		mg/l	1
SWB-7	12/3/2007	Thiocyanate as SCN	=	0.24	0.04	0.05		mg/l	1
SWB-7	3/6/2008	Thiocyanate as SCN	=	0.11	0.04	0.05		mg/l	1 J
SWB-7	6/6/2008	Thiocyanate as SCN	=	0.32	0.04	0.05		mg/l	
SWB-7	9/8/2008	Thiocyanate as SCN	=	0.45	0.05	0.05		mg/l	1 J
SWB-7	12/5/2008	Thiocyanate as SCN	=	0.27	0.04	0.05		mg/L	1
SWB-7	3/2/2009	Thiocyanate as SCN	=	0.36	0.025	0.05		MG/L	1
SWB-7	6/5/2009	Thiocyanate as SCN	=	0.35	0.025	0.05		mg/L	
SWB-7	9/9/2009	Thiocyanate as SCN	=	0.3	0.025	0.05		mg/L	
SWB-7	12/1/2009	Thiocyanate as SCN	=	0.33	0.025	0.05		mg/L	
SWB-7	3/2/2010	Thiocyanate as SCN	<	0.5	0.061		0.5	MG/L	1
SWB-7	6/1/2010	THIOCYANATE as SCN	=	0.57	0.061		0.5	MG/L	1
SWB-7	9/9/2010	THIOCYANATE as SCN	TR	0.44	0.061		0.5	MG/L	1 J
SWB-7	12/1/2010	Thiocyanate as SCN	TR	0.3	0.061		0.5	MG/L	1 J
SWB-8	3/5/2004	Thiocyanate as SCN	=	0.77	0.038	0.05		mg/L	1
SWB-8	3/7/2005	Thiocyanate as SCN	=	0.97	0.038	0.05		mg/L	1
SWB-8	6/1/2005	Thiocyanate as SCN	=	0.62	0.038	0.05		mg/L	1
SWB-8	3/1/2006	Thiocyanate as SCN	=	3.4	0.04	0.05		mg/l	5
SWB-8	3/7/2008	Thiocyanate as SCN	=	0.94	0.04	0.05		mg/l	1
SWB-8	3/3/2009	Thiocyanate as SCN	=	0.87	0.025	0.05		MG/L	1
SWB-9	3/4/2003	Thiocyanate as SCN	<		1	5		mg/L	U
SWB-9	12/3/2003	Thiocyanate as SCN	=	1.22	0.009	0.05		mg/L	
SWB-9	3/5/2004	Thiocyanate as SCN	=	0.52	0.038	0.05		mg/L	1
SWB-9	5/27/2004	Thiocyanate as SCN	=	4.8	0.038	0.05		mg/L	1
SWB-9	12/1/2004	Thiocyanate as SCN	=	0.78	0.038	0.05		mg/L	1
SWB-9	3/3/2005	Thiocyanate as SCN	=	1.38	0.038	0.05		mg/L	1
SWB-9	6/2/2005	Thiocyanate as SCN	=	1.32	0.038	0.05		mg/L	1
SWB-9	9/1/2005	Thiocyanate as SCN	=	13.8	0.02	0.05		mg/l	20
SWB-9	12/1/2005	Thiocyanate as SCN	=	12.4	0.02	0.05		mg/l	1
SWB-9	3/2/2006	Thiocyanate as SCN	=	2.2	0.04	0.05		mg/l	3
SWB-9	6/1/2006	Thiocyanate as SCN	=	5.24	0.04	0.05		mg/l	10

tmpAnalyticalResultsOverTime

SWB-9	12/4/2006	Thiocyanate as SCN	=	3.33	0.04	0.05		mg/L	10	
SWB-9	3/5/2007	Thiocyanate as SCN	=	1.92	0.04	0.05		mg/l	1	
SWB-9	3/6/2008	Thiocyanate as SCN	=	0.86	0.04	0.05		mg/l	2	
SWB-9	6/5/2008	Thiocyanate as SCN	=	15.6	0.04	5		mg/l		
SWB-9	12/5/2008	Thiocyanate as SCN	=	2.42	0.04	0.05		mg/L	4	
SWB-9	3/2/2009	Thiocyanate as SCN	=	1.2	0.075	0.15		MG/L	3	
SWB-9	6/2/2009	Thiocyanate as SCN	=	11.2	0.62	1.2		mg/L		
SWB-9	3/1/2010	Thiocyanate as SCN	=	1.1	0.061		0.5	mg/L	1	
SWB-9	6/1/2010	THIOCYANATE as SCN	=	6.7	0.12		1	MG/L	2	
SWB-9	12/1/2010	Thiocyanate as SCN	=	2	0.061		0.5	MG/L	1	
SWB-10	3/4/2004	Thionazin	<		2		10	ug/L	1	NA
SWB-10	5/24/2004	Thionazin	<		2		10	ug/L	1	UJ
SWB-10	12/1/2004	Thionazin	<		2		10	ug/L	1	
SWB-10	3/3/2005	Thionazin	<		2		10	ug/L	1	
SWB-10	6/2/2005	Thionazin	<		2		10	ug/L	1	
SWB-10	9/1/2005	Thionazin	<		2		10	ug/L	1	
SWB-10	3/2/2006	Thionazin	<		2		10	UG/L	1	
SWB-10	6/2/2006	Thionazin	<		0.86		10	UG/L	1	
SWB-10	3/1/2007	Thionazin	<		0.86		10	UG/L	1	
SWB-10	3/7/2008	Thionazin	<		0.86		10	UG/L	1	
SWB-10	6/5/2008	Thionazin	<		0.86		10	UG/L	1	
SWB-10	3/2/2009	Thionazin	<		0.86		10	UG/L	1	
SWB-10	3/2/2009	Thionazin	<		0.86		10	UG/L	1	R
SWB-10	6/4/2009	Thionazin	<		0.86		10	UG/L	1	
SWB-10	3/2/2010	Thionazin	<	9.3	0.81		9.3	UG/L	1	
SWB-11	3/4/2004	Thionazin	<		2		10	ug/L	1	
SWB-11	5/24/2004	Thionazin	<		2		10	ug/L	1	UJ
SWB-11	12/1/2004	Thionazin	<		2		10	ug/L	1	
SWB-11	3/1/2005	Thionazin	<		2		10	ug/L	1	
SWB-11	6/2/2005	Thionazin	<		2		10	ug/L	1	
SWB-11	3/2/2006	Thionazin	<		2		10	UG/L	1	
SWB-11	6/1/2006	Thionazin	<		0.86		10	UG/L	1	
SWB-11	3/1/2007	Thionazin	<		0.86		10	UG/L	1	
SWB-11	3/7/2008	Thionazin	<		0.86		10	UG/L	1	
SWB-11	6/5/2008	Thionazin	<		0.86		10	UG/L	1	
SWB-11	3/2/2009	Thionazin	<		0.86		10	UG/L	1	
SWB-11	6/4/2009	Thionazin	<		0.86		10	UG/L	1	
SWB-11	3/1/2010	Thionazin	<	9.4	0.81		9.4	ug/L	1	
SWB-11	6/2/2010	THIONAZIN	<	0.82	0.82		9.5	UG/L	1	
SWB-3	10/29/2002	Thionazin	<		1.6		10	ug/L	1	
SWB-3	3/4/2003	Thionazin	<		1.6		10	ug/L	1	
SWB-3	6/3/2003	Thionazin	<		1.6		10	ug/L	1	
SWB-3	9/4/2003	Thionazin	<		2		10	ug/L	1	UJ
SWB-3	12/2/2003	Thionazin	<		2		10	ug/L	1	
SWB-3	3/1/2004	Thionazin	<		2		10	ug/L	1	
SWB-3	6/1/2004	Thionazin	<		2		10	ug/L	1	
SWB-3	9/1/2004	Thionazin	<		2		10	ug/L	1	
SWB-3	12/1/2004	Thionazin	<		2		10	ug/L	1	
SWB-3	3/3/2005	Thionazin	<		2		10	ug/L	1	
SWB-3	6/2/2005	Thionazin	<		2		10	ug/L	1	
SWB-3	9/1/2005	Thionazin	<		2		10	ug/L	1	
SWB-3	12/1/2005	Thionazin	<		2		10	UG/L	1	UJ
SWB-3	3/2/2006	Thionazin	<		2		10	UG/L	1	
SWB-3	6/2/2006	Thionazin	<		0.86		10	UG/L	1	
SWB-3	9/5/2006	Thionazin	<		0.86		10	UG/L	1	
SWB-3	12/4/2006	Thionazin	<		0.86		10	UG/L	1	
SWB-3	3/1/2007	Thionazin	<		0.86		10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	6/1/2007	Thionazin	<	0.86	10	UG/L	1	
SWB-3	6/1/2007	Thionazin	<	0.86	10	UG/L	1 R	
SWB-3	12/3/2007	Thionazin	<	0.86	10	UG/L	1	
SWB-3	3/6/2008	Thionazin	<	0.86	10	UG/L	1	
SWB-3	6/9/2008	Thionazin	<	0.86	10	UG/L	1	
SWB-3	12/4/2008	Thionazin	<	0.86	10	UG/L	1	
SWB-3	3/2/2009	Thionazin	<	0.86	10	UG/L	1	
SWB-3	3/2/2009	Thionazin	<	0.86	10	UG/L	1 R	
SWB-3	6/4/2009	Thionazin	<	0.86	10	UG/L	1	
SWB-3	12/1/2009	Thionazin	<	0.86	10	UG/L	1	
SWB-3	12/1/2009	Thionazin	<	0.86	10	UG/L	1 DNR	
SWB-3	3/1/2010	Thionazin	<	9.7	0.84	9.7	ug/L	1 UJ
SWB-3	6/1/2010	THIONAZIN	<	0.81	0.81	9.4	UG/L	1
SWB-3	6/1/2010	THIONAZIN	<	0.81	0.81	9.4	UG/L	1 DNR
SWB-3	9/9/2010	THIONAZIN	<	0.81	0.81	9.3	UG/L	1
SWB-4	11/15/2002	Thionazin	<	1.6	10	ug/L	1	
SWB-5	10/29/2002	Thionazin	<	1.6	10	ug/L	1	
SWB-6	3/4/2003	Thionazin	<	1.6	10	ug/L	1	
SWB-6	6/3/2003	Thionazin	<	1.6	10	ug/L	1	
SWB-6	12/3/2003	Thionazin	<	2	10	ug/L	1	
SWB-6	3/5/2004	Thionazin	<	2	10	ug/L	1	
SWB-6	6/1/2004	Thionazin	<	2	10	ug/L	1	
SWB-6	12/1/2004	Thionazin	<	2	10	ug/L	1	
SWB-6	3/7/2005	Thionazin	<	2	10	ug/L	1	
SWB-6	6/1/2005	Thionazin	<	2	10	ug/L	1	
SWB-6	12/2/2005	Thionazin	<	2	10	UG/L	1 UJ	
SWB-6	3/1/2006	Thionazin	<	2	10	UG/L	1	
SWB-6	6/1/2006	Thionazin	<	0.86	10	UG/L	1	
SWB-6	12/5/2006	Thionazin	<	0.86	10	UG/L	1	
SWB-6	3/2/2007	Thionazin	<	0.86	10	UG/L	1	
SWB-6	6/9/2008	Thionazin	<	0.86	10	UG/L	1	
SWB-6	3/6/2008	Thionazin	<	0.86	10	UG/L	1	
SWB-6	12/5/2008	Thionazin	<	0.86	10	UG/L	1	
SWB-6	12/5/2008	Thionazin	<	0.86	10	UG/L	1 R	
SWB-6	3/2/2009	Thionazin	<	0.86	10	UG/L	1	
SWB-6	3/2/2009	Thionazin	<	0.86	10	UG/L	1 R	
SWB-6	6/5/2009	Thionazin	<	0.86	10	UG/L	1	
SWB-6	3/2/2010	Thionazin	<	9.1	0.79	9.1	UG/L	1
SWB-6	6/2/2010	THIONAZIN	<	0.81	0.81	9.4	UG/L	1 DNR
SWB-6	6/2/2010	THIONAZIN	<	0.82	0.82	9.5	UG/L	1
SWB-7	3/4/2003	Thionazin	<	1.6	10	ug/L	1	
SWB-7	6/3/2003	Thionazin	<	1.6	10	ug/L	1	
SWB-7	3/1/2004	Thionazin	<	2	10	ug/L	1	
SWB-7	5/24/2004	Thionazin	<	2	10	ug/L	1	
SWB-7	12/1/2004	Thionazin	<	2	10	ug/L	1	
SWB-7	3/7/2005	Thionazin	<	2	10	ug/L	1 UJ	
SWB-7	6/1/2005	Thionazin	<	2	10	ug/L	1	
SWB-7	9/1/2005	Thionazin	<	2	10	ug/L	1	
SWB-7	12/1/2005	Thionazin	<	2	10	UG/L	1 UJ	
SWB-7	3/1/2006	Thionazin	<	2	10	UG/L	1	
SWB-7	6/2/2006	Thionazin	<	0.86	10	UG/L	1	
SWB-7	9/5/2006	Thionazin	<	0.86	10	UG/L	1 UJ	
SWB-7	12/5/2006	Thionazin	<	0.86	10	UG/L	1	
SWB-7	3/2/2007	Thionazin	<	0.86	10	UG/L	1	
SWB-7	6/1/2007	Thionazin	<	0.86	10	UG/L	1	
SWB-7	9/7/2007	Thionazin	<	0.86	10	UG/L	1	
SWB-7	12/3/2007	Thionazin	<	0.86	10	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-7	3/6/2008	Thionazin	<		0.86	10	UG/L	1	
SWB-7	6/6/2008	Thionazin	<		0.86	10	UG/L	1	
SWB-7	9/8/2008	Thionazin	<		0.86	10	UG/L	1	
SWB-7	12/5/2008	Thionazin	<		0.86	10	UG/L	1	
SWB-7	12/5/2008	Thionazin	<		0.86	10	UG/L	1	R
SWB-7	3/2/2009	Thionazin	<		0.86	10	UG/L	1	
SWB-7	3/2/2009	Thionazin	<		0.86	10	UG/L	1	R
SWB-7	6/5/2009	Thionazin	<		0.86	10	UG/L	1	
SWB-7	9/9/2009	Thionazin	<		0.86	10	UG/L	1	
SWB-7	12/1/2009	Thionazin	<		0.86	10	UG/L	1	
SWB-7	3/2/2010	Thionazin	<	9.5	0.82	9.5	UG/L	1	
SWB-7	6/1/2010	THIONAZIN	<	0.83	0.83	9.6	UG/L	1	DNR
SWB-7	6/1/2010	THIONAZIN	<	0.86	0.86	10	UG/L	1	R
SWB-7	9/9/2010	THIONAZIN	<	0.83	0.83	9.6	UG/L	1	
SWB-7	12/1/2010	THIONAZIN	<	0.81	0.81	9.3	UG/L	1	
SWB-8	3/5/2004	Thionazin	<		2	10	ug/L	1	
SWB-8	3/7/2005	Thionazin	<		2	10	ug/L	1	
SWB-8	6/1/2005	Thionazin	<		2	10	ug/L	1	
SWB-8	3/1/2006	Thionazin	<		2	10	UG/L	1	
SWB-8	3/7/2008	Thionazin	<		0.86	10	UG/L	1	
SWB-8	3/3/2009	Thionazin	<		0.86	10	UG/L	1	
SWB-8	3/3/2009	Thionazin	<		0.86	10	UG/L	1	R
SWB-9	3/4/2003	Thionazin	<		1.6	10	ug/L	1	
SWB-9	12/3/2003	Thionazin	<		2	10	ug/L	1	
SWB-9	3/5/2004	Thionazin	<		2	10	ug/L	1	
SWB-9	5/27/2004	Thionazin	<		2	10	ug/L	1	UJ
SWB-9	12/1/2004	Thionazin	<		2	10	ug/L	1	
SWB-9	3/3/2005	Thionazin	<		2	10	ug/L	1	
SWB-9	6/2/2005	Thionazin	<		2	10	ug/L	1	
SWB-9	9/1/2005	Thionazin	<		2	10	ug/L	1	
SWB-9	12/1/2005	Thionazin	<		2	10	UG/L	1	UJ
SWB-9	3/2/2006	Thionazin	<		2	10	UG/L	1	
SWB-9	6/1/2006	Thionazin	<		0.86	10	UG/L	1	
SWB-9	12/4/2006	Thionazin	<		0.86	10	UG/L	1	
SWB-9	3/5/2007	Thionazin	<		0.86	10	UG/L	1	
SWB-9	3/6/2008	Thionazin	<		0.86	10	UG/L	1	
SWB-9	6/5/2008	Thionazin	<		0.86	10	UG/L	1	
SWB-9	12/5/2008	Thionazin	<		0.86	10	UG/L	1	
SWB-9	12/5/2008	Thionazin	<		0.86	10	UG/L	1	R
SWB-9	3/2/2009	Thionazin	<		0.86	10	UG/L	1	
SWB-9	3/2/2009	Thionazin	<		0.86	10	UG/L	1	R
SWB-9	6/2/2009	Thionazin	<		0.86	10	UG/L	1	
SWB-9	6/2/2009	Thionazin	<		0.86	10	UG/L	1	DNR
SWB-9	3/1/2010	Thionazin	<	9.2	0.8	9.2	ug/L	1	
SWB-9	6/1/2010	THIONAZIN	<	0.81	0.81	9.4	UG/L	1	DNR
SWB-9	6/1/2010	THIONAZIN	<	0.82	0.82	9.5	UG/L	1	
SWB-9	12/1/2010	THIONAZIN	<	0.8	0.8	9.3	UG/L	1	
SWB-10	3/2/2010	Thorium 228	<	-0.02		0.38	0.17 PCI/L	1	NA
SWB-11	3/1/2010	Thorium 228	<	-0.06		0.35	0.13 PCI/L	1	
SWB-11	6/2/2010	Thorium 228	<	-0.011		0.22	0.082 PCI/L	1	
SWB-2	6/21/2000	THORIUM 228	<	1.9		1.9	0.1 pCi/L	1	
SWB-3	6/21/2000	THORIUM 228	<	1.2		1.2	0.8 pCi/L	1	
SWB-3	3/1/2010	Thorium 228	<	-0.01		0.29	0.12 PCI/L	1	
SWB-3	6/1/2010	Thorium 228	<	0.1		0.19	0.13 PCI/L	1	
SWB-3	9/9/2010	Thorium 228	<	0.05		0.26	0.14 PCI/L	1	
SWB-6	3/2/2010	Thorium 228	<	0.08		0.55	0.28 PCI/L	1	UJ
SWB-6	6/2/2010	Thorium 228	<	-0.093		0.76	0.097 PCI/L	1	

tmpAnalyticalResultsOverTime

SWB-7	3/2/2010 Thorium 228	<	-0.03	0.39	0.16 PCI/L	1 UJ	
SWB-7	6/1/2010 Thorium 228	<	-0.14	1.6	0.48 PCI/L	1 UJ	
SWB-7	9/9/2010 Thorium 228	<	0.04	0.29	0.14 PCI/L	1	
SWB-7	12/1/2010 Thorium 228	<	0.02	0.77	0.28 PCI/L	1	
SWB-9	3/1/2010 Thorium 228	<	0.07	0.24	0.13 PCI/L	1	
SWB-9	6/1/2010 Thorium 228	<	0.08	0.18	0.12 PCI/L	1	
SWB-9	12/1/2010 Thorium 228	<	-0.006	0.29	0.12 PCI/L	1	
SWB-10	3/4/2004 Toluene	<		0.15	1 ug/L	1	0.0098 mg/L
SWB-10	5/24/2004 Toluene	<		0.15	1 ug/L	1	
SWB-10	12/1/2004 Toluene	<		0.15	1 ug/L	1	
SWB-10	3/3/2005 Toluene	<		0.17	1 ug/L	1	
SWB-10	6/2/2005 Toluene	<		0.17	1 ug/L	1	
SWB-10	9/1/2005 Toluene	<		0.17	1 ug/L	1	
SWB-10	3/2/2006 Toluene	<		0.68	4 UG/L	4	
SWB-10	6/2/2006 Toluene	<		0.17	1 UG/L	1	
SWB-10	3/1/2007 Toluene	<		0.17	1 UG/L	1	
SWB-10	3/7/2008 Toluene	<		0.17	1 UG/L	1	
SWB-10	6/5/2008 Toluene	TR	0.33	0.17	1 UG/L	1 J	
SWB-10	3/2/2009 Toluene	<		0.17	1 UG/L	1	
SWB-10	6/4/2009 Toluene	<		0.17	1 UG/L	1	
SWB-10	3/2/2010 Toluene	<	1	0.17	1 UG/L	1	
SWB-11	3/4/2004 Toluene	<		0.15	1 ug/L	1	
SWB-11	5/24/2004 Toluene	<		0.15	1 ug/L	1	
SWB-11	12/1/2004 Toluene	<		0.15	1 ug/L	1	
SWB-11	3/1/2005 Toluene	<		0.17	1 ug/L	1	
SWB-11	6/2/2005 Toluene	<		0.17	1 ug/L	1	
SWB-11	3/2/2006 Toluene	<		1.7	10 UG/L	10	
SWB-11	6/1/2006 Toluene	<		0.17	1 UG/L	1	
SWB-11	3/1/2007 Toluene	<		0.17	1 UG/L	1	
SWB-11	3/7/2008 Toluene	<		0.17	1 UG/L	1	
SWB-11	6/5/2008 Toluene	<		0.17	1 UG/L	1	
SWB-11	3/2/2009 Toluene	<		0.17	1 UG/L	1	
SWB-11	6/4/2009 Toluene	<		0.17	1 UG/L	1	
SWB-11	3/1/2010 Toluene	<	1	0.17	1 ug/L	1	
SWB-11	6/2/2010 TOLUENE	<	0.17	0.17	1 UG/L	1	
SWB-3	10/29/2002 Toluene	<		0.26	1 ug/L	1	
SWB-3	3/4/2003 Toluene	<		0.15	1 ug/L	1	
SWB-3	6/3/2003 Toluene	<		0.15	1 ug/L	1	
SWB-3	9/4/2003 Toluene	<	1	0.15	1 ug/L	1 UJ	
SWB-3	12/2/2003 Toluene	<		0.15	1 ug/L	1	
SWB-3	3/1/2004 Toluene	<		0.15	1 ug/L	1	
SWB-3	6/1/2004 Toluene	<		0.15	1 ug/L	1	
SWB-3	9/1/2004 Toluene	<		0.15	1 ug/L	1	
SWB-3	12/1/2004 Toluene	<		0.25	1.7 ug/L	1.66	
SWB-3	3/3/2005 Toluene	<		0.17	1 ug/L	1	
SWB-3	6/2/2005 Toluene	<		0.17	1 ug/L	1	
SWB-3	9/1/2005 Toluene	<		0.17	1 ug/L	1	
SWB-3	12/1/2005 Toluene	<		0.34	2 UG/L	2	
SWB-3	3/2/2006 Toluene	<		0.68	4 UG/L	4	
SWB-3	6/2/2006 Toluene	<		0.17	1 UG/L	1	
SWB-3	9/5/2006 Toluene	<		0.17	1 UG/L	1	
SWB-3	12/4/2006 Toluene	<		0.17	1 UG/L	1	
SWB-3	3/1/2007 Toluene	<		0.17	1 UG/L	1	
SWB-3	6/1/2007 Toluene	<		0.17	1 UG/L	1	
SWB-3	12/3/2007 Toluene	<		0.17	1 UG/L	1	
SWB-3	3/6/2008 Toluene	<		0.17	1 UG/L	1	
SWB-3	6/9/2008 Toluene	<		0.17	1 UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	12/4/2008	Toluene	<		0.17	1	UG/L	1
SWB-3	3/2/2009	Toluene	<		0.17	1	UG/L	1
SWB-3	6/4/2009	Toluene	<		0.17	1	UG/L	1 U
SWB-3	12/1/2009	Toluene	<		0.17	1	UG/L	1
SWB-3	3/1/2010	Toluene	<	1	0.17	1	ug/L	1
SWB-3	3/1/2010	Toluene	<	2	0.34	2	ug/L	1 DNR
SWB-3	6/1/2010	TOLUENE	<	0.17	0.17	1	UG/L	1 DNR
SWB-3	6/1/2010	TOLUENE	<	0.68	0.68	4	UG/L	1
SWB-3	9/9/2010	TOLUENE	<	0.17	0.17	1	UG/L	1 UJ
SWB-4	11/15/2002	Toluene	<		0.26	1	ug/L	1
SWB-5	10/29/2002	Toluene	<		0.26	1	ug/L	1
SWB-6	3/4/2003	Toluene	<		0.15	1	ug/L	1
SWB-6	6/3/2003	Toluene	<		0.3	2	ug/L	2
SWB-6	12/3/2003	Toluene	<		0.3	2	ug/L	2
SWB-6	3/5/2004	Toluene	<		0.15	1	ug/L	1
SWB-6	6/1/2004	Toluene	<		0.15	1	ug/L	1
SWB-6	12/1/2004	Toluene	<		0.15	1	ug/L	1
SWB-6	3/7/2005	Toluene	<		0.17	1	ug/L	1
SWB-6	6/1/2005	Toluene	<		0.17	1	ug/L	1
SWB-6	12/2/2005	Toluene	<		0.17	1	UG/L	1
SWB-6	3/1/2006	Toluene	<		0.17	1	UG/L	1
SWB-6	6/1/2006	Toluene	<		0.17	1	UG/L	1
SWB-6	12/5/2006	Toluene	<		0.17	1	UG/L	1
SWB-6	3/2/2007	Toluene	<		0.17	1	UG/L	1
SWB-6	6/9/2008	Toluene	<		0.17	1	UG/L	1
SWB-6	3/6/2008	Toluene	<		0.17	1	UG/L	1
SWB-6	12/5/2008	Toluene	<		0.17	1	UG/L	1
SWB-6	3/2/2009	Toluene	<		0.17	1	UG/L	1
SWB-6	6/5/2009	Toluene	<		0.17	1	UG/L	1
SWB-6	3/2/2010	Toluene	<	1	0.17	1	UG/L	1
SWB-6	6/2/2010	TOLUENE	<	0.17	0.17	1	UG/L	1
SWB-7	3/4/2003	Toluene	<		0.15	1	ug/L	1
SWB-7	6/3/2003	Toluene	<		0.15	1	ug/L	1
SWB-7	3/1/2004	Toluene	<		0.15	1	ug/L	1
SWB-7	5/24/2004	Toluene	<		0.15	1	ug/L	1
SWB-7	12/1/2004	Toluene	<		0.15	1	ug/L	1
SWB-7	3/7/2005	Toluene	<		0.17	1	ug/L	1
SWB-7	6/1/2005	Toluene	<		0.17	1	ug/L	1
SWB-7	9/1/2005	Toluene	<		0.17	1	ug/L	1
SWB-7	12/1/2005	Toluene	<		0.17	1	UG/L	1
SWB-7	3/1/2006	Toluene	<		0.17	1	UG/L	1
SWB-7	6/2/2006	Toluene	<		0.17	1	UG/L	1
SWB-7	9/5/2006	Toluene	<		0.17	1	UG/L	1
SWB-7	12/5/2006	Toluene	<		0.17	1	UG/L	1
SWB-7	3/2/2007	Toluene	<		0.17	1	UG/L	1
SWB-7	6/1/2007	Toluene	<		0.17	1	UG/L	1
SWB-7	9/7/2007	Toluene	<		0.17	1	UG/L	1
SWB-7	12/3/2007	Toluene	<		0.17	1	UG/L	1
SWB-7	3/6/2008	Toluene	<		0.17	1	UG/L	1
SWB-7	6/6/2008	Toluene	<		0.17	1	UG/L	1
SWB-7	9/8/2008	Toluene	<		0.17	1	UG/L	1
SWB-7	12/5/2008	Toluene	<		0.17	1	UG/L	1
SWB-7	3/2/2009	Toluene	<		0.17	1	UG/L	1
SWB-7	6/5/2009	Toluene	<		0.17	1	UG/L	1
SWB-7	9/9/2009	Toluene	<		0.17	1	UG/L	1
SWB-7	12/1/2009	Toluene	<		0.17	1	UG/L	1
SWB-7	3/2/2010	Toluene	<	1	0.17	1	UG/L	1



tmpAnalyticalResultsOverTime

SWB-7	6/1/2010	TOLUENE	<	0.17	0.17	1	UG/L	1 DNR	
SWB-7	6/1/2010	TOLUENE	<	0.68	0.68	4	UG/L	1	
SWB-7	9/9/2010	TOLUENE	<	0.17	0.17	1	UG/L	1 UJ	
SWB-7	12/1/2010	TOLUENE	<	0.17	0.17	1	UG/L	1	
SWB-8	3/5/2004	Toluene	<		0.15	1	ug/L	1	
SWB-8	3/7/2005	Toluene	<		0.17	1	ug/L	1	
SWB-8	6/1/2005	Toluene	<		0.17	1	ug/L	1	
SWB-8	3/1/2006	Toluene	<		0.17	1	UG/L	1	
SWB-8	3/7/2008	Toluene	<		0.17	1	UG/L	1	
SWB-8	3/3/2009	Toluene	<		0.17	1	UG/L	1	
SWB-9	3/4/2003	Toluene	<		0.15	1	ug/L	1	
SWB-9	12/3/2003	Toluene	<		0.3	2	ug/L	2	
SWB-9	3/5/2004	Toluene	<		0.15	1	ug/L	1	
SWB-9	5/27/2004	Toluene	<		0.15	1	ug/L	1	
SWB-9	12/1/2004	Toluene	<		0.15	1	ug/L	1	
SWB-9	3/3/2005	Toluene	<		0.17	1	ug/L	1	
SWB-9	6/2/2005	Toluene	<		0.17	1	ug/L	1	
SWB-9	9/1/2005	Toluene	<		0.17	1	ug/L	1 UJ	
SWB-9	12/1/2005	Toluene	<		0.17	1	UG/L	1	
SWB-9	3/2/2006	Toluene	<		0.68	4	UG/L	4	
SWB-9	6/1/2006	Toluene	<		0.17	1	UG/L	1	
SWB-9	12/4/2006	Toluene	<		0.17	1	UG/L	1	
SWB-9	3/5/2007	Toluene	<		0.17	1	UG/L	1	
SWB-9	3/6/2008	Toluene	<		0.17	1	UG/L	1	
SWB-9	6/5/2008	Toluene	<		0.17	1	UG/L	1 R	
SWB-9	12/5/2008	Toluene	<		0.17	1	UG/L	1	
SWB-9	3/2/2009	Toluene	<		0.17	1	UG/L	1	
SWB-9	6/2/2009	Toluene	<		0.17	1	UG/L	1	
SWB-9	3/1/2010	Toluene	<	1	0.17	1	ug/L	1	
SWB-9	6/1/2010	TOLUENE	<	0.17	0.17	1	UG/L	1 DNR	
SWB-9	6/1/2010	TOLUENE	<	0.68	0.68	4	UG/L	1	
SWB-9	12/1/2010	TOLUENE	<	0.17	0.17	1	UG/L	1	
SWB-10	3/4/2004	Total Cyanide	<		0.0021	0.01	mg/L	1 R	0.0052 mg/L
SWB-10	5/24/2004	Total Cyanide	TR	0.0035	0.0021	0.01	mg/L	1 J	
SWB-10	12/1/2004	Total Cyanide	<		0.0028	0.01	mg/L	1	
SWB-10	3/3/2005	Total Cyanide	<		0.0028	0.01	mg/L	1	
SWB-10	6/2/2005	Total Cyanide	TR	0.0097	0.0024	0.01	mg/L	1 J	
SWB-10	9/1/2005	Total Cyanide	TR	0.0058	0.0024	0.01	MG/L	1 J	
SWB-10	3/2/2006	Total Cyanide	TR	0.0033	0.0024	0.01	MG/L	1 J	
SWB-10	6/2/2006	Total Cyanide	=	0.084	0.0024	0.01	MG/L	1 J	
SWB-10	3/1/2007	Total Cyanide	TR				MG/L	1 R	
SWB-10	3/7/2008	Total Cyanide	<		0.0024	0.01	MG/L	1	
SWB-10	6/5/2008	Total Cyanide	<		0.0024	0.01	MG/L	1	
SWB-10	3/2/2009	Total Cyanide	<		0.0024	0.01	MG/L	1 R	
SWB-10	6/4/2009	Total Cyanide	<		0.0024	0.01	MG/L	1 UJ	
SWB-10	3/2/2010	Total Cyanide	<		0.0024	0.01	MG/L	1 R	
SWB-11	3/4/2004	Total Cyanide	<		0.0021	0.01	mg/L	1 R	
SWB-11	5/24/2004	Total Cyanide	=	0.022	0.0021	0.01	mg/L	1 J	
SWB-11	12/1/2004	Total Cyanide	<		0.0028	0.01	mg/L	1	
SWB-11	3/1/2005	Total Cyanide	TR	0.0093	0.0028	0.01	mg/L	1 J	
SWB-11	6/2/2005	Total Cyanide	<		0.0024	0.01	mg/L	1 R	
SWB-11	3/2/2006	Total Cyanide	<		0.0024	0.01	MG/L	1	
SWB-11	6/1/2006	Total Cyanide	TR	0.003	0.0024	0.01	MG/L	1 J	
SWB-11	3/1/2007	Total Cyanide	<				MG/L	1 R	
SWB-11	3/7/2008	Total Cyanide	<		0.0024	0.01	MG/L	1	
SWB-11	6/5/2008	Total Cyanide	TR	0.0032	0.0024	0.01	MG/L	1 J	
SWB-11	3/2/2009	Total Cyanide	<		0.0024	0.01	MG/L	1 R	

tmpAnalyticalResultsOverTime

SWB-11	6/4/2009 Total Cyanide	<		0.0024	0.01	MG/L	1 UJ
SWB-11	3/1/2010 Total Cyanide	<		0.0024	0.01	mg/L	1 R
SWB-11	6/2/2010 TOTAL CYANIDE	TR	0.0028	0.002	0.01	MG/L	1 J
SWB-3	10/29/2002 Total Cyanide	<		0.0021	0.01	mg/L	1
SWB-3	3/4/2003 Total Cyanide	TR	0.0023	0.0021	0.01	mg/L	1 J
SWB-3	6/3/2003 Total Cyanide	=	1.8	0.21	1	mg/L	100
SWB-3	9/4/2003 Total Cyanide	TR	0.0036	0.0021	0.01	mg/L	1 J
SWB-3	12/2/2003 Total Cyanide	<		0.0021	0.01	mg/L	1
SWB-3	3/1/2004 Total Cyanide	<		0.0021	0.01	mg/L	1 R
SWB-3	6/1/2004 Total Cyanide	=	0.02	0.0021	0.01	mg/L	1 J
SWB-3	9/1/2004 Total Cyanide	=	0.037	0.0042	0.02	mg/L	2 J
SWB-3	12/1/2004 Total Cyanide	<		0.0028	0.01	mg/L	1
SWB-3	3/3/2005 Total Cyanide	=	0.029	0.0028	0.01	mg/L	1
SWB-3	6/2/2005 Total Cyanide	<		0.0024	0.01	mg/L	1 R
SWB-3	9/1/2005 Total Cyanide	=	0.015	0.0024	0.01	MG/L	1 J
SWB-3	12/1/2005 Total Cyanide	TR	0.007	0.0024	0.01	MG/L	1 J
SWB-3	3/2/2006 Total Cyanide	<		0.0024	0.01	MG/L	1
SWB-3	6/2/2006 Total Cyanide	TR	0.0024	0.0024	0.01	MG/L	1 J
SWB-3	9/5/2006 Total Cyanide	TR	0.0046	0.0024	0.01	MG/L	1 J
SWB-3	12/4/2006 Total Cyanide	TR	0.15	0.12	0.5	MG/L	50 J
SWB-3	3/1/2007 Total Cyanide	<				MG/L	1 R
SWB-3	6/1/2007 Total Cyanide	<		0.0024	0.01	MG/L	1
SWB-3	12/3/2007 Total Cyanide	<		0.0024	0.01	MG/L	1 R
SWB-3	3/6/2008 Total Cyanide	<		0.0024	0.01	MG/L	1
SWB-3	6/9/2008 Total Cyanide	<		0.0024	0.01	MG/L	1
SWB-3	12/4/2008 Total Cyanide	<		0.0024	0.01	MG/L	1
SWB-3	3/2/2009 Total Cyanide	<		0.0024	0.01	MG/L	1 R
SWB-3	6/4/2009 Total Cyanide	TR	0.0024	0.0024	0.01	MG/L	1 J
SWB-3	12/1/2009 Total Cyanide	TR	0.0028	0.0024	0.01	MG/L	1 J
SWB-3	3/1/2010 Total Cyanide	TR	0.0032	0.0024	0.01	mg/L	1 J
SWB-3	6/1/2010 TOTAL CYANIDE	TR	0.0044	0.002	0.01	MG/L	1 R
SWB-3	9/9/2010 TOTAL CYANIDE	TR	0.01	0.0036	0.01	MG/L	1 U
SWB-4	11/15/2002 Total Cyanide	=	1.9	0.021	0.1	mg/L	10
SWB-5	10/29/2002 Total Cyanide	<		0.0021	0.01	mg/L	1
SWB-6	3/4/2003 Total Cyanide	=	0.1	0.0021	0.01	mg/L	1
SWB-6	6/3/2003 Total Cyanide	TR	0.075	0.021	0.1	mg/L	10 J
SWB-6	12/3/2003 Total Cyanide	TR	0.028	0.01	0.05	mg/L	5 J
SWB-6	3/5/2004 Total Cyanide	=	0.014	0.0021	0.01	mg/L	1 J
SWB-6	6/1/2004 Total Cyanide	TR	0.0064	0.0021	0.01	mg/L	1 J
SWB-6	12/1/2004 Total Cyanide	=	0.016	0.0028	0.01	mg/L	1
SWB-6	3/7/2005 Total Cyanide	<		0.0028	0.01	mg/L	1
SWB-6	6/1/2005 Total Cyanide	<		0.0024	0.01	mg/L	1 R
SWB-6	12/2/2005 Total Cyanide	=	0.083	0.0024	0.01	MG/L	1
SWB-6	3/1/2006 Total Cyanide	=	0.011	0.0024	0.01	MG/L	1
SWB-6	6/1/2006 Total Cyanide	<		0.0024	0.01	MG/L	1
SWB-6	12/5/2006 Total Cyanide	TR	0.0031	0.0024	0.01	MG/L	1 J
SWB-6	3/2/2007 Total Cyanide	=				MG/L	1 R
SWB-6	6/9/2008 Total Cyanide	=	0.024	0.0024	0.01	MG/L	1
SWB-6	3/6/2008 Total Cyanide	=	0.011	0.0024	0.01	MG/L	1
SWB-6	12/5/2008 Total Cyanide	<		0.0024	0.01	MG/L	1 R
SWB-6	3/2/2009 Total Cyanide	<		0.0024	0.01	MG/L	1 R
SWB-6	6/5/2009 Total Cyanide	TR	0.0086	0.0024	0.01	MG/L	1 J
SWB-6	3/2/2010 Total Cyanide	<		0.0024	0.01	MG/L	1 R
SWB-6	6/2/2010 TOTAL CYANIDE	TR	0.003	0.002	0.01	MG/L	1 J
SWB-7	3/4/2003 Total Cyanide	=	0.014	0.0021	0.01	mg/L	1
SWB-7	6/3/2003 Total Cyanide	TR	0.098	0.021	0.1	mg/L	10 J
SWB-7	3/1/2004 Total Cyanide	<		0.0021	0.01	mg/L	1 R

tmpAnalyticalResultsOverTime

SWB-7	5/24/2004 Total Cyanide	TR	0.0046	0.0021	0.01	mg/L	1	J
SWB-7	12/1/2004 Total Cyanide	TR	0.003	0.0028	0.01	mg/L	1	J
SWB-7	3/7/2005 Total Cyanide	TR	0.003	0.0028	0.01	mg/L	1	J
SWB-7	6/1/2005 Total Cyanide	TR	0.0048	0.0024	0.01	mg/L	1	J
SWB-7	9/1/2005 Total Cyanide	TR	0.0048	0.0024	0.01	MG/L	1	J
SWB-7	12/1/2005 Total Cyanide	=	0.012	0.0024	0.01	MG/L	1	
SWB-7	3/1/2006 Total Cyanide	<		0.0024	0.01	MG/L	1	
SWB-7	6/2/2006 Total Cyanide	TR	0.005	0.0024	0.01	MG/L	1	J
SWB-7	9/5/2006 Total Cyanide	TR	0.0058	0.0024	0.01	MG/L	1	J
SWB-7	12/5/2006 Total Cyanide	<		0.0024	0.01	MG/L	1	UJ
SWB-7	3/2/2007 Total Cyanide	<				MG/L	1	R
SWB-7	6/1/2007 Total Cyanide	<		0.0024	0.01	MG/L	1	
SWB-7	9/7/2007 Total Cyanide	<		0.0024	0.01	MG/L	1	
SWB-7	12/3/2007 Total Cyanide	<		0.0024	0.01	MG/L	1	R
SWB-7	3/6/2008 Total Cyanide	<		0.0024	0.01	MG/L	1	
SWB-7	6/6/2008 Total Cyanide	<	0.01	0.0024	0.01	MG/L	1	U
SWB-7	9/8/2008 Total Cyanide	<	0.01	0.0024	0.01	MG/L	1	UJ
SWB-7	12/5/2008 Total Cyanide	<		0.0024	0.01	MG/L	1	R
SWB-7	3/2/2009 Total Cyanide	<		0.0024	0.01	MG/L	1	R
SWB-7	6/5/2009 Total Cyanide	TR	0.0025	0.0024	0.01	MG/L	1	J
SWB-7	9/9/2009 Total Cyanide	TR	0.0027	0.0024	0.01	MG/L	1	J
SWB-7	12/1/2009 Total Cyanide	<		0.0024	0.01	MG/L	1	UJ
SWB-7	3/2/2010 Total Cyanide	<		0.0024	0.01	MG/L	1	R
SWB-7	6/1/2010 TOTAL CYANIDE	TR	0.0062	0.002	0.01	MG/L	1	R
SWB-7	9/9/2010 TOTAL CYANIDE	<	0.002	0.002	0.01	MG/L	1	
SWB-7	12/1/2010 TOTAL CYANIDE	TR	0.0048	0.002	0.01	MG/L	1	J
SWB-8	3/5/2004 Total Cyanide	=	0.34	0.0021	0.01	mg/L	1	J
SWB-8	3/7/2005 Total Cyanide	=	0.086	0.0028	0.01	mg/L	1	
SWB-8	6/1/2005 Total Cyanide	=	0.016	0.0024	0.01	mg/L	1	J
SWB-8	3/1/2006 Total Cyanide	=	1.6	0.024	0.1	MG/L	10	
SWB-8	3/7/2008 Total Cyanide	=	0.14	0.0024	0.01	MG/L	1	
SWB-8	3/3/2009 Total Cyanide	=	0.24	0.0024	0.01	MG/L	1	J
SWB-9	3/4/2003 Total Cyanide	<		0.0021	0.01	mg/L	1	
SWB-9	12/3/2003 Total Cyanide	<		0.0021	0.01	mg/L	1	
SWB-9	3/5/2004 Total Cyanide	<		0.0021	0.01	mg/L	1	R
SWB-9	5/27/2004 Total Cyanide	=	0.026	0.0021	0.01	mg/L	1	J
SWB-9	12/1/2004 Total Cyanide	TR	0.0033	0.0028	0.01	mg/L	1	
SWB-9	3/3/2005 Total Cyanide	=	0.019	0.0028	0.01	mg/L	1	
SWB-9	6/2/2005 Total Cyanide	<		0.0024	0.01	mg/L	1	R
SWB-9	9/1/2005 Total Cyanide	=	0.037	0.0024	0.01	MG/L	1	J
SWB-9	12/1/2005 Total Cyanide	<		0.0024	0.01	MG/L	1	
SWB-9	3/2/2006 Total Cyanide	<		0.0024	0.01	MG/L	1	
SWB-9	6/1/2006 Total Cyanide	TR	0.0028	0.0024	0.01	MG/L	1	J
SWB-9	12/4/2006 Total Cyanide	<		0.12	0.5	MG/L	50	UJ
SWB-9	3/5/2007 Total Cyanide	<				MG/L	1	R
SWB-9	3/6/2008 Total Cyanide	<		0.0024	0.01	MG/L	1	
SWB-9	6/5/2008 Total Cyanide	TR	0.0079	0.0024	0.01	MG/L	1	J
SWB-9	12/5/2008 Total Cyanide	<		0.0024	0.01	MG/L	1	R
SWB-9	3/2/2009 Total Cyanide	<		0.0024	0.01	MG/L	1	R
SWB-9	6/2/2009 Total Cyanide	TR	0.0051	0.0024	0.01	MG/L	1	J
SWB-9	3/1/2010 Total Cyanide	TR	0.0028	0.0024	0.01	mg/L	1	J
SWB-9	6/1/2010 TOTAL CYANIDE	TR	0.0051	0.002	0.01	MG/L	1	R
SWB-9	12/1/2010 TOTAL CYANIDE	<	0.002	0.002	0.01	MG/L	1	UJ
SWB-10	3/4/2004 Total Uranium	=	3.53		0.31	0.36 ug/L	1	NA
SWB-10	5/24/2004 Total Uranium	=	3.79		0.31	0.39 ug/L	1	
SWB-10	12/1/2004 Total Uranium	=	6.21		0.31	0.64 ug/L	1	
SWB-10	3/3/2005 Total Uranium	=	6.13		1.2	0.65 ug/L	4	J

tmpAnalyticalResultsOverTime

SWB-10	6/2/2005 Total Uranium	=	10.4		0.3	1.1 ug/L	1	J
SWB-10	9/1/2005 Total Uranium	=	5.62		0.62	0.63 ug/L	2	J
SWB-10	3/2/2006 Total Uranium	=	12.2		0.3	1.2 UG/L	1	
SWB-10	6/2/2006 TOTAL URANIUM	=	47.4		0.3	5.6 UG/L	1	
SWB-11	3/4/2004 Total Uranium	=	21.1		0.3	2.5 ug/L	1	
SWB-11	5/24/2004 Total Uranium	=	6.08		0.31	0.73 ug/L	1	J
SWB-11	12/1/2004 Total Uranium	=	23.4		0.3	2.8 ug/L	1	
SWB-11	3/1/2005 Total Uranium	=	26.8		0.3	3.2 ug/L	1	J
SWB-11	6/2/2005 Total Uranium	=	49.6		0.3	6.4 ug/L	1	J
SWB-11	3/2/2006 Total Uranium	=	50.9		0.3	6.1 UG/L	1	
SWB-11	6/1/2006 TOTAL URANIUM	=	143		0.3	17 UG/L	1	
SWB-2	6/21/2000 TOTAL URANIUM	=	486	0.02	0.02	ug/L		
SWB-3	6/21/2000 TOTAL URANIUM	=	94.6	0.02	0.02	ug/L	1	
SWB-3	10/29/2002 Total Uranium	=	29.7		1	3.4 ug/L	1	
SWB-3	3/4/2003 Total Uranium	=	30.8		1	1 ug/L	1	
SWB-3	6/3/2003 Total Uranium	<	0.685		1	0.0088 ug/L	1	U
SWB-3	9/4/2003 Total Uranium	=	8.24		1	0.11 ug/L	1	J
SWB-3	12/2/2003 Total Uranium	<	0.415		1	0.043 ug/L	1	UJ
SWB-3	3/1/2004 Total Uranium	=	1		0.31	0.1 ug/L	1	
SWB-3	6/1/2004 Total Uranium	=	0.563		0.31	0.061 ug/L	1	J
SWB-3	9/1/2004 Total Uranium	=	28.9		1.5	3 ug/L	5	
SWB-3	12/1/2004 Total Uranium	=	26.1		0.3	3.1 ug/L	1	
SWB-3	3/3/2005 Total Uranium	=	40		0.3	4.8 ug/L	1	J
SWB-3	6/2/2005 Total Uranium	=	37.7		3.1	4.1 ug/L	10	J
SWB-3	9/1/2005 Total Uranium	=	51.1		0.3	6.1 ug/L	1	J
SWB-3	12/1/2005 Total Uranium	=	0.449		0.008	0.055 ug/L	1	
SWB-3	3/2/2006 Total Uranium	=	56.3		0.3	6.7 UG/L	1	
SWB-3	6/2/2006 TOTAL URANIUM	=	71.2		0.3	8.4 UG/L	1	
SWB-3	9/5/2006 Total Uranium	=	201		3	24 UG/L	1	
SWB-3	9/9/2010 TOTAL URANIUM	=	0.036	0.0002	0.01	MG/L	10	
SWB-4	11/15/2002 Total Uranium	=	3.99		1	0.4 ug/L	1	
SWB-5	10/29/2002 Total Uranium	=	52.3		1	6.3 ug/L	4	
SWB-6	3/4/2003 Total Uranium	=	45.3		1	1.4 ug/L	1	
SWB-6	6/3/2003 Total Uranium	<	0.767		1	0.0099 ug/L	1	U
SWB-6	12/3/2003 Total Uranium	=	8.15		1	0.84 ug/L	1	J
SWB-6	3/5/2004 Total Uranium	=	7.95		0.31	0.82 ug/L	1	
SWB-6	6/1/2004 Total Uranium	=	7.17		0.31	0.74 ug/L	1	J
SWB-6	12/1/2004 Total Uranium	=	114		0.3	14 ug/L	1	
SWB-6	3/7/2005 Total Uranium	=	41.2		0.3	4.9 ug/L	1	J
SWB-6	6/1/2005 Total Uranium	<	0.138		0.31	0.018 ug/L	1	UJ
SWB-6	12/2/2005 Total Uranium	=	1.11		0.04	0.11 UG/L	1	
SWB-6	3/1/2006 Total Uranium	=	57		0.6	6.8 UG/L	1	
SWB-6	6/1/2006 TOTAL URANIUM	=	97		0.6	11 UG/L	1	J
SWB-7	3/4/2003 Total Uranium	=	3.21		1	0.035 ug/L	1	
SWB-7	6/3/2003 Total Uranium	<	0.796		1	0.00997 ug/L	1	U
SWB-7	3/1/2004 Total Uranium	<	0.277		0.31	0.03 ug/L	1	U
SWB-7	5/24/2004 Total Uranium	=	9.59		0.31	0.99 ug/L	1	J
SWB-7	12/1/2004 Total Uranium	=	8.17		0.31	0.84 ug/L	1	
SWB-7	3/7/2005 Total Uranium	=	10.7		0.3	1.1 ug/L	1	J
SWB-7	6/1/2005 Total Uranium	=	13		0.3	1.7 ug/L	1	J
SWB-7	9/1/2005 Total Uranium	=	29.4		0.3	3.5 ug/L	1	J
SWB-7	12/1/2005 Total Uranium	=	0.183		0.008	0.019 ug/L	1	J
SWB-7	3/1/2006 Total Uranium	=	10.6		0.6	1.1 UG/L	1	
SWB-7	6/2/2006 TOTAL URANIUM	=	37.3		0.3	4.4 UG/L	1	
SWB-7	9/5/2006 Total Uranium	=	34.3		3.1	3.5 UG/L	1	
SWB-7	9/9/2010 TOTAL URANIUM	=	0.013	0.0002	0.01	MG/L	10	
SWB-8	3/5/2004 Total Uranium	=	3.58		0.31	0.37 ug/L	1	

tmpAnalyticalResultsOverTime

SWB-8	3/7/2005	Total Uranium	=	0.624		0.31	0.068 ug/L		1	J	
SWB-8	6/1/2005	Total Uranium	=	1.1		0.31	0.13 ug/L		1	J	
SWB-8	3/1/2006	Total Uranium	=	7.28		3.1	0.78 UG/L		1	J	
SWB-9	3/4/2003	Total Uranium	=	7.2		1	0.084 ug/L		1		
SWB-9	12/3/2003	Total Uranium	<	0.899		1	0.098 ug/L		1	UJ	
SWB-9	3/5/2004	Total Uranium	=	10.8		0.3	1.3 ug/L		1		
SWB-9	5/27/2004	Total Uranium	=	1.81		0.31	0.19 ug/L		1	J	
SWB-9	12/1/2004	Total Uranium	=	29.7		0.3	3.5 ug/L		1		
SWB-9	3/3/2005	Total Uranium	=	39.2		0.3	4.7 ug/L		1	J	
SWB-9	6/2/2005	Total Uranium	=	47.4		3.1	5.1 ug/L		10	J	
SWB-9	9/1/2005	Total Uranium	=	174		31	18 ug/L		100	J	
SWB-9	12/1/2005	Total Uranium	<	0.0049		0.0078	0.0021 ug/L		1	U	
SWB-9	3/2/2006	Total Uranium	=	79.5		0.3	9.5 UG/L		1		
SWB-9	6/1/2006	TOTAL URANIUM	=	140		0.3	16 UG/L		1		
SWB-10	3/4/2004	trans-1,2-Dichloroethene	<		0.15	1	ug/L		1		NA
SWB-10	5/24/2004	trans-1,2-Dichloroethene	<		0.15	1	ug/L		1		
SWB-10	12/1/2004	trans-1,2-Dichloroethene	<		0.15	1	ug/L		1		
SWB-10	3/3/2005	trans-1,2-Dichloroethene	<		0.17	1	ug/L		1		
SWB-10	6/2/2005	trans-1,2-Dichloroethene	<		0.15	1	ug/L		1		
SWB-10	9/1/2005	trans-1,2-Dichloroethene	<		0.15	1	ug/L		1		
SWB-10	3/2/2006	trans-1,2-Dichloroethene	<		0.6	4	UG/L		4		
SWB-10	6/2/2006	trans-1,2-Dichloroethene	<		0.15	1	UG/L		1		
SWB-10	3/1/2007	trans-1,2-Dichloroethene	<		0.15	1	UG/L		1		
SWB-10	3/7/2008	trans-1,2-Dichloroethene	<		0.15	1	UG/L		1		
SWB-10	6/5/2008	trans-1,2-Dichloroethene	<		0.15	1	UG/L		1		
SWB-10	3/2/2009	trans-1,2-Dichloroethene	<		0.15	1	UG/L		1		
SWB-10	6/4/2009	trans-1,2-Dichloroethene	<		0.15	1	UG/L		1		
SWB-10	3/2/2010	trans-1,2-Dichloroethene	<	1	0.15	1	UG/L		1		
SWB-11	3/4/2004	trans-1,2-Dichloroethene	<		0.15	1	ug/L		1		
SWB-11	5/24/2004	trans-1,2-Dichloroethene	<		0.15	1	ug/L		1		
SWB-11	12/1/2004	trans-1,2-Dichloroethene	<		0.15	1	ug/L		1		
SWB-11	3/1/2005	trans-1,2-Dichloroethene	<		0.17	1	ug/L		1		
SWB-11	6/2/2005	trans-1,2-Dichloroethene	<		0.15	1	ug/L		1		
SWB-11	3/2/2006	trans-1,2-Dichloroethene	<		1.5	10	UG/L		10		
SWB-11	6/1/2006	trans-1,2-Dichloroethene	<		0.15	1	UG/L		1		
SWB-11	3/1/2007	trans-1,2-Dichloroethene	<		0.15	1	UG/L		1		
SWB-11	3/7/2008	trans-1,2-Dichloroethene	<		0.15	1	UG/L		1		
SWB-11	6/5/2008	trans-1,2-Dichloroethene	<		0.15	1	UG/L		1		
SWB-11	3/2/2009	trans-1,2-Dichloroethene	<		0.15	1	UG/L		1		
SWB-11	6/4/2009	trans-1,2-Dichloroethene	<		0.15	1	UG/L		1		
SWB-11	3/1/2010	trans-1,2-Dichloroethene	<	1	0.15	1	ug/L		1		
SWB-11	6/2/2010	trans-1,2-DICHLOROETHENE	<	0.15	0.15	1	UG/L		1		
SWB-3	10/29/2002	trans-1,2-Dichloroethene	<		0.25	0.5	ug/L		1		
SWB-3	3/4/2003	trans-1,2-Dichloroethene	<		0.15	0.5	ug/L		1		
SWB-3	6/3/2003	trans-1,2-Dichloroethene	<		0.15	0.5	ug/L		1		
SWB-3	9/4/2003	trans-1,2-Dichloroethene	<		0.15	1	ug/L		1	UJ	
SWB-3	12/2/2003	trans-1,2-Dichloroethene	<		0.15	1	ug/L		1		
SWB-3	3/1/2004	trans-1,2-Dichloroethene	<		0.15	1	ug/L		1		
SWB-3	6/1/2004	trans-1,2-Dichloroethene	<		0.15	1	ug/L		1		
SWB-3	9/1/2004	trans-1,2-Dichloroethene	<		0.15	1	ug/L		1		
SWB-3	12/1/2004	trans-1,2-Dichloroethene	<		0.25	1.7	ug/L		1.66		
SWB-3	3/3/2005	trans-1,2-Dichloroethene	<		0.17	1	ug/L		1		
SWB-3	6/2/2005	trans-1,2-Dichloroethene	<		0.15	1	ug/L		1		
SWB-3	9/1/2005	trans-1,2-Dichloroethene	<		0.15	1	ug/L		1		
SWB-3	12/1/2005	trans-1,2-Dichloroethene	<		0.3	2	UG/L		2		
SWB-3	3/2/2006	trans-1,2-Dichloroethene	<		0.6	4	UG/L		4		
SWB-3	6/2/2006	trans-1,2-Dichloroethene	<		0.15	1	UG/L		1		

tmpAnalyticalResultsOverTime

SWB-3	9/5/2006	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-3	12/4/2006	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-3	3/1/2007	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-3	6/1/2007	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-3	12/3/2007	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-3	3/6/2008	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-3	6/9/2008	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-3	12/4/2008	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-3	3/2/2009	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-3	6/4/2009	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-3	12/1/2009	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-3	3/1/2010	trans-1,2-Dichloroethene	<	1	1	ug/L	1
SWB-3	3/1/2010	trans-1,2-Dichloroethene	<	2	2	ug/L	1 DNR
SWB-3	6/1/2010	trans-1,2-DICHLOROETHENE	<	0.15	0.15	1	UG/L 1 DNR
SWB-3	6/1/2010	trans-1,2-DICHLOROETHENE	<	0.6	0.6	4	UG/L 1 UJ
SWB-3	9/9/2010	trans-1,2-DICHLOROETHENE	<	0.15	0.15	1	UG/L 1 UJ
SWB-4	11/15/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
SWB-5	10/29/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
SWB-6	3/4/2003	trans-1,2-Dichloroethene	<	0.15	0.5	ug/L	1
SWB-6	6/3/2003	trans-1,2-Dichloroethene	<	0.3	1	ug/L	2
SWB-6	12/3/2003	trans-1,2-Dichloroethene	<	0.3	2	ug/L	2
SWB-6	3/5/2004	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
SWB-6	6/1/2004	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
SWB-6	12/1/2004	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
SWB-6	3/7/2005	trans-1,2-Dichloroethene	<	0.17	1	ug/L	1
SWB-6	6/1/2005	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
SWB-6	12/2/2005	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-6	3/1/2006	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-6	6/1/2006	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-6	12/5/2006	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-6	3/2/2007	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-6	6/9/2008	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-6	3/6/2008	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-6	12/5/2008	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-6	3/2/2009	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-6	6/5/2009	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-6	3/2/2010	trans-1,2-Dichloroethene	<	1	1	UG/L	1
SWB-6	6/2/2010	trans-1,2-DICHLOROETHENE	<	0.15	0.15	1	UG/L 1 UJ
SWB-7	3/4/2003	trans-1,2-Dichloroethene	<	0.15	0.5	ug/L	1
SWB-7	6/3/2003	trans-1,2-Dichloroethene	<	0.15	0.5	ug/L	1
SWB-7	3/1/2004	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
SWB-7	5/24/2004	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
SWB-7	12/1/2004	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
SWB-7	3/7/2005	trans-1,2-Dichloroethene	<	0.17	1	ug/L	1
SWB-7	6/1/2005	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
SWB-7	9/1/2005	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
SWB-7	12/1/2005	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-7	3/1/2006	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-7	6/2/2006	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-7	9/5/2006	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-7	12/5/2006	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-7	3/2/2007	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-7	6/1/2007	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-7	9/7/2007	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-7	12/3/2007	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-7	3/6/2008	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1
SWB-7	6/6/2008	trans-1,2-Dichloroethene	<	0.15	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	9/8/2008	trans-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-7	12/5/2008	trans-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-7	3/2/2009	trans-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-7	6/5/2009	trans-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-7	9/9/2009	trans-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-7	12/1/2009	trans-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-7	3/2/2010	trans-1,2-Dichloroethene	<	1	0.15	1	UG/L	1	
SWB-7	6/1/2010	trans-1,2-DICHLOROETHENE	<	0.15	0.15	1	UG/L	1	DNR
SWB-7	6/1/2010	trans-1,2-DICHLOROETHENE	<	0.6	0.6	4	UG/L	1	UJ
SWB-7	9/9/2010	trans-1,2-DICHLOROETHENE	<	0.15	0.15	1	UG/L	1	UJ
SWB-7	12/1/2010	trans-1,2-DICHLOROETHENE	<	0.15	0.15	1	UG/L	1	
SWB-8	3/5/2004	trans-1,2-Dichloroethene	<		0.15	1	ug/L	1	
SWB-8	3/7/2005	trans-1,2-Dichloroethene	<		0.17	1	ug/L	1	
SWB-8	6/1/2005	trans-1,2-Dichloroethene	<		0.15	1	ug/L	1	
SWB-8	3/1/2006	trans-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-8	3/7/2008	trans-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-8	3/3/2009	trans-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-9	3/4/2003	trans-1,2-Dichloroethene	<		0.15	0.5	ug/L	1	
SWB-9	12/3/2003	trans-1,2-Dichloroethene	<		0.3	2	ug/L	2	
SWB-9	3/5/2004	trans-1,2-Dichloroethene	<		0.15	1	ug/L	1	
SWB-9	5/27/2004	trans-1,2-Dichloroethene	<		0.15	1	ug/L	1	
SWB-9	12/1/2004	trans-1,2-Dichloroethene	<		0.15	1	ug/L	1	
SWB-9	3/3/2005	trans-1,2-Dichloroethene	<		0.17	1	ug/L	1	
SWB-9	6/2/2005	trans-1,2-Dichloroethene	<		0.15	1	ug/L	1	
SWB-9	9/1/2005	trans-1,2-Dichloroethene	<		0.15	1	ug/L	1	UJ
SWB-9	12/1/2005	trans-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-9	3/2/2006	trans-1,2-Dichloroethene	<		0.6	4	UG/L	4	
SWB-9	6/1/2006	trans-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-9	12/4/2006	trans-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-9	3/5/2007	trans-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-9	3/6/2008	trans-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-9	6/5/2008	trans-1,2-Dichloroethene	<		0.15	1	UG/L	1	R
SWB-9	12/5/2008	trans-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-9	3/2/2009	trans-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-9	6/2/2009	trans-1,2-Dichloroethene	<		0.15	1	UG/L	1	
SWB-9	3/1/2010	trans-1,2-Dichloroethene	<	1	0.15	1	ug/L	1	
SWB-9	6/1/2010	trans-1,2-DICHLOROETHENE	<	0.15	0.15	1	UG/L	1	DNR
SWB-9	6/1/2010	trans-1,2-DICHLOROETHENE	<	0.6	0.6	4	UG/L	1	UJ
SWB-9	12/1/2010	trans-1,2-DICHLOROETHENE	<	0.15	0.15	1	UG/L	1	
SWB-10	3/4/2004	trans-1,3-Dichloropropene	<		0.2	1	ug/L	1	NA
SWB-10	5/24/2004	trans-1,3-Dichloropropene	<		0.2	1	ug/L	1	
SWB-10	12/1/2004	trans-1,3-Dichloropropene	<		0.2	1	ug/L	1	
SWB-10	3/3/2005	trans-1,3-Dichloropropene	<		0.15	1	ug/L	1	
SWB-10	6/2/2005	trans-1,3-Dichloropropene	<		0.19	1	ug/L	1	
SWB-10	9/1/2005	trans-1,3-Dichloropropene	<		0.19	1	ug/L	1	
SWB-10	3/2/2006	trans-1,3-Dichloropropene	<		0.76	4	UG/L	4	
SWB-10	6/2/2006	trans-1,3-Dichloropropene	<		0.8	1	UG/L	1	
SWB-10	3/1/2007	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1	
SWB-10	3/7/2008	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1	
SWB-10	6/5/2008	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1	
SWB-10	3/2/2009	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1	
SWB-10	6/4/2009	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1	
SWB-10	3/2/2010	trans-1,3-Dichloropropene	<	3	0.19	3	UG/L	1	
SWB-11	3/4/2004	trans-1,3-Dichloropropene	<		0.2	1	ug/L	1	
SWB-11	5/24/2004	trans-1,3-Dichloropropene	<		0.2	1	ug/L	1	
SWB-11	12/1/2004	trans-1,3-Dichloropropene	<		0.2	1	ug/L	1	
SWB-11	3/1/2005	trans-1,3-Dichloropropene	<		0.15	1	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-11	6/2/2005	trans-1,3-Dichloropropene	<		0.19	1	ug/L	1
SWB-11	3/2/2006	trans-1,3-Dichloropropene	<		1.9	10	UG/L	10
SWB-11	6/1/2006	trans-1,3-Dichloropropene	<		0.8	1	UG/L	1
SWB-11	3/1/2007	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1
SWB-11	3/7/2008	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1
SWB-11	6/5/2008	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1
SWB-11	3/2/2009	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1
SWB-11	6/4/2009	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1
SWB-11	3/1/2010	trans-1,3-Dichloropropene	<	3	0.19	3	ug/L	1
SWB-11	6/2/2010	trans-1,3-DICHLOROPROPENE	<	0.19	0.19	3	UG/L	1
SWB-3	10/29/2002	trans-1,3-Dichloropropene	<		0.36	1	ug/L	1
SWB-3	3/4/2003	trans-1,3-Dichloropropene	<		0.2	1	ug/L	1
SWB-3	6/3/2003	trans-1,3-Dichloropropene	<		0.2	1	ug/L	1
SWB-3	9/4/2003	trans-1,3-Dichloropropene	<		0.2	1	ug/L	1 UJ
SWB-3	12/2/2003	trans-1,3-Dichloropropene	<		0.2	1	ug/L	1
SWB-3	3/1/2004	trans-1,3-Dichloropropene	<		0.2	1	ug/L	1
SWB-3	6/1/2004	trans-1,3-Dichloropropene	<		0.2	1	ug/L	1
SWB-3	9/1/2004	trans-1,3-Dichloropropene	<		0.2	1	ug/L	1
SWB-3	12/1/2004	trans-1,3-Dichloropropene	<		0.33	1.7	ug/L	1.66
SWB-3	3/3/2005	trans-1,3-Dichloropropene	<		0.15	1	ug/L	1
SWB-3	6/2/2005	trans-1,3-Dichloropropene	<		0.19	1	ug/L	1
SWB-3	9/1/2005	trans-1,3-Dichloropropene	<		0.19	1	ug/L	1
SWB-3	12/1/2005	trans-1,3-Dichloropropene	<		0.38	2	UG/L	2
SWB-3	3/2/2006	trans-1,3-Dichloropropene	<		0.76	4	UG/L	4
SWB-3	6/2/2006	trans-1,3-Dichloropropene	<		0.8	1	UG/L	1
SWB-3	9/5/2006	trans-1,3-Dichloropropene	<		0.8	3	UG/L	1
SWB-3	12/4/2006	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1
SWB-3	3/1/2007	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1
SWB-3	6/1/2007	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1
SWB-3	12/3/2007	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1
SWB-3	3/6/2008	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1
SWB-3	6/9/2008	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1
SWB-3	12/4/2008	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1
SWB-3	3/2/2009	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1
SWB-3	6/4/2009	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1
SWB-3	12/1/2009	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1
SWB-3	3/1/2010	trans-1,3-Dichloropropene	<	3	0.19	3	ug/L	1
SWB-3	3/1/2010	trans-1,3-Dichloropropene	<	6	0.38	6	ug/L	1 DNR
SWB-3	6/1/2010	trans-1,3-DICHLOROPROPENE	<	0.19	0.19	3	UG/L	1 DNR
SWB-3	6/1/2010	trans-1,3-DICHLOROPROPENE	<	0.76	0.76	12	UG/L	1
SWB-3	9/9/2010	trans-1,3-DICHLOROPROPENE	<	0.19	0.19	3	UG/L	1 UJ
SWB-4	11/15/2002	trans-1,3-Dichloropropene	<		0.36	1	ug/L	1
SWB-5	10/29/2002	trans-1,3-Dichloropropene	<		0.36	1	ug/L	1
SWB-6	3/4/2003	trans-1,3-Dichloropropene	<		0.2	1	ug/L	1
SWB-6	6/3/2003	trans-1,3-Dichloropropene	<		0.4	2	ug/L	2
SWB-6	12/3/2003	trans-1,3-Dichloropropene	<		0.4	2	ug/L	2
SWB-6	3/5/2004	trans-1,3-Dichloropropene	<		0.2	1	ug/L	1
SWB-6	6/1/2004	trans-1,3-Dichloropropene	<		0.2	1	ug/L	1
SWB-6	12/1/2004	trans-1,3-Dichloropropene	<		0.2	1	ug/L	1
SWB-6	3/7/2005	trans-1,3-Dichloropropene	<		0.15	1	ug/L	1
SWB-6	6/1/2005	trans-1,3-Dichloropropene	<		0.19	1	ug/L	1
SWB-6	12/2/2005	trans-1,3-Dichloropropene	<		0.19	1	UG/L	1
SWB-6	3/1/2006	trans-1,3-Dichloropropene	<		0.19	1	UG/L	1
SWB-6	6/1/2006	trans-1,3-Dichloropropene	<		0.8	1	UG/L	1
SWB-6	12/5/2006	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1
SWB-6	3/2/2007	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1
SWB-6	6/9/2008	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1



tmpAnalyticalResultsOverTime

SWB-6	3/6/2008	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-6	12/5/2008	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-6	3/2/2009	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-6	6/5/2009	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-6	3/2/2010	trans-1,3-Dichloropropene	<	3	0.19	3	UG/L	1
SWB-6	6/2/2010	trans-1,3-DICHLOROPROPENE	<	0.19	0.19	3	UG/L	1
SWB-7	3/4/2003	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
SWB-7	6/3/2003	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
SWB-7	3/1/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
SWB-7	5/24/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
SWB-7	12/1/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
SWB-7	3/7/2005	trans-1,3-Dichloropropene	<	0.15	1	ug/L	1	
SWB-7	6/1/2005	trans-1,3-Dichloropropene	<	0.19	1	ug/L	1	
SWB-7	9/1/2005	trans-1,3-Dichloropropene	<	0.19	1	ug/L	1	
SWB-7	12/1/2005	trans-1,3-Dichloropropene	<	0.19	1	UG/L	1	
SWB-7	3/1/2006	trans-1,3-Dichloropropene	<	0.19	1	UG/L	1	
SWB-7	6/2/2006	trans-1,3-Dichloropropene	<	0.8	1	UG/L	1	
SWB-7	9/5/2006	trans-1,3-Dichloropropene	<	0.8	3	UG/L	1	
SWB-7	12/5/2006	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-7	3/2/2007	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-7	6/1/2007	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-7	9/7/2007	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-7	12/3/2007	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-7	3/6/2008	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-7	6/6/2008	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-7	9/8/2008	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-7	12/5/2008	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-7	3/2/2009	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-7	6/5/2009	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-7	9/9/2009	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-7	12/1/2009	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-7	3/2/2010	trans-1,3-Dichloropropene	<	3	0.19	3	UG/L	1
SWB-7	6/1/2010	trans-1,3-DICHLOROPROPENE	<	0.19	0.19	3	UG/L	1 DNR
SWB-7	6/1/2010	trans-1,3-DICHLOROPROPENE	<	0.76	0.76	12	UG/L	1
SWB-7	9/9/2010	trans-1,3-DICHLOROPROPENE	<	0.19	0.19	3	UG/L	1 UJ
SWB-7	12/1/2010	trans-1,3-DICHLOROPROPENE	<	0.19	0.19	3	UG/L	1
SWB-8	3/5/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
SWB-8	3/7/2005	trans-1,3-Dichloropropene	<	0.15	1	ug/L	1	
SWB-8	6/1/2005	trans-1,3-Dichloropropene	<	0.19	1	ug/L	1	
SWB-8	3/1/2006	trans-1,3-Dichloropropene	<	0.19	1	UG/L	1	
SWB-8	3/7/2008	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-8	3/3/2009	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-9	3/4/2003	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
SWB-9	12/3/2003	trans-1,3-Dichloropropene	<	0.4	2	ug/L	2	
SWB-9	3/5/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
SWB-9	5/27/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
SWB-9	12/1/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
SWB-9	3/3/2005	trans-1,3-Dichloropropene	<	0.15	1	ug/L	1	
SWB-9	6/2/2005	trans-1,3-Dichloropropene	<	0.19	1	ug/L	1	
SWB-9	9/1/2005	trans-1,3-Dichloropropene	<	0.19	1	ug/L	1 UJ	
SWB-9	12/1/2005	trans-1,3-Dichloropropene	<	0.19	1	UG/L	1	
SWB-9	3/2/2006	trans-1,3-Dichloropropene	<	0.76	4	UG/L	4	
SWB-9	6/1/2006	trans-1,3-Dichloropropene	<	0.8	1	UG/L	1	
SWB-9	12/4/2006	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-9	3/5/2007	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-9	3/6/2008	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1	
SWB-9	6/5/2008	trans-1,3-Dichloropropene	<	0.19	3	UG/L	1 R	

tmpAnalyticalResultsOverTime

SWB-9	12/5/2008	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1	
SWB-9	3/2/2009	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1	
SWB-9	6/2/2009	trans-1,3-Dichloropropene	<		0.19	3	UG/L	1	
SWB-9	3/1/2010	trans-1,3-Dichloropropene	<	3	0.19	3	ug/L	1	
SWB-9	6/1/2010	trans-1,3-DICHLOROPROPENE	<	0.19	0.19	3	UG/L	1	DNR
SWB-9	6/1/2010	trans-1,3-DICHLOROPROPENE	<	0.76	0.76	12	UG/L	1	
SWB-9	12/1/2010	trans-1,3-DICHLOROPROPENE	<	0.19	0.19	3	UG/L	1	
SWB-10	3/4/2004	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1	NA
SWB-10	5/24/2004	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1	
SWB-10	12/1/2004	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1	
SWB-10	3/3/2005	trans-1,4-Dichloro-2-butene	<		0.29	1	ug/L	1	
SWB-10	6/2/2005	trans-1,4-Dichloro-2-butene	<		0.29	1	ug/L	1	
SWB-10	9/1/2005	trans-1,4-Dichloro-2-butene	<		0.29	1	ug/L	1	
SWB-10	3/2/2006	trans-1,4-Dichloro-2-butene	<		1.2	4	UG/L	4	
SWB-10	6/2/2006	trans-1,4-Dichloro-2-butene	<		0.8	1	UG/L	1	
SWB-10	3/1/2007	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-10	3/7/2008	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-10	6/5/2008	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-10	3/2/2009	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-10	6/4/2009	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-10	3/2/2010	trans-1,4-Dichloro-2-butene	<	3	0.8	3	UG/L	1	
SWB-11	3/4/2004	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1	
SWB-11	5/24/2004	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1	
SWB-11	12/1/2004	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1	
SWB-11	3/1/2005	trans-1,4-Dichloro-2-butene	<		0.29	1	ug/L	1	
SWB-11	6/2/2005	trans-1,4-Dichloro-2-butene	<		0.29	1	ug/L	1	
SWB-11	3/2/2006	trans-1,4-Dichloro-2-butene	<		2.9	10	UG/L	10	
SWB-11	6/1/2006	trans-1,4-Dichloro-2-butene	<		0.8	1	UG/L	1	
SWB-11	3/1/2007	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-11	3/7/2008	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-11	6/5/2008	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-11	3/2/2009	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-11	6/4/2009	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-11	3/1/2010	trans-1,4-Dichloro-2-butene	<	3	0.8	3	ug/L	1	
SWB-11	6/2/2010	trans-1,4-DICHLORO-2-BUTENE	<	0.8	0.8	3	UG/L	1	
SWB-3	10/29/2002	trans-1,4-Dichloro-2-butene	<		0.7	1	ug/L	1	
SWB-3	3/4/2003	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1	
SWB-3	6/3/2003	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1	
SWB-3	9/4/2003	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1	UJ
SWB-3	12/2/2003	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1	
SWB-3	3/1/2004	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1	
SWB-3	6/1/2004	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1	
SWB-3	9/1/2004	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1	
SWB-3	12/1/2004	trans-1,4-Dichloro-2-butene	<		0.75	1.7	ug/L	1.66	
SWB-3	3/3/2005	trans-1,4-Dichloro-2-butene	<		0.29	1	ug/L	1	
SWB-3	6/2/2005	trans-1,4-Dichloro-2-butene	<		0.29	1	ug/L	1	
SWB-3	9/1/2005	trans-1,4-Dichloro-2-butene	<		0.29	1	ug/L	1	
SWB-3	12/1/2005	trans-1,4-Dichloro-2-butene	<		0.58	2	UG/L	2	
SWB-3	3/2/2006	trans-1,4-Dichloro-2-butene	<		1.2	4	UG/L	4	
SWB-3	6/2/2006	trans-1,4-Dichloro-2-butene	<		0.8	1	UG/L	1	
SWB-3	9/5/2006	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-3	12/4/2006	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-3	3/1/2007	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-3	6/1/2007	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-3	12/3/2007	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-3	3/6/2008	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-3	6/9/2008	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	12/4/2008	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-3	3/2/2009	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-3	6/4/2009	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-3	12/1/2009	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-3	3/1/2010	trans-1,4-Dichloro-2-butene	<	3	0.8	3	ug/L	1
SWB-3	3/1/2010	trans-1,4-Dichloro-2-butene	<	6	1.6	6	ug/L	1 DNR
SWB-3	6/1/2010	trans-1,4-DICHLORO-2-BUTENE	<	0.8	0.8	3	UG/L	1 DNR
SWB-3	6/1/2010	trans-1,4-DICHLORO-2-BUTENE	<	3.2	3.2	12	UG/L	1
SWB-3	9/9/2010	trans-1,4-DICHLORO-2-BUTENE	<	0.8	0.8	3	UG/L	1
SWB-4	11/15/2002	trans-1,4-Dichloro-2-butene	<		0.7	1	ug/L	1
SWB-5	10/29/2002	trans-1,4-Dichloro-2-butene	<		0.7	1	ug/L	1
SWB-6	3/4/2003	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1
SWB-6	6/3/2003	trans-1,4-Dichloro-2-butene	<		0.9	2	ug/L	2
SWB-6	12/3/2003	trans-1,4-Dichloro-2-butene	<		0.9	2	ug/L	2
SWB-6	3/5/2004	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1
SWB-6	6/1/2004	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1
SWB-6	12/1/2004	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1
SWB-6	3/7/2005	trans-1,4-Dichloro-2-butene	<		0.29	1	ug/L	1
SWB-6	6/1/2005	trans-1,4-Dichloro-2-butene	<		0.29	1	ug/L	1
SWB-6	12/2/2005	trans-1,4-Dichloro-2-butene	<		0.29	1	UG/L	1
SWB-6	3/1/2006	trans-1,4-Dichloro-2-butene	<		0.29	1	UG/L	1
SWB-6	6/1/2006	trans-1,4-Dichloro-2-butene	<		0.8	1	UG/L	1
SWB-6	12/5/2006	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-6	3/2/2007	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-6	6/9/2008	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-6	3/6/2008	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-6	12/5/2008	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-6	3/2/2009	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-6	6/5/2009	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-6	3/2/2010	trans-1,4-Dichloro-2-butene	<	3	0.8	3	UG/L	1
SWB-6	6/2/2010	trans-1,4-DICHLORO-2-BUTENE	<	0.8	0.8	3	UG/L	1
SWB-7	3/4/2003	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1
SWB-7	6/3/2003	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1
SWB-7	3/1/2004	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1
SWB-7	5/24/2004	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1
SWB-7	12/1/2004	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1
SWB-7	3/7/2005	trans-1,4-Dichloro-2-butene	<		0.29	1	ug/L	1
SWB-7	6/1/2005	trans-1,4-Dichloro-2-butene	<		0.29	1	ug/L	1
SWB-7	9/1/2005	trans-1,4-Dichloro-2-butene	<		0.29	1	ug/L	1
SWB-7	12/1/2005	trans-1,4-Dichloro-2-butene	<		0.29	1	UG/L	1
SWB-7	3/1/2006	trans-1,4-Dichloro-2-butene	<		0.29	1	UG/L	1
SWB-7	6/2/2006	trans-1,4-Dichloro-2-butene	<		0.8	1	UG/L	1
SWB-7	9/5/2006	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-7	12/5/2006	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-7	3/2/2007	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-7	6/1/2007	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-7	9/7/2007	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-7	12/3/2007	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-7	3/6/2008	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-7	6/6/2008	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-7	9/8/2008	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-7	12/5/2008	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-7	3/2/2009	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-7	6/5/2009	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-7	9/9/2009	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-7	12/1/2009	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1
SWB-7	3/2/2010	trans-1,4-Dichloro-2-butene	<	3	0.8	3	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	6/1/2010	trans-1,4-DICHLORO-2-BUTENE	<	0.8	0.8	3	UG/L	1 DNR	
SWB-7	6/1/2010	trans-1,4-DICHLORO-2-BUTENE	<	3.2	3.2	12	UG/L	1	
SWB-7	9/9/2010	trans-1,4-DICHLORO-2-BUTENE	<	0.8	0.8	3	UG/L	1	
SWB-7	12/1/2010	trans-1,4-DICHLORO-2-BUTENE	<	0.8	0.8	3	UG/L	1	
SWB-8	3/5/2004	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1	
SWB-8	3/7/2005	trans-1,4-Dichloro-2-butene	<		0.29	1	ug/L	1	
SWB-8	6/1/2005	trans-1,4-Dichloro-2-butene	<		0.29	1	ug/L	1	
SWB-8	3/1/2006	trans-1,4-Dichloro-2-butene	<		0.29	1	UG/L	1	
SWB-8	3/7/2008	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-8	3/3/2009	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-9	3/4/2003	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1	
SWB-9	12/3/2003	trans-1,4-Dichloro-2-butene	<		0.9	2	ug/L	2	
SWB-9	3/5/2004	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1	
SWB-9	5/27/2004	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1	
SWB-9	12/1/2004	trans-1,4-Dichloro-2-butene	<		0.45	1	ug/L	1	
SWB-9	3/3/2005	trans-1,4-Dichloro-2-butene	<		0.29	1	ug/L	1	
SWB-9	6/2/2005	trans-1,4-Dichloro-2-butene	<		0.29	1	ug/L	1	
SWB-9	9/1/2005	trans-1,4-Dichloro-2-butene	<		0.29	1	ug/L	1 UJ	
SWB-9	12/1/2005	trans-1,4-Dichloro-2-butene	<		0.29	1	UG/L	1	
SWB-9	3/2/2006	trans-1,4-Dichloro-2-butene	<		1.2	4	UG/L	4	
SWB-9	6/1/2006	trans-1,4-Dichloro-2-butene	<		0.8	1	UG/L	1	
SWB-9	12/4/2006	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-9	3/5/2007	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-9	3/6/2008	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-9	6/5/2008	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1 R	
SWB-9	12/5/2008	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-9	3/2/2009	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1	
SWB-9	6/2/2009	trans-1,4-Dichloro-2-butene	<		0.8	3	UG/L	1 UJ	
SWB-9	3/1/2010	trans-1,4-Dichloro-2-butene	<	3	0.8	3	ug/L	1	
SWB-9	6/1/2010	trans-1,4-DICHLORO-2-BUTENE	<	0.8	0.8	3	UG/L	1 DNR	
SWB-9	6/1/2010	trans-1,4-DICHLORO-2-BUTENE	<	3.2	3.2	12	UG/L	1	
SWB-9	12/1/2010	trans-1,4-DICHLORO-2-BUTENE	<	0.8	0.8	3	UG/L	1	
SWB-10	3/4/2004	Trichloroethene	<		0.16	1	ug/L	1	0.047 mg/L
SWB-10	5/24/2004	Trichloroethene	<		0.16	1	ug/L	1	
SWB-10	12/1/2004	Trichloroethene	<		0.16	1	ug/L	1	
SWB-10	3/3/2005	Trichloroethene	<		0.19	1	ug/L	1	
SWB-10	6/2/2005	Trichloroethene	<		0.16	1	ug/L	1	
SWB-10	9/1/2005	Trichloroethene	<		0.16	1	ug/L	1	
SWB-10	3/2/2006	Trichloroethene	<		0.64	4	UG/L	4	
SWB-10	6/2/2006	Trichloroethene	<		0.16	1	UG/L	1	
SWB-10	3/1/2007	Trichloroethene	<		0.16	1	UG/L	1	
SWB-10	3/7/2008	Trichloroethene	<		0.16	1	UG/L	1	
SWB-10	6/5/2008	Trichloroethene	<		0.16	1	UG/L	1	
SWB-10	3/2/2009	Trichloroethene	<		0.16	1	UG/L	1	
SWB-10	6/4/2009	Trichloroethene	<		0.16	1	UG/L	1	
SWB-10	3/2/2010	Trichloroethene	<	1	0.16	1	UG/L	1	
SWB-11	3/4/2004	Trichloroethene	<		0.16	1	ug/L	1	
SWB-11	5/24/2004	Trichloroethene	<		0.16	1	ug/L	1	
SWB-11	12/1/2004	Trichloroethene	<		0.16	1	ug/L	1	
SWB-11	3/1/2005	Trichloroethene	<		0.19	1	ug/L	1	
SWB-11	6/2/2005	Trichloroethene	<		0.16	1	ug/L	1	
SWB-11	3/2/2006	Trichloroethene	<		1.6	10	UG/L	10	
SWB-11	6/1/2006	Trichloroethene	<		0.16	1	UG/L	1	
SWB-11	3/1/2007	Trichloroethene	<		0.16	1	UG/L	1	
SWB-11	3/7/2008	Trichloroethene	<		0.16	1	UG/L	1	
SWB-11	6/5/2008	Trichloroethene	<		0.16	1	UG/L	1	
SWB-11	3/2/2009	Trichloroethene	<		0.16	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-11	6/4/2009	Trichloroethene	<		0.16	1	UG/L	1
SWB-11	3/1/2010	Trichloroethene	<	1	0.16	1	ug/L	1
SWB-11	6/2/2010	TRICHLOROETHENE	<	0.16	0.16	1	UG/L	1
SWB-3	10/29/2002	Trichloroethene	<		0.24	1	ug/L	1
SWB-3	3/4/2003	Trichloroethene	<		0.16	1	ug/L	1
SWB-3	6/3/2003	Trichloroethene	<		0.16	1	ug/L	1
SWB-3	9/4/2003	Trichloroethene	<		0.16	1	ug/L	1 UJ
SWB-3	12/2/2003	Trichloroethene	<		0.16	1	ug/L	1
SWB-3	3/1/2004	Trichloroethene	<		0.16	1	ug/L	1
SWB-3	6/1/2004	Trichloroethene	<		0.16	1	ug/L	1
SWB-3	9/1/2004	Trichloroethene	<		0.16	1	ug/L	1
SWB-3	12/1/2004	Trichloroethene	<		0.27	1.7	ug/L	1.66
SWB-3	3/3/2005	Trichloroethene	<		0.19	1	ug/L	1
SWB-3	6/2/2005	Trichloroethene	<		0.16	1	ug/L	1
SWB-3	9/1/2005	Trichloroethene	<		0.16	1	ug/L	1
SWB-3	12/1/2005	Trichloroethene	<		0.32	2	UG/L	2
SWB-3	3/2/2006	Trichloroethene	<		0.64	4	UG/L	4
SWB-3	6/2/2006	Trichloroethene	<		0.16	1	UG/L	1
SWB-3	9/5/2006	Trichloroethene	<		0.16	1	UG/L	1
SWB-3	12/4/2006	Trichloroethene	<		0.16	1	UG/L	1
SWB-3	3/1/2007	Trichloroethene	<		0.16	1	UG/L	1
SWB-3	6/1/2007	Trichloroethene	<		0.16	1	UG/L	1
SWB-3	12/3/2007	Trichloroethene	<		0.16	1	UG/L	1
SWB-3	3/6/2008	Trichloroethene	<		0.16	1	UG/L	1
SWB-3	6/9/2008	Trichloroethene	<		0.16	1	UG/L	1
SWB-3	12/4/2008	Trichloroethene	<		0.16	1	UG/L	1
SWB-3	3/2/2009	Trichloroethene	<		0.16	1	UG/L	1
SWB-3	6/4/2009	Trichloroethene	<		0.16	1	UG/L	1
SWB-3	12/1/2009	Trichloroethene	<		0.16	1	UG/L	1
SWB-3	3/1/2010	Trichloroethene	<	1	0.16	1	ug/L	1
SWB-3	3/1/2010	Trichloroethene	<	2	0.32	2	ug/L	1 DNR
SWB-3	6/1/2010	TRICHLOROETHENE	<	0.16	0.16	1	UG/L	1 DNR
SWB-3	6/1/2010	TRICHLOROETHENE	<	0.64	0.64	4	UG/L	1 UJ
SWB-3	9/9/2010	TRICHLOROETHENE	<	0.16	0.16	1	UG/L	1 UJ
SWB-4	11/15/2002	Trichloroethene	<		0.24	1	ug/L	1
SWB-5	10/29/2002	Trichloroethene	<		0.24	1	ug/L	1
SWB-6	3/4/2003	Trichloroethene	<		0.16	1	ug/L	1
SWB-6	6/3/2003	Trichloroethene	<		0.32	2	ug/L	2
SWB-6	12/3/2003	Trichloroethene	<		0.32	2	ug/L	2
SWB-6	3/5/2004	Trichloroethene	<		0.16	1	ug/L	1
SWB-6	6/1/2004	Trichloroethene	<		0.16	1	ug/L	1
SWB-6	12/1/2004	Trichloroethene	<		0.16	1	ug/L	1
SWB-6	3/7/2005	Trichloroethene	<		0.19	1	ug/L	1
SWB-6	6/1/2005	Trichloroethene	<		0.16	1	ug/L	1
SWB-6	12/2/2005	Trichloroethene	<		0.16	1	UG/L	1
SWB-6	3/1/2006	Trichloroethene	<		0.16	1	UG/L	1
SWB-6	6/1/2006	Trichloroethene	<		0.16	1	UG/L	1
SWB-6	12/5/2006	Trichloroethene	<		0.16	1	UG/L	1
SWB-6	3/2/2007	Trichloroethene	<		0.16	1	UG/L	1
SWB-6	6/9/2008	Trichloroethene	<		0.16	1	UG/L	1
SWB-6	3/6/2008	Trichloroethene	<		0.16	1	UG/L	1
SWB-6	12/5/2008	Trichloroethene	<		0.16	1	UG/L	1
SWB-6	3/2/2009	Trichloroethene	<		0.16	1	UG/L	1
SWB-6	6/5/2009	Trichloroethene	<		0.16	1	UG/L	1
SWB-6	3/2/2010	Trichloroethene	<	1	0.16	1	UG/L	1
SWB-6	6/2/2010	TRICHLOROETHENE	<	0.16	0.16	1	UG/L	1
SWB-7	3/4/2003	Trichloroethene	<		0.16	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-7	6/3/2003	Trichloroethene	<	0.16	1	ug/L	1	
SWB-7	3/1/2004	Trichloroethene	<	0.16	1	ug/L	1	
SWB-7	5/24/2004	Trichloroethene	<	0.16	1	ug/L	1	
SWB-7	12/1/2004	Trichloroethene	<	0.16	1	ug/L	1	
SWB-7	3/7/2005	Trichloroethene	<	0.19	1	ug/L	1	
SWB-7	6/1/2005	Trichloroethene	<	0.16	1	ug/L	1	
SWB-7	9/1/2005	Trichloroethene	<	0.16	1	ug/L	1	
SWB-7	12/1/2005	Trichloroethene	<	0.16	1	UG/L	1	
SWB-7	3/1/2006	Trichloroethene	<	0.16	1	UG/L	1	
SWB-7	6/2/2006	Trichloroethene	<	0.16	1	UG/L	1	
SWB-7	9/5/2006	Trichloroethene	<	0.16	1	UG/L	1	
SWB-7	12/5/2006	Trichloroethene	<	0.16	1	UG/L	1	
SWB-7	3/2/2007	Trichloroethene	<	0.16	1	UG/L	1	
SWB-7	6/1/2007	Trichloroethene	<	0.16	1	UG/L	1	
SWB-7	9/7/2007	Trichloroethene	<	0.16	1	UG/L	1	
SWB-7	12/3/2007	Trichloroethene	<	0.16	1	UG/L	1	
SWB-7	3/6/2008	Trichloroethene	<	0.16	1	UG/L	1	
SWB-7	6/6/2008	Trichloroethene	<	0.16	1	UG/L	1	
SWB-7	9/8/2008	Trichloroethene	<	0.16	1	UG/L	1	
SWB-7	12/5/2008	Trichloroethene	<	0.16	1	UG/L	1	
SWB-7	3/2/2009	Trichloroethene	<	0.16	1	UG/L	1	
SWB-7	6/5/2009	Trichloroethene	<	0.16	1	UG/L	1	
SWB-7	9/9/2009	Trichloroethene	<	0.16	1	UG/L	1	
SWB-7	12/1/2009	Trichloroethene	<	0.16	1	UG/L	1	
SWB-7	3/2/2010	Trichloroethene	<	1	0.16	1	UG/L	1
SWB-7	6/1/2010	TRICHLOROETHENE	<	0.16	0.16	1	UG/L	1 DNR
SWB-7	6/1/2010	TRICHLOROETHENE	<	0.64	0.64	4	UG/L	1
SWB-7	9/9/2010	TRICHLOROETHENE	<	0.16	0.16	1	UG/L	1 UJ
SWB-7	12/1/2010	TRICHLOROETHENE	<	0.16	0.16	1	UG/L	1
SWB-8	3/5/2004	Trichloroethene	<	0.16	1	ug/L	1	
SWB-8	3/7/2005	Trichloroethene	<	0.19	1	ug/L	1	
SWB-8	6/1/2005	Trichloroethene	<	0.16	1	ug/L	1	
SWB-8	3/1/2006	Trichloroethene	<	0.16	1	UG/L	1	
SWB-8	3/7/2008	Trichloroethene	<	0.16	1	UG/L	1	
SWB-8	3/3/2009	Trichloroethene	<	0.16	1	UG/L	1	
SWB-9	3/4/2003	Trichloroethene	<	0.16	1	ug/L	1	
SWB-9	12/3/2003	Trichloroethene	<	0.32	2	ug/L	2	
SWB-9	3/5/2004	Trichloroethene	<	0.16	1	ug/L	1	
SWB-9	5/27/2004	Trichloroethene	<	0.16	1	ug/L	1	
SWB-9	12/1/2004	Trichloroethene	<	0.16	1	ug/L	1	
SWB-9	3/3/2005	Trichloroethene	<	0.19	1	ug/L	1	
SWB-9	6/2/2005	Trichloroethene	<	0.16	1	ug/L	1	
SWB-9	9/1/2005	Trichloroethene	<	0.16	1	ug/L	1 UJ	
SWB-9	12/1/2005	Trichloroethene	<	0.16	1	UG/L	1	
SWB-9	3/2/2006	Trichloroethene	<	0.64	4	UG/L	4	
SWB-9	6/1/2006	Trichloroethene	<	0.16	1	UG/L	1	
SWB-9	12/4/2006	Trichloroethene	<	0.16	1	UG/L	1	
SWB-9	3/5/2007	Trichloroethene	<	0.16	1	UG/L	1	
SWB-9	3/6/2008	Trichloroethene	<	0.16	1	UG/L	1	
SWB-9	6/5/2008	Trichloroethene	<	0.16	1	UG/L	1 R	
SWB-9	12/5/2008	Trichloroethene	<	0.16	1	UG/L	1	
SWB-9	3/2/2009	Trichloroethene	<	0.16	1	UG/L	1	
SWB-9	6/2/2009	Trichloroethene	<	0.16	1	UG/L	1	
SWB-9	3/1/2010	Trichloroethene	<	1	0.16	1	ug/L	1
SWB-9	6/1/2010	TRICHLOROETHENE	<	0.16	0.16	1	UG/L	1 DNR
SWB-9	6/1/2010	TRICHLOROETHENE	<	0.64	0.64	4	UG/L	1 UJ
SWB-9	12/1/2010	TRICHLOROETHENE	<	0.16	0.16	1	UG/L	1

tmpAnalyticalResultsOverTime

SWB-10	3/4/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	NA
SWB-10	5/24/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
SWB-10	12/1/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
SWB-10	3/3/2005	Trichlorofluoromethane	<	0.33	2	ug/L	1	
SWB-10	6/2/2005	Trichlorofluoromethane	<	0.29	2	ug/L	1	
SWB-10	9/1/2005	Trichlorofluoromethane	<	0.29	2	ug/L	1	
SWB-10	3/2/2006	Trichlorofluoromethane	<	1.2	8	UG/L	4	
SWB-10	6/2/2006	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-10	3/1/2007	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-10	3/7/2008	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-10	6/5/2008	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-10	3/2/2009	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-10	6/4/2009	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-10	3/2/2010	Trichlorofluoromethane	<	2 0.29	2	UG/L	1	
SWB-11	3/4/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
SWB-11	5/24/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
SWB-11	12/1/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
SWB-11	3/1/2005	Trichlorofluoromethane	<	0.33	2	ug/L	1	
SWB-11	6/2/2005	Trichlorofluoromethane	<	0.29	2	ug/L	1	
SWB-11	3/2/2006	Trichlorofluoromethane	<	2.9	20	UG/L	10	
SWB-11	6/1/2006	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-11	3/1/2007	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-11	3/7/2008	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-11	6/5/2008	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-11	3/2/2009	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-11	6/4/2009	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-11	3/1/2010	Trichlorofluoromethane	<	2 0.29	2	ug/L	1	
SWB-11	6/2/2010	TRICHLOROFLUOROMETHANE	<	0.29 0.29	2	UG/L	1	
SWB-3	10/29/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
SWB-3	3/4/2003	Trichlorofluoromethane	<	0.24	2	ug/L	1	
SWB-3	6/3/2003	Trichlorofluoromethane	<	0.24	2	ug/L	1	
SWB-3	9/4/2003	Trichlorofluoromethane	<	0.24	2	ug/L	1	UJ
SWB-3	12/2/2003	Trichlorofluoromethane	<	0.24	2	ug/L	1	
SWB-3	3/1/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
SWB-3	6/1/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
SWB-3	9/1/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
SWB-3	12/1/2004	Trichlorofluoromethane	<	0.4	3.3	ug/L	1.66	
SWB-3	3/3/2005	Trichlorofluoromethane	<	0.33	2	ug/L	1	
SWB-3	6/2/2005	Trichlorofluoromethane	<	0.29	2	ug/L	1	
SWB-3	9/1/2005	Trichlorofluoromethane	<	0.29	2	ug/L	1	
SWB-3	12/1/2005	Trichlorofluoromethane	<	0.58	4	UG/L	2	
SWB-3	3/2/2006	Trichlorofluoromethane	<	1.2	8	UG/L	4	
SWB-3	6/2/2006	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-3	9/5/2006	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-3	12/4/2006	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-3	3/1/2007	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-3	6/1/2007	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-3	12/3/2007	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-3	3/6/2008	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-3	6/9/2008	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-3	12/4/2008	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-3	3/2/2009	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-3	6/4/2009	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-3	12/1/2009	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-3	3/1/2010	Trichlorofluoromethane	<	2 0.29	2	ug/L	1	
SWB-3	3/1/2010	Trichlorofluoromethane	<	4 0.58	4	ug/L	1	DNR
SWB-3	6/1/2010	TRICHLOROFLUOROMETHANE	<	0.29 0.29	2	UG/L	1	DNR

tmpAnalyticalResultsOverTime

SWB-3	6/1/2010	TRICHLOROFLUOROMETHANE	<	1.2	1.2	8	UG/L	1	
SWB-3	9/9/2010	TRICHLOROFLUOROMETHANE	<	0.29	0.29	2	UG/L	1	
SWB-4	11/15/2002	Trichlorofluoromethane	<		0.43	2	ug/L	1	
SWB-5	10/29/2002	Trichlorofluoromethane	<		0.43	2	ug/L	1	
SWB-6	3/4/2003	Trichlorofluoromethane	<		0.24	2	ug/L	1	
SWB-6	6/3/2003	Trichlorofluoromethane	<		0.48	4	ug/L	2	
SWB-6	12/3/2003	Trichlorofluoromethane	<		0.48	4	ug/L	2	
SWB-6	3/5/2004	Trichlorofluoromethane	<		0.24	2	ug/L	1	
SWB-6	6/1/2004	Trichlorofluoromethane	<		0.24	2	ug/L	1	
SWB-6	12/1/2004	Trichlorofluoromethane	<		0.24	2	ug/L	1	
SWB-6	3/7/2005	Trichlorofluoromethane	<		0.33	2	ug/L	1	
SWB-6	6/1/2005	Trichlorofluoromethane	<		0.29	2	ug/L	1	
SWB-6	12/2/2005	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-6	3/1/2006	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-6	6/1/2006	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-6	12/5/2006	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-6	3/2/2007	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-6	6/9/2008	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-6	3/6/2008	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-6	12/5/2008	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-6	3/2/2009	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-6	6/5/2009	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-6	3/2/2010	Trichlorofluoromethane	<	2	0.29	2	UG/L	1	
SWB-6	6/2/2010	TRICHLOROFLUOROMETHANE	<	0.29	0.29	2	UG/L	1	
SWB-7	3/4/2003	Trichlorofluoromethane	<		0.24	2	ug/L	1	
SWB-7	6/3/2003	Trichlorofluoromethane	<		0.24	2	ug/L	1	
SWB-7	3/1/2004	Trichlorofluoromethane	<		0.24	2	ug/L	1	
SWB-7	5/24/2004	Trichlorofluoromethane	<		0.24	2	ug/L	1	
SWB-7	12/1/2004	Trichlorofluoromethane	<		0.24	2	ug/L	1	
SWB-7	3/7/2005	Trichlorofluoromethane	<		0.33	2	ug/L	1	
SWB-7	6/1/2005	Trichlorofluoromethane	<		0.29	2	ug/L	1	
SWB-7	9/1/2005	Trichlorofluoromethane	<		0.29	2	ug/L	1	
SWB-7	12/1/2005	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-7	3/1/2006	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-7	6/2/2006	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-7	9/5/2006	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-7	12/5/2006	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-7	3/2/2007	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-7	6/1/2007	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-7	9/7/2007	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-7	12/3/2007	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-7	3/6/2008	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-7	6/6/2008	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-7	9/8/2008	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-7	12/5/2008	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-7	3/2/2009	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-7	6/5/2009	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-7	9/9/2009	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-7	12/1/2009	Trichlorofluoromethane	<		0.29	2	UG/L	1	
SWB-7	3/2/2010	Trichlorofluoromethane	<	2	0.29	2	UG/L	1	
SWB-7	6/1/2010	TRICHLOROFLUOROMETHANE	<	0.29	0.29	2	UG/L	1	DNR
SWB-7	6/1/2010	TRICHLOROFLUOROMETHANE	<	1.2	1.2	8	UG/L	1	
SWB-7	9/9/2010	TRICHLOROFLUOROMETHANE	<	0.29	0.29	2	UG/L	1	
SWB-7	12/1/2010	TRICHLOROFLUOROMETHANE	<	0.29	0.29	2	UG/L	1	
SWB-8	3/5/2004	Trichlorofluoromethane	<		0.24	2	ug/L	1	
SWB-8	3/7/2005	Trichlorofluoromethane	<		0.33	2	ug/L	1	
SWB-8	6/1/2005	Trichlorofluoromethane	<		0.29	2	ug/L	1	



tmpAnalyticalResultsOverTime

SWB-8	3/1/2006	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-8	3/7/2008	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-8	3/3/2009	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-9	3/4/2003	Trichlorofluoromethane	<	0.24	2	ug/L	1	
SWB-9	12/3/2003	Trichlorofluoromethane	<	0.48	4	ug/L	2	
SWB-9	3/5/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
SWB-9	5/27/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
SWB-9	12/1/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
SWB-9	3/3/2005	Trichlorofluoromethane	<	0.33	2	ug/L	1	
SWB-9	6/2/2005	Trichlorofluoromethane	<	0.29	2	ug/L	1	
SWB-9	9/1/2005	Trichlorofluoromethane	<	0.29	2	ug/L	1	UJ
SWB-9	12/1/2005	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-9	3/2/2006	Trichlorofluoromethane	<	1.2	8	UG/L	4	
SWB-9	6/1/2006	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-9	12/4/2006	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-9	3/5/2007	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-9	3/6/2008	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-9	6/5/2008	Trichlorofluoromethane	<	0.29	2	UG/L	1	R
SWB-9	12/5/2008	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-9	3/2/2009	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-9	6/2/2009	Trichlorofluoromethane	<	0.29	2	UG/L	1	
SWB-9	3/1/2010	Trichlorofluoromethane	<	2	2	ug/L	1	
SWB-9	6/1/2010	TRICHLOROFLUOROMETHANE	<	0.29	2	UG/L	1	DNR
SWB-9	6/1/2010	TRICHLOROFLUOROMETHANE	<	1.2	8	UG/L	1	
SWB-9	12/1/2010	TRICHLOROFLUOROMETHANE	<	0.29	2	UG/L	1	
SWB-10	3/4/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1	NA
SWB-10	5/24/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1	
SWB-10	12/1/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1	
SWB-10	3/3/2005	Trichlorotrifluoroethane	<	0.29	1	ug/L	1	
SWB-10	6/2/2005	Trichlorotrifluoroethane	<	0.19	1	ug/L	1	
SWB-10	9/1/2005	Trichlorotrifluoroethane	<	0.19	1	ug/L	1	
SWB-10	3/2/2006	Trichlorotrifluoroethane	<	0.76	4	UG/L	4	
SWB-10	6/2/2006	Trichlorotrifluoroethane	<	0.79	1	UG/L	1	
SWB-10	3/1/2007	Trichlorotrifluoroethane	<	0.79	3	UG/L	1	
SWB-10	3/7/2008	Trichlorotrifluoroethane	<	0.79	3	UG/L	1	
SWB-10	6/5/2008	Trichlorotrifluoroethane	<	0.79	3	UG/L	1	
SWB-10	3/2/2009	Trichlorotrifluoroethane	<	0.79	3	UG/L	1	
SWB-10	6/4/2009	Trichlorotrifluoroethane	<	0.79	3	UG/L	1	
SWB-10	3/2/2010	Trichlorotrifluoroethane	<	3	3	UG/L	1	
SWB-11	3/4/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1	
SWB-11	5/24/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1	
SWB-11	12/1/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1	
SWB-11	3/1/2005	Trichlorotrifluoroethane	<	0.29	1	ug/L	1	
SWB-11	6/2/2005	Trichlorotrifluoroethane	<	0.19	1	ug/L	1	
SWB-11	3/2/2006	Trichlorotrifluoroethane	<	1.9	10	UG/L	10	
SWB-11	6/1/2006	Trichlorotrifluoroethane	<	0.79	1	UG/L	1	
SWB-11	3/1/2007	Trichlorotrifluoroethane	<	0.79	3	UG/L	1	
SWB-11	3/7/2008	Trichlorotrifluoroethane	<	0.79	3	UG/L	1	
SWB-11	6/5/2008	Trichlorotrifluoroethane	<	0.79	3	UG/L	1	
SWB-11	3/2/2009	Trichlorotrifluoroethane	<	0.79	3	UG/L	1	
SWB-11	6/4/2009	Trichlorotrifluoroethane	<	0.79	3	UG/L	1	
SWB-11	3/1/2010	Trichlorotrifluoroethane	<	3	3	ug/L	1	
SWB-3	10/29/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1	
SWB-3	3/4/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1	
SWB-3	6/3/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1	
SWB-3	9/4/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1	UJ
SWB-3	12/2/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1	

tmpAnalyticalResultsOverTime

SWB-3	3/1/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
SWB-3	6/1/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
SWB-3	9/1/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
SWB-3	12/1/2004	Trichlorotrifluoroethane	<	0.7	1.7	ug/L	1.66
SWB-3	3/3/2005	Trichlorotrifluoroethane	<	0.29	1	ug/L	1
SWB-3	6/2/2005	Trichlorotrifluoroethane	<	0.19	1	ug/L	1
SWB-3	9/1/2005	Trichlorotrifluoroethane	<	0.19	1	ug/L	1
SWB-3	12/1/2005	Trichlorotrifluoroethane	<	0.38	2	UG/L	2
SWB-3	3/2/2006	Trichlorotrifluoroethane	<	0.76	4	UG/L	4
SWB-3	6/2/2006	Trichlorotrifluoroethane	<	0.79	1	UG/L	1
SWB-3	9/5/2006	Trichlorotrifluoroethane	<	0.79	3	UG/L	1
SWB-3	12/4/2006	Trichlorotrifluoroethane	<	0.79	3	UG/L	1
SWB-3	3/1/2007	Trichlorotrifluoroethane	<	0.79	3	UG/L	1
SWB-3	6/1/2007	Trichlorotrifluoroethane	<	0.79	3	UG/L	1
SWB-3	12/3/2007	Trichlorotrifluoroethane	<	0.79	3	UG/L	1
SWB-3	3/6/2008	Trichlorotrifluoroethane	<	0.79	3	UG/L	1
SWB-3	6/9/2008	Trichlorotrifluoroethane	<	0.79	3	UG/L	1
SWB-3	12/4/2008	Trichlorotrifluoroethane	<	0.79	3	UG/L	1
SWB-3	3/2/2009	Trichlorotrifluoroethane	<	0.79	3	UG/L	1
SWB-3	6/4/2009	Trichlorotrifluoroethane	<	0.79	3	UG/L	1
SWB-3	12/1/2009	Trichlorotrifluoroethane	<	0.79	3	UG/L	1
SWB-3	3/1/2010	Trichlorotrifluoroethane	<	0.42	3	ug/L	1
SWB-3	3/1/2010	Trichlorotrifluoroethane	<	0.84	6	ug/L	1 DNR
SWB-4	11/15/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
SWB-5	10/29/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
SWB-6	3/4/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
SWB-6	6/3/2003	Trichlorotrifluoroethane	<	0.84	2	ug/L	2
SWB-6	12/3/2003	Trichlorotrifluoroethane	<	0.84	2	ug/L	2
SWB-6	3/5/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
SWB-6	6/1/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
SWB-6	12/1/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
SWB-6	3/7/2005	Trichlorotrifluoroethane	<	0.29	1	ug/L	1
SWB-6	6/1/2005	Trichlorotrifluoroethane	<	0.19	1	ug/L	1
SWB-6	12/2/2005	Trichlorotrifluoroethane	<	0.19	1	UG/L	1
SWB-6	3/1/2006	Trichlorotrifluoroethane	<	0.19	1	UG/L	1
SWB-6	6/1/2006	Trichlorotrifluoroethane	<	0.79	1	UG/L	1
SWB-6	12/5/2006	Trichlorotrifluoroethane	<	0.79	3	UG/L	1
SWB-6	3/2/2007	Trichlorotrifluoroethane	<	0.79	3	UG/L	1
SWB-6	6/9/2008	Trichlorotrifluoroethane	<	0.79	3	UG/L	1
SWB-6	3/6/2008	Trichlorotrifluoroethane	<	0.79	3	UG/L	1
SWB-6	12/5/2008	Trichlorotrifluoroethane	<	0.79	3	UG/L	1
SWB-6	3/2/2009	Trichlorotrifluoroethane	<	0.79	3	UG/L	1
SWB-6	6/5/2009	Trichlorotrifluoroethane	<	0.79	3	UG/L	1
SWB-6	3/2/2010	Trichlorotrifluoroethane	<	0.42	3	UG/L	1
SWB-7	3/4/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
SWB-7	6/3/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
SWB-7	3/1/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
SWB-7	5/24/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
SWB-7	12/1/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
SWB-7	3/7/2005	Trichlorotrifluoroethane	<	0.29	1	ug/L	1
SWB-7	6/1/2005	Trichlorotrifluoroethane	<	0.19	1	ug/L	1
SWB-7	9/1/2005	Trichlorotrifluoroethane	<	0.19	1	ug/L	1
SWB-7	12/1/2005	Trichlorotrifluoroethane	<	0.19	1	UG/L	1
SWB-7	3/1/2006	Trichlorotrifluoroethane	<	0.19	1	UG/L	1
SWB-7	6/2/2006	Trichlorotrifluoroethane	<	0.79	1	UG/L	1
SWB-7	9/5/2006	Trichlorotrifluoroethane	<	0.79	3	UG/L	1
SWB-7	12/5/2006	Trichlorotrifluoroethane	<	0.79	3	UG/L	1

tmpAnalyticalResultsOverTime

SWB-7	3/2/2007	Trichlorotrifluoroethane	<		0.79	3	UG/L	1		
SWB-7	6/1/2007	Trichlorotrifluoroethane	<		0.79	3	UG/L	1		
SWB-7	9/7/2007	Trichlorotrifluoroethane	<		0.79	3	UG/L	1		
SWB-7	12/3/2007	Trichlorotrifluoroethane	<		0.79	3	UG/L	1		
SWB-7	3/6/2008	Trichlorotrifluoroethane	<		0.79	3	UG/L	1		
SWB-7	6/6/2008	Trichlorotrifluoroethane	<		0.79	3	UG/L	1		
SWB-7	9/8/2008	Trichlorotrifluoroethane	<		0.79	3	UG/L	1		
SWB-7	12/5/2008	Trichlorotrifluoroethane	<		0.79	3	UG/L	1		
SWB-7	3/2/2009	Trichlorotrifluoroethane	<		0.79	3	UG/L	1		
SWB-7	6/5/2009	Trichlorotrifluoroethane	<		0.79	3	UG/L	1		
SWB-7	9/9/2009	Trichlorotrifluoroethane	<		0.79	3	UG/L	1		
SWB-7	12/1/2009	Trichlorotrifluoroethane	<		0.79	3	UG/L	1		
SWB-7	3/2/2010	Trichlorotrifluoroethane	<	3	0.42	3	UG/L	1		
SWB-8	3/5/2004	Trichlorotrifluoroethane	<		0.42	1	ug/L	1		
SWB-8	3/7/2005	Trichlorotrifluoroethane	<		0.29	1	ug/L	1		
SWB-8	6/1/2005	Trichlorotrifluoroethane	<		0.19	1	ug/L	1		
SWB-8	3/1/2006	Trichlorotrifluoroethane	<		0.19	1	UG/L	1		
SWB-8	3/7/2008	Trichlorotrifluoroethane	<		0.79	3	UG/L	1		
SWB-8	3/3/2009	Trichlorotrifluoroethane	<		0.79	3	UG/L	1		
SWB-9	3/4/2003	Trichlorotrifluoroethane	<		0.42	1	ug/L	1		
SWB-9	12/3/2003	Trichlorotrifluoroethane	<		0.84	2	ug/L	2		
SWB-9	3/5/2004	Trichlorotrifluoroethane	<		0.42	1	ug/L	1		
SWB-9	5/27/2004	Trichlorotrifluoroethane	<		0.42	1	ug/L	1		
SWB-9	12/1/2004	Trichlorotrifluoroethane	<		0.42	1	ug/L	1		
SWB-9	3/3/2005	Trichlorotrifluoroethane	<		0.29	1	ug/L	1		
SWB-9	6/2/2005	Trichlorotrifluoroethane	<		0.19	1	ug/L	1		
SWB-9	9/1/2005	Trichlorotrifluoroethane	<		0.19	1	ug/L	1	UJ	
SWB-9	12/1/2005	Trichlorotrifluoroethane	<		0.19	1	UG/L	1		
SWB-9	3/2/2006	Trichlorotrifluoroethane	<		0.76	4	UG/L	4		
SWB-9	6/1/2006	Trichlorotrifluoroethane	<		0.79	1	UG/L	1		
SWB-9	12/4/2006	Trichlorotrifluoroethane	<		0.79	3	UG/L	1		
SWB-9	3/5/2007	Trichlorotrifluoroethane	<		0.79	3	UG/L	1		
SWB-9	3/6/2008	Trichlorotrifluoroethane	<		0.79	3	UG/L	1		
SWB-9	6/5/2008	Trichlorotrifluoroethane	<		0.79	3	UG/L	1	R	
SWB-9	12/5/2008	Trichlorotrifluoroethane	<		0.79	3	UG/L	1		
SWB-9	3/2/2009	Trichlorotrifluoroethane	<		0.79	3	UG/L	1		
SWB-9	6/2/2009	Trichlorotrifluoroethane	<		0.79	3	UG/L	1		
SWB-9	3/1/2010	Trichlorotrifluoroethane	<	3	0.42	3	ug/L	1		
SWB-10	3/1/2007	Uranium-DISSOLVED	=		0.022	0.0002	0.01	MG/L	10	NA
SWB-10	3/7/2008	Uranium-DISSOLVED	TR		0.016	0.0004	0.02	MG/L	20	J
SWB-10	6/5/2008	Uranium-DISSOLVED	=		0.1	0.0004	0.02	MG/L	20	J
SWB-10	3/2/2009	Uranium-DISSOLVED	=		0.0087	0.0001	0.005	MG/L	5	
SWB-10	6/4/2009	Uranium-DISSOLVED	TR		0.0069	0.0002	0.01	MG/L	10	J
SWB-10	3/2/2010	Uranium-DISSOLVED	TR		0.0065	0.0002	0.01	MG/L	10	J
SWB-11	3/1/2007	Uranium-DISSOLVED	=		0.068	0.0002	0.01	MG/L	10	J
SWB-11	3/7/2008	Uranium-DISSOLVED	=		0.039	0.0002	0.01	MG/L	10	
SWB-11	6/5/2008	Uranium-DISSOLVED	=		0.31	0.0004	0.02	MG/L	20	J
SWB-11	3/2/2009	Uranium-DISSOLVED	=		0.019	0.0001	0.005	MG/L	5	
SWB-11	6/4/2009	Uranium-DISSOLVED	TR		0.008	0.0002	0.01	MG/L	10	J
SWB-11	3/1/2010	Uranium-DISSOLVED	=		0.041	0.0001	0.005	mg/L	5	J
SWB-11	6/2/2010	Uranium-DISSOLVED	TR		0.0079	0.004	0.2	MG/L	200	J
SWB-3	12/4/2006	Uranium-DISSOLVED	=		0.078	0.0002	0.01	MG/L	10	
SWB-3	3/1/2007	Uranium-DISSOLVED	=		0.074	0.0002	0.01	MG/L	10	
SWB-3	6/1/2007	Uranium-DISSOLVED	=		0.026	0.00002	0.001	MG/L	1	J
SWB-3	12/3/2007	Uranium-DISSOLVED	=		0.025	0.00002	0.001	MG/L	1	
SWB-3	3/6/2008	Uranium-DISSOLVED	=		0.011	0.00002	0.001	MG/L	1	
SWB-3	6/9/2008	Uranium-DISSOLVED	=		0.029	0.0002	0.01	MG/L	10	J

tmpAnalyticalResultsOverTime

SWB-3	12/4/2008	Uranium-DISSOLVED	=	0.025	0.00002	0.001	MG/L	1	
SWB-3	3/2/2009	Uranium-DISSOLVED	=	0.025	0.0001	0.005	MG/L	5	
SWB-3	6/4/2009	Uranium-DISSOLVED	=	0.021	0.00002	0.001	MG/L	1	
SWB-3	12/1/2009	Uranium-DISSOLVED	=	0.025	0.0002	0.01	MG/L	10	
SWB-3	3/1/2010	Uranium-DISSOLVED	=	0.034	0.0001	0.005	mg/L	5 J	
SWB-3	6/1/2010	Uranium-DISSOLVED	=	0.047	0.0008	0.04	MG/L	40 J	
SWB-6	12/5/2006	Uranium-DISSOLVED	=	0.3	0.00002	0.001	MG/L	1	
SWB-6	3/2/2007	Uranium-DISSOLVED	=	0.07	0.0002	0.01	MG/L	10	
SWB-6	6/9/2008	Uranium-DISSOLVED	=	0.015	0.0002	0.01	MG/L	10 J	
SWB-6	3/6/2008	Uranium-DISSOLVED	=	0.044	0.0001	0.005	MG/L	5	
SWB-6	12/5/2008	Uranium-DISSOLVED	=	0.098	0.0004	0.02	MG/L	20	
SWB-6	3/2/2009	Uranium-DISSOLVED	=	0.051	0.0001	0.005	MG/L	5	
SWB-6	6/5/2009	Uranium-DISSOLVED	=	0.019	0.00004	0.002	MG/L	2	
SWB-6	3/2/2010	Uranium-DISSOLVED	=	0.12	0.0002	0.01	MG/L	10	
SWB-6	6/2/2010	Uranium-DISSOLVED	TR	0.012	0.001	0.05	MG/L	50 J	
SWB-7	12/5/2006	Uranium-DISSOLVED	=	0.015	0.00002	0.001	MG/L	1	
SWB-7	3/2/2007	Uranium-DISSOLVED	TR	0.0076	0.0002	0.01	MG/L	10 J	
SWB-7	6/1/2007	Uranium-DISSOLVED	=	0.0077	0.00002	0.001	MG/L	1 J	
SWB-7	9/7/2007	Uranium-DISSOLVED	=	0.023	0.0002	0.01	MG/L	10	
SWB-7	12/3/2007	Uranium-DISSOLVED	=	0.021	0.00002	0.001	MG/L	1	
SWB-7	3/6/2008	Uranium-DISSOLVED	=	0.012	0.00002	0.001	MG/L	1	
SWB-7	6/6/2008	Uranium-DISSOLVED	=	0.022	0.0002	0.01	MG/L	10 J	
SWB-7	9/8/2008	Uranium-DISSOLVED	=	0.017	0.0001	0.005	MG/L	5 J	
SWB-7	12/5/2008	Uranium-DISSOLVED	=	0.015	0.00002	0.001	MG/L	1	
SWB-7	3/2/2009	Uranium-DISSOLVED	=	0.014	0.00002	0.001	MG/L	1	
SWB-7	6/5/2009	Uranium-DISSOLVED	=	0.013	0.00004	0.002	MG/L	2	
SWB-7	9/9/2009	Uranium-DISSOLVED	=	0.017	0.0002	0.01	MG/L	10	
SWB-7	12/1/2009	Uranium-DISSOLVED	=	0.021	0.0002	0.01	MG/L	10	
SWB-7	3/2/2010	Uranium-DISSOLVED	=	0.003	0.00004	0.002	MG/L	2 J	
SWB-7	6/1/2010	Uranium-DISSOLVED	TR	0.0082	0.0008	0.04	MG/L	40 J	
SWB-7	12/1/2010	Uranium-DISSOLVED	=	0.016	0.00002	0.001	MG/L	1 J	
SWB-8	3/7/2008	Uranium-DISSOLVED	TR	0.0036	0.0001	0.005	MG/L	5 J	
SWB-8	3/3/2009	Uranium-DISSOLVED	TR	0.0018	0.0001	0.005	MG/L	5 J	
SWB-9	12/4/2006	Uranium-DISSOLVED	=	0.035	0.0004	0.02	MG/L	20	
SWB-9	3/5/2007	Uranium-DISSOLVED	TR	0.017	0.0004	0.02	MG/L	20	
SWB-9	3/6/2008	Uranium-DISSOLVED	=	0.035	0.0002	0.01	MG/L	10	
SWB-9	6/5/2008	Uranium-DISSOLVED	TR	0.0029	0.0004	0.02	MG/L	20 J	
SWB-9	12/5/2008	Uranium-DISSOLVED	TR	0.0096	0.0002	0.01	MG/L	10 J	
SWB-9	3/2/2009	Uranium-DISSOLVED	=	0.065	0.0002	0.01	MG/L	10	
SWB-9	6/2/2009	Uranium-DISSOLVED	TR	0.0038	0.0002	0.01	MG/L	10 J	
SWB-9	3/1/2010	Uranium-DISSOLVED	=	0.037	0.0001	0.005	mg/L	5 J	
SWB-9	6/1/2010	Uranium-DISSOLVED	TR	0.0059	0.004	0.2	MG/L	200 J	
SWB-9	12/1/2010	Uranium-DISSOLVED	=	0.034	0.00002	0.001	MG/L	1 J	
SWB-10	3/2/2010	Vanadium	TR	0.0093	0.0011	0.01	MG/L	1 J	NA
SWB-11	3/1/2010	Vanadium	TR	0.0098	0.0011	0.01	mg/L	1 J	
SWB-11	6/2/2010	VANADIUM	TR	0.032	0.011	0.1	MG/L	10 J	
SWB-3	3/1/2010	Vanadium	TR	0.0086	0.0011	0.01	mg/L	1 J	
SWB-3	6/1/2010	VANADIUM	=	0.017	0.0011	0.01	MG/L	1	
SWB-3	9/9/2010	VANADIUM	TR	0.014	0.011	0.1	MG/L	10 J	
SWB-6	3/2/2010	Vanadium	TR	0.008	0.0056	0.05	MG/L	5 J	
SWB-6	6/2/2010	VANADIUM	TR	0.058	0.011	0.1	MG/L	10 J	
SWB-7	3/2/2010	Vanadium	TR	0.0014	0.0011	0.01	MG/L	1 J	
SWB-7	6/1/2010	VANADIUM	TR	0.0043	0.0011	0.01	MG/L	1 J	
SWB-7	9/9/2010	VANADIUM	TR	0.012	0.011	0.1	MG/L	10 J	
SWB-7	12/1/2010	VANADIUM	<	0.0011	0.0011	0.01	MG/L	1	
SWB-9	3/1/2010	Vanadium	TR	0.0062	0.0011	0.01	mg/L	1 J	
SWB-9	6/1/2010	VANADIUM	TR	0.034	0.011	0.1	MG/L	10 J	

tmpAnalyticalResultsOverTime

SWB-9	12/1/2010	VANADIUM	TR	0.0059	0.0011	0.01	MG/L	1 J	
SWB-3	10/29/2002	Vanadium-DISSOLVED	TR	0.017	0.011	0.05	mg/L	5 J	NA
SWB-4	11/15/2002	Vanadium-DISSOLVED	<		0.011	0.05	mg/L	5 UJ	
SWB-5	10/29/2002	Vanadium-DISSOLVED	<		0.011	0.05	mg/L	5 UJ	
SWB-10	3/4/2004	Vanadium-TOTAL	TR	0.008	0.0026	0.01	mg/L	1 J	0.02 mg/L
SWB-10	5/24/2004	Vanadium-TOTAL	=	0.011	0.0026	0.01	mg/L	1 J	
SWB-10	12/1/2004	Vanadium-TOTAL	TR	0.0047	0.0024	0.01	mg/L	1 J	
SWB-10	3/3/2005	Vanadium-TOTAL	TR	0.006	0.0024	0.01	mg/L	1 J	
SWB-10	6/2/2005	Vanadium-TOTAL	TR	0.0066	0.0054	0.01	mg/L	1 J	
SWB-10	9/1/2005	Vanadium-TOTAL	TR	0.014	0.012	0.05	MG/L	5 J	
SWB-10	3/2/2006	Vanadium-TOTAL	<		0.012	0.05	MG/L	5	
SWB-10	6/2/2006	Vanadium-TOTAL	<		0.025	0.1	MG/L	10	
SWB-10	3/1/2007	Vanadium-TOTAL	TR	0.037	0.012	0.05	MG/L	5 J	
SWB-10	3/7/2008	Vanadium-TOTAL	TR	0.007	0.0025	0.01	MG/L	1 J	
SWB-10	6/5/2008	Vanadium-TOTAL	TR	0.022	0.0056	0.05	MG/L	5 J	
SWB-10	3/2/2009	Vanadium-TOTAL	TR	0.0081	0.0011	0.01	MG/L	1 J	
SWB-10	6/4/2009	Vanadium-TOTAL	TR	0.023	0.011	0.1	MG/L	10 J	
SWB-11	3/4/2004	Vanadium-TOTAL	TR	0.0053	0.0026	0.01	mg/L	1 J	
SWB-11	5/24/2004	Vanadium-TOTAL	=	0.022	0.0026	0.01	mg/L	1 J	
SWB-11	12/1/2004	Vanadium-TOTAL	TR	0.0086	0.0024	0.01	mg/L	1 J	
SWB-11	3/1/2005	Vanadium-TOTAL	TR	0.007	0.0024	0.01	mg/L	1 J	
SWB-11	6/2/2005	Vanadium-TOTAL	TR	0.0067	0.0054	0.01	mg/L	1 J	
SWB-11	3/2/2006	Vanadium-TOTAL	<		0.012	0.05	MG/L	5	
SWB-11	6/1/2006	Vanadium-TOTAL	<		0.025	0.1	MG/L	10	
SWB-11	3/1/2007	Vanadium-TOTAL	=	0.073	0.012	0.05	MG/L	5	
SWB-11	3/7/2008	Vanadium-TOTAL	TR	0.0082	0.0025	0.01	MG/L	1 J	
SWB-11	6/5/2008	Vanadium-TOTAL	TR	0.024	0.0056	0.05	MG/L	5 J	
SWB-11	3/2/2009	Vanadium-TOTAL	=	0.011	0.0011	0.01	MG/L	1	
SWB-11	6/4/2009	Vanadium-TOTAL	TR	0.027	0.011	0.1	MG/L	10 J	
SWB-3	10/29/2002	Vanadium-TOTAL	TR	0.021	0.011	0.05	mg/L	5 J	
SWB-3	3/4/2003	Vanadium-TOTAL	TR	0.0069	0.0022	0.01	mg/L	1 J	
SWB-3	6/3/2003	Vanadium-TOTAL	=	0.02	0.0026	0.01	mg/L	1	
SWB-3	9/4/2003	Vanadium-TOTAL	=	0.21	0.026	0.1	mg/L	10 J	
SWB-3	12/2/2003	Vanadium-TOTAL	=	0.018	0.0026	0.01	mg/L	1	
SWB-3	3/1/2004	Vanadium-TOTAL	<		0.0026	0.01	mg/L	1	
SWB-3	6/1/2004	Vanadium-TOTAL	TR	0.0094	0.0026	0.01	mg/L	1 J	
SWB-3	9/1/2004	Vanadium-TOTAL	TR	0.021	0.012	0.05	mg/L	5 J	
SWB-3	12/1/2004	Vanadium-TOTAL	TR	0.0056	0.0024	0.01	mg/L	1 J	
SWB-3	3/3/2005	Vanadium-TOTAL	TR	0.0067	0.0024	0.01	mg/L	1 J	
SWB-3	6/2/2005	Vanadium-TOTAL	TR	0.0068	0.0054	0.01	mg/L	1 J	
SWB-3	9/1/2005	Vanadium-TOTAL	=	0.016	0.0025	0.01	MG/L	1 J	
SWB-3	12/1/2005	Vanadium-TOTAL	TR	0.004	0.0025	0.01	MG/L	1 J	
SWB-3	3/2/2006	Vanadium-TOTAL	TR	0.0076	0.0025	0.01	MG/L	1 J	
SWB-3	6/2/2006	Vanadium-TOTAL	TR	0.0035	0.0025	0.01	MG/L	1 J	
SWB-3	9/5/2006	Vanadium-TOTAL	<		0.012	0.05	MG/L	5	
SWB-3	12/4/2006	Vanadium-TOTAL	TR	0.03	0.012	0.05	MG/L	5 J	
SWB-3	3/1/2007	Vanadium-TOTAL	TR	0.018	0.012	0.05	MG/L	5 J	
SWB-3	6/1/2007	Vanadium-TOTAL	=	0.014	0.0025	0.01	MG/L	1	
SWB-3	12/3/2007	Vanadium-TOTAL	TR	0.005	0.0025	0.01	MG/L	1 J	
SWB-3	3/6/2008	Vanadium-TOTAL	TR	0.0026	0.0025	0.01	MG/L	1 J	
SWB-3	6/9/2008	Vanadium-TOTAL	TR	0.0076	0.0011	0.01	MG/L	1 J	
SWB-3	12/4/2008	Vanadium-TOTAL	TR	0.0043	0.0011	0.01	MG/L	1 B	
SWB-3	3/2/2009	Vanadium-TOTAL	TR	0.0076	0.0011	0.01	MG/L	1 J	
SWB-3	6/4/2009	Vanadium-TOTAL	=	0.012	0.0011	0.01	MG/L	1	
SWB-3	12/1/2009	Vanadium-TOTAL	TR	0.0058	0.0011	0.01	MG/L	1 J	
SWB-4	11/15/2002	Vanadium-TOTAL	<		0.011	0.05	mg/L	5	
SWB-5	10/29/2002	Vanadium-TOTAL	<		0.022	0.1	mg/L	10	

tmpAnalyticalResultsOverTime

SWB-6	3/4/2003	Vanadium-TOTAL	TR	0.0039	0.0022	0.01	mg/L	1 J
SWB-6	6/3/2003	Vanadium-TOTAL	=	0.013	0.0026	0.01	mg/L	1
SWB-6	12/3/2003	Vanadium-TOTAL	<		0.013	0.05	mg/L	5
SWB-6	3/5/2004	Vanadium-TOTAL	TR	0.003	0.0026	0.01	mg/L	1 J
SWB-6	6/1/2004	Vanadium-TOTAL	TR	0.0065	0.0026	0.01	mg/L	1 J
SWB-6	12/1/2004	Vanadium-TOTAL	<		0.0024	0.01	mg/L	1
SWB-6	3/7/2005	Vanadium-TOTAL	TR	0.0033	0.0024	0.01	mg/L	1 J
SWB-6	6/1/2005	Vanadium-TOTAL	<		0.0054	0.01	mg/L	1
SWB-6	12/2/2005	Vanadium-TOTAL	<		0.025	0.1	MG/L	10
SWB-6	3/1/2006	Vanadium-TOTAL	TR	0.0038	0.0025	0.01	MG/L	1 J
SWB-6	6/1/2006	Vanadium-TOTAL	<		0.012	0.05	MG/L	5
SWB-6	12/5/2006	Vanadium-TOTAL	TR	0.028	0.025	0.1	MG/L	10 J
SWB-6	3/2/2007	Vanadium-TOTAL	TR	0.021	0.012	0.05	MG/L	5 J
SWB-6	6/9/2008	Vanadium-TOTAL	TR	0.016	0.0056	0.05	MG/L	5 J
SWB-6	3/6/2008	Vanadium-TOTAL	TR	0.0052	0.0025	0.01	MG/L	1 J
SWB-6	12/5/2008	Vanadium-TOTAL	TR	0.01	0.0056	0.05	MG/L	5 J
SWB-6	3/2/2009	Vanadium-TOTAL	TR	0.0052	0.0011	0.01	MG/L	1 J
SWB-6	6/5/2009	Vanadium-TOTAL	TR	0.02	0.011	0.1	MG/L	10 J
SWB-7	3/4/2003	Vanadium-TOTAL	<		0.0044	0.02	mg/L	2
SWB-7	6/3/2003	Vanadium-TOTAL	TR	0.012	0.0052	0.02	mg/L	2 J
SWB-7	3/1/2004	Vanadium-TOTAL	<		0.0026	0.01	mg/L	1
SWB-7	5/24/2004	Vanadium-TOTAL	TR	0.0035	0.0026	0.01	mg/L	1 J
SWB-7	12/1/2004	Vanadium-TOTAL	<		0.0024	0.01	mg/L	1
SWB-7	3/7/2005	Vanadium-TOTAL	<		0.0024	0.01	mg/L	1
SWB-7	6/1/2005	Vanadium-TOTAL	<		0.0054	0.01	mg/L	1
SWB-7	9/1/2005	Vanadium-TOTAL	<		0.0025	0.01	MG/L	1
SWB-7	12/1/2005	Vanadium-TOTAL	<		0.0025	0.01	MG/L	1
SWB-7	3/1/2006	Vanadium-TOTAL	<		0.0025	0.01	MG/L	1
SWB-7	6/2/2006	Vanadium-TOTAL	<		0.0025	0.01	MG/L	1
SWB-7	9/5/2006	Vanadium-TOTAL	<		0.0025	0.01	MG/L	1
SWB-7	12/5/2006	Vanadium-TOTAL	TR	0.0026	0.0025	0.01	MG/L	1 J
SWB-7	3/2/2007	Vanadium-TOTAL	<		0.0025	0.01	MG/L	1
SWB-7	6/1/2007	Vanadium-TOTAL	TR	0.0029	0.0025	0.01	MG/L	1 J
SWB-7	9/7/2007	Vanadium-TOTAL	<		0.012	0.05	MG/L	5
SWB-7	12/3/2007	Vanadium-TOTAL	TR	0.0026	0.0025	0.01	MG/L	1 J
SWB-7	3/6/2008	Vanadium-TOTAL	TR	0.0029	0.0025	0.01	MG/L	1 J
SWB-7	6/6/2008	Vanadium-TOTAL	TR	0.002	0.0011	0.01	MG/L	1 J
SWB-7	9/8/2008	Vanadium-TOTAL	TR	0.0011	0.0011	0.01	MG/L	1 J
SWB-7	12/5/2008	Vanadium-TOTAL	TR	0.0011	0.0011	0.01	MG/L	1 J
SWB-7	3/2/2009	Vanadium-TOTAL	TR	0.0041	0.0011	0.01	MG/L	1 J
SWB-7	6/5/2009	Vanadium-TOTAL	TR	0.0027	0.0011	0.01	MG/L	1 J
SWB-7	9/9/2009	Vanadium-TOTAL	TR	0.0084	0.0056	0.05	MG/L	5 J
SWB-7	12/1/2009	Vanadium-TOTAL	TR	0.0026	0.0011	0.01	MG/L	1 J
SWB-8	3/5/2004	Vanadium-TOTAL	TR	0.0031	0.0026	0.01	mg/L	1 J
SWB-8	3/7/2005	Vanadium-TOTAL	<		0.0024	0.01	mg/L	1 UJ
SWB-8	6/1/2005	Vanadium-TOTAL	<		0.0054	0.01	mg/L	1
SWB-8	3/1/2006	Vanadium-TOTAL	TR	0.0066	0.0025	0.01	MG/L	1 J
SWB-8	3/7/2008	Vanadium-TOTAL	TR	0.0079	0.0025	0.01	MG/L	1 J
SWB-8	3/3/2009	Vanadium-TOTAL	TR	0.0032	0.0011	0.01	MG/L	1 J
SWB-9	3/4/2003	Vanadium-TOTAL	TR	0.0035	0.0022	0.01	mg/L	1 J
SWB-9	12/3/2003	Vanadium-TOTAL	<		0.013	0.05	mg/L	5
SWB-9	3/5/2004	Vanadium-TOTAL	TR	0.0049	0.0026	0.01	mg/L	1 J
SWB-9	5/27/2004	Vanadium-TOTAL	<		0.013	0.05	mg/L	5
SWB-9	12/1/2004	Vanadium-TOTAL	<		0.0024	0.01	mg/L	1
SWB-9	3/3/2005	Vanadium-TOTAL	TR	0.0054	0.0024	0.01	mg/L	1 J
SWB-9	6/2/2005	Vanadium-TOTAL	TR	0.006	0.0054	0.01	mg/L	1 J
SWB-9	9/1/2005	Vanadium-TOTAL	<		0.025	0.1	MG/L	10

tmpAnalyticalResultsOverTime

SWB-9	12/1/2005	Vanadium-TOTAL	<		0.025	0.1	MG/L	10	
SWB-9	3/2/2006	Vanadium-TOTAL	<		0.012	0.05	MG/L	5	
SWB-9	6/1/2006	Vanadium-TOTAL	<		0.025	0.1	MG/L	10	
SWB-9	12/4/2006	Vanadium-TOTAL	<		0.12	0.5	MG/L	50	
SWB-9	3/5/2007	Vanadium-TOTAL	TR	0.016	0.012	0.05	MG/L	5 J	
SWB-9	3/6/2008	Vanadium-TOTAL	TR	0.012	0.012	0.05	MG/L	5 J	
SWB-9	6/5/2008	Vanadium-TOTAL	TR	0.012	0.0056	0.05	MG/L	5 J	
SWB-9	12/5/2008	Vanadium-TOTAL	TR	0.0068	0.0056	0.05	MG/L	5 J	
SWB-9	3/2/2009	Vanadium-TOTAL	TR	0.0084	0.0011	0.01	MG/L	1 J	
SWB-9	6/2/2009	Vanadium-TOTAL	TR	0.023	0.011	0.1	MG/L	10 J	
SWB-10	3/4/2004	Vinyl acetate	<		0.56	2	ug/L	1	0.016 mg/L
SWB-10	5/24/2004	Vinyl acetate	<		0.56	2	ug/L	1	
SWB-10	12/1/2004	Vinyl acetate	<		0.56	2	ug/L	1	
SWB-10	3/3/2005	Vinyl acetate	<		0.8	2	ug/L	1	
SWB-10	6/2/2005	Vinyl acetate	<		0.91	2	ug/L	1	
SWB-10	9/1/2005	Vinyl acetate	<		0.91	2	ug/L	1	
SWB-10	3/2/2006	Vinyl acetate	<		3.6	8	UG/L	4	
SWB-10	6/2/2006	Vinyl acetate	<		0.94	2	UG/L	1	
SWB-10	3/1/2007	Vinyl acetate	<		0.94	3	UG/L	1	
SWB-10	3/7/2008	Vinyl acetate	<		0.94	3	UG/L	1	
SWB-10	6/5/2008	Vinyl acetate	<		0.94	3	UG/L	1	
SWB-10	3/2/2009	Vinyl acetate	<		0.94	3	UG/L	1	
SWB-10	6/4/2009	Vinyl acetate	<		0.94	3	UG/L	1 UJ	
SWB-10	3/2/2010	Vinyl acetate	<	3	0.94	3	UG/L	1	
SWB-11	3/4/2004	Vinyl acetate	<		0.56	2	ug/L	1	
SWB-11	5/24/2004	Vinyl acetate	<		0.56	2	ug/L	1	
SWB-11	12/1/2004	Vinyl acetate	<		0.56	2	ug/L	1	
SWB-11	3/1/2005	Vinyl acetate	<		0.8	2	ug/L	1	
SWB-11	6/2/2005	Vinyl acetate	<		0.91	2	ug/L	1	
SWB-11	3/2/2006	Vinyl acetate	<		9.1	20	UG/L	10	
SWB-11	6/1/2006	Vinyl acetate	<		0.94	2	UG/L	1	
SWB-11	3/1/2007	Vinyl acetate	<		0.94	3	UG/L	1	
SWB-11	3/7/2008	Vinyl acetate	<		0.94	3	UG/L	1	
SWB-11	6/5/2008	Vinyl acetate	<		0.94	3	UG/L	1	
SWB-11	3/2/2009	Vinyl acetate	<		0.94	3	UG/L	1	
SWB-11	6/4/2009	Vinyl acetate	<		0.94	3	UG/L	1 UJ	
SWB-11	3/1/2010	Vinyl acetate	<	3	0.94	3	ug/L	1	
SWB-11	6/2/2010	VINYL ACETATE	<	0.94	0.94	3	UG/L	1 UJ	
SWB-3	10/29/2002	Vinyl acetate	<		0.91	2	ug/L	1	
SWB-3	3/4/2003	Vinyl acetate	<		0.56	2	ug/L	1	
SWB-3	6/3/2003	Vinyl acetate	<		0.56	2	ug/L	1	
SWB-3	9/4/2003	Vinyl acetate	<		0.56	2	ug/L	1 UJ	
SWB-3	12/2/2003	Vinyl acetate	<		0.56	2	ug/L	1	
SWB-3	3/1/2004	Vinyl acetate	<		0.56	2	ug/L	1	
SWB-3	6/1/2004	Vinyl acetate	<		0.56	2	ug/L	1	
SWB-3	9/1/2004	Vinyl acetate	<		0.56	2	ug/L	1	
SWB-3	12/1/2004	Vinyl acetate	<		0.93	3.3	ug/L	1.66	
SWB-3	3/3/2005	Vinyl acetate	<		0.8	2	ug/L	1	
SWB-3	6/2/2005	Vinyl acetate	<		0.91	2	ug/L	1	
SWB-3	9/1/2005	Vinyl acetate	<		0.91	2	ug/L	1	
SWB-3	12/1/2005	Vinyl acetate	<		1.8	4	UG/L	2	
SWB-3	3/2/2006	Vinyl acetate	<		3.6	8	UG/L	4	
SWB-3	6/2/2006	Vinyl acetate	<		0.94	2	UG/L	1	
SWB-3	9/5/2006	Vinyl acetate	<		0.94	3	UG/L	1	
SWB-3	12/4/2006	Vinyl acetate	<		0.94	3	UG/L	1	
SWB-3	3/1/2007	Vinyl acetate	<		0.94	3	UG/L	1	
SWB-3	6/1/2007	Vinyl acetate	<		0.94	3	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-3	12/3/2007 Vinyl acetate	<		0.94	3	UG/L	1
SWB-3	3/6/2008 Vinyl acetate	<		0.94	3	UG/L	1
SWB-3	6/9/2008 Vinyl acetate	<		0.94	3	UG/L	1
SWB-3	12/4/2008 Vinyl acetate	<		0.94	3	UG/L	1
SWB-3	3/2/2009 Vinyl acetate	<		0.94	3	UG/L	1
SWB-3	6/4/2009 Vinyl acetate	<		0.94	3	UG/L	1 UJ
SWB-3	12/1/2009 Vinyl acetate	<		0.94	3	UG/L	1
SWB-3	3/1/2010 Vinyl acetate	<	3	0.94	3	ug/L	1
SWB-3	3/1/2010 Vinyl acetate	<	6	1.9	6	ug/L	1 DNR
SWB-3	6/1/2010 VINYL ACETATE	<	0.94	0.94	3	UG/L	1 DNR
SWB-3	6/1/2010 VINYL ACETATE	<	3.8	3.8	12	UG/L	1 UJ
SWB-3	9/9/2010 VINYL ACETATE	<	0.94	0.94	3	UG/L	1
SWB-4	11/15/2002 Vinyl acetate	<		0.91	2	ug/L	1
SWB-5	10/29/2002 Vinyl acetate	<		0.91	2	ug/L	1
SWB-6	3/4/2003 Vinyl acetate	<		0.56	2	ug/L	1
SWB-6	6/3/2003 Vinyl acetate	<		1.1	4	ug/L	2
SWB-6	12/3/2003 Vinyl acetate	<		1.1	4	ug/L	2
SWB-6	3/5/2004 Vinyl acetate	<		0.56	2	ug/L	1
SWB-6	6/1/2004 Vinyl acetate	<		0.56	2	ug/L	1
SWB-6	12/1/2004 Vinyl acetate	<		0.56	2	ug/L	1
SWB-6	3/7/2005 Vinyl acetate	<		0.8	2	ug/L	1
SWB-6	6/1/2005 Vinyl acetate	<		0.91	2	ug/L	1
SWB-6	12/2/2005 Vinyl acetate	<		0.91	2	UG/L	1
SWB-6	3/1/2006 Vinyl acetate	<		0.91	2	UG/L	1
SWB-6	6/1/2006 Vinyl acetate	<		0.94	2	UG/L	1
SWB-6	12/5/2006 Vinyl acetate	<		0.94	3	UG/L	1
SWB-6	3/2/2007 Vinyl acetate	<		0.94	3	UG/L	1
SWB-6	6/9/2008 Vinyl acetate	<		0.94	3	UG/L	1
SWB-6	3/6/2008 Vinyl acetate	<		0.94	3	UG/L	1
SWB-6	12/5/2008 Vinyl acetate	<		0.94	3	UG/L	1
SWB-6	3/2/2009 Vinyl acetate	<		0.94	3	UG/L	1
SWB-6	6/5/2009 Vinyl acetate	<		0.94	3	UG/L	1 UJ
SWB-6	3/2/2010 Vinyl acetate	<	3	0.94	3	UG/L	1
SWB-6	6/2/2010 VINYL ACETATE	<	0.94	0.94	3	UG/L	1 UJ
SWB-7	3/4/2003 Vinyl acetate	<		0.56	2	ug/L	1
SWB-7	6/3/2003 Vinyl acetate	<		0.56	2	ug/L	1
SWB-7	3/1/2004 Vinyl acetate	<		0.56	2	ug/L	1
SWB-7	5/24/2004 Vinyl acetate	<		0.56	2	ug/L	1
SWB-7	12/1/2004 Vinyl acetate	<		0.56	2	ug/L	1
SWB-7	3/7/2005 Vinyl acetate	<		0.8	2	ug/L	1
SWB-7	6/1/2005 Vinyl acetate	<		0.91	2	ug/L	1
SWB-7	9/1/2005 Vinyl acetate	<		0.91	2	ug/L	1
SWB-7	12/1/2005 Vinyl acetate	<		0.91	2	UG/L	1
SWB-7	3/1/2006 Vinyl acetate	<		0.91	2	UG/L	1
SWB-7	6/2/2006 Vinyl acetate	<		0.94	2	UG/L	1
SWB-7	9/5/2006 Vinyl acetate	<		0.94	3	UG/L	1
SWB-7	12/5/2006 Vinyl acetate	<		0.94	3	UG/L	1
SWB-7	3/2/2007 Vinyl acetate	<		0.94	3	UG/L	1
SWB-7	6/1/2007 Vinyl acetate	<		0.94	3	UG/L	1
SWB-7	9/7/2007 Vinyl acetate	<		0.94	3	UG/L	1
SWB-7	12/3/2007 Vinyl acetate	<		0.94	3	UG/L	1
SWB-7	3/6/2008 Vinyl acetate	<		0.94	3	UG/L	1
SWB-7	6/6/2008 Vinyl acetate	<		0.94	3	UG/L	1
SWB-7	9/8/2008 Vinyl acetate	<		0.94	3	UG/L	1
SWB-7	12/5/2008 Vinyl acetate	<		0.94	3	UG/L	1
SWB-7	3/2/2009 Vinyl acetate	<		0.94	3	UG/L	1
SWB-7	6/5/2009 Vinyl acetate	<		0.94	3	UG/L	1



tmpAnalyticalResultsOverTime

SWB-7	9/9/2009 Vinyl acetate	<		0.94	3	UG/L	1	
SWB-7	12/1/2009 Vinyl acetate	<		0.94	3	UG/L	1	
SWB-7	3/2/2010 Vinyl acetate	<	3	0.94	3	UG/L	1	
SWB-7	6/1/2010 VINYL ACETATE	<	0.94	0.94	3	UG/L	1	DNR
SWB-7	6/1/2010 VINYL ACETATE	<	3.8	3.8	12	UG/L	1	UJ
SWB-7	9/9/2010 VINYL ACETATE	<	0.94	0.94	3	UG/L	1	
SWB-7	12/1/2010 VINYL ACETATE	<	0.94	0.94	3	UG/L	1	
SWB-8	3/5/2004 Vinyl acetate	<		0.56	2	ug/L	1	
SWB-8	3/7/2005 Vinyl acetate	<		0.8	2	ug/L	1	
SWB-8	6/1/2005 Vinyl acetate	<		0.91	2	ug/L	1	
SWB-8	3/1/2006 Vinyl acetate	<		0.91	2	UG/L	1	
SWB-8	3/7/2008 Vinyl acetate	<		0.94	3	UG/L	1	
SWB-8	3/3/2009 Vinyl acetate	<		0.94	3	UG/L	1	
SWB-9	3/4/2003 Vinyl acetate	<		0.56	2	ug/L	1	
SWB-9	12/3/2003 Vinyl acetate	<		1.1	4	ug/L	2	
SWB-9	3/5/2004 Vinyl acetate	<		0.56	2	ug/L	1	
SWB-9	5/27/2004 Vinyl acetate	<		0.56	2	ug/L	1	
SWB-9	12/1/2004 Vinyl acetate	<		0.56	2	ug/L	1	
SWB-9	3/3/2005 Vinyl acetate	<		0.8	2	ug/L	1	
SWB-9	6/2/2005 Vinyl acetate	<		0.91	2	ug/L	1	
SWB-9	9/1/2005 Vinyl acetate	<		0.91	2	ug/L	1	UJ
SWB-9	12/1/2005 Vinyl acetate	<		0.91	2	UG/L	1	
SWB-9	3/2/2006 Vinyl acetate	<		3.6	8	UG/L	4	
SWB-9	6/1/2006 Vinyl acetate	<		0.94	2	UG/L	1	
SWB-9	12/4/2006 Vinyl acetate	<		0.94	3	UG/L	1	
SWB-9	3/5/2007 Vinyl acetate	<		0.94	3	UG/L	1	
SWB-9	3/6/2008 Vinyl acetate	<		0.94	3	UG/L	1	
SWB-9	6/5/2008 Vinyl acetate	<		0.94	3	UG/L	1	R
SWB-9	12/5/2008 Vinyl acetate	<		0.94	3	UG/L	1	
SWB-9	3/2/2009 Vinyl acetate	<		0.94	3	UG/L	1	
SWB-9	6/2/2009 Vinyl acetate	<		0.94	3	UG/L	1	UJ
SWB-9	3/1/2010 Vinyl acetate	<	3	0.94	3	ug/L	1	
SWB-9	6/1/2010 VINYL ACETATE	<	0.94	0.94	3	UG/L	1	DNR
SWB-9	6/1/2010 VINYL ACETATE	<	3.8	3.8	12	UG/L	1	UJ
SWB-9	12/1/2010 VINYL ACETATE	<	0.94	0.94	3	UG/L	1	
SWB-10	3/4/2004 Vinyl chloride	<		0.19	1	ug/L	1	NA
SWB-10	5/24/2004 Vinyl chloride	<		0.19	1	ug/L	1	
SWB-10	12/1/2004 Vinyl chloride	<		0.19	1	ug/L	1	
SWB-10	3/3/2005 Vinyl chloride	<		0.28	1	ug/L	1	
SWB-10	6/2/2005 Vinyl chloride	<		0.38	1	ug/L	1	
SWB-10	9/1/2005 Vinyl chloride	<		0.38	1	ug/L	1	
SWB-10	3/2/2006 Vinyl chloride	<		1.5	4	UG/L	4	
SWB-10	6/2/2006 Vinyl chloride	<		0.17	1	UG/L	1	
SWB-10	3/1/2007 Vinyl chloride	<		0.17	1	UG/L	1	
SWB-10	3/7/2008 Vinyl chloride	<		0.4	1	UG/L	1	
SWB-10	6/5/2008 Vinyl chloride	<		0.4	1	UG/L	1	
SWB-10	3/2/2009 Vinyl chloride	<		0.4	1	UG/L	1	
SWB-10	6/4/2009 Vinyl chloride	<		0.4	1	UG/L	1	
SWB-10	3/2/2010 Vinyl chloride	<	1	0.4	1	UG/L	1	
SWB-11	3/4/2004 Vinyl chloride	<		0.19	1	ug/L	1	
SWB-11	5/24/2004 Vinyl chloride	<		0.19	1	ug/L	1	
SWB-11	12/1/2004 Vinyl chloride	<		0.19	1	ug/L	1	
SWB-11	3/1/2005 Vinyl chloride	<		0.28	1	ug/L	1	
SWB-11	6/2/2005 Vinyl chloride	<		0.38	1	ug/L	1	
SWB-11	3/2/2006 Vinyl chloride	<		3.8	10	UG/L	10	
SWB-11	6/1/2006 Vinyl chloride	<		0.17	1	UG/L	1	
SWB-11	3/1/2007 Vinyl chloride	<		0.17	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-11	3/7/2008	Vinyl chloride	<		0.4	1	UG/L	1	
SWB-11	6/5/2008	Vinyl chloride	<		0.4	1	UG/L	1	
SWB-11	3/2/2009	Vinyl chloride	<		0.4	1	UG/L	1	
SWB-11	6/4/2009	Vinyl chloride	<		0.4	1	UG/L	1	
SWB-11	3/1/2010	Vinyl chloride	<	1	0.4	1	ug/L	1	
SWB-11	6/2/2010	VINYL CHLORIDE	<	0.4	0.4	1	UG/L	1	
SWB-3	10/29/2002	Vinyl chloride	<		0.26	1	ug/L	1	
SWB-3	3/4/2003	Vinyl chloride	<		0.19	1	ug/L	1	
SWB-3	6/3/2003	Vinyl chloride	<		0.19	1	ug/L	1	
SWB-3	9/4/2003	Vinyl chloride	<		0.19	1	ug/L	1	UJ
SWB-3	12/2/2003	Vinyl chloride	<		0.19	1	ug/L	1	
SWB-3	3/1/2004	Vinyl chloride	<		0.19	1	ug/L	1	
SWB-3	6/1/2004	Vinyl chloride	<		0.19	1	ug/L	1	
SWB-3	9/1/2004	Vinyl chloride	<		0.19	1	ug/L	1	
SWB-3	12/1/2004	Vinyl chloride	<		0.32	1.7	ug/L	1.66	
SWB-3	3/3/2005	Vinyl chloride	<		0.28	1	ug/L	1	
SWB-3	6/2/2005	Vinyl chloride	<		0.38	1	ug/L	1	
SWB-3	9/1/2005	Vinyl chloride	<		0.38	1	ug/L	1	
SWB-3	12/1/2005	Vinyl chloride	<		0.76	2	UG/L	2	
SWB-3	3/2/2006	Vinyl chloride	<		1.5	4	UG/L	4	
SWB-3	6/2/2006	Vinyl chloride	<		0.17	1	UG/L	1	
SWB-3	9/5/2006	Vinyl chloride	<		0.17	1	UG/L	1	
SWB-3	12/4/2006	Vinyl chloride	<		0.17	1	UG/L	1	
SWB-3	3/1/2007	Vinyl chloride	<		0.17	1	UG/L	1	
SWB-3	6/1/2007	Vinyl chloride	<		0.17	1	UG/L	1	
SWB-3	12/3/2007	Vinyl chloride	<		0.17	1	UG/L	1	
SWB-3	3/6/2008	Vinyl chloride	<		0.4	1	UG/L	1	
SWB-3	6/9/2008	Vinyl chloride	<		0.4	1	UG/L	1	
SWB-3	12/4/2008	Vinyl chloride	<		0.4	1	UG/L	1	
SWB-3	3/2/2009	Vinyl chloride	<		0.4	1	UG/L	1	
SWB-3	6/4/2009	Vinyl chloride	<		0.4	1	UG/L	1	
SWB-3	12/1/2009	Vinyl chloride	<		0.4	1	UG/L	1	
SWB-3	3/1/2010	Vinyl chloride	<	1	0.4	1	ug/L	1	
SWB-3	3/1/2010	Vinyl chloride	<	2	0.8	2	ug/L	1	DNR
SWB-3	6/1/2010	VINYL CHLORIDE	<	0.4	0.4	1	UG/L	1	DNR
SWB-3	6/1/2010	VINYL CHLORIDE	<	1.6	1.6	4	UG/L	1	UJ
SWB-3	9/9/2010	VINYL CHLORIDE	<	0.4	0.4	1	UG/L	1	
SWB-4	11/15/2002	Vinyl chloride	<		0.26	1	ug/L	1	
SWB-5	10/29/2002	Vinyl chloride	<		0.26	1	ug/L	1	
SWB-6	3/4/2003	Vinyl chloride	<		0.19	1	ug/L	1	
SWB-6	6/3/2003	Vinyl chloride	<		0.38	2	ug/L	2	
SWB-6	12/3/2003	Vinyl chloride	<		0.38	2	ug/L	2	
SWB-6	3/5/2004	Vinyl chloride	<		0.19	1	ug/L	1	
SWB-6	6/1/2004	Vinyl chloride	<		0.19	1	ug/L	1	
SWB-6	12/1/2004	Vinyl chloride	<		0.19	1	ug/L	1	
SWB-6	3/7/2005	Vinyl chloride	<		0.28	1	ug/L	1	
SWB-6	6/1/2005	Vinyl chloride	<		0.38	1	ug/L	1	
SWB-6	12/2/2005	Vinyl chloride	<		0.38	1	UG/L	1	
SWB-6	3/1/2006	Vinyl chloride	<		0.38	1	UG/L	1	
SWB-6	6/1/2006	Vinyl chloride	<		0.17	1	UG/L	1	
SWB-6	12/5/2006	Vinyl chloride	<		0.17	1	UG/L	1	
SWB-6	3/2/2007	Vinyl chloride	<		0.17	1	UG/L	1	
SWB-6	6/9/2008	Vinyl chloride	<		0.4	1	UG/L	1	
SWB-6	3/6/2008	Vinyl chloride	<		0.4	1	UG/L	1	
SWB-6	12/5/2008	Vinyl chloride	<		0.4	1	UG/L	1	
SWB-6	3/2/2009	Vinyl chloride	<		0.4	1	UG/L	1	
SWB-6	6/5/2009	Vinyl chloride	<		0.4	1	UG/L	1	

tmpAnalyticalResultsOverTime

SWB-6	3/2/2010 Vinyl chloride	<	1	0.4	1	UG/L	1
SWB-6	6/2/2010 VINYL CHLORIDE	<	0.4	0.4	1	UG/L	1
SWB-7	3/4/2003 Vinyl chloride	<		0.19	1	ug/L	1
SWB-7	6/3/2003 Vinyl chloride	<		0.19	1	ug/L	1
SWB-7	3/1/2004 Vinyl chloride	<		0.19	1	ug/L	1
SWB-7	5/24/2004 Vinyl chloride	<		0.19	1	ug/L	1
SWB-7	12/1/2004 Vinyl chloride	<		0.19	1	ug/L	1
SWB-7	3/7/2005 Vinyl chloride	<		0.28	1	ug/L	1
SWB-7	6/1/2005 Vinyl chloride	<		0.38	1	ug/L	1
SWB-7	9/1/2005 Vinyl chloride	<		0.38	1	ug/L	1
SWB-7	12/1/2005 Vinyl chloride	<		0.38	1	UG/L	1
SWB-7	3/1/2006 Vinyl chloride	<		0.38	1	UG/L	1
SWB-7	6/2/2006 Vinyl chloride	<		0.17	1	UG/L	1
SWB-7	9/5/2006 Vinyl chloride	<		0.17	1	UG/L	1
SWB-7	12/5/2006 Vinyl chloride	<		0.17	1	UG/L	1
SWB-7	3/2/2007 Vinyl chloride	<		0.17	1	UG/L	1
SWB-7	6/1/2007 Vinyl chloride	<		0.17	1	UG/L	1
SWB-7	9/7/2007 Vinyl chloride	<		0.17	1	UG/L	1
SWB-7	12/3/2007 Vinyl chloride	<		0.17	1	UG/L	1
SWB-7	3/6/2008 Vinyl chloride	<		0.4	1	UG/L	1
SWB-7	6/6/2008 Vinyl chloride	<		0.4	1	UG/L	1
SWB-7	9/8/2008 Vinyl chloride	<		0.4	1	UG/L	1
SWB-7	12/5/2008 Vinyl chloride	<		0.4	1	UG/L	1
SWB-7	3/2/2009 Vinyl chloride	<		0.4	1	UG/L	1
SWB-7	6/5/2009 Vinyl chloride	<		0.4	1	UG/L	1
SWB-7	9/9/2009 Vinyl chloride	<		0.4	1	UG/L	1
SWB-7	12/1/2009 Vinyl chloride	<		0.4	1	UG/L	1
SWB-7	3/2/2010 Vinyl chloride	<	1	0.4	1	UG/L	1
SWB-7	6/1/2010 VINYL CHLORIDE	<	0.4	0.4	1	UG/L	1 DNR
SWB-7	6/1/2010 VINYL CHLORIDE	<	1.6	1.6	4	UG/L	1 UJ
SWB-7	9/9/2010 VINYL CHLORIDE	<	0.4	0.4	1	UG/L	1
SWB-7	12/1/2010 VINYL CHLORIDE	<	0.4	0.4	1	UG/L	1
SWB-8	3/5/2004 Vinyl chloride	<		0.19	1	ug/L	1
SWB-8	3/7/2005 Vinyl chloride	<		0.28	1	ug/L	1
SWB-8	6/1/2005 Vinyl chloride	<		0.38	1	ug/L	1
SWB-8	3/1/2006 Vinyl chloride	<		0.38	1	UG/L	1
SWB-8	3/7/2008 Vinyl chloride	<		0.4	1	UG/L	1
SWB-8	3/3/2009 Vinyl chloride	<		0.4	1	UG/L	1
SWB-9	3/4/2003 Vinyl chloride	<		0.19	1	ug/L	1
SWB-9	12/3/2003 Vinyl chloride	<		0.38	2	ug/L	2
SWB-9	3/5/2004 Vinyl chloride	<		0.19	1	ug/L	1
SWB-9	5/27/2004 Vinyl chloride	<		0.19	1	ug/L	1
SWB-9	12/1/2004 Vinyl chloride	<		0.19	1	ug/L	1
SWB-9	3/3/2005 Vinyl chloride	<		0.28	1	ug/L	1
SWB-9	6/2/2005 Vinyl chloride	<		0.38	1	ug/L	1
SWB-9	9/1/2005 Vinyl chloride	<		0.38	1	ug/L	1 UJ
SWB-9	12/1/2005 Vinyl chloride	<		0.38	1	UG/L	1
SWB-9	3/2/2006 Vinyl chloride	<		1.5	4	UG/L	4
SWB-9	6/1/2006 Vinyl chloride	<		0.17	1	UG/L	1
SWB-9	12/4/2006 Vinyl chloride	<		0.17	1	UG/L	1
SWB-9	3/5/2007 Vinyl chloride	<		0.17	1	UG/L	1
SWB-9	3/6/2008 Vinyl chloride	<		0.4	1	UG/L	1
SWB-9	6/5/2008 Vinyl chloride	<		0.4	1	UG/L	1 R
SWB-9	12/5/2008 Vinyl chloride	<		0.4	1	UG/L	1
SWB-9	3/2/2009 Vinyl chloride	<		0.4	1	UG/L	1
SWB-9	6/2/2009 Vinyl chloride	<		0.4	1	UG/L	1
SWB-9	3/1/2010 Vinyl chloride	<	1	0.4	1	ug/L	1

tmpAnalyticalResultsOverTime

SWB-9	6/1/2010	VINYL CHLORIDE	<	0.4	0.4	1	UG/L	1 DNR	
SWB-9	6/1/2010	VINYL CHLORIDE	<	1.6	1.6	4	UG/L	1	
SWB-9	12/1/2010	VINYL CHLORIDE	<	0.4	0.4	1	UG/L	1	
SWB-10	3/4/2004	Xylenes (total)	<		0.41	2	ug/L	1	0.013 mg/L
SWB-10	5/24/2004	Xylenes (total)	<		0.41	2	ug/L	1	
SWB-10	12/1/2004	Xylenes (total)	<		0.41	2	ug/L	1	
SWB-10	3/3/2005	Xylenes (total)	<		0.45	2	ug/L	1	
SWB-10	6/2/2005	Xylenes (total)	<		0.19	2	ug/L	1	
SWB-10	9/1/2005	Xylenes (total)	<		0.19	2	ug/L	1	
SWB-10	3/2/2006	Xylenes (total)	<		0.76	8	UG/L	4	
SWB-10	6/2/2006	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-10	3/7/2008	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-10	6/5/2008	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-10	3/2/2009	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-10	6/4/2009	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-10	3/2/2010	XYLENES (TOTAL)	<	2	0.19	2	UG/L	1	
SWB-11	3/4/2004	Xylenes (total)	<		0.41	2	ug/L	1	
SWB-11	5/24/2004	Xylenes (total)	<		0.41	2	ug/L	1	
SWB-11	12/1/2004	Xylenes (total)	<		0.41	2	ug/L	1	
SWB-11	3/1/2005	Xylenes (total)	<		0.45	2	ug/L	1	
SWB-11	6/2/2005	Xylenes (total)	<		0.19	2	ug/L	1	
SWB-11	3/2/2006	Xylenes (total)	<		1.9	20	UG/L	10	
SWB-11	6/1/2006	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-11	3/7/2008	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-11	6/5/2008	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-11	3/2/2009	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-11	6/4/2009	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-11	3/1/2010	XYLENES (TOTAL)	<	2	0.19	2	ug/L	1	
SWB-11	6/2/2010	XYLENES (TOTAL)	<	0.19	0.19	2	UG/L	1 UJ	
SWB-3	10/29/2002	Xylenes (total)	<		0.73	2	ug/L	1	
SWB-3	3/4/2003	Xylenes (total)	<		0.41	2	ug/L	1	
SWB-3	6/3/2003	Xylenes (total)	<		0.41	2	ug/L	1	
SWB-3	9/4/2003	Xylenes (total)	<		0.41	2	ug/L	1 UJ	
SWB-3	12/2/2003	Xylenes (total)	<		0.41	2	ug/L	1	
SWB-3	3/1/2004	Xylenes (total)	<		0.41	2	ug/L	1	
SWB-3	6/1/2004	Xylenes (total)	<		0.41	2	ug/L	1	
SWB-3	9/1/2004	Xylenes (total)	<		0.41	2	ug/L	1	
SWB-3	12/1/2004	Xylenes (total)	<		0.68	3.3	ug/L	1.66	
SWB-3	3/3/2005	Xylenes (total)	<		0.45	2	ug/L	1	
SWB-3	6/2/2005	Xylenes (total)	<		0.19	2	ug/L	1	
SWB-3	9/1/2005	Xylenes (total)	<		0.19	2	ug/L	1	
SWB-3	12/1/2005	Xylenes (total)	<		0.38	4	UG/L	2	
SWB-3	3/2/2006	Xylenes (total)	<		0.76	8	UG/L	4	
SWB-3	6/2/2006	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-3	9/5/2006	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-3	12/4/2006	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-3	6/1/2007	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-3	12/3/2007	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-3	3/6/2008	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-3	6/9/2008	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-3	12/4/2008	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-3	3/2/2009	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-3	6/4/2009	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-3	12/1/2009	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-3	3/1/2010	XYLENES (TOTAL)	<	2	0.19	2	ug/L	1	
SWB-3	3/1/2010	XYLENES (TOTAL)	<	4	0.38	4	ug/L	1 DNR	
SWB-3	6/1/2010	XYLENES (TOTAL)	<	0.19	0.19	2	UG/L	1 DNR	

tmpAnalyticalResultsOverTime

SWB-3	6/1/2010 XYLENES (TOTAL)	<	0.76	0.76	8	UG/L	1 UJ
SWB-3	9/9/2010 XYLENES (TOTAL)	<	0.19	0.19	2	UG/L	1
SWB-4	11/15/2002 Xylenes (total)	<		0.73	2	ug/L	1
SWB-5	10/29/2002 Xylenes (total)	<		0.73	2	ug/L	1
SWB-6	3/4/2003 Xylenes (total)	<		0.41	2	ug/L	1
SWB-6	6/3/2003 Xylenes (total)	<		0.82	4	ug/L	2
SWB-6	12/3/2003 Xylenes (total)	<		0.82	4	ug/L	2
SWB-6	3/5/2004 Xylenes (total)	<		0.41	2	ug/L	1
SWB-6	6/1/2004 Xylenes (total)	<		0.41	2	ug/L	1
SWB-6	12/1/2004 Xylenes (total)	<		0.41	2	ug/L	1
SWB-6	3/7/2005 Xylenes (total)	<		0.45	2	ug/L	1
SWB-6	6/1/2005 Xylenes (total)	<		0.19	2	ug/L	1
SWB-6	12/2/2005 Xylenes (total)	<		0.19	2	UG/L	1
SWB-6	3/1/2006 Xylenes (total)	<		0.19	2	UG/L	1
SWB-6	6/1/2006 Xylenes (total)	<		0.19	2	UG/L	1
SWB-6	12/5/2006 Xylenes (total)	<		0.19	2	UG/L	1
SWB-6	6/9/2008 Xylenes (total)	<		0.19	2	UG/L	1
SWB-6	3/6/2008 Xylenes (total)	<		0.19	2	UG/L	1
SWB-6	12/5/2008 Xylenes (total)	<		0.19	2	UG/L	1
SWB-6	3/2/2009 Xylenes (total)	<		0.19	2	UG/L	1
SWB-6	6/5/2009 Xylenes (total)	<		0.19	2	UG/L	1
SWB-6	3/2/2010 XYLENES (TOTAL)	<	2	0.19	2	UG/L	1
SWB-6	6/2/2010 XYLENES (TOTAL)	<	0.19	0.19	2	UG/L	1 UJ
SWB-7	3/4/2003 Xylenes (total)	<		0.41	2	ug/L	1
SWB-7	6/3/2003 Xylenes (total)	<		0.41	2	ug/L	1
SWB-7	3/1/2004 Xylenes (total)	<		0.41	2	ug/L	1
SWB-7	5/24/2004 Xylenes (total)	<		0.41	2	ug/L	1
SWB-7	12/1/2004 Xylenes (total)	<		0.41	2	ug/L	1
SWB-7	3/7/2005 Xylenes (total)	<		0.45	2	ug/L	1
SWB-7	6/1/2005 Xylenes (total)	<		0.19	2	ug/L	1
SWB-7	9/1/2005 Xylenes (total)	<		0.19	2	ug/L	1
SWB-7	12/1/2005 Xylenes (total)	<		0.19	2	UG/L	1
SWB-7	3/1/2006 Xylenes (total)	<		0.19	2	UG/L	1
SWB-7	6/2/2006 Xylenes (total)	<		0.19	2	UG/L	1
SWB-7	9/5/2006 Xylenes (total)	<		0.19	2	UG/L	1
SWB-7	12/5/2006 Xylenes (total)	<		0.19	2	UG/L	1
SWB-7	6/1/2007 Xylenes (total)	<		0.19	2	UG/L	1
SWB-7	9/7/2007 Xylenes (total)	<		0.19	2	UG/L	1
SWB-7	12/3/2007 Xylenes (total)	<		0.19	2	UG/L	1
SWB-7	3/6/2008 Xylenes (total)	<		0.19	2	UG/L	1
SWB-7	6/6/2008 Xylenes (total)	<		0.19	2	UG/L	1
SWB-7	9/8/2008 Xylenes (total)	<		0.19	2	UG/L	1
SWB-7	12/5/2008 Xylenes (total)	<		0.19	2	UG/L	1
SWB-7	3/2/2009 Xylenes (total)	<		0.19	2	UG/L	1
SWB-7	6/5/2009 Xylenes (total)	<		0.19	2	UG/L	1
SWB-7	9/9/2009 Xylenes (total)	<		0.19	2	UG/L	1
SWB-7	12/1/2009 Xylenes (total)	<		0.19	2	UG/L	1
SWB-7	3/2/2010 XYLENES (TOTAL)	<	2	0.19	2	UG/L	1
SWB-7	6/1/2010 XYLENES (TOTAL)	<	0.19	0.19	2	UG/L	1 DNR
SWB-7	6/1/2010 XYLENES (TOTAL)	<	0.76	0.76	8	UG/L	1 UJ
SWB-7	9/9/2010 XYLENES (TOTAL)	<	0.19	0.19	2	UG/L	1 UJ
SWB-7	12/1/2010 XYLENES (TOTAL)	<	0.19	0.19	2	UG/L	1
SWB-8	3/5/2004 Xylenes (total)	<		0.41	2	ug/L	1
SWB-8	3/7/2005 Xylenes (total)	<		0.45	2	ug/L	1
SWB-8	6/1/2005 Xylenes (total)	<		0.19	2	ug/L	1
SWB-8	3/1/2006 Xylenes (total)	<		0.19	2	UG/L	1
SWB-8	3/7/2008 Xylenes (total)	<		0.19	2	UG/L	1

tmpAnalyticalResultsOverTime

SWB-8	3/3/2009	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-9	3/4/2003	Xylenes (total)	<		0.41	2	ug/L	1	
SWB-9	12/3/2003	Xylenes (total)	<		0.82	4	ug/L	2	
SWB-9	3/5/2004	Xylenes (total)	<		0.41	2	ug/L	1	
SWB-9	5/27/2004	Xylenes (total)	<		0.41	2	ug/L	1	
SWB-9	12/1/2004	Xylenes (total)	<		0.41	2	ug/L	1	
SWB-9	3/3/2005	Xylenes (total)	<		0.45	2	ug/L	1	
SWB-9	6/2/2005	Xylenes (total)	<		0.19	2	ug/L	1	
SWB-9	9/1/2005	Xylenes (total)	<		0.19	2	ug/L	1	UJ
SWB-9	12/1/2005	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-9	3/2/2006	Xylenes (total)	<		0.76	8	UG/L	4	
SWB-9	6/1/2006	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-9	12/4/2006	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-9	3/6/2008	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-9	6/5/2008	Xylenes (total)	<		0.19	2	UG/L	1	R
SWB-9	12/5/2008	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-9	3/2/2009	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-9	6/2/2009	Xylenes (total)	<		0.19	2	UG/L	1	
SWB-9	3/1/2010	XYLENES (TOTAL)	<	2	0.19	2	ug/L	1	
SWB-9	6/1/2010	XYLENES (TOTAL)	<	0.19	0.19	2	UG/L	1	DNR
SWB-9	6/1/2010	XYLENES (TOTAL)	<	0.76	0.76	8	UG/L	1	UJ
SWB-9	12/1/2010	XYLENES (TOTAL)	<	0.19	0.19	2	UG/L	1	
SWB-10	3/2/2010	Zinc	TR	0.0071	0.0045	0.02	MG/L	1	NA
SWB-11	3/1/2010	Zinc	TR	0.0058	0.0045	0.02	mg/L	1	J
SWB-11	6/2/2010	ZINC	TR	0.069	0.045	0.2	MG/L	10	J
SWB-3	3/1/2010	Zinc	TR	0.019	0.0045	0.02	mg/L	1	J
SWB-3	6/1/2010	ZINC	TR	0.013	0.0045	0.02	MG/L	1	J
SWB-3	9/9/2010	ZINC	<	0.045	0.045	0.2	MG/L	10	
SWB-6	3/2/2010	Zinc	<	0.1	0.023	0.1	MG/L	5	
SWB-6	6/2/2010	ZINC	TR	0.049	0.045	0.2	MG/L	10	J
SWB-7	3/2/2010	Zinc	=	0.032	0.0045	0.02	MG/L	1	
SWB-7	6/1/2010	ZINC	=	0.04	0.0045	0.02	MG/L	1	
SWB-7	9/9/2010	ZINC	<	0.045	0.045	0.2	MG/L	10	
SWB-7	12/1/2010	ZINC	TR	0.011	0.0045	0.02	MG/L	1	J
SWB-9	3/1/2010	Zinc	<	0.02	0.0045	0.02	mg/L	1	
SWB-9	6/1/2010	ZINC	TR	0.052	0.045	0.2	MG/L	10	J
SWB-9	12/1/2010	ZINC	TR	0.008	0.0045	0.02	MG/L	1	J
SWB-3	10/29/2002	Zinc-DISSOLVED	<		0.0068	0.02	mg/L	1	UJ
SWB-4	11/15/2002	Zinc-DISSOLVED	=	0.3	0.034	0.1	mg/L	5	J
SWB-5	10/29/2002	Zinc-DISSOLVED	=	0.12	0.014	0.04	mg/L	2	J
SWB-10	3/4/2004	Zinc-TOTAL	=	0.022	0.0071	0.02	mg/L	1	NA
SWB-10	5/24/2004	Zinc-TOTAL	<		0.0071	0.02	mg/L	1	
SWB-10	12/1/2004	Zinc-TOTAL	TR	0.011	0.0049	0.02	mg/L	1	J
SWB-10	3/3/2005	Zinc-TOTAL	TR	0.011	0.0049	0.02	mg/L	1	J
SWB-10	6/2/2005	Zinc-TOTAL	<		0.0044	0.02	mg/L	1	
SWB-10	9/1/2005	Zinc-TOTAL	TR	0.024	0.023	0.1	MG/L	5	J
SWB-10	3/2/2006	Zinc-TOTAL	<		0.023	0.1	MG/L	5	
SWB-10	6/2/2006	Zinc-TOTAL	<		0.045	0.2	MG/L	10	
SWB-10	3/1/2007	Zinc-TOTAL	=	2.3	0.23	1	MG/L	50	
SWB-10	3/7/2008	Zinc-TOTAL	<		0.0045	0.02	MG/L	1	
SWB-10	6/5/2008	Zinc-TOTAL	TR	0.085	0.023	0.1	MG/L	5	J
SWB-10	3/2/2009	Zinc-TOTAL	TR	0.0075	0.0045	0.02	MG/L	1	J
SWB-10	6/4/2009	Zinc-TOTAL	<		0.045	0.2	MG/L	10	
SWB-11	3/4/2004	Zinc-TOTAL	TR	0.0099	0.0071	0.02	mg/L	1	J
SWB-11	5/24/2004	Zinc-TOTAL	<		0.0071	0.02	mg/L	1	
SWB-11	12/1/2004	Zinc-TOTAL	TR	0.0086	0.0049	0.02	mg/L	1	J
SWB-11	3/1/2005	Zinc-TOTAL	TR	0.006	0.0049	0.02	mg/L	1	J

0.38 mg/L

tmpAnalyticalResultsOverTime

SWB-11	6/2/2005	Zinc-TOTAL	<		0.0044	0.02	mg/L	1
SWB-11	3/2/2006	Zinc-TOTAL	TR	0.028	0.023	0.1	MG/L	5 J
SWB-11	6/1/2006	Zinc-TOTAL	<		0.045	0.2	MG/L	10
SWB-11	3/1/2007	Zinc-TOTAL	=	0.2	0.023	0.1	MG/L	5
SWB-11	3/7/2008	Zinc-TOTAL	<		0.0045	0.02	MG/L	1
SWB-11	6/5/2008	Zinc-TOTAL	TR	0.085	0.023	0.1	MG/L	5 J
SWB-11	3/2/2009	Zinc-TOTAL	TR	0.012	0.0045	0.02	MG/L	1 J
SWB-11	6/4/2009	Zinc-TOTAL	<		0.045	0.2	MG/L	10
SWB-3	10/29/2002	Zinc-TOTAL	<	0.02	0.0068	0.02	mg/L	1 U
SWB-3	3/4/2003	Zinc-TOTAL	<		0.0068	0.02	mg/L	1
SWB-3	6/3/2003	Zinc-TOTAL	=	0.046	0.0071	0.02	mg/L	1 J
SWB-3	9/4/2003	Zinc-TOTAL	TR	0.083	0.071	0.2	mg/L	10 J
SWB-3	12/2/2003	Zinc-TOTAL	=	0.022	0.0071	0.02	mg/L	1
SWB-3	3/1/2004	Zinc-TOTAL	<		0.0071	0.02	mg/L	1
SWB-3	6/1/2004	Zinc-TOTAL	TR	0.015	0.0071	0.02	mg/L	1 J
SWB-3	9/1/2004	Zinc-TOTAL	<		0.024	0.1	mg/L	5
SWB-3	12/1/2004	Zinc-TOTAL	=	0.028	0.0049	0.02	mg/L	1 J
SWB-3	3/3/2005	Zinc-TOTAL	TR	0.0091	0.0049	0.02	mg/L	1 J
SWB-3	6/2/2005	Zinc-TOTAL	TR	0.012	0.0044	0.02	mg/L	1 J
SWB-3	9/1/2005	Zinc-TOTAL	TR	0.019	0.0045	0.02	MG/L	1 J
SWB-3	12/1/2005	Zinc-TOTAL	TR	0.011	0.0045	0.02	MG/L	1 J
SWB-3	3/2/2006	Zinc-TOTAL	TR	0.005	0.0045	0.02	MG/L	1 J
SWB-3	6/2/2006	Zinc-TOTAL	<	0.02	0.0045	0.02	MG/L	1 U
SWB-3	9/5/2006	Zinc-TOTAL	TR	0.099	0.023	0.1	MG/L	5 J
SWB-3	12/4/2006	Zinc-TOTAL	=	0.12	0.023	0.1	MG/L	5
SWB-3	3/1/2007	Zinc-TOTAL	TR	0.039	0.023	0.1	MG/L	5 J
SWB-3	6/1/2007	Zinc-TOTAL	<	0.02	0.0045	0.02	MG/L	1 U
SWB-3	12/3/2007	Zinc-TOTAL	<	0.022	0.0045	0.022	MG/L	1 U
SWB-3	3/6/2008	Zinc-TOTAL	TR	0.012	0.0045	0.02	MG/L	1 J
SWB-3	6/9/2008	Zinc-TOTAL	TR	0.012	0.0045	0.02	MG/L	1 J
SWB-3	12/4/2008	Zinc-TOTAL	TR	0.01	0.0045	0.02	MG/L	1 B
SWB-3	3/2/2009	Zinc-TOTAL	TR	0.014	0.0045	0.02	MG/L	1 J
SWB-3	6/4/2009	Zinc-TOTAL	TR	0.0097	0.0045	0.02	MG/L	1 J
SWB-3	12/1/2009	Zinc-TOTAL	TR	0.016	0.0045	0.02	MG/L	1 J
SWB-4	11/15/2002	Zinc-TOTAL	=	0.25	0.034	0.1	mg/L	5 J
SWB-5	10/29/2002	Zinc-TOTAL	=	0.11	0.014	0.04	mg/L	2 J
SWB-6	3/4/2003	Zinc-TOTAL	<		0.0068	0.02	mg/L	1
SWB-6	6/3/2003	Zinc-TOTAL	=	0.036	0.0071	0.02	mg/L	1 J
SWB-6	12/3/2003	Zinc-TOTAL	TR	0.066	0.036	0.1	mg/L	5 J
SWB-6	3/5/2004	Zinc-TOTAL	<		0.0071	0.02	mg/L	1
SWB-6	6/1/2004	Zinc-TOTAL	<		0.0071	0.02	mg/L	1
SWB-6	12/1/2004	Zinc-TOTAL	TR	0.0061	0.0049	0.02	mg/L	1 J
SWB-6	3/7/2005	Zinc-TOTAL	<		0.0049	0.02	mg/L	1
SWB-6	6/1/2005	Zinc-TOTAL	TR	0.0082	0.0044	0.02	mg/L	1 J
SWB-6	12/2/2005	Zinc-TOTAL	<		0.045	0.2	MG/L	10
SWB-6	3/1/2006	Zinc-TOTAL	<		0.0045	0.02	MG/L	1
SWB-6	6/1/2006	Zinc-TOTAL	<		0.023	0.1	MG/L	5
SWB-6	12/5/2006	Zinc-TOTAL	<		0.045	0.2	MG/L	10
SWB-6	3/2/2007	Zinc-TOTAL	<		0.023	0.1	MG/L	5
SWB-6	6/9/2008	Zinc-TOTAL	<		0.023	0.1	MG/L	5
SWB-6	3/6/2008	Zinc-TOTAL	TR	0.007	0.0045	0.02	MG/L	1 J
SWB-6	12/5/2008	Zinc-TOTAL	TR	0.045	0.023	0.1	MG/L	5 J
SWB-6	3/2/2009	Zinc-TOTAL	<		0.0045	0.02	MG/L	1 UJ
SWB-6	6/5/2009	Zinc-TOTAL	TR	0.13	0.045	0.2	MG/L	10 J
SWB-7	3/4/2003	Zinc-TOTAL	<		0.0068	0.02	mg/L	1
SWB-7	6/3/2003	Zinc-TOTAL	=	0.078	0.014	0.04	mg/L	2 J
SWB-7	3/1/2004	Zinc-TOTAL	<		0.0071	0.02	mg/L	1

tmpAnalyticalResultsOverTime

SWB-7	5/24/2004	Zinc-TOTAL	<		0.0071	0.02	mg/L	1	
SWB-7	12/1/2004	Zinc-TOTAL	<		0.0049	0.02	mg/L	1	
SWB-7	3/7/2005	Zinc-TOTAL	<		0.0049	0.02	mg/L	1	
SWB-7	6/1/2005	Zinc-TOTAL	<		0.0044	0.02	mg/L	1	
SWB-7	9/1/2005	Zinc-TOTAL	<		0.0045	0.02	MG/L	1	
SWB-7	12/1/2005	Zinc-TOTAL	<		0.0045	0.02	MG/L	1	
SWB-7	3/1/2006	Zinc-TOTAL	<		0.0045	0.02	MG/L	1	
SWB-7	6/2/2006	Zinc-TOTAL	<	0.02	0.0045	0.02	MG/L	1	U
SWB-7	9/5/2006	Zinc-TOTAL	<	0.02	0.0045	0.02	MG/L	1	U
SWB-7	12/5/2006	Zinc-TOTAL	<		0.0045	0.02	MG/L	1	
SWB-7	3/2/2007	Zinc-TOTAL	<	0.02	0.0045	0.02	MG/L	1	U
SWB-7	6/1/2007	Zinc-TOTAL	<	0.02	0.0045	0.02	MG/L	1	U
SWB-7	9/7/2007	Zinc-TOTAL	<		0.023	0.1	MG/L	5	
SWB-7	12/3/2007	Zinc-TOTAL	<		0.0045	0.02	MG/L	1	
SWB-7	3/6/2008	Zinc-TOTAL	<		0.0045	0.02	MG/L	1	
SWB-7	6/6/2008	Zinc-TOTAL	<		0.0045	0.02	MG/L	1	
SWB-7	9/8/2008	Zinc-TOTAL	<		0.0045	0.02	MG/L	1	
SWB-7	12/5/2008	Zinc-TOTAL	<		0.0045	0.02	MG/L	1	
SWB-7	3/2/2009	Zinc-TOTAL	TR	0.017	0.0045	0.02	MG/L	1	J
SWB-7	6/5/2009	Zinc-TOTAL	TR	0.0079	0.0045	0.02	MG/L	1	J
SWB-7	9/9/2009	Zinc-TOTAL	TR	0.074	0.023	0.1	MG/L	5	J
SWB-7	12/1/2009	Zinc-TOTAL	=	0.054	0.0045	0.02	MG/L	1	
SWB-8	3/5/2004	Zinc-TOTAL	<		0.0071	0.02	mg/L	1	
SWB-8	3/7/2005	Zinc-TOTAL	<		0.0049	0.02	mg/L	1	
SWB-8	6/1/2005	Zinc-TOTAL	TR	0.0056	0.0044	0.02	mg/L	1	J
SWB-8	3/1/2006	Zinc-TOTAL	=	0.028	0.0045	0.02	MG/L	1	
SWB-8	3/7/2008	Zinc-TOTAL	TR	0.016	0.0045	0.02	MG/L	1	J
SWB-8	3/3/2009	Zinc-TOTAL	TR	0.01	0.0045	0.02	MG/L	1	J
SWB-9	3/4/2003	Zinc-TOTAL	<		0.0068	0.02	mg/L	1	
SWB-9	12/3/2003	Zinc-TOTAL	<		0.036	0.1	mg/L	5	
SWB-9	3/5/2004	Zinc-TOTAL	<		0.0071	0.02	mg/L	1	
SWB-9	5/27/2004	Zinc-TOTAL	TR	0.038	0.036	0.1	mg/L	5	J
SWB-9	12/1/2004	Zinc-TOTAL	TR	0.005	0.0049	0.02	mg/L	1	J
SWB-9	3/3/2005	Zinc-TOTAL	=	0.022	0.0049	0.02	mg/L	1	J
SWB-9	6/2/2005	Zinc-TOTAL	<		0.0044	0.02	mg/L	1	
SWB-9	9/1/2005	Zinc-TOTAL	<		0.045	0.2	MG/L	10	
SWB-9	12/1/2005	Zinc-TOTAL	<		0.045	0.2	MG/L	10	
SWB-9	3/2/2006	Zinc-TOTAL	<		0.023	0.1	MG/L	5	
SWB-9	6/1/2006	Zinc-TOTAL	<		0.045	0.2	MG/L	10	
SWB-9	12/4/2006	Zinc-TOTAL	<		0.23	1	MG/L	50	
SWB-9	3/5/2007	Zinc-TOTAL	<	0.1	0.023	0.1	MG/L	5	U
SWB-9	3/6/2008	Zinc-TOTAL	<		0.023	0.1	MG/L	5	
SWB-9	6/5/2008	Zinc-TOTAL	=	0.13	0.023	0.1	MG/L	5	
SWB-9	12/5/2008	Zinc-TOTAL	TR	0.069	0.023	0.1	MG/L	5	J
SWB-9	3/2/2009	Zinc-TOTAL	TR	0.012	0.0045	0.02	MG/L	1	J
SWB-9	6/2/2009	Zinc-TOTAL	<		0.045	0.2	MG/L	10	
SWB-10	3/2/2010	Zirconium	<	0.015	0.0024	0.015	MG/L	1	UJ
SWB-11	3/1/2010	Zirconium	<	0.015	0.0024	0.015	mg/L	1	UJ
SWB-11	6/2/2010	ZIRCONIUM	<	0.024	0.024	0.15	MG/L	10	
SWB-3	3/1/2010	Zirconium	=	0.25	0.0024	0.015	mg/L	1	
SWB-3	6/1/2010	ZIRCONIUM	=	0.23	0.0024	0.015	MG/L	1	
SWB-3	9/9/2010	ZIRCONIUM	TR	0.034	0.024	0.15	MG/L	10	J
SWB-6	3/2/2010	Zirconium	<	0.075	0.012	0.075	MG/L	5	UJ
SWB-6	6/2/2010	ZIRCONIUM	<	0.024	0.024	0.15	MG/L	10	
SWB-7	3/2/2010	Zirconium	<	0.015	0.0024	0.015	MG/L	1	
SWB-7	6/1/2010	ZIRCONIUM	<	0.0024	0.0024	0.015	MG/L	1	
SWB-7	9/9/2010	ZIRCONIUM	<	0.024	0.024	0.15	MG/L	10	

NA



tmpAnalyticalResultsOverTime

SWB-7	12/1/2010 ZIRCONIUM	TR	0.015	0.0031	0.015	MG/L	1	U	
SWB-9	3/1/2010 Zirconium	<	0.015	0.0024	0.015	mg/L	1	UJ	
SWB-9	6/1/2010 ZIRCONIUM	<	0.024	0.024	0.15	MG/L	10		
SWB-9	12/1/2010 ZIRCONIUM	TR	0.015	0.012	0.015	MG/L	1	U	
SWB-3	10/29/2002 Zirconium-DISSOLVED	=	0.01	0.0015	0.005	mg/L	1		NA
SWB-4	11/15/2002 Zirconium-DISSOLVED	<		0.0015	0.005	mg/L	1		
SWB-5	10/29/2002 Zirconium-DISSOLVED	<		0.003	0.01	mg/L	2		
SWB-10	3/4/2004 Zirconium-TOTAL	TR	0.0031	0.0019	0.005	mg/L	1	J	0.017
SWB-10	5/24/2004 Zirconium-TOTAL	<		0.0019	0.005	mg/L	1		
SWB-10	12/1/2004 Zirconium-TOTAL	<		0.0027	0.005	mg/L	1		
SWB-10	3/3/2005 Zirconium-TOTAL	TR	0.0032	0.0027	0.005	mg/L	1	J	
SWB-10	6/2/2005 Zirconium-TOTAL	<		0.0078	0.015	mg/L	1		
SWB-10	9/1/2005 Zirconium-TOTAL	<		0.016	0.15	MG/L	10		
SWB-10	3/2/2006 Zirconium-TOTAL	<		0.0079	0.075	MG/L	5		
SWB-10	6/2/2006 Zirconium-TOTAL	<		0.024	0.15	MG/L	10		
SWB-10	3/1/2007 Zirconium-TOTAL	TR	0.02	0.012	0.075	MG/L	5	J	
SWB-10	3/7/2008 Zirconium-TOTAL	<		0.0024	0.015	MG/L	1		
SWB-10	6/5/2008 Zirconium-TOTAL	TR	0.016	0.012	0.075	MG/L	5	J	
SWB-10	3/2/2009 Zirconium-TOTAL	<		0.0024	0.015	MG/L	1		
SWB-10	6/4/2009 Zirconium-TOTAL	<		0.024	0.15	MG/L	10		
SWB-11	3/4/2004 Zirconium-TOTAL	=	0.0076	0.0019	0.005	mg/L	1		
SWB-11	5/24/2004 Zirconium-TOTAL	TR	0.0032	0.0019	0.005	mg/L	1	J	
SWB-11	12/1/2004 Zirconium-TOTAL	=	0.012	0.0027	0.005	mg/L	1		
SWB-11	3/1/2005 Zirconium-TOTAL	=	0.007	0.0027	0.005	mg/L	1		
SWB-11	6/2/2005 Zirconium-TOTAL	<		0.0078	0.015	mg/L	1		
SWB-11	3/2/2006 Zirconium-TOTAL	<		0.0079	0.075	MG/L	5		
SWB-11	6/1/2006 Zirconium-TOTAL	<		0.024	0.15	MG/L	10		
SWB-11	3/1/2007 Zirconium-TOTAL	=	0.37	0.012	0.075	MG/L	5	J	
SWB-11	3/7/2008 Zirconium-TOTAL	<		0.0024	0.015	MG/L	1		
SWB-11	6/5/2008 Zirconium-TOTAL	TR	0.044	0.012	0.075	MG/L	5	J	
SWB-11	3/2/2009 Zirconium-TOTAL	<		0.0024	0.015	MG/L	1	U	
SWB-11	6/4/2009 Zirconium-TOTAL	<		0.024	0.15	MG/L	10		
SWB-3	10/29/2002 Zirconium-TOTAL	=	0.057	0.0015	0.005	mg/L	1		
SWB-3	3/4/2003 Zirconium-TOTAL	=	0.023	0.0015	0.005	mg/L	1		
SWB-3	6/3/2003 Zirconium-TOTAL	=	0.14	0.0019	0.005	mg/L	1		
SWB-3	9/4/2003 Zirconium-TOTAL	=	2.5	0.0019	0.005	mg/L	1		
SWB-3	12/2/2003 Zirconium-TOTAL	=	0.32	0.0019	0.005	mg/L	1		
SWB-3	3/1/2004 Zirconium-TOTAL	=	0.016	0.0019	0.005	mg/L	1		
SWB-3	6/1/2004 Zirconium-TOTAL	=	0.033	0.0019	0.005	mg/L	1		
SWB-3	9/1/2004 Zirconium-TOTAL	=	0.031	0.0027	0.005	mg/L	1	J	
SWB-3	12/1/2004 Zirconium-TOTAL	=	0.082	0.0027	0.005	mg/L	1		
SWB-3	3/3/2005 Zirconium-TOTAL	=	0.015	0.0027	0.005	mg/L	1		
SWB-3	6/2/2005 Zirconium-TOTAL	<		0.0078	0.015	mg/L	1		
SWB-3	9/1/2005 Zirconium-TOTAL	TR	0.068	0.0079	0.075	MG/L	5	J	
SWB-3	12/1/2005 Zirconium-TOTAL	=	0.078	0.0016	0.015	MG/L	1		
SWB-3	3/2/2006 Zirconium-TOTAL	=	0.05	0.0016	0.015	MG/L	1		
SWB-3	6/2/2006 Zirconium-TOTAL	TR	0.0075	0.0024	0.015	MG/L	1	J	
SWB-3	9/5/2006 Zirconium-TOTAL	<		0.012	0.075	MG/L	5	UJ	
SWB-3	12/4/2006 Zirconium-TOTAL	=	1	0.012	0.075	MG/L	5	J	
SWB-3	3/1/2007 Zirconium-TOTAL	TR	0.022	0.012	0.075	MG/L	5	J	
SWB-3	6/1/2007 Zirconium-TOTAL	=	0.23	0.0024	0.015	MG/L	1		
SWB-3	12/3/2007 Zirconium-TOTAL	=	0.14	0.0024	0.015	MG/L	1		
SWB-3	3/6/2008 Zirconium-TOTAL	<	0.023	0.0024	0.023	MG/L	1	UJ	
SWB-3	6/9/2008 Zirconium-TOTAL	=	0.088	0.0024	0.015	MG/L	1		
SWB-3	12/4/2008 Zirconium-TOTAL	=	0.11	0.0024	0.015	MG/L	1		
SWB-3	3/2/2009 Zirconium-TOTAL	=	0.036	0.0024	0.015	MG/L	1		
SWB-3	6/4/2009 Zirconium-TOTAL	=	0.21	0.0024	0.015	MG/L	1		

tmpAnalyticalResultsOverTime

SWB-3	12/1/2009	Zirconium-TOTAL	=	0.19	0.0024	0.015	MG/L	1
SWB-4	11/15/2002	Zirconium-TOTAL	=	0.011	0.0015	0.005	mg/L	1
SWB-5	10/29/2002	Zirconium-TOTAL	<		0.0015	0.005	mg/L	1
SWB-6	3/4/2003	Zirconium-TOTAL	<	0.005	0.0015	0.005	mg/L	1 U
SWB-6	6/3/2003	Zirconium-TOTAL	=	0.069	0.0019	0.005	mg/L	1
SWB-6	12/3/2003	Zirconium-TOTAL	TR	0.014	0.0095	0.025	mg/L	5 J
SWB-6	3/5/2004	Zirconium-TOTAL	<	0.012	0.0019	0.005	mg/L	1 U
SWB-6	6/1/2004	Zirconium-TOTAL	TR	0.02	0.0095	0.025	mg/L	5 J
SWB-6	12/1/2004	Zirconium-TOTAL	<		0.0027	0.005	mg/L	1
SWB-6	3/7/2005	Zirconium-TOTAL	=	0.005	0.0027	0.005	mg/L	1 J
SWB-6	6/1/2005	Zirconium-TOTAL	<		0.0078	0.015	mg/L	1
SWB-6	12/2/2005	Zirconium-TOTAL	<		0.016	0.15	MG/L	10
SWB-6	3/1/2006	Zirconium-TOTAL	<		0.0016	0.015	MG/L	1
SWB-6	6/1/2006	Zirconium-TOTAL	<		0.012	0.075	MG/L	5
SWB-6	12/5/2006	Zirconium-TOTAL	TR	0.025	0.024	0.15	MG/L	10 J
SWB-6	3/2/2007	Zirconium-TOTAL	TR	0.014	0.012	0.075	MG/L	5 J
SWB-6	6/9/2008	Zirconium-TOTAL	<		0.012	0.075	MG/L	5
SWB-6	3/6/2008	Zirconium-TOTAL	<	0.015	0.0024	0.015	MG/L	1 U
SWB-6	12/5/2008	Zirconium-TOTAL	=	0.13	0.012	0.075	MG/L	5
SWB-6	3/2/2009	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1 U
SWB-6	6/5/2009	Zirconium-TOTAL	<		0.024	0.15	MG/L	10
SWB-7	3/4/2003	Zirconium-TOTAL	<		0.0015	0.005	mg/L	1
SWB-7	6/3/2003	Zirconium-TOTAL	TR	0.0046	0.0019	0.005	mg/L	1 J
SWB-7	3/1/2004	Zirconium-TOTAL	<		0.0019	0.005	mg/L	1 UJ
SWB-7	5/24/2004	Zirconium-TOTAL	<		0.0019	0.005	mg/L	1
SWB-7	12/1/2004	Zirconium-TOTAL	<		0.0027	0.005	mg/L	1
SWB-7	3/7/2005	Zirconium-TOTAL	<		0.0027	0.005	mg/L	1
SWB-7	6/1/2005	Zirconium-TOTAL	<		0.0078	0.015	mg/L	1
SWB-7	9/1/2005	Zirconium-TOTAL	<		0.0016	0.015	MG/L	1
SWB-7	12/1/2005	Zirconium-TOTAL	<		0.0016	0.015	MG/L	1
SWB-7	3/1/2006	Zirconium-TOTAL	<		0.0016	0.015	MG/L	1
SWB-7	6/2/2006	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1
SWB-7	9/5/2006	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1 UJ
SWB-7	12/5/2006	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1 UJ
SWB-7	3/2/2007	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1
SWB-7	6/1/2007	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1
SWB-7	9/7/2007	Zirconium-TOTAL	<		0.012	0.075	MG/L	5
SWB-7	12/3/2007	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1 UJ
SWB-7	3/6/2008	Zirconium-TOTAL	<	0.015	0.0024	0.015	MG/L	1 UJ
SWB-7	6/6/2008	Zirconium-TOTAL	TR	0.0046	0.0024	0.015	MG/L	1 J
SWB-7	9/8/2008	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1 UJ
SWB-7	12/5/2008	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1
SWB-7	3/2/2009	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1 U
SWB-7	6/5/2009	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1 UJ
SWB-7	9/9/2009	Zirconium-TOTAL	<		0.012	0.075	MG/L	5
SWB-7	12/1/2009	Zirconium-TOTAL	TR	0.0024	0.0024	0.015	MG/L	1 J
SWB-8	3/5/2004	Zirconium-TOTAL	<	0.0056	0.0019	0.005	mg/L	1 U
SWB-8	3/7/2005	Zirconium-TOTAL	<		0.0027	0.005	mg/L	1
SWB-8	6/1/2005	Zirconium-TOTAL	<		0.0078	0.015	mg/L	1
SWB-8	3/1/2006	Zirconium-TOTAL	TR	0.0031	0.0016	0.015	MG/L	1 J
SWB-8	3/7/2008	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1
SWB-8	3/3/2009	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1
SWB-9	3/4/2003	Zirconium-TOTAL	<		0.0015	0.005	mg/L	1
SWB-9	12/3/2003	Zirconium-TOTAL	=	0.021	0.0019	0.005	mg/L	1
SWB-9	3/5/2004	Zirconium-TOTAL	<	0.0062	0.0019	0.0062	mg/L	1 U
SWB-9	5/27/2004	Zirconium-TOTAL	=	0.03	0.0095	0.025	mg/L	5
SWB-9	12/1/2004	Zirconium-TOTAL	<		0.0027	0.005	mg/L	1

tmpAnalyticalResultsOverTime

SWB-9	3/3/2005 Zirconium-TOTAL	<		0.0027	0.005	mg/L	1
SWB-9	6/2/2005 Zirconium-TOTAL	<		0.0078	0.015	mg/L	1
SWB-9	9/1/2005 Zirconium-TOTAL	<		0.016	0.15	MG/L	10
SWB-9	12/1/2005 Zirconium-TOTAL	<		0.016	0.15	MG/L	10
SWB-9	3/2/2006 Zirconium-TOTAL	<		0.0079	0.075	MG/L	5
SWB-9	6/1/2006 Zirconium-TOTAL	<		0.024	0.15	MG/L	10
SWB-9	12/4/2006 Zirconium-TOTAL	<		0.12	0.75	MG/L	50 UJ
SWB-9	3/5/2007 Zirconium-TOTAL	TR	0.014	0.012	0.075	MG/L	5 J
SWB-9	3/6/2008 Zirconium-TOTAL	TR	0.03	0.012	0.075	MG/L	5 J
SWB-9	6/5/2008 Zirconium-TOTAL	<		0.012	0.075	MG/L	5
SWB-9	12/5/2008 Zirconium-TOTAL	<		0.012	0.075	MG/L	5
SWB-9	3/2/2009 Zirconium-TOTAL	<		0.0024	0.015	MG/L	1 U
SWB-9	6/2/2009 Zirconium-TOTAL	<		0.024	0.15	MG/L	10

tmpAnalyticalResultsOverTime

LocationID	LogDate	Analyte	DataQualifier	Result	MDL	PQL	RL	Variance	Units	Dilution	DataFlag	GWQS
S10	5/24/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		NA
S10	5/24/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S10	9/10/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S10	12/1/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S10	12/1/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S10	3/3/2005	1,1,1,2-Tetrachloroethane	<		0.17			1	ug/L	1		
S11	5/24/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S11	9/10/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S11	12/1/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S11	3/3/2005	1,1,1,2-Tetrachloroethane	<		0.17			1	ug/L	1		
S2	4/3/2002	1,1,1,2-Tetrachloroethane	<					1	ug/L	1		
S2	6/26/2002	1,1,1,2-Tetrachloroethane	<		0.28			1	ug/L	1		
S2	9/18/2002	1,1,1,2-Tetrachloroethane	<		0.28			1	ug/L	1		
S2	12/13/2002	1,1,1,2-Tetrachloroethane	<		0.28			1	ug/L	1		
S2	3/4/2003	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S2	3/4/2003	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S2	6/5/2003	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S2	9/5/2003	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S2	9/5/2003	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S2	12/3/2003	1,1,1,2-Tetrachloroethane	<		0.42			2	ug/L	2		
S2	9/10/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S3	4/3/2002	1,1,1,2-Tetrachloroethane	<					1	ug/L	1		
S3	6/25/2002	1,1,1,2-Tetrachloroethane	<		0.28			1	ug/L	1		
S3	9/19/2002	1,1,1,2-Tetrachloroethane	<		0.28			1	ug/L	1		
S3	9/19/2002	1,1,1,2-Tetrachloroethane	<		0.28			1	ug/L	1		
S3	12/13/2002	1,1,1,2-Tetrachloroethane	<		0.28			1	ug/L	1		
S3	3/5/2003	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S3	6/5/2003	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S3	9/5/2003	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S3	12/2/2003	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S3	9/9/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S3	9/9/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S4	4/3/2002	1,1,1,2-Tetrachloroethane	<					1	ug/L	1		
S4	6/25/2002	1,1,1,2-Tetrachloroethane	<		0.28			1	ug/L	1		
S4	9/19/2002	1,1,1,2-Tetrachloroethane	<		0.28			1	ug/L	1		
S4	12/13/2002	1,1,1,2-Tetrachloroethane	<		0.28			1	ug/L	1		
S4	9/8/2003	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S4	9/9/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S5	4/4/2002	1,1,1,2-Tetrachloroethane	<					1	ug/L	1		
S5	6/24/2002	1,1,1,2-Tetrachloroethane	<		0.28			1	ug/L	1		
S5	9/20/2002	1,1,1,2-Tetrachloroethane	<		0.28			1	ug/L	1		
S5	12/16/2002	1,1,1,2-Tetrachloroethane	<		0.28			1	ug/L	1		
S5	9/10/2003	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S5	9/8/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S6	4/4/2002	1,1,1,2-Tetrachloroethane	<					1	ug/L	1		
S6	6/24/2002	1,1,1,2-Tetrachloroethane	<		0.28			1	ug/L	1		
S6	6/24/2002	1,1,1,2-Tetrachloroethane	<		0.28			1	ug/L	1		
S6	9/23/2002	1,1,1,2-Tetrachloroethane	<		0.28			1	ug/L	1		
S6	12/18/2002	1,1,1,2-Tetrachloroethane	<		0.28			1	ug/L	1		
S6	9/9/2003	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S6	9/8/2004	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		
S7	4/10/2002	1,1,1,2-Tetrachloroethane	<					1	ug/L	1	UJ	
S7	6/21/2002	1,1,1,2-Tetrachloroethane	<		0.28			1	ug/L	1		
S7	9/23/2002	1,1,1,2-Tetrachloroethane	<		0.28			1	ug/L	1		
S7	12/17/2002	1,1,1,2-Tetrachloroethane	<		0.28			1	ug/L	1		
S7	9/11/2003	1,1,1,2-Tetrachloroethane	<		0.21			1	ug/L	1		

tmpAnalyticalResultsOverTime

S7	9/7/2004	1,1,1,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S8	4/10/2002	1,1,1,2-Tetrachloroethane	<		1	ug/L	1	UJ
S8	6/21/2002	1,1,1,2-Tetrachloroethane	<	0.28	1	ug/L	1	
S8	9/20/2002	1,1,1,2-Tetrachloroethane	<	0.28	1	ug/L	1	
S8	12/16/2002	1,1,1,2-Tetrachloroethane	<	0.28	1	ug/L	1	
S8	9/11/2003	1,1,1,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S8	9/3/2004	1,1,1,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S9	4/10/2002	1,1,1,2-Tetrachloroethane	<		1	ug/L	1	
S9	6/20/2002	1,1,1,2-Tetrachloroethane	<	0.28	1	ug/L	1	
S9	9/11/2002	1,1,1,2-Tetrachloroethane	<	0.28	1	ug/L	1	
S9	12/12/2002	1,1,1,2-Tetrachloroethane	<	0.28	1	ug/L	1	
S9	9/11/2003	1,1,1,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S9	9/3/2004	1,1,1,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S10	5/24/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	0.2
S10	5/24/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	mg/L
S10	9/10/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S10	12/1/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S10	12/1/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S10	3/3/2005	1,1,1-Trichloroethane	<	0.18	1	ug/L	1	
S11	5/24/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S11	9/10/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S11	12/1/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S11	3/3/2005	1,1,1-Trichloroethane	<	0.18	1	ug/L	1	
S2	4/3/2002	1,1,1-Trichloroethane	<		1	ug/L	1	
S2	6/26/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S2	9/18/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S2	12/13/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S2	3/4/2003	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S2	3/4/2003	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S2	6/5/2003	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S2	9/5/2003	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S2	9/5/2003	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S2	12/3/2003	1,1,1-Trichloroethane	<	0.32	2	ug/L	2	
S2	9/10/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S3	4/3/2002	1,1,1-Trichloroethane	<		1	ug/L	1	
S3	6/25/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S3	9/19/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S3	9/19/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S3	12/13/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S3	3/5/2003	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S3	6/5/2003	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S3	9/5/2003	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S3	12/2/2003	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S3	9/9/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S3	9/9/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S4	4/3/2002	1,1,1-Trichloroethane	<		1	ug/L	1	
S4	6/25/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S4	9/19/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S4	12/13/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S4	9/8/2003	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S4	9/9/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S5	4/4/2002	1,1,1-Trichloroethane	<		1	ug/L	1	
S5	6/24/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S5	9/20/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S5	12/16/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S5	9/10/2003	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S5	9/8/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	

tmpAnalyticalResultsOverTime

S6	4/4/2002	1,1,1-Trichloroethane	<		1	ug/L	1	
S6	6/24/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S6	6/24/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S6	9/23/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S6	12/18/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S6	9/9/2003	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S6	9/8/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S7	4/10/2002	1,1,1-Trichloroethane	<		1	ug/L	1	UJ
S7	6/21/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S7	9/23/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S7	12/17/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S7	9/11/2003	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S7	9/7/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S8	4/10/2002	1,1,1-Trichloroethane	<		1	ug/L	1	UJ
S8	6/21/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S8	9/20/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S8	12/16/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S8	9/11/2003	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S8	9/3/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S9	4/10/2002	1,1,1-Trichloroethane	<		1	ug/L	1	
S9	6/20/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S9	9/11/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S9	12/12/2002	1,1,1-Trichloroethane	<	0.32	1	ug/L	1	
S9	9/11/2003	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S9	9/3/2004	1,1,1-Trichloroethane	<	0.16	1	ug/L	1	
S10	5/24/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	NA
S10	5/24/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S10	9/10/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S10	12/1/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S10	12/1/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S10	3/3/2005	1,1,2,2-Tetrachloroethane	<	0.16	1	ug/L	1	
S11	5/24/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S11	9/10/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S11	12/1/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S11	3/3/2005	1,1,2,2-Tetrachloroethane	<	0.16	1	ug/L	1	
S2	4/3/2002	1,1,2,2-Tetrachloroethane	<		1	ug/L	1	
S2	6/26/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S2	9/18/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S2	12/13/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S2	3/4/2003	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S2	3/4/2003	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S2	6/5/2003	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S2	9/5/2003	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S2	9/5/2003	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S2	12/3/2003	1,1,2,2-Tetrachloroethane	<	0.42	2	ug/L	2	
S2	9/10/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S3	4/3/2002	1,1,2,2-Tetrachloroethane	<		1	ug/L	1	
S3	6/25/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S3	9/19/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S3	9/19/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S3	12/13/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S3	3/5/2003	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S3	6/5/2003	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S3	9/5/2003	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S3	12/2/2003	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S3	9/9/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S3	9/9/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	

tmpAnalyticalResultsOverTime

S4	4/3/2002	1,1,2,2-Tetrachloroethane	<		1	ug/L	1	
S4	6/25/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S4	9/19/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S4	12/13/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S4	9/8/2003	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S4	9/9/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S5	4/4/2002	1,1,2,2-Tetrachloroethane	<		1	ug/L	1	
S5	6/24/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S5	9/20/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S5	12/16/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S5	9/10/2003	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S5	9/8/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S6	4/4/2002	1,1,2,2-Tetrachloroethane	<		1	ug/L	1	
S6	6/24/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S6	6/24/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S6	9/23/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S6	12/18/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S6	9/9/2003	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S6	9/8/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S7	4/10/2002	1,1,2,2-Tetrachloroethane	<		1	ug/L	1	UJ
S7	6/21/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S7	9/23/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S7	12/17/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S7	9/11/2003	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S7	9/7/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S8	4/10/2002	1,1,2,2-Tetrachloroethane	<		1	ug/L	1	UJ
S8	6/21/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S8	9/20/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S8	12/16/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S8	9/11/2003	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S8	9/3/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S9	4/10/2002	1,1,2,2-Tetrachloroethane	<		1	ug/L	1	
S9	6/20/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S9	9/11/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S9	12/12/2002	1,1,2,2-Tetrachloroethane	<	0.5	1	ug/L	1	
S9	9/11/2003	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S9	9/3/2004	1,1,2,2-Tetrachloroethane	<	0.21	1	ug/L	1	
S10	5/24/2004	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	0.005
S10	5/24/2004	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S10	9/10/2004	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S10	12/1/2004	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S10	12/1/2004	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S10	3/3/2005	1,1,2-Trichloroethane	<	0.24	1	ug/L	1	
S11	5/24/2004	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S11	9/10/2004	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	mg/L
S11	12/1/2004	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S11	3/3/2005	1,1,2-Trichloroethane	<	0.24	1	ug/L	1	
S2	4/3/2002	1,1,2-Trichloroethane	<		1	ug/L	1	
S2	6/26/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S2	9/18/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S2	12/13/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S2	3/4/2003	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S2	3/4/2003	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S2	6/5/2003	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S2	9/5/2003	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S2	9/5/2003	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S2	12/3/2003	1,1,2-Trichloroethane	<	0.54	2	ug/L	2	

tmpAnalyticalResultsOverTime

S2	9/10/2004	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S3	4/3/2002	1,1,2-Trichloroethane	<		1	ug/L	1	
S3	6/25/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S3	9/19/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S3	9/19/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S3	12/13/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S3	3/5/2003	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S3	6/5/2003	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S3	9/5/2003	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S3	12/2/2003	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S3	9/9/2004	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S3	9/9/2004	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S4	4/3/2002	1,1,2-Trichloroethane	<		1	ug/L	1	
S4	6/25/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S4	9/19/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S4	12/13/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S4	9/8/2003	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S4	9/9/2004	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S5	4/4/2002	1,1,2-Trichloroethane	<		1	ug/L	1	
S5	6/24/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S5	9/20/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S5	12/16/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S5	9/10/2003	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S5	9/8/2004	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S6	4/4/2002	1,1,2-Trichloroethane	<		1	ug/L	1	
S6	6/24/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S6	6/24/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S6	9/23/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S6	12/18/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S6	9/9/2003	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S6	9/8/2004	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S7	4/10/2002	1,1,2-Trichloroethane	<		1	ug/L	1	UJ
S7	6/21/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S7	9/23/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S7	12/17/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S7	9/11/2003	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S7	9/7/2004	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S8	4/10/2002	1,1,2-Trichloroethane	<		1	ug/L	1	UJ
S8	6/21/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S8	9/20/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S8	12/16/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S8	9/11/2003	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S8	9/3/2004	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S9	4/10/2002	1,1,2-Trichloroethane	<		1	ug/L	1	
S9	6/20/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S9	9/11/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S9	12/12/2002	1,1,2-Trichloroethane	<	0.41	1	ug/L	1	
S9	9/11/2003	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S9	9/3/2004	1,1,2-Trichloroethane	<	0.27	1	ug/L	1	
S10	5/24/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1	NA
S10	5/24/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1	
S10	9/10/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1	
S10	12/1/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1	
S10	12/1/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1	
S10	3/3/2005	1,1-Dichloroethane	<	0.24	1	ug/L	1	
S11	5/24/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1	
S11	9/10/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1	



tmpAnalyticalResultsOverTime

S11	12/1/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1
S11	3/3/2005	1,1-Dichloroethane	<	0.24	1	ug/L	1
S2	4/3/2002	1,1-Dichloroethane	<		1	ug/L	1
S2	6/26/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S2	9/18/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S2	12/13/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S2	3/4/2003	1,1-Dichloroethane	<	0.22	1	ug/L	1
S2	3/4/2003	1,1-Dichloroethane	<	0.22	1	ug/L	1
S2	6/5/2003	1,1-Dichloroethane	<	0.22	1	ug/L	1
S2	9/5/2003	1,1-Dichloroethane	<	0.22	1	ug/L	1
S2	9/5/2003	1,1-Dichloroethane	<	0.22	1	ug/L	1
S2	12/3/2003	1,1-Dichloroethane	<	0.44	2	ug/L	2
S2	9/10/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1
S3	4/3/2002	1,1-Dichloroethane	<		1	ug/L	1
S3	6/25/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S3	9/19/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S3	9/19/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S3	12/13/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S3	3/5/2003	1,1-Dichloroethane	<	0.22	1	ug/L	1
S3	6/5/2003	1,1-Dichloroethane	<	0.22	1	ug/L	1
S3	9/5/2003	1,1-Dichloroethane	<	0.22	1	ug/L	1
S3	12/2/2003	1,1-Dichloroethane	<	0.22	1	ug/L	1
S3	9/9/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1
S3	9/9/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1
S4	4/3/2002	1,1-Dichloroethane	<		1	ug/L	1
S4	6/25/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S4	9/19/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S4	12/13/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S4	9/8/2003	1,1-Dichloroethane	<	0.22	1	ug/L	1
S4	9/9/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1
S5	4/4/2002	1,1-Dichloroethane	<		1	ug/L	1
S5	6/24/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S5	9/20/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S5	12/16/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S5	9/10/2003	1,1-Dichloroethane	<	0.22	1	ug/L	1
S5	9/8/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1
S6	4/4/2002	1,1-Dichloroethane	<		1	ug/L	1
S6	6/24/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S6	6/24/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S6	9/23/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S6	12/18/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S6	9/9/2003	1,1-Dichloroethane	<	0.22	1	ug/L	1
S6	9/8/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1
S7	4/10/2002	1,1-Dichloroethane	<		1	ug/L	1 UJ
S7	6/21/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S7	9/23/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S7	12/17/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S7	9/11/2003	1,1-Dichloroethane	<	0.22	1	ug/L	1
S7	9/7/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1
S8	4/10/2002	1,1-Dichloroethane	<		1	ug/L	1 UJ
S8	6/21/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S8	9/20/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S8	12/16/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S8	9/11/2003	1,1-Dichloroethane	<	0.22	1	ug/L	1
S8	9/3/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1
S9	4/10/2002	1,1-Dichloroethane	<		1	ug/L	1
S9	6/20/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1

tmpAnalyticalResultsOverTime

S9	9/11/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S9	12/12/2002	1,1-Dichloroethane	<	0.29	1	ug/L	1
S9	9/11/2003	1,1-Dichloroethane	<	0.22	1	ug/L	1
S9	9/3/2004	1,1-Dichloroethane	<	0.22	1	ug/L	1
S10	5/24/2004	1,1-Dichloroethene	<	0.23	1	ug/L	1
S10	5/24/2004	1,1-Dichloroethene	<	0.23	1	ug/L	1
S10	9/10/2004	1,1-Dichloroethene	<	0.23	1	ug/L	1
S10	12/1/2004	1,1-Dichloroethene	<	0.23	1	ug/L	1
S10	12/1/2004	1,1-Dichloroethene	<	0.23	1	ug/L	1
S10	3/3/2005	1,1-Dichloroethene	<	0.27	1	ug/L	1
S11	5/24/2004	1,1-Dichloroethene	<	0.23	1	ug/L	1
S11	9/10/2004	1,1-Dichloroethene	<	0.23	1	ug/L	1
S11	12/1/2004	1,1-Dichloroethene	<	0.23	1	ug/L	1
S11	3/3/2005	1,1-Dichloroethene	<	0.27	1	ug/L	1
S2	4/3/2002	1,1-Dichloroethene	<		1	ug/L	1
S2	6/26/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1
S2	9/18/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1
S2	12/13/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1
S2	3/4/2003	1,1-Dichloroethene	<	0.23	1	ug/L	1
S2	3/4/2003	1,1-Dichloroethene	<	0.23	1	ug/L	1
S2	6/5/2003	1,1-Dichloroethene	<	0.23	1	ug/L	1
S2	9/5/2003	1,1-Dichloroethene	<	0.23	1	ug/L	1
S2	9/5/2003	1,1-Dichloroethene	<	0.23	1	ug/L	1
S2	12/3/2003	1,1-Dichloroethene	<	0.46	2	ug/L	2
S2	9/10/2004	1,1-Dichloroethene	<	0.23	1	ug/L	1
S3	4/3/2002	1,1-Dichloroethene	<		1	ug/L	1
S3	6/25/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1
S3	9/19/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1
S3	9/19/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1
S3	12/13/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1
S3	3/5/2003	1,1-Dichloroethene	<	0.23	1	ug/L	1
S3	6/5/2003	1,1-Dichloroethene	<	0.23	1	ug/L	1
S3	9/5/2003	1,1-Dichloroethene	<	0.23	1	ug/L	1
S3	12/2/2003	1,1-Dichloroethene	<	0.23	1	ug/L	1
S3	9/9/2004	1,1-Dichloroethene	<	0.23	1	ug/L	1
S3	9/9/2004	1,1-Dichloroethene	<	0.23	1	ug/L	1
S4	4/3/2002	1,1-Dichloroethene	<		1	ug/L	1
S4	6/25/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1
S4	9/19/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1
S4	12/13/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1
S4	9/8/2003	1,1-Dichloroethene	<	0.23	1	ug/L	1
S4	9/9/2004	1,1-Dichloroethene	<	0.23	1	ug/L	1
S5	4/4/2002	1,1-Dichloroethene	<		1	ug/L	1
S5	6/24/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1
S5	9/20/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1
S5	12/16/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1
S5	9/10/2003	1,1-Dichloroethene	<	0.23	1	ug/L	1
S5	9/8/2004	1,1-Dichloroethene	<	0.23	1	ug/L	1
S6	4/4/2002	1,1-Dichloroethene	<		1	ug/L	1
S6	6/24/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1
S6	6/24/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1
S6	9/23/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1
S6	12/18/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1
S6	9/9/2003	1,1-Dichloroethene	<	0.23	1	ug/L	1
S6	9/8/2004	1,1-Dichloroethene	<	0.23	1	ug/L	1
S7	4/10/2002	1,1-Dichloroethene	<		1	ug/L	1 UJ
S7	6/21/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1

tmpAnalyticalResultsOverTime

S7	9/23/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1	
S7	12/17/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1	
S7	9/11/2003	1,1-Dichloroethene	<	0.23	1	ug/L	1	
S7	9/7/2004	1,1-Dichloroethene	<	0.23	1	ug/L	1	
S8	4/10/2002	1,1-Dichloroethene	<		1	ug/L	1	UJ
S8	6/21/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1	
S8	9/20/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1	
S8	12/16/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1	
S8	9/11/2003	1,1-Dichloroethene	<	0.23	1	ug/L	1	
S8	9/3/2004	1,1-Dichloroethene	<	0.23	1	ug/L	1	
S9	4/10/2002	1,1-Dichloroethene	<		1	ug/L	1	
S9	6/20/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1	
S9	9/11/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1	
S9	12/12/2002	1,1-Dichloroethene	<	0.31	1	ug/L	1	
S9	9/11/2003	1,1-Dichloroethene	<	0.23	1	ug/L	1	
S9	9/3/2004	1,1-Dichloroethene	<	0.23	1	ug/L	1	
S10	5/24/2004	1,1-Dichloropropene	<	0.19	1	ug/L	1	NA
S10	5/24/2004	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S10	9/10/2004	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S10	12/1/2004	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S10	12/1/2004	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S10	3/3/2005	1,1-Dichloropropene	<	0.14	1	ug/L	1	
S11	5/24/2004	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S11	9/10/2004	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S11	12/1/2004	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S11	3/3/2005	1,1-Dichloropropene	<	0.14	1	ug/L	1	
S2	4/3/2002	1,1-Dichloropropene	<		1	ug/L	1	
S2	6/26/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S2	9/18/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S2	12/13/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S2	3/4/2003	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S2	3/4/2003	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S2	6/5/2003	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S2	9/5/2003	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S2	9/5/2003	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S2	12/3/2003	1,1-Dichloropropene	<	0.38	2	ug/L	2	
S2	9/10/2004	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S3	4/3/2002	1,1-Dichloropropene	<		1	ug/L	1	
S3	6/25/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S3	9/19/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S3	9/19/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S3	12/13/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S3	3/5/2003	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S3	6/5/2003	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S3	9/5/2003	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S3	12/2/2003	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S3	9/9/2004	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S3	9/9/2004	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S4	4/3/2002	1,1-Dichloropropene	<		1	ug/L	1	
S4	6/25/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S4	9/19/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S4	12/13/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S4	9/8/2003	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S4	9/9/2004	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S5	4/4/2002	1,1-Dichloropropene	<		1	ug/L	1	
S5	6/24/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S5	9/20/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	

tmpAnalyticalResultsOverTime

S5	12/16/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S5	9/10/2003	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S5	9/8/2004	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S6	4/4/2002	1,1-Dichloropropene	<		1	ug/L	1	
S6	6/24/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S6	6/24/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S6	9/23/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S6	12/18/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S6	9/9/2003	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S6	9/8/2004	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S7	4/10/2002	1,1-Dichloropropene	<		1	ug/L	1	UJ
S7	6/21/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S7	9/23/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S7	12/17/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S7	9/11/2003	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S7	9/7/2004	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S8	4/10/2002	1,1-Dichloropropene	<		1	ug/L	1	UJ
S8	6/21/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S8	9/20/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S8	12/16/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S8	9/11/2003	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S8	9/3/2004	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S9	4/10/2002	1,1-Dichloropropene	<		1	ug/L	1	
S9	6/20/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S9	9/11/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S9	12/12/2002	1,1-Dichloropropene	<	0.29	1	ug/L	1	
S9	9/11/2003	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S9	9/3/2004	1,1-Dichloropropene	<	0.19	1	ug/L	1	
S10	5/24/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	NA
S10	5/24/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S10	9/10/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S10	12/1/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S10	12/1/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S10	3/3/2005	1,2,3-Trichlorobenzene	<	0.34	1	ug/L	1	
S11	5/24/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S11	9/10/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S11	12/1/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S11	3/3/2005	1,2,3-Trichlorobenzene	<	0.34	1	ug/L	1	
S2	4/3/2002	1,2,3-Trichlorobenzene	<		1	ug/L	1	
S2	6/26/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S2	9/18/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S2	12/13/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S2	3/4/2003	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S2	3/4/2003	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S2	6/5/2003	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S2	9/5/2003	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S2	9/5/2003	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S2	12/3/2003	1,2,3-Trichlorobenzene	<	0.42	2	ug/L	2	
S2	9/10/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S3	4/3/2002	1,2,3-Trichlorobenzene	<		1	ug/L	1	
S3	6/25/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S3	9/19/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S3	9/19/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S3	12/13/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S3	3/5/2003	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S3	6/5/2003	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S3	9/5/2003	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	

tmpAnalyticalResultsOverTime

S3	12/2/2003	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S3	9/9/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S3	9/9/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S4	4/3/2002	1,2,3-Trichlorobenzene	<		1	ug/L	1	
S4	6/25/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S4	9/19/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S4	12/13/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S4	9/8/2003	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S4	9/9/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S5	4/4/2002	1,2,3-Trichlorobenzene	<		1	ug/L	1	
S5	6/24/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S5	9/20/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S5	12/16/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S5	9/10/2003	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S5	9/8/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S6	4/4/2002	1,2,3-Trichlorobenzene	<		1	ug/L	1	
S6	6/24/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S6	6/24/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S6	9/23/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S6	12/18/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S6	9/9/2003	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S6	9/8/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S7	4/10/2002	1,2,3-Trichlorobenzene	<		1	ug/L	1	UJ
S7	6/21/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S7	9/23/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S7	12/17/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S7	9/11/2003	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S7	9/7/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S8	4/10/2002	1,2,3-Trichlorobenzene	<		1	ug/L	1	UJ
S8	6/21/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S8	9/20/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S8	12/16/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S8	9/11/2003	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S8	9/3/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S9	4/10/2002	1,2,3-Trichlorobenzene	<		1	ug/L	1	
S9	6/20/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S9	9/11/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S9	12/12/2002	1,2,3-Trichlorobenzene	<	0.62	1	ug/L	1	
S9	9/11/2003	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S9	9/3/2004	1,2,3-Trichlorobenzene	<	0.21	1	ug/L	1	
S10	5/24/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	NA
S10	5/24/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S10	9/10/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S10	12/1/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S10	12/1/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S10	3/3/2005	1,2,3-Trichloropropane	<	0.26	1	ug/L	1	
S11	5/24/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S11	9/10/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S11	12/1/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S11	3/3/2005	1,2,3-Trichloropropane	<	0.26	1	ug/L	1	
S2	4/3/2002	1,2,3-Trichloropropane	<		1	ug/L	1	
S2	6/26/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S2	9/18/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S2	12/13/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S2	3/4/2003	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S2	3/4/2003	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S2	6/5/2003	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	

tmpAnalyticalResultsOverTime

S2	9/5/2003	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S2	9/5/2003	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S2	12/3/2003	1,2,3-Trichloropropane	<	0.66	2	ug/L	2	
S2	9/10/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S3	4/3/2002	1,2,3-Trichloropropane	<		1	ug/L	1	
S3	6/25/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S3	9/19/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S3	9/19/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S3	12/13/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S3	3/5/2003	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S3	6/5/2003	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S3	9/5/2003	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S3	12/2/2003	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S3	9/9/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S3	9/9/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S4	4/3/2002	1,2,3-Trichloropropane	<		1	ug/L	1	
S4	6/25/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S4	9/19/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S4	12/13/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S4	9/8/2003	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S4	9/9/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S5	4/4/2002	1,2,3-Trichloropropane	<		1	ug/L	1	
S5	6/24/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S5	9/20/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S5	12/16/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S5	9/10/2003	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S5	9/8/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S6	4/4/2002	1,2,3-Trichloropropane	<		1	ug/L	1	
S6	6/24/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S6	6/24/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S6	9/23/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S6	12/18/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S6	9/9/2003	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S6	9/8/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S7	4/10/2002	1,2,3-Trichloropropane	<		1	ug/L	1	UJ
S7	6/21/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S7	9/23/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S7	12/17/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S7	9/11/2003	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S7	9/7/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S8	4/10/2002	1,2,3-Trichloropropane	<		1	ug/L	1	UJ
S8	6/21/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S8	9/20/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S8	12/16/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S8	9/11/2003	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S8	9/3/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S9	4/10/2002	1,2,3-Trichloropropane	<		1	ug/L	1	
S9	6/20/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S9	9/11/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S9	12/12/2002	1,2,3-Trichloropropane	<	0.76	1	ug/L	1	
S9	9/11/2003	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S9	9/3/2004	1,2,3-Trichloropropane	<	0.33	1	ug/L	1	
S10	5/24/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1	NA
S10	5/24/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1	
S10	9/10/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1	
S10	12/1/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1	
S10	12/1/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1	

tmpAnalyticalResultsOverTime

S10	3/3/2005	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S11	5/24/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S11	9/10/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S11	12/1/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S11	3/3/2005	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S2	4/3/2002	1,2,4,5-Tetrachlorobenzene	<		10	ug/L	1
S2	6/26/2002	1,2,4,5-Tetrachlorobenzene	<	1.9	10	ug/L	1
S2	9/18/2002	1,2,4,5-Tetrachlorobenzene	<	1.9	10	ug/L	1
S2	12/13/2002	1,2,4,5-Tetrachlorobenzene	<	1.8	10	ug/L	1
S2	3/4/2003	1,2,4,5-Tetrachlorobenzene	<	1.8	10	ug/L	1
S2	3/4/2003	1,2,4,5-Tetrachlorobenzene	<	1.8	10	ug/L	1
S2	6/5/2003	1,2,4,5-Tetrachlorobenzene	<	1.8	10	ug/L	1
S2	9/5/2003	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S2	9/5/2003	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S2	12/3/2003	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S2	9/10/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S3	4/3/2002	1,2,4,5-Tetrachlorobenzene	<		10	ug/L	1
S3	9/19/2002	1,2,4,5-Tetrachlorobenzene	<	1.9	10	ug/L	1
S3	9/19/2002	1,2,4,5-Tetrachlorobenzene	<	1.9	10	ug/L	1
S3	12/13/2002	1,2,4,5-Tetrachlorobenzene	<	1.8	10	ug/L	1
S3	3/5/2003	1,2,4,5-Tetrachlorobenzene	<	1.8	10	ug/L	1
S3	6/5/2003	1,2,4,5-Tetrachlorobenzene	<	1.8	10	ug/L	1
S3	9/5/2003	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S3	12/2/2003	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S3	9/9/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S3	9/9/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S4	4/3/2002	1,2,4,5-Tetrachlorobenzene	<		10	ug/L	1
S4	6/25/2002	1,2,4,5-Tetrachlorobenzene	<	1.9	10	ug/L	1
S4	9/19/2002	1,2,4,5-Tetrachlorobenzene	<	1.9	10	ug/L	1
S4	12/13/2002	1,2,4,5-Tetrachlorobenzene	<	1.8	10	ug/L	1
S4	9/8/2003	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S4	9/9/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S5	4/4/2002	1,2,4,5-Tetrachlorobenzene	<		10	ug/L	1
S5	6/24/2002	1,2,4,5-Tetrachlorobenzene	<	1.9	10	ug/L	1
S5	9/20/2002	1,2,4,5-Tetrachlorobenzene	<	1.9	10	ug/L	1
S5	12/16/2002	1,2,4,5-Tetrachlorobenzene	<	1.8	10	ug/L	1
S5	9/10/2003	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S5	9/8/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S6	4/4/2002	1,2,4,5-Tetrachlorobenzene	<		10	ug/L	1
S6	6/24/2002	1,2,4,5-Tetrachlorobenzene	<	1.9	10	ug/L	1
S6	6/24/2002	1,2,4,5-Tetrachlorobenzene	<	1.9	10	ug/L	1
S6	9/23/2002	1,2,4,5-Tetrachlorobenzene	<	1.9	10	ug/L	1
S6	12/18/2002	1,2,4,5-Tetrachlorobenzene	<	1.8	10	ug/L	1
S6	9/9/2003	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S6	9/8/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S7	4/10/2002	1,2,4,5-Tetrachlorobenzene	<		10	ug/L	1
S7	6/21/2002	1,2,4,5-Tetrachlorobenzene	<	1.9	10	ug/L	1
S7	9/23/2002	1,2,4,5-Tetrachlorobenzene	<	1.9	10	ug/L	1
S7	12/17/2002	1,2,4,5-Tetrachlorobenzene	<	1.8	10	ug/L	1
S7	9/11/2003	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S7	9/7/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S8	4/10/2002	1,2,4,5-Tetrachlorobenzene	<		10	ug/L	1
S8	6/21/2002	1,2,4,5-Tetrachlorobenzene	<	1.9	10	ug/L	1
S8	9/20/2002	1,2,4,5-Tetrachlorobenzene	<	1.9	10	ug/L	1
S8	12/16/2002	1,2,4,5-Tetrachlorobenzene	<	1.8	10	ug/L	1
S8	9/11/2003	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1
S8	9/3/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1

tmpAnalyticalResultsOverTime

S9	4/10/2002	1,2,4,5-Tetrachlorobenzene	<		10	ug/L	1	
S9	6/20/2002	1,2,4,5-Tetrachlorobenzene	<	1.9	10	ug/L	1	
S9	9/11/2002	1,2,4,5-Tetrachlorobenzene	<	1.9	10	ug/L	1	
S9	12/12/2002	1,2,4,5-Tetrachlorobenzene	<	1.8	10	ug/L	1	
S9	9/11/2003	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1	
S9	9/3/2004	1,2,4,5-Tetrachlorobenzene	<	2	10	ug/L	1	
S10	5/24/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	NA
S10	5/24/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
S10	5/24/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
S10	5/24/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
S10	9/10/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
S10	9/10/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
S10	12/1/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
S10	12/1/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
S10	12/1/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
S10	12/1/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
S10	3/3/2005	1,2,4-Trichlorobenzene	<	0.32	1	ug/L	1	
S10	3/3/2005	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
S11	5/24/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
S11	5/24/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
S11	9/10/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
S11	9/10/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
S11	12/1/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
S11	12/1/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
S11	3/3/2005	1,2,4-Trichlorobenzene	<	0.32	1	ug/L	1	
S11	3/3/2005	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
S2	4/3/2002	1,2,4-Trichlorobenzene	<		1	ug/L	1	
S2	4/3/2002	1,2,4-Trichlorobenzene	<		10	ug/L	1	
S2	6/26/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1	
S2	6/26/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
S2	9/18/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1	
S2	9/18/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
S2	12/13/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1	
S2	12/13/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
S2	3/4/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
S2	3/4/2003	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
S2	3/4/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
S2	3/4/2003	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
S2	6/5/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
S2	6/5/2003	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
S2	9/5/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
S2	9/5/2003	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
S2	9/5/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
S2	9/5/2003	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
S2	12/3/2003	1,2,4-Trichlorobenzene	<	0.42	2	ug/L	2	
S2	12/3/2003	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
S2	9/10/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
S2	9/10/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
S3	4/3/2002	1,2,4-Trichlorobenzene	<		1	ug/L	1	
S3	4/3/2002	1,2,4-Trichlorobenzene	<		10	ug/L	1	
S3	6/25/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1	
S3	9/19/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1	
S3	9/19/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
S3	9/19/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1	
S3	9/19/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
S3	12/13/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1	
S3	12/13/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	



tmpAnalyticalResultsOverTime

S3	3/5/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1
S3	3/5/2003	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1
S3	6/5/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1
S3	6/5/2003	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1
S3	9/5/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1
S3	9/5/2003	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1
S3	12/2/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1
S3	12/2/2003	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1
S3	9/9/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1
S3	9/9/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1
S3	9/9/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1
S3	9/9/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1
S4	4/3/2002	1,2,4-Trichlorobenzene	<		1	ug/L	1
S4	4/3/2002	1,2,4-Trichlorobenzene	<		10	ug/L	1
S4	6/25/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1
S4	6/25/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1
S4	9/19/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1
S4	9/19/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1
S4	12/13/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1
S4	12/13/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1
S4	9/8/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1
S4	9/8/2003	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1
S4	9/9/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1
S4	9/9/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1
S5	4/4/2002	1,2,4-Trichlorobenzene	<		1	ug/L	1
S5	4/4/2002	1,2,4-Trichlorobenzene	<		10	ug/L	1
S5	6/24/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1
S5	6/24/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1
S5	9/20/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1
S5	9/20/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1
S5	12/16/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1
S5	12/16/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1
S5	9/10/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1
S5	9/10/2003	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1
S5	9/8/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1
S5	9/8/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1
S6	4/4/2002	1,2,4-Trichlorobenzene	<		1	ug/L	1
S6	4/4/2002	1,2,4-Trichlorobenzene	<		10	ug/L	1
S6	6/24/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1
S6	6/24/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1
S6	6/24/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1
S6	6/24/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1
S6	9/23/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1
S6	9/23/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1
S6	12/18/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1
S6	12/18/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1
S6	9/9/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1
S6	9/9/2003	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1
S6	9/8/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1
S6	9/8/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1
S7	4/10/2002	1,2,4-Trichlorobenzene	<		1	ug/L	1 UJ
S7	4/10/2002	1,2,4-Trichlorobenzene	<		10	ug/L	1
S7	6/21/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1
S7	6/21/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1
S7	9/23/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1
S7	9/23/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1
S7	12/17/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1

tmpAnalyticalResultsOverTime

S7	12/17/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
S7	9/11/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
S7	9/11/2003	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
S7	9/7/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
S7	9/7/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
S8	4/10/2002	1,2,4-Trichlorobenzene	<		1	ug/L	1	UJ
S8	4/10/2002	1,2,4-Trichlorobenzene	<		10	ug/L	1	
S8	6/21/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1	
S8	6/21/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
S8	9/20/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1	
S8	9/20/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
S8	12/16/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1	
S8	12/16/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
S8	9/11/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
S8	9/11/2003	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
S8	9/3/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
S8	9/3/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
S9	4/10/2002	1,2,4-Trichlorobenzene	<		1	ug/L	1	
S9	4/10/2002	1,2,4-Trichlorobenzene	<		10	ug/L	1	
S9	6/20/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1	
S9	6/20/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
S9	9/11/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1	
S9	9/11/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
S9	12/12/2002	1,2,4-Trichlorobenzene	<	0.63	1	ug/L	1	
S9	12/12/2002	1,2,4-Trichlorobenzene	<	1.5	10	ug/L	1	
S9	9/11/2003	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
S9	9/11/2003	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
S9	9/3/2004	1,2,4-Trichlorobenzene	<	0.21	1	ug/L	1	
S9	9/3/2004	1,2,4-Trichlorobenzene	<	0.9	10	ug/L	1	
S10	5/24/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	NA
S10	5/24/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S10	9/10/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S10	12/1/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S10	12/1/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S10	3/3/2005	1,2,4-Trimethylbenzene	<	0.28	1	ug/L	1	
S11	5/24/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S11	9/10/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S11	12/1/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S11	3/3/2005	1,2,4-Trimethylbenzene	<	0.28	1	ug/L	1	
S2	4/3/2002	1,2,4-Trimethylbenzene	<		1	ug/L	1	
S2	6/26/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S2	9/18/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S2	12/13/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S2	3/4/2003	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S2	3/4/2003	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S2	6/5/2003	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S2	9/5/2003	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S2	9/5/2003	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S2	12/3/2003	1,2,4-Trimethylbenzene	<	0.3	2	ug/L	2	
S2	9/10/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S3	4/3/2002	1,2,4-Trimethylbenzene	<		1	ug/L	1	
S3	6/25/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S3	9/19/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S3	9/19/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S3	12/13/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S3	3/5/2003	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S3	6/5/2003	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	

tmpAnalyticalResultsOverTime

S3	9/5/2003	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S3	12/2/2003	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S3	9/9/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S3	9/9/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S4	4/3/2002	1,2,4-Trimethylbenzene	<		1	ug/L	1	
S4	6/25/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S4	9/19/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S4	12/13/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S4	9/8/2003	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S4	9/9/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S5	4/4/2002	1,2,4-Trimethylbenzene	<		1	ug/L	1	
S5	6/24/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S5	9/20/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S5	12/16/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S5	9/10/2003	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S5	9/8/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S6	4/4/2002	1,2,4-Trimethylbenzene	<		1	ug/L	1	
S6	6/24/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S6	6/24/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S6	9/23/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S6	12/18/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S6	9/9/2003	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S6	9/8/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S7	4/10/2002	1,2,4-Trimethylbenzene	<		1	ug/L	1	UJ
S7	6/21/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S7	9/23/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S7	12/17/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S7	9/11/2003	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S7	9/7/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S8	4/10/2002	1,2,4-Trimethylbenzene	<		1	ug/L	1	UJ
S8	6/21/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S8	9/20/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S8	12/16/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S8	9/11/2003	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S8	9/3/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S9	4/10/2002	1,2,4-Trimethylbenzene	<		1	ug/L	1	
S9	6/20/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S9	9/11/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S9	12/12/2002	1,2,4-Trimethylbenzene	<	0.3	1	ug/L	1	
S9	9/11/2003	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S9	9/3/2004	1,2,4-Trimethylbenzene	<	0.15	1	ug/L	1	
S10	5/24/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	NA
S10	5/24/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S10	9/10/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S10	12/1/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S10	12/1/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S10	3/3/2005	1,2-Dibromo-3-chloropropane (DBCP)	<	0.63	2	ug/L	1	
S11	5/24/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S11	9/10/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S11	12/1/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S11	3/3/2005	1,2-Dibromo-3-chloropropane (DBCP)	<	0.63	2	ug/L	1	
S2	4/3/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<		2	ug/L	1	
S2	6/26/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S2	9/18/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S2	12/13/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S2	3/4/2003	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.47	2	ug/L	1	
S2	3/4/2003	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.47	2	ug/L	1	

tmpAnalyticalResultsOverTime

S2	6/5/2003	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S2	9/5/2003	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S2	9/5/2003	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S2	12/3/2003	1,2-Dibromo-3-chloropropane (DBCP)	<	0.94	4	ug/L	2	
S2	9/10/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S3	4/3/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<		2	ug/L	1	
S3	6/25/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S3	9/19/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S3	9/19/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S3	12/13/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S3	3/5/2003	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.47	2	ug/L	1	
S3	6/5/2003	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S3	9/5/2003	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S3	12/2/2003	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S3	9/9/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S3	9/9/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S4	4/3/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<		2	ug/L	1	
S4	6/25/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S4	9/19/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S4	12/13/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S4	9/8/2003	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S4	9/9/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S5	4/4/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<		2	ug/L	1	
S5	6/24/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S5	9/20/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S5	12/16/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S5	9/10/2003	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S5	9/8/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S6	4/4/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<		2	ug/L	1	
S6	6/24/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S6	6/24/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S6	9/23/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S6	12/18/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S6	9/9/2003	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S6	9/8/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S7	4/10/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<		2	ug/L	1	UJ
S7	6/21/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S7	9/23/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S7	12/17/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S7	9/11/2003	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S7	9/7/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S8	4/10/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<		2	ug/L	1	UJ
S8	6/21/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S8	9/20/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S8	12/16/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S8	9/11/2003	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S8	9/3/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S9	4/10/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<		2	ug/L	1	
S9	6/20/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S9	9/11/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S9	12/12/2002	1,2-Dibromo-3-Chloropropane (DBCP)	<	0.49	2	ug/L	1	
S9	9/11/2003	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S9	9/3/2004	1,2-Dibromo-3-chloropropane (DBCP)	<	0.47	2	ug/L	1	
S10	5/24/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	NA
S10	5/24/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
S10	9/10/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
S10	12/1/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	

tmpAnalyticalResultsOverTime

S10	12/1/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S10	3/3/2005	1,2-Dibromoethane (EDB)	<	0.2	1	ug/L	1
S11	5/24/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S11	9/10/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S11	12/1/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S11	3/3/2005	1,2-Dibromoethane (EDB)	<	0.2	1	ug/L	1
S2	4/3/2002	1,2-Dibromoethane (EDB)	<		1	ug/L	1
S2	6/26/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S2	9/18/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S2	12/13/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S2	3/4/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S2	3/4/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S2	6/5/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S2	9/5/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S2	9/5/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S2	12/3/2003	1,2-Dibromoethane (EDB)	<	0.36	2	ug/L	2
S2	9/10/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S3	4/3/2002	1,2-Dibromoethane (EDB)	<		1	ug/L	1
S3	6/25/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S3	9/19/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S3	9/19/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S3	12/13/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S3	3/5/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S3	6/5/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S3	9/5/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S3	12/2/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S3	9/9/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S3	9/9/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S4	4/3/2002	1,2-Dibromoethane (EDB)	<		1	ug/L	1
S4	6/25/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S4	9/19/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S4	12/13/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S4	9/8/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S4	9/9/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S5	4/4/2002	1,2-Dibromoethane (EDB)	<		1	ug/L	1
S5	6/24/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S5	9/20/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S5	12/16/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S5	9/10/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S5	9/8/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S6	4/4/2002	1,2-Dibromoethane (EDB)	<		1	ug/L	1
S6	6/24/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S6	6/24/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S6	9/23/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S6	12/18/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S6	9/9/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S6	9/8/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S7	4/10/2002	1,2-Dibromoethane (EDB)	<		1	ug/L	1 UJ
S7	6/21/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S7	9/23/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S7	12/17/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S7	9/11/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S7	9/7/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1
S8	4/10/2002	1,2-Dibromoethane (EDB)	<		1	ug/L	1 UJ
S8	6/21/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S8	9/20/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1
S8	12/16/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1

tmpAnalyticalResultsOverTime

S8	9/11/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
S8	9/3/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
S9	4/10/2002	1,2-Dibromoethane (EDB)	<		1	ug/L	1	
S9	6/20/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1	
S9	9/11/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1	
S9	12/12/2002	1,2-Dibromoethane (EDB)	<	0.46	1	ug/L	1	
S9	9/11/2003	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
S9	9/3/2004	1,2-Dibromoethane (EDB)	<	0.18	1	ug/L	1	
S10	5/24/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	NA
S10	5/24/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S10	9/10/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S10	12/1/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S10	12/1/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S10	3/3/2005	1,2-Dichlorobenzene	<	0.25	1	ug/L	1	
S11	5/24/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S11	9/10/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S11	12/1/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S11	3/3/2005	1,2-Dichlorobenzene	<	0.25	1	ug/L	1	
S2	4/3/2002	1,2-Dichlorobenzene	<		1	ug/L	1	
S2	4/3/2002	1,2-Dichlorobenzene	<		10	ug/L	1	
S2	6/26/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S2	6/26/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S2	9/18/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S2	9/18/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S2	12/13/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S2	12/13/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S2	3/4/2003	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S2	3/4/2003	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S2	6/5/2003	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S2	9/5/2003	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S2	9/5/2003	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S2	12/3/2003	1,2-Dichlorobenzene	<	0.3	2	ug/L	2	
S2	9/10/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S3	4/3/2002	1,2-Dichlorobenzene	<		1	ug/L	1	
S3	4/3/2002	1,2-Dichlorobenzene	<		10	ug/L	1	
S3	6/25/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S3	9/19/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S3	9/19/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S3	9/19/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S3	9/19/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S3	12/13/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S3	12/13/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S3	3/5/2003	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S3	6/5/2003	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S3	9/5/2003	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S3	12/2/2003	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S3	9/9/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S3	9/9/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S4	4/3/2002	1,2-Dichlorobenzene	<		1	ug/L	1	
S4	4/3/2002	1,2-Dichlorobenzene	<		10	ug/L	1	
S4	6/25/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S4	6/25/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S4	9/19/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S4	9/19/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S4	12/13/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S4	12/13/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S4	9/8/2003	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	

tmpAnalyticalResultsOverTime

S4	9/9/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S5	4/4/2002	1,2-Dichlorobenzene	<		1	ug/L	1	
S5	4/4/2002	1,2-Dichlorobenzene	<		10	ug/L	1	
S5	6/24/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S5	6/24/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S5	9/20/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S5	9/20/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S5	12/16/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S5	12/16/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S5	9/10/2003	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S5	9/8/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S6	4/4/2002	1,2-Dichlorobenzene	<		1	ug/L	1	
S6	4/4/2002	1,2-Dichlorobenzene	<		10	ug/L	1	
S6	6/24/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S6	6/24/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S6	6/24/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S6	6/24/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S6	9/23/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S6	9/23/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S6	12/18/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S6	12/18/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S6	9/9/2003	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S6	9/8/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S7	4/10/2002	1,2-Dichlorobenzene	<		1	ug/L	1	UJ
S7	4/10/2002	1,2-Dichlorobenzene	<		10	ug/L	1	
S7	6/21/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S7	6/21/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S7	9/23/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S7	9/23/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S7	12/17/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S7	12/17/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S7	9/11/2003	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S7	9/7/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S8	4/10/2002	1,2-Dichlorobenzene	<		1	ug/L	1	UJ
S8	4/10/2002	1,2-Dichlorobenzene	<		10	ug/L	1	
S8	6/21/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S8	6/21/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S8	9/20/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S8	9/20/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S8	12/16/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S8	12/16/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S8	9/11/2003	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S8	9/3/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S9	4/10/2002	1,2-Dichlorobenzene	<		1	ug/L	1	
S9	4/10/2002	1,2-Dichlorobenzene	<		10	ug/L	1	
S9	6/20/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S9	6/20/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S9	9/11/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S9	9/11/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S9	12/12/2002	1,2-Dichlorobenzene	<	0.3	1	ug/L	1	
S9	12/12/2002	1,2-Dichlorobenzene	<	1.6	10	ug/L	1	
S9	9/11/2003	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S9	9/3/2004	1,2-Dichlorobenzene	<	0.15	1	ug/L	1	
S10	5/24/2004	1,2-Dichloroethane	<	0.26	1	ug/L	1	0.005 mg/L
S10	5/24/2004	1,2-Dichloroethane	<	0.26	1	ug/L	1	
S10	9/10/2004	1,2-Dichloroethane	<	0.26	1	ug/L	1	
S10	12/1/2004	1,2-Dichloroethane	<	0.26	1	ug/L	1	

tmpAnalyticalResultsOverTime

S10	12/1/2004	1,2-Dichloroethane	<	0.26	1	ug/L	1
S10	3/3/2005	1,2-Dichloroethane	<	0.12	1	ug/L	1
S11	5/24/2004	1,2-Dichloroethane	<	0.26	1	ug/L	1
S11	9/10/2004	1,2-Dichloroethane	<	0.26	1	ug/L	1
S11	12/1/2004	1,2-Dichloroethane	<	0.26	1	ug/L	1
S11	3/3/2005	1,2-Dichloroethane	<	0.12	1	ug/L	1
S2	4/3/2002	1,2-Dichloroethane	<		1	ug/L	1
S2	6/26/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S2	9/18/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S2	12/13/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S2	3/4/2003	1,2-Dichloroethane	<	0.26	1	ug/L	1
S2	3/4/2003	1,2-Dichloroethane	<	0.26	1	ug/L	1
S2	6/5/2003	1,2-Dichloroethane	<	0.26	1	ug/L	1
S2	9/5/2003	1,2-Dichloroethane	<	0.26	1	ug/L	1
S2	9/5/2003	1,2-Dichloroethane	<	0.26	1	ug/L	1
S2	12/3/2003	1,2-Dichloroethane	<	0.52	2	ug/L	2
S2	9/10/2004	1,2-Dichloroethane	<	0.26	1	ug/L	1
S3	4/3/2002	1,2-Dichloroethane	<		1	ug/L	1
S3	6/25/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S3	9/19/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S3	9/19/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S3	12/13/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S3	3/5/2003	1,2-Dichloroethane	<	0.26	1	ug/L	1
S3	6/5/2003	1,2-Dichloroethane	<	0.26	1	ug/L	1
S3	9/5/2003	1,2-Dichloroethane	<	0.26	1	ug/L	1
S3	12/2/2003	1,2-Dichloroethane	<	0.26	1	ug/L	1
S3	9/9/2004	1,2-Dichloroethane	<	0.26	1	ug/L	1
S3	9/9/2004	1,2-Dichloroethane	<	0.26	1	ug/L	1
S4	4/3/2002	1,2-Dichloroethane	<		1	ug/L	1
S4	6/25/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S4	9/19/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S4	12/13/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S4	9/8/2003	1,2-Dichloroethane	<	0.26	1	ug/L	1
S4	9/9/2004	1,2-Dichloroethane	<	0.26	1	ug/L	1
S5	4/4/2002	1,2-Dichloroethane	<		1	ug/L	1
S5	6/24/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S5	9/20/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S5	12/16/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S5	9/10/2003	1,2-Dichloroethane	<	0.26	1	ug/L	1
S5	9/8/2004	1,2-Dichloroethane	<	0.26	1	ug/L	1
S6	4/4/2002	1,2-Dichloroethane	<		1	ug/L	1
S6	6/24/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S6	6/24/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S6	9/23/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S6	12/18/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S6	9/9/2003	1,2-Dichloroethane	<	0.26	1	ug/L	1
S6	9/8/2004	1,2-Dichloroethane	<	0.26	1	ug/L	1
S7	4/10/2002	1,2-Dichloroethane	<		1	ug/L	1 UJ
S7	6/21/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S7	9/23/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S7	12/17/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S7	9/11/2003	1,2-Dichloroethane	<	0.26	1	ug/L	1
S7	9/7/2004	1,2-Dichloroethane	<	0.26	1	ug/L	1
S8	4/10/2002	1,2-Dichloroethane	<		1	ug/L	1 UJ
S8	6/21/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S8	9/20/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1
S8	12/16/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1



tmpAnalyticalResultsOverTime

S8	9/11/2003	1,2-Dichloroethane	<	0.26	1	ug/L	1	
S8	9/3/2004	1,2-Dichloroethane	<	0.26	1	ug/L	1	
S9	4/10/2002	1,2-Dichloroethane	<		1	ug/L	1	
S9	6/20/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1	
S9	9/11/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1	
S9	12/12/2002	1,2-Dichloroethane	<	0.43	1	ug/L	1	
S9	9/11/2003	1,2-Dichloroethane	<	0.26	1	ug/L	1	
S9	9/3/2004	1,2-Dichloroethane	<	0.26	1	ug/L	1	
S10	5/24/2004	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	NA
S10	5/24/2004	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S10	9/10/2004	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S10	12/1/2004	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S10	12/1/2004	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S10	3/3/2005	1,2-Dichloroethene (total)	<	0.17	1	ug/L	1	
S11	5/24/2004	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S11	9/10/2004	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S11	12/1/2004	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S11	3/3/2005	1,2-Dichloroethene (total)	<	0.17	1	ug/L	1	
S2	9/18/2002	1,2-Dichloroethene (Total)	<	0.54	1	ug/L	1	
S2	12/13/2002	1,2-Dichloroethene (total)	<	0.54	1	ug/L	1	
S2	3/4/2003	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S2	3/4/2003	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S2	6/5/2003	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S2	9/5/2003	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S2	9/5/2003	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S2	12/3/2003	1,2-Dichloroethene (total)	<	0.48	2	ug/L	2	
S2	9/10/2004	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S3	9/19/2002	1,2-Dichloroethene (Total)	<	0.54	1	ug/L	1	
S3	9/19/2002	1,2-Dichloroethene (Total)	<	0.54	1	ug/L	1	
S3	12/13/2002	1,2-Dichloroethene (total)	<	0.54	1	ug/L	1	
S3	3/5/2003	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S3	6/5/2003	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S3	9/5/2003	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S3	12/2/2003	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S3	9/9/2004	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S3	9/9/2004	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S4	9/19/2002	1,2-Dichloroethene (Total)	<	0.54	1	ug/L	1	
S4	12/13/2002	1,2-Dichloroethene (total)	<	0.54	1	ug/L	1	
S4	9/8/2003	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S4	9/9/2004	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S5	9/20/2002	1,2-Dichloroethene (Total)	<	0.54	1	ug/L	1	
S5	12/16/2002	1,2-Dichloroethene (total)	<	0.54	1	ug/L	1	
S5	9/10/2003	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S5	9/8/2004	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S6	9/23/2002	1,2-Dichloroethene (Total)	<	0.54	1	ug/L	1	
S6	12/18/2002	1,2-Dichloroethene (total)	<	0.54	1	ug/L	1	
S6	9/9/2003	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S6	9/8/2004	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S7	9/23/2002	1,2-Dichloroethene (Total)	<	0.54	1	ug/L	1	
S7	12/17/2002	1,2-Dichloroethene (total)	<	0.54	1	ug/L	1	
S7	9/11/2003	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S7	9/7/2004	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S8	9/20/2002	1,2-Dichloroethene (Total)	<	0.54	1	ug/L	1	
S8	12/16/2002	1,2-Dichloroethene (total)	<	0.54	1	ug/L	1	
S8	9/11/2003	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S8	9/3/2004	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S9	9/11/2002	1,2-Dichloroethene (Total)	<	0.54	1	ug/L	1	

tmpAnalyticalResultsOverTime

S9	12/12/2002	1,2-Dichloroethene (total)	<	0.54	1	ug/L	1	
S9	9/11/2003	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S9	9/3/2004	1,2-Dichloroethene (total)	<	0.24	1	ug/L	1	
S10	5/24/2004	1,2-Dichloropropane	<	0.18	1	ug/L	1	NA
S10	5/24/2004	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S10	9/10/2004	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S10	12/1/2004	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S10	12/1/2004	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S10	3/3/2005	1,2-Dichloropropane	<	0.17	1	ug/L	1	
S11	5/24/2004	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S11	9/10/2004	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S11	12/1/2004	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S11	3/3/2005	1,2-Dichloropropane	<	0.17	1	ug/L	1	
S2	4/3/2002	1,2-Dichloropropane	<		1	ug/L	1	
S2	6/26/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S2	9/18/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S2	12/13/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S2	3/4/2003	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S2	3/4/2003	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S2	6/5/2003	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S2	9/5/2003	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S2	9/5/2003	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S2	12/3/2003	1,2-Dichloropropane	<	0.36	2	ug/L	2	
S2	9/10/2004	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S3	4/3/2002	1,2-Dichloropropane	<		1	ug/L	1	
S3	6/25/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S3	9/19/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S3	9/19/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S3	12/13/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S3	3/5/2003	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S3	6/5/2003	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S3	9/5/2003	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S3	12/2/2003	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S3	9/9/2004	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S3	9/9/2004	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S4	4/3/2002	1,2-Dichloropropane	<		1	ug/L	1	
S4	6/25/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S4	9/19/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S4	12/13/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S4	9/8/2003	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S4	9/9/2004	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S5	4/4/2002	1,2-Dichloropropane	<		1	ug/L	1	
S5	6/24/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S5	9/20/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S5	12/16/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S5	9/10/2003	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S5	9/8/2004	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S6	4/4/2002	1,2-Dichloropropane	<		1	ug/L	1	
S6	6/24/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S6	6/24/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S6	9/23/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S6	12/18/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S6	9/9/2003	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S6	9/8/2004	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S7	4/10/2002	1,2-Dichloropropane	<		1	ug/L	1	UJ
S7	6/21/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S7	9/23/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	

tmpAnalyticalResultsOverTime

S7	12/17/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S7	9/11/2003	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S7	9/7/2004	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S8	4/10/2002	1,2-Dichloropropane	<		1	ug/L	1	UJ
S8	6/21/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S8	9/20/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S8	12/16/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S8	9/11/2003	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S8	9/3/2004	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S9	4/10/2002	1,2-Dichloropropane	<		1	ug/L	1	
S9	6/20/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S9	9/11/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S9	12/12/2002	1,2-Dichloropropane	<	0.38	1	ug/L	1	
S9	9/11/2003	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S9	9/3/2004	1,2-Dichloropropane	<	0.18	1	ug/L	1	
S10	5/24/2004	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	NA
S10	5/24/2004	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S10	9/10/2004	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S10	12/1/2004	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S10	12/1/2004	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S10	3/3/2005	1,2-Diphenylhydrazine	<	2	10	ug/L	1	
S11	5/24/2004	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S11	9/10/2004	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S11	12/1/2004	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S11	3/3/2005	1,2-Diphenylhydrazine	<	2	10	ug/L	1	
S2	9/18/2002	1,2-Diphenylhydrazine	<	1	10	ug/L	1	
S2	12/13/2002	1,2-Diphenylhydrazine	<	1	10	ug/L	1	
S2	3/4/2003	1,2-Diphenylhydrazine	<	1	10	ug/L	1	
S2	3/4/2003	1,2-Diphenylhydrazine	<	1	10	ug/L	1	
S2	6/5/2003	1,2-Diphenylhydrazine	<	1	10	ug/L	1	
S2	9/5/2003	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S2	9/5/2003	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S2	12/3/2003	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S2	9/10/2004	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S3	9/19/2002	1,2-Diphenylhydrazine	<	1	10	ug/L	1	
S3	9/19/2002	1,2-Diphenylhydrazine	<	1	10	ug/L	1	
S3	12/13/2002	1,2-Diphenylhydrazine	<	1	10	ug/L	1	
S3	3/5/2003	1,2-Diphenylhydrazine	<	1	10	ug/L	1	
S3	6/5/2003	1,2-Diphenylhydrazine	<	1	10	ug/L	1	
S3	9/5/2003	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S3	12/2/2003	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S3	9/9/2004	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S3	9/9/2004	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S4	9/19/2002	1,2-Diphenylhydrazine	<	1	10	ug/L	1	
S4	12/13/2002	1,2-Diphenylhydrazine	<	1	10	ug/L	1	
S4	9/8/2003	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S4	9/9/2004	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S5	9/20/2002	1,2-Diphenylhydrazine	<	1	10	ug/L	1	
S5	12/16/2002	1,2-Diphenylhydrazine	<	1	10	ug/L	1	
S5	9/10/2003	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S5	9/8/2004	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S6	9/23/2002	1,2-Diphenylhydrazine	<	1	10	ug/L	1	
S6	12/18/2002	1,2-Diphenylhydrazine	<	1	10	ug/L	1	
S6	9/9/2003	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S6	9/8/2004	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S7	9/23/2002	1,2-Diphenylhydrazine	<	1	10	ug/L	1	
S7	12/17/2002	1,2-Diphenylhydrazine	<	1	10	ug/L	1	

tmpAnalyticalResultsOverTime

S7	9/11/2003	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S7	9/7/2004	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S8	9/20/2002	1,2-Diphenylhydrazine	<	1	10	ug/L	1	
S8	12/16/2002	1,2-Diphenylhydrazine	<	1	10	ug/L	1	
S8	9/11/2003	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S8	9/3/2004	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S9	9/11/2002	1,2-Diphenylhydrazine	<	1	10	ug/L	1	
S9	12/12/2002	1,2-Diphenylhydrazine	<	1	10	ug/L	1	
S9	9/11/2003	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S9	9/3/2004	1,2-Diphenylhydrazine	<	0.6	10	ug/L	1	
S10	5/24/2004	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	NA
S10	5/24/2004	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S10	9/10/2004	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S10	12/1/2004	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S10	12/1/2004	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S10	3/3/2005	1,3,5-Trimethylbenzene	<	0.26	1	ug/L	1	
S11	5/24/2004	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S11	9/10/2004	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S11	12/1/2004	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S11	3/3/2005	1,3,5-Trimethylbenzene	<	0.26	1	ug/L	1	
S2	4/3/2002	1,3,5-Trimethylbenzene	<		1	ug/L	1	
S2	6/26/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S2	9/18/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S2	12/13/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S2	3/4/2003	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S2	3/4/2003	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S2	6/5/2003	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S2	9/5/2003	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S2	9/5/2003	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S2	12/3/2003	1,3,5-Trimethylbenzene	<	0.32	2	ug/L	2	
S2	9/10/2004	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S3	4/3/2002	1,3,5-Trimethylbenzene	<		1	ug/L	1	
S3	6/25/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S3	9/19/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S3	9/19/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S3	12/13/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S3	3/5/2003	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S3	6/5/2003	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S3	9/5/2003	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S3	12/2/2003	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S3	9/9/2004	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S3	9/9/2004	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S4	4/3/2002	1,3,5-Trimethylbenzene	<		1	ug/L	1	
S4	6/25/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S4	9/19/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S4	12/13/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S4	9/8/2003	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S4	9/9/2004	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S5	4/4/2002	1,3,5-Trimethylbenzene	<		1	ug/L	1	
S5	6/24/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S5	9/20/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S5	12/16/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S5	9/10/2003	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S5	9/8/2004	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S6	4/4/2002	1,3,5-Trimethylbenzene	<		1	ug/L	1	
S6	6/24/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S6	6/24/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	

tmpAnalyticalResultsOverTime

S6	9/23/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S6	12/18/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S6	9/9/2003	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S6	9/8/2004	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S7	4/10/2002	1,3,5-Trimethylbenzene	<		1	ug/L	1	UJ
S7	6/21/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S7	9/23/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S7	12/17/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S7	9/11/2003	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S7	9/7/2004	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S8	4/10/2002	1,3,5-Trimethylbenzene	<		1	ug/L	1	UJ
S8	6/21/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S8	9/20/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S8	12/16/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S8	9/11/2003	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S8	9/3/2004	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S9	4/10/2002	1,3,5-Trimethylbenzene	<		1	ug/L	1	
S9	6/20/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S9	9/11/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S9	12/12/2002	1,3,5-Trimethylbenzene	<	0.31	1	ug/L	1	
S9	9/11/2003	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S9	9/3/2004	1,3,5-Trimethylbenzene	<	0.16	1	ug/L	1	
S10	5/24/2004	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	NA
S10	5/24/2004	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S10	9/10/2004	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S10	12/1/2004	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S10	12/1/2004	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S10	3/3/2005	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S11	5/24/2004	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S11	9/10/2004	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S11	12/1/2004	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S11	3/3/2005	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S2	4/3/2002	1,3,5-Trinitrobenzene	<		50	ug/L	1	
S2	6/26/2002	1,3,5-Trinitrobenzene	<	1.4	50	ug/L	1	
S2	9/18/2002	1,3,5-Trinitrobenzene	<	1.4	50	ug/L	1	
S2	12/13/2002	1,3,5-Trinitrobenzene	<	2.5	50	ug/L	1	
S2	3/4/2003	1,3,5-Trinitrobenzene	<	2.5	50	ug/L	1	
S2	3/4/2003	1,3,5-Trinitrobenzene	<	2.5	50	ug/L	1	
S2	6/5/2003	1,3,5-Trinitrobenzene	<	2.5	50	ug/L	1	
S2	9/5/2003	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S2	9/5/2003	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S2	12/3/2003	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S2	9/10/2004	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S3	4/3/2002	1,3,5-Trinitrobenzene	<		50	ug/L	1	
S3	9/19/2002	1,3,5-Trinitrobenzene	<	1.4	50	ug/L	1	
S3	9/19/2002	1,3,5-Trinitrobenzene	<	1.4	50	ug/L	1	
S3	12/13/2002	1,3,5-Trinitrobenzene	<	2.5	50	ug/L	1	
S3	3/5/2003	1,3,5-Trinitrobenzene	<	2.5	50	ug/L	1	
S3	6/5/2003	1,3,5-Trinitrobenzene	<	2.5	50	ug/L	1	
S3	9/5/2003	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S3	12/2/2003	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S3	9/9/2004	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S3	9/9/2004	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S4	4/3/2002	1,3,5-Trinitrobenzene	<		50	ug/L	1	
S4	6/25/2002	1,3,5-Trinitrobenzene	<	1.4	50	ug/L	1	
S4	9/19/2002	1,3,5-Trinitrobenzene	<	1.4	50	ug/L	1	
S4	12/13/2002	1,3,5-Trinitrobenzene	<	2.5	50	ug/L	1	

tmpAnalyticalResultsOverTime

S4	9/8/2003	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S4	9/9/2004	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S5	4/4/2002	1,3,5-Trinitrobenzene	<		50	ug/L	1	
S5	6/24/2002	1,3,5-Trinitrobenzene	<	1.4	50	ug/L	1	
S5	9/20/2002	1,3,5-Trinitrobenzene	<	1.4	50	ug/L	1	
S5	12/16/2002	1,3,5-Trinitrobenzene	<	2.5	50	ug/L	1	
S5	9/10/2003	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S5	9/8/2004	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S6	4/4/2002	1,3,5-Trinitrobenzene	<		50	ug/L	1	
S6	6/24/2002	1,3,5-Trinitrobenzene	<	1.4	50	ug/L	1	
S6	6/24/2002	1,3,5-Trinitrobenzene	<	1.4	50	ug/L	1	
S6	9/23/2002	1,3,5-Trinitrobenzene	<	1.4	50	ug/L	1	
S6	12/18/2002	1,3,5-Trinitrobenzene	<	2.5	50	ug/L	1	
S6	9/9/2003	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S6	9/8/2004	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S7	4/10/2002	1,3,5-Trinitrobenzene	<		50	ug/L	1	
S7	6/21/2002	1,3,5-Trinitrobenzene	<	1.4	50	ug/L	1	
S7	9/23/2002	1,3,5-Trinitrobenzene	<	1.4	50	ug/L	1	
S7	12/17/2002	1,3,5-Trinitrobenzene	<	2.5	50	ug/L	1	
S7	9/11/2003	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S7	9/7/2004	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S8	4/10/2002	1,3,5-Trinitrobenzene	<		50	ug/L	1	
S8	6/21/2002	1,3,5-Trinitrobenzene	<	1.4	50	ug/L	1	
S8	9/20/2002	1,3,5-Trinitrobenzene	<	1.4	50	ug/L	1	
S8	12/16/2002	1,3,5-Trinitrobenzene	<	2.5	50	ug/L	1	
S8	9/11/2003	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S8	9/3/2004	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S9	4/10/2002	1,3,5-Trinitrobenzene	<		50	ug/L	1	
S9	6/20/2002	1,3,5-Trinitrobenzene	<	1.4	50	ug/L	1	
S9	9/11/2002	1,3,5-Trinitrobenzene	<	1.4	50	ug/L	1	
S9	12/12/2002	1,3,5-Trinitrobenzene	<	2.5	50	ug/L	1	
S9	9/11/2003	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S9	9/3/2004	1,3,5-Trinitrobenzene	<	2	50	ug/L	1	
S10	5/24/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1	NA
S10	5/24/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1	
S10	9/10/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1	
S10	12/1/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1	
S10	12/1/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1	
S10	3/3/2005	1,3-Dichlorobenzene	<	0.21	1	ug/L	1	
S11	5/24/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1	
S11	9/10/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1	
S11	12/1/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1	
S11	3/3/2005	1,3-Dichlorobenzene	<	0.21	1	ug/L	1	
S2	4/3/2002	1,3-Dichlorobenzene	<		1	ug/L	1	
S2	4/3/2002	1,3-Dichlorobenzene	<		10	ug/L	1	
S2	6/26/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1	
S2	6/26/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1	
S2	9/18/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1	
S2	9/18/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1	
S2	12/13/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1	
S2	12/13/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1	
S2	3/4/2003	1,3-Dichlorobenzene	<	0.13	1	ug/L	1	
S2	3/4/2003	1,3-Dichlorobenzene	<	0.13	1	ug/L	1	
S2	6/5/2003	1,3-Dichlorobenzene	<	0.13	1	ug/L	1	
S2	9/5/2003	1,3-Dichlorobenzene	<	0.13	1	ug/L	1	
S2	9/5/2003	1,3-Dichlorobenzene	<	0.13	1	ug/L	1	
S2	12/3/2003	1,3-Dichlorobenzene	<	0.26	2	ug/L	2	

tmpAnalyticalResultsOverTime

S2	9/10/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
S3	4/3/2002	1,3-Dichlorobenzene	<		1	ug/L	1
S3	4/3/2002	1,3-Dichlorobenzene	<		10	ug/L	1
S3	6/25/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S3	9/19/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S3	9/19/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S3	9/19/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S3	9/19/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S3	12/13/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S3	12/13/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S3	3/5/2003	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
S3	6/5/2003	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
S3	9/5/2003	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
S3	12/2/2003	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
S3	9/9/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
S3	9/9/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
S4	4/3/2002	1,3-Dichlorobenzene	<		1	ug/L	1
S4	4/3/2002	1,3-Dichlorobenzene	<		10	ug/L	1
S4	6/25/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S4	6/25/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S4	9/19/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S4	9/19/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S4	12/13/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S4	12/13/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S4	9/8/2003	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
S4	9/9/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
S5	4/4/2002	1,3-Dichlorobenzene	<		1	ug/L	1
S5	4/4/2002	1,3-Dichlorobenzene	<		10	ug/L	1
S5	6/24/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S5	6/24/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S5	9/20/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S5	9/20/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S5	12/16/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S5	12/16/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S5	9/10/2003	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
S5	9/8/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
S6	4/4/2002	1,3-Dichlorobenzene	<		1	ug/L	1
S6	4/4/2002	1,3-Dichlorobenzene	<		10	ug/L	1
S6	6/24/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S6	6/24/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S6	6/24/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S6	6/24/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S6	9/23/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S6	9/23/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S6	12/18/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S6	12/18/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S6	9/9/2003	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
S6	9/8/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
S7	4/10/2002	1,3-Dichlorobenzene	<		1	ug/L	1 UJ
S7	4/10/2002	1,3-Dichlorobenzene	<		10	ug/L	1
S7	6/21/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S7	6/21/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S7	9/23/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S7	9/23/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S7	12/17/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S7	12/17/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S7	9/11/2003	1,3-Dichlorobenzene	<	0.13	1	ug/L	1

tmpAnalyticalResultsOverTime

S7	9/7/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
S8	4/10/2002	1,3-Dichlorobenzene	<		1	ug/L	1 UJ
S8	4/10/2002	1,3-Dichlorobenzene	<		10	ug/L	1
S8	6/21/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S8	6/21/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S8	9/20/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S8	9/20/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S8	12/16/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S8	12/16/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S8	9/11/2003	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
S8	9/3/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
S9	4/10/2002	1,3-Dichlorobenzene	<		1	ug/L	1
S9	4/10/2002	1,3-Dichlorobenzene	<		10	ug/L	1
S9	6/20/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S9	6/20/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S9	9/11/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S9	9/11/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S9	12/12/2002	1,3-Dichlorobenzene	<	0.3	1	ug/L	1
S9	12/12/2002	1,3-Dichlorobenzene	<	1.7	10	ug/L	1
S9	9/11/2003	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
S9	9/3/2004	1,3-Dichlorobenzene	<	0.13	1	ug/L	1
S10	5/24/2004	1,3-Dichloropropane	<	0.22	1	ug/L	1
S10	5/24/2004	1,3-Dichloropropane	<	0.22	1	ug/L	1
S10	9/10/2004	1,3-Dichloropropane	<	0.22	1	ug/L	1
S10	12/1/2004	1,3-Dichloropropane	<	0.22	1	ug/L	1
S10	12/1/2004	1,3-Dichloropropane	<	0.22	1	ug/L	1
S10	3/3/2005	1,3-Dichloropropane	<	0.17	1	ug/L	1
S11	5/24/2004	1,3-Dichloropropane	<	0.22	1	ug/L	1
S11	9/10/2004	1,3-Dichloropropane	<	0.22	1	ug/L	1
S11	12/1/2004	1,3-Dichloropropane	<	0.22	1	ug/L	1
S11	3/3/2005	1,3-Dichloropropane	<	0.17	1	ug/L	1
S2	4/3/2002	1,3-Dichloropropane	<		1	ug/L	1
S2	6/26/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1
S2	9/18/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1
S2	12/13/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1
S2	3/4/2003	1,3-Dichloropropane	<	0.22	1	ug/L	1
S2	3/4/2003	1,3-Dichloropropane	<	0.22	1	ug/L	1
S2	6/5/2003	1,3-Dichloropropane	<	0.22	1	ug/L	1
S2	9/5/2003	1,3-Dichloropropane	<	0.22	1	ug/L	1
S2	9/5/2003	1,3-Dichloropropane	<	0.22	1	ug/L	1
S2	12/3/2003	1,3-Dichloropropane	<	0.44	2	ug/L	2
S2	9/10/2004	1,3-Dichloropropane	<	0.22	1	ug/L	1
S3	4/3/2002	1,3-Dichloropropane	<		1	ug/L	1
S3	6/25/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1
S3	9/19/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1
S3	9/19/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1
S3	12/13/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1
S3	3/5/2003	1,3-Dichloropropane	<	0.22	1	ug/L	1
S3	6/5/2003	1,3-Dichloropropane	<	0.22	1	ug/L	1
S3	9/5/2003	1,3-Dichloropropane	<	0.22	1	ug/L	1
S3	12/2/2003	1,3-Dichloropropane	<	0.22	1	ug/L	1
S3	9/9/2004	1,3-Dichloropropane	<	0.22	1	ug/L	1
S3	9/9/2004	1,3-Dichloropropane	<	0.22	1	ug/L	1
S4	4/3/2002	1,3-Dichloropropane	<		1	ug/L	1
S4	6/25/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1
S4	9/19/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1
S4	12/13/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1



tmpAnalyticalResultsOverTime

S4	9/8/2003	1,3-Dichloropropane	<	0.22	1	ug/L	1	
S4	9/9/2004	1,3-Dichloropropane	<	0.22	1	ug/L	1	
S5	4/4/2002	1,3-Dichloropropane	<		1	ug/L	1	
S5	6/24/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1	
S5	9/20/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1	
S5	12/16/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1	
S5	9/10/2003	1,3-Dichloropropane	<	0.22	1	ug/L	1	
S5	9/8/2004	1,3-Dichloropropane	<	0.22	1	ug/L	1	
S6	4/4/2002	1,3-Dichloropropane	<		1	ug/L	1	
S6	6/24/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1	
S6	6/24/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1	
S6	9/23/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1	
S6	12/18/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1	
S6	9/9/2003	1,3-Dichloropropane	<	0.22	1	ug/L	1	
S6	9/8/2004	1,3-Dichloropropane	<	0.22	1	ug/L	1	
S7	4/10/2002	1,3-Dichloropropane	<		1	ug/L	1	UJ
S7	6/21/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1	
S7	9/23/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1	
S7	12/17/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1	
S7	9/11/2003	1,3-Dichloropropane	<	0.22	1	ug/L	1	
S7	9/7/2004	1,3-Dichloropropane	<	0.22	1	ug/L	1	
S8	4/10/2002	1,3-Dichloropropane	<		1	ug/L	1	UJ
S8	6/21/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1	
S8	9/20/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1	
S8	12/16/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1	
S8	9/11/2003	1,3-Dichloropropane	<	0.22	1	ug/L	1	
S8	9/3/2004	1,3-Dichloropropane	<	0.22	1	ug/L	1	
S9	4/10/2002	1,3-Dichloropropane	<		1	ug/L	1	
S9	6/20/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1	
S9	9/11/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1	
S9	12/12/2002	1,3-Dichloropropane	<	0.37	1	ug/L	1	
S9	9/11/2003	1,3-Dichloropropane	<	0.22	1	ug/L	1	
S9	9/3/2004	1,3-Dichloropropane	<	0.22	1	ug/L	1	
S10	5/24/2004	1,3-Dinitrobenzene	<	2	10	ug/L	1	NA
S10	5/24/2004	1,3-Dinitrobenzene	<	2	10	ug/L	1	
S10	9/10/2004	1,3-Dinitrobenzene	<	2	10	ug/L	1	
S10	12/1/2004	1,3-Dinitrobenzene	<	2	10	ug/L	1	
S10	12/1/2004	1,3-Dinitrobenzene	<	2	10	ug/L	1	
S10	3/3/2005	1,3-Dinitrobenzene	<	2	10	ug/L	1	
S11	5/24/2004	1,3-Dinitrobenzene	<	2	10	ug/L	1	
S11	9/10/2004	1,3-Dinitrobenzene	<	2	10	ug/L	1	
S11	12/1/2004	1,3-Dinitrobenzene	<	2	10	ug/L	1	
S11	3/3/2005	1,3-Dinitrobenzene	<	2	10	ug/L	1	
S2	4/3/2002	1,3-Dinitrobenzene	<		10	ug/L	1	
S2	6/26/2002	1,3-Dinitrobenzene	<	2.5	10	ug/L	1	
S2	9/18/2002	1,3-Dinitrobenzene	<	2.5	10	ug/L	1	
S2	12/13/2002	1,3-Dinitrobenzene	<	1.7	10	ug/L	1	
S2	3/4/2003	1,3-Dinitrobenzene	<	1.7	10	ug/L	1	
S2	3/4/2003	1,3-Dinitrobenzene	<	1.7	10	ug/L	1	
S2	6/5/2003	1,3-Dinitrobenzene	<	1.7	10	ug/L	1	
S2	9/5/2003	1,3-Dinitrobenzene	<	2	10	ug/L	1	
S2	9/5/2003	1,3-Dinitrobenzene	<	2	10	ug/L	1	
S2	12/3/2003	1,3-Dinitrobenzene	<	2	10	ug/L	1	
S2	9/10/2004	1,3-Dinitrobenzene	<	2	10	ug/L	1	
S3	4/3/2002	1,3-Dinitrobenzene	<		10	ug/L	1	
S3	9/19/2002	1,3-Dinitrobenzene	<	2.5	10	ug/L	1	
S3	9/19/2002	1,3-Dinitrobenzene	<	2.5	10	ug/L	1	

tmpAnalyticalResultsOverTime

S3	12/13/2002	1,3-Dinitrobenzene	<	1.7	10	ug/L	1		
S3	3/5/2003	1,3-Dinitrobenzene	<	1.7	10	ug/L	1		
S3	6/5/2003	1,3-Dinitrobenzene	<	1.7	10	ug/L	1		
S3	9/5/2003	1,3-Dinitrobenzene	<	2	10	ug/L	1		
S3	12/2/2003	1,3-Dinitrobenzene	<	2	10	ug/L	1		
S3	9/9/2004	1,3-Dinitrobenzene	<	2	10	ug/L	1		
S3	9/9/2004	1,3-Dinitrobenzene	<	2	10	ug/L	1		
S4	4/3/2002	1,3-Dinitrobenzene	<		10	ug/L	1		
S4	6/25/2002	1,3-Dinitrobenzene	<	2.5	10	ug/L	1		
S4	9/19/2002	1,3-Dinitrobenzene	<	2.5	10	ug/L	1		
S4	12/13/2002	1,3-Dinitrobenzene	<	1.7	10	ug/L	1		
S4	9/8/2003	1,3-Dinitrobenzene	<	2	10	ug/L	1		
S4	9/9/2004	1,3-Dinitrobenzene	<	2	10	ug/L	1		
S5	4/4/2002	1,3-Dinitrobenzene	<		10	ug/L	1		
S5	6/24/2002	1,3-Dinitrobenzene	<	2.5	10	ug/L	1		
S5	9/20/2002	1,3-Dinitrobenzene	<	2.5	10	ug/L	1		
S5	12/16/2002	1,3-Dinitrobenzene	<	1.7	10	ug/L	1		
S5	9/10/2003	1,3-Dinitrobenzene	<	2	10	ug/L	1		
S5	9/8/2004	1,3-Dinitrobenzene	<	2	10	ug/L	1		
S6	4/4/2002	1,3-Dinitrobenzene	<		10	ug/L	1		
S6	6/24/2002	1,3-Dinitrobenzene	<	2.5	10	ug/L	1		
S6	6/24/2002	1,3-Dinitrobenzene	<	2.5	10	ug/L	1		
S6	9/23/2002	1,3-Dinitrobenzene	<	2.5	10	ug/L	1		
S6	12/18/2002	1,3-Dinitrobenzene	<	1.7	10	ug/L	1		
S6	9/9/2003	1,3-Dinitrobenzene	<	2	10	ug/L	1		
S6	9/8/2004	1,3-Dinitrobenzene	<	2	10	ug/L	1		
S7	4/10/2002	1,3-Dinitrobenzene	<		10	ug/L	1		
S7	6/21/2002	1,3-Dinitrobenzene	<	2.5	10	ug/L	1		
S7	9/23/2002	1,3-Dinitrobenzene	<	2.5	10	ug/L	1		
S7	12/17/2002	1,3-Dinitrobenzene	<	1.7	10	ug/L	1		
S7	9/11/2003	1,3-Dinitrobenzene	<	2	10	ug/L	1		
S7	9/7/2004	1,3-Dinitrobenzene	<	2	10	ug/L	1		
S8	4/10/2002	1,3-Dinitrobenzene	<		10	ug/L	1		
S8	6/21/2002	1,3-Dinitrobenzene	<	2.5	10	ug/L	1		
S8	9/20/2002	1,3-Dinitrobenzene	<	2.5	10	ug/L	1		
S8	12/16/2002	1,3-Dinitrobenzene	<	1.7	10	ug/L	1		
S8	9/11/2003	1,3-Dinitrobenzene	<	2	10	ug/L	1		
S8	9/3/2004	1,3-Dinitrobenzene	<	2	10	ug/L	1		
S9	4/10/2002	1,3-Dinitrobenzene	<		10	ug/L	1		
S9	6/20/2002	1,3-Dinitrobenzene	<	2.5	10	ug/L	1		
S9	9/11/2002	1,3-Dinitrobenzene	<	2.5	10	ug/L	1		
S9	12/12/2002	1,3-Dinitrobenzene	<	1.7	10	ug/L	1		
S9	9/11/2003	1,3-Dinitrobenzene	<	2	10	ug/L	1		
S9	9/3/2004	1,3-Dinitrobenzene	<	2	10	ug/L	1		
S10	5/24/2004	1,4-Dichlorobenzene	<	1	0.16	1	ug/L	1 U	NA
S10	5/24/2004	1,4-Dichlorobenzene	<	1	0.16	1	ug/L	1 U	
S10	9/10/2004	1,4-Dichlorobenzene	<		0.16	1	ug/L	1	
S10	12/1/2004	1,4-Dichlorobenzene	<		0.16	1	ug/L	1	
S10	12/1/2004	1,4-Dichlorobenzene	<		0.16	1	ug/L	1	
S10	3/3/2005	1,4-Dichlorobenzene	<		0.2	1	ug/L	1	
S11	5/24/2004	1,4-Dichlorobenzene	<	1	0.16	1	ug/L	1 U	
S11	9/10/2004	1,4-Dichlorobenzene	<		0.16	1	ug/L	1	
S11	12/1/2004	1,4-Dichlorobenzene	<		0.16	1	ug/L	1	
S11	3/3/2005	1,4-Dichlorobenzene	<		0.2	1	ug/L	1	
S2	4/3/2002	1,4-Dichlorobenzene	<			1	ug/L	1	
S2	4/3/2002	1,4-Dichlorobenzene	<			10	ug/L	1	
S2	6/26/2002	1,4-Dichlorobenzene	<	0.31		1	ug/L	1	

tmpAnalyticalResultsOverTime

S2	6/26/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1
S2	9/18/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1
S2	9/18/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1
S2	12/13/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1
S2	12/13/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1
S2	3/4/2003	1,4-Dichlorobenzene	<	0.16	1	ug/L	1
S2	3/4/2003	1,4-Dichlorobenzene	<	0.16	1	ug/L	1
S2	6/5/2003	1,4-Dichlorobenzene	<	0.16	1	ug/L	1
S2	9/5/2003	1,4-Dichlorobenzene	<	0.16	1	ug/L	1
S2	9/5/2003	1,4-Dichlorobenzene	<	0.16	1	ug/L	1
S2	12/3/2003	1,4-Dichlorobenzene	<	0.32	2	ug/L	2
S2	9/10/2004	1,4-Dichlorobenzene	<	0.16	1	ug/L	1
S3	4/3/2002	1,4-Dichlorobenzene	<		1	ug/L	1
S3	4/3/2002	1,4-Dichlorobenzene	<		10	ug/L	1
S3	6/25/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1
S3	9/19/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1
S3	9/19/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1
S3	9/19/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1
S3	9/19/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1
S3	12/13/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1
S3	12/13/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1
S3	3/5/2003	1,4-Dichlorobenzene	<	0.16	1	ug/L	1
S3	6/5/2003	1,4-Dichlorobenzene	<	0.16	1	ug/L	1
S3	9/5/2003	1,4-Dichlorobenzene	<	0.16	1	ug/L	1
S3	12/2/2003	1,4-Dichlorobenzene	<	0.16	1	ug/L	1
S3	9/9/2004	1,4-Dichlorobenzene	<	0.16	1	ug/L	1
S3	9/9/2004	1,4-Dichlorobenzene	<	0.16	1	ug/L	1
S4	4/3/2002	1,4-Dichlorobenzene	<		1	ug/L	1
S4	4/3/2002	1,4-Dichlorobenzene	<		10	ug/L	1
S4	6/25/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1
S4	6/25/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1
S4	9/19/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1
S4	9/19/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1
S4	12/13/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1
S4	12/13/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1
S4	9/8/2003	1,4-Dichlorobenzene	<	0.16	1	ug/L	1
S4	9/9/2004	1,4-Dichlorobenzene	<	0.16	1	ug/L	1
S5	4/4/2002	1,4-Dichlorobenzene	<		1	ug/L	1
S5	4/4/2002	1,4-Dichlorobenzene	<		10	ug/L	1
S5	6/24/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1
S5	6/24/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1
S5	9/20/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1
S5	9/20/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1
S5	12/16/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1
S5	12/16/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1
S5	9/10/2003	1,4-Dichlorobenzene	<	0.16	1	ug/L	1
S5	9/8/2004	1,4-Dichlorobenzene	<	0.16	1	ug/L	1
S6	4/4/2002	1,4-Dichlorobenzene	<		1	ug/L	1
S6	4/4/2002	1,4-Dichlorobenzene	<		10	ug/L	1
S6	6/24/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1
S6	6/24/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1
S6	6/24/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1
S6	6/24/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1
S6	9/23/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1
S6	9/23/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1
S6	12/18/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1
S6	12/18/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1

tmpAnalyticalResultsOverTime

S6	9/9/2003	1,4-Dichlorobenzene	<	0.16	1	ug/L	1	
S6	9/8/2004	1,4-Dichlorobenzene	<	0.16	1	ug/L	1	
S7	4/10/2002	1,4-Dichlorobenzene	<		1	ug/L	1	UJ
S7	4/10/2002	1,4-Dichlorobenzene	<		10	ug/L	1	
S7	6/21/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1	
S7	6/21/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1	
S7	9/23/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1	
S7	9/23/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1	
S7	12/17/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1	
S7	12/17/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1	
S7	9/11/2003	1,4-Dichlorobenzene	<	0.16	1	ug/L	1	
S7	9/7/2004	1,4-Dichlorobenzene	<	0.16	1	ug/L	1	
S8	4/10/2002	1,4-Dichlorobenzene	<		1	ug/L	1	UJ
S8	4/10/2002	1,4-Dichlorobenzene	<		10	ug/L	1	
S8	6/21/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1	
S8	6/21/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1	
S8	9/20/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1	
S8	9/20/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1	
S8	12/16/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1	
S8	12/16/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1	
S8	9/11/2003	1,4-Dichlorobenzene	<	0.16	1	ug/L	1	
S8	9/3/2004	1,4-Dichlorobenzene	<	0.16	1	ug/L	1	
S9	4/10/2002	1,4-Dichlorobenzene	<		1	ug/L	1	
S9	4/10/2002	1,4-Dichlorobenzene	<		10	ug/L	1	
S9	6/20/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1	
S9	6/20/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1	
S9	9/11/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1	
S9	9/11/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1	
S9	12/12/2002	1,4-Dichlorobenzene	<	0.31	1	ug/L	1	
S9	12/12/2002	1,4-Dichlorobenzene	<	1.8	10	ug/L	1	
S9	9/11/2003	1,4-Dichlorobenzene	<	0.16	1	ug/L	1	
S9	9/3/2004	1,4-Dichlorobenzene	<	0.16	1	ug/L	1	
S10	5/24/2004	1,4-Dioxane	<	57	200	ug/L	1	NA
S10	5/24/2004	1,4-Dioxane	<	57	200	ug/L	1	
S10	9/10/2004	1,4-Dioxane	<	57	200	ug/L	1	
S10	12/1/2004	1,4-Dioxane	<	57	200	ug/L	1	
S10	12/1/2004	1,4-Dioxane	<	57	200	ug/L	1	
S10	3/3/2005	1,4-Dioxane	<	35	200	ug/L	1	
S11	5/24/2004	1,4-Dioxane	<	57	200	ug/L	1	
S11	9/10/2004	1,4-Dioxane	<	57	200	ug/L	1	
S11	12/1/2004	1,4-Dioxane	<	57	200	ug/L	1	
S11	3/3/2005	1,4-Dioxane	<	35	200	ug/L	1	
S2	4/3/2002	1,4-Dioxane	<		200	ug/L	1	
S2	6/26/2002	1,4-Dioxane	<	36	200	ug/L	1	
S2	9/18/2002	1,4-Dioxane	<	36	200	ug/L	1	
S2	12/13/2002	1,4-Dioxane	<	36	200	ug/L	1	
S2	3/4/2003	1,4-Dioxane	<	57	200	ug/L	1	
S2	3/4/2003	1,4-Dioxane	<	57	200	ug/L	1	
S2	6/5/2003	1,4-Dioxane	<	57	200	ug/L	1	
S2	9/5/2003	1,4-Dioxane	<	57	200	ug/L	1	
S2	9/5/2003	1,4-Dioxane	<	57	200	ug/L	1	
S2	12/3/2003	1,4-Dioxane	<	110	400	ug/L	2	
S2	9/10/2004	1,4-Dioxane	<	57	200	ug/L	1	
S3	4/3/2002	1,4-Dioxane	<		200	ug/L	1	
S3	6/25/2002	1,4-Dioxane	<	36	200	ug/L	1	
S3	9/19/2002	1,4-Dioxane	<	36	200	ug/L	1	
S3	9/19/2002	1,4-Dioxane	<	36	200	ug/L	1	

tmpAnalyticalResultsOverTime

S3	12/13/2002	1,4-Dioxane	<	36	200	ug/L	1	
S3	3/5/2003	1,4-Dioxane	<	57	200	ug/L	1	
S3	6/5/2003	1,4-Dioxane	<	57	200	ug/L	1	
S3	9/5/2003	1,4-Dioxane	<	57	200	ug/L	1	
S3	12/2/2003	1,4-Dioxane	<	57	200	ug/L	1	
S3	9/9/2004	1,4-Dioxane	<	57	200	ug/L	1	
S3	9/9/2004	1,4-Dioxane	<	57	200	ug/L	1	
S4	4/3/2002	1,4-Dioxane	<		200	ug/L	1	
S4	6/25/2002	1,4-Dioxane	<	36	200	ug/L	1	
S4	9/19/2002	1,4-Dioxane	<	36	200	ug/L	1	
S4	12/13/2002	1,4-Dioxane	<	36	200	ug/L	1	
S4	9/8/2003	1,4-Dioxane	<	57	200	ug/L	1	
S4	9/9/2004	1,4-Dioxane	<	57	200	ug/L	1	
S5	4/4/2002	1,4-Dioxane	<		200	ug/L	1	
S5	6/24/2002	1,4-Dioxane	<	36	200	ug/L	1	
S5	9/20/2002	1,4-Dioxane	<	36	200	ug/L	1	
S5	12/16/2002	1,4-Dioxane	<	36	200	ug/L	1	
S5	9/10/2003	1,4-Dioxane	<	57	200	ug/L	1	
S5	9/8/2004	1,4-Dioxane	<	57	200	ug/L	1	
S6	4/4/2002	1,4-Dioxane	<		200	ug/L	1	
S6	6/24/2002	1,4-Dioxane	<	36	200	ug/L	1	
S6	6/24/2002	1,4-Dioxane	<	36	200	ug/L	1	
S6	9/23/2002	1,4-Dioxane	<	36	200	ug/L	1	
S6	12/18/2002	1,4-Dioxane	<	36	200	ug/L	1	
S6	9/9/2003	1,4-Dioxane	<	57	200	ug/L	1	
S6	9/8/2004	1,4-Dioxane	<	57	200	ug/L	1	
S7	4/10/2002	1,4-Dioxane	<		200	ug/L	1	UJ
S7	6/21/2002	1,4-Dioxane	<	36	200	ug/L	1	
S7	9/23/2002	1,4-Dioxane	<	36	200	ug/L	1	
S7	12/17/2002	1,4-Dioxane	<	36	200	ug/L	1	
S7	9/11/2003	1,4-Dioxane	<	57	200	ug/L	1	
S7	9/7/2004	1,4-Dioxane	<	57	200	ug/L	1	
S8	4/10/2002	1,4-Dioxane	<		200	ug/L	1	UJ
S8	6/21/2002	1,4-Dioxane	<	36	200	ug/L	1	
S8	9/20/2002	1,4-Dioxane	<	36	200	ug/L	1	
S8	12/16/2002	1,4-Dioxane	<	36	200	ug/L	1	
S8	9/11/2003	1,4-Dioxane	<	57	200	ug/L	1	
S8	9/3/2004	1,4-Dioxane	<	57	200	ug/L	1	
S9	4/10/2002	1,4-Dioxane	<		200	ug/L	1	
S9	6/20/2002	1,4-Dioxane	<	36	200	ug/L	1	
S9	9/11/2002	1,4-Dioxane	<	36	200	ug/L	1	
S9	12/12/2002	1,4-Dioxane	<	36	200	ug/L	1	
S9	9/11/2003	1,4-Dioxane	<	57	200	ug/L	1	
S9	9/3/2004	1,4-Dioxane	<	57	200	ug/L	1	
S10	5/24/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	NA
S10	5/24/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
S10	9/10/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
S10	12/1/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
S10	12/1/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
S10	3/3/2005	1,4-Naphthoquinone	<	2	50	ug/L	1	
S11	5/24/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
S11	9/10/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
S11	12/1/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
S11	3/3/2005	1,4-Naphthoquinone	<	2	50	ug/L	1	
S2	4/3/2002	1,4-Naphthoquinone	<		50	ug/L	1	
S2	6/26/2002	1,4-Naphthoquinone	<	1.8	50	ug/L	1	
S2	9/18/2002	1,4-Naphthoquinone	<	1.8	50	ug/L	1	

tmpAnalyticalResultsOverTime

S2	12/13/2002	1,4-Naphthoquinone	<	2	50	ug/L	1	
S2	3/4/2003	1,4-Naphthoquinone	<	2	50	ug/L	1	
S2	3/4/2003	1,4-Naphthoquinone	<	2	50	ug/L	1	
S2	6/5/2003	1,4-Naphthoquinone	<	2	50	ug/L	1	
S2	9/5/2003	1,4-Naphthoquinone	<	2	50	ug/L	1	
S2	9/5/2003	1,4-Naphthoquinone	<	2	50	ug/L	1	
S2	12/3/2003	1,4-Naphthoquinone	<	2	50	ug/L	1	
S2	9/10/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
S3	4/3/2002	1,4-Naphthoquinone	<		50	ug/L	1	
S3	9/19/2002	1,4-Naphthoquinone	<	1.8	50	ug/L	1	
S3	9/19/2002	1,4-Naphthoquinone	<	1.8	50	ug/L	1	
S3	12/13/2002	1,4-Naphthoquinone	<	2	50	ug/L	1	
S3	3/5/2003	1,4-Naphthoquinone	<	2	50	ug/L	1	
S3	6/5/2003	1,4-Naphthoquinone	<	2	50	ug/L	1	
S3	9/5/2003	1,4-Naphthoquinone	<	2	50	ug/L	1	
S3	12/2/2003	1,4-Naphthoquinone	<	2	50	ug/L	1	
S3	9/9/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
S3	9/9/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
S4	4/3/2002	1,4-Naphthoquinone	<		50	ug/L	1	
S4	6/25/2002	1,4-Naphthoquinone	<	1.8	50	ug/L	1	
S4	9/19/2002	1,4-Naphthoquinone	<	1.8	50	ug/L	1	
S4	12/13/2002	1,4-Naphthoquinone	<	2	50	ug/L	1	
S4	9/8/2003	1,4-Naphthoquinone	<	2	50	ug/L	1	
S4	9/9/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
S5	4/4/2002	1,4-Naphthoquinone	<		50	ug/L	1	
S5	6/24/2002	1,4-Naphthoquinone	<	1.8	50	ug/L	1	
S5	9/20/2002	1,4-Naphthoquinone	<	1.8	50	ug/L	1	
S5	12/16/2002	1,4-Naphthoquinone	<	2	50	ug/L	1	
S5	9/10/2003	1,4-Naphthoquinone	<	2	50	ug/L	1	
S5	9/8/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
S6	4/4/2002	1,4-Naphthoquinone	<		50	ug/L	1	
S6	6/24/2002	1,4-Naphthoquinone	<	1.8	50	ug/L	1	
S6	6/24/2002	1,4-Naphthoquinone	<	1.8	50	ug/L	1	
S6	9/23/2002	1,4-Naphthoquinone	<	1.8	50	ug/L	1	
S6	12/18/2002	1,4-Naphthoquinone	<	2	50	ug/L	1	
S6	9/9/2003	1,4-Naphthoquinone	<	2	50	ug/L	1	
S6	9/8/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
S7	4/10/2002	1,4-Naphthoquinone	<		50	ug/L	1	
S7	6/21/2002	1,4-Naphthoquinone	<	1.8	50	ug/L	1	
S7	9/23/2002	1,4-Naphthoquinone	<	1.8	50	ug/L	1	
S7	12/17/2002	1,4-Naphthoquinone	<	2	50	ug/L	1	
S7	9/11/2003	1,4-Naphthoquinone	<	2	50	ug/L	1	
S7	9/7/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
S8	4/10/2002	1,4-Naphthoquinone	<		50	ug/L	1	
S8	6/21/2002	1,4-Naphthoquinone	<	1.8	50	ug/L	1	
S8	9/20/2002	1,4-Naphthoquinone	<	1.8	50	ug/L	1	
S8	12/16/2002	1,4-Naphthoquinone	<	2	50	ug/L	1	
S8	9/11/2003	1,4-Naphthoquinone	<	2	50	ug/L	1	
S8	9/3/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
S9	4/10/2002	1,4-Naphthoquinone	<		50	ug/L	1	
S9	6/20/2002	1,4-Naphthoquinone	<	1.8	50	ug/L	1	
S9	9/11/2002	1,4-Naphthoquinone	<	1.8	50	ug/L	1	
S9	12/12/2002	1,4-Naphthoquinone	<	2	50	ug/L	1	
S9	9/11/2003	1,4-Naphthoquinone	<	2	50	ug/L	1	
S9	9/3/2004	1,4-Naphthoquinone	<	2	50	ug/L	1	
S10	5/24/2004	1-Chlorohexane	<	0.19	1	ug/L	1	NA
S10	5/24/2004	1-Chlorohexane	<	0.19	1	ug/L	1	

tmpAnalyticalResultsOverTime

S10	9/10/2004	1-Chlorohexane	<	0.19	1	ug/L	1
S10	12/1/2004	1-Chlorohexane	<	0.19	1	ug/L	1
S10	12/1/2004	1-Chlorohexane	<	0.19	1	ug/L	1
S10	3/3/2005	1-Chlorohexane	<	0.2	1	ug/L	1
S11	5/24/2004	1-Chlorohexane	<	0.19	1	ug/L	1
S11	9/10/2004	1-Chlorohexane	<	0.19	1	ug/L	1
S11	12/1/2004	1-Chlorohexane	<	0.19	1	ug/L	1
S11	3/3/2005	1-Chlorohexane	<	0.2	1	ug/L	1
S2	4/3/2002	1-Chlorohexane	<		1	ug/L	1
S2	6/26/2002	1-Chlorohexane	<	0.38	1	ug/L	1
S2	9/18/2002	1-Chlorohexane	<	0.38	1	ug/L	1
S2	12/13/2002	1-Chlorohexane	<	0.38	1	ug/L	1
S2	3/4/2003	1-Chlorohexane	<	0.19	1	ug/L	1
S2	3/4/2003	1-Chlorohexane	<	0.19	1	ug/L	1
S2	6/5/2003	1-Chlorohexane	<	0.19	1	ug/L	1
S2	9/5/2003	1-Chlorohexane	<	0.19	1	ug/L	1
S2	9/5/2003	1-Chlorohexane	<	0.19	1	ug/L	1
S2	12/3/2003	1-Chlorohexane	<	0.38	2	ug/L	2
S2	9/10/2004	1-Chlorohexane	<	0.19	1	ug/L	1
S3	4/3/2002	1-Chlorohexane	<		1	ug/L	1
S3	6/25/2002	1-Chlorohexane	<	0.38	1	ug/L	1
S3	9/19/2002	1-Chlorohexane	<	0.38	1	ug/L	1
S3	9/19/2002	1-Chlorohexane	<	0.38	1	ug/L	1
S3	12/13/2002	1-Chlorohexane	<	0.38	1	ug/L	1
S3	3/5/2003	1-Chlorohexane	<	0.19	1	ug/L	1
S3	6/5/2003	1-Chlorohexane	<	0.19	1	ug/L	1
S3	9/5/2003	1-Chlorohexane	<	0.19	1	ug/L	1
S3	12/2/2003	1-Chlorohexane	<	0.19	1	ug/L	1
S3	9/9/2004	1-Chlorohexane	<	0.19	1	ug/L	1
S3	9/9/2004	1-Chlorohexane	<	0.19	1	ug/L	1
S4	4/3/2002	1-Chlorohexane	<		1	ug/L	1
S4	6/25/2002	1-Chlorohexane	<	0.38	1	ug/L	1
S4	9/19/2002	1-Chlorohexane	<	0.38	1	ug/L	1
S4	12/13/2002	1-Chlorohexane	<	0.38	1	ug/L	1
S4	9/8/2003	1-Chlorohexane	<	0.19	1	ug/L	1
S4	9/9/2004	1-Chlorohexane	<	0.19	1	ug/L	1
S5	4/4/2002	1-Chlorohexane	<		1	ug/L	1
S5	6/24/2002	1-Chlorohexane	<	0.38	1	ug/L	1
S5	9/20/2002	1-Chlorohexane	<	0.38	1	ug/L	1
S5	12/16/2002	1-Chlorohexane	<	0.38	1	ug/L	1
S5	9/10/2003	1-Chlorohexane	<	0.19	1	ug/L	1
S5	9/8/2004	1-Chlorohexane	<	0.19	1	ug/L	1
S6	4/4/2002	1-Chlorohexane	<		1	ug/L	1
S6	6/24/2002	1-Chlorohexane	<	0.38	1	ug/L	1
S6	6/24/2002	1-Chlorohexane	<	0.38	1	ug/L	1
S6	9/23/2002	1-Chlorohexane	<	0.38	1	ug/L	1
S6	12/18/2002	1-Chlorohexane	<	0.38	1	ug/L	1
S6	9/9/2003	1-Chlorohexane	<	0.19	1	ug/L	1
S6	9/8/2004	1-Chlorohexane	<	0.19	1	ug/L	1
S7	4/10/2002	1-Chlorohexane	<		1	ug/L	1 UJ
S7	6/21/2002	1-Chlorohexane	<	0.38	1	ug/L	1
S7	9/23/2002	1-Chlorohexane	<	0.38	1	ug/L	1
S7	12/17/2002	1-Chlorohexane	<	0.38	1	ug/L	1
S7	9/11/2003	1-Chlorohexane	<	0.19	1	ug/L	1
S7	9/7/2004	1-Chlorohexane	<	0.19	1	ug/L	1
S8	4/10/2002	1-Chlorohexane	<		1	ug/L	1 UJ
S8	6/21/2002	1-Chlorohexane	<	0.38	1	ug/L	1

tmpAnalyticalResultsOverTime

S8	9/20/2002	1-Chlorohexane	<	0.38	1	ug/L	1	
S8	12/16/2002	1-Chlorohexane	<	0.38	1	ug/L	1	
S8	9/11/2003	1-Chlorohexane	<	0.19	1	ug/L	1	
S8	9/3/2004	1-Chlorohexane	<	0.19	1	ug/L	1	
S9	4/10/2002	1-Chlorohexane	<		1	ug/L	1	
S9	6/20/2002	1-Chlorohexane	<	0.38	1	ug/L	1	
S9	9/11/2002	1-Chlorohexane	<	0.38	1	ug/L	1	
S9	12/12/2002	1-Chlorohexane	<	0.38	1	ug/L	1	
S9	9/11/2003	1-Chlorohexane	<	0.19	1	ug/L	1	
S9	9/3/2004	1-Chlorohexane	<	0.19	1	ug/L	1	
S10	5/24/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	NA
S10	5/24/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S10	9/10/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S10	12/1/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S10	12/1/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S10	3/3/2005	1-Methylnaphthalene	<	1.7	10	ug/L	1	
S11	5/24/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S11	9/10/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S11	12/1/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S11	3/3/2005	1-Methylnaphthalene	<	1.7	10	ug/L	1	
S2	9/18/2002	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S2	12/13/2002	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S2	3/4/2003	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S2	3/4/2003	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S2	6/5/2003	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S2	9/5/2003	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S2	9/5/2003	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S2	12/3/2003	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S2	9/10/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S3	9/19/2002	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S3	9/19/2002	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S3	12/13/2002	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S3	3/5/2003	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S3	6/5/2003	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S3	9/5/2003	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S3	12/2/2003	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S3	9/9/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S3	9/9/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S4	9/19/2002	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S4	12/13/2002	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S4	9/8/2003	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S4	9/9/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S5	9/20/2002	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S5	12/16/2002	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S5	9/10/2003	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S5	9/8/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S6	9/23/2002	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S6	12/18/2002	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S6	9/9/2003	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S6	9/8/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S7	9/23/2002	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S7	12/17/2002	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S7	9/11/2003	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S7	9/7/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S8	9/20/2002	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S8	12/16/2002	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S8	9/11/2003	1-Methylnaphthalene	<	0.7	10	ug/L	1	



tmpAnalyticalResultsOverTime

S8	9/3/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S9	9/11/2002	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S9	12/12/2002	1-Methylnaphthalene	<	1.4	10	ug/L	1	
S9	9/11/2003	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S9	9/3/2004	1-Methylnaphthalene	<	0.7	10	ug/L	1	
S10	5/24/2004	1-Naphthylamine	<	1	10	ug/L	1	NA
S10	5/24/2004	1-Naphthylamine	<	1	10	ug/L	1	
S10	9/10/2004	1-Naphthylamine	<	1	10	ug/L	1	
S10	12/1/2004	1-Naphthylamine	<	1	10	ug/L	1	
S10	12/1/2004	1-Naphthylamine	<	1	10	ug/L	1	
S10	3/3/2005	1-Naphthylamine	<	1	10	ug/L	1	
S11	5/24/2004	1-Naphthylamine	<	1	10	ug/L	1	
S11	9/10/2004	1-Naphthylamine	<	1	10	ug/L	1	
S11	12/1/2004	1-Naphthylamine	<	1	10	ug/L	1	
S11	3/3/2005	1-Naphthylamine	<	1	10	ug/L	1	
S2	4/3/2002	1-Naphthylamine	<		10	ug/L	1	
S2	6/26/2002	1-Naphthylamine	<	3.3	10	ug/L	1	
S2	9/18/2002	1-Naphthylamine	<	3.3	10	ug/L	1	
S2	12/13/2002	1-Naphthylamine	<	1.6	10	ug/L	1	
S2	3/4/2003	1-Naphthylamine	<	1.6	10	ug/L	1	
S2	3/4/2003	1-Naphthylamine	<	1.6	10	ug/L	1	
S2	6/5/2003	1-Naphthylamine	<	1.6	10	ug/L	1	
S2	9/5/2003	1-Naphthylamine	<	2	10	ug/L	1	
S2	9/5/2003	1-Naphthylamine	<	2	10	ug/L	1	
S2	12/3/2003	1-Naphthylamine	<	2	10	ug/L	1	
S2	9/10/2004	1-Naphthylamine	<	1	10	ug/L	1	
S3	4/3/2002	1-Naphthylamine	<		10	ug/L	1	
S3	9/19/2002	1-Naphthylamine	<	3.3	10	ug/L	1	
S3	9/19/2002	1-Naphthylamine	<	3.3	10	ug/L	1	
S3	12/13/2002	1-Naphthylamine	<	1.6	10	ug/L	1	
S3	3/5/2003	1-Naphthylamine	<	1.6	10	ug/L	1	
S3	6/5/2003	1-Naphthylamine	<	1.6	10	ug/L	1	
S3	9/5/2003	1-Naphthylamine	<	2	10	ug/L	1	
S3	12/2/2003	1-Naphthylamine	<	2	10	ug/L	1	
S3	9/9/2004	1-Naphthylamine	<	1	10	ug/L	1	
S3	9/9/2004	1-Naphthylamine	<	1	10	ug/L	1	
S4	4/3/2002	1-Naphthylamine	<		10	ug/L	1	
S4	6/25/2002	1-Naphthylamine	<	3.3	10	ug/L	1	
S4	9/19/2002	1-Naphthylamine	<	3.3	10	ug/L	1	
S4	12/13/2002	1-Naphthylamine	<	1.6	10	ug/L	1	
S4	9/8/2003	1-Naphthylamine	<	2	10	ug/L	1	
S4	9/9/2004	1-Naphthylamine	<	1	10	ug/L	1	
S5	4/4/2002	1-Naphthylamine	<		10	ug/L	1	
S5	6/24/2002	1-Naphthylamine	<	3.3	10	ug/L	1	
S5	9/20/2002	1-Naphthylamine	<	3.3	10	ug/L	1	
S5	12/16/2002	1-Naphthylamine	<	1.6	10	ug/L	1	
S5	9/10/2003	1-Naphthylamine	<	2	10	ug/L	1	
S5	9/8/2004	1-Naphthylamine	<	1	10	ug/L	1	
S6	4/4/2002	1-Naphthylamine	<		10	ug/L	1	
S6	6/24/2002	1-Naphthylamine	<	3.3	10	ug/L	1	
S6	6/24/2002	1-Naphthylamine	<	3.3	10	ug/L	1	
S6	9/23/2002	1-Naphthylamine	<	3.3	10	ug/L	1	
S6	12/18/2002	1-Naphthylamine	<	1.6	10	ug/L	1	
S6	9/9/2003	1-Naphthylamine	<	2	10	ug/L	1	
S6	9/8/2004	1-Naphthylamine	<	1	10	ug/L	1	
S7	4/10/2002	1-Naphthylamine	<		10	ug/L	1	
S7	6/21/2002	1-Naphthylamine	<	3.3	10	ug/L	1	

tmpAnalyticalResultsOverTime

S7	9/23/2002	1-Naphthylamine	<	3.3	10	ug/L	1	
S7	12/17/2002	1-Naphthylamine	<	1.6	10	ug/L	1	
S7	9/11/2003	1-Naphthylamine	<	2	10	ug/L	1	
S7	9/7/2004	1-Naphthylamine	<	1	10	ug/L	1	
S8	4/10/2002	1-Naphthylamine	<		10	ug/L	1	
S8	6/21/2002	1-Naphthylamine	<	3.3	10	ug/L	1	
S8	9/20/2002	1-Naphthylamine	<	3.3	10	ug/L	1	
S8	12/16/2002	1-Naphthylamine	<	1.6	10	ug/L	1	
S8	9/11/2003	1-Naphthylamine	<	2	10	ug/L	1	
S8	9/3/2004	1-Naphthylamine	<	1	10	ug/L	1	
S9	4/10/2002	1-Naphthylamine	<		10	ug/L	1	
S9	6/20/2002	1-Naphthylamine	<	3.3	10	ug/L	1	
S9	9/11/2002	1-Naphthylamine	<	3.3	10	ug/L	1	
S9	12/12/2002	1-Naphthylamine	<	1.6	10	ug/L	1	
S9	9/11/2003	1-Naphthylamine	<	2	10	ug/L	1	
S9	9/3/2004	1-Naphthylamine	<	1	10	ug/L	1	
S10	5/24/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	NA
S10	5/24/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S10	9/10/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S10	12/1/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S10	12/1/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S10	3/3/2005	2,2-Dichloropropane	<	0.13	5	ug/L	1	
S11	5/24/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S11	9/10/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S11	12/1/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S11	3/3/2005	2,2-Dichloropropane	<	0.13	5	ug/L	1	
S2	4/3/2002	2,2-Dichloropropane	<		5	ug/L	1	
S2	6/26/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S2	9/18/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S2	12/13/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S2	3/4/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S2	3/4/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S2	6/5/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S2	9/5/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S2	9/5/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S2	12/3/2003	2,2-Dichloropropane	<	0.36	10	ug/L	2	
S2	9/10/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S3	4/3/2002	2,2-Dichloropropane	<		5	ug/L	1	
S3	6/25/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S3	9/19/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S3	9/19/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S3	12/13/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S3	3/5/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S3	6/5/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S3	9/5/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S3	12/2/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S3	9/9/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S3	9/9/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S4	4/3/2002	2,2-Dichloropropane	<		5	ug/L	1	
S4	6/25/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S4	9/19/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S4	12/13/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S4	9/8/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S4	9/9/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S5	4/4/2002	2,2-Dichloropropane	<		5	ug/L	1	
S5	6/24/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S5	9/20/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	

tmpAnalyticalResultsOverTime

S5	12/16/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S5	9/10/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S5	9/8/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S6	4/4/2002	2,2-Dichloropropane	<		5	ug/L	1	
S6	6/24/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S6	6/24/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S6	9/23/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S6	12/18/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S6	9/9/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S6	9/8/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S7	4/10/2002	2,2-Dichloropropane	<		5	ug/L	1	UJ
S7	6/21/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S7	9/23/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S7	12/17/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S7	9/11/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S7	9/7/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S8	4/10/2002	2,2-Dichloropropane	<		5	ug/L	1	UJ
S8	6/21/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S8	9/20/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S8	12/16/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S8	9/11/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S8	9/3/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S9	4/10/2002	2,2-Dichloropropane	<		5	ug/L	1	
S9	6/20/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S9	9/11/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S9	12/12/2002	2,2-Dichloropropane	<	0.37	5	ug/L	1	
S9	9/11/2003	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S9	9/3/2004	2,2-Dichloropropane	<	0.18	5	ug/L	1	
S10	5/24/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	NA
S10	5/24/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
S10	9/10/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
S10	12/1/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
S10	12/1/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
S10	3/3/2005	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
S11	5/24/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
S11	9/10/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
S11	12/1/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
S11	3/3/2005	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
S2	4/3/2002	2,3,4,6-Tetrachlorophenol	<		50	ug/L	1	
S2	6/26/2002	2,3,4,6-Tetrachlorophenol	<	2.2	50	ug/L	1	
S2	9/18/2002	2,3,4,6-Tetrachlorophenol	<	2.2	50	ug/L	1	
S2	12/13/2002	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1	
S2	3/4/2003	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1	
S2	3/4/2003	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1	
S2	6/5/2003	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1	
S2	9/5/2003	2,3,4,6-Tetrachlorophenol	<	5	50	ug/L	1	
S2	9/5/2003	2,3,4,6-Tetrachlorophenol	<	5	50	ug/L	1	
S2	12/3/2003	2,3,4,6-Tetrachlorophenol	<	5	50	ug/L	1	
S2	9/10/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
S3	4/3/2002	2,3,4,6-Tetrachlorophenol	<		50	ug/L	1	
S3	6/25/2002	2,3,4,6-Tetrachlorophenol	<	4.4	100	ug/L	2	
S3	9/19/2002	2,3,4,6-Tetrachlorophenol	<	2.2	50	ug/L	1	
S3	9/19/2002	2,3,4,6-Tetrachlorophenol	<	2.2	50	ug/L	1	
S3	9/19/2002	2,3,4,6-Tetrachlorophenol	<	2.2	50	ug/L	1	UJ
S3	12/13/2002	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1	
S3	3/5/2003	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1	
S3	6/5/2003	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1	

tmpAnalyticalResultsOverTime

S3	9/5/2003	2,3,4,6-Tetrachlorophenol	<	5	50	ug/L	1	
S3	12/2/2003	2,3,4,6-Tetrachlorophenol	<	5	50	ug/L	1	
S3	9/9/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
S3	9/9/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
S4	4/3/2002	2,3,4,6-Tetrachlorophenol	<		50	ug/L	1	
S4	6/25/2002	2,3,4,6-Tetrachlorophenol	<	2.2	50	ug/L	1	
S4	9/19/2002	2,3,4,6-Tetrachlorophenol	<	2.2	50	ug/L	1	
S4	12/13/2002	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1	
S4	9/8/2003	2,3,4,6-Tetrachlorophenol	<	5	50	ug/L	1	
S4	9/9/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
S5	4/4/2002	2,3,4,6-Tetrachlorophenol	<		50	ug/L	1	
S5	6/24/2002	2,3,4,6-Tetrachlorophenol	<	2.2	50	ug/L	1	
S5	9/20/2002	2,3,4,6-Tetrachlorophenol	<	2.2	50	ug/L	1	
S5	12/16/2002	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1	
S5	9/10/2003	2,3,4,6-Tetrachlorophenol	<	5	50	ug/L	1	
S5	9/8/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
S6	4/4/2002	2,3,4,6-Tetrachlorophenol	<		50	ug/L	1	
S6	6/24/2002	2,3,4,6-Tetrachlorophenol	<	2.2	50	ug/L	1	
S6	6/24/2002	2,3,4,6-Tetrachlorophenol	<	2.2	50	ug/L	1	
S6	9/23/2002	2,3,4,6-Tetrachlorophenol	<	2.2	50	ug/L	1	
S6	12/18/2002	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1	
S6	9/9/2003	2,3,4,6-Tetrachlorophenol	<	5	50	ug/L	1	
S6	9/8/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
S7	4/10/2002	2,3,4,6-Tetrachlorophenol	<		50	ug/L	1	
S7	6/21/2002	2,3,4,6-Tetrachlorophenol	<	2.2	50	ug/L	1	
S7	9/23/2002	2,3,4,6-Tetrachlorophenol	<	2.2	50	ug/L	1	
S7	12/17/2002	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1	
S7	9/11/2003	2,3,4,6-Tetrachlorophenol	<	5	50	ug/L	1	
S7	9/7/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
S8	4/10/2002	2,3,4,6-Tetrachlorophenol	<		50	ug/L	1	
S8	6/21/2002	2,3,4,6-Tetrachlorophenol	<	2.2	50	ug/L	1	
S8	9/20/2002	2,3,4,6-Tetrachlorophenol	<	2.2	50	ug/L	1	
S8	12/16/2002	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1	
S8	9/11/2003	2,3,4,6-Tetrachlorophenol	<	5	50	ug/L	1	
S8	9/3/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
S9	4/10/2002	2,3,4,6-Tetrachlorophenol	<		50	ug/L	1	
S9	6/20/2002	2,3,4,6-Tetrachlorophenol	<	2.2	50	ug/L	1	
S9	9/11/2002	2,3,4,6-Tetrachlorophenol	<	2.2	50	ug/L	1	
S9	12/12/2002	2,3,4,6-Tetrachlorophenol	<	4.5	50	ug/L	1	
S9	9/11/2003	2,3,4,6-Tetrachlorophenol	<	5	50	ug/L	1	
S9	9/3/2004	2,3,4,6-Tetrachlorophenol	<	2	50	ug/L	1	
S10	5/24/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1	NA
S10	5/24/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S10	9/10/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S10	12/1/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S10	12/1/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S10	3/3/2005	2,4,5-Trichlorophenol	<	1.6	10	ug/L	1	
S11	5/24/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S11	9/10/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S11	12/1/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S11	3/3/2005	2,4,5-Trichlorophenol	<	1.6	10	ug/L	1	
S2	4/3/2002	2,4,5-Trichlorophenol	<		10	ug/L	1	
S2	6/26/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S2	9/18/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S2	12/13/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S2	3/4/2003	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S2	3/4/2003	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	

tmpAnalyticalResultsOverTime

S2	6/5/2003	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S2	9/5/2003	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S2	9/5/2003	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S2	12/3/2003	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S2	9/10/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S3	4/3/2002	2,4,5-Trichlorophenol	<		10	ug/L	1	
S3	6/25/2002	2,4,5-Trichlorophenol	<	2.6	20	ug/L	2	
S3	9/19/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S3	9/19/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S3	9/19/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	UJ
S3	12/13/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S3	3/5/2003	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S3	6/5/2003	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S3	9/5/2003	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S3	12/2/2003	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S3	9/9/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S3	9/9/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S4	4/3/2002	2,4,5-Trichlorophenol	<		10	ug/L	1	
S4	6/25/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S4	9/19/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S4	12/13/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S4	9/8/2003	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S4	9/9/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S5	4/4/2002	2,4,5-Trichlorophenol	<		10	ug/L	1	
S5	6/24/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S5	9/20/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S5	12/16/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S5	9/10/2003	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S5	9/8/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S6	4/4/2002	2,4,5-Trichlorophenol	<		10	ug/L	1	
S6	6/24/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S6	6/24/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S6	9/23/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S6	12/18/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S6	9/9/2003	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S6	9/8/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S7	4/10/2002	2,4,5-Trichlorophenol	<		10	ug/L	1	
S7	6/21/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S7	9/23/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S7	12/17/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S7	9/11/2003	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S7	9/7/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S8	4/10/2002	2,4,5-Trichlorophenol	<		10	ug/L	1	
S8	6/21/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S8	9/20/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S8	12/16/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S8	9/11/2003	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S8	9/3/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S9	4/10/2002	2,4,5-Trichlorophenol	<		10	ug/L	1	
S9	6/20/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S9	9/11/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S9	12/12/2002	2,4,5-Trichlorophenol	<	1.3	10	ug/L	1	
S9	9/11/2003	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S9	9/3/2004	2,4,5-Trichlorophenol	<	1	10	ug/L	1	
S10	5/24/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1	NA
S10	5/24/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1	
S10	9/10/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1	

tmpAnalyticalResultsOverTime

S10	12/1/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1
S10	12/1/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1
S10	3/3/2005	2,4,6-Trichlorophenol	<	1.5	10	ug/L	1
S11	5/24/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1
S11	9/10/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1
S11	12/1/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1
S11	3/3/2005	2,4,6-Trichlorophenol	<	1.5	10	ug/L	1
S2	4/3/2002	2,4,6-Trichlorophenol	<		10	ug/L	1
S2	6/26/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S2	9/18/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S2	12/13/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S2	3/4/2003	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S2	3/4/2003	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S2	6/5/2003	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S2	9/5/2003	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1
S2	9/5/2003	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1
S2	12/3/2003	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1
S2	9/10/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1
S3	4/3/2002	2,4,6-Trichlorophenol	<		10	ug/L	1
S3	6/25/2002	2,4,6-Trichlorophenol	<	2.6	20	ug/L	2
S3	9/19/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S3	9/19/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S3	9/19/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1 UJ
S3	12/13/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S3	3/5/2003	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S3	6/5/2003	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S3	9/5/2003	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1
S3	12/2/2003	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1
S3	9/9/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1
S3	9/9/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1
S4	4/3/2002	2,4,6-Trichlorophenol	<		10	ug/L	1
S4	6/25/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S4	9/19/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S4	12/13/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S4	9/8/2003	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1
S4	9/9/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1
S5	4/4/2002	2,4,6-Trichlorophenol	<		10	ug/L	1
S5	6/24/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S5	9/20/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S5	12/16/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S5	9/10/2003	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1
S5	9/8/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1
S6	4/4/2002	2,4,6-Trichlorophenol	<		10	ug/L	1
S6	6/24/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S6	6/24/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S6	9/23/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S6	12/18/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S6	9/9/2003	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1
S6	9/8/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1
S7	4/10/2002	2,4,6-Trichlorophenol	<		10	ug/L	1
S7	6/21/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S7	9/23/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S7	12/17/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1
S7	9/11/2003	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1
S7	9/7/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1
S8	4/10/2002	2,4,6-Trichlorophenol	<		10	ug/L	1
S8	6/21/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1

tmpAnalyticalResultsOverTime

S8	9/20/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1	
S8	12/16/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1	
S8	9/11/2003	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1	
S8	9/3/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1	
S9	4/10/2002	2,4,6-Trichlorophenol	<		10	ug/L	1	
S9	6/20/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1	
S9	9/11/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1	
S9	12/12/2002	2,4,6-Trichlorophenol	<	1.3	10	ug/L	1	
S9	9/11/2003	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1	
S9	9/3/2004	2,4,6-Trichlorophenol	<	0.8	10	ug/L	1	
S10	5/24/2004	2,4-Dichlorophenol	<	0.7	10	ug/L	1	NA
S10	5/24/2004	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S10	9/10/2004	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S10	12/1/2004	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S10	12/1/2004	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S10	3/3/2005	2,4-Dichlorophenol	<	1.3	10	ug/L	1	
S11	5/24/2004	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S11	9/10/2004	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S11	12/1/2004	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S11	3/3/2005	2,4-Dichlorophenol	<	1.3	10	ug/L	1	
S2	4/3/2002	2,4-Dichlorophenol	<		10	ug/L	1	
S2	6/26/2002	2,4-Dichlorophenol	<	1.7	10	ug/L	1	
S2	9/18/2002	2,4-Dichlorophenol	<	1.7	10	ug/L	1	
S2	12/13/2002	2,4-Dichlorophenol	<	2.4	10	ug/L	1	
S2	3/4/2003	2,4-Dichlorophenol	<	2.4	10	ug/L	1	
S2	3/4/2003	2,4-Dichlorophenol	<	2.4	10	ug/L	1	
S2	6/5/2003	2,4-Dichlorophenol	<	2.4	10	ug/L	1	
S2	9/5/2003	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S2	9/5/2003	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S2	12/3/2003	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S2	9/10/2004	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S3	4/3/2002	2,4-Dichlorophenol	<		10	ug/L	1	
S3	6/25/2002	2,4-Dichlorophenol	<	3.4	20	ug/L	2	
S3	9/19/2002	2,4-Dichlorophenol	<	1.7	10	ug/L	1	
S3	9/19/2002	2,4-Dichlorophenol	<	1.7	10	ug/L	1	UJ
S3	9/19/2002	2,4-Dichlorophenol	<	2.4	10	ug/L	1	
S3	12/13/2002	2,4-Dichlorophenol	<	2.4	10	ug/L	1	
S3	3/5/2003	2,4-Dichlorophenol	<	2.4	10	ug/L	1	
S3	6/5/2003	2,4-Dichlorophenol	<	2.4	10	ug/L	1	
S3	9/5/2003	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S3	12/2/2003	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S3	9/9/2004	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S3	9/9/2004	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S4	4/3/2002	2,4-Dichlorophenol	<		10	ug/L	1	
S4	6/25/2002	2,4-Dichlorophenol	<	1.7	10	ug/L	1	
S4	9/19/2002	2,4-Dichlorophenol	<	1.7	10	ug/L	1	
S4	12/13/2002	2,4-Dichlorophenol	<	2.4	10	ug/L	1	
S4	9/8/2003	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S4	9/9/2004	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S5	4/4/2002	2,4-Dichlorophenol	<		10	ug/L	1	
S5	6/24/2002	2,4-Dichlorophenol	<	1.7	10	ug/L	1	
S5	9/20/2002	2,4-Dichlorophenol	<	1.7	10	ug/L	1	
S5	12/16/2002	2,4-Dichlorophenol	<	2.4	10	ug/L	1	
S5	9/10/2003	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S5	9/8/2004	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S6	4/4/2002	2,4-Dichlorophenol	<		10	ug/L	1	
S6	6/24/2002	2,4-Dichlorophenol	<	1.7	10	ug/L	1	

tmpAnalyticalResultsOverTime

S6	6/24/2002	2,4-Dichlorophenol	<	1.7	10	ug/L	1	
S6	9/23/2002	2,4-Dichlorophenol	<	1.7	10	ug/L	1	
S6	12/18/2002	2,4-Dichlorophenol	<	2.4	10	ug/L	1	
S6	9/9/2003	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S6	9/8/2004	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S7	4/10/2002	2,4-Dichlorophenol	<		10	ug/L	1	
S7	6/21/2002	2,4-Dichlorophenol	<	1.7	10	ug/L	1	
S7	9/23/2002	2,4-Dichlorophenol	<	1.7	10	ug/L	1	
S7	12/17/2002	2,4-Dichlorophenol	<	2.4	10	ug/L	1	
S7	9/11/2003	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S7	9/7/2004	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S8	4/10/2002	2,4-Dichlorophenol	<		10	ug/L	1	
S8	6/21/2002	2,4-Dichlorophenol	<	1.7	10	ug/L	1	
S8	9/20/2002	2,4-Dichlorophenol	<	1.7	10	ug/L	1	
S8	12/16/2002	2,4-Dichlorophenol	<	2.4	10	ug/L	1	
S8	9/11/2003	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S8	9/3/2004	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S9	4/10/2002	2,4-Dichlorophenol	<		10	ug/L	1	
S9	6/20/2002	2,4-Dichlorophenol	<	1.7	10	ug/L	1	
S9	9/11/2002	2,4-Dichlorophenol	<	1.7	10	ug/L	1	
S9	12/12/2002	2,4-Dichlorophenol	<	2.4	10	ug/L	1	
S9	9/11/2003	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S9	9/3/2004	2,4-Dichlorophenol	<	0.7	10	ug/L	1	
S10	5/24/2004	2,4-Dimethylphenol	<	4	10	ug/L	1	NA
S10	5/24/2004	2,4-Dimethylphenol	<	4	10	ug/L	1	
S10	9/10/2004	2,4-Dimethylphenol	<	4	10	ug/L	1	
S10	12/1/2004	2,4-Dimethylphenol	<	4	10	ug/L	1	
S10	12/1/2004	2,4-Dimethylphenol	<	4	10	ug/L	1	
S10	3/3/2005	2,4-Dimethylphenol	<	1.4	10	ug/L	1	
S11	5/24/2004	2,4-Dimethylphenol	<	4	10	ug/L	1	
S11	9/10/2004	2,4-Dimethylphenol	<	4	10	ug/L	1	
S11	12/1/2004	2,4-Dimethylphenol	<	4	10	ug/L	1	
S11	3/3/2005	2,4-Dimethylphenol	<	1.4	10	ug/L	1	
S2	4/3/2002	2,4-Dimethylphenol	<		10	ug/L	1	
S2	6/26/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S2	9/18/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S2	12/13/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S2	3/4/2003	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S2	3/4/2003	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S2	6/5/2003	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S2	9/5/2003	2,4-Dimethylphenol	<	4	10	ug/L	1	
S2	9/5/2003	2,4-Dimethylphenol	<	4	10	ug/L	1	
S2	12/3/2003	2,4-Dimethylphenol	<	4	10	ug/L	1	
S2	9/10/2004	2,4-Dimethylphenol	<	4	10	ug/L	1	
S3	4/3/2002	2,4-Dimethylphenol	<		10	ug/L	1	
S3	6/25/2002	2,4-Dimethylphenol	<	5.8	20	ug/L	2	
S3	9/19/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S3	9/19/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S3	9/19/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	UJ
S3	12/13/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S3	3/5/2003	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S3	6/5/2003	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S3	9/5/2003	2,4-Dimethylphenol	<	4	10	ug/L	1	
S3	12/2/2003	2,4-Dimethylphenol	<	4	10	ug/L	1	
S3	9/9/2004	2,4-Dimethylphenol	<	4	10	ug/L	1	
S3	9/9/2004	2,4-Dimethylphenol	<	4	10	ug/L	1	
S4	4/3/2002	2,4-Dimethylphenol	<		10	ug/L	1	



tmpAnalyticalResultsOverTime

S4	6/25/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S4	9/19/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S4	12/13/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S4	9/8/2003	2,4-Dimethylphenol	<	4	10	ug/L	1	
S4	9/9/2004	2,4-Dimethylphenol	<	4	10	ug/L	1	
S5	4/4/2002	2,4-Dimethylphenol	<		10	ug/L	1	
S5	6/24/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S5	9/20/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S5	12/16/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S5	9/10/2003	2,4-Dimethylphenol	<	4	10	ug/L	1	
S5	9/8/2004	2,4-Dimethylphenol	<	4	10	ug/L	1	
S6	4/4/2002	2,4-Dimethylphenol	<		10	ug/L	1	
S6	6/24/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S6	6/24/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S6	9/23/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S6	12/18/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S6	9/9/2003	2,4-Dimethylphenol	<	4	10	ug/L	1	
S6	9/8/2004	2,4-Dimethylphenol	<	4	10	ug/L	1	
S7	4/10/2002	2,4-Dimethylphenol	<		10	ug/L	1	
S7	6/21/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S7	9/23/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S7	12/17/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S7	9/11/2003	2,4-Dimethylphenol	<	4	10	ug/L	1	
S7	9/7/2004	2,4-Dimethylphenol	<	4	10	ug/L	1	
S8	4/10/2002	2,4-Dimethylphenol	<		10	ug/L	1	
S8	6/21/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S8	9/20/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S8	12/16/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S8	9/11/2003	2,4-Dimethylphenol	<	4	10	ug/L	1	
S8	9/3/2004	2,4-Dimethylphenol	<	4	10	ug/L	1	
S9	4/10/2002	2,4-Dimethylphenol	<		10	ug/L	1	
S9	6/20/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S9	9/11/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S9	12/12/2002	2,4-Dimethylphenol	<	2.9	10	ug/L	1	
S9	9/11/2003	2,4-Dimethylphenol	<	4	10	ug/L	1	
S9	9/3/2004	2,4-Dimethylphenol	<	4	10	ug/L	1	
S10	5/24/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	NA
S10	5/24/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	
S10	9/10/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	
S10	12/1/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	
S10	12/1/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	
S10	3/3/2005	2,4-Dinitrophenol	<	10	50	ug/L	1	
S11	5/24/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	
S11	9/10/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	
S11	12/1/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	
S11	3/3/2005	2,4-Dinitrophenol	<	10	50	ug/L	1	
S2	4/3/2002	2,4-Dinitrophenol	<		50	ug/L	1	
S2	6/26/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S2	9/18/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S2	12/13/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S2	3/4/2003	2,4-Dinitrophenol	<	18	50	ug/L	1	
S2	3/4/2003	2,4-Dinitrophenol	<	18	50	ug/L	1	
S2	6/5/2003	2,4-Dinitrophenol	<	18	50	ug/L	1	
S2	9/5/2003	2,4-Dinitrophenol	<	6	50	ug/L	1	
S2	9/5/2003	2,4-Dinitrophenol	<	6	50	ug/L	1	
S2	12/3/2003	2,4-Dinitrophenol	<	6	50	ug/L	1	
S2	9/10/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	

tmpAnalyticalResultsOverTime

S3	4/3/2002	2,4-Dinitrophenol	<		50	ug/L	1	
S3	6/25/2002	2,4-Dinitrophenol	<	36	100	ug/L	2	
S3	9/19/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S3	9/19/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S3	9/19/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	UJ
S3	12/13/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S3	3/5/2003	2,4-Dinitrophenol	<	18	50	ug/L	1	
S3	6/5/2003	2,4-Dinitrophenol	<	18	50	ug/L	1	
S3	9/5/2003	2,4-Dinitrophenol	<	6	50	ug/L	1	
S3	12/2/2003	2,4-Dinitrophenol	<	6	50	ug/L	1	
S3	9/9/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	
S3	9/9/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	
S4	4/3/2002	2,4-Dinitrophenol	<		50	ug/L	1	
S4	6/25/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S4	9/19/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S4	12/13/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S4	9/8/2003	2,4-Dinitrophenol	<	6	50	ug/L	1	
S4	9/9/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	
S5	4/4/2002	2,4-Dinitrophenol	<		50	ug/L	1	
S5	6/24/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S5	9/20/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S5	12/16/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S5	9/10/2003	2,4-Dinitrophenol	<	6	50	ug/L	1	
S5	9/8/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	
S6	4/4/2002	2,4-Dinitrophenol	<		50	ug/L	1	
S6	6/24/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S6	6/24/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S6	9/23/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S6	12/18/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S6	9/9/2003	2,4-Dinitrophenol	<	6	50	ug/L	1	
S6	9/8/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	
S7	4/10/2002	2,4-Dinitrophenol	<		50	ug/L	1	
S7	6/21/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S7	9/23/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S7	12/17/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S7	9/11/2003	2,4-Dinitrophenol	<	6	50	ug/L	1	
S7	9/7/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	
S8	4/10/2002	2,4-Dinitrophenol	<		50	ug/L	1	
S8	6/21/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S8	9/20/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S8	12/16/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S8	9/11/2003	2,4-Dinitrophenol	<	6	50	ug/L	1	
S8	9/3/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	
S9	4/10/2002	2,4-Dinitrophenol	<		50	ug/L	1	
S9	6/20/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S9	9/11/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S9	12/12/2002	2,4-Dinitrophenol	<	18	50	ug/L	1	
S9	9/11/2003	2,4-Dinitrophenol	<	6	50	ug/L	1	
S9	9/3/2004	2,4-Dinitrophenol	<	6	50	ug/L	1	
S10	5/24/2004	2,4-Dinitrotoluene	<	1	10	ug/L	1	NA
S10	5/24/2004	2,4-Dinitrotoluene	<	1	10	ug/L	1	
S10	9/10/2004	2,4-Dinitrotoluene	<	1	10	ug/L	1	
S10	12/1/2004	2,4-Dinitrotoluene	<	1	10	ug/L	1	
S10	12/1/2004	2,4-Dinitrotoluene	<	1	10	ug/L	1	
S10	3/3/2005	2,4-Dinitrotoluene	<	1.8	10	ug/L	1	
S11	5/24/2004	2,4-Dinitrotoluene	<	1	10	ug/L	1	
S11	9/10/2004	2,4-Dinitrotoluene	<	1	10	ug/L	1	

tmpAnalyticalResultsOverTime

S11	12/1/2004	2,4-Dinitrotoluene	<	1	10	ug/L	1
S11	3/3/2005	2,4-Dinitrotoluene	<	1.8	10	ug/L	1
S2	4/3/2002	2,4-Dinitrotoluene	<		10	ug/L	1
S2	6/26/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S2	9/18/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S2	12/13/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S2	3/4/2003	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S2	3/4/2003	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S2	6/5/2003	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S2	9/5/2003	2,4-Dinitrotoluene	<	1	10	ug/L	1
S2	9/5/2003	2,4-Dinitrotoluene	<	1	10	ug/L	1
S2	12/3/2003	2,4-Dinitrotoluene	<	1	10	ug/L	1
S2	9/10/2004	2,4-Dinitrotoluene	<	1	10	ug/L	1
S3	4/3/2002	2,4-Dinitrotoluene	<		10	ug/L	1
S3	9/19/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S3	9/19/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S3	12/13/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S3	3/5/2003	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S3	6/5/2003	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S3	9/5/2003	2,4-Dinitrotoluene	<	1	10	ug/L	1
S3	12/2/2003	2,4-Dinitrotoluene	<	1	10	ug/L	1
S3	9/9/2004	2,4-Dinitrotoluene	<	1	10	ug/L	1
S3	9/9/2004	2,4-Dinitrotoluene	<	1	10	ug/L	1
S4	4/3/2002	2,4-Dinitrotoluene	<		10	ug/L	1
S4	6/25/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S4	9/19/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S4	12/13/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S4	9/8/2003	2,4-Dinitrotoluene	<	1	10	ug/L	1
S4	9/9/2004	2,4-Dinitrotoluene	<	1	10	ug/L	1
S5	4/4/2002	2,4-Dinitrotoluene	<		10	ug/L	1
S5	6/24/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S5	9/20/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S5	12/16/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S5	9/10/2003	2,4-Dinitrotoluene	<	1	10	ug/L	1
S5	9/8/2004	2,4-Dinitrotoluene	<	1	10	ug/L	1
S6	4/4/2002	2,4-Dinitrotoluene	<		10	ug/L	1
S6	6/24/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S6	6/24/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S6	9/23/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S6	12/18/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S6	9/9/2003	2,4-Dinitrotoluene	<	1	10	ug/L	1
S6	9/8/2004	2,4-Dinitrotoluene	<	1	10	ug/L	1
S7	4/10/2002	2,4-Dinitrotoluene	<		10	ug/L	1
S7	6/21/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S7	9/23/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S7	12/17/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S7	9/11/2003	2,4-Dinitrotoluene	<	1	10	ug/L	1
S7	9/7/2004	2,4-Dinitrotoluene	<	1	10	ug/L	1
S8	4/10/2002	2,4-Dinitrotoluene	<		10	ug/L	1
S8	6/21/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S8	9/20/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S8	12/16/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S8	9/11/2003	2,4-Dinitrotoluene	<	1	10	ug/L	1
S8	9/3/2004	2,4-Dinitrotoluene	<	1	10	ug/L	1
S9	4/10/2002	2,4-Dinitrotoluene	<		10	ug/L	1
S9	6/20/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1
S9	9/11/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1

tmpAnalyticalResultsOverTime

S9	12/12/2002	2,4-Dinitrotoluene	<	2.6	10	ug/L	1	
S9	9/11/2003	2,4-Dinitrotoluene	<	1	10	ug/L	1	
S9	9/3/2004	2,4-Dinitrotoluene	<	1	10	ug/L	1	
S10	5/24/2004	2,6-Dichlorophenol	<	2	10	ug/L	1	NA
S10	5/24/2004	2,6-Dichlorophenol	<	2	10	ug/L	1	
S10	9/10/2004	2,6-Dichlorophenol	<	2	10	ug/L	1	
S10	12/1/2004	2,6-Dichlorophenol	<	2	10	ug/L	1	
S10	12/1/2004	2,6-Dichlorophenol	<	2	10	ug/L	1	
S10	3/3/2005	2,6-Dichlorophenol	<	2	10	ug/L	1	
S11	5/24/2004	2,6-Dichlorophenol	<	2	10	ug/L	1	
S11	9/10/2004	2,6-Dichlorophenol	<	2	10	ug/L	1	
S11	12/1/2004	2,6-Dichlorophenol	<	2	10	ug/L	1	
S11	3/3/2005	2,6-Dichlorophenol	<	2	10	ug/L	1	
S2	4/3/2002	2,6-Dichlorophenol	<		10	ug/L	1	
S2	6/26/2002	2,6-Dichlorophenol	<	2.1	10	ug/L	1	
S2	9/18/2002	2,6-Dichlorophenol	<	2.1	10	ug/L	1	
S2	12/13/2002	2,6-Dichlorophenol	<	1.2	10	ug/L	1	
S2	3/4/2003	2,6-Dichlorophenol	<	1.2	10	ug/L	1	
S2	3/4/2003	2,6-Dichlorophenol	<	1.2	10	ug/L	1	
S2	6/5/2003	2,6-Dichlorophenol	<	1.2	10	ug/L	1	
S2	9/5/2003	2,6-Dichlorophenol	<	1	10	ug/L	1	
S2	9/5/2003	2,6-Dichlorophenol	<	1	10	ug/L	1	
S2	12/3/2003	2,6-Dichlorophenol	<	1	10	ug/L	1	
S2	9/10/2004	2,6-Dichlorophenol	<	2	10	ug/L	1	
S3	4/3/2002	2,6-Dichlorophenol	<		10	ug/L	1	
S3	6/25/2002	2,6-Dichlorophenol	<	4.2	20	ug/L	2	
S3	9/19/2002	2,6-Dichlorophenol	<	2.1	10	ug/L	1	
S3	9/19/2002	2,6-Dichlorophenol	<	2.1	10	ug/L	1	
S3	9/19/2002	2,6-Dichlorophenol	<	2.1	10	ug/L	1	UJ
S3	12/13/2002	2,6-Dichlorophenol	<	1.2	10	ug/L	1	
S3	3/5/2003	2,6-Dichlorophenol	<	1.2	10	ug/L	1	
S3	6/5/2003	2,6-Dichlorophenol	<	1.2	10	ug/L	1	
S3	9/5/2003	2,6-Dichlorophenol	<	1	10	ug/L	1	
S3	12/2/2003	2,6-Dichlorophenol	<	1	10	ug/L	1	
S3	9/9/2004	2,6-Dichlorophenol	<	2	10	ug/L	1	
S3	9/9/2004	2,6-Dichlorophenol	<	2	10	ug/L	1	
S4	4/3/2002	2,6-Dichlorophenol	<		10	ug/L	1	
S4	6/25/2002	2,6-Dichlorophenol	<	2.1	10	ug/L	1	
S4	9/19/2002	2,6-Dichlorophenol	<	2.1	10	ug/L	1	
S4	12/13/2002	2,6-Dichlorophenol	<	1.2	10	ug/L	1	
S4	9/8/2003	2,6-Dichlorophenol	<	1	10	ug/L	1	
S4	9/9/2004	2,6-Dichlorophenol	<	2	10	ug/L	1	
S5	4/4/2002	2,6-Dichlorophenol	<		10	ug/L	1	
S5	6/24/2002	2,6-Dichlorophenol	<	2.1	10	ug/L	1	
S5	9/20/2002	2,6-Dichlorophenol	<	2.1	10	ug/L	1	
S5	12/16/2002	2,6-Dichlorophenol	<	1.2	10	ug/L	1	
S5	9/10/2003	2,6-Dichlorophenol	<	1	10	ug/L	1	
S5	9/8/2004	2,6-Dichlorophenol	<	2	10	ug/L	1	
S6	4/4/2002	2,6-Dichlorophenol	<		10	ug/L	1	
S6	6/24/2002	2,6-Dichlorophenol	<	2.1	10	ug/L	1	
S6	6/24/2002	2,6-Dichlorophenol	<	2.1	10	ug/L	1	
S6	9/23/2002	2,6-Dichlorophenol	<	2.1	10	ug/L	1	
S6	12/18/2002	2,6-Dichlorophenol	<	1.2	10	ug/L	1	
S6	9/9/2003	2,6-Dichlorophenol	<	1	10	ug/L	1	
S6	9/8/2004	2,6-Dichlorophenol	<	2	10	ug/L	1	
S7	4/10/2002	2,6-Dichlorophenol	<		10	ug/L	1	
S7	6/21/2002	2,6-Dichlorophenol	<	2.1	10	ug/L	1	

tmpAnalyticalResultsOverTime

S7	9/23/2002	2,6-Dichlorophenol	<	2.1	10	ug/L	1	
S7	12/17/2002	2,6-Dichlorophenol	<	1.2	10	ug/L	1	
S7	9/11/2003	2,6-Dichlorophenol	<	1	10	ug/L	1	
S7	9/7/2004	2,6-Dichlorophenol	<	2	10	ug/L	1	
S8	4/10/2002	2,6-Dichlorophenol	<		10	ug/L	1	
S8	6/21/2002	2,6-Dichlorophenol	<	2.1	10	ug/L	1	
S8	9/20/2002	2,6-Dichlorophenol	<	2.1	10	ug/L	1	
S8	12/16/2002	2,6-Dichlorophenol	<	1.2	10	ug/L	1	
S8	9/11/2003	2,6-Dichlorophenol	<	1	10	ug/L	1	
S8	9/3/2004	2,6-Dichlorophenol	<	2	10	ug/L	1	
S9	4/10/2002	2,6-Dichlorophenol	<		10	ug/L	1	
S9	6/20/2002	2,6-Dichlorophenol	<	2.1	10	ug/L	1	
S9	9/11/2002	2,6-Dichlorophenol	<	2.1	10	ug/L	1	
S9	12/12/2002	2,6-Dichlorophenol	<	1.2	10	ug/L	1	
S9	9/11/2003	2,6-Dichlorophenol	<	1	10	ug/L	1	
S9	9/3/2004	2,6-Dichlorophenol	<	2	10	ug/L	1	
S10	5/24/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	NA
S10	5/24/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S10	9/10/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S10	12/1/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S10	12/1/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S10	3/3/2005	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S11	5/24/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S11	9/10/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S11	12/1/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S11	3/3/2005	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S2	4/3/2002	2,6-Dinitrotoluene	<		10	ug/L	1	
S2	6/26/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S2	9/18/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S2	12/13/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S2	3/4/2003	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S2	3/4/2003	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S2	6/5/2003	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S2	9/5/2003	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S2	9/5/2003	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S2	12/3/2003	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S2	9/10/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S3	4/3/2002	2,6-Dinitrotoluene	<		10	ug/L	1	
S3	9/19/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S3	9/19/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S3	12/13/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S3	3/5/2003	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S3	6/5/2003	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S3	9/5/2003	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S3	12/2/2003	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S3	9/9/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S3	9/9/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S4	4/3/2002	2,6-Dinitrotoluene	<		10	ug/L	1	
S4	6/25/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S4	9/19/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S4	12/13/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S4	9/8/2003	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S4	9/9/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S5	4/4/2002	2,6-Dinitrotoluene	<		10	ug/L	1	
S5	6/24/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S5	9/20/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S5	12/16/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	

tmpAnalyticalResultsOverTime

S5	9/10/2003	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S5	9/8/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S6	4/4/2002	2,6-Dinitrotoluene	<		10	ug/L	1	
S6	6/24/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S6	6/24/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S6	9/23/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S6	12/18/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S6	9/9/2003	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S6	9/8/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S7	4/10/2002	2,6-Dinitrotoluene	<		10	ug/L	1	
S7	6/21/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S7	9/23/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S7	12/17/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S7	9/11/2003	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S7	9/7/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S8	4/10/2002	2,6-Dinitrotoluene	<		10	ug/L	1	
S8	6/21/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S8	9/20/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S8	12/16/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S8	9/11/2003	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S8	9/3/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S9	4/10/2002	2,6-Dinitrotoluene	<		10	ug/L	1	
S9	6/20/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S9	9/11/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S9	12/12/2002	2,6-Dinitrotoluene	<	1.6	10	ug/L	1	
S9	9/11/2003	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S9	9/3/2004	2,6-Dinitrotoluene	<	0.8	10	ug/L	1	
S10	5/24/2004	2-Acetylaminofluorene	<	2	100	ug/L	1	NA
S10	5/24/2004	2-Acetylaminofluorene	<	2	100	ug/L	1	
S10	9/10/2004	2-Acetylaminofluorene	<	2	100	ug/L	1	
S10	12/1/2004	2-Acetylaminofluorene	<	2	100	ug/L	1	
S10	12/1/2004	2-Acetylaminofluorene	<	2	100	ug/L	1	
S10	3/3/2005	2-Acetylaminofluorene	<	2	100	ug/L	1	
S11	5/24/2004	2-Acetylaminofluorene	<	2	100	ug/L	1	
S11	9/10/2004	2-Acetylaminofluorene	<	2	100	ug/L	1	
S11	12/1/2004	2-Acetylaminofluorene	<	2	100	ug/L	1	
S11	3/3/2005	2-Acetylaminofluorene	<	2	100	ug/L	1	
S2	4/3/2002	2-Acetylaminofluorene	<		100	ug/L	1	
S2	6/26/2002	2-Acetylaminofluorene	<	1.8	100	ug/L	1	
S2	9/18/2002	2-Acetylaminofluorene	<	1.8	100	ug/L	1	
S2	12/13/2002	2-Acetylaminofluorene	<	1.3	100	ug/L	1	
S2	3/4/2003	2-Acetylaminofluorene	<	1.3	100	ug/L	1	
S2	3/4/2003	2-Acetylaminofluorene	<	1.3	100	ug/L	1	
S2	6/5/2003	2-Acetylaminofluorene	<	1.3	100	ug/L	1	
S2	9/5/2003	2-Acetylaminofluorene	<	1	100	ug/L	1	
S2	9/5/2003	2-Acetylaminofluorene	<	1	100	ug/L	1	
S2	12/3/2003	2-Acetylaminofluorene	<	1	100	ug/L	1	
S2	9/10/2004	2-Acetylaminofluorene	<	2	100	ug/L	1	
S3	4/3/2002	2-Acetylaminofluorene	<		100	ug/L	1	
S3	9/19/2002	2-Acetylaminofluorene	<	1.8	100	ug/L	1	
S3	9/19/2002	2-Acetylaminofluorene	<	1.8	100	ug/L	1	
S3	12/13/2002	2-Acetylaminofluorene	<	1.3	100	ug/L	1	
S3	3/5/2003	2-Acetylaminofluorene	<	1.3	100	ug/L	1	
S3	6/5/2003	2-Acetylaminofluorene	<	1.3	100	ug/L	1	
S3	9/5/2003	2-Acetylaminofluorene	<	1	100	ug/L	1	
S3	12/2/2003	2-Acetylaminofluorene	<	1	100	ug/L	1	
S3	9/9/2004	2-Acetylaminofluorene	<	2	100	ug/L	1	

tmpAnalyticalResultsOverTime

S3	9/9/2004	2-Acetylaminofluorene	<	2	100	ug/L	1	
S4	4/3/2002	2-Acetylaminofluorene	<		100	ug/L	1	
S4	6/25/2002	2-Acetylaminofluorene	<	1.8	100	ug/L	1	
S4	9/19/2002	2-Acetylaminofluorene	<	1.8	100	ug/L	1	
S4	12/13/2002	2-Acetylaminofluorene	<	1.3	100	ug/L	1	
S4	9/8/2003	2-Acetylaminofluorene	<	1	100	ug/L	1	
S4	9/9/2004	2-Acetylaminofluorene	<	2	100	ug/L	1	
S5	4/4/2002	2-Acetylaminofluorene	<		100	ug/L	1	
S5	6/24/2002	2-Acetylaminofluorene	<	1.8	100	ug/L	1	
S5	9/20/2002	2-Acetylaminofluorene	<	1.8	100	ug/L	1	
S5	12/16/2002	2-Acetylaminofluorene	<	1.3	100	ug/L	1	
S5	9/10/2003	2-Acetylaminofluorene	<	1	100	ug/L	1	
S5	9/8/2004	2-Acetylaminofluorene	<	2	100	ug/L	1	
S6	4/4/2002	2-Acetylaminofluorene	<		100	ug/L	1	
S6	6/24/2002	2-Acetylaminofluorene	<	1.8	100	ug/L	1	
S6	6/24/2002	2-Acetylaminofluorene	<	1.8	100	ug/L	1	
S6	9/23/2002	2-Acetylaminofluorene	<	1.8	100	ug/L	1	
S6	12/18/2002	2-Acetylaminofluorene	<	1.3	100	ug/L	1	
S6	9/9/2003	2-Acetylaminofluorene	<	1	100	ug/L	1	
S6	9/8/2004	2-Acetylaminofluorene	<	2	100	ug/L	1	
S7	4/10/2002	2-Acetylaminofluorene	<		100	ug/L	1	
S7	6/21/2002	2-Acetylaminofluorene	<	1.8	100	ug/L	1	
S7	9/23/2002	2-Acetylaminofluorene	<	1.8	100	ug/L	1	
S7	12/17/2002	2-Acetylaminofluorene	<	1.3	100	ug/L	1	
S7	9/11/2003	2-Acetylaminofluorene	<	1	100	ug/L	1	
S7	9/7/2004	2-Acetylaminofluorene	<	2	100	ug/L	1	
S8	4/10/2002	2-Acetylaminofluorene	<		100	ug/L	1	
S8	6/21/2002	2-Acetylaminofluorene	<	1.8	100	ug/L	1	
S8	9/20/2002	2-Acetylaminofluorene	<	1.8	100	ug/L	1	
S8	12/16/2002	2-Acetylaminofluorene	<	1.3	100	ug/L	1	
S8	9/11/2003	2-Acetylaminofluorene	<	1	100	ug/L	1	
S8	9/3/2004	2-Acetylaminofluorene	<	2	100	ug/L	1	
S9	4/10/2002	2-Acetylaminofluorene	<		100	ug/L	1	
S9	6/20/2002	2-Acetylaminofluorene	<	1.8	100	ug/L	1	
S9	9/11/2002	2-Acetylaminofluorene	<	1.8	100	ug/L	1	
S9	12/12/2002	2-Acetylaminofluorene	<	1.3	100	ug/L	1	
S9	9/11/2003	2-Acetylaminofluorene	<	1	100	ug/L	1	
S9	9/3/2004	2-Acetylaminofluorene	<	2	100	ug/L	1	
S10	5/24/2004	2-Butanone (MEK)	<	2	5	ug/L	1	NA
S10	5/24/2004	2-Butanone (MEK)	<	2	5	ug/L	1	
S10	9/10/2004	2-Butanone (MEK)	<	2	5	ug/L	1	
S10	12/1/2004	2-Butanone (MEK)	<	2	5	ug/L	1	
S10	12/1/2004	2-Butanone (MEK)	<	2	5	ug/L	1	
S10	3/3/2005	2-Butanone (MEK)	<	0.42	5	ug/L	1	
S11	9/10/2004	2-Butanone (MEK)	<	2	5	ug/L	1	
S11	12/1/2004	2-Butanone (MEK)	<	2	5	ug/L	1	
S11	3/3/2005	2-Butanone (MEK)	<	0.42	5	ug/L	1	
S2	4/3/2002	2-Butanone (MEK)	<		5	ug/L	1	
S2	6/26/2002	2-Butanone (MEK)	<	2.4	5	ug/L	1	
S2	9/18/2002	2-Butanone (MEK)	<	2.4	5	ug/L	1	
S2	3/4/2003	2-Butanone (MEK)	<	2	5	ug/L	1	
S2	3/4/2003	2-Butanone (MEK)	<	2	5	ug/L	1	
S2	6/5/2003	2-Butanone (MEK)	<	2	5	ug/L	1	
S2	9/5/2003	2-Butanone (MEK)	<	2	5	ug/L	1	
S2	9/5/2003	2-Butanone (MEK)	<	2	5	ug/L	1	
S2	12/3/2003	2-Butanone (MEK)	<	4	10	ug/L	2	
S2	9/10/2004	2-Butanone (MEK)	<	2	5	ug/L	1	

tmpAnalyticalResultsOverTime

S3	4/3/2002 2-Butanone (MEK)	<		5	ug/L	1	
S3	6/25/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S3	9/19/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S3	9/19/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S3	12/13/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S3	3/5/2003 2-Butanone (MEK)	<	2	5	ug/L	1	
S3	6/5/2003 2-Butanone (MEK)	<	2	5	ug/L	1	
S3	9/5/2003 2-Butanone (MEK)	<	2	5	ug/L	1	
S3	12/2/2003 2-Butanone (MEK)	<	2	5	ug/L	1	
S3	9/9/2004 2-Butanone (MEK)	<	2	5	ug/L	1	
S3	9/9/2004 2-Butanone (MEK)	<	2	5	ug/L	1	
S4	4/3/2002 2-Butanone (MEK)	<		5	ug/L	1	
S4	6/25/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S4	9/19/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S4	12/13/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S4	9/8/2003 2-Butanone (MEK)	<	2	5	ug/L	1	
S4	9/9/2004 2-Butanone (MEK)	<	2	5	ug/L	1	
S5	4/4/2002 2-Butanone (MEK)	<		5	ug/L	1	
S5	6/24/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S5	9/20/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S5	12/16/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S5	9/10/2003 2-Butanone (MEK)	<	2	5	ug/L	1	
S5	9/8/2004 2-Butanone (MEK)	<	2	5	ug/L	1	
S6	4/4/2002 2-Butanone (MEK)	<		5	ug/L	1	
S6	6/24/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S6	6/24/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S6	9/23/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S6	12/18/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S6	9/9/2003 2-Butanone (MEK)	<	2	5	ug/L	1	
S6	9/8/2004 2-Butanone (MEK)	<	2	5	ug/L	1	
S7	4/10/2002 2-Butanone (MEK)	<		5	ug/L	1	UJ
S7	6/21/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S7	9/23/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S7	12/17/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S7	9/11/2003 2-Butanone (MEK)	<	2	5	ug/L	1	
S7	9/7/2004 2-Butanone (MEK)	<	2	5	ug/L	1	
S8	4/10/2002 2-Butanone (MEK)	<		5	ug/L	1	UJ
S8	6/21/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S8	9/20/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S8	12/16/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S8	9/11/2003 2-Butanone (MEK)	<	2	5	ug/L	1	
S8	9/3/2004 2-Butanone (MEK)	<	2	5	ug/L	1	
S9	4/10/2002 2-Butanone (MEK)	<		5	ug/L	1	
S9	6/20/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S9	9/11/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S9	12/12/2002 2-Butanone (MEK)	<	2.4	5	ug/L	1	
S9	9/11/2003 2-Butanone (MEK)	<	2	5	ug/L	1	
S9	9/3/2004 2-Butanone (MEK)	<	2	5	ug/L	1	
S10	5/24/2004 2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1	NA
S10	5/24/2004 2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1	
S10	9/10/2004 2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1	
S10	12/1/2004 2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1	
S10	12/1/2004 2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1	
S10	3/3/2005 2-Chloroethyl vinyl ether	<	0.32	2	ug/L	1	UJ
S11	5/24/2004 2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1	
S11	9/10/2004 2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1	
S11	12/1/2004 2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1	



tmpAnalyticalResultsOverTime

S11	3/3/2005	2-Chloroethyl vinyl ether	<	0.32	2	ug/L	1 UJ
S2	4/3/2002	2-Chloroethyl vinyl ether	<		2	ug/L	1
S2	6/26/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S2	9/18/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S2	12/13/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S2	3/4/2003	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S2	3/4/2003	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S2	6/5/2003	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S2	9/5/2003	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S2	9/5/2003	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S2	12/3/2003	2-Chloroethyl vinyl ether	<	0.62	4	ug/L	2
S2	9/10/2004	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S3	4/3/2002	2-Chloroethyl vinyl ether	<		2	ug/L	1
S3	6/25/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S3	9/19/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S3	9/19/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S3	12/13/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S3	3/5/2003	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S3	6/5/2003	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S3	9/5/2003	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S3	12/2/2003	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S3	9/9/2004	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S3	9/9/2004	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S4	4/3/2002	2-Chloroethyl vinyl ether	<		2	ug/L	1
S4	6/25/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S4	9/19/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S4	12/13/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S4	9/8/2003	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S4	9/9/2004	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S5	4/4/2002	2-Chloroethyl vinyl ether	<		2	ug/L	1
S5	6/24/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S5	9/20/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S5	12/16/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S5	9/10/2003	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S5	9/8/2004	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S6	4/4/2002	2-Chloroethyl vinyl ether	<		2	ug/L	1
S6	6/24/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S6	6/24/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S6	9/23/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S6	12/18/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S6	9/9/2003	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S6	9/8/2004	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S7	4/10/2002	2-Chloroethyl vinyl ether	<		2	ug/L	1 UJ
S7	6/21/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S7	9/23/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S7	12/17/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S7	9/11/2003	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S7	9/7/2004	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S8	4/10/2002	2-Chloroethyl vinyl ether	<		2	ug/L	1 UJ
S8	6/21/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S8	9/20/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S8	12/16/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S8	9/11/2003	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S8	9/3/2004	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1
S9	4/10/2002	2-Chloroethyl vinyl ether	<		2	ug/L	1
S9	6/20/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1
S9	9/11/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1

tmpAnalyticalResultsOverTime

S9	12/12/2002	2-Chloroethyl vinyl ether	<	1.3	2	ug/L	1	
S9	9/11/2003	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1	
S9	9/3/2004	2-Chloroethyl vinyl ether	<	0.31	2	ug/L	1	
S10	5/24/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	NA
S10	5/24/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S10	9/10/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S10	12/1/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S10	12/1/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S10	3/3/2005	2-Chloronaphthalene	<	1.7	10	ug/L	1	
S11	5/24/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S11	9/10/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S11	12/1/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S11	3/3/2005	2-Chloronaphthalene	<	1.7	10	ug/L	1	
S2	4/3/2002	2-Chloronaphthalene	<		10	ug/L	1	
S2	6/26/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S2	9/18/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S2	12/13/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S2	3/4/2003	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S2	3/4/2003	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S2	6/5/2003	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S2	9/5/2003	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S2	9/5/2003	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S2	12/3/2003	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S2	9/10/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S3	4/3/2002	2-Chloronaphthalene	<		10	ug/L	1	
S3	9/19/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S3	9/19/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S3	12/13/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S3	3/5/2003	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S3	6/5/2003	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S3	9/5/2003	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S3	12/2/2003	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S3	9/9/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S3	9/9/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S4	4/3/2002	2-Chloronaphthalene	<		10	ug/L	1	
S4	6/25/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S4	9/19/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S4	12/13/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S4	9/8/2003	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S4	9/9/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S5	4/4/2002	2-Chloronaphthalene	<		10	ug/L	1	
S5	6/24/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S5	9/20/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S5	12/16/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S5	9/10/2003	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S5	9/8/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S6	4/4/2002	2-Chloronaphthalene	<		10	ug/L	1	
S6	6/24/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S6	6/24/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S6	9/23/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S6	12/18/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S6	9/9/2003	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S6	9/8/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S7	4/10/2002	2-Chloronaphthalene	<		10	ug/L	1	
S7	6/21/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S7	9/23/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S7	12/17/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	

tmpAnalyticalResultsOverTime

S7	9/11/2003	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S7	9/7/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S8	4/10/2002	2-Chloronaphthalene	<		10	ug/L	1	
S8	6/21/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S8	9/20/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S8	12/16/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S8	9/11/2003	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S8	9/3/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S9	4/10/2002	2-Chloronaphthalene	<		10	ug/L	1	
S9	6/20/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S9	9/11/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S9	12/12/2002	2-Chloronaphthalene	<	1.1	10	ug/L	1	
S9	9/11/2003	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S9	9/3/2004	2-Chloronaphthalene	<	0.7	10	ug/L	1	
S10	5/24/2004	2-Chlorophenol	<	0.8	10	ug/L	1	NA
S10	5/24/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
S10	9/10/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
S10	12/1/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
S10	12/1/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
S10	3/3/2005	2-Chlorophenol	<	1.7	10	ug/L	1	
S11	5/24/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
S11	9/10/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
S11	12/1/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
S11	3/3/2005	2-Chlorophenol	<	1.7	10	ug/L	1	
S2	4/3/2002	2-Chlorophenol	<		10	ug/L	1	
S2	6/26/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S2	9/18/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S2	12/13/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S2	3/4/2003	2-Chlorophenol	<	1.8	10	ug/L	1	
S2	3/4/2003	2-Chlorophenol	<	1.8	10	ug/L	1	
S2	6/5/2003	2-Chlorophenol	<	1.8	10	ug/L	1	
S2	9/5/2003	2-Chlorophenol	<	0.8	10	ug/L	1	
S2	9/5/2003	2-Chlorophenol	<	0.8	10	ug/L	1	
S2	12/3/2003	2-Chlorophenol	<	0.8	10	ug/L	1	
S2	9/10/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
S3	4/3/2002	2-Chlorophenol	<		10	ug/L	1	
S3	6/25/2002	2-Chlorophenol	<	3.6	20	ug/L	2	
S3	9/19/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S3	9/19/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S3	9/19/2002	2-Chlorophenol	<	1.8	10	ug/L	1	UJ
S3	12/13/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S3	3/5/2003	2-Chlorophenol	<	1.8	10	ug/L	1	
S3	6/5/2003	2-Chlorophenol	<	1.8	10	ug/L	1	
S3	9/5/2003	2-Chlorophenol	<	0.8	10	ug/L	1	
S3	12/2/2003	2-Chlorophenol	<	0.8	10	ug/L	1	
S3	9/9/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
S3	9/9/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
S4	4/3/2002	2-Chlorophenol	<		10	ug/L	1	
S4	6/25/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S4	9/19/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S4	12/13/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S4	9/8/2003	2-Chlorophenol	<	0.8	10	ug/L	1	
S4	9/9/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
S5	4/4/2002	2-Chlorophenol	<		10	ug/L	1	
S5	6/24/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S5	9/20/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S5	12/16/2002	2-Chlorophenol	<	1.8	10	ug/L	1	

tmpAnalyticalResultsOverTime

S5	9/10/2003	2-Chlorophenol	<	0.8	10	ug/L	1	
S5	9/8/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
S6	4/4/2002	2-Chlorophenol	<		10	ug/L	1	
S6	6/24/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S6	6/24/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S6	9/23/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S6	12/18/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S6	9/9/2003	2-Chlorophenol	<	0.8	10	ug/L	1	
S6	9/8/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
S7	4/10/2002	2-Chlorophenol	<		10	ug/L	1	
S7	6/21/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S7	9/23/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S7	12/17/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S7	9/11/2003	2-Chlorophenol	<	0.8	10	ug/L	1	
S7	9/7/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
S8	4/10/2002	2-Chlorophenol	<		10	ug/L	1	
S8	6/21/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S8	9/20/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S8	12/16/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S8	9/11/2003	2-Chlorophenol	<	0.8	10	ug/L	1	
S8	9/3/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
S9	4/10/2002	2-Chlorophenol	<		10	ug/L	1	
S9	6/20/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S9	9/11/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S9	12/12/2002	2-Chlorophenol	<	1.8	10	ug/L	1	
S9	9/11/2003	2-Chlorophenol	<	0.8	10	ug/L	1	
S9	9/3/2004	2-Chlorophenol	<	0.8	10	ug/L	1	
S10	5/24/2004	2-Chlorotoluene	<	0.17	1	ug/L	1	NA
S10	5/24/2004	2-Chlorotoluene	<	0.17	1	ug/L	1	
S10	9/10/2004	2-Chlorotoluene	<	0.17	1	ug/L	1	
S10	12/1/2004	2-Chlorotoluene	<	0.17	1	ug/L	1	
S10	12/1/2004	2-Chlorotoluene	<	0.17	1	ug/L	1	
S10	3/3/2005	2-Chlorotoluene	<	0.25	1	ug/L	1	
S11	5/24/2004	2-Chlorotoluene	<	0.17	1	ug/L	1	
S11	9/10/2004	2-Chlorotoluene	<	0.17	1	ug/L	1	
S11	12/1/2004	2-Chlorotoluene	<	0.17	1	ug/L	1	
S11	3/3/2005	2-Chlorotoluene	<	0.25	1	ug/L	1	
S2	4/3/2002	2-Chlorotoluene	<		1	ug/L	1	
S2	6/26/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S2	9/18/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S2	12/13/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S2	3/4/2003	2-Chlorotoluene	<	0.17	1	ug/L	1	
S2	3/4/2003	2-Chlorotoluene	<	0.17	1	ug/L	1	
S2	6/5/2003	2-Chlorotoluene	<	0.17	1	ug/L	1	
S2	9/5/2003	2-Chlorotoluene	<	0.17	1	ug/L	1	
S2	9/5/2003	2-Chlorotoluene	<	0.17	1	ug/L	1	
S2	12/3/2003	2-Chlorotoluene	<	0.34	2	ug/L	2	
S2	9/10/2004	2-Chlorotoluene	<	0.17	1	ug/L	1	
S3	4/3/2002	2-Chlorotoluene	<		1	ug/L	1	
S3	6/25/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S3	9/19/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S3	9/19/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S3	12/13/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S3	3/5/2003	2-Chlorotoluene	<	0.17	1	ug/L	1	
S3	6/5/2003	2-Chlorotoluene	<	0.17	1	ug/L	1	
S3	9/5/2003	2-Chlorotoluene	<	0.17	1	ug/L	1	
S3	12/2/2003	2-Chlorotoluene	<	0.17	1	ug/L	1	

tmpAnalyticalResultsOverTime

S3	9/9/2004	2-Chlorotoluene	<	0.17	1	ug/L	1	
S3	9/9/2004	2-Chlorotoluene	<	0.17	1	ug/L	1	
S4	4/3/2002	2-Chlorotoluene	<		1	ug/L	1	
S4	6/25/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S4	9/19/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S4	12/13/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S4	9/8/2003	2-Chlorotoluene	<	0.17	1	ug/L	1	
S4	9/9/2004	2-Chlorotoluene	<	0.17	1	ug/L	1	
S5	4/4/2002	2-Chlorotoluene	<		1	ug/L	1	
S5	6/24/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S5	9/20/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S5	12/16/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S5	9/10/2003	2-Chlorotoluene	<	0.17	1	ug/L	1	
S5	9/8/2004	2-Chlorotoluene	<	0.17	1	ug/L	1	
S6	4/4/2002	2-Chlorotoluene	<		1	ug/L	1	
S6	6/24/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S6	6/24/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S6	9/23/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S6	12/18/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S6	9/9/2003	2-Chlorotoluene	<	0.17	1	ug/L	1	
S6	9/8/2004	2-Chlorotoluene	<	0.17	1	ug/L	1	
S7	4/10/2002	2-Chlorotoluene	<		1	ug/L	1	UJ
S7	6/21/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S7	9/23/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S7	12/17/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S7	9/11/2003	2-Chlorotoluene	<	0.17	1	ug/L	1	
S7	9/7/2004	2-Chlorotoluene	<	0.17	1	ug/L	1	
S8	4/10/2002	2-Chlorotoluene	<		1	ug/L	1	UJ
S8	6/21/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S8	9/20/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S8	12/16/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S8	9/11/2003	2-Chlorotoluene	<	0.17	1	ug/L	1	
S8	9/3/2004	2-Chlorotoluene	<	0.17	1	ug/L	1	
S9	4/10/2002	2-Chlorotoluene	<		1	ug/L	1	
S9	6/20/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S9	9/11/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S9	12/12/2002	2-Chlorotoluene	<	0.23	1	ug/L	1	
S9	9/11/2003	2-Chlorotoluene	<	0.17	1	ug/L	1	
S9	9/3/2004	2-Chlorotoluene	<	0.17	1	ug/L	1	
S10	5/24/2004	2-Hexanone	<	1.7	5	ug/L	1	NA
S10	5/24/2004	2-Hexanone	<	1.7	5	ug/L	1	
S10	9/10/2004	2-Hexanone	<	1.7	5	ug/L	1	
S10	12/1/2004	2-Hexanone	<	1.7	5	ug/L	1	
S10	12/1/2004	2-Hexanone	<	1.7	5	ug/L	1	
S10	3/3/2005	2-Hexanone	<	0.38	5	ug/L	1	
S11	5/24/2004	2-Hexanone	<	1.7	5	ug/L	1	
S11	9/10/2004	2-Hexanone	<	1.7	5	ug/L	1	
S11	12/1/2004	2-Hexanone	<	1.7	5	ug/L	1	
S11	3/3/2005	2-Hexanone	<	0.38	5	ug/L	1	
S2	4/3/2002	2-Hexanone	<		5	ug/L	1	
S2	6/26/2002	2-Hexanone	<	1.8	5	ug/L	1	
S2	9/18/2002	2-Hexanone	<	1.8	5	ug/L	1	
S2	12/13/2002	2-Hexanone	<	1.8	5	ug/L	1	
S2	3/4/2003	2-Hexanone	<	1.7	5	ug/L	1	
S2	3/4/2003	2-Hexanone	<	1.7	5	ug/L	1	
S2	6/5/2003	2-Hexanone	<	1.7	5	ug/L	1	
S2	9/5/2003	2-Hexanone	<	1.7	5	ug/L	1	

tmpAnalyticalResultsOverTime

S2	9/5/2003	2-Hexanone	<	1.7	5	ug/L	1	
S2	12/3/2003	2-Hexanone	<	3.4	10	ug/L	2	
S2	9/10/2004	2-Hexanone	<	1.7	5	ug/L	1	
S3	4/3/2002	2-Hexanone	<		5	ug/L	1	
S3	6/25/2002	2-Hexanone	<	1.8	5	ug/L	1	
S3	9/19/2002	2-Hexanone	<	1.8	5	ug/L	1	
S3	9/19/2002	2-Hexanone	<	1.8	5	ug/L	1	
S3	12/13/2002	2-Hexanone	<	1.8	5	ug/L	1	
S3	3/5/2003	2-Hexanone	<	1.7	5	ug/L	1	
S3	6/5/2003	2-Hexanone	<	1.7	5	ug/L	1	
S3	9/5/2003	2-Hexanone	<	1.7	5	ug/L	1	
S3	12/2/2003	2-Hexanone	<	1.7	5	ug/L	1	
S3	9/9/2004	2-Hexanone	<	1.7	5	ug/L	1	
S3	9/9/2004	2-Hexanone	<	1.7	5	ug/L	1	
S4	4/3/2002	2-Hexanone	<		5	ug/L	1	
S4	6/25/2002	2-Hexanone	<	1.8	5	ug/L	1	
S4	9/19/2002	2-Hexanone	<	1.8	5	ug/L	1	
S4	12/13/2002	2-Hexanone	<	1.8	5	ug/L	1	
S4	9/8/2003	2-Hexanone	<	1.7	5	ug/L	1	
S4	9/9/2004	2-Hexanone	<	1.7	5	ug/L	1	
S5	4/4/2002	2-Hexanone	<		5	ug/L	1	
S5	6/24/2002	2-Hexanone	<	1.8	5	ug/L	1	
S5	9/20/2002	2-Hexanone	<	1.8	5	ug/L	1	
S5	12/16/2002	2-Hexanone	<	1.8	5	ug/L	1	
S5	9/10/2003	2-Hexanone	<	1.7	5	ug/L	1	
S5	9/8/2004	2-Hexanone	<	1.7	5	ug/L	1	
S6	4/4/2002	2-Hexanone	<		5	ug/L	1	
S6	6/24/2002	2-Hexanone	<	1.8	5	ug/L	1	
S6	6/24/2002	2-Hexanone	<	1.8	5	ug/L	1	
S6	9/23/2002	2-Hexanone	<	1.8	5	ug/L	1	
S6	12/18/2002	2-Hexanone	<	1.8	5	ug/L	1	
S6	9/9/2003	2-Hexanone	<	1.7	5	ug/L	1	
S6	9/8/2004	2-Hexanone	<	1.7	5	ug/L	1	
S7	4/10/2002	2-Hexanone	<		5	ug/L	1	UJ
S7	6/21/2002	2-Hexanone	<	1.8	5	ug/L	1	
S7	9/23/2002	2-Hexanone	<	1.8	5	ug/L	1	
S7	12/17/2002	2-Hexanone	<	1.8	5	ug/L	1	
S7	9/11/2003	2-Hexanone	<	1.7	5	ug/L	1	
S7	9/7/2004	2-Hexanone	<	1.7	5	ug/L	1	
S8	4/10/2002	2-Hexanone	<		5	ug/L	1	UJ
S8	6/21/2002	2-Hexanone	<	1.8	5	ug/L	1	
S8	9/20/2002	2-Hexanone	<	1.8	5	ug/L	1	
S8	12/16/2002	2-Hexanone	<	1.8	5	ug/L	1	
S8	9/11/2003	2-Hexanone	<	1.7	5	ug/L	1	
S8	9/3/2004	2-Hexanone	<	1.7	5	ug/L	1	
S9	4/10/2002	2-Hexanone	<		5	ug/L	1	
S9	6/20/2002	2-Hexanone	<	1.8	5	ug/L	1	
S9	9/11/2002	2-Hexanone	<	1.8	5	ug/L	1	
S9	12/12/2002	2-Hexanone	<	1.8	5	ug/L	1	
S9	9/11/2003	2-Hexanone	<	1.7	5	ug/L	1	
S9	9/3/2004	2-Hexanone	<	1.7	5	ug/L	1	
S10	5/24/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1	NA
S10	5/24/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1	
S10	9/10/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1	
S10	12/1/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1	
S10	12/1/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1	
S10	3/3/2005	2-Methylnaphthalene	<	1.6	10	ug/L	1	

tmpAnalyticalResultsOverTime

S11	5/24/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1
S11	9/10/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1
S11	12/1/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1
S11	3/3/2005	2-Methylnaphthalene	<	1.6	10	ug/L	1
S2	4/3/2002	2-Methylnaphthalene	<		10	ug/L	1
S2	6/26/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S2	9/18/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S2	12/13/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S2	3/4/2003	2-Methylnaphthalene	<	1.5	10	ug/L	1
S2	3/4/2003	2-Methylnaphthalene	<	1.5	10	ug/L	1
S2	6/5/2003	2-Methylnaphthalene	<	1.5	10	ug/L	1
S2	9/5/2003	2-Methylnaphthalene	<	0.8	10	ug/L	1
S2	9/5/2003	2-Methylnaphthalene	<	0.8	10	ug/L	1
S2	12/3/2003	2-Methylnaphthalene	<	0.8	10	ug/L	1
S2	9/10/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1
S3	4/3/2002	2-Methylnaphthalene	<		10	ug/L	1
S3	9/19/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S3	9/19/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S3	12/13/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S3	3/5/2003	2-Methylnaphthalene	<	1.5	10	ug/L	1
S3	6/5/2003	2-Methylnaphthalene	<	1.5	10	ug/L	1
S3	9/5/2003	2-Methylnaphthalene	<	0.8	10	ug/L	1
S3	12/2/2003	2-Methylnaphthalene	<	0.8	10	ug/L	1
S3	9/9/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1
S3	9/9/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1
S4	4/3/2002	2-Methylnaphthalene	<		10	ug/L	1
S4	6/25/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S4	9/19/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S4	12/13/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S4	9/8/2003	2-Methylnaphthalene	<	0.8	10	ug/L	1
S4	9/9/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1
S5	4/4/2002	2-Methylnaphthalene	<		10	ug/L	1
S5	6/24/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S5	9/20/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S5	12/16/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S5	9/10/2003	2-Methylnaphthalene	<	0.8	10	ug/L	1
S5	9/8/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1
S6	4/4/2002	2-Methylnaphthalene	<		10	ug/L	1
S6	6/24/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S6	6/24/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S6	9/23/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S6	12/18/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S6	9/9/2003	2-Methylnaphthalene	<	0.8	10	ug/L	1
S6	9/8/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1
S7	4/10/2002	2-Methylnaphthalene	<		10	ug/L	1
S7	6/21/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S7	9/23/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S7	12/17/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S7	9/11/2003	2-Methylnaphthalene	<	0.8	10	ug/L	1
S7	9/7/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1
S8	4/10/2002	2-Methylnaphthalene	<		10	ug/L	1
S8	6/21/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S8	9/20/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S8	12/16/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1
S8	9/11/2003	2-Methylnaphthalene	<	0.8	10	ug/L	1
S8	9/3/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1
S9	4/10/2002	2-Methylnaphthalene	<		10	ug/L	1

tmpAnalyticalResultsOverTime

S9	6/20/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1	
S9	9/11/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1	
S9	12/12/2002	2-Methylnaphthalene	<	1.5	10	ug/L	1	
S9	9/11/2003	2-Methylnaphthalene	<	0.8	10	ug/L	1	
S9	9/3/2004	2-Methylnaphthalene	<	0.8	10	ug/L	1	
S10	5/24/2004	2-Methylphenol	<	0.9	10	ug/L	1	NA
S10	5/24/2004	2-Methylphenol	<	0.9	10	ug/L	1	
S10	9/10/2004	2-Methylphenol	<	0.9	10	ug/L	1	
S10	12/1/2004	2-Methylphenol	<	0.9	10	ug/L	1	
S10	12/1/2004	2-Methylphenol	<	0.9	10	ug/L	1	
S10	3/3/2005	2-Methylphenol	<	1.4	10	ug/L	1	
S11	5/24/2004	2-Methylphenol	<	0.9	10	ug/L	1	
S11	9/10/2004	2-Methylphenol	<	0.9	10	ug/L	1	
S11	12/1/2004	2-Methylphenol	<	0.9	10	ug/L	1	
S11	3/3/2005	2-Methylphenol	<	1.4	10	ug/L	1	
S2	4/3/2002	2-Methylphenol	<		10	ug/L	1	
S2	6/26/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S2	9/18/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S2	12/13/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S2	3/4/2003	2-Methylphenol	<	2.1	10	ug/L	1	
S2	3/4/2003	2-Methylphenol	<	2.1	10	ug/L	1	
S2	6/5/2003	2-Methylphenol	<	2.1	10	ug/L	1	
S2	9/5/2003	2-Methylphenol	<	0.9	10	ug/L	1	
S2	9/5/2003	2-Methylphenol	<	0.9	10	ug/L	1	
S2	12/3/2003	2-Methylphenol	<	0.9	10	ug/L	1	
S2	9/10/2004	2-Methylphenol	<	0.9	10	ug/L	1	
S3	4/3/2002	2-Methylphenol	<		10	ug/L	1	
S3	6/25/2002	2-Methylphenol	<	4.2	20	ug/L	2	
S3	9/19/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S3	9/19/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S3	9/19/2002	2-Methylphenol	<	2.1	10	ug/L	1	UJ
S3	12/13/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S3	3/5/2003	2-Methylphenol	<	2.1	10	ug/L	1	
S3	6/5/2003	2-Methylphenol	<	2.1	10	ug/L	1	
S3	9/5/2003	2-Methylphenol	<	0.9	10	ug/L	1	
S3	12/2/2003	2-Methylphenol	<	0.9	10	ug/L	1	
S3	9/9/2004	2-Methylphenol	<	0.9	10	ug/L	1	
S3	9/9/2004	2-Methylphenol	<	0.9	10	ug/L	1	
S4	4/3/2002	2-Methylphenol	<		10	ug/L	1	
S4	6/25/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S4	9/19/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S4	12/13/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S4	9/8/2003	2-Methylphenol	<	0.9	10	ug/L	1	
S4	9/9/2004	2-Methylphenol	<	0.9	10	ug/L	1	
S5	4/4/2002	2-Methylphenol	<		10	ug/L	1	
S5	6/24/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S5	9/20/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S5	12/16/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S5	9/10/2003	2-Methylphenol	<	0.9	10	ug/L	1	
S5	9/8/2004	2-Methylphenol	<	0.9	10	ug/L	1	
S6	4/4/2002	2-Methylphenol	<		10	ug/L	1	
S6	6/24/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S6	6/24/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S6	9/23/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S6	12/18/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S6	9/9/2003	2-Methylphenol	<	0.9	10	ug/L	1	
S6	9/8/2004	2-Methylphenol	<	0.9	10	ug/L	1	



tmpAnalyticalResultsOverTime

S7	4/10/2002	2-Methylphenol	<		10	ug/L	1	
S7	6/21/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S7	9/23/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S7	12/17/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S7	9/11/2003	2-Methylphenol	<	0.9	10	ug/L	1	
S7	9/7/2004	2-Methylphenol	<	0.9	10	ug/L	1	
S8	4/10/2002	2-Methylphenol	<		10	ug/L	1	
S8	6/21/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S8	9/20/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S8	12/16/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S8	9/11/2003	2-Methylphenol	<	0.9	10	ug/L	1	
S8	9/3/2004	2-Methylphenol	<	0.9	10	ug/L	1	
S9	4/10/2002	2-Methylphenol	<		10	ug/L	1	
S9	6/20/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S9	9/11/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S9	12/12/2002	2-Methylphenol	<	2.1	10	ug/L	1	
S9	9/11/2003	2-Methylphenol	<	0.9	10	ug/L	1	
S9	9/3/2004	2-Methylphenol	<	0.9	10	ug/L	1	
S10	5/24/2004	2-Naphthylamine	<	1	10	ug/L	1	NA
S10	5/24/2004	2-Naphthylamine	<	1	10	ug/L	1	
S10	9/10/2004	2-Naphthylamine	<	1	10	ug/L	1	
S10	12/1/2004	2-Naphthylamine	<	1	10	ug/L	1	
S10	12/1/2004	2-Naphthylamine	<	1	10	ug/L	1	
S10	3/3/2005	2-Naphthylamine	<	1	10	ug/L	1	
S11	5/24/2004	2-Naphthylamine	<	1	10	ug/L	1	
S11	9/10/2004	2-Naphthylamine	<	1	10	ug/L	1	
S11	12/1/2004	2-Naphthylamine	<	1	10	ug/L	1	
S11	3/3/2005	2-Naphthylamine	<	1	10	ug/L	1	
S2	4/3/2002	2-Naphthylamine	<		10	ug/L	1	
S2	6/26/2002	2-Naphthylamine	<	2.6	10	ug/L	1	
S2	9/18/2002	2-Naphthylamine	<	2.6	10	ug/L	1	
S2	12/13/2002	2-Naphthylamine	<	1.4	10	ug/L	1	
S2	3/4/2003	2-Naphthylamine	<	1.4	10	ug/L	1	
S2	3/4/2003	2-Naphthylamine	<	1.4	10	ug/L	1	
S2	6/5/2003	2-Naphthylamine	<	1.4	10	ug/L	1	
S2	9/5/2003	2-Naphthylamine	<	1	10	ug/L	1	
S2	9/5/2003	2-Naphthylamine	<	1	10	ug/L	1	
S2	12/3/2003	2-Naphthylamine	<	1	10	ug/L	1	
S2	9/10/2004	2-Naphthylamine	<	1	10	ug/L	1	
S3	4/3/2002	2-Naphthylamine	<		10	ug/L	1	
S3	9/19/2002	2-Naphthylamine	<	2.6	10	ug/L	1	
S3	9/19/2002	2-Naphthylamine	<	2.6	10	ug/L	1	
S3	12/13/2002	2-Naphthylamine	<	1.4	10	ug/L	1	
S3	3/5/2003	2-Naphthylamine	<	1.4	10	ug/L	1	
S3	6/5/2003	2-Naphthylamine	<	1.4	10	ug/L	1	
S3	9/5/2003	2-Naphthylamine	<	1	10	ug/L	1	
S3	12/2/2003	2-Naphthylamine	<	1	10	ug/L	1	
S3	9/9/2004	2-Naphthylamine	<	1	10	ug/L	1	
S3	9/9/2004	2-Naphthylamine	<	1	10	ug/L	1	
S4	4/3/2002	2-Naphthylamine	<		10	ug/L	1	
S4	6/25/2002	2-Naphthylamine	<	2.6	10	ug/L	1	
S4	9/19/2002	2-Naphthylamine	<	2.6	10	ug/L	1	
S4	12/13/2002	2-Naphthylamine	<	1.4	10	ug/L	1	
S4	9/8/2003	2-Naphthylamine	<	1	10	ug/L	1	
S4	9/9/2004	2-Naphthylamine	<	1	10	ug/L	1	
S5	4/4/2002	2-Naphthylamine	<		10	ug/L	1	
S5	6/24/2002	2-Naphthylamine	<	2.6	10	ug/L	1	

tmpAnalyticalResultsOverTime

S5	9/20/2002	2-Naphthylamine	<	2.6	10	ug/L	1	
S5	12/16/2002	2-Naphthylamine	<	1.4	10	ug/L	1	
S5	9/10/2003	2-Naphthylamine	<	1	10	ug/L	1	
S5	9/8/2004	2-Naphthylamine	<	1	10	ug/L	1	
S6	4/4/2002	2-Naphthylamine	<		10	ug/L	1	
S6	6/24/2002	2-Naphthylamine	<	2.6	10	ug/L	1	
S6	6/24/2002	2-Naphthylamine	<	2.6	10	ug/L	1	
S6	9/23/2002	2-Naphthylamine	<	2.6	10	ug/L	1	
S6	12/18/2002	2-Naphthylamine	<	1.4	10	ug/L	1	
S6	9/9/2003	2-Naphthylamine	<	1	10	ug/L	1	
S6	9/8/2004	2-Naphthylamine	<	1	10	ug/L	1	
S7	4/10/2002	2-Naphthylamine	<		10	ug/L	1	
S7	6/21/2002	2-Naphthylamine	<	2.6	10	ug/L	1	
S7	9/23/2002	2-Naphthylamine	<	2.6	10	ug/L	1	
S7	12/17/2002	2-Naphthylamine	<	1.4	10	ug/L	1	
S7	9/11/2003	2-Naphthylamine	<	1	10	ug/L	1	
S7	9/7/2004	2-Naphthylamine	<	1	10	ug/L	1	
S8	4/10/2002	2-Naphthylamine	<		10	ug/L	1	
S8	6/21/2002	2-Naphthylamine	<	2.6	10	ug/L	1	
S8	9/20/2002	2-Naphthylamine	<	2.6	10	ug/L	1	
S8	12/16/2002	2-Naphthylamine	<	1.4	10	ug/L	1	
S8	9/11/2003	2-Naphthylamine	<	1	10	ug/L	1	
S8	9/3/2004	2-Naphthylamine	<	1	10	ug/L	1	
S9	4/10/2002	2-Naphthylamine	<		10	ug/L	1	
S9	6/20/2002	2-Naphthylamine	<	2.6	10	ug/L	1	
S9	9/11/2002	2-Naphthylamine	<	2.6	10	ug/L	1	
S9	12/12/2002	2-Naphthylamine	<	1.4	10	ug/L	1	
S9	9/11/2003	2-Naphthylamine	<	1	10	ug/L	1	
S9	9/3/2004	2-Naphthylamine	<	1	10	ug/L	1	
S10	5/24/2004	2-Nitroaniline	<	0.9	50	ug/L	1	NA
S10	5/24/2004	2-Nitroaniline	<	0.9	50	ug/L	1	
S10	9/10/2004	2-Nitroaniline	<	0.9	50	ug/L	1	
S10	12/1/2004	2-Nitroaniline	<	0.9	50	ug/L	1	
S10	12/1/2004	2-Nitroaniline	<	0.9	50	ug/L	1	
S10	3/3/2005	2-Nitroaniline	<	1.3	50	ug/L	1	
S11	5/24/2004	2-Nitroaniline	<	0.9	50	ug/L	1	
S11	9/10/2004	2-Nitroaniline	<	0.9	50	ug/L	1	
S11	12/1/2004	2-Nitroaniline	<	0.9	50	ug/L	1	
S11	3/3/2005	2-Nitroaniline	<	1.3	50	ug/L	1	
S2	4/3/2002	2-Nitroaniline	<		50	ug/L	1	
S2	6/26/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S2	9/18/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S2	12/13/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S2	3/4/2003	2-Nitroaniline	<	1.8	50	ug/L	1	
S2	3/4/2003	2-Nitroaniline	<	1.8	50	ug/L	1	
S2	6/5/2003	2-Nitroaniline	<	1.8	50	ug/L	1	
S2	9/5/2003	2-Nitroaniline	<	0.9	50	ug/L	1	
S2	9/5/2003	2-Nitroaniline	<	0.9	50	ug/L	1	
S2	12/3/2003	2-Nitroaniline	<	0.9	50	ug/L	1	
S2	9/10/2004	2-Nitroaniline	<	0.9	50	ug/L	1	
S3	4/3/2002	2-Nitroaniline	<		50	ug/L	1	
S3	9/19/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S3	9/19/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S3	12/13/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S3	3/5/2003	2-Nitroaniline	<	1.8	50	ug/L	1	
S3	6/5/2003	2-Nitroaniline	<	1.8	50	ug/L	1	
S3	9/5/2003	2-Nitroaniline	<	0.9	50	ug/L	1	

tmpAnalyticalResultsOverTime

S3	12/2/2003	2-Nitroaniline	<	0.9	50	ug/L	1	
S3	9/9/2004	2-Nitroaniline	<	0.9	50	ug/L	1	
S3	9/9/2004	2-Nitroaniline	<	0.9	50	ug/L	1	
S4	4/3/2002	2-Nitroaniline	<		50	ug/L	1	
S4	6/25/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S4	9/19/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S4	12/13/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S4	9/8/2003	2-Nitroaniline	<	0.9	50	ug/L	1	
S4	9/9/2004	2-Nitroaniline	<	0.9	50	ug/L	1	
S5	4/4/2002	2-Nitroaniline	<		50	ug/L	1	
S5	6/24/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S5	9/20/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S5	12/16/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S5	9/10/2003	2-Nitroaniline	<	0.9	50	ug/L	1	
S5	9/8/2004	2-Nitroaniline	<	0.9	50	ug/L	1	
S6	4/4/2002	2-Nitroaniline	<		50	ug/L	1	
S6	6/24/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S6	6/24/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S6	9/23/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S6	12/18/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S6	9/9/2003	2-Nitroaniline	<	0.9	50	ug/L	1	
S6	9/8/2004	2-Nitroaniline	<	0.9	50	ug/L	1	
S7	4/10/2002	2-Nitroaniline	<		50	ug/L	1	
S7	6/21/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S7	9/23/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S7	12/17/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S7	9/11/2003	2-Nitroaniline	<	0.9	50	ug/L	1	
S7	9/7/2004	2-Nitroaniline	<	0.9	50	ug/L	1	
S8	4/10/2002	2-Nitroaniline	<		50	ug/L	1	
S8	6/21/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S8	9/20/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S8	12/16/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S8	9/11/2003	2-Nitroaniline	<	0.9	50	ug/L	1	
S8	9/3/2004	2-Nitroaniline	<	0.9	50	ug/L	1	
S9	4/10/2002	2-Nitroaniline	<		50	ug/L	1	
S9	6/20/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S9	9/11/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S9	12/12/2002	2-Nitroaniline	<	1.8	50	ug/L	1	
S9	9/11/2003	2-Nitroaniline	<	0.9	50	ug/L	1	
S9	9/3/2004	2-Nitroaniline	<	0.9	50	ug/L	1	
S10	5/24/2004	2-Nitrophenol	<	0.8	10	ug/L	1	NA
S10	5/24/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
S10	9/10/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
S10	12/1/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
S10	12/1/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
S10	3/3/2005	2-Nitrophenol	<	1.5	10	ug/L	1	
S11	5/24/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
S11	9/10/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
S11	12/1/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
S11	3/3/2005	2-Nitrophenol	<	1.5	10	ug/L	1	
S2	4/3/2002	2-Nitrophenol	<		10	ug/L	1	
S2	6/26/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S2	9/18/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S2	12/13/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S2	3/4/2003	2-Nitrophenol	<	1.8	10	ug/L	1	
S2	3/4/2003	2-Nitrophenol	<	1.8	10	ug/L	1	
S2	6/5/2003	2-Nitrophenol	<	1.8	10	ug/L	1	

tmpAnalyticalResultsOverTime

S2	9/5/2003	2-Nitrophenol	<	0.8	10	ug/L	1	
S2	9/5/2003	2-Nitrophenol	<	0.8	10	ug/L	1	
S2	12/3/2003	2-Nitrophenol	<	0.8	10	ug/L	1	
S2	9/10/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
S3	4/3/2002	2-Nitrophenol	<		10	ug/L	1	
S3	6/25/2002	2-Nitrophenol	<	3.6	20	ug/L	2	
S3	9/19/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S3	9/19/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S3	9/19/2002	2-Nitrophenol	<	1.8	10	ug/L	1	UJ
S3	12/13/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S3	3/5/2003	2-Nitrophenol	<	1.8	10	ug/L	1	
S3	6/5/2003	2-Nitrophenol	<	1.8	10	ug/L	1	
S3	9/5/2003	2-Nitrophenol	<	0.8	10	ug/L	1	
S3	12/2/2003	2-Nitrophenol	<	0.8	10	ug/L	1	
S3	9/9/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
S3	9/9/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
S4	4/3/2002	2-Nitrophenol	<		10	ug/L	1	
S4	6/25/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S4	9/19/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S4	12/13/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S4	9/8/2003	2-Nitrophenol	<	0.8	10	ug/L	1	
S4	9/9/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
S5	4/4/2002	2-Nitrophenol	<		10	ug/L	1	
S5	6/24/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S5	9/20/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S5	12/16/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S5	9/10/2003	2-Nitrophenol	<	0.8	10	ug/L	1	
S5	9/8/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
S6	4/4/2002	2-Nitrophenol	<		10	ug/L	1	
S6	6/24/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S6	6/24/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S6	9/23/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S6	12/18/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S6	9/9/2003	2-Nitrophenol	<	0.8	10	ug/L	1	
S6	9/8/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
S7	4/10/2002	2-Nitrophenol	<		10	ug/L	1	
S7	6/21/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S7	9/23/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S7	12/17/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S7	9/11/2003	2-Nitrophenol	<	0.8	10	ug/L	1	
S7	9/7/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
S8	4/10/2002	2-Nitrophenol	<		10	ug/L	1	
S8	6/21/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S8	9/20/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S8	12/16/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S8	9/11/2003	2-Nitrophenol	<	0.8	10	ug/L	1	
S8	9/3/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
S9	4/10/2002	2-Nitrophenol	<		10	ug/L	1	
S9	6/20/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S9	9/11/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S9	12/12/2002	2-Nitrophenol	<	1.8	10	ug/L	1	
S9	9/11/2003	2-Nitrophenol	<	0.8	10	ug/L	1	
S9	9/3/2004	2-Nitrophenol	<	0.8	10	ug/L	1	
S10	5/24/2004	2-Nitropropane	<	1.6	2	ug/L	1	NA
S10	5/24/2004	2-Nitropropane	<	1.6	2	ug/L	1	
S10	9/10/2004	2-Nitropropane	<	1.6	2	ug/L	1	
S10	12/1/2004	2-Nitropropane	<	1.6	2	ug/L	1	

tmpAnalyticalResultsOverTime

S10	12/1/2004	2-Nitropropane	<	1.6	2	ug/L	1
S10	3/3/2005	2-Nitropropane	<	0.59	2	ug/L	1
S11	5/24/2004	2-Nitropropane	<	1.6	2	ug/L	1
S11	9/10/2004	2-Nitropropane	<	1.6	2	ug/L	1
S11	12/1/2004	2-Nitropropane	<	1.6	2	ug/L	1
S11	3/3/2005	2-Nitropropane	<	0.59	2	ug/L	1
S2	4/3/2002	2-Nitropropane	<		2	ug/L	1
S2	6/26/2002	2-Nitropropane	<	1.3	2	ug/L	1
S2	9/18/2002	2-Nitropropane	<	1.3	2	ug/L	1
S2	12/13/2002	2-Nitropropane	<	1.3	2	ug/L	1
S2	3/4/2003	2-Nitropropane	<	1.6	2	ug/L	1
S2	3/4/2003	2-Nitropropane	<	1.6	2	ug/L	1
S2	6/5/2003	2-Nitropropane	<	1.6	2	ug/L	1
S2	9/5/2003	2-Nitropropane	<	1.6	2	ug/L	1
S2	9/5/2003	2-Nitropropane	<	1.6	2	ug/L	1
S2	12/3/2003	2-Nitropropane	<	3.2	4	ug/L	2
S2	9/10/2004	2-Nitropropane	<	1.6	2	ug/L	1
S3	4/3/2002	2-Nitropropane	<		2	ug/L	1
S3	6/25/2002	2-Nitropropane	<	1.3	2	ug/L	1
S3	9/19/2002	2-Nitropropane	<	1.3	2	ug/L	1
S3	9/19/2002	2-Nitropropane	<	1.3	2	ug/L	1
S3	12/13/2002	2-Nitropropane	<	1.3	2	ug/L	1
S3	3/5/2003	2-Nitropropane	<	1.6	2	ug/L	1
S3	6/5/2003	2-Nitropropane	<	1.6	2	ug/L	1
S3	9/5/2003	2-Nitropropane	<	1.6	2	ug/L	1
S3	12/2/2003	2-Nitropropane	<	1.6	2	ug/L	1
S3	9/9/2004	2-Nitropropane	<	1.6	2	ug/L	1
S3	9/9/2004	2-Nitropropane	<	1.6	2	ug/L	1
S4	4/3/2002	2-Nitropropane	<		2	ug/L	1
S4	6/25/2002	2-Nitropropane	<	1.3	2	ug/L	1
S4	9/19/2002	2-Nitropropane	<	1.3	2	ug/L	1
S4	12/13/2002	2-Nitropropane	<	1.3	2	ug/L	1
S4	9/8/2003	2-Nitropropane	<	1.6	2	ug/L	1
S4	9/9/2004	2-Nitropropane	<	1.6	2	ug/L	1
S5	4/4/2002	2-Nitropropane	<		2	ug/L	1
S5	6/24/2002	2-Nitropropane	<	1.3	2	ug/L	1
S5	9/20/2002	2-Nitropropane	<	1.3	2	ug/L	1
S5	12/16/2002	2-Nitropropane	<	1.3	2	ug/L	1
S5	9/10/2003	2-Nitropropane	<	1.6	2	ug/L	1
S5	9/8/2004	2-Nitropropane	<	1.6	2	ug/L	1
S6	4/4/2002	2-Nitropropane	<		2	ug/L	1
S6	6/24/2002	2-Nitropropane	<	1.3	2	ug/L	1
S6	6/24/2002	2-Nitropropane	<	1.3	2	ug/L	1
S6	9/23/2002	2-Nitropropane	<	1.3	2	ug/L	1
S6	12/18/2002	2-Nitropropane	<	1.3	2	ug/L	1
S6	9/9/2003	2-Nitropropane	<	1.6	2	ug/L	1
S6	9/8/2004	2-Nitropropane	<	1.6	2	ug/L	1
S7	4/10/2002	2-Nitropropane	<		2	ug/L	1 UJ
S7	6/21/2002	2-Nitropropane	<	1.3	2	ug/L	1
S7	9/23/2002	2-Nitropropane	<	1.3	2	ug/L	1
S7	12/17/2002	2-Nitropropane	<	1.3	2	ug/L	1
S7	9/11/2003	2-Nitropropane	<	1.6	2	ug/L	1
S7	9/7/2004	2-Nitropropane	<	1.6	2	ug/L	1
S8	4/10/2002	2-Nitropropane	<		2	ug/L	1 UJ
S8	6/21/2002	2-Nitropropane	<	1.3	2	ug/L	1
S8	9/20/2002	2-Nitropropane	<	1.3	2	ug/L	1
S8	12/16/2002	2-Nitropropane	<	1.3	2	ug/L	1

tmpAnalyticalResultsOverTime

S8	9/11/2003	2-Nitropropane	<	1.6	2	ug/L	1	
S8	9/3/2004	2-Nitropropane	<	1.6	2	ug/L	1	
S9	4/10/2002	2-Nitropropane	<		2	ug/L	1	
S9	6/20/2002	2-Nitropropane	<	1.3	2	ug/L	1	
S9	9/11/2002	2-Nitropropane	<	1.3	2	ug/L	1	
S9	12/12/2002	2-Nitropropane	<	1.3	2	ug/L	1	
S9	9/11/2003	2-Nitropropane	<	1.6	2	ug/L	1	
S9	9/3/2004	2-Nitropropane	<	1.6	2	ug/L	1	
S10	5/24/2004	2-Pentanone	<	1	2	ug/L	1	NA
S10	5/24/2004	2-Pentanone	<	1	2	ug/L	1	
S10	9/10/2004	2-Pentanone	<	1	2	ug/L	1	
S10	12/1/2004	2-Pentanone	<	1	2	ug/L	1	
S10	12/1/2004	2-Pentanone	<	1	2	ug/L	1	
S10	3/3/2005	2-Pentanone	<	0.78	2	ug/L	1	
S11	5/24/2004	2-Pentanone	<	1	2	ug/L	1	
S11	9/10/2004	2-Pentanone	<	1	2	ug/L	1	
S11	12/1/2004	2-Pentanone	<	1	2	ug/L	1	
S11	3/3/2005	2-Pentanone	<	0.78	2	ug/L	1	
S2	9/18/2002	2-Pentanone	<	1.4	2	ug/L	1	
S2	12/13/2002	2-Pentanone	<	1.4	2	ug/L	1	
S2	3/4/2003	2-Pentanone	<	1	2	ug/L	1	
S2	3/4/2003	2-Pentanone	<	1	2	ug/L	1	
S2	6/5/2003	2-Pentanone	<	1	2	ug/L	1	
S2	9/5/2003	2-Pentanone	<	1	2	ug/L	1	
S2	9/5/2003	2-Pentanone	<	1	2	ug/L	1	
S2	12/3/2003	2-Pentanone	<	2	4	ug/L	2	
S2	9/10/2004	2-Pentanone	<	1	2	ug/L	1	
S3	9/19/2002	2-Pentanone	<	1.4	2	ug/L	1	
S3	9/19/2002	2-Pentanone	<	1.4	2	ug/L	1	
S3	12/13/2002	2-Pentanone	<	1.4	2	ug/L	1	
S3	3/5/2003	2-Pentanone	<	1	2	ug/L	1	
S3	6/5/2003	2-Pentanone	<	1	2	ug/L	1	
S3	9/5/2003	2-Pentanone	<	1	2	ug/L	1	
S3	12/2/2003	2-Pentanone	<	1	2	ug/L	1	
S3	9/9/2004	2-Pentanone	<	1	2	ug/L	1	
S3	9/9/2004	2-Pentanone	<	1	2	ug/L	1	
S4	9/19/2002	2-Pentanone	<	1.4	2	ug/L	1	
S4	12/13/2002	2-Pentanone	<	1.4	2	ug/L	1	
S4	9/8/2003	2-Pentanone	<	1	2	ug/L	1	
S4	9/9/2004	2-Pentanone	<	1	2	ug/L	1	
S5	9/20/2002	2-Pentanone	<	1.4	2	ug/L	1	
S5	12/16/2002	2-Pentanone	<	1.4	2	ug/L	1	
S5	9/10/2003	2-Pentanone	<	1	2	ug/L	1	
S5	9/8/2004	2-Pentanone	<	1	2	ug/L	1	
S6	9/23/2002	2-Pentanone	<	1.4	2	ug/L	1	
S6	12/18/2002	2-Pentanone	<	1.4	2	ug/L	1	
S6	9/9/2003	2-Pentanone	<	1	2	ug/L	1	
S6	9/8/2004	2-Pentanone	<	1	2	ug/L	1	
S7	9/23/2002	2-Pentanone	<	1.4	2	ug/L	1	
S7	12/17/2002	2-Pentanone	<	1.4	2	ug/L	1	
S7	9/11/2003	2-Pentanone	<	1	2	ug/L	1	
S7	9/7/2004	2-Pentanone	<	1	2	ug/L	1	
S8	9/20/2002	2-Pentanone	<	1.4	2	ug/L	1	
S8	12/16/2002	2-Pentanone	<	1.4	2	ug/L	1	
S8	9/11/2003	2-Pentanone	<	1	2	ug/L	1	
S8	9/3/2004	2-Pentanone	<	1	2	ug/L	1	
S9	9/11/2002	2-Pentanone	<	1.4	2	ug/L	1	

tmpAnalyticalResultsOverTime

S9	12/12/2002	2-Pentanone	<	1.4	2	ug/L	1	
S9	9/11/2003	2-Pentanone	<	1	2	ug/L	1	
S9	9/3/2004	2-Pentanone	<	1	2	ug/L	1	
S10	5/24/2004	2-Picoline	<	3	20	ug/L	1	NA
S10	5/24/2004	2-Picoline	<	3	20	ug/L	1	
S10	9/10/2004	2-Picoline	<	3	20	ug/L	1	
S10	12/1/2004	2-Picoline	<	3	20	ug/L	1	
S10	12/1/2004	2-Picoline	<	3	20	ug/L	1	
S10	3/3/2005	2-Picoline	<	3	20	ug/L	1	
S11	5/24/2004	2-Picoline	<	3	20	ug/L	1	
S11	9/10/2004	2-Picoline	<	3	20	ug/L	1	
S11	12/1/2004	2-Picoline	<	3	20	ug/L	1	
S11	3/3/2005	2-Picoline	<	3	20	ug/L	1	
S2	4/3/2002	2-Picoline	<		20	ug/L	1	
S2	6/26/2002	2-Picoline	<	1.2	20	ug/L	1	
S2	9/18/2002	2-Picoline	<	1.2	20	ug/L	1	
S2	12/13/2002	2-Picoline	<	1.3	20	ug/L	1	
S2	3/4/2003	2-Picoline	<	1.3	20	ug/L	1	
S2	3/4/2003	2-Picoline	<	1.3	20	ug/L	1	
S2	6/5/2003	2-Picoline	<	1.3	20	ug/L	1	
S2	9/5/2003	2-Picoline	<	1	20	ug/L	1	
S2	9/5/2003	2-Picoline	<	1	20	ug/L	1	
S2	12/3/2003	2-Picoline	<	1	20	ug/L	1	
S2	9/10/2004	2-Picoline	<	3	20	ug/L	1	
S3	4/3/2002	2-Picoline	<		20	ug/L	1	
S3	9/19/2002	2-Picoline	<	1.2	20	ug/L	1	
S3	9/19/2002	2-Picoline	<	1.2	20	ug/L	1	
S3	12/13/2002	2-Picoline	<	1.3	20	ug/L	1	
S3	3/5/2003	2-Picoline	<	1.3	20	ug/L	1	
S3	6/5/2003	2-Picoline	<	1.3	20	ug/L	1	
S3	9/5/2003	2-Picoline	<	1	20	ug/L	1	
S3	12/2/2003	2-Picoline	<	1	20	ug/L	1	
S3	9/9/2004	2-Picoline	<	3	20	ug/L	1	
S3	9/9/2004	2-Picoline	<	3	20	ug/L	1	
S4	4/3/2002	2-Picoline	<		20	ug/L	1	
S4	6/25/2002	2-Picoline	<	1.2	20	ug/L	1	
S4	9/19/2002	2-Picoline	<	1.2	20	ug/L	1	
S4	12/13/2002	2-Picoline	<	1.3	20	ug/L	1	
S4	9/8/2003	2-Picoline	<	1	20	ug/L	1	
S4	9/9/2004	2-Picoline	<	3	20	ug/L	1	
S5	4/4/2002	2-Picoline	<		20	ug/L	1	
S5	6/24/2002	2-Picoline	<	1.2	20	ug/L	1	
S5	9/20/2002	2-Picoline	<	1.2	20	ug/L	1	
S5	12/16/2002	2-Picoline	<	1.3	20	ug/L	1	
S5	9/10/2003	2-Picoline	<	1	20	ug/L	1	
S5	9/8/2004	2-Picoline	<	3	20	ug/L	1	
S6	4/4/2002	2-Picoline	<		20	ug/L	1	
S6	6/24/2002	2-Picoline	<	1.2	20	ug/L	1	
S6	6/24/2002	2-Picoline	<	1.2	20	ug/L	1	
S6	9/23/2002	2-Picoline	<	1.2	20	ug/L	1	
S6	12/18/2002	2-Picoline	<	1.3	20	ug/L	1	
S6	9/9/2003	2-Picoline	<	1	20	ug/L	1	
S6	9/8/2004	2-Picoline	<	3	20	ug/L	1	
S7	4/10/2002	2-Picoline	<		20	ug/L	1	
S7	6/21/2002	2-Picoline	<	1.2	20	ug/L	1	
S7	9/23/2002	2-Picoline	<	1.2	20	ug/L	1	
S7	12/17/2002	2-Picoline	<	1.3	20	ug/L	1	

tmpAnalyticalResultsOverTime

S7	9/11/2003 2-Picoline	<	1	20	ug/L	1	
S7	9/7/2004 2-Picoline	<	3	20	ug/L	1	
S8	4/10/2002 2-Picoline	<		20	ug/L	1	
S8	6/21/2002 2-Picoline	<	1.2	20	ug/L	1	
S8	9/20/2002 2-Picoline	<	1.2	20	ug/L	1	
S8	12/16/2002 2-Picoline	<	1.3	20	ug/L	1	
S8	9/11/2003 2-Picoline	<	1	20	ug/L	1	
S8	9/3/2004 2-Picoline	<	3	20	ug/L	1	
S9	4/10/2002 2-Picoline	<		20	ug/L	1	
S9	6/20/2002 2-Picoline	<	1.2	20	ug/L	1	
S9	9/11/2002 2-Picoline	<	1.2	20	ug/L	1	
S9	12/12/2002 2-Picoline	<	1.3	20	ug/L	1	
S9	9/11/2003 2-Picoline	<	1	20	ug/L	1	
S9	9/3/2004 2-Picoline	<	3	20	ug/L	1	
S10	5/24/2004 3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	NA
S10	5/24/2004 3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S10	9/10/2004 3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S10	12/1/2004 3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S10	12/1/2004 3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S10	3/3/2005 3,3'-DICHLOROBENZIDINE	<	0.63	50	ug/L	1	
S11	5/24/2004 3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S11	9/10/2004 3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S11	12/1/2004 3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S11	3/3/2005 3,3'-DICHLOROBENZIDINE	<	0.63	50	ug/L	1	
S2	4/3/2002 3,3'-DICHLOROBENZIDINE	<		50	ug/L	1	
S2	6/26/2002 3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S2	9/18/2002 3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S2	12/13/2002 3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S2	3/4/2003 3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S2	3/4/2003 3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S2	6/5/2003 3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S2	9/5/2003 3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S2	9/5/2003 3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S2	12/3/2003 3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S2	9/10/2004 3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S3	4/3/2002 3,3'-DICHLOROBENZIDINE	<		50	ug/L	1	
S3	9/19/2002 3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S3	9/19/2002 3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S3	12/13/2002 3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S3	3/5/2003 3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S3	6/5/2003 3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S3	9/5/2003 3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S3	12/2/2003 3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S3	9/9/2004 3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S3	9/9/2004 3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S4	4/3/2002 3,3'-DICHLOROBENZIDINE	<		50	ug/L	1	
S4	6/25/2002 3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S4	9/19/2002 3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S4	12/13/2002 3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S4	9/8/2003 3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S4	9/9/2004 3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S5	4/4/2002 3,3'-DICHLOROBENZIDINE	<		50	ug/L	1	
S5	6/24/2002 3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S5	9/20/2002 3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S5	12/16/2002 3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S5	9/10/2003 3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S5	9/8/2004 3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	



tmpAnalyticalResultsOverTime

S6	4/4/2002	3,3'-DICHLOROBENZIDINE	<		50	ug/L	1	
S6	6/24/2002	3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S6	6/24/2002	3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S6	9/23/2002	3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S6	12/18/2002	3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S6	9/9/2003	3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S6	9/8/2004	3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S7	4/10/2002	3,3'-DICHLOROBENZIDINE	<		50	ug/L	1	
S7	6/21/2002	3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S7	9/23/2002	3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S7	12/17/2002	3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S7	9/11/2003	3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S7	9/7/2004	3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S8	4/10/2002	3,3'-DICHLOROBENZIDINE	<		50	ug/L	1	
S8	6/21/2002	3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S8	9/20/2002	3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S8	12/16/2002	3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S8	9/11/2003	3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S8	9/3/2004	3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S9	4/10/2002	3,3'-DICHLOROBENZIDINE	<		50	ug/L	1	
S9	6/20/2002	3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S9	9/11/2002	3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S9	12/12/2002	3,3'-DICHLOROBENZIDINE	<	8.4	50	ug/L	1	
S9	9/11/2003	3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S9	9/3/2004	3,3'-DICHLOROBENZIDINE	<	8	50	ug/L	1	
S10	5/24/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	NA
S10	5/24/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
S10	9/10/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
S10	12/1/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
S10	12/1/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
S10	3/3/2005	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
S11	5/24/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
S11	9/10/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
S11	12/1/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
S11	3/3/2005	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
S2	4/3/2002	3,3'-DIMETHYLBENZIDINE	<		20	ug/L	1	
S2	6/26/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S2	9/18/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S2	12/13/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S2	3/4/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S2	3/4/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S2	6/5/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S2	9/5/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S2	9/5/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S2	12/3/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S2	9/10/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
S3	4/3/2002	3,3'-DIMETHYLBENZIDINE	<		20	ug/L	1	
S3	9/19/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S3	9/19/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S3	12/13/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S3	3/5/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S3	6/5/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S3	9/5/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S3	12/2/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S3	9/9/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
S3	9/9/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
S4	4/3/2002	3,3'-DIMETHYLBENZIDINE	<		20	ug/L	1	

tmpAnalyticalResultsOverTime

S4	6/25/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S4	9/19/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S4	12/13/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S4	9/8/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S4	9/9/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
S5	4/4/2002	3,3'-DIMETHYLBENZIDINE	<		20	ug/L	1	
S5	6/24/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S5	9/20/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S5	12/16/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S5	9/10/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S5	9/8/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
S6	4/4/2002	3,3'-DIMETHYLBENZIDINE	<		20	ug/L	1	
S6	6/24/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S6	6/24/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S6	9/23/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S6	12/18/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S6	9/9/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S6	9/8/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
S7	4/10/2002	3,3'-DIMETHYLBENZIDINE	<		20	ug/L	1	
S7	6/21/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S7	9/23/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S7	12/17/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S7	9/11/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S7	9/7/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
S8	4/10/2002	3,3'-DIMETHYLBENZIDINE	<		20	ug/L	1	
S8	6/21/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S8	9/20/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S8	12/16/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S8	9/11/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S8	9/3/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
S9	4/10/2002	3,3'-DIMETHYLBENZIDINE	<		20	ug/L	1	
S9	6/20/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S9	9/11/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S9	12/12/2002	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S9	9/11/2003	3,3'-DIMETHYLBENZIDINE	<	10	20	ug/L	1	
S9	9/3/2004	3,3'-DIMETHYLBENZIDINE	<	4	20	ug/L	1	
S10	5/24/2004	3-Methylcholanthrene	<	1	20	ug/L	1	NA
S10	5/24/2004	3-Methylcholanthrene	<	1	20	ug/L	1	
S10	9/10/2004	3-Methylcholanthrene	<	1	20	ug/L	1	
S10	12/1/2004	3-Methylcholanthrene	<	1	20	ug/L	1	
S10	12/1/2004	3-Methylcholanthrene	<	1	20	ug/L	1	
S10	3/3/2005	3-Methylcholanthrene	<	1	20	ug/L	1	
S11	5/24/2004	3-Methylcholanthrene	<	1	20	ug/L	1	
S11	9/10/2004	3-Methylcholanthrene	<	1	20	ug/L	1	
S11	12/1/2004	3-Methylcholanthrene	<	1	20	ug/L	1	
S11	3/3/2005	3-Methylcholanthrene	<	1	20	ug/L	1	
S2	4/3/2002	3-Methylcholanthrene	<		20	ug/L	1	
S2	6/26/2002	3-Methylcholanthrene	<	4.8	20	ug/L	1	
S2	9/18/2002	3-Methylcholanthrene	<	4.8	20	ug/L	1	
S2	12/13/2002	3-Methylcholanthrene	<	2.5	20	ug/L	1	
S2	3/4/2003	3-Methylcholanthrene	<	2.5	20	ug/L	1	
S2	3/4/2003	3-Methylcholanthrene	<	2.5	20	ug/L	1	
S2	6/5/2003	3-Methylcholanthrene	<	2.5	20	ug/L	1	
S2	9/5/2003	3-Methylcholanthrene	<	3	20	ug/L	1	
S2	9/5/2003	3-Methylcholanthrene	<	3	20	ug/L	1	
S2	12/3/2003	3-Methylcholanthrene	<	3	20	ug/L	1	
S2	9/10/2004	3-Methylcholanthrene	<	1	20	ug/L	1	

tmpAnalyticalResultsOverTime

S3	4/3/2002	3-Methylcholanthrene	<		20	ug/L	1	
S3	9/19/2002	3-Methylcholanthrene	<	4.8	20	ug/L	1	
S3	9/19/2002	3-Methylcholanthrene	<	4.8	20	ug/L	1	
S3	12/13/2002	3-Methylcholanthrene	<	2.5	20	ug/L	1	
S3	3/5/2003	3-Methylcholanthrene	<	2.5	20	ug/L	1	
S3	6/5/2003	3-Methylcholanthrene	<	2.5	20	ug/L	1	
S3	9/5/2003	3-Methylcholanthrene	<	3	20	ug/L	1	
S3	12/2/2003	3-Methylcholanthrene	<	3	20	ug/L	1	
S3	9/9/2004	3-Methylcholanthrene	<	1	20	ug/L	1	
S3	9/9/2004	3-Methylcholanthrene	<	1	20	ug/L	1	
S4	4/3/2002	3-Methylcholanthrene	<		20	ug/L	1	
S4	6/25/2002	3-Methylcholanthrene	<	4.8	20	ug/L	1	
S4	9/19/2002	3-Methylcholanthrene	<	4.8	20	ug/L	1	
S4	12/13/2002	3-Methylcholanthrene	<	2.5	20	ug/L	1	
S4	9/8/2003	3-Methylcholanthrene	<	3	20	ug/L	1	
S4	9/9/2004	3-Methylcholanthrene	<	1	20	ug/L	1	
S5	4/4/2002	3-Methylcholanthrene	<		20	ug/L	1	
S5	6/24/2002	3-Methylcholanthrene	<	4.8	20	ug/L	1	
S5	9/20/2002	3-Methylcholanthrene	<	4.8	20	ug/L	1	
S5	12/16/2002	3-Methylcholanthrene	<	2.5	20	ug/L	1	
S5	9/10/2003	3-Methylcholanthrene	<	3	20	ug/L	1	
S5	9/8/2004	3-Methylcholanthrene	<	1	20	ug/L	1	
S6	4/4/2002	3-Methylcholanthrene	<		20	ug/L	1	
S6	6/24/2002	3-Methylcholanthrene	<	4.8	20	ug/L	1	
S6	6/24/2002	3-Methylcholanthrene	<	4.8	20	ug/L	1	
S6	9/23/2002	3-Methylcholanthrene	<	4.8	20	ug/L	1	
S6	12/18/2002	3-Methylcholanthrene	<	2.5	20	ug/L	1	
S6	9/9/2003	3-Methylcholanthrene	<	3	20	ug/L	1	
S6	9/8/2004	3-Methylcholanthrene	<	1	20	ug/L	1	
S7	4/10/2002	3-Methylcholanthrene	<		20	ug/L	1	
S7	6/21/2002	3-Methylcholanthrene	<	4.8	20	ug/L	1	
S7	9/23/2002	3-Methylcholanthrene	<	4.8	20	ug/L	1	
S7	12/17/2002	3-Methylcholanthrene	<	2.5	20	ug/L	1	
S7	9/11/2003	3-Methylcholanthrene	<	3	20	ug/L	1	
S7	9/7/2004	3-Methylcholanthrene	<	1	20	ug/L	1	
S8	4/10/2002	3-Methylcholanthrene	<		20	ug/L	1	
S8	6/21/2002	3-Methylcholanthrene	<	4.8	20	ug/L	1	
S8	9/20/2002	3-Methylcholanthrene	<	4.8	20	ug/L	1	
S8	12/16/2002	3-Methylcholanthrene	<	2.5	20	ug/L	1	
S8	9/11/2003	3-Methylcholanthrene	<	3	20	ug/L	1	
S8	9/3/2004	3-Methylcholanthrene	<	1	20	ug/L	1	
S9	4/10/2002	3-Methylcholanthrene	<		20	ug/L	1	
S9	6/20/2002	3-Methylcholanthrene	<	4.8	20	ug/L	1	
S9	9/11/2002	3-Methylcholanthrene	<	4.8	20	ug/L	1	
S9	12/12/2002	3-Methylcholanthrene	<	2.5	20	ug/L	1	
S9	9/11/2003	3-Methylcholanthrene	<	3	20	ug/L	1	
S9	9/3/2004	3-Methylcholanthrene	<	1	20	ug/L	1	
S10	5/24/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1	NA
S10	5/24/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1	
S10	9/10/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1	
S10	12/1/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1	
S10	12/1/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1	
S10	3/3/2005	3-Methylphenol & 4-Methylphenol	<	1.6	10	ug/L	1	
S11	5/24/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1	
S11	9/10/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1	
S11	12/1/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1	
S11	3/3/2005	3-Methylphenol & 4-Methylphenol	<	1.6	10	ug/L	1	

tmpAnalyticalResultsOverTime

S2	4/3/2002	3-Methylphenol & 4-Methylphenol	<		10	ug/L	1
S2	6/26/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S2	9/18/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S2	12/13/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S2	3/4/2003	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S2	3/4/2003	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S2	6/5/2003	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S2	9/5/2003	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1
S2	9/5/2003	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1
S2	12/3/2003	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1
S2	9/10/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1
S3	4/3/2002	3-Methylphenol & 4-Methylphenol	<		10	ug/L	1
S3	6/25/2002	3-Methylphenol & 4-Methylphenol	<	4.2	20	ug/L	2
S3	9/19/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S3	9/19/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S3	9/19/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1 UJ
S3	12/13/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S3	3/5/2003	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S3	6/5/2003	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S3	9/5/2003	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1
S3	12/2/2003	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1
S3	9/9/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1
S3	9/9/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1
S4	4/3/2002	3-Methylphenol & 4-Methylphenol	<		10	ug/L	1
S4	6/25/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S4	9/19/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S4	12/13/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S4	9/8/2003	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1
S4	9/9/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1
S5	4/4/2002	3-Methylphenol & 4-Methylphenol	<		10	ug/L	1
S5	6/24/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S5	9/20/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S5	12/16/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S5	9/10/2003	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1
S5	9/8/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1
S6	4/4/2002	3-Methylphenol & 4-Methylphenol	<		10	ug/L	1
S6	6/24/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S6	6/24/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S6	9/23/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S6	12/18/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S6	9/9/2003	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1
S6	9/8/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1
S7	4/10/2002	3-Methylphenol & 4-Methylphenol	<		10	ug/L	1
S7	6/21/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S7	9/23/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S7	12/17/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S7	9/11/2003	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1
S7	9/7/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1
S8	4/10/2002	3-Methylphenol & 4-Methylphenol	<		10	ug/L	1
S8	6/21/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S8	9/20/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S8	12/16/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S8	9/11/2003	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1
S8	9/3/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1
S9	4/10/2002	3-Methylphenol & 4-Methylphenol	<		10	ug/L	1
S9	6/20/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1
S9	9/11/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1

tmpAnalyticalResultsOverTime

S9	12/12/2002	3-Methylphenol & 4-Methylphenol	<	2.1	10	ug/L	1	
S9	9/11/2003	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1	
S9	9/3/2004	3-Methylphenol & 4-Methylphenol	<	0.8	10	ug/L	1	
S10	5/24/2004	3-Nitroaniline	<	0.9	50	ug/L	1	NA
S10	5/24/2004	3-Nitroaniline	<	0.9	50	ug/L	1	
S10	9/10/2004	3-Nitroaniline	<	0.9	50	ug/L	1	
S10	12/1/2004	3-Nitroaniline	<	0.9	50	ug/L	1	
S10	12/1/2004	3-Nitroaniline	<	0.9	50	ug/L	1	
S10	3/3/2005	3-Nitroaniline	<	3.6	50	ug/L	1	
S11	5/24/2004	3-Nitroaniline	<	0.9	50	ug/L	1	
S11	9/10/2004	3-Nitroaniline	<	0.9	50	ug/L	1	
S11	12/1/2004	3-Nitroaniline	<	0.9	50	ug/L	1	
S11	3/3/2005	3-Nitroaniline	<	3.6	50	ug/L	1	
S2	4/3/2002	3-Nitroaniline	<		50	ug/L	1	
S2	6/26/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S2	9/18/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S2	12/13/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S2	3/4/2003	3-Nitroaniline	<	7.6	50	ug/L	1	
S2	3/4/2003	3-Nitroaniline	<	7.6	50	ug/L	1	
S2	6/5/2003	3-Nitroaniline	<	7.6	50	ug/L	1	
S2	9/5/2003	3-Nitroaniline	<	0.9	50	ug/L	1	
S2	9/5/2003	3-Nitroaniline	<	0.9	50	ug/L	1	
S2	12/3/2003	3-Nitroaniline	<	0.9	50	ug/L	1	
S2	9/10/2004	3-Nitroaniline	<	0.9	50	ug/L	1	
S3	4/3/2002	3-Nitroaniline	<		50	ug/L	1	
S3	9/19/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S3	9/19/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S3	12/13/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S3	3/5/2003	3-Nitroaniline	<	7.6	50	ug/L	1	
S3	6/5/2003	3-Nitroaniline	<	7.6	50	ug/L	1	
S3	9/5/2003	3-Nitroaniline	<	0.9	50	ug/L	1	
S3	12/2/2003	3-Nitroaniline	<	0.9	50	ug/L	1	
S3	9/9/2004	3-Nitroaniline	<	0.9	50	ug/L	1	
S3	9/9/2004	3-Nitroaniline	<	0.9	50	ug/L	1	
S4	4/3/2002	3-Nitroaniline	<		50	ug/L	1	
S4	6/25/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S4	9/19/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S4	12/13/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S4	9/8/2003	3-Nitroaniline	<	0.9	50	ug/L	1	
S4	9/9/2004	3-Nitroaniline	<	0.9	50	ug/L	1	
S5	4/4/2002	3-Nitroaniline	<		50	ug/L	1	
S5	6/24/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S5	9/20/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S5	12/16/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S5	9/10/2003	3-Nitroaniline	<	0.9	50	ug/L	1	
S5	9/8/2004	3-Nitroaniline	<	0.9	50	ug/L	1	
S6	4/4/2002	3-Nitroaniline	<		50	ug/L	1	
S6	6/24/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S6	6/24/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S6	9/23/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S6	12/18/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S6	9/9/2003	3-Nitroaniline	<	0.9	50	ug/L	1	
S6	9/8/2004	3-Nitroaniline	<	0.9	50	ug/L	1	
S7	4/10/2002	3-Nitroaniline	<		50	ug/L	1	
S7	6/21/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S7	9/23/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S7	12/17/2002	3-Nitroaniline	<	7.6	50	ug/L	1	

tmpAnalyticalResultsOverTime

S7	9/11/2003	3-Nitroaniline	<	0.9	50	ug/L	1	
S7	9/7/2004	3-Nitroaniline	<	0.9	50	ug/L	1	
S8	4/10/2002	3-Nitroaniline	<		50	ug/L	1	
S8	6/21/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S8	9/20/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S8	12/16/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S8	9/11/2003	3-Nitroaniline	<	0.9	50	ug/L	1	
S8	9/3/2004	3-Nitroaniline	<	0.9	50	ug/L	1	
S9	4/10/2002	3-Nitroaniline	<		50	ug/L	1	
S9	6/20/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S9	9/11/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S9	12/12/2002	3-Nitroaniline	<	7.6	50	ug/L	1	
S9	9/11/2003	3-Nitroaniline	<	0.9	50	ug/L	1	
S9	9/3/2004	3-Nitroaniline	<	0.9	50	ug/L	1	
S10	5/24/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	NA
S10	5/24/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S10	9/10/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S10	12/1/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S10	12/1/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S10	3/3/2005	4,6-Dinitro-2-methylphenol	<	9.8	50	ug/L	1	
S11	5/24/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S11	9/10/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S11	12/1/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S11	3/3/2005	4,6-Dinitro-2-methylphenol	<	9.8	50	ug/L	1	
S2	4/3/2002	4,6-Dinitro-2-methylphenol	<		50	ug/L	1	
S2	6/26/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S2	9/18/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S2	12/13/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S2	3/4/2003	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S2	3/4/2003	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S2	6/5/2003	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S2	9/5/2003	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S2	9/5/2003	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S2	12/3/2003	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S2	9/10/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S3	4/3/2002	4,6-Dinitro-2-methylphenol	<		50	ug/L	1	
S3	6/25/2002	4,6-Dinitro-2-methylphenol	<	36	100	ug/L	2	
S3	9/19/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S3	9/19/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S3	9/19/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	UJ
S3	12/13/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S3	3/5/2003	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S3	6/5/2003	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S3	9/5/2003	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S3	12/2/2003	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S3	9/9/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S3	9/9/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S4	4/3/2002	4,6-Dinitro-2-methylphenol	<		50	ug/L	1	
S4	6/25/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S4	9/19/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S4	12/13/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S4	9/8/2003	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S4	9/9/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S5	4/4/2002	4,6-Dinitro-2-methylphenol	<		50	ug/L	1	
S5	6/24/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S5	9/20/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S5	12/16/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	

tmpAnalyticalResultsOverTime

S5	9/10/2003	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S5	9/8/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S6	4/4/2002	4,6-Dinitro-2-methylphenol	<		50	ug/L	1	
S6	6/24/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S6	6/24/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S6	9/23/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S6	12/18/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S6	9/9/2003	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S6	9/8/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S7	4/10/2002	4,6-Dinitro-2-methylphenol	<		50	ug/L	1	
S7	6/21/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S7	9/23/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S7	12/17/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S7	9/11/2003	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S7	9/7/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S8	4/10/2002	4,6-Dinitro-2-methylphenol	<		50	ug/L	1	
S8	6/21/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S8	9/20/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S8	12/16/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S8	9/11/2003	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S8	9/3/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S9	4/10/2002	4,6-Dinitro-2-methylphenol	<		50	ug/L	1	
S9	6/20/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S9	9/11/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S9	12/12/2002	4,6-Dinitro-2-methylphenol	<	18	50	ug/L	1	
S9	9/11/2003	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S9	9/3/2004	4,6-Dinitro-2-methylphenol	<	6	50	ug/L	1	
S10	5/24/2004	4-Aminobiphenyl	<	2	50	ug/L	1	NA
S10	5/24/2004	4-Aminobiphenyl	<	2	50	ug/L	1	
S10	9/10/2004	4-Aminobiphenyl	<	2	50	ug/L	1	
S10	12/1/2004	4-Aminobiphenyl	<	2	50	ug/L	1	
S10	12/1/2004	4-Aminobiphenyl	<	2	50	ug/L	1	
S10	3/3/2005	4-Aminobiphenyl	<	2	50	ug/L	1	
S11	5/24/2004	4-Aminobiphenyl	<	2	50	ug/L	1	
S11	9/10/2004	4-Aminobiphenyl	<	2	50	ug/L	1	
S11	12/1/2004	4-Aminobiphenyl	<	2	50	ug/L	1	
S11	3/3/2005	4-Aminobiphenyl	<	2	50	ug/L	1	
S2	4/3/2002	4-Aminobiphenyl	<		50	ug/L	1	
S2	6/26/2002	4-Aminobiphenyl	<	1.6	50	ug/L	1	
S2	9/18/2002	4-Aminobiphenyl	<	1.6	50	ug/L	1	
S2	12/13/2002	4-Aminobiphenyl	<	1.2	50	ug/L	1	
S2	3/4/2003	4-Aminobiphenyl	<	1.2	50	ug/L	1	
S2	3/4/2003	4-Aminobiphenyl	<	1.2	50	ug/L	1	
S2	6/5/2003	4-Aminobiphenyl	<	1.2	50	ug/L	1	
S2	9/5/2003	4-Aminobiphenyl	<	1	50	ug/L	1	
S2	9/5/2003	4-Aminobiphenyl	<	1	50	ug/L	1	
S2	12/3/2003	4-Aminobiphenyl	<	1	50	ug/L	1	
S2	9/10/2004	4-Aminobiphenyl	<	2	50	ug/L	1	
S3	4/3/2002	4-Aminobiphenyl	<		50	ug/L	1	
S3	9/19/2002	4-Aminobiphenyl	<	1.6	50	ug/L	1	
S3	9/19/2002	4-Aminobiphenyl	<	1.6	50	ug/L	1	
S3	12/13/2002	4-Aminobiphenyl	<	1.2	50	ug/L	1	
S3	3/5/2003	4-Aminobiphenyl	<	1.2	50	ug/L	1	
S3	6/5/2003	4-Aminobiphenyl	<	1.2	50	ug/L	1	
S3	9/5/2003	4-Aminobiphenyl	<	1	50	ug/L	1	
S3	12/2/2003	4-Aminobiphenyl	<	1	50	ug/L	1	
S3	9/9/2004	4-Aminobiphenyl	<	2	50	ug/L	1	

tmpAnalyticalResultsOverTime

S3	9/9/2004	4-Aminobiphenyl	<	2	50	ug/L	1	
S4	4/3/2002	4-Aminobiphenyl	<		50	ug/L	1	
S4	6/25/2002	4-Aminobiphenyl	<	1.6	50	ug/L	1	
S4	9/19/2002	4-Aminobiphenyl	<	1.6	50	ug/L	1	
S4	12/13/2002	4-Aminobiphenyl	<	1.2	50	ug/L	1	
S4	9/8/2003	4-Aminobiphenyl	<	1	50	ug/L	1	
S4	9/9/2004	4-Aminobiphenyl	<	2	50	ug/L	1	
S5	4/4/2002	4-Aminobiphenyl	<		50	ug/L	1	
S5	6/24/2002	4-Aminobiphenyl	<	1.6	50	ug/L	1	
S5	9/20/2002	4-Aminobiphenyl	<	1.6	50	ug/L	1	
S5	12/16/2002	4-Aminobiphenyl	<	1.2	50	ug/L	1	
S5	9/10/2003	4-Aminobiphenyl	<	1	50	ug/L	1	
S5	9/8/2004	4-Aminobiphenyl	<	2	50	ug/L	1	
S6	4/4/2002	4-Aminobiphenyl	<		50	ug/L	1	
S6	6/24/2002	4-Aminobiphenyl	<	1.6	50	ug/L	1	
S6	6/24/2002	4-Aminobiphenyl	<	1.6	50	ug/L	1	
S6	9/23/2002	4-Aminobiphenyl	<	1.6	50	ug/L	1	
S6	12/18/2002	4-Aminobiphenyl	<	1.2	50	ug/L	1	
S6	9/9/2003	4-Aminobiphenyl	<	1	50	ug/L	1	
S6	9/8/2004	4-Aminobiphenyl	<	2	50	ug/L	1	
S7	4/10/2002	4-Aminobiphenyl	<		50	ug/L	1	
S7	6/21/2002	4-Aminobiphenyl	<	1.6	50	ug/L	1	
S7	9/23/2002	4-Aminobiphenyl	<	1.6	50	ug/L	1	
S7	12/17/2002	4-Aminobiphenyl	<	1.2	50	ug/L	1	
S7	9/11/2003	4-Aminobiphenyl	<	1	50	ug/L	1	
S7	9/7/2004	4-Aminobiphenyl	<	2	50	ug/L	1	
S8	4/10/2002	4-Aminobiphenyl	<		50	ug/L	1	
S8	6/21/2002	4-Aminobiphenyl	<	1.6	50	ug/L	1	
S8	9/20/2002	4-Aminobiphenyl	<	1.6	50	ug/L	1	
S8	12/16/2002	4-Aminobiphenyl	<	1.2	50	ug/L	1	
S8	9/11/2003	4-Aminobiphenyl	<	1	50	ug/L	1	
S8	9/3/2004	4-Aminobiphenyl	<	2	50	ug/L	1	
S9	4/10/2002	4-Aminobiphenyl	<		50	ug/L	1	
S9	6/20/2002	4-Aminobiphenyl	<	1.6	50	ug/L	1	
S9	9/11/2002	4-Aminobiphenyl	<	1.6	50	ug/L	1	
S9	12/12/2002	4-Aminobiphenyl	<	1.2	50	ug/L	1	
S9	9/11/2003	4-Aminobiphenyl	<	1	50	ug/L	1	
S9	9/3/2004	4-Aminobiphenyl	<	2	50	ug/L	1	
S10	5/24/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	NA
S10	5/24/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S10	9/10/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S10	12/1/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S10	12/1/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S10	3/3/2005	4-Bromophenyl phenyl ether	<	2.1	10	ug/L	1	
S11	5/24/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S11	9/10/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S11	12/1/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S11	3/3/2005	4-Bromophenyl phenyl ether	<	2.1	10	ug/L	1	
S2	4/3/2002	4-Bromophenyl phenyl ether	<		10	ug/L	1	
S2	6/26/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S2	9/18/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S2	12/13/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S2	3/4/2003	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S2	3/4/2003	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S2	6/5/2003	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S2	9/5/2003	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S2	9/5/2003	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	



tmpAnalyticalResultsOverTime

S2	12/3/2003	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S2	9/10/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S3	4/3/2002	4-Bromophenyl phenyl ether	<		10	ug/L	1	
S3	9/19/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S3	9/19/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S3	12/13/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S3	3/5/2003	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S3	6/5/2003	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S3	9/5/2003	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S3	12/2/2003	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S3	9/9/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S3	9/9/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S4	4/3/2002	4-Bromophenyl phenyl ether	<		10	ug/L	1	
S4	6/25/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S4	9/19/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S4	12/13/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S4	9/8/2003	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S4	9/9/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S5	4/4/2002	4-Bromophenyl phenyl ether	<		10	ug/L	1	
S5	6/24/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S5	9/20/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S5	12/16/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S5	9/10/2003	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S5	9/8/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S6	4/4/2002	4-Bromophenyl phenyl ether	<		10	ug/L	1	
S6	6/24/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S6	6/24/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S6	9/23/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S6	12/18/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S6	9/9/2003	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S6	9/8/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S7	4/10/2002	4-Bromophenyl phenyl ether	<		10	ug/L	1	
S7	6/21/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S7	9/23/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S7	12/17/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S7	9/11/2003	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S7	9/7/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S8	4/10/2002	4-Bromophenyl phenyl ether	<		10	ug/L	1	
S8	6/21/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S8	9/20/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S8	12/16/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S8	9/11/2003	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S8	9/3/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S9	4/10/2002	4-Bromophenyl phenyl ether	<		10	ug/L	1	
S9	6/20/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S9	9/11/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S9	12/12/2002	4-Bromophenyl phenyl ether	<	1.5	10	ug/L	1	
S9	9/11/2003	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S9	9/3/2004	4-Bromophenyl phenyl ether	<	0.7	10	ug/L	1	
S10	5/24/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1	NA
S10	5/24/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1	
S10	9/10/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1	
S10	12/1/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1	
S10	12/1/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1	
S10	3/3/2005	4-Chloro-3-methylphenol	<	1.3	10	ug/L	1	
S11	5/24/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1	
S11	9/10/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1	

tmpAnalyticalResultsOverTime

S11	12/1/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
S11	3/3/2005	4-Chloro-3-methylphenol	<	1.3	10	ug/L	1
S2	4/3/2002	4-Chloro-3-methylphenol	<		10	ug/L	1
S2	6/26/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S2	9/18/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S2	12/13/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S2	3/4/2003	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S2	3/4/2003	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S2	6/5/2003	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S2	9/5/2003	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
S2	9/5/2003	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
S2	12/3/2003	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
S2	9/10/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
S3	4/3/2002	4-Chloro-3-methylphenol	<		10	ug/L	1
S3	6/25/2002	4-Chloro-3-methylphenol	<	2	20	ug/L	1
S3	9/19/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S3	9/19/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S3	12/13/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S3	3/5/2003	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S3	6/5/2003	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S3	9/5/2003	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
S3	12/2/2003	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
S3	9/9/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
S3	9/9/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
S4	4/3/2002	4-Chloro-3-methylphenol	<		10	ug/L	1
S4	6/25/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S4	9/19/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S4	12/13/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S4	9/8/2003	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
S4	9/9/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
S5	4/4/2002	4-Chloro-3-methylphenol	<		10	ug/L	1
S5	6/24/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S5	9/20/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S5	12/16/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S5	9/10/2003	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
S5	9/8/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
S6	4/4/2002	4-Chloro-3-methylphenol	<		10	ug/L	1
S6	6/24/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S6	6/24/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S6	9/23/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S6	12/18/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S6	9/9/2003	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
S6	9/8/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
S7	4/10/2002	4-Chloro-3-methylphenol	<		10	ug/L	1
S7	6/21/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S7	9/23/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S7	12/17/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S7	9/11/2003	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
S7	9/7/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
S8	4/10/2002	4-Chloro-3-methylphenol	<		10	ug/L	1
S8	6/21/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S8	9/20/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S8	12/16/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1
S8	9/11/2003	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
S8	9/3/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1
S9	4/10/2002	4-Chloro-3-methylphenol	<		10	ug/L	1
S9	6/20/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1

tmpAnalyticalResultsOverTime

S9	9/11/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1	
S9	12/12/2002	4-Chloro-3-methylphenol	<	2	10	ug/L	1	
S9	9/11/2003	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1	
S9	9/3/2004	4-Chloro-3-methylphenol	<	0.8	10	ug/L	1	
S10	5/24/2004	4-Chloroaniline	<	3	10	ug/L	1	NA
S10	5/24/2004	4-Chloroaniline	<	3	10	ug/L	1	
S10	9/10/2004	4-Chloroaniline	<	3	10	ug/L	1	
S10	12/1/2004	4-Chloroaniline	<	3	10	ug/L	1	
S10	12/1/2004	4-Chloroaniline	<	3	10	ug/L	1	
S10	3/3/2005	4-Chloroaniline	<	7.5	10	ug/L	1	
S11	5/24/2004	4-Chloroaniline	<	3	10	ug/L	1	
S11	9/10/2004	4-Chloroaniline	<	3	10	ug/L	1	
S11	12/1/2004	4-Chloroaniline	<	3	10	ug/L	1	
S11	3/3/2005	4-Chloroaniline	<	7.5	10	ug/L	1	
S2	4/3/2002	4-Chloroaniline	<		10	ug/L	1	
S2	6/26/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S2	9/18/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S2	12/13/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S2	3/4/2003	4-Chloroaniline	<	2.5	10	ug/L	1	
S2	3/4/2003	4-Chloroaniline	<	2.5	10	ug/L	1	
S2	6/5/2003	4-Chloroaniline	<	2.5	10	ug/L	1	
S2	9/5/2003	4-Chloroaniline	<	3	10	ug/L	1	
S2	9/5/2003	4-Chloroaniline	<	3	10	ug/L	1	
S2	12/3/2003	4-Chloroaniline	<	3	10	ug/L	1	
S2	9/10/2004	4-Chloroaniline	<	3	10	ug/L	1	
S3	4/3/2002	4-Chloroaniline	<		10	ug/L	1	
S3	9/19/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S3	9/19/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S3	12/13/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S3	3/5/2003	4-Chloroaniline	<	2.5	10	ug/L	1	
S3	6/5/2003	4-Chloroaniline	<	2.5	10	ug/L	1	
S3	9/5/2003	4-Chloroaniline	<	3	10	ug/L	1	
S3	12/2/2003	4-Chloroaniline	<	3	10	ug/L	1	
S3	9/9/2004	4-Chloroaniline	<	3	10	ug/L	1	
S3	9/9/2004	4-Chloroaniline	<	3	10	ug/L	1	
S4	4/3/2002	4-Chloroaniline	<		10	ug/L	1	
S4	6/25/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S4	9/19/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S4	12/13/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S4	9/8/2003	4-Chloroaniline	<	3	10	ug/L	1	
S4	9/9/2004	4-Chloroaniline	<	3	10	ug/L	1	
S5	4/4/2002	4-Chloroaniline	<		10	ug/L	1	
S5	6/24/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S5	9/20/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S5	12/16/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S5	9/10/2003	4-Chloroaniline	<	3	10	ug/L	1	
S5	9/8/2004	4-Chloroaniline	<	3	10	ug/L	1	
S6	4/4/2002	4-Chloroaniline	<		10	ug/L	1	
S6	6/24/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S6	6/24/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S6	9/23/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S6	12/18/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S6	9/9/2003	4-Chloroaniline	<	3	10	ug/L	1	
S6	9/8/2004	4-Chloroaniline	<	3	10	ug/L	1	
S7	4/10/2002	4-Chloroaniline	<		10	ug/L	1	
S7	6/21/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S7	9/23/2002	4-Chloroaniline	<	2.5	10	ug/L	1	

tmpAnalyticalResultsOverTime

S7	12/17/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S7	9/11/2003	4-Chloroaniline	<	3	10	ug/L	1	
S7	9/7/2004	4-Chloroaniline	<	3	10	ug/L	1	
S8	4/10/2002	4-Chloroaniline	<		10	ug/L	1	
S8	6/21/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S8	9/20/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S8	12/16/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S8	9/11/2003	4-Chloroaniline	<	3	10	ug/L	1	
S8	9/3/2004	4-Chloroaniline	<	3	10	ug/L	1	
S9	4/10/2002	4-Chloroaniline	<		10	ug/L	1	
S9	6/20/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S9	9/11/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S9	12/12/2002	4-Chloroaniline	<	2.5	10	ug/L	1	
S9	9/11/2003	4-Chloroaniline	<	3	10	ug/L	1	
S9	9/3/2004	4-Chloroaniline	<	3	10	ug/L	1	
S10	5/24/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	NA
S10	5/24/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S10	9/10/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S10	12/1/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S10	12/1/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S10	3/3/2005	4-Chlorophenyl phenyl ether	<	2	10	ug/L	1	
S11	5/24/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S11	9/10/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S11	12/1/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S11	3/3/2005	4-Chlorophenyl phenyl ether	<	2	10	ug/L	1	
S2	4/3/2002	4-Chlorophenyl phenyl ether	<		10	ug/L	1	
S2	6/26/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S2	9/18/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S2	12/13/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S2	3/4/2003	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S2	3/4/2003	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S2	6/5/2003	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S2	9/5/2003	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S2	9/5/2003	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S2	12/3/2003	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S2	9/10/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S3	4/3/2002	4-Chlorophenyl phenyl ether	<		10	ug/L	1	
S3	9/19/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S3	9/19/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S3	12/13/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S3	3/5/2003	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S3	6/5/2003	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S3	9/5/2003	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S3	12/2/2003	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S3	9/9/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S3	9/9/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S4	4/3/2002	4-Chlorophenyl phenyl ether	<		10	ug/L	1	
S4	6/25/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S4	9/19/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S4	12/13/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S4	9/8/2003	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S4	9/9/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S5	4/4/2002	4-Chlorophenyl phenyl ether	<		10	ug/L	1	
S5	6/24/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S5	9/20/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S5	12/16/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S5	9/10/2003	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	

tmpAnalyticalResultsOverTime

S5	9/8/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S6	4/4/2002	4-Chlorophenyl phenyl ether	<		10	ug/L	1	
S6	6/24/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S6	6/24/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S6	9/23/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S6	12/18/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S6	9/9/2003	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S6	9/8/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S7	4/10/2002	4-Chlorophenyl phenyl ether	<		10	ug/L	1	
S7	6/21/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S7	9/23/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S7	12/17/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S7	9/11/2003	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S7	9/7/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S8	4/10/2002	4-Chlorophenyl phenyl ether	<		10	ug/L	1	
S8	6/21/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S8	9/20/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S8	12/16/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S8	9/11/2003	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S8	9/3/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S9	4/10/2002	4-Chlorophenyl phenyl ether	<		10	ug/L	1	
S9	6/20/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S9	9/11/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S9	12/12/2002	4-Chlorophenyl phenyl ether	<	1.2	10	ug/L	1	
S9	9/11/2003	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S9	9/3/2004	4-Chlorophenyl phenyl ether	<	0.6	10	ug/L	1	
S10	5/24/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	NA
S10	5/24/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
S10	9/10/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
S10	12/1/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
S10	12/1/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
S10	3/3/2005	4-Chlorotoluene	<	0.82	1	ug/L	1	
S11	5/24/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
S11	9/10/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
S11	12/1/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
S11	3/3/2005	4-Chlorotoluene	<	0.82	1	ug/L	1	
S2	4/3/2002	4-Chlorotoluene	<		1	ug/L	1	
S2	6/26/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S2	9/18/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S2	12/13/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S2	3/4/2003	4-Chlorotoluene	<	0.21	1	ug/L	1	
S2	3/4/2003	4-Chlorotoluene	<	0.21	1	ug/L	1	
S2	6/5/2003	4-Chlorotoluene	<	0.21	1	ug/L	1	
S2	9/5/2003	4-Chlorotoluene	<	0.21	1	ug/L	1	
S2	9/5/2003	4-Chlorotoluene	<	0.21	1	ug/L	1	
S2	12/3/2003	4-Chlorotoluene	<	0.42	2	ug/L	2	
S2	9/10/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
S3	4/3/2002	4-Chlorotoluene	<		1	ug/L	1	
S3	6/25/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S3	9/19/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S3	9/19/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S3	12/13/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S3	3/5/2003	4-Chlorotoluene	<	0.21	1	ug/L	1	
S3	6/5/2003	4-Chlorotoluene	<	0.21	1	ug/L	1	
S3	9/5/2003	4-Chlorotoluene	<	0.21	1	ug/L	1	
S3	12/2/2003	4-Chlorotoluene	<	0.21	1	ug/L	1	
S3	9/9/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	

tmpAnalyticalResultsOverTime

S3	9/9/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
S4	4/3/2002	4-Chlorotoluene	<		1	ug/L	1	
S4	6/25/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S4	9/19/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S4	12/13/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S4	9/8/2003	4-Chlorotoluene	<	0.21	1	ug/L	1	
S4	9/9/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
S5	4/4/2002	4-Chlorotoluene	<		1	ug/L	1	
S5	6/24/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S5	9/20/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S5	12/16/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S5	9/10/2003	4-Chlorotoluene	<	0.21	1	ug/L	1	
S5	9/8/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
S6	4/4/2002	4-Chlorotoluene	<		1	ug/L	1	
S6	6/24/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S6	6/24/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S6	9/23/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S6	12/18/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S6	9/9/2003	4-Chlorotoluene	<	0.21	1	ug/L	1	
S6	9/8/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
S7	4/10/2002	4-Chlorotoluene	<		1	ug/L	1	UJ
S7	6/21/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S7	9/23/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S7	12/17/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S7	9/11/2003	4-Chlorotoluene	<	0.21	1	ug/L	1	
S7	9/7/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
S8	4/10/2002	4-Chlorotoluene	<		1	ug/L	1	UJ
S8	6/21/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S8	9/20/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S8	12/16/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S8	9/11/2003	4-Chlorotoluene	<	0.21	1	ug/L	1	
S8	9/3/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
S9	4/10/2002	4-Chlorotoluene	<		1	ug/L	1	
S9	6/20/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S9	9/11/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S9	12/12/2002	4-Chlorotoluene	<	0.26	1	ug/L	1	
S9	9/11/2003	4-Chlorotoluene	<	0.21	1	ug/L	1	
S9	9/3/2004	4-Chlorotoluene	<	0.21	1	ug/L	1	
S10	5/24/2004	4-Isopropyltoluene	<	0.2	1	ug/L	1	NA
S10	5/24/2004	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S10	9/10/2004	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S10	12/1/2004	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S10	12/1/2004	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S10	3/3/2005	4-Isopropyltoluene	<	0.22	1	ug/L	1	
S11	5/24/2004	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S11	9/10/2004	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S11	12/1/2004	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S11	3/3/2005	4-Isopropyltoluene	<	0.22	1	ug/L	1	
S2	4/3/2002	4-Isopropyltoluene	<		1	ug/L	1	
S2	6/26/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S2	9/18/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S2	12/13/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S2	3/4/2003	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S2	3/4/2003	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S2	6/5/2003	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S2	9/5/2003	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S2	9/5/2003	4-Isopropyltoluene	<	0.2	1	ug/L	1	

tmpAnalyticalResultsOverTime

S2	12/3/2003	4-Isopropyltoluene	<	0.4	2	ug/L	2	
S2	9/10/2004	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S3	4/3/2002	4-Isopropyltoluene	<		1	ug/L	1	
S3	6/25/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S3	9/19/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S3	9/19/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S3	12/13/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S3	3/5/2003	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S3	6/5/2003	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S3	9/5/2003	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S3	12/2/2003	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S3	9/9/2004	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S3	9/9/2004	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S4	4/3/2002	4-Isopropyltoluene	<		1	ug/L	1	
S4	6/25/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S4	9/19/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S4	12/13/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S4	9/8/2003	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S4	9/9/2004	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S5	4/4/2002	4-Isopropyltoluene	<		1	ug/L	1	
S5	6/24/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S5	9/20/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S5	12/16/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S5	9/10/2003	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S5	9/8/2004	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S6	4/4/2002	4-Isopropyltoluene	<		1	ug/L	1	
S6	6/24/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S6	6/24/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S6	9/23/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S6	12/18/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S6	9/9/2003	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S6	9/8/2004	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S7	4/10/2002	4-Isopropyltoluene	<		1	ug/L	1	UJ
S7	6/21/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S7	9/23/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S7	12/17/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S7	9/11/2003	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S7	9/7/2004	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S8	4/10/2002	4-Isopropyltoluene	<		1	ug/L	1	UJ
S8	6/21/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S8	9/20/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S8	12/16/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S8	9/11/2003	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S8	9/3/2004	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S9	4/10/2002	4-Isopropyltoluene	<		1	ug/L	1	
S9	6/20/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S9	9/11/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S9	12/12/2002	4-Isopropyltoluene	<	0.32	1	ug/L	1	
S9	9/11/2003	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S9	9/3/2004	4-Isopropyltoluene	<	0.2	1	ug/L	1	
S10	5/24/2004	4-Methyl-2-pentanone	<	0.98	5	ug/L	1	NA
S10	5/24/2004	4-Methyl-2-pentanone	<	0.98	5	ug/L	1	
S10	9/10/2004	4-Methyl-2-pentanone	<	0.98	5	ug/L	1	
S10	12/1/2004	4-Methyl-2-pentanone	<	0.98	5	ug/L	1	
S10	12/1/2004	4-Methyl-2-pentanone	<	0.98	5	ug/L	1	
S10	3/3/2005	4-Methyl-2-pentanone	<	0.74	5	ug/L	1	
S11	5/24/2004	4-Methyl-2-pentanone	<	0.98	5	ug/L	1	

tmpAnalyticalResultsOverTime

S11	9/10/2004	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S11	12/1/2004	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S11	3/3/2005	4-Methyl-2-pentanone	<	0.74	5	ug/L	1
S2	4/3/2002	4-Methyl-2-pentanone	<		5	ug/L	1
S2	6/26/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S2	9/18/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S2	12/13/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S2	3/4/2003	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S2	3/4/2003	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S2	6/5/2003	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S2	9/5/2003	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S2	9/5/2003	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S2	12/3/2003	4-Methyl-2-pentanone	<	2	10	ug/L	2
S2	9/10/2004	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S3	4/3/2002	4-Methyl-2-pentanone	<		5	ug/L	1
S3	6/25/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S3	9/19/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S3	9/19/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S3	12/13/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S3	3/5/2003	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S3	6/5/2003	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S3	9/5/2003	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S3	12/2/2003	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S3	9/9/2004	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S3	9/9/2004	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S4	4/3/2002	4-Methyl-2-pentanone	<		5	ug/L	1
S4	6/25/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S4	9/19/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S4	12/13/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S4	9/8/2003	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S4	9/9/2004	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S5	4/4/2002	4-Methyl-2-pentanone	<		5	ug/L	1
S5	6/24/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S5	9/20/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S5	12/16/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S5	9/10/2003	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S5	9/8/2004	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S6	4/4/2002	4-Methyl-2-pentanone	<		5	ug/L	1
S6	6/24/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S6	6/24/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S6	9/23/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S6	12/18/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S6	9/9/2003	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S6	9/8/2004	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S7	4/10/2002	4-Methyl-2-pentanone	<		5	ug/L	1 UJ
S7	6/21/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S7	9/23/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S7	12/17/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S7	9/11/2003	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S7	9/7/2004	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S8	4/10/2002	4-Methyl-2-pentanone	<		5	ug/L	1 UJ
S8	6/21/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S8	9/20/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S8	12/16/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1
S8	9/11/2003	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S8	9/3/2004	4-Methyl-2-pentanone	<	0.98	5	ug/L	1
S9	4/10/2002	4-Methyl-2-pentanone	<		5	ug/L	1



tmpAnalyticalResultsOverTime

S9	6/20/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1	
S9	9/11/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1	
S9	12/12/2002	4-Methyl-2-pentanone	<	1.8	5	ug/L	1	
S9	9/11/2003	4-Methyl-2-pentanone	<	0.98	5	ug/L	1	
S9	9/3/2004	4-Methyl-2-pentanone	<	0.98	5	ug/L	1	
S10	5/24/2004	4-Nitroaniline	<	6	50	ug/L	1	NA
S10	5/24/2004	4-Nitroaniline	<	6	50	ug/L	1	
S10	9/10/2004	4-Nitroaniline	<	6	50	ug/L	1	
S10	12/1/2004	4-Nitroaniline	<	6	50	ug/L	1	
S10	12/1/2004	4-Nitroaniline	<	6	50	ug/L	1	
S10	3/3/2005	4-Nitroaniline	<	2.3	50	ug/L	1	
S11	5/24/2004	4-Nitroaniline	<	6	50	ug/L	1	
S11	9/10/2004	4-Nitroaniline	<	6	50	ug/L	1	
S11	12/1/2004	4-Nitroaniline	<	6	50	ug/L	1	
S11	3/3/2005	4-Nitroaniline	<	2.3	50	ug/L	1	
S2	4/3/2002	4-Nitroaniline	<		50	ug/L	1	
S2	6/26/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S2	9/18/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S2	12/13/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S2	3/4/2003	4-Nitroaniline	<	2.1	50	ug/L	1	
S2	3/4/2003	4-Nitroaniline	<	2.1	50	ug/L	1	
S2	6/5/2003	4-Nitroaniline	<	2.1	50	ug/L	1	
S2	9/5/2003	4-Nitroaniline	<	6	50	ug/L	1	
S2	9/5/2003	4-Nitroaniline	<	6	50	ug/L	1	
S2	12/3/2003	4-Nitroaniline	<	6	50	ug/L	1	
S2	9/10/2004	4-Nitroaniline	<	6	50	ug/L	1	
S3	4/3/2002	4-Nitroaniline	<		50	ug/L	1	
S3	9/19/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S3	9/19/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S3	12/13/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S3	3/5/2003	4-Nitroaniline	<	2.1	50	ug/L	1	
S3	6/5/2003	4-Nitroaniline	<	2.1	50	ug/L	1	
S3	9/5/2003	4-Nitroaniline	<	6	50	ug/L	1	
S3	12/2/2003	4-Nitroaniline	<	6	50	ug/L	1	
S3	9/9/2004	4-Nitroaniline	<	6	50	ug/L	1	
S3	9/9/2004	4-Nitroaniline	<	6	50	ug/L	1	
S4	4/3/2002	4-Nitroaniline	<		50	ug/L	1	
S4	6/25/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S4	9/19/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S4	12/13/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S4	9/8/2003	4-Nitroaniline	<	6	50	ug/L	1	
S4	9/9/2004	4-Nitroaniline	<	6	50	ug/L	1	
S5	4/4/2002	4-Nitroaniline	<		50	ug/L	1	
S5	6/24/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S5	9/20/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S5	12/16/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S5	9/10/2003	4-Nitroaniline	<	6	50	ug/L	1	
S5	9/8/2004	4-Nitroaniline	<	6	50	ug/L	1	
S6	4/4/2002	4-Nitroaniline	<		50	ug/L	1	
S6	6/24/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S6	6/24/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S6	9/23/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S6	12/18/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S6	9/9/2003	4-Nitroaniline	<	6	50	ug/L	1	
S6	9/8/2004	4-Nitroaniline	<	6	50	ug/L	1	
S7	4/10/2002	4-Nitroaniline	<		50	ug/L	1	
S7	6/21/2002	4-Nitroaniline	<	2.1	50	ug/L	1	

tmpAnalyticalResultsOverTime

S7	9/23/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S7	12/17/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S7	9/11/2003	4-Nitroaniline	<	6	50	ug/L	1	
S7	9/7/2004	4-Nitroaniline	<	6	50	ug/L	1	
S8	4/10/2002	4-Nitroaniline	<		50	ug/L	1	
S8	6/21/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S8	9/20/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S8	12/16/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S8	9/11/2003	4-Nitroaniline	<	6	50	ug/L	1	
S8	9/3/2004	4-Nitroaniline	<	6	50	ug/L	1	
S9	4/10/2002	4-Nitroaniline	<		50	ug/L	1	
S9	6/20/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S9	9/11/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S9	12/12/2002	4-Nitroaniline	<	2.1	50	ug/L	1	
S9	9/11/2003	4-Nitroaniline	<	6	50	ug/L	1	
S9	9/3/2004	4-Nitroaniline	<	6	50	ug/L	1	
S10	5/24/2004	4-Nitrophenol	<	7	50	ug/L	1	NA
S10	5/24/2004	4-Nitrophenol	<	7	50	ug/L	1	
S10	9/10/2004	4-Nitrophenol	<	7	50	ug/L	1	R
S10	12/1/2004	4-Nitrophenol	<	7	50	ug/L	1	
S10	12/1/2004	4-Nitrophenol	<	7	50	ug/L	1	
S10	3/3/2005	4-Nitrophenol	<	11	50	ug/L	1	
S11	5/24/2004	4-Nitrophenol	<	7	50	ug/L	1	
S11	9/10/2004	4-Nitrophenol	<	7	50	ug/L	1	R
S11	12/1/2004	4-Nitrophenol	<	7	50	ug/L	1	
S11	3/3/2005	4-Nitrophenol	<	11	50	ug/L	1	
S2	4/3/2002	4-Nitrophenol	<		50	ug/L	1	
S2	6/26/2002	4-Nitrophenol	<	18	50	ug/L	1	
S2	9/18/2002	4-Nitrophenol	<	18	50	ug/L	1	
S2	12/13/2002	4-Nitrophenol	<	18	50	ug/L	1	
S2	3/4/2003	4-Nitrophenol	<	18	50	ug/L	1	
S2	3/4/2003	4-Nitrophenol	<	18	50	ug/L	1	
S2	6/5/2003	4-Nitrophenol	<	18	50	ug/L	1	
S2	9/5/2003	4-Nitrophenol	<	7	50	ug/L	1	
S2	9/5/2003	4-Nitrophenol	<	7	50	ug/L	1	
S2	12/3/2003	4-Nitrophenol	<	7	50	ug/L	1	
S2	9/10/2004	4-Nitrophenol	<	7	50	ug/L	1	R
S3	4/3/2002	4-Nitrophenol	<		50	ug/L	1	
S3	6/25/2002	4-Nitrophenol	<	36	100	ug/L	2	
S3	9/19/2002	4-Nitrophenol	<	18	50	ug/L	1	
S3	9/19/2002	4-Nitrophenol	<	18	50	ug/L	1	
S3	9/19/2002	4-Nitrophenol	<	18	50	ug/L	1	UJ
S3	12/13/2002	4-Nitrophenol	<	18	50	ug/L	1	
S3	3/5/2003	4-Nitrophenol	<	18	50	ug/L	1	
S3	6/5/2003	4-Nitrophenol	<	18	50	ug/L	1	
S3	9/5/2003	4-Nitrophenol	<	7	50	ug/L	1	
S3	12/2/2003	4-Nitrophenol	<	7	50	ug/L	1	
S3	9/9/2004	4-Nitrophenol	<	7	50	ug/L	1	R
S3	9/9/2004	4-Nitrophenol	<	7	50	ug/L	1	R
S4	4/3/2002	4-Nitrophenol	<		50	ug/L	1	
S4	6/25/2002	4-Nitrophenol	<	18	50	ug/L	1	
S4	9/19/2002	4-Nitrophenol	<	18	50	ug/L	1	
S4	12/13/2002	4-Nitrophenol	<	18	50	ug/L	1	
S4	9/8/2003	4-Nitrophenol	<	7	50	ug/L	1	
S4	9/9/2004	4-Nitrophenol	<	7	50	ug/L	1	R
S5	4/4/2002	4-Nitrophenol	<		50	ug/L	1	
S5	6/24/2002	4-Nitrophenol	<	18	50	ug/L	1	

tmpAnalyticalResultsOverTime

S5	9/20/2002	4-Nitrophenol	<	18	50	ug/L	1		
S5	12/16/2002	4-Nitrophenol	<	18	50	ug/L	1		
S5	9/10/2003	4-Nitrophenol	<	7	50	ug/L	1		
S5	9/8/2004	4-Nitrophenol	<	7	50	ug/L	1	R	
S6	4/4/2002	4-Nitrophenol	<		50	ug/L	1		
S6	6/24/2002	4-Nitrophenol	<	18	50	ug/L	1		
S6	6/24/2002	4-Nitrophenol	<	18	50	ug/L	1		
S6	9/23/2002	4-Nitrophenol	<	18	50	ug/L	1		
S6	12/18/2002	4-Nitrophenol	<	18	50	ug/L	1		
S6	9/9/2003	4-Nitrophenol	<	7	50	ug/L	1		
S6	9/8/2004	4-Nitrophenol	<	7	50	ug/L	1	R	
S7	4/10/2002	4-Nitrophenol	<		50	ug/L	1		
S7	6/21/2002	4-Nitrophenol	<	18	50	ug/L	1		
S7	9/23/2002	4-Nitrophenol	<	18	50	ug/L	1		
S7	12/17/2002	4-Nitrophenol	<	18	50	ug/L	1		
S7	9/11/2003	4-Nitrophenol	<	7	50	ug/L	1		
S7	9/7/2004	4-Nitrophenol	<	7	50	ug/L	1	R	
S8	4/10/2002	4-Nitrophenol	<		50	ug/L	1		
S8	6/21/2002	4-Nitrophenol	<	18	50	ug/L	1		
S8	9/20/2002	4-Nitrophenol	<	18	50	ug/L	1		
S8	12/16/2002	4-Nitrophenol	<	18	50	ug/L	1		
S8	9/11/2003	4-Nitrophenol	<	7	50	ug/L	1		
S8	9/3/2004	4-Nitrophenol	<	7	50	ug/L	1	R	
S9	4/10/2002	4-Nitrophenol	<		50	ug/L	1		
S9	6/20/2002	4-Nitrophenol	<	18	50	ug/L	1		
S9	9/11/2002	4-Nitrophenol	<	18	50	ug/L	1		
S9	12/12/2002	4-Nitrophenol	<	18	50	ug/L	1		
S9	9/11/2003	4-Nitrophenol	<	7	50	ug/L	1		
S9	9/3/2004	4-Nitrophenol	<	7	50	ug/L	1	R	
S10	5/24/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	UJ	NA
S10	5/24/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	UJ	
S10	9/10/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1		
S10	12/1/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1		
S10	12/1/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1		
S10	3/3/2005	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1		
S11	5/24/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	UJ	
S11	9/10/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1		
S11	12/1/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1		
S11	3/3/2005	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1		
S2	4/3/2002	4-Nitroquinoline-1-oxide	<		100	ug/L	1		
S2	6/26/2002	4-Nitroquinoline-1-oxide	<	22	100	ug/L	1		
S2	9/18/2002	4-Nitroquinoline-1-oxide	<	22	100	ug/L	1		
S2	12/13/2002	4-Nitroquinoline-1-oxide	<	52	100	ug/L	1		
S2	3/4/2003	4-Nitroquinoline-1-oxide	<	52	100	ug/L	1		
S2	3/4/2003	4-Nitroquinoline-1-oxide	<	52	100	ug/L	1		
S2	6/5/2003	4-Nitroquinoline-1-oxide	<	52	100	ug/L	1	UJ	
S2	9/5/2003	4-Nitroquinoline-1-oxide	<	50	100	ug/L	1		
S2	9/5/2003	4-Nitroquinoline-1-oxide	<	50	100	ug/L	1		
S2	12/3/2003	4-Nitroquinoline-1-oxide	<	50	100	ug/L	1		
S2	9/10/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1		
S3	4/3/2002	4-Nitroquinoline-1-oxide	<		100	ug/L	1		
S3	9/19/2002	4-Nitroquinoline-1-oxide	<	22	100	ug/L	1		
S3	9/19/2002	4-Nitroquinoline-1-oxide	<	22	100	ug/L	1		
S3	12/13/2002	4-Nitroquinoline-1-oxide	<	52	100	ug/L	1		
S3	3/5/2003	4-Nitroquinoline-1-oxide	<	52	100	ug/L	1		
S3	6/5/2003	4-Nitroquinoline-1-oxide	<	52	100	ug/L	1	UJ	
S3	9/5/2003	4-Nitroquinoline-1-oxide	<	50	100	ug/L	1		

tmpAnalyticalResultsOverTime

S3	12/2/2003	4-Nitroquinoline-1-oxide	<	50	100	ug/L	1	
S3	9/9/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
S3	9/9/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
S4	4/3/2002	4-Nitroquinoline-1-oxide	<		100	ug/L	1	
S4	6/25/2002	4-Nitroquinoline-1-oxide	<	22	100	ug/L	1	
S4	9/19/2002	4-Nitroquinoline-1-oxide	<	22	100	ug/L	1	
S4	12/13/2002	4-Nitroquinoline-1-oxide	<	52	100	ug/L	1	
S4	9/8/2003	4-Nitroquinoline-1-oxide	<	50	100	ug/L	1	
S4	9/9/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
S5	4/4/2002	4-Nitroquinoline-1-oxide	<		100	ug/L	1	
S5	6/24/2002	4-Nitroquinoline-1-oxide	<	22	100	ug/L	1	
S5	9/20/2002	4-Nitroquinoline-1-oxide	<	22	100	ug/L	1	
S5	12/16/2002	4-Nitroquinoline-1-oxide	<	52	100	ug/L	1	
S5	9/10/2003	4-Nitroquinoline-1-oxide	<	50	100	ug/L	1	
S5	9/8/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
S6	4/4/2002	4-Nitroquinoline-1-oxide	<		100	ug/L	1	
S6	6/24/2002	4-Nitroquinoline-1-oxide	<	22	100	ug/L	1	
S6	6/24/2002	4-Nitroquinoline-1-oxide	<	22	100	ug/L	1	
S6	9/23/2002	4-Nitroquinoline-1-oxide	<	22	100	ug/L	1	
S6	12/18/2002	4-Nitroquinoline-1-oxide	<	52	100	ug/L	1	
S6	9/9/2003	4-Nitroquinoline-1-oxide	<	50	100	ug/L	1	
S6	9/8/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
S7	4/10/2002	4-Nitroquinoline-1-oxide	<		100	ug/L	1	
S7	6/21/2002	4-Nitroquinoline-1-oxide	<	22	100	ug/L	1	
S7	9/23/2002	4-Nitroquinoline-1-oxide	<	22	100	ug/L	1	
S7	12/17/2002	4-Nitroquinoline-1-oxide	<	52	100	ug/L	1	
S7	9/11/2003	4-Nitroquinoline-1-oxide	<	50	100	ug/L	1	
S7	9/7/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
S8	4/10/2002	4-Nitroquinoline-1-oxide	<		100	ug/L	1	
S8	6/21/2002	4-Nitroquinoline-1-oxide	<	22	100	ug/L	1	
S8	9/20/2002	4-Nitroquinoline-1-oxide	<	22	100	ug/L	1	
S8	12/16/2002	4-Nitroquinoline-1-oxide	<	52	100	ug/L	1	
S8	9/11/2003	4-Nitroquinoline-1-oxide	<	50	100	ug/L	1	
S8	9/3/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
S9	4/10/2002	4-Nitroquinoline-1-oxide	<		100	ug/L	1	
S9	6/20/2002	4-Nitroquinoline-1-oxide	<	22	100	ug/L	1	
S9	9/11/2002	4-Nitroquinoline-1-oxide	<	22	100	ug/L	1	
S9	12/12/2002	4-Nitroquinoline-1-oxide	<	52	100	ug/L	1	
S9	9/11/2003	4-Nitroquinoline-1-oxide	<	50	100	ug/L	1	
S9	9/3/2004	4-Nitroquinoline-1-oxide	<	5	100	ug/L	1	
S10	5/24/2004	5-Nitro-o-toluidine	<	2	20	ug/L	1	NA
S10	5/24/2004	5-Nitro-o-toluidine	<	2	20	ug/L	1	
S10	9/10/2004	5-Nitro-o-toluidine	<	2	20	ug/L	1	
S10	12/1/2004	5-Nitro-o-toluidine	<	2	20	ug/L	1	
S10	12/1/2004	5-Nitro-o-toluidine	<	2	20	ug/L	1	
S10	3/3/2005	5-Nitro-o-toluidine	<	2	20	ug/L	1	
S11	5/24/2004	5-Nitro-o-toluidine	<	2	20	ug/L	1	
S11	9/10/2004	5-Nitro-o-toluidine	<	2	20	ug/L	1	
S11	12/1/2004	5-Nitro-o-toluidine	<	2	20	ug/L	1	
S11	3/3/2005	5-Nitro-o-toluidine	<	2	20	ug/L	1	
S2	4/3/2002	5-Nitro-o-toluidine	<		20	ug/L	1	
S2	6/26/2002	5-Nitro-o-toluidine	<	3	20	ug/L	1	
S2	9/18/2002	5-Nitro-o-toluidine	<	3	20	ug/L	1	
S2	12/13/2002	5-Nitro-o-toluidine	<	1.2	20	ug/L	1	
S2	3/4/2003	5-Nitro-o-toluidine	<	1.2	20	ug/L	1	
S2	3/4/2003	5-Nitro-o-toluidine	<	1.2	20	ug/L	1	
S2	6/5/2003	5-Nitro-o-toluidine	<	1.2	20	ug/L	1	

tmpAnalyticalResultsOverTime

S2	9/5/2003	5-Nitro-o-toluidine	<	1	20	ug/L	1	
S2	9/5/2003	5-Nitro-o-toluidine	<	1	20	ug/L	1	
S2	12/3/2003	5-Nitro-o-toluidine	<	1	20	ug/L	1	
S2	9/10/2004	5-Nitro-o-toluidine	<	2	20	ug/L	1	
S3	4/3/2002	5-Nitro-o-toluidine	<		20	ug/L	1	
S3	9/19/2002	5-Nitro-o-toluidine	<	3	20	ug/L	1	
S3	9/19/2002	5-Nitro-o-toluidine	<	3	20	ug/L	1	
S3	12/13/2002	5-Nitro-o-toluidine	<	1.2	20	ug/L	1	
S3	3/5/2003	5-Nitro-o-toluidine	<	1.2	20	ug/L	1	
S3	6/5/2003	5-Nitro-o-toluidine	<	1.2	20	ug/L	1	
S3	9/5/2003	5-Nitro-o-toluidine	<	1	20	ug/L	1	
S3	12/2/2003	5-Nitro-o-toluidine	<	1	20	ug/L	1	
S3	9/9/2004	5-Nitro-o-toluidine	<	2	20	ug/L	1	
S3	9/9/2004	5-Nitro-o-toluidine	<	2	20	ug/L	1	
S4	4/3/2002	5-Nitro-o-toluidine	<		20	ug/L	1	
S4	6/25/2002	5-Nitro-o-toluidine	<	3	20	ug/L	1	
S4	9/19/2002	5-Nitro-o-toluidine	<	3	20	ug/L	1	
S4	12/13/2002	5-Nitro-o-toluidine	<	1.2	20	ug/L	1	
S4	9/8/2003	5-Nitro-o-toluidine	<	1	20	ug/L	1	
S4	9/9/2004	5-Nitro-o-toluidine	<	2	20	ug/L	1	
S5	4/4/2002	5-Nitro-o-toluidine	<		20	ug/L	1	
S5	6/24/2002	5-Nitro-o-toluidine	<	3	20	ug/L	1	
S5	9/20/2002	5-Nitro-o-toluidine	<	3	20	ug/L	1	
S5	12/16/2002	5-Nitro-o-toluidine	<	1.2	20	ug/L	1	
S5	9/10/2003	5-Nitro-o-toluidine	<	1	20	ug/L	1	
S5	9/8/2004	5-Nitro-o-toluidine	<	2	20	ug/L	1	
S6	4/4/2002	5-Nitro-o-toluidine	<		20	ug/L	1	
S6	6/24/2002	5-Nitro-o-toluidine	<	3	20	ug/L	1	
S6	6/24/2002	5-Nitro-o-toluidine	<	3	20	ug/L	1	
S6	9/23/2002	5-Nitro-o-toluidine	<	3	20	ug/L	1	
S6	12/18/2002	5-Nitro-o-toluidine	<	1.2	20	ug/L	1	
S6	9/9/2003	5-Nitro-o-toluidine	<	1	20	ug/L	1	
S6	9/8/2004	5-Nitro-o-toluidine	<	2	20	ug/L	1	
S7	4/10/2002	5-Nitro-o-toluidine	<		20	ug/L	1	
S7	6/21/2002	5-Nitro-o-toluidine	<	3	20	ug/L	1	
S7	9/23/2002	5-Nitro-o-toluidine	<	3	20	ug/L	1	
S7	12/17/2002	5-Nitro-o-toluidine	<	1.2	20	ug/L	1	
S7	9/11/2003	5-Nitro-o-toluidine	<	1	20	ug/L	1	
S7	9/7/2004	5-Nitro-o-toluidine	<	2	20	ug/L	1	
S8	4/10/2002	5-Nitro-o-toluidine	<		20	ug/L	1	
S8	6/21/2002	5-Nitro-o-toluidine	<	3	20	ug/L	1	
S8	9/20/2002	5-Nitro-o-toluidine	<	3	20	ug/L	1	
S8	12/16/2002	5-Nitro-o-toluidine	<	1.2	20	ug/L	1	
S8	9/11/2003	5-Nitro-o-toluidine	<	1	20	ug/L	1	
S8	9/3/2004	5-Nitro-o-toluidine	<	2	20	ug/L	1	
S9	4/10/2002	5-Nitro-o-toluidine	<		20	ug/L	1	
S9	6/20/2002	5-Nitro-o-toluidine	<	3	20	ug/L	1	
S9	9/11/2002	5-Nitro-o-toluidine	<	3	20	ug/L	1	
S9	12/12/2002	5-Nitro-o-toluidine	<	1.2	20	ug/L	1	
S9	9/11/2003	5-Nitro-o-toluidine	<	1	20	ug/L	1	
S9	9/3/2004	5-Nitro-o-toluidine	<	2	20	ug/L	1	
S10	5/24/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1	NA
S10	5/24/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1	
S10	9/10/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1	
S10	12/1/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1	
S10	12/1/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1	
S10	3/3/2005	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1	

tmpAnalyticalResultsOverTime

S11	5/24/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
S11	9/10/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
S11	12/1/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
S11	3/3/2005	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
S2	4/3/2002	7,12-Dimethylbenz(a)anthracene	<		20	ug/L	1
S2	6/26/2002	7,12-Dimethylbenz(a)anthracene	<	1.5	20	ug/L	1
S2	9/18/2002	7,12-Dimethylbenz(a)anthracene	<	1.5	20	ug/L	1
S2	12/13/2002	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
S2	3/4/2003	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
S2	3/4/2003	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
S2	6/5/2003	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
S2	9/5/2003	7,12-Dimethylbenz(a)anthracene	<	2	20	ug/L	1
S2	9/5/2003	7,12-Dimethylbenz(a)anthracene	<	2	20	ug/L	1
S2	12/3/2003	7,12-Dimethylbenz(a)anthracene	<	2	20	ug/L	1
S2	9/10/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
S3	4/3/2002	7,12-Dimethylbenz(a)anthracene	<		20	ug/L	1
S3	9/19/2002	7,12-Dimethylbenz(a)anthracene	<	1.5	20	ug/L	1
S3	9/19/2002	7,12-Dimethylbenz(a)anthracene	<	1.5	20	ug/L	1
S3	12/13/2002	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
S3	3/5/2003	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
S3	6/5/2003	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
S3	9/5/2003	7,12-Dimethylbenz(a)anthracene	<	2	20	ug/L	1
S3	12/2/2003	7,12-Dimethylbenz(a)anthracene	<	2	20	ug/L	1
S3	9/9/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
S3	9/9/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
S4	4/3/2002	7,12-Dimethylbenz(a)anthracene	<		20	ug/L	1
S4	6/25/2002	7,12-Dimethylbenz(a)anthracene	<	1.5	20	ug/L	1
S4	9/19/2002	7,12-Dimethylbenz(a)anthracene	<	1.5	20	ug/L	1
S4	12/13/2002	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
S4	9/8/2003	7,12-Dimethylbenz(a)anthracene	<	2	20	ug/L	1
S4	9/9/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
S5	4/4/2002	7,12-Dimethylbenz(a)anthracene	<		20	ug/L	1
S5	6/24/2002	7,12-Dimethylbenz(a)anthracene	<	1.5	20	ug/L	1
S5	9/20/2002	7,12-Dimethylbenz(a)anthracene	<	1.5	20	ug/L	1
S5	12/16/2002	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
S5	9/10/2003	7,12-Dimethylbenz(a)anthracene	<	2	20	ug/L	1
S5	9/8/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
S6	4/4/2002	7,12-Dimethylbenz(a)anthracene	<		20	ug/L	1
S6	6/24/2002	7,12-Dimethylbenz(a)anthracene	<	1.5	20	ug/L	1
S6	6/24/2002	7,12-Dimethylbenz(a)anthracene	<	1.5	20	ug/L	1
S6	9/23/2002	7,12-Dimethylbenz(a)anthracene	<	1.5	20	ug/L	1
S6	12/18/2002	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
S6	9/9/2003	7,12-Dimethylbenz(a)anthracene	<	2	20	ug/L	1
S6	9/8/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
S7	4/10/2002	7,12-Dimethylbenz(a)anthracene	<		20	ug/L	1
S7	6/21/2002	7,12-Dimethylbenz(a)anthracene	<	1.5	20	ug/L	1
S7	9/23/2002	7,12-Dimethylbenz(a)anthracene	<	1.5	20	ug/L	1
S7	12/17/2002	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
S7	9/11/2003	7,12-Dimethylbenz(a)anthracene	<	2	20	ug/L	1
S7	9/7/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
S8	4/10/2002	7,12-Dimethylbenz(a)anthracene	<		20	ug/L	1
S8	6/21/2002	7,12-Dimethylbenz(a)anthracene	<	1.5	20	ug/L	1
S8	9/20/2002	7,12-Dimethylbenz(a)anthracene	<	1.5	20	ug/L	1
S8	12/16/2002	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1
S8	9/11/2003	7,12-Dimethylbenz(a)anthracene	<	2	20	ug/L	1
S8	9/3/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1
S9	4/10/2002	7,12-Dimethylbenz(a)anthracene	<		20	ug/L	1

tmpAnalyticalResultsOverTime

S9	6/20/2002	7,12-Dimethylbenz(a)anthracene	<	1.5	20	ug/L	1	
S9	9/11/2002	7,12-Dimethylbenz(a)anthracene	<	1.5	20	ug/L	1	
S9	12/12/2002	7,12-Dimethylbenz(a)anthracene	<	1.6	20	ug/L	1	
S9	9/11/2003	7,12-Dimethylbenz(a)anthracene	<	2	20	ug/L	1	
S9	9/3/2004	7,12-Dimethylbenz(a)anthracene	<	3	20	ug/L	1	
S10	5/24/2004	Acenaphthene	<	0.6	10	ug/L	1	mg/L
S10	5/24/2004	Acenaphthene	<	0.6	10	ug/L	1	
S10	9/10/2004	Acenaphthene	<	0.6	10	ug/L	1	
S10	12/1/2004	Acenaphthene	<	0.6	10	ug/L	1	
S10	12/1/2004	Acenaphthene	<	0.6	10	ug/L	1	
S10	3/3/2005	Acenaphthene	<	1.7	10	ug/L	1	
S11	5/24/2004	Acenaphthene	<	0.6	10	ug/L	1	
S11	9/10/2004	Acenaphthene	<	0.6	10	ug/L	1	
S11	12/1/2004	Acenaphthene	<	0.6	10	ug/L	1	
S11	3/3/2005	Acenaphthene	<	1.7	10	ug/L	1	
S2	4/3/2002	Acenaphthene	<		10	ug/L	1	
S2	6/26/2002	Acenaphthene	<	1	10	ug/L	1	
S2	9/18/2002	Acenaphthene	<	1	10	ug/L	1	
S2	12/13/2002	Acenaphthene	<	1	10	ug/L	1	
S2	3/4/2003	Acenaphthene	<	1	10	ug/L	1	
S2	3/4/2003	Acenaphthene	<	1	10	ug/L	1	
S2	6/5/2003	Acenaphthene	<	1	10	ug/L	1	
S2	9/5/2003	Acenaphthene	<	0.6	10	ug/L	1	
S2	9/5/2003	Acenaphthene	<	0.6	10	ug/L	1	
S2	12/3/2003	Acenaphthene	<	0.6	10	ug/L	1	
S2	9/10/2004	Acenaphthene	<	0.6	10	ug/L	1	
S3	4/3/2002	Acenaphthene	<		10	ug/L	1	
S3	9/19/2002	Acenaphthene	<	1	10	ug/L	1	
S3	9/19/2002	Acenaphthene	<	1	10	ug/L	1	
S3	12/13/2002	Acenaphthene	<	1	10	ug/L	1	
S3	3/5/2003	Acenaphthene	<	1	10	ug/L	1	
S3	6/5/2003	Acenaphthene	<	1	10	ug/L	1	
S3	9/5/2003	Acenaphthene	<	0.6	10	ug/L	1	
S3	12/2/2003	Acenaphthene	<	0.6	10	ug/L	1	
S3	9/9/2004	Acenaphthene	<	0.6	10	ug/L	1	
S3	9/9/2004	Acenaphthene	<	0.6	10	ug/L	1	
S4	4/3/2002	Acenaphthene	<		10	ug/L	1	
S4	6/25/2002	Acenaphthene	<	1	10	ug/L	1	
S4	9/19/2002	Acenaphthene	<	1	10	ug/L	1	
S4	12/13/2002	Acenaphthene	<	1	10	ug/L	1	
S4	9/8/2003	Acenaphthene	<	0.6	10	ug/L	1	
S4	9/9/2004	Acenaphthene	<	0.6	10	ug/L	1	
S5	4/4/2002	Acenaphthene	<		10	ug/L	1	
S5	6/24/2002	Acenaphthene	<	1	10	ug/L	1	
S5	9/20/2002	Acenaphthene	<	1	10	ug/L	1	
S5	12/16/2002	Acenaphthene	<	1	10	ug/L	1	
S5	9/10/2003	Acenaphthene	<	0.6	10	ug/L	1	
S5	9/8/2004	Acenaphthene	<	0.6	10	ug/L	1	
S6	4/4/2002	Acenaphthene	<		10	ug/L	1	
S6	6/24/2002	Acenaphthene	<	1	10	ug/L	1	
S6	6/24/2002	Acenaphthene	<	1	10	ug/L	1	
S6	9/23/2002	Acenaphthene	<	1	10	ug/L	1	
S6	12/18/2002	Acenaphthene	<	1	10	ug/L	1	
S6	9/9/2003	Acenaphthene	<	0.6	10	ug/L	1	
S6	9/8/2004	Acenaphthene	<	0.6	10	ug/L	1	
S7	4/10/2002	Acenaphthene	<		10	ug/L	1	
S7	6/21/2002	Acenaphthene	<	1	10	ug/L	1	

tmpAnalyticalResultsOverTime

S7	9/23/2002	Acenaphthene	<	1	10	ug/L	1	
S7	12/17/2002	Acenaphthene	<	1	10	ug/L	1	
S7	9/11/2003	Acenaphthene	<	0.6	10	ug/L	1	
S7	9/7/2004	Acenaphthene	<	0.6	10	ug/L	1	
S8	4/10/2002	Acenaphthene	<		10	ug/L	1	
S8	6/21/2002	Acenaphthene	<	1	10	ug/L	1	
S8	9/20/2002	Acenaphthene	<	1	10	ug/L	1	
S8	12/16/2002	Acenaphthene	<	1	10	ug/L	1	
S8	9/11/2003	Acenaphthene	<	0.6	10	ug/L	1	
S8	9/3/2004	Acenaphthene	<	0.6	10	ug/L	1	
S9	4/10/2002	Acenaphthene	<		10	ug/L	1	
S9	6/20/2002	Acenaphthene	<	1	10	ug/L	1	
S9	9/11/2002	Acenaphthene	<	1	10	ug/L	1	
S9	12/12/2002	Acenaphthene	<	1	10	ug/L	1	
S9	9/11/2003	Acenaphthene	<	0.6	10	ug/L	1	
S9	9/3/2004	Acenaphthene	<	0.6	10	ug/L	1	
S10	5/24/2004	Acenaphthylene	<	0.6	10	ug/L	1	NA
S10	5/24/2004	Acenaphthylene	<	0.6	10	ug/L	1	
S10	9/10/2004	Acenaphthylene	<	0.6	10	ug/L	1	
S10	12/1/2004	Acenaphthylene	<	0.6	10	ug/L	1	
S10	12/1/2004	Acenaphthylene	<	0.6	10	ug/L	1	
S10	3/3/2005	Acenaphthylene	<	1.8	10	ug/L	1	
S11	5/24/2004	Acenaphthylene	<	0.6	10	ug/L	1	
S11	9/10/2004	Acenaphthylene	<	0.6	10	ug/L	1	
S11	12/1/2004	Acenaphthylene	<	0.6	10	ug/L	1	
S11	3/3/2005	Acenaphthylene	<	1.8	10	ug/L	1	
S2	4/3/2002	Acenaphthylene	<		10	ug/L	1	
S2	6/26/2002	Acenaphthylene	<	1	10	ug/L	1	
S2	9/18/2002	Acenaphthylene	<	1	10	ug/L	1	
S2	12/13/2002	Acenaphthylene	<	1	10	ug/L	1	
S2	3/4/2003	Acenaphthylene	<	1	10	ug/L	1	
S2	3/4/2003	Acenaphthylene	<	1	10	ug/L	1	
S2	6/5/2003	Acenaphthylene	<	1	10	ug/L	1	
S2	9/5/2003	Acenaphthylene	<	0.6	10	ug/L	1	
S2	9/5/2003	Acenaphthylene	<	0.6	10	ug/L	1	
S2	12/3/2003	Acenaphthylene	<	0.6	10	ug/L	1	
S2	9/10/2004	Acenaphthylene	<	0.6	10	ug/L	1	
S3	4/3/2002	Acenaphthylene	<		10	ug/L	1	
S3	9/19/2002	Acenaphthylene	<	1	10	ug/L	1	
S3	9/19/2002	Acenaphthylene	<	1	10	ug/L	1	
S3	12/13/2002	Acenaphthylene	<	1	10	ug/L	1	
S3	3/5/2003	Acenaphthylene	<	1	10	ug/L	1	
S3	6/5/2003	Acenaphthylene	<	1	10	ug/L	1	
S3	9/5/2003	Acenaphthylene	<	0.6	10	ug/L	1	
S3	12/2/2003	Acenaphthylene	<	0.6	10	ug/L	1	
S3	9/9/2004	Acenaphthylene	<	0.6	10	ug/L	1	
S3	9/9/2004	Acenaphthylene	<	0.6	10	ug/L	1	
S4	4/3/2002	Acenaphthylene	<		10	ug/L	1	
S4	6/25/2002	Acenaphthylene	<	1	10	ug/L	1	
S4	9/19/2002	Acenaphthylene	<	1	10	ug/L	1	
S4	12/13/2002	Acenaphthylene	<	1	10	ug/L	1	
S4	9/8/2003	Acenaphthylene	<	0.6	10	ug/L	1	
S4	9/9/2004	Acenaphthylene	<	0.6	10	ug/L	1	
S5	4/4/2002	Acenaphthylene	<		10	ug/L	1	
S5	6/24/2002	Acenaphthylene	<	1	10	ug/L	1	
S5	9/20/2002	Acenaphthylene	<	1	10	ug/L	1	
S5	12/16/2002	Acenaphthylene	<	1	10	ug/L	1	



tmpAnalyticalResultsOverTime

S5	9/10/2003	Acenaphthylene	<	0.6	10	ug/L	1	
S5	9/8/2004	Acenaphthylene	<	0.6	10	ug/L	1	
S6	4/4/2002	Acenaphthylene	<		10	ug/L	1	
S6	6/24/2002	Acenaphthylene	<	1	10	ug/L	1	
S6	6/24/2002	Acenaphthylene	<	1	10	ug/L	1	
S6	9/23/2002	Acenaphthylene	<	1	10	ug/L	1	
S6	12/18/2002	Acenaphthylene	<	1	10	ug/L	1	
S6	9/9/2003	Acenaphthylene	<	0.6	10	ug/L	1	
S6	9/8/2004	Acenaphthylene	<	0.6	10	ug/L	1	
S7	4/10/2002	Acenaphthylene	<		10	ug/L	1	
S7	6/21/2002	Acenaphthylene	<	1	10	ug/L	1	
S7	9/23/2002	Acenaphthylene	<	1	10	ug/L	1	
S7	12/17/2002	Acenaphthylene	<	1	10	ug/L	1	
S7	9/11/2003	Acenaphthylene	<	0.6	10	ug/L	1	
S7	9/7/2004	Acenaphthylene	<	0.6	10	ug/L	1	
S8	4/10/2002	Acenaphthylene	<		10	ug/L	1	
S8	6/21/2002	Acenaphthylene	<	1	10	ug/L	1	
S8	9/20/2002	Acenaphthylene	<	1	10	ug/L	1	
S8	12/16/2002	Acenaphthylene	<	1	10	ug/L	1	
S8	9/11/2003	Acenaphthylene	<	0.6	10	ug/L	1	
S8	9/3/2004	Acenaphthylene	<	0.6	10	ug/L	1	
S9	4/10/2002	Acenaphthylene	<		10	ug/L	1	
S9	6/20/2002	Acenaphthylene	<	1	10	ug/L	1	
S9	9/11/2002	Acenaphthylene	<	1	10	ug/L	1	
S9	12/12/2002	Acenaphthylene	<	1	10	ug/L	1	
S9	9/11/2003	Acenaphthylene	<	0.6	10	ug/L	1	
S9	9/3/2004	Acenaphthylene	<	0.6	10	ug/L	1	
S10	5/24/2004	Acetone	<	10	2.5	10	ug/L	1 U NA
S10	5/24/2004	Acetone	<	10	2.5	10	ug/L	1 U
S10	9/10/2004	Acetone	<		2.5	10	ug/L	1
S10	12/1/2004	Acetone	<		2.5	10	ug/L	1
S10	12/1/2004	Acetone	<		2.5	10	ug/L	1
S10	3/3/2005	Acetone	<		4	10	ug/L	1
S11	5/24/2004	Acetone	<	20	2.5	20	ug/L	1 U
S11	12/1/2004	Acetone	<		2.5	10	ug/L	1
S11	3/3/2005	Acetone	<		4	10	ug/L	1
S2	4/3/2002	Acetone	<			10	ug/L	1 U
S2	9/18/2002	Acetone	<		2.9	10	ug/L	1
S2	3/4/2003	Acetone	<		2.5	10	ug/L	1
S2	3/4/2003	Acetone	<		2.5	10	ug/L	1
S2	6/5/2003	Acetone	<		2.5	10	ug/L	1
S2	9/5/2003	Acetone	<		2.5	10	ug/L	1
S2	9/5/2003	Acetone	<		2.5	10	ug/L	1
S2	12/3/2003	Acetone	<		5	20	ug/L	2
S3	4/3/2002	Acetone	<			10	ug/L	1
S3	9/19/2002	Acetone	<		2.9	10	ug/L	1
S3	9/19/2002	Acetone	<		2.9	10	ug/L	1
S3	3/5/2003	Acetone	<	10	2.5	10	ug/L	1 U
S3	9/5/2003	Acetone	<		2.5	10	ug/L	1
S3	12/2/2003	Acetone	<		2.5	10	ug/L	1
S3	9/9/2004	Acetone	<		2.5	10	ug/L	1
S3	9/9/2004	Acetone	<		2.5	10	ug/L	1
S4	4/3/2002	Acetone	<			10	ug/L	1 U
S4	9/19/2002	Acetone	<		2.9	10	ug/L	1
S4	12/13/2002	Acetone	<		2.9	10	ug/L	1
S4	9/8/2003	Acetone	<		2.5	10	ug/L	1
S4	9/9/2004	Acetone	<		2.5	10	ug/L	1

tmpAnalyticalResultsOverTime

S5	4/4/2002	Acetone	<		10	ug/L	1	
S5	6/24/2002	Acetone	<	2.9	10	ug/L	1	
S5	9/20/2002	Acetone	<	2.9	10	ug/L	1	
S5	12/16/2002	Acetone	<	2.9	10	ug/L	1	
S5	9/10/2003	Acetone	<	2.5	10	ug/L	1	
S5	9/8/2004	Acetone	<	2.5	10	ug/L	1	
S6	6/24/2002	Acetone	<	2.9	10	ug/L	1	
S6	12/18/2002	Acetone	<	2.9	10	ug/L	1	
S6	9/9/2003	Acetone	<	2.5	10	ug/L	1	
S6	9/8/2004	Acetone	<	2.5	10	ug/L	1	
S7	4/10/2002	Acetone	<		10	ug/L	1	UJ
S7	6/21/2002	Acetone	<	2.9	10	ug/L	1	
S7	9/23/2002	Acetone	<	2.9	10	ug/L	1	
S7	12/17/2002	Acetone	<	2.9	10	ug/L	1	
S7	9/11/2003	Acetone	<	2.5	10	ug/L	1	
S7	9/7/2004	Acetone	<	2.5	10	ug/L	1	
S8	4/10/2002	Acetone	<		10	ug/L	1	UJ
S8	9/20/2002	Acetone	<	2.9	10	ug/L	1	
S8	12/16/2002	Acetone	<	2.9	10	ug/L	1	
S8	9/11/2003	Acetone	<	2.5	10	ug/L	1	
S8	9/3/2004	Acetone	<	2.5	10	ug/L	1	
S9	4/10/2002	Acetone	<		10	ug/L	1	
S9	6/20/2002	Acetone	<	2.9	10	ug/L	1	
S9	9/11/2002	Acetone	<	2.9	10	ug/L	1	
S9	12/12/2002	Acetone	<	2.9	10	ug/L	1	
S9	9/11/2003	Acetone	<	2.5	10	ug/L	1	
S9	9/3/2004	Acetone	<	2.5	10	ug/L	1	
S10	5/24/2004	Acetonitrile	<	5.3	20	ug/L	1	NA
S10	5/24/2004	Acetonitrile	<	5.3	20	ug/L	1	
S10	9/10/2004	Acetonitrile	<	5.3	20	ug/L	1	
S10	12/1/2004	Acetonitrile	<	5.3	20	ug/L	1	
S10	12/1/2004	Acetonitrile	<	5.3	20	ug/L	1	
S10	3/3/2005	Acetonitrile	<	10	20	ug/L	1	
S11	5/24/2004	Acetonitrile	<	5.3	20	ug/L	1	
S11	9/10/2004	Acetonitrile	<	5.3	20	ug/L	1	
S11	12/1/2004	Acetonitrile	<	5.3	20	ug/L	1	
S11	3/3/2005	Acetonitrile	<	10	20	ug/L	1	
S2	4/3/2002	Acetonitrile	<		20	ug/L	1	
S2	6/26/2002	Acetonitrile	<	15	20	ug/L	1	
S2	9/18/2002	Acetonitrile	<	15	20	ug/L	1	
S2	12/13/2002	Acetonitrile	<	15	20	ug/L	1	
S2	3/4/2003	Acetonitrile	<	5.3	20	ug/L	1	
S2	3/4/2003	Acetonitrile	<	5.3	20	ug/L	1	
S2	6/5/2003	Acetonitrile	<	5.3	20	ug/L	1	
S2	9/5/2003	Acetonitrile	<	5.3	20	ug/L	1	
S2	9/5/2003	Acetonitrile	<	5.3	20	ug/L	1	
S2	12/3/2003	Acetonitrile	<	11	40	ug/L	2	
S2	9/10/2004	Acetonitrile	<	5.3	20	ug/L	1	
S3	4/3/2002	Acetonitrile	<		20	ug/L	1	
S3	6/25/2002	Acetonitrile	<	15	20	ug/L	1	
S3	9/19/2002	Acetonitrile	<	15	20	ug/L	1	
S3	9/19/2002	Acetonitrile	<	15	20	ug/L	1	
S3	12/13/2002	Acetonitrile	<	15	20	ug/L	1	
S3	3/5/2003	Acetonitrile	<	5.3	20	ug/L	1	
S3	6/5/2003	Acetonitrile	<	5.3	20	ug/L	1	
S3	9/5/2003	Acetonitrile	<	5.3	20	ug/L	1	
S3	12/2/2003	Acetonitrile	<	5.3	20	ug/L	1	

tmpAnalyticalResultsOverTime

S3	9/9/2004	Acetonitrile	<	5.3	20	ug/L	1	
S3	9/9/2004	Acetonitrile	<	5.3	20	ug/L	1	
S4	4/3/2002	Acetonitrile	<		20	ug/L	1	
S4	6/25/2002	Acetonitrile	<	15	20	ug/L	1	
S4	9/19/2002	Acetonitrile	<	15	20	ug/L	1	
S4	12/13/2002	Acetonitrile	<	15	20	ug/L	1	
S4	9/8/2003	Acetonitrile	<	5.3	20	ug/L	1	
S4	9/9/2004	Acetonitrile	<	5.3	20	ug/L	1	
S5	4/4/2002	Acetonitrile	<		20	ug/L	1	
S5	6/24/2002	Acetonitrile	<	15	20	ug/L	1	
S5	9/20/2002	Acetonitrile	<	15	20	ug/L	1	
S5	12/16/2002	Acetonitrile	<	15	20	ug/L	1	
S5	9/10/2003	Acetonitrile	<	5.3	20	ug/L	1	
S5	9/8/2004	Acetonitrile	<	5.3	20	ug/L	1	
S6	4/4/2002	Acetonitrile	<		20	ug/L	1	
S6	6/24/2002	Acetonitrile	<	15	20	ug/L	1	
S6	6/24/2002	Acetonitrile	<	15	20	ug/L	1	
S6	9/23/2002	Acetonitrile	<	15	20	ug/L	1	
S6	12/18/2002	Acetonitrile	<	15	20	ug/L	1	
S6	9/9/2003	Acetonitrile	<	5.3	20	ug/L	1	
S6	9/8/2004	Acetonitrile	<	5.3	20	ug/L	1	
S7	4/10/2002	Acetonitrile	<		20	ug/L	1	UJ
S7	6/21/2002	Acetonitrile	<	15	20	ug/L	1	
S7	9/23/2002	Acetonitrile	<	15	20	ug/L	1	
S7	12/17/2002	Acetonitrile	<	15	20	ug/L	1	
S7	9/11/2003	Acetonitrile	<	5.3	20	ug/L	1	
S7	9/7/2004	Acetonitrile	<	5.3	20	ug/L	1	
S8	4/10/2002	Acetonitrile	<		20	ug/L	1	UJ
S8	6/21/2002	Acetonitrile	<	15	20	ug/L	1	
S8	9/20/2002	Acetonitrile	<	15	20	ug/L	1	
S8	12/16/2002	Acetonitrile	<	15	20	ug/L	1	
S8	9/11/2003	Acetonitrile	<	5.3	20	ug/L	1	
S8	9/3/2004	Acetonitrile	<	5.3	20	ug/L	1	
S9	4/10/2002	Acetonitrile	<		20	ug/L	1	
S9	6/20/2002	Acetonitrile	<	15	20	ug/L	1	
S9	9/11/2002	Acetonitrile	<	15	20	ug/L	1	
S9	12/12/2002	Acetonitrile	<	15	20	ug/L	1	
S9	9/11/2003	Acetonitrile	<	5.3	20	ug/L	1	
S9	9/3/2004	Acetonitrile	<	5.3	20	ug/L	1	
S10	5/24/2004	Acetophenone	<	2	10	ug/L	1	
S10	5/24/2004	Acetophenone	<	2	10	ug/L	1	
S10	9/10/2004	Acetophenone	<	2	10	ug/L	1	
S10	12/1/2004	Acetophenone	<	2	10	ug/L	1	
S10	12/1/2004	Acetophenone	<	2	10	ug/L	1	
S10	3/3/2005	Acetophenone	<	2	10	ug/L	1	
S11	5/24/2004	Acetophenone	<	2	10	ug/L	1	
S11	9/10/2004	Acetophenone	<	2	10	ug/L	1	
S11	12/1/2004	Acetophenone	<	2	10	ug/L	1	
S11	3/3/2005	Acetophenone	<	2	10	ug/L	1	
S2	4/3/2002	Acetophenone	<		10	ug/L	1	
S2	6/26/2002	Acetophenone	<	1.4	10	ug/L	1	
S2	9/18/2002	Acetophenone	<	1.4	10	ug/L	1	
S2	12/13/2002	Acetophenone	<	1.9	10	ug/L	1	
S2	3/4/2003	Acetophenone	<	1.9	10	ug/L	1	
S2	3/4/2003	Acetophenone	<	1.9	10	ug/L	1	
S2	6/5/2003	Acetophenone	<	1.9	10	ug/L	1	
S2	9/5/2003	Acetophenone	<	2	10	ug/L	1	

tmpAnalyticalResultsOverTime

S2	9/5/2003	Acetophenone	<	2	10	ug/L	1	
S2	12/3/2003	Acetophenone	<	2	10	ug/L	1	
S2	9/10/2004	Acetophenone	<	2	10	ug/L	1	
S3	4/3/2002	Acetophenone	<		10	ug/L	1	
S3	9/19/2002	Acetophenone	<	1.4	10	ug/L	1	
S3	9/19/2002	Acetophenone	<	1.4	10	ug/L	1	
S3	12/13/2002	Acetophenone	<	1.9	10	ug/L	1	
S3	3/5/2003	Acetophenone	<	1.9	10	ug/L	1	
S3	6/5/2003	Acetophenone	<	1.9	10	ug/L	1	
S3	9/5/2003	Acetophenone	<	2	10	ug/L	1	
S3	12/2/2003	Acetophenone	<	2	10	ug/L	1	
S3	9/9/2004	Acetophenone	<	2	10	ug/L	1	
S3	9/9/2004	Acetophenone	<	2	10	ug/L	1	
S4	4/3/2002	Acetophenone	<		10	ug/L	1	
S4	6/25/2002	Acetophenone	<	1.4	10	ug/L	1	
S4	9/19/2002	Acetophenone	<	1.4	10	ug/L	1	
S4	12/13/2002	Acetophenone	<	1.9	10	ug/L	1	
S4	9/8/2003	Acetophenone	<	2	10	ug/L	1	
S4	9/9/2004	Acetophenone	<	2	10	ug/L	1	
S5	4/4/2002	Acetophenone	<		10	ug/L	1	
S5	6/24/2002	Acetophenone	<	1.4	10	ug/L	1	
S5	9/20/2002	Acetophenone	<	1.4	10	ug/L	1	
S5	12/16/2002	Acetophenone	<	1.9	10	ug/L	1	
S5	9/10/2003	Acetophenone	<	2	10	ug/L	1	
S5	9/8/2004	Acetophenone	<	2	10	ug/L	1	
S6	4/4/2002	Acetophenone	<		10	ug/L	1	
S6	6/24/2002	Acetophenone	<	1.4	10	ug/L	1	
S6	6/24/2002	Acetophenone	<	1.4	10	ug/L	1	
S6	9/23/2002	Acetophenone	<	1.4	10	ug/L	1	
S6	12/18/2002	Acetophenone	<	1.9	10	ug/L	1	
S6	9/9/2003	Acetophenone	<	2	10	ug/L	1	
S6	9/8/2004	Acetophenone	<	2	10	ug/L	1	
S7	4/10/2002	Acetophenone	<		10	ug/L	1	
S7	6/21/2002	Acetophenone	<	1.4	10	ug/L	1	
S7	9/23/2002	Acetophenone	<	1.4	10	ug/L	1	
S7	12/17/2002	Acetophenone	<	1.9	10	ug/L	1	
S7	9/11/2003	Acetophenone	<	2	10	ug/L	1	
S7	9/7/2004	Acetophenone	<	2	10	ug/L	1	
S8	4/10/2002	Acetophenone	<		10	ug/L	1	
S8	6/21/2002	Acetophenone	<	1.4	10	ug/L	1	
S8	9/20/2002	Acetophenone	<	1.4	10	ug/L	1	
S8	12/16/2002	Acetophenone	<	1.9	10	ug/L	1	
S8	9/11/2003	Acetophenone	<	2	10	ug/L	1	
S8	9/3/2004	Acetophenone	<	2	10	ug/L	1	
S9	4/10/2002	Acetophenone	<		10	ug/L	1	
S9	6/20/2002	Acetophenone	<	1.4	10	ug/L	1	
S9	9/11/2002	Acetophenone	<	1.4	10	ug/L	1	
S9	12/12/2002	Acetophenone	<	1.9	10	ug/L	1	
S9	9/11/2003	Acetophenone	<	2	10	ug/L	1	
S9	9/3/2004	Acetophenone	<	2	10	ug/L	1	
S10	5/24/2004	Acrolein	<	3.1	20	ug/L	1	NA
S10	5/24/2004	Acrolein	<	3.1	20	ug/L	1	
S10	9/10/2004	Acrolein	<	3.1	20	ug/L	1	
S10	12/1/2004	Acrolein	<	3.1	20	ug/L	1	
S10	12/1/2004	Acrolein	<	3.1	20	ug/L	1	
S10	3/3/2005	Acrolein	<	3.6	20	ug/L	1	
S11	5/24/2004	Acrolein	<	3.1	20	ug/L	1	

tmpAnalyticalResultsOverTime

S11	9/10/2004	Acrolein	<	3.1	20	ug/L	1
S11	12/1/2004	Acrolein	<	3.1	20	ug/L	1
S11	3/3/2005	Acrolein	<	3.6	20	ug/L	1
S2	4/3/2002	Acrolein	<		20	ug/L	1
S2	6/26/2002	Acrolein	<	4.7	20	ug/L	1
S2	9/18/2002	Acrolein	<	4.7	20	ug/L	1
S2	12/13/2002	Acrolein	<	4.7	20	ug/L	1
S2	3/4/2003	Acrolein	<	3.1	20	ug/L	1
S2	3/4/2003	Acrolein	<	3.1	20	ug/L	1
S2	6/5/2003	Acrolein	<	3.1	20	ug/L	1
S2	9/5/2003	Acrolein	<	3.1	20	ug/L	1
S2	9/5/2003	Acrolein	<	3.1	20	ug/L	1
S2	12/3/2003	Acrolein	<	6.2	40	ug/L	2
S2	9/10/2004	Acrolein	<	3.1	20	ug/L	1
S3	4/3/2002	Acrolein	<		20	ug/L	1
S3	6/25/2002	Acrolein	<	4.7	20	ug/L	1
S3	9/19/2002	Acrolein	<	4.7	20	ug/L	1
S3	9/19/2002	Acrolein	<	4.7	20	ug/L	1
S3	12/13/2002	Acrolein	<	4.7	20	ug/L	1
S3	3/5/2003	Acrolein	<	3.1	20	ug/L	1
S3	6/5/2003	Acrolein	<	3.1	20	ug/L	1
S3	9/5/2003	Acrolein	<	3.1	20	ug/L	1
S3	12/2/2003	Acrolein	<	3.1	20	ug/L	1
S3	9/9/2004	Acrolein	<	3.1	20	ug/L	1
S3	9/9/2004	Acrolein	<	3.1	20	ug/L	1
S4	4/3/2002	Acrolein	<		20	ug/L	1
S4	6/25/2002	Acrolein	<	4.7	20	ug/L	1
S4	9/19/2002	Acrolein	<	4.7	20	ug/L	1
S4	12/13/2002	Acrolein	<	4.7	20	ug/L	1
S4	9/8/2003	Acrolein	<	3.1	20	ug/L	1
S4	9/9/2004	Acrolein	<	3.1	20	ug/L	1
S5	4/4/2002	Acrolein	<		20	ug/L	1
S5	6/24/2002	Acrolein	<	4.7	20	ug/L	1
S5	9/20/2002	Acrolein	<	4.7	20	ug/L	1
S5	12/16/2002	Acrolein	<	4.7	20	ug/L	1
S5	9/10/2003	Acrolein	<	3.1	20	ug/L	1
S5	9/8/2004	Acrolein	<	3.1	20	ug/L	1
S6	4/4/2002	Acrolein	<		20	ug/L	1
S6	6/24/2002	Acrolein	<	4.7	20	ug/L	1
S6	6/24/2002	Acrolein	<	4.7	20	ug/L	1
S6	9/23/2002	Acrolein	<	4.7	20	ug/L	1
S6	12/18/2002	Acrolein	<	4.7	20	ug/L	1
S6	9/9/2003	Acrolein	<	3.1	20	ug/L	1
S6	9/8/2004	Acrolein	<	3.1	20	ug/L	1
S7	4/10/2002	Acrolein	<		20	ug/L	1 UJ
S7	6/21/2002	Acrolein	<	4.7	20	ug/L	1
S7	9/23/2002	Acrolein	<	4.7	20	ug/L	1
S7	12/17/2002	Acrolein	<	4.7	20	ug/L	1
S7	9/11/2003	Acrolein	<	3.1	20	ug/L	1
S7	9/7/2004	Acrolein	<	3.1	20	ug/L	1
S8	4/10/2002	Acrolein	<		20	ug/L	1 UJ
S8	6/21/2002	Acrolein	<	4.7	20	ug/L	1
S8	9/20/2002	Acrolein	<	4.7	20	ug/L	1
S8	12/16/2002	Acrolein	<	4.7	20	ug/L	1
S8	9/11/2003	Acrolein	<	3.1	20	ug/L	1
S8	9/3/2004	Acrolein	<	3.1	20	ug/L	1
S9	4/10/2002	Acrolein	<		20	ug/L	1

tmpAnalyticalResultsOverTime

S9	6/20/2002 Acrolein	<	4.7	20	ug/L	1	
S9	9/11/2002 Acrolein	<	4.7	20	ug/L	1	
S9	12/12/2002 Acrolein	<	4.7	20	ug/L	1	
S9	9/11/2003 Acrolein	<	3.1	20	ug/L	1	
S9	9/3/2004 Acrolein	<	3.1	20	ug/L	1	
S10	5/24/2004 Acrylonitrile	<	3.1	20	ug/L	1	NA
S10	5/24/2004 Acrylonitrile	<	3.1	20	ug/L	1	
S10	9/10/2004 Acrylonitrile	<	3.1	20	ug/L	1	
S10	12/1/2004 Acrylonitrile	<	3.1	20	ug/L	1	
S10	12/1/2004 Acrylonitrile	<	3.1	20	ug/L	1	
S10	3/3/2005 Acrylonitrile	<	2.3	20	ug/L	1	
S11	5/24/2004 Acrylonitrile	<	3.1	20	ug/L	1	
S11	9/10/2004 Acrylonitrile	<	3.1	20	ug/L	1	
S11	12/1/2004 Acrylonitrile	<	3.1	20	ug/L	1	
S11	3/3/2005 Acrylonitrile	<	2.3	20	ug/L	1	
S2	4/3/2002 Acrylonitrile	<		20	ug/L	1	
S2	6/26/2002 Acrylonitrile	<	4.9	20	ug/L	1	
S2	9/18/2002 Acrylonitrile	<	4.9	20	ug/L	1	
S2	12/13/2002 Acrylonitrile	<	4.9	20	ug/L	1	
S2	3/4/2003 Acrylonitrile	<	3.1	20	ug/L	1	
S2	3/4/2003 Acrylonitrile	<	3.1	20	ug/L	1	
S2	6/5/2003 Acrylonitrile	<	3.1	20	ug/L	1	
S2	9/5/2003 Acrylonitrile	<	3.1	20	ug/L	1	
S2	9/5/2003 Acrylonitrile	<	3.1	20	ug/L	1	
S2	12/3/2003 Acrylonitrile	<	6.2	40	ug/L	2	
S2	9/10/2004 Acrylonitrile	<	3.1	20	ug/L	1	
S3	4/3/2002 Acrylonitrile	<		20	ug/L	1	
S3	6/25/2002 Acrylonitrile	<	4.9	20	ug/L	1	
S3	9/19/2002 Acrylonitrile	<	4.9	20	ug/L	1	
S3	9/19/2002 Acrylonitrile	<	4.9	20	ug/L	1	
S3	12/13/2002 Acrylonitrile	<	4.9	20	ug/L	1	
S3	3/5/2003 Acrylonitrile	<	3.1	20	ug/L	1	
S3	6/5/2003 Acrylonitrile	<	3.1	20	ug/L	1	
S3	9/5/2003 Acrylonitrile	<	3.1	20	ug/L	1	
S3	12/2/2003 Acrylonitrile	<	3.1	20	ug/L	1	
S3	9/9/2004 Acrylonitrile	<	3.1	20	ug/L	1	
S3	9/9/2004 Acrylonitrile	<	3.1	20	ug/L	1	
S4	4/3/2002 Acrylonitrile	<		20	ug/L	1	
S4	6/25/2002 Acrylonitrile	<	4.9	20	ug/L	1	
S4	9/19/2002 Acrylonitrile	<	4.9	20	ug/L	1	
S4	12/13/2002 Acrylonitrile	<	4.9	20	ug/L	1	
S4	9/8/2003 Acrylonitrile	<	3.1	20	ug/L	1	
S4	9/9/2004 Acrylonitrile	<	3.1	20	ug/L	1	
S5	4/4/2002 Acrylonitrile	<		20	ug/L	1	
S5	6/24/2002 Acrylonitrile	<	4.9	20	ug/L	1	
S5	9/20/2002 Acrylonitrile	<	4.9	20	ug/L	1	
S5	12/16/2002 Acrylonitrile	<	4.9	20	ug/L	1	
S5	9/10/2003 Acrylonitrile	<	3.1	20	ug/L	1	
S5	9/8/2004 Acrylonitrile	<	3.1	20	ug/L	1	
S6	4/4/2002 Acrylonitrile	<		20	ug/L	1	
S6	6/24/2002 Acrylonitrile	<	4.9	20	ug/L	1	
S6	6/24/2002 Acrylonitrile	<	4.9	20	ug/L	1	
S6	9/23/2002 Acrylonitrile	<	4.9	20	ug/L	1	
S6	12/18/2002 Acrylonitrile	<	4.9	20	ug/L	1	
S6	9/9/2003 Acrylonitrile	<	3.1	20	ug/L	1	
S6	9/8/2004 Acrylonitrile	<	3.1	20	ug/L	1	
S7	4/10/2002 Acrylonitrile	<		20	ug/L	1	UJ

tmpAnalyticalResultsOverTime

S7	6/21/2002	Acrylonitrile	<	4.9	20	ug/L	1	
S7	9/23/2002	Acrylonitrile	<	4.9	20	ug/L	1	
S7	12/17/2002	Acrylonitrile	<	4.9	20	ug/L	1	
S7	9/11/2003	Acrylonitrile	<	3.1	20	ug/L	1	
S7	9/7/2004	Acrylonitrile	<	3.1	20	ug/L	1	
S8	4/10/2002	Acrylonitrile	<		20	ug/L	1	UJ
S8	6/21/2002	Acrylonitrile	<	4.9	20	ug/L	1	
S8	9/20/2002	Acrylonitrile	<	4.9	20	ug/L	1	
S8	12/16/2002	Acrylonitrile	<	4.9	20	ug/L	1	
S8	9/11/2003	Acrylonitrile	<	3.1	20	ug/L	1	
S8	9/3/2004	Acrylonitrile	<	3.1	20	ug/L	1	
S9	4/10/2002	Acrylonitrile	<		20	ug/L	1	
S9	6/20/2002	Acrylonitrile	<	4.9	20	ug/L	1	
S9	9/11/2002	Acrylonitrile	<	4.9	20	ug/L	1	
S9	12/12/2002	Acrylonitrile	<	4.9	20	ug/L	1	
S9	9/11/2003	Acrylonitrile	<	3.1	20	ug/L	1	
S9	9/3/2004	Acrylonitrile	<	3.1	20	ug/L	1	
S10	5/24/2004	Allyl chloride	<	0.11	2	ug/L	1	NA
S10	5/24/2004	Allyl chloride	<	0.11	2	ug/L	1	
S10	9/10/2004	Allyl chloride	<	0.11	2	ug/L	1	
S10	12/1/2004	Allyl chloride	<	0.11	2	ug/L	1	
S10	12/1/2004	Allyl chloride	<	0.11	2	ug/L	1	
S10	3/3/2005	Allyl chloride	<	0.22	2	ug/L	1	
S11	5/24/2004	Allyl chloride	<	0.11	2	ug/L	1	
S11	9/10/2004	Allyl chloride	<	0.11	2	ug/L	1	
S11	12/1/2004	Allyl chloride	<	0.11	2	ug/L	1	
S11	3/3/2005	Allyl chloride	<	0.22	2	ug/L	1	
S2	4/3/2002	Allyl chloride	<		2	ug/L	1	
S2	6/26/2002	Allyl chloride	<	0.64	2	ug/L	1	
S2	9/18/2002	Allyl chloride	<	0.64	2	ug/L	1	
S2	12/13/2002	Allyl chloride	<	0.64	2	ug/L	1	
S2	3/4/2003	Allyl chloride	<	0.11	2	ug/L	1	
S2	3/4/2003	Allyl chloride	<	0.11	2	ug/L	1	
S2	6/5/2003	Allyl chloride	<	0.11	2	ug/L	1	
S2	9/5/2003	Allyl chloride	<	0.11	2	ug/L	1	
S2	9/5/2003	Allyl chloride	<	0.11	2	ug/L	1	
S2	12/3/2003	Allyl chloride	<	0.22	4	ug/L	2	
S2	9/10/2004	Allyl chloride	<	0.11	2	ug/L	1	
S3	4/3/2002	Allyl chloride	<		2	ug/L	1	
S3	6/25/2002	Allyl chloride	<	0.64	2	ug/L	1	
S3	9/19/2002	Allyl chloride	<	0.64	2	ug/L	1	
S3	9/19/2002	Allyl chloride	<	0.64	2	ug/L	1	
S3	12/13/2002	Allyl chloride	<	0.64	2	ug/L	1	
S3	3/5/2003	Allyl chloride	<	0.11	2	ug/L	1	
S3	6/5/2003	Allyl chloride	<	0.11	2	ug/L	1	
S3	9/5/2003	Allyl chloride	<	0.11	2	ug/L	1	
S3	12/2/2003	Allyl chloride	<	0.11	2	ug/L	1	
S3	9/9/2004	Allyl chloride	<	0.11	2	ug/L	1	
S3	9/9/2004	Allyl chloride	<	0.11	2	ug/L	1	
S4	4/3/2002	Allyl chloride	<		2	ug/L	1	
S4	6/25/2002	Allyl chloride	<	0.64	2	ug/L	1	
S4	9/19/2002	Allyl chloride	<	0.64	2	ug/L	1	
S4	12/13/2002	Allyl chloride	<	0.64	2	ug/L	1	
S4	9/8/2003	Allyl chloride	<	0.11	2	ug/L	1	
S4	9/9/2004	Allyl chloride	<	0.11	2	ug/L	1	
S5	4/4/2002	Allyl chloride	<		2	ug/L	1	
S5	6/24/2002	Allyl chloride	<	0.64	2	ug/L	1	

tmpAnalyticalResultsOverTime

S5	9/20/2002	Allyl chloride	<	0.64	2	ug/L	1
S5	12/16/2002	Allyl chloride	<	0.64	2	ug/L	1
S5	9/10/2003	Allyl chloride	<	0.11	2	ug/L	1
S5	9/8/2004	Allyl chloride	<	0.11	2	ug/L	1
S6	4/4/2002	Allyl chloride	<		2	ug/L	1
S6	6/24/2002	Allyl chloride	<	0.64	2	ug/L	1
S6	6/24/2002	Allyl chloride	<	0.64	2	ug/L	1
S6	9/23/2002	Allyl chloride	<	0.64	2	ug/L	1
S6	12/18/2002	Allyl chloride	<	0.64	2	ug/L	1
S6	9/9/2003	Allyl chloride	<	0.11	2	ug/L	1
S6	9/8/2004	Allyl chloride	<	0.11	2	ug/L	1
S7	4/10/2002	Allyl chloride	<		2	ug/L	1 UJ
S7	6/21/2002	Allyl chloride	<	0.64	2	ug/L	1
S7	9/23/2002	Allyl chloride	<	0.64	2	ug/L	1
S7	12/17/2002	Allyl chloride	<	0.64	2	ug/L	1
S7	9/11/2003	Allyl chloride	<	0.11	2	ug/L	1
S7	9/7/2004	Allyl chloride	<	0.11	2	ug/L	1
S8	4/10/2002	Allyl chloride	<		2	ug/L	1 UJ
S8	6/21/2002	Allyl chloride	<	0.64	2	ug/L	1
S8	9/20/2002	Allyl chloride	<	0.64	2	ug/L	1
S8	12/16/2002	Allyl chloride	<	0.64	2	ug/L	1
S8	9/11/2003	Allyl chloride	<	0.11	2	ug/L	1
S8	9/3/2004	Allyl chloride	<	0.11	2	ug/L	1
S9	4/10/2002	Allyl chloride	<		2	ug/L	1
S9	6/20/2002	Allyl chloride	<	0.64	2	ug/L	1
S9	9/11/2002	Allyl chloride	<	0.64	2	ug/L	1
S9	12/12/2002	Allyl chloride	<	0.64	2	ug/L	1
S9	9/11/2003	Allyl chloride	<	0.11	2	ug/L	1
S9	9/3/2004	Allyl chloride	<	0.11	2	ug/L	1
S10	9/10/2004	Aluminum-DISSOLVED	<	0.055	0.1	mg/L	1
S10	12/1/2004	Aluminum-DISSOLVED	<	0.055	0.1	mg/L	1
S10	12/1/2004	Aluminum-DISSOLVED	<	0.055	0.1	mg/L	1
S10	3/3/2005	Aluminum-DISSOLVED	<	0.055	0.1	mg/L	1
S2	4/3/2002	Aluminum-DISSOLVED	<		0.1	mg/L	1
S2	6/26/2002	Aluminum-DISSOLVED	<	0.028	0.1	mg/L	1
S2	9/18/2002	Aluminum-DISSOLVED	<	0.1	0.02	0.1	mg/L 1 U
S3	4/3/2002	Aluminum-DISSOLVED	<		0.1	mg/L	1
S3	6/25/2002	Aluminum-DISSOLVED	<	0.028	0.1	mg/L	1
S3	9/19/2002	Aluminum-DISSOLVED	<	0.02	0.1	mg/L	1
S3	9/19/2002	Aluminum-DISSOLVED	<	0.02	0.1	mg/L	1
S3	12/13/2002	Aluminum-DISSOLVED	<	0.02	0.1	mg/L	1
S4	4/3/2002	Aluminum-DISSOLVED	<		0.1	mg/L	1 UJ
S4	6/25/2002	Aluminum-DISSOLVED	<	0.028	0.1	mg/L	1
S4	9/19/2002	Aluminum-DISSOLVED	<	0.1	0.02	0.1	mg/L 1 U
S5	4/4/2002	Aluminum-DISSOLVED	<		0.1	mg/L	1 UJ
S5	9/20/2002	Aluminum-DISSOLVED	<	0.1	0.02	0.1	mg/L 1 U
S6	4/4/2002	Aluminum-DISSOLVED	<		0.1	mg/L	1 UJ
S6	6/24/2002	Aluminum-DISSOLVED	<	0.028	0.1	mg/L	1
S6	9/23/2002	Aluminum-DISSOLVED	<	0.02	0.1	mg/L	1
S7	12/17/2002	Aluminum-DISSOLVED	<	0.02	0.1	mg/L	1
S8	4/10/2002	Aluminum-DISSOLVED	<		0.1	mg/L	1
S8	6/21/2002	Aluminum-DISSOLVED	<	0.028	0.1	mg/L	1
S8	9/20/2002	Aluminum-DISSOLVED	<	0.02	0.1	mg/L	1
S8	12/16/2002	Aluminum-DISSOLVED	<	0.02	0.1	mg/L	1
S9	4/10/2002	Aluminum-DISSOLVED	<		0.1	mg/L	1
S9	6/20/2002	Aluminum-DISSOLVED	<	0.028	0.1	mg/L	1
S9	9/11/2002	Aluminum-DISSOLVED	<	0.02	0.1	mg/L	1



tmpAnalyticalResultsOverTime

S9	12/12/2002	Aluminum-DISSOLVED	<		0.02	0.1	mg/L	1
S10	3/3/2005	Aluminum-TOTAL	<	0.11	0.055	0.11	mg/L	1 U
S10	9/6/2006	Aluminum-TOTAL	<		0.018	0.1	MG/L	1
S10	9/4/2007	Aluminum-TOTAL	<		0.09	0.5	MG/L	5
S10	9/2/2008	Aluminum-TOTAL	<		0.018	0.1	mg/L	1
S10	9/1/2009	Aluminum-TOTAL	<		0.018	0.1	MG/L	1
S10	9/1/2010	Aluminum-TOTAL	<	0.018	0.018	0.1	MG/L	1
S10	9/1/2010	Aluminum-TOTAL	<	0.018	0.018	0.1	MG/L	1
S11	3/3/2005	Aluminum-TOTAL	<	0.2	0.11	0.2	mg/L	2 U
S11	9/7/2005	Aluminum-TOTAL	<		0.17	1	MG/L	10
S11	9/3/2008	Aluminum-TOTAL	<		0.09	0.5	MG/L	5
S11	9/3/2008	Aluminum-TOTAL	<		0.09	0.5	MG/L	5
S11	9/2/2009	Aluminum-TOTAL	<		0.09	0.5	MG/L	5
S11	9/2/2010	Aluminum-TOTAL	<	0.18	0.18	1	MG/L	10
S2	4/3/2002	Aluminum-TOTAL	<			0.1	mg/L	1 UJ
S2	6/26/2002	Aluminum-TOTAL	<		0.028	0.1	mg/L	1
S2	12/3/2003	Aluminum-TOTAL	<	0.12	0.02	0.1	mg/L	1 U
S2	9/7/2005	Aluminum-TOTAL	<		0.17	1	MG/L	10
S2	9/5/2006	Aluminum-TOTAL	<		0.09	0.5	MG/L	5
S2	9/4/2007	Aluminum-TOTAL	<		0.09	0.5	MG/L	5
S2	9/2/2008	Aluminum-TOTAL	<		0.09	0.5	mg/L	5
S2	9/2/2009	Aluminum-TOTAL	<		0.09	0.5	MG/L	5
S2	9/1/2010	Aluminum-TOTAL	<	0.018	0.018	0.1	MG/L	1
S3	4/3/2002	Aluminum-TOTAL	<			0.1	mg/L	1 UJ
S3	6/25/2002	Aluminum-TOTAL	<		0.028	0.1	mg/L	1
S3	9/7/2005	Aluminum-TOTAL	<		0.017	0.1	MG/L	1
S3	9/5/2006	Aluminum-TOTAL	<	0.1	0.018	0.1	MG/L	1 U
S3	9/4/2007	Aluminum-TOTAL	<		0.09	0.5	MG/L	5
S3	9/2/2008	Aluminum-TOTAL	<	0.1	0.018	0.1	mg/L	1 U
S3	9/2/2009	Aluminum-TOTAL	<		0.018	0.1	MG/L	1
S3	9/1/2010	Aluminum-TOTAL	<	0.018	0.018	0.1	MG/L	1
S4	4/3/2002	Aluminum-TOTAL	<			0.1	mg/L	1 UJ
S4	6/25/2002	Aluminum-TOTAL	<		0.028	0.1	mg/L	1
S4	12/13/2002	Aluminum-TOTAL	<		0.02	0.1	mg/L	1
S4	9/8/2003	Aluminum-TOTAL	<		0.02	0.1	mg/L	1 UJ
S4	9/8/2005	Aluminum-TOTAL	<		0.017	0.1	MG/L	1
S4	9/6/2006	Aluminum-TOTAL	<		0.018	0.1	MG/L	1
S4	9/10/2007	Aluminum-TOTAL	<		0.09	0.5	MG/L	5
S4	9/2/2009	Aluminum-TOTAL	<		0.018	0.1	MG/L	1
S4	9/2/2010	Aluminum-TOTAL	<	0.018	0.018	0.1	MG/L	1
S5	9/8/2004	Aluminum-TOTAL	<		0.055	0.1	mg/L	1
S5	9/6/2006	Aluminum-TOTAL	<		0.018	0.1	MG/L	1
S5	9/7/2007	Aluminum-TOTAL	<		0.09	0.5	MG/L	5
S5	9/3/2008	Aluminum-TOTAL	<		0.018	0.1	MG/L	1
S5	9/2/2009	Aluminum-TOTAL	<		0.018	0.1	MG/L	1
S5	9/3/2010	Aluminum-TOTAL	<	0.018	0.018	0.1	MG/L	1
S6	9/9/2005	Aluminum-TOTAL	<		0.17	1	MG/L	10
S6	9/3/2010	Aluminum-TOTAL	<	0.18	0.18	1	MG/L	10
S8	4/10/2002	Aluminum-TOTAL	<			0.1	mg/L	1 UJ
S8	6/21/2002	Aluminum-TOTAL	<		0.028	0.1	mg/L	1
S8	9/20/2002	Aluminum-TOTAL	<		0.02	0.1	mg/L	1
S8	9/11/2003	Aluminum-TOTAL	<		0.02	0.1	mg/L	1
S8	9/3/2004	Aluminum-TOTAL	<		0.055	0.1	mg/L	1
S8	9/2/2005	Aluminum-TOTAL	<		0.017	0.1	MG/L	1
S8	9/7/2006	Aluminum-TOTAL	<		0.018	0.1	MG/L	1
S8	9/10/2007	Aluminum-TOTAL	<		0.09	0.5	MG/L	5
S8	9/4/2008	Aluminum-TOTAL	<		0.018	0.1	MG/L	1

tmpAnalyticalResultsOverTime

S8	9/3/2009	Aluminum-TOTAL	<		0.018	0.1	MG/L	1	
S8	9/3/2010	Aluminum-TOTAL	<	0.018	0.018	0.1	MG/L	1	
S9	4/10/2002	Aluminum-TOTAL	<			0.1	mg/L	1	UJ
S9	9/11/2002	Aluminum-TOTAL	<	0.1	0.02	0.1	mg/L	1	U
S9	9/5/2007	Aluminum-TOTAL	<		0.09	0.5	MG/L	5	
S9	9/4/2009	Aluminum-TOTAL	<		0.018	0.1	MG/L	1	
S9	9/8/2010	Aluminum-TOTAL	<	0.018	0.018	0.1	MG/L	1	
S10	5/24/2004	Aniline	<		4	10	ug/L	1	NA
S10	5/24/2004	Aniline	<		4	10	ug/L	1	
S10	9/10/2004	Aniline	<		4	10	ug/L	1	
S10	12/1/2004	Aniline	<		4	10	ug/L	1	
S10	12/1/2004	Aniline	<		4	10	ug/L	1	
S10	3/3/2005	Aniline	<		6.8	10	ug/L	1	
S11	5/24/2004	Aniline	<		4	10	ug/L	1	
S11	9/10/2004	Aniline	<		4	10	ug/L	1	
S11	12/1/2004	Aniline	<		4	10	ug/L	1	
S11	3/3/2005	Aniline	<		6.8	10	ug/L	1	
S2	4/3/2002	Aniline	<			10	ug/L	1	
S2	6/26/2002	Aniline	<		4.1	10	ug/L	1	
S2	9/18/2002	Aniline	<		4.1	10	ug/L	1	
S2	12/13/2002	Aniline	<		4.1	10	ug/L	1	
S2	3/4/2003	Aniline	<		4.1	10	ug/L	1	
S2	3/4/2003	Aniline	<		4.1	10	ug/L	1	
S2	6/5/2003	Aniline	<		4.1	10	ug/L	1	
S2	9/5/2003	Aniline	<		4.1	10	ug/L	1	
S2	9/5/2003	Aniline	<		4.1	10	ug/L	1	
S2	12/3/2003	Aniline	<		4	10	ug/L	1	
S2	9/10/2004	Aniline	<		4	10	ug/L	1	
S3	4/3/2002	Aniline	<			10	ug/L	1	
S3	9/19/2002	Aniline	<		4.1	10	ug/L	1	
S3	9/19/2002	Aniline	<		4.1	10	ug/L	1	
S3	12/13/2002	Aniline	<		4.1	10	ug/L	1	
S3	3/5/2003	Aniline	<		4.1	10	ug/L	1	
S3	6/5/2003	Aniline	<		4.1	10	ug/L	1	
S3	9/5/2003	Aniline	<		4.1	10	ug/L	1	
S3	12/2/2003	Aniline	<		4	10	ug/L	1	
S3	9/9/2004	Aniline	<		4	10	ug/L	1	
S3	9/9/2004	Aniline	<		4	10	ug/L	1	
S4	4/3/2002	Aniline	<			10	ug/L	1	
S4	6/25/2002	Aniline	<		4.1	10	ug/L	1	
S4	9/19/2002	Aniline	<		4.1	10	ug/L	1	
S4	12/13/2002	Aniline	<		4.1	10	ug/L	1	
S4	9/8/2003	Aniline	<		4	10	ug/L	1	
S4	9/9/2004	Aniline	<		4	10	ug/L	1	
S5	4/4/2002	Aniline	<			10	ug/L	1	
S5	6/24/2002	Aniline	<		4.1	10	ug/L	1	
S5	9/20/2002	Aniline	<		4.1	10	ug/L	1	
S5	12/16/2002	Aniline	<		4.1	10	ug/L	1	
S5	9/10/2003	Aniline	<		4	10	ug/L	1	
S5	9/8/2004	Aniline	<		4	10	ug/L	1	
S6	4/4/2002	Aniline	<			10	ug/L	1	
S6	6/24/2002	Aniline	<		4.1	10	ug/L	1	
S6	6/24/2002	Aniline	<		4.1	10	ug/L	1	
S6	9/23/2002	Aniline	<		4.1	10	ug/L	1	
S6	12/18/2002	Aniline	<		4.1	10	ug/L	1	
S6	9/9/2003	Aniline	<		4	10	ug/L	1	
S6	9/8/2004	Aniline	<		4	10	ug/L	1	

tmpAnalyticalResultsOverTime

S7	4/10/2002	Aniline	<		10	ug/L	1	
S7	6/21/2002	Aniline	<	4.1	10	ug/L	1	
S7	9/23/2002	Aniline	<	4.1	10	ug/L	1	
S7	12/17/2002	Aniline	<	4.1	10	ug/L	1	
S7	9/11/2003	Aniline	<	4	10	ug/L	1	
S7	9/7/2004	Aniline	<	4	10	ug/L	1	
S8	4/10/2002	Aniline	<		10	ug/L	1	
S8	6/21/2002	Aniline	<	4.1	10	ug/L	1	
S8	9/20/2002	Aniline	<	4.1	10	ug/L	1	
S8	12/16/2002	Aniline	<	4.1	10	ug/L	1	
S8	9/11/2003	Aniline	<	4	10	ug/L	1	
S8	9/3/2004	Aniline	<	4	10	ug/L	1	
S9	4/10/2002	Aniline	<		10	ug/L	1	
S9	6/20/2002	Aniline	<	4.1	10	ug/L	1	
S9	9/11/2002	Aniline	<	4.1	10	ug/L	1	
S9	12/12/2002	Aniline	<	4.1	10	ug/L	1	
S9	9/11/2003	Aniline	<	4	10	ug/L	1	
S9	9/3/2004	Aniline	<	4	10	ug/L	1	
S10	5/24/2004	Anthracene	<	3	10	ug/L	1	NA
S10	5/24/2004	Anthracene	<	3	10	ug/L	1	
S10	9/10/2004	Anthracene	<	3	10	ug/L	1	
S10	12/1/2004	Anthracene	<	3	10	ug/L	1	
S10	12/1/2004	Anthracene	<	3	10	ug/L	1	
S10	3/3/2005	Anthracene	<	1.9	10	ug/L	1	
S11	5/24/2004	Anthracene	<	3	10	ug/L	1	
S11	9/10/2004	Anthracene	<	3	10	ug/L	1	
S11	12/1/2004	Anthracene	<	3	10	ug/L	1	
S11	3/3/2005	Anthracene	<	1.9	10	ug/L	1	
S2	4/3/2002	Anthracene	<		10	ug/L	1	
S2	6/26/2002	Anthracene	<	1.6	10	ug/L	1	
S2	9/18/2002	Anthracene	<	1.6	10	ug/L	1	
S2	12/13/2002	Anthracene	<	1.6	10	ug/L	1	
S2	3/4/2003	Anthracene	<	1.6	10	ug/L	1	
S2	3/4/2003	Anthracene	<	1.6	10	ug/L	1	
S2	6/5/2003	Anthracene	<	1.6	10	ug/L	1	
S2	9/5/2003	Anthracene	<	3	10	ug/L	1	
S2	9/5/2003	Anthracene	<	3	10	ug/L	1	
S2	12/3/2003	Anthracene	<	3	10	ug/L	1	
S2	9/10/2004	Anthracene	<	3	10	ug/L	1	
S3	4/3/2002	Anthracene	<		10	ug/L	1	
S3	9/19/2002	Anthracene	<	1.6	10	ug/L	1	
S3	9/19/2002	Anthracene	<	1.6	10	ug/L	1	
S3	12/13/2002	Anthracene	<	1.6	10	ug/L	1	
S3	3/5/2003	Anthracene	<	1.6	10	ug/L	1	
S3	6/5/2003	Anthracene	<	1.6	10	ug/L	1	
S3	9/5/2003	Anthracene	<	3	10	ug/L	1	
S3	12/2/2003	Anthracene	<	3	10	ug/L	1	
S3	9/9/2004	Anthracene	<	3	10	ug/L	1	
S3	9/9/2004	Anthracene	<	3	10	ug/L	1	
S4	4/3/2002	Anthracene	<		10	ug/L	1	
S4	6/25/2002	Anthracene	<	1.6	10	ug/L	1	
S4	9/19/2002	Anthracene	<	1.6	10	ug/L	1	
S4	12/13/2002	Anthracene	<	1.6	10	ug/L	1	
S4	9/8/2003	Anthracene	<	3	10	ug/L	1	
S4	9/9/2004	Anthracene	<	3	10	ug/L	1	
S5	4/4/2002	Anthracene	<		10	ug/L	1	
S5	6/24/2002	Anthracene	<	1.6	10	ug/L	1	

tmpAnalyticalResultsOverTime

S5	9/20/2002 Anthracene	<	1.6	10	ug/L	1	
S5	12/16/2002 Anthracene	<	1.6	10	ug/L	1	
S5	9/10/2003 Anthracene	<	3	10	ug/L	1	
S5	9/8/2004 Anthracene	<	3	10	ug/L	1	
S6	4/4/2002 Anthracene	<		10	ug/L	1	
S6	6/24/2002 Anthracene	<	1.6	10	ug/L	1	
S6	6/24/2002 Anthracene	<	1.6	10	ug/L	1	
S6	9/23/2002 Anthracene	<	1.6	10	ug/L	1	
S6	12/18/2002 Anthracene	<	1.6	10	ug/L	1	
S6	9/9/2003 Anthracene	<	3	10	ug/L	1	
S6	9/8/2004 Anthracene	<	3	10	ug/L	1	
S7	4/10/2002 Anthracene	<		10	ug/L	1	
S7	6/21/2002 Anthracene	<	1.6	10	ug/L	1	
S7	9/23/2002 Anthracene	<	1.6	10	ug/L	1	
S7	12/17/2002 Anthracene	<	1.6	10	ug/L	1	
S7	9/11/2003 Anthracene	<	3	10	ug/L	1	
S7	9/7/2004 Anthracene	<	3	10	ug/L	1	
S8	4/10/2002 Anthracene	<		10	ug/L	1	
S8	6/21/2002 Anthracene	<	1.6	10	ug/L	1	
S8	9/20/2002 Anthracene	<	1.6	10	ug/L	1	
S8	12/16/2002 Anthracene	<	1.6	10	ug/L	1	
S8	9/11/2003 Anthracene	<	3	10	ug/L	1	
S8	9/3/2004 Anthracene	<	3	10	ug/L	1	
S9	4/10/2002 Anthracene	<		10	ug/L	1	
S9	6/20/2002 Anthracene	<	1.6	10	ug/L	1	
S9	9/11/2002 Anthracene	<	1.6	10	ug/L	1	
S9	12/12/2002 Anthracene	<	1.6	10	ug/L	1	
S9	9/11/2003 Anthracene	<	3	10	ug/L	1	
S9	9/3/2004 Anthracene	<	3	10	ug/L	1	
S10	5/24/2004 Aramite	<	2	20	ug/L	1	mg/L
S10	5/24/2004 Aramite	<	2	20	ug/L	1	
S10	9/10/2004 Aramite	<	2	20	ug/L	1	
S10	12/1/2004 Aramite	<	2	20	ug/L	1	
S10	12/1/2004 Aramite	<	2	20	ug/L	1	
S10	3/3/2005 Aramite	<	2	20	ug/L	1	
S11	5/24/2004 Aramite	<	2	20	ug/L	1	
S11	9/10/2004 Aramite	<	2	20	ug/L	1	
S11	12/1/2004 Aramite	<	2	20	ug/L	1	
S11	3/3/2005 Aramite	<	2	20	ug/L	1	
S2	4/3/2002 Aramite	<		20	ug/L	1	
S2	6/26/2002 Aramite	<	5.3	20	ug/L	1	
S2	9/18/2002 Aramite	<	5.3	20	ug/L	1	
S2	12/13/2002 Aramite	<	1.9	20	ug/L	1	
S2	3/4/2003 Aramite	<	1.9	20	ug/L	1	
S2	3/4/2003 Aramite	<	1.9	20	ug/L	1	
S2	6/5/2003 Aramite	<	1.9	20	ug/L	1	
S2	9/5/2003 Aramite	<	2	20	ug/L	1	
S2	9/5/2003 Aramite	<	2	20	ug/L	1	
S2	12/3/2003 Aramite	<	2	20	ug/L	1	
S2	9/10/2004 Aramite	<	2	20	ug/L	1	
S3	4/3/2002 Aramite	<		20	ug/L	1	
S3	9/19/2002 Aramite	<	5.3	20	ug/L	1	
S3	9/19/2002 Aramite	<	5.3	20	ug/L	1	
S3	12/13/2002 Aramite	<	1.9	20	ug/L	1	
S3	3/5/2003 Aramite	<	1.9	20	ug/L	1	
S3	6/5/2003 Aramite	<	1.9	20	ug/L	1	
S3	9/5/2003 Aramite	<	2	20	ug/L	1	

tmpAnalyticalResultsOverTime

S3	12/2/2003	Aramite	<	2	20	ug/L	1
S3	9/9/2004	Aramite	<	2	20	ug/L	1
S3	9/9/2004	Aramite	<	2	20	ug/L	1
S4	4/3/2002	Aramite	<		20	ug/L	1
S4	6/25/2002	Aramite	<	5.3	20	ug/L	1
S4	9/19/2002	Aramite	<	5.3	20	ug/L	1
S4	12/13/2002	Aramite	<	1.9	20	ug/L	1
S4	9/8/2003	Aramite	<	2	20	ug/L	1
S4	9/9/2004	Aramite	<	2	20	ug/L	1
S5	4/4/2002	Aramite	<		20	ug/L	1
S5	6/24/2002	Aramite	<	5.3	20	ug/L	1
S5	9/20/2002	Aramite	<	5.3	20	ug/L	1
S5	12/16/2002	Aramite	<	1.9	20	ug/L	1
S5	9/10/2003	Aramite	<	2	20	ug/L	1
S5	9/8/2004	Aramite	<	2	20	ug/L	1
S6	4/4/2002	Aramite	<		20	ug/L	1
S6	6/24/2002	Aramite	<	5.3	20	ug/L	1
S6	6/24/2002	Aramite	<	5.3	20	ug/L	1
S6	9/23/2002	Aramite	<	5.3	20	ug/L	1
S6	12/18/2002	Aramite	<	1.9	20	ug/L	1
S6	9/9/2003	Aramite	<	2	20	ug/L	1
S6	9/8/2004	Aramite	<	2	20	ug/L	1
S7	4/10/2002	Aramite	<		20	ug/L	1
S7	6/21/2002	Aramite	<	5.3	20	ug/L	1
S7	9/23/2002	Aramite	<	5.3	20	ug/L	1
S7	12/17/2002	Aramite	<	1.9	20	ug/L	1
S7	9/11/2003	Aramite	<	2	20	ug/L	1
S7	9/7/2004	Aramite	<	2	20	ug/L	1
S8	4/10/2002	Aramite	<		20	ug/L	1
S8	6/21/2002	Aramite	<	5.3	20	ug/L	1
S8	9/20/2002	Aramite	<	5.3	20	ug/L	1
S8	12/16/2002	Aramite	<	1.9	20	ug/L	1
S8	9/11/2003	Aramite	<	2	20	ug/L	1
S8	9/3/2004	Aramite	<	2	20	ug/L	1
S9	4/10/2002	Aramite	<		20	ug/L	1
S9	6/20/2002	Aramite	<	5.3	20	ug/L	1
S9	9/11/2002	Aramite	<	5.3	20	ug/L	1
S9	12/12/2002	Aramite	<	1.9	20	ug/L	1
S9	9/11/2003	Aramite	<	2	20	ug/L	1
S9	9/3/2004	Aramite	<	2	20	ug/L	1
S11	12/1/2004	Arsenic-DISSOLVED	<	0.017	0.075	mg/L	5
S11	3/3/2005	Arsenic-DISSOLVED	<	0.017	0.075	mg/L	5
S2	9/18/2002	Arsenic-DISSOLVED	<	0.018	0.075	mg/L	5
S2	12/13/2002	Arsenic-DISSOLVED	<	0.018	0.075	mg/L	5
S4	12/13/2002	Arsenic-DISSOLVED	<	0.018	0.075	mg/L	5
S5	12/16/2002	Arsenic-DISSOLVED	<	0.018	0.075	mg/L	5
S6	12/18/2002	Arsenic-DISSOLVED	<	0.018	0.075	mg/L	5
S7	12/17/2002	Arsenic-DISSOLVED	<	0.018	0.075	mg/L	5
S9	4/10/2002	Arsenic-DISSOLVED	<		0.015	mg/L	1
S9	6/20/2002	Arsenic-DISSOLVED	<	0.0036	0.015	mg/L	1
S9	9/11/2002	Arsenic-DISSOLVED	<	0.0036	0.015	mg/L	1
S9	12/12/2002	Arsenic-DISSOLVED	<	0.018	0.075	mg/L	5
S10	9/10/2004	Arsenic-TOTAL	<	0.017	0.075	mg/L	5
S11	9/10/2004	Arsenic-TOTAL	<	0.017	0.075	mg/L	5
S11	3/3/2005	Arsenic-TOTAL	<	0.0068	0.03	mg/L	2
S2	4/3/2002	Arsenic-TOTAL	<		0.075	mg/L	5 UJ
S2	12/13/2002	Arsenic-TOTAL	<	0.018	0.075	mg/L	5

tmpAnalyticalResultsOverTime

S2	3/4/2003	Arsenic-TOTAL	<	0.036	0.15	mg/L	10		
S2	3/4/2003	Arsenic-TOTAL	<	0.018	0.075	mg/L	5		
S2	6/5/2003	Arsenic-TOTAL	<	0.049	0.15	mg/L	10		
S2	9/5/2003	Arsenic-TOTAL	<	0.024	0.075	mg/L	5		
S2	12/3/2003	Arsenic-TOTAL	<	0.024	0.075	mg/L	5		
S2	9/10/2004	Arsenic-TOTAL	<	0.017	0.075	mg/L	5		
S2	9/7/2005	Arsenic-TOTAL	<	0.022	0.075	MG/L	5		
S3	4/3/2002	Arsenic-TOTAL	<		0.075	mg/L	5	UJ	
S3	12/13/2002	Arsenic-TOTAL	<	0.018	0.075	mg/L	5		
S4	12/13/2002	Arsenic-TOTAL	<	0.018	0.075	mg/L	5		
S4	9/8/2003	Arsenic-TOTAL	<	0.0049	0.015	mg/L	1		
S4	9/9/2004	Arsenic-TOTAL	<	0.0049	0.015	mg/L	1		
S4	9/8/2005	Arsenic-TOTAL	<	0.0044	0.015	MG/L	1		
S5	9/10/2003	Arsenic-TOTAL	<	0.0049	0.015	mg/L	1		
S5	9/8/2004	Arsenic-TOTAL	<	0.0034	0.015	mg/L	1		
S6	12/18/2002	Arsenic-TOTAL	<	0.018	0.075	mg/L	5		
S6	9/8/2004	Arsenic-TOTAL	<	0.0034	0.015	mg/L	1		
S7	12/17/2002	Arsenic-TOTAL	<	0.018	0.075	mg/L	5		
S7	9/7/2004	Arsenic-TOTAL	<	0.0034	0.015	mg/L	1		
S7	9/8/2009	Arsenic-TOTAL	<	0.0021	0.05	MG/L	10		
S7	9/8/2009	Arsenic-TOTAL	<	0.0021	0.05	MG/L	10		
S8	12/16/2002	Arsenic-TOTAL	<	0.018	0.075	mg/L	5		
S9	4/10/2002	Arsenic-TOTAL	<		0.015	mg/L	1	UJ	
S9	6/20/2002	Arsenic-TOTAL	<	0.0036	0.015	mg/L	1		
S9	9/11/2002	Arsenic-TOTAL	<	0.0036	0.015	mg/L	1		
S9	12/12/2002	Arsenic-TOTAL	<	0.018	0.075	mg/L	5		
S9	9/11/2003	Arsenic-TOTAL	<	0.0049	0.015	mg/L	1		
S9	9/3/2004	Arsenic-TOTAL	<	0.0034	0.015	mg/L	1		
S9	9/2/2005	Arsenic-TOTAL	<	0.0044	0.015	MG/L	1		
S9	9/5/2007	Arsenic-TOTAL	<	0.005	0.00021	0.005	MG/L	1	U
S9	9/5/2008	Arsenic-TOTAL	<		0.001	0.025	MG/L	5	
S9	9/4/2009	Arsenic-TOTAL	<		0.0021	0.05	MG/L	10	
S9	9/8/2010	Arsenic-TOTAL	<	0.001	0.001	0.025	MG/L	5	
S10	5/24/2004	Benzene	<	0.17	1	ug/L	1	0.005	
S10	5/24/2004	Benzene	<	0.17	1	ug/L	1		
S10	9/10/2004	Benzene	<	0.17	1	ug/L	1		
S10	12/1/2004	Benzene	<	0.17	1	ug/L	1		
S10	12/1/2004	Benzene	<	0.17	1	ug/L	1		
S10	3/3/2005	Benzene	<	0.15	1	ug/L	1		
S11	5/24/2004	Benzene	<	0.17	1	ug/L	1		
S11	9/10/2004	Benzene	<	0.17	1	ug/L	1		
S11	12/1/2004	Benzene	<	0.17	1	ug/L	1		
S11	3/3/2005	Benzene	<	0.15	1	ug/L	1		
S2	4/3/2002	Benzene	<		1	ug/L	1		
S2	6/26/2002	Benzene	<	0.27	1	ug/L	1		
S2	9/18/2002	Benzene	<	0.27	1	ug/L	1		
S2	12/13/2002	Benzene	<	0.27	1	ug/L	1		
S2	3/4/2003	Benzene	<	0.17	1	ug/L	1		
S2	3/4/2003	Benzene	<	0.17	1	ug/L	1		
S2	6/5/2003	Benzene	<	0.17	1	ug/L	1		
S2	9/5/2003	Benzene	<	0.17	1	ug/L	1		
S2	9/5/2003	Benzene	<	0.17	1	ug/L	1		
S2	12/3/2003	Benzene	<	0.34	2	ug/L	2		
S2	9/10/2004	Benzene	<	0.17	1	ug/L	1		
S3	4/3/2002	Benzene	<		1	ug/L	1		
S3	9/19/2002	Benzene	<	0.27	1	ug/L	1		
S3	9/19/2002	Benzene	<	0.27	1	ug/L	1		

tmpAnalyticalResultsOverTime

S3	12/13/2002	Benzene	<	0.27	1	ug/L	1	
S3	3/5/2003	Benzene	<	0.17	1	ug/L	1	
S3	6/5/2003	Benzene	<	0.17	1	ug/L	1	
S3	9/5/2003	Benzene	<	0.17	1	ug/L	1	
S3	12/2/2003	Benzene	<	0.17	1	ug/L	1	
S3	9/9/2004	Benzene	<	0.17	1	ug/L	1	
S3	9/9/2004	Benzene	<	0.17	1	ug/L	1	
S4	4/3/2002	Benzene	<		1	ug/L	1	
S4	6/25/2002	Benzene	<	0.27	1	ug/L	1	
S4	9/19/2002	Benzene	<	0.27	1	ug/L	1	
S4	12/13/2002	Benzene	<	0.27	1	ug/L	1	
S4	9/8/2003	Benzene	<	0.17	1	ug/L	1	
S4	9/9/2004	Benzene	<	0.17	1	ug/L	1	
S5	4/4/2002	Benzene	<		1	ug/L	1	
S5	6/24/2002	Benzene	<	0.27	1	ug/L	1	
S5	9/20/2002	Benzene	<	0.27	1	ug/L	1	
S5	12/16/2002	Benzene	<	0.27	1	ug/L	1	
S5	9/10/2003	Benzene	<	0.17	1	ug/L	1	
S5	9/8/2004	Benzene	<	0.17	1	ug/L	1	
S6	4/4/2002	Benzene	<		1	ug/L	1	
S6	6/24/2002	Benzene	<	0.27	1	ug/L	1	
S6	6/24/2002	Benzene	<	0.27	1	ug/L	1	
S6	9/23/2002	Benzene	<	0.27	1	ug/L	1	
S6	12/18/2002	Benzene	<	0.27	1	ug/L	1	
S6	9/9/2003	Benzene	<	0.17	1	ug/L	1	
S6	9/8/2004	Benzene	<	0.17	1	ug/L	1	
S7	4/10/2002	Benzene	<		1	ug/L	1	UJ
S7	6/21/2002	Benzene	<	0.27	1	ug/L	1	
S7	9/23/2002	Benzene	<	0.27	1	ug/L	1	
S7	12/17/2002	Benzene	<	0.27	1	ug/L	1	
S7	9/11/2003	Benzene	<	0.17	1	ug/L	1	
S7	9/7/2004	Benzene	<	0.17	1	ug/L	1	
S8	4/10/2002	Benzene	<		1	ug/L	1	UJ
S8	6/21/2002	Benzene	<	0.27	1	ug/L	1	
S8	9/20/2002	Benzene	<	0.27	1	ug/L	1	
S8	12/16/2002	Benzene	<	0.27	1	ug/L	1	
S8	9/11/2003	Benzene	<	0.17	1	ug/L	1	
S8	9/3/2004	Benzene	<	0.17	1	ug/L	1	
S9	4/10/2002	Benzene	<		1	ug/L	1	
S9	6/20/2002	Benzene	<	0.27	1	ug/L	1	
S9	9/11/2002	Benzene	<	0.27	1	ug/L	1	
S9	12/12/2002	Benzene	<	0.27	1	ug/L	1	
S9	9/11/2003	Benzene	<	0.17	1	ug/L	1	
S9	9/3/2004	Benzene	<	0.17	1	ug/L	1	
S10	5/24/2004	Benzidine	<	40	100	ug/L	1	UJ NA
S10	5/24/2004	Benzidine	<	40	100	ug/L	1	UJ
S10	9/10/2004	Benzidine	<	40	100	ug/L	1	
S10	12/1/2004	Benzidine	<	40	100	ug/L	1	
S10	12/1/2004	Benzidine	<	40	100	ug/L	1	
S10	3/3/2005	Benzidine	<	40	100	ug/L	1	
S11	5/24/2004	Benzidine	<	40	100	ug/L	1	UJ
S11	9/10/2004	Benzidine	<	40	100	ug/L	1	
S11	12/1/2004	Benzidine	<	40	100	ug/L	1	
S11	3/3/2005	Benzidine	<	40	100	ug/L	1	
S2	9/18/2002	Benzidine	<	15	100	ug/L	1	
S2	12/13/2002	Benzidine	<	15	100	ug/L	1	
S2	3/4/2003	Benzidine	<	44	100	ug/L	1	

tmpAnalyticalResultsOverTime

S2	3/4/2003	Benzidine	<	44	100	ug/L	1	
S2	6/5/2003	Benzidine	<	44	100	ug/L	1	
S2	9/5/2003	Benzidine	<	40	100	ug/L	1	
S2	9/5/2003	Benzidine	<	40	100	ug/L	1	
S2	12/3/2003	Benzidine	<	40	100	ug/L	1	
S2	9/10/2004	Benzidine	<	40	100	ug/L	1	
S3	9/19/2002	Benzidine	<	15	100	ug/L	1	
S3	9/19/2002	Benzidine	<	15	100	ug/L	1	
S3	12/13/2002	Benzidine	<	15	100	ug/L	1	
S3	3/5/2003	Benzidine	<	44	100	ug/L	1	
S3	6/5/2003	Benzidine	<	44	100	ug/L	1	
S3	9/5/2003	Benzidine	<	40	100	ug/L	1	
S3	12/2/2003	Benzidine	<	40	100	ug/L	1	
S3	9/9/2004	Benzidine	<	40	100	ug/L	1	
S3	9/9/2004	Benzidine	<	40	100	ug/L	1	
S4	9/19/2002	Benzidine	<	15	100	ug/L	1	
S4	12/13/2002	Benzidine	<	15	100	ug/L	1	
S4	9/8/2003	Benzidine	<	40	100	ug/L	1	
S4	9/9/2004	Benzidine	<	40	100	ug/L	1	
S5	9/20/2002	Benzidine	<	15	100	ug/L	1	
S5	12/16/2002	Benzidine	<	15	100	ug/L	1	
S5	9/10/2003	Benzidine	<	40	100	ug/L	1	
S5	9/8/2004	Benzidine	<	40	100	ug/L	1	
S6	9/23/2002	Benzidine	<	15	100	ug/L	1	
S6	12/18/2002	Benzidine	<	15	100	ug/L	1	
S6	9/9/2003	Benzidine	<	40	100	ug/L	1	
S6	9/8/2004	Benzidine	<	40	100	ug/L	1	
S7	9/23/2002	Benzidine	<	15	100	ug/L	1	
S7	12/17/2002	Benzidine	<	15	100	ug/L	1	
S7	9/11/2003	Benzidine	<	40	100	ug/L	1	
S7	9/7/2004	Benzidine	<	40	100	ug/L	1	
S8	9/20/2002	Benzidine	<	15	100	ug/L	1	
S8	12/16/2002	Benzidine	<	15	100	ug/L	1	
S8	9/11/2003	Benzidine	<	40	100	ug/L	1	
S8	9/3/2004	Benzidine	<	40	100	ug/L	1	
S9	9/11/2002	Benzidine	<	15	100	ug/L	1	
S9	12/12/2002	Benzidine	<	15	100	ug/L	1	
S9	9/11/2003	Benzidine	<	40	100	ug/L	1	
S9	9/3/2004	Benzidine	<	40	100	ug/L	1	
S10	5/24/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1	NA
S10	5/24/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S10	9/10/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S10	12/1/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S10	12/1/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S10	3/3/2005	Benzo(a)anthracene	<	1.7	10	ug/L	1	
S11	5/24/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S11	9/10/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S11	12/1/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S11	3/3/2005	Benzo(a)anthracene	<	1.7	10	ug/L	1	
S2	4/3/2002	Benzo(a)anthracene	<		10	ug/L	1	
S2	6/26/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S2	9/18/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S2	12/13/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S2	3/4/2003	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S2	3/4/2003	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S2	6/5/2003	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S2	9/5/2003	Benzo(a)anthracene	<	0.8	10	ug/L	1	



tmpAnalyticalResultsOverTime

S2	9/5/2003	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S2	12/3/2003	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S2	9/10/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S3	4/3/2002	Benzo(a)anthracene	<		10	ug/L	1	
S3	9/19/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S3	9/19/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S3	12/13/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S3	3/5/2003	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S3	6/5/2003	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S3	9/5/2003	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S3	12/2/2003	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S3	9/9/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S3	9/9/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S4	4/3/2002	Benzo(a)anthracene	<		10	ug/L	1	
S4	6/25/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S4	9/19/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S4	12/13/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S4	9/8/2003	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S4	9/9/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S5	4/4/2002	Benzo(a)anthracene	<		10	ug/L	1	
S5	6/24/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S5	9/20/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S5	12/16/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S5	9/10/2003	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S5	9/8/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S6	4/4/2002	Benzo(a)anthracene	<		10	ug/L	1	
S6	6/24/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S6	6/24/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S6	9/23/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S6	12/18/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S6	9/9/2003	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S6	9/8/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S7	4/10/2002	Benzo(a)anthracene	<		10	ug/L	1	
S7	6/21/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S7	9/23/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S7	12/17/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S7	9/11/2003	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S7	9/7/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S8	4/10/2002	Benzo(a)anthracene	<		10	ug/L	1	
S8	6/21/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S8	9/20/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S8	12/16/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S8	9/11/2003	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S8	9/3/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S9	4/10/2002	Benzo(a)anthracene	<		10	ug/L	1	
S9	6/20/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S9	9/11/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S9	12/12/2002	Benzo(a)anthracene	<	1.2	10	ug/L	1	
S9	9/11/2003	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S9	9/3/2004	Benzo(a)anthracene	<	0.8	10	ug/L	1	
S10	5/24/2004	Benzo(a)pyrene	<	0.8	10	ug/L	1	NA
S10	5/24/2004	Benzo(a)pyrene	<	0.8	10	ug/L	1	
S10	9/10/2004	Benzo(a)pyrene	<	0.8	10	ug/L	1	
S10	12/1/2004	Benzo(a)pyrene	<	0.8	10	ug/L	1	
S10	12/1/2004	Benzo(a)pyrene	<	0.8	10	ug/L	1	
S10	3/3/2005	Benzo(a)pyrene	<	1.3	10	ug/L	1	
S11	5/24/2004	Benzo(a)pyrene	<	0.8	10	ug/L	1	

tmpAnalyticalResultsOverTime

S11	9/10/2004	Benzo(a)pyrene	<	0.8	10	ug/L	1
S11	12/1/2004	Benzo(a)pyrene	<	0.8	10	ug/L	1
S11	3/3/2005	Benzo(a)pyrene	<	1.3	10	ug/L	1
S2	4/3/2002	Benzo(a)pyrene	<		10	ug/L	1
S2	6/26/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S2	9/18/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S2	12/13/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S2	3/4/2003	Benzo(a)pyrene	<	1.4	10	ug/L	1
S2	3/4/2003	Benzo(a)pyrene	<	1.4	10	ug/L	1
S2	6/5/2003	Benzo(a)pyrene	<	1.4	10	ug/L	1
S2	9/5/2003	Benzo(a)pyrene	<	0.8	10	ug/L	1
S2	9/5/2003	Benzo(a)pyrene	<	0.8	10	ug/L	1
S2	12/3/2003	Benzo(a)pyrene	<	0.8	10	ug/L	1
S2	9/10/2004	Benzo(a)pyrene	<	0.8	10	ug/L	1
S3	4/3/2002	Benzo(a)pyrene	<		10	ug/L	1
S3	9/19/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S3	9/19/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S3	12/13/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S3	3/5/2003	Benzo(a)pyrene	<	1.4	10	ug/L	1
S3	6/5/2003	Benzo(a)pyrene	<	1.4	10	ug/L	1
S3	9/5/2003	Benzo(a)pyrene	<	0.8	10	ug/L	1
S3	12/2/2003	Benzo(a)pyrene	<	0.8	10	ug/L	1
S3	9/9/2004	Benzo(a)pyrene	<	0.8	10	ug/L	1
S3	9/9/2004	Benzo(a)pyrene	<	0.8	10	ug/L	1
S4	4/3/2002	Benzo(a)pyrene	<		10	ug/L	1
S4	6/25/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S4	9/19/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S4	12/13/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S4	9/8/2003	Benzo(a)pyrene	<	0.8	10	ug/L	1
S4	9/9/2004	Benzo(a)pyrene	<	0.8	10	ug/L	1
S5	4/4/2002	Benzo(a)pyrene	<		10	ug/L	1
S5	6/24/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S5	9/20/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S5	12/16/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S5	9/10/2003	Benzo(a)pyrene	<	0.8	10	ug/L	1
S5	9/8/2004	Benzo(a)pyrene	<	0.8	10	ug/L	1
S6	4/4/2002	Benzo(a)pyrene	<		10	ug/L	1
S6	6/24/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S6	6/24/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S6	9/23/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S6	12/18/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S6	9/9/2003	Benzo(a)pyrene	<	0.8	10	ug/L	1
S6	9/8/2004	Benzo(a)pyrene	<	0.8	10	ug/L	1
S7	4/10/2002	Benzo(a)pyrene	<		10	ug/L	1
S7	6/21/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S7	9/23/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S7	12/17/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S7	9/11/2003	Benzo(a)pyrene	<	0.8	10	ug/L	1
S7	9/7/2004	Benzo(a)pyrene	<	0.8	10	ug/L	1
S8	4/10/2002	Benzo(a)pyrene	<		10	ug/L	1
S8	6/21/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S8	9/20/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S8	12/16/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1
S8	9/11/2003	Benzo(a)pyrene	<	0.8	10	ug/L	1
S8	9/3/2004	Benzo(a)pyrene	<	0.8	10	ug/L	1
S9	4/10/2002	Benzo(a)pyrene	<		10	ug/L	1
S9	6/20/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1

tmpAnalyticalResultsOverTime

S9	9/11/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1	
S9	12/12/2002	Benzo(a)pyrene	<	1.4	10	ug/L	1	
S9	9/11/2003	Benzo(a)pyrene	<	0.8	10	ug/L	1	
S9	9/3/2004	Benzo(a)pyrene	<	0.8	10	ug/L	1	
S10	5/24/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	NA
S10	5/24/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S10	9/10/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S10	12/1/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S10	12/1/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S10	3/3/2005	Benzo(b)fluoranthene	<	1.4	10	ug/L	1	
S11	5/24/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S11	9/10/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S11	12/1/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S11	3/3/2005	Benzo(b)fluoranthene	<	1.4	10	ug/L	1	
S2	4/3/2002	Benzo(b)fluoranthene	<		10	ug/L	1	
S2	6/26/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S2	9/18/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S2	12/13/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S2	3/4/2003	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S2	3/4/2003	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S2	6/5/2003	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S2	9/5/2003	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S2	9/5/2003	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S2	12/3/2003	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S2	9/10/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S3	4/3/2002	Benzo(b)fluoranthene	<		10	ug/L	1	
S3	9/19/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S3	9/19/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S3	12/13/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S3	3/5/2003	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S3	6/5/2003	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S3	9/5/2003	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S3	12/2/2003	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S3	9/9/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S3	9/9/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S4	4/3/2002	Benzo(b)fluoranthene	<		10	ug/L	1	
S4	6/25/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S4	9/19/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S4	12/13/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S4	9/8/2003	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S4	9/9/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S5	4/4/2002	Benzo(b)fluoranthene	<		10	ug/L	1	
S5	6/24/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S5	9/20/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S5	12/16/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S5	9/10/2003	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S5	9/8/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S6	4/4/2002	Benzo(b)fluoranthene	<		10	ug/L	1	
S6	6/24/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S6	6/24/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S6	9/23/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S6	12/18/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S6	9/9/2003	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S6	9/8/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S7	4/10/2002	Benzo(b)fluoranthene	<		10	ug/L	1	
S7	6/21/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S7	9/23/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	

tmpAnalyticalResultsOverTime

S7	12/17/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S7	9/11/2003	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S7	9/7/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S8	4/10/2002	Benzo(b)fluoranthene	<		10	ug/L	1	
S8	6/21/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S8	9/20/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S8	12/16/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S8	9/11/2003	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S8	9/3/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S9	4/10/2002	Benzo(b)fluoranthene	<		10	ug/L	1	
S9	6/20/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S9	9/11/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S9	12/12/2002	Benzo(b)fluoranthene	<	2.2	10	ug/L	1	
S9	9/11/2003	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S9	9/3/2004	Benzo(b)fluoranthene	<	0.9	10	ug/L	1	
S10	5/24/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	NA
S10	5/24/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
S10	9/10/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
S10	12/1/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
S10	12/1/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
S10	3/3/2005	Benzo(ghi)perylene	<	2	10	ug/L	1	
S11	5/24/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
S11	9/10/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
S11	12/1/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
S11	3/3/2005	Benzo(ghi)perylene	<	2	10	ug/L	1	
S2	4/3/2002	Benzo(ghi)perylene	<		10	ug/L	1	
S2	6/26/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S2	9/18/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S2	12/13/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S2	3/4/2003	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S2	3/4/2003	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S2	6/5/2003	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S2	9/5/2003	Benzo(ghi)perylene	<	1	10	ug/L	1	
S2	9/5/2003	Benzo(ghi)perylene	<	1	10	ug/L	1	
S2	12/3/2003	Benzo(ghi)perylene	<	1	10	ug/L	1	
S2	9/10/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
S3	4/3/2002	Benzo(ghi)perylene	<		10	ug/L	1	
S3	9/19/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S3	9/19/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S3	12/13/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S3	3/5/2003	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S3	6/5/2003	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S3	9/5/2003	Benzo(ghi)perylene	<	1	10	ug/L	1	
S3	12/2/2003	Benzo(ghi)perylene	<	1	10	ug/L	1	
S3	9/9/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
S3	9/9/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
S4	4/3/2002	Benzo(ghi)perylene	<		10	ug/L	1	
S4	6/25/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S4	9/19/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S4	12/13/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S4	9/8/2003	Benzo(ghi)perylene	<	1	10	ug/L	1	
S4	9/9/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
S5	4/4/2002	Benzo(ghi)perylene	<		10	ug/L	1	
S5	6/24/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S5	9/20/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S5	12/16/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S5	9/10/2003	Benzo(ghi)perylene	<	1	10	ug/L	1	

tmpAnalyticalResultsOverTime

S5	9/8/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
S6	4/4/2002	Benzo(ghi)perylene	<		10	ug/L	1	
S6	6/24/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S6	6/24/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S6	9/23/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S6	12/18/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S6	9/9/2003	Benzo(ghi)perylene	<	1	10	ug/L	1	
S6	9/8/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
S7	4/10/2002	Benzo(ghi)perylene	<		10	ug/L	1	
S7	6/21/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S7	9/23/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S7	12/17/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S7	9/11/2003	Benzo(ghi)perylene	<	1	10	ug/L	1	
S7	9/7/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
S8	4/10/2002	Benzo(ghi)perylene	<		10	ug/L	1	
S8	6/21/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S8	9/20/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S8	12/16/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S8	9/11/2003	Benzo(ghi)perylene	<	1	10	ug/L	1	
S8	9/3/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
S9	4/10/2002	Benzo(ghi)perylene	<		10	ug/L	1	
S9	6/20/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S9	9/11/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S9	12/12/2002	Benzo(ghi)perylene	<	1.7	10	ug/L	1	
S9	9/11/2003	Benzo(ghi)perylene	<	1	10	ug/L	1	
S9	9/3/2004	Benzo(ghi)perylene	<	1	10	ug/L	1	
S10	5/24/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	NA
S10	5/24/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S10	9/10/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S10	12/1/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S10	12/1/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S10	3/3/2005	Benzo(k)fluoranthene	<	2.1	10	ug/L	1	
S11	5/24/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S11	9/10/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S11	12/1/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S11	3/3/2005	Benzo(k)fluoranthene	<	2.1	10	ug/L	1	
S2	4/3/2002	Benzo(k)fluoranthene	<		10	ug/L	1	
S2	6/26/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S2	9/18/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S2	12/13/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S2	3/4/2003	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S2	3/4/2003	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S2	6/5/2003	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S2	9/5/2003	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S2	9/5/2003	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S2	12/3/2003	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S2	9/10/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S3	4/3/2002	Benzo(k)fluoranthene	<		10	ug/L	1	
S3	9/19/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S3	9/19/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S3	12/13/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S3	3/5/2003	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S3	6/5/2003	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S3	9/5/2003	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S3	12/2/2003	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S3	9/9/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S3	9/9/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	

tmpAnalyticalResultsOverTime

S4	4/3/2002	Benzo(k)fluoranthene	<		10	ug/L	1	
S4	6/25/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S4	9/19/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S4	12/13/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S4	9/8/2003	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S4	9/9/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S5	4/4/2002	Benzo(k)fluoranthene	<		10	ug/L	1	
S5	6/24/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S5	9/20/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S5	12/16/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S5	9/10/2003	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S5	9/8/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S6	4/4/2002	Benzo(k)fluoranthene	<		10	ug/L	1	
S6	6/24/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S6	6/24/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S6	9/23/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S6	12/18/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S6	9/9/2003	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S6	9/8/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S7	4/10/2002	Benzo(k)fluoranthene	<		10	ug/L	1	
S7	6/21/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S7	9/23/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S7	12/17/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S7	9/11/2003	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S7	9/7/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S8	4/10/2002	Benzo(k)fluoranthene	<		10	ug/L	1	
S8	6/21/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S8	9/20/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S8	12/16/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S8	9/11/2003	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S8	9/3/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S9	4/10/2002	Benzo(k)fluoranthene	<		10	ug/L	1	
S9	6/20/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S9	9/11/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S9	12/12/2002	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S9	9/11/2003	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S9	9/3/2004	Benzo(k)fluoranthene	<	2	10	ug/L	1	
S10	5/24/2004	Benzoic acid	<	6	50	ug/L	1	NA
S10	5/24/2004	Benzoic acid	<	6	50	ug/L	1	
S10	9/10/2004	Benzoic acid	<	6	50	ug/L	1	
S10	12/1/2004	Benzoic acid	<	6	50	ug/L	1	
S10	12/1/2004	Benzoic acid	<	6	50	ug/L	1	
S10	3/3/2005	Benzoic acid	<	16	50	ug/L	1	
S11	5/24/2004	Benzoic acid	<	6	50	ug/L	1	
S11	9/10/2004	Benzoic acid	<	6	50	ug/L	1	
S11	12/1/2004	Benzoic acid	<	6	50	ug/L	1	
S11	3/3/2005	Benzoic acid	<	16	50	ug/L	1	
S2	9/18/2002	Benzoic acid	<	7.7	50	ug/L	1	
S2	12/13/2002	Benzoic acid	<	12	50	ug/L	1	
S2	3/4/2003	Benzoic acid	<	12	50	ug/L	1	
S2	3/4/2003	Benzoic acid	<	12	50	ug/L	1	
S2	6/5/2003	Benzoic acid	<	12	50	ug/L	1	
S2	9/5/2003	Benzoic acid	<	6	50	ug/L	1	
S2	9/5/2003	Benzoic acid	<	6	50	ug/L	1	
S2	12/3/2003	Benzoic acid	<	6	50	ug/L	1	
S2	9/10/2004	Benzoic acid	<	6	50	ug/L	1	
S3	9/19/2002	Benzoic acid	<	7.7	50	ug/L	1	

tmpAnalyticalResultsOverTime

S3	9/19/2002	Benzoic acid	<	7.7	50	ug/L	1 UJ	
S3	9/19/2002	Benzoic acid	<	12	50	ug/L	1	
S3	12/13/2002	Benzoic acid	<	12	50	ug/L	1	
S3	3/5/2003	Benzoic acid	<	12	50	ug/L	1	
S3	6/5/2003	Benzoic acid	<	12	50	ug/L	1	
S3	9/5/2003	Benzoic acid	<	6	50	ug/L	1	
S3	12/2/2003	Benzoic acid	<	6	50	ug/L	1	
S3	9/9/2004	Benzoic acid	<	6	50	ug/L	1	
S3	9/9/2004	Benzoic acid	<	6	50	ug/L	1	
S4	9/19/2002	Benzoic acid	<	7.7	50	ug/L	1	
S4	12/13/2002	Benzoic acid	<	12	50	ug/L	1	
S4	9/8/2003	Benzoic acid	<	6	50	ug/L	1	
S4	9/9/2004	Benzoic acid	<	6	50	ug/L	1	
S5	9/20/2002	Benzoic acid	<	7.7	50	ug/L	1	
S5	12/16/2002	Benzoic acid	<	12	50	ug/L	1	
S5	9/10/2003	Benzoic acid	<	6	50	ug/L	1	
S5	9/8/2004	Benzoic acid	<	6	50	ug/L	1	
S6	9/23/2002	Benzoic acid	<	7.7	50	ug/L	1	
S6	12/18/2002	Benzoic acid	<	12	50	ug/L	1	
S6	9/9/2003	Benzoic acid	<	6	50	ug/L	1	
S6	9/8/2004	Benzoic acid	<	6	50	ug/L	1	
S7	9/23/2002	Benzoic acid	<	7.7	50	ug/L	1	
S7	12/17/2002	Benzoic acid	<	12	50	ug/L	1	
S7	9/11/2003	Benzoic acid	<	6	50	ug/L	1	
S7	9/7/2004	Benzoic acid	<	6	50	ug/L	1	
S8	9/20/2002	Benzoic acid	<	7.7	50	ug/L	1	
S8	12/16/2002	Benzoic acid	<	12	50	ug/L	1	
S8	9/11/2003	Benzoic acid	<	6	50	ug/L	1	
S8	9/3/2004	Benzoic acid	<	6	50	ug/L	1	
S9	9/11/2002	Benzoic acid	<	7.7	50	ug/L	1	
S9	12/12/2002	Benzoic acid	<	12	50	ug/L	1	
S9	9/11/2003	Benzoic acid	<	6	50	ug/L	1	
S9	9/3/2004	Benzoic acid	<	6	50	ug/L	1	
S10	5/24/2004	Benzyl alcohol	<	1	10	ug/L	1	NA
S10	5/24/2004	Benzyl alcohol	<	1	10	ug/L	1	
S10	9/10/2004	Benzyl alcohol	<	1	10	ug/L	1	
S10	12/1/2004	Benzyl alcohol	<	1	10	ug/L	1	
S10	12/1/2004	Benzyl alcohol	<	1	10	ug/L	1	
S10	3/3/2005	Benzyl alcohol	<	7.4	10	ug/L	1	
S11	5/24/2004	Benzyl alcohol	<	1	10	ug/L	1	
S11	9/10/2004	Benzyl alcohol	<	1	10	ug/L	1	
S11	12/1/2004	Benzyl alcohol	<	1	10	ug/L	1	
S11	3/3/2005	Benzyl alcohol	<	7.4	10	ug/L	1	mg/L
S2	4/3/2002	Benzyl alcohol	<		10	ug/L	1	
S2	6/26/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S2	9/18/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S2	12/13/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S2	3/4/2003	Benzyl alcohol	<	2.7	10	ug/L	1	
S2	3/4/2003	Benzyl alcohol	<	2.7	10	ug/L	1	
S2	6/5/2003	Benzyl alcohol	<	2.7	10	ug/L	1	
S2	9/5/2003	Benzyl alcohol	<	1	10	ug/L	1	
S2	9/5/2003	Benzyl alcohol	<	1	10	ug/L	1	
S2	12/3/2003	Benzyl alcohol	<	1	10	ug/L	1	
S2	9/10/2004	Benzyl alcohol	<	1	10	ug/L	1	
S3	4/3/2002	Benzyl alcohol	<		10	ug/L	1	
S3	9/19/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S3	9/19/2002	Benzyl alcohol	<	2.7	10	ug/L	1	

tmpAnalyticalResultsOverTime

S3	12/13/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S3	3/5/2003	Benzyl alcohol	<	2.7	10	ug/L	1	
S3	6/5/2003	Benzyl alcohol	<	2.7	10	ug/L	1	
S3	9/5/2003	Benzyl alcohol	<	1	10	ug/L	1	
S3	12/2/2003	Benzyl alcohol	<	1	10	ug/L	1	
S3	9/9/2004	Benzyl alcohol	<	1	10	ug/L	1	
S3	9/9/2004	Benzyl alcohol	<	1	10	ug/L	1	
S4	4/3/2002	Benzyl alcohol	<		10	ug/L	1	
S4	6/25/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S4	9/19/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S4	12/13/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S4	9/8/2003	Benzyl alcohol	<	1	10	ug/L	1	
S4	9/9/2004	Benzyl alcohol	<	1	10	ug/L	1	
S5	4/4/2002	Benzyl alcohol	<		10	ug/L	1	
S5	6/24/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S5	9/20/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S5	12/16/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S5	9/10/2003	Benzyl alcohol	<	1	10	ug/L	1	
S5	9/8/2004	Benzyl alcohol	<	1	10	ug/L	1	
S6	4/4/2002	Benzyl alcohol	<		10	ug/L	1	
S6	6/24/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S6	6/24/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S6	9/23/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S6	12/18/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S6	9/9/2003	Benzyl alcohol	<	1	10	ug/L	1	
S6	9/8/2004	Benzyl alcohol	<	1	10	ug/L	1	
S7	4/10/2002	Benzyl alcohol	<		10	ug/L	1	
S7	6/21/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S7	9/23/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S7	12/17/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S7	9/11/2003	Benzyl alcohol	<	1	10	ug/L	1	
S7	9/7/2004	Benzyl alcohol	<	1	10	ug/L	1	
S8	4/10/2002	Benzyl alcohol	<		10	ug/L	1	
S8	6/21/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S8	9/20/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S8	12/16/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S8	9/11/2003	Benzyl alcohol	<	1	10	ug/L	1	
S8	9/3/2004	Benzyl alcohol	<	1	10	ug/L	1	
S9	4/10/2002	Benzyl alcohol	<		10	ug/L	1	
S9	6/20/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S9	9/11/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S9	12/12/2002	Benzyl alcohol	<	2.7	10	ug/L	1	
S9	9/11/2003	Benzyl alcohol	<	1	10	ug/L	1	
S9	9/3/2004	Benzyl alcohol	<	1	10	ug/L	1	
S10	5/24/2004	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	NA
S10	5/24/2004	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S10	9/10/2004	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S10	12/1/2004	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S10	12/1/2004	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S10	3/3/2005	bis(2-Chloroethoxy)methane	<	1.4	10	ug/L	1	
S11	5/24/2004	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S11	9/10/2004	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S11	12/1/2004	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S11	3/3/2005	bis(2-Chloroethoxy)methane	<	1.4	10	ug/L	1	
S2	4/3/2002	bis(2-Chloroethoxy)methane	<		10	ug/L	1	
S2	6/26/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S2	9/18/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	



tmpAnalyticalResultsOverTime

S2	12/13/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S2	3/4/2003	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S2	3/4/2003	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S2	6/5/2003	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S2	9/5/2003	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S2	9/5/2003	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S2	12/3/2003	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S2	9/10/2004	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S3	4/3/2002	bis(2-Chloroethoxy)methane	<		10	ug/L	1	
S3	9/19/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S3	9/19/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S3	12/13/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S3	3/5/2003	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S3	6/5/2003	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S3	9/5/2003	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S3	12/2/2003	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S3	9/9/2004	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S3	9/9/2004	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S4	4/3/2002	bis(2-Chloroethoxy)methane	<		10	ug/L	1	
S4	6/25/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S4	9/19/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S4	12/13/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S4	9/8/2003	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S4	9/9/2004	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S5	4/4/2002	bis(2-Chloroethoxy)methane	<		10	ug/L	1	
S5	6/24/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S5	9/20/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S5	12/16/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S5	9/10/2003	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S5	9/8/2004	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S6	4/4/2002	bis(2-Chloroethoxy)methane	<		10	ug/L	1	
S6	6/24/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S6	6/24/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S6	9/23/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S6	12/18/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S6	9/9/2003	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S6	9/8/2004	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S7	4/10/2002	bis(2-Chloroethoxy)methane	<		10	ug/L	1	
S7	6/21/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S7	9/23/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S7	12/17/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S7	9/11/2003	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S7	9/7/2004	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S8	4/10/2002	bis(2-Chloroethoxy)methane	<		10	ug/L	1	
S8	6/21/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S8	9/20/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S8	12/16/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S8	9/11/2003	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S8	9/3/2004	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S9	4/10/2002	bis(2-Chloroethoxy)methane	<		10	ug/L	1	
S9	6/20/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S9	9/11/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S9	12/12/2002	bis(2-Chloroethoxy)methane	<	1.3	10	ug/L	1	
S9	9/11/2003	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S9	9/3/2004	bis(2-Chloroethoxy)methane	<	0.9	10	ug/L	1	
S10	5/24/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	NA
S10	5/24/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	

tmpAnalyticalResultsOverTime

S10	9/10/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S10	12/1/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S10	12/1/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S10	3/3/2005	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S11	5/24/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S11	9/10/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S11	12/1/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S11	3/3/2005	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S2	4/3/2002	bis(2-Chloroethyl) ether	<		10	ug/L	1	
S2	6/26/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S2	9/18/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S2	12/13/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S2	3/4/2003	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S2	3/4/2003	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S2	6/5/2003	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S2	9/5/2003	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S2	9/5/2003	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S2	12/3/2003	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S2	9/10/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S3	4/3/2002	bis(2-Chloroethyl) ether	<		10	ug/L	1	
S3	9/19/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S3	9/19/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S3	12/13/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S3	3/5/2003	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S3	6/5/2003	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S3	9/5/2003	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S3	12/2/2003	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S3	9/9/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S3	9/9/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S4	4/3/2002	bis(2-Chloroethyl) ether	<		10	ug/L	1	
S4	6/25/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S4	9/19/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S4	12/13/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S4	9/8/2003	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S4	9/9/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S5	4/4/2002	bis(2-Chloroethyl) ether	<		10	ug/L	1	
S5	6/24/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S5	9/20/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S5	12/16/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S5	9/10/2003	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S5	9/8/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S6	4/4/2002	bis(2-Chloroethyl) ether	<		10	ug/L	1	
S6	6/24/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S6	6/24/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S6	9/23/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S6	12/18/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S6	9/9/2003	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S6	9/8/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S7	4/10/2002	bis(2-Chloroethyl) ether	<		10	ug/L	1	mg/L
S7	6/21/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S7	9/23/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S7	12/17/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S7	9/11/2003	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S7	9/7/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S8	4/10/2002	bis(2-Chloroethyl) ether	<		10	ug/L	1	
S8	6/21/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S8	9/20/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	

tmpAnalyticalResultsOverTime

S8	12/16/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S8	9/11/2003	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S8	9/3/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S9	4/10/2002	bis(2-Chloroethyl) ether	<		10	ug/L	1	
S9	6/20/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S9	9/11/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S9	12/12/2002	bis(2-Chloroethyl) ether	<	1.8	10	ug/L	1	
S9	9/11/2003	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S9	9/3/2004	bis(2-Chloroethyl) ether	<	3	10	ug/L	1	
S10	5/24/2004	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	NA
S10	5/24/2004	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S10	9/10/2004	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S10	12/1/2004	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S10	12/1/2004	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S10	3/3/2005	bis(2-Chloroisopropyl) ether	<	1.4	10	ug/L	1	
S11	5/24/2004	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S11	9/10/2004	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S11	12/1/2004	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S11	3/3/2005	bis(2-Chloroisopropyl) ether	<	1.4	10	ug/L	1	
S2	9/18/2002	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S2	12/13/2002	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S2	3/4/2003	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S2	3/4/2003	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S2	6/5/2003	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S2	9/5/2003	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S2	9/5/2003	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S2	12/3/2003	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S2	9/10/2004	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S3	9/19/2002	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S3	9/19/2002	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S3	12/13/2002	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S3	3/5/2003	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S3	6/5/2003	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S3	9/5/2003	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S3	12/2/2003	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S3	9/9/2004	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S3	9/9/2004	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S4	9/19/2002	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S4	12/13/2002	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S4	9/8/2003	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S4	9/9/2004	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S5	9/20/2002	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S5	12/16/2002	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S5	9/10/2003	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S5	9/8/2004	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S6	9/23/2002	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S6	12/18/2002	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S6	9/9/2003	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S6	9/8/2004	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S7	9/23/2002	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S7	12/17/2002	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S7	9/11/2003	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S7	9/7/2004	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S8	9/20/2002	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S8	12/16/2002	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S8	9/11/2003	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S8	9/3/2004	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	

tmpAnalyticalResultsOverTime

S9	9/11/2002	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S9	12/12/2002	bis(2-Chloroisopropyl) ether	<	1.5	10	ug/L	1	
S9	9/11/2003	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S9	9/3/2004	bis(2-Chloroisopropyl) ether	<	0.7	10	ug/L	1	
S10	5/24/2004	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	NA
S10	5/24/2004	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S10	9/10/2004	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S10	12/1/2004	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S10	12/1/2004	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S10	3/3/2005	bis(2-Ethylhexyl) phthalate	<	1.4	10	ug/L	1	
S11	5/24/2004	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S11	9/10/2004	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S11	12/1/2004	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S11	3/3/2005	bis(2-Ethylhexyl) phthalate	<	1.4	10	ug/L	1	
S2	4/3/2002	bis(2-Ethylhexyl) phthalate	<		10	ug/L	1	
S2	9/18/2002	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S2	12/13/2002	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S2	3/4/2003	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S2	3/4/2003	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S2	6/5/2003	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S2	9/5/2003	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S2	9/5/2003	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S2	12/3/2003	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S2	9/10/2004	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S3	4/3/2002	bis(2-Ethylhexyl) phthalate	<		10	ug/L	1	
S3	9/19/2002	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S3	9/19/2002	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S3	12/13/2002	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S3	3/5/2003	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S3	6/5/2003	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S3	9/5/2003	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S3	12/2/2003	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S3	9/9/2004	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S3	9/9/2004	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S4	4/3/2002	bis(2-Ethylhexyl) phthalate	<		10	ug/L	1	
S4	9/19/2002	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S4	9/9/2004	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S5	9/20/2002	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S5	12/16/2002	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S5	9/10/2003	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S5	9/8/2004	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S6	6/24/2002	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S6	6/24/2002	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S6	9/23/2002	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S6	12/18/2002	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S6	9/9/2003	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S6	9/8/2004	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S7	4/10/2002	bis(2-Ethylhexyl) phthalate	<		10	ug/L	1	
S7	6/21/2002	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S7	9/23/2002	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S7	12/17/2002	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S7	9/11/2003	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S7	9/7/2004	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S8	6/21/2002	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S8	9/20/2002	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S8	12/16/2002	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S8	9/11/2003	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	

tmpAnalyticalResultsOverTime

S8	9/3/2004	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S9	9/11/2002	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S9	12/12/2002	bis(2-Ethylhexyl) phthalate	<	3.1	10	ug/L	1	
S9	9/11/2003	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S9	9/3/2004	bis(2-Ethylhexyl) phthalate	<	0.9	10	ug/L	1	
S10	5/24/2004	Bromobenzene	<	0.17	1	ug/L	1	NA
S10	5/24/2004	Bromobenzene	<	0.17	1	ug/L	1	
S10	9/10/2004	Bromobenzene	<	0.17	1	ug/L	1	
S10	12/1/2004	Bromobenzene	<	0.17	1	ug/L	1	
S10	12/1/2004	Bromobenzene	<	0.17	1	ug/L	1	
S10	3/3/2005	Bromobenzene	<	0.19	1	ug/L	1	
S11	5/24/2004	Bromobenzene	<	0.17	1	ug/L	1	
S11	9/10/2004	Bromobenzene	<	0.17	1	ug/L	1	
S11	12/1/2004	Bromobenzene	<	0.17	1	ug/L	1	
S11	3/3/2005	Bromobenzene	<	0.19	1	ug/L	1	
S2	4/3/2002	Bromobenzene	<		1	ug/L	1	
S2	6/26/2002	Bromobenzene	<	0.32	1	ug/L	1	
S2	9/18/2002	Bromobenzene	<	0.32	1	ug/L	1	
S2	12/13/2002	Bromobenzene	<	0.32	1	ug/L	1	
S2	3/4/2003	Bromobenzene	<	0.17	1	ug/L	1	
S2	3/4/2003	Bromobenzene	<	0.17	1	ug/L	1	
S2	6/5/2003	Bromobenzene	<	0.17	1	ug/L	1	
S2	9/5/2003	Bromobenzene	<	0.17	1	ug/L	1	
S2	9/5/2003	Bromobenzene	<	0.17	1	ug/L	1	
S2	12/3/2003	Bromobenzene	<	0.34	2	ug/L	2	
S2	9/10/2004	Bromobenzene	<	0.17	1	ug/L	1	
S3	4/3/2002	Bromobenzene	<		1	ug/L	1	
S3	6/25/2002	Bromobenzene	<	0.32	1	ug/L	1	
S3	9/19/2002	Bromobenzene	<	0.32	1	ug/L	1	
S3	9/19/2002	Bromobenzene	<	0.32	1	ug/L	1	
S3	12/13/2002	Bromobenzene	<	0.32	1	ug/L	1	
S3	3/5/2003	Bromobenzene	<	0.17	1	ug/L	1	
S3	6/5/2003	Bromobenzene	<	0.17	1	ug/L	1	
S3	9/5/2003	Bromobenzene	<	0.17	1	ug/L	1	
S3	12/2/2003	Bromobenzene	<	0.17	1	ug/L	1	
S3	9/9/2004	Bromobenzene	<	0.17	1	ug/L	1	
S3	9/9/2004	Bromobenzene	<	0.17	1	ug/L	1	
S4	4/3/2002	Bromobenzene	<		1	ug/L	1	
S4	6/25/2002	Bromobenzene	<	0.32	1	ug/L	1	
S4	9/19/2002	Bromobenzene	<	0.32	1	ug/L	1	
S4	12/13/2002	Bromobenzene	<	0.32	1	ug/L	1	
S4	9/8/2003	Bromobenzene	<	0.17	1	ug/L	1	
S4	9/9/2004	Bromobenzene	<	0.17	1	ug/L	1	
S5	4/4/2002	Bromobenzene	<		1	ug/L	1	
S5	6/24/2002	Bromobenzene	<	0.32	1	ug/L	1	
S5	9/20/2002	Bromobenzene	<	0.32	1	ug/L	1	
S5	12/16/2002	Bromobenzene	<	0.32	1	ug/L	1	
S5	9/10/2003	Bromobenzene	<	0.17	1	ug/L	1	
S5	9/8/2004	Bromobenzene	<	0.17	1	ug/L	1	
S6	4/4/2002	Bromobenzene	<		1	ug/L	1	
S6	6/24/2002	Bromobenzene	<	0.32	1	ug/L	1	
S6	6/24/2002	Bromobenzene	<	0.32	1	ug/L	1	
S6	9/23/2002	Bromobenzene	<	0.32	1	ug/L	1	
S6	12/18/2002	Bromobenzene	<	0.32	1	ug/L	1	
S6	9/9/2003	Bromobenzene	<	0.17	1	ug/L	1	
S6	9/8/2004	Bromobenzene	<	0.17	1	ug/L	1	
S7	4/10/2002	Bromobenzene	<		1	ug/L	1	UJ

tmpAnalyticalResultsOverTime

Sample ID	Date	Compound	Result	Units	Frequency	Method	Notes
S7	6/21/2002	Bromobenzene	<	0.32	1	ug/L	1
S7	9/23/2002	Bromobenzene	<	0.32	1	ug/L	1
S7	12/17/2002	Bromobenzene	<	0.32	1	ug/L	1
S7	9/11/2003	Bromobenzene	<	0.17	1	ug/L	1
S7	9/7/2004	Bromobenzene	<	0.17	1	ug/L	1
S8	4/10/2002	Bromobenzene	<		1	ug/L	1 UJ
S8	6/21/2002	Bromobenzene	<	0.32	1	ug/L	1
S8	9/20/2002	Bromobenzene	<	0.32	1	ug/L	1
S8	12/16/2002	Bromobenzene	<	0.32	1	ug/L	1
S8	9/11/2003	Bromobenzene	<	0.17	1	ug/L	1
S8	9/3/2004	Bromobenzene	<	0.17	1	ug/L	1
S9	4/10/2002	Bromobenzene	<		1	ug/L	1
S9	6/20/2002	Bromobenzene	<	0.32	1	ug/L	1
S9	9/11/2002	Bromobenzene	<	0.32	1	ug/L	1
S9	12/12/2002	Bromobenzene	<	0.32	1	ug/L	1
S9	9/11/2003	Bromobenzene	<	0.17	1	ug/L	1
S9	9/3/2004	Bromobenzene	<	0.17	1	ug/L	1
S10	5/24/2004	Bromochloromethane	<	0.27	1	ug/L	1 NA
S10	5/24/2004	Bromochloromethane	<	0.27	1	ug/L	1
S10	9/10/2004	Bromochloromethane	<	0.27	1	ug/L	1
S10	12/1/2004	Bromochloromethane	<	0.27	1	ug/L	1
S10	12/1/2004	Bromochloromethane	<	0.27	1	ug/L	1 mg/L
S10	3/3/2005	Bromochloromethane	<	0.2	1	ug/L	1
S11	5/24/2004	Bromochloromethane	<	0.27	1	ug/L	1
S11	9/10/2004	Bromochloromethane	<	0.27	1	ug/L	1
S11	12/1/2004	Bromochloromethane	<	0.27	1	ug/L	1
S11	3/3/2005	Bromochloromethane	<	0.2	1	ug/L	1
S2	4/3/2002	Bromochloromethane	<		1	ug/L	1
S2	6/26/2002	Bromochloromethane	<	0.39	1	ug/L	1
S2	9/18/2002	Bromochloromethane	<	0.39	1	ug/L	1
S2	12/13/2002	Bromochloromethane	<	0.39	1	ug/L	1
S2	3/4/2003	Bromochloromethane	<	0.27	1	ug/L	1
S2	3/4/2003	Bromochloromethane	<	0.27	1	ug/L	1
S2	6/5/2003	Bromochloromethane	<	0.27	1	ug/L	1
S2	9/5/2003	Bromochloromethane	<	0.27	1	ug/L	1
S2	9/5/2003	Bromochloromethane	<	0.27	1	ug/L	1
S2	12/3/2003	Bromochloromethane	<	0.54	2	ug/L	2
S2	9/10/2004	Bromochloromethane	<	0.27	1	ug/L	1
S3	4/3/2002	Bromochloromethane	<		1	ug/L	1
S3	6/25/2002	Bromochloromethane	<	0.39	1	ug/L	1
S3	9/19/2002	Bromochloromethane	<	0.39	1	ug/L	1
S3	9/19/2002	Bromochloromethane	<	0.39	1	ug/L	1
S3	12/13/2002	Bromochloromethane	<	0.39	1	ug/L	1
S3	3/5/2003	Bromochloromethane	<	0.27	1	ug/L	1
S3	6/5/2003	Bromochloromethane	<	0.27	1	ug/L	1
S3	9/5/2003	Bromochloromethane	<	0.27	1	ug/L	1
S3	12/2/2003	Bromochloromethane	<	0.27	1	ug/L	1
S3	9/9/2004	Bromochloromethane	<	0.27	1	ug/L	1
S3	9/9/2004	Bromochloromethane	<	0.27	1	ug/L	1
S4	4/3/2002	Bromochloromethane	<		1	ug/L	1
S4	6/25/2002	Bromochloromethane	<	0.39	1	ug/L	1
S4	9/19/2002	Bromochloromethane	<	0.39	1	ug/L	1
S4	12/13/2002	Bromochloromethane	<	0.39	1	ug/L	1
S4	9/8/2003	Bromochloromethane	<	0.27	1	ug/L	1
S4	9/9/2004	Bromochloromethane	<	0.27	1	ug/L	1
S5	4/4/2002	Bromochloromethane	<		1	ug/L	1
S5	6/24/2002	Bromochloromethane	<	0.39	1	ug/L	1

tmpAnalyticalResultsOverTime

S5	9/20/2002	Bromochloromethane	<	0.39	1	ug/L	1	
S5	12/16/2002	Bromochloromethane	<	0.39	1	ug/L	1	
S5	9/10/2003	Bromochloromethane	<	0.27	1	ug/L	1	
S5	9/8/2004	Bromochloromethane	<	0.27	1	ug/L	1	
S6	4/4/2002	Bromochloromethane	<		1	ug/L	1	
S6	6/24/2002	Bromochloromethane	<	0.39	1	ug/L	1	
S6	6/24/2002	Bromochloromethane	<	0.39	1	ug/L	1	
S6	9/23/2002	Bromochloromethane	<	0.39	1	ug/L	1	
S6	12/18/2002	Bromochloromethane	<	0.39	1	ug/L	1	
S6	9/9/2003	Bromochloromethane	<	0.27	1	ug/L	1	
S6	9/8/2004	Bromochloromethane	<	0.27	1	ug/L	1	
S7	4/10/2002	Bromochloromethane	<		1	ug/L	1	UJ
S7	6/21/2002	Bromochloromethane	<	0.39	1	ug/L	1	
S7	9/23/2002	Bromochloromethane	<	0.39	1	ug/L	1	
S7	12/17/2002	Bromochloromethane	<	0.39	1	ug/L	1	
S7	9/11/2003	Bromochloromethane	<	0.27	1	ug/L	1	
S7	9/7/2004	Bromochloromethane	<	0.27	1	ug/L	1	
S8	4/10/2002	Bromochloromethane	<		1	ug/L	1	UJ
S8	6/21/2002	Bromochloromethane	<	0.39	1	ug/L	1	
S8	9/20/2002	Bromochloromethane	<	0.39	1	ug/L	1	
S8	12/16/2002	Bromochloromethane	<	0.39	1	ug/L	1	
S8	9/11/2003	Bromochloromethane	<	0.27	1	ug/L	1	
S8	9/3/2004	Bromochloromethane	<	0.27	1	ug/L	1	
S9	4/10/2002	Bromochloromethane	<		1	ug/L	1	
S9	6/20/2002	Bromochloromethane	<	0.39	1	ug/L	1	
S9	9/11/2002	Bromochloromethane	<	0.39	1	ug/L	1	
S9	12/12/2002	Bromochloromethane	<	0.39	1	ug/L	1	
S9	9/11/2003	Bromochloromethane	<	0.27	1	ug/L	1	
S9	9/3/2004	Bromochloromethane	<	0.27	1	ug/L	1	
S10	5/24/2004	Bromodichloromethane	<	0.2	1	ug/L	1	NA
S10	5/24/2004	Bromodichloromethane	<	0.2	1	ug/L	1	
S10	9/10/2004	Bromodichloromethane	<	0.2	1	ug/L	1	
S10	12/1/2004	Bromodichloromethane	<	0.2	1	ug/L	1	
S10	12/1/2004	Bromodichloromethane	<	0.2	1	ug/L	1	
S10	3/3/2005	Bromodichloromethane	<	0.15	1	ug/L	1	
S11	5/24/2004	Bromodichloromethane	<	0.2	1	ug/L	1	
S11	9/10/2004	Bromodichloromethane	<	0.2	1	ug/L	1	
S11	12/1/2004	Bromodichloromethane	<	0.2	1	ug/L	1	
S11	3/3/2005	Bromodichloromethane	<	0.15	1	ug/L	1	
S2	4/3/2002	Bromodichloromethane	<		1	ug/L	1	
S2	6/26/2002	Bromodichloromethane	<	0.35	1	ug/L	1	
S2	9/18/2002	Bromodichloromethane	<	0.35	1	ug/L	1	
S2	12/13/2002	Bromodichloromethane	<	0.35	1	ug/L	1	
S2	3/4/2003	Bromodichloromethane	<	0.2	1	ug/L	1	
S2	3/4/2003	Bromodichloromethane	<	0.2	1	ug/L	1	
S2	6/5/2003	Bromodichloromethane	<	0.2	1	ug/L	1	
S2	9/5/2003	Bromodichloromethane	<	0.2	1	ug/L	1	
S2	9/5/2003	Bromodichloromethane	<	0.2	1	ug/L	1	
S2	12/3/2003	Bromodichloromethane	<	0.4	2	ug/L	2	
S2	9/10/2004	Bromodichloromethane	<	0.2	1	ug/L	1	
S3	4/3/2002	Bromodichloromethane	<		1	ug/L	1	
S3	6/25/2002	Bromodichloromethane	<	0.35	1	ug/L	1	
S3	9/19/2002	Bromodichloromethane	<	0.35	1	ug/L	1	
S3	9/19/2002	Bromodichloromethane	<	0.35	1	ug/L	1	
S3	12/13/2002	Bromodichloromethane	<	0.35	1	ug/L	1	
S3	3/5/2003	Bromodichloromethane	<	0.2	1	ug/L	1	
S3	6/5/2003	Bromodichloromethane	<	0.2	1	ug/L	1	

tmpAnalyticalResultsOverTime

S3	9/5/2003	Bromodichloromethane	<	0.2	1	ug/L	1
S3	12/2/2003	Bromodichloromethane	<	0.2	1	ug/L	1
S3	9/9/2004	Bromodichloromethane	<	0.2	1	ug/L	1
S3	9/9/2004	Bromodichloromethane	<	0.2	1	ug/L	1
S4	4/3/2002	Bromodichloromethane	<		1	ug/L	1
S4	6/25/2002	Bromodichloromethane	<	0.35	1	ug/L	1
S4	9/19/2002	Bromodichloromethane	<	0.35	1	ug/L	1
S4	12/13/2002	Bromodichloromethane	<	0.35	1	ug/L	1
S4	9/8/2003	Bromodichloromethane	<	0.2	1	ug/L	1
S4	9/9/2004	Bromodichloromethane	<	0.2	1	ug/L	1
S5	4/4/2002	Bromodichloromethane	<		1	ug/L	1
S5	6/24/2002	Bromodichloromethane	<	0.35	1	ug/L	1
S5	9/20/2002	Bromodichloromethane	<	0.35	1	ug/L	1
S5	12/16/2002	Bromodichloromethane	<	0.35	1	ug/L	1
S5	9/10/2003	Bromodichloromethane	<	0.2	1	ug/L	1
S5	9/8/2004	Bromodichloromethane	<	0.2	1	ug/L	1
S6	4/4/2002	Bromodichloromethane	<		1	ug/L	1
S6	6/24/2002	Bromodichloromethane	<	0.35	1	ug/L	1
S6	6/24/2002	Bromodichloromethane	<	0.35	1	ug/L	1
S6	9/23/2002	Bromodichloromethane	<	0.35	1	ug/L	1
S6	12/18/2002	Bromodichloromethane	<	0.35	1	ug/L	1
S6	9/9/2003	Bromodichloromethane	<	0.2	1	ug/L	1
S6	9/8/2004	Bromodichloromethane	<	0.2	1	ug/L	1
S7	4/10/2002	Bromodichloromethane	<		1	ug/L	1 UJ
S7	6/21/2002	Bromodichloromethane	<	0.35	1	ug/L	1
S7	9/23/2002	Bromodichloromethane	<	0.35	1	ug/L	1
S7	12/17/2002	Bromodichloromethane	<	0.35	1	ug/L	1
S7	9/11/2003	Bromodichloromethane	<	0.2	1	ug/L	1
S7	9/7/2004	Bromodichloromethane	<	0.2	1	ug/L	1
S8	4/10/2002	Bromodichloromethane	<		1	ug/L	1 UJ
S8	6/21/2002	Bromodichloromethane	<	0.35	1	ug/L	1
S8	9/20/2002	Bromodichloromethane	<	0.35	1	ug/L	1
S8	12/16/2002	Bromodichloromethane	<	0.35	1	ug/L	1
S8	9/11/2003	Bromodichloromethane	<	0.2	1	ug/L	1
S8	9/3/2004	Bromodichloromethane	<	0.2	1	ug/L	1
S9	4/10/2002	Bromodichloromethane	<		1	ug/L	1
S9	6/20/2002	Bromodichloromethane	<	0.35	1	ug/L	1
S9	9/11/2002	Bromodichloromethane	<	0.35	1	ug/L	1
S9	12/12/2002	Bromodichloromethane	<	0.35	1	ug/L	1
S9	9/11/2003	Bromodichloromethane	<	0.2	1	ug/L	1
S9	9/3/2004	Bromodichloromethane	<	0.2	1	ug/L	1
S10	9/10/2004	Bromoform	<	0.23	1	ug/L	1
S10	12/1/2004	Bromoform	<	0.23	1	ug/L	1
S10	12/1/2004	Bromoform	<	0.23	1	ug/L	1
S10	3/3/2005	Bromoform	<	0.33	1	ug/L	1
S11	5/24/2004	Bromoform	<	0.23	1	ug/L	1
S11	9/10/2004	Bromoform	<	0.23	1	ug/L	1
S11	12/1/2004	Bromoform	<	0.23	1	ug/L	1
S11	3/3/2005	Bromoform	<	0.33	1	ug/L	1
S2	4/3/2002	Bromoform	<		1	ug/L	1
S2	6/26/2002	Bromoform	<	0.46	1	ug/L	1
S2	9/18/2002	Bromoform	<	0.46	1	ug/L	1
S2	12/13/2002	Bromoform	<	0.46	1	ug/L	1
S2	3/4/2003	Bromoform	<	0.23	1	ug/L	1
S2	3/4/2003	Bromoform	<	0.23	1	ug/L	1
S2	6/5/2003	Bromoform	<	0.23	1	ug/L	1
S2	9/5/2003	Bromoform	<	0.23	1	ug/L	1



tmpAnalyticalResultsOverTime

S2	9/5/2003	Bromoform	<	0.23	1	ug/L	1	
S2	12/3/2003	Bromoform	<	0.46	2	ug/L	2	
S2	9/10/2004	Bromoform	<	0.23	1	ug/L	1	
S3	4/3/2002	Bromoform	<		1	ug/L	1	
S3	6/25/2002	Bromoform	<	0.46	1	ug/L	1	
S3	9/19/2002	Bromoform	<	0.46	1	ug/L	1	
S3	9/19/2002	Bromoform	<	0.46	1	ug/L	1	
S3	12/13/2002	Bromoform	<	0.46	1	ug/L	1	
S3	3/5/2003	Bromoform	<	0.23	1	ug/L	1	
S3	6/5/2003	Bromoform	<	0.23	1	ug/L	1	
S3	9/5/2003	Bromoform	<	0.23	1	ug/L	1	
S3	12/2/2003	Bromoform	<	0.23	1	ug/L	1	
S3	9/9/2004	Bromoform	<	0.23	1	ug/L	1	
S3	9/9/2004	Bromoform	<	0.23	1	ug/L	1	
S4	4/3/2002	Bromoform	<		1	ug/L	1	
S4	6/25/2002	Bromoform	<	0.46	1	ug/L	1	
S4	9/19/2002	Bromoform	<	0.46	1	ug/L	1	
S4	12/13/2002	Bromoform	<	0.46	1	ug/L	1	
S4	9/8/2003	Bromoform	<	0.23	1	ug/L	1	
S4	9/9/2004	Bromoform	<	0.23	1	ug/L	1	
S5	4/4/2002	Bromoform	<		1	ug/L	1	
S5	6/24/2002	Bromoform	<	0.46	1	ug/L	1	
S5	9/20/2002	Bromoform	<	0.46	1	ug/L	1	
S5	12/16/2002	Bromoform	<	0.46	1	ug/L	1	
S5	9/10/2003	Bromoform	<	0.23	1	ug/L	1	
S5	9/8/2004	Bromoform	<	0.23	1	ug/L	1	
S6	4/4/2002	Bromoform	<		1	ug/L	1	
S6	6/24/2002	Bromoform	<	0.46	1	ug/L	1	
S6	6/24/2002	Bromoform	<	0.46	1	ug/L	1	
S6	9/23/2002	Bromoform	<	0.46	1	ug/L	1	
S6	12/18/2002	Bromoform	<	0.46	1	ug/L	1	
S6	9/9/2003	Bromoform	<	0.23	1	ug/L	1	
S6	9/8/2004	Bromoform	<	0.23	1	ug/L	1	
S7	4/10/2002	Bromoform	<		1	ug/L	1	UJ
S7	6/21/2002	Bromoform	<	0.46	1	ug/L	1	
S7	9/23/2002	Bromoform	<	0.46	1	ug/L	1	
S7	12/17/2002	Bromoform	<	0.46	1	ug/L	1	
S7	9/11/2003	Bromoform	<	0.23	1	ug/L	1	
S7	9/7/2004	Bromoform	<	0.23	1	ug/L	1	
S8	4/10/2002	Bromoform	<		1	ug/L	1	UJ
S8	6/21/2002	Bromoform	<	0.46	1	ug/L	1	
S8	9/20/2002	Bromoform	<	0.46	1	ug/L	1	
S8	12/16/2002	Bromoform	<	0.46	1	ug/L	1	
S8	9/11/2003	Bromoform	<	0.23	1	ug/L	1	
S8	9/3/2004	Bromoform	<	0.23	1	ug/L	1	
S9	4/10/2002	Bromoform	<		1	ug/L	1	
S9	6/20/2002	Bromoform	<	0.46	1	ug/L	1	
S9	9/11/2002	Bromoform	<	0.46	1	ug/L	1	
S9	12/12/2002	Bromoform	<	0.46	1	ug/L	1	
S9	9/11/2003	Bromoform	<	0.23	1	ug/L	1	
S9	9/3/2004	Bromoform	<	0.23	1	ug/L	1	
S10	5/24/2004	Bromomethane	<	0.22	2	ug/L	1	NA
S10	5/24/2004	Bromomethane	<	0.22	2	ug/L	1	
S10	9/10/2004	Bromomethane	<	0.22	2	ug/L	1	
S10	12/1/2004	Bromomethane	<	0.22	2	ug/L	1	
S10	12/1/2004	Bromomethane	<	0.22	2	ug/L	1	
S10	3/3/2005	Bromomethane	<	0.26	2	ug/L	1	

tmpAnalyticalResultsOverTime

S11	5/24/2004	Bromomethane	<	0.22	2	ug/L	1
S11	9/10/2004	Bromomethane	<	0.22	2	ug/L	1
S11	12/1/2004	Bromomethane	<	0.22	2	ug/L	1
S11	3/3/2005	Bromomethane	<	0.26	2	ug/L	1
S2	4/3/2002	Bromomethane	<		2	ug/L	1
S2	6/26/2002	Bromomethane	<	0.28	2	ug/L	1
S2	9/18/2002	Bromomethane	<	0.28	2	ug/L	1
S2	12/13/2002	Bromomethane	<	0.28	2	ug/L	1
S2	3/4/2003	Bromomethane	<	0.22	2	ug/L	1
S2	3/4/2003	Bromomethane	<	0.22	2	ug/L	1
S2	6/5/2003	Bromomethane	<	0.22	2	ug/L	1
S2	9/5/2003	Bromomethane	<	0.22	2	ug/L	1
S2	9/5/2003	Bromomethane	<	0.22	2	ug/L	1
S2	12/3/2003	Bromomethane	<	0.44	4	ug/L	2
S2	9/10/2004	Bromomethane	<	0.22	2	ug/L	1
S3	4/3/2002	Bromomethane	<		2	ug/L	1
S3	9/19/2002	Bromomethane	<	0.28	2	ug/L	1
S3	9/19/2002	Bromomethane	<	0.28	2	ug/L	1
S3	3/5/2003	Bromomethane	<	0.22	2	ug/L	1
S3	9/5/2003	Bromomethane	<	0.22	2	ug/L	1
S3	12/2/2003	Bromomethane	<	0.22	2	ug/L	1
S3	9/9/2004	Bromomethane	<	0.22	2	ug/L	1
S3	9/9/2004	Bromomethane	<	0.22	2	ug/L	1
S4	4/3/2002	Bromomethane	<		2	ug/L	1
S4	6/25/2002	Bromomethane	<	0.28	2	ug/L	1
S4	9/19/2002	Bromomethane	<	0.28	2	ug/L	1
S4	12/13/2002	Bromomethane	<	0.28	2	ug/L	1
S4	9/8/2003	Bromomethane	<	0.22	2	ug/L	1
S4	9/9/2004	Bromomethane	<	0.22	2	ug/L	1
S5	4/4/2002	Bromomethane	<		2	ug/L	1
S5	6/24/2002	Bromomethane	<	0.28	2	ug/L	1
S5	9/20/2002	Bromomethane	<	0.28	2	ug/L	1
S5	12/16/2002	Bromomethane	<	0.28	2	ug/L	1
S5	9/10/2003	Bromomethane	<	0.22	2	ug/L	1
S5	9/8/2004	Bromomethane	<	0.22	2	ug/L	1
S6	4/4/2002	Bromomethane	<		2	ug/L	1
S6	6/24/2002	Bromomethane	<	0.28	2	ug/L	1
S6	6/24/2002	Bromomethane	<	0.28	2	ug/L	1
S6	9/23/2002	Bromomethane	<	0.28	2	ug/L	1
S6	12/18/2002	Bromomethane	<	0.28	2	ug/L	1
S6	9/9/2003	Bromomethane	<	0.22	2	ug/L	1
S6	9/8/2004	Bromomethane	<	0.22	2	ug/L	1
S7	4/10/2002	Bromomethane	<		2	ug/L	1 UJ
S7	6/21/2002	Bromomethane	<	0.28	2	ug/L	1
S7	9/23/2002	Bromomethane	<	0.28	2	ug/L	1
S7	12/17/2002	Bromomethane	<	0.28	2	ug/L	1
S7	9/11/2003	Bromomethane	<	0.22	2	ug/L	1
S7	9/7/2004	Bromomethane	<	0.22	2	ug/L	1
S8	4/10/2002	Bromomethane	<		2	ug/L	1 UJ
S8	6/21/2002	Bromomethane	<	0.28	2	ug/L	1
S8	9/20/2002	Bromomethane	<	0.28	2	ug/L	1
S8	12/16/2002	Bromomethane	<	0.28	2	ug/L	1
S8	9/11/2003	Bromomethane	<	0.22	2	ug/L	1
S8	9/3/2004	Bromomethane	<	0.22	2	ug/L	1
S9	4/10/2002	Bromomethane	<		2	ug/L	1
S9	6/20/2002	Bromomethane	<	0.28	2	ug/L	1
S9	9/11/2002	Bromomethane	<	0.28	2	ug/L	1

tmpAnalyticalResultsOverTime

S9	12/12/2002	Bromomethane	<	0.28	2	ug/L	1	
S9	9/11/2003	Bromomethane	<	0.22	2	ug/L	1	
S9	9/3/2004	Bromomethane	<	0.22	2	ug/L	1	
S10	5/24/2004	Butyl benzyl phthalate	<	1	10	ug/L	1	NA
S10	5/24/2004	Butyl benzyl phthalate	<	1	10	ug/L	1	
S10	9/10/2004	Butyl benzyl phthalate	<	1	10	ug/L	1	
S10	12/1/2004	Butyl benzyl phthalate	<	1	10	ug/L	1	
S10	12/1/2004	Butyl benzyl phthalate	<	1	10	ug/L	1	
S10	3/3/2005	Butyl benzyl phthalate	<	1.7	10	ug/L	1	
S11	5/24/2004	Butyl benzyl phthalate	<	1	10	ug/L	1	
S11	9/10/2004	Butyl benzyl phthalate	<	1	10	ug/L	1	
S11	12/1/2004	Butyl benzyl phthalate	<	1	10	ug/L	1	
S11	3/3/2005	Butyl benzyl phthalate	<	1.7	10	ug/L	1	
S2	4/3/2002	Butyl benzyl phthalate	<		10	ug/L	1	
S2	6/26/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S2	9/18/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S2	12/13/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S2	3/4/2003	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S2	3/4/2003	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S2	6/5/2003	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S2	9/5/2003	Butyl benzyl phthalate	<	1	10	ug/L	1	
S2	9/5/2003	Butyl benzyl phthalate	<	1	10	ug/L	1	
S2	12/3/2003	Butyl benzyl phthalate	<	1	10	ug/L	1	
S2	9/10/2004	Butyl benzyl phthalate	<	1	10	ug/L	1	
S3	4/3/2002	Butyl benzyl phthalate	<		10	ug/L	1	
S3	9/19/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S3	9/19/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S3	12/13/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S3	3/5/2003	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S3	6/5/2003	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S3	9/5/2003	Butyl benzyl phthalate	<	1	10	ug/L	1	
S3	12/2/2003	Butyl benzyl phthalate	<	1	10	ug/L	1	
S3	9/9/2004	Butyl benzyl phthalate	<	1	10	ug/L	1	
S3	9/9/2004	Butyl benzyl phthalate	<	1	10	ug/L	1	
S4	4/3/2002	Butyl benzyl phthalate	<		10	ug/L	1	
S4	6/25/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S4	9/19/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S4	12/13/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S4	9/8/2003	Butyl benzyl phthalate	<	1	10	ug/L	1	
S4	9/9/2004	Butyl benzyl phthalate	<	1	10	ug/L	1	
S5	4/4/2002	Butyl benzyl phthalate	<		10	ug/L	1	
S5	6/24/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S5	9/20/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S5	12/16/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S5	9/10/2003	Butyl benzyl phthalate	<	1	10	ug/L	1	
S5	9/8/2004	Butyl benzyl phthalate	<	1	10	ug/L	1	
S6	4/4/2002	Butyl benzyl phthalate	<		10	ug/L	1	
S6	6/24/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S6	6/24/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S6	9/23/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S6	12/18/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S6	9/9/2003	Butyl benzyl phthalate	<	1	10	ug/L	1	
S6	9/8/2004	Butyl benzyl phthalate	<	1	10	ug/L	1	
S7	4/10/2002	Butyl benzyl phthalate	<		10	ug/L	1	
S7	6/21/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S7	9/23/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S7	12/17/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	

tmpAnalyticalResultsOverTime

S7	9/11/2003	Butyl benzyl phthalate	<	1	10	ug/L	1	
S7	9/7/2004	Butyl benzyl phthalate	<	1	10	ug/L	1	
S8	4/10/2002	Butyl benzyl phthalate	<		10	ug/L	1	
S8	6/21/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S8	9/20/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S8	12/16/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S8	9/11/2003	Butyl benzyl phthalate	<	1	10	ug/L	1	
S8	9/3/2004	Butyl benzyl phthalate	<	1	10	ug/L	1	
S9	4/10/2002	Butyl benzyl phthalate	<		10	ug/L	1	
S9	6/20/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S9	9/11/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S9	12/12/2002	Butyl benzyl phthalate	<	1.6	10	ug/L	1	
S9	9/11/2003	Butyl benzyl phthalate	<	1	10	ug/L	1	
S9	9/3/2004	Butyl benzyl phthalate	<	1	10	ug/L	1	
S10	3/3/2005	Cadmium-DISSOLVED	<	0.000028	0.001	mg/L	1	
S11	9/10/2004	Cadmium-DISSOLVED	<	0.00014	0.005	mg/L	5	
S11	3/3/2005	Cadmium-DISSOLVED	<	0.00014	0.005	mg/L	5	
S4	9/19/2002	Cadmium-DISSOLVED	<	0.00011	0.005	mg/L	5	
S4	12/13/2002	Cadmium-DISSOLVED	<	0.00011	0.005	mg/L	5	
S5	9/20/2002	Cadmium-DISSOLVED	<	0.00011	0.005	mg/L	5	
S6	9/23/2002	Cadmium-DISSOLVED	<	0.00011	0.005	mg/L	5	
S6	12/18/2002	Cadmium-DISSOLVED	<	0.00011	0.005	mg/L	5	
S7	9/23/2002	Cadmium-DISSOLVED	<	0.00011	0.005	mg/L	5	
S7	12/17/2002	Cadmium-DISSOLVED	<	0.00011	0.005	mg/L	5	
S8	9/20/2002	Cadmium-DISSOLVED	<	0.00011	0.005	mg/L	5	
S8	12/16/2002	Cadmium-DISSOLVED	<	0.00011	0.005	mg/L	5	
S9	9/11/2002	Cadmium-DISSOLVED	<	0.00011	0.005	mg/L	5	
S10	9/10/2004	Cadmium-TOTAL	<	0.00014	0.005	mg/L	5	
S10	9/7/2005	Cadmium-TOTAL	<	0.0002	0.005	MG/L	5	
S10	9/6/2006	Cadmium-TOTAL	<	0.00008	0.002	MG/L	2	
S10	9/4/2007	Cadmium-TOTAL	<	0.0004	0.01	MG/L	10	
S10	9/2/2008	Cadmium-TOTAL	<	0.00004	0.001	mg/L	1	
S10	9/1/2010	Cadmium-TOTAL	<	0.0002	0.0002	0.005	MG/L	5
S10	9/1/2010	Cadmium-TOTAL	<	0.0002	0.0002	0.005	MG/L	5
S11	9/10/2004	Cadmium-TOTAL	<	0.00028	0.01	mg/L	10	
S11	3/3/2005	Cadmium-TOTAL	<	0.00014	0.005	mg/L	5	
S11	9/7/2005	Cadmium-TOTAL	<	0.0008	0.02	MG/L	20	
S11	9/6/2006	Cadmium-TOTAL	<	0.0004	0.01	MG/L	10	
S11	9/4/2007	Cadmium-TOTAL	<	0.0004	0.01	MG/L	10	
S11	9/3/2008	Cadmium-TOTAL	<	0.0002	0.005	MG/L	5	
S11	9/3/2008	Cadmium-TOTAL	<	0.0002	0.005	MG/L	5	
S11	9/2/2009	Cadmium-TOTAL	<	0.0004	0.01	MG/L	10 UJ	
S11	9/2/2010	Cadmium-TOTAL	<	0.0002	0.0002	0.005	MG/L	5
S2	9/5/2003	Cadmium-TOTAL	<	0.0026	0.05	mg/L	50	
S2	9/5/2003	Cadmium-TOTAL	<	0.0026	0.05	mg/L	50	
S2	12/3/2003	Cadmium-TOTAL	<	0.00051	0.01	mg/L	10	
S2	9/7/2005	Cadmium-TOTAL	<	0.002	0.05	MG/L	50	
S3	6/5/2003	Cadmium-TOTAL	<	0.00026	0.005	mg/L	5	
S3	12/2/2003	Cadmium-TOTAL	<	0.001	0.02	mg/L	20	
S3	9/9/2004	Cadmium-TOTAL	<	0.00014	0.005	mg/L	5	
S3	9/9/2004	Cadmium-TOTAL	<	0.00014	0.005	mg/L	5	
S3	9/7/2005	Cadmium-TOTAL	<	0.0002	0.005	MG/L	5	
S3	9/5/2006	Cadmium-TOTAL	<	0.00004	0.001	MG/L	1	
S3	9/4/2007	Cadmium-TOTAL	<	0.0004	0.01	MG/L	10	
S3	9/2/2009	Cadmium-TOTAL	<	0.0004	0.01	MG/L	10	
S3	9/1/2010	Cadmium-TOTAL	<	0.0002	0.0002	0.005	MG/L	5
S4	9/19/2002	Cadmium-TOTAL	<	0.00011	0.005	mg/L	5	

tmpAnalyticalResultsOverTime

S4	12/13/2002	Cadmium-TOTAL	<	0.00011	0.005	mg/L	5	
S4	9/9/2004	Cadmium-TOTAL	<	0.00014	0.005	mg/L	5	
S4	9/8/2005	Cadmium-TOTAL	<	0.0002	0.005	MG/L	5	
S4	9/6/2006	Cadmium-TOTAL	<	0.0002	0.005	MG/L	5	
S4	9/10/2007	Cadmium-TOTAL	<	0.00004	0.001	MG/L	1	
S4	9/2/2009	Cadmium-TOTAL	<	0.0004	0.01	MG/L	10	
S4	9/2/2010	Cadmium-TOTAL	<	0.0002	0.0002	0.005	MG/L	5
S5	9/20/2002	Cadmium-TOTAL	<	0.00011	0.005	mg/L	5	
S5	12/16/2002	Cadmium-TOTAL	<	0.00011	0.005	mg/L	5	
S5	9/10/2003	Cadmium-TOTAL	<	0.00051	0.01	mg/L	10	
S5	9/8/2004	Cadmium-TOTAL	<	0.00014	0.005	mg/L	5	
S5	9/8/2005	Cadmium-TOTAL	<	0.0002	0.005	MG/L	5	
S5	9/6/2006	Cadmium-TOTAL	<	0.0002	0.005	MG/L	5	
S5	9/7/2007	Cadmium-TOTAL	<	0.00004	0.001	MG/L	1	
S5	9/3/2008	Cadmium-TOTAL	<	0.00008	0.002	MG/L	2	
S5	9/3/2010	Cadmium-TOTAL	<	0.0002	0.0002	0.005	MG/L	5
S6	9/23/2002	Cadmium-TOTAL	<	0.00011	0.005	mg/L	5	
S6	12/18/2002	Cadmium-TOTAL	<	0.00011	0.005	mg/L	5	
S6	9/9/2003	Cadmium-TOTAL	<	0.00051	0.01	mg/L	10	
S6	9/8/2004	Cadmium-TOTAL	<	0.00028	0.01	mg/L	10	
S6	9/9/2005	Cadmium-TOTAL	<	0.0008	0.02	MG/L	20	
S6	9/7/2006	Cadmium-TOTAL	<	0.0004	0.01	MG/L	10	
S6	9/4/2008	Cadmium-TOTAL	<	0.0002	0.005	MG/L	5	
S6	9/3/2010	Cadmium-TOTAL	<	0.0002	0.0002	0.005	MG/L	5
S7	9/23/2002	Cadmium-TOTAL	<	0.00011	0.005	mg/L	5	
S7	12/17/2002	Cadmium-TOTAL	<	0.00011	0.005	mg/L	5	
S7	9/4/2008	Cadmium-TOTAL	<	0.0002	0.005	MG/L	5	
S7	9/8/2009	Cadmium-TOTAL	<	0.0004	0.01	MG/L	10	
S7	9/8/2009	Cadmium-TOTAL	<	0.0004	0.01	MG/L	10	
S8	9/20/2002	Cadmium-TOTAL	<	0.00011	0.005	mg/L	5	
S8	12/16/2002	Cadmium-TOTAL	<	0.00011	0.005	mg/L	5	
S8	9/11/2003	Cadmium-TOTAL	<	0.000051	0.001	mg/L	1	
S8	9/4/2008	Cadmium-TOTAL	<	0.0002	0.005	MG/L	5	
S8	9/3/2010	Cadmium-TOTAL	<	0.0002	0.0002	0.005	MG/L	5
S9	9/11/2002	Cadmium-TOTAL	<	0.00011	0.005	mg/L	5	
S9	12/12/2002	Cadmium-TOTAL	<	0.00011	0.005	mg/L	5	
S9	9/11/2003	Cadmium-TOTAL	<	0.000051	0.001	mg/L	1	
S9	9/2/2005	Cadmium-TOTAL	<	0.00004	0.001	MG/L	1	
S9	9/7/2006	Cadmium-TOTAL	<	0.00004	0.001	MG/L	1	
S9	9/5/2008	Cadmium-TOTAL	<	0.0002	0.005	MG/L	5	
S9	9/4/2009	Cadmium-TOTAL	<	0.0004	0.01	MG/L	10	
S9	9/8/2010	Cadmium-TOTAL	<	0.0002	0.0002	0.005	MG/L	5
S10	5/24/2004	Carbazole	<	0.9	10	ug/L	1	NA
S10	5/24/2004	Carbazole	<	0.9	10	ug/L	1	
S10	9/10/2004	Carbazole	<	0.9	10	ug/L	1	
S10	12/1/2004	Carbazole	<	0.9	10	ug/L	1	
S10	12/1/2004	Carbazole	<	0.9	10	ug/L	1	
S10	3/3/2005	Carbazole	<	1.9	10	ug/L	1	
S11	5/24/2004	Carbazole	<	0.9	10	ug/L	1	
S11	9/10/2004	Carbazole	<	0.9	10	ug/L	1	
S11	12/1/2004	Carbazole	<	0.9	10	ug/L	1	
S11	3/3/2005	Carbazole	<	1.9	10	ug/L	1	
S2	9/18/2002	Carbazole	<	1.2	10	ug/L	1	
S2	12/13/2002	Carbazole	<	1.2	10	ug/L	1	
S2	3/4/2003	Carbazole	<	1.2	10	ug/L	1	
S2	3/4/2003	Carbazole	<	1.2	10	ug/L	1	
S2	6/5/2003	Carbazole	<	1.2	10	ug/L	1	

tmpAnalyticalResultsOverTime

S2	9/5/2003	Carbazole	<	0.9	10	ug/L	1
S2	9/5/2003	Carbazole	<	0.9	10	ug/L	1
S2	12/3/2003	Carbazole	<	0.9	10	ug/L	1
S2	9/10/2004	Carbazole	<	0.9	10	ug/L	1
S3	9/19/2002	Carbazole	<	1.2	10	ug/L	1
S3	9/19/2002	Carbazole	<	1.2	10	ug/L	1
S3	12/13/2002	Carbazole	<	1.2	10	ug/L	1
S3	3/5/2003	Carbazole	<	1.2	10	ug/L	1
S3	6/5/2003	Carbazole	<	1.2	10	ug/L	1
S3	9/5/2003	Carbazole	<	0.9	10	ug/L	1
S3	12/2/2003	Carbazole	<	0.9	10	ug/L	1
S3	9/9/2004	Carbazole	<	0.9	10	ug/L	1
S3	9/9/2004	Carbazole	<	0.9	10	ug/L	1
S4	9/19/2002	Carbazole	<	1.2	10	ug/L	1
S4	12/13/2002	Carbazole	<	1.2	10	ug/L	1
S4	9/8/2003	Carbazole	<	0.9	10	ug/L	1
S4	9/9/2004	Carbazole	<	0.9	10	ug/L	1
S5	9/20/2002	Carbazole	<	1.2	10	ug/L	1
S5	12/16/2002	Carbazole	<	1.2	10	ug/L	1
S5	9/10/2003	Carbazole	<	0.9	10	ug/L	1
S5	9/8/2004	Carbazole	<	0.9	10	ug/L	1
S6	9/23/2002	Carbazole	<	1.2	10	ug/L	1
S6	12/18/2002	Carbazole	<	1.2	10	ug/L	1
S6	9/9/2003	Carbazole	<	0.9	10	ug/L	1
S6	9/8/2004	Carbazole	<	0.9	10	ug/L	1
S7	9/23/2002	Carbazole	<	1.2	10	ug/L	1
S7	12/17/2002	Carbazole	<	1.2	10	ug/L	1
S7	9/11/2003	Carbazole	<	0.9	10	ug/L	1
S7	9/7/2004	Carbazole	<	0.9	10	ug/L	1
S8	9/20/2002	Carbazole	<	1.2	10	ug/L	1
S8	12/16/2002	Carbazole	<	1.2	10	ug/L	1
S8	9/11/2003	Carbazole	<	0.9	10	ug/L	1
S8	9/3/2004	Carbazole	<	0.9	10	ug/L	1
S9	9/11/2002	Carbazole	<	1.2	10	ug/L	1
S9	12/12/2002	Carbazole	<	1.2	10	ug/L	1
S9	9/11/2003	Carbazole	<	0.9	10	ug/L	1
S9	9/3/2004	Carbazole	<	0.9	10	ug/L	1
S10	9/10/2004	Carbon disulfide	<	0.24	1	ug/L	1
S10	12/1/2004	Carbon disulfide	<	0.24	1	ug/L	1
S10	12/1/2004	Carbon disulfide	<	0.24	1	ug/L	1
S10	3/3/2005	Carbon disulfide	<	0.27	1	ug/L	1
S11	5/24/2004	Carbon disulfide	<	0.24	1	ug/L	1
S11	9/10/2004	Carbon disulfide	<	0.24	1	ug/L	1
S11	12/1/2004	Carbon disulfide	<	0.24	1	ug/L	1
S11	3/3/2005	Carbon disulfide	<	0.27	1	ug/L	1
S2	4/3/2002	Carbon disulfide	<		1	ug/L	1
S2	6/26/2002	Carbon disulfide	<	0.67	1	ug/L	1
S2	9/18/2002	Carbon disulfide	<	0.67	1	ug/L	1
S2	12/13/2002	Carbon disulfide	<	0.67	1	ug/L	1
S2	3/4/2003	Carbon disulfide	<	0.24	1	ug/L	1
S2	3/4/2003	Carbon disulfide	<	0.24	1	ug/L	1
S2	6/5/2003	Carbon disulfide	<	0.24	1	ug/L	1
S2	9/5/2003	Carbon disulfide	<	0.24	1	ug/L	1
S2	9/5/2003	Carbon disulfide	<	0.24	1	ug/L	1
S2	12/3/2003	Carbon disulfide	<	0.48	2	ug/L	2
S2	9/10/2004	Carbon disulfide	<	0.24	1	ug/L	1
S3	6/25/2002	Carbon disulfide	<	0.67	1	ug/L	1

tmpAnalyticalResultsOverTime

S3	9/19/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S3	9/19/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S3	12/13/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S3	3/5/2003	Carbon disulfide	<	0.24	1	ug/L	1	
S3	6/5/2003	Carbon disulfide	<	0.24	1	ug/L	1	
S3	9/5/2003	Carbon disulfide	<	0.24	1	ug/L	1	
S3	12/2/2003	Carbon disulfide	<	0.24	1	ug/L	1	
S3	9/9/2004	Carbon disulfide	<	0.24	1	ug/L	1	
S3	9/9/2004	Carbon disulfide	<	0.24	1	ug/L	1	
S4	4/3/2002	Carbon disulfide	<		1	ug/L	1	
S4	6/25/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S4	9/19/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S4	12/13/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S4	9/8/2003	Carbon disulfide	<	0.24	1	ug/L	1	
S4	9/9/2004	Carbon disulfide	<	0.24	1	ug/L	1	
S5	4/4/2002	Carbon disulfide	<		1	ug/L	1	
S5	6/24/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S5	9/20/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S5	12/16/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S5	9/10/2003	Carbon disulfide	<	0.24	1	ug/L	1	
S5	9/8/2004	Carbon disulfide	<	0.24	1	ug/L	1	
S6	4/4/2002	Carbon disulfide	<		1	ug/L	1	
S6	6/24/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S6	6/24/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S6	9/23/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S6	12/18/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S6	9/9/2003	Carbon disulfide	<	0.24	1	ug/L	1	
S6	9/8/2004	Carbon disulfide	<	0.24	1	ug/L	1	
S7	4/10/2002	Carbon disulfide	<		1	ug/L	1	UJ
S7	6/21/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S7	9/23/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S7	12/17/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S7	9/11/2003	Carbon disulfide	<	0.24	1	ug/L	1	
S7	9/7/2004	Carbon disulfide	<	0.24	1	ug/L	1	
S8	4/10/2002	Carbon disulfide	<		1	ug/L	1	UJ
S8	6/21/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S8	9/20/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S8	12/16/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S8	9/11/2003	Carbon disulfide	<	0.24	1	ug/L	1	
S8	9/3/2004	Carbon disulfide	<	0.24	1	ug/L	1	
S9	4/10/2002	Carbon disulfide	<		1	ug/L	1	
S9	6/20/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S9	9/11/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S9	12/12/2002	Carbon disulfide	<	0.67	1	ug/L	1	
S9	9/11/2003	Carbon disulfide	<	0.24	1	ug/L	1	
S9	9/3/2004	Carbon disulfide	<	0.24	1	ug/L	1	
S10	5/24/2004	Carbon tetrachloride	<	0.2	1	ug/L	1	0.005
S10	5/24/2004	Carbon tetrachloride	<	0.2	1	ug/L	1	
S10	9/10/2004	Carbon tetrachloride	<	0.2	1	ug/L	1	
S10	12/1/2004	Carbon tetrachloride	<	0.2	1	ug/L	1	
S10	12/1/2004	Carbon tetrachloride	<	0.2	1	ug/L	1	
S10	3/3/2005	Carbon tetrachloride	<	0.19	1	ug/L	1	
S11	5/24/2004	Carbon tetrachloride	<	0.2	1	ug/L	1	
S11	9/10/2004	Carbon tetrachloride	<	0.2	1	ug/L	1	
S11	12/1/2004	Carbon tetrachloride	<	0.2	1	ug/L	1	
S11	3/3/2005	Carbon tetrachloride	<	0.19	1	ug/L	1	
S2	4/3/2002	Carbon tetrachloride	<		1	ug/L	1	

tmpAnalyticalResultsOverTime

S2	6/26/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S2	9/18/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S2	12/13/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S2	3/4/2003	Carbon tetrachloride	<	0.2	1	ug/L	1
S2	3/4/2003	Carbon tetrachloride	<	0.2	1	ug/L	1
S2	6/5/2003	Carbon tetrachloride	<	0.2	1	ug/L	1
S2	9/5/2003	Carbon tetrachloride	<	0.2	1	ug/L	1
S2	9/5/2003	Carbon tetrachloride	<	0.2	1	ug/L	1
S2	12/3/2003	Carbon tetrachloride	<	0.4	2	ug/L	2
S2	9/10/2004	Carbon tetrachloride	<	0.2	1	ug/L	1
S3	4/3/2002	Carbon tetrachloride	<		1	ug/L	1
S3	6/25/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S3	9/19/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S3	9/19/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S3	12/13/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S3	3/5/2003	Carbon tetrachloride	<	0.2	1	ug/L	1
S3	6/5/2003	Carbon tetrachloride	<	0.2	1	ug/L	1
S3	9/5/2003	Carbon tetrachloride	<	0.2	1	ug/L	1
S3	12/2/2003	Carbon tetrachloride	<	0.2	1	ug/L	1
S3	9/9/2004	Carbon tetrachloride	<	0.2	1	ug/L	1
S3	9/9/2004	Carbon tetrachloride	<	0.2	1	ug/L	1
S4	4/3/2002	Carbon tetrachloride	<		1	ug/L	1
S4	6/25/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S4	9/19/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S4	12/13/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S4	9/8/2003	Carbon tetrachloride	<	0.2	1	ug/L	1
S4	9/9/2004	Carbon tetrachloride	<	0.2	1	ug/L	1
S5	4/4/2002	Carbon tetrachloride	<		1	ug/L	1
S5	6/24/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S5	9/20/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S5	12/16/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S5	9/10/2003	Carbon tetrachloride	<	0.2	1	ug/L	1
S5	9/8/2004	Carbon tetrachloride	<	0.2	1	ug/L	1
S6	4/4/2002	Carbon tetrachloride	<		1	ug/L	1
S6	6/24/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S6	6/24/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S6	9/23/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S6	12/18/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S6	9/9/2003	Carbon tetrachloride	<	0.2	1	ug/L	1
S6	9/8/2004	Carbon tetrachloride	<	0.2	1	ug/L	1
S7	4/10/2002	Carbon tetrachloride	<		1	ug/L	1 UJ
S7	6/21/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S7	9/23/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S7	12/17/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S7	9/11/2003	Carbon tetrachloride	<	0.2	1	ug/L	1
S7	9/7/2004	Carbon tetrachloride	<	0.2	1	ug/L	1
S8	4/10/2002	Carbon tetrachloride	<		1	ug/L	1 UJ
S8	6/21/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S8	9/20/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S8	12/16/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S8	9/11/2003	Carbon tetrachloride	<	0.2	1	ug/L	1
S8	9/3/2004	Carbon tetrachloride	<	0.2	1	ug/L	1
S9	4/10/2002	Carbon tetrachloride	<		1	ug/L	1
S9	6/20/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S9	9/11/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S9	12/12/2002	Carbon tetrachloride	<	0.35	1	ug/L	1
S9	9/11/2003	Carbon tetrachloride	<	0.2	1	ug/L	1



tmpAnalyticalResultsOverTime

S9	9/3/2004	Carbon tetrachloride	<	0.2	1	ug/L	1	
S10	5/24/2004	Chlorobenzene	<	0.13	1	ug/L	1	NA
S10	5/24/2004	Chlorobenzene	<	0.13	1	ug/L	1	
S10	9/10/2004	Chlorobenzene	<	0.13	1	ug/L	1	
S10	12/1/2004	Chlorobenzene	<	0.13	1	ug/L	1	
S10	12/1/2004	Chlorobenzene	<	0.13	1	ug/L	1	
S10	3/3/2005	Chlorobenzene	<	0.19	1	ug/L	1	
S11	5/24/2004	Chlorobenzene	<	0.13	1	ug/L	1	
S11	9/10/2004	Chlorobenzene	<	0.13	1	ug/L	1	
S11	12/1/2004	Chlorobenzene	<	0.13	1	ug/L	1	
S11	3/3/2005	Chlorobenzene	<	0.19	1	ug/L	1	
S2	4/3/2002	Chlorobenzene	<		1	ug/L	1	
S2	6/26/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S2	9/18/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S2	12/13/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S2	3/4/2003	Chlorobenzene	<	0.13	1	ug/L	1	
S2	3/4/2003	Chlorobenzene	<	0.13	1	ug/L	1	
S2	6/5/2003	Chlorobenzene	<	0.13	1	ug/L	1	
S2	9/5/2003	Chlorobenzene	<	0.13	1	ug/L	1	
S2	9/5/2003	Chlorobenzene	<	0.13	1	ug/L	1	
S2	12/3/2003	Chlorobenzene	<	0.26	2	ug/L	2	
S2	9/10/2004	Chlorobenzene	<	0.13	1	ug/L	1	
S3	4/3/2002	Chlorobenzene	<		1	ug/L	1	
S3	6/25/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S3	9/19/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S3	9/19/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S3	12/13/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S3	3/5/2003	Chlorobenzene	<	0.13	1	ug/L	1	
S3	6/5/2003	Chlorobenzene	<	0.13	1	ug/L	1	
S3	9/5/2003	Chlorobenzene	<	0.13	1	ug/L	1	
S3	12/2/2003	Chlorobenzene	<	0.13	1	ug/L	1	
S3	9/9/2004	Chlorobenzene	<	0.13	1	ug/L	1	
S3	9/9/2004	Chlorobenzene	<	0.13	1	ug/L	1	
S4	4/3/2002	Chlorobenzene	<		1	ug/L	1	
S4	6/25/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S4	9/19/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S4	12/13/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S4	9/8/2003	Chlorobenzene	<	0.13	1	ug/L	1	
S4	9/9/2004	Chlorobenzene	<	0.13	1	ug/L	1	
S5	4/4/2002	Chlorobenzene	<		1	ug/L	1	
S5	6/24/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S5	9/20/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S5	12/16/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S5	9/10/2003	Chlorobenzene	<	0.13	1	ug/L	1	
S5	9/8/2004	Chlorobenzene	<	0.13	1	ug/L	1	
S6	4/4/2002	Chlorobenzene	<		1	ug/L	1	
S6	6/24/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S6	6/24/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S6	9/23/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S6	12/18/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S6	9/9/2003	Chlorobenzene	<	0.13	1	ug/L	1	
S6	9/8/2004	Chlorobenzene	<	0.13	1	ug/L	1	
S7	4/10/2002	Chlorobenzene	<		1	ug/L	1	UJ
S7	6/21/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S7	9/23/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S7	12/17/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S7	9/11/2003	Chlorobenzene	<	0.13	1	ug/L	1	

tmpAnalyticalResultsOverTime

S7	9/7/2004	Chlorobenzene	<	0.13	1	ug/L	1	
S8	4/10/2002	Chlorobenzene	<		1	ug/L	1	UJ
S8	6/21/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S8	9/20/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S8	12/16/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S8	9/11/2003	Chlorobenzene	<	0.13	1	ug/L	1	
S8	9/3/2004	Chlorobenzene	<	0.13	1	ug/L	1	
S9	4/10/2002	Chlorobenzene	<		1	ug/L	1	
S9	6/20/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S9	9/11/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S9	12/12/2002	Chlorobenzene	<	0.24	1	ug/L	1	
S9	9/11/2003	Chlorobenzene	<	0.13	1	ug/L	1	
S9	9/3/2004	Chlorobenzene	<	0.13	1	ug/L	1	
S10	5/24/2004	Chlorobenzilate	<	2	10	ug/L	1	NA
S10	5/24/2004	Chlorobenzilate	<	2	10	ug/L	1	
S10	9/10/2004	Chlorobenzilate	<	2	10	ug/L	1	
S10	12/1/2004	Chlorobenzilate	<	2	10	ug/L	1	
S10	12/1/2004	Chlorobenzilate	<	2	10	ug/L	1	
S10	3/3/2005	Chlorobenzilate	<	2	10	ug/L	1	
S11	5/24/2004	Chlorobenzilate	<	2	10	ug/L	1	
S11	9/10/2004	Chlorobenzilate	<	2	10	ug/L	1	
S11	12/1/2004	Chlorobenzilate	<	2	10	ug/L	1	
S11	3/3/2005	Chlorobenzilate	<	2	10	ug/L	1	
S2	4/3/2002	Chlorobenzilate	<		10	ug/L	1	
S2	6/26/2002	Chlorobenzilate	<	2.1	10	ug/L	1	
S2	9/18/2002	Chlorobenzilate	<	2.1	10	ug/L	1	
S2	12/13/2002	Chlorobenzilate	<	1.3	10	ug/L	1	
S2	3/4/2003	Chlorobenzilate	<	1.3	10	ug/L	1	
S2	3/4/2003	Chlorobenzilate	<	1.3	10	ug/L	1	
S2	6/5/2003	Chlorobenzilate	<	1.3	10	ug/L	1	
S2	9/5/2003	Chlorobenzilate	<	1	10	ug/L	1	
S2	9/5/2003	Chlorobenzilate	<	1	10	ug/L	1	
S2	12/3/2003	Chlorobenzilate	<	1	10	ug/L	1	
S2	9/10/2004	Chlorobenzilate	<	2	10	ug/L	1	
S3	4/3/2002	Chlorobenzilate	<		10	ug/L	1	
S3	9/19/2002	Chlorobenzilate	<	2.1	10	ug/L	1	
S3	9/19/2002	Chlorobenzilate	<	2.1	10	ug/L	1	
S3	12/13/2002	Chlorobenzilate	<	1.3	10	ug/L	1	
S3	3/5/2003	Chlorobenzilate	<	1.3	10	ug/L	1	
S3	6/5/2003	Chlorobenzilate	<	1.3	10	ug/L	1	
S3	9/5/2003	Chlorobenzilate	<	1	10	ug/L	1	
S3	12/2/2003	Chlorobenzilate	<	1	10	ug/L	1	
S3	9/9/2004	Chlorobenzilate	<	2	10	ug/L	1	
S3	9/9/2004	Chlorobenzilate	<	2	10	ug/L	1	
S4	4/3/2002	Chlorobenzilate	<		10	ug/L	1	
S4	6/25/2002	Chlorobenzilate	<	2.1	10	ug/L	1	
S4	9/19/2002	Chlorobenzilate	<	2.1	10	ug/L	1	
S4	12/13/2002	Chlorobenzilate	<	1.3	10	ug/L	1	
S4	9/8/2003	Chlorobenzilate	<	1	10	ug/L	1	
S4	9/9/2004	Chlorobenzilate	<	2	10	ug/L	1	
S5	4/4/2002	Chlorobenzilate	<		10	ug/L	1	
S5	6/24/2002	Chlorobenzilate	<	2.1	10	ug/L	1	
S5	9/20/2002	Chlorobenzilate	<	2.1	10	ug/L	1	
S5	12/16/2002	Chlorobenzilate	<	1.3	10	ug/L	1	
S5	9/10/2003	Chlorobenzilate	<	1	10	ug/L	1	
S5	9/8/2004	Chlorobenzilate	<	2	10	ug/L	1	
S6	4/4/2002	Chlorobenzilate	<		10	ug/L	1	

tmpAnalyticalResultsOverTime

S6	6/24/2002	Chlorobenzilate	<	2.1	10	ug/L	1	
S6	6/24/2002	Chlorobenzilate	<	2.1	10	ug/L	1	
S6	9/23/2002	Chlorobenzilate	<	2.1	10	ug/L	1	
S6	12/18/2002	Chlorobenzilate	<	1.3	10	ug/L	1	
S6	9/9/2003	Chlorobenzilate	<	1	10	ug/L	1	
S6	9/8/2004	Chlorobenzilate	<	2	10	ug/L	1	
S7	4/10/2002	Chlorobenzilate	<		10	ug/L	1	
S7	6/21/2002	Chlorobenzilate	<	2.1	10	ug/L	1	
S7	9/23/2002	Chlorobenzilate	<	2.1	10	ug/L	1	
S7	12/17/2002	Chlorobenzilate	<	1.3	10	ug/L	1	
S7	9/11/2003	Chlorobenzilate	<	1	10	ug/L	1	
S7	9/7/2004	Chlorobenzilate	<	2	10	ug/L	1	
S8	4/10/2002	Chlorobenzilate	<		10	ug/L	1	
S8	6/21/2002	Chlorobenzilate	<	2.1	10	ug/L	1	
S8	9/20/2002	Chlorobenzilate	<	2.1	10	ug/L	1	
S8	12/16/2002	Chlorobenzilate	<	1.3	10	ug/L	1	
S8	9/11/2003	Chlorobenzilate	<	1	10	ug/L	1	
S8	9/3/2004	Chlorobenzilate	<	2	10	ug/L	1	
S9	4/10/2002	Chlorobenzilate	<		10	ug/L	1	
S9	6/20/2002	Chlorobenzilate	<	2.1	10	ug/L	1	
S9	9/11/2002	Chlorobenzilate	<	2.1	10	ug/L	1	
S9	12/12/2002	Chlorobenzilate	<	1.3	10	ug/L	1	
S9	9/11/2003	Chlorobenzilate	<	1	10	ug/L	1	
S9	9/3/2004	Chlorobenzilate	<	2	10	ug/L	1	
S10	5/24/2004	Chlorodibromomethane	<	0.19	1	ug/L	1	NA
S10	5/24/2004	Chlorodibromomethane	<	0.19	1	ug/L	1	
S10	9/10/2004	Chlorodibromomethane	<	0.19	1	ug/L	1	
S10	12/1/2004	Chlorodibromomethane	<	0.19	1	ug/L	1	
S10	12/1/2004	Chlorodibromomethane	<	0.19	1	ug/L	1	
S10	3/3/2005	Chlorodibromomethane	<	0.12	1	ug/L	1	
S11	5/24/2004	Chlorodibromomethane	<	0.19	1	ug/L	1	
S11	9/10/2004	Chlorodibromomethane	<	0.19	1	ug/L	1	
S11	12/1/2004	Chlorodibromomethane	<	0.19	1	ug/L	1	
S11	3/3/2005	Chlorodibromomethane	<	0.12	1	ug/L	1	
S2	4/3/2002	Chlorodibromomethane	<		1	ug/L	1	
S2	6/26/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S2	9/18/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S2	12/13/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S2	3/4/2003	Chlorodibromomethane	<	0.19	1	ug/L	1	
S2	3/4/2003	Chlorodibromomethane	<	0.19	1	ug/L	1	
S2	6/5/2003	Chlorodibromomethane	<	0.19	1	ug/L	1	
S2	9/5/2003	Chlorodibromomethane	<	0.19	1	ug/L	1	
S2	9/5/2003	Chlorodibromomethane	<	0.19	1	ug/L	1	
S2	12/3/2003	Chlorodibromomethane	<	0.38	2	ug/L	2	
S2	9/10/2004	Chlorodibromomethane	<	0.19	1	ug/L	1	
S3	4/3/2002	Chlorodibromomethane	<		1	ug/L	1	
S3	6/25/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S3	9/19/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S3	9/19/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S3	12/13/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S3	3/5/2003	Chlorodibromomethane	<	0.19	1	ug/L	1	
S3	6/5/2003	Chlorodibromomethane	<	0.19	1	ug/L	1	
S3	9/5/2003	Chlorodibromomethane	<	0.19	1	ug/L	1	
S3	12/2/2003	Chlorodibromomethane	<	0.19	1	ug/L	1	
S3	9/9/2004	Chlorodibromomethane	<	0.19	1	ug/L	1	
S3	9/9/2004	Chlorodibromomethane	<	0.19	1	ug/L	1	
S4	4/3/2002	Chlorodibromomethane	<		1	ug/L	1	

tmpAnalyticalResultsOverTime

S4	6/25/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S4	9/19/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S4	12/13/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S4	9/8/2003	Chlorodibromomethane	<	0.19	1	ug/L	1	
S4	9/9/2004	Chlorodibromomethane	<	0.19	1	ug/L	1	
S5	4/4/2002	Chlorodibromomethane	<		1	ug/L	1	
S5	6/24/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S5	9/20/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S5	12/16/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S5	9/10/2003	Chlorodibromomethane	<	0.19	1	ug/L	1	
S5	9/8/2004	Chlorodibromomethane	<	0.19	1	ug/L	1	
S6	4/4/2002	Chlorodibromomethane	<		1	ug/L	1	
S6	6/24/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S6	6/24/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S6	9/23/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S6	12/18/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S6	9/9/2003	Chlorodibromomethane	<	0.19	1	ug/L	1	
S6	9/8/2004	Chlorodibromomethane	<	0.19	1	ug/L	1	
S7	4/10/2002	Chlorodibromomethane	<		1	ug/L	1	UJ
S7	6/21/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S7	9/23/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S7	12/17/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S7	9/11/2003	Chlorodibromomethane	<	0.19	1	ug/L	1	
S7	9/7/2004	Chlorodibromomethane	<	0.19	1	ug/L	1	
S8	4/10/2002	Chlorodibromomethane	<		1	ug/L	1	UJ
S8	6/21/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S8	9/20/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S8	12/16/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S8	9/11/2003	Chlorodibromomethane	<	0.19	1	ug/L	1	
S8	9/3/2004	Chlorodibromomethane	<	0.19	1	ug/L	1	
S9	4/10/2002	Chlorodibromomethane	<		1	ug/L	1	
S9	6/20/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S9	9/11/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S9	12/12/2002	Chlorodibromomethane	<	0.37	1	ug/L	1	
S9	9/11/2003	Chlorodibromomethane	<	0.19	1	ug/L	1	
S9	9/3/2004	Chlorodibromomethane	<	0.19	1	ug/L	1	
S10	5/24/2004	Chloroethane	<	0.18	2	ug/L	1	NA
S10	5/24/2004	Chloroethane	<	0.18	2	ug/L	1	
S10	9/10/2004	Chloroethane	<	0.18	2	ug/L	1	
S10	12/1/2004	Chloroethane	<	0.18	2	ug/L	1	
S10	12/1/2004	Chloroethane	<	0.18	2	ug/L	1	
S10	3/3/2005	Chloroethane	<	0.31	2	ug/L	1	
S11	5/24/2004	Chloroethane	<	0.18	2	ug/L	1	
S11	9/10/2004	Chloroethane	<	0.18	2	ug/L	1	
S11	12/1/2004	Chloroethane	<	0.18	2	ug/L	1	
S11	3/3/2005	Chloroethane	<	0.31	2	ug/L	1	
S2	4/3/2002	Chloroethane	<		2	ug/L	1	
S2	6/26/2002	Chloroethane	<	0.26	2	ug/L	1	
S2	9/18/2002	Chloroethane	<	0.26	2	ug/L	1	
S2	12/13/2002	Chloroethane	<	0.26	2	ug/L	1	
S2	3/4/2003	Chloroethane	<	0.18	2	ug/L	1	
S2	3/4/2003	Chloroethane	<	0.18	2	ug/L	1	
S2	6/5/2003	Chloroethane	<	0.18	2	ug/L	1	
S2	9/5/2003	Chloroethane	<	0.18	2	ug/L	1	
S2	9/5/2003	Chloroethane	<	0.18	2	ug/L	1	
S2	12/3/2003	Chloroethane	<	0.36	4	ug/L	2	
S2	9/10/2004	Chloroethane	<	0.18	2	ug/L	1	

tmpAnalyticalResultsOverTime

S3	4/3/2002	Chloroethane	<		2	ug/L	1
S3	6/25/2002	Chloroethane	<	0.26	2	ug/L	1
S3	9/19/2002	Chloroethane	<	0.26	2	ug/L	1
S3	9/19/2002	Chloroethane	<	0.26	2	ug/L	1
S3	12/13/2002	Chloroethane	<	0.26	2	ug/L	1
S3	3/5/2003	Chloroethane	<	0.18	2	ug/L	1
S3	6/5/2003	Chloroethane	<	0.18	2	ug/L	1
S3	9/5/2003	Chloroethane	<	0.18	2	ug/L	1
S3	12/2/2003	Chloroethane	<	0.18	2	ug/L	1
S3	9/9/2004	Chloroethane	<	0.18	2	ug/L	1
S3	9/9/2004	Chloroethane	<	0.18	2	ug/L	1
S4	4/3/2002	Chloroethane	<		2	ug/L	1
S4	6/25/2002	Chloroethane	<	0.26	2	ug/L	1
S4	9/19/2002	Chloroethane	<	0.26	2	ug/L	1
S4	12/13/2002	Chloroethane	<	0.26	2	ug/L	1
S4	9/8/2003	Chloroethane	<	0.18	2	ug/L	1
S4	9/9/2004	Chloroethane	<	0.18	2	ug/L	1
S5	4/4/2002	Chloroethane	<		2	ug/L	1
S5	6/24/2002	Chloroethane	<	0.26	2	ug/L	1
S5	9/20/2002	Chloroethane	<	0.26	2	ug/L	1
S5	12/16/2002	Chloroethane	<	0.26	2	ug/L	1
S5	9/10/2003	Chloroethane	<	0.18	2	ug/L	1
S5	9/8/2004	Chloroethane	<	0.18	2	ug/L	1
S6	4/4/2002	Chloroethane	<		2	ug/L	1
S6	6/24/2002	Chloroethane	<	0.26	2	ug/L	1
S6	6/24/2002	Chloroethane	<	0.26	2	ug/L	1
S6	9/23/2002	Chloroethane	<	0.26	2	ug/L	1
S6	12/18/2002	Chloroethane	<	0.26	2	ug/L	1
S6	9/9/2003	Chloroethane	<	0.18	2	ug/L	1
S6	9/8/2004	Chloroethane	<	0.18	2	ug/L	1
S7	4/10/2002	Chloroethane	<		2	ug/L	1 UJ
S7	6/21/2002	Chloroethane	<	0.26	2	ug/L	1
S7	9/23/2002	Chloroethane	<	0.26	2	ug/L	1
S7	12/17/2002	Chloroethane	<	0.26	2	ug/L	1
S7	9/11/2003	Chloroethane	<	0.18	2	ug/L	1
S7	9/7/2004	Chloroethane	<	0.18	2	ug/L	1
S8	4/10/2002	Chloroethane	<		2	ug/L	1 UJ
S8	6/21/2002	Chloroethane	<	0.26	2	ug/L	1
S8	9/20/2002	Chloroethane	<	0.26	2	ug/L	1
S8	12/16/2002	Chloroethane	<	0.26	2	ug/L	1
S8	9/11/2003	Chloroethane	<	0.18	2	ug/L	1
S8	9/3/2004	Chloroethane	<	0.18	2	ug/L	1
S9	4/10/2002	Chloroethane	<		2	ug/L	1
S9	6/20/2002	Chloroethane	<	0.26	2	ug/L	1
S9	9/11/2002	Chloroethane	<	0.26	2	ug/L	1
S9	12/12/2002	Chloroethane	<	0.26	2	ug/L	1
S9	9/11/2003	Chloroethane	<	0.18	2	ug/L	1
S9	9/3/2004	Chloroethane	<	0.18	2	ug/L	1
S10	9/10/2004	Chloroform	<	0.17	1	ug/L	1
S10	12/1/2004	Chloroform	<	0.17	1	ug/L	1
S10	12/1/2004	Chloroform	<	0.17	1	ug/L	1
S10	3/3/2005	Chloroform	<	0.15	1	ug/L	1
S10	9/7/2005	Chloroform	<	0.16	1	ug/L	1
S10	9/6/2006	Chloroform	<	0.16	1	UG/L	1
S10	9/4/2007	CHLOROFORM	<	0.16	1	UG/L	1
S10	9/2/2008	Chloroform	<	0.16	1	ug/L	1
S10	9/1/2009	Chloroform	<	0.16	1	UG/L	1

tmpAnalyticalResultsOverTime

S10	9/1/2010 CHLOROFORM	<	0.16	0.16	1	UG/L	1
S10	9/1/2010 CHLOROFORM	<	0.16	0.16	1	UG/L	1
S11	5/24/2004 Chloroform	<		0.17	1	ug/L	1
S11	9/10/2004 Chloroform	<		0.17	1	ug/L	1
S11	12/1/2004 Chloroform	<		0.17	1	ug/L	1
S11	3/3/2005 Chloroform	<		0.15	1	ug/L	1
S11	9/7/2005 Chloroform	<		0.16	1	ug/L	1
S11	9/6/2006 Chloroform	<		0.16	1	UG/L	1
S11	9/4/2007 CHLOROFORM	<		0.16	1	UG/L	1
S11	9/3/2008 Chloroform	<		0.16	1	UG/L	1
S11	9/3/2008 Chloroform	<		0.16	1	UG/L	1
S11	9/2/2009 Chloroform	<		0.16	1	UG/L	1
S11	9/2/2010 CHLOROFORM	<	0.16	0.16	1	UG/L	1
S2	3/4/2003 Chloroform	<	1	0.17	1	ug/L	1 U
S2	3/4/2003 Chloroform	<	1	0.17	1	ug/L	1 U
S2	12/3/2003 Chloroform	<		0.34	2	ug/L	2
S2	9/10/2004 Chloroform	<		0.17	1	ug/L	1
S2	9/7/2005 Chloroform	<		0.16	1	ug/L	1
S2	9/5/2006 Chloroform	<		0.16	1	UG/L	1
S3	4/3/2002 Chloroform	<			1	ug/L	1
S3	6/25/2002 Chloroform	<		0.29	1	ug/L	1
S3	9/19/2002 Chloroform	<		0.29	1	ug/L	1
S3	9/19/2002 Chloroform	<		0.29	1	ug/L	1
S3	12/13/2002 Chloroform	<		0.29	1	ug/L	1
S3	3/5/2003 Chloroform	<		0.17	1	ug/L	1
S3	6/5/2003 Chloroform	<		0.17	1	ug/L	1
S3	9/5/2003 Chloroform	<		0.17	1	ug/L	1
S3	12/2/2003 Chloroform	<		0.17	1	ug/L	1
S3	9/9/2004 Chloroform	<		0.17	1	ug/L	1
S3	9/9/2004 Chloroform	<		0.17	1	ug/L	1
S3	9/7/2005 Chloroform	<		0.16	1	ug/L	1
S3	9/5/2006 Chloroform	<		0.16	1	UG/L	1
S3	9/4/2007 CHLOROFORM	<		0.16	1	UG/L	1
S3	9/2/2008 Chloroform	<		0.16	1	ug/L	1
S3	9/1/2010 CHLOROFORM	<	0.16	0.16	1	UG/L	1
S4	4/3/2002 Chloroform	<			1	ug/L	1
S4	6/25/2002 Chloroform	<		0.29	1	ug/L	1
S4	9/19/2002 Chloroform	<		0.29	1	ug/L	1
S4	12/13/2002 Chloroform	<		0.29	1	ug/L	1
S4	9/8/2003 Chloroform	<		0.17	1	ug/L	1
S4	9/9/2004 Chloroform	<		0.17	1	ug/L	1
S4	9/8/2005 Chloroform	<		0.16	1	ug/L	1
S4	9/6/2006 Chloroform	<		0.16	1	UG/L	1
S4	9/10/2007 Chloroform	<		0.16	1	UG/L	1
S4	9/3/2008 Chloroform	<		0.16	1	UG/L	1
S4	9/2/2009 Chloroform	<		0.16	1	UG/L	1
S4	9/2/2010 CHLOROFORM	<	0.16	0.16	1	UG/L	1
S5	4/4/2002 Chloroform	<			1	ug/L	1
S5	6/24/2002 Chloroform	<		0.29	1	ug/L	1
S5	9/20/2002 Chloroform	<		0.29	1	ug/L	1
S5	12/16/2002 Chloroform	<		0.29	1	ug/L	1
S5	9/10/2003 Chloroform	<		0.17	1	ug/L	1
S5	9/8/2004 Chloroform	<		0.17	1	ug/L	1
S5	9/8/2005 Chloroform	<		0.16	1	ug/L	1
S5	9/7/2007 Chloroform	<		0.16	1	UG/L	1
S5	9/3/2008 Chloroform	<		0.16	1	UG/L	1
S5	9/2/2009 Chloroform	<		0.16	1	UG/L	1

tmpAnalyticalResultsOverTime

S5	9/3/2010 CHLOROFORM	<	0.16	0.16	1	UG/L	1	
S6	4/4/2002 Chloroform	<			1	ug/L	1	
S6	6/24/2002 Chloroform	<		0.29	1	ug/L	1	
S6	6/24/2002 Chloroform	<		0.29	1	ug/L	1	
S6	9/23/2002 Chloroform	<		0.29	1	ug/L	1	
S6	12/18/2002 Chloroform	<		0.29	1	ug/L	1	
S6	9/9/2003 Chloroform	<		0.17	1	ug/L	1	
S6	9/8/2004 Chloroform	<		0.17	1	ug/L	1	
S6	9/9/2005 Chloroform	<		0.16	1	ug/L	1	
S6	9/7/2006 Chloroform	<		0.16	1	UG/L	1	
S6	9/7/2007 Chloroform	<		0.16	1	UG/L	1	
S6	9/4/2008 Chloroform	<		0.16	1	UG/L	1	
S6	9/3/2009 Chloroform	<		0.16	1	UG/L	1	
S6	9/3/2010 CHLOROFORM	<	0.16	0.16	1	UG/L	1	
S7	4/10/2002 Chloroform	<			1	ug/L	1	UJ
S7	6/21/2002 Chloroform	<		0.29	1	ug/L	1	
S7	9/23/2002 Chloroform	<		0.29	1	ug/L	1	
S7	12/17/2002 Chloroform	<		0.29	1	ug/L	1	
S7	9/11/2003 Chloroform	<		0.17	1	ug/L	1	
S7	9/7/2004 Chloroform	<		0.17	1	ug/L	1	
S7	9/2/2005 Chloroform	<		0.16	1	ug/L	1	
S7	9/7/2006 Chloroform	<		0.16	1	UG/L	1	
S7	9/10/2007 Chloroform	<		0.16	1	UG/L	1	
S7	9/4/2008 Chloroform	<		0.16	1	UG/L	1	
S7	9/8/2009 Chloroform	<		0.16	1	UG/L	1	
S7	9/8/2009 Chloroform	<		0.16	1	UG/L	1	
S7	9/7/2010 CHLOROFORM	<	0.16	0.16	1	UG/L	1	
S8	4/10/2002 Chloroform	<			1	ug/L	1	UJ
S8	6/21/2002 Chloroform	<		0.29	1	ug/L	1	
S8	9/20/2002 Chloroform	<		0.29	1	ug/L	1	
S8	12/16/2002 Chloroform	<		0.29	1	ug/L	1	
S8	9/11/2003 Chloroform	<		0.17	1	ug/L	1	
S8	9/3/2004 Chloroform	<		0.17	1	ug/L	1	
S8	9/2/2005 Chloroform	<		0.16	1	ug/L	1	
S8	9/7/2006 Chloroform	<		0.16	1	UG/L	1	
S8	9/10/2007 Chloroform	<		0.16	1	UG/L	1	
S8	9/4/2008 Chloroform	<		0.16	1	UG/L	1	
S8	9/3/2009 Chloroform	<		0.16	1	UG/L	1	
S8	9/3/2010 CHLOROFORM	<	0.16	0.16	1	UG/L	1	
S9	4/10/2002 Chloroform	<			1	ug/L	1	
S9	6/20/2002 Chloroform	<		0.29	1	ug/L	1	
S9	9/11/2002 Chloroform	<		0.29	1	ug/L	1	
S9	12/12/2002 Chloroform	<		0.29	1	ug/L	1	
S9	9/11/2003 Chloroform	<		0.17	1	ug/L	1	
S9	9/3/2004 Chloroform	<		0.17	1	ug/L	1	
S9	9/2/2005 Chloroform	<		0.16	1	ug/L	1	
S9	9/7/2006 Chloroform	<		0.16	1	UG/L	1	
S9	9/5/2007 Chloroform	<		0.16	1	UG/L	1	
S9	9/5/2008 Chloroform	<		0.16	1	UG/L	1	
S9	9/4/2009 Chloroform	<		0.16	1	UG/L	1	
S9	9/8/2010 CHLOROFORM	<	0.16	0.16	1	UG/L	1	
S10	5/24/2004 Chloromethane	<		0.91	2	ug/L	1	NA
S10	5/24/2004 Chloromethane	<		0.91	2	ug/L	1	
S10	9/10/2004 Chloromethane	<		0.91	2	ug/L	1	
S10	12/1/2004 Chloromethane	<		0.91	2	ug/L	1	
S10	12/1/2004 Chloromethane	<		0.91	2	ug/L	1	
S10	3/3/2005 Chloromethane	<		0.25	2	ug/L	1	

tmpAnalyticalResultsOverTime

S11	5/24/2004	Chloromethane	<	0.91	2	ug/L	1
S11	9/10/2004	Chloromethane	<	0.91	2	ug/L	1
S11	12/1/2004	Chloromethane	<	0.91	2	ug/L	1
S11	3/3/2005	Chloromethane	<	0.25	2	ug/L	1
S2	4/3/2002	Chloromethane	<		2	ug/L	1
S2	6/26/2002	Chloromethane	<	0.26	2	ug/L	1
S2	9/18/2002	Chloromethane	<	0.26	2	ug/L	1
S2	12/13/2002	Chloromethane	<	0.26	2	ug/L	1
S2	3/4/2003	Chloromethane	<	0.91	2	ug/L	1
S2	3/4/2003	Chloromethane	<	0.91	2	ug/L	1
S2	6/5/2003	Chloromethane	<	0.91	2	ug/L	1
S2	9/5/2003	Chloromethane	<	0.91	2	ug/L	1
S2	9/5/2003	Chloromethane	<	0.91	2	ug/L	1
S2	12/3/2003	Chloromethane	<	1.8	4	ug/L	2
S2	9/10/2004	Chloromethane	<	0.91	2	ug/L	1
S3	4/3/2002	Chloromethane	<		2	ug/L	1
S3	9/19/2002	Chloromethane	<	0.26	2	ug/L	1
S3	9/19/2002	Chloromethane	<	0.26	2	ug/L	1
S3	12/13/2002	Chloromethane	<	2 0.26	2	ug/L	1 U
S3	3/5/2003	Chloromethane	<	0.91	2	ug/L	1
S3	6/5/2003	Chloromethane	<	0.91	2	ug/L	1
S3	9/5/2003	Chloromethane	<	0.91	2	ug/L	1
S3	12/2/2003	Chloromethane	<	0.91	2	ug/L	1
S3	9/9/2004	Chloromethane	<	0.91	2	ug/L	1
S3	9/9/2004	Chloromethane	<	0.91	2	ug/L	1
S4	4/3/2002	Chloromethane	<		2	ug/L	1
S4	6/25/2002	Chloromethane	<	0.26	2	ug/L	1
S4	9/19/2002	Chloromethane	<	0.26	2	ug/L	1
S4	12/13/2002	Chloromethane	<	0.26	2	ug/L	1
S4	9/8/2003	Chloromethane	<	0.91	2	ug/L	1
S4	9/9/2004	Chloromethane	<	0.91	2	ug/L	1
S5	4/4/2002	Chloromethane	<		2	ug/L	1
S5	6/24/2002	Chloromethane	<	0.26	2	ug/L	1
S5	9/20/2002	Chloromethane	<	0.26	2	ug/L	1
S5	12/16/2002	Chloromethane	<	0.26	2	ug/L	1
S5	9/10/2003	Chloromethane	<	0.91	2	ug/L	1
S5	9/8/2004	Chloromethane	<	0.91	2	ug/L	1
S6	4/4/2002	Chloromethane	<		2	ug/L	1
S6	6/24/2002	Chloromethane	<	0.26	2	ug/L	1
S6	6/24/2002	Chloromethane	<	0.26	2	ug/L	1
S6	9/23/2002	Chloromethane	<	0.26	2	ug/L	1
S6	12/18/2002	Chloromethane	<	0.26	2	ug/L	1
S6	9/9/2003	Chloromethane	<	0.91	2	ug/L	1
S6	9/8/2004	Chloromethane	<	0.91	2	ug/L	1
S7	4/10/2002	Chloromethane	<		2	ug/L	1 UJ
S7	6/21/2002	Chloromethane	<	0.26	2	ug/L	1
S7	9/23/2002	Chloromethane	<	0.26	2	ug/L	1
S7	12/17/2002	Chloromethane	<	0.26	2	ug/L	1
S7	9/11/2003	Chloromethane	<	0.91	2	ug/L	1
S7	9/7/2004	Chloromethane	<	0.91	2	ug/L	1
S8	4/10/2002	Chloromethane	<		2	ug/L	1 UJ
S8	6/21/2002	Chloromethane	<	0.26	2	ug/L	1
S8	9/20/2002	Chloromethane	<	0.26	2	ug/L	1
S8	9/11/2003	Chloromethane	<	0.91	2	ug/L	1
S8	9/3/2004	Chloromethane	<	0.91	2	ug/L	1
S9	4/10/2002	Chloromethane	<		2	ug/L	1
S9	6/20/2002	Chloromethane	<	0.26	2	ug/L	1



tmpAnalyticalResultsOverTime

S9	9/11/2002	Chloromethane	<	0.26	2	ug/L	1	
S9	12/12/2002	Chloromethane	<	0.26	2	ug/L	1	
S9	9/11/2003	Chloromethane	<	0.91	2	ug/L	1	
S9	9/3/2004	Chloromethane	<	0.91	2	ug/L	1	
S2	4/3/2002	Chloroprene	<		1	ug/L	1	NA
S3	4/3/2002	Chloroprene	<		1	ug/L	1	
S4	4/3/2002	Chloroprene	<		1	ug/L	1	
S5	4/4/2002	Chloroprene	<		1	ug/L	1	
S6	4/4/2002	Chloroprene	<		1	ug/L	1	
S7	4/10/2002	Chloroprene	<		1	ug/L	1	UJ
S8	4/10/2002	Chloroprene	<		1	ug/L	1	UJ
S9	4/10/2002	Chloroprene	<		1	ug/L	1	
S10	5/24/2004	Chromium-DISSOLVED	<	0.0021	0.01	mg/L	1	0.1
S10	5/24/2004	Chromium-DISSOLVED	<	0.0021	0.01	mg/L	1	
S10	9/10/2004	Chromium-DISSOLVED	<	0.0012	0.01	mg/L	1	
S10	12/1/2004	Chromium-DISSOLVED	<	0.0012	0.01	mg/L	1	
S10	3/3/2005	Chromium-DISSOLVED	<	0.0012	0.01	mg/L	1	
S11	5/24/2004	Chromium-DISSOLVED	<	0.0021	0.01	mg/L	1	
S11	9/10/2004	Chromium-DISSOLVED	<	0.006	0.05	mg/L	5	
S11	12/1/2004	Chromium-DISSOLVED	<	0.006	0.05	mg/L	5	
S11	3/3/2005	Chromium-DISSOLVED	<	0.006	0.05	mg/L	5	
S2	4/3/2002	Chromium-DISSOLVED	<		0.01	mg/L	1	
S2	6/26/2002	Chromium-DISSOLVED	<	0.0015	0.02	mg/L	2	
S2	9/18/2002	Chromium-DISSOLVED	<	0.0037	0.05	mg/L	5	
S2	12/13/2002	Chromium-DISSOLVED	<	0.0037	0.05	mg/L	5	
S3	4/3/2002	Chromium-DISSOLVED	<		0.01	mg/L	1	
S3	6/25/2002	Chromium-DISSOLVED	<	0.0015	0.02	mg/L	2	
S3	9/19/2002	Chromium-DISSOLVED	<	0.00074	0.01	mg/L	1	
S3	9/19/2002	Chromium-DISSOLVED	<	0.00074	0.01	mg/L	1	
S3	12/13/2002	Chromium-DISSOLVED	<	0.0037	0.05	mg/L	5	
S4	6/25/2002	Chromium-DISSOLVED	<	0.00074	0.01	mg/L	1	
S4	9/19/2002	Chromium-DISSOLVED	<	0.00074	0.01	mg/L	1	
S4	12/13/2002	Chromium-DISSOLVED	<	0.0037	0.05	mg/L	5	
S5	4/4/2002	Chromium-DISSOLVED	<		0.01	mg/L	1	UJ
S5	9/20/2002	Chromium-DISSOLVED	<	0.00074	0.01	mg/L	1	
S5	12/16/2002	Chromium-DISSOLVED	<	0.0037	0.05	mg/L	5	
S6	4/4/2002	Chromium-DISSOLVED	<		0.01	mg/L	1	UJ
S6	12/18/2002	Chromium-DISSOLVED	<	0.0037	0.05	mg/L	5	
S7	6/21/2002	Chromium-DISSOLVED	<	0.00074	0.01	mg/L	1	
S7	12/17/2002	Chromium-DISSOLVED	<	0.0037	0.05	mg/L	5	
S8	4/10/2002	Chromium-DISSOLVED	<		0.01	mg/L	1	
S8	6/21/2002	Chromium-DISSOLVED	<	0.00074	0.01	mg/L	1	
S8	9/20/2002	Chromium-DISSOLVED	<	0.00074	0.01	mg/L	1	
S8	12/16/2002	Chromium-DISSOLVED	<	0.0037	0.05	mg/L	5	
S9	4/10/2002	Chromium-DISSOLVED	<		0.01	mg/L	1	
S9	6/20/2002	Chromium-DISSOLVED	<	0.00074	0.01	mg/L	1	
S9	9/11/2002	Chromium-DISSOLVED	<	0.00074	0.01	mg/L	1	
S9	12/12/2002	Chromium-DISSOLVED	<	0.0037	0.05	mg/L	5	
S10	5/24/2004	Chromium-TOTAL	<	0.0021	0.01	mg/L	1	
S10	9/10/2004	Chromium-TOTAL	<	0.006	0.05	mg/L	5	
S10	12/1/2004	Chromium-TOTAL	<	0.0012	0.01	mg/L	1	
S10	9/7/2005	Chromium-TOTAL	<	0.0026	0.01	MG/L	1	
S10	9/6/2006	Chromium-TOTAL	<	0.0026	0.01	MG/L	1	
S10	9/2/2008	Chromium-TOTAL	<	0.00066	0.01	mg/L	1	UJ
S10	9/1/2009	Chromium-TOTAL	<	0.00066	0.01	MG/L	1	
S11	5/24/2004	Chromium-TOTAL	<	0.0021	0.01	mg/L	1	
S11	9/10/2004	Chromium-TOTAL	<	0.006	0.05	mg/L	5	

tmpAnalyticalResultsOverTime

S11	3/3/2005 Chromium-TOTAL	<	0.0024	0.02	mg/L	2
S11	9/7/2005 Chromium-TOTAL	<	0.0026	0.01	MG/L	1
S11	9/6/2006 Chromium-TOTAL	<	0.013	0.05	MG/L	5
S11	9/3/2008 Chromium-TOTAL	<	0.0033	0.05	MG/L	5
S11	9/2/2010 Chromium-TOTAL	<	0.0066	0.0066	0.1	MG/L 10
S2	4/3/2002 Chromium-TOTAL	<		0.05	mg/L	5 UJ
S2	6/26/2002 Chromium-TOTAL	<	0.0015	0.02	mg/L	2 UJ
S2	3/4/2003 Chromium-TOTAL	<	0.0074	0.1	mg/L	10
S2	3/4/2003 Chromium-TOTAL	<	0.0037	0.05	mg/L	5
S2	6/5/2003 Chromium-TOTAL	<	0.021	0.05	mg/L	10
S2	9/5/2003 Chromium-TOTAL	<	0.01	0.05	mg/L	5
S2	9/5/2003 Chromium-TOTAL	<	0.01	0.05	mg/L	5
S2	12/3/2003 Chromium-TOTAL	<	0.01	0.05	mg/L	5
S2	9/10/2004 Chromium-TOTAL	<	0.006	0.05	mg/L	5
S2	9/7/2005 Chromium-TOTAL	<	0.013	0.05	MG/L	5
S2	9/5/2006 Chromium-TOTAL	<	0.013	0.05	MG/L	5
S2	9/2/2008 Chromium-TOTAL	<	0.0033	0.05	mg/L	5
S2	9/2/2009 Chromium-TOTAL	<	0.0033	0.05	MG/L	5
S3	4/3/2002 Chromium-TOTAL	<		0.05	mg/L	5 UJ
S3	6/25/2002 Chromium-TOTAL	<	0.0015	0.02	mg/L	2 UJ
S3	9/19/2002 Chromium-TOTAL	<	0.00074	0.01	mg/L	1
S3	9/19/2002 Chromium-TOTAL	<	0.00074	0.01	mg/L	1
S3	3/5/2003 Chromium-TOTAL	<	0.00074	0.01	mg/L	1
S3	6/5/2003 Chromium-TOTAL	<	0.0021	0.01	mg/L	1
S3	12/2/2003 Chromium-TOTAL	<	0.0021	0.01	mg/L	1
S3	9/9/2004 Chromium-TOTAL	<	0.0021	0.01	mg/L	1
S3	9/9/2004 Chromium-TOTAL	<	0.0021	0.01	mg/L	1
S3	9/7/2005 Chromium-TOTAL	<	0.0026	0.01	MG/L	1
S3	9/5/2006 Chromium-TOTAL	<	0.0026	0.01	MG/L	1
S3	9/1/2010 Chromium-TOTAL	<	0.00066	0.00066	0.01	MG/L 1
S4	6/25/2002 Chromium-TOTAL	<	0.00074	0.01	mg/L	1 UJ
S4	9/19/2002 Chromium-TOTAL	<	0.00074	0.01	mg/L	1
S4	9/8/2003 Chromium-TOTAL	<	0.0021	0.01	mg/L	1
S4	9/9/2004 Chromium-TOTAL	<	0.0021	0.01	mg/L	1
S4	9/8/2005 Chromium-TOTAL	<	0.0026	0.01	MG/L	1
S4	9/6/2006 Chromium-TOTAL	<	0.0026	0.01	MG/L	1
S4	9/2/2010 Chromium-TOTAL	<	0.00066	0.00066	0.01	MG/L 1
S5	9/20/2002 Chromium-TOTAL	<	0.00074	0.01	mg/L	1
S5	12/16/2002 Chromium-TOTAL	<	0.0037	0.05	mg/L	5
S5	9/10/2003 Chromium-TOTAL	<	0.0021	0.01	mg/L	1
S5	9/8/2004 Chromium-TOTAL	<	0.0012	0.01	mg/L	1
S5	9/8/2005 Chromium-TOTAL	<	0.0026	0.01	MG/L	1
S5	9/6/2006 Chromium-TOTAL	<	0.0026	0.01	MG/L	1
S5	9/3/2008 Chromium-TOTAL	<	0.00066	0.01	MG/L	1 UJ
S5	9/3/2010 Chromium-TOTAL	<	0.00066	0.00066	0.01	MG/L 1
S6	4/4/2002 Chromium-TOTAL	<		0.01	mg/L	1 UJ
S6	9/9/2003 Chromium-TOTAL	<	0.0021	0.01	mg/L	1
S6	9/9/2005 Chromium-TOTAL	<	0.0026	0.01	MG/L	1
S6	9/7/2006 Chromium-TOTAL	<	0.0026	0.01	MG/L	1
S6	9/3/2010 Chromium-TOTAL	<	0.0066	0.0066	0.1	MG/L 10
S8	4/10/2002 Chromium-TOTAL	<		0.01	mg/L	1 UJ
S8	6/21/2002 Chromium-TOTAL	<	0.00074	0.01	mg/L	1 UJ
S8	9/20/2002 Chromium-TOTAL	<	0.00074	0.01	mg/L	1
S8	12/16/2002 Chromium-TOTAL	<	0.0037	0.05	mg/L	5
S8	9/11/2003 Chromium-TOTAL	<	0.0021	0.01	mg/L	1
S8	9/3/2004 Chromium-TOTAL	<	0.0012	0.01	mg/L	1
S8	9/2/2005 Chromium-TOTAL	<	0.0026	0.01	MG/L	1

tmpAnalyticalResultsOverTime

S8	9/7/2006	Chromium-TOTAL	<	0.0026	0.01	MG/L	1	
S8	9/10/2007	Chromium-TOTAL	<	0.013	0.05	MG/L	5	
S8	9/4/2008	Chromium-TOTAL	<	0.00066	0.01	MG/L	1	UJ
S8	9/3/2010	Chromium-TOTAL	<	0.00066	0.01	MG/L	1	
S9	4/10/2002	Chromium-TOTAL	<		0.01	mg/L	1	UJ
S9	6/20/2002	Chromium-TOTAL	<	0.00074	0.01	mg/L	1	UJ
S9	9/11/2002	Chromium-TOTAL	<	0.00074	0.01	mg/L	1	
S9	9/11/2003	Chromium-TOTAL	<	0.0021	0.01	mg/L	1	
S9	9/7/2006	Chromium-TOTAL	<	0.0026	0.01	MG/L	1	
S9	9/5/2008	Chromium-TOTAL	<	0.00066	0.01	MG/L	1	
S9	9/4/2009	Chromium-TOTAL	<	0.00066	0.01	MG/L	1	
S9	9/8/2010	Chromium-TOTAL	<	0.00066	0.01	MG/L	1	
S10	5/24/2004	Chrysene	<	0.8	10	ug/L	1	NA
S10	5/24/2004	Chrysene	<	0.8	10	ug/L	1	
S10	9/10/2004	Chrysene	<	0.8	10	ug/L	1	
S10	12/1/2004	Chrysene	<	0.8	10	ug/L	1	
S10	12/1/2004	Chrysene	<	0.8	10	ug/L	1	
S10	3/3/2005	Chrysene	<	2	10	ug/L	1	
S11	5/24/2004	Chrysene	<	0.8	10	ug/L	1	
S11	9/10/2004	Chrysene	<	0.8	10	ug/L	1	
S11	12/1/2004	Chrysene	<	0.8	10	ug/L	1	
S11	3/3/2005	Chrysene	<	2	10	ug/L	1	
S2	4/3/2002	Chrysene	<		10	ug/L	1	
S2	6/26/2002	Chrysene	<	1.7	10	ug/L	1	
S2	9/18/2002	Chrysene	<	1.7	10	ug/L	1	
S2	12/13/2002	Chrysene	<	1.7	10	ug/L	1	
S2	3/4/2003	Chrysene	<	1.7	10	ug/L	1	
S2	3/4/2003	Chrysene	<	1.7	10	ug/L	1	
S2	6/5/2003	Chrysene	<	1.7	10	ug/L	1	
S2	9/5/2003	Chrysene	<	0.8	10	ug/L	1	
S2	9/5/2003	Chrysene	<	0.8	10	ug/L	1	
S2	12/3/2003	Chrysene	<	0.8	10	ug/L	1	
S2	9/10/2004	Chrysene	<	0.8	10	ug/L	1	
S3	4/3/2002	Chrysene	<		10	ug/L	1	
S3	9/19/2002	Chrysene	<	1.7	10	ug/L	1	
S3	9/19/2002	Chrysene	<	1.7	10	ug/L	1	
S3	12/13/2002	Chrysene	<	1.7	10	ug/L	1	
S3	3/5/2003	Chrysene	<	1.7	10	ug/L	1	
S3	6/5/2003	Chrysene	<	1.7	10	ug/L	1	
S3	9/5/2003	Chrysene	<	0.8	10	ug/L	1	
S3	12/2/2003	Chrysene	<	0.8	10	ug/L	1	
S3	9/9/2004	Chrysene	<	0.8	10	ug/L	1	
S3	9/9/2004	Chrysene	<	0.8	10	ug/L	1	
S4	4/3/2002	Chrysene	<		10	ug/L	1	
S4	6/25/2002	Chrysene	<	1.7	10	ug/L	1	
S4	9/19/2002	Chrysene	<	1.7	10	ug/L	1	
S4	12/13/2002	Chrysene	<	1.7	10	ug/L	1	
S4	9/8/2003	Chrysene	<	0.8	10	ug/L	1	
S4	9/9/2004	Chrysene	<	0.8	10	ug/L	1	
S5	4/4/2002	Chrysene	<		10	ug/L	1	
S5	6/24/2002	Chrysene	<	1.7	10	ug/L	1	
S5	9/20/2002	Chrysene	<	1.7	10	ug/L	1	
S5	12/16/2002	Chrysene	<	1.7	10	ug/L	1	
S5	9/10/2003	Chrysene	<	0.8	10	ug/L	1	
S5	9/8/2004	Chrysene	<	0.8	10	ug/L	1	
S6	4/4/2002	Chrysene	<		10	ug/L	1	
S6	6/24/2002	Chrysene	<	1.7	10	ug/L	1	

tmpAnalyticalResultsOverTime

S6	6/24/2002	Chrysene	<	1.7	10	ug/L	1	
S6	9/23/2002	Chrysene	<	1.7	10	ug/L	1	
S6	12/18/2002	Chrysene	<	1.7	10	ug/L	1	
S6	9/9/2003	Chrysene	<	0.8	10	ug/L	1	
S6	9/8/2004	Chrysene	<	0.8	10	ug/L	1	
S7	4/10/2002	Chrysene	<		10	ug/L	1	
S7	6/21/2002	Chrysene	<	1.7	10	ug/L	1	
S7	9/23/2002	Chrysene	<	1.7	10	ug/L	1	
S7	12/17/2002	Chrysene	<	1.7	10	ug/L	1	
S7	9/11/2003	Chrysene	<	0.8	10	ug/L	1	
S7	9/7/2004	Chrysene	<	0.8	10	ug/L	1	
S8	4/10/2002	Chrysene	<		10	ug/L	1	
S8	6/21/2002	Chrysene	<	1.7	10	ug/L	1	
S8	9/20/2002	Chrysene	<	1.7	10	ug/L	1	
S8	12/16/2002	Chrysene	<	1.7	10	ug/L	1	
S8	9/11/2003	Chrysene	<	0.8	10	ug/L	1	
S8	9/3/2004	Chrysene	<	0.8	10	ug/L	1	
S9	4/10/2002	Chrysene	<		10	ug/L	1	
S9	6/20/2002	Chrysene	<	1.7	10	ug/L	1	
S9	9/11/2002	Chrysene	<	1.7	10	ug/L	1	
S9	12/12/2002	Chrysene	<	1.7	10	ug/L	1	
S9	9/11/2003	Chrysene	<	0.8	10	ug/L	1	
S9	9/3/2004	Chrysene	<	0.8	10	ug/L	1	
S10	5/24/2004	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	NA
S10	5/24/2004	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S10	9/10/2004	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S10	12/1/2004	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S10	12/1/2004	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S10	3/3/2005	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S11	5/24/2004	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S11	9/10/2004	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S11	12/1/2004	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S11	3/3/2005	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S2	4/3/2002	cis-1,2-Dichloroethene	<		1	ug/L	1	
S2	6/26/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S2	9/18/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S2	12/13/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S2	3/4/2003	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S2	3/4/2003	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S2	6/5/2003	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S2	9/5/2003	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	mg/L
S2	9/5/2003	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S2	12/3/2003	cis-1,2-Dichloroethene	<	0.28	2	ug/L	2	
S2	9/10/2004	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S3	4/3/2002	cis-1,2-Dichloroethene	<		1	ug/L	1	
S3	6/25/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S3	9/19/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S3	9/19/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S3	12/13/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S3	3/5/2003	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S3	6/5/2003	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S3	9/5/2003	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S3	12/2/2003	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S3	9/9/2004	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S3	9/9/2004	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S4	4/3/2002	cis-1,2-Dichloroethene	<		1	ug/L	1	
S4	6/25/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	

tmpAnalyticalResultsOverTime

S4	9/19/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S4	12/13/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S4	9/8/2003	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S4	9/9/2004	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S5	4/4/2002	cis-1,2-Dichloroethene	<		1	ug/L	1	
S5	6/24/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S5	9/20/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S5	12/16/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S5	9/10/2003	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S5	9/8/2004	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S6	4/4/2002	cis-1,2-Dichloroethene	<		1	ug/L	1	
S6	6/24/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S6	6/24/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S6	9/23/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S6	12/18/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S6	9/9/2003	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S6	9/8/2004	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S7	4/10/2002	cis-1,2-Dichloroethene	<		1	ug/L	1	UJ
S7	6/21/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S7	9/23/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S7	12/17/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S7	9/11/2003	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S7	9/7/2004	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S8	4/10/2002	cis-1,2-Dichloroethene	<		1	ug/L	1	UJ
S8	6/21/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S8	9/20/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S8	12/16/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S8	9/11/2003	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S8	9/3/2004	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S9	4/10/2002	cis-1,2-Dichloroethene	<		1	ug/L	1	
S9	6/20/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S9	9/11/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S9	12/12/2002	cis-1,2-Dichloroethene	<	0.33	1	ug/L	1	
S9	9/11/2003	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S9	9/3/2004	cis-1,2-Dichloroethene	<	0.14	1	ug/L	1	
S10	5/24/2004	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	NA
S10	5/24/2004	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S10	9/10/2004	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S10	12/1/2004	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S10	12/1/2004	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S10	3/3/2005	cis-1,3-Dichloropropene	<	0.12	1	ug/L	1	
S11	5/24/2004	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S11	9/10/2004	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S11	12/1/2004	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S11	3/3/2005	cis-1,3-Dichloropropene	<	0.12	1	ug/L	1	
S2	4/3/2002	cis-1,3-Dichloropropene	<		1	ug/L	1	
S2	6/26/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S2	9/18/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S2	12/13/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S2	3/4/2003	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S2	3/4/2003	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S2	6/5/2003	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S2	9/5/2003	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S2	9/5/2003	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S2	12/3/2003	cis-1,3-Dichloropropene	<	0.38	2	ug/L	2	
S2	9/10/2004	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S3	4/3/2002	cis-1,3-Dichloropropene	<		1	ug/L	1	

tmpAnalyticalResultsOverTime

S3	6/25/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S3	9/19/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S3	9/19/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S3	12/13/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S3	3/5/2003	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S3	6/5/2003	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S3	9/5/2003	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S3	12/2/2003	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S3	9/9/2004	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S3	9/9/2004	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S4	4/3/2002	cis-1,3-Dichloropropene	<		1	ug/L	1	
S4	6/25/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S4	9/19/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S4	12/13/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S4	9/8/2003	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S4	9/9/2004	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S5	4/4/2002	cis-1,3-Dichloropropene	<		1	ug/L	1	
S5	6/24/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S5	9/20/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S5	12/16/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S5	9/10/2003	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S5	9/8/2004	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S6	4/4/2002	cis-1,3-Dichloropropene	<		1	ug/L	1	
S6	6/24/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S6	6/24/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S6	9/23/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S6	12/18/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S6	9/9/2003	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S6	9/8/2004	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S7	4/10/2002	cis-1,3-Dichloropropene	<		1	ug/L	1	UJ
S7	6/21/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S7	9/23/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S7	12/17/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S7	9/11/2003	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S7	9/7/2004	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S8	4/10/2002	cis-1,3-Dichloropropene	<		1	ug/L	1	UJ
S8	6/21/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S8	9/20/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S8	12/16/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S8	9/11/2003	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S8	9/3/2004	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S9	4/10/2002	cis-1,3-Dichloropropene	<		1	ug/L	1	
S9	6/20/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S9	9/11/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S9	12/12/2002	cis-1,3-Dichloropropene	<	0.31	1	ug/L	1	
S9	9/11/2003	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S9	9/3/2004	cis-1,3-Dichloropropene	<	0.19	1	ug/L	1	
S10	5/24/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	NA
S10	5/24/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S10	9/10/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S10	12/1/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S10	12/1/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S10	3/3/2005	cis-1,4-Dichloro-2-butene	<	0.26	1	ug/L	1	
S11	5/24/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S11	9/10/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S11	12/1/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S11	3/3/2005	cis-1,4-Dichloro-2-butene	<	0.26	1	ug/L	1	

tmpAnalyticalResultsOverTime

S2	9/18/2002	cis-1,4-Dichloro-2-butene	<	0.82	1	ug/L	1	
S2	12/13/2002	cis-1,4-Dichloro-2-butene	<	0.82	1	ug/L	1	
S2	3/4/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S2	3/4/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S2	6/5/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S2	9/5/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S2	9/5/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S2	12/3/2003	cis-1,4-Dichloro-2-butene	<	0.84	2	ug/L	2	
S2	9/10/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S3	9/19/2002	cis-1,4-Dichloro-2-butene	<	0.82	1	ug/L	1	
S3	9/19/2002	cis-1,4-Dichloro-2-butene	<	0.82	1	ug/L	1	
S3	12/13/2002	cis-1,4-Dichloro-2-butene	<	0.82	1	ug/L	1	
S3	3/5/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S3	6/5/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S3	9/5/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S3	12/2/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S3	9/9/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S3	9/9/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S4	9/19/2002	cis-1,4-Dichloro-2-butene	<	0.82	1	ug/L	1	
S4	12/13/2002	cis-1,4-Dichloro-2-butene	<	0.82	1	ug/L	1	
S4	9/8/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S4	9/9/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S5	9/20/2002	cis-1,4-Dichloro-2-butene	<	0.82	1	ug/L	1	
S5	12/16/2002	cis-1,4-Dichloro-2-butene	<	0.82	1	ug/L	1	
S5	9/10/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S5	9/8/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S6	9/23/2002	cis-1,4-Dichloro-2-butene	<	0.82	1	ug/L	1	
S6	12/18/2002	cis-1,4-Dichloro-2-butene	<	0.82	1	ug/L	1	
S6	9/9/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S6	9/8/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S7	9/23/2002	cis-1,4-Dichloro-2-butene	<	0.82	1	ug/L	1	
S7	12/17/2002	cis-1,4-Dichloro-2-butene	<	0.82	1	ug/L	1	
S7	9/11/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S7	9/7/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S8	9/20/2002	cis-1,4-Dichloro-2-butene	<	0.82	1	ug/L	1	
S8	12/16/2002	cis-1,4-Dichloro-2-butene	<	0.82	1	ug/L	1	
S8	9/11/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S8	9/3/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S9	9/11/2002	cis-1,4-Dichloro-2-butene	<	0.82	1	ug/L	1	
S9	12/12/2002	cis-1,4-Dichloro-2-butene	<	0.82	1	ug/L	1	
S9	9/11/2003	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S9	9/3/2004	cis-1,4-Dichloro-2-butene	<	0.42	1	ug/L	1	
S10	5/24/2004	Copper-DISSOLVED	<	0.01	0.00097	0.01	mg/L	1 U
S10	5/24/2004	Copper-DISSOLVED	<	0.01	0.00097	0.01	mg/L	1 U
S10	9/10/2004	Copper-DISSOLVED	<		0.0016	0.01	mg/L	1
S10	3/3/2005	Copper-DISSOLVED	<		0.0016	0.01	mg/L	1
S11	5/24/2004	Copper-DISSOLVED	<	0.01	0.00097	0.01	mg/L	1 U
S11	9/10/2004	Copper-DISSOLVED	<		0.008	0.05	mg/L	5
S11	3/3/2005	Copper-DISSOLVED	<		0.008	0.05	mg/L	5
S2	4/3/2002	Copper-DISSOLVED	<			0.01	mg/L	1
S2	12/13/2002	Copper-DISSOLVED	<		0.0038	0.05	mg/L	5
S3	4/3/2002	Copper-DISSOLVED	<			0.01	mg/L	1
S3	12/13/2002	Copper-DISSOLVED	<		0.0038	0.05	mg/L	5
S4	6/25/2002	Copper-DISSOLVED	<		0.00076	0.01	mg/L	1
S4	12/13/2002	Copper-DISSOLVED	<		0.0038	0.05	mg/L	5
S5	12/16/2002	Copper-DISSOLVED	<		0.0038	0.05	mg/L	5
S6	9/23/2002	Copper-DISSOLVED	<		0.00076	0.01	mg/L	1

1.3

tmpAnalyticalResultsOverTime

S6	12/18/2002	Copper-DISSOLVED	<		0.0038	0.05	mg/L	5
S7	6/21/2002	Copper-DISSOLVED	<		0.00076	0.01	mg/L	1
S7	9/23/2002	Copper-DISSOLVED	<		0.00076	0.01	mg/L	1
S7	12/17/2002	Copper-DISSOLVED	<		0.0038	0.05	mg/L	5
S8	6/21/2002	Copper-DISSOLVED	<		0.00076	0.01	mg/L	1
S8	9/20/2002	Copper-DISSOLVED	<		0.00076	0.01	mg/L	1
S8	12/16/2002	Copper-DISSOLVED	<		0.0038	0.05	mg/L	5
S9	6/20/2002	Copper-DISSOLVED	<		0.00076	0.01	mg/L	1
S9	9/11/2002	Copper-DISSOLVED	<		0.00076	0.01	mg/L	1
S9	12/12/2002	Copper-DISSOLVED	<		0.0038	0.05	mg/L	5
S10	5/24/2004	Copper-TOTAL	<	0.01	0.00097	0.01	mg/L	1 U
S10	5/24/2004	Copper-TOTAL	<	0.01	0.00097	0.01	mg/L	1 U
S10	9/10/2004	Copper-TOTAL	<		0.008	0.05	mg/L	5
S10	12/1/2004	Copper-TOTAL	<		0.0016	0.01	mg/L	1
S10	12/1/2004	Copper-TOTAL	<		0.0016	0.01	mg/L	1
S10	3/3/2005	Copper-TOTAL	<		0.0016	0.01	mg/L	1
S10	9/7/2005	Copper-TOTAL	<		0.0045	0.01	MG/L	1
S10	9/6/2006	Copper-TOTAL	<		0.0045	0.01	MG/L	1
S10	9/4/2007	Copper-TOTAL	<		0.022	0.05	MG/L	5
S10	9/2/2008	Copper-TOTAL	<		0.0014	0.01	mg/L	1
S11	5/24/2004	Copper-TOTAL	<	0.01	0.00097	0.01	mg/L	1 U
S11	9/10/2004	Copper-TOTAL	<		0.008	0.05	mg/L	5
S11	3/3/2005	Copper-TOTAL	<		0.0032	0.02	mg/L	2
S11	9/7/2005	Copper-TOTAL	<		0.0045	0.01	MG/L	1
S11	9/6/2006	Copper-TOTAL	<		0.022	0.05	MG/L	5
S11	9/4/2007	Copper-TOTAL	<		0.022	0.05	MG/L	5
S11	9/3/2008	Copper-TOTAL	<		0.0068	0.05	MG/L	5
S11	9/3/2008	Copper-TOTAL	<		0.0068	0.05	MG/L	5
S11	9/2/2009	Copper-TOTAL	<		0.0014	0.01	MG/L	1 UJ
S11	9/2/2010	Copper-TOTAL	<	0.014	0.014	0.1	MG/L	10
S2	12/13/2002	Copper-TOTAL	<		0.0038	0.05	mg/L	5
S2	9/10/2004	Copper-TOTAL	<		0.008	0.05	mg/L	5
S2	9/7/2005	Copper-TOTAL	<		0.022	0.05	MG/L	5
S2	9/5/2006	Copper-TOTAL	<		0.022	0.05	MG/L	5
S2	9/4/2007	Copper-TOTAL	<		0.022	0.05	MG/L	5
S3	4/3/2002	Copper-TOTAL	<			0.05	mg/L	5 UJ
S3	9/19/2002	Copper-TOTAL	<		0.00076	0.01	mg/L	1
S3	12/13/2002	Copper-TOTAL	<		0.0038	0.05	mg/L	5
S3	9/7/2005	Copper-TOTAL	<		0.0045	0.01	MG/L	1
S3	9/5/2006	Copper-TOTAL	<		0.0045	0.01	MG/L	1
S3	9/4/2007	Copper-TOTAL	<		0.022	0.05	MG/L	5
S4	9/19/2002	Copper-TOTAL	<		0.00076	0.01	mg/L	1
S4	12/13/2002	Copper-TOTAL	<		0.0038	0.05	mg/L	5
S4	9/8/2005	Copper-TOTAL	<		0.0045	0.01	MG/L	1
S4	9/6/2006	Copper-TOTAL	<		0.0045	0.01	MG/L	1
S4	9/10/2007	Copper-TOTAL	<		0.022	0.05	MG/L	5
S5	6/24/2002	Copper-TOTAL	<		0.00076	0.01	mg/L	1
S5	9/20/2002	Copper-TOTAL	<		0.00076	0.01	mg/L	1
S5	12/16/2002	Copper-TOTAL	<		0.0038	0.05	mg/L	5
S5	9/10/2003	Copper-TOTAL	<	0.01	0.00097	0.01	mg/L	1 U
S5	9/8/2005	Copper-TOTAL	<		0.0045	0.01	MG/L	1
S5	9/6/2006	Copper-TOTAL	<		0.0045	0.01	MG/L	1
S5	9/7/2007	Copper-TOTAL	<		0.022	0.05	MG/L	5
S5	9/3/2008	Copper-TOTAL	<		0.0014	0.01	MG/L	1
S6	6/24/2002	Copper-TOTAL	<		0.00076	0.01	mg/L	1
S6	12/18/2002	Copper-TOTAL	<		0.0038	0.05	mg/L	5
S6	9/9/2003	Copper-TOTAL	<	0.01	0.00097	0.01	mg/L	1 U



tmpAnalyticalResultsOverTime

S6	9/9/2005	Copper-TOTAL	<	0.0045	0.01	MG/L	1	
S6	9/7/2006	Copper-TOTAL	<	0.0045	0.01	MG/L	1	
S6	9/7/2007	Copper-TOTAL	<	0.022	0.05	MG/L	5	
S6	9/4/2008	Copper-TOTAL	<	0.0014	0.01	MG/L	1	
S6	9/3/2009	Copper-TOTAL	<	0.0014	0.01	MG/L	1	
S6	9/3/2010	Copper-TOTAL	<	0.014	0.014	0.1	MG/L	10
S7	9/23/2002	Copper-TOTAL	<	0.00076	0.01	mg/L	1	
S7	12/17/2002	Copper-TOTAL	<	0.0038	0.05	mg/L	5	
S7	9/2/2005	Copper-TOTAL	<	0.0045	0.01	MG/L	1	
S7	9/10/2007	Copper-TOTAL	<	0.022	0.05	MG/L	5	
S7	9/8/2009	Copper-TOTAL	<	0.0014	0.01	MG/L	1	
S7	9/7/2010	Copper-TOTAL	<	0.0014	0.01	MG/L	1	
S8	9/20/2002	Copper-TOTAL	<	0.00076	0.01	mg/L	1	
S8	12/16/2002	Copper-TOTAL	<	0.0038	0.05	mg/L	5	
S8	9/3/2004	Copper-TOTAL	<	0.0016	0.01	mg/L	1	UJ
S8	9/2/2005	Copper-TOTAL	<	0.0045	0.01	MG/L	1	
S8	9/7/2006	Copper-TOTAL	<	0.0045	0.01	MG/L	1	
S8	9/10/2007	Copper-TOTAL	<	0.022	0.05	MG/L	5	
S8	9/3/2010	Copper-TOTAL	<	0.0014	0.0014	0.01	MG/L	1
S9	4/10/2002	Copper-TOTAL	<		0.01	mg/L	1	UJ
S9	6/20/2002	Copper-TOTAL	<	0.00076	0.01	mg/L	1	
S9	9/11/2002	Copper-TOTAL	<	0.00076	0.01	mg/L	1	
S9	12/12/2002	Copper-TOTAL	<	0.0038	0.05	mg/L	5	
S9	9/11/2003	Copper-TOTAL	<	0.00097	0.01	mg/L	1	
S9	9/3/2004	Copper-TOTAL	<	0.0016	0.01	mg/L	1	UJ
S9	9/2/2005	Copper-TOTAL	<	0.0045	0.01	MG/L	1	
S9	9/7/2006	Copper-TOTAL	<	0.0045	0.01	MG/L	1	
S9	9/5/2007	Copper-TOTAL	<	0.022	0.05	MG/L	5	
S9	9/5/2008	Copper-TOTAL	<	0.0014	0.01	MG/L	1	UJ
S9	9/4/2009	Copper-TOTAL	<	0.0014	0.01	MG/L	1	
S9	9/8/2010	Copper-TOTAL	<	0.0014	0.0014	0.01	MG/L	1
S10	5/24/2004	Cyclohexane	<	0.36	2	ug/L	1	NA
S10	5/24/2004	Cyclohexane	<	0.36	2	ug/L	1	
S10	9/10/2004	Cyclohexane	<	0.36	2	ug/L	1	
S10	12/1/2004	Cyclohexane	<	0.36	2	ug/L	1	
S10	12/1/2004	Cyclohexane	<	0.36	2	ug/L	1	
S10	3/3/2005	Cyclohexane	<	0.26	2	ug/L	1	
S11	5/24/2004	Cyclohexane	<	0.36	2	ug/L	1	
S11	9/10/2004	Cyclohexane	<	0.36	2	ug/L	1	
S11	12/1/2004	Cyclohexane	<	0.36	2	ug/L	1	
S11	3/3/2005	Cyclohexane	<	0.26	2	ug/L	1	
S2	4/3/2002	Cyclohexane	<		2	ug/L	1	
S2	6/26/2002	Cyclohexane	<	0.49	2	ug/L	1	
S2	9/18/2002	Cyclohexane	<	0.49	2	ug/L	1	
S2	12/13/2002	Cyclohexane	<	0.49	2	ug/L	1	
S2	3/4/2003	Cyclohexane	<	0.36	2	ug/L	1	
S2	3/4/2003	Cyclohexane	<	0.36	2	ug/L	1	
S2	6/5/2003	Cyclohexane	<	0.36	2	ug/L	1	
S2	9/5/2003	Cyclohexane	<	0.36	2	ug/L	1	
S2	9/5/2003	Cyclohexane	<	0.36	2	ug/L	1	
S2	12/3/2003	Cyclohexane	<	0.72	4	ug/L	2	
S2	9/10/2004	Cyclohexane	<	0.36	2	ug/L	1	
S3	4/3/2002	Cyclohexane	<		2	ug/L	1	
S3	6/25/2002	Cyclohexane	<	0.49	2	ug/L	1	
S3	9/19/2002	Cyclohexane	<	0.49	2	ug/L	1	
S3	9/19/2002	Cyclohexane	<	0.49	2	ug/L	1	
S3	12/13/2002	Cyclohexane	<	0.49	2	ug/L	1	

tmpAnalyticalResultsOverTime

S3	3/5/2003	Cyclohexane	<	0.36	2	ug/L	1	
S3	6/5/2003	Cyclohexane	<	0.36	2	ug/L	1	
S3	9/5/2003	Cyclohexane	<	0.36	2	ug/L	1	
S3	12/2/2003	Cyclohexane	<	0.36	2	ug/L	1	
S3	9/9/2004	Cyclohexane	<	0.36	2	ug/L	1	
S3	9/9/2004	Cyclohexane	<	0.36	2	ug/L	1	
S4	4/3/2002	Cyclohexane	<		2	ug/L	1	
S4	6/25/2002	Cyclohexane	<	0.49	2	ug/L	1	
S4	9/19/2002	Cyclohexane	<	0.49	2	ug/L	1	
S4	12/13/2002	Cyclohexane	<	0.49	2	ug/L	1	
S4	9/8/2003	Cyclohexane	<	0.36	2	ug/L	1	
S4	9/9/2004	Cyclohexane	<	0.36	2	ug/L	1	
S5	4/4/2002	Cyclohexane	<		2	ug/L	1	
S5	6/24/2002	Cyclohexane	<	0.49	2	ug/L	1	
S5	9/20/2002	Cyclohexane	<	0.49	2	ug/L	1	
S5	12/16/2002	Cyclohexane	<	0.49	2	ug/L	1	
S5	9/10/2003	Cyclohexane	<	0.36	2	ug/L	1	
S5	9/8/2004	Cyclohexane	<	0.36	2	ug/L	1	
S6	4/4/2002	Cyclohexane	<		2	ug/L	1	
S6	6/24/2002	Cyclohexane	<	0.49	2	ug/L	1	
S6	6/24/2002	Cyclohexane	<	0.49	2	ug/L	1	
S6	9/23/2002	Cyclohexane	<	0.49	2	ug/L	1	
S6	12/18/2002	Cyclohexane	<	0.49	2	ug/L	1	
S6	9/9/2003	Cyclohexane	<	0.36	2	ug/L	1	
S6	9/8/2004	Cyclohexane	<	0.36	2	ug/L	1	
S7	4/10/2002	Cyclohexane	<		2	ug/L	1	UJ
S7	6/21/2002	Cyclohexane	<	0.49	2	ug/L	1	
S7	9/23/2002	Cyclohexane	<	0.49	2	ug/L	1	
S7	12/17/2002	Cyclohexane	<	0.49	2	ug/L	1	
S7	9/11/2003	Cyclohexane	<	0.36	2	ug/L	1	
S7	9/7/2004	Cyclohexane	<	0.36	2	ug/L	1	
S8	4/10/2002	Cyclohexane	<		2	ug/L	1	UJ
S8	6/21/2002	Cyclohexane	<	0.49	2	ug/L	1	
S8	9/20/2002	Cyclohexane	<	0.49	2	ug/L	1	
S8	12/16/2002	Cyclohexane	<	0.49	2	ug/L	1	
S8	9/11/2003	Cyclohexane	<	0.36	2	ug/L	1	
S8	9/3/2004	Cyclohexane	<	0.36	2	ug/L	1	
S9	4/10/2002	Cyclohexane	<		2	ug/L	1	
S9	6/20/2002	Cyclohexane	<	0.49	2	ug/L	1	
S9	9/11/2002	Cyclohexane	<	0.49	2	ug/L	1	
S9	12/12/2002	Cyclohexane	<	0.49	2	ug/L	1	
S9	9/11/2003	Cyclohexane	<	0.36	2	ug/L	1	
S9	9/3/2004	Cyclohexane	<	0.36	2	ug/L	1	
S10	5/24/2004	Cyclohexanone	<	16	20	ug/L	1	NA
S10	5/24/2004	Cyclohexanone	<	16	20	ug/L	1	
S10	9/10/2004	Cyclohexanone	<	16	20	ug/L	1	
S10	12/1/2004	Cyclohexanone	<	16	20	ug/L	1	
S10	12/1/2004	Cyclohexanone	<	16	20	ug/L	1	
S10	3/3/2005	Cyclohexanone	<	16	20	ug/L	1	
S11	5/24/2004	Cyclohexanone	<	16	20	ug/L	1	
S11	9/10/2004	Cyclohexanone	<	16	20	ug/L	1	
S11	12/1/2004	Cyclohexanone	<	16	20	ug/L	1	
S11	3/3/2005	Cyclohexanone	<	16	20	ug/L	1	
S2	4/3/2002	Cyclohexanone	<		20	ug/L	1	
S2	6/26/2002	Cyclohexanone	<	16	20	ug/L	1	
S2	9/18/2002	Cyclohexanone	<	16	20	ug/L	1	
S2	12/13/2002	Cyclohexanone	<	16	20	ug/L	1	

tmpAnalyticalResultsOverTime

S2	3/4/2003 Cyclohexanone	<	16	20	ug/L	1	
S2	3/4/2003 Cyclohexanone	<	16	20	ug/L	1	
S2	6/5/2003 Cyclohexanone	<	16	20	ug/L	1	
S2	9/5/2003 Cyclohexanone	<	16	20	ug/L	1	
S2	9/5/2003 Cyclohexanone	<	16	20	ug/L	1	
S2	12/3/2003 Cyclohexanone	<	32	40	ug/L	2	
S2	9/10/2004 Cyclohexanone	<	16	20	ug/L	1	
S3	4/3/2002 Cyclohexanone	<		20	ug/L	1	
S3	6/25/2002 Cyclohexanone	<	16	20	ug/L	1	
S3	9/19/2002 Cyclohexanone	<	16	20	ug/L	1	
S3	9/19/2002 Cyclohexanone	<	16	20	ug/L	1	
S3	12/13/2002 Cyclohexanone	<	16	20	ug/L	1	
S3	3/5/2003 Cyclohexanone	<	16	20	ug/L	1	
S3	6/5/2003 Cyclohexanone	<	16	20	ug/L	1	
S3	9/5/2003 Cyclohexanone	<	16	20	ug/L	1	
S3	12/2/2003 Cyclohexanone	<	16	20	ug/L	1	
S3	9/9/2004 Cyclohexanone	<	16	20	ug/L	1	
S3	9/9/2004 Cyclohexanone	<	16	20	ug/L	1	
S4	4/3/2002 Cyclohexanone	<		20	ug/L	1	
S4	6/25/2002 Cyclohexanone	<	16	20	ug/L	1	
S4	9/19/2002 Cyclohexanone	<	16	20	ug/L	1	
S4	12/13/2002 Cyclohexanone	<	16	20	ug/L	1	
S4	9/8/2003 Cyclohexanone	<	16	20	ug/L	1	
S4	9/9/2004 Cyclohexanone	<	16	20	ug/L	1	
S5	4/4/2002 Cyclohexanone	<		20	ug/L	1	
S5	6/24/2002 Cyclohexanone	<	16	20	ug/L	1	
S5	9/20/2002 Cyclohexanone	<	16	20	ug/L	1	
S5	12/16/2002 Cyclohexanone	<	16	20	ug/L	1	
S5	9/10/2003 Cyclohexanone	<	16	20	ug/L	1	
S5	9/8/2004 Cyclohexanone	<	16	20	ug/L	1	
S6	4/4/2002 Cyclohexanone	<		20	ug/L	1	
S6	6/24/2002 Cyclohexanone	<	16	20	ug/L	1	
S6	6/24/2002 Cyclohexanone	<	16	20	ug/L	1	
S6	9/23/2002 Cyclohexanone	<	16	20	ug/L	1	
S6	12/18/2002 Cyclohexanone	<	16	20	ug/L	1	
S6	9/9/2003 Cyclohexanone	<	16	20	ug/L	1	
S6	9/8/2004 Cyclohexanone	<	16	20	ug/L	1	
S7	4/10/2002 Cyclohexanone	<		20	ug/L	1	UJ
S7	6/21/2002 Cyclohexanone	<	16	20	ug/L	1	
S7	9/23/2002 Cyclohexanone	<	16	20	ug/L	1	
S7	12/17/2002 Cyclohexanone	<	16	20	ug/L	1	
S7	9/11/2003 Cyclohexanone	<	16	20	ug/L	1	
S7	9/7/2004 Cyclohexanone	<	16	20	ug/L	1	
S8	4/10/2002 Cyclohexanone	<		20	ug/L	1	UJ
S8	6/21/2002 Cyclohexanone	<	16	20	ug/L	1	
S8	9/20/2002 Cyclohexanone	<	16	20	ug/L	1	
S8	12/16/2002 Cyclohexanone	<	16	20	ug/L	1	
S8	9/11/2003 Cyclohexanone	<	16	20	ug/L	1	
S8	9/3/2004 Cyclohexanone	<	16	20	ug/L	1	
S9	4/10/2002 Cyclohexanone	<		20	ug/L	1	
S9	6/20/2002 Cyclohexanone	<	16	20	ug/L	1	
S9	9/11/2002 Cyclohexanone	<	16	20	ug/L	1	
S9	12/12/2002 Cyclohexanone	<	16	20	ug/L	1	
S9	9/11/2003 Cyclohexanone	<	16	20	ug/L	1	
S9	9/3/2004 Cyclohexanone	<	16	20	ug/L	1	
S10	5/24/2004 Diallate	<	2	20	ug/L	1	NA
S10	5/24/2004 Diallate	<	2	20	ug/L	1	

tmpAnalyticalResultsOverTime

Sample ID	Date	Location	Result	Unit	Limit	Frequency
S10	9/10/2004	Diallate	<	2	20	ug/L 1
S10	12/1/2004	Diallate	<	2	20	ug/L 1
S10	12/1/2004	Diallate	<	2	20	ug/L 1
S10	3/3/2005	Diallate	<	2	20	ug/L 1
S11	5/24/2004	Diallate	<	2	20	ug/L 1
S11	9/10/2004	Diallate	<	2	20	ug/L 1
S11	12/1/2004	Diallate	<	2	20	ug/L 1
S11	3/3/2005	Diallate	<	2	20	ug/L 1
S2	4/3/2002	Diallate	<		20	ug/L 1
S2	6/26/2002	Diallate	<	2.1	20	ug/L 1
S2	9/18/2002	Diallate	<	2.1	20	ug/L 1
S2	12/13/2002	Diallate	<	1.5	20	ug/L 1
S2	3/4/2003	Diallate	<	1.5	20	ug/L 1
S2	3/4/2003	Diallate	<	1.5	20	ug/L 1
S2	6/5/2003	Diallate	<	1.5	20	ug/L 1
S2	9/5/2003	Diallate	<	2	20	ug/L 1
S2	9/5/2003	Diallate	<	2	20	ug/L 1
S2	12/3/2003	Diallate	<	2	20	ug/L 1
S2	9/10/2004	Diallate	<	2	20	ug/L 1
S3	4/3/2002	Diallate	<		20	ug/L 1
S3	9/19/2002	Diallate	<	2.1	20	ug/L 1
S3	9/19/2002	Diallate	<	2.1	20	ug/L 1
S3	12/13/2002	Diallate	<	1.5	20	ug/L 1
S3	3/5/2003	Diallate	<	1.5	20	ug/L 1
S3	6/5/2003	Diallate	<	1.5	20	ug/L 1
S3	9/5/2003	Diallate	<	2	20	ug/L 1
S3	12/2/2003	Diallate	<	2	20	ug/L 1
S3	9/9/2004	Diallate	<	2	20	ug/L 1
S3	9/9/2004	Diallate	<	2	20	ug/L 1
S4	4/3/2002	Diallate	<		20	ug/L 1
S4	6/25/2002	Diallate	<	2.1	20	ug/L 1
S4	9/19/2002	Diallate	<	2.1	20	ug/L 1
S4	12/13/2002	Diallate	<	1.5	20	ug/L 1
S4	9/8/2003	Diallate	<	2	20	ug/L 1
S4	9/9/2004	Diallate	<	2	20	ug/L 1
S5	4/4/2002	Diallate	<		20	ug/L 1
S5	6/24/2002	Diallate	<	2.1	20	ug/L 1
S5	9/20/2002	Diallate	<	2.1	20	ug/L 1
S5	12/16/2002	Diallate	<	1.5	20	ug/L 1
S5	9/10/2003	Diallate	<	2	20	ug/L 1
S5	9/8/2004	Diallate	<	2	20	ug/L 1
S6	4/4/2002	Diallate	<		20	ug/L 1
S6	6/24/2002	Diallate	<	2.1	20	ug/L 1
S6	6/24/2002	Diallate	<	2.1	20	ug/L 1
S6	9/23/2002	Diallate	<	2.1	20	ug/L 1
S6	12/18/2002	Diallate	<	1.5	20	ug/L 1
S6	9/9/2003	Diallate	<	2	20	ug/L 1
S6	9/8/2004	Diallate	<	2	20	ug/L 1
S7	4/10/2002	Diallate	<		20	ug/L 1
S7	6/21/2002	Diallate	<	2.1	20	ug/L 1
S7	9/23/2002	Diallate	<	2.1	20	ug/L 1
S7	12/17/2002	Diallate	<	1.5	20	ug/L 1
S7	9/11/2003	Diallate	<	2	20	ug/L 1
S7	9/7/2004	Diallate	<	2	20	ug/L 1
S8	4/10/2002	Diallate	<		20	ug/L 1
S8	6/21/2002	Diallate	<	2.1	20	ug/L 1
S8	9/20/2002	Diallate	<	2.1	20	ug/L 1

mg/L

tmpAnalyticalResultsOverTime

S8	12/16/2002	Diallate	<	1.5	20	ug/L	1	
S8	9/11/2003	Diallate	<	2	20	ug/L	1	
S8	9/3/2004	Diallate	<	2	20	ug/L	1	
S9	4/10/2002	Diallate	<		20	ug/L	1	
S9	6/20/2002	Diallate	<	2.1	20	ug/L	1	
S9	9/11/2002	Diallate	<	2.1	20	ug/L	1	
S9	12/12/2002	Diallate	<	1.5	20	ug/L	1	
S9	9/11/2003	Diallate	<	2	20	ug/L	1	
S9	9/3/2004	Diallate	<	2	20	ug/L	1	
S10	5/24/2004	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	NA
S10	5/24/2004	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S10	9/10/2004	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S10	12/1/2004	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S10	12/1/2004	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S10	3/3/2005	Dibenz(a,h)anthracene	<	1.4	10	ug/L	1	
S11	5/24/2004	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S11	9/10/2004	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S11	12/1/2004	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S11	3/3/2005	Dibenz(a,h)anthracene	<	1.4	10	ug/L	1	
S2	4/3/2002	Dibenz(a,h)anthracene	<		10	ug/L	1	
S2	6/26/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S2	9/18/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S2	12/13/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S2	3/4/2003	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S2	3/4/2003	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S2	6/5/2003	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S2	9/5/2003	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S2	9/5/2003	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S2	12/3/2003	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S2	9/10/2004	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S3	4/3/2002	Dibenz(a,h)anthracene	<		10	ug/L	1	
S3	9/19/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S3	9/19/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S3	12/13/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S3	3/5/2003	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S3	6/5/2003	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S3	9/5/2003	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S3	12/2/2003	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S3	9/9/2004	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S3	9/9/2004	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S4	4/3/2002	Dibenz(a,h)anthracene	<		10	ug/L	1	
S4	6/25/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S4	9/19/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S4	12/13/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S4	9/8/2003	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S4	9/9/2004	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S5	4/4/2002	Dibenz(a,h)anthracene	<		10	ug/L	1	
S5	6/24/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S5	9/20/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S5	12/16/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S5	9/10/2003	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S5	9/8/2004	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S6	4/4/2002	Dibenz(a,h)anthracene	<		10	ug/L	1	
S6	6/24/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S6	6/24/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S6	9/23/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S6	12/18/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	

tmpAnalyticalResultsOverTime

S6	9/9/2003	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S6	9/8/2004	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S7	4/10/2002	Dibenz(a,h)anthracene	<		10	ug/L	1	
S7	6/21/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S7	9/23/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S7	12/17/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S7	9/11/2003	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S7	9/7/2004	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S8	4/10/2002	Dibenz(a,h)anthracene	<		10	ug/L	1	
S8	6/21/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S8	9/20/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S8	12/16/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S8	9/11/2003	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S8	9/3/2004	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S9	4/10/2002	Dibenz(a,h)anthracene	<		10	ug/L	1	
S9	6/20/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S9	9/11/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S9	12/12/2002	Dibenz(a,h)anthracene	<	1.3	10	ug/L	1	
S9	9/11/2003	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S9	9/3/2004	Dibenz(a,h)anthracene	<	0.9	10	ug/L	1	
S10	5/24/2004	Dibenzofuran	<	0.6	10	ug/L	1	NA
S10	5/24/2004	Dibenzofuran	<	0.6	10	ug/L	1	
S10	9/10/2004	Dibenzofuran	<	0.6	10	ug/L	1	
S10	12/1/2004	Dibenzofuran	<	0.6	10	ug/L	1	
S10	12/1/2004	Dibenzofuran	<	0.6	10	ug/L	1	
S10	3/3/2005	Dibenzofuran	<	1.7	10	ug/L	1	
S11	5/24/2004	Dibenzofuran	<	0.6	10	ug/L	1	
S11	9/10/2004	Dibenzofuran	<	0.6	10	ug/L	1	
S11	12/1/2004	Dibenzofuran	<	0.6	10	ug/L	1	
S11	3/3/2005	Dibenzofuran	<	1.7	10	ug/L	1	
S2	4/3/2002	Dibenzofuran	<		10	ug/L	1	
S2	6/26/2002	Dibenzofuran	<	5	10	ug/L	1	
S2	9/18/2002	Dibenzofuran	<	5	10	ug/L	1	
S2	12/13/2002	Dibenzofuran	<	5	10	ug/L	1	
S2	3/4/2003	Dibenzofuran	<	5	10	ug/L	1	
S2	3/4/2003	Dibenzofuran	<	5	10	ug/L	1	
S2	6/5/2003	Dibenzofuran	<	5	10	ug/L	1	
S2	9/5/2003	Dibenzofuran	<	0.6	10	ug/L	1	
S2	9/5/2003	Dibenzofuran	<	0.6	10	ug/L	1	
S2	12/3/2003	Dibenzofuran	<	0.6	10	ug/L	1	
S2	9/10/2004	Dibenzofuran	<	0.6	10	ug/L	1	
S3	4/3/2002	Dibenzofuran	<		10	ug/L	1	
S3	9/19/2002	Dibenzofuran	<	5	10	ug/L	1	
S3	9/19/2002	Dibenzofuran	<	5	10	ug/L	1	
S3	12/13/2002	Dibenzofuran	<	5	10	ug/L	1	
S3	3/5/2003	Dibenzofuran	<	5	10	ug/L	1	
S3	6/5/2003	Dibenzofuran	<	5	10	ug/L	1	
S3	9/5/2003	Dibenzofuran	<	0.6	10	ug/L	1	
S3	12/2/2003	Dibenzofuran	<	0.6	10	ug/L	1	
S3	9/9/2004	Dibenzofuran	<	0.6	10	ug/L	1	
S3	9/9/2004	Dibenzofuran	<	0.6	10	ug/L	1	
S4	4/3/2002	Dibenzofuran	<		10	ug/L	1	
S4	6/25/2002	Dibenzofuran	<	5	10	ug/L	1	
S4	9/19/2002	Dibenzofuran	<	5	10	ug/L	1	
S4	12/13/2002	Dibenzofuran	<	5	10	ug/L	1	
S4	9/8/2003	Dibenzofuran	<	0.6	10	ug/L	1	
S4	9/9/2004	Dibenzofuran	<	0.6	10	ug/L	1	

tmpAnalyticalResultsOverTime

S5	4/4/2002	Dibenzofuran	<		10	ug/L	1	
S5	6/24/2002	Dibenzofuran	<	5	10	ug/L	1	
S5	9/20/2002	Dibenzofuran	<	5	10	ug/L	1	
S5	12/16/2002	Dibenzofuran	<	5	10	ug/L	1	
S5	9/10/2003	Dibenzofuran	<	0.6	10	ug/L	1	
S5	9/8/2004	Dibenzofuran	<	0.6	10	ug/L	1	
S6	4/4/2002	Dibenzofuran	<		10	ug/L	1	
S6	6/24/2002	Dibenzofuran	<	5	10	ug/L	1	
S6	6/24/2002	Dibenzofuran	<	5	10	ug/L	1	
S6	9/23/2002	Dibenzofuran	<	5	10	ug/L	1	
S6	12/18/2002	Dibenzofuran	<	5	10	ug/L	1	
S6	9/9/2003	Dibenzofuran	<	0.6	10	ug/L	1	
S6	9/8/2004	Dibenzofuran	<	0.6	10	ug/L	1	
S7	4/10/2002	Dibenzofuran	<		10	ug/L	1	
S7	6/21/2002	Dibenzofuran	<	5	10	ug/L	1	
S7	9/23/2002	Dibenzofuran	<	5	10	ug/L	1	
S7	12/17/2002	Dibenzofuran	<	5	10	ug/L	1	
S7	9/11/2003	Dibenzofuran	<	0.6	10	ug/L	1	
S7	9/7/2004	Dibenzofuran	<	0.6	10	ug/L	1	
S8	4/10/2002	Dibenzofuran	<		10	ug/L	1	
S8	6/21/2002	Dibenzofuran	<	5	10	ug/L	1	
S8	9/20/2002	Dibenzofuran	<	5	10	ug/L	1	
S8	12/16/2002	Dibenzofuran	<	5	10	ug/L	1	
S8	9/11/2003	Dibenzofuran	<	0.6	10	ug/L	1	
S8	9/3/2004	Dibenzofuran	<	0.6	10	ug/L	1	
S9	4/10/2002	Dibenzofuran	<		10	ug/L	1	
S9	6/20/2002	Dibenzofuran	<	5	10	ug/L	1	
S9	9/11/2002	Dibenzofuran	<	5	10	ug/L	1	
S9	12/12/2002	Dibenzofuran	<	5	10	ug/L	1	
S9	9/11/2003	Dibenzofuran	<	0.6	10	ug/L	1	
S9	9/3/2004	Dibenzofuran	<	0.6	10	ug/L	1	
S10	5/24/2004	Dibromomethane	<	0.31	1	ug/L	1	NA
S10	5/24/2004	Dibromomethane	<	0.31	1	ug/L	1	
S10	9/10/2004	Dibromomethane	<	0.31	1	ug/L	1	
S10	12/1/2004	Dibromomethane	<	0.31	1	ug/L	1	
S10	12/1/2004	Dibromomethane	<	0.31	1	ug/L	1	
S10	3/3/2005	Dibromomethane	<	0.13	1	ug/L	1	
S11	5/24/2004	Dibromomethane	<	0.31	1	ug/L	1	
S11	9/10/2004	Dibromomethane	<	0.31	1	ug/L	1	
S11	12/1/2004	Dibromomethane	<	0.31	1	ug/L	1	
S11	3/3/2005	Dibromomethane	<	0.13	1	ug/L	1	
S2	4/3/2002	Dibromomethane	<		1	ug/L	1	
S2	6/26/2002	Dibromomethane	<	0.4	1	ug/L	1	
S2	9/18/2002	Dibromomethane	<	0.4	1	ug/L	1	
S2	12/13/2002	Dibromomethane	<	0.4	1	ug/L	1	
S2	3/4/2003	Dibromomethane	<	0.31	1	ug/L	1	
S2	3/4/2003	Dibromomethane	<	0.31	1	ug/L	1	
S2	6/5/2003	Dibromomethane	<	0.31	1	ug/L	1	
S2	9/5/2003	Dibromomethane	<	0.31	1	ug/L	1	
S2	9/5/2003	Dibromomethane	<	0.31	1	ug/L	1	
S2	12/3/2003	Dibromomethane	<	0.62	2	ug/L	2	
S2	9/10/2004	Dibromomethane	<	0.31	1	ug/L	1	
S3	4/3/2002	Dibromomethane	<		1	ug/L	1	
S3	6/25/2002	Dibromomethane	<	0.4	1	ug/L	1	
S3	9/19/2002	Dibromomethane	<	0.4	1	ug/L	1	
S3	9/19/2002	Dibromomethane	<	0.4	1	ug/L	1	
S3	12/13/2002	Dibromomethane	<	0.4	1	ug/L	1	

tmpAnalyticalResultsOverTime

S3	3/5/2003	Dibromomethane	<	0.31	1	ug/L	1	
S3	6/5/2003	Dibromomethane	<	0.31	1	ug/L	1	
S3	9/5/2003	Dibromomethane	<	0.31	1	ug/L	1	
S3	12/2/2003	Dibromomethane	<	0.31	1	ug/L	1	
S3	9/9/2004	Dibromomethane	<	0.31	1	ug/L	1	
S3	9/9/2004	Dibromomethane	<	0.31	1	ug/L	1	
S4	4/3/2002	Dibromomethane	<		1	ug/L	1	
S4	6/25/2002	Dibromomethane	<	0.4	1	ug/L	1	
S4	9/19/2002	Dibromomethane	<	0.4	1	ug/L	1	
S4	12/13/2002	Dibromomethane	<	0.4	1	ug/L	1	
S4	9/8/2003	Dibromomethane	<	0.31	1	ug/L	1	
S4	9/9/2004	Dibromomethane	<	0.31	1	ug/L	1	
S5	4/4/2002	Dibromomethane	<		1	ug/L	1	
S5	6/24/2002	Dibromomethane	<	0.4	1	ug/L	1	
S5	9/20/2002	Dibromomethane	<	0.4	1	ug/L	1	
S5	12/16/2002	Dibromomethane	<	0.4	1	ug/L	1	
S5	9/10/2003	Dibromomethane	<	0.31	1	ug/L	1	
S5	9/8/2004	Dibromomethane	<	0.31	1	ug/L	1	
S6	4/4/2002	Dibromomethane	<		1	ug/L	1	
S6	6/24/2002	Dibromomethane	<	0.4	1	ug/L	1	
S6	6/24/2002	Dibromomethane	<	0.4	1	ug/L	1	
S6	9/23/2002	Dibromomethane	<	0.4	1	ug/L	1	
S6	12/18/2002	Dibromomethane	<	0.4	1	ug/L	1	
S6	9/9/2003	Dibromomethane	<	0.31	1	ug/L	1	
S6	9/8/2004	Dibromomethane	<	0.31	1	ug/L	1	
S7	4/10/2002	Dibromomethane	<		1	ug/L	1	UJ
S7	6/21/2002	Dibromomethane	<	0.4	1	ug/L	1	
S7	9/23/2002	Dibromomethane	<	0.4	1	ug/L	1	
S7	12/17/2002	Dibromomethane	<	0.4	1	ug/L	1	
S7	9/11/2003	Dibromomethane	<	0.31	1	ug/L	1	
S7	9/7/2004	Dibromomethane	<	0.31	1	ug/L	1	
S8	4/10/2002	Dibromomethane	<		1	ug/L	1	UJ
S8	6/21/2002	Dibromomethane	<	0.4	1	ug/L	1	
S8	9/20/2002	Dibromomethane	<	0.4	1	ug/L	1	
S8	12/16/2002	Dibromomethane	<	0.4	1	ug/L	1	
S8	9/11/2003	Dibromomethane	<	0.31	1	ug/L	1	
S8	9/3/2004	Dibromomethane	<	0.31	1	ug/L	1	
S9	4/10/2002	Dibromomethane	<		1	ug/L	1	
S9	6/20/2002	Dibromomethane	<	0.4	1	ug/L	1	
S9	9/11/2002	Dibromomethane	<	0.4	1	ug/L	1	
S9	12/12/2002	Dibromomethane	<	0.4	1	ug/L	1	
S9	9/11/2003	Dibromomethane	<	0.31	1	ug/L	1	
S9	9/3/2004	Dibromomethane	<	0.31	1	ug/L	1	
S10	5/24/2004	Dichlorodifluoromethane	<	0.22	2	ug/L	1	NA
S10	5/24/2004	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S10	9/10/2004	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S10	12/1/2004	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S10	12/1/2004	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S10	3/3/2005	Dichlorodifluoromethane	<	0.26	2	ug/L	1	
S11	5/24/2004	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S11	9/10/2004	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S11	12/1/2004	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S11	3/3/2005	Dichlorodifluoromethane	<	0.26	2	ug/L	1	
S2	4/3/2002	Dichlorodifluoromethane	<		2	ug/L	1	
S2	6/26/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S2	9/18/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S2	12/13/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	



tmpAnalyticalResultsOverTime

S2	3/4/2003	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S2	3/4/2003	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S2	6/5/2003	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S2	9/5/2003	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S2	9/5/2003	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S2	12/3/2003	Dichlorodifluoromethane	<	0.44	4	ug/L	2	
S2	9/10/2004	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S3	4/3/2002	Dichlorodifluoromethane	<		2	ug/L	1	
S3	6/25/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S3	9/19/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S3	9/19/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S3	12/13/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S3	3/5/2003	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S3	6/5/2003	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S3	9/5/2003	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S3	12/2/2003	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S3	9/9/2004	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S3	9/9/2004	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S4	4/3/2002	Dichlorodifluoromethane	<		2	ug/L	1	
S4	6/25/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S4	9/19/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S4	12/13/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S4	9/8/2003	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S4	9/9/2004	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S5	4/4/2002	Dichlorodifluoromethane	<		2	ug/L	1	
S5	6/24/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S5	9/20/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S5	12/16/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S5	9/10/2003	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S5	9/8/2004	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S6	4/4/2002	Dichlorodifluoromethane	<		2	ug/L	1	
S6	6/24/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S6	6/24/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S6	9/23/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S6	12/18/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S6	9/9/2003	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S6	9/8/2004	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S7	4/10/2002	Dichlorodifluoromethane	<		2	ug/L	1	UJ
S7	6/21/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S7	9/23/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S7	12/17/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S7	9/11/2003	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S7	9/7/2004	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S8	4/10/2002	Dichlorodifluoromethane	<		2	ug/L	1	UJ
S8	6/21/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S8	9/20/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S8	12/16/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S8	9/11/2003	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S8	9/3/2004	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S9	4/10/2002	Dichlorodifluoromethane	<		2	ug/L	1	
S9	6/20/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S9	9/11/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S9	12/12/2002	Dichlorodifluoromethane	<	0.44	2	ug/L	1	
S9	9/11/2003	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S9	9/3/2004	Dichlorodifluoromethane	<	0.22	2	ug/L	1	
S10	5/24/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1	NA
S10	5/24/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1	

tmpAnalyticalResultsOverTime

S10	9/10/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1
S10	12/1/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1
S10	12/1/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1
S10	3/3/2005	Dichlorofluoromethane	<	0.41	2	ug/L	1
S11	5/24/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1
S11	9/10/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1
S11	12/1/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1
S11	3/3/2005	Dichlorofluoromethane	<	0.41	2	ug/L	1
S2	4/3/2002	Dichlorofluoromethane	<		2	ug/L	1
S2	6/26/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1
S2	9/18/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1
S2	12/13/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1
S2	3/4/2003	Dichlorofluoromethane	<	0.21	2	ug/L	1
S2	3/4/2003	Dichlorofluoromethane	<	0.21	2	ug/L	1
S2	6/5/2003	Dichlorofluoromethane	<	0.21	2	ug/L	1
S2	9/5/2003	Dichlorofluoromethane	<	0.21	2	ug/L	1
S2	9/5/2003	Dichlorofluoromethane	<	0.21	2	ug/L	1
S2	12/3/2003	Dichlorofluoromethane	<	0.42	4	ug/L	2
S2	9/10/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1
S3	4/3/2002	Dichlorofluoromethane	<		2	ug/L	1
S3	6/25/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1
S3	9/19/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1
S3	9/19/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1
S3	12/13/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1
S3	3/5/2003	Dichlorofluoromethane	<	0.21	2	ug/L	1
S3	6/5/2003	Dichlorofluoromethane	<	0.21	2	ug/L	1
S3	9/5/2003	Dichlorofluoromethane	<	0.21	2	ug/L	1
S3	12/2/2003	Dichlorofluoromethane	<	0.21	2	ug/L	1
S3	9/9/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1
S3	9/9/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1
S4	4/3/2002	Dichlorofluoromethane	<		2	ug/L	1
S4	6/25/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1
S4	9/19/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1
S4	12/13/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1
S4	9/8/2003	Dichlorofluoromethane	<	0.21	2	ug/L	1
S4	9/9/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1
S5	4/4/2002	Dichlorofluoromethane	<		2	ug/L	1
S5	6/24/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1
S5	9/20/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1
S5	12/16/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1
S5	9/10/2003	Dichlorofluoromethane	<	0.21	2	ug/L	1
S5	9/8/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1
S6	4/4/2002	Dichlorofluoromethane	<		2	ug/L	1
S6	6/24/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1
S6	6/24/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1
S6	9/23/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1
S6	12/18/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1
S6	9/9/2003	Dichlorofluoromethane	<	0.21	2	ug/L	1
S6	9/8/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1
S7	4/10/2002	Dichlorofluoromethane	<		2	ug/L	1 UJ
S7	6/21/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1
S7	9/23/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1
S7	12/17/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1
S7	9/11/2003	Dichlorofluoromethane	<	0.21	2	ug/L	1
S7	9/7/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1
S8	4/10/2002	Dichlorofluoromethane	<		2	ug/L	1 UJ
S8	6/21/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1

tmpAnalyticalResultsOverTime

S8	9/20/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1	
S8	12/16/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1	
S8	9/11/2003	Dichlorofluoromethane	<	0.21	2	ug/L	1	
S8	9/3/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1	
S9	4/10/2002	Dichlorofluoromethane	<		2	ug/L	1	
S9	6/20/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1	
S9	9/11/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1	
S9	12/12/2002	Dichlorofluoromethane	<	0.66	2	ug/L	1	
S9	9/11/2003	Dichlorofluoromethane	<	0.21	2	ug/L	1	
S9	9/3/2004	Dichlorofluoromethane	<	0.21	2	ug/L	1	
S10	5/24/2004	Diethyl phthalate	<	0.7	10	ug/L	1	NA
S10	5/24/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
S10	9/10/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
S10	12/1/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
S10	12/1/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
S10	3/3/2005	Diethyl phthalate	<	1.8	10	ug/L	1	
S11	5/24/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
S11	9/10/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
S11	12/1/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
S11	3/3/2005	Diethyl phthalate	<	1.8	10	ug/L	1	
S2	4/3/2002	Diethyl phthalate	<		10	ug/L	1	
S2	6/26/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S2	9/18/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S2	12/13/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S2	3/4/2003	Diethyl phthalate	<	1.1	10	ug/L	1	
S2	3/4/2003	Diethyl phthalate	<	1.1	10	ug/L	1	
S2	6/5/2003	Diethyl phthalate	<	1.1	10	ug/L	1	
S2	9/5/2003	Diethyl phthalate	<	0.7	10	ug/L	1	
S2	9/5/2003	Diethyl phthalate	<	0.7	10	ug/L	1	
S2	12/3/2003	Diethyl phthalate	<	0.7	10	ug/L	1	
S2	9/10/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
S3	4/3/2002	Diethyl phthalate	<		10	ug/L	1	
S3	9/19/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S3	9/19/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S3	12/13/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S3	3/5/2003	Diethyl phthalate	<	1.1	10	ug/L	1	
S3	6/5/2003	Diethyl phthalate	<	1.1	10	ug/L	1	
S3	9/5/2003	Diethyl phthalate	<	0.7	10	ug/L	1	
S3	12/2/2003	Diethyl phthalate	<	0.7	10	ug/L	1	
S3	9/9/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
S3	9/9/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
S4	4/3/2002	Diethyl phthalate	<		10	ug/L	1	
S4	6/25/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S4	9/19/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S4	12/13/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S4	9/8/2003	Diethyl phthalate	<	0.7	10	ug/L	1	
S4	9/9/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
S5	4/4/2002	Diethyl phthalate	<		10	ug/L	1	
S5	6/24/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S5	9/20/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S5	12/16/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S5	9/10/2003	Diethyl phthalate	<	0.7	10	ug/L	1	
S5	9/8/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
S6	4/4/2002	Diethyl phthalate	<		10	ug/L	1	
S6	6/24/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S6	6/24/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S6	9/23/2002	Diethyl phthalate	<	1.1	10	ug/L	1	

tmpAnalyticalResultsOverTime

S6	12/18/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S6	9/9/2003	Diethyl phthalate	<	0.7	10	ug/L	1	
S6	9/8/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
S7	4/10/2002	Diethyl phthalate	<		10	ug/L	1	
S7	6/21/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S7	9/23/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S7	12/17/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S7	9/11/2003	Diethyl phthalate	<	0.7	10	ug/L	1	
S7	9/7/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
S8	4/10/2002	Diethyl phthalate	<		10	ug/L	1	
S8	6/21/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S8	9/20/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S8	12/16/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S8	9/11/2003	Diethyl phthalate	<	0.7	10	ug/L	1	
S8	9/3/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
S9	4/10/2002	Diethyl phthalate	<		10	ug/L	1	
S9	6/20/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S9	9/11/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S9	12/12/2002	Diethyl phthalate	<	1.1	10	ug/L	1	
S9	9/11/2003	Diethyl phthalate	<	0.7	10	ug/L	1	
S9	9/3/2004	Diethyl phthalate	<	0.7	10	ug/L	1	
S10	5/24/2004	Dimethoate	<	2	20	ug/L	1	NA
S10	5/24/2004	Dimethoate	<	2	20	ug/L	1	
S10	9/10/2004	Dimethoate	<	2	20	ug/L	1	
S10	12/1/2004	Dimethoate	<	2	20	ug/L	1	
S10	12/1/2004	Dimethoate	<	2	20	ug/L	1	
S10	3/3/2005	Dimethoate	<	2	20	ug/L	1	
S11	5/24/2004	Dimethoate	<	2	20	ug/L	1	
S11	9/10/2004	Dimethoate	<	2	20	ug/L	1	
S11	12/1/2004	Dimethoate	<	2	20	ug/L	1	
S11	3/3/2005	Dimethoate	<	2	20	ug/L	1	
S2	4/3/2002	Dimethoate	<		20	ug/L	1	
S2	6/26/2002	Dimethoate	<	1.8	20	ug/L	1	
S2	9/18/2002	Dimethoate	<	1.8	20	ug/L	1	
S2	12/13/2002	Dimethoate	<	2.1	20	ug/L	1	
S2	3/4/2003	Dimethoate	<	2.1	20	ug/L	1	
S2	3/4/2003	Dimethoate	<	2.1	20	ug/L	1	
S2	6/5/2003	Dimethoate	<	2.1	20	ug/L	1	
S2	9/5/2003	Dimethoate	<	2	20	ug/L	1	
S2	9/5/2003	Dimethoate	<	2	20	ug/L	1	
S2	12/3/2003	Dimethoate	<	2	20	ug/L	1	
S2	9/10/2004	Dimethoate	<	2	20	ug/L	1	
S3	4/3/2002	Dimethoate	<		20	ug/L	1	
S3	9/19/2002	Dimethoate	<	1.8	20	ug/L	1	
S3	9/19/2002	Dimethoate	<	1.8	20	ug/L	1	
S3	12/13/2002	Dimethoate	<	2.1	20	ug/L	1	
S3	3/5/2003	Dimethoate	<	2.1	20	ug/L	1	
S3	6/5/2003	Dimethoate	<	2.1	20	ug/L	1	
S3	9/5/2003	Dimethoate	<	2	20	ug/L	1	
S3	12/2/2003	Dimethoate	<	2	20	ug/L	1	
S3	9/9/2004	Dimethoate	<	2	20	ug/L	1	
S3	9/9/2004	Dimethoate	<	2	20	ug/L	1	
S4	4/3/2002	Dimethoate	<		20	ug/L	1	
S4	6/25/2002	Dimethoate	<	1.8	20	ug/L	1	
S4	9/19/2002	Dimethoate	<	1.8	20	ug/L	1	
S4	12/13/2002	Dimethoate	<	2.1	20	ug/L	1	
S4	9/8/2003	Dimethoate	<	2	20	ug/L	1	

tmpAnalyticalResultsOverTime

S4	9/9/2004	Dimethoate	<	2	20	ug/L	1	
S5	4/4/2002	Dimethoate	<		20	ug/L	1	
S5	6/24/2002	Dimethoate	<	1.8	20	ug/L	1	
S5	9/20/2002	Dimethoate	<	1.8	20	ug/L	1	
S5	12/16/2002	Dimethoate	<	2.1	20	ug/L	1	
S5	9/10/2003	Dimethoate	<	2	20	ug/L	1	
S5	9/8/2004	Dimethoate	<	2	20	ug/L	1	
S6	4/4/2002	Dimethoate	<		20	ug/L	1	
S6	6/24/2002	Dimethoate	<	1.8	20	ug/L	1	
S6	6/24/2002	Dimethoate	<	1.8	20	ug/L	1	
S6	9/23/2002	Dimethoate	<	1.8	20	ug/L	1	
S6	12/18/2002	Dimethoate	<	2.1	20	ug/L	1	
S6	9/9/2003	Dimethoate	<	2	20	ug/L	1	
S6	9/8/2004	Dimethoate	<	2	20	ug/L	1	
S7	4/10/2002	Dimethoate	<		20	ug/L	1	
S7	6/21/2002	Dimethoate	<	1.8	20	ug/L	1	
S7	9/23/2002	Dimethoate	<	1.8	20	ug/L	1	
S7	12/17/2002	Dimethoate	<	2.1	20	ug/L	1	
S7	9/11/2003	Dimethoate	<	2	20	ug/L	1	
S7	9/7/2004	Dimethoate	<	2	20	ug/L	1	
S8	4/10/2002	Dimethoate	<		20	ug/L	1	
S8	6/21/2002	Dimethoate	<	1.8	20	ug/L	1	
S8	9/20/2002	Dimethoate	<	1.8	20	ug/L	1	
S8	12/16/2002	Dimethoate	<	2.1	20	ug/L	1	
S8	9/11/2003	Dimethoate	<	2	20	ug/L	1	
S8	9/3/2004	Dimethoate	<	2	20	ug/L	1	
S9	4/10/2002	Dimethoate	<		20	ug/L	1	
S9	6/20/2002	Dimethoate	<	1.8	20	ug/L	1	
S9	9/11/2002	Dimethoate	<	1.8	20	ug/L	1	
S9	12/12/2002	Dimethoate	<	2.1	20	ug/L	1	
S9	9/11/2003	Dimethoate	<	2	20	ug/L	1	
S9	9/3/2004	Dimethoate	<	2	20	ug/L	1	
S10	5/24/2004	Dimethyl phthalate	<	0.8	10	ug/L	1	NA
S10	5/24/2004	Dimethyl phthalate	<	0.8	10	ug/L	1	
S10	9/10/2004	Dimethyl phthalate	<	0.8	10	ug/L	1	
S10	12/1/2004	Dimethyl phthalate	<	0.8	10	ug/L	1	
S10	12/1/2004	Dimethyl phthalate	<	0.8	10	ug/L	1	
S10	3/3/2005	Dimethyl phthalate	<	1.7	10	ug/L	1	
S11	5/24/2004	Dimethyl phthalate	<	0.8	10	ug/L	1	
S11	9/10/2004	Dimethyl phthalate	<	0.8	10	ug/L	1	
S11	12/1/2004	Dimethyl phthalate	<	0.8	10	ug/L	1	
S11	3/3/2005	Dimethyl phthalate	<	1.7	10	ug/L	1	
S2	4/3/2002	Dimethyl phthalate	<		10	ug/L	1	
S2	6/26/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S2	9/18/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S2	12/13/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S2	3/4/2003	Dimethyl phthalate	<	5	10	ug/L	1	
S2	3/4/2003	Dimethyl phthalate	<	5	10	ug/L	1	
S2	6/5/2003	Dimethyl phthalate	<	5	10	ug/L	1	
S2	9/5/2003	Dimethyl phthalate	<	0.8	10	ug/L	1	
S2	9/5/2003	Dimethyl phthalate	<	0.8	10	ug/L	1	
S2	12/3/2003	Dimethyl phthalate	<	0.8	10	ug/L	1	
S2	9/10/2004	Dimethyl phthalate	<	0.8	10	ug/L	1	
S3	4/3/2002	Dimethyl phthalate	<		10	ug/L	1	
S3	9/19/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S3	9/19/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S3	12/13/2002	Dimethyl phthalate	<	5	10	ug/L	1	

tmpAnalyticalResultsOverTime

S3	3/5/2003	Dimethyl phthalate	<	5	10	ug/L	1	
S3	6/5/2003	Dimethyl phthalate	<	5	10	ug/L	1	
S3	9/5/2003	Dimethyl phthalate	<	0.8	10	ug/L	1	
S3	12/2/2003	Dimethyl phthalate	<	0.8	10	ug/L	1	
S3	9/9/2004	Dimethyl phthalate	<	0.8	10	ug/L	1	
S3	9/9/2004	Dimethyl phthalate	<	0.8	10	ug/L	1	
S4	4/3/2002	Dimethyl phthalate	<		10	ug/L	1	
S4	6/25/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S4	9/19/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S4	12/13/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S4	9/8/2003	Dimethyl phthalate	<	0.8	10	ug/L	1	
S4	9/9/2004	Dimethyl phthalate	<	0.8	10	ug/L	1	
S5	4/4/2002	Dimethyl phthalate	<		10	ug/L	1	
S5	6/24/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S5	9/20/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S5	12/16/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S5	9/10/2003	Dimethyl phthalate	<	0.8	10	ug/L	1	
S5	9/8/2004	Dimethyl phthalate	<	0.8	10	ug/L	1	
S6	4/4/2002	Dimethyl phthalate	<		10	ug/L	1	
S6	6/24/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S6	6/24/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S6	9/23/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S6	12/18/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S6	9/9/2003	Dimethyl phthalate	<	0.8	10	ug/L	1	
S6	9/8/2004	Dimethyl phthalate	<	0.8	10	ug/L	1	
S7	4/10/2002	Dimethyl phthalate	<		10	ug/L	1	
S7	6/21/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S7	9/23/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S7	12/17/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S7	9/11/2003	Dimethyl phthalate	<	0.8	10	ug/L	1	
S7	9/7/2004	Dimethyl phthalate	<	0.8	10	ug/L	1	
S8	4/10/2002	Dimethyl phthalate	<		10	ug/L	1	
S8	6/21/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S8	9/20/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S8	12/16/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S8	9/11/2003	Dimethyl phthalate	<	0.8	10	ug/L	1	
S8	9/3/2004	Dimethyl phthalate	<	0.8	10	ug/L	1	
S9	4/10/2002	Dimethyl phthalate	<		10	ug/L	1	
S9	6/20/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S9	9/11/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S9	12/12/2002	Dimethyl phthalate	<	5	10	ug/L	1	
S9	9/11/2003	Dimethyl phthalate	<	0.8	10	ug/L	1	
S9	9/3/2004	Dimethyl phthalate	<	0.8	10	ug/L	1	
S10	5/24/2004	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S10	5/24/2004	Di-n-butyl phthalate	<	0.8	10	ug/L	1	NA
S10	9/10/2004	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S10	12/1/2004	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S10	12/1/2004	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S10	3/3/2005	Di-n-butyl phthalate	<	1.9	10	ug/L	1	
S11	5/24/2004	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S11	9/10/2004	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S11	12/1/2004	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S11	3/3/2005	Di-n-butyl phthalate	<	1.9	10	ug/L	1	
S2	4/3/2002	Di-n-butyl phthalate	<		10	ug/L	1	
S2	6/26/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S2	9/18/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S2	12/13/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	

tmpAnalyticalResultsOverTime

S2	3/4/2003	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S2	3/4/2003	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S2	6/5/2003	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S2	9/5/2003	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S2	9/5/2003	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S2	12/3/2003	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S2	9/10/2004	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S3	4/3/2002	Di-n-butyl phthalate	<		10	ug/L	1	
S3	9/19/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S3	9/19/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S3	12/13/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S3	3/5/2003	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S3	6/5/2003	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S3	9/5/2003	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S3	12/2/2003	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S3	9/9/2004	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S3	9/9/2004	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S4	4/3/2002	Di-n-butyl phthalate	<		10	ug/L	1	
S4	6/25/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S4	9/19/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S4	12/13/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S4	9/8/2003	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S4	9/9/2004	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S5	4/4/2002	Di-n-butyl phthalate	<		10	ug/L	1	
S5	6/24/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S5	9/20/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S5	12/16/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S5	9/10/2003	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S5	9/8/2004	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S6	4/4/2002	Di-n-butyl phthalate	<		10	ug/L	1	
S6	6/24/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S6	6/24/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S6	9/23/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S6	12/18/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S6	9/9/2003	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S6	9/8/2004	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S7	4/10/2002	Di-n-butyl phthalate	<		10	ug/L	1	
S7	6/21/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S7	9/23/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S7	12/17/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S7	9/11/2003	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S7	9/7/2004	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S8	4/10/2002	Di-n-butyl phthalate	<		10	ug/L	1	
S8	6/21/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S8	9/20/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S8	12/16/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S8	9/11/2003	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S8	9/3/2004	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S9	4/10/2002	Di-n-butyl phthalate	<		10	ug/L	1	
S9	6/20/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S9	9/11/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S9	12/12/2002	Di-n-butyl phthalate	<	1.1	10	ug/L	1	
S9	9/11/2003	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S9	9/3/2004	Di-n-butyl phthalate	<	0.8	10	ug/L	1	
S10	5/24/2004	Di-n-octyl phthalate	<	1	10	ug/L	1	NA
S10	5/24/2004	Di-n-octyl phthalate	<	1	10	ug/L	1	
S10	9/10/2004	Di-n-octyl phthalate	<	1	10	ug/L	1	

tmpAnalyticalResultsOverTime

S10	12/1/2004	Di-n-octyl phthalate	<	1	10	ug/L	1	
S10	12/1/2004	Di-n-octyl phthalate	<	1	10	ug/L	1	
S10	3/3/2005	Di-n-octyl phthalate	<	1.1	10	ug/L	1	
S11	5/24/2004	Di-n-octyl phthalate	<	1	10	ug/L	1	
S11	9/10/2004	Di-n-octyl phthalate	<	1	10	ug/L	1	
S11	12/1/2004	Di-n-octyl phthalate	<	1	10	ug/L	1	
S11	3/3/2005	Di-n-octyl phthalate	<	1.1	10	ug/L	1	
S2	4/3/2002	Di-n-octyl phthalate	<		10	ug/L	1	
S2	6/26/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S2	9/18/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S2	12/13/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S2	3/4/2003	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S2	3/4/2003	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S2	6/5/2003	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S2	9/5/2003	Di-n-octyl phthalate	<	1	10	ug/L	1	
S2	9/5/2003	Di-n-octyl phthalate	<	1	10	ug/L	1	
S2	12/3/2003	Di-n-octyl phthalate	<	1	10	ug/L	1	
S2	9/10/2004	Di-n-octyl phthalate	<	1	10	ug/L	1	
S3	4/3/2002	Di-n-octyl phthalate	<		10	ug/L	1	
S3	9/19/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S3	9/19/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S3	12/13/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S3	3/5/2003	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S3	6/5/2003	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S3	9/5/2003	Di-n-octyl phthalate	<	1	10	ug/L	1	
S3	12/2/2003	Di-n-octyl phthalate	<	1	10	ug/L	1	
S3	9/9/2004	Di-n-octyl phthalate	<	1	10	ug/L	1	
S3	9/9/2004	Di-n-octyl phthalate	<	1	10	ug/L	1	
S4	4/3/2002	Di-n-octyl phthalate	<		10	ug/L	1	
S4	6/25/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S4	9/19/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S4	12/13/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S4	9/8/2003	Di-n-octyl phthalate	<	1	10	ug/L	1	
S4	9/9/2004	Di-n-octyl phthalate	<	1	10	ug/L	1	
S5	4/4/2002	Di-n-octyl phthalate	<		10	ug/L	1	
S5	6/24/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S5	9/20/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S5	12/16/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S5	9/10/2003	Di-n-octyl phthalate	<	1	10	ug/L	1	
S5	9/8/2004	Di-n-octyl phthalate	<	1	10	ug/L	1	
S6	4/4/2002	Di-n-octyl phthalate	<		10	ug/L	1	
S6	6/24/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S6	6/24/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S6	9/23/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S6	12/18/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S6	9/9/2003	Di-n-octyl phthalate	<	1	10	ug/L	1	mg/L
S6	9/8/2004	Di-n-octyl phthalate	<	1	10	ug/L	1	
S7	4/10/2002	Di-n-octyl phthalate	<		10	ug/L	1	
S7	6/21/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S7	9/23/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S7	12/17/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S7	9/11/2003	Di-n-octyl phthalate	<	1	10	ug/L	1	
S7	9/7/2004	Di-n-octyl phthalate	<	1	10	ug/L	1	
S8	4/10/2002	Di-n-octyl phthalate	<		10	ug/L	1	
S8	6/21/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S8	9/20/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S8	12/16/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	



tmpAnalyticalResultsOverTime

S8	9/11/2003	Di-n-octyl phthalate	<	1	10	ug/L	1	
S8	9/3/2004	Di-n-octyl phthalate	<	1	10	ug/L	1	
S9	4/10/2002	Di-n-octyl phthalate	<		10	ug/L	1	
S9	6/20/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S9	9/11/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S9	12/12/2002	Di-n-octyl phthalate	<	1.5	10	ug/L	1	
S9	9/11/2003	Di-n-octyl phthalate	<	1	10	ug/L	1	
S9	9/3/2004	Di-n-octyl phthalate	<	1	10	ug/L	1	
S10	5/24/2004	Diphenylamine	<	2	10	ug/L	1	NA
S10	5/24/2004	Diphenylamine	<	2	10	ug/L	1	
S10	9/10/2004	Diphenylamine	<	2	10	ug/L	1	
S10	12/1/2004	Diphenylamine	<	2	10	ug/L	1	
S10	12/1/2004	Diphenylamine	<	2	10	ug/L	1	
S10	3/3/2005	Diphenylamine	<	2	10	ug/L	1	
S11	5/24/2004	Diphenylamine	<	2	10	ug/L	1	
S11	9/10/2004	Diphenylamine	<	2	10	ug/L	1	
S11	12/1/2004	Diphenylamine	<	2	10	ug/L	1	
S11	3/3/2005	Diphenylamine	<	2	10	ug/L	1	
S2	4/3/2002	Diphenylamine	<		10	ug/L	1	
S2	6/26/2002	Diphenylamine	<	1.4	10	ug/L	1	
S2	9/18/2002	Diphenylamine	<	1.4	10	ug/L	1	
S2	12/13/2002	Diphenylamine	<	1.2	10	ug/L	1	
S2	3/4/2003	Diphenylamine	<	1.2	10	ug/L	1	
S2	3/4/2003	Diphenylamine	<	1.2	10	ug/L	1	
S2	6/5/2003	Diphenylamine	<	1.2	10	ug/L	1	
S2	9/5/2003	Diphenylamine	<	1	10	ug/L	1	
S2	9/5/2003	Diphenylamine	<	1	10	ug/L	1	
S2	12/3/2003	Diphenylamine	<	1	10	ug/L	1	
S2	9/10/2004	Diphenylamine	<	2	10	ug/L	1	
S3	4/3/2002	Diphenylamine	<		10	ug/L	1	
S3	9/19/2002	Diphenylamine	<	1.4	10	ug/L	1	
S3	9/19/2002	Diphenylamine	<	1.4	10	ug/L	1	
S3	12/13/2002	Diphenylamine	<	1.2	10	ug/L	1	
S3	3/5/2003	Diphenylamine	<	1.2	10	ug/L	1	
S3	6/5/2003	Diphenylamine	<	1.2	10	ug/L	1	
S3	9/5/2003	Diphenylamine	<	1	10	ug/L	1	
S3	12/2/2003	Diphenylamine	<	1	10	ug/L	1	
S3	9/9/2004	Diphenylamine	<	2	10	ug/L	1	
S3	9/9/2004	Diphenylamine	<	2	10	ug/L	1	
S4	4/3/2002	Diphenylamine	<		10	ug/L	1	
S4	6/25/2002	Diphenylamine	<	1.4	10	ug/L	1	
S4	9/19/2002	Diphenylamine	<	1.4	10	ug/L	1	
S4	12/13/2002	Diphenylamine	<	1.2	10	ug/L	1	
S4	9/8/2003	Diphenylamine	<	1	10	ug/L	1	
S4	9/9/2004	Diphenylamine	<	2	10	ug/L	1	
S5	4/4/2002	Diphenylamine	<		10	ug/L	1	
S5	6/24/2002	Diphenylamine	<	1.4	10	ug/L	1	
S5	9/20/2002	Diphenylamine	<	1.4	10	ug/L	1	
S5	12/16/2002	Diphenylamine	<	1.2	10	ug/L	1	
S5	9/10/2003	Diphenylamine	<	1	10	ug/L	1	
S5	9/8/2004	Diphenylamine	<	2	10	ug/L	1	
S6	4/4/2002	Diphenylamine	<		10	ug/L	1	
S6	6/24/2002	Diphenylamine	<	1.4	10	ug/L	1	
S6	6/24/2002	Diphenylamine	<	1.4	10	ug/L	1	
S6	9/23/2002	Diphenylamine	<	1.4	10	ug/L	1	
S6	12/18/2002	Diphenylamine	<	1.2	10	ug/L	1	
S6	9/9/2003	Diphenylamine	<	1	10	ug/L	1	

tmpAnalyticalResultsOverTime

S6	9/8/2004	Diphenylamine	<	2	10	ug/L	1	
S7	4/10/2002	Diphenylamine	<		10	ug/L	1	
S7	6/21/2002	Diphenylamine	<	1.4	10	ug/L	1	
S7	9/23/2002	Diphenylamine	<	1.4	10	ug/L	1	
S7	12/17/2002	Diphenylamine	<	1.2	10	ug/L	1	
S7	9/11/2003	Diphenylamine	<	1	10	ug/L	1	
S7	9/7/2004	Diphenylamine	<	2	10	ug/L	1	
S8	4/10/2002	Diphenylamine	<		10	ug/L	1	
S8	6/21/2002	Diphenylamine	<	1.4	10	ug/L	1	
S8	9/20/2002	Diphenylamine	<	1.4	10	ug/L	1	
S8	12/16/2002	Diphenylamine	<	1.2	10	ug/L	1	
S8	9/11/2003	Diphenylamine	<	1	10	ug/L	1	
S8	9/3/2004	Diphenylamine	<	2	10	ug/L	1	
S9	4/10/2002	Diphenylamine	<		10	ug/L	1	
S9	6/20/2002	Diphenylamine	<	1.4	10	ug/L	1	
S9	9/11/2002	Diphenylamine	<	1.4	10	ug/L	1	
S9	12/12/2002	Diphenylamine	<	1.2	10	ug/L	1	
S9	9/11/2003	Diphenylamine	<	1	10	ug/L	1	
S9	9/3/2004	Diphenylamine	<	2	10	ug/L	1	
S10	5/24/2004	Disulfoton	<	2	50	ug/L	1	NA
S10	5/24/2004	Disulfoton	<	2	50	ug/L	1	
S10	9/10/2004	Disulfoton	<	2	50	ug/L	1	
S10	12/1/2004	Disulfoton	<	2	50	ug/L	1	
S10	12/1/2004	Disulfoton	<	2	50	ug/L	1	
S10	3/3/2005	Disulfoton	<	2	50	ug/L	1	
S11	5/24/2004	Disulfoton	<	2	50	ug/L	1	
S11	9/10/2004	Disulfoton	<	2	50	ug/L	1	
S11	12/1/2004	Disulfoton	<	2	50	ug/L	1	
S11	3/3/2005	Disulfoton	<	2	50	ug/L	1	
S2	4/3/2002	Disulfoton	<		50	ug/L	1	
S2	6/26/2002	Disulfoton	<	2.8	50	ug/L	1	
S2	9/18/2002	Disulfoton	<	2.8	50	ug/L	1	
S2	12/13/2002	Disulfoton	<	5.6	50	ug/L	1	
S2	3/4/2003	Disulfoton	<	5.6	50	ug/L	1	
S2	3/4/2003	Disulfoton	<	5.6	50	ug/L	1	
S2	6/5/2003	Disulfoton	<	5.6	50	ug/L	1	
S2	9/5/2003	Disulfoton	<	6	50	ug/L	1	
S2	9/5/2003	Disulfoton	<	6	50	ug/L	1	
S2	12/3/2003	Disulfoton	<	6	50	ug/L	1	
S2	9/10/2004	Disulfoton	<	2	50	ug/L	1	
S3	4/3/2002	Disulfoton	<		50	ug/L	1	
S3	9/19/2002	Disulfoton	<	2.8	50	ug/L	1	
S3	9/19/2002	Disulfoton	<	2.8	50	ug/L	1	
S3	12/13/2002	Disulfoton	<	5.6	50	ug/L	1	
S3	3/5/2003	Disulfoton	<	5.6	50	ug/L	1	
S3	6/5/2003	Disulfoton	<	5.6	50	ug/L	1	
S3	9/5/2003	Disulfoton	<	6	50	ug/L	1	
S3	12/2/2003	Disulfoton	<	6	50	ug/L	1	
S3	9/9/2004	Disulfoton	<	2	50	ug/L	1	
S3	9/9/2004	Disulfoton	<	2	50	ug/L	1	
S4	4/3/2002	Disulfoton	<		50	ug/L	1	
S4	6/25/2002	Disulfoton	<	2.8	50	ug/L	1	
S4	9/19/2002	Disulfoton	<	2.8	50	ug/L	1	
S4	12/13/2002	Disulfoton	<	5.6	50	ug/L	1	
S4	9/8/2003	Disulfoton	<	6	50	ug/L	1	
S4	9/9/2004	Disulfoton	<	2	50	ug/L	1	
S5	4/4/2002	Disulfoton	<		50	ug/L	1	

tmpAnalyticalResultsOverTime

S5	6/24/2002	Disulfoton	<	2.8	50	ug/L	1	
S5	9/20/2002	Disulfoton	<	2.8	50	ug/L	1	
S5	12/16/2002	Disulfoton	<	5.6	50	ug/L	1	
S5	9/10/2003	Disulfoton	<	6	50	ug/L	1	
S5	9/8/2004	Disulfoton	<	2	50	ug/L	1	
S6	4/4/2002	Disulfoton	<		50	ug/L	1	
S6	6/24/2002	Disulfoton	<	2.8	50	ug/L	1	
S6	6/24/2002	Disulfoton	<	2.8	50	ug/L	1	
S6	9/23/2002	Disulfoton	<	2.8	50	ug/L	1	
S6	12/18/2002	Disulfoton	<	5.6	50	ug/L	1	
S6	9/9/2003	Disulfoton	<	6	50	ug/L	1	
S6	9/8/2004	Disulfoton	<	2	50	ug/L	1	
S7	4/10/2002	Disulfoton	<		50	ug/L	1	
S7	6/21/2002	Disulfoton	<	2.8	50	ug/L	1	
S7	9/23/2002	Disulfoton	<	2.8	50	ug/L	1	
S7	12/17/2002	Disulfoton	<	5.6	50	ug/L	1	
S7	9/11/2003	Disulfoton	<	6	50	ug/L	1	
S7	9/7/2004	Disulfoton	<	2	50	ug/L	1	
S8	4/10/2002	Disulfoton	<		50	ug/L	1	
S8	6/21/2002	Disulfoton	<	2.8	50	ug/L	1	
S8	9/20/2002	Disulfoton	<	2.8	50	ug/L	1	
S8	12/16/2002	Disulfoton	<	5.6	50	ug/L	1	
S8	9/11/2003	Disulfoton	<	6	50	ug/L	1	
S8	9/3/2004	Disulfoton	<	2	50	ug/L	1	
S9	4/10/2002	Disulfoton	<		50	ug/L	1	
S9	6/20/2002	Disulfoton	<	2.8	50	ug/L	1	
S9	9/11/2002	Disulfoton	<	2.8	50	ug/L	1	
S9	12/12/2002	Disulfoton	<	5.6	50	ug/L	1	
S9	9/11/2003	Disulfoton	<	6	50	ug/L	1	
S9	9/3/2004	Disulfoton	<	2	50	ug/L	1	
S10	5/24/2004	Ethanol	<	78	200	ug/L	1	NA
S10	5/24/2004	Ethanol	<	78	200	ug/L	1	
S10	9/10/2004	Ethanol	<	78	200	ug/L	1	
S10	12/1/2004	Ethanol	<	78	200	ug/L	1	UJ
S10	12/1/2004	Ethanol	<	78	200	ug/L	1	
S10	3/3/2005	Ethanol	<	33	200	ug/L	1	
S11	5/24/2004	Ethanol	<	78	200	ug/L	1	
S11	9/10/2004	Ethanol	<	78	200	ug/L	1	
S11	12/1/2004	Ethanol	<	78	200	ug/L	1	UJ
S11	3/3/2005	Ethanol	<	33	200	ug/L	1	
S2	4/3/2002	Ethanol	<		200	ug/L	1	
S2	6/26/2002	Ethanol	<	61	200	ug/L	1	
S2	9/18/2002	Ethanol	<	61	200	ug/L	1	
S2	12/13/2002	Ethanol	<	61	200	ug/L	1	
S2	3/4/2003	Ethanol	<	78	200	ug/L	1	
S2	3/4/2003	Ethanol	<	78	200	ug/L	1	
S2	6/5/2003	Ethanol	<	78	200	ug/L	1	
S2	9/5/2003	Ethanol	<	78	200	ug/L	1	
S2	9/5/2003	Ethanol	<	78	200	ug/L	1	
S2	12/3/2003	Ethanol	<	160	400	ug/L	2	
S2	9/10/2004	Ethanol	<	78	200	ug/L	1	
S3	4/3/2002	Ethanol	<		200	ug/L	1	
S3	6/25/2002	Ethanol	<	61	200	ug/L	1	
S3	9/19/2002	Ethanol	<	61	200	ug/L	1	
S3	9/19/2002	Ethanol	<	61	200	ug/L	1	
S3	12/13/2002	Ethanol	<	61	200	ug/L	1	
S3	3/5/2003	Ethanol	<	78	200	ug/L	1	

tmpAnalyticalResultsOverTime

S3	6/5/2003 Ethanol	<	78	200	ug/L	1	
S3	9/5/2003 Ethanol	<	78	200	ug/L	1	
S3	12/2/2003 Ethanol	<	78	200	ug/L	1	
S3	9/9/2004 Ethanol	<	78	200	ug/L	1	
S3	9/9/2004 Ethanol	<	78	200	ug/L	1	
S4	4/3/2002 Ethanol	<		200	ug/L	1	
S4	6/25/2002 Ethanol	<	61	200	ug/L	1	
S4	9/19/2002 Ethanol	<	61	200	ug/L	1	
S4	12/13/2002 Ethanol	<	61	200	ug/L	1	
S4	9/8/2003 Ethanol	<	78	200	ug/L	1	
S4	9/9/2004 Ethanol	<	78	200	ug/L	1	
S5	4/4/2002 Ethanol	<		200	ug/L	1	
S5	6/24/2002 Ethanol	<	61	200	ug/L	1	
S5	9/20/2002 Ethanol	<	61	200	ug/L	1	
S5	12/16/2002 Ethanol	<	61	200	ug/L	1	
S5	9/10/2003 Ethanol	<	78	200	ug/L	1	
S5	9/8/2004 Ethanol	<	78	200	ug/L	1	
S6	4/4/2002 Ethanol	<		200	ug/L	1	
S6	6/24/2002 Ethanol	<	61	200	ug/L	1	
S6	6/24/2002 Ethanol	<	61	200	ug/L	1	
S6	9/23/2002 Ethanol	<	61	200	ug/L	1	
S6	12/18/2002 Ethanol	<	61	200	ug/L	1	
S6	9/9/2003 Ethanol	<	78	200	ug/L	1	
S7	4/10/2002 Ethanol	<		200	ug/L	1	UJ
S7	6/21/2002 Ethanol	<	61	200	ug/L	1	
S7	9/23/2002 Ethanol	<	61	200	ug/L	1	
S7	12/17/2002 Ethanol	<	61	200	ug/L	1	
S7	9/11/2003 Ethanol	<	78	200	ug/L	1	
S7	9/7/2004 Ethanol	<	78	200	ug/L	1	
S8	4/10/2002 Ethanol	<		200	ug/L	1	UJ
S8	6/21/2002 Ethanol	<	61	200	ug/L	1	
S8	9/20/2002 Ethanol	<	61	200	ug/L	1	
S8	12/16/2002 Ethanol	<	61	200	ug/L	1	
S8	9/11/2003 Ethanol	<	78	200	ug/L	1	
S8	9/3/2004 Ethanol	<	78	200	ug/L	1	
S9	4/10/2002 Ethanol	<		200	ug/L	1	
S9	6/20/2002 Ethanol	<	61	200	ug/L	1	
S9	9/11/2002 Ethanol	<	61	200	ug/L	1	
S9	12/12/2002 Ethanol	<	61	200	ug/L	1	
S9	9/11/2003 Ethanol	<	78	200	ug/L	1	
S9	9/3/2004 Ethanol	<	78	200	ug/L	1	
S10	5/24/2004 Ethyl acetate	<	0.78	5	ug/L	1	NA
S10	5/24/2004 Ethyl acetate	<	0.78	5	ug/L	1	
S10	9/10/2004 Ethyl acetate	<	0.78	5	ug/L	1	
S10	12/1/2004 Ethyl acetate	<	0.78	5	ug/L	1	
S10	12/1/2004 Ethyl acetate	<	0.78	5	ug/L	1	
S10	3/3/2005 Ethyl acetate	<	0.33	5	ug/L	1	
S11	5/24/2004 Ethyl acetate	<	0.78	5	ug/L	1	
S11	9/10/2004 Ethyl acetate	<	0.78	5	ug/L	1	
S11	12/1/2004 Ethyl acetate	<	0.78	5	ug/L	1	
S11	3/3/2005 Ethyl acetate	<	0.33	5	ug/L	1	
S2	4/3/2002 Ethyl acetate	<		5	ug/L	1	
S2	6/26/2002 Ethyl acetate	<	0.74	5	ug/L	1	
S2	9/18/2002 Ethyl acetate	<	0.74	5	ug/L	1	
S2	12/13/2002 Ethyl acetate	<	0.74	5	ug/L	1	
S2	3/4/2003 Ethyl acetate	<	0.78	5	ug/L	1	
S2	3/4/2003 Ethyl acetate	<	0.78	5	ug/L	1	

tmpAnalyticalResultsOverTime

S2	6/5/2003	Ethyl acetate	<	0.78	5	ug/L	1	
S2	9/5/2003	Ethyl acetate	<	0.78	5	ug/L	1	
S2	9/5/2003	Ethyl acetate	<	0.78	5	ug/L	1	
S2	12/3/2003	Ethyl acetate	<	1.6	10	ug/L	2	
S2	9/10/2004	Ethyl acetate	<	0.78	5	ug/L	1	
S3	4/3/2002	Ethyl acetate	<		5	ug/L	1	
S3	6/25/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S3	9/19/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S3	9/19/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S3	12/13/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S3	3/5/2003	Ethyl acetate	<	0.78	5	ug/L	1	
S3	6/5/2003	Ethyl acetate	<	0.78	5	ug/L	1	
S3	9/5/2003	Ethyl acetate	<	0.78	5	ug/L	1	
S3	12/2/2003	Ethyl acetate	<	0.78	5	ug/L	1	
S3	9/9/2004	Ethyl acetate	<	0.78	5	ug/L	1	
S3	9/9/2004	Ethyl acetate	<	0.78	5	ug/L	1	
S4	4/3/2002	Ethyl acetate	<		5	ug/L	1	
S4	6/25/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S4	9/19/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S4	12/13/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S4	9/8/2003	Ethyl acetate	<	0.78	5	ug/L	1	
S4	9/9/2004	Ethyl acetate	<	0.78	5	ug/L	1	
S5	4/4/2002	Ethyl acetate	<		5	ug/L	1	
S5	6/24/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S5	9/20/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S5	12/16/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S5	9/10/2003	Ethyl acetate	<	0.78	5	ug/L	1	
S5	9/8/2004	Ethyl acetate	<	0.78	5	ug/L	1	
S6	4/4/2002	Ethyl acetate	<		5	ug/L	1	
S6	6/24/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S6	6/24/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S6	9/23/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S6	12/18/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S6	9/9/2003	Ethyl acetate	<	0.78	5	ug/L	1	
S6	9/8/2004	Ethyl acetate	<	0.78	5	ug/L	1	
S7	4/10/2002	Ethyl acetate	<		5	ug/L	1	UJ
S7	6/21/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S7	9/23/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S7	12/17/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S7	9/11/2003	Ethyl acetate	<	0.78	5	ug/L	1	
S7	9/7/2004	Ethyl acetate	<	0.78	5	ug/L	1	
S8	4/10/2002	Ethyl acetate	<		5	ug/L	1	UJ
S8	6/21/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S8	9/20/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S8	12/16/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S8	9/11/2003	Ethyl acetate	<	0.78	5	ug/L	1	
S8	9/3/2004	Ethyl acetate	<	0.78	5	ug/L	1	
S9	4/10/2002	Ethyl acetate	<		5	ug/L	1	
S9	6/20/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S9	9/11/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S9	12/12/2002	Ethyl acetate	<	0.74	5	ug/L	1	
S9	9/11/2003	Ethyl acetate	<	0.78	5	ug/L	1	
S9	9/3/2004	Ethyl acetate	<	0.78	5	ug/L	1	
S10	5/24/2004	Ethyl ether	<	0.26	2	ug/L	1	NA
S10	5/24/2004	Ethyl ether	<	0.26	2	ug/L	1	
S10	9/10/2004	Ethyl ether	<	0.26	2	ug/L	1	
S10	12/1/2004	Ethyl ether	<	0.26	2	ug/L	1	

tmpAnalyticalResultsOverTime

S10	12/1/2004	Ethyl ether	<	0.26	2	ug/L	1
S10	3/3/2005	Ethyl ether	<	0.16	2	ug/L	1
S11	5/24/2004	Ethyl ether	<	0.26	2	ug/L	1
S11	9/10/2004	Ethyl ether	<	0.26	2	ug/L	1
S11	12/1/2004	Ethyl ether	<	0.26	2	ug/L	1
S11	3/3/2005	Ethyl ether	<	0.16	2	ug/L	1
S2	4/3/2002	Ethyl ether	<		2	ug/L	1
S2	6/26/2002	Ethyl ether	<	0.86	2	ug/L	1
S2	9/18/2002	Ethyl ether	<	0.86	2	ug/L	1
S2	12/13/2002	Ethyl ether	<	0.86	2	ug/L	1
S2	3/4/2003	Ethyl ether	<	0.26	2	ug/L	1
S2	3/4/2003	Ethyl ether	<	0.26	2	ug/L	1
S2	6/5/2003	Ethyl ether	<	0.26	2	ug/L	1
S2	9/5/2003	Ethyl ether	<	0.26	2	ug/L	1
S2	9/5/2003	Ethyl ether	<	0.26	2	ug/L	1
S2	12/3/2003	Ethyl ether	<	0.52	4	ug/L	2
S2	9/10/2004	Ethyl ether	<	0.26	2	ug/L	1
S3	4/3/2002	Ethyl ether	<		2	ug/L	1
S3	6/25/2002	Ethyl ether	<	0.86	2	ug/L	1
S3	9/19/2002	Ethyl ether	<	0.86	2	ug/L	1
S3	9/19/2002	Ethyl ether	<	0.86	2	ug/L	1
S3	12/13/2002	Ethyl ether	<	0.86	2	ug/L	1
S3	3/5/2003	Ethyl ether	<	0.26	2	ug/L	1
S3	6/5/2003	Ethyl ether	<	0.26	2	ug/L	1
S3	9/5/2003	Ethyl ether	<	0.26	2	ug/L	1
S3	12/2/2003	Ethyl ether	<	0.26	2	ug/L	1
S3	9/9/2004	Ethyl ether	<	0.26	2	ug/L	1
S3	9/9/2004	Ethyl ether	<	0.26	2	ug/L	1
S4	4/3/2002	Ethyl ether	<		2	ug/L	1
S4	6/25/2002	Ethyl ether	<	0.86	2	ug/L	1
S4	9/19/2002	Ethyl ether	<	0.86	2	ug/L	1
S4	12/13/2002	Ethyl ether	<	0.86	2	ug/L	1
S4	9/8/2003	Ethyl ether	<	0.26	2	ug/L	1
S4	9/9/2004	Ethyl ether	<	0.26	2	ug/L	1
S5	4/4/2002	Ethyl ether	<		2	ug/L	1
S5	6/24/2002	Ethyl ether	<	0.86	2	ug/L	1
S5	9/20/2002	Ethyl ether	<	0.86	2	ug/L	1
S5	12/16/2002	Ethyl ether	<	0.86	2	ug/L	1
S5	9/10/2003	Ethyl ether	<	0.26	2	ug/L	1
S5	9/8/2004	Ethyl ether	<	0.26	2	ug/L	1
S6	4/4/2002	Ethyl ether	<		2	ug/L	1
S6	6/24/2002	Ethyl ether	<	0.86	2	ug/L	1
S6	6/24/2002	Ethyl ether	<	0.86	2	ug/L	1
S6	9/23/2002	Ethyl ether	<	0.86	2	ug/L	1
S6	12/18/2002	Ethyl ether	<	0.86	2	ug/L	1
S6	9/9/2003	Ethyl ether	<	0.26	2	ug/L	1
S6	9/8/2004	Ethyl ether	<	0.26	2	ug/L	1
S7	4/10/2002	Ethyl ether	<		2	ug/L	1 UJ
S7	6/21/2002	Ethyl ether	<	0.86	2	ug/L	1
S7	9/23/2002	Ethyl ether	<	0.86	2	ug/L	1
S7	12/17/2002	Ethyl ether	<	0.86	2	ug/L	1
S7	9/11/2003	Ethyl ether	<	0.26	2	ug/L	1
S7	9/7/2004	Ethyl ether	<	0.26	2	ug/L	1
S8	4/10/2002	Ethyl ether	<		2	ug/L	1 UJ
S8	6/21/2002	Ethyl ether	<	0.86	2	ug/L	1
S8	9/20/2002	Ethyl ether	<	0.86	2	ug/L	1
S8	12/16/2002	Ethyl ether	<	0.86	2	ug/L	1

tmpAnalyticalResultsOverTime

S8	9/11/2003	Ethyl ether	<	0.26	2	ug/L	1	
S8	9/3/2004	Ethyl ether	<	0.26	2	ug/L	1	
S9	4/10/2002	Ethyl ether	<		2	ug/L	1	
S9	6/20/2002	Ethyl ether	<	0.86	2	ug/L	1	
S9	9/11/2002	Ethyl ether	<	0.86	2	ug/L	1	
S9	12/12/2002	Ethyl ether	<	0.86	2	ug/L	1	
S9	9/11/2003	Ethyl ether	<	0.26	2	ug/L	1	
S9	9/3/2004	Ethyl ether	<	0.26	2	ug/L	1	
S10	5/24/2004	Ethyl methacrylate	<	0.48	1	ug/L	1	NA
S10	5/24/2004	Ethyl methacrylate	<	0.48	1	ug/L	1	
S10	9/10/2004	Ethyl methacrylate	<	0.48	1	ug/L	1	
S10	12/1/2004	Ethyl methacrylate	<	0.48	1	ug/L	1	
S10	12/1/2004	Ethyl methacrylate	<	0.48	1	ug/L	1	
S10	3/3/2005	Ethyl methacrylate	<	0.55	1	ug/L	1	
S11	5/24/2004	Ethyl methacrylate	<	0.48	1	ug/L	1	
S11	9/10/2004	Ethyl methacrylate	<	0.48	1	ug/L	1	
S11	12/1/2004	Ethyl methacrylate	<	0.48	1	ug/L	1	
S11	3/3/2005	Ethyl methacrylate	<	0.55	1	ug/L	1	
S2	4/3/2002	Ethyl methacrylate	<		1	ug/L	1	
S2	6/26/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S2	9/18/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S2	12/13/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S2	3/4/2003	Ethyl methacrylate	<	0.48	1	ug/L	1	
S2	3/4/2003	Ethyl methacrylate	<	0.48	1	ug/L	1	
S2	6/5/2003	Ethyl methacrylate	<	0.48	1	ug/L	1	
S2	9/5/2003	Ethyl methacrylate	<	0.48	1	ug/L	1	
S2	9/5/2003	Ethyl methacrylate	<	0.48	1	ug/L	1	
S2	12/3/2003	Ethyl methacrylate	<	0.96	2	ug/L	2	
S2	9/10/2004	Ethyl methacrylate	<	0.48	1	ug/L	1	
S3	4/3/2002	Ethyl methacrylate	<		1	ug/L	1	
S3	6/25/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S3	9/19/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S3	9/19/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S3	12/13/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S3	3/5/2003	Ethyl methacrylate	<	0.48	1	ug/L	1	
S3	6/5/2003	Ethyl methacrylate	<	0.48	1	ug/L	1	
S3	9/5/2003	Ethyl methacrylate	<	0.48	1	ug/L	1	
S3	12/2/2003	Ethyl methacrylate	<	0.48	1	ug/L	1	
S3	9/9/2004	Ethyl methacrylate	<	0.48	1	ug/L	1	
S3	9/9/2004	Ethyl methacrylate	<	0.48	1	ug/L	1	
S4	4/3/2002	Ethyl methacrylate	<		1	ug/L	1	
S4	6/25/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S4	9/19/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S4	12/13/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S4	9/8/2003	Ethyl methacrylate	<	0.48	1	ug/L	1	
S4	9/9/2004	Ethyl methacrylate	<	0.48	1	ug/L	1	
S5	4/4/2002	Ethyl methacrylate	<		1	ug/L	1	
S5	6/24/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S5	9/20/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S5	12/16/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S5	9/10/2003	Ethyl methacrylate	<	0.48	1	ug/L	1	
S5	9/8/2004	Ethyl methacrylate	<	0.48	1	ug/L	1	
S6	4/4/2002	Ethyl methacrylate	<		1	ug/L	1	
S6	6/24/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S6	6/24/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S6	9/23/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S6	12/18/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	

tmpAnalyticalResultsOverTime

S6	9/9/2003	Ethyl methacrylate	<	0.48	1	ug/L	1	
S6	9/8/2004	Ethyl methacrylate	<	0.48	1	ug/L	1	
S7	4/10/2002	Ethyl methacrylate	<		1	ug/L	1	UJ
S7	6/21/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S7	9/23/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S7	12/17/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S7	9/11/2003	Ethyl methacrylate	<	0.48	1	ug/L	1	
S7	9/7/2004	Ethyl methacrylate	<	0.48	1	ug/L	1	
S8	4/10/2002	Ethyl methacrylate	<		1	ug/L	1	UJ
S8	6/21/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S8	9/20/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S8	12/16/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S8	9/11/2003	Ethyl methacrylate	<	0.48	1	ug/L	1	
S8	9/3/2004	Ethyl methacrylate	<	0.48	1	ug/L	1	
S9	4/10/2002	Ethyl methacrylate	<		1	ug/L	1	
S9	6/20/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S9	9/11/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S9	12/12/2002	Ethyl methacrylate	<	0.79	1	ug/L	1	
S9	9/11/2003	Ethyl methacrylate	<	0.48	1	ug/L	1	
S9	9/3/2004	Ethyl methacrylate	<	0.48	1	ug/L	1	
S10	5/24/2004	Ethyl methanesulfonate	<	2	10	ug/L	1	NA
S10	5/24/2004	Ethyl methanesulfonate	<	2	10	ug/L	1	
S10	9/10/2004	Ethyl methanesulfonate	<	2	10	ug/L	1	
S10	12/1/2004	Ethyl methanesulfonate	<	2	10	ug/L	1	
S10	12/1/2004	Ethyl methanesulfonate	<	2	10	ug/L	1	
S10	3/3/2005	Ethyl methanesulfonate	<	2	10	ug/L	1	
S11	5/24/2004	Ethyl methanesulfonate	<	2	10	ug/L	1	
S11	9/10/2004	Ethyl methanesulfonate	<	2	10	ug/L	1	
S11	12/1/2004	Ethyl methanesulfonate	<	2	10	ug/L	1	mg/L
S11	3/3/2005	Ethyl methanesulfonate	<	2	10	ug/L	1	
S2	4/3/2002	Ethyl methanesulfonate	<		10	ug/L	1	
S2	6/26/2002	Ethyl methanesulfonate	<	2.7	10	ug/L	1	
S2	9/18/2002	Ethyl methanesulfonate	<	2.7	10	ug/L	1	
S2	12/13/2002	Ethyl methanesulfonate	<	1.8	10	ug/L	1	
S2	3/4/2003	Ethyl methanesulfonate	<	1.8	10	ug/L	1	
S2	3/4/2003	Ethyl methanesulfonate	<	1.8	10	ug/L	1	
S2	6/5/2003	Ethyl methanesulfonate	<	1.8	10	ug/L	1	
S2	9/5/2003	Ethyl methanesulfonate	<	2	10	ug/L	1	
S2	9/5/2003	Ethyl methanesulfonate	<	2	10	ug/L	1	
S2	12/3/2003	Ethyl methanesulfonate	<	2	10	ug/L	1	
S2	9/10/2004	Ethyl methanesulfonate	<	2	10	ug/L	1	
S3	4/3/2002	Ethyl methanesulfonate	<		10	ug/L	1	
S3	9/19/2002	Ethyl methanesulfonate	<	2.7	10	ug/L	1	
S3	9/19/2002	Ethyl methanesulfonate	<	2.7	10	ug/L	1	
S3	12/13/2002	Ethyl methanesulfonate	<	1.8	10	ug/L	1	
S3	3/5/2003	Ethyl methanesulfonate	<	1.8	10	ug/L	1	
S3	6/5/2003	Ethyl methanesulfonate	<	1.8	10	ug/L	1	
S3	9/5/2003	Ethyl methanesulfonate	<	2	10	ug/L	1	
S3	12/2/2003	Ethyl methanesulfonate	<	2	10	ug/L	1	
S3	9/9/2004	Ethyl methanesulfonate	<	2	10	ug/L	1	
S3	9/9/2004	Ethyl methanesulfonate	<	2	10	ug/L	1	
S4	4/3/2002	Ethyl methanesulfonate	<		10	ug/L	1	
S4	6/25/2002	Ethyl methanesulfonate	<	2.7	10	ug/L	1	
S4	9/19/2002	Ethyl methanesulfonate	<	2.7	10	ug/L	1	
S4	12/13/2002	Ethyl methanesulfonate	<	1.8	10	ug/L	1	
S4	9/8/2003	Ethyl methanesulfonate	<	2	10	ug/L	1	
S4	9/9/2004	Ethyl methanesulfonate	<	2	10	ug/L	1	



tmpAnalyticalResultsOverTime

S5	4/4/2002	Ethyl methanesulfonate	<		10	ug/L	1	
S5	6/24/2002	Ethyl methanesulfonate	<	2.7	10	ug/L	1	
S5	9/20/2002	Ethyl methanesulfonate	<	2.7	10	ug/L	1	
S5	12/16/2002	Ethyl methanesulfonate	<	1.8	10	ug/L	1	
S5	9/10/2003	Ethyl methanesulfonate	<	2	10	ug/L	1	
S5	9/8/2004	Ethyl methanesulfonate	<	2	10	ug/L	1	
S6	4/4/2002	Ethyl methanesulfonate	<		10	ug/L	1	
S6	6/24/2002	Ethyl methanesulfonate	<	2.7	10	ug/L	1	
S6	6/24/2002	Ethyl methanesulfonate	<	2.7	10	ug/L	1	
S6	9/23/2002	Ethyl methanesulfonate	<	2.7	10	ug/L	1	
S6	12/18/2002	Ethyl methanesulfonate	<	1.8	10	ug/L	1	
S6	9/9/2003	Ethyl methanesulfonate	<	2	10	ug/L	1	
S6	9/8/2004	Ethyl methanesulfonate	<	2	10	ug/L	1	
S7	4/10/2002	Ethyl methanesulfonate	<		10	ug/L	1	
S7	6/21/2002	Ethyl methanesulfonate	<	2.7	10	ug/L	1	
S7	9/23/2002	Ethyl methanesulfonate	<	2.7	10	ug/L	1	
S7	12/17/2002	Ethyl methanesulfonate	<	1.8	10	ug/L	1	
S7	9/11/2003	Ethyl methanesulfonate	<	2	10	ug/L	1	
S7	9/7/2004	Ethyl methanesulfonate	<	2	10	ug/L	1	
S8	4/10/2002	Ethyl methanesulfonate	<		10	ug/L	1	
S8	6/21/2002	Ethyl methanesulfonate	<	2.7	10	ug/L	1	
S8	9/20/2002	Ethyl methanesulfonate	<	2.7	10	ug/L	1	
S8	12/16/2002	Ethyl methanesulfonate	<	1.8	10	ug/L	1	
S8	9/11/2003	Ethyl methanesulfonate	<	2	10	ug/L	1	
S8	9/3/2004	Ethyl methanesulfonate	<	2	10	ug/L	1	
S9	4/10/2002	Ethyl methanesulfonate	<		10	ug/L	1	
S9	6/20/2002	Ethyl methanesulfonate	<	2.7	10	ug/L	1	
S9	9/11/2002	Ethyl methanesulfonate	<	2.7	10	ug/L	1	
S9	12/12/2002	Ethyl methanesulfonate	<	1.8	10	ug/L	1	
S9	9/11/2003	Ethyl methanesulfonate	<	2	10	ug/L	1	
S9	9/3/2004	Ethyl methanesulfonate	<	2	10	ug/L	1	
S10	5/24/2004	Ethylbenzene	<	0.12	1	ug/L	1	NA
S10	5/24/2004	Ethylbenzene	<	0.12	1	ug/L	1	
S10	9/10/2004	Ethylbenzene	<	0.12	1	ug/L	1	
S10	12/1/2004	Ethylbenzene	<	0.12	1	ug/L	1	
S10	12/1/2004	Ethylbenzene	<	0.12	1	ug/L	1	
S10	3/3/2005	Ethylbenzene	<	0.22	1	ug/L	1	
S11	5/24/2004	Ethylbenzene	<	0.12	1	ug/L	1	
S11	9/10/2004	Ethylbenzene	<	0.12	1	ug/L	1	
S11	12/1/2004	Ethylbenzene	<	0.12	1	ug/L	1	
S11	3/3/2005	Ethylbenzene	<	0.22	1	ug/L	1	
S2	4/3/2002	Ethylbenzene	<		1	ug/L	1	
S2	6/26/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S2	9/18/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S2	12/13/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S2	3/4/2003	Ethylbenzene	<	0.12	1	ug/L	1	
S2	3/4/2003	Ethylbenzene	<	0.12	1	ug/L	1	
S2	6/5/2003	Ethylbenzene	<	0.12	1	ug/L	1	
S2	9/5/2003	Ethylbenzene	<	0.12	1	ug/L	1	
S2	9/5/2003	Ethylbenzene	<	0.12	1	ug/L	1	
S2	12/3/2003	Ethylbenzene	<	0.24	2	ug/L	2	
S2	9/10/2004	Ethylbenzene	<	0.12	1	ug/L	1	
S3	4/3/2002	Ethylbenzene	<		1	ug/L	1	
S3	6/25/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S3	9/19/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S3	9/19/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S3	12/13/2002	Ethylbenzene	<	0.51	1	ug/L	1	

tmpAnalyticalResultsOverTime

S3	3/5/2003	Ethylbenzene	<	0.12	1	ug/L	1	
S3	6/5/2003	Ethylbenzene	<	0.12	1	ug/L	1	
S3	9/5/2003	Ethylbenzene	<	0.12	1	ug/L	1	
S3	12/2/2003	Ethylbenzene	<	0.12	1	ug/L	1	
S3	9/9/2004	Ethylbenzene	<	0.12	1	ug/L	1	
S3	9/9/2004	Ethylbenzene	<	0.12	1	ug/L	1	
S4	4/3/2002	Ethylbenzene	<		1	ug/L	1	
S4	6/25/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S4	9/19/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S4	12/13/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S4	9/8/2003	Ethylbenzene	<	0.12	1	ug/L	1	
S4	9/9/2004	Ethylbenzene	<	0.12	1	ug/L	1	
S5	4/4/2002	Ethylbenzene	<		1	ug/L	1	
S5	6/24/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S5	9/20/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S5	12/16/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S5	9/10/2003	Ethylbenzene	<	0.12	1	ug/L	1	
S5	9/8/2004	Ethylbenzene	<	0.12	1	ug/L	1	
S6	4/4/2002	Ethylbenzene	<		1	ug/L	1	
S6	6/24/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S6	6/24/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S6	9/23/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S6	12/18/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S6	9/9/2003	Ethylbenzene	<	0.12	1	ug/L	1	
S6	9/8/2004	Ethylbenzene	<	0.12	1	ug/L	1	
S7	4/10/2002	Ethylbenzene	<		1	ug/L	1	UJ
S7	6/21/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S7	9/23/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S7	12/17/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S7	9/11/2003	Ethylbenzene	<	0.12	1	ug/L	1	
S7	9/7/2004	Ethylbenzene	<	0.12	1	ug/L	1	
S8	4/10/2002	Ethylbenzene	<		1	ug/L	1	UJ
S8	6/21/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S8	9/20/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S8	12/16/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S8	9/11/2003	Ethylbenzene	<	0.12	1	ug/L	1	
S8	9/3/2004	Ethylbenzene	<	0.12	1	ug/L	1	
S9	4/10/2002	Ethylbenzene	<		1	ug/L	1	
S9	6/20/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S9	9/11/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S9	12/12/2002	Ethylbenzene	<	0.51	1	ug/L	1	
S9	9/11/2003	Ethylbenzene	<	0.12	1	ug/L	1	
S9	9/3/2004	Ethylbenzene	<	0.12	1	ug/L	1	
S10	5/24/2004	Fluoranthene	<	0.7	10	ug/L	1	NA
S10	5/24/2004	Fluoranthene	<	0.7	10	ug/L	1	
S10	9/10/2004	Fluoranthene	<	0.7	10	ug/L	1	
S10	12/1/2004	Fluoranthene	<	0.7	10	ug/L	1	
S10	12/1/2004	Fluoranthene	<	0.7	10	ug/L	1	
S10	3/3/2005	Fluoranthene	<	1.8	10	ug/L	1	
S11	5/24/2004	Fluoranthene	<	0.7	10	ug/L	1	
S11	9/10/2004	Fluoranthene	<	0.7	10	ug/L	1	
S11	12/1/2004	Fluoranthene	<	0.7	10	ug/L	1	
S11	3/3/2005	Fluoranthene	<	1.8	10	ug/L	1	
S2	4/3/2002	Fluoranthene	<		10	ug/L	1	
S2	6/26/2002	Fluoranthene	<	1.5	10	ug/L	1	
S2	9/18/2002	Fluoranthene	<	1.5	10	ug/L	1	
S2	12/13/2002	Fluoranthene	<	1.5	10	ug/L	1	

tmpAnalyticalResultsOverTime

S2	3/4/2003	Fluoranthene	<	1.5	10	ug/L	1	
S2	3/4/2003	Fluoranthene	<	1.5	10	ug/L	1	
S2	6/5/2003	Fluoranthene	<	1.5	10	ug/L	1	
S2	9/5/2003	Fluoranthene	<	0.7	10	ug/L	1	
S2	9/5/2003	Fluoranthene	<	0.7	10	ug/L	1	
S2	12/3/2003	Fluoranthene	<	0.7	10	ug/L	1	
S2	9/10/2004	Fluoranthene	<	0.7	10	ug/L	1	
S3	4/3/2002	Fluoranthene	<		10	ug/L	1	
S3	9/19/2002	Fluoranthene	<	1.5	10	ug/L	1	
S3	9/19/2002	Fluoranthene	<	1.5	10	ug/L	1	
S3	12/13/2002	Fluoranthene	<	1.5	10	ug/L	1	
S3	3/5/2003	Fluoranthene	<	1.5	10	ug/L	1	
S3	6/5/2003	Fluoranthene	<	1.5	10	ug/L	1	
S3	9/5/2003	Fluoranthene	<	0.7	10	ug/L	1	
S3	12/2/2003	Fluoranthene	<	0.7	10	ug/L	1	
S3	9/9/2004	Fluoranthene	<	0.7	10	ug/L	1	
S3	9/9/2004	Fluoranthene	<	0.7	10	ug/L	1	
S4	4/3/2002	Fluoranthene	<		10	ug/L	1	
S4	6/25/2002	Fluoranthene	<	1.5	10	ug/L	1	
S4	9/19/2002	Fluoranthene	<	1.5	10	ug/L	1	
S4	12/13/2002	Fluoranthene	<	1.5	10	ug/L	1	
S4	9/8/2003	Fluoranthene	<	0.7	10	ug/L	1	
S4	9/9/2004	Fluoranthene	<	0.7	10	ug/L	1	
S5	4/4/2002	Fluoranthene	<		10	ug/L	1	
S5	6/24/2002	Fluoranthene	<	1.5	10	ug/L	1	
S5	9/20/2002	Fluoranthene	<	1.5	10	ug/L	1	
S5	12/16/2002	Fluoranthene	<	1.5	10	ug/L	1	
S5	9/10/2003	Fluoranthene	<	0.7	10	ug/L	1	
S5	9/8/2004	Fluoranthene	<	0.7	10	ug/L	1	
S6	4/4/2002	Fluoranthene	<		10	ug/L	1	
S6	6/24/2002	Fluoranthene	<	1.5	10	ug/L	1	
S6	6/24/2002	Fluoranthene	<	1.5	10	ug/L	1	
S6	9/23/2002	Fluoranthene	<	1.5	10	ug/L	1	
S6	12/18/2002	Fluoranthene	<	1.5	10	ug/L	1	
S6	9/9/2003	Fluoranthene	<	0.7	10	ug/L	1	
S6	9/8/2004	Fluoranthene	<	0.7	10	ug/L	1	
S7	4/10/2002	Fluoranthene	<		10	ug/L	1	
S7	6/21/2002	Fluoranthene	<	1.5	10	ug/L	1	
S7	9/23/2002	Fluoranthene	<	1.5	10	ug/L	1	
S7	12/17/2002	Fluoranthene	<	1.5	10	ug/L	1	
S7	9/11/2003	Fluoranthene	<	0.7	10	ug/L	1	
S7	9/7/2004	Fluoranthene	<	0.7	10	ug/L	1	
S8	4/10/2002	Fluoranthene	<		10	ug/L	1	
S8	6/21/2002	Fluoranthene	<	1.5	10	ug/L	1	
S8	9/20/2002	Fluoranthene	<	1.5	10	ug/L	1	
S8	12/16/2002	Fluoranthene	<	1.5	10	ug/L	1	
S8	9/11/2003	Fluoranthene	<	0.7	10	ug/L	1	
S8	9/3/2004	Fluoranthene	<	0.7	10	ug/L	1	
S9	4/10/2002	Fluoranthene	<		10	ug/L	1	
S9	6/20/2002	Fluoranthene	<	1.5	10	ug/L	1	
S9	9/11/2002	Fluoranthene	<	1.5	10	ug/L	1	
S9	12/12/2002	Fluoranthene	<	1.5	10	ug/L	1	
S9	9/11/2003	Fluoranthene	<	0.7	10	ug/L	1	
S9	9/3/2004	Fluoranthene	<	0.7	10	ug/L	1	
S10	5/24/2004	Fluorene	<	0.6	10	ug/L	1	NA
S10	5/24/2004	Fluorene	<	0.6	10	ug/L	1	
S10	9/10/2004	Fluorene	<	0.6	10	ug/L	1	

tmpAnalyticalResultsOverTime

S10	12/1/2004	Fluorene	<	0.6	10	ug/L	1
S10	12/1/2004	Fluorene	<	0.6	10	ug/L	1
S10	3/3/2005	Fluorene	<	1.7	10	ug/L	1
S11	5/24/2004	Fluorene	<	0.6	10	ug/L	1
S11	9/10/2004	Fluorene	<	0.6	10	ug/L	1
S11	12/1/2004	Fluorene	<	0.6	10	ug/L	1
S11	3/3/2005	Fluorene	<	1.7	10	ug/L	1
S2	4/3/2002	Fluorene	<		10	ug/L	1
S2	6/26/2002	Fluorene	<	1.3	10	ug/L	1
S2	9/18/2002	Fluorene	<	1.3	10	ug/L	1
S2	12/13/2002	Fluorene	<	1.3	10	ug/L	1
S2	3/4/2003	Fluorene	<	1.3	10	ug/L	1
S2	3/4/2003	Fluorene	<	1.3	10	ug/L	1
S2	6/5/2003	Fluorene	<	1.3	10	ug/L	1
S2	9/5/2003	Fluorene	<	0.6	10	ug/L	1
S2	9/5/2003	Fluorene	<	0.6	10	ug/L	1
S2	12/3/2003	Fluorene	<	0.6	10	ug/L	1
S2	9/10/2004	Fluorene	<	0.6	10	ug/L	1
S3	4/3/2002	Fluorene	<		10	ug/L	1
S3	9/19/2002	Fluorene	<	1.3	10	ug/L	1
S3	9/19/2002	Fluorene	<	1.3	10	ug/L	1
S3	12/13/2002	Fluorene	<	1.3	10	ug/L	1
S3	3/5/2003	Fluorene	<	1.3	10	ug/L	1
S3	6/5/2003	Fluorene	<	1.3	10	ug/L	1
S3	9/5/2003	Fluorene	<	0.6	10	ug/L	1
S3	12/2/2003	Fluorene	<	0.6	10	ug/L	1
S3	9/9/2004	Fluorene	<	0.6	10	ug/L	1
S3	9/9/2004	Fluorene	<	0.6	10	ug/L	1
S4	4/3/2002	Fluorene	<		10	ug/L	1
S4	6/25/2002	Fluorene	<	1.3	10	ug/L	1
S4	9/19/2002	Fluorene	<	1.3	10	ug/L	1
S4	12/13/2002	Fluorene	<	1.3	10	ug/L	1
S4	9/8/2003	Fluorene	<	0.6	10	ug/L	1
S4	9/9/2004	Fluorene	<	0.6	10	ug/L	1
S5	4/4/2002	Fluorene	<		10	ug/L	1
S5	6/24/2002	Fluorene	<	1.3	10	ug/L	1
S5	9/20/2002	Fluorene	<	1.3	10	ug/L	1
S5	12/16/2002	Fluorene	<	1.3	10	ug/L	1
S5	9/10/2003	Fluorene	<	0.6	10	ug/L	1
S5	9/8/2004	Fluorene	<	0.6	10	ug/L	1
S6	4/4/2002	Fluorene	<		10	ug/L	1
S6	6/24/2002	Fluorene	<	1.3	10	ug/L	1
S6	6/24/2002	Fluorene	<	1.3	10	ug/L	1
S6	9/23/2002	Fluorene	<	1.3	10	ug/L	1
S6	12/18/2002	Fluorene	<	1.3	10	ug/L	1
S6	9/9/2003	Fluorene	<	0.6	10	ug/L	1
S6	9/8/2004	Fluorene	<	0.6	10	ug/L	1
S7	4/10/2002	Fluorene	<		10	ug/L	1
S7	6/21/2002	Fluorene	<	1.3	10	ug/L	1
S7	9/23/2002	Fluorene	<	1.3	10	ug/L	1
S7	12/17/2002	Fluorene	<	1.3	10	ug/L	1
S7	9/11/2003	Fluorene	<	0.6	10	ug/L	1
S7	9/7/2004	Fluorene	<	0.6	10	ug/L	1
S8	4/10/2002	Fluorene	<		10	ug/L	1
S8	6/21/2002	Fluorene	<	1.3	10	ug/L	1
S8	9/20/2002	Fluorene	<	1.3	10	ug/L	1
S8	12/16/2002	Fluorene	<	1.3	10	ug/L	1

tmpAnalyticalResultsOverTime

S8	9/11/2003	Fluorene	<		0.6	10	ug/L	1
S8	9/3/2004	Fluorene	<		0.6	10	ug/L	1
S9	4/10/2002	Fluorene	<			10	ug/L	1
S9	6/20/2002	Fluorene	<		1.3	10	ug/L	1
S9	9/11/2002	Fluorene	<		1.3	10	ug/L	1
S9	12/12/2002	Fluorene	<		1.3	10	ug/L	1
S9	9/11/2003	Fluorene	<		0.6	10	ug/L	1
S9	9/3/2004	Fluorene	<		0.6	10	ug/L	1
S11	3/3/2005	Fluoride	<	0.47	0.017	0.47	mg/L	1 U
S11	9/3/2008	Fluoride	<		1.2	2	MG/L	20
S11	9/3/2008	Fluoride	<		1.2	2	MG/L	20
S11	9/2/2009	Fluoride	<		1.2	10	MG/L	20
S11	9/2/2010	FLUORIDE	<	1.2	1.2	2	MG/L	20
S2	9/2/2008	Fluoride	<		3	5	mg/L	50
S2	9/2/2009	Fluoride	<		3	25	MG/L	50
S2	9/1/2010	FLUORIDE	<	1.2	1.2	2	MG/L	20
S4	9/2/2009	Fluoride	<		0.6	5	MG/L	10
S4	9/2/2010	FLUORIDE	<	0.6	0.6	1	MG/L	10
S6	9/4/2008	Fluoride	<		1.2	2	MG/L	20
S6	9/3/2009	Fluoride	<		1.2	2	MG/L	20
S6	9/3/2010	FLUORIDE	<	1.2	1.2	2	MG/L	20
S10	9/10/2004	Gross Alpha	<		13	15	10 pCi/L	1 U
S10	12/1/2004	Gross Alpha	<		5.1	7	4.6 pCi/L	1 U
S10	12/2/2008	Gross Alpha	<		4	19	10 pCi/L	1
S10	3/5/2009	Gross Alpha	<		2.3	2.6	1.8 pCi/L	1
S10	6/1/2009	Gross Alpha	<		1.1	1.7	1.1 pCi/L	1
S10	12/2/2009	Gross Alpha	<		0.87	1.4	0.88 PCI/L	1
S10	3/8/2010	Gross Alpha	<		1	1.3	0.88 PCI/L	1
S10	9/1/2010	Gross Alpha	<		2	2.8	1.8 PCI/L	1
S10	12/2/2010	Gross Alpha	<		4.2	4.4	2.9 PCI/L	1
S11	9/10/2004	Gross Alpha	<		3.1	15	8.2 pCi/L	1 U
S11	9/7/2005	Gross Alpha	<		0.4	1.9	1.1 pCi/L	1 U
S11	12/6/2005	Gross Alpha	<		0.55	1.5	0.89 pCi/L	1 U
S11	6/2/2006	GROSS ALPHA	<	-0.27		1.4	0.66 pCi/L	1 U
S11	12/2/2008	Gross Alpha	<		17	20	14 pCi/L	1
S11	6/1/2009	Gross Alpha	<		1.3	3.1	1.8 pCi/L	1
S11	9/2/2009	Gross Alpha	<		1.2	2	1.3 PCI/L	1
S11	12/2/2009	Gross Alpha	<		1	1.8	1.1 PCI/L	1
S11	3/5/2010	Gross Alpha	<		0.6	1.8	1 PCI/L	1
S11	6/3/2010	Gross Alpha	<		2	2.1	1.5 PCI/L	1
S11	9/2/2010	Gross Alpha	<		1.6	19	9.8 PCI/L	1
S2	4/3/2002	Gross Alpha	<		820	1100	690 pCi/L	U
S2	6/26/2002	Gross Alpha	<		90	710	380 pCi/L	1 U
S2	9/18/2002	Gross Alpha	<		300	520	330 pCi/L	1 U
S2	12/13/2002	Gross Alpha	<		3.9	5	3.3 pCi/L	1 U
S2	3/4/2003	Gross Alpha	<		520	1400	850 pCi/L	1 U
S2	3/4/2003	Gross Alpha	<		500	2100	1200 pCi/L	1 U
S2	9/7/2005	Gross Alpha	<		0.97	1.4	0.91 pCi/L	1 U
S2	6/2/2006	GROSS ALPHA	<		1.3	1.7	1.1 pCi/L	1 U
S3	4/3/2002	Gross Alpha	<		190	1300	680 pCi/L	U
S3	6/25/2002	Gross Alpha	<		190	1300	680 pCi/L	1 U
S3	9/19/2002	Gross Alpha	<		90	230	140 pCi/L	1 U
S3	9/19/2002	Gross Alpha	<		74	130	81 pCi/L	1 U
S3	12/13/2002	Gross Alpha	<		0.35	1	0.61 pCi/L	1 U
S3	3/5/2003	Gross Alpha	<		70	240	140 pCi/L	1 U
S3	9/9/2004	Gross Alpha	<		14	15	10 pCi/L	1 U
S3	9/9/2004	Gross Alpha	<		5.4	10	6.3 pCi/L	1 U

tmpAnalyticalResultsOverTime

S3	9/1/2010	Gross Alpha	<	3.9	4.2	2.8 PCI/L	1
S4	4/3/2002	Gross Alpha	<	15	160	84 pCi/L	U
S4	6/25/2002	Gross Alpha	<	-24	130	66 pCi/L	1 U
S4	9/19/2002	Gross Alpha	<	56	63	44 pCi/L	1 U
S4	12/13/2002	Gross Alpha	<	1	2.3	1.4 pCi/L	1 U
S4	3/6/2003	Gross Alpha	<	15	78	44 pCi/L	1 U
S4	9/8/2003	Gross Alpha	<	-1.7	8.2	3.1 pCi/L	1 U
S4	12/4/2003	Gross Alpha	<	8.7	8.7	6.4 pCi/L	1 U
S4	3/2/2004	Gross Alpha	<	8.2	13	8.2 pCi/L	1 U
S4	9/9/2004	Gross Alpha	<	0.5	12	6.4 pCi/L	1 U
S4	12/6/2004	Gross Alpha	<	2.6	10	6 pCi/L	1 U
S4	12/6/2004	Gross Alpha	<	3.8	9.8	5.9 pCi/L	1 U
S4	9/8/2005	Gross Alpha	<	1.05	1.2	0.83 pCi/L	1 U
S4	12/2/2008	Gross Alpha	<	10	22	13 pCi/L	1
S4	3/4/2009	Gross Alpha	<	1.4	2	1.4 pCi/L	1
S4	6/2/2009	Gross Alpha	<	-0.6	2.9	1.6 pCi/L	1
S4	6/2/2009	Gross Alpha	<	2.3	2.6	1.8 pCi/L	1
S4	12/3/2009	Gross Alpha	<	-0.5	2.5	1.3 PCI/L	1
S4	3/4/2010	Gross Alpha	<	0.24	1.3	0.7 PCI/L	1
S4	12/3/2010	Gross Alpha	<	1.7	11	6 PCI/L	1
S5	4/4/2002	Gross Alpha	<	59	120	73 pCi/L	U
S5	6/24/2002	Gross Alpha	<	13	130	70 pCi/L	1 U
S5	9/20/2002	Gross Alpha	<	30	76	46 pCi/L	1 U
S5	3/6/2003	Gross Alpha	<	-16	65	29 pCi/L	1 U
S5	9/10/2003	Gross Alpha	<	2.6	4	2.7 pCi/L	1 U
S5	12/4/2003	Gross Alpha	<	5.3	11	6.5 pCi/L	1 U
S5	3/2/2004	Gross Alpha	<	7.5	11	7.2 pCi/L	1 U
S5	6/2/2004	Gross Alpha	<	1.7	3.4	2.1 pCi/L	1 U
S5	9/8/2004	Gross Alpha	<	6.8	12	7.4 pCi/L	1 U
S5	12/3/2004	Gross Alpha	<	-0.6	10	5.4 pCi/L	1 U
S5	3/4/2005	Gross Alpha	<	0.8	1.7	1 pCi/L	1 U
S5	6/5/2006	GROSS ALPHA	<	0.88	0.99	0.69 pCi/L	1 U
S5	12/3/2008	Gross Alpha	<	7	22	13 pCi/L	1
S5	3/3/2009	Gross Alpha	<	1.7	2.7	1.7 pCi/L	1
S5	12/3/2009	Gross Alpha	<	1.8	2.1	1.4 PCI/L	1
S5	12/3/2009	Gross Alpha	<	1.3	1.8	1.2 PCI/L	1
S5	3/4/2010	Gross Alpha	<	-0.08	1.2	0.55 PCI/L	1
S5	6/7/2010	Gross Alpha	<	0.6	1.8	1 PCI/L	1
S5	9/3/2010	Gross Alpha	<	3.7	4.3	3 PCI/L	1
S5	12/6/2010	Gross Alpha	<	6.4	9.7	6.4 PCI/L	1
S6	4/4/2002	Gross Alpha	<	-100	320	130 pCi/L	U
S6	6/24/2002	Gross Alpha	<	110	250	150 pCi/L	1 U
S6	6/24/2002	Gross Alpha	<	100	380	220 pCi/L	1 U
S6	9/23/2002	Gross Alpha	<	140	240	150 pCi/L	1 U
S6	12/18/2002	Gross Alpha	<	-11	190	97 pCi/L	1 U
S6	3/10/2003	Gross Alpha	<	150	380	230 pCi/L	1 U
S6	12/4/2003	Gross Alpha	<	5.6	13	7.7 pCi/L	1 U
S6	12/4/2003	Gross Alpha	<	2.6	11	6.5 pCi/L	1 U
S6	3/2/2004	Gross Alpha	<	4.6	12	7 pCi/L	1 U
S6	9/8/2004	Gross Alpha	<	5	9.8	6.1 pCi/L	1 U
S6	12/3/2004	Gross Alpha	<	3.9	9.4	5.6 pCi/L	1 U
S6	9/9/2005	Gross Alpha	<	1.7	3.5	2.1 pCi/L	1 U
S6	6/5/2006	GROSS ALPHA	<	0.99	1.3	0.88 pCi/L	1 U
S6	9/7/2006	Gross Alpha	<	0.99	1.1	0.77 pCi/L	1 U
S6	12/3/2008	Gross Alpha	<	14	21	14 pCi/L	1
S6	3/4/2009	Gross Alpha	<	2.5	2.7	1.9 pCi/L	1
S6	9/3/2009	Gross Alpha	<	1.7	2	1.3 PCI/L	1

tmpAnalyticalResultsOverTime

S6	12/3/2009	Gross Alpha	<	0.5	2.1	1.2 PCI/L	1
S6	3/4/2010	Gross Alpha	<	0.8	1.7	1.1 PCI/L	1
S6	6/7/2010	Gross Alpha	<	0.9	1.8	1.1 PCI/L	1
S6	9/3/2010	Gross Alpha	<	-0.5	4.9	2.3 PCI/L	1
S6	12/3/2010	Gross Alpha	<	1.4	15	8.1 PCI/L	1
S6	12/3/2010	Gross Alpha	<	10.3	11	8 PCI/L	1
S7	4/10/2002	Gross Alpha	<	17	38	23 pCi/L	U
S7	6/21/2002	Gross Alpha	<	0.5	26	14 pCi/L	1 U
S7	9/23/2002	Gross Alpha	<	15	21	14 pCi/L	1 U
S7	12/17/2002	Gross Alpha	<	0.09	1.1	0.58 pCi/L	1 U
S7	3/7/2003	Gross Alpha	<	-1	11	5.4 pCi/L	1 U
S7	9/11/2003	Gross Alpha	<	0.7	3.5	1.8 pCi/L	1 U
S7	12/4/2003	Gross Alpha	<	0.6	11	5.7 pCi/L	1 U
S7	3/2/2004	Gross Alpha	<	-0.7	11	5.3 pCi/L	1 U
S7	6/4/2004	Gross Alpha	<	0.8	3.4	1.9 pCi/L	1 U
S7	9/7/2004	Gross Alpha	<	2.4	9.4	5.4 pCi/L	1 U
S7	12/3/2004	Gross Alpha	<	4.9	11	6.6 pCi/L	1 U
S7	9/2/2005	Gross Alpha	<	0.54	1.1	0.7 pCi/L	1 U
S7	12/5/2005	Gross Alpha	<	0.79	0.86	0.6 pCi/L	1 U
S7	12/5/2005	Gross Alpha	<	0.63	0.91	0.59 pCi/L	1 U
S7	6/5/2006	GROSS ALPHA	<	0.84	0.89	0.63 pCi/L	1 U
S7	12/5/2006	Gross Alpha	<	0.85	0.94	0.66 pCi/L	1 U
S7	12/5/2007	Gross Alpha	<	0.25	0.8	0.46 pCi/L	1 U
S7	6/4/2008	Gross Alpha	<	0.76	0.86	0.6 pCi/L	1 U
S7	12/3/2008	Gross Alpha	<	6	22	12 pCi/L	1
S7	3/5/2009	Gross Alpha	<	0.5	2.1	1.2 pCi/L	1
S7	6/3/2009	Gross Alpha	<	0.9	2.1	1.2 pCi/L	1
S7	9/8/2009	Gross Alpha	<	0.98	1.3	0.86 PCI/L	1
S7	9/8/2009	Gross Alpha	<	1.24	1.3	0.9 PCI/L	1
S7	12/4/2009	Gross Alpha	<	0.7	1.9	1.2 PCI/L	1
S7	3/3/2010	Gross Alpha	<	0.8	2.1	1.2 PCI/L	1
S7	6/4/2010	Gross Alpha	<	0.9	2.2	1.3 PCI/L	1
S7	9/7/2010	Gross Alpha	<	-0.2	2.2	1.2 PCI/L	1
S7	12/6/2010	Gross Alpha	<	1.9	12	6.3 PCI/L	1
S8	4/10/2002	Gross Alpha	<	4	20	11 pCi/L	U
S8	6/21/2002	Gross Alpha	<	35	41	28 pCi/L	1 U
S8	9/20/2002	Gross Alpha	<	20	25	17 pCi/L	1 U
S8	3/7/2003	Gross Alpha	<	0.2	16	8.4 pCi/L	1 U
S8	3/7/2003	Gross Alpha	<	1.4	12	6.7 pCi/L	1 U
S8	9/11/2003	Gross Alpha	<	3.4	4.3	3.1 pCi/L	1 U
S8	3/5/2004	Gross Alpha	<	8.1	13	8 pCi/L	1 U
S8	9/3/2004	Gross Alpha	<	4.1	8.6	5.3 pCi/L	1 U
S8	12/3/2004	Gross Alpha	<	9	9.7	6.9 pCi/L	1 U
S8	12/6/2010	Gross Alpha	<	8.3	12	8.1 PCI/L	1
S9	6/20/2002	Gross Alpha	<	2.5	6.2	3.6 pCi/L	1 U
S9	9/11/2002	Gross Alpha	<	6.8	7.6	5.2 pCi/L	1 U
S9	12/12/2002	Gross Alpha	<	-0.9	5.9	2.8 pCi/L	1 U
S9	3/6/2003	Gross Alpha	<	1.6	2.1	1.4 pCi/L	1 U
S9	9/11/2003	Gross Alpha	<	1.7	3.5	2.2 pCi/L	1 U
S9	12/4/2003	Gross Alpha	<	-1.3	13	6.3 pCi/L	1 U
S9	3/2/2004	Gross Alpha	<	2.3	9.2	5.1 pCi/L	1 U
S9	6/3/2004	Gross Alpha	<	0.8	4.3	2.4 pCi/L	1 U
S9	9/3/2004	Gross Alpha	<	-5	26	12 pCi/L	1 U
S9	12/2/2004	Gross Alpha	<	2.3	6.1	3.6 pCi/L	1 U
S9	3/8/2005	Gross Alpha	<	0.5	0.75	0.47 pCi/L	1 U
S9	6/3/2005	Gross Alpha	<	1.02	1.2	0.81 pCi/L	1 UJ
S9	9/2/2005	Gross Alpha	<	0.34	0.85	0.51 pCi/L	1 U

tmpAnalyticalResultsOverTime

S9	12/5/2005	Gross Alpha	<	0.04	0.9	0.49 pCi/L	1	U	
S9	6/1/2006	GROSS ALPHA	<	0.88	1	0.69 pCi/L	1	U	
S9	9/7/2006	Gross Alpha	<	0.48	0.71	0.47 pCi/L	1	U	
S9	12/6/2006	Gross Alpha	<	1.1	1.5	1 pCi/L	1	U	
S9	3/2/2007	Gross Alpha	<	0.71	1	0.59 pCi/L	1	U	
S9	12/5/2007	Gross Alpha	<	0.3	0.82	0.48 pCi/L	1	U	
S9	3/7/2008	Gross Alpha	<	0.56	1.1	0.67 pCi/L	1	U	
S9	6/6/2008	Gross Alpha	<	1.3	2	1.3 pCi/L	1	U	
S9	9/5/2008	Gross Alpha	<	1.9	2.1	1.5 pCi/L	1	U	
S9	12/4/2008	Gross Alpha	<	-3.4	18	7.7 pCi/L	1	U	
S9	3/6/2009	Gross Alpha	<	0.4	2.2	1.2 pCi/L	1	U	
S9	6/3/2009	Gross Alpha	<	1.3	2.6	1.6 pCi/L	1	U	
S9	9/4/2009	Gross Alpha	<	0.59	1.3	0.81 PCI/L	1	U	
S9	12/4/2009	Gross Alpha	<	0.43	1.6	0.93 PCI/L	1	U	
S9	3/8/2010	Gross Alpha	<	0.35	1.6	0.93 PCI/L	1	U	
S9	6/7/2010	Gross Alpha	<	1.09	1.4	0.97 PCI/L	1	U	
S9	6/7/2010	Gross Alpha	<	1.05	1.5	0.99 PCI/L	1	U	
S9	9/8/2010	Gross Alpha	<	2.2	3.9	2.5 PCI/L	1	U	
S9	12/7/2010	Gross Alpha	<	10.7	15	9.8 PCI/L	1	U	
S11	9/10/2004	Gross Beta	<	100	180	110 pCi/L	1	U	
S11	3/3/2006	Gross Beta	<	280	420	260 pCi/L	1	U	
S11	6/2/2006	GROSS BETA	<	370	400	250 pCi/L	1	U	
S11	9/2/2010	Gross Beta	<	140	250	150 PCI/L	1	U	
S2	4/3/2002	Gross Beta	<	870	1300	810 pCi/L		U	
S2	3/4/2003	Gross Beta	<	1310	1300	860 pCi/L	1	U	
S2	9/7/2005	Gross Beta	<	190	200	130 pCi/L	1	U	
S2	6/3/2010	Gross Beta	<	280	410	260 PCI/L	1	U	
S2	9/1/2010	Gross Beta	<	200	220	150 PCI/L	1	U	
S3	6/25/2002	Gross Beta	<	1840	1200	810 pCi/L	1	U	
S5	4/4/2002	Gross Beta	<	72	120	72 pCi/L		U	
S5	3/3/2006	Gross Beta	<	16	60	36 pCi/L	1	U	
S6	4/4/2002	Gross Beta	<	120	320	190 pCi/L		U	
S6	6/24/2002	Gross Beta	<	150	410	250 pCi/L	1	U	
S6	9/23/2002	Gross Beta	<	40	210	130 pCi/L	1	U	
S6	6/4/2004	Gross Beta	<	190	190	120 pCi/L	1	U	
S6	12/7/2005	Gross Beta	<	190	210	130 pCi/L	1	U	
S6	3/3/2006	Gross Beta	<	-4	170	99 pCi/L	1	U	
S6	6/5/2006	GROSS BETA	<	70	230	140 pCi/L	1	U	
S6	6/7/2010	Gross Beta	<	150	160	100 PCI/L	1	U	
S8	12/16/2002	Gross Beta	<	1	1.9	1.2 pCi/L	1	U	
S8	3/1/2006	Gross Beta	<	31	43	27 pCi/L	1	U	
S10	9/10/2004	Hafnium-DISSOLVED	<	0.0001	0.01	mg/L	1	U	NA
S10	12/1/2004	Hafnium-DISSOLVED	<	0.0001	0.01	mg/L	1	U	
S10	12/1/2004	Hafnium-DISSOLVED	<	0.0001	0.01	mg/L	1	U	
S10	3/3/2005	Hafnium-DISSOLVED	<	0.0001	0.01	mg/L	1	U	
S11	9/10/2004	Hafnium-DISSOLVED	<	0.0001	0.01	mg/L	1	U	
S11	12/1/2004	Hafnium-DISSOLVED	<	0.0001	0.01	mg/L	1	U	
S11	3/3/2005	Hafnium-DISSOLVED	<	0.0001	0.01	mg/L	1	U	
S2	9/18/2002	Hafnium-DISSOLVED	<	0.1	0.2	mg/L		UJ	
S2	12/13/2002	Hafnium-DISSOLVED	<	0.1	0.2	mg/L		UJ	
S2	3/4/2003	Hafnium-DISSOLVED	<	0.1	0.2	mg/L		U	
S2	3/4/2003	Hafnium-DISSOLVED	<	0.1	0.2	mg/L		U	
S3	9/19/2002	Hafnium-DISSOLVED	<	0.1	0.2	mg/L		UJ	
S3	9/19/2002	Hafnium-DISSOLVED	<	0.1	0.2	mg/L		UJ	
S3	12/13/2002	Hafnium-DISSOLVED	<	0.1	0.2	mg/L		UJ	
S3	3/5/2003	Hafnium-DISSOLVED	<	0.1	0.2	mg/L		U	
S4	9/19/2002	Hafnium-DISSOLVED	<	0.1	0.2	mg/L		UJ	



tmpAnalyticalResultsOverTime

S4	12/13/2002	Hafnium-DISSOLVED	<	0.1	0.2	mg/L	UJ
S5	9/20/2002	Hafnium-DISSOLVED	<	0.1	0.2	mg/L	UJ
S5	12/16/2002	Hafnium-DISSOLVED	<	0.1	0.2	mg/L	UJ
S6	9/23/2002	Hafnium-DISSOLVED	<	0.1	0.2	mg/L	UJ
S6	12/18/2002	Hafnium-DISSOLVED	<	0.1	0.2	mg/L	UJ
S7	9/23/2002	Hafnium-DISSOLVED	<	0.1	0.2	mg/L	UJ
S7	12/17/2002	Hafnium-DISSOLVED	<	0.1	0.2	mg/L	UJ
S8	9/20/2002	Hafnium-DISSOLVED	<	0.1	0.2	mg/L	UJ
S8	12/16/2002	Hafnium-DISSOLVED	<	0.1	0.2	mg/L	UJ
S9	9/11/2002	Hafnium-DISSOLVED	<	0.1	0.2	mg/L	UJ
S9	12/12/2002	Hafnium-DISSOLVED	<	0.1	0.2	mg/L	UJ
S10	5/24/2004	Hafnium-TOTAL	<	0.0001	0.01	mg/L	1
S10	5/24/2004	Hafnium-TOTAL	<	0.0001	0.01	mg/L	1
S10	9/10/2004	Hafnium-TOTAL	<	0.0001	0.01	mg/L	1
S10	12/1/2004	Hafnium-TOTAL	<	0.0001	0.01	mg/L	1
S10	12/1/2004	Hafnium-TOTAL	<	0.0001	0.01	mg/L	1
S10	3/3/2005	Hafnium-TOTAL	<	0.0001	0.01	mg/L	1
S10	9/7/2005	Hafnium-Total	<	0.0002	0.01	mg/l	10
S10	9/6/2006	Hafnium-TOTAL	<	0.0002	0.01	mg/l	20
S10	9/4/2007	Hafnium-TOTAL	<	0.0002	0.01	mg/l	20 U
S10	9/2/2008	Hafnium-TOTAL	<	0.00005	0.01	mg/l	20
S11	5/24/2004	Hafnium-TOTAL	<	0.0001	0.01	mg/L	1
S11	9/10/2004	Hafnium-TOTAL	<	0.0001	0.01	mg/L	1
S11	12/1/2004	Hafnium-TOTAL	<	0.0001	0.01	mg/L	1
S11	3/3/2005	Hafnium-TOTAL	<	0.0001	0.01	mg/L	1
S11	9/7/2005	Hafnium-Total	<	0.0002	0.01	mg/l	10
S11	9/6/2006	Hafnium-TOTAL	<	0.0002	0.01	mg/l	20
S11	9/4/2007	Hafnium-TOTAL	<	0.0002	0.01	mg/l	20 U
S11	9/3/2008	Hafnium-TOTAL	<	0.00005	0.01	mg/l	20
S11	9/3/2008	Hafnium-TOTAL	<	0.00005	0.01	mg/l	20
S11	9/2/2009	Hafnium-TOTAL	<	0.00053	0.05	0.05 MG/L	5
S11	9/2/2010	Hafnium-TOTAL	<	0.0113	0.1	0.1 MG/L	10
S2	9/18/2002	Hafnium-TOTAL	<	0.1	0.2	mg/L	UJ
S2	12/13/2002	Hafnium-TOTAL	<	0.1	0.2	mg/L	U
S2	3/4/2003	Hafnium-TOTAL	<	0.1	0.2	mg/L	U
S2	3/4/2003	Hafnium-TOTAL	<	0.1	0.2	mg/L	U
S2	6/5/2003	Hafnium-TOTAL	<	0.1	0.2	mg/L	U
S2	9/5/2003	Hafnium-TOTAL	<	0.1	0.2	mg/L	U
S2	9/5/2003	Hafnium-TOTAL	<	0.1	0.2	mg/L	U
S2	12/3/2003	Hafnium-TOTAL	<	0.0007	0.01	mg/L	
S2	9/10/2004	Hafnium-TOTAL	<	0.0001	0.01	mg/L	1
S2	9/7/2005	Hafnium-Total	<	0.0002	0.01	mg/l	10
S2	9/5/2006	Hafnium-TOTAL	<	0.0002	0.01	mg/l	20
S2	9/4/2007	Hafnium-TOTAL	<	0.0002	0.01	mg/l	20 U
S2	9/2/2008	Hafnium-TOTAL	<	0.00005	0.01	mg/l	20
S2	9/2/2009	Hafnium-TOTAL	<	0.00053	0.05	0.05 MG/L	5
S2	9/1/2010	Hafnium-TOTAL	<	0.0113	0.1	0.1 MG/L	10
S3	9/19/2002	Hafnium-TOTAL	<	0.1	0.2	mg/L	UJ
S3	9/19/2002	Hafnium-TOTAL	<	0.1	0.2	mg/L	UJ
S3	12/13/2002	Hafnium-TOTAL	<	0.1	0.2	mg/L	U
S3	3/5/2003	Hafnium-TOTAL	<	0.1	0.2	mg/L	U
S3	6/5/2003	Hafnium-TOTAL	<	0.1	0.2	mg/L	U
S3	9/5/2003	Hafnium-TOTAL	<	0.1	0.2	mg/L	U
S3	12/2/2003	Hafnium-TOTAL	<	0.0007	0.01	mg/L	
S3	9/9/2004	Hafnium-TOTAL	<	0.0001	0.01	mg/L	1
S3	9/9/2004	Hafnium-TOTAL	<	0.0001	0.01	mg/L	1
S3	9/7/2005	Hafnium-Total	<	0.0002	0.01	mg/l	10

tmpAnalyticalResultsOverTime

S3	9/5/2006	Hafnium-TOTAL	<	0.0002	0.01		mg/l	20
S3	9/4/2007	Hafnium-TOTAL	<	0.0002	0.01		mg/l	20 U
S3	9/2/2008	Hafnium-TOTAL	<	0.00005	0.01		mg/l	20
S3	9/2/2009	Hafnium-TOTAL	<	0.00053	0.05	0.05	MG/L	5
S4	9/19/2002	Hafnium-TOTAL	<	0.1	0.2		mg/L	UJ
S4	12/13/2002	Hafnium-TOTAL	<	0.1	0.2		mg/L	U
S4	9/8/2003	Hafnium-TOTAL	<	0.1	0.2		mg/L	U
S4	9/9/2004	Hafnium-TOTAL	<	0.0001	0.01		mg/L	1
S4	9/8/2005	Hafnium-Total	<	0.0002	0.01		mg/l	20
S4	9/6/2006	Hafnium-TOTAL	<	0.0002	0.01		mg/l	20
S4	9/10/2007	Hafnium-TOTAL	<	0.0002	0.01		mg/l	20 U
S4	9/3/2008	Hafnium-TOTAL	<	0.00005	0.01		mg/l	20
S4	9/2/2009	Hafnium-TOTAL	<	0.00053	0.05	0.05	MG/L	5
S4	9/2/2010	Hafnium-TOTAL	<	0.0056	0.05	0.05	MG/L	5
S5	9/20/2002	Hafnium-TOTAL	<	0.1	0.2		mg/L	UJ
S5	12/16/2002	Hafnium-TOTAL	<	0.1	0.2		mg/L	U
S5	9/10/2003	Hafnium-TOTAL	<	0.1	0.2		mg/L	U
S5	9/8/2004	Hafnium-TOTAL	<	0.0001	0.01		mg/L	1
S5	9/8/2005	Hafnium-Total	<	0.0002	0.01		mg/l	20
S5	9/6/2006	Hafnium-TOTAL	<	0.0002	0.01		mg/l	20
S5	9/7/2007	Hafnium-TOTAL	<	0.0002	0.01		mg/l	20 U
S5	9/3/2008	Hafnium-TOTAL	<	0.00005	0.01		mg/l	20
S5	9/2/2009	Hafnium-TOTAL	<	0.00053	0.05	0.05	MG/L	5
S6	9/23/2002	Hafnium-TOTAL	<	0.1	0.2		mg/L	UJ
S6	12/18/2002	Hafnium-TOTAL	<	0.1	0.2		mg/L	U
S6	9/9/2003	Hafnium-TOTAL	<	0.1	0.2		mg/L	U
S6	9/8/2004	Hafnium-TOTAL	<	0.0001	0.01		mg/L	1
S6	9/9/2005	Hafnium-Total	<	0.0002	0.01		mg/l	20
S6	9/7/2006	Hafnium-TOTAL	<	0.0002	0.01		mg/l	20
S6	9/7/2007	Hafnium-TOTAL	<	0.0002	0.01		mg/l	20 U
S6	9/4/2008	Hafnium-TOTAL	<	0.00005	0.01		mg/l	20
S6	9/3/2010	Hafnium-TOTAL	<	0.0011	0.01	0.01	MG/L	1
S7	9/23/2002	Hafnium-TOTAL	<	0.1	0.2		mg/L	UJ
S7	12/17/2002	Hafnium-TOTAL	<	0.1	0.2		mg/L	U
S7	9/11/2003	Hafnium-TOTAL	<	0.1	0.2		mg/L	U
S7	9/7/2004	Hafnium-TOTAL	<	0.0001	0.01		mg/L	1
S7	9/2/2005	Hafnium-Total	<	0.0002	0.01		mg/l	10
S7	9/7/2006	Hafnium-TOTAL	<	0.0002	0.01		mg/l	20
S7	9/10/2007	Hafnium-TOTAL	<	0.0002	0.01		mg/l	20 U
S7	9/4/2008	Hafnium-TOTAL	<	0.00005	0.01		mg/l	20
S7	9/8/2009	Hafnium-TOTAL	<	0.00053	0.05	0.05	MG/L	5
S8	9/20/2002	Hafnium-TOTAL	<	0.1	0.2		mg/L	UJ
S8	12/16/2002	Hafnium-TOTAL	<	0.1	0.2		mg/L	U
S8	9/11/2003	Hafnium-TOTAL	<	0.1	0.2		mg/L	U
S8	9/3/2004	Hafnium-TOTAL	<	0.0001	0.01		mg/L	1
S8	9/2/2005	Hafnium-Total	<	0.0002	0.01		mg/l	10
S8	9/7/2006	Hafnium-TOTAL	<	0.0002	0.01		mg/l	20
S8	9/10/2007	Hafnium-TOTAL	<	0.0002	0.01		mg/l	20 U
S8	9/4/2008	Hafnium-TOTAL	<	0.00005	0.01		mg/l	20
S8	9/3/2009	Hafnium-TOTAL	<	0.00053	0.05	0.05	MG/L	5
S8	9/3/2010	Hafnium-TOTAL	<	0.0011	0.01	0.01	MG/L	1
S9	9/11/2002	Hafnium-TOTAL	<	0.01	0.2		mg/L	UJ
S9	12/12/2002	Hafnium-TOTAL	<	0.1	0.2		mg/L	U
S9	9/11/2003	Hafnium-TOTAL	<	0.1	0.2		mg/L	U
S9	9/3/2004	Hafnium-TOTAL	<	0.0001	0.01		mg/L	1
S9	9/2/2005	Hafnium-Total	<	0.0002	0.01		mg/l	10
S9	9/7/2006	Hafnium-TOTAL	<	0.0002	0.01		mg/l	20

tmpAnalyticalResultsOverTime

S9	9/5/2007	Hafnium-TOTAL	<	0.0002	0.01		mg/l	20	U
S9	9/5/2008	Hafnium-TOTAL	<	0.00005	0.01		mg/l	20	
S9	9/8/2010	Hafnium-TOTAL	<	0.0056	0.05	0.05	MG/L	5	
S10	5/24/2004	Hexachlorobenzene	<	0.8		10	ug/L	1	0.001
S10	5/24/2004	Hexachlorobenzene	<	0.8		10	ug/L	1	
S10	9/10/2004	Hexachlorobenzene	<	0.8		10	ug/L	1	
S10	12/1/2004	Hexachlorobenzene	<	0.8		10	ug/L	1	
S10	12/1/2004	Hexachlorobenzene	<	0.8		10	ug/L	1	
S10	3/3/2005	Hexachlorobenzene	<	2.1		10	ug/L	1	
S11	5/24/2004	Hexachlorobenzene	<	0.8		10	ug/L	1	
S11	9/10/2004	Hexachlorobenzene	<	0.8		10	ug/L	1	
S11	12/1/2004	Hexachlorobenzene	<	0.8		10	ug/L	1	
S11	3/3/2005	Hexachlorobenzene	<	2.1		10	ug/L	1	
S2	4/3/2002	Hexachlorobenzene	<			10	ug/L	1	
S2	6/26/2002	Hexachlorobenzene	<	1.7		10	ug/L	1	
S2	9/18/2002	Hexachlorobenzene	<	1.7		10	ug/L	1	
S2	12/13/2002	Hexachlorobenzene	<	1.7		10	ug/L	1	
S2	3/4/2003	Hexachlorobenzene	<	1.7		10	ug/L	1	
S2	3/4/2003	Hexachlorobenzene	<	1.7		10	ug/L	1	
S2	6/5/2003	Hexachlorobenzene	<	1.7		10	ug/L	1	
S2	9/5/2003	Hexachlorobenzene	<	0.8		10	ug/L	1	
S2	9/5/2003	Hexachlorobenzene	<	0.8		10	ug/L	1	
S2	12/3/2003	Hexachlorobenzene	<	0.8		10	ug/L	1	
S2	9/10/2004	Hexachlorobenzene	<	0.8		10	ug/L	1	
S3	4/3/2002	Hexachlorobenzene	<			10	ug/L	1	
S3	9/19/2002	Hexachlorobenzene	<	1.7		10	ug/L	1	
S3	9/19/2002	Hexachlorobenzene	<	1.7		10	ug/L	1	
S3	12/13/2002	Hexachlorobenzene	<	1.7		10	ug/L	1	
S3	3/5/2003	Hexachlorobenzene	<	1.7		10	ug/L	1	
S3	6/5/2003	Hexachlorobenzene	<	1.7		10	ug/L	1	
S3	9/5/2003	Hexachlorobenzene	<	0.8		10	ug/L	1	
S3	12/2/2003	Hexachlorobenzene	<	0.8		10	ug/L	1	
S3	9/9/2004	Hexachlorobenzene	<	0.8		10	ug/L	1	
S3	9/9/2004	Hexachlorobenzene	<	0.8		10	ug/L	1	
S4	4/3/2002	Hexachlorobenzene	<			10	ug/L	1	
S4	6/25/2002	Hexachlorobenzene	<	1.7		10	ug/L	1	
S4	9/19/2002	Hexachlorobenzene	<	1.7		10	ug/L	1	
S4	12/13/2002	Hexachlorobenzene	<	1.7		10	ug/L	1	
S4	9/8/2003	Hexachlorobenzene	<	0.8		10	ug/L	1	
S4	9/9/2004	Hexachlorobenzene	<	0.8		10	ug/L	1	
S5	4/4/2002	Hexachlorobenzene	<			10	ug/L	1	
S5	6/24/2002	Hexachlorobenzene	<	1.7		10	ug/L	1	
S5	9/20/2002	Hexachlorobenzene	<	1.7		10	ug/L	1	
S5	12/16/2002	Hexachlorobenzene	<	1.7		10	ug/L	1	
S5	9/10/2003	Hexachlorobenzene	<	0.8		10	ug/L	1	
S5	9/8/2004	Hexachlorobenzene	<	0.8		10	ug/L	1	
S6	4/4/2002	Hexachlorobenzene	<			10	ug/L	1	
S6	6/24/2002	Hexachlorobenzene	<	1.7		10	ug/L	1	
S6	6/24/2002	Hexachlorobenzene	<	1.7		10	ug/L	1	
S6	9/23/2002	Hexachlorobenzene	<	1.7		10	ug/L	1	
S6	12/18/2002	Hexachlorobenzene	<	1.7		10	ug/L	1	
S6	9/9/2003	Hexachlorobenzene	<	0.8		10	ug/L	1	
S6	9/8/2004	Hexachlorobenzene	<	0.8		10	ug/L	1	
S7	4/10/2002	Hexachlorobenzene	<			10	ug/L	1	
S7	6/21/2002	Hexachlorobenzene	<	1.7		10	ug/L	1	
S7	9/23/2002	Hexachlorobenzene	<	1.7		10	ug/L	1	
S7	12/17/2002	Hexachlorobenzene	<	1.7		10	ug/L	1	

tmpAnalyticalResultsOverTime

S7	9/11/2003	Hexachlorobenzene	<	0.8	10	ug/L	1	
S7	9/7/2004	Hexachlorobenzene	<	0.8	10	ug/L	1	
S8	4/10/2002	Hexachlorobenzene	<		10	ug/L	1	
S8	6/21/2002	Hexachlorobenzene	<	1.7	10	ug/L	1	
S8	9/20/2002	Hexachlorobenzene	<	1.7	10	ug/L	1	
S8	12/16/2002	Hexachlorobenzene	<	1.7	10	ug/L	1	
S8	9/11/2003	Hexachlorobenzene	<	0.8	10	ug/L	1	
S8	9/3/2004	Hexachlorobenzene	<	0.8	10	ug/L	1	
S9	4/10/2002	Hexachlorobenzene	<		10	ug/L	1	
S9	6/20/2002	Hexachlorobenzene	<	1.7	10	ug/L	1	
S9	9/11/2002	Hexachlorobenzene	<	1.7	10	ug/L	1	
S9	12/12/2002	Hexachlorobenzene	<	1.7	10	ug/L	1	
S9	9/11/2003	Hexachlorobenzene	<	0.8	10	ug/L	1	
S9	9/3/2004	Hexachlorobenzene	<	0.8	10	ug/L	1	
S10	5/24/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	NA
S10	5/24/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S10	9/10/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S10	12/1/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S10	12/1/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S10	3/3/2005	Hexachlorobutadiene	<	0.33	1	ug/L	1	
S11	5/24/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S11	9/10/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S11	12/1/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S11	3/3/2005	Hexachlorobutadiene	<	0.33	1	ug/L	1	
S2	4/3/2002	Hexachlorobutadiene	<		1	ug/L	1	
S2	4/3/2002	Hexachlorobutadiene	<		10	ug/L	1	
S2	6/26/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S2	6/26/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S2	9/18/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S2	9/18/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S2	12/13/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S2	12/13/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S2	3/4/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S2	3/4/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S2	6/5/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S2	9/5/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S2	9/5/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S2	12/3/2003	Hexachlorobutadiene	<	0.36	2	ug/L	2	
S2	9/10/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S3	4/3/2002	Hexachlorobutadiene	<		1	ug/L	1	
S3	4/3/2002	Hexachlorobutadiene	<		10	ug/L	1	
S3	6/25/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S3	9/19/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S3	9/19/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S3	9/19/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S3	9/19/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S3	12/13/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S3	12/13/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S3	3/5/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S3	6/5/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S3	9/5/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S3	12/2/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S3	9/9/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S3	9/9/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S4	4/3/2002	Hexachlorobutadiene	<		1	ug/L	1	
S4	4/3/2002	Hexachlorobutadiene	<		10	ug/L	1	
S4	6/25/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	

tmpAnalyticalResultsOverTime

S4	6/25/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S4	9/19/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S4	9/19/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S4	12/13/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S4	12/13/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S4	9/8/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S4	9/9/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S5	4/4/2002	Hexachlorobutadiene	<		1	ug/L	1	
S5	4/4/2002	Hexachlorobutadiene	<		10	ug/L	1	
S5	6/24/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S5	6/24/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S5	9/20/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S5	9/20/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S5	12/16/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S5	12/16/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S5	9/10/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S5	9/8/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S6	4/4/2002	Hexachlorobutadiene	<		1	ug/L	1	
S6	4/4/2002	Hexachlorobutadiene	<		10	ug/L	1	
S6	6/24/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S6	6/24/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S6	6/24/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S6	6/24/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S6	9/23/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S6	9/23/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S6	12/18/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S6	12/18/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S6	9/9/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S6	9/8/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S7	4/10/2002	Hexachlorobutadiene	<		1	ug/L	1	UJ
S7	4/10/2002	Hexachlorobutadiene	<		10	ug/L	1	
S7	6/21/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S7	6/21/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S7	9/23/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S7	9/23/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S7	12/17/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S7	12/17/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S7	9/11/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S7	9/7/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S8	4/10/2002	Hexachlorobutadiene	<		1	ug/L	1	UJ
S8	4/10/2002	Hexachlorobutadiene	<		10	ug/L	1	
S8	6/21/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S8	6/21/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S8	9/20/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S8	9/20/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S8	12/16/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S8	12/16/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S8	9/11/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S8	9/3/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S9	4/10/2002	Hexachlorobutadiene	<		1	ug/L	1	
S9	4/10/2002	Hexachlorobutadiene	<		10	ug/L	1	
S9	6/20/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S9	6/20/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S9	9/11/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S9	9/11/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	
S9	12/12/2002	Hexachlorobutadiene	<	0.37	1	ug/L	1	
S9	12/12/2002	Hexachlorobutadiene	<	1.7	10	ug/L	1	

tmpAnalyticalResultsOverTime

S9	9/11/2003	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S9	9/3/2004	Hexachlorobutadiene	<	0.18	1	ug/L	1	
S10	5/24/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1	0.05
S10	5/24/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S10	9/10/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S10	12/1/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S10	12/1/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S10	3/3/2005	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S11	5/24/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S11	9/10/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S11	12/1/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S11	3/3/2005	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S2	4/3/2002	Hexachlorocyclopentadiene	<		50	ug/L	1	
S2	6/26/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S2	9/18/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S2	12/13/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S2	3/4/2003	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S2	3/4/2003	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S2	6/5/2003	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S2	9/5/2003	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S2	9/5/2003	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S2	12/3/2003	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S2	9/10/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S3	4/3/2002	Hexachlorocyclopentadiene	<		50	ug/L	1	
S3	9/19/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S3	9/19/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S3	12/13/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S3	3/5/2003	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S3	6/5/2003	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S3	9/5/2003	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S3	12/2/2003	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S3	9/9/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S3	9/9/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S4	4/3/2002	Hexachlorocyclopentadiene	<		50	ug/L	1	
S4	6/25/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S4	9/19/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S4	12/13/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S4	9/8/2003	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S4	9/9/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S5	4/4/2002	Hexachlorocyclopentadiene	<		50	ug/L	1	
S5	6/24/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S5	9/20/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S5	12/16/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S5	9/10/2003	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S5	9/8/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S6	4/4/2002	Hexachlorocyclopentadiene	<		50	ug/L	1	
S6	6/24/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S6	6/24/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S6	9/23/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S6	12/18/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S6	9/9/2003	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S6	9/8/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S7	4/10/2002	Hexachlorocyclopentadiene	<		50	ug/L	1	
S7	6/21/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S7	9/23/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S7	12/17/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S7	9/11/2003	Hexachlorocyclopentadiene	<	5	50	ug/L	1	

tmpAnalyticalResultsOverTime

S7	9/7/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S8	4/10/2002	Hexachlorocyclopentadiene	<		50	ug/L	1	
S8	6/21/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S8	9/20/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S8	12/16/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S8	9/11/2003	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S8	9/3/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S9	4/10/2002	Hexachlorocyclopentadiene	<		50	ug/L	1	
S9	6/20/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S9	9/11/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S9	12/12/2002	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S9	9/11/2003	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S9	9/3/2004	Hexachlorocyclopentadiene	<	5	50	ug/L	1	
S10	5/24/2004	Hexachloroethane	<	0.8	10	ug/L	1	NA
S10	5/24/2004	Hexachloroethane	<	0.8	10	ug/L	1	
S10	9/10/2004	Hexachloroethane	<	0.8	10	ug/L	1	
S10	12/1/2004	Hexachloroethane	<	0.8	10	ug/L	1	
S10	12/1/2004	Hexachloroethane	<	0.8	10	ug/L	1	
S10	3/3/2005	Hexachloroethane	<	1.4	10	ug/L	1	
S11	5/24/2004	Hexachloroethane	<	0.8	10	ug/L	1	
S11	9/10/2004	Hexachloroethane	<	0.8	10	ug/L	1	
S11	12/1/2004	Hexachloroethane	<	0.8	10	ug/L	1	
S11	3/3/2005	Hexachloroethane	<	1.4	10	ug/L	1	
S2	4/3/2002	Hexachloroethane	<		10	ug/L	1	
S2	6/26/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S2	9/18/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S2	12/13/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S2	3/4/2003	Hexachloroethane	<	2.2	10	ug/L	1	
S2	3/4/2003	Hexachloroethane	<	2.2	10	ug/L	1	
S2	6/5/2003	Hexachloroethane	<	2.2	10	ug/L	1	
S2	9/5/2003	Hexachloroethane	<	0.8	10	ug/L	1	
S2	9/5/2003	Hexachloroethane	<	0.8	10	ug/L	1	
S2	12/3/2003	Hexachloroethane	<	0.8	10	ug/L	1	
S2	9/10/2004	Hexachloroethane	<	0.8	10	ug/L	1	
S3	4/3/2002	Hexachloroethane	<		10	ug/L	1	
S3	9/19/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S3	9/19/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S3	12/13/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S3	3/5/2003	Hexachloroethane	<	2.2	10	ug/L	1	
S3	6/5/2003	Hexachloroethane	<	2.2	10	ug/L	1	
S3	9/5/2003	Hexachloroethane	<	0.8	10	ug/L	1	
S3	12/2/2003	Hexachloroethane	<	0.8	10	ug/L	1	
S3	9/9/2004	Hexachloroethane	<	0.8	10	ug/L	1	
S3	9/9/2004	Hexachloroethane	<	0.8	10	ug/L	1	
S4	4/3/2002	Hexachloroethane	<		10	ug/L	1	
S4	6/25/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S4	9/19/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S4	12/13/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S4	9/8/2003	Hexachloroethane	<	0.8	10	ug/L	1	
S4	9/9/2004	Hexachloroethane	<	0.8	10	ug/L	1	
S5	4/4/2002	Hexachloroethane	<		10	ug/L	1	
S5	6/24/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S5	9/20/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S5	12/16/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S5	9/10/2003	Hexachloroethane	<	0.8	10	ug/L	1	
S5	9/8/2004	Hexachloroethane	<	0.8	10	ug/L	1	
S6	4/4/2002	Hexachloroethane	<		10	ug/L	1	

tmpAnalyticalResultsOverTime

S6	6/24/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S6	6/24/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S6	9/23/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S6	12/18/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S6	9/9/2003	Hexachloroethane	<	0.8	10	ug/L	1	
S6	9/8/2004	Hexachloroethane	<	0.8	10	ug/L	1	
S7	4/10/2002	Hexachloroethane	<		10	ug/L	1	
S7	6/21/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S7	9/23/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S7	12/17/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S7	9/11/2003	Hexachloroethane	<	0.8	10	ug/L	1	
S7	9/7/2004	Hexachloroethane	<	0.8	10	ug/L	1	
S8	4/10/2002	Hexachloroethane	<		10	ug/L	1	
S8	6/21/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S8	9/20/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S8	12/16/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S8	9/11/2003	Hexachloroethane	<	0.8	10	ug/L	1	
S8	9/3/2004	Hexachloroethane	<	0.8	10	ug/L	1	
S9	4/10/2002	Hexachloroethane	<		10	ug/L	1	
S9	6/20/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S9	9/11/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S9	12/12/2002	Hexachloroethane	<	2.2	10	ug/L	1	
S9	9/11/2003	Hexachloroethane	<	0.8	10	ug/L	1	
S9	9/3/2004	Hexachloroethane	<	0.8	10	ug/L	1	
S10	5/24/2004	Hexachloropropene	<	1	100	ug/L	1	NA
S10	5/24/2004	Hexachloropropene	<	1	100	ug/L	1	
S10	9/10/2004	Hexachloropropene	<	1	100	ug/L	1	
S10	12/1/2004	Hexachloropropene	<	1	100	ug/L	1	
S10	12/1/2004	Hexachloropropene	<	1	100	ug/L	1	
S10	3/3/2005	Hexachloropropene	<	1	100	ug/L	1	
S11	5/24/2004	Hexachloropropene	<	1	100	ug/L	1	
S11	9/10/2004	Hexachloropropene	<	1	100	ug/L	1	
S11	12/1/2004	Hexachloropropene	<	1	100	ug/L	1	
S11	3/3/2005	Hexachloropropene	<	1	100	ug/L	1	
S2	4/3/2002	Hexachloropropene	<		100	ug/L	1	
S2	6/26/2002	Hexachloropropene	<	1.5	100	ug/L	1	
S2	9/18/2002	Hexachloropropene	<	1.5	100	ug/L	1	
S2	12/13/2002	Hexachloropropene	<	1.1	100	ug/L	1	
S2	3/4/2003	Hexachloropropene	<	1.1	100	ug/L	1	
S2	3/4/2003	Hexachloropropene	<	1.1	100	ug/L	1	
S2	6/5/2003	Hexachloropropene	<	1.1	100	ug/L	1	
S2	9/5/2003	Hexachloropropene	<	1	100	ug/L	1	
S2	9/5/2003	Hexachloropropene	<	1	100	ug/L	1	
S2	12/3/2003	Hexachloropropene	<	1	100	ug/L	1	
S2	9/10/2004	Hexachloropropene	<	1	100	ug/L	1	
S3	4/3/2002	Hexachloropropene	<		100	ug/L	1	
S3	9/19/2002	Hexachloropropene	<	1.5	100	ug/L	1	
S3	9/19/2002	Hexachloropropene	<	1.5	100	ug/L	1	
S3	12/13/2002	Hexachloropropene	<	1.1	100	ug/L	1	
S3	3/5/2003	Hexachloropropene	<	1.1	100	ug/L	1	
S3	6/5/2003	Hexachloropropene	<	1.1	100	ug/L	1	
S3	9/5/2003	Hexachloropropene	<	1	100	ug/L	1	
S3	12/2/2003	Hexachloropropene	<	1	100	ug/L	1	
S3	9/9/2004	Hexachloropropene	<	1	100	ug/L	1	
S3	9/9/2004	Hexachloropropene	<	1	100	ug/L	1	
S4	4/3/2002	Hexachloropropene	<		100	ug/L	1	
S4	6/25/2002	Hexachloropropene	<	1.5	100	ug/L	1	



tmpAnalyticalResultsOverTime

S4	9/19/2002	Hexachloropropene	<	1.5	100	ug/L	1	
S4	12/13/2002	Hexachloropropene	<	1.1	100	ug/L	1	
S4	9/8/2003	Hexachloropropene	<	1	100	ug/L	1	
S4	9/9/2004	Hexachloropropene	<	1	100	ug/L	1	
S5	4/4/2002	Hexachloropropene	<		100	ug/L	1	
S5	6/24/2002	Hexachloropropene	<	1.5	100	ug/L	1	
S5	9/20/2002	Hexachloropropene	<	1.5	100	ug/L	1	
S5	12/16/2002	Hexachloropropene	<	1.1	100	ug/L	1	
S5	9/10/2003	Hexachloropropene	<	1	100	ug/L	1	
S5	9/8/2004	Hexachloropropene	<	1	100	ug/L	1	
S6	4/4/2002	Hexachloropropene	<		100	ug/L	1	
S6	6/24/2002	Hexachloropropene	<	1.5	100	ug/L	1	
S6	6/24/2002	Hexachloropropene	<	1.5	100	ug/L	1	
S6	9/23/2002	Hexachloropropene	<	1.5	100	ug/L	1	
S6	12/18/2002	Hexachloropropene	<	1.1	100	ug/L	1	
S6	9/9/2003	Hexachloropropene	<	1	100	ug/L	1	
S6	9/8/2004	Hexachloropropene	<	1	100	ug/L	1	
S7	4/10/2002	Hexachloropropene	<		100	ug/L	1	
S7	6/21/2002	Hexachloropropene	<	1.5	100	ug/L	1	
S7	9/23/2002	Hexachloropropene	<	1.5	100	ug/L	1	
S7	12/17/2002	Hexachloropropene	<	1.1	100	ug/L	1	
S7	9/11/2003	Hexachloropropene	<	1	100	ug/L	1	
S7	9/7/2004	Hexachloropropene	<	1	100	ug/L	1	
S8	4/10/2002	Hexachloropropene	<		100	ug/L	1	
S8	6/21/2002	Hexachloropropene	<	1.5	100	ug/L	1	
S8	9/20/2002	Hexachloropropene	<	1.5	100	ug/L	1	
S8	12/16/2002	Hexachloropropene	<	1.1	100	ug/L	1	
S8	9/11/2003	Hexachloropropene	<	1	100	ug/L	1	
S8	9/3/2004	Hexachloropropene	<	1	100	ug/L	1	
S9	4/10/2002	Hexachloropropene	<		100	ug/L	1	
S9	6/20/2002	Hexachloropropene	<	1.5	100	ug/L	1	
S9	9/11/2002	Hexachloropropene	<	1.5	100	ug/L	1	
S9	12/12/2002	Hexachloropropene	<	1.1	100	ug/L	1	
S9	9/11/2003	Hexachloropropene	<	1	100	ug/L	1	
S9	9/3/2004	Hexachloropropene	<	1	100	ug/L	1	
S10	5/24/2004	Hexane	<	0.26	1	ug/L	1	NA
S10	5/24/2004	Hexane	<	0.26	1	ug/L	1	
S10	9/10/2004	Hexane	<	0.26	1	ug/L	1	
S10	12/1/2004	Hexane	<	0.26	1	ug/L	1	
S10	12/1/2004	Hexane	<	0.26	1	ug/L	1	
S10	3/3/2005	Hexane	<	0.26	1	ug/L	1	
S11	5/24/2004	Hexane	<	0.26	1	ug/L	1	
S11	9/10/2004	Hexane	<	0.26	1	ug/L	1	
S11	12/1/2004	Hexane	<	0.26	1	ug/L	1	
S11	3/3/2005	Hexane	<	0.26	1	ug/L	1	
S2	4/3/2002	Hexane	<		1	ug/L	1	
S2	6/26/2002	Hexane	<	0.8	1	ug/L	1	
S2	9/18/2002	Hexane	<	0.8	1	ug/L	1	
S2	12/13/2002	Hexane	<	0.8	1	ug/L	1	
S2	3/4/2003	Hexane	<	0.26	1	ug/L	1	
S2	3/4/2003	Hexane	<	0.26	1	ug/L	1	
S2	6/5/2003	Hexane	<	0.26	1	ug/L	1	
S2	9/5/2003	Hexane	<	0.26	1	ug/L	1	
S2	9/5/2003	Hexane	<	0.26	1	ug/L	1	
S2	12/3/2003	Hexane	<	0.52	2	ug/L	2	
S2	9/10/2004	Hexane	<	0.26	1	ug/L	1	
S3	4/3/2002	Hexane	<		1	ug/L	1	

tmpAnalyticalResultsOverTime

S3	6/25/2002	Hexane	<	0.8	1	ug/L	1	
S3	9/19/2002	Hexane	<	0.8	1	ug/L	1	
S3	9/19/2002	Hexane	<	0.8	1	ug/L	1	
S3	12/13/2002	Hexane	<	0.8	1	ug/L	1	
S3	3/5/2003	Hexane	<	0.26	1	ug/L	1	
S3	6/5/2003	Hexane	<	0.26	1	ug/L	1	
S3	9/5/2003	Hexane	<	0.26	1	ug/L	1	
S3	12/2/2003	Hexane	<	0.26	1	ug/L	1	
S3	9/9/2004	Hexane	<	0.26	1	ug/L	1	
S3	9/9/2004	Hexane	<	0.26	1	ug/L	1	
S4	4/3/2002	Hexane	<		1	ug/L	1	
S4	6/25/2002	Hexane	<	0.8	1	ug/L	1	
S4	9/19/2002	Hexane	<	0.8	1	ug/L	1	
S4	12/13/2002	Hexane	<	0.8	1	ug/L	1	
S4	9/8/2003	Hexane	<	0.26	1	ug/L	1	
S4	9/9/2004	Hexane	<	0.26	1	ug/L	1	
S5	4/4/2002	Hexane	<		1	ug/L	1	
S5	6/24/2002	Hexane	<	0.8	1	ug/L	1	
S5	9/20/2002	Hexane	<	0.8	1	ug/L	1	
S5	12/16/2002	Hexane	<	0.8	1	ug/L	1	
S5	9/10/2003	Hexane	<	0.26	1	ug/L	1	
S5	9/8/2004	Hexane	<	0.26	1	ug/L	1	
S6	4/4/2002	Hexane	<		1	ug/L	1	
S6	6/24/2002	Hexane	<	0.8	1	ug/L	1	
S6	6/24/2002	Hexane	<	0.8	1	ug/L	1	
S6	9/23/2002	Hexane	<	0.8	1	ug/L	1	
S6	12/18/2002	Hexane	<	0.8	1	ug/L	1	
S6	9/9/2003	Hexane	<	0.26	1	ug/L	1	
S6	9/8/2004	Hexane	<	0.26	1	ug/L	1	
S7	4/10/2002	Hexane	<		1	ug/L	1	UJ
S7	6/21/2002	Hexane	<	0.8	1	ug/L	1	
S7	9/23/2002	Hexane	<	0.8	1	ug/L	1	
S7	12/17/2002	Hexane	<	0.8	1	ug/L	1	
S7	9/11/2003	Hexane	<	0.26	1	ug/L	1	
S7	9/7/2004	Hexane	<	0.26	1	ug/L	1	
S8	4/10/2002	Hexane	<		1	ug/L	1	UJ
S8	6/21/2002	Hexane	<	0.8	1	ug/L	1	
S8	9/20/2002	Hexane	<	0.8	1	ug/L	1	
S8	12/16/2002	Hexane	<	0.8	1	ug/L	1	
S8	9/11/2003	Hexane	<	0.26	1	ug/L	1	
S8	9/3/2004	Hexane	<	0.26	1	ug/L	1	
S9	4/10/2002	Hexane	<		1	ug/L	1	
S9	6/20/2002	Hexane	<	0.8	1	ug/L	1	
S9	9/11/2002	Hexane	<	0.8	1	ug/L	1	
S9	12/12/2002	Hexane	<	0.8	1	ug/L	1	
S9	9/11/2003	Hexane	<	0.26	1	ug/L	1	
S9	9/3/2004	Hexane	<	0.26	1	ug/L	1	
S10	5/24/2004	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1	NA
S10	5/24/2004	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1	
S10	9/10/2004	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1	
S10	12/1/2004	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1	
S10	12/1/2004	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1	
S10	3/3/2005	Indeno(1,2,3-cd)pyrene	<	1.5	10	ug/L	1	
S11	5/24/2004	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1	
S11	9/10/2004	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1	
S11	12/1/2004	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1	
S11	3/3/2005	Indeno(1,2,3-cd)pyrene	<	1.5	10	ug/L	1	

tmpAnalyticalResultsOverTime

S2	4/3/2002	Indeno(1,2,3-cd)pyrene	<		10	ug/L	1
S2	6/26/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S2	9/18/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S2	12/13/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S2	3/4/2003	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S2	3/4/2003	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S2	6/5/2003	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S2	9/5/2003	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1
S2	9/5/2003	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1
S2	12/3/2003	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1
S2	9/10/2004	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1
S3	4/3/2002	Indeno(1,2,3-cd)pyrene	<		10	ug/L	1
S3	9/19/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S3	9/19/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S3	12/13/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S3	3/5/2003	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S3	6/5/2003	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S3	9/5/2003	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1
S3	12/2/2003	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1
S3	9/9/2004	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1
S3	9/9/2004	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1
S4	4/3/2002	Indeno(1,2,3-cd)pyrene	<		10	ug/L	1
S4	6/25/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S4	9/19/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S4	12/13/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S4	9/8/2003	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1
S4	9/9/2004	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1
S5	4/4/2002	Indeno(1,2,3-cd)pyrene	<		10	ug/L	1
S5	6/24/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S5	9/20/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S5	12/16/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S5	9/10/2003	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1
S5	9/8/2004	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1
S6	4/4/2002	Indeno(1,2,3-cd)pyrene	<		10	ug/L	1
S6	6/24/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S6	6/24/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S6	9/23/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S6	12/18/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S6	9/9/2003	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1
S6	9/8/2004	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1
S7	4/10/2002	Indeno(1,2,3-cd)pyrene	<		10	ug/L	1
S7	6/21/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S7	9/23/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S7	12/17/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S7	9/11/2003	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1
S7	9/7/2004	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1
S8	4/10/2002	Indeno(1,2,3-cd)pyrene	<		10	ug/L	1
S8	6/21/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S8	9/20/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S8	12/16/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S8	9/11/2003	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1
S8	9/3/2004	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1
S9	4/10/2002	Indeno(1,2,3-cd)pyrene	<		10	ug/L	1
S9	6/20/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S9	9/11/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S9	12/12/2002	Indeno(1,2,3-cd)pyrene	<	1.2	10	ug/L	1
S9	9/11/2003	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1

tmpAnalyticalResultsOverTime

S9	9/3/2004	Indeno(1,2,3-cd)pyrene	<	0.8	10	ug/L	1	
S10	5/24/2004	Iodomethane	<	0.19	1	ug/L	1	NA
S10	5/24/2004	Iodomethane	<	0.19	1	ug/L	1	
S10	9/10/2004	Iodomethane	<	0.19	1	ug/L	1	
S10	12/1/2004	Iodomethane	<	0.19	1	ug/L	1	
S10	12/1/2004	Iodomethane	<	0.19	1	ug/L	1	
S10	3/3/2005	Iodomethane	<	0.29	1	ug/L	1	
S11	5/24/2004	Iodomethane	<	0.19	1	ug/L	1	
S11	9/10/2004	Iodomethane	<	0.19	1	ug/L	1	
S11	12/1/2004	Iodomethane	<	0.19	1	ug/L	1	
S11	3/3/2005	Iodomethane	<	0.29	1	ug/L	1	
S2	4/3/2002	Iodomethane	<		1	ug/L	1	
S2	6/26/2002	Iodomethane	<	0.42	1	ug/L	1	
S2	9/18/2002	Iodomethane	<	0.42	1	ug/L	1	
S2	12/13/2002	Iodomethane	<	0.42	1	ug/L	1	
S2	3/4/2003	Iodomethane	<	0.19	1	ug/L	1	
S2	3/4/2003	Iodomethane	<	0.19	1	ug/L	1	
S2	6/5/2003	Iodomethane	<	0.19	1	ug/L	1	
S2	9/5/2003	Iodomethane	<	0.19	1	ug/L	1	
S2	9/5/2003	Iodomethane	<	0.19	1	ug/L	1	
S2	12/3/2003	Iodomethane	<	0.38	2	ug/L	2	
S2	9/10/2004	Iodomethane	<	0.19	1	ug/L	1	
S3	4/3/2002	Iodomethane	<		1	ug/L	1	
S3	6/25/2002	Iodomethane	<	0.42	1	ug/L	1	
S3	9/19/2002	Iodomethane	<	0.42	1	ug/L	1	
S3	9/19/2002	Iodomethane	<	0.42	1	ug/L	1	
S3	12/13/2002	Iodomethane	<	0.42	1	ug/L	1	
S3	3/5/2003	Iodomethane	<	0.19	1	ug/L	1	
S3	6/5/2003	Iodomethane	<	0.19	1	ug/L	1	
S3	9/5/2003	Iodomethane	<	0.19	1	ug/L	1	
S3	12/2/2003	Iodomethane	<	0.19	1	ug/L	1	
S3	9/9/2004	Iodomethane	<	0.19	1	ug/L	1	
S3	9/9/2004	Iodomethane	<	0.19	1	ug/L	1	
S4	4/3/2002	Iodomethane	<		1	ug/L	1	
S4	6/25/2002	Iodomethane	<	0.42	1	ug/L	1	
S4	9/19/2002	Iodomethane	<	0.42	1	ug/L	1	
S4	12/13/2002	Iodomethane	<	0.42	1	ug/L	1	
S4	9/8/2003	Iodomethane	<	0.19	1	ug/L	1	
S4	9/9/2004	Iodomethane	<	0.19	1	ug/L	1	
S5	4/4/2002	Iodomethane	<		1	ug/L	1	
S5	6/24/2002	Iodomethane	<	0.42	1	ug/L	1	
S5	9/20/2002	Iodomethane	<	0.42	1	ug/L	1	
S5	12/16/2002	Iodomethane	<	0.42	1	ug/L	1	
S5	9/10/2003	Iodomethane	<	0.19	1	ug/L	1	
S5	9/8/2004	Iodomethane	<	0.19	1	ug/L	1	
S6	4/4/2002	Iodomethane	<		1	ug/L	1	
S6	6/24/2002	Iodomethane	<	0.42	1	ug/L	1	
S6	6/24/2002	Iodomethane	<	0.42	1	ug/L	1	
S6	9/23/2002	Iodomethane	<	0.42	1	ug/L	1	
S6	12/18/2002	Iodomethane	<	0.42	1	ug/L	1	
S6	9/9/2003	Iodomethane	<	0.19	1	ug/L	1	
S6	9/8/2004	Iodomethane	<	0.19	1	ug/L	1	
S7	4/10/2002	Iodomethane	<		1	ug/L	1	UJ
S7	6/21/2002	Iodomethane	<	0.42	1	ug/L	1	
S7	9/23/2002	Iodomethane	<	0.42	1	ug/L	1	
S7	12/17/2002	Iodomethane	<	0.42	1	ug/L	1	
S7	9/11/2003	Iodomethane	<	0.19	1	ug/L	1	

tmpAnalyticalResultsOverTime

S7	9/7/2004	Iodomethane	<	0.19	1	ug/L	1	
S8	4/10/2002	Iodomethane	<		1	ug/L	1	UJ
S8	6/21/2002	Iodomethane	<	0.42	1	ug/L	1	
S8	9/20/2002	Iodomethane	<	0.42	1	ug/L	1	
S8	12/16/2002	Iodomethane	<	0.42	1	ug/L	1	
S8	9/11/2003	Iodomethane	<	0.19	1	ug/L	1	
S8	9/3/2004	Iodomethane	<	0.19	1	ug/L	1	
S9	4/10/2002	Iodomethane	<		1	ug/L	1	
S9	6/20/2002	Iodomethane	<	0.42	1	ug/L	1	
S9	9/11/2002	Iodomethane	<	0.42	1	ug/L	1	
S9	12/12/2002	Iodomethane	<	0.42	1	ug/L	1	
S9	9/11/2003	Iodomethane	<	0.19	1	ug/L	1	
S9	9/3/2004	Iodomethane	<	0.19	1	ug/L	1	
S2	9/18/2002	Iron-DISSOLVED	<	0.013	0.1	mg/L	1	
S3	4/3/2002	Iron-DISSOLVED	<		0.1	mg/L	1	
S3	9/19/2002	Iron-DISSOLVED	<	0.013	0.1	mg/L	1	
S3	9/19/2002	Iron-DISSOLVED	<	0.013	0.1	mg/L	1	
S3	12/13/2002	Iron-DISSOLVED	<	0.013	0.1	mg/L	1	
S2	3/4/2003	Iron-TOTAL	<	0.013	0.1	mg/L	1	
S2	3/4/2003	Iron-TOTAL	<	0.013	0.1	mg/L	1	
S2	6/5/2003	Iron-TOTAL	<	0.019	0.1	mg/L	1	
S2	9/5/2003	Iron-TOTAL	<	0.1	0.019	0.1	mg/L	1 U
S2	9/5/2003	Iron-TOTAL	<	0.1	0.019	0.1	mg/L	1 U
S2	9/7/2005	Iron-TOTAL	<	0.21	1	MG/L	10	
S2	9/5/2006	Iron-TOTAL	<	0.11	0.5	MG/L	5	
S2	9/2/2008	Iron-TOTAL	<	0.11	0.5	mg/L	5	
S2	9/2/2009	Iron-TOTAL	<	0.11	0.5	MG/L	5	
S2	9/1/2010	Iron-TOTAL	<	0.022	0.022	0.1	MG/L	1
S3	4/3/2002	Iron-TOTAL	<		0.1	mg/L	1	UJ
S3	6/25/2002	Iron-TOTAL	<	0.013	0.1	mg/L	1	
S3	6/5/2003	Iron-TOTAL	<	0.019	0.1	mg/L	1	
S3	9/5/2003	Iron-TOTAL	<	0.12	0.019	0.12	mg/L	1 U
S4	9/10/2007	Iron-TOTAL	<	0.1	0.022	0.1	MG/L	1 U
S4	9/3/2008	Iron-TOTAL	<	0.1	0.022	0.1	MG/L	1 U
S5	9/7/2007	Iron-TOTAL	<	0.11	0.5	MG/L	5	
S5	9/3/2008	Iron-TOTAL	<	0.11	0.022	0.11	MG/L	1 U
S8	9/3/2009	Iron-TOTAL	<	0.022	0.1	MG/L	1	
S9	9/5/2007	Iron-TOTAL	<	0.11	0.5	MG/L	5	
S9	9/5/2008	Iron-TOTAL	<	0.1	0.022	0.1	MG/L	1 U
S10	5/24/2004	Isobutyl alcohol	<	15	50	ug/L	1	NA
S10	5/24/2004	Isobutyl alcohol	<	15	50	ug/L	1	
S10	9/10/2004	Isobutyl alcohol	<	15	50	ug/L	1	
S10	12/1/2004	Isobutyl alcohol	<	15	50	ug/L	1	
S10	12/1/2004	Isobutyl alcohol	<	15	50	ug/L	1	
S10	3/3/2005	Isobutyl alcohol	<	8.7	50	ug/L	1	
S11	5/24/2004	Isobutyl alcohol	<	15	50	ug/L	1	
S11	9/10/2004	Isobutyl alcohol	<	15	50	ug/L	1	
S11	12/1/2004	Isobutyl alcohol	<	15	50	ug/L	1	
S11	3/3/2005	Isobutyl alcohol	<	8.7	50	ug/L	1	
S2	4/3/2002	Isobutyl alcohol	<		50	ug/L	1	
S2	6/26/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S2	9/18/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S2	12/13/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S2	3/4/2003	Isobutyl alcohol	<	15	50	ug/L	1	
S2	3/4/2003	Isobutyl alcohol	<	15	50	ug/L	1	
S2	6/5/2003	Isobutyl alcohol	<	15	50	ug/L	1	
S2	9/5/2003	Isobutyl alcohol	<	15	50	ug/L	1	

tmpAnalyticalResultsOverTime

S2	9/5/2003	Isobutyl alcohol	<	15	50	ug/L	1	
S2	12/3/2003	Isobutyl alcohol	<	30	100	ug/L	2	
S2	9/10/2004	Isobutyl alcohol	<	15	50	ug/L	1	
S3	4/3/2002	Isobutyl alcohol	<		50	ug/L	1	
S3	6/25/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S3	9/19/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S3	9/19/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S3	12/13/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S3	3/5/2003	Isobutyl alcohol	<	15	50	ug/L	1	
S3	6/5/2003	Isobutyl alcohol	<	15	50	ug/L	1	
S3	9/5/2003	Isobutyl alcohol	<	15	50	ug/L	1	
S3	12/2/2003	Isobutyl alcohol	<	15	50	ug/L	1	
S3	9/9/2004	Isobutyl alcohol	<	15	50	ug/L	1	
S3	9/9/2004	Isobutyl alcohol	<	15	50	ug/L	1	
S4	4/3/2002	Isobutyl alcohol	<		50	ug/L	1	
S4	6/25/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S4	9/19/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S4	12/13/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S4	9/8/2003	Isobutyl alcohol	<	15	50	ug/L	1	
S4	9/9/2004	Isobutyl alcohol	<	15	50	ug/L	1	
S5	4/4/2002	Isobutyl alcohol	<		50	ug/L	1	
S5	6/24/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S5	9/20/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S5	12/16/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S5	9/10/2003	Isobutyl alcohol	<	15	50	ug/L	1	
S5	9/8/2004	Isobutyl alcohol	<	15	50	ug/L	1	
S6	4/4/2002	Isobutyl alcohol	<		50	ug/L	1	
S6	6/24/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S6	6/24/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S6	9/23/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S6	12/18/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S6	9/9/2003	Isobutyl alcohol	<	15	50	ug/L	1	
S6	9/8/2004	Isobutyl alcohol	<	15	50	ug/L	1	
S7	4/10/2002	Isobutyl alcohol	<		50	ug/L	1	UJ
S7	6/21/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S7	9/23/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S7	12/17/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S7	9/11/2003	Isobutyl alcohol	<	15	50	ug/L	1	
S7	9/7/2004	Isobutyl alcohol	<	15	50	ug/L	1	
S8	4/10/2002	Isobutyl alcohol	<		50	ug/L	1	UJ
S8	6/21/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S8	9/20/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S8	12/16/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S8	9/11/2003	Isobutyl alcohol	<	15	50	ug/L	1	
S8	9/3/2004	Isobutyl alcohol	<	15	50	ug/L	1	
S9	4/10/2002	Isobutyl alcohol	<		50	ug/L	1	
S9	6/20/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S9	9/11/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S9	12/12/2002	Isobutyl alcohol	<	26	50	ug/L	1	
S9	9/11/2003	Isobutyl alcohol	<	15	50	ug/L	1	
S9	9/3/2004	Isobutyl alcohol	<	15	50	ug/L	1	
S10	5/24/2004	Isodrin	<	5	10	ug/L	1	NA
S10	5/24/2004	Isodrin	<	5	10	ug/L	1	
S10	9/10/2004	Isodrin	<	5	10	ug/L	1	
S10	12/1/2004	Isodrin	<	5	10	ug/L	1	
S10	12/1/2004	Isodrin	<	5	10	ug/L	1	
S10	3/3/2005	Isodrin	<	5	10	ug/L	1	

tmpAnalyticalResultsOverTime

S11	5/24/2004	Isodrin	<	5	10	ug/L	1
S11	9/10/2004	Isodrin	<	5	10	ug/L	1
S11	12/1/2004	Isodrin	<	5	10	ug/L	1
S11	3/3/2005	Isodrin	<	5	10	ug/L	1
S2	4/3/2002	Isodrin	<		10	ug/L	1
S2	6/26/2002	Isodrin	<	2	10	ug/L	1
S2	9/18/2002	Isodrin	<	2	10	ug/L	1
S2	12/13/2002	Isodrin	<	2.6	10	ug/L	1
S2	3/4/2003	Isodrin	<	2.6	10	ug/L	1
S2	3/4/2003	Isodrin	<	2.6	10	ug/L	1
S2	6/5/2003	Isodrin	<	2.6	10	ug/L	1
S2	9/5/2003	Isodrin	<	3	10	ug/L	1
S2	9/5/2003	Isodrin	<	3	10	ug/L	1
S2	12/3/2003	Isodrin	<	3	10	ug/L	1
S2	9/10/2004	Isodrin	<	5	10	ug/L	1
S3	4/3/2002	Isodrin	<		10	ug/L	1
S3	9/19/2002	Isodrin	<	2	10	ug/L	1
S3	9/19/2002	Isodrin	<	2	10	ug/L	1
S3	12/13/2002	Isodrin	<	2.6	10	ug/L	1
S3	3/5/2003	Isodrin	<	2.6	10	ug/L	1
S3	6/5/2003	Isodrin	<	2.6	10	ug/L	1
S3	9/5/2003	Isodrin	<	3	10	ug/L	1
S3	12/2/2003	Isodrin	<	3	10	ug/L	1
S3	9/9/2004	Isodrin	<	5	10	ug/L	1
S3	9/9/2004	Isodrin	<	5	10	ug/L	1
S4	4/3/2002	Isodrin	<		10	ug/L	1
S4	6/25/2002	Isodrin	<	2	10	ug/L	1
S4	9/19/2002	Isodrin	<	2	10	ug/L	1
S4	12/13/2002	Isodrin	<	2.6	10	ug/L	1
S4	9/8/2003	Isodrin	<	3	10	ug/L	1
S4	9/9/2004	Isodrin	<	5	10	ug/L	1
S5	4/4/2002	Isodrin	<		10	ug/L	1
S5	6/24/2002	Isodrin	<	2	10	ug/L	1
S5	9/20/2002	Isodrin	<	2	10	ug/L	1
S5	12/16/2002	Isodrin	<	2.6	10	ug/L	1
S5	9/10/2003	Isodrin	<	3	10	ug/L	1
S5	9/8/2004	Isodrin	<	5	10	ug/L	1
S6	4/4/2002	Isodrin	<		10	ug/L	1
S6	6/24/2002	Isodrin	<	2	10	ug/L	1
S6	6/24/2002	Isodrin	<	2	10	ug/L	1
S6	9/23/2002	Isodrin	<	2	10	ug/L	1
S6	12/18/2002	Isodrin	<	2.6	10	ug/L	1
S6	9/9/2003	Isodrin	<	3	10	ug/L	1
S6	9/8/2004	Isodrin	<	5	10	ug/L	1
S7	4/10/2002	Isodrin	<		10	ug/L	1
S7	6/21/2002	Isodrin	<	2	10	ug/L	1
S7	9/23/2002	Isodrin	<	2	10	ug/L	1
S7	12/17/2002	Isodrin	<	2.6	10	ug/L	1
S7	9/11/2003	Isodrin	<	3	10	ug/L	1
S7	9/7/2004	Isodrin	<	5	10	ug/L	1
S8	4/10/2002	Isodrin	<		10	ug/L	1
S8	6/21/2002	Isodrin	<	2	10	ug/L	1
S8	9/20/2002	Isodrin	<	2	10	ug/L	1
S8	12/16/2002	Isodrin	<	2.6	10	ug/L	1
S8	9/11/2003	Isodrin	<	3	10	ug/L	1
S8	9/3/2004	Isodrin	<	5	10	ug/L	1
S9	4/10/2002	Isodrin	<		10	ug/L	1

tmpAnalyticalResultsOverTime

Sample ID	Date	Compound	Result	Unit	Limit	Method	Notes
S9	6/20/2002	Isodrin	<	2	10	ug/L	1
S9	9/11/2002	Isodrin	<	2	10	ug/L	1
S9	12/12/2002	Isodrin	<	2.6	10	ug/L	1
S9	9/11/2003	Isodrin	<	3	10	ug/L	1
S9	9/3/2004	Isodrin	<	5	10	ug/L	1
S10	5/24/2004	Isophorone	<	0.9	10	ug/L	1 NA
S10	5/24/2004	Isophorone	<	0.9	10	ug/L	1
S10	9/10/2004	Isophorone	<	0.9	10	ug/L	1
S10	12/1/2004	Isophorone	<	0.9	10	ug/L	1
S10	12/1/2004	Isophorone	<	0.9	10	ug/L	1
S10	3/3/2005	Isophorone	<	1.5	10	ug/L	1
S11	5/24/2004	Isophorone	<	0.9	10	ug/L	1
S11	9/10/2004	Isophorone	<	0.9	10	ug/L	1
S11	12/1/2004	Isophorone	<	0.9	10	ug/L	1
S11	3/3/2005	Isophorone	<	1.5	10	ug/L	1
S2	4/3/2002	Isophorone	<		10	ug/L	1
S2	6/26/2002	Isophorone	<	2.3	10	ug/L	1
S2	9/18/2002	Isophorone	<	2.3	10	ug/L	1
S2	12/13/2002	Isophorone	<	2.3	10	ug/L	1
S2	3/4/2003	Isophorone	<	2.3	10	ug/L	1
S2	3/4/2003	Isophorone	<	2.3	10	ug/L	1
S2	6/5/2003	Isophorone	<	2.3	10	ug/L	1
S2	9/5/2003	Isophorone	<	0.9	10	ug/L	1
S2	9/5/2003	Isophorone	<	0.9	10	ug/L	1
S2	12/3/2003	Isophorone	<	0.9	10	ug/L	1
S2	9/10/2004	Isophorone	<	0.9	10	ug/L	1
S3	4/3/2002	Isophorone	<		10	ug/L	1
S3	9/19/2002	Isophorone	<	2.3	10	ug/L	1
S3	9/19/2002	Isophorone	<	2.3	10	ug/L	1
S3	12/13/2002	Isophorone	<	2.3	10	ug/L	1
S3	3/5/2003	Isophorone	<	2.3	10	ug/L	1
S3	6/5/2003	Isophorone	<	2.3	10	ug/L	1
S3	9/5/2003	Isophorone	<	0.9	10	ug/L	1
S3	12/2/2003	Isophorone	<	0.9	10	ug/L	1
S3	9/9/2004	Isophorone	<	0.9	10	ug/L	1
S3	9/9/2004	Isophorone	<	0.9	10	ug/L	1
S4	4/3/2002	Isophorone	<		10	ug/L	1
S4	6/25/2002	Isophorone	<	2.3	10	ug/L	1
S4	9/19/2002	Isophorone	<	2.3	10	ug/L	1
S4	12/13/2002	Isophorone	<	2.3	10	ug/L	1
S4	9/8/2003	Isophorone	<	0.9	10	ug/L	1
S4	9/9/2004	Isophorone	<	0.9	10	ug/L	1
S5	4/4/2002	Isophorone	<		10	ug/L	1
S5	6/24/2002	Isophorone	<	2.3	10	ug/L	1
S5	9/20/2002	Isophorone	<	2.3	10	ug/L	1
S5	12/16/2002	Isophorone	<	2.3	10	ug/L	1
S5	9/10/2003	Isophorone	<	0.9	10	ug/L	1
S5	9/8/2004	Isophorone	<	0.9	10	ug/L	1
S6	4/4/2002	Isophorone	<		10	ug/L	1
S6	6/24/2002	Isophorone	<	2.3	10	ug/L	1
S6	6/24/2002	Isophorone	<	2.3	10	ug/L	1
S6	9/23/2002	Isophorone	<	2.3	10	ug/L	1
S6	12/18/2002	Isophorone	<	2.3	10	ug/L	1
S6	9/9/2003	Isophorone	<	0.9	10	ug/L	1
S6	9/8/2004	Isophorone	<	0.9	10	ug/L	1
S7	4/10/2002	Isophorone	<		10	ug/L	1
S7	6/21/2002	Isophorone	<	2.3	10	ug/L	1



tmpAnalyticalResultsOverTime

S7	9/23/2002	Isophorone	<	2.3	10	ug/L	1	
S7	12/17/2002	Isophorone	<	2.3	10	ug/L	1	
S7	9/11/2003	Isophorone	<	0.9	10	ug/L	1	
S7	9/7/2004	Isophorone	<	0.9	10	ug/L	1	
S8	4/10/2002	Isophorone	<		10	ug/L	1	
S8	6/21/2002	Isophorone	<	2.3	10	ug/L	1	
S8	9/20/2002	Isophorone	<	2.3	10	ug/L	1	
S8	12/16/2002	Isophorone	<	2.3	10	ug/L	1	
S8	9/11/2003	Isophorone	<	0.9	10	ug/L	1	
S8	9/3/2004	Isophorone	<	0.9	10	ug/L	1	
S9	4/10/2002	Isophorone	<		10	ug/L	1	
S9	6/20/2002	Isophorone	<	2.3	10	ug/L	1	
S9	9/11/2002	Isophorone	<	2.3	10	ug/L	1	
S9	12/12/2002	Isophorone	<	2.3	10	ug/L	1	
S9	9/11/2003	Isophorone	<	0.9	10	ug/L	1	
S9	9/3/2004	Isophorone	<	0.9	10	ug/L	1	
S10	5/24/2004	Isopropyl ether	<	1.1	10	ug/L	1	NA
S10	5/24/2004	Isopropyl ether	<	1.1	10	ug/L	1	
S10	9/10/2004	Isopropyl ether	<	1.1	10	ug/L	1	
S10	12/1/2004	Isopropyl ether	<	1.1	10	ug/L	1	
S10	12/1/2004	Isopropyl ether	<	1.1	10	ug/L	1	
S10	3/3/2005	Isopropyl ether	<	0.52	10	ug/L	1	
S11	5/24/2004	Isopropyl ether	<	1.1	10	ug/L	1	
S11	9/10/2004	Isopropyl ether	<	1.1	10	ug/L	1	
S11	12/1/2004	Isopropyl ether	<	1.1	10	ug/L	1	
S11	3/3/2005	Isopropyl ether	<	0.52	10	ug/L	1	
S2	4/3/2002	Isopropyl ether	<		10	ug/L	1	
S2	6/26/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S2	9/18/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S2	12/13/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S2	3/4/2003	Isopropyl ether	<	1.1	10	ug/L	1	
S2	3/4/2003	Isopropyl ether	<	1.1	10	ug/L	1	
S2	6/5/2003	Isopropyl ether	<	1.1	10	ug/L	1	
S2	9/5/2003	Isopropyl ether	<	1.1	10	ug/L	1	
S2	9/5/2003	Isopropyl ether	<	1.1	10	ug/L	1	
S2	12/3/2003	Isopropyl ether	<	2.2	20	ug/L	2	
S2	9/10/2004	Isopropyl ether	<	1.1	10	ug/L	1	
S3	4/3/2002	Isopropyl ether	<		10	ug/L	1	
S3	6/25/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S3	9/19/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S3	9/19/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S3	12/13/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S3	3/5/2003	Isopropyl ether	<	1.1	10	ug/L	1	
S3	6/5/2003	Isopropyl ether	<	1.1	10	ug/L	1	
S3	9/5/2003	Isopropyl ether	<	1.1	10	ug/L	1	
S3	12/2/2003	Isopropyl ether	<	1.1	10	ug/L	1	
S3	9/9/2004	Isopropyl ether	<	1.1	10	ug/L	1	
S3	9/9/2004	Isopropyl ether	<	1.1	10	ug/L	1	
S4	4/3/2002	Isopropyl ether	<		10	ug/L	1	
S4	6/25/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S4	9/19/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S4	12/13/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S4	9/8/2003	Isopropyl ether	<	1.1	10	ug/L	1	
S4	9/9/2004	Isopropyl ether	<	1.1	10	ug/L	1	
S5	4/4/2002	Isopropyl ether	<		10	ug/L	1	
S5	6/24/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S5	9/20/2002	Isopropyl ether	<	1.7	10	ug/L	1	

tmpAnalyticalResultsOverTime

S5	12/16/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S5	9/10/2003	Isopropyl ether	<	1.1	10	ug/L	1	
S5	9/8/2004	Isopropyl ether	<	1.1	10	ug/L	1	
S6	4/4/2002	Isopropyl ether	<		10	ug/L	1	
S6	6/24/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S6	6/24/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S6	9/23/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S6	12/18/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S6	9/9/2003	Isopropyl ether	<	1.1	10	ug/L	1	
S6	9/8/2004	Isopropyl ether	<	1.1	10	ug/L	1	
S7	4/10/2002	Isopropyl ether	<		10	ug/L	1	UJ
S7	6/21/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S7	9/23/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S7	12/17/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S7	9/11/2003	Isopropyl ether	<	1.1	10	ug/L	1	
S7	9/7/2004	Isopropyl ether	<	1.1	10	ug/L	1	
S8	4/10/2002	Isopropyl ether	<		10	ug/L	1	UJ
S8	6/21/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S8	9/20/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S8	12/16/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S8	9/11/2003	Isopropyl ether	<	1.1	10	ug/L	1	
S8	9/3/2004	Isopropyl ether	<	1.1	10	ug/L	1	
S9	4/10/2002	Isopropyl ether	<		10	ug/L	1	
S9	6/20/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S9	9/11/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S9	12/12/2002	Isopropyl ether	<	1.7	10	ug/L	1	
S9	9/11/2003	Isopropyl ether	<	1.1	10	ug/L	1	
S9	9/3/2004	Isopropyl ether	<	1.1	10	ug/L	1	
S10	5/24/2004	Isopropylbenzene	<	0.17	1	ug/L	1	NA
S10	5/24/2004	Isopropylbenzene	<	0.17	1	ug/L	1	
S10	9/10/2004	Isopropylbenzene	<	0.17	1	ug/L	1	
S10	12/1/2004	Isopropylbenzene	<	0.17	1	ug/L	1	
S10	12/1/2004	Isopropylbenzene	<	0.17	1	ug/L	1	
S10	3/3/2005	Isopropylbenzene	<	0.25	1	ug/L	1	
S11	5/24/2004	Isopropylbenzene	<	0.17	1	ug/L	1	
S11	9/10/2004	Isopropylbenzene	<	0.17	1	ug/L	1	
S11	12/1/2004	Isopropylbenzene	<	0.17	1	ug/L	1	
S11	3/3/2005	Isopropylbenzene	<	0.25	1	ug/L	1	
S2	4/3/2002	Isopropylbenzene	<		1	ug/L	1	
S2	6/26/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S2	9/18/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S2	12/13/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S2	3/4/2003	Isopropylbenzene	<	0.17	1	ug/L	1	
S2	3/4/2003	Isopropylbenzene	<	0.17	1	ug/L	1	
S2	6/5/2003	Isopropylbenzene	<	0.17	1	ug/L	1	
S2	9/5/2003	Isopropylbenzene	<	0.17	1	ug/L	1	
S2	9/5/2003	Isopropylbenzene	<	0.17	1	ug/L	1	
S2	12/3/2003	Isopropylbenzene	<	0.34	2	ug/L	2	
S2	9/10/2004	Isopropylbenzene	<	0.17	1	ug/L	1	
S3	4/3/2002	Isopropylbenzene	<		1	ug/L	1	
S3	6/25/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S3	9/19/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S3	9/19/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S3	12/13/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S3	3/5/2003	Isopropylbenzene	<	0.17	1	ug/L	1	
S3	6/5/2003	Isopropylbenzene	<	0.17	1	ug/L	1	
S3	9/5/2003	Isopropylbenzene	<	0.17	1	ug/L	1	

tmpAnalyticalResultsOverTime

S3	12/2/2003	Isopropylbenzene	<	0.17	1	ug/L	1	
S3	9/9/2004	Isopropylbenzene	<	0.17	1	ug/L	1	
S3	9/9/2004	Isopropylbenzene	<	0.17	1	ug/L	1	
S4	4/3/2002	Isopropylbenzene	<		1	ug/L	1	
S4	6/25/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S4	9/19/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S4	12/13/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S4	9/8/2003	Isopropylbenzene	<	0.17	1	ug/L	1	
S4	9/9/2004	Isopropylbenzene	<	0.17	1	ug/L	1	
S5	4/4/2002	Isopropylbenzene	<		1	ug/L	1	
S5	6/24/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S5	9/20/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S5	12/16/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S5	9/10/2003	Isopropylbenzene	<	0.17	1	ug/L	1	
S5	9/8/2004	Isopropylbenzene	<	0.17	1	ug/L	1	
S6	4/4/2002	Isopropylbenzene	<		1	ug/L	1	
S6	6/24/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S6	6/24/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S6	9/23/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S6	12/18/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S6	9/9/2003	Isopropylbenzene	<	0.17	1	ug/L	1	
S6	9/8/2004	Isopropylbenzene	<	0.17	1	ug/L	1	
S7	4/10/2002	Isopropylbenzene	<		1	ug/L	1	UJ
S7	6/21/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S7	9/23/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S7	12/17/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S7	9/11/2003	Isopropylbenzene	<	0.17	1	ug/L	1	
S7	9/7/2004	Isopropylbenzene	<	0.17	1	ug/L	1	
S8	4/10/2002	Isopropylbenzene	<		1	ug/L	1	UJ
S8	6/21/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S8	9/20/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S8	12/16/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S8	9/11/2003	Isopropylbenzene	<	0.17	1	ug/L	1	
S8	9/3/2004	Isopropylbenzene	<	0.17	1	ug/L	1	
S9	4/10/2002	Isopropylbenzene	<		1	ug/L	1	
S9	6/20/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S9	9/11/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S9	12/12/2002	Isopropylbenzene	<	0.3	1	ug/L	1	
S9	9/11/2003	Isopropylbenzene	<	0.17	1	ug/L	1	
S9	9/3/2004	Isopropylbenzene	<	0.17	1	ug/L	1	
S10	5/24/2004	Isosafrole	<	3	20	ug/L	1	NA
S10	5/24/2004	Isosafrole	<	3	20	ug/L	1	
S10	9/10/2004	Isosafrole	<	3	20	ug/L	1	
S10	12/1/2004	Isosafrole	<	3	20	ug/L	1	
S10	12/1/2004	Isosafrole	<	3	20	ug/L	1	
S10	3/3/2005	Isosafrole	<	3	20	ug/L	1	
S11	5/24/2004	Isosafrole	<	3	20	ug/L	1	
S11	9/10/2004	Isosafrole	<	3	20	ug/L	1	
S11	12/1/2004	Isosafrole	<	3	20	ug/L	1	
S11	3/3/2005	Isosafrole	<	3	20	ug/L	1	
S2	4/3/2002	Isosafrole	<		20	ug/L	1	
S2	6/26/2002	Isosafrole	<	1.9	20	ug/L	1	
S2	9/18/2002	Isosafrole	<	1.9	20	ug/L	1	
S2	12/13/2002	Isosafrole	<	2	20	ug/L	1	
S2	3/4/2003	Isosafrole	<	2	20	ug/L	1	
S2	3/4/2003	Isosafrole	<	2	20	ug/L	1	
S2	6/5/2003	Isosafrole	<	2	20	ug/L	1	

tmpAnalyticalResultsOverTime

S2	9/5/2003	Isosafrole	<	2	20	ug/L	1	
S2	9/5/2003	Isosafrole	<	2	20	ug/L	1	
S2	12/3/2003	Isosafrole	<	2	20	ug/L	1	
S2	9/10/2004	Isosafrole	<	3	20	ug/L	1	
S3	4/3/2002	Isosafrole	<		20	ug/L	1	
S3	9/19/2002	Isosafrole	<	1.9	20	ug/L	1	
S3	9/19/2002	Isosafrole	<	1.9	20	ug/L	1	
S3	12/13/2002	Isosafrole	<	2	20	ug/L	1	
S3	3/5/2003	Isosafrole	<	2	20	ug/L	1	
S3	6/5/2003	Isosafrole	<	2	20	ug/L	1	
S3	9/5/2003	Isosafrole	<	2	20	ug/L	1	
S3	12/2/2003	Isosafrole	<	2	20	ug/L	1	
S3	9/9/2004	Isosafrole	<	3	20	ug/L	1	
S3	9/9/2004	Isosafrole	<	3	20	ug/L	1	
S4	4/3/2002	Isosafrole	<		20	ug/L	1	
S4	6/25/2002	Isosafrole	<	1.9	20	ug/L	1	
S4	9/19/2002	Isosafrole	<	1.9	20	ug/L	1	
S4	12/13/2002	Isosafrole	<	2	20	ug/L	1	
S4	9/8/2003	Isosafrole	<	2	20	ug/L	1	
S4	9/9/2004	Isosafrole	<	3	20	ug/L	1	
S5	4/4/2002	Isosafrole	<		20	ug/L	1	
S5	6/24/2002	Isosafrole	<	1.9	20	ug/L	1	
S5	9/20/2002	Isosafrole	<	1.9	20	ug/L	1	
S5	12/16/2002	Isosafrole	<	2	20	ug/L	1	
S5	9/10/2003	Isosafrole	<	2	20	ug/L	1	
S5	9/8/2004	Isosafrole	<	3	20	ug/L	1	
S6	4/4/2002	Isosafrole	<		20	ug/L	1	
S6	6/24/2002	Isosafrole	<	1.9	20	ug/L	1	
S6	6/24/2002	Isosafrole	<	1.9	20	ug/L	1	
S6	9/23/2002	Isosafrole	<	1.9	20	ug/L	1	
S6	12/18/2002	Isosafrole	<	2	20	ug/L	1	
S6	9/9/2003	Isosafrole	<	2	20	ug/L	1	
S6	9/8/2004	Isosafrole	<	3	20	ug/L	1	
S7	4/10/2002	Isosafrole	<		20	ug/L	1	
S7	6/21/2002	Isosafrole	<	1.9	20	ug/L	1	
S7	9/23/2002	Isosafrole	<	1.9	20	ug/L	1	
S7	12/17/2002	Isosafrole	<	2	20	ug/L	1	
S7	9/11/2003	Isosafrole	<	2	20	ug/L	1	
S7	9/7/2004	Isosafrole	<	3	20	ug/L	1	
S8	4/10/2002	Isosafrole	<		20	ug/L	1	
S8	6/21/2002	Isosafrole	<	1.9	20	ug/L	1	
S8	9/20/2002	Isosafrole	<	1.9	20	ug/L	1	
S8	12/16/2002	Isosafrole	<	2	20	ug/L	1	
S8	9/11/2003	Isosafrole	<	2	20	ug/L	1	
S8	9/3/2004	Isosafrole	<	3	20	ug/L	1	
S9	4/10/2002	Isosafrole	<		20	ug/L	1	
S9	6/20/2002	Isosafrole	<	1.9	20	ug/L	1	
S9	9/11/2002	Isosafrole	<	1.9	20	ug/L	1	
S9	12/12/2002	Isosafrole	<	2	20	ug/L	1	
S9	9/11/2003	Isosafrole	<	2	20	ug/L	1	
S9	9/3/2004	Isosafrole	<	3	20	ug/L	1	
S10	5/24/2004	Lead-DISSOLVED	<	0.0021	0.009	mg/L	1	0.015
S10	5/24/2004	Lead-DISSOLVED	<	0.0021	0.01	mg/L	1 UJ	
S10	9/10/2004	Lead-DISSOLVED	<	0.0015	0.003	mg/L	1	
S10	12/1/2004	Lead-DISSOLVED	<	0.0015	0.003	mg/L	1	
S10	12/1/2004	Lead-DISSOLVED	<	0.0015	0.003	mg/L	1	
S10	3/3/2005	Lead-DISSOLVED	<	0.0015	0.003	mg/L	1	

tmpAnalyticalResultsOverTime

S11	5/24/2004	Lead-DISSOLVED	<	0.0021	0.014	mg/L	1	
S11	9/10/2004	Lead-DISSOLVED	<	0.0075	0.015	mg/L	5	
S11	12/1/2004	Lead-DISSOLVED	<	0.0075	0.015	mg/L	5	
S11	3/3/2005	Lead-DISSOLVED	<	0.0075	0.015	mg/L	5	
S2	4/3/2002	Lead-DISSOLVED	<		0.015	mg/L	5	
S2	6/26/2002	Lead-DISSOLVED	<	0.004	0.006	mg/L	2	
S2	9/18/2002	Lead-DISSOLVED	<	0.01	0.015	mg/L	5	
S2	12/13/2002	Lead-DISSOLVED	<	0.01	0.015	mg/L	5	
S3	4/3/2002	Lead-DISSOLVED	<		0.015	mg/L	5	
S3	6/25/2002	Lead-DISSOLVED	<	0.004	0.006	mg/L	2	
S3	9/19/2002	Lead-DISSOLVED	<	0.002	0.003	mg/L	1	
S3	9/19/2002	Lead-DISSOLVED	<	0.002	0.003	mg/L	1	
S3	12/13/2002	Lead-DISSOLVED	<	0.01	0.015	mg/L	5	
S4	4/3/2002	Lead-DISSOLVED	<		0.003	mg/L	1	
S4	6/25/2002	Lead-DISSOLVED	<	0.002	0.003	mg/L	1	
S4	9/19/2002	Lead-DISSOLVED	<	0.002	0.003	mg/L	1	
S4	12/13/2002	Lead-DISSOLVED	<	0.01	0.015	mg/L	5	
S5	4/4/2002	Lead-DISSOLVED	<		0.006	mg/L	2 UJ	
S5	6/24/2002	Lead-DISSOLVED	<	0.002	0.003	mg/L	1	
S5	9/20/2002	Lead-DISSOLVED	<	0.002	0.003	mg/L	1	
S5	12/16/2002	Lead-DISSOLVED	<	0.01	0.015	mg/L	5	
S6	4/4/2002	Lead-DISSOLVED	<		0.006	mg/L	2 UJ	
S6	6/24/2002	Lead-DISSOLVED	<	0.002	0.003	mg/L	1	
S6	6/24/2002	Lead-DISSOLVED	<	0.002	0.003	mg/L	1	
S6	9/23/2002	Lead-DISSOLVED	<	0.002	0.003	mg/L	1	
S6	12/18/2002	Lead-DISSOLVED	<	0.01	0.015	mg/L	5	
S7	4/10/2002	Lead-DISSOLVED	<		0.003	mg/L	1	
S7	6/21/2002	Lead-DISSOLVED	<	0.002	0.003	mg/L	1	
S7	9/23/2002	Lead-DISSOLVED	<	0.002	0.003	mg/L	1	
S8	4/10/2002	Lead-DISSOLVED	<		0.003	mg/L	1	
S8	6/21/2002	Lead-DISSOLVED	<	0.002	0.003	mg/L	1	
S8	9/20/2002	Lead-DISSOLVED	<	0.002	0.003	mg/L	1	
S8	12/16/2002	Lead-DISSOLVED	<	0.01	0.015	mg/L	5	
S9	4/10/2002	Lead-DISSOLVED	<		0.003	mg/L	1	
S9	6/20/2002	Lead-DISSOLVED	<	0.002	0.003	mg/L	1	
S9	9/11/2002	Lead-DISSOLVED	<	0.002	0.003	mg/L	1	
S10	5/24/2004	Lead-TOTAL	<	0.0021	0.009	mg/L	1	
S10	5/24/2004	Lead-TOTAL	<	0.0021	0.009	mg/L	1	
S10	9/10/2004	Lead-TOTAL	<	0.0075	0.015	mg/L	5	
S10	12/1/2004	Lead-TOTAL	<	0.0015	0.003	mg/L	1	
S10	12/1/2004	Lead-TOTAL	<	0.0015	0.003	mg/L	1	
S10	3/3/2005	Lead-TOTAL	<	0.0015	0.003	mg/L	1	
S10	9/7/2005	Lead-TOTAL	<	0.0026	0.003	MG/L	1	
S10	9/6/2006	Lead-TOTAL	<	0.00036	0.002	MG/L	2	
S10	9/4/2007	Lead-TOTAL	<	0.0018	0.01	MG/L	10 UJ	
S10	9/2/2008	Lead-TOTAL	<	0.00018	0.001	mg/L	1 UJ	
S10	9/1/2009	Lead-TOTAL	<	0.00018	0.001	MG/L	1	
S10	9/1/2010	Lead-TOTAL	<	0.0009	0.0009	0.005	MG/L	5
S10	9/1/2010	Lead-TOTAL	<	0.0009	0.0009	0.005	MG/L	5
S11	5/24/2004	Lead-TOTAL	<	0.0021	0.013	mg/L	1	
S11	9/10/2004	Lead-TOTAL	<	0.0075	0.015	mg/L	5	
S11	12/1/2004	Lead-TOTAL	<	0.0015	0.003	mg/L	1	
S11	3/3/2005	Lead-TOTAL	<	0.003	0.006	mg/L	2	
S11	9/7/2005	Lead-TOTAL	<	0.0026	0.007	MG/L	1	
S11	9/6/2006	Lead-TOTAL	<	0.0018	0.01	MG/L	10	
S11	9/4/2007	Lead-TOTAL	<	0.0018	0.01	MG/L	10 UJ	
S11	9/3/2008	Lead-TOTAL	<	0.0009	0.005	MG/L	5	

tmpAnalyticalResultsOverTime

S11	9/3/2008	Lead-TOTAL	<	0.0009	0.005	MG/L	5
S11	9/2/2009	Lead-TOTAL	<	0.0018	0.01	MG/L	10
S11	9/2/2010	Lead-TOTAL	<	0.0009	0.0009	0.005	MG/L 5
S2	4/3/2002	Lead-TOTAL	<		0.015	mg/L	5 UJ
S2	6/26/2002	Lead-TOTAL	<	0.004	0.006	mg/L	2
S2	9/18/2002	Lead-TOTAL	<	0.01	0.015	mg/L	5
S2	12/13/2002	Lead-TOTAL	<	0.01	0.015	mg/L	5
S2	3/4/2003	Lead-TOTAL	<	0.02	0.03	mg/L	10
S2	3/4/2003	Lead-TOTAL	<	0.01	0.015	mg/L	5
S2	6/5/2003	Lead-TOTAL	<	0.021	0.03	mg/L	10
S2	9/5/2003	Lead-TOTAL	<	0.01	0.015	mg/L	5
S2	9/5/2003	Lead-TOTAL	<	0.01	0.015	mg/L	5 UJ
S2	12/3/2003	Lead-TOTAL	<	0.01	0.015	mg/L	5
S2	9/10/2004	Lead-TOTAL	<	0.0075	0.015	mg/L	5
S2	9/7/2005	Lead-TOTAL	<	0.013	0.015	MG/L	5
S2	9/5/2006	Lead-TOTAL	<	0.0009	0.005	MG/L	5
S2	9/4/2007	Lead-TOTAL	<	0.0018	0.01	MG/L	10 UJ
S2	9/2/2008	Lead-TOTAL	<	0.00018	0.001	mg/L	1 UJ
S2	9/2/2009	Lead-TOTAL	<	0.0018	0.01	MG/L	10
S2	9/1/2010	Lead-TOTAL	<	0.0009	0.0009	0.005	MG/L 5
S3	4/3/2002	Lead-TOTAL	<		0.015	mg/L	5 UJ
S3	6/25/2002	Lead-TOTAL	<	0.004	0.006	mg/L	2
S3	9/19/2002	Lead-TOTAL	<	0.002	0.003	mg/L	1
S3	9/19/2002	Lead-TOTAL	<	0.002	0.003	mg/L	1
S3	12/13/2002	Lead-TOTAL	<	0.01	0.015	mg/L	5
S3	3/5/2003	Lead-TOTAL	<	0.002	0.003	mg/L	1
S3	6/5/2003	Lead-TOTAL	<	0.0021	0.003	mg/L	1
S3	12/2/2003	Lead-TOTAL	<	0.0021	0.003	mg/L	1
S3	9/9/2004	Lead-TOTAL	<	0.0021	0.003	mg/L	1
S3	9/9/2004	Lead-TOTAL	<	0.0021	0.003	mg/L	1
S3	9/7/2005	Lead-TOTAL	<	0.0026	0.003	MG/L	1
S3	9/5/2006	Lead-TOTAL	<	0.00018	0.001	MG/L	1
S3	9/4/2007	Lead-TOTAL	<	0.0018	0.01	MG/L	10 UJ
S3	9/2/2008	Lead-TOTAL	<	0.00018	0.001	mg/L	1 UJ
S3	9/2/2009	Lead-TOTAL	<	0.0018	0.01	MG/L	10
S3	9/1/2010	Lead-TOTAL	<	0.0009	0.0009	0.005	MG/L 5
S4	4/3/2002	Lead-TOTAL	<		0.003	mg/L	1 UJ
S4	6/25/2002	Lead-TOTAL	<	0.002	0.003	mg/L	1
S4	9/19/2002	Lead-TOTAL	<	0.002	0.003	mg/L	1
S4	12/13/2002	Lead-TOTAL	<	0.01	0.015	mg/L	5
S4	9/8/2003	Lead-TOTAL	<	0.0021	0.003	mg/L	1
S4	9/9/2004	Lead-TOTAL	<	0.0021	0.003	mg/L	1
S4	9/8/2005	Lead-TOTAL	<	0.0026	0.003	MG/L	1
S4	9/6/2006	Lead-TOTAL	<	0.0009	0.005	MG/L	5
S4	9/10/2007	Lead-TOTAL	<	0.00018	0.001	MG/L	1 UJ
S4	9/3/2008	Lead-TOTAL	<	0.00036	0.002	MG/L	2
S4	9/2/2009	Lead-TOTAL	<	0.0018	0.01	MG/L	10
S4	9/2/2010	Lead-TOTAL	<	0.0009	0.0009	0.005	MG/L 5
S5	4/4/2002	Lead-TOTAL	<		0.003	mg/L	1 UJ
S5	6/24/2002	Lead-TOTAL	<	0.002	0.003	mg/L	1
S5	9/20/2002	Lead-TOTAL	<	0.002	0.003	mg/L	1
S5	9/10/2003	Lead-TOTAL	<	0.0021	0.003	mg/L	1
S5	9/8/2004	Lead-TOTAL	<	0.0015	0.003	mg/L	1 UJ
S5	9/8/2005	Lead-TOTAL	<	0.0026	0.003	MG/L	1
S5	9/6/2006	Lead-TOTAL	<	0.0009	0.005	MG/L	5
S5	9/7/2007	Lead-TOTAL	<	0.00018	0.001	MG/L	1 UJ
S5	9/3/2008	Lead-TOTAL	<	0.00036	0.002	MG/L	2

tmpAnalyticalResultsOverTime

S5	9/2/2009	Lead-TOTAL	<		0.0018	0.01	MG/L	10	
S5	9/3/2010	Lead-TOTAL	<	0.0009	0.0009	0.005	MG/L	5	
S6	4/4/2002	Lead-TOTAL	<			0.015	mg/L	5 UJ	
S6	6/24/2002	Lead-TOTAL	<		0.002	0.003	mg/L	1	
S6	6/24/2002	Lead-TOTAL	<		0.002	0.003	mg/L	1	
S6	9/23/2002	Lead-TOTAL	<		0.002	0.003	mg/L	1	
S6	12/18/2002	Lead-TOTAL	<		0.01	0.015	mg/L	5	
S6	9/9/2003	Lead-TOTAL	<		0.0021	0.003	mg/L	1	
S6	9/8/2004	Lead-TOTAL	<		0.0015	0.003	mg/L	1 UJ	
S6	9/9/2005	Lead-TOTAL	<		0.0026	0.003	MG/L	1	
S6	9/7/2006	Lead-TOTAL	<		0.0018	0.01	MG/L	10	
S6	9/4/2008	Lead-TOTAL	<		0.0009	0.005	MG/L	5	
S6	9/3/2009	Lead-TOTAL	<		0.0018	0.01	MG/L	10	
S6	9/3/2010	Lead-TOTAL	<	0.0009	0.0009	0.005	MG/L	5	
S7	4/10/2002	Lead-TOTAL	<			0.003	mg/L	1 UJ	
S7	9/23/2002	Lead-TOTAL	<		0.002	0.003	mg/L	1	
S7	12/17/2002	Lead-TOTAL	<		0.01	0.015	mg/L	5	
S7	9/11/2003	Lead-TOTAL	<		0.0021	0.003	mg/L	1	
S7	9/8/2009	Lead-TOTAL	<		0.0018	0.01	MG/L	10	
S7	9/8/2009	Lead-TOTAL	<		0.0018	0.01	MG/L	10	
S8	6/21/2002	Lead-TOTAL	<		0.002	0.003	mg/L	1	
S8	9/20/2002	Lead-TOTAL	<		0.002	0.003	mg/L	1	
S8	12/16/2002	Lead-TOTAL	<		0.01	0.015	mg/L	5	
S8	9/11/2003	Lead-TOTAL	<		0.0021	0.003	mg/L	1	
S8	9/3/2004	Lead-TOTAL	<		0.0015	0.003	mg/L	1	
S8	9/2/2005	Lead-TOTAL	<		0.0026	0.003	MG/L	1	
S8	9/7/2006	Lead-TOTAL	<		0.00036	0.002	MG/L	2	
S8	9/10/2007	Lead-TOTAL	<		0.00018	0.001	MG/L	1 UJ	
S8	9/4/2008	Lead-TOTAL	<		0.0009	0.005	MG/L	5	
S8	9/3/2009	Lead-TOTAL	<		0.0018	0.01	MG/L	10	
S8	9/3/2010	Lead-TOTAL	<	0.0009	0.0009	0.005	MG/L	5	
S9	6/20/2002	Lead-TOTAL	<		0.002	0.003	mg/L	1	
S9	9/11/2002	Lead-TOTAL	<		0.002	0.003	mg/L	1	
S9	12/12/2002	Lead-TOTAL	<		0.01	0.015	mg/L	5	
S9	9/11/2003	Lead-TOTAL	<		0.0021	0.003	mg/L	1	
S9	9/3/2004	Lead-TOTAL	<		0.0015	0.003	mg/L	1	
S9	9/2/2005	Lead-TOTAL	<		0.0026	0.003	MG/L	1	
S9	9/7/2006	Lead-TOTAL	<		0.00018	0.001	MG/L	1	
S9	9/5/2007	Lead-TOTAL	<		0.00018	0.001	MG/L	1 UJ	
S9	9/5/2008	Lead-TOTAL	<		0.0009	0.005	MG/L	5	
S9	9/4/2009	Lead-TOTAL	<		0.0018	0.01	MG/L	10	
S9	9/8/2010	Lead-TOTAL	<	0.0009	0.0009	0.005	MG/L	5	
S10	5/24/2004	Mercury-DISSOLVED	<	0.0002	0.000025	0.0002	mg/L	1 UJ	0.002
S10	5/24/2004	Mercury-DISSOLVED	<		0.000025	0.0002	mg/L	1 UJ	
S10	9/10/2004	Mercury-DISSOLVED	<		0.000025	0.0002	mg/L	1	
S10	12/1/2004	Mercury-DISSOLVED	<		0.000044	0.0002	mg/L	1	
S10	12/1/2004	Mercury-DISSOLVED	<		0.000044	0.0002	mg/L	1	
S10	3/3/2005	Mercury-DISSOLVED	<		0.000044	0.0002	mg/L	1 UJ	
S11	5/24/2004	Mercury-DISSOLVED	<	0.0002	0.000025	0.0002	mg/L	1 UJ	
S11	9/10/2004	Mercury-DISSOLVED	<		0.000025	0.0002	mg/L	1	
S11	12/1/2004	Mercury-DISSOLVED	<		0.000044	0.0002	mg/L	1	
S11	3/3/2005	Mercury-DISSOLVED	<		0.000044	0.0002	mg/L	1 UJ	
S2	4/3/2002	Mercury-DISSOLVED	<			0.0002	mg/L	1 U	
S2	6/26/2002	Mercury-DISSOLVED	<		0.000028	0.0002	mg/L	1	
S2	9/18/2002	Mercury-DISSOLVED	<		0.000028	0.0002	mg/L	1	
S2	12/13/2002	Mercury-DISSOLVED	<		0.000015	0.0002	mg/L	1	mg/L
S3	4/3/2002	Mercury-DISSOLVED	<			0.0002	mg/L	1 U	

tmpAnalyticalResultsOverTime

S3	6/25/2002	Mercury-DISSOLVED	<	0.000028	0.0002	mg/L	1	
S3	9/19/2002	Mercury-DISSOLVED	<	0.000028	0.0002	mg/L	1	
S3	9/19/2002	Mercury-DISSOLVED	<	0.000028	0.0002	mg/L	1	
S3	12/13/2002	Mercury-DISSOLVED	<	0.000015	0.0002	mg/L	1	
S4	4/3/2002	Mercury-DISSOLVED	<		0.0002	mg/L	1 U	
S4	6/25/2002	Mercury-DISSOLVED	<	0.000028	0.0002	mg/L	1	
S4	9/19/2002	Mercury-DISSOLVED	<	0.000028	0.0002	mg/L	1	
S4	12/13/2002	Mercury-DISSOLVED	<	0.000015	0.0002	mg/L	1	
S5	6/24/2002	Mercury-DISSOLVED	<	0.000028	0.0002	mg/L	1	
S5	9/20/2002	Mercury-DISSOLVED	<	0.000028	0.0002	mg/L	1	
S5	12/16/2002	Mercury-DISSOLVED	<	0.000015	0.0002	mg/L	1	
S6	6/24/2002	Mercury-DISSOLVED	<	0.000028	0.0002	mg/L	1	
S6	6/24/2002	Mercury-DISSOLVED	<	0.000028	0.0002	mg/L	1	
S6	9/23/2002	Mercury-DISSOLVED	<	0.000028	0.0002	mg/L	1	
S7	4/10/2002	Mercury-DISSOLVED	<		0.0002	mg/L	1	
S7	6/21/2002	Mercury-DISSOLVED	<	0.000028	0.0002	mg/L	1	
S7	9/23/2002	Mercury-DISSOLVED	<	0.000028	0.0002	mg/L	1	
S7	12/17/2002	Mercury-DISSOLVED	<	0.000015	0.0002	mg/L	1	
S8	4/10/2002	Mercury-DISSOLVED	<		0.0002	mg/L	1	
S8	6/21/2002	Mercury-DISSOLVED	<	0.000028	0.0002	mg/L	1	
S8	9/20/2002	Mercury-DISSOLVED	<	0.000028	0.0002	mg/L	1	
S8	12/16/2002	Mercury-DISSOLVED	<	0.000015	0.0002	mg/L	1	
S9	4/10/2002	Mercury-DISSOLVED	<		0.0002	mg/L	1	
S9	6/20/2002	Mercury-DISSOLVED	<	0.000028	0.0002	mg/L	1	
S9	9/11/2002	Mercury-DISSOLVED	<	0.000028	0.0002	mg/L	1	
S9	12/12/2002	Mercury-DISSOLVED	<	0.000015	0.0002	mg/L	1	
S10	5/24/2004	Mercury-TOTAL	<	0.0002	0.000025	mg/L	1 U	
S10	5/24/2004	Mercury-TOTAL	<		0.000025	mg/L	1	
S10	9/10/2004	Mercury-TOTAL	<		0.000025	mg/L	1 UJ	
S10	12/1/2004	Mercury-TOTAL	<	0.0002	0.000044	mg/L	1 UJ	
S10	12/1/2004	Mercury-TOTAL	<		0.000044	mg/L	1 UJ	
S10	3/3/2005	Mercury-TOTAL	<	0.0002	0.000044	mg/L	1 UJ	
S10	9/7/2005	Mercury-TOTAL	<		0.000044	MG/L	1 UJ	
S10	9/6/2006	Mercury-TOTAL	<		0.000027	MG/L	1 UJ	
S10	9/4/2007	Mercury-TOTAL	<		0.000027	MG/L	1 UJ	
S10	9/2/2008	Mercury-TOTAL	<		0.000027	mg/L	1 UJ	
S10	9/1/2009	Mercury-TOTAL	<		0.000027	MG/L	1	
S10	9/1/2010	Mercury-TOTAL	<	0.000027	0.000027	0.0002	MG/L	1
S10	9/1/2010	Mercury-TOTAL	<	0.000027	0.000027	0.0002	MG/L	1
S11	5/24/2004	Mercury-TOTAL	<	0.0002	0.000025	0.0002	mg/L	1 U
S11	9/10/2004	Mercury-TOTAL	<		0.000025	0.0002	mg/L	1 UJ
S11	12/1/2004	Mercury-TOTAL	<		0.000044	0.0002	mg/L	1 UJ
S11	3/3/2005	Mercury-TOTAL	<	0.0002	0.000044	0.0002	mg/L	1 UJ
S11	9/7/2005	Mercury-TOTAL	<		0.000044	0.0002	MG/L	1 UJ
S11	9/6/2006	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1 UJ
S11	9/4/2007	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1 UJ
S11	9/3/2008	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1
S11	9/3/2008	Mercury-TOTAL	<		0.000027	0.0002	MG/L	1
S11	9/2/2010	Mercury-TOTAL	<	0.000027	0.000027	0.0002	MG/L	1
S2	4/3/2002	Mercury-TOTAL	<			0.0002	mg/L	1 UJ
S2	6/26/2002	Mercury-TOTAL	<	0.000028	0.0002	mg/L	1	
S2	9/18/2002	Mercury-TOTAL	<	0.000028	0.0002	mg/L	1	
S2	12/13/2002	Mercury-TOTAL	<	0.000015	0.0002	mg/L	1	
S2	3/4/2003	Mercury-TOTAL	<	0.000015	0.0002	mg/L	1	
S2	3/4/2003	Mercury-TOTAL	<	0.000015	0.0002	mg/L	1	
S2	6/5/2003	Mercury-TOTAL	<	0.0002	0.000015	0.0002	mg/L	1 U
S2	9/5/2003	Mercury-TOTAL	<	0.000054	0.0002	mg/L	1	



tmpAnalyticalResultsOverTime

S2	12/3/2003	Mercury-TOTAL	<	0.000054	0.0002	mg/L	1	
S2	9/10/2004	Mercury-TOTAL	<	0.000025	0.0002	mg/L	1 UJ	
S2	9/7/2005	Mercury-TOTAL	<	0.000044	0.0002	MG/L	1 UJ	
S2	9/5/2006	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1 UJ	
S2	9/4/2007	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1 UJ	
S2	9/2/2008	Mercury-TOTAL	<	0.000027	0.0002	mg/L	1 UJ	
S2	9/1/2010	Mercury-TOTAL	<	0.000027	0.000027	0.0002	MG/L	1
S3	4/3/2002	Mercury-TOTAL	<		0.0002	mg/L	1 UJ	
S3	6/25/2002	Mercury-TOTAL	<	0.000028	0.0002	mg/L	1	
S3	9/19/2002	Mercury-TOTAL	<	0.000028	0.0002	mg/L	1	
S3	9/19/2002	Mercury-TOTAL	<	0.000028	0.0002	mg/L	1	
S3	12/13/2002	Mercury-TOTAL	<	0.000015	0.0002	mg/L	1	
S3	3/5/2003	Mercury-TOTAL	<	0.000015	0.0002	mg/L	1	
S3	6/5/2003	Mercury-TOTAL	<	0.0002	0.000015	0.0002	mg/L	1 U
S3	12/2/2003	Mercury-TOTAL	<	0.000054	0.0002	mg/L	1	
S3	9/9/2004	Mercury-TOTAL	<	0.000025	0.0002	mg/L	1 UJ	
S3	9/9/2004	Mercury-TOTAL	<	0.000025	0.0002	mg/L	1 UJ	
S3	9/7/2005	Mercury-TOTAL	<	0.000044	0.0002	MG/L	1 UJ	
S3	9/5/2006	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1 UJ	
S3	9/4/2007	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1 UJ	
S3	9/2/2008	Mercury-TOTAL	<	0.000027	0.0002	mg/L	1 UJ	
S3	9/1/2010	Mercury-TOTAL	<	0.000027	0.000027	0.0002	MG/L	1
S4	4/3/2002	Mercury-TOTAL	<		0.0002	mg/L	1 UJ	
S4	6/25/2002	Mercury-TOTAL	<	0.000028	0.0002	mg/L	1	
S4	9/19/2002	Mercury-TOTAL	<	0.000028	0.0002	mg/L	1	
S4	12/13/2002	Mercury-TOTAL	<	0.000015	0.0002	mg/L	1	
S4	9/8/2003	Mercury-TOTAL	<	0.000054	0.0002	mg/L	1	
S4	9/8/2005	Mercury-TOTAL	<	0.000044	0.0002	MG/L	1 UJ	
S4	9/6/2006	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1 UJ	
S4	9/10/2007	Mercury-TOTAL	<	0.0002	0.000027	0.0002	MG/L	1 UJ
S4	9/3/2008	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1	
S4	9/2/2010	Mercury-TOTAL	<	0.000027	0.000027	0.0002	MG/L	1
S5	4/4/2002	Mercury-TOTAL	<		0.0002	mg/L	1 UJ	
S5	6/24/2002	Mercury-TOTAL	<	0.000028	0.0002	mg/L	1	
S5	9/20/2002	Mercury-TOTAL	<	0.000028	0.0002	mg/L	1	
S5	12/16/2002	Mercury-TOTAL	<	0.000015	0.0002	mg/L	1	
S5	9/10/2003	Mercury-TOTAL	<	0.000054	0.0002	mg/L	1	
S5	9/8/2004	Mercury-TOTAL	<	0.000025	0.0002	mg/L	1 UJ	
S5	9/8/2005	Mercury-TOTAL	<	0.000044	0.0002	MG/L	1 UJ	
S5	9/6/2006	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1 UJ	
S5	9/7/2007	Mercury-TOTAL	<	0.0002	0.000027	0.0002	MG/L	1 UJ
S5	9/3/2008	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1	
S5	9/3/2010	Mercury-TOTAL	<	0.000027	0.000027	0.0002	MG/L	1
S6	4/4/2002	Mercury-TOTAL	<		0.0002	mg/L	1 UJ	
S6	6/24/2002	Mercury-TOTAL	<	0.000028	0.0002	mg/L	1	
S6	6/24/2002	Mercury-TOTAL	<	0.000028	0.0002	mg/L	1	
S6	9/23/2002	Mercury-TOTAL	<	0.000028	0.0002	mg/L	1	
S6	9/9/2003	Mercury-TOTAL	<	0.000054	0.0002	mg/L	1	
S6	9/8/2004	Mercury-TOTAL	<	0.000025	0.0002	mg/L	1 UJ	
S6	9/9/2005	Mercury-TOTAL	<	0.000044	0.0002	MG/L	1 UJ	
S6	9/7/2006	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1 UJ	
S6	9/7/2007	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1 UJ	
S6	9/4/2008	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1	
S6	9/3/2009	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1	
S6	9/3/2010	Mercury-TOTAL	<	0.000027	0.000027	0.0002	MG/L	1
S7	4/10/2002	Mercury-TOTAL	<		0.0002	mg/L	1 UJ	
S7	6/21/2002	Mercury-TOTAL	<	0.000028	0.0002	mg/L	1	

tmpAnalyticalResultsOverTime

S7	9/23/2002	Mercury-TOTAL	<	0.000028	0.0002	mg/L	1		
S7	12/17/2002	Mercury-TOTAL	<	0.000015	0.0002	mg/L	1		
S7	9/11/2003	Mercury-TOTAL	<	0.000054	0.0002	mg/L	1		
S7	9/7/2004	Mercury-TOTAL	<	0.0002	0.000025	0.0002	mg/L	1 UJ	
S7	9/2/2005	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1	UJ	
S7	9/7/2006	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1	UJ	
S7	9/10/2007	Mercury-TOTAL	<	0.0002	0.000027	0.0002	MG/L	1	UJ
S7	9/4/2008	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1		
S7	9/7/2010	Mercury-TOTAL	<	0.000027	0.000027	0.0002	MG/L	1	
S8	4/10/2002	Mercury-TOTAL	<		0.0002	mg/L	1	UJ	
S8	6/21/2002	Mercury-TOTAL	<	0.000028	0.0002	mg/L	1		
S8	9/20/2002	Mercury-TOTAL	<	0.000028	0.0002	mg/L	1		
S8	12/16/2002	Mercury-TOTAL	<	0.000015	0.0002	mg/L	1		
S8	9/11/2003	Mercury-TOTAL	<	0.000054	0.0002	mg/L	1		
S8	9/3/2004	Mercury-TOTAL	<	0.000025	0.0002	mg/L	1	UJ	
S8	9/2/2005	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1	UJ	
S8	9/7/2006	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1	UJ	
S8	9/10/2007	Mercury-TOTAL	<	0.0002	0.000027	0.0002	MG/L	1	UJ
S8	9/4/2008	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1		
S8	9/3/2010	Mercury-TOTAL	<	0.000027	0.000027	0.0002	MG/L	1	
S9	4/10/2002	Mercury-TOTAL	<		0.0002	mg/L	1	UJ	
S9	6/20/2002	Mercury-TOTAL	<	0.000028	0.0002	mg/L	1		
S9	9/11/2002	Mercury-TOTAL	<	0.000028	0.0002	mg/L	1		pCi/L
S9	12/12/2002	Mercury-TOTAL	<	0.000015	0.0002	mg/L	1		
S9	9/11/2003	Mercury-TOTAL	<	0.000054	0.0002	mg/L	1		
S9	9/3/2004	Mercury-TOTAL	<	0.000025	0.0002	mg/L	1	UJ	
S9	9/2/2005	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1	UJ	
S9	9/7/2006	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1	UJ	
S9	9/5/2007	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1	UJ	
S9	9/5/2008	Mercury-TOTAL	<	0.000027	0.0002	MG/L	1		
S9	9/8/2010	Mercury-TOTAL	<	0.000027	0.000027	0.0002	MG/L	1	
S10	5/24/2004	Methacrylonitrile	<	2.3	10	ug/L	1		NA
S10	5/24/2004	Methacrylonitrile	<	2.3	10	ug/L	1		
S10	9/10/2004	Methacrylonitrile	<	2.3	10	ug/L	1		
S10	12/1/2004	Methacrylonitrile	<	2.3	10	ug/L	1		
S10	12/1/2004	Methacrylonitrile	<	2.3	10	ug/L	1		
S10	3/3/2005	Methacrylonitrile	<	0.93	10	ug/L	1		
S11	5/24/2004	Methacrylonitrile	<	2.3	10	ug/L	1		
S11	9/10/2004	Methacrylonitrile	<	2.3	10	ug/L	1		
S11	12/1/2004	Methacrylonitrile	<	2.3	10	ug/L	1		
S11	3/3/2005	Methacrylonitrile	<	0.93	10	ug/L	1		
S2	4/3/2002	Methacrylonitrile	<		10	ug/L	1		
S2	6/26/2002	Methacrylonitrile	<	4.7	10	ug/L	1		
S2	9/18/2002	Methacrylonitrile	<	4.7	10	ug/L	1		
S2	12/13/2002	Methacrylonitrile	<	4.7	10	ug/L	1		
S2	3/4/2003	Methacrylonitrile	<	2.3	10	ug/L	1		
S2	3/4/2003	Methacrylonitrile	<	2.3	10	ug/L	1		
S2	6/5/2003	Methacrylonitrile	<	2.3	10	ug/L	1		
S2	9/5/2003	Methacrylonitrile	<	2.3	10	ug/L	1		
S2	9/5/2003	Methacrylonitrile	<	2.3	10	ug/L	1		
S2	12/3/2003	Methacrylonitrile	<	4.6	20	ug/L	2		
S2	9/10/2004	Methacrylonitrile	<	2.3	10	ug/L	1		
S3	4/3/2002	Methacrylonitrile	<		10	ug/L	1		
S3	6/25/2002	Methacrylonitrile	<	4.7	10	ug/L	1		
S3	9/19/2002	Methacrylonitrile	<	4.7	10	ug/L	1		
S3	9/19/2002	Methacrylonitrile	<	4.7	10	ug/L	1		
S3	12/13/2002	Methacrylonitrile	<	4.7	10	ug/L	1		

tmpAnalyticalResultsOverTime

S3	3/5/2003	Methacrylonitrile	<	2.3	10	ug/L	1	
S3	6/5/2003	Methacrylonitrile	<	2.3	10	ug/L	1	
S3	9/5/2003	Methacrylonitrile	<	2.3	10	ug/L	1	
S3	12/2/2003	Methacrylonitrile	<	2.3	10	ug/L	1	
S3	9/9/2004	Methacrylonitrile	<	2.3	10	ug/L	1	
S3	9/9/2004	Methacrylonitrile	<	2.3	10	ug/L	1	
S4	4/3/2002	Methacrylonitrile	<		10	ug/L	1	
S4	6/25/2002	Methacrylonitrile	<	4.7	10	ug/L	1	
S4	9/19/2002	Methacrylonitrile	<	4.7	10	ug/L	1	
S4	12/13/2002	Methacrylonitrile	<	4.7	10	ug/L	1	
S4	9/8/2003	Methacrylonitrile	<	2.3	10	ug/L	1	
S4	9/9/2004	Methacrylonitrile	<	2.3	10	ug/L	1	
S5	4/4/2002	Methacrylonitrile	<		10	ug/L	1	
S5	6/24/2002	Methacrylonitrile	<	4.7	10	ug/L	1	
S5	9/20/2002	Methacrylonitrile	<	4.7	10	ug/L	1	
S5	12/16/2002	Methacrylonitrile	<	4.7	10	ug/L	1	
S5	9/10/2003	Methacrylonitrile	<	2.3	10	ug/L	1	
S5	9/8/2004	Methacrylonitrile	<	2.3	10	ug/L	1	
S6	4/4/2002	Methacrylonitrile	<		10	ug/L	1	
S6	6/24/2002	Methacrylonitrile	<	4.7	10	ug/L	1	
S6	6/24/2002	Methacrylonitrile	<	4.7	10	ug/L	1	
S6	9/23/2002	Methacrylonitrile	<	4.7	10	ug/L	1	
S6	12/18/2002	Methacrylonitrile	<	4.7	10	ug/L	1	
S6	9/9/2003	Methacrylonitrile	<	2.3	10	ug/L	1	
S6	9/8/2004	Methacrylonitrile	<	2.3	10	ug/L	1	
S7	4/10/2002	Methacrylonitrile	<		10	ug/L	1	UJ
S7	6/21/2002	Methacrylonitrile	<	4.7	10	ug/L	1	
S7	9/23/2002	Methacrylonitrile	<	4.7	10	ug/L	1	
S7	12/17/2002	Methacrylonitrile	<	4.7	10	ug/L	1	
S7	9/11/2003	Methacrylonitrile	<	2.3	10	ug/L	1	
S7	9/7/2004	Methacrylonitrile	<	2.3	10	ug/L	1	
S8	4/10/2002	Methacrylonitrile	<		10	ug/L	1	UJ
S8	6/21/2002	Methacrylonitrile	<	4.7	10	ug/L	1	
S8	9/20/2002	Methacrylonitrile	<	4.7	10	ug/L	1	
S8	12/16/2002	Methacrylonitrile	<	4.7	10	ug/L	1	
S8	9/11/2003	Methacrylonitrile	<	2.3	10	ug/L	1	
S8	9/3/2004	Methacrylonitrile	<	2.3	10	ug/L	1	
S9	4/10/2002	Methacrylonitrile	<		10	ug/L	1	
S9	6/20/2002	Methacrylonitrile	<	4.7	10	ug/L	1	
S9	9/11/2002	Methacrylonitrile	<	4.7	10	ug/L	1	
S9	12/12/2002	Methacrylonitrile	<	4.7	10	ug/L	1	
S9	9/11/2003	Methacrylonitrile	<	2.3	10	ug/L	1	
S9	9/3/2004	Methacrylonitrile	<	2.3	10	ug/L	1	
S10	5/24/2004	Methapyrilene	<	20	50	ug/L	1	NA
S10	5/24/2004	Methapyrilene	<	20	50	ug/L	1	
S10	9/10/2004	Methapyrilene	<	20	50	ug/L	1	
S10	12/1/2004	Methapyrilene	<	20	50	ug/L	1	
S10	12/1/2004	Methapyrilene	<	20	50	ug/L	1	
S10	3/3/2005	Methapyrilene	<	20	50	ug/L	1	
S11	5/24/2004	Methapyrilene	<	20	50	ug/L	1	
S11	9/10/2004	Methapyrilene	<	20	50	ug/L	1	
S11	12/1/2004	Methapyrilene	<	20	50	ug/L	1	
S11	3/3/2005	Methapyrilene	<	20	50	ug/L	1	
S2	4/3/2002	Methapyrilene	<		50	ug/L	1	
S2	6/26/2002	Methapyrilene	<	18	50	ug/L	1	
S2	9/18/2002	Methapyrilene	<	18	50	ug/L	1	
S2	12/13/2002	Methapyrilene	<	30	50	ug/L	1	

tmpAnalyticalResultsOverTime

S2	3/4/2003	Methapyrilene	<	30	50	ug/L	1	
S2	3/4/2003	Methapyrilene	<	30	50	ug/L	1	
S2	6/5/2003	Methapyrilene	<	30	50	ug/L	1	
S2	9/5/2003	Methapyrilene	<	30	50	ug/L	1	
S2	9/5/2003	Methapyrilene	<	30	50	ug/L	1	
S2	12/3/2003	Methapyrilene	<	30	50	ug/L	1	
S2	9/10/2004	Methapyrilene	<	20	50	ug/L	1	
S3	4/3/2002	Methapyrilene	<		50	ug/L	1	
S3	9/19/2002	Methapyrilene	<	18	50	ug/L	1	
S3	9/19/2002	Methapyrilene	<	18	50	ug/L	1	
S3	12/13/2002	Methapyrilene	<	30	50	ug/L	1	
S3	3/5/2003	Methapyrilene	<	30	50	ug/L	1	
S3	6/5/2003	Methapyrilene	<	30	50	ug/L	1	
S3	9/5/2003	Methapyrilene	<	30	50	ug/L	1	
S3	12/2/2003	Methapyrilene	<	30	50	ug/L	1	
S3	9/9/2004	Methapyrilene	<	20	50	ug/L	1	
S3	9/9/2004	Methapyrilene	<	20	50	ug/L	1	
S4	4/3/2002	Methapyrilene	<		50	ug/L	1	
S4	6/25/2002	Methapyrilene	<	18	50	ug/L	1	
S4	9/19/2002	Methapyrilene	<	18	50	ug/L	1	
S4	12/13/2002	Methapyrilene	<	30	50	ug/L	1	
S4	9/8/2003	Methapyrilene	<	30	50	ug/L	1	
S4	9/9/2004	Methapyrilene	<	20	50	ug/L	1	
S5	4/4/2002	Methapyrilene	<		50	ug/L	1	
S5	6/24/2002	Methapyrilene	<	18	50	ug/L	1	
S5	9/20/2002	Methapyrilene	<	18	50	ug/L	1	
S5	12/16/2002	Methapyrilene	<	30	50	ug/L	1	
S5	9/10/2003	Methapyrilene	<	30	50	ug/L	1	
S5	9/8/2004	Methapyrilene	<	20	50	ug/L	1	
S6	4/4/2002	Methapyrilene	<		50	ug/L	1	
S6	6/24/2002	Methapyrilene	<	18	50	ug/L	1	
S6	6/24/2002	Methapyrilene	<	18	50	ug/L	1	
S6	9/23/2002	Methapyrilene	<	18	50	ug/L	1	
S6	12/18/2002	Methapyrilene	<	30	50	ug/L	1	
S6	9/9/2003	Methapyrilene	<	30	50	ug/L	1	
S6	9/8/2004	Methapyrilene	<	20	50	ug/L	1	
S7	4/10/2002	Methapyrilene	<		50	ug/L	1	
S7	6/21/2002	Methapyrilene	<	18	50	ug/L	1	
S7	9/23/2002	Methapyrilene	<	18	50	ug/L	1	
S7	12/17/2002	Methapyrilene	<	30	50	ug/L	1	
S7	9/11/2003	Methapyrilene	<	30	50	ug/L	1	
S7	9/7/2004	Methapyrilene	<	20	50	ug/L	1	
S8	4/10/2002	Methapyrilene	<		50	ug/L	1	
S8	6/21/2002	Methapyrilene	<	18	50	ug/L	1	
S8	9/20/2002	Methapyrilene	<	18	50	ug/L	1	
S8	12/16/2002	Methapyrilene	<	30	50	ug/L	1	
S8	9/11/2003	Methapyrilene	<	30	50	ug/L	1	
S8	9/3/2004	Methapyrilene	<	20	50	ug/L	1	
S9	4/10/2002	Methapyrilene	<		50	ug/L	1	
S9	6/20/2002	Methapyrilene	<	18	50	ug/L	1	
S9	9/11/2002	Methapyrilene	<	18	50	ug/L	1	
S9	12/12/2002	Methapyrilene	<	30	50	ug/L	1	
S9	9/11/2003	Methapyrilene	<	30	50	ug/L	1	
S9	9/3/2004	Methapyrilene	<	20	50	ug/L	1	
S10	5/24/2004	Methyl methacrylate	<	0.57	1	ug/L	1	NA
S10	5/24/2004	Methyl methacrylate	<	0.57	1	ug/L	1	
S10	9/10/2004	Methyl methacrylate	<	0.57	1	ug/L	1	

tmpAnalyticalResultsOverTime

S10	12/1/2004	Methyl methacrylate	<	0.57	1	ug/L	1
S10	12/1/2004	Methyl methacrylate	<	0.57	1	ug/L	1
S10	3/3/2005	Methyl methacrylate	<	1.1	1	ug/L	1
S11	5/24/2004	Methyl methacrylate	<	0.57	1	ug/L	1
S11	9/10/2004	Methyl methacrylate	<	0.57	1	ug/L	1
S11	12/1/2004	Methyl methacrylate	<	0.57	1	ug/L	1
S11	3/3/2005	Methyl methacrylate	<	1.1	1	ug/L	1
S2	4/3/2002	Methyl methacrylate	<		1	ug/L	1
S2	6/26/2002	Methyl methacrylate	<	0.81	1	ug/L	1
S2	9/18/2002	Methyl methacrylate	<	0.81	1	ug/L	1
S2	12/13/2002	Methyl methacrylate	<	0.81	1	ug/L	1
S2	3/4/2003	Methyl methacrylate	<	0.57	1	ug/L	1
S2	3/4/2003	Methyl methacrylate	<	0.57	1	ug/L	1
S2	6/5/2003	Methyl methacrylate	<	0.57	1	ug/L	1
S2	9/5/2003	Methyl methacrylate	<	0.57	1	ug/L	1
S2	9/5/2003	Methyl methacrylate	<	0.57	1	ug/L	1
S2	12/3/2003	Methyl methacrylate	<	1.1	2	ug/L	2
S2	9/10/2004	Methyl methacrylate	<	0.57	1	ug/L	1
S3	4/3/2002	Methyl methacrylate	<		1	ug/L	1
S3	6/25/2002	Methyl methacrylate	<	0.81	1	ug/L	1
S3	9/19/2002	Methyl methacrylate	<	0.81	1	ug/L	1
S3	9/19/2002	Methyl methacrylate	<	0.81	1	ug/L	1
S3	12/13/2002	Methyl methacrylate	<	0.81	1	ug/L	1
S3	3/5/2003	Methyl methacrylate	<	0.57	1	ug/L	1
S3	6/5/2003	Methyl methacrylate	<	0.57	1	ug/L	1
S3	9/5/2003	Methyl methacrylate	<	0.57	1	ug/L	1
S3	12/2/2003	Methyl methacrylate	<	0.57	1	ug/L	1
S3	9/9/2004	Methyl methacrylate	<	0.57	1	ug/L	1
S3	9/9/2004	Methyl methacrylate	<	0.57	1	ug/L	1
S4	4/3/2002	Methyl methacrylate	<		1	ug/L	1
S4	6/25/2002	Methyl methacrylate	<	0.81	1	ug/L	1
S4	9/19/2002	Methyl methacrylate	<	0.81	1	ug/L	1
S4	12/13/2002	Methyl methacrylate	<	0.81	1	ug/L	1
S4	9/8/2003	Methyl methacrylate	<	0.57	1	ug/L	1
S4	9/9/2004	Methyl methacrylate	<	0.57	1	ug/L	1
S5	4/4/2002	Methyl methacrylate	<		1	ug/L	1
S5	6/24/2002	Methyl methacrylate	<	0.81	1	ug/L	1
S5	9/20/2002	Methyl methacrylate	<	0.81	1	ug/L	1
S5	12/16/2002	Methyl methacrylate	<	0.81	1	ug/L	1
S5	9/10/2003	Methyl methacrylate	<	0.57	1	ug/L	1
S5	9/8/2004	Methyl methacrylate	<	0.57	1	ug/L	1
S6	4/4/2002	Methyl methacrylate	<		1	ug/L	1
S6	6/24/2002	Methyl methacrylate	<	0.81	1	ug/L	1
S6	6/24/2002	Methyl methacrylate	<	0.81	1	ug/L	1
S6	9/23/2002	Methyl methacrylate	<	0.81	1	ug/L	1
S6	12/18/2002	Methyl methacrylate	<	0.81	1	ug/L	1
S6	9/9/2003	Methyl methacrylate	<	0.57	1	ug/L	1
S6	9/8/2004	Methyl methacrylate	<	0.57	1	ug/L	1
S7	4/10/2002	Methyl methacrylate	<		1	ug/L	1 UJ
S7	6/21/2002	Methyl methacrylate	<	0.81	1	ug/L	1
S7	9/23/2002	Methyl methacrylate	<	0.81	1	ug/L	1
S7	12/17/2002	Methyl methacrylate	<	0.81	1	ug/L	1
S7	9/11/2003	Methyl methacrylate	<	0.57	1	ug/L	1
S7	9/7/2004	Methyl methacrylate	<	0.57	1	ug/L	1
S8	4/10/2002	Methyl methacrylate	<		1	ug/L	1 UJ
S8	6/21/2002	Methyl methacrylate	<	0.81	1	ug/L	1
S8	9/20/2002	Methyl methacrylate	<	0.81	1	ug/L	1

tmpAnalyticalResultsOverTime

S8	12/16/2002	Methyl methacrylate	<	0.81	1	ug/L	1	
S8	9/11/2003	Methyl methacrylate	<	0.57	1	ug/L	1	
S8	9/3/2004	Methyl methacrylate	<	0.57	1	ug/L	1	
S9	4/10/2002	Methyl methacrylate	<		1	ug/L	1	
S9	6/20/2002	Methyl methacrylate	<	0.81	1	ug/L	1	
S9	9/11/2002	Methyl methacrylate	<	0.81	1	ug/L	1	
S9	12/12/2002	Methyl methacrylate	<	0.81	1	ug/L	1	
S9	9/11/2003	Methyl methacrylate	<	0.57	1	ug/L	1	
S9	9/3/2004	Methyl methacrylate	<	0.57	1	ug/L	1	
S10	5/24/2004	Methyl methanesulfonate	<	2	10	ug/L	1	NA
S10	5/24/2004	Methyl methanesulfonate	<	2	10	ug/L	1	
S10	9/10/2004	Methyl methanesulfonate	<	2	10	ug/L	1	
S10	12/1/2004	Methyl methanesulfonate	<	2	10	ug/L	1	
S10	12/1/2004	Methyl methanesulfonate	<	2	10	ug/L	1	
S10	3/3/2005	Methyl methanesulfonate	<	2	10	ug/L	1	
S11	5/24/2004	Methyl methanesulfonate	<	2	10	ug/L	1	
S11	9/10/2004	Methyl methanesulfonate	<	2	10	ug/L	1	
S11	12/1/2004	Methyl methanesulfonate	<	2	10	ug/L	1	
S11	3/3/2005	Methyl methanesulfonate	<	2	10	ug/L	1	
S2	4/3/2002	Methyl methanesulfonate	<		10	ug/L	1	
S2	6/26/2002	Methyl methanesulfonate	<	6	10	ug/L	1	
S2	9/18/2002	Methyl methanesulfonate	<	6	10	ug/L	1	
S2	12/13/2002	Methyl methanesulfonate	<	2.2	10	ug/L	1	
S2	3/4/2003	Methyl methanesulfonate	<	2.2	10	ug/L	1	
S2	3/4/2003	Methyl methanesulfonate	<	2.2	10	ug/L	1	
S2	6/5/2003	Methyl methanesulfonate	<	2.2	10	ug/L	1	
S2	9/5/2003	Methyl methanesulfonate	<	2	10	ug/L	1	
S2	9/5/2003	Methyl methanesulfonate	<	2	10	ug/L	1	
S2	12/3/2003	Methyl methanesulfonate	<	2	10	ug/L	1	
S2	9/10/2004	Methyl methanesulfonate	<	2	10	ug/L	1	
S3	4/3/2002	Methyl methanesulfonate	<		10	ug/L	1	
S3	9/19/2002	Methyl methanesulfonate	<	6	10	ug/L	1	
S3	9/19/2002	Methyl methanesulfonate	<	6	10	ug/L	1	
S3	12/13/2002	Methyl methanesulfonate	<	2.2	10	ug/L	1	
S3	3/5/2003	Methyl methanesulfonate	<	2.2	10	ug/L	1	
S3	6/5/2003	Methyl methanesulfonate	<	2.2	10	ug/L	1	
S3	9/5/2003	Methyl methanesulfonate	<	2	10	ug/L	1	
S3	12/2/2003	Methyl methanesulfonate	<	2	10	ug/L	1	
S3	9/9/2004	Methyl methanesulfonate	<	2	10	ug/L	1	
S3	9/9/2004	Methyl methanesulfonate	<	2	10	ug/L	1	
S4	4/3/2002	Methyl methanesulfonate	<		10	ug/L	1	
S4	6/25/2002	Methyl methanesulfonate	<	6	10	ug/L	1	
S4	9/19/2002	Methyl methanesulfonate	<	6	10	ug/L	1	
S4	12/13/2002	Methyl methanesulfonate	<	2.2	10	ug/L	1	
S4	9/8/2003	Methyl methanesulfonate	<	2	10	ug/L	1	
S4	9/9/2004	Methyl methanesulfonate	<	2	10	ug/L	1	
S5	4/4/2002	Methyl methanesulfonate	<		10	ug/L	1	
S5	6/24/2002	Methyl methanesulfonate	<	6	10	ug/L	1	
S5	9/20/2002	Methyl methanesulfonate	<	6	10	ug/L	1	
S5	12/16/2002	Methyl methanesulfonate	<	2.2	10	ug/L	1	
S5	9/10/2003	Methyl methanesulfonate	<	2	10	ug/L	1	
S5	9/8/2004	Methyl methanesulfonate	<	2	10	ug/L	1	
S6	4/4/2002	Methyl methanesulfonate	<		10	ug/L	1	
S6	6/24/2002	Methyl methanesulfonate	<	6	10	ug/L	1	
S6	6/24/2002	Methyl methanesulfonate	<	6	10	ug/L	1	
S6	9/23/2002	Methyl methanesulfonate	<	6	10	ug/L	1	
S6	12/18/2002	Methyl methanesulfonate	<	2.2	10	ug/L	1	

tmpAnalyticalResultsOverTime

S6	9/9/2003	Methyl methanesulfonate	<	2	10	ug/L	1	
S6	9/8/2004	Methyl methanesulfonate	<	2	10	ug/L	1	
S7	4/10/2002	Methyl methanesulfonate	<		10	ug/L	1	
S7	6/21/2002	Methyl methanesulfonate	<	6	10	ug/L	1	
S7	9/23/2002	Methyl methanesulfonate	<	6	10	ug/L	1	
S7	12/17/2002	Methyl methanesulfonate	<	2.2	10	ug/L	1	
S7	9/11/2003	Methyl methanesulfonate	<	2	10	ug/L	1	
S7	9/7/2004	Methyl methanesulfonate	<	2	10	ug/L	1	
S8	4/10/2002	Methyl methanesulfonate	<		10	ug/L	1	
S8	6/21/2002	Methyl methanesulfonate	<	6	10	ug/L	1	
S8	9/20/2002	Methyl methanesulfonate	<	6	10	ug/L	1	
S8	12/16/2002	Methyl methanesulfonate	<	2.2	10	ug/L	1	
S8	9/11/2003	Methyl methanesulfonate	<	2	10	ug/L	1	
S8	9/3/2004	Methyl methanesulfonate	<	2	10	ug/L	1	
S9	4/10/2002	Methyl methanesulfonate	<		10	ug/L	1	
S9	6/20/2002	Methyl methanesulfonate	<	6	10	ug/L	1	
S9	9/11/2002	Methyl methanesulfonate	<	6	10	ug/L	1	
S9	12/12/2002	Methyl methanesulfonate	<	2.2	10	ug/L	1	
S9	9/11/2003	Methyl methanesulfonate	<	2	10	ug/L	1	
S9	9/3/2004	Methyl methanesulfonate	<	2	10	ug/L	1	
S10	5/24/2004	Methyl parathion	<	2	50	ug/L	1	NA
S10	5/24/2004	Methyl parathion	<	2	50	ug/L	1	
S10	9/10/2004	Methyl parathion	<	2	50	ug/L	1	
S10	12/1/2004	Methyl parathion	<	2	50	ug/L	1	
S10	12/1/2004	Methyl parathion	<	2	50	ug/L	1	
S10	3/3/2005	Methyl parathion	<	2	50	ug/L	1	
S11	5/24/2004	Methyl parathion	<	2	50	ug/L	1	
S11	9/10/2004	Methyl parathion	<	2	50	ug/L	1	
S11	12/1/2004	Methyl parathion	<	2	50	ug/L	1	
S11	3/3/2005	Methyl parathion	<	2	50	ug/L	1	
S2	4/3/2002	Methyl parathion	<		50	ug/L	1	
S2	6/26/2002	Methyl parathion	<	1.6	50	ug/L	1	
S2	9/18/2002	Methyl parathion	<	1.6	50	ug/L	1	
S2	12/13/2002	Methyl parathion	<	1.9	50	ug/L	1	
S2	3/4/2003	Methyl parathion	<	1.9	50	ug/L	1	
S2	3/4/2003	Methyl parathion	<	1.9	50	ug/L	1	
S2	6/5/2003	Methyl parathion	<	1.9	50	ug/L	1	
S2	9/5/2003	Methyl parathion	<	2	50	ug/L	1	
S2	9/5/2003	Methyl parathion	<	2	50	ug/L	1	
S2	12/3/2003	Methyl parathion	<	2	50	ug/L	1	
S2	9/10/2004	Methyl parathion	<	2	50	ug/L	1	
S3	4/3/2002	Methyl parathion	<		50	ug/L	1	
S3	9/19/2002	Methyl parathion	<	1.6	50	ug/L	1	
S3	9/19/2002	Methyl parathion	<	1.6	50	ug/L	1	
S3	12/13/2002	Methyl parathion	<	1.9	50	ug/L	1	
S3	3/5/2003	Methyl parathion	<	1.9	50	ug/L	1	
S3	6/5/2003	Methyl parathion	<	1.9	50	ug/L	1	
S3	9/5/2003	Methyl parathion	<	2	50	ug/L	1	
S3	12/2/2003	Methyl parathion	<	2	50	ug/L	1	
S3	9/9/2004	Methyl parathion	<	2	50	ug/L	1	
S3	9/9/2004	Methyl parathion	<	2	50	ug/L	1	
S4	4/3/2002	Methyl parathion	<		50	ug/L	1	
S4	6/25/2002	Methyl parathion	<	1.6	50	ug/L	1	
S4	9/19/2002	Methyl parathion	<	1.6	50	ug/L	1	
S4	12/13/2002	Methyl parathion	<	1.9	50	ug/L	1	
S4	9/8/2003	Methyl parathion	<	2	50	ug/L	1	
S4	9/9/2004	Methyl parathion	<	2	50	ug/L	1	

tmpAnalyticalResultsOverTime

S5	4/4/2002	Methyl parathion	<		50	ug/L	1	
S5	6/24/2002	Methyl parathion	<	1.6	50	ug/L	1	
S5	9/20/2002	Methyl parathion	<	1.6	50	ug/L	1	
S5	12/16/2002	Methyl parathion	<	1.9	50	ug/L	1	
S5	9/10/2003	Methyl parathion	<	2	50	ug/L	1	
S5	9/8/2004	Methyl parathion	<	2	50	ug/L	1	
S6	4/4/2002	Methyl parathion	<		50	ug/L	1	
S6	6/24/2002	Methyl parathion	<	1.6	50	ug/L	1	
S6	6/24/2002	Methyl parathion	<	1.6	50	ug/L	1	
S6	9/23/2002	Methyl parathion	<	1.6	50	ug/L	1	
S6	12/18/2002	Methyl parathion	<	1.9	50	ug/L	1	
S6	9/9/2003	Methyl parathion	<	2	50	ug/L	1	
S6	9/8/2004	Methyl parathion	<	2	50	ug/L	1	
S7	4/10/2002	Methyl parathion	<		50	ug/L	1	
S7	6/21/2002	Methyl parathion	<	1.6	50	ug/L	1	
S7	9/23/2002	Methyl parathion	<	1.6	50	ug/L	1	
S7	12/17/2002	Methyl parathion	<	1.9	50	ug/L	1	
S7	9/11/2003	Methyl parathion	<	2	50	ug/L	1	
S7	9/7/2004	Methyl parathion	<	2	50	ug/L	1	
S8	4/10/2002	Methyl parathion	<		50	ug/L	1	
S8	6/21/2002	Methyl parathion	<	1.6	50	ug/L	1	
S8	9/20/2002	Methyl parathion	<	1.6	50	ug/L	1	
S8	12/16/2002	Methyl parathion	<	1.9	50	ug/L	1	
S8	9/11/2003	Methyl parathion	<	2	50	ug/L	1	
S8	9/3/2004	Methyl parathion	<	2	50	ug/L	1	
S9	6/20/2002	Methyl parathion	<	1.6	50	ug/L	1	
S9	9/11/2002	Methyl parathion	<	1.6	50	ug/L	1	
S9	12/12/2002	Methyl parathion	<	1.9	50	ug/L	1	
S9	9/11/2003	Methyl parathion	<	2	50	ug/L	1	
S9	9/3/2004	Methyl parathion	<	2	50	ug/L	1	
S10	5/24/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	NA
S10	5/24/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S10	9/10/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S10	12/1/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S10	12/1/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S10	3/3/2005	Methyl tert-butyl ether	<	0.19	5	ug/L	1	
S11	5/24/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S11	9/10/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S11	12/1/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S11	3/3/2005	Methyl tert-butyl ether	<	0.19	5	ug/L	1	
S2	4/3/2002	Methyl tert-butyl ether	<		5	ug/L	1	
S2	6/26/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S2	9/18/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S2	12/13/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S2	3/4/2003	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S2	3/4/2003	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S2	6/5/2003	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S2	9/5/2003	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S2	9/5/2003	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S2	12/3/2003	Methyl tert-butyl ether	<	0.76	10	ug/L	2	
S2	9/10/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S3	4/3/2002	Methyl tert-butyl ether	<		5	ug/L	1	
S3	6/25/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S3	9/19/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S3	9/19/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S3	12/13/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S3	3/5/2003	Methyl tert-butyl ether	<	0.38	5	ug/L	1	



tmpAnalyticalResultsOverTime

S3	6/5/2003	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S3	9/5/2003	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S3	12/2/2003	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S3	9/9/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S3	9/9/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S4	4/3/2002	Methyl tert-butyl ether	<		5	ug/L	1	
S4	6/25/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S4	9/19/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S4	12/13/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S4	9/8/2003	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S4	9/9/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S5	4/4/2002	Methyl tert-butyl ether	<		5	ug/L	1	
S5	6/24/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S5	9/20/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S5	12/16/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S5	9/10/2003	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S5	9/8/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S6	4/4/2002	Methyl tert-butyl ether	<		5	ug/L	1	
S6	6/24/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S6	6/24/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S6	9/23/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S6	12/18/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S6	9/9/2003	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S6	9/8/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S7	4/10/2002	Methyl tert-butyl ether	<		5	ug/L	1	UJ
S7	6/21/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S7	9/23/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S7	12/17/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S7	9/11/2003	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S7	9/7/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S8	4/10/2002	Methyl tert-butyl ether	<		5	ug/L	1	UJ
S8	6/21/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S8	9/20/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S8	12/16/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S8	9/11/2003	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S8	9/3/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S9	4/10/2002	Methyl tert-butyl ether	<		5	ug/L	1	
S9	6/20/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S9	9/11/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S9	12/12/2002	Methyl tert-butyl ether	<	0.88	5	ug/L	1	
S9	9/11/2003	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S9	9/3/2004	Methyl tert-butyl ether	<	0.38	5	ug/L	1	
S10	5/24/2004	Methylene chloride	<	0.21	1	ug/L	1	NA
S10	5/24/2004	Methylene chloride	<	0.21	1	ug/L	1	
S10	9/10/2004	Methylene chloride	<	0.21	1	ug/L	1	
S10	12/1/2004	Methylene chloride	<	0.21	1	ug/L	1	
S10	12/1/2004	Methylene chloride	<	1	0.21	1	1	U
S10	3/3/2005	Methylene chloride	<	0.26	1	ug/L	1	
S11	5/24/2004	Methylene chloride	<	1	0.21	1	1	U
S11	9/10/2004	Methylene chloride	<	0.21	1	ug/L	1	
S11	12/1/2004	Methylene chloride	<	1	0.21	1	1	U
S11	3/3/2005	Methylene chloride	<	0.26	1	ug/L	1	
S2	4/3/2002	Methylene chloride	<		1	ug/L	1	
S2	6/26/2002	Methylene chloride	<	0.86	1	ug/L	1	
S2	9/18/2002	Methylene chloride	<	0.86	1	ug/L	1	
S2	12/13/2002	Methylene chloride	<	0.86	1	ug/L	1	
S2	6/5/2003	Methylene chloride	<	1	0.21	1	1	U

tmpAnalyticalResultsOverTime

S2	9/5/2003	Methylene chloride	<	1	0.21	1	ug/L	1	U	
S2	9/5/2003	Methylene chloride	<	1	0.21	1	ug/L	1	U	
S2	12/3/2003	Methylene chloride	<		0.42	2	ug/L	2		
S2	9/10/2004	Methylene chloride	<		0.21	1	ug/L	1		
S3	4/3/2002	Methylene chloride	<			1	ug/L	1		
S3	6/25/2002	Methylene chloride	<		0.86	1	ug/L	1		
S3	9/19/2002	Methylene chloride	<		0.86	1	ug/L	1		
S3	9/19/2002	Methylene chloride	<		0.86	1	ug/L	1		
S3	12/13/2002	Methylene chloride	<		0.86	1	ug/L	1		
S3	3/5/2003	Methylene chloride	<	1	0.21	1	ug/L	1	U	
S3	6/5/2003	Methylene chloride	<	1	0.21	1	ug/L	1	U	
S3	9/5/2003	Methylene chloride	<	1	0.21	1	ug/L	1	U	
S3	12/2/2003	Methylene chloride	<	1	0.21	1	ug/L	1	U	
S3	9/9/2004	Methylene chloride	<		0.21	1	ug/L	1		
S3	9/9/2004	Methylene chloride	<		0.21	1	ug/L	1		
S4	4/3/2002	Methylene chloride	<			1	ug/L	1		
S4	6/25/2002	Methylene chloride	<		0.86	1	ug/L	1		
S4	9/19/2002	Methylene chloride	<		0.86	1	ug/L	1		
S4	12/13/2002	Methylene chloride	<		0.86	1	ug/L	1		
S4	9/8/2003	Methylene chloride	<		0.21	1	ug/L	1		
S4	9/9/2004	Methylene chloride	<		0.21	1	ug/L	1		
S5	4/4/2002	Methylene chloride	<			1	ug/L	1		
S5	6/24/2002	Methylene chloride	<		0.86	1	ug/L	1		
S5	9/20/2002	Methylene chloride	<		0.86	1	ug/L	1		
S5	12/16/2002	Methylene chloride	<		0.86	1	ug/L	1		
S5	9/10/2003	Methylene chloride	<	1	0.21	1	ug/L	1	U	
S5	9/8/2004	Methylene chloride	<		0.21	1	ug/L	1		
S6	4/4/2002	Methylene chloride	<			1	ug/L	1		
S6	6/24/2002	Methylene chloride	<		0.86	1	ug/L	1		
S6	6/24/2002	Methylene chloride	<		0.86	1	ug/L	1		
S6	9/23/2002	Methylene chloride	<		0.86	1	ug/L	1		
S6	12/18/2002	Methylene chloride	<		0.86	1	ug/L	1		
S6	9/9/2003	Methylene chloride	<		0.21	1	ug/L	1		
S6	9/8/2004	Methylene chloride	<		0.21	1	ug/L	1		
S7	4/10/2002	Methylene chloride	<			1	ug/L	1	UJ	
S7	6/21/2002	Methylene chloride	<		0.86	1	ug/L	1		
S7	9/23/2002	Methylene chloride	<		0.86	1	ug/L	1		
S7	12/17/2002	Methylene chloride	<		0.86	1	ug/L	1		
S7	9/11/2003	Methylene chloride	<		0.21	1	ug/L	1		
S7	9/7/2004	Methylene chloride	<		0.21	1	ug/L	1		
S8	4/10/2002	Methylene chloride	<			1	ug/L	1	UJ	
S8	6/21/2002	Methylene chloride	<		0.86	1	ug/L	1		
S8	9/20/2002	Methylene chloride	<		0.86	1	ug/L	1		
S8	12/16/2002	Methylene chloride	<		0.86	1	ug/L	1		
S8	9/11/2003	Methylene chloride	<		0.21	1	ug/L	1		
S8	9/3/2004	Methylene chloride	<	1	0.21	1	ug/L	1	U	
S9	4/10/2002	Methylene chloride	<			1	ug/L	1		
S9	6/20/2002	Methylene chloride	<		0.86	1	ug/L	1		
S9	9/11/2002	Methylene chloride	<		0.86	1	ug/L	1		
S9	12/12/2002	Methylene chloride	<		0.86	1	ug/L	1		
S9	9/11/2003	Methylene chloride	<		0.21	1	ug/L	1		
S9	9/3/2004	Methylene chloride	<	1	0.21	1	ug/L	1	U	
S10	5/24/2004	Naphthalene	<		0.5	1	ug/L	1		NA
S10	5/24/2004	Naphthalene	<		0.5	1	ug/L	1		
S10	9/10/2004	Naphthalene	<		0.5	1	ug/L	1		
S10	12/1/2004	Naphthalene	<		0.5	1	ug/L	1		
S10	12/1/2004	Naphthalene	<		0.5	1	ug/L	1		

tmpAnalyticalResultsOverTime

S10	3/3/2005	Naphthalene	<	0.29	1	ug/L	1
S11	5/24/2004	Naphthalene	<	0.5	1	ug/L	1
S11	9/10/2004	Naphthalene	<	0.5	1	ug/L	1
S11	12/1/2004	Naphthalene	<	0.5	1	ug/L	1
S11	3/3/2005	Naphthalene	<	0.29	1	ug/L	1
S2	4/3/2002	Naphthalene	<		1	ug/L	1
S2	4/3/2002	Naphthalene	<		10	ug/L	1
S2	6/26/2002	Naphthalene	<	0.78	1	ug/L	1
S2	6/26/2002	Naphthalene	<	1.2	10	ug/L	1
S2	9/18/2002	Naphthalene	<	0.78	1	ug/L	1
S2	9/18/2002	Naphthalene	<	1.2	10	ug/L	1
S2	12/13/2002	Naphthalene	<	0.78	1	ug/L	1
S2	12/13/2002	Naphthalene	<	1.2	10	ug/L	1
S2	3/4/2003	Naphthalene	<	0.5	1	ug/L	1
S2	3/4/2003	Naphthalene	<	0.5	1	ug/L	1
S2	6/5/2003	Naphthalene	<	0.5	1	ug/L	1
S2	9/5/2003	Naphthalene	<	0.5	1	ug/L	1
S2	9/5/2003	Naphthalene	<	0.5	1	ug/L	1
S2	12/3/2003	Naphthalene	<	1	2	ug/L	2
S2	9/10/2004	Naphthalene	<	0.5	1	ug/L	1
S3	4/3/2002	Naphthalene	<		1	ug/L	1
S3	4/3/2002	Naphthalene	<		10	ug/L	1
S3	6/25/2002	Naphthalene	<	0.78	1	ug/L	1
S3	9/19/2002	Naphthalene	<	0.78	1	ug/L	1
S3	9/19/2002	Naphthalene	<	1.2	10	ug/L	1
S3	9/19/2002	Naphthalene	<	0.78	1	ug/L	1
S3	9/19/2002	Naphthalene	<	1.2	10	ug/L	1
S3	12/13/2002	Naphthalene	<	0.78	1	ug/L	1
S3	12/13/2002	Naphthalene	<	1.2	10	ug/L	1
S3	3/5/2003	Naphthalene	<	0.5	1	ug/L	1
S3	6/5/2003	Naphthalene	<	0.5	1	ug/L	1
S3	9/5/2003	Naphthalene	<	0.5	1	ug/L	1
S3	12/2/2003	Naphthalene	<	0.5	1	ug/L	1
S3	9/9/2004	Naphthalene	<	0.5	1	ug/L	1 U
S3	9/9/2004	Naphthalene	<	0.5	1	ug/L	1
S4	4/3/2002	Naphthalene	<		1	ug/L	1
S4	4/3/2002	Naphthalene	<		10	ug/L	1
S4	6/25/2002	Naphthalene	<	0.78	1	ug/L	1
S4	6/25/2002	Naphthalene	<	1.2	10	ug/L	1
S4	9/19/2002	Naphthalene	<	0.78	1	ug/L	1
S4	9/19/2002	Naphthalene	<	1.2	10	ug/L	1
S4	12/13/2002	Naphthalene	<	0.78	1	ug/L	1
S4	12/13/2002	Naphthalene	<	1.2	10	ug/L	1
S4	9/8/2003	Naphthalene	<	0.5	1	ug/L	1
S4	9/9/2004	Naphthalene	<	0.5	1	ug/L	1
S5	4/4/2002	Naphthalene	<		1	ug/L	1
S5	4/4/2002	Naphthalene	<		10	ug/L	1
S5	6/24/2002	Naphthalene	<	0.78	1	ug/L	1
S5	6/24/2002	Naphthalene	<	1.2	10	ug/L	1
S5	9/20/2002	Naphthalene	<	0.78	1	ug/L	1
S5	9/20/2002	Naphthalene	<	1.2	10	ug/L	1
S5	12/16/2002	Naphthalene	<	0.78	1	ug/L	1
S5	12/16/2002	Naphthalene	<	1.2	10	ug/L	1
S5	9/10/2003	Naphthalene	<	0.5	1	ug/L	1
S5	9/8/2004	Naphthalene	<	0.5	1	ug/L	1
S6	4/4/2002	Naphthalene	<		1	ug/L	1
S6	4/4/2002	Naphthalene	<		10	ug/L	1

tmpAnalyticalResultsOverTime

S6	6/24/2002	Naphthalene	<	0.78	1	ug/L	1	
S6	6/24/2002	Naphthalene	<	1.2	10	ug/L	1	
S6	6/24/2002	Naphthalene	<	0.78	1	ug/L	1	
S6	6/24/2002	Naphthalene	<	1.2	10	ug/L	1	
S6	9/23/2002	Naphthalene	<	0.78	1	ug/L	1	
S6	9/23/2002	Naphthalene	<	1.2	10	ug/L	1	
S6	12/18/2002	Naphthalene	<	0.78	1	ug/L	1	
S6	12/18/2002	Naphthalene	<	1.2	10	ug/L	1	
S6	9/9/2003	Naphthalene	<	0.5	1	ug/L	1	
S6	9/8/2004	Naphthalene	<	0.5	1	ug/L	1	
S7	4/10/2002	Naphthalene	<		1	ug/L	1	UJ
S7	4/10/2002	Naphthalene	<		10	ug/L	1	
S7	6/21/2002	Naphthalene	<	0.78	1	ug/L	1	
S7	6/21/2002	Naphthalene	<	1.2	10	ug/L	1	
S7	9/23/2002	Naphthalene	<	0.78	1	ug/L	1	
S7	9/23/2002	Naphthalene	<	1.2	10	ug/L	1	
S7	12/17/2002	Naphthalene	<	0.78	1	ug/L	1	
S7	12/17/2002	Naphthalene	<	1.2	10	ug/L	1	
S7	9/11/2003	Naphthalene	<	0.5	1	ug/L	1	
S7	9/7/2004	Naphthalene	<	0.5	1	ug/L	1	
S8	4/10/2002	Naphthalene	<		1	ug/L	1	UJ
S8	4/10/2002	Naphthalene	<		10	ug/L	1	
S8	6/21/2002	Naphthalene	<	0.78	1	ug/L	1	
S8	6/21/2002	Naphthalene	<	1.2	10	ug/L	1	
S8	9/20/2002	Naphthalene	<	0.78	1	ug/L	1	
S8	9/20/2002	Naphthalene	<	1.2	10	ug/L	1	
S8	12/16/2002	Naphthalene	<	0.78	1	ug/L	1	
S8	12/16/2002	Naphthalene	<	1.2	10	ug/L	1	
S8	9/11/2003	Naphthalene	<	0.5	1	ug/L	1	
S8	9/3/2004	Naphthalene	<	0.5	1	ug/L	1	
S9	4/10/2002	Naphthalene	<		1	ug/L	1	
S9	6/20/2002	Naphthalene	<	0.78	1	ug/L	1	
S9	6/20/2002	Naphthalene	<	1.2	10	ug/L	1	
S9	9/11/2002	Naphthalene	<	0.78	1	ug/L	1	
S9	9/11/2002	Naphthalene	<	1.2	10	ug/L	1	
S9	12/12/2002	Naphthalene	<	0.78	1	ug/L	1	
S9	12/12/2002	Naphthalene	<	1.2	10	ug/L	1	
S9	9/11/2003	Naphthalene	<	0.5	1	ug/L	1	
S9	9/3/2004	Naphthalene	<	0.5	1	ug/L	1	
S10	5/24/2004	n-Butanol	<	19	50	ug/L	1	NA
S10	5/24/2004	n-Butanol	<	19	50	ug/L	1	
S10	9/10/2004	n-Butanol	<	19	50	ug/L	1	
S10	12/1/2004	n-Butanol	<	19	50	ug/L	1	
S10	12/1/2004	n-Butanol	<	19	50	ug/L	1	
S10	3/3/2005	n-Butanol	<	24	50	ug/L	1	
S11	5/24/2004	n-Butanol	<	19	50	ug/L	1	
S11	9/10/2004	n-Butanol	<	19	50	ug/L	1	
S11	12/1/2004	n-Butanol	<	19	50	ug/L	1	
S11	3/3/2005	n-Butanol	<	24	50	ug/L	1	
S2	4/3/2002	n-Butanol	<		50	ug/L	1	
S2	6/26/2002	n-Butanol	<	42	50	ug/L	1	
S2	9/18/2002	n-Butanol	<	42	50	ug/L	1	
S2	12/13/2002	n-Butanol	<	42	50	ug/L	1	
S2	3/4/2003	n-Butanol	<	19	50	ug/L	1	
S2	3/4/2003	n-Butanol	<	19	50	ug/L	1	
S2	6/5/2003	n-Butanol	<	19	50	ug/L	1	
S2	9/5/2003	n-Butanol	<	19	50	ug/L	1	

tmpAnalyticalResultsOverTime

S2	9/5/2003	n-Butanol	<	19	50	ug/L	1	
S2	12/3/2003	n-Butanol	<	38	100	ug/L	2	
S2	9/10/2004	n-Butanol	<	19	50	ug/L	1	
S3	4/3/2002	n-Butanol	<		50	ug/L	1	
S3	6/25/2002	n-Butanol	<	42	50	ug/L	1	
S3	9/19/2002	n-Butanol	<	42	50	ug/L	1	
S3	9/19/2002	n-Butanol	<	42	50	ug/L	1	
S3	12/13/2002	n-Butanol	<	42	50	ug/L	1	
S3	3/5/2003	n-Butanol	<	19	50	ug/L	1	
S3	6/5/2003	n-Butanol	<	19	50	ug/L	1	
S3	9/5/2003	n-Butanol	<	19	50	ug/L	1	
S3	12/2/2003	n-Butanol	<	19	50	ug/L	1	
S3	9/9/2004	n-Butanol	<	19	50	ug/L	1	
S3	9/9/2004	n-Butanol	<	19	50	ug/L	1	
S4	4/3/2002	n-Butanol	<		50	ug/L	1	
S4	6/25/2002	n-Butanol	<	42	50	ug/L	1	
S4	9/19/2002	n-Butanol	<	42	50	ug/L	1	
S4	12/13/2002	n-Butanol	<	42	50	ug/L	1	
S4	9/8/2003	n-Butanol	<	19	50	ug/L	1	
S4	9/9/2004	n-Butanol	<	19	50	ug/L	1	
S5	4/4/2002	n-Butanol	<		50	ug/L	1	
S5	6/24/2002	n-Butanol	<	42	50	ug/L	1	
S5	9/20/2002	n-Butanol	<	42	50	ug/L	1	
S5	12/16/2002	n-Butanol	<	42	50	ug/L	1	
S5	9/10/2003	n-Butanol	<	19	50	ug/L	1	
S5	9/8/2004	n-Butanol	<	19	50	ug/L	1	
S6	4/4/2002	n-Butanol	<		50	ug/L	1	
S6	6/24/2002	n-Butanol	<	42	50	ug/L	1	
S6	6/24/2002	n-Butanol	<	42	50	ug/L	1	
S6	9/23/2002	n-Butanol	<	42	50	ug/L	1	
S6	12/18/2002	n-Butanol	<	42	50	ug/L	1	
S6	9/9/2003	n-Butanol	<	19	50	ug/L	1	
S6	9/8/2004	n-Butanol	<	19	50	ug/L	1	
S7	4/10/2002	n-Butanol	<		50	ug/L	1	UJ
S7	6/21/2002	n-Butanol	<	42	50	ug/L	1	
S7	9/23/2002	n-Butanol	<	42	50	ug/L	1	
S7	12/17/2002	n-Butanol	<	42	50	ug/L	1	
S7	9/11/2003	n-Butanol	<	19	50	ug/L	1	
S7	9/7/2004	n-Butanol	<	19	50	ug/L	1	
S8	4/10/2002	n-Butanol	<		50	ug/L	1	UJ
S8	6/21/2002	n-Butanol	<	42	50	ug/L	1	
S8	9/20/2002	n-Butanol	<	42	50	ug/L	1	
S8	12/16/2002	n-Butanol	<	42	50	ug/L	1	
S8	9/11/2003	n-Butanol	<	19	50	ug/L	1	
S8	9/3/2004	n-Butanol	<	19	50	ug/L	1	
S9	4/10/2002	n-Butanol	<		50	ug/L	1	
S9	6/20/2002	n-Butanol	<	42	50	ug/L	1	
S9	9/11/2002	n-Butanol	<	42	50	ug/L	1	
S9	12/12/2002	n-Butanol	<	42	50	ug/L	1	
S9	9/11/2003	n-Butanol	<	19	50	ug/L	1	
S9	9/3/2004	n-Butanol	<	19	50	ug/L	1	
S10	5/24/2004	n-Butylbenzene	<	0.21	1	ug/L	1	NA
S10	5/24/2004	n-Butylbenzene	<	0.21	1	ug/L	1	
S10	9/10/2004	n-Butylbenzene	<	0.21	1	ug/L	1	
S10	12/1/2004	n-Butylbenzene	<	0.21	1	ug/L	1	
S10	12/1/2004	n-Butylbenzene	<	0.21	1	ug/L	1	
S10	3/3/2005	n-Butylbenzene	<	0.27	1	ug/L	1	

tmpAnalyticalResultsOverTime

S11	5/24/2004	n-Butylbenzene	<	0.21	1	ug/L	1
S11	9/10/2004	n-Butylbenzene	<	0.21	1	ug/L	1
S11	12/1/2004	n-Butylbenzene	<	0.21	1	ug/L	1
S11	3/3/2005	n-Butylbenzene	<	0.27	1	ug/L	1
S2	4/3/2002	n-Butylbenzene	<		1	ug/L	1
S2	6/26/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S2	9/18/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S2	12/13/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S2	3/4/2003	n-Butylbenzene	<	0.21	1	ug/L	1
S2	3/4/2003	n-Butylbenzene	<	0.21	1	ug/L	1
S2	6/5/2003	n-Butylbenzene	<	0.21	1	ug/L	1
S2	9/5/2003	n-Butylbenzene	<	0.21	1	ug/L	1
S2	9/5/2003	n-Butylbenzene	<	0.21	1	ug/L	1
S2	12/3/2003	n-Butylbenzene	<	0.42	2	ug/L	2
S2	9/10/2004	n-Butylbenzene	<	0.21	1	ug/L	1
S3	4/3/2002	n-Butylbenzene	<		1	ug/L	1
S3	6/25/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S3	9/19/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S3	9/19/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S3	12/13/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S3	3/5/2003	n-Butylbenzene	<	0.21	1	ug/L	1
S3	6/5/2003	n-Butylbenzene	<	0.21	1	ug/L	1
S3	9/5/2003	n-Butylbenzene	<	0.21	1	ug/L	1
S3	12/2/2003	n-Butylbenzene	<	0.21	1	ug/L	1
S3	9/9/2004	n-Butylbenzene	<	0.21	1	ug/L	1
S3	9/9/2004	n-Butylbenzene	<	0.21	1	ug/L	1
S4	4/3/2002	n-Butylbenzene	<		1	ug/L	1
S4	6/25/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S4	9/19/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S4	12/13/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S4	9/8/2003	n-Butylbenzene	<	0.21	1	ug/L	1
S4	9/9/2004	n-Butylbenzene	<	0.21	1	ug/L	1
S5	4/4/2002	n-Butylbenzene	<		1	ug/L	1
S5	6/24/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S5	9/20/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S5	12/16/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S5	9/10/2003	n-Butylbenzene	<	0.21	1	ug/L	1
S5	9/8/2004	n-Butylbenzene	<	0.21	1	ug/L	1
S6	4/4/2002	n-Butylbenzene	<		1	ug/L	1
S6	6/24/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S6	6/24/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S6	9/23/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S6	12/18/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S6	9/9/2003	n-Butylbenzene	<	0.21	1	ug/L	1
S6	9/8/2004	n-Butylbenzene	<	0.21	1	ug/L	1
S7	4/10/2002	n-Butylbenzene	<		1	ug/L	1 UJ
S7	6/21/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S7	9/23/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S7	12/17/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S7	9/11/2003	n-Butylbenzene	<	0.21	1	ug/L	1
S7	9/7/2004	n-Butylbenzene	<	0.21	1	ug/L	1
S8	4/10/2002	n-Butylbenzene	<		1	ug/L	1 UJ
S8	6/21/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S8	9/20/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S8	12/16/2002	n-Butylbenzene	<	0.41	1	ug/L	1
S8	9/11/2003	n-Butylbenzene	<	0.21	1	ug/L	1
S8	9/3/2004	n-Butylbenzene	<	0.21	1	ug/L	1

tmpAnalyticalResultsOverTime

S9	4/10/2002	n-Butylbenzene	<		1	ug/L	1	
S9	6/20/2002	n-Butylbenzene	<	0.41	1	ug/L	1	
S9	9/11/2002	n-Butylbenzene	<	0.41	1	ug/L	1	
S9	12/12/2002	n-Butylbenzene	<	0.41	1	ug/L	1	
S9	9/11/2003	n-Butylbenzene	<	0.21	1	ug/L	1	
S9	9/3/2004	n-Butylbenzene	<	0.21	1	ug/L	1	NA
S11	9/10/2004	Nickel-DISSOLVED	<	0.01	0.2	mg/L	5	
S11	12/1/2004	Nickel-DISSOLVED	<	0.01	0.2	mg/L	5	
S11	3/3/2005	Nickel-DISSOLVED	<	0.01	0.2	mg/L	5	
S2	9/18/2002	Nickel-DISSOLVED	<	0.0085	0.2	mg/L	5	
S2	12/13/2002	Nickel-DISSOLVED	<	0.0085	0.2	mg/L	5	
S3	9/19/2002	Nickel-DISSOLVED	<	0.0017	0.04	mg/L	1	
S3	9/19/2002	Nickel-DISSOLVED	<	0.0017	0.04	mg/L	1	
S3	12/13/2002	Nickel-DISSOLVED	<	0.0085	0.2	mg/L	5	
S4	6/25/2002	Nickel-DISSOLVED	<	0.0017	0.04	mg/L	1	
S4	9/19/2002	Nickel-DISSOLVED	<	0.0017	0.04	mg/L	1	
S4	12/13/2002	Nickel-DISSOLVED	<	0.0085	0.2	mg/L	5	
S5	9/20/2002	Nickel-DISSOLVED	<	0.0017	0.04	mg/L	1	
S5	12/16/2002	Nickel-DISSOLVED	<	0.0085	0.2	mg/L	5	
S6	9/23/2002	Nickel-DISSOLVED	<	0.0017	0.04	mg/L	1	
S6	12/18/2002	Nickel-DISSOLVED	<	0.0085	0.2	mg/L	5	
S7	4/10/2002	Nickel-DISSOLVED	<		0.04	mg/L	1	
S7	12/17/2002	Nickel-DISSOLVED	<	0.0085	0.2	mg/L	5	
S8	4/10/2002	Nickel-DISSOLVED	<		0.04	mg/L	1	
S8	6/21/2002	Nickel-DISSOLVED	<	0.0017	0.04	mg/L	1	
S8	9/20/2002	Nickel-DISSOLVED	<	0.0017	0.04	mg/L	1	
S8	12/16/2002	Nickel-DISSOLVED	<	0.0085	0.2	mg/L	5	
S9	4/10/2002	Nickel-DISSOLVED	<		0.04	mg/L	1	
S9	6/20/2002	Nickel-DISSOLVED	<	0.0017	0.04	mg/L	1	
S9	9/11/2002	Nickel-DISSOLVED	<	0.0017	0.04	mg/L	1	
S9	12/12/2002	Nickel-DISSOLVED	<	0.0085	0.2	mg/L	5	
S10	9/10/2004	Nickel-TOTAL	<	0.01	0.2	mg/L	5	
S10	9/6/2006	Nickel-TOTAL	<	0.0078	0.04	MG/L	1	
S10	9/4/2007	Nickel-TOTAL	<	0.039	0.2	MG/L	5	
S10	9/2/2008	Nickel-TOTAL	<	0.0013	0.04	mg/L	1	
S10	9/1/2009	Nickel-TOTAL	<	0.0013	0.04	MG/L	1	
S10	9/1/2010	Nickel-TOTAL	<	0.0013	0.04	MG/L	1	
S10	9/1/2010	Nickel-TOTAL	<	0.0013	0.04	MG/L	1	
S11	9/10/2004	Nickel-TOTAL	<	0.01	0.2	mg/L	5	
S11	12/1/2004	Nickel-TOTAL	<	0.002	0.04	mg/L	1	
S11	3/3/2005	Nickel-TOTAL	<	0.004	0.08	mg/L	2	
S11	9/6/2006	Nickel-TOTAL	<	0.039	0.2	MG/L	5	
S11	9/4/2007	Nickel-TOTAL	<	0.039	0.2	MG/L	5	
S11	9/3/2008	Nickel-TOTAL	<	0.0064	0.2	MG/L	5	
S11	9/3/2008	Nickel-TOTAL	<	0.0064	0.2	MG/L	5	
S11	9/2/2009	Nickel-TOTAL	<	0.0013	0.04	MG/L	1 UJ	
S11	9/2/2010	Nickel-TOTAL	<	0.013	0.013	0.4	MG/L	10
S2	4/3/2002	Nickel-TOTAL	<		0.2	mg/L	5 UJ	
S2	9/18/2002	Nickel-TOTAL	<	0.0085	0.2	mg/L	5	
S2	12/13/2002	Nickel-TOTAL	<	0.0085	0.2	mg/L	5	
S2	3/4/2003	Nickel-TOTAL	<	0.017	0.4	mg/L	10	
S2	3/4/2003	Nickel-TOTAL	<	0.0085	0.2	mg/L	5	
S2	6/5/2003	Nickel-TOTAL	<	0.042	0.4	mg/L	10	
S2	9/5/2003	Nickel-TOTAL	<	0.021	0.2	mg/L	5	
S2	9/5/2003	Nickel-TOTAL	<	0.021	0.2	mg/L	5	
S2	12/3/2003	Nickel-TOTAL	<	0.021	0.2	mg/L	5	
S2	9/10/2004	Nickel-TOTAL	<	0.01	0.2	mg/L	5	

tmpAnalyticalResultsOverTime

S2	9/5/2006	Nickel-TOTAL	<	0.039	0.2	MG/L	5
S2	9/4/2007	Nickel-TOTAL	<	0.039	0.2	MG/L	5
S3	4/3/2002	Nickel-TOTAL	<		0.2	mg/L	5 UJ
S3	6/25/2002	Nickel-TOTAL	<	0.0034	0.08	mg/L	2 UJ
S3	9/19/2002	Nickel-TOTAL	<	0.0017	0.04	mg/L	1
S3	12/13/2002	Nickel-TOTAL	<	0.0085	0.2	mg/L	5
S3	9/9/2004	Nickel-TOTAL	<	0.0042	0.04	mg/L	1
S3	9/9/2004	Nickel-TOTAL	<	0.0042	0.04	mg/L	1
S3	9/5/2006	Nickel-TOTAL	<	0.0078	0.04	MG/L	1
S3	9/4/2007	Nickel-TOTAL	<	0.039	0.2	MG/L	5
S3	9/2/2008	Nickel-TOTAL	<	0.0013	0.04	mg/L	1
S3	9/2/2009	Nickel-TOTAL	<	0.0013	0.04	MG/L	1
S3	9/1/2010	Nickel-TOTAL	<	0.0013	0.04	MG/L	1
S4	9/19/2002	Nickel-TOTAL	<	0.0017	0.04	mg/L	1
S4	12/13/2002	Nickel-TOTAL	<	0.0085	0.2	mg/L	5
S4	9/8/2003	Nickel-TOTAL	<	0.0042	0.04	mg/L	1
S4	9/9/2004	Nickel-TOTAL	<	0.0042	0.04	mg/L	1
S4	9/8/2005	Nickel-TOTAL	<	0.0012	0.04	MG/L	1
S4	9/6/2006	Nickel-TOTAL	<	0.0078	0.04	MG/L	1
S4	9/10/2007	Nickel-TOTAL	<	0.039	0.2	MG/L	5
S4	9/3/2008	Nickel-TOTAL	<	0.0013	0.04	MG/L	1
S4	9/2/2009	Nickel-TOTAL	<	0.0013	0.04	MG/L	1
S4	9/2/2010	Nickel-TOTAL	<	0.0013	0.04	MG/L	1
S5	9/20/2002	Nickel-TOTAL	<	0.0017	0.04	mg/L	1
S5	12/16/2002	Nickel-TOTAL	<	0.0085	0.2	mg/L	5
S5	9/10/2003	Nickel-TOTAL	<	0.0042	0.04	mg/L	1
S5	9/6/2006	Nickel-TOTAL	<	0.0078	0.04	MG/L	1
S5	9/7/2007	Nickel-TOTAL	<	0.039	0.2	MG/L	5
S5	9/3/2008	Nickel-TOTAL	<	0.0013	0.04	MG/L	1
S5	9/2/2009	Nickel-TOTAL	<	0.0013	0.04	MG/L	1
S5	9/3/2010	Nickel-TOTAL	<	0.0013	0.04	MG/L	1
S6	9/23/2002	Nickel-TOTAL	<	0.0017	0.04	mg/L	1
S6	12/18/2002	Nickel-TOTAL	<	0.0085	0.2	mg/L	5
S6	9/9/2003	Nickel-TOTAL	<	0.0042	0.04	mg/L	1
S6	9/9/2005	Nickel-TOTAL	<	0.0012	0.04	MG/L	1
S6	9/7/2006	Nickel-TOTAL	<	0.0078	0.04	MG/L	1
S6	9/7/2007	Nickel-TOTAL	<	0.039	0.2	MG/L	5
S6	9/4/2008	Nickel-TOTAL	<	0.0013	0.04	MG/L	1
S6	9/3/2009	Nickel-TOTAL	<	0.0013	0.04	MG/L	1
S6	9/3/2010	Nickel-TOTAL	<	0.013	0.4	MG/L	10
S7	12/17/2002	Nickel-TOTAL	<	0.0085	0.2	mg/L	5
S7	9/10/2007	Nickel-TOTAL	<	0.039	0.2	MG/L	5
S7	9/8/2009	Nickel-TOTAL	<	0.0013	0.04	MG/L	1
S7	9/7/2010	Nickel-TOTAL	<	0.0013	0.04	MG/L	1
S8	4/10/2002	Nickel-TOTAL	<		0.04	mg/L	1 UJ
S8	6/21/2002	Nickel-TOTAL	<	0.0017	0.04	mg/L	1 UJ
S8	9/20/2002	Nickel-TOTAL	<	0.0017	0.04	mg/L	1
S8	12/16/2002	Nickel-TOTAL	<	0.0085	0.2	mg/L	5
S8	9/11/2003	Nickel-TOTAL	<	0.0042	0.04	mg/L	1
S8	9/7/2006	Nickel-TOTAL	<	0.0078	0.04	MG/L	1
S8	9/10/2007	Nickel-TOTAL	<	0.039	0.2	MG/L	5
S8	9/4/2008	Nickel-TOTAL	<	0.0013	0.04	MG/L	1
S8	9/3/2010	Nickel-TOTAL	<	0.0013	0.04	MG/L	1
S9	6/20/2002	Nickel-TOTAL	<	0.0017	0.04	mg/L	1 UJ
S9	9/11/2002	Nickel-TOTAL	<	0.0017	0.04	mg/L	1
S9	12/12/2002	Nickel-TOTAL	<	0.0085	0.2	mg/L	5
S9	9/11/2003	Nickel-TOTAL	<	0.0042	0.04	mg/L	1



tmpAnalyticalResultsOverTime

S9	9/3/2004 Nickel-TOTAL	<	0.002	0.04	mg/L	1	
S9	9/7/2006 Nickel-TOTAL	<	0.0078	0.04	MG/L	1	
S9	9/5/2007 Nickel-TOTAL	<	0.039	0.2	MG/L	5	
S9	9/5/2008 Nickel-TOTAL	<	0.0013	0.04	MG/L	1	
S9	9/4/2009 Nickel-TOTAL	<	0.0013	0.04	MG/L	1	
S9	9/8/2010 Nickel-TOTAL	<	0.0013	0.04	MG/L	1	
S10	9/7/2005 Nitrate	<	0.021	0.1	MG/L	1	
S10	12/6/2006 Nitrate	<	0.019	0.1	MG/L	1	
S10	3/1/2007 Nitrate	<	0.019	0.1	MG/L	1	
S10	3/1/2007 Nitrate	<	0.019	0.1	MG/L	1	
S10	6/4/2007 Nitrate	<	0.019	0.1	MG/L	1	
S10	12/4/2007 Nitrate	<	0.019	0.1	MG/L	1	
S10	3/5/2008 Nitrate	<	0.019	0.1	MG/L	1	
S10	6/3/2008 Nitrate	<	0.019	0.1	MG/L	1	
S10	9/2/2008 Nitrate	<	0.019	0.1	mg/L	1	
S10	12/2/2008 Nitrate	<	0.019	0.1	MG/L	1	
S10	3/5/2009 Nitrate	<	0.019	0.1	MG/L	1	
S10	6/1/2009 Nitrate	<	0.019	0.1	MG/L	1	
S10	12/2/2009 Nitrate	<	0.019	0.1	MG/L	1	
S10	9/1/2010 NITRATE	<	0.019	0.1	MG/L	1	
S10	9/1/2010 NITRATE	<	0.019	0.1	MG/L	1	
S10	12/2/2010 NITRATE	<	0.019	0.1	MG/L	1	
S11	12/1/2004 Nitrate	<	0.021	0.1	mg/L	1	mg/L
S11	6/6/2005 Nitrate	<	0.021	0.1	mg/L	1	
S11	12/6/2005 Nitrate	<	0.021	0.1	MG/L	1	
S11	9/6/2006 Nitrate	<	0.019	0.1	MG/L	1	
S11	3/1/2007 Nitrate	<	0.019	0.1	MG/L	1	
S11	6/4/2007 Nitrate	<	0.019	0.1	MG/L	1	
S11	9/4/2007 Nitrate	<	0.019	0.1	MG/L	1	
S11	3/5/2008 Nitrate	<	0.019	0.1	MG/L	1	
S11	6/4/2008 Nitrate	<	0.019	0.1	MG/L	1	
S11	9/3/2008 Nitrate	<	0.019	0.1	MG/L	1	
S11	9/3/2008 Nitrate	<	0.019	0.1	MG/L	1	
S11	12/2/2008 Nitrate	<	0.019	0.1	MG/L	1	
S11	3/5/2009 Nitrate	<	0.019	0.1	MG/L	1	
S11	6/1/2009 Nitrate	<	0.019	0.1	MG/L	1	
S11	9/2/2009 Nitrate	<	0.019	0.1	MG/L	1	
S11	12/2/2009 Nitrate	<	0.019	0.1	MG/L	1	
S11	6/3/2010 NITRATE	<	0.019	0.1	MG/L	1	
S11	12/2/2010 NITRATE	<	0.019	0.1	MG/L	1	
S3	9/9/2004 Nitrate	<	0.021	0.1	mg/L	1	
S3	9/7/2005 Nitrate	<	0.021	0.1	MG/L	1	
S4	6/9/2003 Nitrate	<	0.012	0.1	mg/L	1	
S4	12/4/2003 Nitrate	<	0.021	0.1	mg/L	1	
S4	3/2/2004 Nitrate	<	0.021	0.1	mg/L	1	
S4	9/9/2004 Nitrate	<	0.021	0.1	mg/L	1	
S4	12/6/2004 Nitrate	<	0.021	0.1	mg/L	1	
S4	12/6/2004 Nitrate	<	0.021	0.1	mg/L	1	
S4	3/4/2005 Nitrate	<	0.021	0.1	mg/L	1	
S4	6/7/2005 Nitrate	<	0.021	0.1	mg/L	1	
S4	12/7/2005 Nitrate	<	0.021	0.1	MG/L	1	
S4	9/6/2006 Nitrate	<	0.019	0.1	MG/L	1	
S4	12/1/2006 Nitrate	<	0.019	0.1	MG/L	1	
S4	12/1/2006 Nitrate	<	0.019	0.1	MG/L	1	
S4	6/4/2007 Nitrate	<	0.019	0.1	MG/L	1	
S4	9/10/2007 Nitrate	<	0.019	0.1	MG/L	1	
S4	3/4/2008 Nitrate	<	0.019	0.1	MG/L	1	

tmpAnalyticalResultsOverTime

S4	6/3/2008 Nitrate	<		0.019	0.1	MG/L	1
S4	3/4/2009 Nitrate	<		0.019	0.1	MG/L	1
S4	6/2/2009 Nitrate	<		0.019	0.1	MG/L	1
S4	9/2/2009 Nitrate	<		0.019	0.1	MG/L	1
S4	6/3/2010 NITRATE	<	0.019	0.019	0.1	MG/L	1
S4	12/3/2010 NITRATE	<	0.019	0.019	0.1	MG/L	1
S5	12/4/2003 Nitrate	<		0.021	0.1	mg/L	1
S5	12/3/2004 Nitrate	<		0.021	0.1	mg/L	1
S5	3/4/2005 Nitrate	<		0.021	0.1	mg/L	1
S5	12/7/2005 Nitrate	<		0.021	0.1	MG/L	1
S5	3/3/2006 Nitrate	<		0.019	0.1	MG/L	1
S5	9/6/2006 Nitrate	<		0.019	0.1	MG/L	1
S5	12/1/2006 Nitrate	<		0.019	0.1	MG/L	1
S5	6/5/2007 Nitrate	<		0.019	0.1	MG/L	1
S5	6/5/2007 Nitrate	<		0.019	0.1	MG/L	1
S5	3/4/2008 Nitrate	<		0.019	0.1	MG/L	1
S5	6/6/2008 Nitrate	<		0.019	0.1	MG/L	1
S5	9/3/2008 Nitrate	<		0.019	0.1	MG/L	1
S5	12/3/2008 Nitrate	<		0.019	0.1	MG/L	1
S5	12/3/2009 Nitrate	<		0.019	0.1	MG/L	1
S6	12/18/2002 Nitrate	<		0.01	0.1	mg/L	1
S6	12/4/2003 Nitrate	<		0.021	0.1	mg/L	1
S6	12/4/2003 Nitrate	<		0.021	0.1	mg/L	1
S6	6/4/2004 Nitrate	<		0.021	0.1	mg/L	1
S6	12/3/2004 Nitrate	<		0.021	0.1	mg/L	1
S6	12/7/2005 Nitrate	<		0.021	0.1	MG/L	1
S6	12/7/2005 Nitrate	<		0.021	0.1	MG/L	1
S6	3/3/2006 Nitrate	<		0.019	0.1	MG/L	1
S6	12/1/2006 Nitrate	<		0.019	0.1	MG/L	1
S6	3/2/2007 Nitrate	<		0.019	0.1	MG/L	1
S6	12/6/2007 Nitrate	<		0.019	0.1	MG/L	1
S6	3/5/2008 Nitrate	<		0.019	0.1	MG/L	1
S6	3/5/2008 Nitrate	<		0.019	0.1	MG/L	1
S6	9/4/2008 Nitrate	<		0.019	0.1	MG/L	1
S6	12/3/2008 Nitrate	<		0.019	0.1	MG/L	1
S6	3/4/2009 Nitrate	<		0.019	0.1	MG/L	1
S6	6/2/2009 Nitrate	<		0.019	0.1	MG/L	1
S6	12/3/2009 Nitrate	<		0.019	0.1	MG/L	1
S6	6/7/2010 NITRATE	<	0.019	0.019	0.1	MG/L	1
S6	12/3/2010 NITRATE	<	0.019	0.019	0.1	MG/L	1
S6	12/3/2010 NITRATE	<	0.019	0.019	0.1	MG/L	1
S7	4/10/2002 Nitrate	<			0.1	mg/L	1
S7	12/17/2002 Nitrate	<		0.01	0.1	mg/L	1
S7	6/10/2003 Nitrate	<		0.012	0.1	mg/L	1
S7	12/4/2003 Nitrate	<		0.021	0.1	mg/L	1
S7	12/3/2004 Nitrate	<		0.021	0.1	mg/L	1
S7	12/5/2005 Nitrate	<		0.021	0.1	MG/L	1 UJ
S7	3/1/2006 Nitrate	<		0.019	0.1	MG/L	1
S7	12/5/2006 Nitrate	<		0.019	0.1	MG/L	1
S7	3/2/2007 Nitrate	<		0.019	0.1	MG/L	1
S7	12/5/2007 Nitrate	<		0.019	0.1	MG/L	1
S7	3/3/2008 Nitrate	<		0.019	0.1	MG/L	1
S7	6/4/2008 Nitrate	<		0.019	0.1	MG/L	1
S7	6/4/2008 Nitrate	<		0.019	0.1	MG/L	1
S7	9/4/2008 Nitrate	<		0.019	0.1	MG/L	1
S7	12/3/2008 Nitrate	<		0.019	0.1	MG/L	1
S7	3/3/2010 NITRATE	<		0.019	0.1	MG/L	1

tmpAnalyticalResultsOverTime

S7	6/4/2010 NITRATE	<		0.019	0.1	MG/L	1
S7	12/6/2010 NITRATE	<	0.019	0.019	0.1	MG/L	1
S8	12/5/2003 Nitrate	<		0.021	0.1	mg/L	1
S8	3/5/2004 Nitrate	<		0.021	0.1	mg/L	1
S9	6/20/2002 Nitrate	<		0.01	0.1	mg/L	1 UJ
S9	9/11/2002 Nitrate	<		0.01	0.1	mg/L	1
S9	12/4/2003 Nitrate	<		0.021	0.1	mg/L	1
S9	6/3/2004 Nitrate	<		0.021	0.1	mg/L	1
S9	12/2/2004 Nitrate	<		0.021	0.1	mg/L	1 UJ
S9	3/8/2005 Nitrate	<		0.021	0.1	mg/L	1
S9	9/2/2005 Nitrate	<		0.021	0.1	MG/L	1
S9	3/3/2006 Nitrate	<		0.019	0.1	MG/L	1
S9	6/1/2006 Nitrate	<		0.019	0.1	MG/L	1
S9	12/6/2006 Nitrate	<		0.019	0.1	MG/L	1
S9	3/2/2007 Nitrate	<		0.019	0.1	MG/L	1
S9	6/6/2007 Nitrate	<		0.019	0.1	MG/L	1
S9	12/5/2007 Nitrate	<		0.019	0.1	MG/L	1
S9	6/6/2008 Nitrate	<		0.019	0.1	MG/L	1
S9	9/5/2008 Nitrate	<		0.019	0.1	MG/L	1
S9	12/4/2008 Nitrate	<		0.019	0.1	MG/L	1
S9	9/4/2009 Nitrate	<		0.019	0.1	MG/L	1
S9	6/7/2010 NITRATE	<	0.019	0.019	0.1	MG/L	1
S9	6/7/2010 NITRATE	<	0.019	0.019	0.1	MG/L	1
S10	9/7/2005 Nitrate-Nitrite	<		0.031	0.1	MG/L	1
S10	12/6/2006 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S10	3/1/2007 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S10	3/1/2007 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S10	12/4/2007 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S10	3/5/2008 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S10	6/3/2008 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S10	9/2/2008 Nitrate-Nitrite	<		0.019	0.1	mg/L	1
S10	12/2/2008 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S10	3/5/2009 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S10	6/1/2009 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S10	12/2/2009 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S10	9/1/2010 NITRATE-NITRITE	<	0.019	0.019	0.1	MG/L	1
S10	9/1/2010 NITRATE-NITRITE	<	0.019	0.019	0.1	MG/L	1
S10	12/2/2010 NITRATE-NITRITE	<	0.019	0.019	0.1	MG/L	1
S11	12/1/2004 Nitrate-Nitrite	<		0.031	0.1	mg/L	1
S11	6/6/2005 Nitrate-Nitrite	<		0.031	0.1	mg/L	1
S11	12/6/2005 Nitrate-Nitrite	<		0.031	0.1	MG/L	1
S11	3/1/2007 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S11	6/4/2007 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S11	9/4/2007 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S11	3/5/2008 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S11	6/4/2008 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S11	9/3/2008 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S11	9/3/2008 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S11	12/2/2008 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S11	3/5/2009 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S11	6/1/2009 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S11	9/2/2009 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S11	12/2/2009 Nitrate-Nitrite	<		0.019	0.1	MG/L	1
S11	6/3/2010 NITRATE-NITRITE	<	0.019	0.019	0.1	MG/L	1
S11	12/2/2010 NITRATE-NITRITE	<	0.019	0.019	0.1	MG/L	1
S3	9/9/2004 NITRATE-NITRITE	<		0.021	0.1	mg/L	1
S3	9/7/2005 Nitrate-Nitrite	<		0.031	0.1	MG/L	1

tmpAnalyticalResultsOverTime

S4	12/4/2003	Nitrate-Nitrite	<	0.021	0.1	mg/L	1	
S4	3/2/2004	Nitrate-Nitrite	<	0.021	0.1	mg/L	1	
S4	9/9/2004	NITRATE-NITRITE	<	0.021	0.1	mg/L	1	
S4	12/6/2004	Nitrate-Nitrite	<	0.031	0.1	mg/L	1	
S4	12/6/2004	Nitrate-Nitrite	<	0.031	0.1	mg/L	1	
S4	3/4/2005	Nitrate-Nitrite	<	0.031	0.1	mg/L	1	
S4	6/7/2005	Nitrate-Nitrite	<	0.031	0.1	mg/L	1	
S4	12/7/2005	Nitrate-Nitrite	<	0.031	0.1	MG/L	1	
S4	9/6/2006	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S4	12/1/2006	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S4	12/1/2006	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	UJ
S4	6/4/2007	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S4	9/10/2007	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S4	3/4/2008	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S4	6/3/2008	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S4	6/3/2010	NITRATE-NITRITE	<	0.019	0.019	MG/L	1	
S4	12/3/2010	NITRATE-NITRITE	<	0.019	0.019	MG/L	1	
S5	12/4/2003	Nitrate-Nitrite	<	0.021	0.1	mg/L	1	
S5	12/3/2004	Nitrate-Nitrite	<	0.031	0.1	mg/L	1	
S5	3/4/2005	Nitrate-Nitrite	<	0.031	0.1	mg/L	1	
S5	12/7/2005	Nitrate-Nitrite	<	0.031	0.1	MG/L	1	
S5	3/3/2006	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S5	9/6/2006	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S5	12/1/2006	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	mg/L
S5	6/5/2007	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S5	6/5/2007	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S5	3/4/2008	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S5	6/6/2008	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S5	9/3/2008	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S5	12/3/2008	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S5	12/3/2009	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S6	12/18/2002	Nitrate-Nitrite	<	0.01	0.1	mg/L	1	
S6	12/4/2003	Nitrate-Nitrite	<	0.021	0.1	mg/L	1	
S6	6/4/2004	Nitrate-Nitrite	<	0.021	0.1	mg/L	1	
S6	12/3/2004	Nitrate-Nitrite	<	0.031	0.1	mg/L	1	
S6	12/7/2005	Nitrate-Nitrite	<	0.031	0.1	MG/L	1	
S6	12/7/2005	Nitrate-Nitrite	<	0.031	0.1	MG/L	1	
S6	12/1/2006	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S6	3/2/2007	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S6	3/5/2008	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S6	3/5/2008	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S6	9/4/2008	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S6	12/3/2008	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S6	12/3/2009	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S6	6/7/2010	NITRATE-NITRITE	<	0.019	0.019	MG/L	1	
S6	12/3/2010	NITRATE-NITRITE	<	0.019	0.019	MG/L	1	
S6	12/3/2010	NITRATE-NITRITE	<	0.019	0.019	MG/L	1	
S7	12/17/2002	Nitrate-Nitrite	<	0.01	0.1	mg/L	1	
S7	6/10/2003	Nitrate-Nitrite	<	0.01	0.1	mg/L	1	
S7	12/4/2003	Nitrate-Nitrite	<	0.021	0.1	mg/L	1	
S7	12/3/2004	Nitrate-Nitrite	<	0.031	0.1	mg/L	1	
S7	12/5/2005	Nitrate-Nitrite	<	0.031	0.1	MG/L	1	UJ
S7	3/1/2006	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S7	12/5/2006	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S7	3/2/2007	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S7	12/5/2007	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	
S7	6/4/2008	Nitrate-Nitrite	<	0.019	0.1	MG/L	1	

tmpAnalyticalResultsOverTime

S7	6/4/2008	Nitrate-Nitrite	<		0.019	0.1	MG/L	1	
S7	9/4/2008	Nitrate-Nitrite	<		0.019	0.1	MG/L	1	
S7	6/3/2009	Nitrate-Nitrite	<		0.019	0.1	MG/L	1	
S7	6/4/2010	NITRATE-NITRITE	<	0.019	0.019	0.1	MG/L	1	
S7	12/6/2010	NITRATE-NITRITE	<	0.019	0.019	0.1	MG/L	1	
S8	12/5/2003	Nitrate-Nitrite	<		0.021	0.1	mg/L	1	
S8	3/5/2004	Nitrate-Nitrite	<		0.021	0.1	mg/L	1	
S9	9/11/2002	Nitrate-Nitrite	<		0.01	0.1	mg/L	1	
S9	12/4/2003	Nitrate-Nitrite	<		0.021	0.1	mg/L	1	
S9	6/3/2004	Nitrate-Nitrite	<		0.021	0.1	mg/L	1	
S9	3/8/2005	Nitrate-Nitrite	<		0.031	0.1	mg/L	1	
S9	6/3/2005	Nitrate-Nitrite	<		0.031	0.1	mg/L	1	
S9	9/2/2005	Nitrate-Nitrite	<		0.031	0.1	MG/L	1	
S9	3/3/2006	Nitrate-Nitrite	<		0.019	0.1	MG/L	1	
S9	6/1/2006	Nitrate-Nitrite	<		0.019	0.1	MG/L	1	
S9	12/6/2006	Nitrate-Nitrite	<		0.019	0.1	MG/L	1	
S9	3/2/2007	Nitrate-Nitrite	<		0.019	0.1	MG/L	1	
S9	6/6/2007	Nitrate-Nitrite	<		0.019	0.1	MG/L	1	
S9	12/5/2007	Nitrate-Nitrite	<		0.019	0.1	MG/L	1	
S9	6/6/2008	Nitrate-Nitrite	<		0.019	0.1	MG/L	1	
S9	9/5/2008	Nitrate-Nitrite	<		0.019	0.1	MG/L	1	
S9	12/4/2008	Nitrate-Nitrite	<		0.019	0.1	MG/L	1	
S9	3/8/2010	NITRATE-NITRITE	<		0.043	0.1	MG/L	1	U
S9	6/7/2010	NITRATE-NITRITE	<	0.019	0.019	0.1	MG/L	1	
S9	6/7/2010	NITRATE-NITRITE	<	0.019	0.019	0.1	MG/L	1	
S2	9/18/2002	Nitrite	<	0.01	0.002	0.01	mg/L	1	U
S4	6/25/2002	Nitrite	<		0.002	0.01	mg/L	1	
S4	9/19/2002	Nitrite	<	0.01	0.002	0.01	mg/L	1	U
S5	9/20/2002	Nitrite	<	0.01	0.002	0.01	mg/L	1	U
S5	12/16/2002	Nitrite	<		0.002	0.01	mg/L	1	
S6	4/4/2002	Nitrite	<			0.01	mg/L	1	
S6	9/23/2002	Nitrite	<	0.01	0.002	0.01	mg/L	1	U
S7	6/21/2002	Nitrite	<		0.002	0.01	mg/L	1	
S7	9/23/2002	Nitrite	<	0.01	0.002	0.01	mg/L	1	U
S8	9/20/2002	Nitrite	<	0.01	0.002	0.01	mg/L	1	U
S8	12/16/2002	Nitrite	<		0.002	0.01	mg/L	1	
S9	4/10/2002	Nitrite	<			0.01	mg/L	1	
S9	12/12/2002	Nitrite	<	0.01	0.002	0.01	mg/L	1	U
S10	5/24/2004	Nitrobenzene	<		2	10	ug/L	1	NA
S10	5/24/2004	Nitrobenzene	<		2	10	ug/L	1	
S10	9/10/2004	Nitrobenzene	<		2	10	ug/L	1	
S10	12/1/2004	Nitrobenzene	<		2	10	ug/L	1	
S10	12/1/2004	Nitrobenzene	<		2	10	ug/L	1	
S10	3/3/2005	Nitrobenzene	<		1.2	10	ug/L	1	
S11	5/24/2004	Nitrobenzene	<		2	10	ug/L	1	
S11	9/10/2004	Nitrobenzene	<		2	10	ug/L	1	
S11	12/1/2004	Nitrobenzene	<		2	10	ug/L	1	
S11	3/3/2005	Nitrobenzene	<		1.2	10	ug/L	1	
S2	4/3/2002	Nitrobenzene	<			10	ug/L	1	
S2	6/26/2002	Nitrobenzene	<		2.5	10	ug/L	1	
S2	9/18/2002	Nitrobenzene	<		2.5	10	ug/L	1	
S2	12/13/2002	Nitrobenzene	<		2.5	10	ug/L	1	
S2	3/4/2003	Nitrobenzene	<		2.5	10	ug/L	1	
S2	3/4/2003	Nitrobenzene	<		2.5	10	ug/L	1	
S2	6/5/2003	Nitrobenzene	<		2.5	10	ug/L	1	
S2	9/5/2003	Nitrobenzene	<		2	10	ug/L	1	
S2	9/5/2003	Nitrobenzene	<		2	10	ug/L	1	

tmpAnalyticalResultsOverTime

S2	12/3/2003	Nitrobenzene	<	2	10	ug/L	1	
S2	9/10/2004	Nitrobenzene	<	2	10	ug/L	1	
S3	4/3/2002	Nitrobenzene	<		10	ug/L	1	
S3	9/19/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S3	9/19/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S3	12/13/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S3	3/5/2003	Nitrobenzene	<	2.5	10	ug/L	1	
S3	6/5/2003	Nitrobenzene	<	2.5	10	ug/L	1	
S3	9/5/2003	Nitrobenzene	<	2	10	ug/L	1	
S3	12/2/2003	Nitrobenzene	<	2	10	ug/L	1	
S3	9/9/2004	Nitrobenzene	<	2	10	ug/L	1	
S3	9/9/2004	Nitrobenzene	<	2	10	ug/L	1	
S4	4/3/2002	Nitrobenzene	<		10	ug/L	1	
S4	6/25/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S4	9/19/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S4	12/13/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S4	9/8/2003	Nitrobenzene	<	2	10	ug/L	1	
S4	9/9/2004	Nitrobenzene	<	2	10	ug/L	1	
S5	4/4/2002	Nitrobenzene	<		10	ug/L	1	
S5	6/24/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S5	9/20/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S5	12/16/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S5	9/10/2003	Nitrobenzene	<	2	10	ug/L	1	
S5	9/8/2004	Nitrobenzene	<	2	10	ug/L	1	
S6	4/4/2002	Nitrobenzene	<		10	ug/L	1	
S6	6/24/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S6	6/24/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S6	9/23/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S6	12/18/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S6	9/9/2003	Nitrobenzene	<	2	10	ug/L	1	
S6	9/8/2004	Nitrobenzene	<	2	10	ug/L	1	
S7	4/10/2002	Nitrobenzene	<		10	ug/L	1	
S7	6/21/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S7	9/23/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S7	12/17/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S7	9/11/2003	Nitrobenzene	<	2	10	ug/L	1	
S7	9/7/2004	Nitrobenzene	<	2	10	ug/L	1	
S8	4/10/2002	Nitrobenzene	<		10	ug/L	1	
S8	6/21/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S8	9/20/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S8	12/16/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S8	9/11/2003	Nitrobenzene	<	2	10	ug/L	1	
S8	9/3/2004	Nitrobenzene	<	2	10	ug/L	1	
S9	6/20/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S9	9/11/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S9	12/12/2002	Nitrobenzene	<	2.5	10	ug/L	1	
S9	9/11/2003	Nitrobenzene	<	2	10	ug/L	1	
S9	9/3/2004	Nitrobenzene	<	2	10	ug/L	1	
S10	5/24/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1	NA
S10	5/24/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1	
S10	9/10/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1	
S10	12/1/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1	
S10	12/1/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1	
S10	3/3/2005	N-Nitrosodiethylamine	<	2	10	ug/L	1	
S11	5/24/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1	
S11	9/10/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1	
S11	12/1/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1	

tmpAnalyticalResultsOverTime

S11	3/3/2005	N-Nitrosodiethylamine	<	2	10	ug/L	1
S2	4/3/2002	N-Nitrosodiethylamine	<		10	ug/L	1
S2	6/26/2002	N-Nitrosodiethylamine	<	1.6	10	ug/L	1
S2	9/18/2002	N-Nitrosodiethylamine	<	1.6	10	ug/L	1
S2	12/13/2002	N-Nitrosodiethylamine	<	2	10	ug/L	1
S2	3/4/2003	N-Nitrosodiethylamine	<	2	10	ug/L	1
S2	3/4/2003	N-Nitrosodiethylamine	<	2	10	ug/L	1
S2	6/5/2003	N-Nitrosodiethylamine	<	2	10	ug/L	1
S2	9/5/2003	N-Nitrosodiethylamine	<	2	10	ug/L	1
S2	9/5/2003	N-Nitrosodiethylamine	<	2	10	ug/L	1
S2	12/3/2003	N-Nitrosodiethylamine	<	2	10	ug/L	1
S2	9/10/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1
S3	4/3/2002	N-Nitrosodiethylamine	<		10	ug/L	1
S3	9/19/2002	N-Nitrosodiethylamine	<	1.6	10	ug/L	1
S3	9/19/2002	N-Nitrosodiethylamine	<	1.6	10	ug/L	1
S3	12/13/2002	N-Nitrosodiethylamine	<	2	10	ug/L	1
S3	3/5/2003	N-Nitrosodiethylamine	<	2	10	ug/L	1
S3	6/5/2003	N-Nitrosodiethylamine	<	2	10	ug/L	1
S3	9/5/2003	N-Nitrosodiethylamine	<	2	10	ug/L	1
S3	12/2/2003	N-Nitrosodiethylamine	<	2	10	ug/L	1
S3	9/9/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1
S3	9/9/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1
S4	4/3/2002	N-Nitrosodiethylamine	<		10	ug/L	1
S4	6/25/2002	N-Nitrosodiethylamine	<	1.6	10	ug/L	1
S4	9/19/2002	N-Nitrosodiethylamine	<	1.6	10	ug/L	1
S4	12/13/2002	N-Nitrosodiethylamine	<	2	10	ug/L	1
S4	9/8/2003	N-Nitrosodiethylamine	<	2	10	ug/L	1
S4	9/9/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1
S5	4/4/2002	N-Nitrosodiethylamine	<		10	ug/L	1
S5	6/24/2002	N-Nitrosodiethylamine	<	1.6	10	ug/L	1
S5	9/20/2002	N-Nitrosodiethylamine	<	1.6	10	ug/L	1
S5	12/16/2002	N-Nitrosodiethylamine	<	2	10	ug/L	1
S5	9/10/2003	N-Nitrosodiethylamine	<	2	10	ug/L	1
S5	9/8/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1
S6	4/4/2002	N-Nitrosodiethylamine	<		10	ug/L	1
S6	6/24/2002	N-Nitrosodiethylamine	<	1.6	10	ug/L	1
S6	6/24/2002	N-Nitrosodiethylamine	<	1.6	10	ug/L	1
S6	9/23/2002	N-Nitrosodiethylamine	<	1.6	10	ug/L	1
S6	12/18/2002	N-Nitrosodiethylamine	<	2	10	ug/L	1
S6	9/9/2003	N-Nitrosodiethylamine	<	2	10	ug/L	1
S6	9/8/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1
S7	4/10/2002	N-Nitrosodiethylamine	<		10	ug/L	1
S7	6/21/2002	N-Nitrosodiethylamine	<	1.6	10	ug/L	1
S7	9/23/2002	N-Nitrosodiethylamine	<	1.6	10	ug/L	1
S7	12/17/2002	N-Nitrosodiethylamine	<	2	10	ug/L	1
S7	9/11/2003	N-Nitrosodiethylamine	<	2	10	ug/L	1
S7	9/7/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1
S8	4/10/2002	N-Nitrosodiethylamine	<		10	ug/L	1
S8	6/21/2002	N-Nitrosodiethylamine	<	1.6	10	ug/L	1
S8	9/20/2002	N-Nitrosodiethylamine	<	1.6	10	ug/L	1
S8	12/16/2002	N-Nitrosodiethylamine	<	2	10	ug/L	1
S8	9/11/2003	N-Nitrosodiethylamine	<	2	10	ug/L	1
S8	9/3/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1
S9	6/20/2002	N-Nitrosodiethylamine	<	1.6	10	ug/L	1
S9	9/11/2002	N-Nitrosodiethylamine	<	1.6	10	ug/L	1
S9	12/12/2002	N-Nitrosodiethylamine	<	2	10	ug/L	1
S9	9/11/2003	N-Nitrosodiethylamine	<	2	10	ug/L	1

tmpAnalyticalResultsOverTime

S9	9/3/2004	N-Nitrosodiethylamine	<	2	10	ug/L	1
S10	5/24/2004	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S10	5/24/2004	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S10	9/10/2004	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S10	12/1/2004	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S10	12/1/2004	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S10	3/3/2005	N-Nitrosodimethylamine	<	1.6	10	ug/L	1
S11	5/24/2004	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S11	9/10/2004	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S11	12/1/2004	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S11	3/3/2005	N-Nitrosodimethylamine	<	1.6	10	ug/L	1
S2	4/3/2002	N-Nitrosodimethylamine	<		10	ug/L	1
S2	6/26/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S2	9/18/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S2	12/13/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S2	3/4/2003	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S2	3/4/2003	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S2	6/5/2003	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S2	9/5/2003	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S2	9/5/2003	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S2	12/3/2003	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S2	9/10/2004	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S3	4/3/2002	N-Nitrosodimethylamine	<		10	ug/L	1
S3	9/19/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S3	9/19/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S3	12/13/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S3	3/5/2003	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S3	6/5/2003	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S3	9/5/2003	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S3	12/2/2003	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S3	9/9/2004	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S3	9/9/2004	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S4	4/3/2002	N-Nitrosodimethylamine	<		10	ug/L	1
S4	6/25/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S4	9/19/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S4	12/13/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S4	9/8/2003	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S4	9/9/2004	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S5	4/4/2002	N-Nitrosodimethylamine	<		10	ug/L	1
S5	6/24/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S5	9/20/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S5	12/16/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S5	9/10/2003	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S5	9/8/2004	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S6	4/4/2002	N-Nitrosodimethylamine	<		10	ug/L	1
S6	6/24/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S6	6/24/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S6	9/23/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S6	12/18/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S6	9/9/2003	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S6	9/8/2004	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S7	4/10/2002	N-Nitrosodimethylamine	<		10	ug/L	1
S7	6/21/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S7	9/23/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S7	12/17/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1
S7	9/11/2003	N-Nitrosodimethylamine	<	0.8	10	ug/L	1
S7	9/7/2004	N-Nitrosodimethylamine	<	0.8	10	ug/L	1



tmpAnalyticalResultsOverTime

S8	4/10/2002	N-Nitrosodimethylamine	<		10	ug/L	1	
S8	6/21/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1	
S8	9/20/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1	
S8	12/16/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1	
S8	9/11/2003	N-Nitrosodimethylamine	<	0.8	10	ug/L	1	
S8	9/3/2004	N-Nitrosodimethylamine	<	0.8	10	ug/L	1	
S9	6/20/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1	
S9	9/11/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1	
S9	12/12/2002	N-Nitrosodimethylamine	<	2.1	10	ug/L	1	
S9	9/11/2003	N-Nitrosodimethylamine	<	0.8	10	ug/L	1	
S9	9/3/2004	N-Nitrosodimethylamine	<	0.8	10	ug/L	1	
S10	5/24/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	NA
S10	5/24/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S10	9/10/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S10	12/1/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S10	12/1/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S10	3/3/2005	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S11	5/24/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S11	9/10/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S11	12/1/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S11	3/3/2005	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S2	4/3/2002	N-Nitrosodi-n-butylamine	<		10	ug/L	1	
S2	6/26/2002	N-Nitrosodi-n-butylamine	<	1.8	10	ug/L	1	
S2	9/18/2002	N-Nitrosodi-n-butylamine	<	1.8	10	ug/L	1	
S2	12/13/2002	N-Nitrosodi-n-butylamine	<	2.1	10	ug/L	1	
S2	3/4/2003	N-Nitrosodi-n-butylamine	<	2.1	10	ug/L	1	
S2	3/4/2003	N-Nitrosodi-n-butylamine	<	2.1	10	ug/L	1	
S2	6/5/2003	N-Nitrosodi-n-butylamine	<	2.1	10	ug/L	1	
S2	9/5/2003	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S2	9/5/2003	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S2	12/3/2003	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S2	9/10/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S3	4/3/2002	N-Nitrosodi-n-butylamine	<		10	ug/L	1	
S3	9/19/2002	N-Nitrosodi-n-butylamine	<	1.8	10	ug/L	1	
S3	9/19/2002	N-Nitrosodi-n-butylamine	<	1.8	10	ug/L	1	
S3	12/13/2002	N-Nitrosodi-n-butylamine	<	2.1	10	ug/L	1	
S3	3/5/2003	N-Nitrosodi-n-butylamine	<	2.1	10	ug/L	1	
S3	6/5/2003	N-Nitrosodi-n-butylamine	<	2.1	10	ug/L	1	
S3	9/5/2003	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S3	12/2/2003	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S3	9/9/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S3	9/9/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S4	4/3/2002	N-Nitrosodi-n-butylamine	<		10	ug/L	1	
S4	6/25/2002	N-Nitrosodi-n-butylamine	<	1.8	10	ug/L	1	
S4	9/19/2002	N-Nitrosodi-n-butylamine	<	1.8	10	ug/L	1	
S4	12/13/2002	N-Nitrosodi-n-butylamine	<	2.1	10	ug/L	1	
S4	9/8/2003	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S4	9/9/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S5	4/4/2002	N-Nitrosodi-n-butylamine	<		10	ug/L	1	
S5	6/24/2002	N-Nitrosodi-n-butylamine	<	1.8	10	ug/L	1	
S5	9/20/2002	N-Nitrosodi-n-butylamine	<	1.8	10	ug/L	1	
S5	12/16/2002	N-Nitrosodi-n-butylamine	<	2.1	10	ug/L	1	
S5	9/10/2003	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S5	9/8/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S6	4/4/2002	N-Nitrosodi-n-butylamine	<		10	ug/L	1	
S6	6/24/2002	N-Nitrosodi-n-butylamine	<	1.8	10	ug/L	1	
S6	6/24/2002	N-Nitrosodi-n-butylamine	<	1.8	10	ug/L	1	

tmpAnalyticalResultsOverTime

S6	9/23/2002	N-Nitrosodi-n-butylamine	<	1.8	10	ug/L	1	
S6	12/18/2002	N-Nitrosodi-n-butylamine	<	2.1	10	ug/L	1	
S6	9/9/2003	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S6	9/8/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S7	4/10/2002	N-Nitrosodi-n-butylamine	<		10	ug/L	1	
S7	6/21/2002	N-Nitrosodi-n-butylamine	<	1.8	10	ug/L	1	
S7	9/23/2002	N-Nitrosodi-n-butylamine	<	1.8	10	ug/L	1	
S7	12/17/2002	N-Nitrosodi-n-butylamine	<	2.1	10	ug/L	1	
S7	9/11/2003	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S7	9/7/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S8	4/10/2002	N-Nitrosodi-n-butylamine	<		10	ug/L	1	
S8	6/21/2002	N-Nitrosodi-n-butylamine	<	1.8	10	ug/L	1	
S8	9/20/2002	N-Nitrosodi-n-butylamine	<	1.8	10	ug/L	1	
S8	12/16/2002	N-Nitrosodi-n-butylamine	<	2.1	10	ug/L	1	
S8	9/11/2003	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S8	9/3/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S9	6/20/2002	N-Nitrosodi-n-butylamine	<	1.8	10	ug/L	1	
S9	9/11/2002	N-Nitrosodi-n-butylamine	<	1.8	10	ug/L	1	
S9	12/12/2002	N-Nitrosodi-n-butylamine	<	2.1	10	ug/L	1	
S9	9/11/2003	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S9	9/3/2004	N-Nitrosodi-n-butylamine	<	2	10	ug/L	1	
S10	5/24/2004	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	NA
S10	5/24/2004	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S10	9/10/2004	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S10	12/1/2004	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S10	12/1/2004	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S10	3/3/2005	N-Nitrosodi-n-propylamine	<	1.4	10	ug/L	1	
S11	5/24/2004	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S11	9/10/2004	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S11	12/1/2004	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S11	3/3/2005	N-Nitrosodi-n-propylamine	<	1.4	10	ug/L	1	
S2	4/3/2002	N-Nitrosodi-n-propylamine	<		10	ug/L	1	
S2	6/26/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S2	9/18/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S2	12/13/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S2	3/4/2003	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S2	3/4/2003	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S2	6/5/2003	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S2	9/5/2003	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S2	9/5/2003	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S2	12/3/2003	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S2	9/10/2004	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S3	4/3/2002	N-Nitrosodi-n-propylamine	<		10	ug/L	1	
S3	9/19/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S3	9/19/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S3	12/13/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S3	3/5/2003	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S3	6/5/2003	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S3	9/5/2003	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S3	12/2/2003	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S3	9/9/2004	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S3	9/9/2004	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S4	4/3/2002	N-Nitrosodi-n-propylamine	<		10	ug/L	1	
S4	6/25/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S4	9/19/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S4	12/13/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S4	9/8/2003	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	

tmpAnalyticalResultsOverTime

S4	9/9/2004	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S5	4/4/2002	N-Nitrosodi-n-propylamine	<		10	ug/L	1	
S5	6/24/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S5	9/20/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S5	12/16/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S5	9/10/2003	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S5	9/8/2004	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S6	4/4/2002	N-Nitrosodi-n-propylamine	<		10	ug/L	1	
S6	6/24/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S6	6/24/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S6	9/23/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S6	12/18/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S6	9/9/2003	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S6	9/8/2004	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S7	4/10/2002	N-Nitrosodi-n-propylamine	<		10	ug/L	1	
S7	6/21/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S7	9/23/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S7	12/17/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S7	9/11/2003	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S7	9/7/2004	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S8	4/10/2002	N-Nitrosodi-n-propylamine	<		10	ug/L	1	
S8	6/21/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S8	9/20/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S8	12/16/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S8	9/11/2003	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S8	9/3/2004	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S9	6/20/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S9	9/11/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S9	12/12/2002	N-Nitrosodi-n-propylamine	<	1.6	10	ug/L	1	
S9	9/11/2003	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S9	9/3/2004	N-Nitrosodi-n-propylamine	<	0.7	10	ug/L	1	
S10	5/24/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	NA
S10	5/24/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S10	9/10/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S10	12/1/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S10	12/1/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S10	3/3/2005	N-Nitrosodiphenylamine	<	2.6	10	ug/L	1	
S11	5/24/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S11	9/10/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S11	12/1/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S11	3/3/2005	N-Nitrosodiphenylamine	<	2.6	10	ug/L	1	
S2	4/3/2002	N-Nitrosodiphenylamine	<		10	ug/L	1	
S2	6/26/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S2	9/18/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S2	12/13/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S2	3/4/2003	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S2	3/4/2003	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S2	6/5/2003	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S2	9/5/2003	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S2	9/5/2003	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S2	12/3/2003	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S2	9/10/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S3	4/3/2002	N-Nitrosodiphenylamine	<		10	ug/L	1	
S3	9/19/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S3	9/19/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S3	12/13/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S3	3/5/2003	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	

tmpAnalyticalResultsOverTime

S3	6/5/2003	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S3	9/5/2003	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S3	12/2/2003	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S3	9/9/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S3	9/9/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S4	4/3/2002	N-Nitrosodiphenylamine	<		10	ug/L	1	
S4	6/25/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S4	9/19/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S4	12/13/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S4	9/8/2003	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S4	9/9/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S5	4/4/2002	N-Nitrosodiphenylamine	<		10	ug/L	1	
S5	6/24/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S5	9/20/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S5	12/16/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S5	9/10/2003	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S5	9/8/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S6	4/4/2002	N-Nitrosodiphenylamine	<		10	ug/L	1	
S6	6/24/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S6	6/24/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S6	9/23/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S6	12/18/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S6	9/9/2003	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S6	9/8/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S7	4/10/2002	N-Nitrosodiphenylamine	<		10	ug/L	1	
S7	6/21/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S7	9/23/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S7	12/17/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S7	9/11/2003	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S7	9/7/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S8	4/10/2002	N-Nitrosodiphenylamine	<		10	ug/L	1	
S8	6/21/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S8	9/20/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S8	12/16/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S8	9/11/2003	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S8	9/3/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S9	6/20/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S9	9/11/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S9	12/12/2002	N-Nitrosodiphenylamine	<	1.5	10	ug/L	1	
S9	9/11/2003	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S9	9/3/2004	N-Nitrosodiphenylamine	<	1	10	ug/L	1	
S10	5/24/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1	NA
S10	5/24/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S10	9/10/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S10	12/1/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S10	12/1/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S10	3/3/2005	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S11	5/24/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S11	9/10/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S11	12/1/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S11	3/3/2005	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S2	4/3/2002	N-Nitrosomethylethylamine	<		10	ug/L	1	
S2	6/26/2002	N-Nitrosomethylethylamine	<	3	10	ug/L	1	
S2	9/18/2002	N-Nitrosomethylethylamine	<	3	10	ug/L	1	
S2	12/13/2002	N-Nitrosomethylethylamine	<	2.3	10	ug/L	1	
S2	3/4/2003	N-Nitrosomethylethylamine	<	2.3	10	ug/L	1	
S2	3/4/2003	N-Nitrosomethylethylamine	<	2.3	10	ug/L	1	

tmpAnalyticalResultsOverTime

S2	6/5/2003	N-Nitrosomethylethylamine	<	2.3	10	ug/L	1	
S2	9/5/2003	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S2	9/5/2003	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S2	12/3/2003	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S2	9/10/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S3	4/3/2002	N-Nitrosomethylethylamine	<		10	ug/L	1	
S3	9/19/2002	N-Nitrosomethylethylamine	<	3	10	ug/L	1	
S3	9/19/2002	N-Nitrosomethylethylamine	<	3	10	ug/L	1	
S3	12/13/2002	N-Nitrosomethylethylamine	<	2.3	10	ug/L	1	
S3	3/5/2003	N-Nitrosomethylethylamine	<	2.3	10	ug/L	1	
S3	6/5/2003	N-Nitrosomethylethylamine	<	2.3	10	ug/L	1	
S3	9/5/2003	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S3	12/2/2003	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S3	9/9/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S3	9/9/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S4	4/3/2002	N-Nitrosomethylethylamine	<		10	ug/L	1	
S4	6/25/2002	N-Nitrosomethylethylamine	<	3	10	ug/L	1	
S4	9/19/2002	N-Nitrosomethylethylamine	<	3	10	ug/L	1	
S4	12/13/2002	N-Nitrosomethylethylamine	<	2.3	10	ug/L	1	
S4	9/8/2003	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S4	9/9/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S5	4/4/2002	N-Nitrosomethylethylamine	<		10	ug/L	1	
S5	6/24/2002	N-Nitrosomethylethylamine	<	3	10	ug/L	1	
S5	9/20/2002	N-Nitrosomethylethylamine	<	3	10	ug/L	1	
S5	12/16/2002	N-Nitrosomethylethylamine	<	2.3	10	ug/L	1	
S5	9/10/2003	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S5	9/8/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S6	4/4/2002	N-Nitrosomethylethylamine	<		10	ug/L	1	
S6	6/24/2002	N-Nitrosomethylethylamine	<	3	10	ug/L	1	
S6	6/24/2002	N-Nitrosomethylethylamine	<	3	10	ug/L	1	
S6	9/23/2002	N-Nitrosomethylethylamine	<	3	10	ug/L	1	
S6	12/18/2002	N-Nitrosomethylethylamine	<	2.3	10	ug/L	1	
S6	9/9/2003	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S6	9/8/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S7	4/10/2002	N-Nitrosomethylethylamine	<		10	ug/L	1	
S7	6/21/2002	N-Nitrosomethylethylamine	<	3	10	ug/L	1	
S7	9/23/2002	N-Nitrosomethylethylamine	<	3	10	ug/L	1	
S7	12/17/2002	N-Nitrosomethylethylamine	<	2.3	10	ug/L	1	
S7	9/11/2003	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S7	9/7/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S8	4/10/2002	N-Nitrosomethylethylamine	<		10	ug/L	1	
S8	6/21/2002	N-Nitrosomethylethylamine	<	3	10	ug/L	1	
S8	9/20/2002	N-Nitrosomethylethylamine	<	3	10	ug/L	1	
S8	12/16/2002	N-Nitrosomethylethylamine	<	2.3	10	ug/L	1	
S8	9/11/2003	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S8	9/3/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S9	6/20/2002	N-Nitrosomethylethylamine	<	3	10	ug/L	1	
S9	9/11/2002	N-Nitrosomethylethylamine	<	3	10	ug/L	1	
S9	12/12/2002	N-Nitrosomethylethylamine	<	2.3	10	ug/L	1	
S9	9/11/2003	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S9	9/3/2004	N-Nitrosomethylethylamine	<	2	10	ug/L	1	
S10	5/24/2004	N-Nitrosomorpholine	<	2	10	ug/L	1	NA
S10	5/24/2004	N-Nitrosomorpholine	<	2	10	ug/L	1	
S10	9/10/2004	N-Nitrosomorpholine	<	2	10	ug/L	1	
S10	12/1/2004	N-Nitrosomorpholine	<	2	10	ug/L	1	
S10	12/1/2004	N-Nitrosomorpholine	<	2	10	ug/L	1	
S10	3/3/2005	N-Nitrosomorpholine	<	2	10	ug/L	1	

tmpAnalyticalResultsOverTime

S11	5/24/2004	N-Nitrosomorpholine	<	2	10	ug/L	1
S11	9/10/2004	N-Nitrosomorpholine	<	2	10	ug/L	1
S11	12/1/2004	N-Nitrosomorpholine	<	2	10	ug/L	1
S11	3/3/2005	N-Nitrosomorpholine	<	2	10	ug/L	1
S2	4/3/2002	N-Nitrosomorpholine	<		10	ug/L	1
S2	6/26/2002	N-Nitrosomorpholine	<	3.9	10	ug/L	1
S2	9/18/2002	N-Nitrosomorpholine	<	3.9	10	ug/L	1
S2	12/13/2002	N-Nitrosomorpholine	<	2.4	10	ug/L	1
S2	3/4/2003	N-Nitrosomorpholine	<	2.4	10	ug/L	1
S2	3/4/2003	N-Nitrosomorpholine	<	2.4	10	ug/L	1
S2	6/5/2003	N-Nitrosomorpholine	<	2.4	10	ug/L	1
S2	9/5/2003	N-Nitrosomorpholine	<	2	10	ug/L	1
S2	9/5/2003	N-Nitrosomorpholine	<	2	10	ug/L	1
S2	12/3/2003	N-Nitrosomorpholine	<	2	10	ug/L	1
S2	9/10/2004	N-Nitrosomorpholine	<	2	10	ug/L	1
S3	4/3/2002	N-Nitrosomorpholine	<		10	ug/L	1
S3	9/19/2002	N-Nitrosomorpholine	<	3.9	10	ug/L	1
S3	9/19/2002	N-Nitrosomorpholine	<	3.9	10	ug/L	1
S3	12/13/2002	N-Nitrosomorpholine	<	2.4	10	ug/L	1
S3	3/5/2003	N-Nitrosomorpholine	<	2.4	10	ug/L	1
S3	6/5/2003	N-Nitrosomorpholine	<	2.4	10	ug/L	1
S3	9/5/2003	N-Nitrosomorpholine	<	2	10	ug/L	1
S3	12/2/2003	N-Nitrosomorpholine	<	2	10	ug/L	1
S3	9/9/2004	N-Nitrosomorpholine	<	2	10	ug/L	1
S3	9/9/2004	N-Nitrosomorpholine	<	2	10	ug/L	1
S4	4/3/2002	N-Nitrosomorpholine	<		10	ug/L	1
S4	6/25/2002	N-Nitrosomorpholine	<	3.9	10	ug/L	1
S4	9/19/2002	N-Nitrosomorpholine	<	3.9	10	ug/L	1
S4	12/13/2002	N-Nitrosomorpholine	<	2.4	10	ug/L	1
S4	9/8/2003	N-Nitrosomorpholine	<	2	10	ug/L	1
S4	9/9/2004	N-Nitrosomorpholine	<	2	10	ug/L	1
S5	4/4/2002	N-Nitrosomorpholine	<		10	ug/L	1
S5	6/24/2002	N-Nitrosomorpholine	<	3.9	10	ug/L	1
S5	9/20/2002	N-Nitrosomorpholine	<	3.9	10	ug/L	1
S5	12/16/2002	N-Nitrosomorpholine	<	2.4	10	ug/L	1
S5	9/10/2003	N-Nitrosomorpholine	<	2	10	ug/L	1
S5	9/8/2004	N-Nitrosomorpholine	<	2	10	ug/L	1
S6	4/4/2002	N-Nitrosomorpholine	<		10	ug/L	1
S6	6/24/2002	N-Nitrosomorpholine	<	3.9	10	ug/L	1
S6	6/24/2002	N-Nitrosomorpholine	<	3.9	10	ug/L	1
S6	9/23/2002	N-Nitrosomorpholine	<	3.9	10	ug/L	1
S6	12/18/2002	N-Nitrosomorpholine	<	2.4	10	ug/L	1
S6	9/9/2003	N-Nitrosomorpholine	<	2	10	ug/L	1
S6	9/8/2004	N-Nitrosomorpholine	<	2	10	ug/L	1
S7	4/10/2002	N-Nitrosomorpholine	<		10	ug/L	1
S7	6/21/2002	N-Nitrosomorpholine	<	3.9	10	ug/L	1
S7	9/23/2002	N-Nitrosomorpholine	<	3.9	10	ug/L	1
S7	12/17/2002	N-Nitrosomorpholine	<	2.4	10	ug/L	1
S7	9/11/2003	N-Nitrosomorpholine	<	2	10	ug/L	1
S7	9/7/2004	N-Nitrosomorpholine	<	2	10	ug/L	1
S8	4/10/2002	N-Nitrosomorpholine	<		10	ug/L	1
S8	6/21/2002	N-Nitrosomorpholine	<	3.9	10	ug/L	1
S8	9/20/2002	N-Nitrosomorpholine	<	3.9	10	ug/L	1
S8	12/16/2002	N-Nitrosomorpholine	<	2.4	10	ug/L	1
S8	9/11/2003	N-Nitrosomorpholine	<	2	10	ug/L	1
S8	9/3/2004	N-Nitrosomorpholine	<	2	10	ug/L	1
S9	6/20/2002	N-Nitrosomorpholine	<	3.9	10	ug/L	1

tmpAnalyticalResultsOverTime

S9	9/11/2002	N-Nitrosomorpholine	<	3.9	10	ug/L	1	
S9	12/12/2002	N-Nitrosomorpholine	<	2.4	10	ug/L	1	
S9	9/11/2003	N-Nitrosomorpholine	<	2	10	ug/L	1	
S9	9/3/2004	N-Nitrosomorpholine	<	2	10	ug/L	1	
S10	5/24/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	NA
S10	5/24/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
S10	9/10/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
S10	12/1/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
S10	12/1/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
S10	3/3/2005	N-Nitrosopiperidine	<	2	10	ug/L	1	
S11	5/24/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
S11	9/10/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
S11	12/1/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
S11	3/3/2005	N-Nitrosopiperidine	<	2	10	ug/L	1	
S2	4/3/2002	N-Nitrosopiperidine	<		10	ug/L	1	
S2	6/26/2002	N-Nitrosopiperidine	<	1.9	10	ug/L	1	
S2	9/18/2002	N-Nitrosopiperidine	<	1.9	10	ug/L	1	
S2	12/13/2002	N-Nitrosopiperidine	<	1.8	10	ug/L	1	
S2	3/4/2003	N-Nitrosopiperidine	<	1.8	10	ug/L	1	
S2	3/4/2003	N-Nitrosopiperidine	<	1.8	10	ug/L	1	
S2	6/5/2003	N-Nitrosopiperidine	<	1.8	10	ug/L	1	
S2	9/5/2003	N-Nitrosopiperidine	<	2	10	ug/L	1	
S2	9/5/2003	N-Nitrosopiperidine	<	2	10	ug/L	1	
S2	12/3/2003	N-Nitrosopiperidine	<	2	10	ug/L	1	
S2	9/10/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
S3	4/3/2002	N-Nitrosopiperidine	<		10	ug/L	1	
S3	9/19/2002	N-Nitrosopiperidine	<	1.9	10	ug/L	1	
S3	9/19/2002	N-Nitrosopiperidine	<	1.9	10	ug/L	1	
S3	12/13/2002	N-Nitrosopiperidine	<	1.8	10	ug/L	1	
S3	3/5/2003	N-Nitrosopiperidine	<	1.8	10	ug/L	1	
S3	6/5/2003	N-Nitrosopiperidine	<	1.8	10	ug/L	1	
S3	9/5/2003	N-Nitrosopiperidine	<	2	10	ug/L	1	
S3	12/2/2003	N-Nitrosopiperidine	<	2	10	ug/L	1	
S3	9/9/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
S3	9/9/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
S4	4/3/2002	N-Nitrosopiperidine	<		10	ug/L	1	
S4	6/25/2002	N-Nitrosopiperidine	<	1.9	10	ug/L	1	
S4	9/19/2002	N-Nitrosopiperidine	<	1.9	10	ug/L	1	
S4	12/13/2002	N-Nitrosopiperidine	<	1.8	10	ug/L	1	
S4	9/8/2003	N-Nitrosopiperidine	<	2	10	ug/L	1	
S4	9/9/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
S5	4/4/2002	N-Nitrosopiperidine	<		10	ug/L	1	
S5	6/24/2002	N-Nitrosopiperidine	<	1.9	10	ug/L	1	
S5	9/20/2002	N-Nitrosopiperidine	<	1.9	10	ug/L	1	
S5	12/16/2002	N-Nitrosopiperidine	<	1.8	10	ug/L	1	
S5	9/10/2003	N-Nitrosopiperidine	<	2	10	ug/L	1	
S5	9/8/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
S6	4/4/2002	N-Nitrosopiperidine	<		10	ug/L	1	
S6	6/24/2002	N-Nitrosopiperidine	<	1.9	10	ug/L	1	
S6	6/24/2002	N-Nitrosopiperidine	<	1.9	10	ug/L	1	
S6	9/23/2002	N-Nitrosopiperidine	<	1.9	10	ug/L	1	
S6	12/18/2002	N-Nitrosopiperidine	<	1.8	10	ug/L	1	
S6	9/9/2003	N-Nitrosopiperidine	<	2	10	ug/L	1	
S6	9/8/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
S7	4/10/2002	N-Nitrosopiperidine	<		10	ug/L	1	
S7	6/21/2002	N-Nitrosopiperidine	<	1.9	10	ug/L	1	
S7	9/23/2002	N-Nitrosopiperidine	<	1.9	10	ug/L	1	

tmpAnalyticalResultsOverTime

S7	12/17/2002	N-Nitrosopiperidine	<	1.8	10	ug/L	1	
S7	9/11/2003	N-Nitrosopiperidine	<	2	10	ug/L	1	
S7	9/7/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
S8	4/10/2002	N-Nitrosopiperidine	<		10	ug/L	1	
S8	6/21/2002	N-Nitrosopiperidine	<	1.9	10	ug/L	1	
S8	9/20/2002	N-Nitrosopiperidine	<	1.9	10	ug/L	1	
S8	12/16/2002	N-Nitrosopiperidine	<	1.8	10	ug/L	1	
S8	9/11/2003	N-Nitrosopiperidine	<	2	10	ug/L	1	
S8	9/3/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
S9	6/20/2002	N-Nitrosopiperidine	<	1.9	10	ug/L	1	
S9	9/11/2002	N-Nitrosopiperidine	<	1.9	10	ug/L	1	
S9	12/12/2002	N-Nitrosopiperidine	<	1.8	10	ug/L	1	
S9	9/11/2003	N-Nitrosopiperidine	<	2	10	ug/L	1	
S9	9/3/2004	N-Nitrosopiperidine	<	2	10	ug/L	1	
S10	5/24/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	NA
S10	5/24/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S10	9/10/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S10	12/1/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S10	12/1/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S10	3/3/2005	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S11	5/24/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S11	9/10/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S11	12/1/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S11	3/3/2005	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S2	4/3/2002	N-Nitrosopyrrolidine	<		10	ug/L	1	
S2	6/26/2002	N-Nitrosopyrrolidine	<	2.4	10	ug/L	1	
S2	9/18/2002	N-Nitrosopyrrolidine	<	2.4	10	ug/L	1	
S2	12/13/2002	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
S2	3/4/2003	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
S2	3/4/2003	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
S2	6/5/2003	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
S2	9/5/2003	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S2	9/5/2003	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S2	12/3/2003	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S2	9/10/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S3	4/3/2002	N-Nitrosopyrrolidine	<		10	ug/L	1	
S3	9/19/2002	N-Nitrosopyrrolidine	<	2.4	10	ug/L	1	
S3	9/19/2002	N-Nitrosopyrrolidine	<	2.4	10	ug/L	1	
S3	12/13/2002	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
S3	3/5/2003	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
S3	6/5/2003	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
S3	9/5/2003	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S3	12/2/2003	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S3	9/9/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S3	9/9/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S4	4/3/2002	N-Nitrosopyrrolidine	<		10	ug/L	1	
S4	6/25/2002	N-Nitrosopyrrolidine	<	2.4	10	ug/L	1	
S4	9/19/2002	N-Nitrosopyrrolidine	<	2.4	10	ug/L	1	
S4	12/13/2002	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
S4	9/8/2003	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S4	9/9/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S5	4/4/2002	N-Nitrosopyrrolidine	<		10	ug/L	1	
S5	6/24/2002	N-Nitrosopyrrolidine	<	2.4	10	ug/L	1	
S5	9/20/2002	N-Nitrosopyrrolidine	<	2.4	10	ug/L	1	
S5	12/16/2002	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
S5	9/10/2003	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S5	9/8/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	



tmpAnalyticalResultsOverTime

S6	4/4/2002	N-Nitrosopyrrolidine	<		10	ug/L	1	
S6	6/24/2002	N-Nitrosopyrrolidine	<	2.4	10	ug/L	1	
S6	6/24/2002	N-Nitrosopyrrolidine	<	2.4	10	ug/L	1	
S6	9/23/2002	N-Nitrosopyrrolidine	<	2.4	10	ug/L	1	
S6	12/18/2002	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
S6	9/9/2003	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S6	9/8/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S7	4/10/2002	N-Nitrosopyrrolidine	<		10	ug/L	1	
S7	6/21/2002	N-Nitrosopyrrolidine	<	2.4	10	ug/L	1	
S7	9/23/2002	N-Nitrosopyrrolidine	<	2.4	10	ug/L	1	
S7	12/17/2002	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
S7	9/11/2003	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S7	9/7/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S8	4/10/2002	N-Nitrosopyrrolidine	<		10	ug/L	1	
S8	6/21/2002	N-Nitrosopyrrolidine	<	2.4	10	ug/L	1	
S8	9/20/2002	N-Nitrosopyrrolidine	<	2.4	10	ug/L	1	
S8	12/16/2002	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
S8	9/11/2003	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S8	9/3/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S9	6/20/2002	N-Nitrosopyrrolidine	<	2.4	10	ug/L	1	
S9	9/11/2002	N-Nitrosopyrrolidine	<	2.4	10	ug/L	1	
S9	12/12/2002	N-Nitrosopyrrolidine	<	2.3	10	ug/L	1	
S9	9/11/2003	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S9	9/3/2004	N-Nitrosopyrrolidine	<	2	10	ug/L	1	
S10	5/24/2004	n-Propylbenzene	<	0.17	1	ug/L	1	NA
S10	5/24/2004	n-Propylbenzene	<	0.17	1	ug/L	1	
S10	9/10/2004	n-Propylbenzene	<	0.17	1	ug/L	1	
S10	12/1/2004	n-Propylbenzene	<	0.17	1	ug/L	1	
S10	12/1/2004	n-Propylbenzene	<	0.17	1	ug/L	1	
S10	3/3/2005	n-Propylbenzene	<	0.29	1	ug/L	1	
S11	5/24/2004	n-Propylbenzene	<	0.17	1	ug/L	1	
S11	9/10/2004	n-Propylbenzene	<	0.17	1	ug/L	1	
S11	12/1/2004	n-Propylbenzene	<	0.17	1	ug/L	1	
S11	3/3/2005	n-Propylbenzene	<	0.29	1	ug/L	1	
S2	4/3/2002	n-Propylbenzene	<		1	ug/L	1	
S2	6/26/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S2	9/18/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S2	12/13/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S2	3/4/2003	n-Propylbenzene	<	0.17	1	ug/L	1	
S2	3/4/2003	n-Propylbenzene	<	0.17	1	ug/L	1	
S2	6/5/2003	n-Propylbenzene	<	0.17	1	ug/L	1	
S2	9/5/2003	n-Propylbenzene	<	0.17	1	ug/L	1	
S2	9/5/2003	n-Propylbenzene	<	0.17	1	ug/L	1	
S2	12/3/2003	n-Propylbenzene	<	0.34	2	ug/L	2	
S2	9/10/2004	n-Propylbenzene	<	0.17	1	ug/L	1	
S3	4/3/2002	n-Propylbenzene	<		1	ug/L	1	
S3	6/25/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S3	9/19/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S3	9/19/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S3	12/13/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S3	3/5/2003	n-Propylbenzene	<	0.17	1	ug/L	1	
S3	6/5/2003	n-Propylbenzene	<	0.17	1	ug/L	1	
S3	9/5/2003	n-Propylbenzene	<	0.17	1	ug/L	1	
S3	12/2/2003	n-Propylbenzene	<	0.17	1	ug/L	1	
S3	9/9/2004	n-Propylbenzene	<	0.17	1	ug/L	1	
S3	9/9/2004	n-Propylbenzene	<	0.17	1	ug/L	1	
S4	4/3/2002	n-Propylbenzene	<		1	ug/L	1	

tmpAnalyticalResultsOverTime

S4	6/25/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S4	9/19/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S4	12/13/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S4	9/8/2003	n-Propylbenzene	<	0.17	1	ug/L	1	
S4	9/9/2004	n-Propylbenzene	<	0.17	1	ug/L	1	
S5	4/4/2002	n-Propylbenzene	<		1	ug/L	1	
S5	6/24/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S5	9/20/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S5	12/16/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S5	9/10/2003	n-Propylbenzene	<	0.17	1	ug/L	1	
S5	9/8/2004	n-Propylbenzene	<	0.17	1	ug/L	1	
S6	4/4/2002	n-Propylbenzene	<		1	ug/L	1	
S6	6/24/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S6	6/24/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S6	9/23/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S6	12/18/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S6	9/9/2003	n-Propylbenzene	<	0.17	1	ug/L	1	
S6	9/8/2004	n-Propylbenzene	<	0.17	1	ug/L	1	
S7	4/10/2002	n-Propylbenzene	<		1	ug/L	1	UJ
S7	6/21/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S7	9/23/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S7	12/17/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S7	9/11/2003	n-Propylbenzene	<	0.17	1	ug/L	1	
S7	9/7/2004	n-Propylbenzene	<	0.17	1	ug/L	1	
S8	4/10/2002	n-Propylbenzene	<		1	ug/L	1	UJ
S8	6/21/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S8	9/20/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S8	12/16/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S8	9/11/2003	n-Propylbenzene	<	0.17	1	ug/L	1	
S8	9/3/2004	n-Propylbenzene	<	0.17	1	ug/L	1	
S9	4/10/2002	n-Propylbenzene	<		1	ug/L	1	
S9	6/20/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S9	9/11/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S9	12/12/2002	n-Propylbenzene	<	0.33	1	ug/L	1	
S9	9/11/2003	n-Propylbenzene	<	0.17	1	ug/L	1	
S9	9/3/2004	n-Propylbenzene	<	0.17	1	ug/L	1	
S10	5/24/2004	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	NA
S10	5/24/2004	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S10	9/10/2004	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S10	12/1/2004	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S10	12/1/2004	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S10	3/3/2005	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S11	5/24/2004	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S11	9/10/2004	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S11	12/1/2004	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S11	3/3/2005	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S2	4/3/2002	O,O,O-Triethyl phosphorothioate	<		50	ug/L	1	
S2	6/26/2002	O,O,O-Triethyl phosphorothioate	<	2.4	50	ug/L	1	
S2	9/18/2002	O,O,O-Triethyl phosphorothioate	<	2.4	50	ug/L	1	
S2	12/13/2002	O,O,O-Triethyl phosphorothioate	<	1.6	50	ug/L	1	
S2	3/4/2003	O,O,O-Triethyl phosphorothioate	<	1.6	50	ug/L	1	
S2	3/4/2003	O,O,O-Triethyl phosphorothioate	<	1.6	50	ug/L	1	
S2	6/5/2003	O,O,O-Triethyl phosphorothioate	<	1.6	50	ug/L	1	
S2	9/5/2003	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S2	9/5/2003	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S2	12/3/2003	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S2	9/10/2004	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	

tmpAnalyticalResultsOverTime

S3	4/3/2002	O,O,O-Triethyl phosphorothioate	<		50	ug/L	1	
S3	9/19/2002	O,O,O-Triethyl phosphorothioate	<	2.4	50	ug/L	1	
S3	9/19/2002	O,O,O-Triethyl phosphorothioate	<	2.4	50	ug/L	1	
S3	12/13/2002	O,O,O-Triethyl phosphorothioate	<	1.6	50	ug/L	1	
S3	3/5/2003	O,O,O-Triethyl phosphorothioate	<	1.6	50	ug/L	1	
S3	6/5/2003	O,O,O-Triethyl phosphorothioate	<	1.6	50	ug/L	1	
S3	9/5/2003	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S3	12/2/2003	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S3	9/9/2004	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S3	9/9/2004	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S4	4/3/2002	O,O,O-Triethyl phosphorothioate	<		50	ug/L	1	
S4	6/25/2002	O,O,O-Triethyl phosphorothioate	<	2.4	50	ug/L	1	
S4	9/19/2002	O,O,O-Triethyl phosphorothioate	<	2.4	50	ug/L	1	
S4	12/13/2002	O,O,O-Triethyl phosphorothioate	<	1.6	50	ug/L	1	
S4	9/8/2003	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S4	9/9/2004	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S5	4/4/2002	O,O,O-Triethyl phosphorothioate	<		50	ug/L	1	
S5	6/24/2002	O,O,O-Triethyl phosphorothioate	<	2.4	50	ug/L	1	
S5	9/20/2002	O,O,O-Triethyl phosphorothioate	<	2.4	50	ug/L	1	
S5	12/16/2002	O,O,O-Triethyl phosphorothioate	<	1.6	50	ug/L	1	
S5	9/10/2003	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S5	9/8/2004	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S6	4/4/2002	O,O,O-Triethyl phosphorothioate	<		50	ug/L	1	
S6	6/24/2002	O,O,O-Triethyl phosphorothioate	<	2.4	50	ug/L	1	
S6	6/24/2002	O,O,O-Triethyl phosphorothioate	<	2.4	50	ug/L	1	
S6	9/23/2002	O,O,O-Triethyl phosphorothioate	<	2.4	50	ug/L	1	
S6	12/18/2002	O,O,O-Triethyl phosphorothioate	<	1.6	50	ug/L	1	
S6	9/9/2003	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S6	9/8/2004	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S7	4/10/2002	O,O,O-Triethyl phosphorothioate	<		50	ug/L	1	
S7	6/21/2002	O,O,O-Triethyl phosphorothioate	<	2.4	50	ug/L	1	
S7	9/23/2002	O,O,O-Triethyl phosphorothioate	<	2.4	50	ug/L	1	
S7	12/17/2002	O,O,O-Triethyl phosphorothioate	<	1.6	50	ug/L	1	
S7	9/11/2003	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S7	9/7/2004	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S8	4/10/2002	O,O,O-Triethyl phosphorothioate	<		50	ug/L	1	
S8	6/21/2002	O,O,O-Triethyl phosphorothioate	<	2.4	50	ug/L	1	
S8	9/20/2002	O,O,O-Triethyl phosphorothioate	<	2.4	50	ug/L	1	
S8	12/16/2002	O,O,O-Triethyl phosphorothioate	<	1.6	50	ug/L	1	
S8	9/11/2003	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S8	9/3/2004	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S9	6/20/2002	O,O,O-Triethyl phosphorothioate	<	2.4	50	ug/L	1	
S9	9/11/2002	O,O,O-Triethyl phosphorothioate	<	2.4	50	ug/L	1	
S9	12/12/2002	O,O,O-Triethyl phosphorothioate	<	1.6	50	ug/L	1	
S9	9/11/2003	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S9	9/3/2004	O,O,O-Triethyl phosphorothioate	<	2	50	ug/L	1	
S10	5/24/2004	o-Toluidine	<	2	10	ug/L	1	NA
S10	5/24/2004	o-Toluidine	<	2	10	ug/L	1	
S10	9/10/2004	o-Toluidine	<	2	10	ug/L	1	
S10	12/1/2004	o-Toluidine	<	2	10	ug/L	1	
S10	12/1/2004	o-Toluidine	<	2	10	ug/L	1	
S10	3/3/2005	o-Toluidine	<	2	10	ug/L	1	
S11	5/24/2004	o-Toluidine	<	2	10	ug/L	1	
S11	9/10/2004	o-Toluidine	<	2	10	ug/L	1	
S11	12/1/2004	o-Toluidine	<	2	10	ug/L	1	
S11	3/3/2005	o-Toluidine	<	2	10	ug/L	1	
S2	4/3/2002	o-Toluidine	<		10	ug/L	1	

tmpAnalyticalResultsOverTime

S2	6/26/2002	o-Toluidine	<	1.2	10	ug/L	1	
S2	9/18/2002	o-Toluidine	<	1.2	10	ug/L	1	
S2	12/13/2002	o-Toluidine	<	1.5	10	ug/L	1	
S2	3/4/2003	o-Toluidine	<	1.5	10	ug/L	1	
S2	3/4/2003	o-Toluidine	<	1.5	10	ug/L	1	
S2	6/5/2003	o-Toluidine	<	1.5	10	ug/L	1	
S2	9/5/2003	o-Toluidine	<	2	10	ug/L	1	
S2	9/5/2003	o-Toluidine	<	2	10	ug/L	1	
S2	12/3/2003	o-Toluidine	<	2	10	ug/L	1	
S2	9/10/2004	o-Toluidine	<	2	10	ug/L	1	
S3	4/3/2002	o-Toluidine	<		10	ug/L	1	
S3	9/19/2002	o-Toluidine	<	1.2	10	ug/L	1	
S3	9/19/2002	o-Toluidine	<	1.2	10	ug/L	1	
S3	12/13/2002	o-Toluidine	<	1.5	10	ug/L	1	
S3	3/5/2003	o-Toluidine	<	1.5	10	ug/L	1	
S3	6/5/2003	o-Toluidine	<	1.5	10	ug/L	1	
S3	9/5/2003	o-Toluidine	<	2	10	ug/L	1	
S3	12/2/2003	o-Toluidine	<	2	10	ug/L	1	
S3	9/9/2004	o-Toluidine	<	2	10	ug/L	1	
S3	9/9/2004	o-Toluidine	<	2	10	ug/L	1	
S4	4/3/2002	o-Toluidine	<		10	ug/L	1	
S4	6/25/2002	o-Toluidine	<	1.2	10	ug/L	1	
S4	9/19/2002	o-Toluidine	<	1.2	10	ug/L	1	
S4	12/13/2002	o-Toluidine	<	1.5	10	ug/L	1	
S4	9/8/2003	o-Toluidine	<	2	10	ug/L	1	
S4	9/9/2004	o-Toluidine	<	2	10	ug/L	1	
S5	4/4/2002	o-Toluidine	<		10	ug/L	1	
S5	6/24/2002	o-Toluidine	<	1.2	10	ug/L	1	
S5	9/20/2002	o-Toluidine	<	1.2	10	ug/L	1	
S5	12/16/2002	o-Toluidine	<	1.5	10	ug/L	1	
S5	9/10/2003	o-Toluidine	<	2	10	ug/L	1	
S5	9/8/2004	o-Toluidine	<	2	10	ug/L	1	
S6	4/4/2002	o-Toluidine	<		10	ug/L	1	
S6	6/24/2002	o-Toluidine	<	1.2	10	ug/L	1	
S6	6/24/2002	o-Toluidine	<	1.2	10	ug/L	1	
S6	9/23/2002	o-Toluidine	<	1.2	10	ug/L	1	
S6	12/18/2002	o-Toluidine	<	1.5	10	ug/L	1	
S6	9/9/2003	o-Toluidine	<	2	10	ug/L	1	
S6	9/8/2004	o-Toluidine	<	2	10	ug/L	1	
S7	4/10/2002	o-Toluidine	<		10	ug/L	1	
S7	6/21/2002	o-Toluidine	<	1.2	10	ug/L	1	
S7	9/23/2002	o-Toluidine	<	1.2	10	ug/L	1	
S7	12/17/2002	o-Toluidine	<	1.5	10	ug/L	1	
S7	9/11/2003	o-Toluidine	<	2	10	ug/L	1	
S7	9/7/2004	o-Toluidine	<	2	10	ug/L	1	
S8	4/10/2002	o-Toluidine	<		10	ug/L	1	
S8	6/21/2002	o-Toluidine	<	1.2	10	ug/L	1	
S8	9/20/2002	o-Toluidine	<	1.2	10	ug/L	1	
S8	12/16/2002	o-Toluidine	<	1.5	10	ug/L	1	
S8	9/11/2003	o-Toluidine	<	2	10	ug/L	1	
S8	9/3/2004	o-Toluidine	<	2	10	ug/L	1	
S9	6/20/2002	o-Toluidine	<	1.2	10	ug/L	1	
S9	9/11/2002	o-Toluidine	<	1.2	10	ug/L	1	
S9	12/12/2002	o-Toluidine	<	1.5	10	ug/L	1	
S9	9/11/2003	o-Toluidine	<	2	10	ug/L	1	
S9	9/3/2004	o-Toluidine	<	2	10	ug/L	1	
S10	5/24/2004	Parathion	<	2	50	ug/L	1	NA

tmpAnalyticalResultsOverTime

S10	5/24/2004	Parathion	<	2	50	ug/L	1
S10	9/10/2004	Parathion	<	2	50	ug/L	1
S10	12/1/2004	Parathion	<	2	50	ug/L	1
S10	12/1/2004	Parathion	<	2	50	ug/L	1
S10	3/3/2005	Parathion	<	2	50	ug/L	1
S11	5/24/2004	Parathion	<	2	50	ug/L	1
S11	9/10/2004	Parathion	<	2	50	ug/L	1
S11	12/1/2004	Parathion	<	2	50	ug/L	1
S11	3/3/2005	Parathion	<	2	50	ug/L	1
S2	4/3/2002	Parathion	<		50	ug/L	1
S2	6/26/2002	Parathion	<	1.5	50	ug/L	1
S2	9/18/2002	Parathion	<	1.5	50	ug/L	1
S2	12/13/2002	Parathion	<	2.1	50	ug/L	1
S2	3/4/2003	Parathion	<	2.1	50	ug/L	1
S2	3/4/2003	Parathion	<	2.1	50	ug/L	1
S2	6/5/2003	Parathion	<	2.1	50	ug/L	1
S2	9/5/2003	Parathion	<	2	50	ug/L	1
S2	9/5/2003	Parathion	<	2	50	ug/L	1
S2	12/3/2003	Parathion	<	2	50	ug/L	1
S2	9/10/2004	Parathion	<	2	50	ug/L	1
S3	4/3/2002	Parathion	<		50	ug/L	1
S3	9/19/2002	Parathion	<	1.5	50	ug/L	1
S3	9/19/2002	Parathion	<	1.5	50	ug/L	1
S3	12/13/2002	Parathion	<	2.1	50	ug/L	1
S3	3/5/2003	Parathion	<	2.1	50	ug/L	1
S3	6/5/2003	Parathion	<	2.1	50	ug/L	1
S3	9/5/2003	Parathion	<	2	50	ug/L	1
S3	12/2/2003	Parathion	<	2	50	ug/L	1
S3	9/9/2004	Parathion	<	2	50	ug/L	1
S3	9/9/2004	Parathion	<	2	50	ug/L	1
S4	4/3/2002	Parathion	<		50	ug/L	1
S4	6/25/2002	Parathion	<	1.5	50	ug/L	1
S4	9/19/2002	Parathion	<	1.5	50	ug/L	1
S4	12/13/2002	Parathion	<	2.1	50	ug/L	1
S4	9/8/2003	Parathion	<	2	50	ug/L	1
S4	9/9/2004	Parathion	<	2	50	ug/L	1
S5	4/4/2002	Parathion	<		50	ug/L	1
S5	6/24/2002	Parathion	<	1.5	50	ug/L	1
S5	9/20/2002	Parathion	<	1.5	50	ug/L	1
S5	12/16/2002	Parathion	<	2.1	50	ug/L	1
S5	9/10/2003	Parathion	<	2	50	ug/L	1
S5	9/8/2004	Parathion	<	2	50	ug/L	1
S6	4/4/2002	Parathion	<		50	ug/L	1
S6	6/24/2002	Parathion	<	1.5	50	ug/L	1
S6	6/24/2002	Parathion	<	1.5	50	ug/L	1
S6	9/23/2002	Parathion	<	1.5	50	ug/L	1
S6	12/18/2002	Parathion	<	2.1	50	ug/L	1
S6	9/9/2003	Parathion	<	2	50	ug/L	1
S6	9/8/2004	Parathion	<	2	50	ug/L	1
S7	4/10/2002	Parathion	<		50	ug/L	1
S7	6/21/2002	Parathion	<	1.5	50	ug/L	1
S7	9/23/2002	Parathion	<	1.5	50	ug/L	1
S7	12/17/2002	Parathion	<	2.1	50	ug/L	1
S7	9/11/2003	Parathion	<	2	50	ug/L	1
S7	9/7/2004	Parathion	<	2	50	ug/L	1
S8	4/10/2002	Parathion	<		50	ug/L	1
S8	6/21/2002	Parathion	<	1.5	50	ug/L	1

tmpAnalyticalResultsOverTime

S8	9/20/2002	Parathion	<	1.5	50	ug/L	1	
S8	12/16/2002	Parathion	<	2.1	50	ug/L	1	
S8	9/11/2003	Parathion	<	2	50	ug/L	1	
S8	9/3/2004	Parathion	<	2	50	ug/L	1	
S9	6/20/2002	Parathion	<	1.5	50	ug/L	1	
S9	9/11/2002	Parathion	<	1.5	50	ug/L	1	
S9	12/12/2002	Parathion	<	2.1	50	ug/L	1	
S9	9/11/2003	Parathion	<	2	50	ug/L	1	
S9	9/3/2004	Parathion	<	2	50	ug/L	1	
S10	5/24/2004	Pentachlorobenzene	<	2	10	ug/L	1	NA
S10	5/24/2004	Pentachlorobenzene	<	2	10	ug/L	1	
S10	9/10/2004	Pentachlorobenzene	<	2	10	ug/L	1	mg/L
S10	12/1/2004	Pentachlorobenzene	<	2	10	ug/L	1	
S10	12/1/2004	Pentachlorobenzene	<	2	10	ug/L	1	
S10	3/3/2005	Pentachlorobenzene	<	2	10	ug/L	1	
S11	5/24/2004	Pentachlorobenzene	<	2	10	ug/L	1	
S11	9/10/2004	Pentachlorobenzene	<	2	10	ug/L	1	
S11	12/1/2004	Pentachlorobenzene	<	2	10	ug/L	1	
S11	3/3/2005	Pentachlorobenzene	<	2	10	ug/L	1	
S2	4/3/2002	Pentachlorobenzene	<		10	ug/L	1	
S2	6/26/2002	Pentachlorobenzene	<	1.2	10	ug/L	1	
S2	9/18/2002	Pentachlorobenzene	<	1.2	10	ug/L	1	
S2	12/13/2002	Pentachlorobenzene	<	1.6	10	ug/L	1	
S2	3/4/2003	Pentachlorobenzene	<	1.6	10	ug/L	1	
S2	3/4/2003	Pentachlorobenzene	<	1.6	10	ug/L	1	
S2	6/5/2003	Pentachlorobenzene	<	1.6	10	ug/L	1	
S2	9/5/2003	Pentachlorobenzene	<	2	10	ug/L	1	
S2	9/5/2003	Pentachlorobenzene	<	2	10	ug/L	1	
S2	12/3/2003	Pentachlorobenzene	<	2	10	ug/L	1	
S2	9/10/2004	Pentachlorobenzene	<	2	10	ug/L	1	
S3	4/3/2002	Pentachlorobenzene	<		10	ug/L	1	
S3	9/19/2002	Pentachlorobenzene	<	1.2	10	ug/L	1	
S3	9/19/2002	Pentachlorobenzene	<	1.2	10	ug/L	1	
S3	12/13/2002	Pentachlorobenzene	<	1.6	10	ug/L	1	
S3	3/5/2003	Pentachlorobenzene	<	1.6	10	ug/L	1	
S3	6/5/2003	Pentachlorobenzene	<	1.6	10	ug/L	1	
S3	9/5/2003	Pentachlorobenzene	<	2	10	ug/L	1	
S3	12/2/2003	Pentachlorobenzene	<	2	10	ug/L	1	
S3	9/9/2004	Pentachlorobenzene	<	2	10	ug/L	1	
S3	9/9/2004	Pentachlorobenzene	<	2	10	ug/L	1	
S4	4/3/2002	Pentachlorobenzene	<		10	ug/L	1	
S4	6/25/2002	Pentachlorobenzene	<	1.2	10	ug/L	1	
S4	9/19/2002	Pentachlorobenzene	<	1.2	10	ug/L	1	
S4	12/13/2002	Pentachlorobenzene	<	1.6	10	ug/L	1	
S4	9/8/2003	Pentachlorobenzene	<	2	10	ug/L	1	
S4	9/9/2004	Pentachlorobenzene	<	2	10	ug/L	1	
S5	4/4/2002	Pentachlorobenzene	<		10	ug/L	1	
S5	6/24/2002	Pentachlorobenzene	<	1.2	10	ug/L	1	
S5	9/20/2002	Pentachlorobenzene	<	1.2	10	ug/L	1	
S5	12/16/2002	Pentachlorobenzene	<	1.6	10	ug/L	1	
S5	9/10/2003	Pentachlorobenzene	<	2	10	ug/L	1	
S5	9/8/2004	Pentachlorobenzene	<	2	10	ug/L	1	
S6	4/4/2002	Pentachlorobenzene	<		10	ug/L	1	
S6	6/24/2002	Pentachlorobenzene	<	1.2	10	ug/L	1	
S6	6/24/2002	Pentachlorobenzene	<	1.2	10	ug/L	1	
S6	9/23/2002	Pentachlorobenzene	<	1.2	10	ug/L	1	
S6	12/18/2002	Pentachlorobenzene	<	1.6	10	ug/L	1	

tmpAnalyticalResultsOverTime

S6	9/9/2003	Pentachlorobenzene	<	2	10	ug/L	1	
S6	9/8/2004	Pentachlorobenzene	<	2	10	ug/L	1	
S7	4/10/2002	Pentachlorobenzene	<		10	ug/L	1	
S7	6/21/2002	Pentachlorobenzene	<	1.2	10	ug/L	1	
S7	9/23/2002	Pentachlorobenzene	<	1.2	10	ug/L	1	
S7	12/17/2002	Pentachlorobenzene	<	1.6	10	ug/L	1	
S7	9/11/2003	Pentachlorobenzene	<	2	10	ug/L	1	
S7	9/7/2004	Pentachlorobenzene	<	2	10	ug/L	1	
S8	4/10/2002	Pentachlorobenzene	<		10	ug/L	1	
S8	6/21/2002	Pentachlorobenzene	<	1.2	10	ug/L	1	
S8	9/20/2002	Pentachlorobenzene	<	1.2	10	ug/L	1	
S8	12/16/2002	Pentachlorobenzene	<	1.6	10	ug/L	1	
S8	9/11/2003	Pentachlorobenzene	<	2	10	ug/L	1	
S8	9/3/2004	Pentachlorobenzene	<	2	10	ug/L	1	
S9	6/20/2002	Pentachlorobenzene	<	1.2	10	ug/L	1	
S9	9/11/2002	Pentachlorobenzene	<	1.2	10	ug/L	1	
S9	12/12/2002	Pentachlorobenzene	<	1.6	10	ug/L	1	
S9	9/11/2003	Pentachlorobenzene	<	2	10	ug/L	1	
S9	9/3/2004	Pentachlorobenzene	<	2	10	ug/L	1	
S10	5/24/2004	Pentachloroethane	<	2	50	ug/L	1	NA
S10	5/24/2004	Pentachloroethane	<	2	50	ug/L	1	
S10	9/10/2004	Pentachloroethane	<	2	50	ug/L	1	
S10	12/1/2004	Pentachloroethane	<	2	50	ug/L	1	
S10	12/1/2004	Pentachloroethane	<	2	50	ug/L	1	
S10	3/3/2005	Pentachloroethane	<	2	50	ug/L	1	
S11	5/24/2004	Pentachloroethane	<	2	50	ug/L	1	
S11	9/10/2004	Pentachloroethane	<	2	50	ug/L	1	
S11	12/1/2004	Pentachloroethane	<	2	50	ug/L	1	
S11	3/3/2005	Pentachloroethane	<	2	50	ug/L	1	
S2	4/3/2002	Pentachloroethane	<		50	ug/L	1	
S2	6/26/2002	Pentachloroethane	<	1.9	50	ug/L	1	
S2	9/18/2002	Pentachloroethane	<	1.9	50	ug/L	1	
S2	12/13/2002	Pentachloroethane	<	2.3	50	ug/L	1	
S2	3/4/2003	Pentachloroethane	<	2.3	50	ug/L	1	
S2	3/4/2003	Pentachloroethane	<	2.3	50	ug/L	1	
S2	6/5/2003	Pentachloroethane	<	2.3	50	ug/L	1	
S2	9/5/2003	Pentachloroethane	<	2	50	ug/L	1	
S2	9/5/2003	Pentachloroethane	<	2	50	ug/L	1	
S2	12/3/2003	Pentachloroethane	<	2	50	ug/L	1	
S2	9/10/2004	Pentachloroethane	<	2	50	ug/L	1	
S3	4/3/2002	Pentachloroethane	<		50	ug/L	1	
S3	9/19/2002	Pentachloroethane	<	1.9	50	ug/L	1	
S3	9/19/2002	Pentachloroethane	<	1.9	50	ug/L	1	
S3	12/13/2002	Pentachloroethane	<	2.3	50	ug/L	1	
S3	3/5/2003	Pentachloroethane	<	2.3	50	ug/L	1	
S3	6/5/2003	Pentachloroethane	<	2.3	50	ug/L	1	
S3	9/5/2003	Pentachloroethane	<	2	50	ug/L	1	
S3	12/2/2003	Pentachloroethane	<	2	50	ug/L	1	
S3	9/9/2004	Pentachloroethane	<	2	50	ug/L	1	
S3	9/9/2004	Pentachloroethane	<	2	50	ug/L	1	
S4	4/3/2002	Pentachloroethane	<		50	ug/L	1	
S4	6/25/2002	Pentachloroethane	<	1.9	50	ug/L	1	
S4	9/19/2002	Pentachloroethane	<	1.9	50	ug/L	1	
S4	12/13/2002	Pentachloroethane	<	2.3	50	ug/L	1	
S4	9/8/2003	Pentachloroethane	<	2	50	ug/L	1	
S4	9/9/2004	Pentachloroethane	<	2	50	ug/L	1	
S5	4/4/2002	Pentachloroethane	<		50	ug/L	1	

tmpAnalyticalResultsOverTime

S5	6/24/2002	Pentachloroethane	<	1.9	50	ug/L	1	
S5	9/20/2002	Pentachloroethane	<	1.9	50	ug/L	1	
S5	12/16/2002	Pentachloroethane	<	2.3	50	ug/L	1	
S5	9/10/2003	Pentachloroethane	<	2	50	ug/L	1	
S5	9/8/2004	Pentachloroethane	<	2	50	ug/L	1	
S6	4/4/2002	Pentachloroethane	<		50	ug/L	1	
S6	6/24/2002	Pentachloroethane	<	1.9	50	ug/L	1	
S6	6/24/2002	Pentachloroethane	<	1.9	50	ug/L	1	
S6	9/23/2002	Pentachloroethane	<	1.9	50	ug/L	1	
S6	12/18/2002	Pentachloroethane	<	2.3	50	ug/L	1	
S6	9/9/2003	Pentachloroethane	<	2	50	ug/L	1	
S6	9/8/2004	Pentachloroethane	<	2	50	ug/L	1	
S7	4/10/2002	Pentachloroethane	<		50	ug/L	1	
S7	6/21/2002	Pentachloroethane	<	1.9	50	ug/L	1	
S7	9/23/2002	Pentachloroethane	<	1.9	50	ug/L	1	
S7	12/17/2002	Pentachloroethane	<	2.3	50	ug/L	1	
S7	9/11/2003	Pentachloroethane	<	2	50	ug/L	1	
S7	9/7/2004	Pentachloroethane	<	2	50	ug/L	1	
S8	4/10/2002	Pentachloroethane	<		50	ug/L	1	
S8	6/21/2002	Pentachloroethane	<	1.9	50	ug/L	1	
S8	9/20/2002	Pentachloroethane	<	1.9	50	ug/L	1	
S8	12/16/2002	Pentachloroethane	<	2.3	50	ug/L	1	
S8	9/11/2003	Pentachloroethane	<	2	50	ug/L	1	
S8	9/3/2004	Pentachloroethane	<	2	50	ug/L	1	
S9	6/20/2002	Pentachloroethane	<	1.9	50	ug/L	1	
S9	9/11/2002	Pentachloroethane	<	1.9	50	ug/L	1	
S9	12/12/2002	Pentachloroethane	<	2.3	50	ug/L	1	
S9	9/11/2003	Pentachloroethane	<	2	50	ug/L	1	
S9	9/3/2004	Pentachloroethane	<	2	50	ug/L	1	
S10	5/24/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	NA
S10	5/24/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
S10	9/10/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
S10	12/1/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
S10	12/1/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
S10	3/3/2005	Pentachloronitrobenzene	<	2	50	ug/L	1	
S11	5/24/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
S11	9/10/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
S11	12/1/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
S11	3/3/2005	Pentachloronitrobenzene	<	2	50	ug/L	1	
S2	4/3/2002	Pentachloronitrobenzene	<		50	ug/L	1	
S2	6/26/2002	Pentachloronitrobenzene	<	2	50	ug/L	1	
S2	9/18/2002	Pentachloronitrobenzene	<	2	50	ug/L	1	
S2	12/13/2002	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
S2	3/4/2003	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
S2	3/4/2003	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
S2	6/5/2003	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
S2	9/5/2003	Pentachloronitrobenzene	<	2	50	ug/L	1	
S2	9/5/2003	Pentachloronitrobenzene	<	2	50	ug/L	1	
S2	12/3/2003	Pentachloronitrobenzene	<	2	50	ug/L	1	
S2	9/10/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
S3	4/3/2002	Pentachloronitrobenzene	<		50	ug/L	1	
S3	9/19/2002	Pentachloronitrobenzene	<	2	50	ug/L	1	
S3	9/19/2002	Pentachloronitrobenzene	<	2	50	ug/L	1	
S3	12/13/2002	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
S3	3/5/2003	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
S3	6/5/2003	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
S3	9/5/2003	Pentachloronitrobenzene	<	2	50	ug/L	1	



tmpAnalyticalResultsOverTime

S3	12/2/2003	Pentachloronitrobenzene	<	2	50	ug/L	1	
S3	9/9/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
S3	9/9/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
S4	4/3/2002	Pentachloronitrobenzene	<		50	ug/L	1	
S4	6/25/2002	Pentachloronitrobenzene	<	2	50	ug/L	1	
S4	9/19/2002	Pentachloronitrobenzene	<	2	50	ug/L	1	
S4	12/13/2002	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
S4	9/8/2003	Pentachloronitrobenzene	<	2	50	ug/L	1	
S4	9/9/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
S5	4/4/2002	Pentachloronitrobenzene	<		50	ug/L	1	
S5	6/24/2002	Pentachloronitrobenzene	<	2	50	ug/L	1	
S5	9/20/2002	Pentachloronitrobenzene	<	2	50	ug/L	1	
S5	12/16/2002	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
S5	9/10/2003	Pentachloronitrobenzene	<	2	50	ug/L	1	
S5	9/8/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
S6	4/4/2002	Pentachloronitrobenzene	<		50	ug/L	1	
S6	6/24/2002	Pentachloronitrobenzene	<	2	50	ug/L	1	
S6	6/24/2002	Pentachloronitrobenzene	<	2	50	ug/L	1	
S6	9/23/2002	Pentachloronitrobenzene	<	2	50	ug/L	1	
S6	12/18/2002	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
S6	9/9/2003	Pentachloronitrobenzene	<	2	50	ug/L	1	
S6	9/8/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
S7	4/10/2002	Pentachloronitrobenzene	<		50	ug/L	1	
S7	6/21/2002	Pentachloronitrobenzene	<	2	50	ug/L	1	
S7	9/23/2002	Pentachloronitrobenzene	<	2	50	ug/L	1	
S7	12/17/2002	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
S7	9/11/2003	Pentachloronitrobenzene	<	2	50	ug/L	1	
S7	9/7/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
S8	4/10/2002	Pentachloronitrobenzene	<		50	ug/L	1	
S8	6/21/2002	Pentachloronitrobenzene	<	2	50	ug/L	1	
S8	9/20/2002	Pentachloronitrobenzene	<	2	50	ug/L	1	
S8	12/16/2002	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
S8	9/11/2003	Pentachloronitrobenzene	<	2	50	ug/L	1	
S8	9/3/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
S9	6/20/2002	Pentachloronitrobenzene	<	2	50	ug/L	1	
S9	9/11/2002	Pentachloronitrobenzene	<	2	50	ug/L	1	
S9	12/12/2002	Pentachloronitrobenzene	<	2.4	50	ug/L	1	
S9	9/11/2003	Pentachloronitrobenzene	<	2	50	ug/L	1	
S9	9/3/2004	Pentachloronitrobenzene	<	2	50	ug/L	1	
S10	5/24/2004	Pentachlorophenol	<	5	50	ug/L	1	0.001
S10	5/24/2004	Pentachlorophenol	<	5	50	ug/L	1	
S10	9/10/2004	Pentachlorophenol	<	5	50	ug/L	1 R	
S10	12/1/2004	Pentachlorophenol	<	5	50	ug/L	1	
S10	12/1/2004	Pentachlorophenol	<	5	50	ug/L	1	
S10	3/3/2005	Pentachlorophenol	<	10	50	ug/L	1	
S11	5/24/2004	Pentachlorophenol	<	5	50	ug/L	1	
S11	9/10/2004	Pentachlorophenol	<	5	50	ug/L	1 R	
S11	12/1/2004	Pentachlorophenol	<	5	50	ug/L	1	
S11	3/3/2005	Pentachlorophenol	<	10	50	ug/L	1	
S2	4/3/2002	Pentachlorophenol	<		50	ug/L	1	
S2	6/26/2002	Pentachlorophenol	<	11	50	ug/L	1	
S2	9/18/2002	Pentachlorophenol	<	11	50	ug/L	1	
S2	12/13/2002	Pentachlorophenol	<	11	50	ug/L	1	
S2	3/4/2003	Pentachlorophenol	<	11	50	ug/L	1	
S2	3/4/2003	Pentachlorophenol	<	11	50	ug/L	1	
S2	6/5/2003	Pentachlorophenol	<	11	50	ug/L	1	
S2	9/5/2003	Pentachlorophenol	<	5	50	ug/L	1	

tmpAnalyticalResultsOverTime

S2	9/5/2003	Pentachlorophenol	<	5	50	ug/L	1	
S2	12/3/2003	Pentachlorophenol	<	5	50	ug/L	1	
S2	9/10/2004	Pentachlorophenol	<	5	50	ug/L	1	R
S3	4/3/2002	Pentachlorophenol	<		50	ug/L	1	
S3	6/25/2002	Pentachlorophenol	<	22	100	ug/L	2	
S3	9/19/2002	Pentachlorophenol	<	11	50	ug/L	1	
S3	9/19/2002	Pentachlorophenol	<	11	50	ug/L	1	
S3	9/19/2002	Pentachlorophenol	<	11	50	ug/L	1	UJ
S3	12/13/2002	Pentachlorophenol	<	11	50	ug/L	1	
S3	3/5/2003	Pentachlorophenol	<	11	50	ug/L	1	
S3	6/5/2003	Pentachlorophenol	<	11	50	ug/L	1	
S3	9/5/2003	Pentachlorophenol	<	5	50	ug/L	1	
S3	12/2/2003	Pentachlorophenol	<	5	50	ug/L	1	
S3	9/9/2004	Pentachlorophenol	<	5	50	ug/L	1	R
S3	9/9/2004	Pentachlorophenol	<	5	50	ug/L	1	R
S4	4/3/2002	Pentachlorophenol	<		50	ug/L	1	
S4	6/25/2002	Pentachlorophenol	<	11	50	ug/L	1	
S4	9/19/2002	Pentachlorophenol	<	11	50	ug/L	1	
S4	12/13/2002	Pentachlorophenol	<	11	50	ug/L	1	
S4	9/8/2003	Pentachlorophenol	<	5	50	ug/L	1	
S4	9/9/2004	Pentachlorophenol	<	5	50	ug/L	1	R
S5	4/4/2002	Pentachlorophenol	<		50	ug/L	1	
S5	6/24/2002	Pentachlorophenol	<	11	50	ug/L	1	
S5	9/20/2002	Pentachlorophenol	<	11	50	ug/L	1	
S5	12/16/2002	Pentachlorophenol	<	11	50	ug/L	1	
S5	9/10/2003	Pentachlorophenol	<	5	50	ug/L	1	
S5	9/8/2004	Pentachlorophenol	<	5	50	ug/L	1	R
S6	4/4/2002	Pentachlorophenol	<		50	ug/L	1	
S6	6/24/2002	Pentachlorophenol	<	11	50	ug/L	1	
S6	6/24/2002	Pentachlorophenol	<	11	50	ug/L	1	
S6	9/23/2002	Pentachlorophenol	<	11	50	ug/L	1	
S6	12/18/2002	Pentachlorophenol	<	11	50	ug/L	1	
S6	9/9/2003	Pentachlorophenol	<	5	50	ug/L	1	
S6	9/8/2004	Pentachlorophenol	<	5	50	ug/L	1	R
S7	4/10/2002	Pentachlorophenol	<		50	ug/L	1	
S7	6/21/2002	Pentachlorophenol	<	11	50	ug/L	1	
S7	9/23/2002	Pentachlorophenol	<	11	50	ug/L	1	
S7	12/17/2002	Pentachlorophenol	<	11	50	ug/L	1	
S7	9/11/2003	Pentachlorophenol	<	5	50	ug/L	1	
S7	9/7/2004	Pentachlorophenol	<	5	50	ug/L	1	R
S8	4/10/2002	Pentachlorophenol	<		50	ug/L	1	
S8	6/21/2002	Pentachlorophenol	<	11	50	ug/L	1	
S8	9/20/2002	Pentachlorophenol	<	11	50	ug/L	1	
S8	12/16/2002	Pentachlorophenol	<	11	50	ug/L	1	
S8	9/11/2003	Pentachlorophenol	<	5	50	ug/L	1	
S8	9/3/2004	Pentachlorophenol	<	5	50	ug/L	1	R
S9	6/20/2002	Pentachlorophenol	<	11	50	ug/L	1	
S9	9/11/2002	Pentachlorophenol	<	11	50	ug/L	1	
S9	12/12/2002	Pentachlorophenol	<	11	50	ug/L	1	
S9	9/11/2003	Pentachlorophenol	<	5	50	ug/L	1	
S9	9/3/2004	Pentachlorophenol	<	5	50	ug/L	1	R
S10	5/24/2004	Phenacetin	<	2	20	ug/L	1	NA
S10	5/24/2004	Phenacetin	<	2	20	ug/L	1	
S10	9/10/2004	Phenacetin	<	2	20	ug/L	1	
S10	12/1/2004	Phenacetin	<	2	20	ug/L	1	
S10	12/1/2004	Phenacetin	<	2	20	ug/L	1	
S10	3/3/2005	Phenacetin	<	2	20	ug/L	1	

tmpAnalyticalResultsOverTime

S11	5/24/2004	Phenacetin	<	2	20	ug/L	1
S11	9/10/2004	Phenacetin	<	2	20	ug/L	1
S11	12/1/2004	Phenacetin	<	2	20	ug/L	1
S11	3/3/2005	Phenacetin	<	2	20	ug/L	1
S2	4/3/2002	Phenacetin	<		20	ug/L	1
S2	6/26/2002	Phenacetin	<	4.2	20	ug/L	1
S2	9/18/2002	Phenacetin	<	4.2	20	ug/L	1
S2	12/13/2002	Phenacetin	<	1.3	20	ug/L	1
S2	3/4/2003	Phenacetin	<	1.3	20	ug/L	1
S2	3/4/2003	Phenacetin	<	1.3	20	ug/L	1
S2	6/5/2003	Phenacetin	<	1.3	20	ug/L	1
S2	9/5/2003	Phenacetin	<	1	20	ug/L	1
S2	9/5/2003	Phenacetin	<	1	20	ug/L	1
S2	12/3/2003	Phenacetin	<	1	20	ug/L	1
S2	9/10/2004	Phenacetin	<	2	20	ug/L	1
S3	4/3/2002	Phenacetin	<		20	ug/L	1
S3	9/19/2002	Phenacetin	<	4.2	20	ug/L	1
S3	9/19/2002	Phenacetin	<	4.2	20	ug/L	1
S3	12/13/2002	Phenacetin	<	1.3	20	ug/L	1
S3	3/5/2003	Phenacetin	<	1.3	20	ug/L	1
S3	6/5/2003	Phenacetin	<	1.3	20	ug/L	1
S3	9/5/2003	Phenacetin	<	1	20	ug/L	1
S3	12/2/2003	Phenacetin	<	1	20	ug/L	1
S3	9/9/2004	Phenacetin	<	2	20	ug/L	1
S3	9/9/2004	Phenacetin	<	2	20	ug/L	1
S4	4/3/2002	Phenacetin	<		20	ug/L	1
S4	6/25/2002	Phenacetin	<	4.2	20	ug/L	1
S4	9/19/2002	Phenacetin	<	4.2	20	ug/L	1
S4	12/13/2002	Phenacetin	<	1.3	20	ug/L	1
S4	9/8/2003	Phenacetin	<	1	20	ug/L	1
S4	9/9/2004	Phenacetin	<	2	20	ug/L	1
S5	4/4/2002	Phenacetin	<		20	ug/L	1
S5	6/24/2002	Phenacetin	<	4.2	20	ug/L	1
S5	9/20/2002	Phenacetin	<	4.2	20	ug/L	1
S5	12/16/2002	Phenacetin	<	1.3	20	ug/L	1
S5	9/10/2003	Phenacetin	<	1	20	ug/L	1
S5	9/8/2004	Phenacetin	<	2	20	ug/L	1
S6	4/4/2002	Phenacetin	<		20	ug/L	1
S6	6/24/2002	Phenacetin	<	4.2	20	ug/L	1
S6	6/24/2002	Phenacetin	<	4.2	20	ug/L	1
S6	9/23/2002	Phenacetin	<	4.2	20	ug/L	1
S6	12/18/2002	Phenacetin	<	1.3	20	ug/L	1
S6	9/9/2003	Phenacetin	<	1	20	ug/L	1
S6	9/8/2004	Phenacetin	<	2	20	ug/L	1
S7	4/10/2002	Phenacetin	<		20	ug/L	1
S7	6/21/2002	Phenacetin	<	4.2	20	ug/L	1
S7	9/23/2002	Phenacetin	<	4.2	20	ug/L	1
S7	12/17/2002	Phenacetin	<	1.3	20	ug/L	1
S7	9/11/2003	Phenacetin	<	1	20	ug/L	1
S7	9/7/2004	Phenacetin	<	2	20	ug/L	1
S8	4/10/2002	Phenacetin	<		20	ug/L	1
S8	6/21/2002	Phenacetin	<	4.2	20	ug/L	1
S8	9/20/2002	Phenacetin	<	4.2	20	ug/L	1
S8	12/16/2002	Phenacetin	<	1.3	20	ug/L	1
S8	9/11/2003	Phenacetin	<	1	20	ug/L	1
S8	9/3/2004	Phenacetin	<	2	20	ug/L	1
S9	6/20/2002	Phenacetin	<	4.2	20	ug/L	1

tmpAnalyticalResultsOverTime

S9	9/11/2002	Phenacetin	<	4.2	20	ug/L	1	
S9	12/12/2002	Phenacetin	<	1.3	20	ug/L	1	
S9	9/11/2003	Phenacetin	<	1	20	ug/L	1	
S9	9/3/2004	Phenacetin	<	2	20	ug/L	1	
S10	5/24/2004	Phenanthrene	<	0.7	10	ug/L	1	NA
S10	5/24/2004	Phenanthrene	<	0.7	10	ug/L	1	
S10	9/10/2004	Phenanthrene	<	0.7	10	ug/L	1	
S10	12/1/2004	Phenanthrene	<	0.7	10	ug/L	1	
S10	12/1/2004	Phenanthrene	<	0.7	10	ug/L	1	
S10	3/3/2005	Phenanthrene	<	2	10	ug/L	1	
S11	5/24/2004	Phenanthrene	<	0.7	10	ug/L	1	
S11	9/10/2004	Phenanthrene	<	0.7	10	ug/L	1	
S11	12/1/2004	Phenanthrene	<	0.7	10	ug/L	1	
S11	3/3/2005	Phenanthrene	<	2	10	ug/L	1	
S2	4/3/2002	Phenanthrene	<		10	ug/L	1	
S2	6/26/2002	Phenanthrene	<	1.3	10	ug/L	1	
S2	9/18/2002	Phenanthrene	<	1.3	10	ug/L	1	
S2	12/13/2002	Phenanthrene	<	1.3	10	ug/L	1	
S2	3/4/2003	Phenanthrene	<	1.3	10	ug/L	1	
S2	3/4/2003	Phenanthrene	<	1.3	10	ug/L	1	
S2	6/5/2003	Phenanthrene	<	1.3	10	ug/L	1	
S2	9/5/2003	Phenanthrene	<	0.7	10	ug/L	1	
S2	9/5/2003	Phenanthrene	<	0.7	10	ug/L	1	
S2	12/3/2003	Phenanthrene	<	0.7	10	ug/L	1	mg/L
S2	9/10/2004	Phenanthrene	<	0.7	10	ug/L	1	
S3	4/3/2002	Phenanthrene	<		10	ug/L	1	
S3	9/19/2002	Phenanthrene	<	1.3	10	ug/L	1	
S3	9/19/2002	Phenanthrene	<	1.3	10	ug/L	1	
S3	12/13/2002	Phenanthrene	<	1.3	10	ug/L	1	
S3	3/5/2003	Phenanthrene	<	1.3	10	ug/L	1	
S3	6/5/2003	Phenanthrene	<	1.3	10	ug/L	1	
S3	9/5/2003	Phenanthrene	<	0.7	10	ug/L	1	
S3	12/2/2003	Phenanthrene	<	0.7	10	ug/L	1	
S3	9/9/2004	Phenanthrene	<	0.7	10	ug/L	1	
S3	9/9/2004	Phenanthrene	<	0.7	10	ug/L	1	
S4	4/3/2002	Phenanthrene	<		10	ug/L	1	
S4	6/25/2002	Phenanthrene	<	1.3	10	ug/L	1	
S4	9/19/2002	Phenanthrene	<	1.3	10	ug/L	1	
S4	12/13/2002	Phenanthrene	<	1.3	10	ug/L	1	
S4	9/8/2003	Phenanthrene	<	0.7	10	ug/L	1	
S4	9/9/2004	Phenanthrene	<	0.7	10	ug/L	1	
S5	4/4/2002	Phenanthrene	<		10	ug/L	1	
S5	6/24/2002	Phenanthrene	<	1.3	10	ug/L	1	
S5	9/20/2002	Phenanthrene	<	1.3	10	ug/L	1	
S5	12/16/2002	Phenanthrene	<	1.3	10	ug/L	1	
S5	9/10/2003	Phenanthrene	<	0.7	10	ug/L	1	
S5	9/8/2004	Phenanthrene	<	0.7	10	ug/L	1	
S6	4/4/2002	Phenanthrene	<		10	ug/L	1	
S6	6/24/2002	Phenanthrene	<	1.3	10	ug/L	1	
S6	6/24/2002	Phenanthrene	<	1.3	10	ug/L	1	
S6	9/23/2002	Phenanthrene	<	1.3	10	ug/L	1	
S6	12/18/2002	Phenanthrene	<	1.3	10	ug/L	1	
S6	9/9/2003	Phenanthrene	<	0.7	10	ug/L	1	
S6	9/8/2004	Phenanthrene	<	0.7	10	ug/L	1	
S7	4/10/2002	Phenanthrene	<		10	ug/L	1	
S7	6/21/2002	Phenanthrene	<	1.3	10	ug/L	1	
S7	9/23/2002	Phenanthrene	<	1.3	10	ug/L	1	

tmpAnalyticalResultsOverTime

S7	12/17/2002	Phenanthrene	<	1.3	10	ug/L	1	
S7	9/11/2003	Phenanthrene	<	0.7	10	ug/L	1	
S7	9/7/2004	Phenanthrene	<	0.7	10	ug/L	1	
S8	4/10/2002	Phenanthrene	<		10	ug/L	1	
S8	6/21/2002	Phenanthrene	<	1.3	10	ug/L	1	
S8	9/20/2002	Phenanthrene	<	1.3	10	ug/L	1	
S8	12/16/2002	Phenanthrene	<	1.3	10	ug/L	1	
S8	9/11/2003	Phenanthrene	<	0.7	10	ug/L	1	
S8	9/3/2004	Phenanthrene	<	0.7	10	ug/L	1	
S9	6/20/2002	Phenanthrene	<	1.3	10	ug/L	1	
S9	9/11/2002	Phenanthrene	<	1.3	10	ug/L	1	
S9	12/12/2002	Phenanthrene	<	1.3	10	ug/L	1	
S9	9/11/2003	Phenanthrene	<	0.7	10	ug/L	1	
S9	9/3/2004	Phenanthrene	<	0.7	10	ug/L	1	
S10	5/24/2004	Phenol	<	0.9	10	ug/L	1	NA
S10	5/24/2004	Phenol	<	0.9	10	ug/L	1	
S10	9/10/2004	Phenol	<	0.9	10	ug/L	1	
S10	12/1/2004	Phenol	<	0.9	10	ug/L	1	
S10	12/1/2004	Phenol	<	0.9	10	ug/L	1	
S10	3/3/2005	Phenol	<	1.4	10	ug/L	1	
S11	5/24/2004	Phenol	<	0.9	10	ug/L	1	
S11	9/10/2004	Phenol	<	0.9	10	ug/L	1	
S11	12/1/2004	Phenol	<	0.9	10	ug/L	1	
S11	3/3/2005	Phenol	<	1.4	10	ug/L	1	
S2	4/3/2002	Phenol	<		10	ug/L	1	
S2	6/26/2002	Phenol	<	1.4	10	ug/L	1	
S2	9/18/2002	Phenol	<	1.4	10	ug/L	1	
S2	12/13/2002	Phenol	<	1.4	10	ug/L	1	
S2	3/4/2003	Phenol	<	1.4	10	ug/L	1	
S2	3/4/2003	Phenol	<	1.4	10	ug/L	1	
S2	6/5/2003	Phenol	<	1.4	10	ug/L	1	
S2	9/5/2003	Phenol	<	0.9	10	ug/L	1	
S2	9/5/2003	Phenol	<	0.9	10	ug/L	1	
S2	12/3/2003	Phenol	<	0.9	10	ug/L	1	
S2	9/10/2004	Phenol	<	0.9	10	ug/L	1	
S3	4/3/2002	Phenol	<		10	ug/L	1	
S3	6/25/2002	Phenol	<	2.8	20	ug/L	2	
S3	9/19/2002	Phenol	<	1.4	10	ug/L	1	
S3	9/19/2002	Phenol	<	1.4	10	ug/L	1	
S3	9/19/2002	Phenol	<	1.4	10	ug/L	1	UJ
S3	12/13/2002	Phenol	<	1.4	10	ug/L	1	
S3	3/5/2003	Phenol	<	1.4	10	ug/L	1	
S3	6/5/2003	Phenol	<	1.4	10	ug/L	1	
S3	9/5/2003	Phenol	<	0.9	10	ug/L	1	
S3	12/2/2003	Phenol	<	0.9	10	ug/L	1	
S3	9/9/2004	Phenol	<	0.9	10	ug/L	1	
S3	9/9/2004	Phenol	<	0.9	10	ug/L	1	
S4	4/3/2002	Phenol	<		10	ug/L	1	
S4	6/25/2002	Phenol	<	1.4	10	ug/L	1	
S4	9/19/2002	Phenol	<	1.4	10	ug/L	1	
S4	12/13/2002	Phenol	<	1.4	10	ug/L	1	
S4	9/8/2003	Phenol	<	0.9	10	ug/L	1	
S4	9/9/2004	Phenol	<	0.9	10	ug/L	1	
S5	4/4/2002	Phenol	<		10	ug/L	1	
S5	6/24/2002	Phenol	<	1.4	10	ug/L	1	
S5	9/20/2002	Phenol	<	1.4	10	ug/L	1	
S5	12/16/2002	Phenol	<	1.4	10	ug/L	1	

tmpAnalyticalResultsOverTime

S5	9/10/2003	Phenol	<	0.9	10	ug/L	1	
S5	9/8/2004	Phenol	<	0.9	10	ug/L	1	
S6	4/4/2002	Phenol	<		10	ug/L	1	
S6	6/24/2002	Phenol	<	1.4	10	ug/L	1	
S6	6/24/2002	Phenol	<	1.4	10	ug/L	1	
S6	9/23/2002	Phenol	<	1.4	10	ug/L	1	
S6	12/18/2002	Phenol	<	1.4	10	ug/L	1	
S6	9/9/2003	Phenol	<	0.9	10	ug/L	1	
S6	9/8/2004	Phenol	<	0.9	10	ug/L	1	
S7	4/10/2002	Phenol	<		10	ug/L	1	
S7	6/21/2002	Phenol	<	1.4	10	ug/L	1	
S7	9/23/2002	Phenol	<	1.4	10	ug/L	1	
S7	12/17/2002	Phenol	<	1.4	10	ug/L	1	
S7	9/11/2003	Phenol	<	0.9	10	ug/L	1	
S7	9/7/2004	Phenol	<	0.9	10	ug/L	1	
S8	4/10/2002	Phenol	<		10	ug/L	1	
S8	6/21/2002	Phenol	<	1.4	10	ug/L	1	
S8	9/20/2002	Phenol	<	1.4	10	ug/L	1	
S8	12/16/2002	Phenol	<	1.4	10	ug/L	1	
S8	9/11/2003	Phenol	<	0.9	10	ug/L	1	
S8	9/3/2004	Phenol	<	0.9	10	ug/L	1	
S9	6/20/2002	Phenol	<	1.4	10	ug/L	1	
S9	9/11/2002	Phenol	<	1.4	10	ug/L	1	
S9	12/12/2002	Phenol	<	1.4	10	ug/L	1	
S9	9/11/2003	Phenol	<	0.9	10	ug/L	1	
S9	9/3/2004	Phenol	<	0.9	10	ug/L	1	
S10	5/24/2004	Phorate	<	2	50	ug/L	1	NA
S10	5/24/2004	Phorate	<	2	50	ug/L	1	
S10	9/10/2004	Phorate	<	2	50	ug/L	1	
S10	12/1/2004	Phorate	<	2	50	ug/L	1	
S10	12/1/2004	Phorate	<	2	50	ug/L	1	
S10	3/3/2005	Phorate	<	2	50	ug/L	1	
S11	5/24/2004	Phorate	<	2	50	ug/L	1	
S11	9/10/2004	Phorate	<	2	50	ug/L	1	
S11	12/1/2004	Phorate	<	2	50	ug/L	1	
S11	3/3/2005	Phorate	<	2	50	ug/L	1	
S2	4/3/2002	Phorate	<		50	ug/L	1	
S2	6/26/2002	Phorate	<	1.8	50	ug/L	1	
S2	9/18/2002	Phorate	<	1.8	50	ug/L	1	
S2	12/13/2002	Phorate	<	1.3	50	ug/L	1	
S2	3/4/2003	Phorate	<	1.3	50	ug/L	1	
S2	3/4/2003	Phorate	<	1.3	50	ug/L	1	
S2	6/5/2003	Phorate	<	1.3	50	ug/L	1	
S2	9/5/2003	Phorate	<	1	50	ug/L	1	
S2	9/5/2003	Phorate	<	1	50	ug/L	1	
S2	12/3/2003	Phorate	<	1	50	ug/L	1	
S2	9/10/2004	Phorate	<	2	50	ug/L	1	
S3	4/3/2002	Phorate	<		50	ug/L	1	
S3	9/19/2002	Phorate	<	1.8	50	ug/L	1	
S3	9/19/2002	Phorate	<	1.8	50	ug/L	1	
S3	12/13/2002	Phorate	<	1.3	50	ug/L	1	
S3	3/5/2003	Phorate	<	1.3	50	ug/L	1	
S3	6/5/2003	Phorate	<	1.3	50	ug/L	1	
S3	9/5/2003	Phorate	<	1	50	ug/L	1	
S3	12/2/2003	Phorate	<	1	50	ug/L	1	
S3	9/9/2004	Phorate	<	2	50	ug/L	1	
S3	9/9/2004	Phorate	<	2	50	ug/L	1	

tmpAnalyticalResultsOverTime

S4	4/3/2002	Phorate	<		50	ug/L	1	
S4	6/25/2002	Phorate	<	1.8	50	ug/L	1	
S4	9/19/2002	Phorate	<	1.8	50	ug/L	1	
S4	12/13/2002	Phorate	<	1.3	50	ug/L	1	
S4	9/8/2003	Phorate	<	1	50	ug/L	1	
S4	9/9/2004	Phorate	<	2	50	ug/L	1	
S5	4/4/2002	Phorate	<		50	ug/L	1	
S5	6/24/2002	Phorate	<	1.8	50	ug/L	1	
S5	9/20/2002	Phorate	<	1.8	50	ug/L	1	
S5	12/16/2002	Phorate	<	1.3	50	ug/L	1	
S5	9/10/2003	Phorate	<	1	50	ug/L	1	
S5	9/8/2004	Phorate	<	2	50	ug/L	1	
S6	4/4/2002	Phorate	<		50	ug/L	1	
S6	6/24/2002	Phorate	<	1.8	50	ug/L	1	
S6	6/24/2002	Phorate	<	1.8	50	ug/L	1	
S6	9/23/2002	Phorate	<	1.8	50	ug/L	1	
S6	12/18/2002	Phorate	<	1.3	50	ug/L	1	
S6	9/9/2003	Phorate	<	1	50	ug/L	1	
S6	9/8/2004	Phorate	<	2	50	ug/L	1	
S7	4/10/2002	Phorate	<		50	ug/L	1	
S7	6/21/2002	Phorate	<	1.8	50	ug/L	1	
S7	9/23/2002	Phorate	<	1.8	50	ug/L	1	
S7	12/17/2002	Phorate	<	1.3	50	ug/L	1	
S7	9/11/2003	Phorate	<	1	50	ug/L	1	
S7	9/7/2004	Phorate	<	2	50	ug/L	1	
S8	4/10/2002	Phorate	<		50	ug/L	1	
S8	6/21/2002	Phorate	<	1.8	50	ug/L	1	
S8	9/20/2002	Phorate	<	1.8	50	ug/L	1	
S8	12/16/2002	Phorate	<	1.3	50	ug/L	1	
S8	9/11/2003	Phorate	<	1	50	ug/L	1	
S8	9/3/2004	Phorate	<	2	50	ug/L	1	
S9	6/20/2002	Phorate	<	1.8	50	ug/L	1	
S9	9/11/2002	Phorate	<	1.8	50	ug/L	1	
S9	12/12/2002	Phorate	<	1.3	50	ug/L	1	
S9	9/11/2003	Phorate	<	1	50	ug/L	1	
S9	9/3/2004	Phorate	<	2	50	ug/L	1	
S10	5/24/2004	Pronamide	<	2	20	ug/L	1	NA
S10	5/24/2004	Pronamide	<	2	20	ug/L	1	
S10	9/10/2004	Pronamide	<	2	20	ug/L	1	
S10	12/1/2004	Pronamide	<	2	20	ug/L	1	
S10	12/1/2004	Pronamide	<	2	20	ug/L	1	
S10	3/3/2005	Pronamide	<	2	20	ug/L	1	
S11	5/24/2004	Pronamide	<	2	20	ug/L	1	
S11	9/10/2004	Pronamide	<	2	20	ug/L	1	
S11	12/1/2004	Pronamide	<	2	20	ug/L	1	
S11	3/3/2005	Pronamide	<	2	20	ug/L	1	
S2	4/3/2002	Pronamide	<		20	ug/L	1	
S2	6/26/2002	Pronamide	<	1.4	20	ug/L	1	
S2	9/18/2002	Pronamide	<	1.4	20	ug/L	1	
S2	12/13/2002	Pronamide	<	1.4	20	ug/L	1	
S2	3/4/2003	Pronamide	<	1.4	20	ug/L	1	
S2	3/4/2003	Pronamide	<	1.4	20	ug/L	1	
S2	6/5/2003	Pronamide	<	1.4	20	ug/L	1	
S2	9/5/2003	Pronamide	<	1	20	ug/L	1	
S2	9/5/2003	Pronamide	<	1	20	ug/L	1	
S2	12/3/2003	Pronamide	<	1	20	ug/L	1	
S2	9/10/2004	Pronamide	<	2	20	ug/L	1	

tmpAnalyticalResultsOverTime

S3	4/3/2002	Pronamide	<		20	ug/L	1	
S3	9/19/2002	Pronamide	<	1.4	20	ug/L	1	
S3	9/19/2002	Pronamide	<	1.4	20	ug/L	1	
S3	12/13/2002	Pronamide	<	1.4	20	ug/L	1	
S3	3/5/2003	Pronamide	<	1.4	20	ug/L	1	
S3	6/5/2003	Pronamide	<	1.4	20	ug/L	1	
S3	9/5/2003	Pronamide	<	1	20	ug/L	1	
S3	12/2/2003	Pronamide	<	1	20	ug/L	1	
S3	9/9/2004	Pronamide	<	2	20	ug/L	1	
S3	9/9/2004	Pronamide	<	2	20	ug/L	1	
S4	4/3/2002	Pronamide	<		20	ug/L	1	
S4	6/25/2002	Pronamide	<	1.4	20	ug/L	1	
S4	9/19/2002	Pronamide	<	1.4	20	ug/L	1	
S4	12/13/2002	Pronamide	<	1.4	20	ug/L	1	
S4	9/8/2003	Pronamide	<	1	20	ug/L	1	
S4	9/9/2004	Pronamide	<	2	20	ug/L	1	
S5	4/4/2002	Pronamide	<		20	ug/L	1	
S5	6/24/2002	Pronamide	<	1.4	20	ug/L	1	
S5	9/20/2002	Pronamide	<	1.4	20	ug/L	1	
S5	12/16/2002	Pronamide	<	1.4	20	ug/L	1	
S5	9/10/2003	Pronamide	<	1	20	ug/L	1	
S5	9/8/2004	Pronamide	<	2	20	ug/L	1	
S6	4/4/2002	Pronamide	<		20	ug/L	1	
S6	6/24/2002	Pronamide	<	1.4	20	ug/L	1	
S6	6/24/2002	Pronamide	<	1.4	20	ug/L	1	
S6	9/23/2002	Pronamide	<	1.4	20	ug/L	1	
S6	12/18/2002	Pronamide	<	1.4	20	ug/L	1	
S6	9/9/2003	Pronamide	<	1	20	ug/L	1	
S6	9/8/2004	Pronamide	<	2	20	ug/L	1	
S7	4/10/2002	Pronamide	<		20	ug/L	1	
S7	6/21/2002	Pronamide	<	1.4	20	ug/L	1	
S7	9/23/2002	Pronamide	<	1.4	20	ug/L	1	
S7	12/17/2002	Pronamide	<	1.4	20	ug/L	1	
S7	9/11/2003	Pronamide	<	1	20	ug/L	1	
S7	9/7/2004	Pronamide	<	2	20	ug/L	1	
S8	4/10/2002	Pronamide	<		20	ug/L	1	
S8	6/21/2002	Pronamide	<	1.4	20	ug/L	1	
S8	9/20/2002	Pronamide	<	1.4	20	ug/L	1	
S8	12/16/2002	Pronamide	<	1.4	20	ug/L	1	
S8	9/11/2003	Pronamide	<	1	20	ug/L	1	
S8	9/3/2004	Pronamide	<	2	20	ug/L	1	
S9	6/20/2002	Pronamide	<	1.4	20	ug/L	1	
S9	9/11/2002	Pronamide	<	1.4	20	ug/L	1	
S9	12/12/2002	Pronamide	<	1.4	20	ug/L	1	
S9	9/11/2003	Pronamide	<	1	20	ug/L	1	
S9	9/3/2004	Pronamide	<	2	20	ug/L	1	
S10	5/24/2004	Propionitrile	<	3.8	20	ug/L	1	NA
S10	5/24/2004	Propionitrile	<	3.8	20	ug/L	1	
S10	9/10/2004	Propionitrile	<	3.8	20	ug/L	1	
S10	12/1/2004	Propionitrile	<	3.8	20	ug/L	1	
S10	12/1/2004	Propionitrile	<	3.8	20	ug/L	1	
S10	3/3/2005	Propionitrile	<	1.9	20	ug/L	1	
S11	5/24/2004	Propionitrile	<	3.8	20	ug/L	1	
S11	9/10/2004	Propionitrile	<	3.8	20	ug/L	1	
S11	12/1/2004	Propionitrile	<	3.8	20	ug/L	1	
S11	3/3/2005	Propionitrile	<	1.9	20	ug/L	1	
S2	4/3/2002	Propionitrile	<		20	ug/L	1	



tmpAnalyticalResultsOverTime

S2	6/26/2002	Propionitrile	<	8.2	20	ug/L	1
S2	9/18/2002	Propionitrile	<	8.2	20	ug/L	1
S2	12/13/2002	Propionitrile	<	8.2	20	ug/L	1
S2	3/4/2003	Propionitrile	<	3.8	20	ug/L	1
S2	3/4/2003	Propionitrile	<	3.8	20	ug/L	1
S2	6/5/2003	Propionitrile	<	3.8	20	ug/L	1
S2	9/5/2003	Propionitrile	<	3.8	20	ug/L	1
S2	9/5/2003	Propionitrile	<	3.8	20	ug/L	1
S2	12/3/2003	Propionitrile	<	7.6	40	ug/L	2
S2	9/10/2004	Propionitrile	<	3.8	20	ug/L	1
S3	4/3/2002	Propionitrile	<		20	ug/L	1
S3	6/25/2002	Propionitrile	<	8.2	20	ug/L	1
S3	9/19/2002	Propionitrile	<	8.2	20	ug/L	1
S3	9/19/2002	Propionitrile	<	8.2	20	ug/L	1
S3	12/13/2002	Propionitrile	<	8.2	20	ug/L	1
S3	3/5/2003	Propionitrile	<	3.8	20	ug/L	1
S3	6/5/2003	Propionitrile	<	3.8	20	ug/L	1
S3	9/5/2003	Propionitrile	<	3.8	20	ug/L	1
S3	12/2/2003	Propionitrile	<	3.8	20	ug/L	1
S3	9/9/2004	Propionitrile	<	3.8	20	ug/L	1
S3	9/9/2004	Propionitrile	<	3.8	20	ug/L	1
S4	4/3/2002	Propionitrile	<		20	ug/L	1
S4	6/25/2002	Propionitrile	<	8.2	20	ug/L	1
S4	9/19/2002	Propionitrile	<	8.2	20	ug/L	1
S4	12/13/2002	Propionitrile	<	8.2	20	ug/L	1
S4	9/8/2003	Propionitrile	<	3.8	20	ug/L	1
S4	9/9/2004	Propionitrile	<	3.8	20	ug/L	1
S5	4/4/2002	Propionitrile	<		20	ug/L	1
S5	6/24/2002	Propionitrile	<	8.2	20	ug/L	1
S5	9/20/2002	Propionitrile	<	8.2	20	ug/L	1
S5	12/16/2002	Propionitrile	<	8.2	20	ug/L	1
S5	9/10/2003	Propionitrile	<	3.8	20	ug/L	1
S5	9/8/2004	Propionitrile	<	3.8	20	ug/L	1
S6	4/4/2002	Propionitrile	<		20	ug/L	1
S6	6/24/2002	Propionitrile	<	8.2	20	ug/L	1
S6	6/24/2002	Propionitrile	<	8.2	20	ug/L	1
S6	9/23/2002	Propionitrile	<	8.2	20	ug/L	1
S6	12/18/2002	Propionitrile	<	8.2	20	ug/L	1
S6	9/9/2003	Propionitrile	<	3.8	20	ug/L	1
S6	9/8/2004	Propionitrile	<	3.8	20	ug/L	1
S7	4/10/2002	Propionitrile	<		20	ug/L	1 UJ
S7	6/21/2002	Propionitrile	<	8.2	20	ug/L	1
S7	9/23/2002	Propionitrile	<	8.2	20	ug/L	1
S7	12/17/2002	Propionitrile	<	8.2	20	ug/L	1
S7	9/11/2003	Propionitrile	<	3.8	20	ug/L	1
S7	9/7/2004	Propionitrile	<	3.8	20	ug/L	1
S8	4/10/2002	Propionitrile	<		20	ug/L	1 UJ
S8	6/21/2002	Propionitrile	<	8.2	20	ug/L	1
S8	9/20/2002	Propionitrile	<	8.2	20	ug/L	1
S8	12/16/2002	Propionitrile	<	8.2	20	ug/L	1
S8	9/11/2003	Propionitrile	<	3.8	20	ug/L	1
S8	9/3/2004	Propionitrile	<	3.8	20	ug/L	1
S9	4/10/2002	Propionitrile	<		20	ug/L	1
S9	6/20/2002	Propionitrile	<	8.2	20	ug/L	1
S9	9/11/2002	Propionitrile	<	8.2	20	ug/L	1
S9	12/12/2002	Propionitrile	<	8.2	20	ug/L	1
S9	9/11/2003	Propionitrile	<	3.8	20	ug/L	1

tmpAnalyticalResultsOverTime

S9	9/3/2004	Propionitrile	<	3.8	20	ug/L	1	
S10	5/24/2004	Pyrene	<	0.8	10	ug/L	1	NA
S10	5/24/2004	Pyrene	<	0.8	10	ug/L	1	
S10	9/10/2004	Pyrene	<	0.8	10	ug/L	1	
S10	12/1/2004	Pyrene	<	0.8	10	ug/L	1	
S10	12/1/2004	Pyrene	<	0.8	10	ug/L	1	
S10	3/3/2005	Pyrene	<	2.1	10	ug/L	1	
S11	5/24/2004	Pyrene	<	0.8	10	ug/L	1	
S11	9/10/2004	Pyrene	<	0.8	10	ug/L	1	
S11	12/1/2004	Pyrene	<	0.8	10	ug/L	1	
S11	3/3/2005	Pyrene	<	2.1	10	ug/L	1	
S2	4/3/2002	Pyrene	<		10	ug/L	1	
S2	6/26/2002	Pyrene	<	2	10	ug/L	1	
S2	9/18/2002	Pyrene	<	2	10	ug/L	1	
S2	12/13/2002	Pyrene	<	2	10	ug/L	1	
S2	3/4/2003	Pyrene	<	2	10	ug/L	1	
S2	3/4/2003	Pyrene	<	2	10	ug/L	1	
S2	6/5/2003	Pyrene	<	2	10	ug/L	1	
S2	9/5/2003	Pyrene	<	0.8	10	ug/L	1	
S2	9/5/2003	Pyrene	<	0.8	10	ug/L	1	
S2	12/3/2003	Pyrene	<	0.8	10	ug/L	1	
S2	9/10/2004	Pyrene	<	0.8	10	ug/L	1	
S3	4/3/2002	Pyrene	<		10	ug/L	1	
S3	9/19/2002	Pyrene	<	2	10	ug/L	1	
S3	9/19/2002	Pyrene	<	2	10	ug/L	1	
S3	12/13/2002	Pyrene	<	2	10	ug/L	1	
S3	3/5/2003	Pyrene	<	2	10	ug/L	1	
S3	6/5/2003	Pyrene	<	2	10	ug/L	1	
S3	9/5/2003	Pyrene	<	0.8	10	ug/L	1	
S3	12/2/2003	Pyrene	<	0.8	10	ug/L	1	
S3	9/9/2004	Pyrene	<	0.8	10	ug/L	1	
S3	9/9/2004	Pyrene	<	0.8	10	ug/L	1	
S4	4/3/2002	Pyrene	<		10	ug/L	1	
S4	6/25/2002	Pyrene	<	2	10	ug/L	1	
S4	9/19/2002	Pyrene	<	2	10	ug/L	1	
S4	12/13/2002	Pyrene	<	2	10	ug/L	1	
S4	9/8/2003	Pyrene	<	0.8	10	ug/L	1	
S4	9/9/2004	Pyrene	<	0.8	10	ug/L	1	
S5	4/4/2002	Pyrene	<		10	ug/L	1	
S5	6/24/2002	Pyrene	<	2	10	ug/L	1	
S5	9/20/2002	Pyrene	<	2	10	ug/L	1	
S5	12/16/2002	Pyrene	<	2	10	ug/L	1	
S5	9/10/2003	Pyrene	<	0.8	10	ug/L	1	
S5	9/8/2004	Pyrene	<	0.8	10	ug/L	1	
S6	4/4/2002	Pyrene	<		10	ug/L	1	
S6	6/24/2002	Pyrene	<	2	10	ug/L	1	
S6	6/24/2002	Pyrene	<	2	10	ug/L	1	
S6	9/23/2002	Pyrene	<	2	10	ug/L	1	
S6	12/18/2002	Pyrene	<	2	10	ug/L	1	
S6	9/9/2003	Pyrene	<	0.8	10	ug/L	1	
S6	9/8/2004	Pyrene	<	0.8	10	ug/L	1	
S7	4/10/2002	Pyrene	<		10	ug/L	1	
S7	6/21/2002	Pyrene	<	2	10	ug/L	1	
S7	9/23/2002	Pyrene	<	2	10	ug/L	1	
S7	12/17/2002	Pyrene	<	2	10	ug/L	1	
S7	9/11/2003	Pyrene	<	0.8	10	ug/L	1	
S7	9/7/2004	Pyrene	<	0.8	10	ug/L	1	

tmpAnalyticalResultsOverTime

S8	4/10/2002	Pyrene	<		10	ug/L	1	
S8	6/21/2002	Pyrene	<	2	10	ug/L	1	
S8	9/20/2002	Pyrene	<	2	10	ug/L	1	
S8	12/16/2002	Pyrene	<	2	10	ug/L	1	
S8	9/11/2003	Pyrene	<	0.8	10	ug/L	1	
S8	9/3/2004	Pyrene	<	0.8	10	ug/L	1	
S9	6/20/2002	Pyrene	<	2	10	ug/L	1	
S9	9/11/2002	Pyrene	<	2	10	ug/L	1	
S9	12/12/2002	Pyrene	<	2	10	ug/L	1	
S9	9/11/2003	Pyrene	<	0.8	10	ug/L	1	
S9	9/3/2004	Pyrene	<	0.8	10	ug/L	1	
S10	5/24/2004	Pyridine	<	10	20	ug/L	1	NA
S10	5/24/2004	Pyridine	<	10	20	ug/L	1	
S10	9/10/2004	Pyridine	<	10	20	ug/L	1	
S10	12/1/2004	Pyridine	<	10	20	ug/L	1	
S10	12/1/2004	Pyridine	<	10	20	ug/L	1	
S10	3/3/2005	Pyridine	<	5.4	20	ug/L	1	
S11	5/24/2004	Pyridine	<	10	20	ug/L	1	
S11	9/10/2004	Pyridine	<	10	20	ug/L	1	
S11	12/1/2004	Pyridine	<	10	20	ug/L	1	
S11	3/3/2005	Pyridine	<	5.4	20	ug/L	1	
S2	4/3/2002	Pyridine	<		20	ug/L	1	
S2	6/26/2002	Pyridine	<	2.6	20	ug/L	1	
S2	9/18/2002	Pyridine	<	2.6	20	ug/L	1	
S2	12/13/2002	Pyridine	<	2.6	20	ug/L	1	
S2	3/4/2003	Pyridine	<	2.6	20	ug/L	1	
S2	3/4/2003	Pyridine	<	2.6	20	ug/L	1	
S2	6/5/2003	Pyridine	<	2.6	20	ug/L	1	
S2	9/5/2003	Pyridine	<	10	20	ug/L	1	
S2	9/5/2003	Pyridine	<	10	20	ug/L	1	
S2	12/3/2003	Pyridine	<	10	20	ug/L	1	
S2	9/10/2004	Pyridine	<	10	20	ug/L	1	
S3	4/3/2002	Pyridine	<		20	ug/L	1	
S3	9/19/2002	Pyridine	<	2.6	20	ug/L	1	
S3	9/19/2002	Pyridine	<	2.6	20	ug/L	1	
S3	12/13/2002	Pyridine	<	2.6	20	ug/L	1	
S3	3/5/2003	Pyridine	<	2.6	20	ug/L	1	
S3	6/5/2003	Pyridine	<	2.6	20	ug/L	1	
S3	9/5/2003	Pyridine	<	10	20	ug/L	1	
S3	12/2/2003	Pyridine	<	10	20	ug/L	1	
S3	9/9/2004	Pyridine	<	10	20	ug/L	1	
S3	9/9/2004	Pyridine	<	10	20	ug/L	1	
S4	4/3/2002	Pyridine	<		20	ug/L	1	
S4	6/25/2002	Pyridine	<	2.6	20	ug/L	1	
S4	9/19/2002	Pyridine	<	2.6	20	ug/L	1	
S4	12/13/2002	Pyridine	<	2.6	20	ug/L	1	
S4	9/8/2003	Pyridine	<	10	20	ug/L	1	
S4	9/9/2004	Pyridine	<	10	20	ug/L	1	
S5	4/4/2002	Pyridine	<		20	ug/L	1	
S5	6/24/2002	Pyridine	<	2.6	20	ug/L	1	
S5	9/20/2002	Pyridine	<	2.6	20	ug/L	1	
S5	12/16/2002	Pyridine	<	2.6	20	ug/L	1	
S5	9/10/2003	Pyridine	<	10	20	ug/L	1	
S5	9/8/2004	Pyridine	<	10	20	ug/L	1	
S6	4/4/2002	Pyridine	<		20	ug/L	1	
S6	6/24/2002	Pyridine	<	2.6	20	ug/L	1	
S6	6/24/2002	Pyridine	<	2.6	20	ug/L	1	

tmpAnalyticalResultsOverTime

S6	9/23/2002	Pyridine	<	2.6	20	ug/L	1
S6	12/18/2002	Pyridine	<	2.6	20	ug/L	1
S6	9/9/2003	Pyridine	<	10	20	ug/L	1
S6	9/8/2004	Pyridine	<	10	20	ug/L	1
S7	4/10/2002	Pyridine	<		20	ug/L	1
S7	6/21/2002	Pyridine	<	2.6	20	ug/L	1
S7	9/23/2002	Pyridine	<	2.6	20	ug/L	1
S7	12/17/2002	Pyridine	<	2.6	20	ug/L	1
S7	9/11/2003	Pyridine	<	10	20	ug/L	1
S7	9/7/2004	Pyridine	<	10	20	ug/L	1
S8	4/10/2002	Pyridine	<		20	ug/L	1
S8	6/21/2002	Pyridine	<	2.6	20	ug/L	1
S8	9/20/2002	Pyridine	<	2.6	20	ug/L	1
S8	12/16/2002	Pyridine	<	2.6	20	ug/L	1
S8	9/11/2003	Pyridine	<	10	20	ug/L	1
S8	9/3/2004	Pyridine	<	10	20	ug/L	1
S9	6/20/2002	Pyridine	<	2.6	20	ug/L	1
S9	9/11/2002	Pyridine	<	2.6	20	ug/L	1
S9	12/12/2002	Pyridine	<	2.6	20	ug/L	1
S9	9/11/2003	Pyridine	<	10	20	ug/L	1
S9	9/3/2004	Pyridine	<	10	20	ug/L	1
S4	12/3/2010	Ra-226	<	0.68	1.6	0.96 PCI/L	1
S7	3/2/2004	Ra-226	<	0.25	0.27	0.19 pCi/L	1 UJ
S7	6/4/2004	Ra-226	<	0.14	0.24	0.15 pCi/L	1 U
S7	3/8/2005	Ra-226	<	0.18	0.26	0.17 pCi/L	1 U
S7	12/5/2005	Ra-226	<	0.14	0.21	0.14 pCi/L	1 U
S7	3/1/2006	Ra-226	<	0.17	0.22	0.14 pCi/L	1 U
S7	6/4/2010	Ra-226	<	0.64	1.5	0.92 PCI/L	1
S8	12/5/2006	Ra-226	<	0.3	0.34	0.22 pCi/L	1 U
S8	6/4/2010	Ra-226	<	1	1.5	1 PCI/L	1
S9	9/11/2002	Ra-226	<	0.11	0.18	0.12 pCi/L	1 U
S9	9/11/2003	Ra-226	<	0.08	0.23	0.14 pCi/L	1 U
S9	6/3/2004	Ra-226	<	0.17	0.18	0.13 pCi/L	1 U
S9	3/8/2005	Ra-226	<	0.18	0.25	0.16 pCi/L	1 U
S9	9/2/2005	Ra-226	<	0.15	0.29	0.18 pCi/L	1 U
S9	12/5/2005	Ra-226	<	0.18	0.19	0.13 pCi/L	1 U
S9	3/3/2006	Ra-226	<	0.2	0.24	0.16 pCi/L	1 U
S9	6/1/2006	Ra-226	<	0.15	0.16	0.11 pCi/L	1 U
S9	12/6/2006	Ra-226	<	0.2	0.22	0.15 pCi/L	1 U
S9	12/4/2008	Ra-226	<	0.17	0.2	0.14 pCi/L	1 U
S9	6/7/2010	Ra-226	<	0.46	1.5	0.88 PCI/L	1
S9	6/7/2010	Ra-226	<	1	1.7	1.1 PCI/L	1
S10	10/6/2005	Ra-228	<	0.45	0.84	0.51 pCi/L	1 U
S10	6/3/2010	Ra-228	<	1.6	4.1	2.5 PCI/L	1
S11	6/3/2010	Ra-228	<	2.3	3.9	2.4 PCI/L	1
S2	6/3/2010	Ra-228	<	3.8	4	2.6 PCI/L	1
S3	12/13/2002	Ra-228	<	0.04	0.83	0.49 pCi/L	1 U
S4	3/2/2004	Ra-228	<	0.46	1	0.62 pCi/L	1 U
S4	9/9/2004	Ra-228	<	-0.87	1.4	0.82 pCi/L	1 U
S4	3/2/2006	Ra-228	<	0.61	0.71	0.45 pCi/L	1 U
S4	6/3/2010	Ra-228	<	1.4	3.8	2.2 PCI/L	1
S4	12/3/2010	Ra-228	<	1.3	2.7	1.7 PCI/L	1
S5	12/16/2002	Ra-228	<	0.97	1	0.66 pCi/L	1 U
S5	6/5/2007	Ra-228	<	0.48	0.96	0.59 pCi/L	1 U
S5	6/7/2010	Ra-228	<	3.4	5.6	3.5 PCI/L	1
S6	12/3/2004	Ra-228	<	0.87	0.98	0.62 pCi/L	1 U
S7	4/10/2002	Ra-228	<	0.63	0.83	0.52 pCi/L	U

tmpAnalyticalResultsOverTime

S7	9/23/2002	Ra-228	<	0.53	0.84	0.52 pCi/L	1 U
S7	6/10/2003	Ra-228	<	0.74	0.89	0.56 pCi/L	1 U
S7	12/4/2003	Ra-228	<	0.61	0.76	0.48 pCi/L	1 U
S7	3/2/2004	Ra-228	<	0.3	0.88	0.53 pCi/L	1 U
S7	6/4/2004	Ra-228	<	0.62	1.1	0.67 pCi/L	1 U
S7	9/7/2004	Ra-228	<	0.47	0.77	0.47 pCi/L	1 U
S7	12/3/2004	Ra-228	<	0.21	0.81	0.48 pCi/L	1 U
S7	3/8/2005	Ra-228	<	0.32	0.51	0.31 pCi/L	1 U
S7	9/2/2005	Ra-228	<	0.34	0.73	0.44 pCi/L	1 U
S7	3/1/2006	Ra-228	<	0.14	0.73	0.44 pCi/L	1 U
S7	6/5/2006	Ra-228	<	0.55	0.98	0.6 pCi/L	1 U
S7	12/5/2006	Ra-228	<	0.94	1.1	0.67 pCi/L	1 U
S7	3/2/2007	Ra-228	<	0.5	0.89	0.55 pCi/L	1 U
S7	6/5/2007	Ra-228	<	0.42	0.71	0.44 pCi/L	1 U
S7	9/10/2007	Ra-228	<	0.48	0.87	0.54 pCi/L	1 U
S7	12/5/2007	Ra-228	<	0.26	0.34	0.22 pCi/L	1 U
S7	3/3/2008	Ra-228	<	0.39	0.72	0.44 pCi/L	1 U
S7	6/4/2008	Ra-228	<	0.25	0.41	0.25 pCi/L	1 U
S7	6/4/2008	Ra-228	<	0.14	0.4	0.24 pCi/L	1 U
S7	12/3/2008	Ra-228	<	0.35	0.6	0.37 pCi/L	1
S7	3/5/2009	Ra-228	<	0.49	0.51	0.33 pCi/L	1
S7	6/3/2009	Ra-228	<	0.32	0.35	0.23 pCi/L	1
S7	9/8/2009	Ra-228	<	0.44	0.67	0.42 PCI/L	1
S7	9/8/2009	Ra-228	<	0.15	0.47	0.28 PCI/L	1
S7	12/4/2009	Ra-228	<	0.3	0.39	0.25 PCI/L	1
S7	3/3/2010	Ra-228	<	0.29	0.42	0.26 PCI/L	1
S7	3/3/2010	Ra-228	<	0.15	0.41	0.24 PCI/L	1
S7	6/4/2010	Ra-228	<	-0.1	4.5	2.5 PCI/L	1
S7	9/7/2010	Ra-228	<	0.27	0.44	0.27 PCI/L	1
S7	12/6/2010	Ra-228	<	0.32	0.46	0.29 PCI/L	1
S8	12/16/2002	Ra-228	<	0.8	0.95	0.6 pCi/L	1 U
S8	3/7/2003	Ra-228	<	0.7	0.92	0.57 pCi/L	1 U
S8	6/10/2003	Ra-228	<	0.58	0.65	0.41 pCi/L	1 U
S8	12/5/2003	Ra-228	<	0.56	0.63	0.4 pCi/L	1 U
S8	12/3/2004	Ra-228	<	0.91	1.1	0.71 pCi/L	1 U
S8	6/6/2005	Ra-228	<	0.83	0.92	0.58 pCi/L	1 U
S8	12/2/2005	Ra-228	<	-0.5	1.8	1 pCi/L	1 U
S8	6/4/2010	Ra-228	<	1.8	4.2	2.5 PCI/L	1
S9	4/10/2002	Ra-228	<	0.09	0.83	0.49 pCi/L	U
S9	6/20/2002	Ra-228	<	0.35	0.73	0.44 pCi/L	1 U
S9	9/11/2002	Ra-228	<	0.51	0.72	0.45 pCi/L	1 U
S9	12/12/2002	Ra-228	<	0.99	1.3	0.84 pCi/L	1 U
S9	9/11/2003	Ra-228	<	0.54	0.64	0.4 pCi/L	1 U
S9	12/4/2003	Ra-228	<	0.57	0.72	0.45 pCi/L	1 U
S9	3/2/2004	Ra-228	<	0.36	0.86	0.52 pCi/L	1 U
S9	9/3/2004	Ra-228	<	0.18	0.88	0.52 pCi/L	1 U
S9	12/2/2004	Ra-228	<	0.79	0.81	0.51 pCi/L	1 U
S9	3/8/2005	Ra-228	<	0.35	0.45	0.28 pCi/L	1 U
S9	6/3/2005	Ra-228	<	-0.01	0.69	0.4 pCi/L	1 U
S9	9/2/2005	Ra-228	<	-0.01	0.84	0.49 pCi/L	1 U
S9	3/3/2006	Ra-228	<	0.39	0.62	0.38 pCi/L	1 U
S9	6/1/2006	Ra-228	<	0.06	0.84	0.5 pCi/L	1 U
S9	9/7/2006	Ra-228	<	0.6	0.73	0.46 pCi/L	1 U
S9	12/6/2006	Ra-228	<	0.3	0.49	0.3 pCi/L	1 U
S9	3/2/2007	Ra-228	<	0.39	0.84	0.51 pCi/L	1 U
S9	6/6/2007	Ra-228	<	0.55	0.64	0.4 pCi/L	1 U
S9	9/5/2007	Ra-228	<	0.51	0.58	0.37 pCi/L	1 UJ

tmpAnalyticalResultsOverTime

S9	3/7/2008 Ra-228	<	0.13	0.46	0.27 pCi/L	1 U	
S9	6/6/2008 Ra-228	<	0.2	0.5	0.3 pCi/L	1 U	
S9	9/5/2008 Ra-228	<	0.4	0.7	0.43 pCi/L	1	
S9	12/4/2008 Ra-228	<	0.38	0.42	0.27 pCi/L	1 U	
S9	6/3/2009 Ra-228	<	0.25	0.39	0.24 pCi/L	1	
S9	12/4/2009 Ra-228	<	0.36	0.5	0.31 PCI/L	1	
S9	3/8/2010 Ra-228	<	0.17	0.45	0.27 PCI/L	1	
S9	6/7/2010 Ra-228	<	4.9	5.5	3.5 PCI/L	1	
S9	6/7/2010 Ra-228	<	-1.8	6.2	3.5 PCI/L	1	
S9	12/7/2010 Ra-228	<	0.23	0.35	0.22 PCI/L	1	
S10	5/24/2004 sec-Butylbenzene	<	0.23	1	ug/L	1	NA
S10	5/24/2004 sec-Butylbenzene	<	0.23	1	ug/L	1	
S10	9/10/2004 sec-Butylbenzene	<	0.23	1	ug/L	1	
S10	12/1/2004 sec-Butylbenzene	<	0.23	1	ug/L	1	
S10	12/1/2004 sec-Butylbenzene	<	0.23	1	ug/L	1	
S10	3/3/2005 sec-Butylbenzene	<	0.24	1	ug/L	1	
S11	5/24/2004 sec-Butylbenzene	<	0.23	1	ug/L	1	
S11	9/10/2004 sec-Butylbenzene	<	0.23	1	ug/L	1	
S11	12/1/2004 sec-Butylbenzene	<	0.23	1	ug/L	1	
S11	3/3/2005 sec-Butylbenzene	<	0.24	1	ug/L	1	
S2	4/3/2002 sec-Butylbenzene	<		1	ug/L	1	
S2	6/26/2002 sec-Butylbenzene	<	0.34	1	ug/L	1	
S2	9/18/2002 sec-Butylbenzene	<	0.34	1	ug/L	1	
S2	12/13/2002 sec-Butylbenzene	<	0.34	1	ug/L	1	
S2	3/4/2003 sec-Butylbenzene	<	0.23	1	ug/L	1	
S2	3/4/2003 sec-Butylbenzene	<	0.23	1	ug/L	1	
S2	6/5/2003 sec-Butylbenzene	<	0.23	1	ug/L	1	
S2	9/5/2003 sec-Butylbenzene	<	0.23	1	ug/L	1	
S2	9/5/2003 sec-Butylbenzene	<	0.23	1	ug/L	1	
S2	12/3/2003 sec-Butylbenzene	<	0.46	2	ug/L	2	
S2	9/10/2004 sec-Butylbenzene	<	0.23	1	ug/L	1	
S3	4/3/2002 sec-Butylbenzene	<		1	ug/L	1	
S3	6/25/2002 sec-Butylbenzene	<	0.34	1	ug/L	1	
S3	9/19/2002 sec-Butylbenzene	<	0.34	1	ug/L	1	
S3	9/19/2002 sec-Butylbenzene	<	0.34	1	ug/L	1	
S3	12/13/2002 sec-Butylbenzene	<	0.34	1	ug/L	1	
S3	3/5/2003 sec-Butylbenzene	<	0.23	1	ug/L	1	
S3	6/5/2003 sec-Butylbenzene	<	0.23	1	ug/L	1	
S3	9/5/2003 sec-Butylbenzene	<	0.23	1	ug/L	1	
S3	12/2/2003 sec-Butylbenzene	<	0.23	1	ug/L	1	
S3	9/9/2004 sec-Butylbenzene	<	0.23	1	ug/L	1	
S3	9/9/2004 sec-Butylbenzene	<	0.23	1	ug/L	1	
S4	4/3/2002 sec-Butylbenzene	<		1	ug/L	1	
S4	6/25/2002 sec-Butylbenzene	<	0.34	1	ug/L	1	
S4	9/19/2002 sec-Butylbenzene	<	0.34	1	ug/L	1	
S4	12/13/2002 sec-Butylbenzene	<	0.34	1	ug/L	1	
S4	9/8/2003 sec-Butylbenzene	<	0.23	1	ug/L	1	
S4	9/9/2004 sec-Butylbenzene	<	0.23	1	ug/L	1	
S5	4/4/2002 sec-Butylbenzene	<		1	ug/L	1	
S5	6/24/2002 sec-Butylbenzene	<	0.34	1	ug/L	1	
S5	9/20/2002 sec-Butylbenzene	<	0.34	1	ug/L	1	
S5	12/16/2002 sec-Butylbenzene	<	0.34	1	ug/L	1	
S5	9/10/2003 sec-Butylbenzene	<	0.23	1	ug/L	1	
S5	9/8/2004 sec-Butylbenzene	<	0.23	1	ug/L	1	
S6	4/4/2002 sec-Butylbenzene	<		1	ug/L	1	
S6	6/24/2002 sec-Butylbenzene	<	0.34	1	ug/L	1	
S6	6/24/2002 sec-Butylbenzene	<	0.34	1	ug/L	1	

tmpAnalyticalResultsOverTime

S6	9/23/2002	sec-Butylbenzene	<	0.34	1	ug/L	1
S6	12/18/2002	sec-Butylbenzene	<	0.34	1	ug/L	1
S6	9/9/2003	sec-Butylbenzene	<	0.23	1	ug/L	1
S6	9/8/2004	sec-Butylbenzene	<	0.23	1	ug/L	1
S7	4/10/2002	sec-Butylbenzene	<		1	ug/L	1 UJ
S7	6/21/2002	sec-Butylbenzene	<	0.34	1	ug/L	1
S7	9/23/2002	sec-Butylbenzene	<	0.34	1	ug/L	1
S7	12/17/2002	sec-Butylbenzene	<	0.34	1	ug/L	1
S7	9/11/2003	sec-Butylbenzene	<	0.23	1	ug/L	1
S7	9/7/2004	sec-Butylbenzene	<	0.23	1	ug/L	1
S8	4/10/2002	sec-Butylbenzene	<		1	ug/L	1 UJ
S8	6/21/2002	sec-Butylbenzene	<	0.34	1	ug/L	1
S8	9/20/2002	sec-Butylbenzene	<	0.34	1	ug/L	1
S8	12/16/2002	sec-Butylbenzene	<	0.34	1	ug/L	1
S8	9/11/2003	sec-Butylbenzene	<	0.23	1	ug/L	1
S8	9/3/2004	sec-Butylbenzene	<	0.23	1	ug/L	1
S9	4/10/2002	sec-Butylbenzene	<		1	ug/L	1
S9	6/20/2002	sec-Butylbenzene	<	0.34	1	ug/L	1
S9	9/11/2002	sec-Butylbenzene	<	0.34	1	ug/L	1
S9	12/12/2002	sec-Butylbenzene	<	0.34	1	ug/L	1
S9	9/11/2003	sec-Butylbenzene	<	0.23	1	ug/L	1
S9	9/3/2004	sec-Butylbenzene	<	0.23	1	ug/L	1
S10	9/10/2004	Selenium-DISSOLVED	<	0.00016	0.002	mg/L	1
S10	12/1/2004	Selenium-DISSOLVED	<	0.00016	0.002	mg/L	1
S10	12/1/2004	Selenium-DISSOLVED	<	0.00016	0.002	mg/L	1
S10	3/3/2005	Selenium-DISSOLVED	<	0.00016	0.002	mg/L	1
S11	9/10/2004	Selenium-DISSOLVED	<	0.0008	0.01	mg/L	5
S11	12/1/2004	Selenium-DISSOLVED	<	0.00016	0.009	mg/L	1
S2	9/18/2002	Selenium-DISSOLVED	<	0.00095	10	mg/L	5
S9	9/11/2002	Selenium-DISSOLVED	<	0.00095	0.01	mg/L	5
S10	9/10/2004	Selenium-TOTAL	<	0.0008	0.01	mg/L	5
S10	12/1/2004	Selenium-TOTAL	<	0.00016	0.002	mg/L	1
S10	12/1/2004	Selenium-TOTAL	<	0.00016	0.002	mg/L	1
S10	3/3/2005	Selenium-TOTAL	<	0.002	0.00016	0.002	mg/L 1 U
S10	9/7/2005	Selenium-TOTAL	<		0.0016	0.01	MG/L 5
S10	9/6/2006	Selenium-TOTAL	<		0.0014	0.004	MG/L 2
S10	9/2/2008	Selenium-TOTAL	<	0.002	0.0007	0.002	mg/L 1 U
S10	9/1/2010	Selenium-TOTAL	<	0.0035	0.0035	0.01	MG/L 5 UJ
S11	9/10/2004	Selenium-TOTAL	<		0.0016	0.02	mg/L 10
S11	12/1/2004	Selenium-TOTAL	<	0.00016	0.006	mg/L	1
S11	9/6/2006	Selenium-TOTAL	<		0.007	0.02	MG/L 10
S11	9/2/2010	Selenium-TOTAL	<	0.0035	0.0035	0.01	MG/L 5
S3	9/9/2004	Selenium-TOTAL	<		0.0008	0.01	mg/L 5
S3	9/4/2007	Selenium-TOTAL	<		0.007	0.02	MG/L 10
S3	9/2/2008	Selenium-TOTAL	<	0.002	0.0007	0.002	mg/L 1 U
S3	9/1/2010	Selenium-TOTAL	<	0.0035	0.0035	0.01	MG/L 5
S4	9/8/2003	Selenium-TOTAL	<		0.00024	0.002	mg/L 1
S4	9/9/2004	Selenium-TOTAL	<		0.0008	0.01	mg/L 5
S4	9/10/2007	Selenium-TOTAL	<		0.0007	0.002	MG/L 1
S4	9/3/2008	Selenium-TOTAL	<	0.004	0.0014	0.004	MG/L 2 U
S4	9/2/2010	Selenium-TOTAL	<	0.0035	0.0035	0.01	MG/L 5
S5	9/10/2003	Selenium-TOTAL	<		0.0024	0.02	mg/L 10
S5	9/8/2004	Selenium-TOTAL	<		0.0008	0.01	mg/L 5
S5	9/6/2006	Selenium-TOTAL	<		0.0035	0.01	MG/L 5
S5	9/7/2007	Selenium-TOTAL	<		0.0007	0.002	MG/L 1
S5	9/3/2008	Selenium-TOTAL	<	0.0044	0.0014	0.0044	MG/L 2 U
S6	9/7/2006	Selenium-TOTAL	<		0.007	0.02	MG/L 10

tmpAnalyticalResultsOverTime

S6	9/7/2007	Selenium-TOTAL	<		0.0007	0.002	MG/L	1	
S7	9/11/2003	Selenium-TOTAL	<	0.002	0.00024	0.002	mg/L	1 U	
S7	9/7/2004	Selenium-TOTAL	<		0.00016	0.002	mg/L	1	
S7	9/7/2006	Selenium-TOTAL	<		0.0007	0.002	MG/L	1	
S7	9/10/2007	Selenium-TOTAL	<		0.0007	0.002	MG/L	1	
S7	9/4/2008	Selenium-TOTAL	<	0.01	0.0035	0.01	MG/L	5 U	
S7	9/8/2009	Selenium-TOTAL	<		0.007	0.02	MG/L	10	
S7	9/8/2009	Selenium-TOTAL	<		0.007	0.02	MG/L	10	
S7	9/7/2010	Selenium-TOTAL	<	0.0035	0.0035	0.01	MG/L	5	
S8	9/3/2004	Selenium-TOTAL	<	0.004	0.00032	0.004	mg/L	2 U	
S8	9/10/2007	Selenium-TOTAL	<		0.0007	0.002	MG/L	1	
S8	9/3/2009	Selenium-TOTAL	<		0.007	0.02	MG/L	10	
S8	9/3/2010	Selenium-TOTAL	<	0.0035	0.0035	0.01	MG/L	5	
S9	9/3/2004	Selenium-TOTAL	<	0.002	0.00016	0.002	mg/L	1 U	
S9	9/2/2005	Selenium-TOTAL	<		0.00033	0.002	MG/L	1	
S9	9/7/2006	Selenium-TOTAL	<		0.0007	0.002	MG/L	1	
S9	9/5/2007	Selenium-TOTAL	<		0.0007	0.002	MG/L	1	
S9	9/5/2008	Selenium-TOTAL	<		0.0035	0.01	MG/L	5	
S9	9/4/2009	Selenium-TOTAL	<		0.007	0.02	MG/L	10	
S9	9/8/2010	Selenium-TOTAL	<	0.0035	0.0035	0.01	MG/L	5	
S10	5/24/2004	Silver-DISSOLVED	<		0.0007	0.01	mg/L	1	0.1
S10	5/24/2004	Silver-DISSOLVED	<	0.01	0.0007	0.01	mg/L	1 UJ	
S10	9/10/2004	Silver-DISSOLVED	<	0.01	0.00037	0.01	mg/L	1 U	
S10	12/1/2004	Silver-DISSOLVED	<		0.00037	0.01	mg/L	1	
S10	12/1/2004	Silver-DISSOLVED	<		0.00037	0.01	mg/L	1	
S10	3/3/2005	Silver-DISSOLVED	<		0.00037	0.01	mg/L	1	
S11	5/24/2004	Silver-DISSOLVED	<	0.01	0.0007	0.01	mg/L	1 U	
S11	9/10/2004	Silver-DISSOLVED	<		0.0018	0.05	mg/L	5	
S11	12/1/2004	Silver-DISSOLVED	<		0.0018	0.05	mg/L	5	
S11	3/3/2005	Silver-DISSOLVED	<		0.0018	0.05	mg/L	5	
S2	4/3/2002	Silver-DISSOLVED	<			0.01	mg/L	1	
S2	6/26/2002	Silver-DISSOLVED	<		0.0011	0.02	mg/L	2	
S2	9/18/2002	Silver-DISSOLVED	<		0.0027	0.05	mg/L	5	
S2	12/13/2002	Silver-DISSOLVED	<		0.0027	0.05	mg/L	5	
S3	4/3/2002	Silver-DISSOLVED	<			0.01	mg/L	1	
S3	6/25/2002	Silver-DISSOLVED	<		0.0011	0.02	mg/L	2	
S3	9/19/2002	Silver-DISSOLVED	<		0.00054	0.01	mg/L	1	
S3	9/19/2002	Silver-DISSOLVED	<		0.00054	0.01	mg/L	1	
S3	12/13/2002	Silver-DISSOLVED	<		0.0027	0.05	mg/L	5	
S4	4/3/2002	Silver-DISSOLVED	<			0.01	mg/L	1 UJ	
S4	6/25/2002	Silver-DISSOLVED	<		0.00054	0.01	mg/L	1	
S4	9/19/2002	Silver-DISSOLVED	<		0.00054	0.01	mg/L	1	
S4	12/13/2002	Silver-DISSOLVED	<		0.0027	0.05	mg/L	5	
S5	4/4/2002	Silver-DISSOLVED	<			0.01	mg/L	1 UJ	
S5	6/24/2002	Silver-DISSOLVED	<		0.00054	0.01	mg/L	1	
S5	9/20/2002	Silver-DISSOLVED	<		0.00054	0.01	mg/L	1	
S5	12/16/2002	Silver-DISSOLVED	<		0.0027	0.05	mg/L	5	
S6	4/4/2002	Silver-DISSOLVED	<			0.01	mg/L	1 UJ	
S6	6/24/2002	Silver-DISSOLVED	<		0.00054	0.01	mg/L	1	
S6	6/24/2002	Silver-DISSOLVED	<		0.00054	0.01	mg/L	1	
S6	9/23/2002	Silver-DISSOLVED	<		0.00054	0.01	mg/L	1	
S6	12/18/2002	Silver-DISSOLVED	<		0.0027	0.05	mg/L	5	
S7	4/10/2002	Silver-DISSOLVED	<			0.01	mg/L	1	
S7	6/21/2002	Silver-DISSOLVED	<		0.00054	0.01	mg/L	1	
S7	9/23/2002	Silver-DISSOLVED	<		0.00054	0.01	mg/L	1	
S7	12/17/2002	Silver-DISSOLVED	<		0.0027	0.05	mg/L	5	
S8	4/10/2002	Silver-DISSOLVED	<			0.01	mg/L	1	



tmpAnalyticalResultsOverTime

S8	6/21/2002	Silver-DISSOLVED	<	0.00054	0.01	mg/L	1	
S8	9/20/2002	Silver-DISSOLVED	<	0.00054	0.01	mg/L	1	
S8	12/16/2002	Silver-DISSOLVED	<	0.0027	0.05	mg/L	5	
S9	4/10/2002	Silver-DISSOLVED	<		0.01	mg/L	1	
S9	6/20/2002	Silver-DISSOLVED	<	0.00054	0.01	mg/L	1	
S9	9/11/2002	Silver-DISSOLVED	<	0.00054	0.01	mg/L	1	
S9	12/12/2002	Silver-DISSOLVED	<	0.0027	0.05	mg/L	5	
S10	5/24/2004	Silver-TOTAL	<	0.0007	0.01	mg/L	1 UJ	
S10	5/24/2004	Silver-TOTAL	<	0.0007	0.01	mg/L	1 UJ	
S10	9/10/2004	Silver-TOTAL	<	0.0018	0.05	mg/L	5	
S10	12/1/2004	Silver-TOTAL	<	0.00037	0.01	mg/L	1	
S10	12/1/2004	Silver-TOTAL	<	0.00037	0.01	mg/L	1	
S10	3/3/2005	Silver-TOTAL	<	0.00037	0.01	mg/L	1	
S10	9/7/2005	Silver-TOTAL	<	0.0028	0.01	MG/L	1	
S10	9/6/2006	Silver-TOTAL	<	0.0028	0.01	MG/L	1	
S10	9/4/2007	Silver-TOTAL	<	0.014	0.05	MG/L	5	
S10	9/2/2008	Silver-TOTAL	<	0.00093	0.01	mg/L	1	
S10	9/1/2009	Silver-TOTAL	<	0.00093	0.01	MG/L	1	
S10	9/1/2010	Silver-TOTAL	<	0.00093	0.00093	0.01	MG/L	1
S10	9/1/2010	Silver-TOTAL	<	0.00093	0.00093	0.01	MG/L	1
S11	5/24/2004	Silver-TOTAL	<		0.0007	0.01	mg/L	1 UJ
S11	9/10/2004	Silver-TOTAL	<		0.0018	0.05	mg/L	5
S11	12/1/2004	Silver-TOTAL	<	0.01	0.00037	0.01	mg/L	1 U
S11	3/3/2005	Silver-TOTAL	<		0.00074	0.02	mg/L	2
S11	9/7/2005	Silver-TOTAL	<		0.0028	0.01	MG/L	1
S11	9/6/2006	Silver-TOTAL	<		0.014	0.05	MG/L	5
S11	9/4/2007	Silver-TOTAL	<		0.014	0.05	MG/L	5
S11	9/3/2008	Silver-TOTAL	<		0.0047	0.05	MG/L	5 UJ
S11	9/3/2008	Silver-TOTAL	<		0.0047	0.05	MG/L	5 UJ
S11	9/2/2009	Silver-TOTAL	<		0.00093	0.01	MG/L	1
S11	9/2/2010	Silver-TOTAL	<	0.0093	0.0093	0.1	MG/L	10
S2	4/3/2002	Silver-TOTAL	<			0.05	mg/L	5 UJ
S2	6/26/2002	Silver-TOTAL	<		0.0011	0.02	mg/L	2
S2	12/13/2002	Silver-TOTAL	<		0.0027	0.05	mg/L	5
S2	3/4/2003	Silver-TOTAL	<		0.0054	0.1	mg/L	10
S2	3/4/2003	Silver-TOTAL	<		0.0027	0.05	mg/L	5
S2	6/5/2003	Silver-TOTAL	<		0.007	0.1	mg/L	10
S2	9/5/2003	Silver-TOTAL	<		0.0035	0.05	mg/L	5
S2	9/5/2003	Silver-TOTAL	<		0.0035	0.05	mg/L	5 UJ
S2	12/3/2003	Silver-TOTAL	<		0.0035	0.05	mg/L	5
S2	9/10/2004	Silver-TOTAL	<		0.0018	0.05	mg/L	5
S2	9/7/2005	Silver-TOTAL	<		0.014	0.05	MG/L	5
S2	9/5/2006	Silver-TOTAL	<		0.014	0.05	MG/L	5
S2	9/4/2007	Silver-TOTAL	<		0.014	0.05	MG/L	5
S2	9/2/2008	Silver-TOTAL	<		0.0047	0.05	mg/L	5
S2	9/2/2009	Silver-TOTAL	<		0.0047	0.05	MG/L	5
S2	9/1/2010	Silver-TOTAL	<	0.00093	0.00093	0.01	MG/L	1 UJ
S3	4/3/2002	Silver-TOTAL	<			0.05	mg/L	5 UJ
S3	6/25/2002	Silver-TOTAL	<		0.0011	0.02	mg/L	2
S3	9/19/2002	Silver-TOTAL	<		0.00054	0.01	mg/L	1
S3	9/19/2002	Silver-TOTAL	<		0.00054	0.01	mg/L	1
S3	12/13/2002	Silver-TOTAL	<		0.0027	0.05	mg/L	5
S3	3/5/2003	Silver-TOTAL	<		0.00054	0.01	mg/L	1
S3	6/5/2003	Silver-TOTAL	<		0.0007	0.01	mg/L	1
S3	12/2/2003	Silver-TOTAL	<		0.0007	0.01	mg/L	1
S3	9/9/2004	Silver-TOTAL	<		0.0007	0.01	mg/L	1
S3	9/9/2004	Silver-TOTAL	<		0.0007	0.01	mg/L	1

tmpAnalyticalResultsOverTime

S3	9/7/2005	Silver-TOTAL	<	0.0028	0.01	MG/L	1	
S3	9/5/2006	Silver-TOTAL	<	0.0028	0.01	MG/L	1	
S3	9/4/2007	Silver-TOTAL	<	0.014	0.05	MG/L	5	
S3	9/2/2008	Silver-TOTAL	<	0.00093	0.01	mg/L	1	
S3	9/2/2009	Silver-TOTAL	<	0.00093	0.01	MG/L	1	
S3	9/1/2010	Silver-TOTAL	<	0.00093	0.00093	0.01	MG/L	1
S4	4/3/2002	Silver-TOTAL	<			0.01	mg/L	1 UJ
S4	6/25/2002	Silver-TOTAL	<	0.00054	0.01	mg/L	1	
S4	9/19/2002	Silver-TOTAL	<	0.00054	0.01	mg/L	1	
S4	12/13/2002	Silver-TOTAL	<	0.0027	0.05	mg/L	5	
S4	9/8/2003	Silver-TOTAL	<	0.0007	0.01	mg/L	1	
S4	9/9/2004	Silver-TOTAL	<	0.0007	0.01	mg/L	1	
S4	9/8/2005	Silver-TOTAL	<	0.0028	0.01	MG/L	1	
S4	9/6/2006	Silver-TOTAL	<	0.0028	0.01	MG/L	1	
S4	9/10/2007	Silver-TOTAL	<	0.014	0.05	MG/L	5	
S4	9/3/2008	Silver-TOTAL	<	0.00093	0.01	MG/L	1	
S4	9/2/2009	Silver-TOTAL	<	0.00093	0.01	MG/L	1	
S4	9/2/2010	Silver-TOTAL	<	0.00093	0.00093	0.01	MG/L	1
S5	4/4/2002	Silver-TOTAL	<			0.01	mg/L	1 UJ
S5	9/20/2002	Silver-TOTAL	<	0.00054	0.01	mg/L	1	
S5	12/16/2002	Silver-TOTAL	<	0.0027	0.05	mg/L	5	
S5	9/10/2003	Silver-TOTAL	<	0.0007	0.01	mg/L	1	
S5	9/8/2004	Silver-TOTAL	<	0.00037	0.01	mg/L	1	
S5	9/8/2005	Silver-TOTAL	<	0.0028	0.01	MG/L	1	
S5	9/6/2006	Silver-TOTAL	<	0.0028	0.01	MG/L	1	
S5	9/7/2007	Silver-TOTAL	<	0.014	0.05	MG/L	5	
S5	9/3/2008	Silver-TOTAL	<	0.00093	0.01	MG/L	1	
S5	9/2/2009	Silver-TOTAL	<	0.00093	0.01	MG/L	1	
S5	9/3/2010	Silver-TOTAL	<	0.00093	0.00093	0.01	MG/L	1
S6	4/4/2002	Silver-TOTAL	<			0.01	mg/L	1 UJ
S6	9/23/2002	Silver-TOTAL	<	0.00054	0.01	mg/L	1	
S6	12/18/2002	Silver-TOTAL	<	0.0027	0.05	mg/L	5	
S6	9/9/2003	Silver-TOTAL	<	0.0007	0.01	mg/L	1	
S6	9/8/2004	Silver-TOTAL	<	0.00037	0.01	mg/L	1	
S6	9/9/2005	Silver-TOTAL	<	0.0028	0.01	MG/L	1	
S6	9/7/2006	Silver-TOTAL	<	0.0028	0.01	MG/L	1	
S6	9/7/2007	Silver-TOTAL	<	0.014	0.05	MG/L	5	
S6	9/4/2008	Silver-TOTAL	<	0.00093	0.01	MG/L	1	
S6	9/3/2010	Silver-TOTAL	<	0.0093	0.0093	0.1	MG/L	10
S7	4/10/2002	Silver-TOTAL	<			0.01	mg/L	1 UJ
S7	6/21/2002	Silver-TOTAL	<	0.00054	0.01	mg/L	1	
S7	9/23/2002	Silver-TOTAL	<	0.00054	0.01	mg/L	1	
S7	12/17/2002	Silver-TOTAL	<	0.0027	0.05	mg/L	5	
S7	9/11/2003	Silver-TOTAL	<	0.0007	0.01	mg/L	1	
S7	9/7/2004	Silver-TOTAL	<	0.00037	0.01	mg/L	1	
S7	9/2/2005	Silver-TOTAL	<	0.0028	0.01	MG/L	1	
S7	9/7/2006	Silver-TOTAL	<	0.0028	0.01	MG/L	1	
S7	9/10/2007	Silver-TOTAL	<	0.014	0.05	MG/L	5	
S7	9/4/2008	Silver-TOTAL	<	0.00093	0.01	MG/L	1	
S7	9/8/2009	Silver-TOTAL	<	0.00093	0.01	MG/L	1	
S7	9/8/2009	Silver-TOTAL	<	0.00093	0.01	MG/L	1	
S7	9/7/2010	Silver-TOTAL	<	0.00093	0.00093	0.01	MG/L	1
S8	4/10/2002	Silver-TOTAL	<			0.01	mg/L	1 UJ
S8	6/21/2002	Silver-TOTAL	<	0.00054	0.01	mg/L	1	
S8	9/20/2002	Silver-TOTAL	<	0.00054	0.01	mg/L	1	
S8	12/16/2002	Silver-TOTAL	<	0.0027	0.05	mg/L	5	
S8	9/11/2003	Silver-TOTAL	<	0.0007	0.01	mg/L	1	

tmpAnalyticalResultsOverTime

S8	9/3/2004	Silver-TOTAL	<	0.00037	0.01	mg/L	1	
S8	9/2/2005	Silver-TOTAL	<	0.0028	0.01	MG/L	1	
S8	9/7/2006	Silver-TOTAL	<	0.0028	0.01	MG/L	1	
S8	9/10/2007	Silver-TOTAL	<	0.014	0.05	MG/L	5	
S8	9/4/2008	Silver-TOTAL	<	0.00093	0.01	MG/L	1	
S8	9/3/2010	Silver-TOTAL	<	0.00093	0.01	MG/L	1	
S9	4/10/2002	Silver-TOTAL	<		0.01	mg/L	1	UJ
S9	6/20/2002	Silver-TOTAL	<	0.00054	0.01	mg/L	1	
S9	9/11/2002	Silver-TOTAL	<	0.00054	0.01	mg/L	1	
S9	12/12/2002	Silver-TOTAL	<	0.0027	0.05	mg/L	5	
S9	9/11/2003	Silver-TOTAL	<	0.0007	0.01	mg/L	1	
S9	9/3/2004	Silver-TOTAL	<	0.00037	0.01	mg/L	1	
S9	9/2/2005	Silver-TOTAL	<	0.0028	0.01	MG/L	1	
S9	9/7/2006	Silver-TOTAL	<	0.0028	0.01	MG/L	1	
S9	9/5/2007	Silver-TOTAL	<	0.014	0.05	MG/L	5	
S9	9/5/2008	Silver-TOTAL	<	0.00093	0.01	MG/L	1	U
S9	9/4/2009	Silver-TOTAL	<	0.00093	0.01	MG/L	1	
S10	5/24/2004	Styrene	<	0.14	1	ug/L	1	0.1
S10	5/24/2004	Styrene	<	0.14	1	ug/L	1	
S10	9/10/2004	Styrene	<	0.14	1	ug/L	1	
S10	12/1/2004	Styrene	<	0.14	1	ug/L	1	
S10	12/1/2004	Styrene	<	0.14	1	ug/L	1	
S10	3/3/2005	Styrene	<	0.17	1	ug/L	1	
S11	5/24/2004	Styrene	<	0.14	1	ug/L	1	
S11	9/10/2004	Styrene	<	0.14	1	ug/L	1	
S11	12/1/2004	Styrene	<	0.14	1	ug/L	1	
S11	3/3/2005	Styrene	<	0.17	1	ug/L	1	
S2	4/3/2002	Styrene	<		1	ug/L	1	
S2	6/26/2002	Styrene	<	0.28	1	ug/L	1	
S2	9/18/2002	Styrene	<	0.28	1	ug/L	1	
S2	12/13/2002	Styrene	<	0.28	1	ug/L	1	
S2	3/4/2003	Styrene	<	0.14	1	ug/L	1	
S2	3/4/2003	Styrene	<	0.14	1	ug/L	1	
S2	6/5/2003	Styrene	<	0.14	1	ug/L	1	
S2	9/5/2003	Styrene	<	0.14	1	ug/L	1	
S2	9/5/2003	Styrene	<	0.14	1	ug/L	1	
S2	12/3/2003	Styrene	<	0.28	2	ug/L	2	
S2	9/10/2004	Styrene	<	0.14	1	ug/L	1	
S3	4/3/2002	Styrene	<		1	ug/L	1	
S3	6/25/2002	Styrene	<	0.28	1	ug/L	1	
S3	9/19/2002	Styrene	<	0.28	1	ug/L	1	
S3	9/19/2002	Styrene	<	0.28	1	ug/L	1	
S3	12/13/2002	Styrene	<	0.28	1	ug/L	1	
S3	3/5/2003	Styrene	<	0.14	1	ug/L	1	
S3	6/5/2003	Styrene	<	0.14	1	ug/L	1	
S3	9/5/2003	Styrene	<	0.14	1	ug/L	1	
S3	12/2/2003	Styrene	<	0.14	1	ug/L	1	
S3	9/9/2004	Styrene	<	0.14	1	ug/L	1	
S3	9/9/2004	Styrene	<	0.14	1	ug/L	1	
S4	4/3/2002	Styrene	<		1	ug/L	1	
S4	6/25/2002	Styrene	<	0.28	1	ug/L	1	
S4	9/19/2002	Styrene	<	0.28	1	ug/L	1	
S4	12/13/2002	Styrene	<	0.28	1	ug/L	1	
S4	9/8/2003	Styrene	<	0.14	1	ug/L	1	
S4	9/9/2004	Styrene	<	0.14	1	ug/L	1	
S5	4/4/2002	Styrene	<		1	ug/L	1	
S5	6/24/2002	Styrene	<	0.28	1	ug/L	1	

tmpAnalyticalResultsOverTime

S5	9/20/2002	Styrene	<		0.28	1	ug/L	1	
S5	12/16/2002	Styrene	<		0.28	1	ug/L	1	
S5	9/10/2003	Styrene	<		0.14	1	ug/L	1	
S5	9/8/2004	Styrene	<		0.14	1	ug/L	1	
S6	4/4/2002	Styrene	<			1	ug/L	1	
S6	6/24/2002	Styrene	<		0.28	1	ug/L	1	
S6	6/24/2002	Styrene	<		0.28	1	ug/L	1	
S6	9/23/2002	Styrene	<		0.28	1	ug/L	1	
S6	12/18/2002	Styrene	<		0.28	1	ug/L	1	
S6	9/9/2003	Styrene	<		0.14	1	ug/L	1	
S6	9/8/2004	Styrene	<		0.14	1	ug/L	1	
S7	4/10/2002	Styrene	<			1	ug/L	1	UJ
S7	6/21/2002	Styrene	<		0.28	1	ug/L	1	
S7	9/23/2002	Styrene	<		0.28	1	ug/L	1	
S7	12/17/2002	Styrene	<		0.28	1	ug/L	1	
S7	9/11/2003	Styrene	<		0.14	1	ug/L	1	
S7	9/7/2004	Styrene	<		0.14	1	ug/L	1	
S8	4/10/2002	Styrene	<			1	ug/L	1	UJ
S8	6/21/2002	Styrene	<		0.28	1	ug/L	1	
S8	9/20/2002	Styrene	<		0.28	1	ug/L	1	
S8	12/16/2002	Styrene	<		0.28	1	ug/L	1	
S8	9/11/2003	Styrene	<		0.14	1	ug/L	1	
S8	9/3/2004	Styrene	<		0.14	1	ug/L	1	
S9	4/10/2002	Styrene	<			1	ug/L	1	
S9	6/20/2002	Styrene	<		0.28	1	ug/L	1	
S9	9/11/2002	Styrene	<		0.28	1	ug/L	1	
S9	12/12/2002	Styrene	<		0.28	1	ug/L	1	
S9	9/11/2003	Styrene	<		0.14	1	ug/L	1	
S9	9/3/2004	Styrene	<		0.14	1	ug/L	1	
S7	9/11/2003	Sulfate	<	7	0.71	10	mg/L	1	U
S7	9/7/2004	Sulfate	<	5	0.71	5	mg/L	1	U
S7	9/2/2005	Sulfate	<	5	0.76	5	MG/L	1	UJ
S7	9/7/2006	Sulfate	<	5	2.5	5	MG/L	1	U
S7	3/3/2008	Sulfate	<	5	2.5	5	MG/L	1	U
S9	4/10/2002	Sulfate	<	4.2		5	mg/L	1	U
S9	12/12/2002	Sulfate	<	5	0.71	5	mg/L	1	U
S9	9/11/2003	Sulfate	<	5	0.71	5	mg/L	1	U
S9	9/3/2004	Sulfate	<	5	0.71	5	mg/L	1	U
S9	9/2/2005	Sulfate	<	5	0.76	5	MG/L	1	UJ
S9	9/5/2008	Sulfate	<		0.23	5	MG/L	1	
S9	9/4/2009	Sulfate	<		0.23	5	MG/L	1	
S9	9/8/2010	SULFATE	<	0.23	0.23	5	MG/L	1	
S10	5/24/2004	tert-Butyl alcohol	<		5.1	50	ug/L	1	NA
S10	5/24/2004	tert-Butyl alcohol	<		5.1	50	ug/L	1	
S10	9/10/2004	tert-Butyl alcohol	<		5.1	50	ug/L	1	
S10	12/1/2004	tert-Butyl alcohol	<		5.1	50	ug/L	1	
S10	12/1/2004	tert-Butyl alcohol	<		5.1	50	ug/L	1	
S10	3/3/2005	tert-Butyl alcohol	<		4.8	50	ug/L	1	
S11	5/24/2004	tert-Butyl alcohol	<		5.1	50	ug/L	1	
S11	9/10/2004	tert-Butyl alcohol	<		5.1	50	ug/L	1	
S11	12/1/2004	tert-Butyl alcohol	<		5.1	50	ug/L	1	
S11	3/3/2005	tert-Butyl alcohol	<		4.8	50	ug/L	1	
S2	4/3/2002	tert-Butyl alcohol	<			50	ug/L	1	
S2	6/26/2002	tert-Butyl alcohol	<		10	50	ug/L	1	
S2	9/18/2002	tert-Butyl alcohol	<		10	50	ug/L	1	
S2	12/13/2002	tert-Butyl alcohol	<		10	50	ug/L	1	
S2	3/4/2003	tert-Butyl alcohol	<		5.1	50	ug/L	1	

tmpAnalyticalResultsOverTime

S2	3/4/2003	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S2	6/5/2003	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S2	9/5/2003	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S2	9/5/2003	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S2	12/3/2003	tert-Butyl alcohol	<	10	100	ug/L	2	
S2	9/10/2004	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S3	4/3/2002	tert-Butyl alcohol	<		50	ug/L	1	
S3	9/19/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S3	9/19/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S3	12/13/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S3	3/5/2003	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S3	6/5/2003	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S3	9/5/2003	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S3	12/2/2003	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S3	9/9/2004	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S3	9/9/2004	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S4	4/3/2002	tert-Butyl alcohol	<		50	ug/L	1	
S4	6/25/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S4	9/19/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S4	12/13/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S4	9/8/2003	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S4	9/9/2004	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S5	4/4/2002	tert-Butyl alcohol	<		50	ug/L	1	
S5	6/24/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S5	9/20/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S5	12/16/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S5	9/10/2003	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S5	9/8/2004	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S6	4/4/2002	tert-Butyl alcohol	<		50	ug/L	1	
S6	6/24/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S6	6/24/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S6	9/23/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S6	12/18/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S6	9/9/2003	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S6	9/8/2004	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S7	4/10/2002	tert-Butyl alcohol	<		50	ug/L	1	UJ
S7	6/21/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S7	9/23/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S7	12/17/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S7	9/11/2003	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S7	9/7/2004	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S8	4/10/2002	tert-Butyl alcohol	<		50	ug/L	1	UJ
S8	6/21/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S8	9/20/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S8	12/16/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S8	9/11/2003	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S8	9/3/2004	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S9	4/10/2002	tert-Butyl alcohol	<		50	ug/L	1	
S9	6/20/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S9	9/11/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S9	12/12/2002	tert-Butyl alcohol	<	10	50	ug/L	1	
S9	9/11/2003	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S9	9/3/2004	tert-Butyl alcohol	<	5.1	50	ug/L	1	
S10	5/24/2004	tert-Butylbenzene	<	0.17	1	ug/L	1	NA
S10	5/24/2004	tert-Butylbenzene	<	0.17	1	ug/L	1	
S10	9/10/2004	tert-Butylbenzene	<	0.17	1	ug/L	1	
S10	12/1/2004	tert-Butylbenzene	<	0.17	1	ug/L	1	

tmpAnalyticalResultsOverTime

S10	12/1/2004	tert-Butylbenzene	<	0.17	1	ug/L	1
S10	3/3/2005	tert-Butylbenzene	<	0.23	1	ug/L	1
S11	5/24/2004	tert-Butylbenzene	<	0.17	1	ug/L	1
S11	9/10/2004	tert-Butylbenzene	<	0.17	1	ug/L	1
S11	12/1/2004	tert-Butylbenzene	<	0.17	1	ug/L	1
S11	3/3/2005	tert-Butylbenzene	<	0.23	1	ug/L	1
S2	4/3/2002	tert-Butylbenzene	<		1	ug/L	1
S2	6/26/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S2	9/18/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S2	12/13/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S2	3/4/2003	tert-Butylbenzene	<	0.17	1	ug/L	1
S2	3/4/2003	tert-Butylbenzene	<	0.17	1	ug/L	1
S2	6/5/2003	tert-Butylbenzene	<	0.17	1	ug/L	1
S2	9/5/2003	tert-Butylbenzene	<	0.17	1	ug/L	1
S2	9/5/2003	tert-Butylbenzene	<	0.17	1	ug/L	1
S2	12/3/2003	tert-Butylbenzene	<	0.34	2	ug/L	2
S2	9/10/2004	tert-Butylbenzene	<	0.17	1	ug/L	1
S3	4/3/2002	tert-Butylbenzene	<		1	ug/L	1
S3	6/25/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S3	9/19/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S3	9/19/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S3	12/13/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S3	3/5/2003	tert-Butylbenzene	<	0.17	1	ug/L	1
S3	6/5/2003	tert-Butylbenzene	<	0.17	1	ug/L	1
S3	9/5/2003	tert-Butylbenzene	<	0.17	1	ug/L	1
S3	12/2/2003	tert-Butylbenzene	<	0.17	1	ug/L	1
S3	9/9/2004	tert-Butylbenzene	<	0.17	1	ug/L	1
S3	9/9/2004	tert-Butylbenzene	<	0.17	1	ug/L	1
S4	4/3/2002	tert-Butylbenzene	<		1	ug/L	1
S4	6/25/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S4	9/19/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S4	12/13/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S4	9/8/2003	tert-Butylbenzene	<	0.17	1	ug/L	1
S4	9/9/2004	tert-Butylbenzene	<	0.17	1	ug/L	1
S5	4/4/2002	tert-Butylbenzene	<		1	ug/L	1
S5	6/24/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S5	9/20/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S5	12/16/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S5	9/10/2003	tert-Butylbenzene	<	0.17	1	ug/L	1
S5	9/8/2004	tert-Butylbenzene	<	0.17	1	ug/L	1
S6	4/4/2002	tert-Butylbenzene	<		1	ug/L	1
S6	6/24/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S6	6/24/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S6	9/23/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S6	12/18/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S6	9/9/2003	tert-Butylbenzene	<	0.17	1	ug/L	1
S6	9/8/2004	tert-Butylbenzene	<	0.17	1	ug/L	1
S7	4/10/2002	tert-Butylbenzene	<		1	ug/L	1 UJ
S7	6/21/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S7	9/23/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S7	12/17/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S7	9/11/2003	tert-Butylbenzene	<	0.17	1	ug/L	1
S7	9/7/2004	tert-Butylbenzene	<	0.17	1	ug/L	1
S8	4/10/2002	tert-Butylbenzene	<		1	ug/L	1 UJ
S8	6/21/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S8	9/20/2002	tert-Butylbenzene	<	0.29	1	ug/L	1
S8	12/16/2002	tert-Butylbenzene	<	0.29	1	ug/L	1

tmpAnalyticalResultsOverTime

S8	9/11/2003	tert-Butylbenzene	<	0.17	1	ug/L	1	
S8	9/3/2004	tert-Butylbenzene	<	0.17	1	ug/L	1	
S9	4/10/2002	tert-Butylbenzene	<		1	ug/L	1	
S9	6/20/2002	tert-Butylbenzene	<	0.29	1	ug/L	1	
S9	9/11/2002	tert-Butylbenzene	<	0.29	1	ug/L	1	
S9	12/12/2002	tert-Butylbenzene	<	0.29	1	ug/L	1	
S9	9/11/2003	tert-Butylbenzene	<	0.17	1	ug/L	1	
S9	9/3/2004	tert-Butylbenzene	<	0.17	1	ug/L	1	
S10	5/24/2004	Tetrachloroethene	<	0.26	1	ug/L	1	NA
S10	5/24/2004	Tetrachloroethene	<	0.26	1	ug/L	1	
S10	9/10/2004	Tetrachloroethene	<	0.26	1	ug/L	1	
S10	12/1/2004	Tetrachloroethene	<	0.26	1	ug/L	1	
S10	12/1/2004	Tetrachloroethene	<	0.26	1	ug/L	1	
S10	3/3/2005	Tetrachloroethene	<	0.2	1	ug/L	1	
S11	5/24/2004	Tetrachloroethene	<	0.26	1	ug/L	1	
S11	9/10/2004	Tetrachloroethene	<	0.26	1	ug/L	1	
S11	12/1/2004	Tetrachloroethene	<	0.26	1	ug/L	1	
S11	3/3/2005	Tetrachloroethene	<	0.2	1	ug/L	1	
S2	4/3/2002	Tetrachloroethene	<		1	ug/L	1	
S2	6/26/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S2	9/18/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S2	12/13/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S2	3/4/2003	Tetrachloroethene	<	0.26	1	ug/L	1	
S2	3/4/2003	Tetrachloroethene	<	0.26	1	ug/L	1	
S2	6/5/2003	Tetrachloroethene	<	0.26	1	ug/L	1	
S2	9/5/2003	Tetrachloroethene	<	0.26	1	ug/L	1	mg/L
S2	9/5/2003	Tetrachloroethene	<	0.26	1	ug/L	1	
S2	12/3/2003	Tetrachloroethene	<	0.52	2	ug/L	2	
S2	9/10/2004	Tetrachloroethene	<	0.26	1	ug/L	1	
S3	4/3/2002	Tetrachloroethene	<		1	ug/L	1	
S3	6/25/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S3	9/19/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S3	9/19/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S3	12/13/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S3	3/5/2003	Tetrachloroethene	<	0.26	1	ug/L	1	
S3	6/5/2003	Tetrachloroethene	<	0.26	1	ug/L	1	
S3	9/5/2003	Tetrachloroethene	<	0.26	1	ug/L	1	
S3	12/2/2003	Tetrachloroethene	<	0.26	1	ug/L	1	
S3	9/9/2004	Tetrachloroethene	<	0.26	1	ug/L	1	
S3	9/9/2004	Tetrachloroethene	<	0.26	1	ug/L	1	
S4	4/3/2002	Tetrachloroethene	<		1	ug/L	1	
S4	6/25/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S4	9/19/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S4	12/13/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S4	9/8/2003	Tetrachloroethene	<	0.26	1	ug/L	1	
S4	9/9/2004	Tetrachloroethene	<	0.26	1	ug/L	1	
S5	4/4/2002	Tetrachloroethene	<		1	ug/L	1	
S5	6/24/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S5	9/20/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S5	12/16/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S5	9/10/2003	Tetrachloroethene	<	0.26	1	ug/L	1	
S5	9/8/2004	Tetrachloroethene	<	0.26	1	ug/L	1	
S6	4/4/2002	Tetrachloroethene	<		1	ug/L	1	
S6	6/24/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S6	6/24/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S6	9/23/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S6	12/18/2002	Tetrachloroethene	<	0.27	1	ug/L	1	

tmpAnalyticalResultsOverTime

S6	9/9/2003	Tetrachloroethene	<	0.26	1	ug/L	1	
S6	9/8/2004	Tetrachloroethene	<	0.26	1	ug/L	1	
S7	4/10/2002	Tetrachloroethene	<		1	ug/L	1	UJ
S7	6/21/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S7	9/23/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S7	12/17/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S7	9/11/2003	Tetrachloroethene	<	0.26	1	ug/L	1	
S7	9/7/2004	Tetrachloroethene	<	0.26	1	ug/L	1	
S8	4/10/2002	Tetrachloroethene	<		1	ug/L	1	UJ
S8	6/21/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S8	9/20/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S8	12/16/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S8	9/11/2003	Tetrachloroethene	<	0.26	1	ug/L	1	
S8	9/3/2004	Tetrachloroethene	<	0.26	1	ug/L	1	
S9	4/10/2002	Tetrachloroethene	<		1	ug/L	1	
S9	6/20/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S9	9/11/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S9	12/12/2002	Tetrachloroethene	<	0.27	1	ug/L	1	
S9	9/11/2003	Tetrachloroethene	<	0.26	1	ug/L	1	
S9	9/3/2004	Tetrachloroethene	<	0.26	1	ug/L	1	
S10	5/24/2004	Tetrahydrofuran	<	1.7	5	ug/L	1	NA
S10	5/24/2004	Tetrahydrofuran	<	1.7	5	ug/L	1	
S10	9/10/2004	Tetrahydrofuran	<	1.7	5	ug/L	1	
S10	12/1/2004	Tetrahydrofuran	<	1.7	5	ug/L	1	
S10	12/1/2004	Tetrahydrofuran	<	1.7	5	ug/L	1	
S10	3/3/2005	Tetrahydrofuran	<	1.4	5	ug/L	1	
S11	5/24/2004	Tetrahydrofuran	<	1.7	5	ug/L	1	
S11	9/10/2004	Tetrahydrofuran	<	1.7	5	ug/L	1	
S11	12/1/2004	Tetrahydrofuran	<	1.7	5	ug/L	1	
S11	3/3/2005	Tetrahydrofuran	<	1.4	5	ug/L	1	
S2	4/3/2002	Tetrahydrofuran	<		5	ug/L	1	
S2	6/26/2002	Tetrahydrofuran	<	2.1	5	ug/L	1	
S2	9/18/2002	Tetrahydrofuran	<	2.1	5	ug/L	1	
S2	12/13/2002	Tetrahydrofuran	<	2.1	5	ug/L	1	
S2	3/4/2003	Tetrahydrofuran	<	1.7	5	ug/L	1	
S2	3/4/2003	Tetrahydrofuran	<	1.7	5	ug/L	1	
S2	6/5/2003	Tetrahydrofuran	<	1.7	5	ug/L	1	
S2	9/5/2003	Tetrahydrofuran	<	1.7	5	ug/L	1	
S2	9/5/2003	Tetrahydrofuran	<	1.7	5	ug/L	1	
S2	12/3/2003	Tetrahydrofuran	<	3.4	10	ug/L	2	
S2	9/10/2004	Tetrahydrofuran	<	1.7	5	ug/L	1	
S3	4/3/2002	Tetrahydrofuran	<		5	ug/L	1	
S3	6/25/2002	Tetrahydrofuran	<	2.1	5	ug/L	1	
S3	9/19/2002	Tetrahydrofuran	<	2.1	5	ug/L	1	
S3	9/19/2002	Tetrahydrofuran	<	2.1	5	ug/L	1	
S3	12/13/2002	Tetrahydrofuran	<	2.1	5	ug/L	1	
S3	3/5/2003	Tetrahydrofuran	<	1.7	5	ug/L	1	
S3	6/5/2003	Tetrahydrofuran	<	1.7	5	ug/L	1	
S3	9/5/2003	Tetrahydrofuran	<	1.7	5	ug/L	1	
S3	12/2/2003	Tetrahydrofuran	<	1.7	5	ug/L	1	
S3	9/9/2004	Tetrahydrofuran	<	1.7	5	ug/L	1	
S3	9/9/2004	Tetrahydrofuran	<	1.7	5	ug/L	1	
S4	4/3/2002	Tetrahydrofuran	<		5	ug/L	1	
S4	6/25/2002	Tetrahydrofuran	<	2.1	5	ug/L	1	
S4	9/19/2002	Tetrahydrofuran	<	2.1	5	ug/L	1	
S4	12/13/2002	Tetrahydrofuran	<	2.1	5	ug/L	1	
S4	9/8/2003	Tetrahydrofuran	<	1.7	5	ug/L	1	



tmpAnalyticalResultsOverTime

S4	9/9/2004	Tetrahydrofuran	<	1.7	5	ug/L	1
S5	4/4/2002	Tetrahydrofuran	<		5	ug/L	1
S5	6/24/2002	Tetrahydrofuran	<	2.1	5	ug/L	1
S5	9/20/2002	Tetrahydrofuran	<	2.1	5	ug/L	1
S5	12/16/2002	Tetrahydrofuran	<	2.1	5	ug/L	1
S5	9/10/2003	Tetrahydrofuran	<	1.7	5	ug/L	1
S5	9/8/2004	Tetrahydrofuran	<	1.7	5	ug/L	1
S6	4/4/2002	Tetrahydrofuran	<		5	ug/L	1
S6	6/24/2002	Tetrahydrofuran	<	2.1	5	ug/L	1
S6	6/24/2002	Tetrahydrofuran	<	2.1	5	ug/L	1
S6	9/23/2002	Tetrahydrofuran	<	2.1	5	ug/L	1
S6	12/18/2002	Tetrahydrofuran	<	2.1	5	ug/L	1
S6	9/9/2003	Tetrahydrofuran	<	1.7	5	ug/L	1
S6	9/8/2004	Tetrahydrofuran	<	1.7	5	ug/L	1
S7	4/10/2002	Tetrahydrofuran	<		5	ug/L	1 UJ
S7	6/21/2002	Tetrahydrofuran	<	2.1	5	ug/L	1
S7	9/23/2002	Tetrahydrofuran	<	2.1	5	ug/L	1
S7	12/17/2002	Tetrahydrofuran	<	2.1	5	ug/L	1
S7	9/11/2003	Tetrahydrofuran	<	1.7	5	ug/L	1
S7	9/7/2004	Tetrahydrofuran	<	1.7	5	ug/L	1
S8	4/10/2002	Tetrahydrofuran	<		5	ug/L	1 UJ
S8	6/21/2002	Tetrahydrofuran	<	2.1	5	ug/L	1
S8	9/20/2002	Tetrahydrofuran	<	2.1	5	ug/L	1
S8	12/16/2002	Tetrahydrofuran	<	2.1	5	ug/L	1
S8	9/11/2003	Tetrahydrofuran	<	1.7	5	ug/L	1
S8	9/3/2004	Tetrahydrofuran	<	1.7	5	ug/L	1
S9	4/10/2002	Tetrahydrofuran	<		5	ug/L	1
S9	6/20/2002	Tetrahydrofuran	<	2.1	5	ug/L	1
S9	9/11/2002	Tetrahydrofuran	<	2.1	5	ug/L	1
S9	12/12/2002	Tetrahydrofuran	<	2.1	5	ug/L	1
S9	9/11/2003	Tetrahydrofuran	<	1.7	5	ug/L	1
S9	9/3/2004	Tetrahydrofuran	<	1.7	5	ug/L	1
S10	3/3/2005	Th-230	<	0.1	0.17	0.13 pCi/L	1 U
S10	6/3/2005	Th-230	<	0.14	0.22	0.17 pCi/L	1 U
S10	6/3/2008	Th-230	<	0.11	0.12	0.11 pCi/L	1 U
S10	9/2/2008	Th-230	<	0.11	0.13	0.11 pCi/L	1
S10	6/1/2009	Th-230	<	0.11	0.16	0.12 pCi/L	1
S10	9/1/2009	Th-230	<	0.047	0.11	0.074 PCI/L	1
S10	12/2/2009	Th-230	<	0.08	0.15	0.1 PCI/L	1 UJ
S10	3/8/2010	Th-230	<	0.033	0.12	0.066 PCI/L	1
S10	9/1/2010	Th-230	<	0.05	0.19	0.11 PCI/L	1
S10	12/2/2010	Th-230	<	0.09	0.14	0.11 PCI/L	1
S11	12/1/2004	Th-230	<	0.083	0.12	0.098 pCi/L	1 U
S11	12/6/2005	Th-230	<	0.038	0.09	0.062 pCi/L	1 U
S11	9/4/2007	Th-230	<	0.048	0.12	0.083 pCi/L	1 U
S11	6/4/2008	Th-230	<	0.09	0.16	0.11 pCi/L	1 U
S11	9/3/2008	Th-230	<	0.061	0.16	0.097 pCi/L	1
S11	9/2/2009	Th-230	<	0.022	0.06	0.044 PCI/L	1
S11	12/2/2009	Th-230	<	0.08	0.2	0.12 PCI/L	1 UJ
S11	6/3/2010	Th-230	<	0.55	0.61	0.55 PCI/L	1
S11	9/2/2010	Th-230	<	0.08	0.16	0.11 PCI/L	1
S2	6/7/2005	Th-230	<	0.09	0.23	0.16 pCi/L	1 U
S2	3/5/2007	Th-230	<	0.13	0.14	0.12 pCi/L	1 U
S2	6/4/2007	Th-230	<	0.048	0.11	0.078 pCi/L	1 U
S2	9/4/2007	Th-230	<	0.1	0.12	0.1 pCi/L	1 U
S2	3/4/2008	Th-230	<	0.007	0.17	0.063 pCi/L	1 U
S2	3/5/2009	Th-230	<	0.15	0.21	0.15 pCi/L	1

tmpAnalyticalResultsOverTime

S2	6/1/2009 Th-230	<	0.13	0.19	0.14 pCi/L	1
S2	12/2/2009 Th-230	<	0.18	0.2	0.17 PCI/L	1 UJ
S2	9/1/2010 Th-230	<	0.095	0.1	0.093 PCI/L	1
S2	12/2/2010 Th-230	<	0.05	0.066	0.07 PCI/L	1
S3	9/5/2003 Th-230	<	0.27	0.34	0.28 pCi/L	1 UJ
S3	9/4/2007 Th-230	<	0.063	0.096	0.081 pCi/L	1 U
S3	9/2/2009 Th-230	<	0.06	0.11	0.079 PCI/L	1
S3	9/1/2010 Th-230	<	0.047	0.063	0.066 PCI/L	1
S4	12/6/2004 Th-230	<	0.13	0.23	0.17 pCi/L	1 U
S4	6/7/2005 Th-230	<	0.1	0.11	0.11 pCi/L	1 U
S4	9/8/2005 Th-230	<	0.07	0.15	0.11 pCi/L	1 U
S4	12/7/2005 Th-230	<	0.04	0.095	0.066 pCi/L	1 U
S4	3/2/2007 Th-230	<	0.09	0.1	0.1 pCi/L	1 U
S4	9/10/2007 Th-230	<	0.079	0.12	0.098 pCi/L	1 U
S4	6/2/2009 Th-230	<	0.09	0.24	0.14 pCi/L	1
S4	6/2/2009 Th-230	<	0.03	0.22	0.1 pCi/L	1
S4	12/3/2009 Th-230	<	0.028	0.19	0.091 PCI/L	1 UJ
S4	12/3/2010 Th-230	<	0.12	0.14	0.12 PCI/L	1
S5	9/10/2003 Th-230	<	-0.000006	0.2	0.06 pCi/L	1 U
S5	12/4/2003 Th-230	<	0.15	0.24	0.18 pCi/L	1 U
S5	12/3/2004 Th-230	<	0.19	0.21	0.18 pCi/L	1 U
S5	3/4/2005 Th-230	<	0.043	0.11	0.072 pCi/L	1 U
S5	6/3/2005 Th-230	<	0.09	0.16	0.12 pCi/L	1 U
S5	6/5/2007 Th-230	<	0.11	0.13	0.12 pCi/L	1 U
S5	6/5/2007 Th-230	<	0.071	0.11	0.09 pCi/L	1 U
S5	9/3/2008 Th-230	<	0.035	0.16	0.082 pCi/L	1
S5	3/3/2009 Th-230	<	0.08	0.21	0.13 pCi/L	1
S5	6/1/2009 Th-230	<	0.13	0.19	0.14 pCi/L	1
S5	9/2/2009 Th-230	<	0.045	0.18	0.095 PCI/L	1
S5	12/3/2009 Th-230	<	0.05	0.22	0.12 PCI/L	1 UJ
S5	12/6/2010 Th-230	<	0.14	0.15	0.13 PCI/L	1
S6	12/4/2003 Th-230	<	0.13	0.16	0.14 pCi/L	1 U
S6	12/3/2004 Th-230	<	0.14	0.22	0.17 pCi/L	1 U
S6	9/7/2006 Th-230	<	0.14	0.16	0.14 pCi/L	1 U
S6	9/7/2007 Th-230	<	0.13	0.14	0.12 pCi/L	1 U
S6	6/6/2008 Th-230	<	0.1	0.13	0.11 pCi/L	1 U
S6	3/4/2009 Th-230	<	0.19	0.21	0.17 pCi/L	1
S6	6/2/2009 Th-230	<	0.06	0.17	0.1 pCi/L	1
S6	9/3/2009 Th-230	<	0.006	0.15	0.054 PCI/L	1
S6	12/3/2009 Th-230	<	0.18	0.26	0.19 PCI/L	1 UJ
S6	6/7/2010 Th-230	<	0.23	0.29	0.23 PCI/L	1 UJ
S6	9/3/2010 Th-230	<	0.157	0.18	0.069 PCI/L	1
S6	12/3/2010 Th-230	<	0.012	0.14	0.056 PCI/L	1
S7	12/3/2004 Th-230	<	0.11	0.28	0.19 pCi/L	1 U
S7	3/8/2005 Th-230	<	0.17	0.29	0.22 pCi/L	1 U
S7	6/3/2005 Th-230	<	0.21	0.21	0.19 pCi/L	1 U
S7	9/10/2007 Th-230	<	0.044	0.059	0.076 pCi/L	1 U
S7	3/3/2008 Th-230	<	0.1	0.16	0.12 pCi/L	1 U
S7	6/4/2008 Th-230	<	0.15	0.18	0.14 pCi/L	1 U
S7	6/4/2008 Th-230	<	0.13	0.13	0.12 pCi/L	1 U
S7	9/4/2008 Th-230	<	0.12	0.13	0.12 pCi/L	1
S7	12/3/2008 Th-230	<	0.18	0.22	0.18 pCi/L	1 UJ
S7	3/5/2009 Th-230	<	0.08	0.12	0.099 pCi/L	1
S7	9/8/2009 Th-230	<	0.12	0.17	0.13 PCI/L	1
S7	9/8/2009 Th-230	<	0.18	0.23	0.17 PCI/L	1
S7	12/4/2009 Th-230	<	0.14	0.21	0.15 PCI/L	1 UJ
S7	9/7/2010 Th-230	<	0.3	0.36	0.29 PCI/L	1 UJ

tmpAnalyticalResultsOverTime

S7	12/6/2010 Th-230	<	0.1	0.14	0.11 PCI/L	1	
S8	12/3/2004 Th-230	<	0.05	0.21	0.13 pCi/L	1 U	
S8	6/6/2005 Th-230	<	0.17	0.23	0.19 pCi/L	1 U	
S8	6/4/2008 Th-230	<	0.07	0.17	0.11 pCi/L	1 U	
S8	3/4/2009 Th-230	<	0.037	0.17	0.087 pCi/L	1	
S8	3/4/2009 Th-230	<	0.1	0.18	0.13 pCi/L	1	
S8	6/3/2009 Th-230	<	0.1	0.2	0.13 pCi/L	1	
S8	9/3/2009 Th-230	<	0.12	0.13	0.12 PCI/L	1	
S8	12/4/2009 Th-230	<	-0.009	0.44	0.19 PCI/L	1 UJ	
S8	12/6/2010 Th-230	<	0.11	0.16	0.13 PCI/L	1 UJ	
S9	6/3/2005 Th-230	<	0.068	0.13	0.096 pCi/L	1 U	
S9	3/2/2007 Th-230	<	0.15	0.17	0.15 pCi/L	1 U	
S9	6/6/2007 Th-230	<	0.07	0.14	0.1 pCi/L	1 U	
S9	12/5/2007 Th-230	<	0.017	0.13	0.055 pCi/L	1 U	
S9	3/7/2008 Th-230	<	0.057	0.13	0.083 pCi/L	1 U	
S9	6/6/2008 Th-230	<	0.09	0.17	0.11 pCi/L	1 U	
S9	12/4/2008 Th-230	<	0.094	0.1	0.099 pCi/L	1 U	
S9	6/3/2009 Th-230	<	0.046	0.14	0.081 pCi/L	1	
S9	6/7/2010 Th-230	<	0.15	0.16	0.13 PCI/L	1	
S10	5/24/2004 Th-232	<	0	0.06	0 pCi/L	1 U	NA
S10	5/24/2004 Th-232	<	0.02	0.054	0.057 pCi/L	1 U	
S10	9/10/2004 Th-232	<	0	0.06	0 pCi/L	1 U	
S10	12/1/2004 Th-232	<	0	0.1	0 pCi/L	1 U	
S10	12/1/2004 Th-232	<	0.05	0.2	0.12 pCi/L	1 U	
S10	3/3/2005 Th-232	<	0	0.2	0 pCi/L	1 U	
S10	6/3/2005 Th-232	<	-0.005	0.11	-0.056 pCi/L	1 U	
S10	10/6/2005 Th-232	<	0.043	0.1	0.069 pCi/L	1 U	
S10	12/6/2005 Th-232	<	-0.004	0.091	0.047 pCi/L	1 U	
S10	3/2/2006 Th-232	<	-0.004	0.087	0.045 pCi/L	1 U	
S10	6/1/2006 Th-232	<	0.022	0.06	0.062 pCi/L	1 U	
S10	9/6/2006 Th-232	<	0.02	0.054	0.056 pCi/L	1 U	
S10	12/6/2006 Th-232	<	-0.004	0.092	0.047 pCi/L	1 U	
S10	3/1/2007 Th-232	<	-0.008	0.11	0.051 pCi/L	1 U	
S10	3/1/2007 Th-232	<	0.001	0.14	0.064 pCi/L	1 U	
S10	6/4/2007 Th-232	<	-0.014	0.14	0.064 pCi/L	1 U	
S10	9/4/2007 Th-232	<	0.018	0.096	0.049 pCi/L	1 U	
S10	12/4/2007 Th-232	<	0.049	0.17	0.094 pCi/L	1 U	
S10	3/5/2008 Th-232	<	0.021	0.11	0.052 pCi/L	1 U	
S10	6/3/2008 Th-232	<	-0.014	0.13	0.016 pCi/L	1 U	
S10	9/2/2008 Th-232	<	0.02	0.1	0.049 pCi/L	1	
S10	12/2/2008 Th-232	<	0.07	0.19	0.12 pCi/L	1	
S10	6/1/2009 Th-232	<	-0.039	0.18	0.028 pCi/L	1	
S10	9/1/2009 Th-232	<	-0.0048	0.11	0.0097 PCI/L	1	
S10	12/2/2009 Th-232	<	0.011	0.13	0.052 PCI/L	1	
S10	3/8/2010 Th-232	<	-0.008	0.11	0.012 PCI/L	1	
S10	6/3/2010 Th-232	<	0.032	0.17	0.082 PCI/L	1	
S10	9/1/2010 Th-232	<	0	0.065	0.021 PCI/L	1	
S10	9/1/2010 Th-232	<	-0.009	0.12	0.013 PCI/L	1	
S10	12/2/2010 Th-232	<	0.02	0.16	0.066 PCI/L	1	
S11	9/10/2004 Th-232	<	0.018	0.1	0.051 pCi/L	1 U	
S11	12/1/2004 Th-232	<	0	0.1	0 pCi/L	1 U	
S11	3/3/2005 Th-232	<	0.041	0.12	0.077 pCi/L	1 U	
S11	6/6/2005 Th-232	<	0.018	0.092	0.047 pCi/L	1 U	
S11	9/7/2005 Th-232	<	0.08	0.16	0.11 pCi/L	1 U	
S11	12/6/2005 Th-232	<	0	0.06	0 pCi/L	1 U	
S11	3/3/2006 Th-232	<	-0.004	0.089	0.046 pCi/L	1 U	
S11	3/3/2006 Th-232	<	0.045	0.1	0.073 pCi/L	1 U	

tmpAnalyticalResultsOverTime

S11	6/2/2006 Th-232	<	-0.009	0.11	0.053 pCi/L	1 U
S11	9/6/2006 Th-232	<	-0.017	0.13	0.059 pCi/L	1 U
S11	12/6/2006 Th-232	<	0.028	0.16	0.092 pCi/L	1 U
S11	3/1/2007 Th-232	<	-0.008	0.11	0.052 pCi/L	1 U
S11	6/4/2007 Th-232	<	-0.004	0.092	0.047 pCi/L	1 U
S11	9/4/2007 Th-232	<	0.013	0.1	0.05 pCi/L	1 U
S11	12/4/2007 Th-232	<	0.015	0.12	0.051 pCi/L	1 U
S11	3/5/2008 Th-232	<	0.016	0.13	0.054 pCi/L	1 U
S11	6/4/2008 Th-232	<	0.006	0.14	0.051 pCi/L	1 U
S11	9/3/2008 Th-232	<	-0.009	0.12	0.013 pCi/L	1
S11	9/3/2008 Th-232	<	-0.02	0.16	0.02 pCi/L	1
S11	12/2/2008 Th-232	<	0.12	0.19	0.14 pCi/L	1
S11	3/5/2009 Th-232	<	-0.006	0.11	0.01 pCi/L	1
S11	6/1/2009 Th-232	<	0.007	0.16	0.058 pCi/L	1
S11	9/2/2009 Th-232	<	0.014	0.11	0.045 PCI/L	1
S11	12/2/2009 Th-232	<	-0.018	0.14	0.018 PCI/L	1
S11	3/5/2010 Th-232	<	0	0.081	0.026 PCI/L	1
S11	6/3/2010 Th-232	<	-0.023	0.53	0.047 PCI/L	1
S11	9/2/2010 Th-232	<	0	0.072	0.023 PCI/L	1
S11	12/2/2010 Th-232	<	0	0.074	0.024 PCI/L	1
S2	4/3/2002 Th-232	<	0.03	0.08	0.06 pCi/L	U
S2	6/26/2002 Th-232	<	0.027	0.072	0.053 pCi/L	1 U
S2	9/18/2002 Th-232	<	-0.008	0.12	0.012 pCi/L	1 U
S2	12/13/2002 Th-232	<	0.028	0.075	0.056 pCi/L	1 U
S2	3/4/2003 Th-232	<	0.027	0.073	0.054 pCi/L	1 U
S2	3/4/2003 Th-232	<	0	0.06	0 pCi/L	1 U
S2	6/5/2003 Th-232	<	0.039	0.093	0.064 pCi/L	1 U
S2	9/5/2003 Th-232	<	-0.0043	0.1	0.0086 pCi/L	1 U
S2	9/5/2003 Th-232	<	0.033	0.09	0.067 pCi/L	1 U
S2	12/3/2003 Th-232	<	-0.006	0.14	0.012 pCi/L	1 U
S2	3/2/2004 Th-232	<	0.054	0.073	0.077 pCi/L	1 U
S2	6/2/2004 Th-232	<	0.026	0.15	0.081 pCi/L	1 U
S2	9/10/2004 Th-232	<	0.048	0.065	0.084 pCi/L	1 U
S2	12/6/2004 Th-232	<	0.052	0.07	0.09 pCi/L	1 U
S2	3/4/2005 Th-232	<	0	0.1	0 pCi/L	1 U
S2	6/7/2005 Th-232	<	-0.02	0.15	0.07 pCi/L	1 U
S2	6/7/2005 Th-232	<	-0.018	0.2	0.087 pCi/L	1 U
S2	9/7/2005 Th-232	<	-0.031	0.16	0.071 pCi/L	1 U
S2	12/5/2005 Th-232	<	0.019	0.053	0.055 pCi/L	1 U
S2	3/2/2006 Th-232	<	-0.008	0.1	0.049 pCi/L	1 U
S2	6/2/2006 Th-232	<	0.034	0.1	0.065 pCi/L	1 U
S2	9/5/2006 Th-232	<	-0.004	0.098	0.05 pCi/L	1 U
S2	12/6/2006 Th-232	<	-0.004	0.095	0.049 pCi/L	1 U
S2	3/5/2007 Th-232	<	-0.003	0.14	0.062 pCi/L	1 U
S2	6/4/2007 Th-232	<	-0.015	0.14	0.066 pCi/L	1 U
S2	9/4/2007 Th-232	<	-0.008	0.11	0.051 pCi/L	1 U
S2	3/4/2008 Th-232	<	0.031	0.18	0.087 pCi/L	1 U
S2	6/3/2008 Th-232	<	0.016	0.11	0.048 pCi/L	1 U
S2	9/2/2008 Th-232	<	-0.0048	0.11	0.0096 pCi/L	1
S2	12/2/2008 Th-232	<	0	0.12	0.037 pCi/L	1 UJ
S2	12/2/2008 Th-232	<	0.018	0.14	0.06 pCi/L	1
S2	3/5/2009 Th-232	<	0.01	0.13	0.05 pCi/L	1
S2	6/1/2009 Th-232	<	0.034	0.14	0.074 pCi/L	1
S2	9/2/2009 Th-232	<	-0.013	0.12	0.015 PCI/L	1
S2	3/5/2010 Th-232	<	0.014	0.17	0.065 PCI/L	1
S2	6/3/2010 Th-232	<	0.064	0.14	0.093 PCI/L	1
S2	9/1/2010 Th-232	<	-0.0038	0.087	0.0077 PCI/L	1

tmpAnalyticalResultsOverTime

S2	12/2/2010 Th-232	<	0.02	0.1	0.05 PCI/L	1
S3	4/3/2002 Th-232	<	0.059	0.079	0.084 pCi/L	U
S3	6/25/2002 Th-232	<	0.006	0.2	0.063 pCi/L	1 U
S3	9/19/2002 Th-232	<	0.017	0.1	0.043 pCi/L	1 U
S3	9/19/2002 Th-232	<	0.009	0.13	0.045 pCi/L	1 U
S3	12/13/2002 Th-232	<	0.028	0.075	0.055 pCi/L	1 U
S3	3/5/2003 Th-232	<	-0.011	0.15	0.015 pCi/L	1 U
S3	6/5/2003 Th-232	<	0.043	0.13	0.082 pCi/L	1 U
S3	9/5/2003 Th-232	<	0.11	0.29	0.17 pCi/L	1 UJ
S3	12/2/2003 Th-232	<	0.08	0.29	0.14 pCi/L	1 U
S3	9/9/2004 Th-232	<	0.02	0.053	0.055 pCi/L	1 U
S3	9/7/2005 Th-232	<	-0.014	0.2	0.088 pCi/L	1 U
S3	9/5/2006 Th-232	<	-0.016	0.15	0.07 pCi/L	1 U
S3	9/4/2007 Th-232	<	0.014	0.11	0.053 pCi/L	1 U
S3	9/2/2008 Th-232	<	0.052	0.07	0.073 pCi/L	1
S3	9/2/2009 Th-232	<	-0.0042	0.095	0.0084 PCI/L	1
S3	9/1/2010 Th-232	<	0	0.063	0.02 PCI/L	1
S4	4/3/2002 Th-232	<	0.03	0.081	0.06 pCi/L	U
S4	6/25/2002 Th-232	<	-0.018	0.15	0.018 pCi/L	1 U
S4	9/19/2002 Th-232	<	-0.005	0.12	0.01 pCi/L	1 U
S4	3/6/2003 Th-232	<	-0.008	0.18	0.015 pCi/L	1 U
S4	6/9/2003 Th-232	<	0.018	0.15	0.071 pCi/L	1 U
S4	6/9/2003 Th-232	<	0	0.1	0 pCi/L	1 U
S4	9/8/2003 Th-232	<	-0.005	0.12	0.01 pCi/L	1 U
S4	12/4/2003 Th-232	<	0.022	0.21	0.076 pCi/L	1 U
S4	3/2/2004 Th-232	<	0.026	0.071	0.053 pCi/L	1 U
S4	6/2/2004 Th-232	<	0	0.06	0 pCi/L	1 U
S4	9/9/2004 Th-232	<	0.043	0.058	0.074 pCi/L	1 U
S4	12/6/2004 Th-232	<	0.0604	0.15	0.0997 pCi/L	1 U
S4	12/6/2004 Th-232	<	0.029	0.078	0.081 pCi/L	1 U
S4	3/4/2005 Th-232	<	0.023	0.062	0.064 pCi/L	1 U
S4	6/7/2005 Th-232	<	0.011	0.14	0.065 pCi/L	1 U
S4	9/8/2005 Th-232	<	0.01	0.15	0.078 pCi/L	1 U
S4	12/7/2005 Th-232	<	0.036	0.11	0.068 pCi/L	1 U
S4	3/2/2006 Th-232	<	0.016	0.086	0.044 pCi/L	1 U
S4	6/1/2006 Th-232	<	0	0.06	0 pCi/L	1 U
S4	9/6/2006 Th-232	<	-0.012	0.12	0.055 pCi/L	1 U
S4	12/1/2006 Th-232	<	0.062	0.094	0.079 pCi/L	1 U
S4	12/1/2006 Th-232	<	-0.013	0.13	0.059 pCi/L	1 U
S4	3/2/2007 Th-232	<	-0.009	0.12	0.057 pCi/L	1 U
S4	6/4/2007 Th-232	<	0.018	0.093	0.048 pCi/L	1 U
S4	9/10/2007 Th-232	<	0.014	0.11	0.053 pCi/L	1 U
S4	12/4/2007 Th-232	<	-0.003	0.18	0.06 pCi/L	1 U
S4	3/4/2008 Th-232	<	-0.011	0.14	0.015 pCi/L	1 U
S4	6/3/2008 Th-232	<	-0.012	0.12	0.014 pCi/L	1 U
S4	12/2/2008 Th-232	<	0.031	0.16	0.079 pCi/L	1 UJ
S4	3/4/2009 Th-232	<	0.08	0.18	0.11 pCi/L	1
S4	6/2/2009 Th-232	<	0.007	0.16	0.06 pCi/L	1
S4	6/2/2009 Th-232	<	-0.019	0.16	0.02 pCi/L	1
S4	9/2/2009 Th-232	<	0.013	0.11	0.045 PCI/L	1
S4	12/3/2009 Th-232	<	0.006	0.14	0.053 PCI/L	1
S4	3/4/2010 Th-232	<	0.017	0.14	0.059 PCI/L	1
S4	6/3/2010 Th-232	<	-0.0045	0.1	0.009 PCI/L	1
S4	9/2/2010 Th-232	<	-0.0045	0.1	0.009 PCI/L	1
S4	12/3/2010 Th-232	<	0.026	0.07	0.052 PCI/L	1
S5	4/4/2002 Th-232	<	0	0.07	0 pCi/L	U
S5	6/24/2002 Th-232	<	0.041	0.14	0.074 pCi/L	1 U

mg/L

tmpAnalyticalResultsOverTime

S5	9/20/2002 Th-232	<	0.035	0.12	0.063 pCi/L	1 U
S5	12/16/2002 Th-232	<	0	0.09	0 pCi/L	1 U
S5	3/6/2003 Th-232	<	0.028	0.075	0.055 pCi/L	1 U
S5	6/6/2003 Th-232	<	0.037	0.15	0.086 pCi/L	1 U
S5	9/10/2003 Th-232	<	0.016	0.15	0.057 pCi/L	1 U
S5	12/4/2003 Th-232	<	0.026	0.24	0.089 pCi/L	1 U
S5	3/2/2004 Th-232	<	-0.01	0.2	0.056 pCi/L	1 U
S5	6/2/2004 Th-232	<	0.023	0.061	0.064 pCi/L	1 U
S5	9/8/2004 Th-232	<	0	0.1	0 pCi/L	1 U
S5	12/3/2004 Th-232	<	0	0.3	0 pCi/L	1 U
S5	3/4/2005 Th-232	<	0.032	0.14	0.078 pCi/L	1 U
S5	3/4/2005 Th-232	<	0	0.2	0 pCi/L	1 U
S5	6/3/2005 Th-232	<	-0.009	0.12	-0.055 pCi/L	1 U
S5	9/8/2005 Th-232	<	0.021	0.16	0.078 pCi/L	1 U
S5	12/7/2005 Th-232	<	0.016	0.082	0.042 pCi/L	1 U
S5	3/3/2006 Th-232	<	-0.016	0.13	0.058 pCi/L	1 U
S5	6/5/2006 Th-232	<	0.018	0.092	0.047 pCi/L	1 U
S5	9/6/2006 Th-232	<	0.021	0.058	0.061 pCi/L	1 U
S5	12/1/2006 Th-232	<	-0.012	0.11	0.053 pCi/L	1 U
S5	3/2/2007 Th-232	<	0.039	0.14	0.086 pCi/L	1 U
S5	6/5/2007 Th-232	<	0.02	0.1	0.053 pCi/L	1 U
S5	6/5/2007 Th-232	<	0.025	0.068	0.071 pCi/L	1 U
S5	9/7/2007 Th-232	<	0.017	0.14	0.065 pCi/L	1 U
S5	12/6/2007 Th-232	<	0.061	0.14	0.089 pCi/L	1 U
S5	3/4/2008 Th-232	<	0.007	0.15	0.057 pCi/L	1 U
S5	6/6/2008 Th-232	<	-0.01	0.13	0.014 pCi/L	1 U
S5	9/3/2008 Th-232	<	0.056	0.075	0.079 pCi/L	1
S5	12/3/2008 Th-232	<	0.09	0.19	0.12 pCi/L	1
S5	3/3/2009 Th-232	<	0.016	0.19	0.075 pCi/L	1
S5	6/1/2009 Th-232	<	-0.034	0.19	0.027 pCi/L	1
S5	9/2/2009 Th-232	<	-0.0049	0.11	0.0099 PCI/L	1
S5	12/3/2009 Th-232	<	0.0007	0.15	0.056 PCI/L	1
S5	12/3/2009 Th-232	<	0.046	0.14	0.08 PCI/L	1
S5	3/4/2010 Th-232	<	0.046	0.14	0.081 PCI/L	1
S5	6/7/2010 Th-232	<	0.015	0.15	0.062 PCI/L	1
S5	9/3/2010 Th-232	<	-0.008	0.1	0.0057 PCI/L	1
S5	12/6/2010 Th-232	<	0.063	0.14	0.092 PCI/L	1
S6	4/4/2002 Th-232	<	-0.017	0.18	0.021 pCi/L	U
S6	6/24/2002 Th-232	<	0.072	0.16	0.098 pCi/L	1 U
S6	6/24/2002 Th-232	<	-0.024	0.18	0.022 pCi/L	1 U
S6	9/23/2002 Th-232	<	-0.009	0.12	0.012 pCi/L	1 U
S6	3/10/2003 Th-232	<	0.02	0.12	0.05 pCi/L	1 U
S6	6/6/2003 Th-232	<	0.027	0.073	0.054 pCi/L	1 U
S6	9/9/2003 Th-232	<	0.017	0.1	0.043 pCi/L	1 U
S6	12/4/2003 Th-232	<	0	0.09	0 pCi/L	1 U
S6	12/4/2003 Th-232	<	0	0.1	0 pCi/L	1 U
S6	3/2/2004 Th-232	<	0	0.08	0 pCi/L	1 U
S6	6/4/2004 Th-232	<	0.068	0.11	0.088 pCi/L	1 U
S6	9/8/2004 Th-232	<	0.033	0.09	0.094 pCi/L	1 U
S6	12/3/2004 Th-232	<	0	0.2	0 pCi/L	1 U
S6	3/4/2005 Th-232	<	0	0.1	0 pCi/L	1 U
S6	6/3/2005 Th-232	<	0.049	0.15	0.095 pCi/L	1 U
S6	9/9/2005 Th-232	<	0.14	0.24	0.18 pCi/L	1 U
S6	12/7/2005 Th-232	<	0.017	0.09	0.046 pCi/L	1 U
S6	12/7/2005 Th-232	<	0.02	0.055	0.057 pCi/L	1 U
S6	3/3/2006 Th-232	<	0.05	0.16	0.1 pCi/L	1 U
S6	6/5/2006 Th-232	<	0.015	0.12	0.056 pCi/L	1 U

tmpAnalyticalResultsOverTime

S6	9/7/2006 Th-232	<	0.049	0.12	0.08 pCi/L	1 U
S6	12/1/2006 Th-232	<	0.018	0.097	0.05 pCi/L	1 U
S6	3/2/2007 Th-232	<	0.019	0.099	0.051 pCi/L	1 U
S6	6/5/2007 Th-232	<	0	0.08	0 pCi/L	1 U
S6	9/7/2007 Th-232	<	0.009	0.12	0.054 pCi/L	1 U
S6	3/5/2008 Th-232	<	0.053	0.16	0.091 pCi/L	1 U
S6	3/5/2008 Th-232	<	0.028	0.16	0.079 pCi/L	1 U
S6	6/6/2008 Th-232	<	-0.015	0.15	0.018 pCi/L	1 U
S6	9/4/2008 Th-232	<	0.024	0.066	0.049 pCi/L	1
S6	3/4/2009 Th-232	<	0.058	0.078	0.082 pCi/L	1
S6	6/2/2009 Th-232	<	-0.007	0.19	0.064 pCi/L	1
S6	9/3/2009 Th-232	<	-0.037	0.18	0.027 PCI/L	1
S6	12/3/2009 Th-232	<	0.06	0.19	0.11 PCI/L	1 UJ
S6	3/4/2010 Th-232	<	0	0.073	0.023 PCI/L	1
S6	6/7/2010 Th-232	<	-0.02	0.33	0.11 PCI/L	1 UJ
S6	9/3/2010 Th-232	<	-0.0042	0.094	0.0042 PCI/L	1
S6	12/3/2010 Th-232	<	-0.01	0.13	0.014 PCI/L	1
S6	12/3/2010 Th-232	<	-0.0049	0.11	0.0098 PCI/L	1
S7	4/10/2002 Th-232	<	0	0.07	0 pCi/L	U
S7	6/21/2002 Th-232	<	0	0.08	0 pCi/L	1 U
S7	9/23/2002 Th-232	<	0.015	0.14	0.052 pCi/L	1 U
S7	3/7/2003 Th-232	<	0.029	0.08	0.059 pCi/L	1 U
S7	6/10/2003 Th-232	<	0.04	0.32	0.15 pCi/L	1 UJ
S7	9/11/2003 Th-232	<	-0.006	0.16	0.013 pCi/L	1 U
S7	12/4/2003 Th-232	<	-0.02	0.33	0.1 pCi/L	1 U
S7	3/2/2004 Th-232	<	0.027	0.16	0.07 pCi/L	1 U
S7	6/4/2004 Th-232	<	0.06	0.17	0.11 pCi/L	1 U
S7	9/7/2004 Th-232	<	0.1	0.2	0.14 pCi/L	1 U
S7	12/3/2004 Th-232	<	0	0.2	0 pCi/L	1 U
S7	3/8/2005 Th-232	<	0.07	0.22	0.14 pCi/L	1 U
S7	6/3/2005 Th-232	<	-0.025	0.2	-0.089 pCi/L	1 U
S7	12/5/2005 Th-232	<	0.046	0.063	0.08 pCi/L	1 U
S7	12/5/2005 Th-232	<	0.014	0.11	0.052 pCi/L	1 U
S7	3/1/2006 Th-232	<	0	0.06	0 pCi/L	1 U
S7	6/5/2006 Th-232	<	0.041	0.096	0.067 pCi/L	1 U
S7	9/7/2006 Th-232	<	0.05	0.13	0.087 pCi/L	1 U
S7	12/5/2006 Th-232	<	0	0.06	0 pCi/L	1 U
S7	3/2/2007 Th-232	<	-0.012	0.15	0.073 pCi/L	1 U
S7	6/5/2007 Th-232	<	0.002	0.17	0.078 pCi/L	1 U
S7	9/10/2007 Th-232	<	0.035	0.11	0.067 pCi/L	1 U
S7	12/5/2007 Th-232	<	0.019	0.15	0.064 pCi/L	1 U
S7	3/3/2008 Th-232	<	0.0008	0.18	0.062 pCi/L	1 U
S7	6/4/2008 Th-232	<	0.038	0.14	0.077 pCi/L	1 U
S7	9/4/2008 Th-232	<	-0.0048	0.11	0.0095 pCi/L	1
S7	12/3/2008 Th-232	<	0.04	0.13	0.08 pCi/L	1 UJ
S7	3/5/2009 Th-232	<	-0.005	0.12	0.011 pCi/L	1
S7	6/3/2009 Th-232	<	0.069	0.12	0.089 pCi/L	1
S7	9/8/2009 Th-232	<	0.024	0.16	0.074 PCI/L	1
S7	9/8/2009 Th-232	<	-0.017	0.16	0.019 PCI/L	1
S7	12/4/2009 Th-232	<	0.057	0.15	0.09 PCI/L	1 UJ
S7	3/3/2010 Th-232	<	0.036	0.15	0.077 PCI/L	1
S7	3/3/2010 Th-232	<	0.038	0.11	0.068 PCI/L	1
S7	6/4/2010 Th-232	<	0.025	0.067	0.05 PCI/L	1
S7	9/7/2010 Th-232	<	-0.059	0.34	0.049 PCI/L	1 UJ
S7	12/6/2010 Th-232	<	0.022	0.12	0.056 PCI/L	1
S8	4/10/2002 Th-232	<	-0.01	0.15	0.015 pCi/L	U
S8	6/21/2002 Th-232	<	0	0.09	0 pCi/L	1 U

tmpAnalyticalResultsOverTime

S8	9/20/2002 Th-232	<	0.09	0.19	0.12 pCi/L	1 U
S8	12/16/2002 Th-232	<	0.078	0.13	0.098 pCi/L	1 U
S8	3/7/2003 Th-232	<	-0.006	0.14	0.012 pCi/L	1 U
S8	3/7/2003 Th-232	<	0	0.08	0 pCi/L	1 U
S8	6/10/2003 Th-232	<	0	0.1	0 pCi/L	1 U
S8	9/11/2003 Th-232	<	0.028	0.075	0.056 pCi/L	1 U
S8	12/5/2003 Th-232	<	0.02	0.12	0.058 pCi/L	1 U
S8	3/5/2004 Th-232	<	-0.042	0.25	0.033 pCi/L	1 U
S8	6/4/2004 Th-232	<	0.024	0.18	0.096 pCi/L	1 U
S8	9/3/2004 Th-232	<	0	0.2	0 pCi/L	1 U
S8	12/3/2004 Th-232	<	0	0.2	0 pCi/L	1 U
S8	3/8/2005 Th-232	<	0.02	0.1	0.052 pCi/L	1 U
S8	6/6/2005 Th-232	<	0.023	0.17	0.095 pCi/L	1 U
S8	6/6/2005 Th-232	<	-0.022	0.14	0.065 pCi/L	1 U
S8	9/2/2005 Th-232	<	0.009	0.12	0.054 pCi/L	1 U
S8	12/2/2005 Th-232	<	-0.004	0.089	0.045 pCi/L	1 U
S8	3/1/2006 Th-232	<	0	0.05	0 pCi/L	1 U
S8	6/2/2006 Th-232	<	-0.004	0.092	0.047 pCi/L	1 U
S8	6/2/2006 Th-232	<	0.016	0.085	0.044 pCi/L	1 U
S8	9/7/2006 Th-232	<	0.023	0.12	0.063 pCi/L	1 U
S8	12/5/2006 Th-232	<	-0.013	0.13	0.058 pCi/L	1 U
S8	3/5/2007 Th-232	<	0	0.06	0 pCi/L	1 U
S8	6/5/2007 Th-232	<	-0.015	0.14	0.065 pCi/L	1 U
S8	9/10/2007 Th-232	<	-0.004	0.095	0.049 pCi/L	1 U
S8	12/5/2007 Th-232	<	0.05	0.12	0.078 pCi/L	1 U
S8	3/3/2008 Th-232	<	-0.005	0.12	0.01 pCi/L	1 U
S8	6/4/2008 Th-232	<	0.021	0.16	0.069 pCi/L	1 U
S8	9/4/2008 Th-232	<	-0.005	0.12	0.011 pCi/L	1
S8	3/4/2009 Th-232	<	0.024	0.13	0.06 pCi/L	1
S8	3/4/2009 Th-232	<	0.007	0.13	0.042 pCi/L	1
S8	6/3/2009 Th-232	<	0.037	0.15	0.08 pCi/L	1
S8	9/3/2009 Th-232	<	-0.003	0.16	0.056 PCI/L	1
S8	12/4/2009 Th-232	<	-0.058	0.3	0.044 PCI/L	1 UJ
S8	3/3/2010 Th-232	<	0.069	0.14	0.098 PCI/L	1
S8	6/4/2010 Th-232	<	0.08	0.62	0.26 PCI/L	1
S8	9/3/2010 Th-232	<	0.021	0.11	0.027 PCI/L	1
S8	12/6/2010 Th-232	<	0.08	0.1	0.11 PCI/L	1 UJ
S9	4/10/2002 Th-232	<	0.024	0.065	0.048 pCi/L	U
S9	6/20/2002 Th-232	<	0	0.08	0 pCi/L	1 U
S9	9/11/2002 Th-232	<	0.02	0.12	0.05 pCi/L	1 U
S9	12/12/2002 Th-232	<	0.022	0.061	0.045 pCi/L	1 U
S9	3/6/2003 Th-232	<	0	0.09	0 pCi/L	1 U
S9	6/9/2003 Th-232	<	0	0.1	0 pCi/L	1 U
S9	9/11/2003 Th-232	<	0.08	0.17	0.11 pCi/L	1 U
S9	12/4/2003 Th-232	<	-0.012	0.18	0.018 pCi/L	1 U
S9	3/2/2004 Th-232	<	0	0.07	0 pCi/L	1 U
S9	6/3/2004 Th-232	<	0.008	0.14	0.064 pCi/L	1 U
S9	9/3/2004 Th-232	<	0	0.2	0 pCi/L	1 U
S9	12/2/2004 Th-232	<	0.029	0.12	0.071 pCi/L	1 U
S9	3/8/2005 Th-232	<	0	0.07	0 pCi/L	1 U
S9	6/3/2005 Th-232	<	0.021	0.11	0.056 pCi/L	1 U
S9	9/2/2005 Th-232	<	0.014	0.11	0.051 pCi/L	1 U
S9	12/5/2005 Th-232	<	0.035	0.11	0.066 pCi/L	1 U
S9	3/3/2006 Th-232	<	-0.011	0.16	0.071 pCi/L	1 U
S9	6/1/2006 Th-232	<	0.06	0.16	0.11 pCi/L	1 U
S9	9/7/2006 Th-232	<	0.01	0.12	0.055 pCi/L	1 U
S9	12/6/2006 Th-232	<	0.014	0.11	0.052 pCi/L	1 U



tmpAnalyticalResultsOverTime

S9	3/2/2007 Th-232	<	0.011		0.14	0.065 pCi/L	1	U
S9	6/6/2007 Th-232	<	0.055		0.074	0.095 pCi/L	1	U
S9	9/5/2007 Th-232	<	0.021		0.11	0.055 pCi/L	1	U
S9	12/5/2007 Th-232	<	0.048		0.11	0.075 pCi/L	1	U
S9	12/5/2007 Th-232	<	0.035		0.18	0.088 pCi/L	1	U
S9	3/7/2008 Th-232	<	0.012		0.12	0.049 pCi/L	1	U
S9	6/6/2008 Th-232	<	-0.016		0.15	0.018 pCi/L	1	U
S9	9/5/2008 Th-232	<	0		0.078	0.025 pCi/L	1	U
S9	12/4/2008 Th-232	<	0.064		0.12	0.086 pCi/L	1	U
S9	3/6/2009 Th-232	<	0.032		0.12	0.065 pCi/L	1	U
S9	6/3/2009 Th-232	<	0.028		0.076	0.056 pCi/L	1	U
S9	9/4/2009 Th-232	<	0.014		0.11	0.047 pCi/L	1	U
S9	12/4/2009 Th-232	<	-0.012		0.12	0.014 pCi/L	1	U
S9	3/8/2010 Th-232	<	0.015		0.1	0.045 pCi/L	1	U
S9	6/7/2010 Th-232	<	-0.013		0.13	0.016 pCi/L	1	U
S9	6/7/2010 Th-232	<	0.016		0.13	0.054 pCi/L	1	U
S9	9/8/2010 Th-232	<	0.045		0.061	0.064 pCi/L	1	U
S9	12/7/2010 Th-232	<	-0.017		0.15	0.019 pCi/L	1	U
S10	9/6/2006 Thiocyanate as SCN	<		0.04	0.05	mg/l	1	U
S10	9/1/2009 Thiocyanate as SCN	<		0.025	0.05	mg/L		U
S10	9/1/2010 Thiocyanate as SCN	<	0.061	0.061		0.5	MG/L	1
S10	9/1/2010 Thiocyanate as SCN	<	0.061	0.061		0.5	MG/L	1
S2	6/26/2002 Thiocyanate as SCN	<		5	30	mg/L		U
S2	9/18/2002 Thiocyanate as SCN	<		2	10	mg/L		UJ
S2	9/5/2003 Thiocyanate as SCN	<		5	30	mg/L		U
S2	9/5/2003 Thiocyanate as SCN	<		5	30	mg/L		U
S3	9/19/2002 Thiocyanate as SCN	<		2	10	mg/L		UJ
S3	9/19/2002 Thiocyanate as SCN	<		2	10	mg/L		UJ
S3	12/13/2002 Thiocyanate as SCN	<		1	5	mg/L		U
S3	3/5/2003 Thiocyanate as SCN	<		0.2	1	mg/L		U
S3	12/2/2003 Thiocyanate as SCN	<		0.009	0.05	mg/L		U
S3	9/1/2010 Thiocyanate as SCN	<	0.061	0.061		0.5	MG/L	1
S4	9/19/2002 Thiocyanate as SCN	<		2	10	mg/L		UJ
S4	12/13/2002 Thiocyanate as SCN	<		1	5	mg/L		U
S4	9/2/2010 Thiocyanate as SCN	<	0.061	0.061		0.5	MG/L	1
S5	9/20/2002 Thiocyanate as SCN	<		2	10	mg/L		UJ
S5	12/16/2002 Thiocyanate as SCN	<		1	5	mg/L		U
S5	9/10/2003 Thiocyanate as SCN	<		2	10	mg/L		U
S6	9/23/2002 Thiocyanate as SCN	<		2	10	mg/L		UJ
S6	12/18/2002 Thiocyanate as SCN	<		1	5	mg/L		U
S6	9/9/2003 Thiocyanate as SCN	<		5	30	mg/L		U
S7	9/23/2002 Thiocyanate as SCN	<		2	10	mg/L		UJ
S7	12/17/2002 Thiocyanate as SCN	<		1	5	mg/L		U
S7	9/11/2003 Thiocyanate as SCN	<		0.1	0.5	mg/L		U
S7	9/2/2005 Thiocyanate as SCN	<		0.02	0.05	mg/l		1
S7	9/7/2006 Thiocyanate as SCN	<		0.04	0.05	mg/l		1
S7	9/8/2009 Thiocyanate as SCN	<		0.025	0.05	mg/L		U
S7	9/8/2009 Thiocyanate as SCN	<		0.025	0.05	mg/L		U
S7	9/7/2010 THIOCYANATE as SCN	<	0.061	0.061		0.5	MG/L	1
S8	4/10/2002 Thiocyanate as SCN	<		0.5	0.1	mg/L		U
S8	6/21/2002 Thiocyanate as SCN	<		0.1	0.5	mg/L		U
S8	9/20/2002 Thiocyanate as SCN	<		2	10	mg/L		UJ
S8	12/16/2002 Thiocyanate as SCN	<		1	5	mg/L		U
S8	9/11/2003 Thiocyanate as SCN	<		0.1	0.5	mg/L		U
S8	9/4/2008 Thiocyanate as SCN	<		0.05	0.05	mg/l		1 UJ
S8	9/3/2010 THIOCYANATE as SCN	<	0.061	0.061		0.5	MG/L	1
S9	4/10/2002 Thiocyanate as SCN	<		0.5	0.1	mg/L		U

tmpAnalyticalResultsOverTime

S9	6/20/2002 Thiocyanate as SCN	<	0.1	0.5	mg/L	U	
S9	9/11/2002 Thiocyanate as SCN	<	2	10	mg/L	U	
S9	12/12/2002 Thiocyanate as SCN	<	1	5	mg/L	U	
S9	9/11/2003 Thiocyanate as SCN	<	0.1	0.5	mg/L	U	
S9	9/3/2004 Thiocyanate as SCN	<	0.038	0.05	mg/L	1	
S9	9/2/2005 Thiocyanate as SCN	<	0.02	0.05	mg/l	1	
S9	9/7/2006 Thiocyanate as SCN	<	0.04	0.05	mg/l	1	
S9	9/5/2007 Thiocyanate as SCN	<	0.04	0.05	mg/l	1 U	
S9	9/5/2008 Thiocyanate as SCN	<	0.05	0.05	mg/l	1 UJ	
S9	9/4/2009 Thiocyanate as SCN	<	0.025	0.05	mg/L		
S9	9/8/2010 THIOCYANATE as SCN	<	0.061	0.061	0.5 MG/L	1	
S10	5/24/2004 Thionazin	<	2	10	ug/L	1	NA
S10	5/24/2004 Thionazin	<	2	10	ug/L	1	
S10	9/10/2004 Thionazin	<	2	10	ug/L	1	
S10	12/1/2004 Thionazin	<	2	10	ug/L	1	
S10	12/1/2004 Thionazin	<	2	10	ug/L	1	
S10	3/3/2005 Thionazin	<	2	10	ug/L	1	
S11	5/24/2004 Thionazin	<	2	10	ug/L	1	
S11	9/10/2004 Thionazin	<	2	10	ug/L	1	
S11	12/1/2004 Thionazin	<	2	10	ug/L	1	
S11	3/3/2005 Thionazin	<	2	10	ug/L	1	
S2	4/3/2002 Thionazin	<		10	ug/L	1	
S2	6/26/2002 Thionazin	<	2.2	10	ug/L	1	
S2	9/18/2002 Thionazin	<	2.2	10	ug/L	1	
S2	12/13/2002 Thionazin	<	1.6	10	ug/L	1	
S2	3/4/2003 Thionazin	<	1.6	10	ug/L	1	
S2	3/4/2003 Thionazin	<	1.6	10	ug/L	1	
S2	6/5/2003 Thionazin	<	1.6	10	ug/L	1	
S2	9/5/2003 Thionazin	<	2	10	ug/L	1	
S2	9/5/2003 Thionazin	<	2	10	ug/L	1	
S2	12/3/2003 Thionazin	<	2	10	ug/L	1	
S2	9/10/2004 Thionazin	<	2	10	ug/L	1	
S3	4/3/2002 Thionazin	<		10	ug/L	1	
S3	9/19/2002 Thionazin	<	2.2	10	ug/L	1	
S3	9/19/2002 Thionazin	<	2.2	10	ug/L	1	
S3	12/13/2002 Thionazin	<	1.6	10	ug/L	1	
S3	3/5/2003 Thionazin	<	1.6	10	ug/L	1	
S3	6/5/2003 Thionazin	<	1.6	10	ug/L	1	
S3	9/5/2003 Thionazin	<	2	10	ug/L	1	
S3	12/2/2003 Thionazin	<	2	10	ug/L	1	
S3	9/9/2004 Thionazin	<	2	10	ug/L	1	
S3	9/9/2004 Thionazin	<	2	10	ug/L	1	
S4	4/3/2002 Thionazin	<		10	ug/L	1	
S4	6/25/2002 Thionazin	<	2.2	10	ug/L	1	
S4	9/19/2002 Thionazin	<	2.2	10	ug/L	1	
S4	12/13/2002 Thionazin	<	1.6	10	ug/L	1	
S4	9/8/2003 Thionazin	<	2	10	ug/L	1	
S4	9/9/2004 Thionazin	<	2	10	ug/L	1	
S5	4/4/2002 Thionazin	<		10	ug/L	1	
S5	6/24/2002 Thionazin	<	2.2	10	ug/L	1	
S5	9/20/2002 Thionazin	<	2.2	10	ug/L	1	
S5	12/16/2002 Thionazin	<	1.6	10	ug/L	1	
S5	9/10/2003 Thionazin	<	2	10	ug/L	1	
S5	9/8/2004 Thionazin	<	2	10	ug/L	1	
S6	4/4/2002 Thionazin	<		10	ug/L	1	
S6	6/24/2002 Thionazin	<	2.2	10	ug/L	1	
S6	6/24/2002 Thionazin	<	2.2	10	ug/L	1	

tmpAnalyticalResultsOverTime

S6	9/23/2002	Thionazin	<	2.2	10	ug/L	1	
S6	12/18/2002	Thionazin	<	1.6	10	ug/L	1	
S6	9/9/2003	Thionazin	<	2	10	ug/L	1	
S6	9/8/2004	Thionazin	<	2	10	ug/L	1	
S7	4/10/2002	Thionazin	<		10	ug/L	1	
S7	6/21/2002	Thionazin	<	2.2	10	ug/L	1	
S7	9/23/2002	Thionazin	<	2.2	10	ug/L	1	
S7	12/17/2002	Thionazin	<	1.6	10	ug/L	1	
S7	9/11/2003	Thionazin	<	2	10	ug/L	1	
S7	9/7/2004	Thionazin	<	2	10	ug/L	1	
S8	4/10/2002	Thionazin	<		10	ug/L	1	
S8	6/21/2002	Thionazin	<	2.2	10	ug/L	1	
S8	9/20/2002	Thionazin	<	2.2	10	ug/L	1	
S8	12/16/2002	Thionazin	<	1.6	10	ug/L	1	
S8	9/11/2003	Thionazin	<	2	10	ug/L	1	
S8	9/3/2004	Thionazin	<	2	10	ug/L	1	
S9	6/20/2002	Thionazin	<	2.2	10	ug/L	1	
S9	9/11/2002	Thionazin	<	2.2	10	ug/L	1	
S9	12/12/2002	Thionazin	<	1.6	10	ug/L	1	
S9	9/11/2003	Thionazin	<	2	10	ug/L	1	
S9	9/3/2004	Thionazin	<	2	10	ug/L	1	
S10	3/8/2010	Thorium 228	<	-0.003	0.15	0.05 PCI/L	1	NA
S10	6/3/2010	Thorium 228	<	0.13	0.2	0.14 PCI/L	1	
S10	9/1/2010	Thorium 228	<	0.003	0.21	0.09 PCI/L	1	
S10	9/1/2010	Thorium 228	<	0.046	0.11	0.072 PCI/L	1	
S10	12/2/2010	Thorium 228	<	0.002	0.2	0.069 PCI/L	1	
S11	3/5/2010	Thorium 228	<	0.04	0.29	0.14 PCI/L	1	
S11	6/3/2010	Thorium 228	<	0.58	0.85	0.62 PCI/L	1	
S11	9/2/2010	Thorium 228	<	-0.008	0.18	0.059 PCI/L	1	
S11	12/2/2010	Thorium 228	<	0.002	0.17	0.06 PCI/L	1	
S2	3/5/2010	Thorium 228	<	-0.04	0.28	0.1 PCI/L	1	
S2	6/3/2010	Thorium 228	<	0.028	0.16	0.078 PCI/L	1	
S2	9/1/2010	Thorium 228	<	-0.0003	0.13	0.045 PCI/L	1	
S2	12/2/2010	Thorium 228	<	0.002	0.15	0.053 PCI/L	1	
S3	9/1/2010	Thorium 228	<	0.076	0.14	0.096 PCI/L	1	
S4	3/4/2010	Thorium 228	<	-0.02	0.35	0.16 PCI/L	1	
S4	6/3/2010	Thorium 228	<	0.0554	0.18	0.0997 PCI/L	1	
S4	9/2/2010	Thorium 228	<	0.047	0.1	0.071 PCI/L	1	
S4	12/3/2010	Thorium 228	<	0.06	0.18	0.11 PCI/L	1	
S5	3/4/2010	Thorium 228	<	0.17	0.33	0.21 PCI/L	1	
S5	6/7/2010	Thorium 228	<	0.07	0.21	0.12 PCI/L	1	
S5	12/6/2010	Thorium 228	<	-0.002	0.21	0.081 PCI/L	1	
S6	3/4/2010	Thorium 228	<	0.02	0.25	0.12 PCI/L	1	
S6	6/7/2010	Thorium 228	<	0.14	0.46	0.26 PCI/L	1	UJ
S6	9/3/2010	Thorium 228	<	0.015	0.15	0.033 PCI/L	1	
S6	12/3/2010	Thorium 228	<	-0.003	0.26	0.12 PCI/L	1	
S6	12/3/2010	Thorium 228	<	0.03	0.23	0.11 PCI/L	1	
S7	3/3/2010	Thorium 228	<	-0.032	0.24	0.086 PCI/L	1	
S7	3/3/2010	Thorium 228	<	0.06	0.24	0.13 PCI/L	1	
S7	6/4/2010	Thorium 228	<	0.08	0.15	0.1 PCI/L	1	
S7	9/7/2010	Thorium 228	<	0.08	0.63	0.32 PCI/L	1	UJ
S7	12/6/2010	Thorium 228	<	0.057	0.17	0.099 PCI/L	1	
S8	3/3/2010	Thorium 228	<	0.09	0.29	0.16 PCI/L	1	
S8	6/4/2010	Thorium 228	<	-0.095	0.73	0.095 PCI/L	1	mg/L
S8	9/3/2010	Thorium 228	<	0.033	0.15	0.039 PCI/L	1	
S8	12/6/2010	Thorium 228	<	-0.012	0.26	0.084 PCI/L	1	UJ
S9	3/8/2010	Thorium 228	<	-0.031	0.18	0.053 PCI/L	1	

tmpAnalyticalResultsOverTime

S9	6/7/2010 Thorium 228	<	0.04	0.29	0.15 PCI/L	1	
S9	6/7/2010 Thorium 228	<	0.03	0.28	0.14 PCI/L	1	
S9	9/8/2010 Thorium 228	<	0.018	0.15	0.066 PCI/L	1	
S9	12/7/2010 Thorium 228	<	-0.076	0.23	0.04 PCI/L	1	
S10	5/24/2004 Toluene	<		0.15	1	ug/L	1
S10	5/24/2004 Toluene	<		0.15	1	ug/L	1
S10	9/10/2004 Toluene	<		0.15	1	ug/L	1
S10	12/1/2004 Toluene	<		0.15	1	ug/L	1
S10	12/1/2004 Toluene	<		0.15	1	ug/L	1
S10	3/3/2005 Toluene	<		0.17	1	ug/L	1
S11	5/24/2004 Toluene	<		0.15	1	ug/L	1
S11	9/10/2004 Toluene	<		0.15	1	ug/L	1
S11	12/1/2004 Toluene	<		0.15	1	ug/L	1
S11	3/3/2005 Toluene	<		0.17	1	ug/L	1
S2	4/3/2002 Toluene	<			1	ug/L	1
S2	6/26/2002 Toluene	<		0.26	1	ug/L	1
S2	9/18/2002 Toluene	<		0.26	1	ug/L	1
S2	12/13/2002 Toluene	<		0.26	1	ug/L	1
S2	3/4/2003 Toluene	<		0.15	1	ug/L	1
S2	3/4/2003 Toluene	<		0.15	1	ug/L	1
S2	6/5/2003 Toluene	<		0.15	1	ug/L	1
S2	9/5/2003 Toluene	<		0.15	1	ug/L	1
S2	9/5/2003 Toluene	<		0.15	1	ug/L	1
S2	12/3/2003 Toluene	<		0.3	2	ug/L	2
S2	9/10/2004 Toluene	<		0.15	1	ug/L	1
S3	4/3/2002 Toluene	<			1	ug/L	1
S3	6/25/2002 Toluene	<		0.26	1	ug/L	1
S3	9/19/2002 Toluene	<		0.26	1	ug/L	1
S3	9/19/2002 Toluene	<		0.26	1	ug/L	1
S3	12/13/2002 Toluene	<		0.26	1	ug/L	1
S3	3/5/2003 Toluene	<		0.15	1	ug/L	1
S3	6/5/2003 Toluene	<		0.15	1	ug/L	1
S3	9/5/2003 Toluene	<		0.15	1	ug/L	1
S3	12/2/2003 Toluene	<	1	0.15	1	ug/L	1 U
S3	9/9/2004 Toluene	<		0.15	1	ug/L	1
S3	9/9/2004 Toluene	<		0.15	1	ug/L	1
S4	4/3/2002 Toluene	<			1	ug/L	1
S4	6/25/2002 Toluene	<		0.26	1	ug/L	1
S4	9/19/2002 Toluene	<		0.26	1	ug/L	1
S4	12/13/2002 Toluene	<		0.26	1	ug/L	1
S4	9/8/2003 Toluene	<	1	0.15	1	ug/L	1 U
S4	9/9/2004 Toluene	<		0.15	1	ug/L	1
S5	4/4/2002 Toluene	<			1	ug/L	1
S5	6/24/2002 Toluene	<		0.26	1	ug/L	1
S5	9/20/2002 Toluene	<		0.26	1	ug/L	1
S5	12/16/2002 Toluene	<		0.26	1	ug/L	1
S5	9/10/2003 Toluene	<		0.15	1	ug/L	1
S5	9/8/2004 Toluene	<		0.15	1	ug/L	1
S6	4/4/2002 Toluene	<			1	ug/L	1
S6	6/24/2002 Toluene	<		0.26	1	ug/L	1
S6	6/24/2002 Toluene	<		0.26	1	ug/L	1
S6	9/23/2002 Toluene	<		0.26	1	ug/L	1
S6	12/18/2002 Toluene	<		0.26	1	ug/L	1
S6	9/9/2003 Toluene	<	1	0.15	1	ug/L	1 U
S6	9/8/2004 Toluene	<		0.15	1	ug/L	1
S7	4/10/2002 Toluene	<			1	ug/L	1 UJ
S7	6/21/2002 Toluene	<		0.26	1	ug/L	1

1

tmpAnalyticalResultsOverTime

S7	9/23/2002 Toluene	<		0.26	1	ug/L	1
S7	12/17/2002 Toluene	<		0.26	1	ug/L	1
S7	9/11/2003 Toluene	<	1	0.15	1	ug/L	1 U
S7	9/7/2004 Toluene	<		0.15	1	ug/L	1
S8	4/10/2002 Toluene	<			1	ug/L	1 UJ
S8	6/21/2002 Toluene	<		0.26	1	ug/L	1
S8	9/20/2002 Toluene	<		0.26	1	ug/L	1
S8	12/16/2002 Toluene	<		0.26	1	ug/L	1
S8	9/11/2003 Toluene	<	1	0.15	1	ug/L	1 U
S8	9/3/2004 Toluene	<		0.15	1	ug/L	1
S9	4/10/2002 Toluene	<			1	ug/L	1
S9	6/20/2002 Toluene	<		0.26	1	ug/L	1
S9	9/11/2002 Toluene	<		0.26	1	ug/L	1
S9	12/12/2002 Toluene	<		0.26	1	ug/L	1
S9	9/11/2003 Toluene	<	1	0.15	1	ug/L	1 U
S9	9/3/2004 Toluene	<		0.15	1	ug/L	1
S10	12/1/2004 Total Cyanide	<		0.0028	0.01	mg/L	1
S10	9/7/2005 Total Cyanide	<		0.0024	0.01	MG/L	1 UJ
S10	9/4/2007 Total Cyanide	<		0.0024	0.01	MG/L	1
S10	9/2/2008 Total Cyanide	<		0.0024	0.01	mg/L	1
S11	9/10/2004 Total Cyanide	<		0.0021	0.01	mg/L	1
S11	12/1/2004 Total Cyanide	<		0.0028	0.01	mg/L	1
S11	3/3/2005 Total Cyanide	<		0.0028	0.01	mg/L	1
S11	9/7/2005 Total Cyanide	<		0.0024	0.01	MG/L	1 UJ
S11	9/6/2006 Total Cyanide	<		0.0024	0.01	MG/L	1
S11	9/4/2007 Total Cyanide	<		0.0024	0.01	MG/L	1
S11	9/3/2008 Total Cyanide	<		0.0024	0.01	MG/L	1
S11	9/2/2009 Total Cyanide	<		0.0024	0.01	MG/L	1
S2	6/26/2002 Total Cyanide	<		0.0021	0.01	mg/L	1 R
S2	9/18/2002 Total Cyanide	<	0.01	0.0021	0.01	mg/L	1 U
S2	3/4/2003 Total Cyanide	<		0.0021	0.01	mg/L	1
S2	3/4/2003 Total Cyanide	<		0.0021	0.01	mg/L	1
S2	6/5/2003 Total Cyanide	<		0.0021	0.01	mg/L	1
S2	9/5/2003 Total Cyanide	<		0.0021	0.01	mg/L	1
S2	9/5/2003 Total Cyanide	<		0.0021	0.01	mg/L	1
S2	12/3/2003 Total Cyanide	<		0.0021	0.01	mg/L	1 R
S2	9/10/2004 Total Cyanide	<		0.0021	0.01	mg/L	1
S2	9/5/2006 Total Cyanide	<		0.0024	0.01	MG/L	1
S2	9/4/2007 Total Cyanide	<		0.0024	0.01	MG/L	1
S2	9/2/2008 Total Cyanide	<		0.0024	0.01	mg/L	1
S2	9/2/2009 Total Cyanide	<		0.0024	0.01	MG/L	1
S3	6/25/2002 Total Cyanide	<		0.0021	0.01	mg/L	1 R
S3	3/5/2003 Total Cyanide	<		0.0021	0.01	mg/L	1
S3	12/2/2003 Total Cyanide	<		0.0021	0.01	mg/L	1 R
S3	9/9/2004 Total Cyanide	<		0.0021	0.01	mg/L	1
S3	9/9/2004 Total Cyanide	<		0.0021	0.01	mg/L	1
S3	9/7/2005 Total Cyanide	<		0.0024	0.01	MG/L	1 UJ
S3	9/5/2006 Total Cyanide	<		0.0024	0.01	MG/L	1
S3	9/4/2007 Total Cyanide	<		0.0024	0.01	MG/L	1
S3	9/2/2009 Total Cyanide	<		0.0024	0.01	MG/L	1
S4	9/19/2002 Total Cyanide	<		0.0021	0.01	mg/L	1
S4	9/8/2003 Total Cyanide	<		0.0021	0.01	mg/L	1
S4	9/9/2004 Total Cyanide	<		0.0021	0.01	mg/L	1
S4	9/8/2005 Total Cyanide	<		0.0024	0.01	MG/L	1 UJ
S4	9/6/2006 Total Cyanide	<		0.0024	0.01	MG/L	1
S4	9/10/2007 Total Cyanide	<		0.0024	0.01	MG/L	1
S4	9/3/2008 Total Cyanide	<		0.0024	0.01	MG/L	1

tmpAnalyticalResultsOverTime

S4	9/2/2009 Total Cyanide	<	0.0024	0.01	MG/L	1
S5	6/24/2002 Total Cyanide	<	0.0021	0.01	mg/L	1 R
S5	12/16/2002 Total Cyanide	<	0.0021	0.01	mg/L	1
S5	9/8/2004 Total Cyanide	<	0.0021	0.01	mg/L	1
S5	9/8/2005 Total Cyanide	<	0.0024	0.01	MG/L	1 UJ
S5	9/6/2006 Total Cyanide	<	0.0024	0.01	MG/L	1
S5	9/7/2007 Total Cyanide	<	0.0024	0.01	MG/L	1
S5	9/3/2008 Total Cyanide	<	0.0024	0.01	MG/L	1
S5	9/2/2009 Total Cyanide	<	0.0024	0.01	MG/L	1
S6	6/24/2002 Total Cyanide	<	0.0021	0.01	mg/L	1 R
S6	6/24/2002 Total Cyanide	<	0.0021	0.01	mg/L	1 R
S6	12/18/2002 Total Cyanide	<	0.0021	0.01	mg/L	1
S6	9/8/2004 Total Cyanide	<	0.0021	0.01	mg/L	1
S6	9/9/2005 Total Cyanide	<	0.0024	0.01	MG/L	1 UJ
S6	9/4/2008 Total Cyanide	<	0.0024	0.01	MG/L	1
S6	9/3/2009 Total Cyanide	<	0.0024	0.01	MG/L	1
S7	4/10/2002 Total Cyanide	<		0.01	mg/L	1
S7	9/11/2003 Total Cyanide	<	0.0021	0.01	mg/L	1
S7	9/7/2004 Total Cyanide	<	0.018	0.0021	mg/L	1 U
S7	9/2/2005 Total Cyanide	<	0.0024	0.01	MG/L	1 UJ
S7	9/7/2006 Total Cyanide	<	0.0024	0.01	MG/L	1
S7	9/10/2007 Total Cyanide	<	0.0024	0.01	MG/L	1
S8	4/10/2002 Total Cyanide	<		0.01	mg/L	1
S8	12/16/2002 Total Cyanide	<	0.0021	0.01	mg/L	1
S8	9/11/2003 Total Cyanide	<	0.0021	0.01	mg/L	1
S8	9/3/2004 Total Cyanide	<	0.01	0.0021	mg/L	1 U
S8	9/7/2006 Total Cyanide	<	0.0024	0.01	MG/L	1
S8	9/10/2007 Total Cyanide	<	0.0024	0.01	MG/L	1
S8	9/3/2009 Total Cyanide	<	0.0024	0.01	MG/L	1
S9	4/10/2002 Total Cyanide	<		0.01	mg/L	1
S9	12/12/2002 Total Cyanide	<	0.0021	0.01	mg/L	1
S9	9/3/2004 Total Cyanide	<	0.01	0.0021	mg/L	1 U
S9	9/2/2005 Total Cyanide	<	0.0024	0.01	MG/L	1 UJ
S9	9/7/2006 Total Cyanide	<	0.0024	0.01	MG/L	1
S9	9/5/2007 Total Cyanide	<	0.0024	0.01	MG/L	1 UJ
S11	6/6/2005 Total Uranium	<	2.53	3.1	0.32 ug/L	10 UJ
S11	12/6/2005 Total Uranium	<	0.167	0.31	0.037 UG/L	1 U
S2	6/5/2003 Total Uranium	<	0.585	1	0.008 ug/L	1 UJ
S3	6/5/2003 Total Uranium	<	0.564	1	0.017 ug/L	1 UJ
S3	12/2/2003 Total Uranium	<	0.307	1	0.032 ug/L	1 U
S3	9/5/2006 Total Uranium	<	2.94	3.1	0.3 UG/L	1 U
S4	6/25/2002 Total Uranium	<	3.27	4	0.34 ug/L	4 U
S4	9/19/2002 Total Uranium	<	0.733	1	0.075 ug/L	1 U
S4	12/13/2002 Total Uranium	<	0.531	1	0.055 ug/L	1 U
S4	3/6/2003 Total Uranium	<	0.369	1	0.0061 ug/L	1 U
S4	6/9/2003 Total Uranium	<	0.533	1	0.0095 ug/L	1 UJ
S4	6/9/2003 Total Uranium	<	0.782	1	0.015 ug/L	1 UJ
S4	9/8/2003 Total Uranium	<	0.948	22	0.099 ug/L	1 U
S4	12/4/2003 Total Uranium	<	0.255	1	0.027 ug/L	1 U
S4	9/9/2004 Total Uranium	<	0.114	0.31	0.017 ug/L	1 U
S4	12/6/2004 Total Uranium	<	0.184	0.31	0.02 ug/L	1 U
S4	12/7/2005 Total Uranium	<	0.275	0.31	0.053 UG/L	1 U
S4	3/2/2006 Total Uranium	<	2.5	3.1	2.9 UG/L	1 U
S5	3/6/2003 Total Uranium	<	0.788	1	0.0092 ug/L	1 U
S5	6/6/2003 Total Uranium	<	0.803	1	0.014 ug/L	1 UJ
S5	9/10/2003 Total Uranium	<	6.94	22	0.73 ug/L	1 U
S5	12/4/2003 Total Uranium	<	0.356	1	0.037 ug/L	1 U

tmpAnalyticalResultsOverTime

S5	9/8/2004 Total Uranium	<	0.272	0.31	0.028 ug/L	1 U	
S5	3/4/2005 Total Uranium	<	0.099	0.31	0.011 ug/L	1 UJ	
S5	3/4/2005 Total Uranium	<	0.251	0.31	0.028 ug/L	1 UJ	
S5	6/3/2005 Total Uranium	<	0.293	0.31	0.045 ug/L	1 UJ	
S5	12/7/2005 Total Uranium	<	0.129	0.31	0.024 UG/L	1 U	
S6	12/18/2002 Total Uranium	<	0.911	1	0.092 ug/L	1 U	
S6	6/6/2003 Total Uranium	<	0.884	1	0.02 ug/L	1 UJ	
S6	9/9/2003 Total Uranium	<	0.407	22	0.043 ug/L	1 U	
S6	12/4/2003 Total Uranium	<	0.305	1	0.032 ug/L	1 U	
S6	12/4/2003 Total Uranium	<	0.215	1	0.023 ug/L	1 U	
S6	12/3/2004 Total Uranium	<	0.118	0.31	0.013 ug/L	1 UJ	
S6	12/7/2005 Total Uranium	<	0.129	0.31	0.028 UG/L	1 U	
S6	12/7/2005 Total Uranium	<	0.223	0.31	0.042 UG/L	1 U	
S7	6/21/2002 Total Uranium	<	0.377	1	0.038 ug/L	1 U	
S7	9/23/2002 Total Uranium	<	0.396	1	0.042 ug/L	1 U	
S7	12/17/2002 Total Uranium	<	0.223	1	0.022 ug/L	1 U	
S7	3/7/2003 Total Uranium	<	0.237	1	0.0036 ug/L	1 U	
S7	6/10/2003 Total Uranium	<	0.465	1	0.0091 ug/L	1 UJ	
S7	9/11/2003 Total Uranium	<	0.108	22	0.012 ug/L	1 U	
S7	12/4/2003 Total Uranium	<	0.479	1	0.05 ug/L	1 U	
S7	9/7/2004 Total Uranium	<	0.00242	0.31	0.00027 ug/L	1 U	
S7	12/3/2004 Total Uranium	<	0.124	0.31	0.014 ug/L	1 UJ	
S7	3/8/2005 Total Uranium	<	-0.402	0.31	0.047 ug/L	1 R	
S7	6/3/2005 Total Uranium	<	0.284	0.31	0.036 ug/L	1 UJ	
S7	9/2/2005 Total Uranium	<	0.144	0.31	0.015 ug/L	1 UJ	
S7	12/5/2005 Total Uranium	<	0.00194	0.0078	0.00027 UG/L	1 UJ	
S7	12/5/2005 Total Uranium	<	0.0101	0.039	0.0013 UG/L	1 UJ	
S7	3/1/2006 Total Uranium	<	0	0.3	0 UG/L	1 U	
S7	6/5/2006 TOTAL URANIUM	<	0.09	0.31	0.01 UG/L	1 U	
S7	9/7/2006 Total Uranium	<	-0.00424	0.31	0.00045 UG/L	1 R	
S8	3/7/2003 Total Uranium	<	0.548	1	0.0067 ug/L	1 U	
S8	6/10/2003 Total Uranium	<	0.847	1	0.012 ug/L	1 UJ	
S8	9/11/2003 Total Uranium	<	0.916	22	0.097 ug/L	1 U	
S9	4/10/2002 Total Uranium	<	0.574	1	0.058 ug/L	U	
S9	6/20/2002 Total Uranium	<	-0.1	1	0 ug/L	1 U	
S9	9/11/2002 Total Uranium	<	0.0119	1	0.0013 ug/L	1 U	
S9	12/12/2002 Total Uranium	<	0.0848	1	0.0088 ug/L	1 U	
S9	3/6/2003 Total Uranium	<	0.0778	1	0.0014 ug/L	1 U	
S9	6/9/2003 Total Uranium	<	0.417	1	0.0089 ug/L	1 UJ	
S9	9/11/2003 Total Uranium	<	0.108	22	0.012 ug/L	1 U	
S9	12/4/2003 Total Uranium	<	0.194	1	0.02 ug/L	1 U	
S9	9/3/2004 Total Uranium	<	-0.026	0.31	-0.0029 ug/L	1 R	
S9	12/2/2004 Total Uranium	<	0.000676	0.31	0.000081 ug/L	1 UJ	
S9	3/8/2005 Total Uranium	<	-0.585	0.31	0.073 ug/L	1 R	
S9	9/2/2005 Total Uranium	<	-0.35	0.62	0.1 ug/L	1 UJ	
S9	12/5/2005 Total Uranium	<	0.00187	0.0078	0.00026 UG/L	1 U	
S9	6/1/2006 TOTAL URANIUM	<	0.181	0.62	0.021 UG/L	1 U	
S9	9/7/2006 Total Uranium	<	-0.168	0.62	0.023 UG/L	1 R	
S10	5/24/2004 trans-1,2-Dichloroethene	<	0.15	1	ug/L	1	NA
S10	5/24/2004 trans-1,2-Dichloroethene	<	0.15	1	ug/L	1	
S10	9/10/2004 trans-1,2-Dichloroethene	<	0.15	1	ug/L	1	
S10	12/1/2004 trans-1,2-Dichloroethene	<	0.15	1	ug/L	1	
S10	12/1/2004 trans-1,2-Dichloroethene	<	0.15	1	ug/L	1	
S10	3/3/2005 trans-1,2-Dichloroethene	<	0.17	1	ug/L	1	
S11	5/24/2004 trans-1,2-Dichloroethene	<	0.15	1	ug/L	1	
S11	9/10/2004 trans-1,2-Dichloroethene	<	0.15	1	ug/L	1	
S11	12/1/2004 trans-1,2-Dichloroethene	<	0.15	1	ug/L	1	

tmpAnalyticalResultsOverTime

S11	3/3/2005	trans-1,2-Dichloroethene	<	0.17	1	ug/L	1
S2	4/3/2002	trans-1,2-Dichloroethene	<		0.5	ug/L	1
S2	6/26/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S2	9/18/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S2	12/13/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S2	3/4/2003	trans-1,2-Dichloroethene	<	0.15	0.5	ug/L	1
S2	3/4/2003	trans-1,2-Dichloroethene	<	0.15	0.5	ug/L	1
S2	6/5/2003	trans-1,2-Dichloroethene	<	0.15	0.5	ug/L	1
S2	9/5/2003	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
S2	9/5/2003	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
S2	12/3/2003	trans-1,2-Dichloroethene	<	0.3	2	ug/L	2
S2	9/10/2004	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
S3	4/3/2002	trans-1,2-Dichloroethene	<		0.5	ug/L	1
S3	6/25/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S3	9/19/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S3	9/19/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S3	12/13/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S3	3/5/2003	trans-1,2-Dichloroethene	<	0.15	0.5	ug/L	1
S3	6/5/2003	trans-1,2-Dichloroethene	<	0.15	0.5	ug/L	1
S3	9/5/2003	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
S3	12/2/2003	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
S3	9/9/2004	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
S3	9/9/2004	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
S4	4/3/2002	trans-1,2-Dichloroethene	<		0.5	ug/L	1
S4	6/25/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S4	9/19/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S4	12/13/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S4	9/8/2003	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
S4	9/9/2004	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
S5	4/4/2002	trans-1,2-Dichloroethene	<		0.5	ug/L	1
S5	6/24/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S5	9/20/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S5	12/16/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S5	9/10/2003	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
S5	9/8/2004	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
S6	4/4/2002	trans-1,2-Dichloroethene	<		0.5	ug/L	1
S6	6/24/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S6	6/24/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S6	9/23/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S6	12/18/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S6	9/9/2003	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
S6	9/8/2004	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
S7	4/10/2002	trans-1,2-Dichloroethene	<		0.5	ug/L	1 UJ
S7	6/21/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S7	9/23/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S7	12/17/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S7	9/11/2003	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
S7	9/7/2004	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
S8	4/10/2002	trans-1,2-Dichloroethene	<		0.5	ug/L	1 UJ
S8	6/21/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S8	9/20/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S8	12/16/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S8	9/11/2003	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
S8	9/3/2004	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1
S9	4/10/2002	trans-1,2-Dichloroethene	<		0.5	ug/L	1
S9	6/20/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1
S9	9/11/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1



tmpAnalyticalResultsOverTime

S9	12/12/2002	trans-1,2-Dichloroethene	<	0.25	0.5	ug/L	1	
S9	9/11/2003	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1	
S9	9/3/2004	trans-1,2-Dichloroethene	<	0.15	1	ug/L	1	
S10	5/24/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	NA
S10	5/24/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S10	9/10/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S10	12/1/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S10	12/1/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S10	3/3/2005	trans-1,3-Dichloropropene	<	0.15	1	ug/L	1	
S11	5/24/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S11	9/10/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S11	12/1/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S11	3/3/2005	trans-1,3-Dichloropropene	<	0.15	1	ug/L	1	
S2	4/3/2002	trans-1,3-Dichloropropene	<		1	ug/L	1	
S2	6/26/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S2	9/18/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S2	12/13/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S2	3/4/2003	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S2	3/4/2003	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S2	6/5/2003	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S2	9/5/2003	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S2	9/5/2003	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S2	12/3/2003	trans-1,3-Dichloropropene	<	0.4	2	ug/L	2	
S2	9/10/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S3	4/3/2002	trans-1,3-Dichloropropene	<		1	ug/L	1	
S3	6/25/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S3	9/19/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S3	9/19/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S3	12/13/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S3	3/5/2003	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S3	6/5/2003	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S3	9/5/2003	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S3	12/2/2003	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S3	9/9/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S3	9/9/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S4	4/3/2002	trans-1,3-Dichloropropene	<		1	ug/L	1	
S4	6/25/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S4	9/19/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S4	12/13/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S4	9/8/2003	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S4	9/9/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S5	4/4/2002	trans-1,3-Dichloropropene	<		1	ug/L	1	
S5	6/24/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S5	9/20/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S5	12/16/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S5	9/10/2003	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S5	9/8/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S6	4/4/2002	trans-1,3-Dichloropropene	<		1	ug/L	1	
S6	6/24/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S6	6/24/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S6	9/23/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S6	12/18/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S6	9/9/2003	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S6	9/8/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S7	4/10/2002	trans-1,3-Dichloropropene	<		1	ug/L	1	UJ
S7	6/21/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S7	9/23/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	

tmpAnalyticalResultsOverTime

S7	12/17/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S7	9/11/2003	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S7	9/7/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S8	4/10/2002	trans-1,3-Dichloropropene	<		1	ug/L	1	UJ
S8	6/21/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S8	9/20/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S8	12/16/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S8	9/11/2003	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S8	9/3/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S9	4/10/2002	trans-1,3-Dichloropropene	<		1	ug/L	1	
S9	6/20/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S9	9/11/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S9	12/12/2002	trans-1,3-Dichloropropene	<	0.36	1	ug/L	1	
S9	9/11/2003	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S9	9/3/2004	trans-1,3-Dichloropropene	<	0.2	1	ug/L	1	
S10	5/24/2004	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	NA
S10	5/24/2004	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S10	9/10/2004	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S10	12/1/2004	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S10	12/1/2004	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S10	3/3/2005	trans-1,4-Dichloro-2-butene	<	0.29	1	ug/L	1	
S11	5/24/2004	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S11	9/10/2004	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S11	12/1/2004	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S11	3/3/2005	trans-1,4-Dichloro-2-butene	<	0.29	1	ug/L	1	
S2	4/3/2002	trans-1,4-Dichloro-2-butene	<		1	ug/L	1	
S2	6/26/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S2	9/18/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S2	12/13/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S2	3/4/2003	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S2	3/4/2003	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S2	6/5/2003	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S2	9/5/2003	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S2	9/5/2003	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S2	12/3/2003	trans-1,4-Dichloro-2-butene	<	0.9	2	ug/L	2	
S2	9/10/2004	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S3	4/3/2002	trans-1,4-Dichloro-2-butene	<		1	ug/L	1	
S3	6/25/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S3	9/19/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S3	9/19/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S3	12/13/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S3	3/5/2003	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S3	6/5/2003	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S3	9/5/2003	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S3	12/2/2003	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S3	9/9/2004	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S3	9/9/2004	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S4	4/3/2002	trans-1,4-Dichloro-2-butene	<		1	ug/L	1	
S4	6/25/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S4	9/19/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S4	12/13/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S4	9/8/2003	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S4	9/9/2004	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S5	4/4/2002	trans-1,4-Dichloro-2-butene	<		1	ug/L	1	
S5	6/24/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S5	9/20/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S5	12/16/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	

tmpAnalyticalResultsOverTime

S5	9/10/2003	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S5	9/8/2004	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S6	4/4/2002	trans-1,4-Dichloro-2-butene	<		1	ug/L	1	
S6	6/24/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S6	6/24/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S6	9/23/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S6	12/18/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S6	9/9/2003	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S6	9/8/2004	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S7	4/10/2002	trans-1,4-Dichloro-2-butene	<		1	ug/L	1	UJ
S7	6/21/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S7	9/23/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S7	12/17/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S7	9/11/2003	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S7	9/7/2004	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S8	4/10/2002	trans-1,4-Dichloro-2-butene	<		1	ug/L	1	UJ
S8	6/21/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S8	9/20/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S8	12/16/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S8	9/11/2003	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S8	9/3/2004	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S9	4/10/2002	trans-1,4-Dichloro-2-butene	<		1	ug/L	1	
S9	6/20/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S9	9/11/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S9	12/12/2002	trans-1,4-Dichloro-2-butene	<	0.7	1	ug/L	1	
S9	9/11/2003	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S9	9/3/2004	trans-1,4-Dichloro-2-butene	<	0.45	1	ug/L	1	
S10	5/24/2004	Trichloroethene	<	0.16	1	ug/L	1	NA
S10	5/24/2004	Trichloroethene	<	0.16	1	ug/L	1	
S10	9/10/2004	Trichloroethene	<	0.16	1	ug/L	1	
S10	12/1/2004	Trichloroethene	<	0.16	1	ug/L	1	
S10	12/1/2004	Trichloroethene	<	0.16	1	ug/L	1	
S10	3/3/2005	Trichloroethene	<	0.19	1	ug/L	1	
S11	5/24/2004	Trichloroethene	<	0.16	1	ug/L	1	
S11	9/10/2004	Trichloroethene	<	0.16	1	ug/L	1	
S11	12/1/2004	Trichloroethene	<	0.16	1	ug/L	1	
S11	3/3/2005	Trichloroethene	<	0.19	1	ug/L	1	
S2	4/3/2002	Trichloroethene	<		1	ug/L	1	
S2	6/26/2002	Trichloroethene	<	0.24	1	ug/L	1	
S2	9/18/2002	Trichloroethene	<	0.24	1	ug/L	1	
S2	12/13/2002	Trichloroethene	<	0.24	1	ug/L	1	
S2	3/4/2003	Trichloroethene	<	0.16	1	ug/L	1	
S2	3/4/2003	Trichloroethene	<	0.16	1	ug/L	1	
S2	6/5/2003	Trichloroethene	<	0.16	1	ug/L	1	
S2	9/5/2003	Trichloroethene	<	0.16	1	ug/L	1	
S2	9/5/2003	Trichloroethene	<	0.16	1	ug/L	1	
S2	12/3/2003	Trichloroethene	<	0.32	2	ug/L	2	
S2	9/10/2004	Trichloroethene	<	0.16	1	ug/L	1	
S3	4/3/2002	Trichloroethene	<		1	ug/L	1	
S3	6/25/2002	Trichloroethene	<	0.24	1	ug/L	1	
S3	9/19/2002	Trichloroethene	<	0.24	1	ug/L	1	
S3	9/19/2002	Trichloroethene	<	0.24	1	ug/L	1	
S3	12/13/2002	Trichloroethene	<	0.24	1	ug/L	1	
S3	3/5/2003	Trichloroethene	<	0.16	1	ug/L	1	
S3	6/5/2003	Trichloroethene	<	0.16	1	ug/L	1	
S3	9/5/2003	Trichloroethene	<	0.16	1	ug/L	1	
S3	12/2/2003	Trichloroethene	<	0.16	1	ug/L	1	

tmpAnalyticalResultsOverTime

S3	9/9/2004	Trichloroethene	<	0.16	1	ug/L	1	
S3	9/9/2004	Trichloroethene	<	0.16	1	ug/L	1	
S4	4/3/2002	Trichloroethene	<		1	ug/L	1	
S4	6/25/2002	Trichloroethene	<	0.24	1	ug/L	1	
S4	9/19/2002	Trichloroethene	<	0.24	1	ug/L	1	
S4	12/13/2002	Trichloroethene	<	0.24	1	ug/L	1	
S4	9/8/2003	Trichloroethene	<	0.16	1	ug/L	1	
S4	9/9/2004	Trichloroethene	<	0.16	1	ug/L	1	
S5	4/4/2002	Trichloroethene	<		1	ug/L	1	
S5	6/24/2002	Trichloroethene	<	0.24	1	ug/L	1	
S5	9/20/2002	Trichloroethene	<	0.24	1	ug/L	1	
S5	12/16/2002	Trichloroethene	<	0.24	1	ug/L	1	
S5	9/10/2003	Trichloroethene	<	0.16	1	ug/L	1	
S5	9/8/2004	Trichloroethene	<	0.16	1	ug/L	1	
S6	4/4/2002	Trichloroethene	<		1	ug/L	1	
S6	6/24/2002	Trichloroethene	<	0.24	1	ug/L	1	
S6	6/24/2002	Trichloroethene	<	0.24	1	ug/L	1	
S6	9/23/2002	Trichloroethene	<	0.24	1	ug/L	1	
S6	12/18/2002	Trichloroethene	<	0.24	1	ug/L	1	
S6	9/9/2003	Trichloroethene	<	0.16	1	ug/L	1	
S6	9/8/2004	Trichloroethene	<	0.16	1	ug/L	1	
S7	4/10/2002	Trichloroethene	<		1	ug/L	1	UJ
S7	6/21/2002	Trichloroethene	<	0.24	1	ug/L	1	
S7	9/23/2002	Trichloroethene	<	0.24	1	ug/L	1	
S7	12/17/2002	Trichloroethene	<	0.24	1	ug/L	1	
S7	9/11/2003	Trichloroethene	<	0.16	1	ug/L	1	
S7	9/7/2004	Trichloroethene	<	0.16	1	ug/L	1	
S8	4/10/2002	Trichloroethene	<		1	ug/L	1	UJ
S8	6/21/2002	Trichloroethene	<	0.24	1	ug/L	1	
S8	9/20/2002	Trichloroethene	<	0.24	1	ug/L	1	
S8	12/16/2002	Trichloroethene	<	0.24	1	ug/L	1	
S8	9/11/2003	Trichloroethene	<	0.16	1	ug/L	1	
S8	9/3/2004	Trichloroethene	<	0.16	1	ug/L	1	
S9	4/10/2002	Trichloroethene	<		1	ug/L	1	
S9	6/20/2002	Trichloroethene	<	0.24	1	ug/L	1	
S9	9/11/2002	Trichloroethene	<	0.24	1	ug/L	1	
S9	12/12/2002	Trichloroethene	<	0.24	1	ug/L	1	
S9	9/11/2003	Trichloroethene	<	0.16	1	ug/L	1	
S9	9/3/2004	Trichloroethene	<	0.16	1	ug/L	1	
S10	5/24/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	NA
S10	5/24/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S10	9/10/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S10	12/1/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S10	12/1/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S10	3/3/2005	Trichlorofluoromethane	<	0.33	2	ug/L	1	
S11	5/24/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S11	9/10/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S11	12/1/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S11	3/3/2005	Trichlorofluoromethane	<	0.33	2	ug/L	1	
S2	4/3/2002	Trichlorofluoromethane	<		2	ug/L	1	
S2	6/26/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S2	9/18/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S2	12/13/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S2	3/4/2003	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S2	3/4/2003	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S2	6/5/2003	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S2	9/5/2003	Trichlorofluoromethane	<	0.24	2	ug/L	1	

tmpAnalyticalResultsOverTime

S2	9/5/2003	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S2	12/3/2003	Trichlorofluoromethane	<	0.48	4	ug/L	2	
S2	9/10/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S3	4/3/2002	Trichlorofluoromethane	<		2	ug/L	1	
S3	6/25/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S3	9/19/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S3	9/19/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S3	12/13/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S3	3/5/2003	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S3	6/5/2003	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S3	9/5/2003	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S3	12/2/2003	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S3	9/9/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S3	9/9/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S4	4/3/2002	Trichlorofluoromethane	<		2	ug/L	1	
S4	6/25/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S4	9/19/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S4	12/13/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S4	9/8/2003	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S4	9/9/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S5	4/4/2002	Trichlorofluoromethane	<		2	ug/L	1	
S5	6/24/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S5	9/20/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S5	12/16/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S5	9/10/2003	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S5	9/8/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S6	4/4/2002	Trichlorofluoromethane	<		2	ug/L	1	
S6	6/24/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S6	6/24/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S6	9/23/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S6	12/18/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S6	9/9/2003	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S6	9/8/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S7	4/10/2002	Trichlorofluoromethane	<		2	ug/L	1	UJ
S7	6/21/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S7	9/23/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S7	12/17/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S7	9/11/2003	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S7	9/7/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S8	4/10/2002	Trichlorofluoromethane	<		2	ug/L	1	UJ
S8	6/21/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S8	9/20/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S8	12/16/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S8	9/11/2003	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S8	9/3/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S9	4/10/2002	Trichlorofluoromethane	<		2	ug/L	1	
S9	6/20/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S9	9/11/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S9	12/12/2002	Trichlorofluoromethane	<	0.43	2	ug/L	1	
S9	9/11/2003	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S9	9/3/2004	Trichlorofluoromethane	<	0.24	2	ug/L	1	
S10	5/24/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1	NA
S10	5/24/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1	
S10	9/10/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1	
S10	12/1/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1	
S10	12/1/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1	
S10	3/3/2005	Trichlorotrifluoroethane	<	0.29	1	ug/L	1	

tmpAnalyticalResultsOverTime

S11	5/24/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S11	9/10/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S11	12/1/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S11	3/3/2005	Trichlorotrifluoroethane	<	0.29	1	ug/L	1
S2	4/3/2002	Trichlorotrifluoroethane	<		1	ug/L	1
S2	6/26/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S2	9/18/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S2	12/13/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S2	3/4/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S2	3/4/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S2	6/5/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S2	9/5/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S2	9/5/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S2	12/3/2003	Trichlorotrifluoroethane	<	0.84	2	ug/L	2
S2	9/10/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S3	4/3/2002	Trichlorotrifluoroethane	<		1	ug/L	1
S3	6/25/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S3	9/19/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S3	9/19/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S3	12/13/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S3	3/5/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S3	6/5/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S3	9/5/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S3	12/2/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S3	9/9/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S3	9/9/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S4	4/3/2002	Trichlorotrifluoroethane	<		1	ug/L	1
S4	6/25/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S4	9/19/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S4	12/13/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S4	9/8/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S4	9/9/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S5	4/4/2002	Trichlorotrifluoroethane	<		1	ug/L	1
S5	6/24/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S5	9/20/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S5	12/16/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S5	9/10/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S5	9/8/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S6	4/4/2002	Trichlorotrifluoroethane	<		1	ug/L	1
S6	6/24/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S6	6/24/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S6	9/23/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S6	12/18/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S6	9/9/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S6	9/8/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S7	4/10/2002	Trichlorotrifluoroethane	<		1	ug/L	1 UJ
S7	6/21/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S7	9/23/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S7	12/17/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S7	9/11/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S7	9/7/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S8	4/10/2002	Trichlorotrifluoroethane	<		1	ug/L	1 UJ
S8	6/21/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S8	9/20/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S8	12/16/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1
S8	9/11/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1
S8	9/3/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1

tmpAnalyticalResultsOverTime

S9	4/10/2002	Trichlorotrifluoroethane	<		1	ug/L	1		
S9	6/20/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1		
S9	9/11/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1		
S9	12/12/2002	Trichlorotrifluoroethane	<	0.56	1	ug/L	1		
S9	9/11/2003	Trichlorotrifluoroethane	<	0.42	1	ug/L	1		
S9	9/3/2004	Trichlorotrifluoroethane	<	0.42	1	ug/L	1		
S11	6/3/2010	Uranium-DISSOLVED	<	0.0008	0.0008	0.04	MG/L	40	
S4	9/10/2007	Uranium-DISSOLVED	<		0.0002	0.01	MG/L	10	
S4	6/3/2010	Uranium-DISSOLVED	<	0.0008	0.0008	0.04	MG/L	40	
S5	3/2/2007	Uranium-DISSOLVED	<		0.0002	0.01	MG/L	10	
S5	9/7/2007	Uranium-DISSOLVED	<		0.0002	0.01	MG/L	10	
S5	9/2/2009	Uranium-DISSOLVED	<		0.0002	0.01	MG/L	10	
S5	6/7/2010	Uranium-DISSOLVED	<	0.0002	0.0002	0.01	MG/L	10	
S5	9/3/2010	Uranium-DISSOLVED	<	0.0001	0.0001	0.005	MG/L	5	
S6	3/2/2007	Uranium-DISSOLVED	<		0.0002	0.01	MG/L	10	
S6	6/7/2010	Uranium-DISSOLVED	<	0.002	0.002	0.1	MG/L	100	
S7	12/5/2006	Uranium-DISSOLVED	<	0.001	0.00002	0.001	MG/L	1 U	
S7	3/2/2007	Uranium-DISSOLVED	<		0.0002	0.01	MG/L	10	
S7	9/10/2007	Uranium-DISSOLVED	<		0.0002	0.01	MG/L	10	
S7	12/5/2007	Uranium-DISSOLVED	<	0.001	0.00002	0.001	MG/L	1 U	
S7	9/4/2008	Uranium-DISSOLVED	<		0.0001	0.005	MG/L	5	
S7	3/5/2009	Uranium-DISSOLVED	<		0.0001	0.005	MG/L	5	
S7	9/8/2009	Uranium-DISSOLVED	<		0.0002	0.01	MG/L	10	
S7	9/8/2009	Uranium-DISSOLVED	<		0.0002	0.01	MG/L	10	
S9	12/6/2006	Uranium-DISSOLVED	<		0.00002	0.001	MG/L	1	
S9	3/2/2007	Uranium-DISSOLVED	<		0.0002	0.01	MG/L	10	
S9	6/6/2007	Uranium-DISSOLVED	<		0.00002	0.001	MG/L	1	
S9	9/5/2007	Uranium-DISSOLVED	<		0.0002	0.01	MG/L	10	
S9	12/5/2007	Uranium-DISSOLVED	<		0.00002	0.001	MG/L	1	
S9	12/5/2007	Uranium-DISSOLVED	<		0.00002	0.001	MG/L	1	
S9	3/7/2008	Uranium-DISSOLVED	<		0.0001	0.005	MG/L	5	
S9	6/6/2008	Uranium-DISSOLVED	<		0.0002	0.01	MG/L	10 UJ	
S9	9/5/2008	Uranium-DISSOLVED	<		0.0001	0.005	MG/L	5	
S9	12/4/2008	Uranium-DISSOLVED	<		0.00002	0.001	MG/L	1	
S9	3/6/2009	Uranium-DISSOLVED	<		0.0001	0.005	MG/L	5	
S9	6/3/2009	Uranium-DISSOLVED	<		0.00002	0.001	MG/L	1	
S9	9/4/2009	Uranium-DISSOLVED	<		0.0002	0.01	MG/L	10	
S9	12/4/2009	Uranium-DISSOLVED	<		0.00002	0.001	MG/L	1	
S9	3/8/2010	Uranium-DISSOLVED	<	0.001	0.00002	0.001	MG/L	1	
S9	6/7/2010	Uranium-DISSOLVED	<	0.0001	0.0001	0.005	MG/L	5	
S9	6/7/2010	Uranium-DISSOLVED	<	0.00004	0.00004	0.002	MG/L	2	
S9	9/8/2010	Uranium-DISSOLVED	<	0.0001	0.0001	0.005	MG/L	5	
S10	5/24/2004	Vanadium-DISSOLVED	<		0.0026	0.01	mg/L	1 UJ	NA
S10	9/10/2004	Vanadium-DISSOLVED	<		0.0024	0.01	mg/L	1	
S10	12/1/2004	Vanadium-DISSOLVED	<		0.0024	0.01	mg/L	1	
S10	12/1/2004	Vanadium-DISSOLVED	<		0.0024	0.01	mg/L	1	
S10	3/3/2005	Vanadium-DISSOLVED	<		0.0024	0.01	mg/L	1	
S11	5/24/2004	Vanadium-DISSOLVED	<		0.0026	0.01	mg/L	1 UJ	
S11	9/10/2004	Vanadium-DISSOLVED	<		0.012	0.05	mg/L	5	
S11	12/1/2004	Vanadium-DISSOLVED	<		0.012	0.05	mg/L	5	
S11	3/3/2005	Vanadium-DISSOLVED	<		0.012	0.05	mg/L	5	
S2	9/18/2002	Vanadium-DISSOLVED	<		0.011	0.05	mg/L	5	
S2	12/13/2002	Vanadium-DISSOLVED	<		0.011	0.05	mg/L	5	
S3	6/25/2002	Vanadium-DISSOLVED	<		0.0012	0.02	mg/L	2	
S3	12/13/2002	Vanadium-DISSOLVED	<		0.011	0.05	mg/L	5	
S4	12/13/2002	Vanadium-DISSOLVED	<		0.011	0.05	mg/L	5	
S5	9/20/2002	Vanadium-DISSOLVED	<		0.0022	0.01	mg/L	1	

tmpAnalyticalResultsOverTime

S5	12/16/2002	Vanadium-DISSOLVED	<	0.011	0.05	mg/L	5	
S6	9/23/2002	Vanadium-DISSOLVED	<	0.0022	0.01	mg/L	1	
S6	12/18/2002	Vanadium-DISSOLVED	<	0.011	0.05	mg/L	5	
S7	12/17/2002	Vanadium-DISSOLVED	<	0.011	0.05	mg/L	5	
S8	4/10/2002	Vanadium-DISSOLVED	<		0.01	mg/L	1	
S8	9/20/2002	Vanadium-DISSOLVED	<	0.0022	0.01	mg/L	1	
S8	12/16/2002	Vanadium-DISSOLVED	<	0.011	0.05	mg/L	5	
S9	6/20/2002	Vanadium-DISSOLVED	<	0.00061	0.01	mg/L	1	
S9	9/11/2002	Vanadium-DISSOLVED	<	2.2	0.01	mg/L	1	
S9	12/12/2002	Vanadium-DISSOLVED	<	0.011	0.05	mg/L	5	
S10	5/24/2004	Vanadium-TOTAL	<	0.0026	0.01	mg/L	1 UJ	
S10	5/24/2004	Vanadium-TOTAL	<	0.0026	0.01	mg/L	1 UJ	
S10	9/10/2004	Vanadium-TOTAL	<	0.012	0.05	mg/L	5	
S10	12/1/2004	Vanadium-TOTAL	<	0.0024	0.01	mg/L	1	
S10	12/1/2004	Vanadium-TOTAL	<	0.0024	0.01	mg/L	1	
S10	3/3/2005	Vanadium-TOTAL	<	0.0024	0.01	mg/L	1	
S10	9/7/2005	Vanadium-TOTAL	<	0.0025	0.01	MG/L	1	
S10	9/6/2006	Vanadium-TOTAL	<	0.0025	0.01	MG/L	1	
S10	9/4/2007	Vanadium-TOTAL	<	0.012	0.05	MG/L	5	
S10	9/1/2009	Vanadium-TOTAL	<	0.0011	0.01	MG/L	1	
S10	9/1/2010	Vanadium-TOTAL	<	0.0011	0.0011	0.01	MG/L	1
S10	9/1/2010	Vanadium-TOTAL	<	0.0011	0.0011	0.01	MG/L	1
S11	9/10/2004	Vanadium-TOTAL	<	0.012	0.05	mg/L	5 UJ	
S11	12/1/2004	Vanadium-TOTAL	<	0.0024	0.01	mg/L	1	
S11	3/3/2005	Vanadium-TOTAL	<	0.0048	0.02	mg/L	2 UJ	
S11	9/7/2005	Vanadium-TOTAL	<	0.0025	0.01	MG/L	1	
S11	9/6/2006	Vanadium-TOTAL	<	0.012	0.05	MG/L	5	
S11	9/4/2007	Vanadium-TOTAL	<	0.012	0.05	MG/L	5	
S11	9/3/2008	Vanadium-TOTAL	<	0.0056	0.05	MG/L	5	
S11	9/3/2008	Vanadium-TOTAL	<	0.0056	0.05	MG/L	5	
S11	9/2/2010	Vanadium-TOTAL	<	0.011	0.1	MG/L	10	
S2	6/26/2002	Vanadium-TOTAL	<	0.0012	0.02	mg/L	2	
S2	9/18/2002	Vanadium-TOTAL	<	0.011	0.05	mg/L	5	
S2	3/4/2003	Vanadium-TOTAL	<	0.022	0.1	mg/L	10	
S2	3/4/2003	Vanadium-TOTAL	<	0.011	0.05	mg/L	5	
S2	6/5/2003	Vanadium-TOTAL	<	0.026	0.1	mg/L	10	
S2	9/5/2003	Vanadium-TOTAL	<	0.013	0.05	mg/L	5	
S2	9/5/2003	Vanadium-TOTAL	<	0.013	0.05	mg/L	5	
S2	12/3/2003	Vanadium-TOTAL	<	0.013	0.05	mg/L	5	
S2	9/10/2004	Vanadium-TOTAL	<	0.012	0.05	mg/L	5 UJ	
S2	9/7/2005	Vanadium-TOTAL	<	0.012	0.05	MG/L	5	
S2	9/5/2006	Vanadium-TOTAL	<	0.012	0.05	MG/L	5	
S2	9/4/2007	Vanadium-TOTAL	<	0.012	0.05	MG/L	5	
S2	9/2/2008	Vanadium-TOTAL	<	0.0056	0.05	mg/L	5	
S2	9/2/2009	Vanadium-TOTAL	<	0.0056	0.05	MG/L	5 UJ	
S3	12/13/2002	Vanadium-TOTAL	<	0.011	0.05	mg/L	5	
S3	9/5/2006	Vanadium-TOTAL	<	0.0025	0.01	MG/L	1	
S3	9/4/2007	Vanadium-TOTAL	<	0.012	0.05	MG/L	5	
S4	12/13/2002	Vanadium-TOTAL	<	0.011	0.05	mg/L	5	
S4	9/8/2005	Vanadium-TOTAL	<	0.0025	0.01	MG/L	1	
S4	9/6/2006	Vanadium-TOTAL	<	0.0025	0.01	MG/L	1	
S4	9/10/2007	Vanadium-TOTAL	<	0.012	0.05	MG/L	5	
S5	12/16/2002	Vanadium-TOTAL	<	0.011	0.05	mg/L	5	
S5	9/8/2004	Vanadium-TOTAL	<	0.0024	0.01	mg/L	1	
S5	9/6/2006	Vanadium-TOTAL	<	0.0025	0.01	MG/L	1	
S5	9/7/2007	Vanadium-TOTAL	<	0.012	0.05	MG/L	5	
S6	12/18/2002	Vanadium-TOTAL	<	0.011	0.05	mg/L	5	



tmpAnalyticalResultsOverTime

S6	9/9/2005	Vanadium-TOTAL	<	0.0025	0.01	MG/L	1	
S6	9/7/2006	Vanadium-TOTAL	<	0.0025	0.01	MG/L	1	
S6	9/7/2007	Vanadium-TOTAL	<	0.012	0.05	MG/L	5	
S6	9/3/2010	Vanadium-TOTAL	<	0.011	0.1	MG/L	10	
S7	12/17/2002	Vanadium-TOTAL	<	0.011	0.05	mg/L	5	
S7	9/10/2007	Vanadium-TOTAL	<	0.012	0.05	MG/L	5	
S8	6/21/2002	Vanadium-TOTAL	<	0.00061	0.01	mg/L	1	
S8	9/20/2002	Vanadium-TOTAL	<	0.0022	0.01	mg/L	1	
S8	12/16/2002	Vanadium-TOTAL	<	0.011	0.05	mg/L	5	
S8	9/11/2003	Vanadium-TOTAL	<	0.0026	0.01	mg/L	1	
S8	9/3/2004	Vanadium-TOTAL	<	0.0024	0.01	mg/L	1	
S8	9/2/2005	Vanadium-TOTAL	<	0.0025	0.01	MG/L	1	
S8	9/7/2006	Vanadium-TOTAL	<	0.0025	0.01	MG/L	1	
S8	9/10/2007	Vanadium-TOTAL	<	0.012	0.05	MG/L	5	
S8	9/3/2010	Vanadium-TOTAL	<	0.0011	0.011	0.01	MG/L	1
S9	4/10/2002	Vanadium-TOTAL	<		0.01	mg/L	1	UJ
S9	6/20/2002	Vanadium-TOTAL	<	0.00061	0.01	mg/L	1	
S9	9/11/2002	Vanadium-TOTAL	<	2.2	0.01	mg/L	1	
S9	12/12/2002	Vanadium-TOTAL	<	0.011	0.05	mg/L	5	
S9	9/11/2003	Vanadium-TOTAL	<	0.0026	0.01	mg/L	1	
S9	9/3/2004	Vanadium-TOTAL	<	0.0024	0.01	mg/L	1	
S9	9/2/2005	Vanadium-TOTAL	<	0.0025	0.01	MG/L	1	
S9	9/7/2006	Vanadium-TOTAL	<	0.0025	0.01	MG/L	1	
S9	9/5/2007	Vanadium-TOTAL	<	0.012	0.05	MG/L	5	
S9	9/5/2008	Vanadium-TOTAL	<	0.0011	0.01	MG/L	1	
S9	9/4/2009	Vanadium-TOTAL	<	0.0011	0.01	MG/L	1	
S9	9/8/2010	Vanadium-TOTAL	<	0.0011	0.011	0.01	MG/L	1
S10	5/24/2004	Vinyl acetate	<	0.56	2	ug/L	1	NA
S10	5/24/2004	Vinyl acetate	<	0.56	2	ug/L	1	
S10	9/10/2004	Vinyl acetate	<	0.56	2	ug/L	1	
S10	12/1/2004	Vinyl acetate	<	0.56	2	ug/L	1	
S10	12/1/2004	Vinyl acetate	<	0.56	2	ug/L	1	
S10	3/3/2005	Vinyl acetate	<	0.8	2	ug/L	1	
S11	5/24/2004	Vinyl acetate	<	0.56	2	ug/L	1	
S11	9/10/2004	Vinyl acetate	<	0.56	2	ug/L	1	
S11	12/1/2004	Vinyl acetate	<	0.56	2	ug/L	1	
S11	3/3/2005	Vinyl acetate	<	0.8	2	ug/L	1	
S2	4/3/2002	Vinyl acetate	<		2	ug/L	1	
S2	6/26/2002	Vinyl acetate	<	0.91	2	ug/L	1	
S2	9/18/2002	Vinyl acetate	<	0.91	2	ug/L	1	
S2	12/13/2002	Vinyl acetate	<	0.91	2	ug/L	1	
S2	3/4/2003	Vinyl acetate	<	0.56	2	ug/L	1	
S2	3/4/2003	Vinyl acetate	<	0.56	2	ug/L	1	
S2	6/5/2003	Vinyl acetate	<	0.56	2	ug/L	1	
S2	9/5/2003	Vinyl acetate	<	0.56	2	ug/L	1	
S2	9/5/2003	Vinyl acetate	<	0.56	2	ug/L	1	
S2	12/3/2003	Vinyl acetate	<	1.1	4	ug/L	2	
S2	9/10/2004	Vinyl acetate	<	0.56	2	ug/L	1	
S3	4/3/2002	Vinyl acetate	<		2	ug/L	1	
S3	6/25/2002	Vinyl acetate	<	0.91	2	ug/L	1	
S3	9/19/2002	Vinyl acetate	<	0.91	2	ug/L	1	
S3	9/19/2002	Vinyl acetate	<	0.91	2	ug/L	1	
S3	12/13/2002	Vinyl acetate	<	0.91	2	ug/L	1	
S3	3/5/2003	Vinyl acetate	<	0.56	2	ug/L	1	
S3	6/5/2003	Vinyl acetate	<	0.56	2	ug/L	1	
S3	9/5/2003	Vinyl acetate	<	0.56	2	ug/L	1	
S3	12/2/2003	Vinyl acetate	<	0.56	2	ug/L	1	

tmpAnalyticalResultsOverTime

S3	9/9/2004 Vinyl acetate	<	0.56	2	ug/L	1	
S3	9/9/2004 Vinyl acetate	<	0.56	2	ug/L	1	
S4	4/3/2002 Vinyl acetate	<		2	ug/L	1	
S4	6/25/2002 Vinyl acetate	<	0.91	2	ug/L	1	
S4	9/19/2002 Vinyl acetate	<	0.91	2	ug/L	1	
S4	12/13/2002 Vinyl acetate	<	0.91	2	ug/L	1	
S4	9/8/2003 Vinyl acetate	<	0.56	2	ug/L	1	
S4	9/9/2004 Vinyl acetate	<	0.56	2	ug/L	1	
S5	4/4/2002 Vinyl acetate	<		2	ug/L	1	
S5	6/24/2002 Vinyl acetate	<	0.91	2	ug/L	1	
S5	9/20/2002 Vinyl acetate	<	0.91	2	ug/L	1	
S5	12/16/2002 Vinyl acetate	<	0.91	2	ug/L	1	
S5	9/10/2003 Vinyl acetate	<	0.56	2	ug/L	1	
S5	9/8/2004 Vinyl acetate	<	0.56	2	ug/L	1	
S6	4/4/2002 Vinyl acetate	<		2	ug/L	1	
S6	6/24/2002 Vinyl acetate	<	0.91	2	ug/L	1	
S6	6/24/2002 Vinyl acetate	<	0.91	2	ug/L	1	
S6	9/23/2002 Vinyl acetate	<	0.91	2	ug/L	1	
S6	12/18/2002 Vinyl acetate	<	0.91	2	ug/L	1	
S6	9/9/2003 Vinyl acetate	<	0.56	2	ug/L	1	
S6	9/8/2004 Vinyl acetate	<	0.56	2	ug/L	1	
S7	4/10/2002 Vinyl acetate	<		2	ug/L	1	UJ
S7	6/21/2002 Vinyl acetate	<	0.91	2	ug/L	1	
S7	9/23/2002 Vinyl acetate	<	0.91	2	ug/L	1	
S7	12/17/2002 Vinyl acetate	<	0.91	2	ug/L	1	
S7	9/11/2003 Vinyl acetate	<	0.56	2	ug/L	1	
S7	9/7/2004 Vinyl acetate	<	0.56	2	ug/L	1	
S8	4/10/2002 Vinyl acetate	<		2	ug/L	1	UJ
S8	6/21/2002 Vinyl acetate	<	0.91	2	ug/L	1	
S8	9/20/2002 Vinyl acetate	<	0.91	2	ug/L	1	
S8	12/16/2002 Vinyl acetate	<	0.91	2	ug/L	1	
S8	9/11/2003 Vinyl acetate	<	0.56	2	ug/L	1	
S8	9/3/2004 Vinyl acetate	<	0.56	2	ug/L	1	
S9	4/10/2002 Vinyl acetate	<		2	ug/L	1	
S9	6/20/2002 Vinyl acetate	<	0.91	2	ug/L	1	
S9	9/11/2002 Vinyl acetate	<	0.91	2	ug/L	1	
S9	12/12/2002 Vinyl acetate	<	0.91	2	ug/L	1	
S9	9/11/2003 Vinyl acetate	<	0.56	2	ug/L	1	
S9	9/3/2004 Vinyl acetate	<	0.56	2	ug/L	1	
S10	5/24/2004 Vinyl chloride	<	0.19	1	ug/L	1	0.002
S10	5/24/2004 Vinyl chloride	<	0.19	1	ug/L	1	
S10	9/10/2004 Vinyl chloride	<	0.19	1	ug/L	1	
S10	12/1/2004 Vinyl chloride	<	0.19	1	ug/L	1	
S10	12/1/2004 Vinyl chloride	<	0.19	1	ug/L	1	
S10	3/3/2005 Vinyl chloride	<	0.28	1	ug/L	1	
S11	5/24/2004 Vinyl chloride	<	0.19	1	ug/L	1	
S11	9/10/2004 Vinyl chloride	<	0.19	1	ug/L	1	
S11	12/1/2004 Vinyl chloride	<	0.19	1	ug/L	1	
S11	3/3/2005 Vinyl chloride	<	0.28	1	ug/L	1	
S2	4/3/2002 Vinyl chloride	<		1	ug/L	1	
S2	6/26/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S2	9/18/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S2	12/13/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S2	3/4/2003 Vinyl chloride	<	0.19	1	ug/L	1	
S2	3/4/2003 Vinyl chloride	<	0.19	1	ug/L	1	
S2	6/5/2003 Vinyl chloride	<	0.19	1	ug/L	1	
S2	9/5/2003 Vinyl chloride	<	0.19	1	ug/L	1	

tmpAnalyticalResultsOverTime

S2	9/5/2003 Vinyl chloride	<	0.19	1	ug/L	1	
S2	12/3/2003 Vinyl chloride	<	0.38	2	ug/L	2	
S2	9/10/2004 Vinyl chloride	<	0.19	1	ug/L	1	
S3	4/3/2002 Vinyl chloride	<		1	ug/L	1	
S3	6/25/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S3	9/19/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S3	9/19/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S3	12/13/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S3	3/5/2003 Vinyl chloride	<	0.19	1	ug/L	1	
S3	6/5/2003 Vinyl chloride	<	0.19	1	ug/L	1	
S3	9/5/2003 Vinyl chloride	<	0.19	1	ug/L	1	
S3	12/2/2003 Vinyl chloride	<	0.19	1	ug/L	1	
S3	9/9/2004 Vinyl chloride	<	0.19	1	ug/L	1	
S3	9/9/2004 Vinyl chloride	<	0.19	1	ug/L	1	
S4	4/3/2002 Vinyl chloride	<		1	ug/L	1	
S4	6/25/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S4	9/19/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S4	12/13/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S4	9/8/2003 Vinyl chloride	<	0.19	1	ug/L	1	
S4	9/9/2004 Vinyl chloride	<	0.19	1	ug/L	1	
S5	4/4/2002 Vinyl chloride	<		1	ug/L	1	
S5	6/24/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S5	9/20/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S5	12/16/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S5	9/10/2003 Vinyl chloride	<	0.19	1	ug/L	1	
S5	9/8/2004 Vinyl chloride	<	0.19	1	ug/L	1	
S6	4/4/2002 Vinyl chloride	<		1	ug/L	1	
S6	6/24/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S6	6/24/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S6	9/23/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S6	12/18/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S6	9/9/2003 Vinyl chloride	<	0.19	1	ug/L	1	
S6	9/8/2004 Vinyl chloride	<	0.19	1	ug/L	1	
S7	4/10/2002 Vinyl chloride	<		1	ug/L	1	UJ
S7	6/21/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S7	9/23/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S7	12/17/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S7	9/11/2003 Vinyl chloride	<	0.19	1	ug/L	1	
S7	9/7/2004 Vinyl chloride	<	0.19	1	ug/L	1	
S8	4/10/2002 Vinyl chloride	<		1	ug/L	1	UJ
S8	6/21/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S8	9/20/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S8	12/16/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S8	9/11/2003 Vinyl chloride	<	0.19	1	ug/L	1	
S8	9/3/2004 Vinyl chloride	<	0.19	1	ug/L	1	
S9	4/10/2002 Vinyl chloride	<		1	ug/L	1	
S9	6/20/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S9	9/11/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S9	12/12/2002 Vinyl chloride	<	0.26	1	ug/L	1	
S9	9/11/2003 Vinyl chloride	<	0.19	1	ug/L	1	
S9	9/3/2004 Vinyl chloride	<	0.19	1	ug/L	1	
S10	5/24/2004 Xylenes (total)	<	0.41	2	ug/L	1	10
S10	5/24/2004 Xylenes (total)	<	0.41	2	ug/L	1	
S10	9/10/2004 Xylenes (total)	<	0.41	2	ug/L	1	
S10	12/1/2004 Xylenes (total)	<	0.41	2	ug/L	1	
S10	12/1/2004 Xylenes (total)	<	0.41	2	ug/L	1	
S10	3/3/2005 Xylenes (total)	<	0.45	2	ug/L	1	

tmpAnalyticalResultsOverTime

S11	5/24/2004	Xylenes (total)	<	0.41	2	ug/L	1
S11	9/10/2004	Xylenes (total)	<	0.41	2	ug/L	1
S11	12/1/2004	Xylenes (total)	<	0.41	2	ug/L	1
S11	3/3/2005	Xylenes (total)	<	0.45	2	ug/L	1
S2	4/3/2002	Xylenes (total)	<		2	ug/L	1
S2	6/26/2002	Xylenes (total)	<	0.73	2	ug/L	1
S2	9/18/2002	Xylenes (total)	<	0.73	2	ug/L	1
S2	12/13/2002	Xylenes (total)	<	0.73	2	ug/L	1
S2	3/4/2003	Xylenes (total)	<	0.41	2	ug/L	1
S2	3/4/2003	Xylenes (total)	<	0.41	2	ug/L	1
S2	6/5/2003	Xylenes (total)	<	0.41	2	ug/L	1
S2	9/5/2003	Xylenes (total)	<	0.41	2	ug/L	1
S2	9/5/2003	Xylenes (total)	<	0.41	2	ug/L	1
S2	12/3/2003	Xylenes (total)	<	0.82	4	ug/L	2
S2	9/10/2004	Xylenes (total)	<	0.41	2	ug/L	1
S3	4/3/2002	Xylenes (total)	<		2	ug/L	1
S3	6/25/2002	Xylenes (total)	<	0.73	2	ug/L	1
S3	9/19/2002	Xylenes (total)	<	0.73	2	ug/L	1
S3	9/19/2002	Xylenes (total)	<	0.73	2	ug/L	1
S3	12/13/2002	Xylenes (total)	<	0.73	2	ug/L	1
S3	3/5/2003	Xylenes (total)	<	0.41	2	ug/L	1
S3	6/5/2003	Xylenes (total)	<	0.41	2	ug/L	1
S3	9/5/2003	Xylenes (total)	<	0.41	2	ug/L	1
S3	12/2/2003	Xylenes (total)	<	0.41	2	ug/L	1
S3	9/9/2004	Xylenes (total)	<	0.41	2	ug/L	1
S3	9/9/2004	Xylenes (total)	<	0.41	2	ug/L	1
S4	4/3/2002	Xylenes (total)	<		2	ug/L	1
S4	6/25/2002	Xylenes (total)	<	0.73	2	ug/L	1
S4	9/19/2002	Xylenes (total)	<	0.73	2	ug/L	1
S4	12/13/2002	Xylenes (total)	<	0.73	2	ug/L	1
S4	9/8/2003	Xylenes (total)	<	0.41	2	ug/L	1
S4	9/9/2004	Xylenes (total)	<	0.41	2	ug/L	1
S5	4/4/2002	Xylenes (total)	<		2	ug/L	1
S5	6/24/2002	Xylenes (total)	<	0.73	2	ug/L	1
S5	9/20/2002	Xylenes (total)	<	0.73	2	ug/L	1
S5	12/16/2002	Xylenes (total)	<	0.73	2	ug/L	1
S5	9/10/2003	Xylenes (total)	<	0.41	2	ug/L	1
S5	9/8/2004	Xylenes (total)	<	0.41	2	ug/L	1
S6	4/4/2002	Xylenes (total)	<		2	ug/L	1
S6	6/24/2002	Xylenes (total)	<	0.73	2	ug/L	1
S6	6/24/2002	Xylenes (total)	<	0.73	2	ug/L	1
S6	9/23/2002	Xylenes (total)	<	0.73	2	ug/L	1
S6	12/18/2002	Xylenes (total)	<	0.73	2	ug/L	1
S6	9/9/2003	Xylenes (total)	<	0.41	2	ug/L	1
S6	9/8/2004	Xylenes (total)	<	0.41	2	ug/L	1
S7	4/10/2002	Xylenes (total)	<		2	ug/L	1 UJ
S7	6/21/2002	Xylenes (total)	<	0.73	2	ug/L	1
S7	9/23/2002	Xylenes (total)	<	0.73	2	ug/L	1
S7	12/17/2002	Xylenes (total)	<	0.73	2	ug/L	1
S7	9/11/2003	Xylenes (total)	<	0.41	2	ug/L	1
S7	9/7/2004	Xylenes (total)	<	0.41	2	ug/L	1
S8	4/10/2002	Xylenes (total)	<		2	ug/L	1 UJ
S8	6/21/2002	Xylenes (total)	<	0.73	2	ug/L	1
S8	9/20/2002	Xylenes (total)	<	0.73	2	ug/L	1
S8	12/16/2002	Xylenes (total)	<	0.73	2	ug/L	1
S8	9/11/2003	Xylenes (total)	<	0.41	2	ug/L	1
S8	9/3/2004	Xylenes (total)	<	0.41	2	ug/L	1

tmpAnalyticalResultsOverTime

S9	4/10/2002	Xylenes (total)	<		2	ug/L	1
S9	6/20/2002	Xylenes (total)	<	0.73	2	ug/L	1
S9	9/11/2002	Xylenes (total)	<	0.73	2	ug/L	1
S9	12/12/2002	Xylenes (total)	<	0.73	2	ug/L	1
S9	9/11/2003	Xylenes (total)	<	0.41	2	ug/L	1
S9	9/3/2004	Xylenes (total)	<	0.41	2	ug/L	1
S10	3/3/2005	Zinc-DISSOLVED	<	0.0049	0.02	mg/L	1
S11	5/24/2004	Zinc-DISSOLVED	<	0.0071	0.02	mg/L	1
S11	12/1/2004	Zinc-DISSOLVED	<	0.0049	0.02	mg/L	1 UJ
S2	4/3/2002	Zinc-DISSOLVED	<		0.1	mg/L	5
S2	9/18/2002	Zinc-DISSOLVED	<	0.034	0.1	mg/L	5
S3	4/3/2002	Zinc-DISSOLVED	<		0.1	mg/L	5
S3	9/19/2002	Zinc-DISSOLVED	<	0.0068	0.02	mg/L	1
S3	9/19/2002	Zinc-DISSOLVED	<	0.0068	0.02	mg/L	1
S4	4/3/2002	Zinc-DISSOLVED	<		0.02	mg/L	1 UJ
S4	6/25/2002	Zinc-DISSOLVED	<	0.0068	0.02	mg/L	1
S5	4/4/2002	Zinc-DISSOLVED	<		0.02	mg/L	1 UJ
S5	9/20/2002	Zinc-DISSOLVED	<	0.0068	0.02	mg/L	1
S6	4/4/2002	Zinc-DISSOLVED	<		0.02	mg/L	1 UJ
S6	9/23/2002	Zinc-DISSOLVED	<	0.0068	0.02	mg/L	1
S7	6/21/2002	Zinc-DISSOLVED	<	0.0068	0.02	mg/L	1
S8	4/10/2002	Zinc-DISSOLVED	<		0.02	mg/L	1
S8	6/21/2002	Zinc-DISSOLVED	<	0.0068	0.02	mg/L	1
S8	9/20/2002	Zinc-DISSOLVED	<	0.0068	0.02	mg/L	1
S9	4/10/2002	Zinc-DISSOLVED	<		0.02	mg/L	1
S9	6/20/2002	Zinc-DISSOLVED	<	0.0068	0.02	mg/L	1
S9	9/11/2002	Zinc-DISSOLVED	<	0.0068	0.02	mg/L	1
S10	9/10/2004	Zinc-TOTAL	<	0.024	0.1	mg/L	5
S10	3/3/2005	Zinc-TOTAL	<	0.0049	0.02	mg/L	1
S10	9/6/2006	Zinc-TOTAL	<	0.02	0.0045	0.02	MG/L 1 U
S10	9/4/2007	Zinc-TOTAL	<	0.023	0.1	MG/L	5
S10	9/1/2010	Zinc-TOTAL	<	0.0045	0.0045	0.02	MG/L 1
S10	9/1/2010	Zinc-TOTAL	<	0.0045	0.0045	0.02	MG/L 1
S11	5/24/2004	Zinc-TOTAL	<	0.0071	0.02	mg/L	1
S11	9/10/2004	Zinc-TOTAL	<	0.024	0.1	mg/L	5
S11	9/7/2005	Zinc-TOTAL	<	0.0045	0.02	MG/L	1
S11	9/4/2007	Zinc-TOTAL	<	0.023	0.1	MG/L	5
S11	9/3/2008	Zinc-TOTAL	<	0.023	0.1	MG/L	5
S11	9/3/2008	Zinc-TOTAL	<	0.023	0.1	MG/L	5
S11	9/2/2009	Zinc-TOTAL	<	0.0045	0.02	MG/L	1 UJ
S2	4/3/2002	Zinc-TOTAL	<		0.1	mg/L	5 UJ
S2	9/18/2002	Zinc-TOTAL	<	0.034	0.1	mg/L	5
S2	12/13/2002	Zinc-TOTAL	<	0.034	0.1	mg/L	5 UJ
S2	3/4/2003	Zinc-TOTAL	<	0.0068	0.02	mg/L	1
S2	3/4/2003	Zinc-TOTAL	<	0.02	0.0068	0.02	mg/L 1 U
S2	9/5/2003	Zinc-TOTAL	<	0.036	0.1	mg/L	5
S2	9/5/2003	Zinc-TOTAL	<	0.036	0.1	mg/L	5
S2	12/3/2003	Zinc-TOTAL	<	0.036	0.1	mg/L	5
S2	9/4/2007	Zinc-TOTAL	<	0.023	0.1	MG/L	5
S3	4/3/2002	Zinc-TOTAL	<		0.1	mg/L	5 UJ
S3	6/25/2002	Zinc-TOTAL	<	0.014	0.04	mg/L	2
S3	9/19/2002	Zinc-TOTAL	<	0.0068	0.02	mg/L	1
S3	12/13/2002	Zinc-TOTAL	<	0.034	0.1	mg/L	5 UJ
S3	3/5/2003	Zinc-TOTAL	<	0.0068	0.02	mg/L	1
S3	9/9/2004	Zinc-TOTAL	<	0.0071	0.02	mg/L	1
S3	9/7/2005	Zinc-TOTAL	<	0.0045	0.02	MG/L	1
S3	9/5/2006	Zinc-TOTAL	<	0.02	0.0045	0.02	MG/L 1 U

tmpAnalyticalResultsOverTime

S3	9/4/2007	Zinc-TOTAL	<		0.023	0.1	MG/L	5
S3	9/2/2009	Zinc-TOTAL	<		0.0045	0.02	MG/L	1
S3	9/1/2010	Zinc-TOTAL	<	0.0045	0.0045	0.02	MG/L	1
S4	9/19/2002	Zinc-TOTAL	<		0.0068	0.02	mg/L	1
S4	12/13/2002	Zinc-TOTAL	<		0.034	0.1	mg/L	5 UJ
S4	9/8/2003	Zinc-TOTAL	<		0.0071	0.02	mg/L	1
S4	9/9/2004	Zinc-TOTAL	<		0.0071	0.02	mg/L	1
S4	9/8/2005	Zinc-TOTAL	<		0.0045	0.02	MG/L	1
S4	9/6/2006	Zinc-TOTAL	<	0.02	0.0045	0.02	MG/L	1 U
S4	9/10/2007	Zinc-TOTAL	<		0.023	0.1	MG/L	5
S5	12/16/2002	Zinc-TOTAL	<		0.034	0.1	mg/L	5 UJ
S5	9/10/2003	Zinc-TOTAL	<		0.0071	0.02	mg/L	1
S5	9/8/2004	Zinc-TOTAL	<		0.0049	0.02	mg/L	1
S5	9/8/2005	Zinc-TOTAL	<		0.0045	0.02	MG/L	1
S5	9/6/2006	Zinc-TOTAL	<	0.02	0.0045	0.02	MG/L	1 U
S5	9/7/2007	Zinc-TOTAL	<		0.023	0.1	MG/L	5
S5	9/3/2010	Zinc-TOTAL	<	0.0045	0.0045	0.02	MG/L	1
S6	4/4/2002	Zinc-TOTAL	<			0.02	mg/L	1 UJ
S6	9/23/2002	Zinc-TOTAL	<		0.0068	0.02	mg/L	1
S6	12/18/2002	Zinc-TOTAL	<		0.034	0.1	mg/L	5 UJ
S6	9/9/2003	Zinc-TOTAL	<		0.0071	0.02	mg/L	1
S6	9/7/2006	Zinc-TOTAL	<	0.02	0.0045	0.02	MG/L	1 U
S6	9/7/2007	Zinc-TOTAL	<		0.023	0.1	MG/L	5
S7	12/17/2002	Zinc-TOTAL	<		0.034	0.1	mg/L	5 UJ
S7	9/10/2007	Zinc-TOTAL	<		0.023	0.1	MG/L	5
S8	4/10/2002	Zinc-TOTAL	<			0.02	mg/L	1 UJ
S8	6/21/2002	Zinc-TOTAL	<		0.0068	0.02	mg/L	1
S8	9/20/2002	Zinc-TOTAL	<		0.0068	0.02	mg/L	1
S8	9/11/2003	Zinc-TOTAL	<		0.0071	0.02	mg/L	1
S8	9/7/2006	Zinc-TOTAL	<	0.02	0.0045	0.02	MG/L	1 U
S8	9/10/2007	Zinc-TOTAL	<		0.023	0.1	MG/L	5
S8	9/3/2009	Zinc-TOTAL	<		0.0045	0.02	MG/L	1
S8	9/3/2010	Zinc-TOTAL	<	0.0045	0.0045	0.02	MG/L	1
S9	6/20/2002	Zinc-TOTAL	<		0.0068	0.02	mg/L	1
S9	9/11/2002	Zinc-TOTAL	<		0.0068	0.02	mg/L	1
S9	9/11/2003	Zinc-TOTAL	<		0.0071	0.02	mg/L	1
S9	9/2/2005	Zinc-TOTAL	<		0.0045	0.02	MG/L	1
S9	9/7/2006	Zinc-TOTAL	<	0.023	0.0045	0.023	MG/L	1 U
S9	9/5/2008	Zinc-TOTAL	<		0.0045	0.02	MG/L	1
S9	9/4/2009	Zinc-TOTAL	<		0.0045	0.02	MG/L	1
S9	9/8/2010	Zinc-TOTAL	<	0.0045	0.0045	0.02	MG/L	1
S10	9/10/2004	Zirconium-DISSOLVED	<		0.0027	0.005	mg/L	1
S10	12/1/2004	Zirconium-DISSOLVED	<		0.0027	0.005	mg/L	1
S10	12/1/2004	Zirconium-DISSOLVED	<		0.0027	0.005	mg/L	1
S10	3/3/2005	Zirconium-DISSOLVED	<		0.0027	0.005	mg/L	1
S11	9/10/2004	Zirconium-DISSOLVED	<		0.0027	0.005	mg/L	1
S2	4/3/2002	Zirconium-DISSOLVED	<			0.025	mg/L	5
S2	6/26/2002	Zirconium-DISSOLVED	<		0.005	0.025	mg/L	5 G
S2	9/18/2002	Zirconium-DISSOLVED	<		0.0015	0.005	mg/L	1
S2	12/13/2002	Zirconium-DISSOLVED	<		0.015	0.05	mg/L	10
S3	4/3/2002	Zirconium-DISSOLVED	<			0.025	mg/L	5
S3	6/25/2002	Zirconium-DISSOLVED	<		0.001	0.005	mg/L	1
S3	12/13/2002	Zirconium-DISSOLVED	<		0.0015	0.005	mg/L	1
S4	4/3/2002	Zirconium-DISSOLVED	<			0.025	mg/L	5 UJ
S4	12/13/2002	Zirconium-DISSOLVED	<		0.0015	0.005	mg/L	1
S5	4/4/2002	Zirconium-DISSOLVED	<			0.025	mg/L	5 UJ
S5	12/16/2002	Zirconium-DISSOLVED	<		0.0015	0.005	mg/L	1

tmpAnalyticalResultsOverTime

S6	4/4/2002	Zirconium-DISSOLVED	<		0.025	mg/L	5 UJ	
S6	12/18/2002	Zirconium-DISSOLVED	<	0.0015	0.005	mg/L	1	
S7	4/10/2002	Zirconium-DISSOLVED	<		0.005	mg/L	1	
S7	6/21/2002	Zirconium-DISSOLVED	<	0.001	0.005	mg/L	1	
S7	12/17/2002	Zirconium-DISSOLVED	<	0.0015	0.005	mg/L	1	
S8	4/10/2002	Zirconium-DISSOLVED	<		0.005	mg/L	1	
S8	6/21/2002	Zirconium-DISSOLVED	<	0.001	0.005	mg/L	1	
S8	12/16/2002	Zirconium-DISSOLVED	<	0.0015	0.005	mg/L	1	
S9	4/10/2002	Zirconium-DISSOLVED	<		0.005	mg/L	1	
S9	6/20/2002	Zirconium-DISSOLVED	<	0.001	0.005	mg/L	1	
S9	12/12/2002	Zirconium-DISSOLVED	<	0.0015	0.005	mg/L	1	
S10	9/10/2004	Zirconium-TOTAL	<	0.0027	0.005	mg/L	1	
S10	12/1/2004	Zirconium-TOTAL	<	0.0027	0.005	mg/L	1	
S10	12/1/2004	Zirconium-TOTAL	<	0.0027	0.005	mg/L	1	
S10	3/3/2005	Zirconium-TOTAL	<	0.0027	0.005	mg/L	1	
S10	9/6/2006	Zirconium-TOTAL	<	0.0024	0.015	MG/L	1	
S10	9/4/2007	Zirconium-TOTAL	<	0.012	0.075	MG/L	5	
S10	9/2/2008	Zirconium-TOTAL	<	0.0024	0.015	mg/L	1	
S10	9/1/2009	Zirconium-TOTAL	<	0.0024	0.015	MG/L	1	
S10	9/1/2010	Zirconium-TOTAL	<	0.0024	0.0024	0.015	MG/L	1
S10	9/1/2010	Zirconium-TOTAL	<	0.0024	0.0024	0.015	MG/L	1
S11	12/1/2004	Zirconium-TOTAL	<	0.0027	0.005	mg/L	1	
S11	9/6/2006	Zirconium-TOTAL	<	0.012	0.075	MG/L	5	
S11	9/4/2007	Zirconium-TOTAL	<	0.012	0.075	MG/L	5	
S11	9/3/2008	Zirconium-TOTAL	<	0.012	0.075	MG/L	5 UJ	
S11	9/3/2008	Zirconium-TOTAL	<	0.012	0.075	MG/L	5 UJ	
S11	9/2/2009	Zirconium-TOTAL	<	0.0024	0.015	MG/L	1	
S11	9/2/2010	Zirconium-TOTAL	<	0.024	0.024	0.15	MG/L	10
S2	4/3/2002	Zirconium-TOTAL	<		0.025	mg/L	5 UJ	
S2	6/26/2002	Zirconium-TOTAL	<	0.005	0.025	mg/L	5 G	
S2	9/18/2002	Zirconium-TOTAL	<	0.0015	0.005	mg/L	1	
S2	12/13/2002	Zirconium-TOTAL	<	0.0015	0.005	mg/L	1	
S2	3/4/2003	Zirconium-TOTAL	<	0.0015	0.005	mg/L	1	
S2	3/4/2003	Zirconium-TOTAL	<	0.0015	0.005	mg/L	1	
S2	6/5/2003	Zirconium-TOTAL	<	0.0019	0.005	mg/L	1	
S2	9/5/2003	Zirconium-TOTAL	<	0.0067	0.0019	0.005	mg/L	1 UJ
S2	9/5/2003	Zirconium-TOTAL	<	0.0053	0.0019	0.0053	mg/L	1 UJ
S2	9/10/2004	Zirconium-TOTAL	<	0.0027	0.005	mg/L	1	
S2	9/7/2005	Zirconium-TOTAL	<	0.016	0.15	MG/L	10	
S2	9/5/2006	Zirconium-TOTAL	<	0.012	0.075	MG/L	5	
S2	9/4/2007	Zirconium-TOTAL	<	0.012	0.075	MG/L	5	
S2	9/2/2008	Zirconium-TOTAL	<	0.012	0.075	mg/L	5 UJ	
S2	9/2/2009	Zirconium-TOTAL	<	0.012	0.075	MG/L	5	
S2	9/1/2010	Zirconium-TOTAL	<	0.0024	0.0024	0.015	MG/L	1
S3	4/3/2002	Zirconium-TOTAL	<		0.025	mg/L	5 UJ	
S3	6/25/2002	Zirconium-TOTAL	<	0.001	0.005	mg/L	1	
S3	9/19/2002	Zirconium-TOTAL	<	0.0015	0.005	mg/L	1	
S3	9/19/2002	Zirconium-TOTAL	<	0.0015	0.005	mg/L	1	
S3	12/13/2002	Zirconium-TOTAL	<	0.0015	0.005	mg/L	1	
S3	3/5/2003	Zirconium-TOTAL	<	0.0015	0.005	mg/L	1	
S3	6/5/2003	Zirconium-TOTAL	<	0.0019	0.005	mg/L	1	
S3	9/5/2003	Zirconium-TOTAL	<	0.005	0.0019	0.005	mg/L	1 UJ
S3	12/2/2003	Zirconium-TOTAL	<	0.0019	0.005	mg/L	1	
S3	9/9/2004	Zirconium-TOTAL	<	0.0027	0.005	mg/L	1	
S3	9/7/2005	Zirconium-TOTAL	<	0.0016	0.015	MG/L	1	
S3	9/5/2006	Zirconium-TOTAL	<	0.0024	0.015	MG/L	1	
S3	9/4/2007	Zirconium-TOTAL	<	0.012	0.075	MG/L	5	

tmpAnalyticalResultsOverTime

S3	9/2/2008	Zirconium-TOTAL	<	0.0024	0.015	mg/L	1		
S3	9/2/2009	Zirconium-TOTAL	<	0.0024	0.015	MG/L	1		
S3	9/1/2010	Zirconium-TOTAL	<	0.0024	0.015	MG/L	1		
S4	4/3/2002	Zirconium-TOTAL	<		0.025	mg/L	5	UJ	
S4	9/19/2002	Zirconium-TOTAL	<	0.005	0.0015	0.005	mg/L	1	U
S4	12/13/2002	Zirconium-TOTAL	<		0.0015	0.005	mg/L	1	
S4	9/8/2003	Zirconium-TOTAL	<		0.0019	0.005	mg/L	1	
S4	9/9/2004	Zirconium-TOTAL	<		0.0027	0.005	mg/L	1	
S4	9/6/2006	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1	
S4	9/10/2007	Zirconium-TOTAL	<		0.012	0.075	MG/L	5	
S4	9/3/2008	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1	
S4	9/2/2009	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1	
S4	9/2/2010	Zirconium-TOTAL	<	0.0024	0.0024	0.015	MG/L	1	
S5	4/4/2002	Zirconium-TOTAL	<		0.025	mg/L	5	J	
S5	9/20/2002	Zirconium-TOTAL	<		0.0015	0.005	mg/L	1	
S5	12/16/2002	Zirconium-TOTAL	<	0.005	0.0015	0.005	mg/L	1	U
S5	9/8/2004	Zirconium-TOTAL	<		0.0027	0.005	mg/L	1	
S5	9/6/2006	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1	
S5	9/7/2007	Zirconium-TOTAL	<		0.012	0.075	MG/L	5	
S5	9/3/2008	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1	
S5	9/2/2009	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1	
S5	9/3/2010	Zirconium-TOTAL	<	0.0024	0.0024	0.015	MG/L	1	
S6	4/4/2002	Zirconium-TOTAL	<		0.025	mg/L	5	J	
S6	9/23/2002	Zirconium-TOTAL	<		0.0015	0.005	mg/L	1	
S6	12/18/2002	Zirconium-TOTAL	<		0.0015	0.005	mg/L	1	
S6	9/7/2006	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1	
S6	9/7/2007	Zirconium-TOTAL	<		0.012	0.075	MG/L	5	
S6	9/4/2008	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1	
S6	9/3/2009	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1	
S6	9/3/2010	Zirconium-TOTAL	<	0.024	0.024	0.15	MG/L	10	
S7	9/23/2002	Zirconium-TOTAL	<	0.005	0.0015	0.005	mg/L	1	U
S7	12/17/2002	Zirconium-TOTAL	<		0.0015	0.005	mg/L	1	
S7	9/7/2004	Zirconium-TOTAL	<		0.0027	0.005	mg/L	1	
S7	9/10/2007	Zirconium-TOTAL	<		0.012	0.075	MG/L	5	
S7	9/4/2008	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1	
S7	9/8/2009	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1	
S7	9/8/2009	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1	
S7	9/7/2010	Zirconium-TOTAL	<	0.0024	0.0024	0.015	MG/L	1	
S8	4/10/2002	Zirconium-TOTAL	<		0.005	mg/L	1	UJ	
S8	6/21/2002	Zirconium-TOTAL	<		0.001	0.005	mg/L	1	
S8	9/20/2002	Zirconium-TOTAL	<		0.0015	0.005	mg/L	1	
S8	12/16/2002	Zirconium-TOTAL	<	0.005	0.0015	0.005	mg/L	1	U
S8	9/11/2003	Zirconium-TOTAL	<		0.0019	0.005	mg/L	1	
S8	9/3/2004	Zirconium-TOTAL	<		0.0027	0.005	mg/L	1	
S8	9/7/2006	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1	
S8	9/10/2007	Zirconium-TOTAL	<		0.012	0.075	MG/L	5	
S8	9/4/2008	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1	
S8	9/3/2009	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1	
S8	9/3/2010	Zirconium-TOTAL	<	0.0024	0.0024	0.015	MG/L	1	
S9	4/10/2002	Zirconium-TOTAL	<		0.005	mg/L	1	UJ	
S9	6/20/2002	Zirconium-TOTAL	<		0.001	0.005	mg/L	1	
S9	12/12/2002	Zirconium-TOTAL	<		0.0015	0.005	mg/L	1	
S9	9/11/2003	Zirconium-TOTAL	<		0.0019	0.005	mg/L	1	
S9	9/3/2004	Zirconium-TOTAL	<		0.0027	0.005	mg/L	1	
S9	9/2/2005	Zirconium-TOTAL	<		0.0016	0.015	MG/L	1	
S9	9/7/2006	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1	
S9	9/5/2007	Zirconium-TOTAL	<		0.012	0.075	MG/L	5	mg/L



tmpAnalyticalResultsOverTime

S9	9/5/2008	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1	
S9	9/4/2009	Zirconium-TOTAL	<		0.0024	0.015	MG/L	1	
S9	9/8/2010	Zirconium-TOTAL	<	0.0024	0.0024	0.015	MG/L	1	
S2	12/13/2002	2-Butanone (MEK)	=	5.3	2.4	5	ug/L	1	
S6	4/4/2002	Acetone	=	3		10	ug/L	1	J
S11	5/24/2004	Aluminum-DISSOLVED	=	0.11	0.02	0.1	mg/L	1	J
S7	4/10/2002	Aluminum-DISSOLVED	=	0.14		0.1	mg/L	1	
S7	6/21/2002	Aluminum-DISSOLVED	=	0.44	0.028	0.1	mg/L	1	
S7	9/23/2002	Aluminum-DISSOLVED	=	1.1	0.02	0.1	mg/L	1	
S10	5/24/2004	Aluminum-TOTAL	=	0.13	0.02	0.1	mg/L	1	J NA
S10	5/24/2004	Aluminum-TOTAL	=	0.13	0.02	0.1	mg/L	1	J
S11	5/24/2004	Aluminum-TOTAL	=	0.74	0.02	0.1	mg/L	1	J
S11	9/10/2004	Aluminum-TOTAL	=	0.24	0.055	0.1	mg/L	1	
S11	12/1/2004	Aluminum-TOTAL	=	0.16	0.055	0.1	mg/L	1	
S2	6/5/2003	Aluminum-TOTAL	=	0.2	0.02	0.1	mg/L	1	J
S2	9/10/2004	Aluminum-TOTAL	=	0.16	0.055	0.1	mg/L	1	
S3	9/5/2003	Aluminum-TOTAL	=	0.22	0.02	0.1	mg/L	1	
S3	9/9/2004	Aluminum-TOTAL	=	0.12	0.02	0.1	mg/L	1	
S3	9/9/2004	Aluminum-TOTAL	=	0.12	0.02	0.1	mg/L	1	
S5	4/4/2002	Aluminum-TOTAL	=	0.032		0.1	mg/L	1	J
S5	6/24/2002	Aluminum-TOTAL	=	0.31	0.028	0.1	mg/L	1	J
S5	9/20/2002	Aluminum-TOTAL	=	0.1	0.02	0.1	mg/L	1	
S6	4/4/2002	Aluminum-TOTAL	=	0.036		0.1	mg/L	1	J
S6	6/24/2002	Aluminum-TOTAL	=	0.9	0.028	0.1	mg/L	1	J
S6	6/24/2002	Aluminum-TOTAL	=	1.3	0.028	0.1	mg/L	1	J
S6	9/9/2003	Aluminum-TOTAL	=	0.34	0.02	0.1	mg/L	1	
S6	9/8/2004	Aluminum-TOTAL	=	0.65	0.055	0.1	mg/L	1	
S6	9/7/2006	Aluminum-TOTAL	=	0.23	0.018	0.1	MG/L	1	
S7	4/10/2002	Aluminum-TOTAL	=	1.8		0.1	mg/L	1	J
S7	6/21/2002	Aluminum-TOTAL	=	2.4	0.028	0.1	mg/L	1	J
S7	9/23/2002	Aluminum-TOTAL	=	0.9	0.02	0.1	mg/L	1	
S7	12/17/2002	Aluminum-TOTAL	=	0.77	0.02	0.1	mg/L	1	
S7	9/11/2003	Aluminum-TOTAL	=	3.8	0.02	0.1	mg/L	1	
S7	9/7/2004	Aluminum-TOTAL	=	2	0.055	0.1	mg/L	1	
S7	9/2/2005	Aluminum-TOTAL	=	3.1	0.017	0.1	MG/L	1	
S7	9/7/2006	Aluminum-TOTAL	=	6	0.018	0.1	MG/L	1	
S7	9/10/2007	Aluminum-TOTAL	=	0.64	0.09	0.5	MG/L	5	
S7	9/4/2008	Aluminum-TOTAL	=	1.4	0.018	0.1	MG/L	1	
S7	9/8/2009	Aluminum-TOTAL	=	0.18	0.018	0.1	MG/L	1	J
S7	9/8/2009	Aluminum-TOTAL	=	0.61	0.018	0.1	MG/L	1	J
S7	9/7/2010	Aluminum-TOTAL	=	0.68	0.018	0.1	MG/L	1	
S9	9/3/2004	Aluminum-TOTAL	=	0.16	0.055	0.1	mg/L	1	
S9	9/2/2005	Aluminum-TOTAL	=	0.15	0.017	0.1	MG/L	1	
S10	5/24/2004	Ammonia as N	=	3.9	0.029	0.1	mg/L	1	J NA
S10	5/24/2004	Ammonia as N	=	3.7	0.029	0.1	mg/L	1	
S10	9/10/2004	Ammonia as N	=	4.6	0.029	0.1	mg/L	1	
S10	12/1/2004	Ammonia as N	=	5.3	0.019	0.1	mg/L	1	J
S10	12/1/2004	Ammonia as N	=	7.1	0.019	0.1	mg/L	1	J
S10	3/3/2005	Ammonia as N	=	5	0.019	0.1	mg/L	1	
S10	6/3/2005	Ammonia as N	=	4.9	0.019	0.1	mg/L	1	
S10	9/7/2005	Ammonia as N	=	5	0.019	0.1	MG/L	1	
S10	12/6/2005	Ammonia as N	=	7.6	0.019	0.1	MG/L	1	
S10	3/2/2006	Ammonia as N	=	5	0.022	0.1	MG/L	1	
S10	6/1/2006	Ammonia as N	=	4.9	0.022	0.1	MG/L	1	J
S10	9/6/2006	Ammonia as N	=	4.8	0.022	0.1	MG/L	1	
S10	12/6/2006	Ammonia as N	=	4.2	0.022	0.1	MG/L	1	
S10	3/1/2007	Ammonia as N	=	4.5	0.022	0.1	MG/L	1	J

tmpAnalyticalResultsOverTime

S10	3/1/2007	Ammonia as N	=	4.4	0.022	0.1	MG/L	1 J
S10	6/4/2007	Ammonia as N	=	5.4	0.022	0.1	MG/L	1
S10	9/4/2007	Ammonia as N	=	4.9	0.022	0.1	MG/L	1
S10	12/4/2007	Ammonia as N	=	5.8	0.022	0.1	MG/L	1
S10	3/5/2008	Ammonia as N	=	5.1	0.022	0.1	MG/L	1
S10	6/3/2008	Ammonia as N	=	7.2	0.022	0.1	MG/L	1 J
S10	9/2/2008	Ammonia as N	=	4.9	0.022	0.1	mg/L	1
S10	12/2/2008	Ammonia as N	=	5.3	0.022	0.1	MG/L	1 J
S10	3/5/2009	Ammonia as N	=	5.6	0.022	0.1	MG/L	1
S10	6/1/2009	Ammonia as N	=	5.3	0.022	0.1	MG/L	1 J
S10	9/1/2009	Ammonia as N	=	5.6	0.022	0.1	MG/L	1
S10	12/2/2009	Ammonia as N	=	6.1	0.022	0.1	MG/L	1
S10	3/8/2010	Ammonia as N	=	3	0.022	0.1	MG/L	1
S10	6/3/2010	AMMONIA as N	=	4	0.022	0.1	MG/L	1 J
S10	12/2/2010	AMMONIA as N	=	4.4	0.022	0.1	MG/L	1 J
S11	5/24/2004	Ammonia as N	=	10	0.058	0.2	mg/L	2
S11	9/10/2004	Ammonia as N	=	11	0.14	0.5	mg/L	5
S11	12/1/2004	Ammonia as N	=	11	0.095	0.5	mg/L	5 J
S11	3/3/2005	Ammonia as N	=	9.4	0.095	0.5	mg/L	5
S11	6/6/2005	Ammonia as N	=	10	0.095	0.5	mg/L	5
S11	9/7/2005	Ammonia as N	=	11	0.095	0.5	MG/L	5
S11	12/6/2005	Ammonia as N	=	10	0.095	0.5	MG/L	5
S11	3/3/2006	Ammonia as N	=	9.3	0.11	0.5	MG/L	5
S11	3/3/2006	Ammonia as N	=	9.3	0.11	0.5	MG/L	5
S11	6/2/2006	Ammonia as N	=	10	0.11	0.5	MG/L	5 J
S11	9/6/2006	Ammonia as N	=	10	0.11	0.5	MG/L	5
S11	12/6/2006	Ammonia as N	=	9.1	0.11	0.5	MG/L	5
S11	3/1/2007	Ammonia as N	=	9.2	0.11	0.5	MG/L	5 J
S11	6/4/2007	Ammonia as N	=	9.5	0.11	0.5	MG/L	5
S11	9/4/2007	Ammonia as N	=	9.9	0.11	0.5	MG/L	5
S11	12/4/2007	Ammonia as N	=	11	0.11	0.5	MG/L	5
S11	3/5/2008	Ammonia as N	=	9.7	0.11	0.5	MG/L	5
S11	6/4/2008	Ammonia as N	=	11	0.11	0.5	MG/L	5 J
S11	9/3/2008	Ammonia as N	=	10	0.11	0.5	MG/L	5
S11	9/3/2008	Ammonia as N	=	12	0.11	0.5	MG/L	5
S11	12/2/2008	Ammonia as N	=	10	0.11	0.5	MG/L	5 J
S11	3/5/2009	Ammonia as N	=	9.9	0.022	0.1	MG/L	1
S11	6/1/2009	Ammonia as N	=	9.6	0.11	0.5	MG/L	5 J
S11	9/2/2009	Ammonia as N	=	11	0.045	0.2	MG/L	2
S11	12/2/2009	Ammonia as N	=	10	0.045	0.2	MG/L	2
S11	3/5/2010	Ammonia as N	=	11	0.045	0.2	MG/L	2
S11	6/3/2010	AMMONIA as N	=	8.8	0.022	0.1	MG/L	1 J
S11	12/2/2010	AMMONIA as N	=	8.6	0.022	0.1	MG/L	1 J
S2	4/3/2002	Ammonia as N	=	2.8		0.1	mg/L	1
S2	6/26/2002	Ammonia as N	=	2.4	0.015	0.1	mg/L	1 J
S2	9/18/2002	Ammonia as N	=	2.7	0.015	0.1	mg/L	1
S2	12/13/2002	Ammonia as N	=	1.9	0.015	0.1	mg/L	1
S2	3/4/2003	Ammonia as N	=	1.7	0.038	0.1	mg/L	1
S2	3/4/2003	Ammonia as N	=	1.6	0.038	0.1	mg/L	1
S2	6/5/2003	Ammonia as N	=	2.2	0.038	0.1	mg/L	1
S2	9/5/2003	Ammonia as N	=	1.7	0.038	0.1	mg/L	1
S2	9/5/2003	Ammonia as N	=	1.7	0.038	0.1	mg/L	1
S2	12/3/2003	Ammonia as N	=	3.4	0.029	0.1	mg/L	1
S2	3/2/2004	Ammonia as N	=	1.4	0.029	0.1	mg/L	1
S2	6/2/2004	Ammonia as N	=	1.3	0.029	0.1	mg/L	1
S2	9/10/2004	Ammonia as N	=	2	0.029	0.1	mg/L	1
S2	12/6/2004	Ammonia as N	=	1.5	0.019	0.1	mg/L	1 J

tmpAnalyticalResultsOverTime

S2	3/4/2005 Ammonia as N	=	1.1	0.019	0.1	mg/L	1
S2	6/7/2005 Ammonia as N	=	1.2	0.019	0.1	mg/L	1
S2	6/7/2005 Ammonia as N	=	1.2	0.019	0.1	mg/L	1
S2	9/7/2005 Ammonia as N	=	2	0.019	0.1	MG/L	1
S2	12/5/2005 Ammonia as N	=	3.4	0.019	0.1	MG/L	1
S2	3/2/2006 Ammonia as N	=	2.3	0.022	0.1	MG/L	1
S2	6/2/2006 Ammonia as N	=	2.6	0.022	0.1	MG/L	1 J
S2	9/5/2006 Ammonia as N	=	4.8	0.022	0.1	MG/L	1
S2	12/6/2006 Ammonia as N	=	3.9	0.022	0.1	MG/L	1
S2	3/5/2007 Ammonia as N	=	4.1	0.022	0.1	MG/L	1 J
S2	6/4/2007 Ammonia as N	=	6	0.022	0.1	MG/L	1
S2	9/4/2007 Ammonia as N	=	6.5	0.022	0.1	MG/L	1
S2	12/4/2007 Ammonia as N	=	6.5	0.022	0.1	MG/L	1
S2	3/4/2008 Ammonia as N	=	5.6	0.022	0.1	MG/L	1
S2	6/3/2008 Ammonia as N	=	5.3	0.022	0.1	MG/L	1 J
S2	9/2/2008 Ammonia as N	=	5.7	0.022	0.1	mg/L	1
S2	12/2/2008 Ammonia as N	=	7.1	0.022	0.1	MG/L	1 J
S2	12/2/2008 Ammonia as N	=	7.2	0.022	0.1	MG/L	1 J
S2	3/5/2009 Ammonia as N	=	5.9	0.022	0.1	MG/L	1
S2	6/1/2009 Ammonia as N	=	5.4	0.022	0.1	MG/L	1 J
S2	9/2/2009 Ammonia as N	=	6.6	0.022	0.1	MG/L	1
S2	12/2/2009 Ammonia as N	=	7.3	0.022	0.1	MG/L	1
S2	3/5/2010 Ammonia as N	=	7.6	0.022	0.1	MG/L	1
S2	6/3/2010 AMMONIA as N	=	5.3	0.022	0.1	MG/L	1 J
S2	12/2/2010 AMMONIA as N	=	5.7	0.022	0.1	MG/L	1 J
S3	4/3/2002 Ammonia as N	=	172		10	mg/L	100
S3	6/25/2002 Ammonia as N	=	50.8	0.75	5	mg/L	50 J
S3	9/19/2002 Ammonia as N	=	21	0.075	0.5	mg/L	5
S3	9/19/2002 Ammonia as N	=	21	0.075	0.5	mg/L	5
S3	12/13/2002 Ammonia as N	=	17	0.075	0.5	mg/L	5
S3	3/5/2003 Ammonia as N	=	17	0.19	0.5	mg/L	5
S3	6/5/2003 Ammonia as N	=	23	0.38	1	mg/L	10
S3	9/5/2003 Ammonia as N	=	12	0.19	0.5	mg/L	5
S3	12/2/2003 Ammonia as N	=	12	0.14	0.5	mg/L	5
S3	9/9/2004 Ammonia as N	=	11	0.14	0.5	mg/L	5
S3	9/9/2004 Ammonia as N	=	10	0.14	0.5	mg/L	5
S3	9/7/2005 Ammonia as N	=	9.8	0.095	0.5	MG/L	5
S3	9/5/2006 Ammonia as N	=	8.7	0.11	0.5	MG/L	5
S3	9/4/2007 Ammonia as N	=	8.7	0.11	0.5	MG/L	5
S3	9/2/2008 Ammonia as N	=	8.8	0.045	0.2	mg/L	2
S3	9/2/2009 Ammonia as N	=	8.4	0.022	0.1	MG/L	1
S4	4/3/2002 Ammonia as N	=	6.4		0.1	mg/L	1
S4	6/25/2002 Ammonia as N	=	7.2	0.03	0.2	mg/L	2 J
S4	9/19/2002 Ammonia as N	=	7.6	0.015	0.1	mg/L	1
S4	12/13/2002 Ammonia as N	=	6.6	0.015	0.1	mg/L	1
S4	3/6/2003 Ammonia as N	=	4.9	0.038	0.1	mg/L	1
S4	6/9/2003 Ammonia as N	=	7.1	0.038	0.1	mg/L	1
S4	6/9/2003 Ammonia as N	=	6.8	0.038	0.1	mg/L	1
S4	9/8/2003 Ammonia as N	=	5.4	0.038	0.1	mg/L	1
S4	12/4/2003 Ammonia as N	=	7.1	0.029	0.1	mg/L	1
S4	3/2/2004 Ammonia as N	=	7.2	0.029	0.1	mg/L	1
S4	6/2/2004 Ammonia as N	=	7.6	0.029	0.1	mg/L	1
S4	9/9/2004 Ammonia as N	=	6.7	0.029	0.1	mg/L	1
S4	12/6/2004 Ammonia as N	=	7.8	0.019	0.1	mg/L	1 J
S4	12/6/2004 Ammonia as N	=	7.8	0.019	0.1	mg/L	1 J
S4	3/4/2005 Ammonia as N	=	7.1	0.019	0.1	mg/L	1
S4	6/7/2005 Ammonia as N	=	8.3	0.038	0.2	mg/L	2

tmpAnalyticalResultsOverTime

S4	9/8/2005	Ammonia as N	=	9.2	0.095	0.5	MG/L	5
S4	12/7/2005	Ammonia as N	=	8	0.095	0.5	MG/L	5
S4	3/2/2006	Ammonia as N	=	8.2	0.11	0.5	MG/L	5
S4	6/1/2006	Ammonia as N	=	8.8	0.11	0.5	MG/L	5 J
S4	9/6/2006	Ammonia as N	=	8	0.11	0.5	MG/L	5
S4	12/1/2006	Ammonia as N	=	8.3	0.11	0.5	MG/L	5
S4	12/1/2006	Ammonia as N	=	8.4	0.11	0.5	MG/L	5
S4	3/2/2007	Ammonia as N	=	6.7	0.022	0.1	MG/L	1 J
S4	6/4/2007	Ammonia as N	=	7.6	0.022	0.1	MG/L	1
S4	9/10/2007	Ammonia as N	=	7.5	0.022	0.1	MG/L	1
S4	12/4/2007	Ammonia as N	=	9.1	0.11	0.5	MG/L	5
S4	3/4/2008	Ammonia as N	=	7.6	0.022	0.1	MG/L	1
S4	6/3/2008	Ammonia as N	=	5.1	0.022	0.1	MG/L	1 J
S4	9/3/2008	Ammonia as N	=	8.1	0.11	0.5	MG/L	5
S4	12/2/2008	Ammonia as N	=	8.5	0.045	0.2	MG/L	2 J
S4	3/4/2009	Ammonia as N	=	8.1	0.022	0.1	MG/L	1
S4	6/2/2009	Ammonia as N	=	8.2	0.022	0.1	MG/L	1 J
S4	6/2/2009	Ammonia as N	=	7.7	0.022	0.1	MG/L	1 J
S4	9/2/2009	Ammonia as N	=	7.7	0.022	0.1	MG/L	1
S4	12/3/2009	Ammonia as N	=	9.2	0.022	0.1	MG/L	1
S4	3/4/2010	Ammonia as N	=	8.2	0.022	0.1	MG/L	1
S4	6/3/2010	AMMONIA as N	=	6.2	0.022	0.1	MG/L	1 J
S4	12/3/2010	AMMONIA as N	=	6.1	0.022	0.1	MG/L	1 J
S5	4/4/2002	Ammonia as N	=	2.3		0.1	mg/L	1
S5	6/24/2002	Ammonia as N	=	6	0.015	0.1	mg/L	1 J
S5	9/20/2002	Ammonia as N	=	5.9	0.015	0.1	mg/L	1
S5	12/16/2002	Ammonia as N	=	4.7	0.015	0.1	mg/L	1
S5	3/6/2003	Ammonia as N	=	4.9	0.038	0.1	mg/L	1
S5	6/6/2003	Ammonia as N	=	6	0.038	0.1	mg/L	1
S5	9/10/2003	Ammonia as N	=	4.3	0.038	0.1	mg/L	1
S5	12/4/2003	Ammonia as N	=	5.2	0.029	0.1	mg/L	1
S5	3/2/2004	Ammonia as N	=	5.3	0.029	0.1	mg/L	1
S5	6/2/2004	Ammonia as N	=	5.1	0.029	0.1	mg/L	1
S5	9/8/2004	Ammonia as N	=	5	0.029	0.1	mg/L	1
S5	12/3/2004	Ammonia as N	=	5.7	0.019	0.1	mg/L	1 J
S5	3/4/2005	Ammonia as N	=	5.4	0.019	0.1	mg/L	1
S5	3/4/2005	Ammonia as N	=	5.2	0.019	0.1	mg/L	1
S5	6/3/2005	Ammonia as N	=	5.7	0.019	0.1	mg/L	1
S5	9/8/2005	Ammonia as N	=	5.5	0.019	0.1	MG/L	1
S5	12/7/2005	Ammonia as N	=	5.8	0.019	0.1	MG/L	1
S5	3/3/2006	Ammonia as N	=	5.5	0.022	0.1	MG/L	1
S5	6/5/2006	Ammonia as N	=	4.5	0.022	0.1	MG/L	1 J
S5	9/6/2006	Ammonia as N	=	5.4	0.022	0.1	MG/L	1
S5	12/1/2006	Ammonia as N	=	5.7	0.022	0.1	MG/L	1
S5	3/2/2007	Ammonia as N	=	4.7	0.022	0.1	MG/L	1 J
S5	6/5/2007	Ammonia as N	=	5.2	0.022	0.1	MG/L	1
S5	6/5/2007	Ammonia as N	=	5.2	0.022	0.1	MG/L	1
S5	9/7/2007	Ammonia as N	=	5.8	0.022	0.1	MG/L	1
S5	12/6/2007	Ammonia as N	=	6	0.022	0.1	MG/L	1
S5	3/4/2008	Ammonia as N	=	5.6	0.022	0.1	MG/L	1
S5	6/6/2008	Ammonia as N	=	5.1	0.022	0.1	MG/L	1 J
S5	9/3/2008	Ammonia as N	=	6.3	0.022	0.1	MG/L	1
S5	12/3/2008	Ammonia as N	=	5.9	0.022	0.1	MG/L	1 J
S5	3/3/2009	Ammonia as N	=	6	0.022	0.1	MG/L	1
S5	6/1/2009	Ammonia as N	=	6.1	0.022	0.1	MG/L	1 J
S5	9/2/2009	Ammonia as N	=	6.3	0.022	0.1	MG/L	1
S5	12/3/2009	Ammonia as N	=	6.8	0.022	0.1	MG/L	1

tmpAnalyticalResultsOverTime

S5	12/3/2009	Ammonia as N	=	6.7	0.022	0.1	MG/L	1
S5	3/4/2010	Ammonia as N	=	5.6	0.022	0.1	MG/L	1
S5	6/7/2010	AMMONIA as N	=	3.8	0.022	0.1	MG/L	1 J
S5	12/6/2010	AMMONIA as N	=	4.8	0.022	0.1	MG/L	1 J
S6	4/4/2002	Ammonia as N	=	1.6		0.1	mg/L	1 J
S6	6/24/2002	Ammonia as N	=	5.1	0.015	0.1	mg/L	1 J
S6	6/24/2002	Ammonia as N	=	4.3	0.015	0.1	mg/L	1 J
S6	9/23/2002	Ammonia as N	=	6.9	0.015	0.1	mg/L	1
S6	12/18/2002	Ammonia as N	=	5.8	0.015	0.1	mg/L	1
S6	3/10/2003	Ammonia as N	=	5.8	0.038	0.1	mg/L	1
S6	6/6/2003	Ammonia as N	=	7.6	0.038	0.1	mg/L	1
S6	9/9/2003	Ammonia as N	=	7	0.038	0.1	mg/L	1
S6	12/4/2003	Ammonia as N	=	7.2	0.029	0.1	mg/L	1
S6	12/4/2003	Ammonia as N	=	7	0.029	0.1	mg/L	1
S6	3/2/2004	Ammonia as N	=	5	0.029	0.1	mg/L	1
S6	6/4/2004	Ammonia as N	=	5.7	0.029	0.1	mg/L	1
S6	9/8/2004	Ammonia as N	=	6.1	0.029	0.1	mg/L	1
S6	12/3/2004	Ammonia as N	=	6.7	0.019	0.1	mg/L	1 J
S6	3/4/2005	Ammonia as N	=	5.1	0.019	0.1	mg/L	1
S6	6/3/2005	Ammonia as N	=	5.2	0.019	0.1	mg/L	1
S6	9/9/2005	Ammonia as N	=	6	0.019	0.1	MG/L	1
S6	12/7/2005	Ammonia as N	=	6.5	0.019	0.1	MG/L	1
S6	12/7/2005	Ammonia as N	=	6.6	0.019	0.1	MG/L	1
S6	3/3/2006	Ammonia as N	=	5.3	0.022	0.1	MG/L	1
S6	6/5/2006	Ammonia as N	=	4.1	0.022	0.1	MG/L	1 J
S6	9/7/2006	Ammonia as N	=	5.9	0.022	0.1	MG/L	1
S6	12/1/2006	Ammonia as N	=	6.9	0.022	0.1	MG/L	1
S6	3/2/2007	Ammonia as N	=	5.7	0.022	0.1	MG/L	1 J
S6	6/5/2007	Ammonia as N	=	5.8	0.022	0.1	MG/L	1
S6	9/7/2007	Ammonia as N	=	6.4	0.022	0.1	MG/L	1
S6	12/6/2007	Ammonia as N	=	6.7	0.022	0.1	MG/L	1
S6	3/5/2008	Ammonia as N	=	6.3	0.022	0.1	MG/L	1
S6	3/5/2008	Ammonia as N	=	6.2	0.022	0.1	MG/L	1
S6	6/6/2008	Ammonia as N	=	5.2	0.022	0.1	MG/L	1 J
S6	9/4/2008	Ammonia as N	=	6.2	0.022	0.1	MG/L	1
S6	12/3/2008	Ammonia as N	=	7	0.022	0.1	MG/L	1 J
S6	3/4/2009	Ammonia as N	=	7	0.022	0.1	MG/L	1
S6	9/3/2009	Ammonia as N	=	5.7	0.022	0.1	MG/L	1
S6	12/3/2009	Ammonia as N	=	7.6	0.022	0.1	MG/L	1
S6	3/4/2010	Ammonia as N	=	6.9	0.022	0.1	MG/L	1
S6	6/7/2010	AMMONIA as N	=	4.6	0.022	0.1	MG/L	1 J
S6	12/3/2010	AMMONIA as N	=	6	0.022	0.1	MG/L	1 J
S6	12/3/2010	AMMONIA as N	=	5.6	0.022	0.1	MG/L	1 J
S7	4/10/2002	Ammonia as N	=	3.1		0.1	mg/L	1
S7	6/21/2002	Ammonia as N	=	3.3	0.015	0.1	mg/L	1 J
S7	9/23/2002	Ammonia as N	=	2.9	0.015	0.1	mg/L	1
S7	12/17/2002	Ammonia as N	=	0.33	0.015	0.1	mg/L	1
S7	3/7/2003	Ammonia as N	=	2.5	0.038	0.1	mg/L	1
S7	6/10/2003	Ammonia as N	=	2.8	0.038	0.1	mg/L	1
S7	9/11/2003	Ammonia as N	=	3.3	0.038	0.1	mg/L	1
S7	12/4/2003	Ammonia as N	=	3.3	0.029	0.1	mg/L	1
S7	3/2/2004	Ammonia as N	=	3.3	0.029	0.1	mg/L	1
S7	6/4/2004	Ammonia as N	=	3.2	0.029	0.1	mg/L	1
S7	9/7/2004	Ammonia as N	=	3.3	0.029	0.1	mg/L	1
S7	12/3/2004	Ammonia as N	=	3.6	0.019	0.1	mg/L	1 J
S7	3/8/2005	Ammonia as N	=	3.3	0.019	0.1	mg/L	1
S7	6/3/2005	Ammonia as N	=	3.4	0.019	0.1	mg/L	1

tmpAnalyticalResultsOverTime

S7	9/2/2005	Ammonia as N	=	3.8	0.019	0.1	MG/L	1
S7	12/5/2005	Ammonia as N	=	3.7	0.019	0.1	MG/L	1
S7	12/5/2005	Ammonia as N	=	3.6	0.019	0.1	MG/L	1
S7	3/1/2006	Ammonia as N	=	3.5	0.022	0.1	MG/L	1
S7	6/5/2006	Ammonia as N	=	2.5	0.022	0.1	MG/L	1 J
S7	9/7/2006	Ammonia as N	=	3.3	0.022	0.1	MG/L	1
S7	12/5/2006	Ammonia as N	=	3.1	0.022	0.1	MG/L	1 J
S7	3/2/2007	Ammonia as N	=	2.9	0.022	0.1	MG/L	1 J
S7	6/5/2007	Ammonia as N	=	3.4	0.022	0.1	MG/L	1
S7	9/10/2007	Ammonia as N	=	3.4	0.022	0.1	MG/L	1
S7	12/5/2007	Ammonia as N	=	3.8	0.022	0.1	MG/L	1
S7	3/3/2008	Ammonia as N	=	3.6	0.022	0.1	MG/L	1
S7	6/4/2008	Ammonia as N	=	3.1	0.022	0.1	MG/L	1 J
S7	6/4/2008	Ammonia as N	=	3.1	0.022	0.1	MG/L	1 J
S7	9/4/2008	Ammonia as N	=	3.8	0.022	0.1	MG/L	1
S7	12/3/2008	Ammonia as N	=	3.9	0.022	0.1	MG/L	1 J
S7	3/5/2009	Ammonia as N	=	3.5	0.022	0.1	MG/L	1
S7	6/3/2009	Ammonia as N	=	3.8	0.022	0.1	MG/L	1 J
S7	9/8/2009	Ammonia as N	=	3.8	0.022	0.1	MG/L	1
S7	9/8/2009	Ammonia as N	=	4	0.022	0.1	MG/L	1
S7	12/4/2009	Ammonia as N	=	4.4	0.022	0.1	MG/L	1
S7	3/3/2010	Ammonia as N	=	3.1	0.022	0.1	MG/L	1
S7	3/3/2010	Ammonia as N	=	3.3	0.022	0.1	MG/L	1
S7	6/4/2010	AMMONIA as N	=	2.6	0.022	0.1	MG/L	1 J
S7	12/6/2010	AMMONIA as N	=	3	0.022	0.1	MG/L	1 J
S8	4/10/2002	Ammonia as N	=	2.4		0.1	mg/L	1
S8	6/21/2002	Ammonia as N	=	2.4	0.015	0.1	mg/L	1 J
S8	9/20/2002	Ammonia as N	=	3.2	0.015	0.1	mg/L	1
S8	12/16/2002	Ammonia as N	=	2.6	0.015	0.1	mg/L	1
S8	3/7/2003	Ammonia as N	=	2.4	0.038	0.1	mg/L	1
S8	3/7/2003	Ammonia as N	=	2.5	0.038	0.1	mg/L	1
S8	6/10/2003	Ammonia as N	=	2.6	0.038	0.1	mg/L	1
S8	9/11/2003	Ammonia as N	=	2	0.038	0.1	mg/L	1
S8	12/5/2003	Ammonia as N	=	2.1	0.029	0.1	mg/L	1
S8	3/5/2004	Ammonia as N	=	2.2	0.029	0.1	mg/L	1
S8	6/4/2004	Ammonia as N	=	2.8	0.029	0.1	mg/L	1
S8	9/3/2004	Ammonia as N	=	2.4	0.029	0.1	mg/L	1
S8	12/3/2004	Ammonia as N	=	2.4	0.019	0.1	mg/L	1 J
S8	3/8/2005	Ammonia as N	=	2.3	0.019	0.1	mg/L	1
S8	6/6/2005	Ammonia as N	=	0.71	0.019	0.1	mg/L	1
S8	6/6/2005	Ammonia as N	=	0.73	0.019	0.1	mg/L	1
S8	9/2/2005	Ammonia as N	=	2.7	0.019	0.1	MG/L	1
S8	12/2/2005	Ammonia as N	=	2.4	0.019	0.1	MG/L	1
S8	3/1/2006	Ammonia as N	=	1.7	0.022	0.1	MG/L	1
S8	6/2/2006	Ammonia as N	=	1.4	0.022	0.1	MG/L	1 J
S8	6/2/2006	Ammonia as N	=	1.6	0.022	0.1	MG/L	1 J
S8	9/7/2006	Ammonia as N	=	2.5	0.022	0.1	MG/L	1
S8	12/5/2006	Ammonia as N	=	2	0.022	0.1	MG/L	1
S8	3/5/2007	Ammonia as N	=	2.8	0.022	0.1	MG/L	1 J
S8	6/5/2007	Ammonia as N	=	2.5	0.022	0.1	MG/L	1
S8	9/10/2007	Ammonia as N	=	2.9	0.022	0.1	MG/L	1
S8	12/5/2007	Ammonia as N	=	3.4	0.022	0.1	MG/L	1
S8	3/3/2008	Ammonia as N	=	3.2	0.022	0.1	MG/L	1 J
S8	6/4/2008	Ammonia as N	=	2.2	0.022	0.1	MG/L	1 J
S8	9/4/2008	Ammonia as N	=	2.7	0.022	0.1	MG/L	1
S8	12/4/2008	Ammonia as N	=	2.1	0.022	0.1	MG/L	1
S8	3/4/2009	Ammonia as N	=	3.2	0.022	0.1	MG/L	1

tmpAnalyticalResultsOverTime

S8	3/4/2009 Ammonia as N	=	3.3	0.022	0.1	MG/L	1
S8	6/3/2009 Ammonia as N	=	0.24	0.022	0.1	MG/L	1 J
S8	9/3/2009 Ammonia as N	=	0.16	0.022	0.1	MG/L	1
S8	12/4/2009 Ammonia as N	=	2.2	0.022	0.1	MG/L	1
S8	3/3/2010 Ammonia as N	=	2.3	0.022	0.1	MG/L	1
S8	6/4/2010 AMMONIA as N	=	1.6	0.022	0.1	MG/L	1 J
S8	12/6/2010 AMMONIA as N	=	2.3	0.022	0.1	MG/L	1 J
S9	4/10/2002 Ammonia as N	=	3		0.1	mg/L	1
S9	6/20/2002 Ammonia as N	=	3.3	0.015	0.1	mg/L	1 J
S9	9/11/2002 Ammonia as N	=	3.4	0.015	0.1	mg/L	1
S9	12/12/2002 Ammonia as N	=	3.1	0.015	0.1	mg/L	1
S9	3/6/2003 Ammonia as N	=	2.8	0.038	0.1	mg/L	1
S9	6/9/2003 Ammonia as N	=	3.3	0.038	0.1	mg/L	1
S9	9/11/2003 Ammonia as N	=	2.8	0.038	0.1	mg/L	1
S9	12/4/2003 Ammonia as N	=	3.3	0.029	0.1	mg/L	1
S9	3/2/2004 Ammonia as N	=	3.4	0.029	0.1	mg/L	1
S9	6/3/2004 Ammonia as N	=	3.3	0.029	0.1	mg/L	1
S9	9/3/2004 Ammonia as N	=	3.2	0.029	0.1	mg/L	1
S9	12/2/2004 Ammonia as N	=	3.9	0.019	0.1	mg/L	1 J
S9	3/8/2005 Ammonia as N	=	3.4	0.019	0.1	mg/L	1
S9	6/3/2005 Ammonia as N	=	3.4	0.019	0.1	mg/L	1
S9	9/2/2005 Ammonia as N	=	3.6	0.019	0.1	MG/L	1
S9	12/5/2005 Ammonia as N	=	3.6	0.019	0.1	MG/L	1
S9	3/3/2006 Ammonia as N	=	3.5	0.022	0.1	MG/L	1
S9	6/1/2006 Ammonia as N	=	3.4	0.022	0.1	MG/L	1 J
S9	9/7/2006 Ammonia as N	=	3.4	0.022	0.1	MG/L	1
S9	12/6/2006 Ammonia as N	=	2.9	0.022	0.1	MG/L	1 J
S9	3/2/2007 Ammonia as N	=	3	0.022	0.1	MG/L	1 J
S9	6/6/2007 Ammonia as N	=	3.5	0.022	0.1	MG/L	1
S9	9/5/2007 Ammonia as N	=	3.5	0.022	0.1	MG/L	1
S9	12/5/2007 Ammonia as N	=	3.7	0.022	0.1	MG/L	1
S9	12/5/2007 Ammonia as N	=	3.6	0.022	0.1	MG/L	1
S9	3/7/2008 Ammonia as N	=	3.8	0.022	0.1	MG/L	1
S9	6/6/2008 Ammonia as N	=	3.2	0.022	0.1	MG/L	1 J
S9	9/5/2008 Ammonia as N	=	3.5	0.022	0.1	MG/L	1
S9	12/4/2008 Ammonia as N	=	3.8	0.022	0.1	MG/L	1
S9	3/6/2009 Ammonia as N	=	3.6	0.022	0.1	MG/L	1
S9	6/3/2009 Ammonia as N	=	4.1	0.022	0.1	MG/L	1 J
S9	9/4/2009 Ammonia as N	=	3.9	0.022	0.1	MG/L	1
S9	12/4/2009 Ammonia as N	=	4.3	0.022	0.1	MG/L	1
S9	3/8/2010 Ammonia as N	=	2	0.022	0.1	MG/L	1
S9	6/7/2010 AMMONIA as N	=	2.3	0.022	0.1	MG/L	1 J
S9	6/7/2010 AMMONIA as N	=	2.5	0.022	0.1	MG/L	1 J
S9	9/8/2010 AMMONIA as N	=	3.1	0.022	0.1	MG/L	1
S9	12/7/2010 AMMONIA as N	=	2.9	0.022	0.1	MG/L	1 J
S10	9/10/2004 Arsenic-DISSOLVED	=	0.016	0.0034	0.015	mg/L	1
S10	12/1/2004 Arsenic-DISSOLVED	=	0.016	0.0034	0.015	mg/L	1
S2	4/3/2002 Arsenic-DISSOLVED	=	0.0053		0.015	mg/L	1 J
S3	4/3/2002 Arsenic-DISSOLVED	=	0.0056		0.015	mg/L	1 J
S3	9/19/2002 Arsenic-DISSOLVED	=	0.031	0.0036	0.015	mg/L	1
S3	9/19/2002 Arsenic-DISSOLVED	=	0.031	0.0036	0.015	mg/L	1
S4	4/3/2002 Arsenic-DISSOLVED	=	0.02		0.015	mg/L	1
S5	4/4/2002 Arsenic-DISSOLVED	=	0.035		0.015	mg/L	1 J
S6	4/4/2002 Arsenic-DISSOLVED	=	0.038		0.015	mg/L	1 J
S6	6/24/2002 Arsenic-DISSOLVED	=	0.015	0.0036	0.015	mg/L	1 J
S7	4/10/2002 Arsenic-DISSOLVED	=	0.016		0.015	mg/L	1
S8	4/10/2002 Arsenic-DISSOLVED	=	0.11		0.015	mg/L	1

tmpAnalyticalResultsOverTime

S8	6/21/2002	Arsenic-DISSOLVED	=	0.081	0.0036	0.015	mg/L	1 J
S8	9/20/2002	Arsenic-DISSOLVED	=	0.051	0.0036	0.015	mg/L	1
S3	9/19/2002	Arsenic-TOTAL	=	0.033	0.0036	0.015	mg/L	1
S3	9/19/2002	Arsenic-TOTAL	=	0.035	0.0036	0.015	mg/L	1
S3	3/5/2003	Arsenic-TOTAL	=	0.025	0.0036	0.015	mg/L	1
S3	6/5/2003	Arsenic-TOTAL	=	0.024	0.0049	0.015	mg/L	1
S3	9/5/2003	Arsenic-TOTAL	=	0.026	0.0049	0.015	mg/L	1
S3	12/2/2003	Arsenic-TOTAL	=	0.028	0.0049	0.015	mg/L	1
S3	9/9/2004	Arsenic-TOTAL	=	0.021	0.0049	0.015	mg/L	1
S3	9/9/2004	Arsenic-TOTAL	=	0.024	0.0049	0.015	mg/L	1
S3	9/7/2005	Arsenic-TOTAL	=	0.016	0.0044	0.015	MG/L	1
S3	9/5/2006	Arsenic-TOTAL	=	0.013	0.00021	0.005	MG/L	1
S3	9/2/2008	Arsenic-TOTAL	=	0.0092	0.00021	0.005	mg/L	1
S4	4/3/2002	Arsenic-TOTAL	=	0.025		0.015	mg/L	1 J
S4	9/10/2007	Arsenic-TOTAL	=	0.0082	0.00021	0.005	MG/L	1
S5	4/4/2002	Arsenic-TOTAL	=	0.036		0.015	mg/L	1 J
S5	6/24/2002	Arsenic-TOTAL	=	0.02	0.0036	0.015	mg/L	1 J
S5	9/7/2007	Arsenic-TOTAL	=	0.0064	0.00021	0.005	MG/L	1
S6	4/4/2002	Arsenic-TOTAL	=	0.038		0.015	mg/L	1 J
S6	6/24/2002	Arsenic-TOTAL	=	0.018	0.0036	0.015	mg/L	1 J
S6	6/24/2002	Arsenic-TOTAL	=	0.021	0.0036	0.015	mg/L	1 J
S6	9/9/2005	Arsenic-TOTAL	=	0.015	0.0044	0.015	MG/L	1
S6	9/7/2007	Arsenic-TOTAL	=	0.013	0.00021	0.005	MG/L	1
S7	4/10/2002	Arsenic-TOTAL	=	0.02		0.015	mg/L	1 J
S8	4/10/2002	Arsenic-TOTAL	=	0.098		0.015	mg/L	1 J
S8	6/21/2002	Arsenic-TOTAL	=	0.074	0.0036	0.015	mg/L	1 J
S8	9/20/2002	Arsenic-TOTAL	=	0.053	0.0036	0.015	mg/L	1
S8	9/11/2003	Arsenic-TOTAL	=	0.035	0.0049	0.015	mg/L	1
S8	9/3/2004	Arsenic-TOTAL	=	0.16	0.0034	0.015	mg/L	1
S8	9/2/2005	Arsenic-TOTAL	=	0.12	0.0044	0.015	MG/L	1
S8	9/7/2006	Arsenic-TOTAL	=	0.12	0.00042	0.01	MG/L	2
S8	9/10/2007	Arsenic-TOTAL	=	0.29	0.00021	0.005	MG/L	1
S8	9/4/2008	Arsenic-TOTAL	=	0.22	0.001	0.025	MG/L	5
S8	9/3/2010	Arsenic-TOTAL	=	0.11	0.001	0.025	MG/L	5
S10	5/24/2004	Barium-DISSOLVED	=	0.26	0.00037	0.01	mg/L	1
S10	5/24/2004	Barium-DISSOLVED	=	0.27	0.00037	0.01	mg/L	1
S10	9/10/2004	Barium-DISSOLVED	=	0.26	0.0021	0.01	mg/L	1
S10	12/1/2004	Barium-DISSOLVED	=	0.31	0.0021	0.01	mg/L	1
S10	12/1/2004	Barium-DISSOLVED	=	0.31	0.0021	0.01	mg/L	1
S10	3/3/2005	Barium-DISSOLVED	=	0.34	0.0021	0.01	mg/L	1
S11	5/24/2004	Barium-DISSOLVED	=	0.26	0.00037	0.01	mg/L	1
S11	9/10/2004	Barium-DISSOLVED	=	0.22	0.01	0.05	mg/L	5
S11	12/1/2004	Barium-DISSOLVED	=	0.19	0.01	0.05	mg/L	5
S11	3/3/2005	Barium-DISSOLVED	=	0.16	0.01	0.05	mg/L	5
S2	4/3/2002	Barium-DISSOLVED	=	0.14		0.01	mg/L	1
S2	6/26/2002	Barium-DISSOLVED	=	0.11	0.0036	0.02	mg/L	2 J
S2	9/18/2002	Barium-DISSOLVED	=	0.15	0.009	0.05	mg/L	5
S2	12/13/2002	Barium-DISSOLVED	=	0.14	0.009	0.05	mg/L	5
S3	4/3/2002	Barium-DISSOLVED	=	0.41		0.01	mg/L	1
S3	6/25/2002	Barium-DISSOLVED	=	0.32	0.0036	0.02	mg/L	2
S3	9/19/2002	Barium-DISSOLVED	=	0.24	0.0018	0.01	mg/L	1
S3	9/19/2002	Barium-DISSOLVED	=	0.25	0.0018	0.01	mg/L	1
S3	12/13/2002	Barium-DISSOLVED	=	0.22	0.009	0.05	mg/L	5 J
S4	4/3/2002	Barium-DISSOLVED	=	0.15		0.01	mg/L	1 J
S4	6/25/2002	Barium-DISSOLVED	=	0.14	0.0018	0.01	mg/L	1
S4	9/19/2002	Barium-DISSOLVED	=	0.16	0.0018	0.01	mg/L	1
S4	12/13/2002	Barium-DISSOLVED	=	0.2	0.009	0.05	mg/L	5

2



tmpAnalyticalResultsOverTime

S5	4/4/2002	Barium-DISSOLVED	=	0.12		0.01	mg/L	1	J
S5	6/24/2002	Barium-DISSOLVED	=	0.12	0.0018	0.01	mg/L	1	
S5	9/20/2002	Barium-DISSOLVED	=	0.13	0.0018	0.01	mg/L	1	
S5	12/16/2002	Barium-DISSOLVED	=	0.13	0.009	0.05	mg/L	5	
S6	4/4/2002	Barium-DISSOLVED	=	0.1		0.01	mg/L	1	J
S6	6/24/2002	Barium-DISSOLVED	=	0.1	0.0018	0.01	mg/L	1	
S6	6/24/2002	Barium-DISSOLVED	=	0.093	0.0018	0.01	mg/L	1	
S6	9/23/2002	Barium-DISSOLVED	=	0.12	0.0018	0.01	mg/L	1	
S6	12/18/2002	Barium-DISSOLVED	=	0.13	0.009	0.05	mg/L	5	
S7	4/10/2002	Barium-DISSOLVED	=	0.16		0.01	mg/L	1	
S7	6/21/2002	Barium-DISSOLVED	=	0.16	0.0018	0.01	mg/L	1	
S7	9/23/2002	Barium-DISSOLVED	=	0.18	0.0018	0.01	mg/L	1	
S7	12/17/2002	Barium-DISSOLVED	=	0.23	0.009	0.05	mg/L	5	
S8	4/10/2002	Barium-DISSOLVED	=	0.4		0.01	mg/L	1	
S8	6/21/2002	Barium-DISSOLVED	=	0.32	0.0018	0.01	mg/L	1	
S8	9/20/2002	Barium-DISSOLVED	=	0.23	0.0018	0.01	mg/L	1	
S8	12/16/2002	Barium-DISSOLVED	=	0.21	0.009	0.05	mg/L	5	
S9	4/10/2002	Barium-DISSOLVED	=	0.2		0.01	mg/L	1	
S9	6/20/2002	Barium-DISSOLVED	=	0.17	0.0018	0.01	mg/L	1	
S9	9/11/2002	Barium-DISSOLVED	=	0.17	0.0018	0.01	mg/L	1	
S9	12/12/2002	Barium-DISSOLVED	=	0.2	0.009	0.05	mg/L	5	
S10	5/24/2004	Barium-TOTAL	=	0.26	0.00037	0.01	mg/L	1	
S10	5/24/2004	Barium-TOTAL	=	0.27	0.00037	0.01	mg/L	1	
S10	9/10/2004	Barium-TOTAL	=	0.23	0.01	0.05	mg/L	5	
S10	12/1/2004	Barium-TOTAL	=	0.3	0.0021	0.01	mg/L	1	
S10	12/1/2004	Barium-TOTAL	=	0.29	0.0021	0.01	mg/L	1	
S10	3/3/2005	Barium-TOTAL	=	0.33	0.0021	0.01	mg/L	1	
S10	9/7/2005	Barium-TOTAL	=	0.37	0.0007	0.01	MG/L	1	
S10	9/6/2006	Barium-TOTAL	=	0.51	0.001	0.01	MG/L	1	
S10	9/4/2007	Barium-TOTAL	=	0.61	0.0052	0.05	MG/L	5	
S10	9/2/2008	Barium-TOTAL	=	0.61	0.00058	0.01	mg/L	1	
S10	9/1/2009	Barium-TOTAL	=	0.29	0.00058	0.01	MG/L	1	
S10	9/1/2010	Barium-TOTAL	=	94			%	1	
S10	9/1/2010	Barium-TOTAL	=	94			%	1	
S10	9/1/2010	Barium-TOTAL	=	0.63	0.00058	0.01	MG/L	1	
S10	9/1/2010	Barium-TOTAL	=	96			%	1	
S10	9/1/2010	Barium-TOTAL	=	96			%	1	
S10	9/1/2010	Barium-TOTAL	=	0.65	0.00058	0.01	MG/L	1	
S11	5/24/2004	Barium-TOTAL	=	0.26	0.00037	0.01	mg/L	1	
S11	9/10/2004	Barium-TOTAL	=	0.23	0.01	0.05	mg/L	5	
S11	12/1/2004	Barium-TOTAL	=	0.19	0.0021	0.01	mg/L	1	
S11	3/3/2005	Barium-TOTAL	=	0.18	0.0042	0.02	mg/L	2	
S11	9/7/2005	Barium-TOTAL	=	0.16	0.0007	0.01	MG/L	1	
S11	9/6/2006	Barium-TOTAL	=	0.14	0.0052	0.05	MG/L	5	
S11	9/4/2007	Barium-TOTAL	=	0.15	0.0052	0.05	MG/L	5	
S11	9/3/2008	Barium-TOTAL	=	0.13	0.0029	0.05	MG/L	5	
S11	9/3/2008	Barium-TOTAL	=	0.13	0.0029	0.05	MG/L	5	
S11	9/2/2009	Barium-TOTAL	=	0.13	0.00058	0.01	MG/L	1	
S11	9/2/2010	Barium-TOTAL	=	100			%	1	
S11	9/2/2010	Barium-TOTAL	=	100			%	1	
S11	9/2/2010	Barium-TOTAL	=	0.13	0.0058	0.1	MG/L	10	
S2	4/3/2002	Barium-TOTAL	=	0.17		0.05	mg/L	5	J
S2	6/26/2002	Barium-TOTAL	=	0.11	0.0036	0.02	mg/L	2	
S2	9/18/2002	Barium-TOTAL	=	0.14	0.009	0.05	mg/L	5	
S2	12/13/2002	Barium-TOTAL	=	0.13	0.009	0.05	mg/L	5	
S2	3/4/2003	Barium-TOTAL	=	0.092	0.009	0.05	mg/L	5	
S2	6/5/2003	Barium-TOTAL	=	0.096	0.0037	0.03	mg/L	10	

tmpAnalyticalResultsOverTime

S2	9/5/2003	Barium-TOTAL	=	0.12	0.0018	0.05	mg/L	5
S2	9/5/2003	Barium-TOTAL	=	0.12	0.0018	0.05	mg/L	5
S2	12/3/2003	Barium-TOTAL	=	0.17	0.0018	0.05	mg/L	5
S2	9/10/2004	Barium-TOTAL	=	0.088	0.01	0.05	mg/L	5
S2	9/7/2005	Barium-TOTAL	=	0.074	0.0035	0.05	MG/L	5
S2	9/5/2006	Barium-TOTAL	=	0.078	0.0052	0.05	MG/L	5
S2	9/4/2007	Barium-TOTAL	=	0.094	0.0052	0.05	MG/L	5
S2	9/2/2008	Barium-TOTAL	=	0.099	0.0029	0.05	mg/L	5
S2	9/2/2009	Barium-TOTAL	=	0.098	0.0029	0.05	MG/L	5
S2	9/1/2010	Barium-TOTAL	=	100			%	1
S2	9/1/2010	Barium-TOTAL	=	100			%	1
S2	9/1/2010	Barium-TOTAL	=	0.1	0.00058	0.01	MG/L	1
S3	4/3/2002	Barium-TOTAL	=	0.48		0.05	mg/L	5 J
S3	6/25/2002	Barium-TOTAL	=	0.35	0.0036	0.02	mg/L	2 J
S3	9/19/2002	Barium-TOTAL	=	0.26	0.0018	0.01	mg/L	1
S3	9/19/2002	Barium-TOTAL	=	0.25	0.0018	0.01	mg/L	1
S3	12/13/2002	Barium-TOTAL	=	0.22	0.009	0.05	mg/L	5
S3	3/5/2003	Barium-TOTAL	=	0.19	0.0018	0.01	mg/L	1
S3	6/5/2003	Barium-TOTAL	=	0.19	0.00037	0.01	mg/L	1
S3	9/5/2003	Barium-TOTAL	=	0.26	0.00037	0.01	mg/L	1
S3	12/2/2003	Barium-TOTAL	=	0.27	0.00037	0.01	mg/L	1
S3	9/9/2004	Barium-TOTAL	=	0.2	0.00037	0.01	mg/L	1
S3	9/9/2004	Barium-TOTAL	=	0.21	0.00037	0.01	mg/L	1
S3	9/7/2005	Barium-TOTAL	=	0.21	0.0007	0.01	MG/L	1
S3	9/5/2006	Barium-TOTAL	=	0.27	0.001	0.01	MG/L	1
S3	9/4/2007	Barium-TOTAL	=	0.38	0.0052	0.05	MG/L	5
S3	9/2/2008	Barium-TOTAL	=	0.32	0.00058	0.01	mg/L	1
S3	9/2/2009	Barium-TOTAL	=	0.28	0.00058	0.01	MG/L	1
S3	9/1/2010	Barium-TOTAL	=	90			%	1
S3	9/1/2010	Barium-TOTAL	=	90			%	1
S3	9/1/2010	Barium-TOTAL	=	0.32	0.00058	0.01	MG/L	1
S4	4/3/2002	Barium-TOTAL	=	0.15		0.01	mg/L	1 J
S4	6/25/2002	Barium-TOTAL	=	0.14	0.0018	0.01	mg/L	1 J
S4	9/19/2002	Barium-TOTAL	=	0.15	0.0018	0.01	mg/L	1
S4	12/13/2002	Barium-TOTAL	=	0.19	0.009	0.05	mg/L	5
S4	9/8/2003	Barium-TOTAL	=	0.26	0.00037	0.01	mg/L	1
S4	9/9/2004	Barium-TOTAL	=	0.32	0.00037	0.01	mg/L	1
S4	9/8/2005	Barium-TOTAL	=	0.12	0.0007	0.01	MG/L	1
S4	9/6/2006	Barium-TOTAL	=	0.081	0.001	0.01	MG/L	1
S4	9/10/2007	Barium-TOTAL	=	0.081	0.0052	0.05	MG/L	5
S4	9/3/2008	Barium-TOTAL	=	0.096	0.00058	0.01	MG/L	1
S4	9/2/2009	Barium-TOTAL	=	0.11	0.00058	0.01	MG/L	1
S4	9/2/2010	Barium-TOTAL	=	73			%	1
S4	9/2/2010	Barium-TOTAL	=	73			%	1
S4	9/2/2010	Barium-TOTAL	=	0.11	0.00058	0.01	MG/L	1
S5	4/4/2002	Barium-TOTAL	=	0.13		0.01	mg/L	1 J
S5	6/24/2002	Barium-TOTAL	=	0.11	0.0018	0.01	mg/L	1 J
S5	9/20/2002	Barium-TOTAL	=	0.13	0.0018	0.01	mg/L	1
S5	12/16/2002	Barium-TOTAL	=	0.21	0.009	0.05	mg/L	5
S5	9/10/2003	Barium-TOTAL	=	0.14	0.00037	0.01	mg/L	1
S5	9/8/2004	Barium-TOTAL	=	0.18	0.0021	0.01	mg/L	1
S5	9/8/2005	Barium-TOTAL	=	0.2	0.0007	0.01	MG/L	1
S5	9/6/2006	Barium-TOTAL	=	0.2	0.001	0.01	MG/L	1
S5	9/7/2007	Barium-TOTAL	=	0.17	0.0052	0.05	MG/L	5
S5	9/3/2008	Barium-TOTAL	=	0.21	0.00058	0.01	MG/L	1
S5	9/2/2009	Barium-TOTAL	=	0.19	0.00058	0.01	MG/L	1
S5	9/3/2010	Barium-TOTAL	=	100			%	1

tmpAnalyticalResultsOverTime

S5	9/3/2010	Barium-TOTAL	=	100			%	1
S5	9/3/2010	Barium-TOTAL	=	0.23	0.00058	0.01	MG/L	1
S6	4/4/2002	Barium-TOTAL	=	0.1		0.01	mg/L	1 J
S6	6/24/2002	Barium-TOTAL	=	0.11	0.0018	0.01	mg/L	1 J
S6	6/24/2002	Barium-TOTAL	=	0.1	0.0018	0.01	mg/L	1 J
S6	9/23/2002	Barium-TOTAL	=	0.12	0.0018	0.01	mg/L	1
S6	12/18/2002	Barium-TOTAL	=	0.12	0.009	0.05	mg/L	5
S6	9/9/2003	Barium-TOTAL	=	0.12	0.00037	0.01	mg/L	1
S6	9/8/2004	Barium-TOTAL	=	0.11	0.0021	0.01	mg/L	1
S6	9/9/2005	Barium-TOTAL	=	0.097	0.0007	0.01	MG/L	1
S6	9/7/2006	Barium-TOTAL	=	0.1	0.001	0.01	MG/L	1
S6	9/7/2007	Barium-TOTAL	=	0.09	0.0052	0.05	MG/L	5
S6	9/4/2008	Barium-TOTAL	=	0.098	0.00058	0.01	MG/L	1
S6	9/3/2009	Barium-TOTAL	=	0.092	0.00058	0.01	MG/L	1
S6	9/3/2010	Barium-TOTAL	=	100			%	1
S6	9/3/2010	Barium-TOTAL	=	100			%	1
S7	4/10/2002	Barium-TOTAL	=	0.15		0.01	mg/L	1 J
S7	6/21/2002	Barium-TOTAL	=	0.16	0.0018	0.01	mg/L	1 J
S7	9/23/2002	Barium-TOTAL	=	0.17	0.0018	0.01	mg/L	1
S7	12/17/2002	Barium-TOTAL	=	0.22	0.009	0.05	mg/L	5
S7	9/11/2003	Barium-TOTAL	=	0.27	0.00037	0.01	mg/L	1
S7	9/7/2004	Barium-TOTAL	=	0.29	0.0021	0.01	mg/L	1
S7	9/2/2005	Barium-TOTAL	=	0.3	0.0007	0.01	MG/L	1
S7	9/7/2006	Barium-TOTAL	=	0.32	0.001	0.01	MG/L	1
S7	9/10/2007	Barium-TOTAL	=	0.23	0.0052	0.05	MG/L	5
S7	9/4/2008	Barium-TOTAL	=	0.26	0.00058	0.01	MG/L	1
S7	9/8/2009	Barium-TOTAL	=	0.23	0.00058	0.01	MG/L	1
S7	9/8/2009	Barium-TOTAL	=	0.25	0.00058	0.01	MG/L	1
S7	9/7/2010	Barium-TOTAL	=	88			%	1
S7	9/7/2010	Barium-TOTAL	=	88			%	1
S8	4/10/2002	Barium-TOTAL	=	0.39		0.01	mg/L	1 J
S8	6/21/2002	Barium-TOTAL	=	0.35	0.0018	0.01	mg/L	1 J
S8	9/20/2002	Barium-TOTAL	=	0.23	0.0018	0.01	mg/L	1
S8	12/16/2002	Barium-TOTAL	=	0.18	0.009	0.05	mg/L	5
S8	9/11/2003	Barium-TOTAL	=	0.17	0.00037	0.01	mg/L	1
S8	9/3/2004	Barium-TOTAL	=	0.17	0.0021	0.01	mg/L	1
S8	9/2/2005	Barium-TOTAL	=	0.11	0.0007	0.01	MG/L	1
S8	9/7/2006	Barium-TOTAL	=	0.12	0.001	0.01	MG/L	1
S8	9/4/2008	Barium-TOTAL	=	0.12	0.00058	0.01	MG/L	1
S8	9/3/2009	Barium-TOTAL	=	0.12	0.00058	0.01	MG/L	1
S8	9/3/2010	Barium-TOTAL	=	108			%	1
S8	9/3/2010	Barium-TOTAL	=	108			%	1
S8	9/3/2010	Barium-TOTAL	=	0.1	0.00058	0.01	MG/L	1
S9	4/10/2002	Barium-TOTAL	=	0.19		0.01	mg/L	1 J
S9	6/20/2002	Barium-TOTAL	=	0.18	0.0018	0.01	mg/L	1 J
S9	9/11/2002	Barium-TOTAL	=	0.2	0.0018	0.01	mg/L	1
S9	12/12/2002	Barium-TOTAL	=	0.19	0.009	0.05	mg/L	5
S9	9/11/2003	Barium-TOTAL	=	0.19	0.00037	0.01	mg/L	1
S9	9/3/2004	Barium-TOTAL	=	0.2	0.0021	0.01	mg/L	1
S9	9/2/2005	Barium-TOTAL	=	0.19	0.0007	0.01	MG/L	1
S9	9/7/2006	Barium-TOTAL	=	0.18	0.001	0.01	MG/L	1
S9	9/5/2007	Barium-TOTAL	=	0.17	0.0052	0.05	MG/L	5
S9	9/5/2008	Barium-TOTAL	=	0.18	0.00058	0.01	MG/L	1
S9	9/4/2009	Barium-TOTAL	=	0.18	0.00058	0.01	MG/L	1
S9	9/8/2010	Barium-TOTAL	=	96			%	1
S9	9/8/2010	Barium-TOTAL	=	96			%	1
S9	9/8/2010	Barium-TOTAL	=	0.17	0.00058	0.01	MG/L	1

tmpAnalyticalResultsOverTime

S2	6/26/2002	bis(2-Ethylhexyl) phthalate	=	35	3.1	10	ug/L	1	
S4	6/25/2002	bis(2-Ethylhexyl) phthalate	=	14	3.1	10	ug/L	1	
S5	4/4/2002	bis(2-Ethylhexyl) phthalate	=	6.5		10	ug/L	1	J
S5	6/24/2002	bis(2-Ethylhexyl) phthalate	=	11	3.1	10	ug/L	1	
S6	4/4/2002	bis(2-Ethylhexyl) phthalate	=	3.6		10	ug/L	1	J
S8	4/10/2002	bis(2-Ethylhexyl) phthalate	=	5.1		10	ug/L	1	J
S9	4/10/2002	bis(2-Ethylhexyl) phthalate	=	12		10	ug/L	1	
S10	5/24/2004	Bromoform	=	1.4	0.23	1	ug/L	1	NA
S10	5/24/2004	Bromoform	=	1.1	0.23	1	ug/L	1	
S3	6/25/2002	Bromomethane	=	4.6	0.28	2	ug/L	1	
S10	5/24/2004	Calcium-DISSOLVED	=	300	0.076	0.2	mg/L	1	NA
S10	5/24/2004	Calcium-DISSOLVED	=	310	0.076	0.2	mg/L	1	
S10	9/10/2004	Calcium-DISSOLVED	=	55	0.096	0.2	mg/L	1	
S10	12/1/2004	Calcium-DISSOLVED	=	45	0.096	0.2	mg/L	1	
S10	12/1/2004	Calcium-DISSOLVED	=	47	0.096	0.2	mg/L	1	
S10	3/3/2005	Calcium-DISSOLVED	=	43	0.096	0.2	mg/L	1	
S11	5/24/2004	Calcium-DISSOLVED	=	300	0.076	0.2	mg/L	1	
S11	9/10/2004	Calcium-DISSOLVED	=	170	0.096	0.2	mg/L	1	
S11	12/1/2004	Calcium-DISSOLVED	=	180	0.096	0.2	mg/L	1	
S11	3/3/2005	Calcium-DISSOLVED	=	190	0.096	0.2	mg/L	1	
S2	4/3/2002	Calcium-DISSOLVED	=	253		1	mg/L	5	
S2	6/26/2002	Calcium-DISSOLVED	=	184	0.031	0.2	mg/L	1	
S2	9/18/2002	Calcium-DISSOLVED	=	180	0.031	0.2	mg/L	1	
S2	12/13/2002	Calcium-DISSOLVED	=	200	0.031	0.2	mg/L	1	
S3	4/3/2002	Calcium-DISSOLVED	=	1670		1	mg/L	5	
S3	6/25/2002	Calcium-DISSOLVED	=	821	0.16	1	mg/L	5	
S3	9/19/2002	Calcium-DISSOLVED	=	130	0.031	0.2	mg/L	1	
S3	9/19/2002	Calcium-DISSOLVED	=	130	0.031	0.2	mg/L	1	
S3	12/13/2002	Calcium-DISSOLVED	=	95	0.031	0.2	mg/L	1	
S4	4/3/2002	Calcium-DISSOLVED	=	65.8		0.2	mg/L	1	J
S4	6/25/2002	Calcium-DISSOLVED	=	64.8	0.031	0.2	mg/L	1	
S4	9/19/2002	Calcium-DISSOLVED	=	54	0.031	0.2	mg/L	1	
S4	12/13/2002	Calcium-DISSOLVED	=	44	0.031	0.2	mg/L	1	
S5	4/4/2002	Calcium-DISSOLVED	=	64.8		0.2	mg/L	1	J
S5	6/24/2002	Calcium-DISSOLVED	=	77.6	0.031	0.2	mg/L	1	
S5	9/20/2002	Calcium-DISSOLVED	=	57	0.031	0.2	mg/L	1	
S5	12/16/2002	Calcium-DISSOLVED	=	52	0.031	0.2	mg/L	1	
S6	4/4/2002	Calcium-DISSOLVED	=	69.8		0.2	mg/L	1	J
S6	6/24/2002	Calcium-DISSOLVED	=	76.8	0.031	0.2	mg/L	1	
S6	6/24/2002	Calcium-DISSOLVED	=	71.3	0.031	0.2	mg/L	1	
S6	9/23/2002	Calcium-DISSOLVED	=	79	0.031	0.2	mg/L	1	
S6	12/18/2002	Calcium-DISSOLVED	=	92	0.031	0.2	mg/L	1	
S7	4/10/2002	Calcium-DISSOLVED	=	15.9		0.2	mg/L	1	
S7	6/21/2002	Calcium-DISSOLVED	=	14.7	0.031	0.2	mg/L	1	
S7	9/23/2002	Calcium-DISSOLVED	=	13	0.031	0.2	mg/L	1	
S7	12/17/2002	Calcium-DISSOLVED	=	10	0.031	0.2	mg/L	1	
S8	4/10/2002	Calcium-DISSOLVED	=	66.7		0.2	mg/L	1	
S8	6/21/2002	Calcium-DISSOLVED	=	105	0.031	0.2	mg/L	1	
S8	9/20/2002	Calcium-DISSOLVED	=	45	0.031	0.2	mg/L	1	
S8	12/16/2002	Calcium-DISSOLVED	=	35	0.031	0.2	mg/L	1	
S9	4/10/2002	Calcium-DISSOLVED	=	13.9		0.2	mg/L	1	
S9	6/20/2002	Calcium-DISSOLVED	=	14.1	0.031	0.2	mg/L	1	
S9	9/11/2002	Calcium-DISSOLVED	=	15	0.031	0.2	mg/L	1	
S9	12/12/2002	Calcium-DISSOLVED	=	14	0.031	0.2	mg/L	1	
S10	5/24/2004	Calcium-TOTAL	=	300	0.076	0.2	mg/L	1	
S10	5/24/2004	Calcium-TOTAL	=	320	0.076	0.2	mg/L	1	
S10	9/10/2004	Calcium-TOTAL	=	55	0.096	0.2	mg/L	1	

tmpAnalyticalResultsOverTime

S10	12/1/2004	Calcium-TOTAL	=	47	0.096	0.2	mg/L	1
S10	12/1/2004	Calcium-TOTAL	=	45	0.096	0.2	mg/L	1
S10	3/3/2005	Calcium-TOTAL	=	44	0.096	0.2	mg/L	1
S10	9/7/2005	Calcium-TOTAL	=	31	0.034	0.2	MG/L	1
S10	9/6/2006	Calcium-TOTAL	=	30	0.034	0.2	MG/L	1
S10	9/4/2007	Calcium-TOTAL	=	31	0.17	1	MG/L	5
S10	9/2/2008	Calcium-TOTAL	=	29	0.034	0.2	mg/L	1
S10	9/1/2009	Calcium-TOTAL	=	180	0.034	0.2	MG/L	1
S10	9/1/2010	Calcium-TOTAL	=	28	0.034	0.2	MG/L	1
S10	9/1/2010	Calcium-TOTAL	=	29	0.034	0.2	MG/L	1
S11	5/24/2004	Calcium-TOTAL	=	300	0.076	0.2	mg/L	1
S11	9/10/2004	Calcium-TOTAL	=	190	0.096	0.2	mg/L	1
S11	12/1/2004	Calcium-TOTAL	=	190	0.096	0.2	mg/L	1
S11	3/3/2005	Calcium-TOTAL	=	210	0.096	0.2	mg/L	1
S11	9/7/2005	Calcium-TOTAL	=	170	0.34	2	MG/L	10
S11	9/6/2006	Calcium-TOTAL	=	170	1.7	10	MG/L	50
S11	9/4/2007	Calcium-TOTAL	=	170	0.17	1	MG/L	5
S11	9/3/2008	Calcium-TOTAL	=	180	0.17	1	MG/L	5
S11	9/3/2008	Calcium-TOTAL	=	170	0.17	1	MG/L	5
S11	9/2/2009	Calcium-TOTAL	=	150	0.034	0.2	MG/L	1
S11	9/2/2010	Calcium-TOTAL	=	170	0.34	2	MG/L	10
S2	4/3/2002	Calcium-TOTAL	=	226		1	mg/L	5 J
S2	6/26/2002	Calcium-TOTAL	=	186	0.031	0.2	mg/L	1
S2	9/18/2002	Calcium-TOTAL	=	180	0.031	0.2	mg/L	1
S2	12/13/2002	Calcium-TOTAL	=	210	0.031	0.2	mg/L	1
S2	3/4/2003	Calcium-TOTAL	=	230	0.031	0.2	mg/L	1
S2	3/4/2003	Calcium-TOTAL	=	220	0.031	0.2	mg/L	1
S2	6/5/2003	Calcium-TOTAL	=	210	0.076	0.2	mg/L	1 J
S2	9/5/2003	Calcium-TOTAL	=	220	0.076	0.2	mg/L	1
S2	9/5/2003	Calcium-TOTAL	=	200	0.076	0.2	mg/L	1
S2	12/3/2003	Calcium-TOTAL	=	190	0.076	0.2	mg/L	1
S2	9/10/2004	Calcium-TOTAL	=	220	0.096	0.2	mg/L	1
S2	9/7/2005	Calcium-TOTAL	=	220	0.34	2	MG/L	10
S2	9/5/2006	Calcium-TOTAL	=	200	0.17	1	MG/L	5
S2	9/4/2007	Calcium-TOTAL	=	260	0.17	1	MG/L	5
S2	9/2/2008	Calcium-TOTAL	=	370	0.17	1	mg/L	5
S2	9/2/2009	Calcium-TOTAL	=	460	0.17	1	MG/L	5
S2	9/1/2010	Calcium-TOTAL	=	490	0.034	0.2	MG/L	1
S3	4/3/2002	Calcium-TOTAL	=	1670		1	mg/L	5 J
S3	6/25/2002	Calcium-TOTAL	=	788	0.16	1	mg/L	5
S3	9/19/2002	Calcium-TOTAL	=	140	0.031	0.2	mg/L	1
S3	9/19/2002	Calcium-TOTAL	=	140	0.031	0.2	mg/L	1
S3	12/13/2002	Calcium-TOTAL	=	110	0.031	0.2	mg/L	1
S3	3/5/2003	Calcium-TOTAL	=	190	0.031	0.2	mg/L	1
S3	6/5/2003	Calcium-TOTAL	=	140	0.076	0.2	mg/L	1 J
S3	9/5/2003	Calcium-TOTAL	=	61	0.076	0.2	mg/L	1
S3	12/2/2003	Calcium-TOTAL	=	56	0.076	0.2	mg/L	1
S3	9/9/2004	Calcium-TOTAL	=	56	0.096	0.2	mg/L	1
S3	9/9/2004	Calcium-TOTAL	=	59	0.096	0.2	mg/L	1
S3	9/7/2005	Calcium-TOTAL	=	39	0.034	0.2	MG/L	1
S3	9/5/2006	Calcium-TOTAL	=	45	0.034	0.2	MG/L	1
S3	9/4/2007	Calcium-TOTAL	=	46	0.17	1	MG/L	5
S3	9/2/2008	Calcium-TOTAL	=	41	0.034	0.2	mg/L	1
S3	9/2/2009	Calcium-TOTAL	=	30	0.034	0.2	MG/L	1
S3	9/1/2010	Calcium-TOTAL	=	33	0.034	0.2	MG/L	1
S4	4/3/2002	Calcium-TOTAL	=	60.8		0.2	mg/L	1 J
S4	6/25/2002	Calcium-TOTAL	=	70.4	0.031	0.2	mg/L	1

tmpAnalyticalResultsOverTime

S4	9/19/2002	Calcium-TOTAL	=	55	0.031	0.2	mg/L	1
S4	12/13/2002	Calcium-TOTAL	=	44	0.031	0.2	mg/L	1
S4	9/8/2003	Calcium-TOTAL	=	35	0.076	0.2	mg/L	1
S4	9/9/2004	Calcium-TOTAL	=	41	0.096	0.2	mg/L	1
S4	9/8/2005	Calcium-TOTAL	=	59	0.034	0.2	MG/L	1
S4	9/6/2006	Calcium-TOTAL	=	59	0.034	0.2	MG/L	1
S4	9/10/2007	Calcium-TOTAL	=	41	0.17	1	MG/L	5
S4	9/3/2008	Calcium-TOTAL	=	40	0.034	0.2	MG/L	1
S4	9/2/2009	Calcium-TOTAL	=	40	0.034	0.2	MG/L	1
S4	9/2/2010	Calcium-TOTAL	=	39	0.034	0.2	MG/L	1
S5	4/4/2002	Calcium-TOTAL	=	72.9		0.2	mg/L	1 J
S5	6/24/2002	Calcium-TOTAL	=	81.3	0.031	0.2	mg/L	1
S5	9/20/2002	Calcium-TOTAL	=	59	0.031	0.2	mg/L	1
S5	12/16/2002	Calcium-TOTAL	=	50	0.031	0.2	mg/L	1
S5	9/10/2003	Calcium-TOTAL	=	42	0.076	0.2	mg/L	1
S5	9/8/2004	Calcium-TOTAL	=	41	0.096	0.2	mg/L	1
S5	9/8/2005	Calcium-TOTAL	=	43	0.034	0.2	MG/L	1
S5	9/6/2006	Calcium-TOTAL	=	42	0.034	0.2	MG/L	1
S5	9/7/2007	Calcium-TOTAL	=	38	0.17	1	MG/L	5
S5	9/3/2008	Calcium-TOTAL	=	39	0.034	0.2	MG/L	1
S5	9/2/2009	Calcium-TOTAL	=	30	0.034	0.2	MG/L	1
S5	9/3/2010	Calcium-TOTAL	=	38	0.034	0.2	MG/L	1
S6	4/4/2002	Calcium-TOTAL	=	72.8		0.2	mg/L	1 J
S6	6/24/2002	Calcium-TOTAL	=	79.4	0.031	0.2	mg/L	1
S6	6/24/2002	Calcium-TOTAL	=	73.3	0.031	0.2	mg/L	1
S6	9/23/2002	Calcium-TOTAL	=	80	0.031	0.2	mg/L	1
S6	12/18/2002	Calcium-TOTAL	=	95	0.031	0.2	mg/L	1
S6	9/9/2003	Calcium-TOTAL	=	87	0.076	0.2	mg/L	1
S6	9/8/2004	Calcium-TOTAL	=	82	0.096	0.2	mg/L	1
S6	9/9/2005	Calcium-TOTAL	=	86	0.34	2	MG/L	10
S6	9/7/2006	Calcium-TOTAL	=	75	0.034	0.2	MG/L	1
S6	9/7/2007	Calcium-TOTAL	=	78	0.17	1	MG/L	5
S6	9/4/2008	Calcium-TOTAL	=	80	0.034	0.2	MG/L	1
S6	9/3/2009	Calcium-TOTAL	=	70	0.034	0.2	MG/L	1
S6	9/3/2010	Calcium-TOTAL	=	77	0.34	2	MG/L	10
S7	4/10/2002	Calcium-TOTAL	=	18.7		0.2	mg/L	1 J
S7	6/21/2002	Calcium-TOTAL	=	18.4	0.031	0.2	mg/L	1
S7	9/23/2002	Calcium-TOTAL	=	13	0.031	0.2	mg/L	1
S7	12/17/2002	Calcium-TOTAL	=	12	0.031	0.2	mg/L	1
S7	9/11/2003	Calcium-TOTAL	=	17	0.076	0.2	mg/L	1
S7	9/7/2004	Calcium-TOTAL	=	19	0.096	0.2	mg/L	1
S7	9/2/2005	Calcium-TOTAL	=	17	0.034	0.2	MG/L	1
S7	9/7/2006	Calcium-TOTAL	=	21	0.034	0.2	MG/L	1
S7	9/10/2007	Calcium-TOTAL	=	13	0.17	1	MG/L	5
S7	9/4/2008	Calcium-TOTAL	=	14	0.034	0.2	MG/L	1
S7	9/8/2009	Calcium-TOTAL	=	11	0.034	0.2	MG/L	1
S7	9/8/2009	Calcium-TOTAL	=	13	0.034	0.2	MG/L	1
S7	9/7/2010	Calcium-TOTAL	=	15	0.034	0.2	MG/L	1
S8	4/10/2002	Calcium-TOTAL	=	65.8		0.2	mg/L	1 J
S8	6/21/2002	Calcium-TOTAL	=	101	0.031	0.2	mg/L	1
S8	9/20/2002	Calcium-TOTAL	=	49	0.031	0.2	mg/L	1
S8	12/16/2002	Calcium-TOTAL	=	36	0.031	0.2	mg/L	1
S8	9/11/2003	Calcium-TOTAL	=	25	0.076	0.2	mg/L	1
S8	9/3/2004	Calcium-TOTAL	=	83	0.096	0.2	mg/L	1
S8	9/2/2005	Calcium-TOTAL	=	110	0.034	0.2	MG/L	1
S8	9/7/2006	Calcium-TOTAL	=	180	0.034	0.2	MG/L	1
S8	9/10/2007	Calcium-TOTAL	=	24	0.17	1	MG/L	5

tmpAnalyticalResultsOverTime

S8	9/4/2008	Calcium-TOTAL	=	130	0.034	0.2	MG/L	1	
S8	9/3/2009	Calcium-TOTAL	=	190	0.034	0.2	MG/L	1	
S8	9/3/2010	Calcium-TOTAL	=	190	0.034	0.2	MG/L	1	
S9	4/10/2002	Calcium-TOTAL	=	15.5		0.2	mg/L	1	
S9	6/20/2002	Calcium-TOTAL	=	14	0.031	0.2	mg/L	1	
S9	9/11/2002	Calcium-TOTAL	=	15	0.031	0.2	mg/L	1	
S9	12/12/2002	Calcium-TOTAL	=	14	0.031	0.2	mg/L	1	
S9	9/11/2003	Calcium-TOTAL	=	15	0.076	0.2	mg/L	1	
S9	9/3/2004	Calcium-TOTAL	=	16	0.096	0.2	mg/L	1	
S9	9/2/2005	Calcium-TOTAL	=	14	0.034	0.2	MG/L	1	
S9	9/7/2006	Calcium-TOTAL	=	14	0.034	0.2	MG/L	1	
S9	9/5/2007	Calcium-TOTAL	=	15	0.17	1	MG/L	5	
S9	9/5/2008	Calcium-TOTAL	=	15	0.034	0.2	MG/L	1	
S9	9/4/2009	Calcium-TOTAL	=	14	0.034	0.2	MG/L	1	
S9	9/8/2010	Calcium-TOTAL	=	14	0.034	0.2	MG/L	1	
S3	4/3/2002	Carbon disulfide	=	1.2		1	ug/L	1	
S10	5/24/2004	Chloride	=	24000	62	500	mg/L	200 J	NA
S10	5/24/2004	Chloride	=	24000	62	500	mg/L	200 J	
S10	9/10/2004	Chloride	=	5500	12	100	mg/L	40	
S10	12/1/2004	Chloride	=	8400	31	250	mg/L	100 J	
S10	12/1/2004	Chloride	=	4200	16	120	mg/L	50 J	
S10	3/3/2005	Chloride	=	4100	12	100	mg/L	40	
S10	9/7/2005	Chloride	=	2800	100	250	MG/L	100 J	
S10	9/6/2006	Chloride	=	2300	50	120	MG/L	50 J	
S10	9/4/2007	CHLORIDE	=	2100	50	120	MG/L	50 J	
S10	9/2/2008	Chloride	=	2200	13	120	mg/L	50	
S10	9/1/2009	Chloride	=	2000	13	120	MG/L	50	
S10	9/1/2010	CHLORIDE	=	1800	13	120	MG/L	50	
S10	9/1/2010	CHLORIDE	=	1800	13	120	MG/L	50	
S11	5/24/2004	Chloride	=	42000	120	1000	mg/L	400 J	
S11	9/10/2004	Chloride	=	22000	120	1000	mg/L	400	
S11	12/1/2004	Chloride	=	24000	120	1000	mg/L	400	
S11	3/3/2005	Chloride	=	27000	120	1000	mg/L	400	
S11	9/7/2005	Chloride	=	22000	500	1200	MG/L	500 J	
S11	9/6/2006	Chloride	=	23000	200	500	MG/L	200 J	
S11	9/4/2007	CHLORIDE	=	21000	500	1200	MG/L	500 J	
S11	9/3/2008	Chloride	=	20000	250	2500	MG/L	1000	
S11	9/3/2008	Chloride	=	20000	250	2500	MG/L	1000	
S11	9/2/2009	Chloride	=	21000	250	2500	MG/L	1000	
S11	9/2/2010	CHLORIDE	=	20000	130	1200	MG/L	500	
S2	4/3/2002	Chloride	=	48100		1000	mg/L	400	
S2	6/26/2002	Chloride	=	44800	150	1250	mg/L	500 JQ	
S2	9/18/2002	Chloride	=	39000	60	500	mg/L	200	
S2	12/13/2002	Chloride	=	44000	120	1000	mg/L	400	
S2	3/4/2003	Chloride	=	46000	150	1200	mg/L	500	
S2	3/4/2003	Chloride	=	47000	150	1200	mg/L	500	
S2	6/5/2003	Chloride	=	48000	150	1200	mg/L	500	
S2	9/5/2003	Chloride	=	43000	300	2500	mg/L	1000	
S2	9/5/2003	Chloride	=	42000	300	2500	mg/L	1000	
S2	12/3/2003	Chloride	=	28000	60	500	mg/L	200	
S2	9/10/2004	Chloride	=	67000	310	2500	mg/L	1000	
S2	9/7/2005	Chloride	=	45000	500	1200	MG/L	500 J	
S2	9/5/2006	Chloride	=	30000	200	500	MG/L	200 J	
S2	9/4/2007	CHLORIDE	=	27000	500	1200	MG/L	500 J	
S2	3/4/2008	Chloride	=	39000	500	1200	MG/L	500	
S2	9/2/2008	Chloride	=	27000	250	2500	mg/L	1000	
S2	9/2/2009	Chloride	=	26000	250	2500	MG/L	1000	

tmpAnalyticalResultsOverTime

S2	9/1/2010 CHLORIDE	=	25000	250	2500	MG/L	1000
S3	4/3/2002 Chloride	=	56400		1000	mg/L	400
S3	6/25/2002 Chloride	=	25000	150	1250	mg/L	500 JQ
S3	9/19/2002 Chloride	=	8300	60	500	mg/L	200
S3	9/19/2002 Chloride	=	8900	60	500	mg/L	200
S3	12/13/2002 Chloride	=	6700	15	120	mg/L	50
S3	3/5/2003 Chloride	=	8300	30	250	mg/L	100
S3	6/5/2003 Chloride	=	8700	15	120	mg/L	50
S3	9/5/2003 Chloride	=	2800	12	100	mg/L	40
S3	12/2/2003 Chloride	=	8200	15	120	mg/L	50
S3	9/9/2004 Chloride	=	5400	12	100	mg/L	40
S3	9/9/2004 Chloride	=	5300	12	100	mg/L	40
S3	9/7/2005 Chloride	=	4500	100	250	MG/L	100 J
S3	9/5/2006 Chloride	=	5300	50	120	MG/L	50 J
S3	9/4/2007 CHLORIDE	=	5300	100	250	MG/L	100 J
S3	9/2/2008 Chloride	=	5000	51	500	mg/L	200
S3	9/2/2009 Chloride	=	3300	25	250	MG/L	100
S3	9/1/2010 CHLORIDE	=	3100	25	250	MG/L	100
S4	4/3/2002 Chloride	=	10400		500	mg/L	200
S4	6/25/2002 Chloride	=	7340	15	125	mg/L	50 JQ
S4	9/19/2002 Chloride	=	5500	15	120	mg/L	50
S4	12/13/2002 Chloride	=	4400	15	120	mg/L	50
S4	9/8/2003 Chloride	=	8400	15	120	mg/L	50
S4	9/9/2004 Chloride	=	5300	12	100	mg/L	40
S4	9/8/2005 Chloride	=	6700	100	250	MG/L	100 J
S4	9/6/2006 Chloride	=	6300	50	120	MG/L	50 J
S4	9/10/2007 Chloride	=	5200	100	250	MG/L	100 J
S4	3/4/2008 Chloride	=	4700	100	250	MG/L	100
S4	9/3/2008 Chloride	=	4800	51	500	MG/L	200
S4	9/2/2009 Chloride	=	5000	51	500	MG/L	200
S4	9/2/2010 CHLORIDE	=	4400	25	250	MG/L	100
S5	4/4/2002 Chloride	=	14100		500	mg/L	200
S5	6/24/2002 Chloride	=	8720	15	125	mg/L	50 JQ
S5	9/20/2002 Chloride	=	6100	60	500	mg/L	200
S5	12/16/2002 Chloride	=	4800	15	120	mg/L	50
S5	9/10/2003 Chloride	=	4800	12	100	mg/L	40
S5	9/8/2004 Chloride	=	4800	12	100	mg/L	40
S5	9/8/2005 Chloride	=	4700	100	250	MG/L	100 J
S5	9/6/2006 Chloride	=	4800	50	120	MG/L	50 J
S5	9/7/2007 Chloride	=	3800	50	120	MG/L	50 J
S5	3/4/2008 Chloride	=	3800	50	120	MG/L	50
S5	9/3/2008 Chloride	=	3900	51	500	MG/L	200
S5	9/2/2009 Chloride	=	3900	0.25	250	MG/L	100
S5	9/3/2010 CHLORIDE	=	3900	25	250	MG/L	100
S6	4/4/2002 Chloride	=	19900		500	mg/L	200
S6	6/24/2002 Chloride	=	17200	30	250	mg/L	100 JQ
S6	6/24/2002 Chloride	=	17900	30	250	mg/L	100 JQ
S6	9/23/2002 Chloride	=	14000	60	500	mg/L	200
S6	12/18/2002 Chloride	=	13000	60	500	mg/L	200
S6	9/9/2003 Chloride	=	14000	30	250	mg/L	100
S6	9/8/2004 Chloride	=	14000	31	250	mg/L	100
S6	9/9/2005 Chloride	=	15000	100	250	MG/L	100 J
S6	9/7/2006 Chloride	=	16000	100	250	MG/L	100 J
S6	9/7/2007 Chloride	=	14000	200	500	MG/L	200 J
S6	9/4/2008 Chloride	=	14000	250	2500	MG/L	1000
S6	9/3/2009 Chloride	=	16000	130	1200	MG/L	500
S6	9/3/2010 CHLORIDE	=	15000	130	1200	MG/L	500



tmpAnalyticalResultsOverTime

S7	4/10/2002 Chloride	=	2230		50	mg/L	20	
S7	6/21/2002 Chloride	=	1770	3	25	mg/L	10 JQ	
S7	9/23/2002 Chloride	=	1400	3	25	mg/L	10	
S7	12/17/2002 Chloride	=	9400	60	500	mg/L	200	
S7	9/11/2003 Chloride	=	620	1.2	10	mg/L	4	
S7	9/7/2004 Chloride	=	640	1.2	10	mg/L	4	
S7	9/2/2005 Chloride	=	670	8	20	MG/L	8 J	
S7	9/7/2006 Chloride	=	660	4	10	MG/L	4 J	
S7	9/10/2007 Chloride	=	620	8	20	MG/L	8 J	
S7	3/3/2008 Chloride	=	650	10	25	MG/L	10	
S7	9/4/2008 Chloride	=	600	5.1	50	MG/L	20	
S7	9/8/2009 Chloride	=	660	5.1	60	MG/L	20	
S7	9/8/2009 Chloride	=	670	5.1	60	MG/L	20	
S7	9/7/2010 CHLORIDE	=	610	5.1	50	MG/L	20	
S8	4/10/2002 Chloride	=	1150		25	mg/L	10	
S8	6/21/2002 Chloride	=	1790	3	25	mg/L	10 JQ	
S8	9/20/2002 Chloride	=	870	6	50	mg/L	20	
S8	12/16/2002 Chloride	=	720	3	25	mg/L	10	
S8	9/11/2003 Chloride	=	580	1.2	10	mg/L	4	
S8	9/3/2004 Chloride	=	1500	2.5	20	mg/L	8	pCi/L
S8	9/2/2005 Chloride	=	2300	40	100	MG/L	40 J	
S8	9/7/2006 Chloride	=	3300	32	80	MG/L	32 J	
S8	9/10/2007 Chloride	=	2200	40	100	MG/L	40 J	
S8	3/3/2008 Chloride	=	1700	50	120	MG/L	50	
S8	9/4/2008 Chloride	=	2000	13	120	MG/L	50	
S8	9/3/2009 Chloride	=	2800	25	250	MG/L	100	
S8	9/3/2010 CHLORIDE	=	2300	13	120	MG/L	50	
S9	4/10/2002 Chloride	=	227		5	mg/L	2	
S9	6/20/2002 Chloride	=	220	0.6	5	mg/L	2 JQ	
S9	9/11/2002 Chloride	=	210	1.5	12	mg/L	5	
S9	12/12/2002 Chloride	=	210	0.6	5	mg/L	2	
S9	9/11/2003 Chloride	=	230	0.6	5	mg/L	2	
S9	9/3/2004 Chloride	=	240	0.62	5	mg/L	2	
S9	9/2/2005 Chloride	=	240	2	5	MG/L	2 J	
S9	9/7/2006 Chloride	=	230	2	5	MG/L	2 J	
S9	9/5/2007 Chloride	=	230	5	12	MG/L	5 J	
S9	9/5/2008 Chloride	=	220	1.3	12	MG/L	5	
S9	9/4/2009 Chloride	=	230	2.5	30	MG/L	10	
S9	9/8/2010 CHLORIDE	=	220	1.3	12	MG/L	5	
S2	4/3/2002 Chloroform	=	0.77		1	ug/L	1 J	
S5	9/6/2006 Chloroform	=	3.4	0.16	1	UG/L	1	
S3	6/25/2002 Chloromethane	=	4.3	0.26	2	ug/L	1	
S8	12/16/2002 Chloromethane	=	3.8	0.26	2	ug/L	1	
S4	4/3/2002 Chromium-DISSOLVED	=	0.0015		0.01	mg/L	1 J	
S7	4/10/2002 Chromium-DISSOLVED	=	0.00081		0.01	mg/L	1 J	
S4	4/3/2002 Chromium-TOTAL	=	0.0014		0.01	mg/L	1 J	
S5	4/4/2002 Chromium-TOTAL	=	0.0014		0.01	mg/L	1 J	
S7	4/10/2002 Chromium-TOTAL	=	0.0023		0.01	mg/L	1 J	
S9	9/2/2005 Chromium-TOTAL	=	0.018	0.0026	0.01	MG/L	1	
S4	4/3/2002 Copper-DISSOLVED	=	0.0027		0.01	mg/L	1 J	
S5	4/4/2002 Copper-DISSOLVED	=	0.0029		0.01	mg/L	1 J	
S6	4/4/2002 Copper-DISSOLVED	=	0.0026		0.01	mg/L	1 J	
S7	4/10/2002 Copper-DISSOLVED	=	0.0047		0.01	mg/L	1 J	
S8	4/10/2002 Copper-DISSOLVED	=	0.0038		0.01	mg/L	1 J	
S9	4/10/2002 Copper-DISSOLVED	=	0.003		0.01	mg/L	1 J	
S2	4/3/2002 Copper-TOTAL	=	0.0042		0.05	mg/L	5 J	
S4	4/3/2002 Copper-TOTAL	=	0.0054		0.01	mg/L	1 J	

tmpAnalyticalResultsOverTime

S5	4/4/2002	Copper-TOTAL	=	0.0051		0.01	mg/L	1	J
S6	4/4/2002	Copper-TOTAL	=	0.0022		0.01	mg/L	1	J
S7	4/10/2002	Copper-TOTAL	=	0.0042		0.01	mg/L	1	J
S8	4/10/2002	Copper-TOTAL	=	0.0021		0.01	mg/L	1	J
S10	5/24/2004	Fluoride	=	0.89	0.016	0.1	mg/L	1	
S10	5/24/2004	Fluoride	=	0.88	0.016	0.1	mg/L	1	
S10	9/10/2004	Fluoride	=	1.2	0.017	0.1	mg/L	1	
S10	12/1/2004	Fluoride	=	1.1	0.017	0.1	mg/L	1	
S10	12/1/2004	Fluoride	=	1.1	0.017	0.1	mg/L	1	
S10	3/3/2005	Fluoride	=	1.1	0.017	0.1	mg/L	1	
S10	9/7/2005	Fluoride	=	0.96	0.0057	0.1	MG/L	1	J
S10	9/6/2006	Fluoride	=	1.1	0.016	0.1	MG/L	1	
S10	9/4/2007	Fluoride	=	1	0.016	0.1	MG/L	1	
S10	9/2/2008	Fluoride	=	0.84	0.3	0.5	mg/L	5	
S10	9/1/2010	FLUORIDE	=	0.94	0.12	0.2	MG/L	2	
S10	9/1/2010	FLUORIDE	=	0.91	0.12	0.2	MG/L	2	
S11	5/24/2004	Fluoride	=	0.37	0.016	0.1	mg/L	1	
S11	9/10/2004	Fluoride	=	0.56	0.017	0.1	mg/L	1	
S11	12/1/2004	Fluoride	=	0.53	0.017	0.1	mg/L	1	
S11	9/7/2005	Fluoride	=	0.49	0.0057	0.1	MG/L	1	J
S11	9/6/2006	Fluoride	=	0.61	0.016	0.1	MG/L	1	
S11	9/4/2007	Fluoride	=	0.56	0.016	0.1	MG/L	1	
S2	4/3/2002	Fluoride	=	1		0.1	mg/L	1	J
S2	6/26/2002	Fluoride	=	1	0.026	0.1	mg/L	1	
S2	9/18/2002	Fluoride	=	1.3	0.026	0.1	mg/L	1	
S2	12/13/2002	Fluoride	=	1.4	0.026	0.1	mg/L	1	
S2	3/4/2003	Fluoride	=	1.3	0.016	0.1	mg/L	1	
S2	3/4/2003	Fluoride	=	1.4	0.016	0.1	mg/L	1	
S2	6/5/2003	Fluoride	=	1.7	0.016	0.1	mg/L	1	J
S2	9/5/2003	Fluoride	=	1.2	0.016	0.1	mg/L	1	
S2	9/5/2003	Fluoride	=	1.3	0.016	0.1	mg/L	1	
S2	12/3/2003	Fluoride	=	1.1	0.016	0.1	mg/L	1	
S2	9/10/2004	Fluoride	=	1.2	0.017	0.1	mg/L	1	
S2	9/7/2005	Fluoride	=	1	0.0057	0.1	MG/L	1	J
S2	9/5/2006	Fluoride	=	1.1	0.016	0.1	MG/L	1	
S2	9/4/2007	Fluoride	=	1.1	0.016	0.1	MG/L	1	
S2	3/4/2008	Fluoride	=	0.96	0.035	0.1	MG/L	1	
S3	4/3/2002	Fluoride	=	0.52		0.1	mg/L	1	J
S3	6/25/2002	Fluoride	=	0.64	0.026	0.1	mg/L	1	
S3	9/19/2002	Fluoride	=	1.2	0.026	0.1	mg/L	1	
S3	9/19/2002	Fluoride	=	1.1	0.026	0.1	mg/L	1	
S3	12/13/2002	Fluoride	=	1.3	0.026	0.1	mg/L	1	
S3	3/5/2003	Fluoride	=	1.3	0.016	0.1	mg/L	1	
S3	6/5/2003	Fluoride	=	0.93	0.016	0.1	mg/L	1	
S3	9/5/2003	Fluoride	=	1.3	0.016	0.1	mg/L	1	
S3	12/2/2003	Fluoride	=	1.1	0.016	0.1	mg/L	1	
S3	9/9/2004	Fluoride	=	1	0.017	0.1	mg/L	1	
S3	9/9/2004	Fluoride	=	1	0.017	0.1	mg/L	1	
S3	9/7/2005	Fluoride	=	0.95	0.0057	0.1	MG/L	1	J
S3	9/5/2006	Fluoride	=	1	0.016	0.1	MG/L	1	
S3	9/4/2007	Fluoride	=	0.98	0.016	0.1	MG/L	1	
S3	9/1/2010	FLUORIDE	=	0.74	0.3	0.5	MG/L	5	
S4	4/3/2002	Fluoride	=	0.9		0.1	mg/L	1	
S4	6/25/2002	Fluoride	=	0.81	0.026	0.1	mg/L	1	
S4	9/19/2002	Fluoride	=	0.8	0.026	0.1	mg/L	1	
S4	12/13/2002	Fluoride	=	0.88	0.026	0.1	mg/L	1	
S4	9/8/2003	Fluoride	=	0.8	0.016	0.1	mg/L	1	

4

tmpAnalyticalResultsOverTime

S4	9/9/2004	Fluoride	=	0.69	0.017	0.1	mg/L	1
S4	9/8/2005	Fluoride	=	0.74	0.0057	0.1	MG/L	1 J
S4	9/6/2006	Fluoride	=	0.76	0.016	0.1	MG/L	1
S4	9/10/2007	Fluoride	=	0.7	0.016	0.1	MG/L	1
S4	3/4/2008	Fluoride	=	0.79	0.035	0.1	MG/L	1
S4	9/3/2008	Fluoride	=	0.77	0.3	0.5	MG/L	5
S5	4/4/2002	Fluoride	=	1.2		0.1	mg/L	1 J
S5	6/24/2002	Fluoride	=	0.98	0.026	0.1	mg/L	1
S5	9/20/2002	Fluoride	=	1.1	0.026	0.1	mg/L	1 J
S5	12/16/2002	Fluoride	=	1.2	0.026	0.1	mg/L	1
S5	9/10/2003	Fluoride	=	1.1	0.016	0.1	mg/L	1
S5	9/8/2004	Fluoride	=	0.9	0.017	0.1	mg/L	1
S5	9/8/2005	Fluoride	=	0.95	0.0057	0.1	MG/L	1 J
S5	9/6/2006	Fluoride	=	0.95	0.016	0.1	MG/L	1
S5	9/7/2007	Fluoride	=	0.89	0.016	0.1	MG/L	1
S5	3/4/2008	Fluoride	=	1	0.035	0.1	MG/L	1
S5	9/3/2008	Fluoride	=	0.73	0.3	0.5	MG/L	5
S6	4/4/2002	Fluoride	=	1.2		0.1	mg/L	1 J
S6	6/24/2002	Fluoride	=	0.73	0.026	0.1	mg/L	1
S6	6/24/2002	Fluoride	=	0.78	0.026	0.1	mg/L	1
S6	9/23/2002	Fluoride	=	0.87	0.026	0.1	mg/L	1 J
S6	12/18/2002	Fluoride	=	0.88	0.026	0.1	mg/L	1
S6	9/9/2003	Fluoride	=	0.85	0.016	0.1	mg/L	1
S6	9/8/2004	Fluoride	=	0.71	0.017	0.1	mg/L	1
S6	9/9/2005	Fluoride	=	0.76	0.0057	0.1	MG/L	1 J
S6	9/7/2006	Fluoride	=	0.8	0.016	0.1	MG/L	1
S6	9/7/2007	Fluoride	=	0.71	0.016	0.1	MG/L	1
S7	4/10/2002	Fluoride	=	1.3		0.1	mg/L	1 J
S7	6/21/2002	Fluoride	=	1.2	0.026	0.1	mg/L	1
S7	9/23/2002	Fluoride	=	1.3	0.026	0.1	mg/L	1 J
S7	12/17/2002	Fluoride	=	1.3	0.026	0.1	mg/L	1
S7	9/11/2003	Fluoride	=	1.1	0.016	0.1	mg/L	1
S7	9/7/2004	Fluoride	=	0.99	0.017	0.1	mg/L	1
S7	9/2/2005	Fluoride	=	0.86	0.0057	0.1	MG/L	1 J
S7	9/7/2006	Fluoride	=	1	0.016	0.1	MG/L	1
S7	9/10/2007	Fluoride	=	0.94	0.016	0.1	MG/L	1
S7	3/3/2008	Fluoride	=	1	0.035	0.1	MG/L	1
S7	9/4/2008	Fluoride	=	1.1	0.12	0.2	MG/L	2
S7	9/8/2009	Fluoride	=	0.99	0.06	0.1	MG/L	1
S7	9/8/2009	Fluoride	=	0.98	0.06	0.1	MG/L	1
S7	9/7/2010	FLUORIDE	=	1.1	0.06	0.1	MG/L	1
S8	4/10/2002	Fluoride	=	1.1		0.1	mg/L	1 J
S8	6/21/2002	Fluoride	=	0.96	0.026	0.1	mg/L	1
S8	9/20/2002	Fluoride	=	1	0.026	0.1	mg/L	1
S8	12/16/2002	Fluoride	=	1.2	0.026	0.1	mg/L	1
S8	9/11/2003	Fluoride	=	1	0.016	0.1	mg/L	1
S8	9/3/2004	Fluoride	=	1.1	0.017	0.1	mg/L	1
S8	9/2/2005	Fluoride	=	0.86	0.0057	0.1	MG/L	1 J
S8	9/7/2006	Fluoride	=	1.1	0.016	0.1	MG/L	1
S8	9/10/2007	Fluoride	=	1	0.016	0.1	MG/L	1
S8	3/3/2008	Fluoride	=	1	0.035	0.1	MG/L	1
S8	9/4/2008	Fluoride	=	1.9	0.3	0.5	MG/L	5
S8	9/3/2009	Fluoride	=	0.91	0.3	0.5	MG/L	5
S8	9/3/2010	FLUORIDE	=	0.51	0.3	0.5	MG/L	5
S9	4/10/2002	Fluoride	=	0.99		0.1	mg/L	1 J
S9	6/20/2002	Fluoride	=	0.92	0.026	0.1	mg/L	1
S9	9/11/2002	Fluoride	=	0.92	0.026	0.1	mg/L	1

tmpAnalyticalResultsOverTime

S9	12/12/2002	Fluoride	=	1	0.026	0.1	mg/L	1	
S9	9/11/2003	Fluoride	=	0.92	0.016	0.1	mg/L	1	
S9	9/3/2004	Fluoride	=	0.91	0.017	0.1	mg/L	1	
S9	9/2/2005	Fluoride	=	0.72	0.0057	0.1	MG/L	1	J
S9	9/7/2006	Fluoride	=	0.94	0.016	0.1	MG/L	1	
S9	9/5/2007	Fluoride	=	0.76	0.016	0.1	MG/L	1	
S9	9/5/2008	Fluoride	=	0.62	0.06	0.1	MG/L	1	
S9	9/4/2009	Fluoride	=	0.83	0.06	0.1	MG/L	1	
S9	9/8/2010	FLUORIDE	=	0.76	0.06	0.1	MG/L	1	
S10	5/24/2004	Gross Alpha	=	35		13	12 pCi/L	1	15
S10	5/24/2004	Gross Alpha	=	32.3		8.3	9.8 pCi/L	1	J
S10	12/1/2004	Gross Alpha	=	10.1		6.8	5.3 pCi/L	1	
S10	3/3/2005	Gross Alpha	=	2.68		1.1	0.89 pCi/L	1	J
S10	6/3/2005	Gross Alpha	=	6		1.3	1.5 pCi/L	1	J
S10	10/6/2005	Gross Alpha	=	2.7		0.76	0.87 pCi/L	1	J
S10	12/6/2005	Gross Alpha	=	3.7		0.6	1 pCi/L	1	
S10	3/2/2006	Gross Alpha	=	5.2		0.9	1.3 pCi/L	1	J
S10	6/1/2006	GROSS ALPHA	=	1.71		0.93	0.79 pCi/L	1	J
S10	9/6/2006	Gross Alpha	=	2.31		0.79	0.82 pCi/L	1	J
S10	12/6/2006	Gross Alpha	=	3.8		1.8	1.6 pCi/L	1	
S10	3/1/2007	Gross Alpha	=	2.62		1	0.96 pCi/L	1	J
S10	3/1/2007	Gross Alpha	=	3.2		1.1	1.1 pCi/L	1	
S10	6/4/2007	Gross Alpha	=	10.9		1.1	2 pCi/L	1	
S10	9/4/2007	Gross Alpha	=	1.92		0.89	0.77 pCi/L	1	J
S10	12/4/2007	Gross Alpha	=	3.1		1	1 pCi/L	1	
S10	3/5/2008	Gross Alpha	=	3.35		0.82	0.999 pCi/L	1	
S10	6/3/2008	Gross Alpha	=	4.2		0.8	1.1 pCi/L	1	
S10	9/2/2008	Gross Alpha	=	5		0.6	1.1 pCi/L	1	
S10	9/1/2009	Gross Alpha	=	2.8		1.6	1.2 PCI/L	1	J
S10	6/3/2010	Gross Alpha	=	1.9		1.4	1.1 PCI/L	1	
S10	9/1/2010	Gross Alpha	=	3.7		3.7	2.5 PCI/L	1	
S11	5/24/2004	Gross Alpha	=	50		13	14 pCi/L	1	
S11	12/1/2004	Gross Alpha	=	8.6		7.6	5.5 pCi/L	1	
S11	3/3/2005	Gross Alpha	=	5.9		1.8	1.7 pCi/L	1	
S11	6/6/2005	Gross Alpha	=	10		2.2	2.6 pCi/L	1	J
S11	3/3/2006	Gross Alpha	=	3.6		1.6	1.5 pCi/L	1	J
S11	3/3/2006	Gross Alpha	=	3.7		1.6	1.5 pCi/L	1	J
S11	9/6/2006	Gross Alpha	=	1.7		1.2	1 pCi/L	1	J
S11	12/6/2006	Gross Alpha	=	2.3		2	1.5 pCi/L	1	J
S11	3/1/2007	Gross Alpha	=	3.1		1.5	1.3 pCi/L	1	
S11	6/4/2007	Gross Alpha	=	28.9		1.9	4.7 pCi/L	1	
S11	9/4/2007	Gross Alpha	=	4.4		1.5	1.5 pCi/L	1	
S11	12/4/2007	Gross Alpha	=	8		1.5	2 pCi/L	1	
S11	3/5/2008	Gross Alpha	=	5		1.6	1.7 pCi/L	1	J
S11	6/4/2008	Gross Alpha	=	6.3		1.6	1.8 pCi/L	1	
S11	9/3/2008	Gross Alpha	=	3.9		2.3	1.9 pCi/L	1	
S11	9/3/2008	Gross Alpha	=	6.8		1.1	1.8 pCi/L	1	
S11	3/5/2009	Gross Alpha	=	6.3		2.9	2.9 pCi/L	1	
S11	12/2/2010	Gross Alpha	=	11.8		6.4	5.2 PCI/L	1	
S2	6/5/2003	Gross Alpha	=	25.9		2.2	4 pCi/L	1	
S2	9/5/2003	Gross Alpha	=	18.1		2	3.7 pCi/L	1	
S2	9/5/2003	Gross Alpha	=	14.6		1.8	3.2 pCi/L	1	J
S2	12/3/2003	Gross Alpha	=	20		16	12 pCi/L	1	
S2	3/2/2004	Gross Alpha	=	34		12	12 pCi/L	1	
S2	6/2/2004	Gross Alpha	=	46		27	22 pCi/L	1	
S2	9/10/2004	Gross Alpha	=	22		16	12 pCi/L	1	
S2	12/6/2004	Gross Alpha	=	27		10	10 pCi/L	1	

tmpAnalyticalResultsOverTime

S2	3/4/2005	Gross Alpha	=	3.6	1.8	1.4 pCi/L	1
S2	6/7/2005	Gross Alpha	=	8.2	2.3	2.3 pCi/L	1 J
S2	6/7/2005	Gross Alpha	=	27.5	2.1	4.6 pCi/L	1 J
S2	12/5/2005	Gross Alpha	=	26.8	8.7	8.4 pCi/L	1
S2	3/2/2006	Gross Alpha	=	5.5	1.2	1.6 pCi/L	1 J
S2	9/5/2006	Gross Alpha	=	4.7	1.2	1.4 pCi/L	1 J
S2	12/6/2006	Gross Alpha	=	13.8	5.3	4.9 pCi/L	1 J
S2	3/5/2007	Gross Alpha	=	4.4	1.7	1.6 pCi/L	1
S2	6/4/2007	Gross Alpha	=	32.1	2.1	5.1 pCi/L	1
S2	9/4/2007	Gross Alpha	=	7.7	1.3	2 pCi/L	1
S2	12/4/2007	Gross Alpha	=	6.9	1.1	1.6 pCi/L	1
S2	3/4/2008	Gross Alpha	=	5.9	0.9	1.5 pCi/L	1
S2	6/3/2008	Gross Alpha	=	19.6	1.5	3.4 pCi/L	1
S2	9/2/2008	Gross Alpha	=	7.5	1.2	2 pCi/L	1
S2	12/2/2008	Gross Alpha	=	34	20	17 pCi/L	1
S2	12/2/2008	Gross Alpha	=	50	24	22 pCi/L	1
S2	3/5/2009	Gross Alpha	=	23.3	5.1	6.5 pCi/L	1
S2	6/1/2009	Gross Alpha	=	11.8	3.2	3 pCi/L	1
S2	9/2/2009	Gross Alpha	=	20.8	2.6	3.9 PCI/L	1
S2	12/2/2009	Gross Alpha	=	13.7	2.1	2.7 PCI/L	1
S2	3/5/2010	Gross Alpha	=	6.4	1.7	2 PCI/L	1
S2	6/3/2010	Gross Alpha	=	7.6	5.2	3.9 PCI/L	1
S2	9/1/2010	Gross Alpha	=	20.2	7	6.3 PCI/L	1
S2	12/2/2010	Gross Alpha	=	14.5	5.1	4.4 PCI/L	1
S3	6/5/2003	Gross Alpha	=	10.2	2.2	2.3 pCi/L	1
S3	9/5/2003	Gross Alpha	=	7.1	2.4	2.5 pCi/L	1
S3	12/2/2003	Gross Alpha	=	19.8	10	9 pCi/L	1
S3	9/7/2005	Gross Alpha	=	3.82	0.67	0.999 pCi/L	1
S3	9/5/2006	Gross Alpha	=	5.8	1.2	1.6 pCi/L	1
S3	9/4/2007	Gross Alpha	=	2.23	0.95	0.86 pCi/L	1 J
S3	9/2/2008	Gross Alpha	=	2.69	0.65	0.84 pCi/L	1 J
S3	9/2/2009	Gross Alpha	=	3.3	1.4	1.2 PCI/L	1
S4	6/9/2003	Gross Alpha	=	6.5	2.5	1.9 pCi/L	1
S4	6/9/2003	Gross Alpha	=	5.4	2.2	1.7 pCi/L	1
S4	6/2/2004	Gross Alpha	=	5.5	3.9	3.1 pCi/L	1
S4	3/4/2005	Gross Alpha	=	11.8	0.7	1.6 pCi/L	1
S4	6/7/2005	Gross Alpha	=	18.1	2	3.4 pCi/L	1 J
S4	12/7/2005	Gross Alpha	=	2.7	1	1 pCi/L	1 J
S4	3/2/2006	Gross Alpha	=	4.3	0.9	1.2 pCi/L	1 J
S4	6/1/2006	GROSS ALPHA	=	2.07	1.1	0.94 pCi/L	1 J
S4	9/6/2006	Gross Alpha	=	1.54	0.87	0.76 pCi/L	1 J
S4	12/1/2006	Gross Alpha	=	2.48	0.95	0.98 pCi/L	1 J
S4	12/1/2006	Gross Alpha	=	4.1	1	1.2 pCi/L	1
S4	3/2/2007	Gross Alpha	=	4	1.3	1.3 pCi/L	1
S4	6/4/2007	Gross Alpha	=	5.9	1.1	1.4 pCi/L	1
S4	9/10/2007	Gross Alpha	=	3.4	1	1 pCi/L	1
S4	12/4/2007	Gross Alpha	=	1.22	0.97	0.74 pCi/L	1 J
S4	3/4/2008	Gross Alpha	=	3.2	0.9	1 pCi/L	1
S4	6/3/2008	Gross Alpha	=	1.45	0.7	0.69 pCi/L	1 J
S4	9/3/2008	Gross Alpha	=	1.3	0.59	0.59 pCi/L	1 J
S4	9/2/2009	Gross Alpha	=	2.1	1.6	1.1 PCI/L	1 J
S4	6/3/2010	Gross Alpha	=	2.7	1.7	1.4 PCI/L	1
S4	9/2/2010	Gross Alpha	=	5.3	4.4	3.1 PCI/L	1
S5	12/16/2002	Gross Alpha	=	3.6	2	1.7 pCi/L	1
S5	6/6/2003	Gross Alpha	=	4.3	2.2	1.5 pCi/L	1
S5	3/4/2005	Gross Alpha	=	2.3	0.83	0.68 pCi/L	1 J
S5	6/3/2005	Gross Alpha	=	4.4	1.2	1.3 pCi/L	1 J

tmpAnalyticalResultsOverTime

S5	9/8/2005	Gross Alpha	=	1.29	0.94	0.72 pCi/L	1 J
S5	12/7/2005	Gross Alpha	=	1.54	1.2	0.87 pCi/L	1 J
S5	3/3/2006	Gross Alpha	=	2.12	0.96	0.89 pCi/L	1 J
S5	9/6/2006	Gross Alpha	=	2.53	0.85	0.94 pCi/L	1 J
S5	12/1/2006	Gross Alpha	=	2.32	0.86	0.89 pCi/L	1 J
S5	3/2/2007	Gross Alpha	=	3	1.1	1 pCi/L	1
S5	6/5/2007	Gross Alpha	=	4.6	1.1	1.3 pCi/L	1
S5	6/5/2007	Gross Alpha	=	5.1	1.1	1.3 pCi/L	1
S5	9/7/2007	Gross Alpha	=	1.38	1.1	0.75 pCi/L	1 J
S5	12/6/2007	Gross Alpha	=	1.25	0.9	0.71 pCi/L	1 J
S5	3/4/2008	Gross Alpha	=	2.62	0.99	0.97 pCi/L	1 J
S5	6/6/2008	Gross Alpha	=	2.4	1.8	1.5 pCi/L	1 J
S5	9/3/2008	Gross Alpha	=	3.01	0.61	0.87 pCi/L	1
S5	6/1/2009	Gross Alpha	=	3.5	2.2	1.9 pCi/L	1
S5	9/2/2009	Gross Alpha	=	1.9	1.7	1.2 PCI/L	1 J
S6	6/6/2003	Gross Alpha	=	12.7	2	2.5 pCi/L	1
S6	9/9/2003	Gross Alpha	=	5.3	4.3	3.7 pCi/L	1
S6	6/4/2004	Gross Alpha	=	7.2	6.3	4.6 pCi/L	1
S6	3/4/2005	Gross Alpha	=	3.1	1.9	1.3 pCi/L	1
S6	6/3/2005	Gross Alpha	=	7.1	2.2	2.2 pCi/L	1 J
S6	12/7/2005	Gross Alpha	=	1.51	0.71	0.72 pCi/L	1 J
S6	12/7/2005	Gross Alpha	=	4.1	1.6	1.7 pCi/L	1
S6	3/3/2006	Gross Alpha	=	3.2	1.3	1.2 pCi/L	1 J
S6	12/1/2006	Gross Alpha	=	2.5	1.4	1.2 pCi/L	1 J
S6	3/2/2007	Gross Alpha	=	3.3	1.7	1.3 pCi/L	1
S6	6/5/2007	Gross Alpha	=	8.2	1.9	2.1 pCi/L	1
S6	9/7/2007	Gross Alpha	=	9.9	1.4	2.1 pCi/L	1
S6	12/6/2007	Gross Alpha	=	5	0.8	1.3 pCi/L	1
S6	3/5/2008	Gross Alpha	=	1.93	1.1	0.98 pCi/L	1 J
S6	3/5/2008	Gross Alpha	=	2.9	1	1.1 pCi/L	1 J
S6	6/6/2008	Gross Alpha	=	2.5	2.2	1.7 pCi/L	1 J
S6	9/4/2008	Gross Alpha	=	6.5	0.9	1.6 pCi/L	1
S6	6/2/2009	Gross Alpha	=	1.7	1.7	1.1 pCi/L	1 J
S7	6/10/2003	Gross Alpha	=	6.1	2.4	1.8 pCi/L	1
S7	3/8/2005	Gross Alpha	=	0.96	0.58	0.42 pCi/L	1 J
S7	6/3/2005	Gross Alpha	=	1.25	1.1	0.79 pCi/L	1 J
S7	3/1/2006	Gross Alpha	=	0.93	0.8	0.61 pCi/L	1 J
S7	9/7/2006	Gross Alpha	=	0.87	0.85	0.61 pCi/L	1 J
S7	3/2/2007	Gross Alpha	=	1.34	1.1	0.74 pCi/L	1 J
S7	6/5/2007	Gross Alpha	=	1.15	1.1	0.69 pCi/L	1 J
S7	9/10/2007	Gross Alpha	=	1.4	0.79	0.65 pCi/L	1 J
S7	3/3/2008	Gross Alpha	=	1.7	0.88	0.79 pCi/L	1 J
S7	6/4/2008	Gross Alpha	=	1.08	0.83	0.66 pCi/L	1 J
S7	9/4/2008	Gross Alpha	=	1.08	0.68	0.59 pCi/L	1 J
S7	3/3/2010	Gross Alpha	=	2.4	1.7	1.4 PCI/L	1
S8	12/16/2002	Gross Alpha	=	4	2.2	1.9 pCi/L	1
S8	6/10/2003	Gross Alpha	=	3.9	2.4	1.8 pCi/L	1
S8	12/5/2003	Gross Alpha	=	12.2	11	8.3 pCi/L	1 J
S8	6/4/2004	Gross Alpha	=	7.4	4.8	3.8 pCi/L	1
S8	3/8/2005	Gross Alpha	=	9.9	0.7	1.4 pCi/L	1
S8	6/6/2005	Gross Alpha	=	15.1	0.9	2.4 pCi/L	1 J
S8	6/6/2005	Gross Alpha	=	12.2	1.1	2.1 pCi/L	1
S8	9/2/2005	Gross Alpha	=	12.8	1	2.3 pCi/L	1
S8	12/2/2005	Gross Alpha	=	10.3	1.4	2.2 pCi/L	1
S8	3/1/2006	Gross Alpha	=	9.1	0.9	1.8 pCi/L	1 J
S8	6/2/2006	GROSS ALPHA	=	6.4	1.2	1.7 pCi/L	1
S8	6/2/2006	GROSS ALPHA	=	11	1.2	2.4 pCi/L	1

tmpAnalyticalResultsOverTime

S8	9/7/2006	Gross Alpha	=	5.8	0.8	1.3 pCi/L	1	
S8	12/5/2006	Gross Alpha	=	8.7	1.2	2 pCi/L	1	
S8	3/5/2007	Gross Alpha	=	3.7	1.1	1.1 pCi/L	1	
S8	6/5/2007	Gross Alpha	=	11	1.2	2.1 pCi/L	1	
S8	9/10/2007	Gross Alpha	=	10	0.9	1.9 pCi/L	1	
S8	12/5/2007	Gross Alpha	=	2.81	0.85	0.93 pCi/L	1	J
S8	3/3/2008	Gross Alpha	=	6	1.3	1.5 pCi/L	1	
S8	6/4/2008	Gross Alpha	=	6.3	1	1.5 pCi/L	1	
S8	9/4/2008	Gross Alpha	=	5.6	0.8	1.3 pCi/L	1	
S8	12/4/2008	Gross Alpha	=	20	16	13 pCi/L	1	
S8	3/4/2009	Gross Alpha	=	11.2	2.4	3.1 pCi/L	1	
S8	3/4/2009	Gross Alpha	=	15.9	2.5	3.7 pCi/L	1	
S8	6/3/2009	Gross Alpha	=	12.1	2.8	3.4 pCi/L	1	
S8	9/3/2009	Gross Alpha	=	10.7	1.8	2.1 PCI/L	1	
S8	12/4/2009	Gross Alpha	=	11.9	2.1	2.4 PCI/L	1	
S8	3/3/2010	Gross Alpha	=	6.7	2.9	2.6 PCI/L	1	
S8	6/4/2010	Gross Alpha	=	3.5	1.9	1.6 PCI/L	1	
S8	9/3/2010	Gross Alpha	=	7.1	3.9	3.4 PCI/L	1	
S9	4/10/2002	Gross Alpha	=	4.9	4.7	3.3 pCi/L		
S9	6/9/2003	Gross Alpha	=	2.8	2.4	1.4 pCi/L	1	J
S9	3/3/2006	Gross Alpha	=	0.96	0.79	0.61 pCi/L	1	J
S9	6/6/2007	Gross Alpha	=	1.24	0.99	0.68 pCi/L	1	J
S9	9/5/2007	Gross Alpha	=	0.99	0.85	0.59 pCi/L	1	J
S9	12/5/2007	Gross Alpha	=	1.02	0.87	0.65 pCi/L	1	J
S10	5/24/2004	Gross Beta	=	440	360	240 pCi/L	1	NA
S10	5/24/2004	Gross Beta	=	460	360	240 pCi/L	1	
S10	9/10/2004	Gross Beta	=	132	32	27 pCi/L	1	
S10	12/1/2004	Gross Beta	=	166	30	29 pCi/L	1	
S10	12/1/2004	Gross Beta	=	191	28	30 pCi/L	1	
S10	3/3/2005	Gross Beta	=	123	24	23 pCi/L	1	
S10	6/3/2005	Gross Beta	=	153	26	26 pCi/L	1	
S10	10/6/2005	Gross Beta	=	85	11	14 pCi/L	1	
S10	12/6/2005	Gross Beta	=	103	13	17 pCi/L	1	
S10	3/2/2006	Gross Beta	=	120	25	24 pCi/L	1	pCi/L
S10	6/1/2006	GROSS BETA	=	115	33	26 pCi/L	1	
S10	9/6/2006	Gross Beta	=	99	27	22 pCi/L	1	
S10	12/6/2006	Gross Beta	=	111	12	16 pCi/L	1	
S10	3/1/2007	Gross Beta	=	107	10	14 pCi/L	1	
S10	3/1/2007	Gross Beta	=	44.9	9.5	7.9 pCi/L	1	
S10	6/4/2007	Gross Beta	=	88	16	14 pCi/L	1	
S10	9/4/2007	Gross Beta	=	89	13	13 pCi/L	1	
S10	12/4/2007	Gross Beta	=	86	10	12 pCi/L	1	
S10	3/5/2008	Gross Beta	=	86	8	12 pCi/L	1	
S10	6/3/2008	Gross Beta	=	89	8	12 pCi/L	1	
S10	9/2/2008	Gross Beta	=	164	23	25 pCi/L	1	
S10	12/2/2008	Gross Beta	=	88	15	16 pCi/L	1	
S10	3/5/2009	Gross Beta	=	93	7	12 pCi/L	1	
S10	6/1/2009	Gross Beta	=	71	17	16 pCi/L	1	
S10	9/1/2009	Gross Beta	=	107	17	19 PCI/L	1	
S10	12/2/2009	Gross Beta	=	111	13	17 PCI/L	1	
S10	3/8/2010	Gross Beta	=	83	15	14 PCI/L	1	
S10	6/3/2010	Gross Beta	=	131	22	21 PCI/L	1	
S10	9/1/2010	Gross Beta	=	103	15	18 PCI/L	1	
S10	9/1/2010	Gross Beta	=	89	14	16 PCI/L	1	
S10	12/2/2010	Gross Beta	=	88	10	14 PCI/L	1	
S11	5/24/2004	Gross Beta	=	830	360	260 pCi/L	1	
S11	12/1/2004	Gross Beta	=	330	200	140 pCi/L	1	

tmpAnalyticalResultsOverTime

S11	3/3/2005	Gross Beta	=	480	210	150 pCi/L	1
S11	6/6/2005	Gross Beta	=	410	190	140 pCi/L	1
S11	9/7/2005	Gross Beta	=	390	200	140 pCi/L	1
S11	12/6/2005	Gross Beta	=	580	310	220 pCi/L	1
S11	3/3/2006	Gross Beta	=	340	320	210 pCi/L	1
S11	9/6/2006	Gross Beta	=	400	190	140 pCi/L	1
S11	12/6/2006	Gross Beta	=	500	190	140 pCi/L	1
S11	3/1/2007	Gross Beta	=	470	190	120 pCi/L	1
S11	6/4/2007	Gross Beta	=	310	210	120 pCi/L	1
S11	9/4/2007	Gross Beta	=	408	100	78 pCi/L	1
S11	12/4/2007	Gross Beta	=	310	170	120 pCi/L	1
S11	3/5/2008	Gross Beta	=	306	100	87 pCi/L	1
S11	6/4/2008	Gross Beta	=	420	160	120 pCi/L	1
S11	9/3/2008	Gross Beta	=	480	300	200 pCi/L	1
S11	9/3/2008	Gross Beta	=	420	310	210 pCi/L	1
S11	12/2/2008	Gross Beta	=	236	120	89 pCi/L	1
S11	3/5/2009	Gross Beta	=	226	110	82 pCi/L	1
S11	6/1/2009	Gross Beta	=	480	230	170 pCi/L	1
S11	9/2/2009	Gross Beta	=	300	210	150 PCI/L	1
S11	12/2/2009	Gross Beta	=	410	170	120 PCI/L	1
S11	3/5/2010	Gross Beta	=	490	310	210 PCI/L	1
S11	6/3/2010	Gross Beta	=	259	46	44 PCI/L	1
S11	12/2/2010	Gross Beta	=	361	91	89 PCI/L	1
S2	6/26/2002	Gross Beta	=	800	630	410 pCi/L	1
S2	9/18/2002	Gross Beta	=	1660	490	390 pCi/L	1
S2	12/13/2002	Gross Beta	=	6.6	4.1	2.8 pCi/L	1
S2	3/4/2003	Gross Beta	=	2800	1800	1200 pCi/L	1
S2	6/5/2003	Gross Beta	=	960	120	130 pCi/L	1
S2	9/5/2003	Gross Beta	=	1030	390	290 pCi/L	1
S2	9/5/2003	Gross Beta	=	850	400	280 pCi/L	1
S2	12/3/2003	Gross Beta	=	1010	380	290 pCi/L	1
S2	3/2/2004	Gross Beta	=	1050	360	280 pCi/L	1
S2	6/2/2004	Gross Beta	=	800	390	280 pCi/L	1
S2	9/10/2004	Gross Beta	=	720	220	170 pCi/L	1
S2	12/6/2004	Gross Beta	=	860	170	170 pCi/L	1
S2	3/4/2005	Gross Beta	=	910	210	180 pCi/L	1
S2	6/7/2005	Gross Beta	=	650	220	170 pCi/L	1
S2	6/7/2005	Gross Beta	=	810	220	180 pCi/L	1
S2	12/5/2005	Gross Beta	=	960	330	270 pCi/L	1
S2	3/2/2006	Gross Beta	=	710	340	250 pCi/L	1
S2	6/2/2006	GROSS BETA	=	780	390	280 pCi/L	1
S2	9/5/2006	Gross Beta	=	480	410	260 pCi/L	1
S2	12/6/2006	Gross Beta	=	730	190	160 pCi/L	1
S2	3/5/2007	Gross Beta	=	760	230	160 pCi/L	1
S2	6/4/2007	Gross Beta	=	149	33	27 pCi/L	1
S2	9/4/2007	Gross Beta	=	360	190	110 pCi/L	1
S2	12/4/2007	Gross Beta	=	390	160	120 pCi/L	1
S2	3/4/2008	Gross Beta	=	490	110	110 pCi/L	1
S2	6/3/2008	Gross Beta	=	590	100	110 pCi/L	1
S2	9/2/2008	Gross Beta	=	680	320	230 pCi/L	1
S2	12/2/2008	Gross Beta	=	330	200	150 pCi/L	1
S2	12/2/2008	Gross Beta	=	340	220	160 pCi/L	1
S2	3/5/2009	Gross Beta	=	520	140	120 pCi/L	1
S2	6/1/2009	Gross Beta	=	620	240	190 pCi/L	1
S2	9/2/2009	Gross Beta	=	320	210	150 PCI/L	1
S2	12/2/2009	Gross Beta	=	460	220	170 PCI/L	1
S2	3/5/2010	Gross Beta	=	430	210	160 PCI/L	1



tmpAnalyticalResultsOverTime

S2	12/2/2010	Gross Beta	=	420	200	150	PCI/L	1
S3	4/3/2002	Gross Beta	=	1840	1200	810	pCi/L	
S3	9/19/2002	Gross Beta	=	620	190	150	pCi/L	1
S3	9/19/2002	Gross Beta	=	510	120	110	pCi/L	1
S3	12/13/2002	Gross Beta	=	3.85	0.96	0.82	pCi/L	1 J
S3	3/5/2003	Gross Beta	=	530	200	150	pCi/L	1
S3	6/5/2003	Gross Beta	=	339	29	42	pCi/L	1
S3	9/5/2003	Gross Beta	=	261	64	55	pCi/L	1
S3	12/2/2003	Gross Beta	=	205	54	45	pCi/L	1
S3	9/9/2004	Gross Beta	=	239	27	37	pCi/L	1
S3	9/9/2004	Gross Beta	=	205	17	29	pCi/L	1
S3	9/7/2005	Gross Beta	=	48	31	21	pCi/L	1
S3	9/5/2006	Gross Beta	=	181	63	48	pCi/L	1
S3	9/4/2007	Gross Beta	=	161	31	27	pCi/L	1
S3	9/2/2008	Gross Beta	=	163	51	40	pCi/L	1
S3	9/2/2009	Gross Beta	=	142	25	26	PCI/L	1
S3	9/1/2010	Gross Beta	=	143	20	25	PCI/L	1
S4	4/3/2002	Gross Beta	=	260	130	89	pCi/L	
S4	6/25/2002	Gross Beta	=	242	110	76	pCi/L	1
S4	9/19/2002	Gross Beta	=	144	62	45	pCi/L	1
S4	12/13/2002	Gross Beta	=	7.7	2	1.7	pCi/L	1
S4	3/6/2003	Gross Beta	=	155	55	42	pCi/L	1
S4	6/9/2003	Gross Beta	=	172	16	22	pCi/L	1
S4	6/9/2003	Gross Beta	=	187	17	24	pCi/L	1
S4	9/8/2003	Gross Beta	=	167	57	44	pCi/L	1
S4	12/4/2003	Gross Beta	=	189	55	44	pCi/L	1
S4	3/2/2004	Gross Beta	=	184	53	43	pCi/L	1
S4	6/2/2004	Gross Beta	=	220	72	56	pCi/L	1
S4	9/9/2004	Gross Beta	=	114	27	25	pCi/L	1
S4	12/6/2004	Gross Beta	=	171	34	32	pCi/L	1
S4	12/6/2004	Gross Beta	=	192	34	34	pCi/L	1
S4	3/4/2005	Gross Beta	=	272	71	59	pCi/L	1
S4	6/7/2005	Gross Beta	=	279	71	60	pCi/L	1
S4	9/8/2005	Gross Beta	=	202	51	44	pCi/L	1
S4	12/7/2005	Gross Beta	=	317	71	63	pCi/L	1
S4	3/2/2006	Gross Beta	=	188	59	48	pCi/L	1
S4	6/1/2006	GROSS BETA	=	258	130	92	pCi/L	1
S4	9/6/2006	Gross Beta	=	225	78	60	pCi/L	1
S4	12/1/2006	Gross Beta	=	97	33	25	pCi/L	1
S4	12/1/2006	Gross Beta	=	107	36	27	pCi/L	1
S4	3/2/2007	Gross Beta	=	168	34	29	pCi/L	1
S4	6/4/2007	Gross Beta	=	166	30	27	pCi/L	1
S4	9/10/2007	Gross Beta	=	152	28	25	pCi/L	1
S4	12/4/2007	Gross Beta	=	158	24	24	pCi/L	1
S4	3/4/2008	Gross Beta	=	146	15	21	pCi/L	1
S4	6/3/2008	Gross Beta	=	148	15	21	pCi/L	1
S4	9/3/2008	Gross Beta	=	184	50	41	pCi/L	1
S4	12/2/2008	Gross Beta	=	145	24	27	pCi/L	1
S4	3/4/2009	Gross Beta	=	150	17	22	pCi/L	1
S4	6/2/2009	Gross Beta	=	193	38	38	pCi/L	1
S4	6/2/2009	Gross Beta	=	170	38	36	pCi/L	1
S4	9/2/2009	Gross Beta	=	158	35	34	PCI/L	1
S4	12/3/2009	Gross Beta	=	102	36	30	PCI/L	1
S4	3/4/2010	Gross Beta	=	158	34	33	PCI/L	1
S4	6/3/2010	Gross Beta	=	197	50	41	PCI/L	1
S4	9/2/2010	Gross Beta	=	126	30	30	PCI/L	1
S4	12/3/2010	Gross Beta	=	150	30	30	PCI/L	1

tmpAnalyticalResultsOverTime

S5	6/24/2002	Gross Beta	=	197	130	86 pCi/L	1
S5	9/20/2002	Gross Beta	=	141	86	59 pCi/L	1
S5	12/16/2002	Gross Beta	=	2.4	1.9	1.2 pCi/L	1 J
S5	3/6/2003	Gross Beta	=	132	54	40 pCi/L	1
S5	6/6/2003	Gross Beta	=	118	20	19 pCi/L	1
S5	9/10/2003	Gross Beta	=	136	55	40 pCi/L	1
S5	12/4/2003	Gross Beta	=	138	53	40 pCi/L	1
S5	3/2/2004	Gross Beta	=	105	46	34 pCi/L	1
S5	6/2/2004	Gross Beta	=	136	53	39 pCi/L	1
S5	9/8/2004	Gross Beta	=	118	25	23 pCi/L	1
S5	12/3/2004	Gross Beta	=	123	29	26 pCi/L	1
S5	3/4/2005	Gross Beta	=	156	34	30 pCi/L	1
S5	3/4/2005	Gross Beta	=	131	33	28 pCi/L	1
S5	6/3/2005	Gross Beta	=	130	41	32 pCi/L	1
S5	9/8/2005	Gross Beta	=	113	27	23 pCi/L	1
S5	12/7/2005	Gross Beta	=	205	53	44 pCi/L	1
S5	6/5/2006	GROSS BETA	=	125	56	40 pCi/L	1
S5	9/6/2006	Gross Beta	=	141	53	40 pCi/L	1
S5	12/1/2006	Gross Beta	=	66	29	21 pCi/L	1
S5	3/2/2007	Gross Beta	=	112	23	20 pCi/L	1
S5	6/5/2007	Gross Beta	=	42	14	11 pCi/L	1
S5	6/5/2007	Gross Beta	=	43	15	11 pCi/L	1
S5	9/7/2007	Gross Beta	=	108	24	20 pCi/L	1
S5	12/6/2007	Gross Beta	=	92	21	18 pCi/L	1
S5	3/4/2008	Gross Beta	=	91	16	17 pCi/L	1
S5	6/6/2008	Gross Beta	=	107	15	18 pCi/L	1
S5	9/3/2008	Gross Beta	=	133	41	32 pCi/L	1
S5	12/3/2008	Gross Beta	=	98	24	23 pCi/L	1
S5	3/3/2009	Gross Beta	=	116	35	28 pCi/L	1
S5	6/1/2009	Gross Beta	=	112	38	31 pCi/L	1
S5	9/2/2009	Gross Beta	=	80	24	22 PCI/L	1
S5	12/3/2009	Gross Beta	=	83	30	24 PCI/L	1
S5	12/3/2009	Gross Beta	=	95	47	33 PCI/L	1
S5	3/4/2010	Gross Beta	=	102	27	25 PCI/L	1
S5	6/7/2010	Gross Beta	=	130	45	35 PCI/L	1
S5	9/3/2010	Gross Beta	=	62	28	22 PCI/L	1
S5	12/6/2010	Gross Beta	=	90	21	21 PCI/L	1
S6	6/24/2002	Gross Beta	=	320	200	130 pCi/L	1
S6	12/18/2002	Gross Beta	=	220	130	88 pCi/L	1
S6	3/10/2003	Gross Beta	=	470	360	240 pCi/L	1
S6	6/6/2003	Gross Beta	=	236	57	46 pCi/L	1
S6	9/9/2003	Gross Beta	=	190	190	120 pCi/L	1
S6	12/4/2003	Gross Beta	=	136	130	83 pCi/L	1
S6	12/4/2003	Gross Beta	=	229	130	88 pCi/L	1
S6	3/2/2004	Gross Beta	=	170	170	110 pCi/L	1
S6	9/8/2004	Gross Beta	=	206	100	72 pCi/L	1
S6	12/3/2004	Gross Beta	=	123	120	74 pCi/L	1
S6	3/4/2005	Gross Beta	=	162	110	71 pCi/L	1
S6	6/3/2005	Gross Beta	=	181	110	74 pCi/L	1
S6	9/9/2005	Gross Beta	=	186	100	71 pCi/L	1
S6	12/7/2005	Gross Beta	=	180	160	110 pCi/L	1
S6	9/7/2006	Gross Beta	=	210	180	120 pCi/L	1
S6	12/1/2006	Gross Beta	=	116	100	65 pCi/L	1
S6	3/2/2007	Gross Beta	=	137	95	53 pCi/L	1
S6	6/5/2007	Gross Beta	=	57	57	32 pCi/L	1
S6	9/7/2007	Gross Beta	=	186	100	60 pCi/L	1
S6	12/6/2007	Gross Beta	=	149	83	57 pCi/L	1

tmpAnalyticalResultsOverTime

S6	3/5/2008	Gross Beta	=	131	48	40 pCi/L	1
S6	3/5/2008	Gross Beta	=	162	52	45 pCi/L	1
S6	6/6/2008	Gross Beta	=	162	55	46 pCi/L	1
S6	9/4/2008	Gross Beta	=	330	150	110 pCi/L	1
S6	12/3/2008	Gross Beta	=	109	99	67 pCi/L	1
S6	3/4/2009	Gross Beta	=	160	62	49 pCi/L	1
S6	6/2/2009	Gross Beta	=	144	120	80 pCi/L	1
S6	9/3/2009	Gross Beta	=	159	100	72 PCI/L	1
S6	12/3/2009	Gross Beta	=	200	170	110 PCI/L	1
S6	3/4/2010	Gross Beta	=	117	110	72 PCI/L	1
S6	9/3/2010	Gross Beta	=	158	93	69 PCI/L	1
S6	12/3/2010	Gross Beta	=	170	100	76 PCI/L	1
S6	12/3/2010	Gross Beta	=	133	110	74 PCI/L	1
S7	4/10/2002	Gross Beta	=	72	29	21 pCi/L	
S7	6/21/2002	Gross Beta	=	77	20	16 pCi/L	1
S7	9/23/2002	Gross Beta	=	80	21	17 pCi/L	1
S7	12/17/2002	Gross Beta	=	3.96	1.1	0.94 pCi/L	1 J
S7	3/7/2003	Gross Beta	=	47.9	9.7	9.1 pCi/L	1
S7	6/10/2003	Gross Beta	=	51	3.1	5.9 pCi/L	1
S7	9/11/2003	Gross Beta	=	55.4	9.5	9.6 pCi/L	1
S7	12/4/2003	Gross Beta	=	52.6	9.9	9.6 pCi/L	1
S7	3/2/2004	Gross Beta	=	49.7	8	8.4 pCi/L	1
S7	6/4/2004	Gross Beta	=	55	12	11 pCi/L	1
S7	9/7/2004	Gross Beta	=	62.6	5.4	8.2 pCi/L	1
S7	12/3/2004	Gross Beta	=	52.8	5.5	7.3 pCi/L	1
S7	3/8/2005	Gross Beta	=	70	17	14 pCi/L	1
S7	6/3/2005	Gross Beta	=	35.6	6.9	6.6 pCi/L	1
S7	9/2/2005	Gross Beta	=	47.6	6.1	7.1 pCi/L	1
S7	12/5/2005	Gross Beta	=	58	8.7	9.8 pCi/L	1
S7	12/5/2005	Gross Beta	=	42.9	6.1	7.4 pCi/L	1
S7	3/1/2006	Gross Beta	=	38.2	11	9.2 pCi/L	1
S7	6/5/2006	GROSS BETA	=	44	12	10 pCi/L	1
S7	9/7/2006	Gross Beta	=	61	10	10 pCi/L	1
S7	12/5/2006	Gross Beta	=	24.1	5.6	4.9 pCi/L	1
S7	3/2/2007	Gross Beta	=	34.9	5.9	5.6 pCi/L	1
S7	6/5/2007	Gross Beta	=	22.2	3.6	3.7 pCi/L	1
S7	9/10/2007	Gross Beta	=	30.1	5.6	5 pCi/L	1
S7	12/5/2007	Gross Beta	=	44.5	4.4	5.5 pCi/L	1
S7	3/3/2008	Gross Beta	=	49	3.3	5.7 pCi/L	1
S7	6/4/2008	Gross Beta	=	51.2	4.9	6.3 pCi/L	1
S7	6/4/2008	Gross Beta	=	53.2	4	6 pCi/L	1
S7	9/4/2008	Gross Beta	=	58.5	8.1	8.7 pCi/L	1
S7	12/3/2008	Gross Beta	=	56.5	11	9.9 pCi/L	1
S7	3/5/2009	Gross Beta	=	50.2	3.4	5.8 pCi/L	1
S7	6/3/2009	Gross Beta	=	43	3.2	5.3 pCi/L	1
S7	9/8/2009	Gross Beta	=	62	11	10 PCI/L	1
S7	9/8/2009	Gross Beta	=	65.7	8.6	9.3 PCI/L	1
S7	12/4/2009	Gross Beta	=	66.2	9.3	9.7 PCI/L	1
S7	3/3/2010	Gross Beta	=	42.6	6.5	7.1 PCI/L	1
S7	3/3/2010	Gross Beta	=	26	6.2	5.9 PCI/L	1
S7	6/4/2010	Gross Beta	=	38.1	9	7.6 PCI/L	1
S7	9/7/2010	Gross Beta	=	33.8	5.6	6.2 PCI/L	1
S7	12/6/2010	Gross Beta	=	49.2	5.1	7.1 PCI/L	1
S8	4/10/2002	Gross Beta	=	43	16	12 pCi/L	
S8	6/21/2002	Gross Beta	=	71	39	26 pCi/L	1
S8	9/20/2002	Gross Beta	=	67	19	16 pCi/L	1
S8	3/7/2003	Gross Beta	=	44	13	10 pCi/L	1

tmpAnalyticalResultsOverTime

S8	3/7/2003	Gross Beta	=	29.7	10	7.7 pCi/L	1
S8	6/10/2003	Gross Beta	=	24	4.3	3.9 pCi/L	1
S8	9/11/2003	Gross Beta	=	42.2	12	9.6 pCi/L	1
S8	12/5/2003	Gross Beta	=	43.1	11	9.4 pCi/L	1
S8	3/5/2004	Gross Beta	=	39.6	11	9.5 pCi/L	1 J
S8	6/4/2004	Gross Beta	=	64	38	26 pCi/L	1
S8	9/3/2004	Gross Beta	=	47.5	11	9.5 pCi/L	1
S8	12/3/2004	Gross Beta	=	52	12	10 pCi/L	1
S8	3/8/2005	Gross Beta	=	79	18	16 pCi/L	1
S8	6/6/2005	Gross Beta	=	107	28	24 pCi/L	1
S8	6/6/2005	Gross Beta	=	93	27	22 pCi/L	1
S8	9/2/2005	Gross Beta	=	91	24	20 pCi/L	1
S8	12/2/2005	Gross Beta	=	88	35	26 pCi/L	1
S8	6/2/2006	GROSS BETA	=	171	76	54 pCi/L	1
S8	6/2/2006	GROSS BETA	=	171	76	55 pCi/L	1
S8	9/7/2006	Gross Beta	=	115	48	35 pCi/L	1
S8	12/5/2006	Gross Beta	=	54	24	17 pCi/L	1
S8	3/5/2007	Gross Beta	=	109	23	20 pCi/L	1
S8	6/5/2007	Gross Beta	=	30.3	13	8.9 pCi/L	1
S8	9/10/2007	Gross Beta	=	99	23	18 pCi/L	1
S8	12/5/2007	Gross Beta	=	72	14	13 pCi/L	1
S8	3/3/2008	Gross Beta	=	70	10	11 pCi/L	1
S8	6/4/2008	Gross Beta	=	85	18	16 pCi/L	1
S8	9/4/2008	Gross Beta	=	91	33	25 pCi/L	1
S8	12/4/2008	Gross Beta	=	63	22	18 pCi/L	1
S8	3/4/2009	Gross Beta	=	77	13	13 pCi/L	1
S8	3/4/2009	Gross Beta	=	60	11	12 pCi/L	1
S8	6/3/2009	Gross Beta	=	71	17	16 pCi/L	1
S8	9/3/2009	Gross Beta	=	91	32	26 PCI/L	1
S8	12/4/2009	Gross Beta	=	84	36	27 PCI/L	1
S8	3/3/2010	Gross Beta	=	218	37	35 PCI/L	1
S8	6/4/2010	Gross Beta	=	120	50	37 PCI/L	1
S8	9/3/2010	Gross Beta	=	74	19	18 PCI/L	1
S8	12/6/2010	Gross Beta	=	62	23	19 PCI/L	1
S9	4/10/2002	Gross Beta	=	28	3.9	4.3 pCi/L	
S9	6/20/2002	Gross Beta	=	28.3	5.1	4.9 pCi/L	1
S9	9/11/2002	Gross Beta	=	35.8	6.1	6.2 pCi/L	1
S9	12/12/2002	Gross Beta	=	31.3	5.1	5.3 pCi/L	1
S9	3/6/2003	Gross Beta	=	12.7	1.9	2 pCi/L	1
S9	6/9/2003	Gross Beta	=	29.5	1.8	3.4 pCi/L	1
S9	9/11/2003	Gross Beta	=	27.1	4.9	4.8 pCi/L	1
S9	12/4/2003	Gross Beta	=	34.3	5.2	5.6 pCi/L	1
S9	3/2/2004	Gross Beta	=	30.7	3.1	4.3 pCi/L	1
S9	6/3/2004	Gross Beta	=	37.1	6.3	6.4 pCi/L	1
S9	9/3/2004	Gross Beta	=	31.6	2.5	4.1 pCi/L	1
S9	12/2/2004	Gross Beta	=	32.7	2.8	4.3 pCi/L	1
S9	3/8/2005	Gross Beta	=	32.2	2.6	4.2 pCi/L	1
S9	6/3/2005	Gross Beta	=	26	2.4	3.5 pCi/L	1
S9	9/2/2005	Gross Beta	=	27.4	4.4	4.5 pCi/L	1
S9	12/5/2005	Gross Beta	=	33.1	2.1	4.2 pCi/L	1
S9	3/3/2006	Gross Beta	=	28.7	4.4	5 pCi/L	1
S9	6/1/2006	GROSS BETA	=	25.6	7.6	6.1 pCi/L	1
S9	9/7/2006	Gross Beta	=	29.7	4.8	5 pCi/L	1
S9	12/6/2006	Gross Beta	=	25.5	2.4	3.5 pCi/L	1
S9	3/2/2007	Gross Beta	=	19.6	2.7	3 pCi/L	1
S9	6/6/2007	Gross Beta	=	13	1.7	2.1 pCi/L	1
S9	9/5/2007	Gross Beta	=	23	2.7	3.2 pCi/L	1

tmpAnalyticalResultsOverTime

S9	12/5/2007	Gross Beta	=	28.1		2.1	3.1 pCi/L	1	
S9	12/5/2007	Gross Beta	=	26.8		2.2	3.1 pCi/L	1	
S9	3/7/2008	Gross Beta	=	26.9		1.6	3 pCi/L	1	
S9	6/6/2008	Gross Beta	=	24.7		1.5	2.9 pCi/L	1	
S9	9/5/2008	Gross Beta	=	35.5		3.5	5 pCi/L	1	
S9	12/4/2008	Gross Beta	=	29.7		3.3	4.3 pCi/L	1	
S9	3/6/2009	Gross Beta	=	27.1		1.5	3 pCi/L	1	
S9	6/3/2009	Gross Beta	=	26.7		1.2	2.8 pCi/L	1	
S9	9/4/2009	Gross Beta	=	30.2		3.5	4 PCI/L	1	
S9	12/4/2009	Gross Beta	=	33.5		3.9	4.5 PCI/L	1	
S9	3/8/2010	Gross Beta	=	30.9		3.7	4.2 PCI/L	1	
S9	6/7/2010	Gross Beta	=	30.2		3.5	4.1 PCI/L	1	
S9	6/7/2010	Gross Beta	=	31.2		3.5	4 PCI/L	1	
S9	9/8/2010	Gross Beta	=	25.7		3	4 PCI/L	1	
S9	12/7/2010	Gross Beta	=	24.2		1.9	3.3 PCI/L	1	
S6	9/3/2009	Hafnium-TOTAL	=	0.00038	0.00053	0.05	0.05	MG/L	5 J
S10	5/24/2004	Iron-DISSOLVED	=	0.12	0.019		0.1	mg/L	1 NA
S10	5/24/2004	Iron-DISSOLVED	=	0.12	0.019		0.1	mg/L	1
S11	5/24/2004	Iron-DISSOLVED	=	0.27	0.019		0.1	mg/L	1
S11	9/10/2004	Iron-DISSOLVED	=	0.24	0.028		0.1	mg/L	1
S11	12/1/2004	Iron-DISSOLVED	=	0.22	0.028		0.1	mg/L	1
S11	3/3/2005	Iron-DISSOLVED	=	0.19	0.028		0.1	mg/L	1
S2	4/3/2002	Iron-DISSOLVED	=	0.063			0.1	mg/L	1 J
S4	4/3/2002	Iron-DISSOLVED	=	0.019			0.1	mg/L	1 J
S4	6/25/2002	Iron-DISSOLVED	=	0.44	0.013		0.1	mg/L	1
S4	9/19/2002	Iron-DISSOLVED	=	0.31	0.013		0.1	mg/L	1
S5	4/4/2002	Iron-DISSOLVED	=	0.022			0.1	mg/L	1 J
S5	6/24/2002	Iron-DISSOLVED	=	0.12	0.013		0.1	mg/L	1
S5	9/20/2002	Iron-DISSOLVED	=	0.13	0.013		0.1	mg/L	1
S6	4/4/2002	Iron-DISSOLVED	=	0.018			0.1	mg/L	1 J
S6	6/24/2002	Iron-DISSOLVED	=	0.14	0.013		0.1	mg/L	1
S6	9/23/2002	Iron-DISSOLVED	=	0.11	0.013		0.1	mg/L	1
S6	12/18/2002	Iron-DISSOLVED	=	0.11	0.013		0.1	mg/L	1
S7	4/10/2002	Iron-DISSOLVED	=	0.2			0.1	mg/L	1
S7	6/21/2002	Iron-DISSOLVED	=	0.53	0.013		0.1	mg/L	1
S7	9/23/2002	Iron-DISSOLVED	=	1.4	0.013		0.1	mg/L	1
S8	4/10/2002	Iron-DISSOLVED	=	0.029			0.1	mg/L	1 J
S8	6/21/2002	Iron-DISSOLVED	=	0.15	0.013		0.1	mg/L	1
S8	9/20/2002	Iron-DISSOLVED	=	0.3	0.013		0.1	mg/L	1
S9	4/10/2002	Iron-DISSOLVED	=	0.051			0.1	mg/L	1 J
S10	5/24/2004	Iron-TOTAL	=	0.26	0.019		0.1	mg/L	1
S10	5/24/2004	Iron-TOTAL	=	0.18	0.019		0.1	mg/L	1
S10	12/1/2004	Iron-TOTAL	=	0.11	0.028		0.1	mg/L	1
S10	12/1/2004	Iron-TOTAL	=	0.1	0.028		0.1	mg/L	1
S10	3/3/2005	Iron-TOTAL	=	0.1	0.028		0.1	mg/L	1
S10	9/7/2005	Iron-TOTAL	=	0.2	0.021		0.1	MG/L	1
S10	9/6/2006	Iron-TOTAL	=	0.49	0.022		0.1	MG/L	1
S10	9/4/2007	Iron-TOTAL	=	0.83	0.11		0.5	MG/L	5
S10	9/2/2008	Iron-TOTAL	=	0.88	0.022		0.1	mg/L	1
S10	9/1/2010	Iron-TOTAL	=	0.7	0.022		0.1	MG/L	1
S10	9/1/2010	Iron-TOTAL	=	0.7	0.022		0.1	MG/L	1
S11	5/24/2004	Iron-TOTAL	=	1.2	0.019		0.1	mg/L	1
S11	9/10/2004	Iron-TOTAL	=	1.3	0.028		0.1	mg/L	1
S11	12/1/2004	Iron-TOTAL	=	1	0.028		0.1	mg/L	1
S11	3/3/2005	Iron-TOTAL	=	2.9	0.028		0.1	mg/L	1
S11	9/7/2005	Iron-TOTAL	=	3.2	0.21		1	MG/L	10
S11	9/6/2006	Iron-TOTAL	=	2.3	0.11		0.5	MG/L	5

tmpAnalyticalResultsOverTime

S11	9/4/2007	Iron-TOTAL	=	3.3	0.11	0.5	MG/L	5
S11	9/3/2008	Iron-TOTAL	=	3.3	0.11	0.5	MG/L	5
S11	9/3/2008	Iron-TOTAL	=	3.3	0.11	0.5	MG/L	5
S11	9/2/2009	Iron-TOTAL	=	2.7	0.11	0.5	MG/L	5
S11	9/2/2010	Iron-TOTAL	=	2.8	0.22	1	MG/L	10
S2	4/3/2002	Iron-TOTAL	=	0.069		0.1	mg/L	1 J
S2	9/10/2004	Iron-TOTAL	=	0.16	0.028	0.1	mg/L	1
S3	9/9/2004	Iron-TOTAL	=	0.15	0.028	0.1	mg/L	1
S3	9/9/2004	Iron-TOTAL	=	0.14	0.028	0.1	mg/L	1
S3	9/7/2005	Iron-TOTAL	=	0.54	0.021	0.1	MG/L	1
S3	9/5/2006	Iron-TOTAL	=	0.6	0.022	0.1	MG/L	1
S3	9/4/2007	Iron-TOTAL	=	0.55	0.11	0.5	MG/L	5
S3	9/2/2008	Iron-TOTAL	=	0.33	0.022	0.1	mg/L	1
S3	9/2/2009	Iron-TOTAL	=	0.23	0.022	0.1	MG/L	1
S3	9/1/2010	Iron-TOTAL	=	0.29	0.022	0.1	MG/L	1
S4	4/3/2002	Iron-TOTAL	=	0.017		0.1	mg/L	1 J
S4	6/25/2002	Iron-TOTAL	=	1	0.013	0.1	mg/L	1
S4	9/19/2002	Iron-TOTAL	=	0.39	0.013	0.1	mg/L	1
S4	9/8/2005	Iron-TOTAL	=	0.14	0.021	0.1	MG/L	1
S5	4/4/2002	Iron-TOTAL	=	0.018		0.1	mg/L	1 J
S5	6/24/2002	Iron-TOTAL	=	0.36	0.013	0.1	mg/L	1
S5	9/20/2002	Iron-TOTAL	=	0.53	0.013	0.1	mg/L	1
S5	12/16/2002	Iron-TOTAL	=	0.4	0.013	0.1	mg/L	1
S5	9/10/2003	Iron-TOTAL	=	0.46	0.019	0.1	mg/L	1
S5	9/8/2004	Iron-TOTAL	=	0.25	0.028	0.1	mg/L	1
S5	9/8/2005	Iron-TOTAL	=	0.19	0.021	0.1	MG/L	1
S6	4/4/2002	Iron-TOTAL	=	0.025		0.1	mg/L	1 J
S6	6/24/2002	Iron-TOTAL	=	0.86	0.013	0.1	mg/L	1
S6	6/24/2002	Iron-TOTAL	=	1.2	0.013	0.1	mg/L	1
S6	9/23/2002	Iron-TOTAL	=	0.32	0.013	0.1	mg/L	1
S6	12/18/2002	Iron-TOTAL	=	0.35	0.013	0.1	mg/L	1
S6	9/9/2003	Iron-TOTAL	=	0.76	0.019	0.1	mg/L	1
S6	9/8/2004	Iron-TOTAL	=	1.6	0.028	0.1	mg/L	1
S6	9/7/2006	Iron-TOTAL	=	0.37	0.022	0.1	MG/L	1
S6	9/4/2008	Iron-TOTAL	=	0.25	0.022	0.1	MG/L	1
S6	9/3/2009	Iron-TOTAL	=	0.22	0.022	0.1	MG/L	1
S7	4/10/2002	Iron-TOTAL	=	2.1		0.1	mg/L	1 J
S7	6/21/2002	Iron-TOTAL	=	2.9	0.013	0.1	mg/L	1
S7	9/23/2002	Iron-TOTAL	=	1.2	0.013	0.1	mg/L	1
S7	12/17/2002	Iron-TOTAL	=	0.99	0.013	0.1	mg/L	1
S7	9/11/2003	Iron-TOTAL	=	4.3	0.019	0.1	mg/L	1
S7	9/7/2004	Iron-TOTAL	=	4.6	0.028	0.1	mg/L	1
S7	9/2/2005	Iron-TOTAL	=	4.5	0.021	0.1	MG/L	1
S7	9/7/2006	Iron-TOTAL	=	7.2	0.022	0.1	MG/L	1
S7	9/10/2007	Iron-TOTAL	=	0.93	0.022	0.1	MG/L	1
S7	9/4/2008	Iron-TOTAL	=	1.5	0.022	0.1	MG/L	1
S7	9/8/2009	Iron-TOTAL	=	0.24	0.022	0.1	MG/L	1
S7	9/8/2009	Iron-TOTAL	=	0.77	0.022	0.1	MG/L	1
S7	9/7/2010	Iron-TOTAL	=	1	0.022	0.1	MG/L	1
S8	4/10/2002	Iron-TOTAL	=	0.032		0.1	mg/L	1 J
S8	6/21/2002	Iron-TOTAL	=	0.29	0.013	0.1	mg/L	1
S8	9/20/2002	Iron-TOTAL	=	0.39	0.013	0.1	mg/L	1
S8	12/16/2002	Iron-TOTAL	=	0.16	0.013	0.1	mg/L	1
S8	9/11/2003	Iron-TOTAL	=	0.24	0.019	0.1	mg/L	1
S8	9/3/2004	Iron-TOTAL	=	0.24	0.028	0.1	mg/L	1
S8	9/2/2005	Iron-TOTAL	=	0.49	0.021	0.1	MG/L	1
S8	9/7/2006	Iron-TOTAL	=	1	0.022	0.1	MG/L	1

tmpAnalyticalResultsOverTime

S8	9/10/2007	Iron-TOTAL	=	0.89	0.022	0.1	MG/L	1	
S8	9/4/2008	Iron-TOTAL	=	1.3	0.022	0.1	MG/L	1	
S8	9/3/2010	Iron-TOTAL	=	0.8	0.022	0.1	MG/L	1	
S9	4/10/2002	Iron-TOTAL	=	0.036		0.1	mg/L	1 J	
S9	6/20/2002	Iron-TOTAL	=	0.11	0.013	0.1	mg/L	1	mg/L
S9	9/3/2004	Iron-TOTAL	=	0.25	0.028	0.1	mg/L	1	
S9	9/2/2005	Iron-TOTAL	=	0.28	0.021	0.1	MG/L	1	
S7	9/7/2004	Lead-TOTAL	=	0.006	0.0015	0.003	mg/L	1 J	
S7	9/2/2005	Lead-TOTAL	=	0.0044	0.0026	0.003	MG/L	1	
S7	9/7/2006	Lead-TOTAL	=	0.0052	0.00018	0.001	MG/L	1	
S8	4/10/2002	Lead-TOTAL	=	0.0062		0.003	mg/L	1 J	
S9	4/10/2002	Lead-TOTAL	=	0.02		0.003	mg/L	1 J	
S10	5/24/2004	Magnesium-DISSOLVED	=	560	0.027	0.2	mg/L	1	NA
S10	5/24/2004	Magnesium-DISSOLVED	=	570	0.027	0.2	mg/L	1	
S10	9/10/2004	Magnesium-DISSOLVED	=	78	0.017	0.2	mg/L	1	
S10	12/1/2004	Magnesium-DISSOLVED	=	58	0.017	0.2	mg/L	1	
S10	12/1/2004	Magnesium-DISSOLVED	=	59	0.017	0.2	mg/L	1	
S10	3/3/2005	Magnesium-DISSOLVED	=	55	0.017	0.2	mg/L	1	
S11	5/24/2004	Magnesium-DISSOLVED	=	1200	0.14	1	mg/L	5	
S11	9/10/2004	Magnesium-DISSOLVED	=	490	0.017	0.2	mg/L	1	
S11	12/1/2004	Magnesium-DISSOLVED	=	530	0.017	0.2	mg/L	1	
S11	3/3/2005	Magnesium-DISSOLVED	=	630	0.017	0.2	mg/L	1	
S2	4/3/2002	Magnesium-DISSOLVED	=	866		1	mg/L	5	
S2	6/26/2002	Magnesium-DISSOLVED	=	659	0.024	0.2	mg/L	1	
S2	9/18/2002	Magnesium-DISSOLVED	=	620	0.024	0.2	mg/L	1 J	
S2	12/13/2002	Magnesium-DISSOLVED	=	720	0.024	0.2	mg/L	1	
S3	4/3/2002	Magnesium-DISSOLVED	=	2440		1	mg/L	5	
S3	6/25/2002	Magnesium-DISSOLVED	=	1180	0.12	1	mg/L	5	
S3	9/19/2002	Magnesium-DISSOLVED	=	210	0.024	0.2	mg/L	1	
S3	9/19/2002	Magnesium-DISSOLVED	=	210	0.024	0.2	mg/L	1	
S3	12/13/2002	Magnesium-DISSOLVED	=	150	0.024	0.2	mg/L	1	
S4	4/3/2002	Magnesium-DISSOLVED	=	305		0.2	mg/L	1 J	
S4	6/25/2002	Magnesium-DISSOLVED	=	167	0.024	0.2	mg/L	1	
S4	9/19/2002	Magnesium-DISSOLVED	=	110	0.024	0.2	mg/L	1	
S4	12/13/2002	Magnesium-DISSOLVED	=	91	0.024	0.2	mg/L	1	
S5	4/4/2002	Magnesium-DISSOLVED	=	297		0.2	mg/L	1 J	
S5	6/24/2002	Magnesium-DISSOLVED	=	220	0.024	0.2	mg/L	1	
S5	9/20/2002	Magnesium-DISSOLVED	=	130	0.024	0.2	mg/L	1	
S5	12/16/2002	Magnesium-DISSOLVED	=	110	0.024	0.2	mg/L	1	
S6	4/4/2002	Magnesium-DISSOLVED	=	413		0.2	mg/L	1 J	
S6	6/24/2002	Magnesium-DISSOLVED	=	339	0.024	0.2	mg/L	1	
S6	6/24/2002	Magnesium-DISSOLVED	=	367	0.024	0.2	mg/L	1	
S6	9/23/2002	Magnesium-DISSOLVED	=	240	0.024	0.2	mg/L	1	
S6	12/18/2002	Magnesium-DISSOLVED	=	240	0.024	0.2	mg/L	1	
S7	4/10/2002	Magnesium-DISSOLVED	=	15.8		0.2	mg/L	1	
S7	6/21/2002	Magnesium-DISSOLVED	=	12.1	0.024	0.2	mg/L	1	
S7	9/23/2002	Magnesium-DISSOLVED	=	9.1	0.024	0.2	mg/L	1	
S7	12/17/2002	Magnesium-DISSOLVED	=	7.7	0.024	0.2	mg/L	1	
S8	4/10/2002	Magnesium-DISSOLVED	=	125		0.2	mg/L	1	
S8	6/21/2002	Magnesium-DISSOLVED	=	242	0.024	0.2	mg/L	1	
S8	9/20/2002	Magnesium-DISSOLVED	=	80	0.024	0.2	mg/L	1	
S8	12/16/2002	Magnesium-DISSOLVED	=	61	0.024	0.2	mg/L	1	
S9	4/10/2002	Magnesium-DISSOLVED	=	9.8		0.2	mg/L	1	
S9	6/20/2002	Magnesium-DISSOLVED	=	9.5	0.024	0.2	mg/L	1	
S9	9/11/2002	Magnesium-DISSOLVED	=	9.8	0.024	0.2	mg/L	1	
S9	12/12/2002	Magnesium-DISSOLVED	=	9.2	0.024	0.2	mg/L	1	
S10	5/24/2004	Magnesium-TOTAL	=	560	0.027	0.2	mg/L	1	

tmpAnalyticalResultsOverTime

S10	5/24/2004	Magnesium-TOTAL	=	590	0.027	0.2	mg/L	1
S10	9/10/2004	Magnesium-TOTAL	=	78	0.017	0.2	mg/L	1
S10	12/1/2004	Magnesium-TOTAL	=	60	0.017	0.2	mg/L	1
S10	12/1/2004	Magnesium-TOTAL	=	57	0.017	0.2	mg/L	1
S10	3/3/2005	Magnesium-TOTAL	=	57	0.017	0.2	mg/L	1
S10	9/7/2005	Magnesium-TOTAL	=	42	0.043	0.2	MG/L	1
S10	9/6/2006	Magnesium-TOTAL	=	33	0.043	0.2	MG/L	1
S10	9/4/2007	Magnesium-TOTAL	=	35	0.21	1	MG/L	5
S10	9/2/2008	Magnesium-TOTAL	=	32	0.011	0.2	mg/L	1
S10	9/1/2009	Magnesium-TOTAL	=	130	0.011	0.2	MG/L	1
S10	9/1/2010	Magnesium-TOTAL	=	32	0.011	0.2	MG/L	1
S10	9/1/2010	Magnesium-TOTAL	=	33	0.011	0.2	MG/L	1
S11	5/24/2004	Magnesium-TOTAL	=	990	0.027	0.2	mg/L	1
S11	9/10/2004	Magnesium-TOTAL	=	540	0.017	0.2	mg/L	1
S11	12/1/2004	Magnesium-TOTAL	=	550	0.017	0.2	mg/L	1
S11	3/3/2005	Magnesium-TOTAL	=	700	0.017	0.2	mg/L	1
S11	9/7/2005	Magnesium-TOTAL	=	590	0.43	2	MG/L	10
S11	9/6/2006	Magnesium-TOTAL	=	540	2.1	10	MG/L	50
S11	9/4/2007	Magnesium-TOTAL	=	570	0.21	1	MG/L	5
S11	9/3/2008	Magnesium-TOTAL	=	610	0.054	1	MG/L	5
S11	9/3/2008	Magnesium-TOTAL	=	600	0.054	1	MG/L	5
S11	9/2/2009	Magnesium-TOTAL	=	530	0.011	0.2	MG/L	1
S11	9/2/2010	Magnesium-TOTAL	=	570	0.11	2	MG/L	10
S2	4/3/2002	Magnesium-TOTAL	=	814		1	mg/L	5 J
S2	6/26/2002	Magnesium-TOTAL	=	661	0.024	0.2	mg/L	1
S2	9/18/2002	Magnesium-TOTAL	=	640	0.024	0.2	mg/L	1
S2	12/13/2002	Magnesium-TOTAL	=	680	0.024	0.2	mg/L	1
S2	3/4/2003	Magnesium-TOTAL	=	850	0.024	0.2	mg/L	1
S2	3/4/2003	Magnesium-TOTAL	=	850	0.024	0.2	mg/L	1
S2	6/5/2003	Magnesium-TOTAL	=	810	0.027	0.2	mg/L	1
S2	9/5/2003	Magnesium-TOTAL	=	760	0.027	0.2	mg/L	1
S2	9/5/2003	Magnesium-TOTAL	=	690	0.027	0.2	mg/L	1
S2	12/3/2003	Magnesium-TOTAL	=	570	0.027	0.2	mg/L	1
S2	9/10/2004	Magnesium-TOTAL	=	700	0.017	0.2	mg/L	1
S2	9/7/2005	Magnesium-TOTAL	=	720	0.43	2	MG/L	10
S2	9/5/2006	Magnesium-TOTAL	=	490	0.21	1	MG/L	5
S2	9/4/2007	Magnesium-TOTAL	=	490	0.21	1	MG/L	5
S2	9/2/2008	Magnesium-TOTAL	=	560	0.054	1	mg/L	5
S2	9/2/2009	Magnesium-TOTAL	=	600	0.054	1	MG/L	5
S2	9/1/2010	Magnesium-TOTAL	=	660	0.011	0.2	MG/L	1
S3	4/3/2002	Magnesium-TOTAL	=	2510		1	mg/L	5 J
S3	6/25/2002	Magnesium-TOTAL	=	1150	0.12	1	mg/L	5
S3	9/19/2002	Magnesium-TOTAL	=	230	0.024	0.2	mg/L	1
S3	9/19/2002	Magnesium-TOTAL	=	220	0.024	0.2	mg/L	1
S3	12/13/2002	Magnesium-TOTAL	=	170	0.024	0.2	mg/L	1
S3	3/5/2003	Magnesium-TOTAL	=	290	0.024	0.2	mg/L	1
S3	6/5/2003	Magnesium-TOTAL	=	240	0.027	0.2	mg/L	1
S3	9/5/2003	Magnesium-TOTAL	=	98	0.027	0.2	mg/L	1
S3	12/2/2003	Magnesium-TOTAL	=	87	0.027	0.2	mg/L	1
S3	9/9/2004	Magnesium-TOTAL	=	89	0.017	0.2	mg/L	1
S3	9/9/2004	Magnesium-TOTAL	=	95	0.017	0.2	mg/L	1
S3	9/7/2005	Magnesium-TOTAL	=	66	0.043	0.2	MG/L	1
S3	9/5/2006	Magnesium-TOTAL	=	72	0.043	0.2	MG/L	1
S3	9/4/2007	Magnesium-TOTAL	=	76	0.21	1	MG/L	5
S3	9/2/2008	Magnesium-TOTAL	=	67	0.011	0.2	mg/L	1
S3	9/2/2009	Magnesium-TOTAL	=	41	0.011	0.2	MG/L	1
S3	9/1/2010	Magnesium-TOTAL	=	44	0.011	0.2	MG/L	1



tmpAnalyticalResultsOverTime

S4	4/3/2002	Magnesium-TOTAL	=	287		0.2	mg/L	1	J
S4	6/25/2002	Magnesium-TOTAL	=	180	0.024	0.2	mg/L	1	
S4	9/19/2002	Magnesium-TOTAL	=	120	0.024	0.2	mg/L	1	
S4	12/13/2002	Magnesium-TOTAL	=	92	0.024	0.2	mg/L	1	
S4	9/8/2003	Magnesium-TOTAL	=	77	0.027	0.2	mg/L	1	
S4	9/9/2004	Magnesium-TOTAL	=	89	0.017	0.2	mg/L	1	
S4	9/8/2005	Magnesium-TOTAL	=	160	0.043	0.2	MG/L	1	
S4	9/6/2006	Magnesium-TOTAL	=	140	0.043	0.2	MG/L	1	
S4	9/10/2007	Magnesium-TOTAL	=	91	0.21	1	MG/L	5	
S4	9/3/2008	Magnesium-TOTAL	=	94	0.011	0.2	MG/L	1	
S4	9/2/2009	Magnesium-TOTAL	=	92	0.011	0.2	MG/L	1	
S4	9/2/2010	Magnesium-TOTAL	=	83	0.011	0.2	MG/L	1	
S5	4/4/2002	Magnesium-TOTAL	=	343		0.2	mg/L	1	J
S5	6/24/2002	Magnesium-TOTAL	=	227	0.024	0.2	mg/L	1	
S5	9/20/2002	Magnesium-TOTAL	=	140	0.024	0.2	mg/L	1	
S5	12/16/2002	Magnesium-TOTAL	=	110	0.024	0.2	mg/L	1	
S5	9/10/2003	Magnesium-TOTAL	=	84	0.027	0.2	mg/L	1	
S5	9/8/2004	Magnesium-TOTAL	=	84	0.017	0.2	mg/L	1	
S5	9/8/2005	Magnesium-TOTAL	=	92	0.043	0.2	MG/L	1	
S5	9/6/2006	Magnesium-TOTAL	=	84	0.043	0.2	MG/L	1	
S5	9/7/2007	Magnesium-TOTAL	=	72	0.21	1	MG/L	5	
S5	9/3/2008	Magnesium-TOTAL	=	76	0.011	0.2	MG/L	1	
S5	9/2/2009	Magnesium-TOTAL	=	58	0.011	0.2	MG/L	1	
S5	9/3/2010	Magnesium-TOTAL	=	72	0.011	0.2	MG/L	1	
S6	4/4/2002	Magnesium-TOTAL	=	456		0.2	mg/L	1	J
S6	6/24/2002	Magnesium-TOTAL	=	341	0.024	0.2	mg/L	1	
S6	6/24/2002	Magnesium-TOTAL	=	351	0.024	0.2	mg/L	1	
S6	9/23/2002	Magnesium-TOTAL	=	250	0.024	0.2	mg/L	1	
S6	12/18/2002	Magnesium-TOTAL	=	240	0.024	0.2	mg/L	1	
S6	9/9/2003	Magnesium-TOTAL	=	250	0.027	0.2	mg/L	1	
S6	9/8/2004	Magnesium-TOTAL	=	250	0.017	0.2	mg/L	1	
S6	9/9/2005	Magnesium-TOTAL	=	290	0.43	2	MG/L	10	
S6	9/7/2006	Magnesium-TOTAL	=	250	0.043	0.2	MG/L	1	
S6	9/7/2007	Magnesium-TOTAL	=	250	0.21	1	MG/L	5	
S6	9/4/2008	Magnesium-TOTAL	=	290	0.011	0.2	MG/L	1	
S6	9/3/2009	Magnesium-TOTAL	=	260	0.011	0.2	MG/L	1	
S6	9/3/2010	Magnesium-TOTAL	=	290	0.11	2	MG/L	10	
S7	4/10/2002	Magnesium-TOTAL	=	16.9		0.2	mg/L	1	J
S7	6/21/2002	Magnesium-TOTAL	=	13.6	0.024	0.2	mg/L	1	
S7	9/23/2002	Magnesium-TOTAL	=	9.1	0.024	0.2	mg/L	1	
S7	12/17/2002	Magnesium-TOTAL	=	8.4	0.024	0.2	mg/L	1	
S7	9/11/2003	Magnesium-TOTAL	=	10	0.027	0.2	mg/L	1	
S7	9/7/2004	Magnesium-TOTAL	=	11	0.017	0.2	mg/L	1	
S7	9/2/2005	Magnesium-TOTAL	=	11	0.043	0.2	MG/L	1	
S7	9/7/2006	Magnesium-TOTAL	=	12	0.043	0.2	MG/L	1	
S7	9/10/2007	Magnesium-TOTAL	=	9.4	0.21	1	MG/L	5	
S7	9/4/2008	Magnesium-TOTAL	=	9.1	0.011	0.2	MG/L	1	
S7	9/8/2009	Magnesium-TOTAL	=	7.8	0.011	0.2	MG/L	1	
S7	9/8/2009	Magnesium-TOTAL	=	8.4	0.011	0.2	MG/L	1	
S7	9/7/2010	Magnesium-TOTAL	=	9.4	0.011	0.2	MG/L	1	
S8	4/10/2002	Magnesium-TOTAL	=	117		0.2	mg/L	1	J
S8	6/21/2002	Magnesium-TOTAL	=	219	0.024	0.2	mg/L	1	
S8	9/20/2002	Magnesium-TOTAL	=	88	0.024	0.2	mg/L	1	
S8	12/16/2002	Magnesium-TOTAL	=	64	0.024	0.2	mg/L	1	
S8	9/11/2003	Magnesium-TOTAL	=	36	0.027	0.2	mg/L	1	
S8	9/3/2004	Magnesium-TOTAL	=	150	0.017	0.2	mg/L	1	
S8	9/2/2005	Magnesium-TOTAL	=	280	0.043	0.2	MG/L	1	

tmpAnalyticalResultsOverTime

S8	9/7/2006	Magnesium-TOTAL	=	440	0.043	0.2	MG/L	1	
S8	9/10/2007	Magnesium-TOTAL	=	56	0.21	1	MG/L	5	
S8	9/4/2008	Magnesium-TOTAL	=	300	0.011	0.2	MG/L	1	
S8	9/3/2009	Magnesium-TOTAL	=	400	0.011	0.2	MG/L	1	
S8	9/3/2010	Magnesium-TOTAL	=	340	0.011	0.2	MG/L	1	
S9	4/10/2002	Magnesium-TOTAL	=	10.1		0.2	mg/L	1	J
S9	6/20/2002	Magnesium-TOTAL	=	9.4	0.024	0.2	mg/L	1	
S9	9/11/2002	Magnesium-TOTAL	=	10	0.024	0.2	mg/L	1	
S9	12/12/2002	Magnesium-TOTAL	=	9.4	0.024	0.2	mg/L	1	
S9	9/11/2003	Magnesium-TOTAL	=	10	0.027	0.2	mg/L	1	
S9	9/3/2004	Magnesium-TOTAL	=	10	0.017	0.2	mg/L	1	
S9	9/2/2005	Magnesium-TOTAL	=	10	0.043	0.2	MG/L	1	
S9	9/7/2006	Magnesium-TOTAL	=	9.4	0.043	0.2	MG/L	1	
S9	9/5/2007	Magnesium-TOTAL	=	9.9	0.21	1	MG/L	5	
S9	9/5/2008	Magnesium-TOTAL	=	9.5	0.011	0.2	MG/L	1	
S9	9/4/2009	Magnesium-TOTAL	=	9.2	0.011	0.2	MG/L	1	
S9	9/8/2010	Magnesium-TOTAL	=	9.2	0.011	0.2	MG/L	1	
S5	4/4/2002	Mercury-DISSOLVED	=	0.000037		0.0002	mg/L	1	J
S6	4/4/2002	Mercury-DISSOLVED	=	0.000029		0.0002	mg/L	1	J
S2	4/3/2002	Nickel-DISSOLVED	=	0.0034		0.04	mg/L	1	
S3	4/3/2002	Nickel-DISSOLVED	=	0.007		0.04	mg/L	1	J
S4	4/3/2002	Nickel-DISSOLVED	=	0.0087		0.04	mg/L	1	J
S5	4/4/2002	Nickel-DISSOLVED	=	0.0046		0.04	mg/L	1	J
S6	4/4/2002	Nickel-DISSOLVED	=	0.0029		0.04	mg/L	1	J
S4	4/3/2002	Nickel-TOTAL	=	0.0081		0.04	mg/L	1	J
S5	4/4/2002	Nickel-TOTAL	=	0.0069		0.04	mg/L	1	J
S6	4/4/2002	Nickel-TOTAL	=	0.004		0.04	mg/L	1	J
S7	4/10/2002	Nickel-TOTAL	=	0.0028		0.04	mg/L	1	J
S9	4/10/2002	Nickel-TOTAL	=	0.0022		0.04	mg/L	1	J
S10	5/24/2004	Nitrate	=	33	0.021	0.1	mg/L	1	10
S10	5/24/2004	Nitrate	=	35	0.021	0.1	mg/L	1	
S10	9/10/2004	Nitrate	=	1.8	0.021	0.1	mg/L	1	
S10	6/3/2005	Nitrate	=	0.1	0.021	0.1	mg/L	1	
S10	12/6/2005	Nitrate	=	0.19	0.021	0.1	MG/L	1	
S10	3/2/2006	Nitrate	=	0.57	0.019	0.1	MG/L	1	
S10	3/8/2010	NITRATE	=	0.21	0.019	0.1	MG/L	1	
S11	5/24/2004	Nitrate	=	0.29	0.021	0.1	mg/L	1	
S11	9/10/2004	Nitrate	=	0.17	0.021	0.1	mg/L	1	
S11	3/3/2005	Nitrate	=	0.12	0.021	0.1	mg/L	1	
S11	9/7/2005	Nitrate	=	0.17	0.021	0.1	MG/L	1	
S11	3/3/2006	Nitrate	=	0.21	0.019	0.1	MG/L	1	
S11	3/3/2006	Nitrate	=	0.21	0.019	0.1	MG/L	1	
S11	3/5/2010	NITRATE	=	0.12	0.019	0.1	MG/L	1	
S11	9/2/2010	NITRATE	=	0.17	0.019	0.1	MG/L	1	
S2	4/3/2002	Nitrate	=	0.17		0.1	mg/L	1	
S2	6/26/2002	Nitrate	=	1.1	0.01	0.1	mg/L	1	J
S2	9/18/2002	Nitrate	=	0.6	0.01	0.1	mg/L	1	
S2	12/13/2002	Nitrate	=	0.96	0.01	0.1	mg/L	1	
S2	3/4/2003	Nitrate	=	1.3	0.012	0.1	mg/L	1	
S2	3/4/2003	Nitrate	=	1.3	0.012	0.1	mg/L	1	
S2	6/5/2003	Nitrate	=	2.5	0.012	0.1	mg/L	1	
S2	9/5/2003	Nitrate	=	2.3	0.012	0.1	mg/L	1	
S2	9/5/2003	Nitrate	=	2.4	0.012	0.1	mg/L	1	
S2	12/3/2003	Nitrate	=	0.28	0.021	0.1	mg/L	1	
S2	3/2/2004	Nitrate	=	1.7	0.021	0.1	mg/L	1	
S2	6/2/2004	Nitrate	=	2.3	0.021	0.1	mg/L	1	
S2	9/10/2004	Nitrate	=	3.2	0.021	0.1	mg/L	1	

tmpAnalyticalResultsOverTime

S2	12/6/2004 Nitrate	=	3.1	0.021	0.1	mg/L	1
S2	3/4/2005 Nitrate	=	4	0.021	0.1	mg/L	1
S2	6/7/2005 Nitrate	=	5.6	0.021	0.1	mg/L	1
S2	6/7/2005 Nitrate	=	5.5	0.021	0.1	mg/L	1
S2	9/7/2005 Nitrate	=	9.9	0.021	0.1	MG/L	1
S2	12/5/2005 Nitrate	=	6.2	0.021	0.1	MG/L	1
S2	3/2/2006 Nitrate	=	12	0.019	0.1	MG/L	1
S2	6/2/2006 Nitrate	=	13	0.019	0.1	MG/L	1
S2	9/5/2006 Nitrate	=	5.7	0.019	0.1	MG/L	1
S2	12/6/2006 Nitrate	=	13	0.019	0.1	MG/L	1
S2	3/5/2007 Nitrate	=	24	0.019	0.1	MG/L	1
S2	6/4/2007 Nitrate	=	24	0.019	0.1	MG/L	1
S2	9/4/2007 Nitrate	=	19	0.019	0.1	MG/L	1
S2	12/4/2007 Nitrate	=	21	0.019	0.1	MG/L	1
S2	3/4/2008 Nitrate	=	32	0.019	0.1	MG/L	1
S2	6/3/2008 Nitrate	=	32	0.019	0.1	MG/L	1
S2	9/2/2008 Nitrate	=	23	0.019	0.1	mg/L	1
S2	12/2/2008 Nitrate	=	27	0.019	0.1	MG/L	1
S2	12/2/2008 Nitrate	=	26	0.019	0.1	MG/L	1
S2	3/5/2009 Nitrate	=	59	0.019	0.1	MG/L	1
S2	6/1/2009 Nitrate	=	46	0.019	0.1	MG/L	1
S2	9/2/2009 Nitrate	=	30	0.019	0.1	MG/L	1
S2	12/2/2009 Nitrate	=	22	0.019	0.1	MG/L	1
S2	3/5/2010 NITRATE	=	70	0.019	0.1	MG/L	1
S2	6/3/2010 NITRATE	=	46	0.019	0.1	MG/L	1
S2	9/1/2010 NITRATE	=	38	0.019	0.1	MG/L	1
S2	12/2/2010 NITRATE	=	49	0.019	0.1	MG/L	1
S3	4/3/2002 Nitrate	=	787		30	mg/L	300
S3	6/25/2002 Nitrate	=	255	1	10	mg/L	100 J
S3	9/19/2002 Nitrate	=	5.6	0.01	0.1	mg/L	1
S3	9/19/2002 Nitrate	=	7.4	0.01	0.1	mg/L	1
S3	12/13/2002 Nitrate	=	2.6	0.01	0.1	mg/L	1
S3	3/5/2003 Nitrate	=	4	0.012	0.1	mg/L	1 J
S3	6/5/2003 Nitrate	=	5.2	0.012	0.1	mg/L	1
S3	9/5/2003 Nitrate	=	1.4	0.012	0.1	mg/L	1
S3	12/2/2003 Nitrate	=	1.2	0.021	0.1	mg/L	1
S3	9/9/2004 Nitrate	=	0.91	0.021	0.1	mg/L	1
S3	9/5/2006 Nitrate	=	0.11	0.019	0.1	MG/L	1
S3	9/2/2008 Nitrate	=	0.19	0.019	0.1	mg/L	1
S4	4/3/2002 Nitrate	=	0.12		0.1	mg/L	1
S4	6/25/2002 Nitrate	=	0.31	0.01	0.1	mg/L	1 J
S4	12/13/2002 Nitrate	=	0.45	0.01	0.1	mg/L	1
S4	9/8/2005 Nitrate	=	0.19	0.021	0.1	MG/L	1
S4	9/2/2010 NITRATE	=	0.18	0.019	0.1	MG/L	1
S5	4/4/2002 Nitrate	=	0.044		0.1	mg/L	1 J
S5	9/20/2002 Nitrate	=	0.13	0.01	0.1	mg/L	1
S5	9/10/2003 Nitrate	=	0.78	0.012	0.1	mg/L	1
S5	6/2/2004 Nitrate	=	0.12	0.021	0.1	mg/L	1
S5	9/8/2004 Nitrate	=	0.14	0.021	0.1	mg/L	1
S5	6/3/2005 Nitrate	=	0.24	0.021	0.1	mg/L	1
S5	9/8/2005 Nitrate	=	0.16	0.021	0.1	MG/L	1
S5	6/5/2006 NITRATE	=	0.22	0.019	0.1	MG/L	1
S5	9/2/2009 Nitrate	=	0.13	0.019	0.1	MG/L	1
S5	9/3/2010 NITRATE	=	0.12	0.019	0.1	MG/L	1
S6	4/4/2002 Nitrate	=	0.08		0.1	mg/L	1 J
S6	6/24/2002 Nitrate	=	1.6	0.01	0.1	mg/L	1 J
S6	6/24/2002 Nitrate	=	0.24	0.01	0.1	mg/L	1 J

tmpAnalyticalResultsOverTime

S6	9/23/2002 Nitrate	=	0.17	0.01	0.1	mg/L	1	
S6	9/8/2004 Nitrate	=	0.24	0.021	0.1	mg/L	1	
S6	3/4/2005 Nitrate	=	0.12	0.021	0.1	mg/L	1	
S6	9/9/2005 Nitrate	=	0.12	0.021	0.1	MG/L	1	
S6	6/5/2006 NITRATE	=	0.18	0.019	0.1	MG/L	1	
S7	6/3/2005 Nitrate	=	0.18	0.021	0.1	mg/L	1	
S7	12/5/2005 Nitrate	=	2.4	0.021	0.1	MG/L	1	J
S7	9/10/2007 Nitrate	=	0.15	0.019	0.1	MG/L	1	
S7	9/8/2009 Nitrate	=	0.34	0.019	0.1	MG/L	1	J
S7	9/8/2009 Nitrate	=	0.11	0.019	0.1	MG/L	1	J
S7	9/7/2010 NITRATE	=	0.12	0.019	0.1	MG/L	1	
S8	4/10/2002 Nitrate	=	0.18		0.1	mg/L	1	
S8	6/21/2002 Nitrate	=	0.25	0.01	0.1	mg/L	1	J
S8	6/4/2004 Nitrate	=	13	0.021	0.1	mg/L	1	
S8	9/3/2004 Nitrate	=	0.39	0.021	0.1	mg/L	1	
S8	12/3/2004 Nitrate	=	0.37	0.021	0.1	mg/L	1	
S8	3/8/2005 Nitrate	=	47	0.021	0.1	mg/L	1	
S8	6/6/2005 Nitrate	=	7	0.021	0.1	mg/L	1	
S8	6/6/2005 Nitrate	=	8.3	0.021	0.1	mg/L	1	
S8	9/2/2005 Nitrate	=	5.4	0.021	0.1	MG/L	1	
S8	12/2/2005 Nitrate	=	12	0.021	0.1	MG/L	1	
S8	3/1/2006 Nitrate	=	5.5	0.019	0.1	MG/L	1	
S8	6/2/2006 Nitrate	=	6.4	0.019	0.1	MG/L	1	
S8	6/2/2006 Nitrate	=	5.8	0.019	0.1	MG/L	1	
S8	9/7/2006 Nitrate	=	3.4	0.019	0.1	MG/L	1	
S8	12/5/2006 Nitrate	=	0.22	0.019	0.1	MG/L	1	
S8	3/5/2007 Nitrate	=	0.34	0.019	0.1	MG/L	1	
S8	6/5/2007 Nitrate	=	2.1	0.019	0.1	MG/L	1	
S8	9/10/2007 Nitrate	=	0.3	0.019	0.1	MG/L	1	
S8	6/4/2008 Nitrate	=	3.4	0.019	0.1	MG/L	1	
S8	9/4/2008 Nitrate	=	0.34	0.019	0.1	MG/L	1	
S8	12/4/2008 Nitrate	=	0.39	0.019	0.1	MG/L	1	
S8	6/3/2009 Nitrate	=	50	0.019	0.1	MG/L	1	
S8	9/3/2009 Nitrate	=	9.9	0.019	0.1	MG/L	1	
S8	12/4/2009 Nitrate	=	0.9	0.019	0.1	MG/L	1	
S8	3/3/2010 NITRATE	=	1.3	0.019	0.1	MG/L	1	
S8	6/4/2010 NITRATE	=	2.2	0.019	0.1	MG/L	1	
S9	4/10/2002 Nitrate	=	0.016		0.1	mg/L	1	J
S9	9/3/2004 Nitrate	=	0.27	0.021	0.1	mg/L	1	
S9	9/5/2007 Nitrate	=	0.87	0.019	0.1	MG/L	1	
S9	3/6/2009 Nitrate	=	0.15	0.019	0.1	MG/L	1	
S9	12/4/2009 Nitrate	=	0.51	0.019	0.1	MG/L	1	
S9	9/8/2010 NITRATE	=	0.18	0.019	0.1	MG/L	1	
S10	5/24/2004 Nitrate-Nitrite	=	38	0.21	1	mg/L	10	
S10	5/24/2004 Nitrate-Nitrite	=	37	0.21	1	mg/L	10	
S10	9/10/2004 NITRATE-NITRITE	=	1.8	0.021	0.1	mg/L	1	
S10	6/3/2005 Nitrate-Nitrite	=	0.1	0.031	0.1	mg/L	1	
S10	12/6/2005 Nitrate-Nitrite	=	0.19	0.031	0.1	MG/L	1	
S10	3/2/2006 Nitrate-Nitrite	=	0.57	0.019	0.1	MG/L	1	
S10	3/8/2010 NITRATE-NITRITE	=	0.21	0.21	0.21	MG/L	1	U
S11	5/24/2004 Nitrate-Nitrite	=	0.64	0.021	0.1	mg/L	1	
S11	9/10/2004 NITRATE-NITRITE	=	0.18	0.021	0.1	mg/L	1	
S11	3/3/2005 Nitrate-Nitrite	=	0.12	0.031	0.1	mg/L	1	
S11	9/7/2005 Nitrate-Nitrite	=	0.17	0.031	0.1	MG/L	1	
S11	3/3/2006 Nitrate-Nitrite	=	0.22	0.019	0.1	MG/L	1	
S11	3/3/2006 Nitrate-Nitrite	=	0.22	0.019	0.1	MG/L	1	
S11	3/5/2010 NITRATE-NITRITE	=	0.12	0.12	0.12	MG/L	1	U

tmpAnalyticalResultsOverTime

S11	9/2/2010	NITRATE-NITRITE	=	0.17	0.019	0.1	MG/L	1
S2	4/3/2002	Nitrate-Nitrite	=	0.18		0.1	mg/L	1
S2	6/26/2002	Nitrate-Nitrite	=	1.1	0.01	0.1	mg/L	1
S2	9/18/2002	Nitrate-Nitrite	=	0.64	0.01	0.1	mg/L	1
S2	12/13/2002	Nitrate-Nitrite	=	0.96	0.01	0.1	mg/L	1
S2	3/4/2003	Nitrate-Nitrite	=	1.3	0.01	0.1	mg/L	1
S2	3/4/2003	Nitrate-Nitrite	=	1.3	0.01	0.1	mg/L	1
S2	6/5/2003	Nitrate-Nitrite	=	2.5	0.01	0.1	mg/L	1
S2	9/5/2003	Nitrate-Nitrite	=	2.4	0.012	0.1	mg/L	1
S2	9/5/2003	Nitrate-Nitrite	=	2.4	0.012	0.1	mg/L	1
S2	12/3/2003	Nitrate-Nitrite	=	0.38	0.021	0.1	mg/L	1
S2	3/2/2004	Nitrate-Nitrite	=	1.8	0.021	0.1	mg/L	1
S2	6/2/2004	Nitrate-Nitrite	=	2.3	0.021	0.1	mg/L	1
S2	9/10/2004	NITRATE-NITRITE	=	3.3	0.021	0.1	mg/L	1
S2	12/6/2004	Nitrate-Nitrite	=	3.1	0.031	0.1	mg/L	1
S2	3/4/2005	Nitrate-Nitrite	=	4	0.031	0.1	mg/L	1
S2	6/7/2005	Nitrate-Nitrite	=	5.6	0.031	0.1	mg/L	1
S2	6/7/2005	Nitrate-Nitrite	=	5.6	0.031	0.1	mg/L	1
S2	9/7/2005	Nitrate-Nitrite	=	10	0.16	0.5	MG/L	5
S2	12/5/2005	Nitrate-Nitrite	=	6.2	0.031	0.1	MG/L	1
S2	3/2/2006	Nitrate-Nitrite	=	12	0.096	0.5	MG/L	5
S2	6/2/2006	Nitrate-Nitrite	=	14	0.096	0.5	MG/L	5
S2	9/5/2006	Nitrate-Nitrite	=	6	0.019	0.1	MG/L	1
S2	12/6/2006	Nitrate-Nitrite	=	13	0.096	0.5	MG/L	5
S2	3/5/2007	Nitrate-Nitrite	=	24	0.096	0.5	MG/L	5
S2	6/4/2007	Nitrate-Nitrite	=	24	0.096	0.5	MG/L	5 J
S2	9/4/2007	Nitrate-Nitrite	=	19	0.096	0.5	MG/L	5
S2	12/4/2007	Nitrate-Nitrite	=	21	0.096	0.5	MG/L	5
S2	3/4/2008	Nitrate-Nitrite	=	33	0.48	2.5	MG/L	25
S2	6/3/2008	Nitrate-Nitrite	=	32	0.096	0.5	MG/L	5
S2	9/2/2008	Nitrate-Nitrite	=	25	0.19	1	mg/L	10
S2	12/2/2008	Nitrate-Nitrite	=	27	0.38	2	MG/L	20
S2	12/2/2008	Nitrate-Nitrite	=	27	0.38	2	MG/L	20
S2	3/5/2009	Nitrate-Nitrite	=	60	0.19	1	MG/L	10
S2	6/1/2009	Nitrate-Nitrite	=	46	0.38	2	MG/L	20
S2	9/2/2009	Nitrate-Nitrite	=	30	0.19	1	MG/L	10
S2	12/2/2009	Nitrate-Nitrite	=	22	0.19	1	MG/L	10
S2	3/5/2010	NITRATE-NITRITE	=	70	0.19	1	MG/L	10
S2	6/3/2010	NITRATE-NITRITE	=	46	0.19	1	MG/L	10
S2	9/1/2010	NITRATE-NITRITE	=	38	0.095	0.5	MG/L	5
S2	12/2/2010	NITRATE-NITRITE	=	49	0.19	1	MG/L	10
S3	4/3/2002	Nitrate-Nitrite	=	789		30	mg/L	300
S3	6/25/2002	Nitrate-Nitrite	=	285	1	10	mg/L	100 Q
S3	9/19/2002	Nitrate-Nitrite	=	25	0.06	0.5	mg/L	5
S3	9/19/2002	Nitrate-Nitrite	=	28	0.06	0.5	mg/L	5
S3	12/13/2002	Nitrate-Nitrite	=	13	0.06	0.5	mg/L	5
S3	3/5/2003	Nitrate-Nitrite	=	11	0.06	0.5	mg/L	5
S3	6/5/2003	Nitrate-Nitrite	=	20	0.06	0.5	mg/L	5
S3	9/5/2003	Nitrate-Nitrite	=	1.5	0.06	0.5	mg/L	5
S3	12/2/2003	Nitrate-Nitrite	=	1.3	0.021	0.1	mg/L	1
S3	9/9/2004	NITRATE-NITRITE	=	0.92	0.021	0.1	mg/L	1
S3	9/5/2006	Nitrate-Nitrite	=	0.13	0.019	0.1	MG/L	1
S3	9/2/2008	Nitrate-Nitrite	=	0.2	0.019	0.1	mg/L	1
S4	4/3/2002	Nitrate-Nitrite	=	0.15		0.1	mg/L	1
S4	6/25/2002	Nitrate-Nitrite	=	0.51	0.01	0.1	mg/L	1
S4	12/13/2002	Nitrate-Nitrite	=	0.46	0.01	0.1	mg/L	1
S4	3/6/2003	Nitrate-Nitrite	=	0.13	0.01	0.1	mg/L	1

tmpAnalyticalResultsOverTime

S4	9/8/2005	Nitrate-Nitrite	=	0.2	0.031	0.1	MG/L	1
S4	9/2/2010	NITRATE-NITRITE	=	0.21	0.019	0.1	MG/L	1
S5	4/4/2002	Nitrate-Nitrite	=	0.052		0.1	mg/L	1 J
S5	9/20/2002	Nitrate-Nitrite	=	0.13	0.01	0.1	mg/L	1
S5	9/10/2003	Nitrate-Nitrite	=	0.79	0.012	0.1	mg/L	1
S5	6/2/2004	Nitrate-Nitrite	=	0.12	0.021	0.1	mg/L	1
S5	9/8/2004	NITRATE-NITRITE	=	0.15	0.021	0.1	mg/L	1
S5	6/3/2005	Nitrate-Nitrite	=	0.24	0.031	0.1	mg/L	1
S5	9/8/2005	Nitrate-Nitrite	=	0.16	0.031	0.1	MG/L	1
S5	6/5/2006	NITRATE-NITRITE	=	0.23	0.019	0.1	MG/L	1
S5	9/2/2009	Nitrate-Nitrite	=	0.16	0.019	0.1	MG/L	1
S5	9/3/2010	NITRATE-NITRITE	=	0.12	0.019	0.1	MG/L	1
S6	4/4/2002	Nitrate-Nitrite	=	0.08		0.1	mg/L	1 J
S6	6/24/2002	Nitrate-Nitrite	=	1.6	0.01	0.1	mg/L	1
S6	6/24/2002	Nitrate-Nitrite	=	0.24	0.01	0.1	mg/L	1 J
S6	9/23/2002	Nitrate-Nitrite	=	0.17	0.01	0.1	mg/L	1
S6	9/8/2004	NITRATE-NITRITE	=	0.24	0.021	0.1	mg/L	1
S6	3/4/2005	Nitrate-Nitrite	=	0.13	0.031	0.1	mg/L	1
S6	9/9/2005	Nitrate-Nitrite	=	0.12	0.031	0.1	MG/L	1
S6	6/5/2006	NITRATE-NITRITE	=	0.19	0.019	0.1	MG/L	1
S7	4/10/2002	Nitrate-Nitrite	=	0.01		0.1	mg/L	1 J
S7	6/3/2005	Nitrate-Nitrite	=	0.19	0.031	0.1	mg/L	1
S7	12/5/2005	Nitrate-Nitrite	=	2.4	0.031	0.1	MG/L	1 J
S7	9/10/2007	Nitrate-Nitrite	=	0.15	0.019	0.1	MG/L	1
S7	9/8/2009	Nitrate-Nitrite	=	0.35	0.019	0.1	MG/L	1 J
S7	9/8/2009	Nitrate-Nitrite	=	0.12	0.019	0.1	MG/L	1 J
S7	9/7/2010	NITRATE-NITRITE	=	0.12	0.019	0.1	MG/L	1
S8	4/10/2002	Nitrate-Nitrite	=	0.19		0.1	mg/L	1
S8	6/21/2002	Nitrate-Nitrite	=	0.26	0.01	0.1	mg/L	1
S8	9/20/2002	Nitrate-Nitrite	=	0.1	0.01	0.1	mg/L	1
S8	6/4/2004	Nitrate-Nitrite	=	14	0.1	0.5	mg/L	5
S8	9/3/2004	Nitrate-Nitrite	=	0.39	0.021	0.1	mg/L	1
S8	12/3/2004	Nitrate-Nitrite	=	0.38	0.031	0.1	mg/L	1
S8	3/8/2005	Nitrate-Nitrite	=	48	0.31	1	mg/L	10
S8	6/6/2005	Nitrate-Nitrite	=	7	0.031	0.1	mg/L	1
S8	6/6/2005	Nitrate-Nitrite	=	8.4	0.16	0.5	mg/L	5
S8	9/2/2005	Nitrate-Nitrite	=	5.4	0.031	0.1	MG/L	1
S8	12/2/2005	Nitrate-Nitrite	=	12	0.16	0.5	MG/L	5
S8	3/1/2006	Nitrate-Nitrite	=	5.6	0.019	0.1	MG/L	1
S8	6/2/2006	Nitrate-Nitrite	=	6.5	0.019	0.1	MG/L	1
S8	6/2/2006	Nitrate-Nitrite	=	5.9	0.019	0.1	MG/L	1
S8	9/7/2006	Nitrate-Nitrite	=	3.4	0.019	0.1	MG/L	1
S8	12/5/2006	Nitrate-Nitrite	=	0.23	0.019	0.1	MG/L	1
S8	3/5/2007	Nitrate-Nitrite	=	0.36	0.019	0.1	MG/L	1
S8	6/5/2007	Nitrate-Nitrite	=	2.1	0.019	0.1	MG/L	1 J
S8	9/10/2007	Nitrate-Nitrite	=	0.31	0.019	0.1	MG/L	1
S8	3/3/2008	Nitrate-Nitrite	=	0.1	0.019	0.1	MG/L	1
S8	6/4/2008	Nitrate-Nitrite	=	3.5	0.019	0.1	MG/L	1
S8	9/4/2008	Nitrate-Nitrite	=	0.35	0.019	0.1	MG/L	1
S8	12/4/2008	Nitrate-Nitrite	=	0.4	0.019	0.1	MG/L	1
S8	6/3/2009	Nitrate-Nitrite	=	52	0.19	1	MG/L	10
S8	9/3/2009	Nitrate-Nitrite	=	10	0.096	0.5	MG/L	5
S8	12/4/2009	Nitrate-Nitrite	=	0.91	0.019	0.1	MG/L	1
S8	3/3/2010	NITRATE-NITRITE	=	1.3	0.019	0.1	MG/L	1
S8	6/4/2010	NITRATE-NITRITE	=	2.2	0.019	0.1	MG/L	1
S9	4/10/2002	Nitrate-Nitrite	=	0.016		0.1	mg/L	1 J
S9	9/3/2004	Nitrate-Nitrite	=	0.27	0.021	0.1	mg/L	1

tmpAnalyticalResultsOverTime

S9	9/5/2007	Nitrate-Nitrite	=	0.88	0.019	0.1	MG/L	1	
S9	3/6/2009	Nitrate-Nitrite	=	0.15	0.019	0.1	MG/L	1	
S9	12/4/2009	Nitrate-Nitrite	=	0.51	0.019	0.1	MG/L	1	
S9	9/8/2010	NITRATE-NITRITE	=	0.19	0.019	0.1	MG/L	1	
S2	4/3/2002	Nitrite	=	0.0041		0.01	mg/L	1 J	1
S2	6/26/2002	Nitrite	=	0.032	0.002	0.01	mg/L	1	
S3	4/3/2002	Nitrite	=	2		1	mg/L	100	
S3	6/25/2002	Nitrite	=	48.1	1	5	mg/L	500 Q	
S3	9/19/2002	Nitrite	=	19	0.2	1	mg/L	100	
S3	9/19/2002	Nitrite	=	20	0.2	1	mg/L	100	
S3	12/13/2002	Nitrite	=	11	0.2	1	mg/L	100	
S4	4/3/2002	Nitrite	=	0.034		0.01	mg/L	1	
S4	12/13/2002	Nitrite	=	0.012	0.002	0.01	mg/L	1	
S5	4/4/2002	Nitrite	=	0.0086		0.01	mg/L	1 J	
S7	4/10/2002	Nitrite	=	0.0023		0.01	mg/L	1 J	
S8	4/10/2002	Nitrite	=	0.0028		0.01	mg/L	1 J	
S9	6/20/2002	Nitrite	=	0.035	0.002	0.01	mg/L	1	
S10	9/10/2004	pH	=	8		0.1	none	1 J	6.5 - 8.5
S10	12/1/2004	pH	=	8.1		0.1	none	1 J	
S10	12/1/2004	pH	=	8.1		0.1	none	1 J	
S10	3/3/2005	pH	=	8		0.1	none	1 J	
S10	9/7/2005	pH	=	8.1		0.1	NONE	1 J	
S10	9/6/2006	pH	=	8		0.1	NONE	1 J	
S10	9/4/2007	pH	=	8.1		0.1	NONE	1 J	
S10	9/2/2008	pH	=	7.9		0.1	NONE	1 J	
S10	9/1/2009	pH	=	8		0.1	NONE	1 J	
S10	9/1/2010	PH	=	8.24	0.1	0.1	PH UNITS	1 J	
S10	9/1/2010	PH	=	8.42	0.1	0.1	PH UNITS	1 J	
S11	9/10/2004	pH	=	7.8		0.1	none	1 J	
S11	12/1/2004	pH	=	7.8		0.1	none	1 J	
S11	3/3/2005	pH	=	7.8		0.1	none	1 J	
S11	9/7/2005	pH	=	7.9		0.1	NONE	1 J	
S11	9/6/2006	pH	=	7.9		0.1	NONE	1 J	
S11	9/4/2007	pH	=	7.8		0.1	NONE	1 J	
S11	9/3/2008	pH	=	7.8		0.1	NONE	1 J	
S11	9/3/2008	pH	=	7.8		0.1	NONE	1 J	
S11	9/2/2009	pH	=	7.8		0.1	NONE	1 J	
S11	9/2/2010	PH	=	7.84	0.1	0.1	PH UNITS	1 J	
S2	4/3/2002	pH	=	7.4		0.1	none	0.1 J	
S2	6/26/2002	pH	=	7.6		0.1	none	1 J	
S2	9/18/2002	pH	=	7.5		0.1	none	1	
S2	12/13/2002	pH	=	7.6		0.1	none	1 J	
S2	3/4/2003	pH	=	7.6		0.1	none	1 J	
S2	3/4/2003	pH	=	7.6		0.1	none	1 J	
S2	6/5/2003	pH	=	7.6		0.1	none	1 J	
S2	9/5/2003	pH	=	7.5		0.1	none	1 J	
S2	9/5/2003	pH	=	7.5		0.1	none	1 J	
S2	12/3/2003	pH	=	7.4		0.1	none	1 J	
S2	9/10/2004	pH	=	7.5		0.1	none	1 J	
S2	9/7/2005	pH	=	7.7		0.1	NONE	1 J	mg/L
S2	9/5/2006	pH	=	7.6		0.1	NONE	1 J	
S2	9/4/2007	pH	=	7.4		0.1	NONE	1 J	
S2	3/4/2008	pH	=	7.3		0.1	NONE	1 J	
S2	9/2/2008	pH	=	7.2		0.1	NONE	1 J	
S2	9/2/2009	pH	=	7.1		0.1	NONE	1 J	
S2	9/1/2010	PH	=	7.07	0.1	0.1	PH UNITS	1 J	
S3	4/3/2002	pH	=	7.2		0.1	none	1 J	

tmpAnalyticalResultsOverTime

S3	6/25/2002	pH	=	7.8		0.1	none	1	J
S3	9/19/2002	pH	=	8.2		0.1	none	1	J
S3	9/19/2002	pH	=	8.2		0.1	none	1	J
S3	12/13/2002	pH	=	8.2		0.1	none	1	J
S3	3/5/2003	pH	=	8		0.1	none	1	J
S3	6/5/2003	pH	=	8		0.1	none	1	J
S3	9/5/2003	pH	=	8.1		0.1	none	1	J
S3	12/2/2003	pH	=	8.1		0.1	none	1	J
S3	9/9/2004	pH	=	8		0.1	none	1	J
S3	9/9/2004	pH	=	8		0.1	none	1	J
S3	9/7/2005	pH	=	8.1		0.1	NONE	1	J
S3	9/5/2006	pH	=	8.1		0.1	NONE	1	J
S3	9/4/2007	pH	=	8.1		0.1	NONE	1	J
S3	9/2/2008	pH	=	8.1		0.1	NONE	1	J
S3	9/2/2009	pH	=	8.1		0.1	NONE	1	J
S3	9/1/2010	PH	=	8.19	0.1	0.1	PH UNITS	1	J
S4	4/3/2002	pH	=	7.8		0.1	none	1	J
S4	6/25/2002	pH	=	7.8		0.1	none	1	J
S4	9/19/2002	pH	=	7.4		0.1	none	1	J
S4	12/13/2002	pH	=	8		0.1	none	1	J
S4	9/8/2003	pH	=	7.8		0.1	none	1	J
S4	9/9/2004	pH	=	8.2		0.1	none	1	J
S4	9/8/2005	pH	=	7.8		0.1	NONE	1	J
S4	9/6/2006	pH	=	8		0.1	NONE	1	J
S4	9/10/2007	pH	=	8.1		0.1	NONE	1	J
S4	3/4/2008	pH	=	8.2		0.1	NONE	1	J
S4	9/3/2008	pH	=	8.2		0.1	NONE	1	J
S4	9/2/2009	pH	=	8.1		0.1	NONE	1	J
S4	9/2/2010	PH	=	8.25	0.1	0.1	PH UNITS	1	J
S5	4/4/2002	pH	=	8.1		0.1	none	1	J
S5	6/24/2002	pH	=	8.1		0.1	none	1	J
S5	9/20/2002	pH	=	8.1		0.1	none	1	J
S5	12/16/2002	pH	=	7.9		0.1	none	1	J
S5	9/10/2003	pH	=	8		0.1	none	1	J
S5	9/8/2004	pH	=	8.1		0.1	none	1	J
S5	9/8/2005	pH	=	8.1		0.1	NONE	1	J
S5	9/6/2006	pH	=	8.2		0.1	NONE	1	J
S5	9/7/2007	pH	=	8.1		0.1	NONE	1	J
S5	3/4/2008	pH	=	8.1		0.1	NONE	1	J
S5	9/3/2008	pH	=	8.1		0.1	NONE	1	J
S5	9/2/2009	pH	=	8.1		0.1	NONE	1	J
S5	9/3/2010	PH	=	8.23	0.1	0.1	PH UNITS	1	J
S6	4/4/2002	pH	=	8		0.1	none	1	J
S6	6/24/2002	pH	=	8.2		0.1	none	1	J
S6	6/24/2002	pH	=	8.1		0.1	none	1	J
S6	9/23/2002	pH	=	8		0.1	none	1	J
S6	12/18/2002	pH	=	8		0.1	none	1	J
S6	9/9/2003	pH	=	8.1		0.1	none	1	J
S6	9/8/2004	pH	=	7.9		0.1	none	1	J
S6	9/9/2005	pH	=	8.2		0.1	NONE	1	J
S6	9/7/2006	pH	=	8.2		0.1	NONE	1	J
S6	9/7/2007	pH	=	8.2		0.1	NONE	1	J
S6	9/4/2008	pH	=	8.2		0.1	NONE	1	J
S6	9/3/2009	pH	=	8.1		0.1	NONE	1	J
S6	9/3/2010	PH	=	8.18	0.1	0.1	PH UNITS	1	J
S7	4/10/2002	pH	=	8.2		0.1	none	0.1	J
S7	6/21/2002	pH	=	8.2		0.1	none	1	J



tmpAnalyticalResultsOverTime

S7	9/23/2002	pH	=	8.3		0.1	none	1	J	
S7	12/17/2002	pH	=	8.3		0.1	none	1	J	
S7	9/11/2003	pH	=	8.3		0.1	none	1	J	
S7	9/7/2004	pH	=	8.3		0.1	none	1	J	
S7	9/2/2005	pH	=	8.4		0.1	NONE	1	J	
S7	9/7/2006	pH	=	8.2		0.1	NONE	1	J	
S7	9/10/2007	pH	=	8.3		0.1	NONE	1	J	
S7	3/3/2008	pH	=	8.3		0.1	NONE	1	J	
S7	9/4/2008	pH	=	8.4		0.1	NONE	1	J	
S7	9/8/2009	pH	=	8.2		0.1	NONE	1	J	
S7	9/8/2009	pH	=	8.2		0.1	NONE	1	J	
S7	9/7/2010	PH	=	8.26	0.1	0.1	PH UNITS	1	J	
S8	4/10/2002	pH	=	8		0.1	none	1	J	
S8	6/21/2002	pH	=	7.8		0.1	none	1	J	
S8	9/20/2002	pH	=	8		0.1	none	1	J	
S8	12/16/2002	pH	=	8.1		0.1	none	1	J	
S8	9/11/2003	pH	=	8.1		0.1	none	1	J	
S8	9/3/2004	pH	=	7.9		0.1	none	1	J	
S8	9/2/2005	pH	=	7.9		0.1	NONE	1	J	
S8	9/7/2006	pH	=	7.6		0.1	NONE	1	J	
S8	9/10/2007	pH	=	7.8		0.1	NONE	1	J	
S8	3/3/2008	pH	=	7.9		0.1	NONE	1	J	
S8	9/4/2008	pH	=	7.8		0.1	NONE	1	J	
S8	9/3/2009	pH	=	7.8		0.1	NONE	1	J	
S8	9/3/2010	PH	=	7.79	0.1	0.1	PH UNITS	1	J	
S9	4/10/2002	pH	=	8		0.1	none	1	J	
S9	6/20/2002	pH	=	8		0.1	none	1	J	
S9	9/11/2002	pH	=	8.1		0.1	none	1	J	
S9	12/12/2002	pH	=	8		0.1	none	1	J	
S9	9/11/2003	pH	=	8.2		0.1	none	1	J	
S9	9/3/2004	pH	=	8.1		0.1	none	1	J	
S9	9/2/2005	pH	=	8.2		0.1	NONE	1	J	
S9	9/7/2006	pH	=	8.2		0.1	NONE	1	J	
S9	9/5/2007	pH	=	8.2		0.1	NONE	1	J	
S9	9/5/2008	pH	=	8.2		0.1	NONE	1	J	
S9	9/4/2009	pH	=	8.2		0.1	NONE	1	J	
S9	9/8/2010	PH	=	8.12	0.1	0.1	PH UNITS	1	J	
S10	5/24/2004	Potassium-DISSOLVED	=	860	0.46	3	mg/L	1	J	NA
S10	5/24/2004	Potassium-DISSOLVED	=	860	0.46	3	mg/L	1	J	
S10	9/10/2004	Potassium-DISSOLVED	=	190	0.25	3	mg/L	1	J	
S10	12/1/2004	Potassium-DISSOLVED	=	180	0.25	3	mg/L	1	J	
S10	12/1/2004	Potassium-DISSOLVED	=	190	0.25	3	mg/L	1	J	
S10	3/3/2005	Potassium-DISSOLVED	=	170	0.25	3	mg/L	1	J	
S11	5/24/2004	Potassium-DISSOLVED	=	930	2.3	15	mg/L	5	J	
S11	9/10/2004	Potassium-DISSOLVED	=	550	0.25	3	mg/L	1	J	
S11	12/1/2004	Potassium-DISSOLVED	=	640	0.25	3	mg/L	1	J	
S11	3/3/2005	Potassium-DISSOLVED	=	550	1.2	15	mg/L	5	J	
S2	4/3/2002	Potassium-DISSOLVED	=	1190		15	mg/L	5	J	
S2	6/26/2002	Potassium-DISSOLVED	=	1070	2.4	15	mg/L	5	J	
S2	9/18/2002	Potassium-DISSOLVED	=	940	2.4	15	mg/L	5	J	
S2	12/13/2002	Potassium-DISSOLVED	=	990	4.9	30	mg/L	10	J	
S3	4/3/2002	Potassium-DISSOLVED	=	1560		15	mg/L	5	J	
S3	6/25/2002	Potassium-DISSOLVED	=	841	2.4	15	mg/L	5	J	
S3	9/19/2002	Potassium-DISSOLVED	=	390	0.49	3	mg/L	1	J	
S3	9/19/2002	Potassium-DISSOLVED	=	390	0.49	3	mg/L	1	J	
S3	12/13/2002	Potassium-DISSOLVED	=	340	0.49	3	mg/L	1	J	
S4	4/3/2002	Potassium-DISSOLVED	=	364		3	mg/L	1	J	

tmpAnalyticalResultsOverTime

S4	6/25/2002	Potassium-DISSOLVED	=	224	0.49	3	mg/L	1
S4	9/19/2002	Potassium-DISSOLVED	=	220	0.49	3	mg/L	1
S4	12/13/2002	Potassium-DISSOLVED	=	220	0.49	3	mg/L	1
S5	4/4/2002	Potassium-DISSOLVED	=	215		3	mg/L	1 J
S5	6/24/2002	Potassium-DISSOLVED	=	192	0.49	3	mg/L	1
S5	9/20/2002	Potassium-DISSOLVED	=	170	0.49	3	mg/L	1
S5	12/16/2002	Potassium-DISSOLVED	=	170	0.49	3	mg/L	1
S6	4/4/2002	Potassium-DISSOLVED	=	229		3	mg/L	1 J
S6	6/24/2002	Potassium-DISSOLVED	=	250	0.49	3	mg/L	1 L
S6	6/24/2002	Potassium-DISSOLVED	=	251	0.49	3	mg/L	1
S6	9/23/2002	Potassium-DISSOLVED	=	230	0.49	3	mg/L	1 J
S6	12/18/2002	Potassium-DISSOLVED	=	250	0.49	3	mg/L	1
S7	4/10/2002	Potassium-DISSOLVED	=	116		3	mg/L	1
S7	6/21/2002	Potassium-DISSOLVED	=	91.3	0.49	3	mg/L	1
S7	9/23/2002	Potassium-DISSOLVED	=	83	0.49	3	mg/L	1 J
S7	12/17/2002	Potassium-DISSOLVED	=	66	0.49	3	mg/L	1
S8	4/10/2002	Potassium-DISSOLVED	=	67.1		3	mg/L	1
S8	6/21/2002	Potassium-DISSOLVED	=	76.2	0.49	3	mg/L	1
S8	9/20/2002	Potassium-DISSOLVED	=	57	0.49	3	mg/L	1
S8	12/16/2002	Potassium-DISSOLVED	=	53	0.49	3	mg/L	1
S9	4/10/2002	Potassium-DISSOLVED	=	36.3		3	mg/L	1
S9	6/20/2002	Potassium-DISSOLVED	=	32	0.49	3	mg/L	1
S9	9/11/2002	Potassium-DISSOLVED	=	33	0.49	3	mg/L	1
S9	12/12/2002	Potassium-DISSOLVED	=	35	0.49	3	mg/L	1
S10	5/24/2004	Potassium-TOTAL	=	850	0.46	3	mg/L	1
S10	5/24/2004	Potassium-TOTAL	=	720	2.3	15	mg/L	5
S10	9/10/2004	Potassium-TOTAL	=	210	0.25	3	mg/L	1
S10	12/1/2004	Potassium-TOTAL	=	190	0.25	3	mg/L	1
S10	12/1/2004	Potassium-TOTAL	=	180	0.25	3	mg/L	1 J
S10	3/3/2005	Potassium-TOTAL	=	180	0.25	3	mg/L	1
S10	9/7/2005	Potassium-TOTAL	=	160	0.24	3	MG/L	1
S10	9/6/2006	Potassium-TOTAL	=	140	0.24	3	MG/L	1
S10	9/4/2007	Potassium-TOTAL	=	140	1.2	15	MG/L	5
S10	9/2/2008	Potassium-TOTAL	=	130	0.24	3	mg/L	1
S10	9/1/2009	Potassium-TOTAL	=	84	0.24	3	MG/L	1
S10	9/1/2010	Potassium-TOTAL	=	120	0.24	3	MG/L	1
S10	9/1/2010	Potassium-TOTAL	=	120	0.24	3	MG/L	1
S11	5/24/2004	Potassium-TOTAL	=	910	2.3	15	mg/L	5
S11	9/10/2004	Potassium-TOTAL	=	720	0.25	3	mg/L	1
S11	12/1/2004	Potassium-TOTAL	=	630	0.25	3	mg/L	1
S11	3/3/2005	Potassium-TOTAL	=	590	1.2	15	mg/L	5
S11	9/7/2005	Potassium-TOTAL	=	560	2.4	30	MG/L	10
S11	9/6/2006	Potassium-TOTAL	=	550	12	150	MG/L	50
S11	9/4/2007	Potassium-TOTAL	=	590	1.2	15	MG/L	5
S11	9/3/2008	Potassium-TOTAL	=	570	1.2	15	MG/L	5
S11	9/3/2008	Potassium-TOTAL	=	550	1.2	15	MG/L	5
S11	9/2/2009	Potassium-TOTAL	=	530	1.2	15	MG/L	5
S11	9/2/2010	Potassium-TOTAL	=	520	2.4	30	MG/L	10
S2	4/3/2002	Potassium-TOTAL	=	1140		15	mg/L	5 J
S2	6/26/2002	Potassium-TOTAL	=	992	4.9	30	mg/L	10
S2	9/18/2002	Potassium-TOTAL	=	960	2.4	15	mg/L	5
S2	12/13/2002	Potassium-TOTAL	=	1000	4.9	30	mg/L	10
S2	3/4/2003	Potassium-TOTAL	=	1100	4.9	30	mg/L	10
S2	3/4/2003	Potassium-TOTAL	=	1100	4.9	30	mg/L	10
S2	6/5/2003	Potassium-TOTAL	=	1300	2.3	15	mg/L	5 J
S2	9/5/2003	Potassium-TOTAL	=	1100	4.6	30	mg/L	10
S2	9/5/2003	Potassium-TOTAL	=	1100	4.6	30	mg/L	10

tmpAnalyticalResultsOverTime

S2	12/3/2003	Potassium-TOTAL	=	930	2.3	15	mg/L	5
S2	9/10/2004	Potassium-TOTAL	=	1100	2.5	30	mg/L	10
S2	9/7/2005	Potassium-TOTAL	=	1100	2.4	30	MG/L	10
S2	9/5/2006	Potassium-TOTAL	=	940	1.2	15	MG/L	5
S2	9/4/2007	Potassium-TOTAL	=	760	1.2	15	MG/L	5
S2	9/2/2008	Potassium-TOTAL	=	720	1.2	15	mg/L	5
S2	9/2/2009	Potassium-TOTAL	=	700	1.2	15	MG/L	5
S2	9/1/2010	Potassium-TOTAL	=	710	2.4	30	MG/L	10
S3	4/3/2002	Potassium-TOTAL	=	1610		15	mg/L	5 J
S3	6/25/2002	Potassium-TOTAL	=	831	2.3	15	mg/L	5
S3	9/19/2002	Potassium-TOTAL	=	410	0.49	3	mg/L	1
S3	9/19/2002	Potassium-TOTAL	=	410	0.49	3	mg/L	1
S3	12/13/2002	Potassium-TOTAL	=	370	0.49	3	mg/L	1
S3	3/5/2003	Potassium-TOTAL	=	400	0.49	3	mg/L	1
S3	6/5/2003	Potassium-TOTAL	=	480	0.46	3	mg/L	1 J
S3	9/5/2003	Potassium-TOTAL	=	280	0.46	3	mg/L	1
S3	12/2/2003	Potassium-TOTAL	=	250	0.46	3	mg/L	1
S3	9/9/2004	Potassium-TOTAL	=	260	0.25	3	mg/L	1
S3	9/9/2004	Potassium-TOTAL	=	280	0.25	3	mg/L	1
S3	9/7/2005	Potassium-TOTAL	=	220	0.24	3	MG/L	1
S3	9/5/2006	Potassium-TOTAL	=	260	0.24	3	MG/L	1
S3	9/4/2007	Potassium-TOTAL	=	250	1.2	15	MG/L	5
S3	9/2/2008	Potassium-TOTAL	=	230	0.24	3	mg/L	1
S3	9/2/2009	Potassium-TOTAL	=	190	0.24	3	MG/L	1
S3	9/1/2010	Potassium-TOTAL	=	180	0.24	3	MG/L	1
S4	4/3/2002	Potassium-TOTAL	=	345		3	mg/L	1 J
S4	6/25/2002	Potassium-TOTAL	=	237	0.49	3	mg/L	1
S4	9/19/2002	Potassium-TOTAL	=	220	0.49	3	mg/L	1
S4	12/13/2002	Potassium-TOTAL	=	220	0.49	3	mg/L	1
S4	9/8/2003	Potassium-TOTAL	=	210	0.46	3	mg/L	1
S4	9/9/2004	Potassium-TOTAL	=	240	0.25	3	mg/L	1
S4	9/8/2005	Potassium-TOTAL	=	290	0.24	3	MG/L	1
S4	9/6/2006	Potassium-TOTAL	=	280	0.24	3	MG/L	1
S4	9/10/2007	Potassium-TOTAL	=	210	1.2	15	MG/L	5
S4	9/3/2008	Potassium-TOTAL	=	230	0.24	3	MG/L	1
S4	9/2/2009	Potassium-TOTAL	=	230	0.24	3	MG/L	1
S4	9/2/2010	Potassium-TOTAL	=	210	0.24	3	MG/L	1
S5	4/4/2002	Potassium-TOTAL	=	261		3	mg/L	1 J
S5	6/24/2002	Potassium-TOTAL	=	213	0.49	3	mg/L	1 L
S5	9/20/2002	Potassium-TOTAL	=	170	0.49	3	mg/L	1
S5	12/16/2002	Potassium-TOTAL	=	160	0.49	3	mg/L	1
S5	9/10/2003	Potassium-TOTAL	=	150	0.46	3	mg/L	1
S5	9/8/2004	Potassium-TOTAL	=	160	0.25	3	mg/L	1
S5	9/8/2005	Potassium-TOTAL	=	160	0.24	3	MG/L	1
S5	9/6/2006	Potassium-TOTAL	=	180	0.24	3	MG/L	1
S5	9/7/2007	Potassium-TOTAL	=	140	1.2	15	MG/L	5
S5	9/3/2008	Potassium-TOTAL	=	160	0.24	3	MG/L	1
S5	9/2/2009	Potassium-TOTAL	=	130	0.24	3	MG/L	1
S5	9/3/2010	Potassium-TOTAL	=	140	0.24	3	MG/L	1
S6	4/4/2002	Potassium-TOTAL	=	275		3	mg/L	1 J
S6	6/24/2002	Potassium-TOTAL	=	271	0.49	3	mg/L	1 L
S6	6/24/2002	Potassium-TOTAL	=	265	0.49	3	mg/L	1 L
S6	9/23/2002	Potassium-TOTAL	=	240	0.49	3	mg/L	1 J
S6	12/18/2002	Potassium-TOTAL	=	240	0.49	3	mg/L	1
S6	9/9/2003	Potassium-TOTAL	=	240	0.46	3	mg/L	1
S6	9/8/2004	Potassium-TOTAL	=	280	0.25	3	mg/L	1
S6	9/9/2005	Potassium-TOTAL	=	240	2.4	30	MG/L	10

tmpAnalyticalResultsOverTime

S6	9/7/2006	Potassium-TOTAL	=	280	0.24	3	MG/L	1
S6	9/7/2007	Potassium-TOTAL	=	240	1.2	15	MG/L	5
S6	9/4/2008	Potassium-TOTAL	=	280	0.24	3	MG/L	1
S6	9/3/2009	Potassium-TOTAL	=	260	0.24	3	MG/L	1
S6	9/3/2010	Potassium-TOTAL	=	240	2.4	30	MG/L	10
S7	4/10/2002	Potassium-TOTAL	=	120		3	mg/L	1 J
S7	6/21/2002	Potassium-TOTAL	=	96.7	0.49	3	mg/L	1
S7	9/23/2002	Potassium-TOTAL	=	84	0.49	3	mg/L	1 J
S7	12/17/2002	Potassium-TOTAL	=	68	0.49	3	mg/L	1
S7	9/11/2003	Potassium-TOTAL	=	56	0.46	3	mg/L	1
S7	9/7/2004	Potassium-TOTAL	=	60	0.25	3	mg/L	1
S7	9/2/2005	Potassium-TOTAL	=	64	0.24	3	MG/L	1
S7	9/7/2006	Potassium-TOTAL	=	67	0.24	3	MG/L	1
S7	9/10/2007	Potassium-TOTAL	=	64	1.2	15	MG/L	5
S7	9/4/2008	Potassium-TOTAL	=	63	0.24	3	MG/L	1
S7	9/8/2009	Potassium-TOTAL	=	60	0.24	3	MG/L	1
S7	9/8/2009	Potassium-TOTAL	=	63	0.24	3	MG/L	1
S7	9/7/2010	Potassium-TOTAL	=	63	0.24	3	MG/L	1
S8	4/10/2002	Potassium-TOTAL	=	68.3		3	mg/L	1 J
S8	6/21/2002	Potassium-TOTAL	=	74.4	0.49	3	mg/L	1
S8	9/20/2002	Potassium-TOTAL	=	54	0.49	3	mg/L	1
S8	12/16/2002	Potassium-TOTAL	=	56	0.49	3	mg/L	1
S8	9/11/2003	Potassium-TOTAL	=	43	0.46	3	mg/L	1
S8	9/3/2004	Potassium-TOTAL	=	67	0.25	3	mg/L	1
S8	9/2/2005	Potassium-TOTAL	=	96	0.24	3	MG/L	1
S8	9/7/2006	Potassium-TOTAL	=	160	0.24	3	MG/L	1
S8	9/10/2007	Potassium-TOTAL	=	21	1.2	15	MG/L	5
S8	9/4/2008	Potassium-TOTAL	=	110	0.24	3	MG/L	1
S8	9/3/2009	Potassium-TOTAL	=	130	0.24	3	MG/L	1
S8	9/3/2010	Potassium-TOTAL	=	110	0.24	3	MG/L	1
S9	4/10/2002	Potassium-TOTAL	=	38.5		3	mg/L	1 J
S9	6/20/2002	Potassium-TOTAL	=	32.2	0.49	3	mg/L	1
S9	9/11/2002	Potassium-TOTAL	=	34	0.49	3	mg/L	1
S9	12/12/2002	Potassium-TOTAL	=	35	0.49	3	mg/L	1
S9	9/11/2003	Potassium-TOTAL	=	33	0.46	3	mg/L	1
S9	9/3/2004	Potassium-TOTAL	=	34	0.25	3	mg/L	1
S9	9/2/2005	Potassium-TOTAL	=	38	0.24	3	MG/L	1
S9	9/7/2006	Potassium-TOTAL	=	36	0.24	3	MG/L	1
S9	9/5/2007	Potassium-TOTAL	=	36	1.2	15	MG/L	5
S9	9/5/2008	Potassium-TOTAL	=	37	0.24	3	MG/L	1
S9	9/4/2009	Potassium-TOTAL	=	36	0.24	3	MG/L	1
S10	5/24/2004	Ra-226	=	2.57		0.11	0.37 pCi/L	1 J
S10	5/24/2004	Ra-226	=	2.18		0.13	0.33 pCi/L	1 J
S10	9/10/2004	Ra-226	=	1.13		0.18	0.26 pCi/L	1
S10	12/1/2004	Ra-226	=	0.96		0.21	0.26 pCi/L	1 J
S10	12/1/2004	Ra-226	=	1.43		0.24	0.32 pCi/L	1
S10	3/3/2005	Ra-226	=	1.34		0.3	0.35 pCi/L	1
S10	6/3/2005	Ra-226	=	1.34		0.23	0.3 pCi/L	1
S10	10/6/2005	Ra-226	=	1.07		0.22	0.27 pCi/L	1
S10	12/6/2005	Ra-226	=	0.96		0.11	0.22 pCi/L	1 J
S10	3/2/2006	Ra-226	=	1.03		0.19	0.25 pCi/L	1
S10	6/1/2006	Ra-226	=	1.5		0.13	0.3 pCi/L	1
S10	9/6/2006	Ra-226	=	1.33		0.18	0.29 pCi/L	1
S10	12/6/2006	Ra-226	=	1.22		0.28	0.3 pCi/L	1 J
S10	3/1/2007	Ra-226	=	1.11		0.22	0.28 pCi/L	1
S10	3/1/2007	Ra-226	=	1.37		0.22	0.33 pCi/L	1
S10	6/4/2007	Ra-226	=	1.72		0.15	0.33 pCi/L	1

5

tmpAnalyticalResultsOverTime

S10	9/4/2007 Ra-226	=	1.49	0.17	0.31 pCi/L	1
S10	12/4/2007 Ra-226	=	1.58	0.17	0.32 pCi/L	1
S10	3/5/2008 Ra-226	=	1.26	0.14	0.27 pCi/L	1 J
S10	6/3/2008 Ra-226	=	1.58	0.13	0.29 pCi/L	1
S10	9/2/2008 Ra-226	=	1.41	0.1	0.25 pCi/L	1 J
S10	12/2/2008 Ra-226	=	1.1	0.12	0.23 pCi/L	1
S10	3/5/2009 Ra-226	=	1.08	0.13	0.23 pCi/L	1
S10	6/1/2009 Ra-226	=	1.38	0.21	0.29 pCi/L	1 J
S10	9/1/2009 Ra-226	=	1.37	0.1	0.25 PCI/L	1 J
S10	12/2/2009 Ra-226	=	0.9	0.16	0.22 PCI/L	1 J
S10	3/8/2010 Ra-226	=	0.87	0.13	0.21 PCI/L	1
S10	6/3/2010 Ra-226	=	2.2	1.3	1.1 PCI/L	1
S10	9/1/2010 Ra-226	=	1.14	0.11	0.23 PCI/L	1
S10	9/1/2010 Ra-226	=	1.07	0.12	0.22 PCI/L	1
S10	12/2/2010 Ra-226	=	0.95	0.17	0.24 PCI/L	1 J
S11	5/24/2004 Ra-226	=	2.19	0.15	0.36 pCi/L	1 J
S11	9/10/2004 Ra-226	=	2.35	0.23	0.41 pCi/L	1
S11	12/1/2004 Ra-226	=	2.28	0.3	0.45 pCi/L	1
S11	3/3/2005 Ra-226	=	2.13	0.36	0.51 pCi/L	1
S11	6/6/2005 Ra-226	=	1.63	0.23	0.33 pCi/L	1
S11	9/7/2005 Ra-226	=	1.17	0.22	0.28 pCi/L	1
S11	12/6/2005 Ra-226	=	1.26	0.17	0.28 pCi/L	1
S11	3/3/2006 Ra-226	=	1.86	0.24	0.38 pCi/L	1
S11	3/3/2006 Ra-226	=	1.27	0.26	0.3 pCi/L	1
S11	6/2/2006 Ra-226	=	2.86	0.22	0.48 pCi/L	1
S11	9/6/2006 Ra-226	=	2.06	0.14	0.37 pCi/L	1
S11	12/6/2006 Ra-226	=	1.57	0.2	0.32 pCi/L	1 J
S11	3/1/2007 Ra-226	=	1.92	0.17	0.37 pCi/L	1
S11	6/4/2007 Ra-226	=	2.33	0.19	0.41 pCi/L	1
S11	9/4/2007 Ra-226	=	2.74	0.2	0.47 pCi/L	1
S11	12/4/2007 Ra-226	=	1.79	0.17	0.35 pCi/L	1
S11	3/5/2008 Ra-226	=	1.83	0.18	0.34 pCi/L	1
S11	6/4/2008 Ra-226	=	1.15	0.11	0.23 pCi/L	1 J
S11	9/3/2008 Ra-226	=	1.66	0.16	0.33 pCi/L	1
S11	9/3/2008 Ra-226	=	1.63	0.19	0.33 pCi/L	1
S11	12/2/2008 Ra-226	=	1.06	0.13	0.24 pCi/L	1
S11	3/5/2009 Ra-226	=	1.1	0.1	0.23 pCi/L	1
S11	6/1/2009 Ra-226	=	1.51	0.15	0.31 pCi/L	1
S11	9/2/2009 Ra-226	=	1.44	0.21	0.31 PCI/L	1
S11	12/2/2009 Ra-226	=	1.46	0.18	0.29 PCI/L	1
S11	3/5/2010 Ra-226	=	1.28	0.16	0.28 PCI/L	1
S11	6/3/2010 Ra-226	=	1.97	1.1	0.98 PCI/L	1
S11	9/2/2010 Ra-226	=	1.13	0.13	0.23 PCI/L	1
S11	12/2/2010 Ra-226	=	1.26	0.2	0.29 PCI/L	1 J
S2	4/3/2002 Ra-226	=	1.14	0.26	0.27 pCi/L	
S2	6/26/2002 Ra-226	=	0.68	0.25	0.16 pCi/L	1 J
S2	9/18/2002 Ra-226	=	0.66	0.16	0.19 pCi/L	1 J
S2	12/13/2002 Ra-226	=	1	0.31	0.31 pCi/L	1 J
S2	3/4/2003 Ra-226	=	1.64	0.21	0.37 pCi/L	1
S2	3/4/2003 Ra-226	=	2.02	0.26	0.43 pCi/L	1
S2	6/5/2003 Ra-226	=	2.42	0.2	0.46 pCi/L	1
S2	9/5/2003 Ra-226	=	1.27	0.14	0.25 pCi/L	1
S2	9/5/2003 Ra-226	=	1.43	0.13	0.29 pCi/L	1 J
S2	12/3/2003 Ra-226	=	1.46	0.2	0.33 pCi/L	1 J
S2	3/2/2004 Ra-226	=	2.02	0.23	0.42 pCi/L	1 J
S2	6/2/2004 Ra-226	=	1.02	0.22	0.27 pCi/L	1
S2	9/10/2004 Ra-226	=	2.35	0.2	0.42 pCi/L	1

tmpAnalyticalResultsOverTime

S2	12/6/2004 Ra-226	=	2.58	0.27	0.48 pCi/L	1
S2	3/4/2005 Ra-226	=	0.68	0.19	0.21 pCi/L	1 J
S2	6/7/2005 Ra-226	=	1.51	0.22	0.32 pCi/L	1
S2	6/7/2005 Ra-226	=	1.18	0.18	0.27 pCi/L	1
S2	9/7/2005 Ra-226	=	1.18	0.21	0.28 pCi/L	1
S2	12/5/2005 Ra-226	=	1.46	0.16	0.29 pCi/L	1
S2	3/2/2006 Ra-226	=	1.19	0.2	0.28 pCi/L	1
S2	6/2/2006 Ra-226	=	1.46	0.16	0.31 pCi/L	1
S2	9/5/2006 Ra-226	=	1.26	0.19	0.3 pCi/L	1
S2	12/6/2006 Ra-226	=	1.65	0.21	0.34 pCi/L	1
S2	3/5/2007 Ra-226	=	0.89	0.17	0.24 pCi/L	1 J
S2	6/4/2007 Ra-226	=	2.32	0.17	0.41 pCi/L	1
S2	9/4/2007 Ra-226	=	2.69	0.15	0.46 pCi/L	1
S2	12/4/2007 Ra-226	=	2.7	0.16	0.44 pCi/L	1
S2	3/4/2008 Ra-226	=	3.08	0.15	0.47 pCi/L	1
S2	6/3/2008 Ra-226	=	3.33	0.16	0.48 pCi/L	1
S2	9/2/2008 Ra-226	=	2.33	0.18	0.37 pCi/L	1
S2	12/2/2008 Ra-226	=	1.71	0.12	0.3 pCi/L	1
S2	12/2/2008 Ra-226	=	1.9	0.12	0.32 pCi/L	1
S2	3/5/2009 Ra-226	=	2.13	0.13	0.36 pCi/L	1
S2	6/1/2009 Ra-226	=	3.53	0.18	0.51 pCi/L	1
S2	9/2/2009 Ra-226	=	1.85	0.21	0.36 PCI/L	1
S2	12/2/2009 Ra-226	=	1.85	0.15	0.32 PCI/L	1
S2	3/5/2010 Ra-226	=	2.92	0.16	0.45 PCI/L	1
S2	6/3/2010 Ra-226	=	2.3	1.1	1 PCI/L	1
S2	9/1/2010 Ra-226	=	1.42	0.14	0.26 PCI/L	1
S2	12/2/2010 Ra-226	=	2.28	0.19	0.4 PCI/L	1
S3	4/3/2002 Ra-226	=	1.94	0.19	0.34 pCi/L	
S3	6/25/2002 Ra-226	=	1.76	0.24	0.3 pCi/L	1
S3	9/19/2002 Ra-226	=	0.98	0.16	0.23 pCi/L	1 J
S3	9/19/2002 Ra-226	=	1.21	0.17	0.26 pCi/L	1 J
S3	12/13/2002 Ra-226	=	1.09	0.21	0.29 pCi/L	1
S3	3/5/2003 Ra-226	=	1.76	0.24	0.39 pCi/L	1
S3	6/5/2003 Ra-226	=	1.42	0.24	0.34 pCi/L	1
S3	9/5/2003 Ra-226	=	1.19	0.1	0.23 pCi/L	1
S3	12/2/2003 Ra-226	=	0.73	0.15	0.2 pCi/L	1 J
S3	9/9/2004 Ra-226	=	1.86	0.24	0.37 pCi/L	1
S3	9/9/2004 Ra-226	=	1.85	0.24	0.37 pCi/L	1
S3	9/7/2005 Ra-226	=	0.57	0.23	0.21 pCi/L	1 J
S3	9/5/2006 Ra-226	=	0.91	0.18	0.25 pCi/L	1 J
S3	9/4/2007 Ra-226	=	1.34	0.17	0.3 pCi/L	1
S3	9/2/2008 Ra-226	=	1.16	0.11	0.23 pCi/L	1
S3	9/2/2009 Ra-226	=	0.82	0.18	0.22 PCI/L	1 J
S3	9/1/2010 Ra-226	=	0.6	0.13	0.17 PCI/L	1
S4	4/3/2002 Ra-226	=	1.32	0.26	0.3 pCi/L	
S4	6/25/2002 Ra-226	=	1.33	0.29	0.3 pCi/L	1
S4	9/19/2002 Ra-226	=	0.65	0.18	0.2 pCi/L	1 J
S4	12/13/2002 Ra-226	=	0.75	0.28	0.26 pCi/L	1 J
S4	3/6/2003 Ra-226	=	0.98	0.21	0.26 pCi/L	1 J
S4	6/9/2003 Ra-226	=	0.99	0.22	0.27 pCi/L	1 J
S4	6/9/2003 Ra-226	=	0.96	0.19	0.25 pCi/L	1 J
S4	9/8/2003 Ra-226	=	0.78	0.23	0.25 pCi/L	1 J
S4	12/4/2003 Ra-226	=	0.82	0.15	0.2 pCi/L	1 J
S4	3/2/2004 Ra-226	=	0.25	0.22	0.16 pCi/L	1 J
S4	6/2/2004 Ra-226	=	0.88	0.23	0.25 pCi/L	1 J
S4	9/9/2004 Ra-226	=	0.92	0.31	0.3 pCi/L	1 J
S4	12/6/2004 Ra-226	=	0.88	0.24	0.25 pCi/L	1 J

tmpAnalyticalResultsOverTime

S4	12/6/2004	Ra-226	=	1.17	0.24	0.28 pCi/L	1
S4	3/4/2005	Ra-226	=	0.71	0.22	0.22 pCi/L	1 J
S4	6/7/2005	Ra-226	=	1.03	0.16	0.24 pCi/L	1
S4	9/8/2005	Ra-226	=	0.59	0.21	0.2 pCi/L	1 J
S4	12/7/2005	Ra-226	=	0.39	0.29	0.21 pCi/L	1 J
S4	3/2/2006	Ra-226	=	0.64	0.31	0.25 pCi/L	1 J
S4	6/1/2006	Ra-226	=	0.95	0.16	0.23 pCi/L	1 J
S4	9/6/2006	Ra-226	=	0.73	0.21	0.24 pCi/L	1 J
S4	12/1/2006	Ra-226	=	0.57	0.29	0.24 pCi/L	1 J
S4	12/1/2006	Ra-226	=	0.93	0.19	0.24 pCi/L	1 J
S4	3/2/2007	Ra-226	=	0.7	0.22	0.24 pCi/L	1 J
S4	6/4/2007	Ra-226	=	0.77	0.18	0.22 pCi/L	1 J
S4	9/10/2007	Ra-226	=	0.91	0.16	0.24 pCi/L	1 J
S4	12/4/2007	Ra-226	=	1.17	0.19	0.28 pCi/L	1
S4	3/4/2008	Ra-226	=	0.82	0.18	0.23 pCi/L	1 J
S4	6/3/2008	Ra-226	=	0.94	0.14	0.23 pCi/L	1 J
S4	9/3/2008	Ra-226	=	1.04	0.2	0.27 pCi/L	1
S4	12/2/2008	Ra-226	=	0.74	0.16	0.21 pCi/L	1
S4	3/4/2009	Ra-226	=	0.42	0.13	0.15 pCi/L	1 J
S4	6/2/2009	Ra-226	=	0.319	0.083	0.099 pCi/L	1 J
S4	6/2/2009	Ra-226	=	0.45	0.08	0.12 pCi/L	1 J
S4	9/2/2009	Ra-226	=	0.51	0.2	0.19 PCI/L	1 J
S4	12/3/2009	Ra-226	=	0.68	0.14	0.19 PCI/L	1 J
S4	3/4/2010	Ra-226	=	0.56	0.15	0.18 PCI/L	1
S4	6/3/2010	Ra-226	=	1.01	0.93	0.71 PCI/L	1
S4	9/2/2010	Ra-226	=	0.41	0.16	0.16 PCI/L	1
S5	4/4/2002	Ra-226	=	1.4	0.27	0.32 pCi/L	
S5	6/24/2002	Ra-226	=	0.95	0.26	0.23 pCi/L	1 J
S5	9/20/2002	Ra-226	=	1.13	0.27	0.3 pCi/L	1
S5	12/16/2002	Ra-226	=	0.85	0.26	0.28 pCi/L	1 J
S5	3/6/2003	Ra-226	=	0.61	0.31	0.26 pCi/L	1 J
S5	6/6/2003	Ra-226	=	0.54	0.3	0.26 pCi/L	1 J
S5	9/10/2003	Ra-226	=	1	0.2	0.28 pCi/L	1 J
S5	12/4/2003	Ra-226	=	0.168	0.062	0.058 pCi/L	1 J
S5	3/2/2004	Ra-226	=	0.59	0.2	0.2 pCi/L	1 J
S5	6/2/2004	Ra-226	=	0.8	0.19	0.23 pCi/L	1 J
S5	9/8/2004	Ra-226	=	0.76	0.16	0.21 pCi/L	1 J
S5	12/3/2004	Ra-226	=	0.76	0.23	0.23 pCi/L	1 J
S5	3/4/2005	Ra-226	=	0.51	0.2	0.19 pCi/L	1 J
S5	3/4/2005	Ra-226	=	0.69	0.17	0.2 pCi/L	1 J
S5	6/3/2005	Ra-226	=	0.95	0.22	0.26 pCi/L	1 J
S5	9/8/2005	Ra-226	=	0.8	0.25	0.25 pCi/L	1 J
S5	12/7/2005	Ra-226	=	0.55	0.54	0.37 pCi/L	1 J
S5	3/3/2006	Ra-226	=	0.46	0.31	0.24 pCi/L	1 J
S5	6/5/2006	Ra-226	=	0.72	0.19	0.22 pCi/L	1 J
S5	9/6/2006	Ra-226	=	0.91	0.2	0.26 pCi/L	1 J
S5	12/1/2006	Ra-226	=	0.83	0.15	0.22 pCi/L	1 J
S5	3/2/2007	Ra-226	=	0.63	0.29	0.25 pCi/L	1 J
S5	6/5/2007	Ra-226	=	0.94	0.22	0.26 pCi/L	1 J
S5	6/5/2007	Ra-226	=	0.89	0.21	0.25 pCi/L	1 J
S5	9/7/2007	Ra-226	=	1.02	0.19	0.26 pCi/L	1
S5	12/6/2007	Ra-226	=	0.64	0.17	0.2 pCi/L	1 J
S5	3/4/2008	Ra-226	=	1.1	0.17	0.26 pCi/L	1
S5	6/6/2008	Ra-226	=	1.07	0.16	0.25 pCi/L	1
S5	9/3/2008	Ra-226	=	0.66	0.2	0.21 pCi/L	1 J
S5	12/3/2008	Ra-226	=	0.67	0.16	0.2 pCi/L	1 J
S5	3/3/2009	Ra-226	=	0.96	0.29	0.28 pCi/L	1

tmpAnalyticalResultsOverTime

S5	6/1/2009 Ra-226	=	0.9	0.24	0.25 pCi/L	1 J
S5	9/2/2009 Ra-226	=	0.8	0.24	0.25 PCI/L	1 J
S5	12/3/2009 Ra-226	=	0.76	0.16	0.2 PCI/L	1 J
S5	12/3/2009 Ra-226	=	0.87	0.16	0.21 PCI/L	1 J
S5	3/4/2010 Ra-226	=	0.74	0.19	0.24 PCI/L	1
S5	6/7/2010 Ra-226	=	2.7	1.4	1.3 PCI/L	1
S5	9/3/2010 Ra-226	=	0.61	0.13	0.17 PCI/L	1
S5	12/6/2010 Ra-226	=	0.48	0.07	0.11 PCI/L	1
S6	4/4/2002 Ra-226	=	0.74	0.29	0.24 pCi/L	J
S6	6/24/2002 Ra-226	=	0.86	0.24	0.21 pCi/L	1 J
S6	6/24/2002 Ra-226	=	1.2	0.2	0.26 pCi/L	1 J
S6	9/23/2002 Ra-226	=	1.05	0.27	0.3 pCi/L	1
S6	12/18/2002 Ra-226	=	0.76	0.26	0.25 pCi/L	1 J
S6	3/10/2003 Ra-226	=	1.09	0.21	0.27 pCi/L	1
S6	6/6/2003 Ra-226	=	1.29	0.29	0.36 pCi/L	1
S6	9/9/2003 Ra-226	=	1.16	0.22	0.31 pCi/L	1
S6	12/4/2003 Ra-226	=	0.5	0.14	0.16 pCi/L	1 J
S6	12/4/2003 Ra-226	=	0.62	0.22	0.21 pCi/L	1 J
S6	3/2/2004 Ra-226	=	0.97	0.21	0.25 pCi/L	1 J
S6	6/4/2004 Ra-226	=	1.12	0.22	0.27 pCi/L	1
S6	9/8/2004 Ra-226	=	1.07	0.18	0.26 pCi/L	1
S6	12/3/2004 Ra-226	=	1.02	0.16	0.25 pCi/L	1
S6	3/4/2005 Ra-226	=	0.42	0.17	0.16 pCi/L	1 J
S6	6/3/2005 Ra-226	=	1.16	0.2	0.27 pCi/L	1
S6	9/9/2005 Ra-226	=	1.05	0.16	0.26 pCi/L	1
S6	12/7/2005 Ra-226	=	0.9	0.2	0.24 pCi/L	1 J
S6	12/7/2005 Ra-226	=	0.89	0.18	0.25 pCi/L	1 J
S6	3/3/2006 Ra-226	=	0.7	0.24	0.24 pCi/L	1 J
S6	6/5/2006 Ra-226	=	0.89	0.17	0.23 pCi/L	1 J
S6	9/7/2006 Ra-226	=	1.04	0.2	0.26 pCi/L	1
S6	12/1/2006 Ra-226	=	0.86	0.29	0.28 pCi/L	1 J
S6	3/2/2007 Ra-226	=	0.95	0.23	0.27 pCi/L	1 J
S6	6/5/2007 Ra-226	=	0.99	0.21	0.27 pCi/L	1 J
S6	9/7/2007 Ra-226	=	0.95	0.18	0.25 pCi/L	1 J
S6	12/6/2007 Ra-226	=	0.79	0.15	0.21 pCi/L	1 J
S6	3/5/2008 Ra-226	=	1.18	0.2	0.28 pCi/L	1
S6	3/5/2008 Ra-226	=	1.3	0.16	0.28 pCi/L	1
S6	6/6/2008 Ra-226	=	1.29	0.17	0.28 pCi/L	1
S6	9/4/2008 Ra-226	=	1.13	0.12	0.23 pCi/L	1
S6	12/3/2008 Ra-226	=	0.47	0.22	0.19 pCi/L	1 J
S6	3/4/2009 Ra-226	=	0.82	0.15	0.21 pCi/L	1 J
S6	6/2/2009 Ra-226	=	0.52	0.1	0.13 pCi/L	1 J
S6	9/3/2009 Ra-226	=	1.11	0.21	0.27 PCI/L	1
S6	12/3/2009 Ra-226	=	1.34	0.17	0.27 PCI/L	1
S6	3/4/2010 Ra-226	=	0.76	0.18	0.23 PCI/L	1
S6	6/7/2010 Ra-226	=	2.8	1.8	1.5 PCI/L	1
S6	9/3/2010 Ra-226	=	0.75	0.15	0.2 PCI/L	1
S6	12/3/2010 Ra-226	=	0.95	0.18	0.25 PCI/L	1
S6	12/3/2010 Ra-226	=	1.22	0.2	0.29 PCI/L	1
S7	4/10/2002 Ra-226	=	0.46	0.27	0.21 pCi/L	J
S7	6/21/2002 Ra-226	=	0.51	0.27	0.22 pCi/L	1 J
S7	9/23/2002 Ra-226	=	0.52	0.3	0.24 pCi/L	1
S7	12/17/2002 Ra-226	=	0.46	0.34	0.26 pCi/L	1 J
S7	3/7/2003 Ra-226	=	0.28	0.21	0.16 pCi/L	1 J
S7	6/10/2003 Ra-226	=	0.39	0.25	0.21 pCi/L	1 J
S7	9/11/2003 Ra-226	=	0.29	0.26	0.19 pCi/L	1 J
S7	12/4/2003 Ra-226	=	0.23	0.14	0.12 pCi/L	1 J



tmpAnalyticalResultsOverTime

S7	9/7/2004 Ra-226	=	0.4	0.19	0.17 pCi/L	1 J
S7	12/3/2004 Ra-226	=	0.33	0.16	0.14 pCi/L	1 J
S7	6/3/2005 Ra-226	=	0.34	0.21	0.17 pCi/L	1 J
S7	9/2/2005 Ra-226	=	0.29	0.26	0.18 pCi/L	1 J
S7	12/5/2005 Ra-226	=	0.34	0.26	0.2 pCi/L	1 J
S7	6/5/2006 Ra-226	=	0.37	0.17	0.16 pCi/L	1 J
S7	9/7/2006 Ra-226	=	0.31	0.21	0.17 pCi/L	1 J
S7	12/5/2006 Ra-226	=	0.31	0.3	0.21 pCi/L	1 J
S7	3/2/2007 Ra-226	=	0.42	0.26	0.21 pCi/L	1 J
S7	6/5/2007 Ra-226	=	0.29	0.22	0.17 pCi/L	1 J
S7	9/10/2007 Ra-226	=	0.31	0.18	0.15 pCi/L	1 J
S7	12/5/2007 Ra-226	=	0.21	0.19	0.14 pCi/L	1 J
S7	3/3/2008 Ra-226	=	0.22	0.13	0.12 pCi/L	1 J
S7	6/4/2008 Ra-226	=	0.35	0.12	0.13 pCi/L	1 J
S7	6/4/2008 Ra-226	=	0.24	0.13	0.12 pCi/L	1 J
S7	9/4/2008 Ra-226	=	0.49	0.22	0.21 pCi/L	1 J
S7	12/3/2008 Ra-226	=	0.2	0.2	0.15 pCi/L	1 J
S7	3/5/2009 Ra-226	=	0.33	0.16	0.15 pCi/L	1 J
S7	6/3/2009 Ra-226	=	0.39	0.18	0.17 pCi/L	1 J
S7	9/8/2009 Ra-226	=	0.47	0.24	0.21 PCI/L	1 J
S7	9/8/2009 Ra-226	=	0.48	0.19	0.19 PCI/L	1 J
S7	12/4/2009 Ra-226	=	0.21	0.16	0.12 PCI/L	1
S7	3/3/2010 Ra-226	=	0.26	0.19	0.15 PCI/L	1
S7	3/3/2010 Ra-226	=	0.36	0.19	0.16 PCI/L	1
S7	9/7/2010 Ra-226	=	0.29	0.2	0.16 PCI/L	1
S7	12/6/2010 Ra-226	=	0.266	0.088	0.092 PCI/L	1
S8	4/10/2002 Ra-226	=	1.3	0.24	0.3 pCi/L	
S8	6/21/2002 Ra-226	=	0.89	0.25	0.27 pCi/L	1 J
S8	9/20/2002 Ra-226	=	0.59	0.2	0.21 pCi/L	1
S8	12/16/2002 Ra-226	=	0.38	0.26	0.2 pCi/L	1 J
S8	3/7/2003 Ra-226	=	0.42	0.2	0.18 pCi/L	1 J
S8	3/7/2003 Ra-226	=	0.55	0.19	0.19 pCi/L	1 J
S8	6/10/2003 Ra-226	=	0.75	0.18	0.23 pCi/L	1 J
S8	9/11/2003 Ra-226	=	0.69	0.27	0.27 pCi/L	1 J
S8	12/5/2003 Ra-226	=	0.53	0.13	0.16 pCi/L	1 J
S8	3/5/2004 Ra-226	=	0.67	0.25	0.24 pCi/L	1 J
S8	6/4/2004 Ra-226	=	0.49	0.17	0.18 pCi/L	1 J
S8	9/3/2004 Ra-226	=	0.45	0.16	0.17 pCi/L	1 J
S8	12/3/2004 Ra-226	=	0.87	0.24	0.26 pCi/L	1 J
S8	3/8/2005 Ra-226	=	0.86	0.28	0.27 pCi/L	1 J
S8	6/6/2005 Ra-226	=	0.8	0.23	0.24 pCi/L	1 J
S8	6/6/2005 Ra-226	=	1.35	0.2	0.29 pCi/L	1
S8	9/2/2005 Ra-226	=	0.43	0.29	0.22 pCi/L	1 J
S8	12/2/2005 Ra-226	=	0.45	0.18	0.18 pCi/L	1 J
S8	3/1/2006 Ra-226	=	0.56	0.26	0.22 pCi/L	1 J
S8	6/2/2006 Ra-226	=	0.98	0.16	0.24 pCi/L	1 J
S8	6/2/2006 Ra-226	=	1.2	0.17	0.28 pCi/L	1
S8	9/7/2006 Ra-226	=	0.68	0.17	0.2 pCi/L	1 J
S8	3/5/2007 Ra-226	=	0.31	0.16	0.15 pCi/L	1 J
S8	6/5/2007 Ra-226	=	0.7	0.24	0.24 pCi/L	1 J
S8	9/10/2007 Ra-226	=	0.88	0.19	0.24 pCi/L	1 J
S8	12/5/2007 Ra-226	=	0.53	0.23	0.2 pCi/L	1 J
S8	3/3/2008 Ra-226	=	0.43	0.18	0.17 pCi/L	1 J
S8	6/4/2008 Ra-226	=	0.5	0.15	0.17 pCi/L	1 J
S8	9/4/2008 Ra-226	=	0.43	0.09	0.13 pCi/L	1 J
S8	12/4/2008 Ra-226	=	0.35	0.21	0.18 pCi/L	1 J
S8	3/4/2009 Ra-226	=	0.47	0.16	0.17 pCi/L	1 J

tmpAnalyticalResultsOverTime

S8	3/4/2009	Ra-226	=	0.54	0.16	0.18 pCi/L	1	J
S8	6/3/2009	Ra-226	=	0.77	0.16	0.22 pCi/L	1	J
S8	9/3/2009	Ra-226	=	0.64	0.17	0.19 PCI/L	1	J
S8	12/4/2009	Ra-226	=	0.48	0.21	0.19 PCI/L	1	J
S8	3/3/2010	Ra-226	=	0.33	0.16	0.15 PCI/L	1	
S8	9/3/2010	Ra-226	=	0.328	0.086	0.099 PCI/L	1	
S8	12/6/2010	Ra-226	=	0.31	0.1	0.1 PCI/L	1	
S9	4/10/2002	Ra-226	=	0.37	0.23	0.19 pCi/L		J
S9	6/20/2002	Ra-226	=	0.42	0.27	0.21 pCi/L	1	J
S9	12/12/2002	Ra-226	=	0.81	0.25	0.28 pCi/L	1	J
S9	3/6/2003	Ra-226	=	0.36	0.17	0.16 pCi/L	1	J
S9	6/9/2003	Ra-226	=	0.33	0.2	0.17 pCi/L	1	J
S9	12/4/2003	Ra-226	=	0.17	0.14	0.11 pCi/L	1	J
S9	3/2/2004	Ra-226	=	0.27	0.23	0.17 pCi/L	1	J
S9	9/3/2004	Ra-226	=	0.32	0.2	0.16 pCi/L	1	J
S9	12/2/2004	Ra-226	=	0.46	0.23	0.2 pCi/L	1	J
S9	6/3/2005	Ra-226	=	0.31	0.21	0.16 pCi/L	1	J
S9	9/7/2006	Ra-226	=	0.31	0.19	0.15 pCi/L	1	J
S9	3/2/2007	Ra-226	=	0.3	0.17	0.15 pCi/L	1	J
S9	6/6/2007	Ra-226	=	0.21	0.19	0.14 pCi/L	1	J
S9	9/5/2007	Ra-226	=	0.25	0.15	0.13 pCi/L	1	J
S9	12/5/2007	Ra-226	=	0.36	0.19	0.17 pCi/L	1	J
S9	12/5/2007	Ra-226	=	0.38	0.16	0.16 pCi/L	1	J
S9	3/7/2008	Ra-226	=	0.211	0.1	0.093 pCi/L	1	J
S9	6/6/2008	Ra-226	=	0.34	0.16	0.15 pCi/L	1	J
S9	9/5/2008	Ra-226	=	0.18	0.11	0.097 pCi/L	1	J
S9	3/6/2009	Ra-226	=	0.4	0.15	0.16 pCi/L	1	J
S9	6/3/2009	Ra-226	=	0.23	0.15	0.13 pCi/L	1	J
S9	9/4/2009	Ra-226	=	0.214	0.11	0.099 PCI/L	1	J
S9	12/4/2009	Ra-226	=	0.18	0.17	0.12 PCI/L	1	J
S9	3/8/2010	Ra-226	=	0.23	0.15	0.12 PCI/L	1	
S9	9/8/2010	Ra-226	=	0.29	0.12	0.12 PCI/L	1	
S9	12/7/2010	Ra-226	=	0.209	0.084	0.08 PCI/L	1	J
S10	5/24/2004	Ra-228	=	4.19	0.81	0.76 pCi/L	1	
S10	5/24/2004	Ra-228	=	3.15	0.87	0.72 pCi/L	1	
S10	9/10/2004	Ra-228	=	1.51	0.78	0.54 pCi/L	1	
S10	12/1/2004	Ra-228	=	4.53	0.85	0.82 pCi/L	1	
S10	12/1/2004	Ra-228	=	1.97	0.95	0.67 pCi/L	1	
S10	3/3/2005	Ra-228	=	1.59	0.83	0.58 pCi/L	1	
S10	6/3/2005	Ra-228	=	1.6	0.63	0.47 pCi/L	1	
S10	12/6/2005	Ra-228	=	1.61	0.69	0.5 pCi/L	1	J
S10	3/2/2006	Ra-228	=	1.4	0.54	0.41 pCi/L	1	
S10	6/1/2006	Ra-228	=	1.42	0.66	0.47 pCi/L	1	
S10	9/6/2006	Ra-228	=	2.1	0.9	2.6 pCi/L	1	
S10	12/6/2006	Ra-228	=	0.95	0.52	0.38 pCi/L	1	J
S10	3/1/2007	Ra-228	=	1.81	0.78	0.57 pCi/L	1	
S10	3/1/2007	Ra-228	=	1.34	0.79	0.54 pCi/L	1	
S10	6/4/2007	Ra-228	=	1.52	0.56	0.43 pCi/L	1	J
S10	9/4/2007	Ra-228	=	1.44	0.51	0.41 pCi/L	1	
S10	12/4/2007	Ra-228	=	0.66	0.56	0.36 pCi/L	1	J
S10	3/5/2008	Ra-228	=	1.35	0.56	0.42 pCi/L	1	
S10	6/3/2008	Ra-228	=	2.11	0.69	0.53 pCi/L	1	
S10	9/2/2008	Ra-228	=	1.93	0.48	0.44 pCi/L	1	
S10	12/2/2008	Ra-228	=	1.39	0.52	0.41 pCi/L	1	
S10	3/5/2009	Ra-228	=	1.42	0.38	0.35 pCi/L	1	
S10	6/1/2009	Ra-228	=	1.34	0.41	0.34 pCi/L	1	
S10	9/1/2009	Ra-228	=	1.64	0.49	0.39 PCI/L	1	

5

tmpAnalyticalResultsOverTime

S10	12/2/2009	Ra-228	=	1.04	0.54	0.38	PCI/L	1
S10	3/8/2010	Ra-228	=	1.26	0.57	0.43	PCI/L	1
S10	9/1/2010	Ra-228	=	1.17	0.36	0.31	PCI/L	1
S10	9/1/2010	Ra-228	=	1.27	0.3	0.29	PCI/L	1
S10	12/2/2010	Ra-228	=	1.05	0.31	0.27	PCI/L	1
S11	5/24/2004	Ra-228	=	4.35	0.98	0.88	pCi/L	1
S11	9/10/2004	Ra-228	=	2.61	0.93	0.7	pCi/L	1
S11	12/1/2004	Ra-228	=	1.84	1	0.71	pCi/L	1
S11	3/3/2005	Ra-228	=	1.55	0.94	0.64	pCi/L	1
S11	6/6/2005	Ra-228	=	3.25	0.98	0.78	pCi/L	1
S11	9/7/2005	Ra-228	=	1.77	0.9	0.63	pCi/L	1
S11	12/6/2005	Ra-228	=	1.82	0.86	0.61	pCi/L	1 J
S11	3/3/2006	Ra-228	=	1.19	0.78	0.52	pCi/L	1
S11	3/3/2006	Ra-228	=	1.73	0.69	0.51	pCi/L	1
S11	6/2/2006	Ra-228	=	2.66	0.76	0.61	pCi/L	1
S11	9/6/2006	Ra-228	=	1.64	0.88	0.6	pCi/L	1
S11	12/6/2006	Ra-228	=	1.44	0.55	0.43	pCi/L	1
S11	3/1/2007	Ra-228	=	1.48	0.77	0.53	pCi/L	1
S11	6/4/2007	Ra-228	=	1.96	0.71	0.54	pCi/L	1
S11	9/4/2007	Ra-228	=	2.11	0.61	0.52	pCi/L	1
S11	12/4/2007	Ra-228	=	1.96	0.56	0.45	pCi/L	1
S11	3/5/2008	Ra-228	=	2.44	0.61	0.52	pCi/L	1
S11	6/4/2008	Ra-228	=	1.53	0.46	0.39	pCi/L	1 J
S11	9/3/2008	Ra-228	=	2.28	0.63	0.52	pCi/L	1
S11	9/3/2008	Ra-228	=	1.76	0.42	0.4	pCi/L	1
S11	12/2/2008	Ra-228	=	1.94	0.53	0.47	pCi/L	1
S11	3/5/2009	Ra-228	=	1.84	0.39	0.39	pCi/L	1
S11	6/1/2009	Ra-228	=	2.07	0.4	0.41	pCi/L	1
S11	9/2/2009	Ra-228	=	1.98	0.45	0.42	PCI/L	1
S11	12/2/2009	Ra-228	=	1.72	0.64	0.47	PCI/L	1
S11	3/5/2010	Ra-228	=	2.3	0.72	0.57	PCI/L	1
S11	9/2/2010	Ra-228	=	1.63	0.33	0.34	PCI/L	1
S11	12/2/2010	Ra-228	=	1.67	0.32	0.35	PCI/L	1
S2	4/3/2002	Ra-228	=	2.48	0.82	0.63	pCi/L	
S2	6/26/2002	Ra-228	=	3.82	0.83	0.75	pCi/L	1
S2	9/18/2002	Ra-228	=	3.3	0.78	0.68	pCi/L	1
S2	12/13/2002	Ra-228	=	3.2	0.91	0.75	pCi/L	1
S2	3/4/2003	Ra-228	=	1.86	1.2	0.79	pCi/L	1
S2	3/4/2003	Ra-228	=	2.95	0.95	0.74	pCi/L	1
S2	6/5/2003	Ra-228	=	3.34	0.83	0.71	pCi/L	1
S2	9/5/2003	Ra-228	=	3.2	0.71	0.63	pCi/L	1
S2	9/5/2003	Ra-228	=	3.4	0.94	0.77	pCi/L	1
S2	12/3/2003	Ra-228	=	2.57	0.53	0.49	pCi/L	1 J
S2	3/2/2004	Ra-228	=	3.79	0.72	0.69	pCi/L	1
S2	6/2/2004	Ra-228	=	3.47	0.87	0.76	pCi/L	1
S2	9/10/2004	Ra-228	=	4.2	0.85	0.79	pCi/L	1
S2	12/6/2004	Ra-228	=	1.8	0.9	0.66	pCi/L	1
S2	3/4/2005	Ra-228	=	3.62	0.7	0.67	pCi/L	1
S2	6/7/2005	Ra-228	=	2.92	0.6	0.55	pCi/L	1
S2	6/7/2005	Ra-228	=	3.28	0.63	0.6	pCi/L	1
S2	9/7/2005	Ra-228	=	3.64	0.95	0.8	pCi/L	1
S2	12/5/2005	Ra-228	=	2.83	0.59	0.58	pCi/L	1 J
S2	3/2/2006	Ra-228	=	2.25	0.63	0.52	pCi/L	1
S2	6/2/2006	Ra-228	=	2.81	0.68	0.58	pCi/L	1
S2	9/5/2006	Ra-228	=	3.92	0.86	0.78	pCi/L	1
S2	12/6/2006	Ra-228	=	2.09	0.57	0.51	pCi/L	1
S2	3/5/2007	Ra-228	=	3.13	0.71	0.63	pCi/L	1

tmpAnalyticalResultsOverTime

S2	6/4/2007 Ra-228	=	3.19	0.65	0.61 pCi/L	1
S2	9/4/2007 Ra-228	=	4.08	0.7	0.74 pCi/L	1
S2	12/4/2007 Ra-228	=	2.47	0.58	0.5 pCi/L	1
S2	3/4/2008 Ra-228	=	3.3	0.48	0.57 pCi/L	1
S2	6/3/2008 Ra-228	=	3.55	0.68	0.63 pCi/L	1
S2	9/2/2008 Ra-228	=	3.22	0.51	0.56 pCi/L	1
S2	12/2/2008 Ra-228	=	2.58	0.44	0.48 pCi/L	1
S2	12/2/2008 Ra-228	=	2.43	0.44	0.46 pCi/L	1
S2	3/5/2009 Ra-228	=	4.36	0.43	0.62 pCi/L	1
S2	6/1/2009 Ra-228	=	2.9	0.35	0.46 pCi/L	1
S2	9/2/2009 Ra-228	=	2.82	0.49	0.52 PCI/L	1
S2	12/2/2009 Ra-228	=	2.88	0.61	0.55 PCI/L	1
S2	3/5/2010 Ra-228	=	3.87	0.73	0.68 PCI/L	1
S2	9/1/2010 Ra-228	=	2.81	0.31	0.43 PCI/L	1
S2	12/2/2010 Ra-228	=	3.6	0.34	0.52 PCI/L	1
S3	4/3/2002 Ra-228	=	5.3	0.8	0.85 pCi/L	
S3	6/25/2002 Ra-228	=	5.3	0.6	0.75 pCi/L	1
S3	9/19/2002 Ra-228	=	3.75	0.75	0.69 pCi/L	1
S3	9/19/2002 Ra-228	=	3.01	0.8	0.67 pCi/L	1
S3	3/5/2003 Ra-228	=	2.1	0.9	0.65 pCi/L	1
S3	6/5/2003 Ra-228	=	2.7	0.86	0.68 pCi/L	1
S3	9/5/2003 Ra-228	=	1.98	0.67	0.52 pCi/L	1
S3	12/2/2003 Ra-228	=	2.04	0.9	0.65 pCi/L	1
S3	9/9/2004 Ra-228	=	2.32	0.92	0.68 pCi/L	1
S3	9/9/2004 Ra-228	=	2.81	0.84	0.68 pCi/L	1
S3	9/7/2005 Ra-228	=	2.13	1.2	0.81 pCi/L	1
S3	9/5/2006 Ra-228	=	2.06	0.74	0.58 pCi/L	1
S3	9/4/2007 Ra-228	=	1.86	0.52	0.46 pCi/L	1
S3	9/2/2008 Ra-228	=	1.61	0.45	0.41 pCi/L	1
S3	9/2/2009 Ra-228	=	1.52	0.45	0.39 PCI/L	1
S3	9/1/2010 Ra-228	=	1.22	0.34	0.31 PCI/L	1
S4	4/3/2002 Ra-228	=	1.82	0.8	0.57 pCi/L	
S4	6/25/2002 Ra-228	=	0.98	0.68	0.44 pCi/L	1 J
S4	9/19/2002 Ra-228	=	1.35	0.74	0.51 pCi/L	1
S4	12/13/2002 Ra-228	=	0.95	0.85	0.55 pCi/L	1 J
S4	3/6/2003 Ra-228	=	1.66	0.78	0.56 pCi/L	1 J
S4	6/9/2003 Ra-228	=	1.25	0.66	0.46 pCi/L	1
S4	6/9/2003 Ra-228	=	1.01	0.65	0.44 pCi/L	1
S4	9/8/2003 Ra-228	=	1.55	0.84	0.58 pCi/L	1
S4	12/4/2003 Ra-228	=	1.67	0.87	0.61 pCi/L	1
S4	6/2/2004 Ra-228	=	1.53	0.76	0.54 pCi/L	1
S4	12/6/2004 Ra-228	=	1.42	0.89	0.61 pCi/L	1
S4	12/6/2004 Ra-228	=	0.81	0.66	0.44 pCi/L	1 J
S4	3/4/2005 Ra-228	=	3.2	0.78	0.67 pCi/L	1
S4	6/7/2005 Ra-228	=	1.54	0.61	0.45 pCi/L	1
S4	9/8/2005 Ra-228	=	1.33	0.73	0.51 pCi/L	1
S4	12/7/2005 Ra-228	=	2.67	0.74	0.63 pCi/L	1 J
S4	6/1/2006 Ra-228	=	1.82	0.75	0.55 pCi/L	1
S4	9/6/2006 Ra-228	=	1.06	0.99	0.63 pCi/L	1
S4	12/1/2006 Ra-228	=	0.94	0.69	0.46 pCi/L	1 J
S4	12/1/2006 Ra-228	=	1.09	0.78	0.52 pCi/L	1
S4	3/2/2007 Ra-228	=	1.32	0.88	0.59 pCi/L	1
S4	6/4/2007 Ra-228	=	1.05	0.64	0.44 pCi/L	1
S4	9/10/2007 Ra-228	=	1.52	0.75	0.53 pCi/L	1
S4	12/4/2007 Ra-228	=	1.13	0.54	0.39 pCi/L	1
S4	3/4/2008 Ra-228	=	0.84	0.52	0.37 pCi/L	1 J
S4	6/3/2008 Ra-228	=	1.37	0.66	0.47 pCi/L	1

tmpAnalyticalResultsOverTime

S4	9/3/2008 Ra-228	=	0.91	0.7	0.46 pCi/L	1 J
S4	12/2/2008 Ra-228	=	1.02	0.4	0.32 pCi/L	1
S4	3/4/2009 Ra-228	=	1.45	0.64	0.46 pCi/L	1
S4	6/2/2009 Ra-228	=	0.87	0.39	0.3 pCi/L	1 J
S4	6/2/2009 Ra-228	=	0.77	0.43	0.31 pCi/L	1 J
S4	9/2/2009 Ra-228	=	1.19	0.53	0.4 PCI/L	1
S4	12/3/2009 Ra-228	=	1.95	0.47	0.43 PCI/L	1
S4	3/4/2010 Ra-228	=	1.52	0.74	0.53 PCI/L	1
S4	9/2/2010 Ra-228	=	0.94	0.48	0.36 PCI/L	1
S5	4/4/2002 Ra-228	=	1.26	0.78	0.53 pCi/L	
S5	6/24/2002 Ra-228	=	1.6	0.64	0.46 pCi/L	1
S5	9/20/2002 Ra-228	=	1.4	0.68	0.48 pCi/L	1
S5	3/6/2003 Ra-228	=	1.89	0.87	0.63 pCi/L	1 J
S5	6/6/2003 Ra-228	=	1.4	0.94	0.63 pCi/L	1
S5	9/10/2003 Ra-228	=	0.84	0.78	0.51 pCi/L	1 J
S5	12/4/2003 Ra-228	=	1.47	0.96	0.64 pCi/L	1
S5	3/2/2004 Ra-228	=	1.17	0.83	0.55 pCi/L	1
S5	6/2/2004 Ra-228	=	1.09	0.66	0.45 pCi/L	1
S5	9/8/2004 Ra-228	=	1.27	0.9	0.59 pCi/L	1
S5	12/3/2004 Ra-228	=	1.09	0.9	0.59 pCi/L	1
S5	3/4/2005 Ra-228	=	1.44	0.65	0.47 pCi/L	1
S5	3/4/2005 Ra-228	=	1.02	0.69	0.46 pCi/L	1
S5	6/3/2005 Ra-228	=	2.2	0.87	0.64 pCi/L	1
S5	9/8/2005 Ra-228	=	1.16	0.77	0.51 pCi/L	1
S5	12/7/2005 Ra-228	=	10	1.3	1.6 pCi/L	1 J
S5	3/3/2006 Ra-228	=	1.95	1.1	0.73 pCi/L	1
S5	6/5/2006 Ra-228	=	1.58	0.8	0.56 pCi/L	1
S5	9/6/2006 Ra-228	=	1.28	0.9	0.59 pCi/L	1
S5	12/1/2006 Ra-228	=	1.56	0.81	0.56 pCi/L	1
S5	3/2/2007 Ra-228	=	1.06	0.97	0.63 pCi/L	1
S5	6/5/2007 Ra-228	=	1.48	0.67	0.49 pCi/L	1
S5	9/7/2007 Ra-228	=	0.78	0.64	0.43 pCi/L	1 J
S5	12/6/2007 Ra-228	=	1.22	0.69	0.48 pCi/L	1
S5	3/4/2008 Ra-228	=	0.57	0.42	0.29 pCi/L	1 J
S5	6/6/2008 Ra-228	=	1.71	0.74	0.53 pCi/L	1 J
S5	9/3/2008 Ra-228	=	1.36	0.64	0.46 pCi/L	1
S5	12/3/2008 Ra-228	=	1.24	0.51	0.39 pCi/L	1
S5	3/3/2009 Ra-228	=	1.78	0.81	0.59 pCi/L	1
S5	6/1/2009 Ra-228	=	1.17	0.32	0.29 pCi/L	1
S5	9/2/2009 Ra-228	=	1.17	0.48	0.37 PCI/L	1
S5	12/3/2009 Ra-228	=	0.71	0.45	0.32 PCI/L	1 J
S5	12/3/2009 Ra-228	=	0.69	0.42	0.3 PCI/L	1 J
S5	3/4/2010 Ra-228	=	1.48	1	0.68 PCI/L	1
S5	9/3/2010 Ra-228	=	1.44	0.35	0.33 PCI/L	1
S5	12/6/2010 Ra-228	=	1.06	0.36	0.31 PCI/L	1
S6	4/4/2002 Ra-228	=	0.85	0.76	0.49 pCi/L	J
S6	6/24/2002 Ra-228	=	1.46	0.6	0.43 pCi/L	1
S6	6/24/2002 Ra-228	=	1.4	0.59	0.42 pCi/L	1
S6	9/23/2002 Ra-228	=	1.49	0.81	0.56 pCi/L	1
S6	12/18/2002 Ra-228	=	1.62	1	0.69 pCi/L	1
S6	3/10/2003 Ra-228	=	3.7	0.92	0.78 pCi/L	1 J
S6	6/6/2003 Ra-228	=	1.94	0.89	0.64 pCi/L	1
S6	9/9/2003 Ra-228	=	1.76	0.69	0.51 pCi/L	1
S6	12/4/2003 Ra-228	=	1.7	0.78	0.56 pCi/L	1
S6	12/4/2003 Ra-228	=	2.07	1.2	0.8 pCi/L	1
S6	3/2/2004 Ra-228	=	1.29	0.85	0.57 pCi/L	1
S6	6/4/2004 Ra-228	=	1.43	0.91	0.62 pCi/L	1

tmpAnalyticalResultsOverTime

S6	9/8/2004 Ra-228	=	1.85	0.7	0.52 pCi/L	1
S6	3/4/2005 Ra-228	=	1.7	0.71	0.52 pCi/L	1
S6	6/3/2005 Ra-228	=	1.96	0.84	0.61 pCi/L	1
S6	9/9/2005 Ra-228	=	1.38	0.58	0.45 pCi/L	1
S6	12/7/2005 Ra-228	=	2.12	0.69	0.56 pCi/L	1 J
S6	12/7/2005 Ra-228	=	1.6	0.49	0.42 pCi/L	1 J
S6	3/3/2006 Ra-228	=	1.39	0.82	0.56 pCi/L	1
S6	6/5/2006 Ra-228	=	1.7	0.79	0.56 pCi/L	1
S6	9/7/2006 Ra-228	=	1.93	0.93	0.66 pCi/L	1
S6	12/1/2006 Ra-228	=	1.66	0.72	0.52 pCi/L	1
S6	3/2/2007 Ra-228	=	1.02	0.85	0.56 pCi/L	1
S6	6/5/2007 Ra-228	=	2.02	0.71	0.55 pCi/L	1
S6	9/7/2007 Ra-228	=	1.3	0.61	0.44 pCi/L	1
S6	12/6/2007 Ra-228	=	1.53	0.68	0.49 pCi/L	1
S6	3/5/2008 Ra-228	=	2.35	0.58	0.5 pCi/L	1
S6	3/5/2008 Ra-228	=	2.43	0.57	0.51 pCi/L	1
S6	6/6/2008 Ra-228	=	1.75	0.68	0.51 pCi/L	1 J
S6	9/4/2008 Ra-228	=	1.45	0.42	0.37 pCi/L	1
S6	12/3/2008 Ra-228	=	1.44	0.46	0.39 pCi/L	1
S6	3/4/2009 Ra-228	=	2.4	0.59	0.5 pCi/L	1
S6	6/2/2009 Ra-228	=	1.34	0.37	0.34 pCi/L	1
S6	9/3/2009 Ra-228	=	1.56	0.48	0.41 PCI/L	1
S6	12/3/2009 Ra-228	=	1.52	0.4	0.37 PCI/L	1
S6	3/4/2010 Ra-228	=	2.24	0.75	0.58 PCI/L	1
S6	6/7/2010 Ra-228	=	6.4	5.6	3.7 PCI/L	1
S6	9/3/2010 Ra-228	=	1.22	0.36	0.32 PCI/L	1
S6	12/3/2010 Ra-228	=	1.45	0.37	0.35 PCI/L	1
S6	12/3/2010 Ra-228	=	1.93	0.38	0.4 PCI/L	1
S7	6/21/2002 Ra-228	=	1.13	0.96	0.62 pCi/L	1
S7	12/17/2002 Ra-228	=	1.34	0.97	0.65 pCi/L	1
S7	3/7/2003 Ra-228	=	1.11	0.82	0.54 pCi/L	1 J
S7	9/11/2003 Ra-228	=	1.78	0.71	0.53 pCi/L	1
S7	6/3/2005 Ra-228	=	0.87	0.8	0.52 pCi/L	1 J
S7	12/5/2005 Ra-228	=	0.76	0.74	0.48 pCi/L	1 J
S7	12/5/2005 Ra-228	=	1.03	0.61	0.43 pCi/L	1 J
S7	9/7/2006 Ra-228	=	1.64	1	0.7 pCi/L	1
S7	9/4/2008 Ra-228	=	0.53	0.45	0.3 pCi/L	1 J
S7	3/3/2010 Ra-228	=	0.47	0.42	0.28 PCI/L	1 DNR
S8	4/10/2002 Ra-228	=	1.38	0.9	0.61 pCi/L	
S8	6/21/2002 Ra-228	=	1.2	0.79	0.53 pCi/L	1
S8	9/20/2002 Ra-228	=	0.85	0.65	0.43 pCi/L	1
S8	3/7/2003 Ra-228	=	1.66	0.83	0.58 pCi/L	1 J
S8	9/11/2003 Ra-228	=	1.36	0.95	0.63 pCi/L	1
S8	3/5/2004 Ra-228	=	1.08	0.64	0.44 pCi/L	1
S8	6/4/2004 Ra-228	=	1.52	0.86	0.6 pCi/L	1
S8	9/3/2004 Ra-228	=	1.13	0.96	0.63 pCi/L	1
S8	3/8/2005 Ra-228	=	0.96	0.59	0.4 pCi/L	1 J
S8	6/6/2005 Ra-228	=	1.28	0.82	0.55 pCi/L	1
S8	9/2/2005 Ra-228	=	1.14	0.76	0.51 pCi/L	1
S8	3/1/2006 Ra-228	=	1.18	0.74	0.5 pCi/L	1
S8	6/2/2006 Ra-228	=	1.19	0.64	0.44 pCi/L	1
S8	6/2/2006 Ra-228	=	1.38	0.76	0.52 pCi/L	1
S8	9/7/2006 Ra-228	=	1.36	0.71	0.49 pCi/L	1
S8	12/5/2006 Ra-228	=	1.05	0.71	0.47 pCi/L	1
S8	3/5/2007 Ra-228	=	0.86	0.57	0.38 pCi/L	1 J
S8	6/5/2007 Ra-228	=	1.14	0.76	0.51 pCi/L	1
S8	9/10/2007 Ra-228	=	1.37	0.79	0.54 pCi/L	1

tmpAnalyticalResultsOverTime

S8	12/5/2007 Ra-228	=	0.43		0.37	0.25 pCi/L	1 J	
S8	3/3/2008 Ra-228	=	1.22		0.77	0.52 pCi/L	1	
S8	6/4/2008 Ra-228	=	0.58		0.46	0.31 pCi/L	1 J	
S8	9/4/2008 Ra-228	=	0.64		0.49	0.34 pCi/L	1 J	
S8	12/4/2008 Ra-228	=	0.86		0.55	0.39 pCi/L	1 J	
S8	3/4/2009 Ra-228	=	1.38		0.61	0.45 pCi/L	1	
S8	3/4/2009 Ra-228	=	1.08		0.64	0.44 pCi/L	1	
S8	6/3/2009 Ra-228	=	1.11		0.34	0.29 pCi/L	1	
S8	9/3/2009 Ra-228	=	0.93		0.5	0.37 PCI/L	1 J	
S8	12/4/2009 Ra-228	=	0.65		0.44	0.31 PCI/L	1 J	
S8	3/3/2010 Ra-228	=	0.79		0.45	0.32 PCI/L	1	
S8	9/3/2010 Ra-228	=	0.57		0.29	0.22 PCI/L	1	
S8	12/6/2010 Ra-228	=	0.73		0.48	0.34 PCI/L	1	
S9	3/6/2003 Ra-228	=	1.7		0.89	0.62 pCi/L	1 J	
S9	6/9/2003 Ra-228	=	0.71		0.67	0.43 pCi/L	1 J	
S9	6/3/2004 Ra-228	=	2.56		0.79	0.63 pCi/L	1	
S9	12/5/2005 Ra-228	=	1.82		0.55	0.45 pCi/L	1 J	
S9	12/5/2007 Ra-228	=	0.46		0.44	0.29 pCi/L	1 J	
S9	12/5/2007 Ra-228	=	0.67		0.38	0.27 pCi/L	1 J	
S9	3/6/2009 Ra-228	=	0.44		0.42	0.28 pCi/L	1 J	
S9	9/4/2009 Ra-228	=	0.58		0.41	0.29 PCI/L	1 J	
S9	9/8/2010 Ra-228	=	0.59		0.36	0.27 PCI/L	1	
S10	5/24/2004 Selenium-DISSOLVED	=	0.033	0.0008	0.01	mg/L	5	0.05
S10	5/24/2004 Selenium-DISSOLVED	=	0.043	0.0008	0.01	mg/L	5	
S11	5/24/2004 Selenium-DISSOLVED	=	0.04	0.0016	0.02	mg/L	10	
S11	3/3/2005 Selenium-DISSOLVED	=	0.012	0.0008	0.01	mg/L	5	
S2	12/13/2002 Selenium-DISSOLVED	=	0.024	0.00095	0.01	mg/L	5	
S3	9/19/2002 Selenium-DISSOLVED	=	0.018	0.00095	0.01	mg/L	5	
S3	9/19/2002 Selenium-DISSOLVED	=	0.017	0.00095	0.01	mg/L	5	
S4	9/19/2002 Selenium-DISSOLVED	=	0.021	0.00095	0.01	mg/L	5	
S5	9/20/2002 Selenium-DISSOLVED	=	0.01	0.00095	0.01	mg/L	5	
S6	9/23/2002 Selenium-DISSOLVED	=	0.023	0.00095	0.01	mg/L	5	
S6	12/18/2002 Selenium-DISSOLVED	=	0.014	0.00095	0.01	mg/L	5	
S10	5/24/2004 Selenium-TOTAL	=	0.034	0.0008	0.01	mg/L	5	
S10	5/24/2004 Selenium-TOTAL	=	0.036	0.0008	0.01	mg/L	5	
S11	5/24/2004 Selenium-TOTAL	=	0.028	0.0008	0.01	mg/L	5	
S11	3/3/2005 Selenium-TOTAL	=	0.014	0.0008	0.01	mg/L	5	
S11	9/3/2008 Selenium-TOTAL	=	0.012	0.0035	0.01	MG/L	5	
S11	9/3/2008 Selenium-TOTAL	=	0.016	0.0035	0.01	MG/L	5	
S2	9/18/2002 Selenium-TOTAL	=	0.034	0.00095	0.01	mg/L	5	
S2	12/13/2002 Selenium-TOTAL	=	0.031	0.00095	0.01	mg/L	5	
S2	3/4/2003 Selenium-TOTAL	=	0.04	0.00095	0.01	mg/L	5	
S2	3/4/2003 Selenium-TOTAL	=	0.015	0.00095	0.01	mg/L	5	
S2	6/5/2003 Selenium-TOTAL	=	0.022	0.0012	0.01	mg/L	5	
S2	12/3/2003 Selenium-TOTAL	=	0.029	0.0024	0.02	mg/L	10	
S2	9/10/2004 Selenium-TOTAL	=	0.024	0.0016	0.02	mg/L	10	
S2	9/5/2006 Selenium-TOTAL	=	0.018	0.0035	0.01	MG/L	5	
S2	9/2/2008 Selenium-TOTAL	=	0.024	0.0035	0.01	mg/L	5	
S2	9/2/2009 Selenium-TOTAL	=	0.037	0.007	0.02	MG/L	10	
S2	9/1/2010 Selenium-TOTAL	=	0.041	0.0035	0.01	MG/L	5	
S3	9/19/2002 Selenium-TOTAL	=	0.015	0.00095	0.01	mg/L	5	
S3	9/19/2002 Selenium-TOTAL	=	0.013	0.00095	0.01	mg/L	5 J	
S3	12/13/2002 Selenium-TOTAL	=	0.015	0.00095	0.01	mg/L	5	
S3	3/5/2003 Selenium-TOTAL	=	0.002	0.00019	0.002	mg/L	1	
S3	9/5/2006 Selenium-TOTAL	=	0.011	0.0007	0.002	MG/L	1	
S4	9/19/2002 Selenium-TOTAL	=	0.015	0.00095	0.01	mg/L	5	
S6	9/23/2002 Selenium-TOTAL	=	0.02	0.00095	0.01	mg/L	5	

tmpAnalyticalResultsOverTime

S6	12/18/2002	Selenium-TOTAL	=	0.012	0.00095	0.01	mg/L	5	
S6	9/4/2008	Selenium-TOTAL	=	0.013	0.0035	0.01	MG/L	5	
S8	9/2/2005	Selenium-TOTAL	=	0.002	0.00033	0.002	MG/L	1	
S8	9/4/2008	Selenium-TOTAL	=	0.011	0.0035	0.01	MG/L	5	
S10	5/24/2004	Sodium-DISSOLVED	=	17000	5.5	25	mg/L	5	NA
S10	5/24/2004	Sodium-DISSOLVED	=	18000	5.5	25	mg/L	5	
S10	9/10/2004	Sodium-DISSOLVED	=	3000	1.4	5	mg/L	1	
S10	12/1/2004	Sodium-DISSOLVED	=	2500	1.4	5	mg/L	1	
S10	12/1/2004	Sodium-DISSOLVED	=	2600	1.4	5	mg/L	1	
S10	3/3/2005	Sodium-DISSOLVED	=	2400	1.4	5	mg/L	1	
S11	5/24/2004	Sodium-DISSOLVED	=	31000	5.5	25	mg/L	5	
S11	9/10/2004	Sodium-DISSOLVED	=	13000	14	50	mg/L	10	
S11	12/1/2004	Sodium-DISSOLVED	=	14000	14	50	mg/L	10	
S11	3/3/2005	Sodium-DISSOLVED	=	16000	7	25	mg/L	5	
S2	4/3/2002	Sodium-DISSOLVED	=	37600		25	mg/L	5	
S2	6/26/2002	Sodium-DISSOLVED	=	32000	7.5	25	mg/L	5	
S2	9/18/2002	Sodium-DISSOLVED	=	23000	7.5	25	mg/L	5	
S2	12/13/2002	Sodium-DISSOLVED	=	26000	15	50	mg/L	10	
S3	4/3/2002	Sodium-DISSOLVED	=	36300		25	mg/L	5	
S3	6/25/2002	Sodium-DISSOLVED	=	14800	7.5	25	mg/L	5	
S3	9/19/2002	Sodium-DISSOLVED	=	5000	1.5	5	mg/L	1	
S3	9/19/2002	Sodium-DISSOLVED	=	5100	1.5	5	mg/L	1	
S3	12/13/2002	Sodium-DISSOLVED	=	4100	1.5	5	mg/L	1	
S4	4/3/2002	Sodium-DISSOLVED	=	8260		5	mg/L	1	J
S4	6/25/2002	Sodium-DISSOLVED	=	4310	1.5	5	mg/L	1	
S4	9/19/2002	Sodium-DISSOLVED	=	3400	1.5	5	mg/L	1	
S4	12/13/2002	Sodium-DISSOLVED	=	3100	1.5	5	mg/L	1	
S5	4/4/2002	Sodium-DISSOLVED	=	8090		5	mg/L	1	J
S5	6/24/2002	Sodium-DISSOLVED	=	5740	1.5	5	mg/L	1	
S5	9/20/2002	Sodium-DISSOLVED	=	3900	1.5	5	mg/L	1	
S5	12/16/2002	Sodium-DISSOLVED	=	3500	1.5	5	mg/L	1	
S6	4/4/2002	Sodium-DISSOLVED	=	12600		10	mg/L	2	J
S6	6/24/2002	Sodium-DISSOLVED	=	11900	3	10	mg/L	2	
S6	6/24/2002	Sodium-DISSOLVED	=	12700	1.5	10	mg/L	2	
S6	9/23/2002	Sodium-DISSOLVED	=	8600	1.5	5	mg/L	1	
S6	12/18/2002	Sodium-DISSOLVED	=	8600	1.5	5	mg/L	1	
S7	4/10/2002	Sodium-DISSOLVED	=	1840		5	mg/L	1	
S7	6/21/2002	Sodium-DISSOLVED	=	1250	1.5	5	mg/L	1	
S7	9/23/2002	Sodium-DISSOLVED	=	950	1.5	5	mg/L	1	
S7	12/17/2002	Sodium-DISSOLVED	=	600	1.5	5	mg/L	1	
S8	4/10/2002	Sodium-DISSOLVED	=	892		5	mg/L	1	
S8	6/21/2002	Sodium-DISSOLVED	=	1320	1.5	5	mg/L	1	
S8	9/20/2002	Sodium-DISSOLVED	=	650	1.5	5	mg/L	1	
S8	12/16/2002	Sodium-DISSOLVED	=	590	1.5	5	mg/L	1	
S9	4/10/2002	Sodium-DISSOLVED	=	188		5	mg/L	1	
S9	6/20/2002	Sodium-DISSOLVED	=	182	1.5	5	mg/L	1	
S9	9/11/2002	Sodium-DISSOLVED	=	180	1.5	5	mg/L	1	
S9	12/12/2002	Sodium-DISSOLVED	=	180	1.5	5	mg/L	1	
S10	5/24/2004	Sodium-TOTAL	=	17000	5.5	25	mg/L	5	
S10	5/24/2004	Sodium-TOTAL	=	18000	5.5	25	mg/L	5	
S10	9/10/2004	Sodium-TOTAL	=	3100	1.4	5	mg/L	1	
S10	12/1/2004	Sodium-TOTAL	=	2600	1.4	5	mg/L	1	
S10	12/1/2004	Sodium-TOTAL	=	2500	1.4	5	mg/L	1	
S10	3/3/2005	Sodium-TOTAL	=	2500	1.4	5	mg/L	1	
S10	9/7/2005	Sodium-TOTAL	=	1900	11	50	MG/L	10	
S10	9/6/2006	Sodium-TOTAL	=	1300	0.092	5	MG/L	1	
S10	9/4/2007	Sodium-TOTAL	=	1400	0.46	25	MG/L	5	



tmpAnalyticalResultsOverTime

S10	9/2/2008	Sodium-TOTAL	=	1200	0.092	1	mg/L	1
S10	9/1/2009	Sodium-TOTAL	=	2000	0.092	1	MG/L	1
S11	5/24/2004	Sodium-TOTAL	=	29000	5.5	25	mg/L	5
S11	9/10/2004	Sodium-TOTAL	=	13000	14	50	mg/L	10
S11	12/1/2004	Sodium-TOTAL	=	14000	7	25	mg/L	5
S11	3/3/2005	Sodium-TOTAL	=	17000	7	25	mg/L	5
S11	9/7/2005	Sodium-TOTAL	=	14000	11	50	MG/L	10
S11	9/6/2006	Sodium-TOTAL	=	13000	4.6	250	MG/L	50
S11	9/4/2007	Sodium-TOTAL	=	14000	0.46	25	MG/L	5
S11	9/3/2008	Sodium-TOTAL	=	13000	0.46	5	MG/L	5
S11	9/3/2008	Sodium-TOTAL	=	13000	0.46	5	MG/L	5
S11	9/2/2009	Sodium-TOTAL	=	14000	0.46	5	MG/L	5
S2	4/3/2002	Sodium-TOTAL	=	34100		25	mg/L	5 J
S2	6/26/2002	Sodium-TOTAL	=	29100	15	50	mg/L	10
S2	9/18/2002	Sodium-TOTAL	=	24000	7.5	25	mg/L	5
S2	12/13/2002	Sodium-TOTAL	=	27000	15	50	mg/L	10
S2	3/4/2003	Sodium-TOTAL	=	31000	15	50	mg/L	10
S2	3/4/2003	Sodium-TOTAL	=	32000	15	50	mg/L	10
S2	6/5/2003	Sodium-TOTAL	=	33000	5.5	25	mg/L	5
S2	9/5/2003	Sodium-TOTAL	=	26000	11	50	mg/L	10
S2	9/5/2003	Sodium-TOTAL	=	32000	11	50	mg/L	10
S2	12/3/2003	Sodium-TOTAL	=	22000	5.5	25	mg/L	5
S2	9/10/2004	Sodium-TOTAL	=	30000	14	50	mg/L	10
S2	9/7/2005	Sodium-TOTAL	=	26000	11	50	MG/L	10
S2	9/5/2006	Sodium-TOTAL	=	19000	0.46	25	MG/L	5
S2	9/4/2007	Sodium-TOTAL	=	17000	0.46	25	MG/L	5
S2	9/2/2008	Sodium-TOTAL	=	15000	0.46	5	mg/L	5
S2	9/2/2009	Sodium-TOTAL	=	16000	0.46	5	MG/L	5
S3	4/3/2002	Sodium-TOTAL	=	23500		25	mg/L	5 J
S3	6/25/2002	Sodium-TOTAL	=	14300	7.5	25	mg/L	5
S3	9/19/2002	Sodium-TOTAL	=	5400	1.5	5	mg/L	1
S3	9/19/2002	Sodium-TOTAL	=	5400	1.5	5	mg/L	1
S3	12/13/2002	Sodium-TOTAL	=	4500	1.5	5	mg/L	1
S3	3/5/2003	Sodium-TOTAL	=	5600	1.5	5	mg/L	1
S3	6/5/2003	Sodium-TOTAL	=	5500	1.1	5	mg/L	1
S3	9/5/2003	Sodium-TOTAL	=	3400	1.1	5	mg/L	1
S3	12/2/2003	Sodium-TOTAL	=	2900	1.1	5	mg/L	1
S3	9/9/2004	Sodium-TOTAL	=	3100	1.4	5	mg/L	1
S3	9/9/2004	Sodium-TOTAL	=	3300	1.4	5	mg/L	1
S3	9/7/2005	Sodium-TOTAL	=	2600	1.1	5	MG/L	1
S3	9/5/2006	Sodium-TOTAL	=	3200	0.092	5	MG/L	1
S3	9/4/2007	Sodium-TOTAL	=	3500	0.46	25	MG/L	5
S3	9/2/2008	Sodium-TOTAL	=	2900	0.092	1	mg/L	1
S3	9/2/2009	Sodium-TOTAL	=	2200	0.092	1	MG/L	1
S4	4/3/2002	Sodium-TOTAL	=	7810		5	mg/L	1 J
S4	6/25/2002	Sodium-TOTAL	=	4510	1.5	5	mg/L	1
S4	9/19/2002	Sodium-TOTAL	=	3400	1.5	5	mg/L	1
S4	12/13/2002	Sodium-TOTAL	=	3200	1.5	5	mg/L	1
S4	9/8/2003	Sodium-TOTAL	=	2800	1.1	5	mg/L	1
S4	9/9/2004	Sodium-TOTAL	=	3200	1.4	5	mg/L	1
S4	9/8/2005	Sodium-TOTAL	=	4600	1.1	5	MG/L	1
S4	9/6/2006	Sodium-TOTAL	=	4000	0.092	5	MG/L	1
S4	9/10/2007	Sodium-TOTAL	=	3000	0.46	25	MG/L	5
S4	9/3/2008	Sodium-TOTAL	=	3200	0.092	1	MG/L	1
S4	9/2/2009	Sodium-TOTAL	=	3400	0.092	1	MG/L	1
S5	4/4/2002	Sodium-TOTAL	=	9480		5	mg/L	1 J
S5	6/24/2002	Sodium-TOTAL	=	6010	1.5	5	mg/L	1

tmpAnalyticalResultsOverTime

S5	9/20/2002	Sodium-TOTAL	=	4100	1.5	5	mg/L	1	
S5	12/16/2002	Sodium-TOTAL	=	3500	1.5	5	mg/L	1	
S5	9/10/2003	Sodium-TOTAL	=	2800	1.1	5	mg/L	1	
S5	9/8/2004	Sodium-TOTAL	=	2900	1.4	5	mg/L	1	
S5	9/8/2005	Sodium-TOTAL	=	3000	1.1	5	MG/L	1	
S5	9/6/2006	Sodium-TOTAL	=	2900	0.092	5	MG/L	1	
S5	9/7/2007	Sodium-TOTAL	=	2500	0.46	25	MG/L	5	
S5	9/3/2008	Sodium-TOTAL	=	2600	0.092	1	MG/L	1	
S5	9/2/2009	Sodium-TOTAL	=	2300	0.092	1	MG/L	1	
S6	4/4/2002	Sodium-TOTAL	=	12600		10	mg/L	2	J
S6	6/24/2002	Sodium-TOTAL	=	12500	3	10	mg/L	2	
S6	6/24/2002	Sodium-TOTAL	=	13000	3	10	mg/L	2	
S6	9/23/2002	Sodium-TOTAL	=	8800	1.5	5	mg/L	1	
S6	12/18/2002	Sodium-TOTAL	=	8400	1.5	5	mg/L	1	
S6	9/9/2003	Sodium-TOTAL	=	8800	1.1	5	mg/L	1	
S6	9/8/2004	Sodium-TOTAL	=	9000	14	50	mg/L	10	
S6	9/9/2005	Sodium-TOTAL	=	10000	11	50	MG/L	10	
S6	9/7/2006	Sodium-TOTAL	=	10000	0.46	25	MG/L	5	
S6	9/7/2007	Sodium-TOTAL	=	9200	0.46	25	MG/L	5	
S6	9/4/2008	Sodium-TOTAL	=	8800	0.46	5	MG/L	5	
S6	9/3/2009	Sodium-TOTAL	=	11000	4.6	50	MG/L	50	
S7	4/10/2002	Sodium-TOTAL	=	1870		5	mg/L	1	J
S7	6/21/2002	Sodium-TOTAL	=	1310	1.5	5	mg/L	1	
S7	9/23/2002	Sodium-TOTAL	=	980	1.5	5	mg/L	1	
S7	12/17/2002	Sodium-TOTAL	=	630	1.5	5	mg/L	1	
S7	9/11/2003	Sodium-TOTAL	=	460	1.1	5	mg/L	1	
S7	9/7/2004	Sodium-TOTAL	=	460	1.4	5	mg/L	1	
S7	9/2/2005	Sodium-TOTAL	=	440	1.1	5	MG/L	1	
S7	9/7/2006	Sodium-TOTAL	=	450	0.092	5	MG/L	1	
S7	9/10/2007	Sodium-TOTAL	=	480	0.46	25	MG/L	5	
S7	9/4/2008	Sodium-TOTAL	=	470	0.092	1	MG/L	1	
S7	9/8/2009	Sodium-TOTAL	=	460	0.092	1	MG/L	1	
S7	9/8/2009	Sodium-TOTAL	=	490	0.092	1	MG/L	1	
S8	4/10/2002	Sodium-TOTAL	=	860		5	mg/L	1	J
S8	6/21/2002	Sodium-TOTAL	=	1190	1.5	5	mg/L	1	
S8	9/20/2002	Sodium-TOTAL	=	670	1.5	5	mg/L	1	
S8	12/16/2002	Sodium-TOTAL	=	630	1.5	5	mg/L	1	
S8	9/11/2003	Sodium-TOTAL	=	450	1.1	5	mg/L	1	
S8	9/3/2004	Sodium-TOTAL	=	990	1.4	5	mg/L	1	
S8	9/2/2005	Sodium-TOTAL	=	1300	5.6	25	MG/L	5	
S8	9/7/2006	Sodium-TOTAL	=	1800	0.092	5	MG/L	1	
S8	9/10/2007	Sodium-TOTAL	=	250	0.46	25	MG/L	5	
S8	9/4/2008	Sodium-TOTAL	=	1200	0.46	5	MG/L	5	
S8	9/3/2009	Sodium-TOTAL	=	1500	0.092	1	MG/L	1	
S9	4/10/2002	Sodium-TOTAL	=	193		5	mg/L	1	J
S9	6/20/2002	Sodium-TOTAL	=	176	1.5	5	mg/L	1	
S9	9/11/2002	Sodium-TOTAL	=	190	1.5	5	mg/L	1	
S9	12/12/2002	Sodium-TOTAL	=	180	1.5	5	mg/L	1	
S9	9/11/2003	Sodium-TOTAL	=	180	1.1	5	mg/L	1	
S9	9/3/2004	Sodium-TOTAL	=	220	1.4	5	mg/L	1	
S9	9/2/2005	Sodium-TOTAL	=	190	1.1	5	MG/L	1	
S9	9/7/2006	Sodium-TOTAL	=	180	0.092	5	MG/L	1	
S9	9/5/2007	Sodium-TOTAL	=	200	0.46	25	MG/L	5	J
S9	9/5/2008	Sodium-TOTAL	=	180	0.092	1	MG/L	1	
S9	9/4/2009	Sodium-TOTAL	=	200	0.092	1	MG/L	1	
S9	9/8/2010	Sodium-TOTAL	=	180	0.092	1	MG/L	1	
S10	5/24/2004	Sulfate	=	3700	180	1200	mg/L	250	NA

tmpAnalyticalResultsOverTime

S10	5/24/2004	Sulfate	=	3500	180	1200	mg/L	250
S10	9/10/2004	Sulfate	=	320	14	100	mg/L	20
S10	12/1/2004	Sulfate	=	160	3.8	25	mg/L	5
S10	12/1/2004	Sulfate	=	160	3.8	25	mg/L	5
S10	3/3/2005	Sulfate	=	120	3.8	25	mg/L	5
S10	9/4/2007	Sulfate	=	14	2.5	5	MG/L	1
S11	5/24/2004	Sulfate	=	6400	180	1200	mg/L	250
S11	9/10/2004	Sulfate	=	2700	180	1200	mg/L	250
S11	12/1/2004	Sulfate	=	2700	76	500	mg/L	100
S11	3/3/2005	Sulfate	=	3400	76	500	mg/L	100
S11	9/7/2005	Sulfate	=	2900	76	500	MG/L	100 J
S11	9/6/2006	Sulfate	=	2500	2.5	500	MG/L	100
S11	9/4/2007	Sulfate	=	2400	500	1000	MG/L	200
S11	9/3/2008	Sulfate	=	2500	23	500	MG/L	100
S11	9/3/2008	Sulfate	=	2500	23	500	MG/L	100
S11	9/2/2009	Sulfate	=	2500	23	500	MG/L	100
S11	9/2/2010	SULFATE	=	2300	12	250	MG/L	50
S2	4/3/2002	Sulfate	=	6360		1250	mg/L	250
S2	6/26/2002	Sulfate	=	5730	400	1250	mg/L	250 J
S2	9/18/2002	Sulfate	=	4100	180	1200	mg/L	250
S2	12/13/2002	Sulfate	=	7400	360	2500	mg/L	500
S2	3/4/2003	Sulfate	=	5800	180	1200	mg/L	250
S2	3/4/2003	Sulfate	=	6000	180	1200	mg/L	250
S2	6/5/2003	Sulfate	=	5900	180	1200	mg/L	250
S2	9/5/2003	Sulfate	=	5200	180	1200	mg/L	250
S2	9/5/2003	Sulfate	=	5200	140	1000	mg/L	200
S2	12/3/2003	Sulfate	=	4700	140	1000	mg/L	200
S2	9/10/2004	Sulfate	=	6000	180	1200	mg/L	250
S2	9/7/2005	Sulfate	=	6700	190	1200	MG/L	250 J
S2	9/5/2006	Sulfate	=	3900	620	1200	MG/L	250
S2	9/4/2007	Sulfate	=	3700	620	1200	MG/L	250
S2	3/4/2008	Sulfate	=	5000	500	1000	MG/L	200
S2	9/2/2008	Sulfate	=	3200	23	500	mg/L	100
S2	9/2/2009	Sulfate	=	3500	23	500	MG/L	100
S2	9/1/2010	SULFATE	=	3500	23	500	MG/L	100
S3	4/3/2002	Sulfate	=	3940		500	mg/L	100
S3	6/25/2002	Sulfate	=	2110	80	250	mg/L	50 J
S3	9/19/2002	Sulfate	=	500	14	100	mg/L	20
S3	9/19/2002	Sulfate	=	520	14	100	mg/L	20
S3	12/13/2002	Sulfate	=	460	14	100	mg/L	20
S3	3/5/2003	Sulfate	=	580	36	250	mg/L	50
S3	6/5/2003	Sulfate	=	650	14	100	mg/L	20
S3	9/5/2003	Sulfate	=	280	7.1	50	mg/L	10
S3	12/2/2003	Sulfate	=	240	7.1	50	mg/L	10
S3	9/9/2004	Sulfate	=	320	7.1	50	mg/L	10
S3	9/9/2004	Sulfate	=	280	14	100	mg/L	20
S3	9/7/2005	Sulfate	=	500	15	100	MG/L	20 J
S3	9/5/2006	Sulfate	=	250	50	100	MG/L	20
S3	9/4/2007	Sulfate	=	240	25	50	MG/L	10
S3	9/2/2008	Sulfate	=	220	2.3	50	mg/L	10
S3	9/2/2009	Sulfate	=	76	1.2	25	MG/L	5
S3	9/1/2010	SULFATE	=	68	1.2	25	MG/L	5
S4	4/3/2002	Sulfate	=	2940		500	mg/L	100
S4	6/25/2002	Sulfate	=	1650	80	250	mg/L	50 J
S4	9/19/2002	Sulfate	=	720	14	100	mg/L	20
S4	12/13/2002	Sulfate	=	370	14	100	mg/L	20
S4	9/8/2003	Sulfate	=	290	14	100	mg/L	20

tmpAnalyticalResultsOverTime

S4	9/9/2004 Sulfate	=	380	14	100	mg/L	20	
S4	9/8/2005 Sulfate	=	1700	38	250	MG/L	50 J	
S4	9/6/2006 Sulfate	=	1200	50	100	MG/L	20	
S4	9/10/2007 Sulfate	=	520	120	250	MG/L	50	
S4	3/4/2008 Sulfate	=	430	50	100	MG/L	20	
S4	9/3/2008 Sulfate	=	240	2.3	50	MG/L	10	
S4	9/2/2009 Sulfate	=	480	2.3	50	MG/L	10	
S4	9/2/2010 SULFATE	=	340	2.3	50	MG/L	10	
S5	4/4/2002 Sulfate	=	2720		500	mg/L	100	
S5	6/24/2002 Sulfate	=	1660	80	250	mg/L	50 J	
S5	9/20/2002 Sulfate	=	790	36	250	mg/L	50	
S5	12/16/2002 Sulfate	=	530	14	100	mg/L	20	
S5	9/10/2003 Sulfate	=	320	7.1	50	mg/L	10	
S5	9/8/2004 Sulfate	=	330	14	100	mg/L	20	
S5	9/8/2005 Sulfate	=	390	15	100	MG/L	20 J	
S5	9/6/2006 Sulfate	=	430	50	100	MG/L	20	
S5	9/7/2007 Sulfate	=	250	50	100	MG/L	20	
S5	3/4/2008 Sulfate	=	220	50	100	MG/L	20	
S5	9/3/2008 Sulfate	=	250	2.3	50	MG/L	10	
S5	9/2/2009 Sulfate	=	240	1.2	25	MG/L	5	
S5	9/3/2010 SULFATE	=	240	1.2	25	MG/L	5	
S6	4/4/2002 Sulfate	=	3730		500	mg/L	100	
S6	6/24/2002 Sulfate	=	2610	160	500	mg/L	100 J	
S6	6/24/2002 Sulfate	=	2990	160	500	mg/L	100 J	
S6	9/23/2002 Sulfate	=	1800	71	500	mg/L	100	
S6	12/18/2002 Sulfate	=	1400	36	250	mg/L	50	
S6	9/9/2003 Sulfate	=	1700	71	500	mg/L	100	
S6	9/8/2004 Sulfate	=	2100	71	500	mg/L	100	
S6	9/9/2005 Sulfate	=	2700	190	1200	MG/L	250 J	
S6	9/7/2006 Sulfate	=	2300	250	500	MG/L	100	
S6	9/7/2007 Sulfate	=	2200	250	500	MG/L	100	
S6	9/4/2008 Sulfate	=	2300	23	500	MG/L	100	
S6	9/3/2009 Sulfate	=	2500	23	500	MG/L	100	
S6	9/3/2010 SULFATE	=	2400	12	250	MG/L	50	
S7	4/10/2002 Sulfate	=	392		100	mg/L	20	
S7	6/21/2002 Sulfate	=	165	8	25	mg/L	5 J	
S7	9/23/2002 Sulfate	=	64	3.6	25	mg/L	5	
S7	12/17/2002 Sulfate	=	20	0.71	5	mg/L	1	
S8	4/10/2002 Sulfate	=	482		100	mg/L	20	
S8	6/21/2002 Sulfate	=	674	32	100	mg/L	20 J	
S8	9/20/2002 Sulfate	=	250	7.1	50	mg/L	10	
S8	12/16/2002 Sulfate	=	200	7.1	50	mg/L	10	
S8	9/11/2003 Sulfate	=	100	3.6	25	mg/L	5	
S8	9/3/2004 Sulfate	=	530	14	100	mg/L	20	
S8	9/2/2005 Sulfate	=	860	38	250	MG/L	50 J	
S8	9/7/2006 Sulfate	=	1100	2.5	250	MG/L	50	
S8	9/10/2007 Sulfate	=	780	120	250	MG/L	50	
S8	3/3/2008 Sulfate	=	610	120	250	MG/L	50	
S8	9/4/2008 Sulfate	=	740	12	250	MG/L	50	
S8	9/3/2009 Sulfate	=	1300	12	250	MG/L	50	
S8	9/3/2010 SULFATE	=	1000	12	250	MG/L	50	
S10	5/24/2004 Th-230	=	0.34		0.11	0.18 pCi/L	1 J	NA
S10	5/24/2004 Th-230	=	0.42		0.05	0.19 pCi/L	1 J	
S10	9/10/2004 Th-230	=	0.11		0.1	0.1 pCi/L	1 J	
S10	12/1/2004 Th-230	=	0.23		0.12	0.16 pCi/L	1 J	
S10	12/1/2004 Th-230	=	0.51		0.22	0.27 pCi/L	1 J	
S10	10/6/2005 Th-230	=	0.25		0.13	0.16 pCi/L	1 J	

tmpAnalyticalResultsOverTime

S10	12/6/2005	Th-230	=	0.12	0.09	0.11 pCi/L	1 J
S10	3/2/2006	Th-230	=	0.29	0.09	0.16 pCi/L	1 J
S10	6/1/2006	Th-230	=	0.24	0.09	0.15 pCi/L	1 J
S10	9/6/2006	Th-230	=	0.13	0.11	0.11 pCi/L	1 J
S10	12/6/2006	Th-230	=	0.12	0.11	0.11 pCi/L	1 J
S10	3/1/2007	Th-230	=	0.21	0.12	0.14 pCi/L	1 J
S10	3/1/2007	Th-230	=	0.36	0.11	0.19 pCi/L	1 J
S10	6/4/2007	Th-230	=	0.15	0.07	0.14 pCi/L	1 J
S10	9/4/2007	Th-230	=	0.13	0.1	0.11 pCi/L	1 J
S10	12/4/2007	Th-230	=	0.23	0.18	0.17 pCi/L	1 J
S10	3/5/2008	Th-230	=	0.39	0.07	0.2 pCi/L	1 J
S10	12/2/2008	Th-230	=	0.77	0.26	0.34 pCi/L	1 J
S10	3/5/2009	Th-230	=	0.31	0.16	0.19 pCi/L	1 J
S10	6/3/2010	Th-230	=	0.15	0.15	0.14 PCI/L	1
S10	9/1/2010	Th-230	=	0.23	0.14	0.16 PCI/L	1
S11	5/24/2004	Th-230	=	0.21	0.06	0.14 pCi/L	1 J
S11	9/10/2004	Th-230	=	0.23	0.06	0.16 pCi/L	1 J
S11	3/3/2005	Th-230	=	0.21	0.15	0.16 pCi/L	1 J
S11	6/6/2005	Th-230	=	0.12	0.11	0.11 pCi/L	1 J
S11	9/7/2005	Th-230	=	0.22	0.17	0.17 pCi/L	1 J
S11	3/3/2006	Th-230	=	0.18	0.11	0.13 pCi/L	1 J
S11	3/3/2006	Th-230	=	0.45	0.14	0.22 pCi/L	1 J
S11	6/2/2006	Th-230	=	0.44	0.14	0.22 pCi/L	1 J
S11	9/6/2006	Th-230	=	0.22	0.11	0.15 pCi/L	1 J
S11	12/6/2006	Th-230	=	0.29	0.18	0.19 pCi/L	1 J
S11	3/1/2007	Th-230	=	0.3	0.12	0.17 pCi/L	1 J
S11	6/4/2007	Th-230	=	0.14	0.11	0.12 pCi/L	1 J
S11	12/4/2007	Th-230	=	0.29	0.11	0.17 pCi/L	1 J
S11	3/5/2008	Th-230	=	0.25	0.13	0.17 pCi/L	1 J
S11	9/3/2008	Th-230	=	0.25	0.12	0.16 pCi/L	1 J
S11	12/2/2008	Th-230	=	0.49	0.2	0.27 pCi/L	1 J
S11	3/5/2009	Th-230	=	0.22	0.18	0.17 pCi/L	1 J
S11	6/1/2009	Th-230	=	0.2	0.16	0.16 pCi/L	1 J
S11	3/5/2010	Th-230	=	0.23	0.17	0.18 PCI/L	1 J
S11	12/2/2010	Th-230	=	0.084	0.075	0.096 PCI/L	1
S2	4/3/2002	Th-230	=	0.59	0.14	0.29 pCi/L	J
S2	6/26/2002	Th-230	=	0.23	0.15	0.17 pCi/L	1 J
S2	9/18/2002	Th-230	=	0.48	0.15	0.23 pCi/L	1 J
S2	12/13/2002	Th-230	=	0.14	0.08	0.13 pCi/L	1 J
S2	3/4/2003	Th-230	=	0.4	0.13	0.22 pCi/L	1 J
S2	3/4/2003	Th-230	=	0.8	0.14	0.3 pCi/L	1 J
S2	6/5/2003	Th-230	=	0.51	0.14	0.23 pCi/L	1 J
S2	9/5/2003	Th-230	=	0.31	0.12	0.18 pCi/L	1 J
S2	9/5/2003	Th-230	=	0.29	0.19	0.21 pCi/L	1 J
S2	12/3/2003	Th-230	=	0.45	0.19	0.25 pCi/L	1 J
S2	3/2/2004	Th-230	=	0.38	0.19	0.22 pCi/L	1 J
S2	6/2/2004	Th-230	=	0.17	0.15	0.14 pCi/L	1 J
S2	9/10/2004	Th-230	=	0.36	0.11	0.19 pCi/L	1 J
S2	12/6/2004	Th-230	=	0.19	0.15	0.15 pCi/L	1 J
S2	3/4/2005	Th-230	=	0.2	0.1	0.14 pCi/L	1 J
S2	6/7/2005	Th-230	=	0.24	0.16	0.18 pCi/L	1 J
S2	9/7/2005	Th-230	=	0.21	0.15	0.16 pCi/L	1 J
S2	12/5/2005	Th-230	=	0.16	0.05	0.12 pCi/L	1 J
S2	3/2/2006	Th-230	=	0.33	0.1	0.17 pCi/L	1 J
S2	6/2/2006	Th-230	=	0.29	0.06	0.17 pCi/L	1 J
S2	9/5/2006	Th-230	=	0.22	0.13	0.15 pCi/L	1 J
S2	12/6/2006	Th-230	=	0.38	0.1	0.19 pCi/L	1 J

tmpAnalyticalResultsOverTime

S2	12/4/2007 Th-230	=	0.53	0.13	0.24 pCi/L	1 J
S2	6/3/2008 Th-230	=	0.22	0.14	0.15 pCi/L	1 J
S2	9/2/2008 Th-230	=	0.13	0.11	0.12 pCi/L	1 J
S2	12/2/2008 Th-230	=	0.17	0.12	0.17 pCi/L	1 J
S2	12/2/2008 Th-230	=	0.26	0.08	0.18 pCi/L	1 J
S2	9/2/2009 Th-230	=	0.22	0.13	0.15 PCI/L	1 J
S2	3/5/2010 Th-230	=	0.4	0.18	0.23 PCI/L	1 J
S2	6/3/2010 Th-230	=	0.22	0.15	0.16 PCI/L	1
S3	4/3/2002 Th-230	=	0.37	0.17	0.22 pCi/L	J
S3	6/25/2002 Th-230	=	0.41	0.27	0.25 pCi/L	1 J
S3	9/19/2002 Th-230	=	0.54	0.1	0.24 pCi/L	1 J
S3	9/19/2002 Th-230	=	0.48	0.12	0.23 pCi/L	1 J
S3	12/13/2002 Th-230	=	0.17	0.07	0.14 pCi/L	1 J
S3	3/5/2003 Th-230	=	0.44	0.15	0.24 pCi/L	1 J
S3	6/5/2003 Th-230	=	1.82	0.15	0.48 pCi/L	1 J
S3	12/2/2003 Th-230	=	0.36	0.26	0.24 pCi/L	1 J
S3	9/9/2004 Th-230	=	0.14	0.05	0.11 pCi/L	1 J
S3	9/9/2004 Th-230	=	0.22	0.09	0.14 pCi/L	1 J
S3	9/7/2005 Th-230	=	0.27	0.2	0.2 pCi/L	1 J
S3	9/5/2006 Th-230	=	0.25	0.12	0.17 pCi/L	1 J
S3	9/2/2008 Th-230	=	0.23	0.07	0.16 pCi/L	1 J
S4	4/3/2002 Th-230	=	0.35	0.17	0.22 pCi/L	J
S4	6/25/2002 Th-230	=	0.4	0.2	0.21 pCi/L	1 J
S4	9/19/2002 Th-230	=	0.54	0.16	0.26 pCi/L	1 J
S4	12/13/2002 Th-230	=	0.86	0.13	0.35 pCi/L	1 J
S4	3/6/2003 Th-230	=	0.32	0.24	0.24 pCi/L	1 J
S4	6/9/2003 Th-230	=	0.43	0.13	0.24 pCi/L	1 J
S4	6/9/2003 Th-230	=	0.41	0.19	0.23 pCi/L	1 J
S4	9/8/2003 Th-230	=	0.39	0.07	0.22 pCi/L	1 J
S4	12/4/2003 Th-230	=	0.26	0.25	0.22 pCi/L	1 J
S4	3/2/2004 Th-230	=	0.53	0.18	0.27 pCi/L	1 J
S4	6/2/2004 Th-230	=	0.18	0.12	0.14 pCi/L	1 J
S4	9/9/2004 Th-230	=	0.21	0.1	0.14 pCi/L	1 J
S4	12/6/2004 Th-230	=	0.17	0.13	0.14 pCi/L	1 J
S4	3/4/2005 Th-230	=	0.37	0.06	0.19 pCi/L	1 J
S4	3/2/2006 Th-230	=	0.46	0.13	0.21 pCi/L	1 J
S4	6/1/2006 Th-230	=	0.23	0.1	0.15 pCi/L	1 J
S4	9/6/2006 Th-230	=	0.2	0.14	0.15 pCi/L	1 J
S4	12/1/2006 Th-230	=	0.55	0.09	0.23 pCi/L	1 J
S4	12/1/2006 Th-230	=	0.51	0.12	0.23 pCi/L	1 J
S4	6/4/2007 Th-230	=	0.15	0.11	0.12 pCi/L	1 J
S4	12/4/2007 Th-230	=	0.27	0.19	0.19 pCi/L	1 J
S4	3/4/2008 Th-230	=	0.17	0.12	0.14 pCi/L	1 J
S4	6/3/2008 Th-230	=	0.32	0.12	0.17 pCi/L	1 J
S4	9/3/2008 Th-230	=	0.12	0.12	0.11 pCi/L	1
S4	12/2/2008 Th-230	=	0.26	0.19	0.21 pCi/L	1 J
S4	3/4/2009 Th-230	=	0.22	0.18	0.17 pCi/L	1 J
S4	9/2/2009 Th-230	=	0.23	0.12	0.15 PCI/L	1 J
S4	3/4/2010 Th-230	=	0.7	0.12	0.29 PCI/L	1 J
S4	6/3/2010 Th-230	=	0.14	0.1	0.12 PCI/L	1
S4	9/2/2010 Th-230	=	0.14	0.1	0.12 PCI/L	1 J
S5	4/4/2002 Th-230	=	0.54	0.19	0.26 pCi/L	J
S5	6/24/2002 Th-230	=	0.56	0.12	0.27 pCi/L	1 J
S5	9/20/2002 Th-230	=	0.6	0.22	0.27 pCi/L	1 J
S5	12/16/2002 Th-230	=	0.24	0.18	0.19 pCi/L	1 J
S5	3/6/2003 Th-230	=	0.33	0.13	0.2 pCi/L	1 J
S5	6/6/2003 Th-230	=	0.32	0.15	0.2 pCi/L	1 J

tmpAnalyticalResultsOverTime

S5	3/2/2004 Th-230	=	0.41	0.2	0.23 pCi/L	1 J
S5	6/2/2004 Th-230	=	0.36	0.1	0.19 pCi/L	1 J
S5	9/8/2004 Th-230	=	0.21	0.07	0.16 pCi/L	1 J
S5	3/4/2005 Th-230	=	0.41	0.12	0.21 pCi/L	1 J
S5	9/8/2005 Th-230	=	0.39	0.14	0.24 pCi/L	1 J
S5	12/7/2005 Th-230	=	0.65	0.08	0.23 pCi/L	1 J
S5	3/3/2006 Th-230	=	0.17	0.09	0.13 pCi/L	1 J
S5	6/5/2006 Th-230	=	0.24	0.06	0.15 pCi/L	1 J
S5	9/6/2006 Th-230	=	0.19	0.06	0.14 pCi/L	1 J
S5	12/1/2006 Th-230	=	0.18	0.12	0.14 pCi/L	1 J
S5	3/2/2007 Th-230	=	0.65	0.16	0.29 pCi/L	1 J
S5	9/7/2007 Th-230	=	0.32	0.15	0.2 pCi/L	1 J
S5	12/6/2007 Th-230	=	0.23	0.15	0.16 pCi/L	1 J
S5	3/4/2008 Th-230	=	0.28	0.15	0.18 pCi/L	1 J
S5	6/6/2008 Th-230	=	0.2	0.13	0.15 pCi/L	1 J
S5	12/3/2008 Th-230	=	0.38	0.21	0.23 pCi/L	1 J
S5	12/3/2009 Th-230	=	0.18	0.16	0.15 PCI/L	1 J
S5	3/4/2010 Th-230	=	0.68	0.22	0.3 PCI/L	1 J
S5	6/7/2010 Th-230	=	0.15	0.08	0.13 PCI/L	1
S5	9/3/2010 Th-230	=	0.177	0.12	0.065 PCI/L	1 J
S6	4/4/2002 Th-230	=	0.67	0.21	0.32 pCi/L	J
S6	6/24/2002 Th-230	=	0.32	0.16	0.2 pCi/L	1 J
S6	6/24/2002 Th-230	=	0.31	0.16	0.19 pCi/L	1 J
S6	9/23/2002 Th-230	=	0.56	0.18	0.25 pCi/L	1 J
S6	12/18/2002 Th-230	=	0.36	0.17	0.2 pCi/L	1 J
S6	3/10/2003 Th-230	=	0.32	0.07	0.19 pCi/L	1 J
S6	6/6/2003 Th-230	=	0.39	0.08	0.21 pCi/L	1 J
S6	9/9/2003 Th-230	=	0.44	0.1	0.21 pCi/L	1 J
S6	12/4/2003 Th-230	=	0.3	0.1	0.22 pCi/L	1 J
S6	3/2/2004 Th-230	=	0.52	0.21	0.27 pCi/L	1 J
S6	6/4/2004 Th-230	=	0.2	0.15	0.16 pCi/L	1 J
S6	9/8/2004 Th-230	=	0.16	0.15	0.15 pCi/L	1 J
S6	3/4/2005 Th-230	=	0.23	0.12	0.16 pCi/L	1 J
S6	6/3/2005 Th-230	=	0.28	0.12	0.17 pCi/L	1 J
S6	9/9/2005 Th-230	=	0.58	0.32	0.33 pCi/L	1 J
S6	12/7/2005 Th-230	=	0.24	0.11	0.15 pCi/L	1 J
S6	12/7/2005 Th-230	=	0.098	0.087	0.093 pCi/L	1 J
S6	3/3/2006 Th-230	=	0.25	0.12	0.15 pCi/L	1 J
S6	6/5/2006 Th-230	=	0.32	0.13	0.19 pCi/L	1 J
S6	12/1/2006 Th-230	=	0.68	0.06	0.27 pCi/L	1 J
S6	3/2/2007 Th-230	=	0.25	0.1	0.16 pCi/L	1 J
S6	6/5/2007 Th-230	=	0.22	0.12	0.16 pCi/L	1 J
S6	12/6/2007 Th-230	=	0.26	0.11	0.16 pCi/L	1 J
S6	3/5/2008 Th-230	=	0.34	0.15	0.19 pCi/L	1 J
S6	3/5/2008 Th-230	=	0.29	0.16	0.18 pCi/L	1 J
S6	9/4/2008 Th-230	=	0.12	0.07	0.11 pCi/L	1 J
S6	12/3/2008 Th-230	=	0.58	0.15	0.27 pCi/L	1 J
S6	3/4/2010 Th-230	=	0.55	0.15	0.25 PCI/L	1 J
S6	12/3/2010 Th-230	=	0.15	0.11	0.13 PCI/L	1
S7	4/10/2002 Th-230	=	0.75	0.19	0.32 pCi/L	J
S7	6/21/2002 Th-230	=	0.24	0.08	0.17 pCi/L	1 J
S7	9/23/2002 Th-230	=	0.35	0.07	0.2 pCi/L	1 J
S7	12/17/2002 Th-230	=	0.4	0.18	0.22 pCi/L	1 J
S7	3/7/2003 Th-230	=	0.25	0.17	0.18 pCi/L	1 J
S7	6/10/2003 Th-230	=	1.2	0.39	0.61 pCi/L	1 J
S7	9/11/2003 Th-230	=	0.51	0.18	0.28 pCi/L	1 J
S7	12/4/2003 Th-230	=	0.49	0.29	0.29 pCi/L	1 J

tmpAnalyticalResultsOverTime

S7	3/2/2004	Th-230	=	0.67	0.19	0.34 pCi/L	1	J
S7	6/4/2004	Th-230	=	0.38	0.14	0.2 pCi/L	1	J
S7	9/7/2004	Th-230	=	0.25	0.14	0.19 pCi/L	1	J
S7	9/2/2005	Th-230	=	0.57	0.07	0.26 pCi/L	1	J
S7	12/5/2005	Th-230	=	0.32	0.1	0.18 pCi/L	1	J
S7	12/5/2005	Th-230	=	0.31	0.06	0.18 pCi/L	1	J
S7	3/1/2006	Th-230	=	0.41	0.12	0.2 pCi/L	1	J
S7	6/5/2006	Th-230	=	0.29	0.1	0.17 pCi/L	1	J
S7	9/7/2006	Th-230	=	0.26	0.11	0.16 pCi/L	1	J
S7	12/5/2006	Th-230	=	0.16	0.11	0.13 pCi/L	1	J
S7	3/2/2007	Th-230	=	0.36	0.17	0.23 pCi/L	1	J
S7	6/5/2007	Th-230	=	0.21	0.16	0.17 pCi/L	1	J
S7	12/5/2007	Th-230	=	0.36	0.17	0.22 pCi/L	1	J
S7	6/3/2009	Th-230	=	0.14	0.12	0.13 pCi/L	1	J
S7	3/3/2010	Th-230	=	0.72	0.2	0.29 PCI/L	1	J
S7	3/3/2010	Th-230	=	0.24	0.14	0.16 PCI/L	1	J
S7	6/4/2010	Th-230	=	0.2	0.07	0.14 PCI/L	1	J
S8	4/10/2002	Th-230	=	0.48	0.16	0.25 pCi/L		J
S8	6/21/2002	Th-230	=	0.3	0.18	0.21 pCi/L	1	J
S8	9/20/2002	Th-230	=	0.43	0.31	0.28 pCi/L	1	J
S8	12/16/2002	Th-230	=	0.33	0.08	0.21 pCi/L	1	J
S8	3/7/2003	Th-230	=	0.26	0.08	0.18 pCi/L	1	J
S8	3/7/2003	Th-230	=	0.25	0.08	0.18 pCi/L	1	J
S8	6/10/2003	Th-230	=	0.96	0.14	0.33 pCi/L	1	J
S8	9/11/2003	Th-230	=	0.18	0.16	0.15 pCi/L	1	J
S8	12/5/2003	Th-230	=	0.23	0.14	0.16 pCi/L	1	J
S8	3/5/2004	Th-230	=	0.2	0.17	0.17 pCi/L	1	J
S8	6/4/2004	Th-230	=	0.76	0.24	0.32 pCi/L	1	J
S8	9/3/2004	Th-230	=	0.69	0.16	0.28 pCi/L	1	J
S8	3/8/2005	Th-230	=	0.17	0.16	0.15 pCi/L	1	J
S8	6/6/2005	Th-230	=	0.3	0.11	0.17 pCi/L	1	J
S8	9/2/2005	Th-230	=	0.15	0.09	0.12 pCi/L	1	J
S8	12/2/2005	Th-230	=	0.17	0.13	0.13 pCi/L	1	J
S8	3/1/2006	Th-230	=	0.32	0.09	0.16 pCi/L	1	J
S8	6/2/2006	Th-230	=	0.065	0.059	0.087 pCi/L	1	J
S8	6/2/2006	Th-230	=	0.23	0.1	0.14 pCi/L	1	J
S8	9/7/2006	Th-230	=	0.26	0.08	0.19 pCi/L	1	J
S8	12/5/2006	Th-230	=	0.2	0.11	0.15 pCi/L	1	J
S8	3/5/2007	Th-230	=	0.23	0.12	0.15 pCi/L	1	J
S8	6/5/2007	Th-230	=	0.18	0.17	0.16 pCi/L	1	J
S8	9/10/2007	Th-230	=	0.12	0.12	0.12 pCi/L	1	J
S8	12/5/2007	Th-230	=	0.43	0.14	0.22 pCi/L	1	J
S8	3/3/2008	Th-230	=	0.16	0.07	0.13 pCi/L	1	J
S8	9/4/2008	Th-230	=	0.16	0.12	0.14 pCi/L	1	J
S8	12/4/2008	Th-230	=	0.14	0.1	0.12 pCi/L	1	J
S8	3/3/2010	Th-230	=	0.37	0.23	0.23 PCI/L	1	J
S8	6/4/2010	Th-230	=	0.62	0.34	0.56 PCI/L	1	J
S8	9/3/2010	Th-230	=	0.261	0.15	0.087 PCI/L	1	J
S9	4/10/2002	Th-230	=	0.8	0.15	0.32 pCi/L		J
S9	6/20/2002	Th-230	=	0.27	0.16	0.19 pCi/L	1	J
S9	9/11/2002	Th-230	=	0.17	0.12	0.13 pCi/L	1	J
S9	12/12/2002	Th-230	=	0.39	0.13	0.21 pCi/L	1	J
S9	3/6/2003	Th-230	=	0.59	0.18	0.3 pCi/L	1	J
S9	6/9/2003	Th-230	=	1.13	0.16	0.36 pCi/L	1	J
S9	9/11/2003	Th-230	=	0.2	0.14	0.16 pCi/L	1	J
S9	12/4/2003	Th-230	=	0.42	0.18	0.25 pCi/L	1	J
S9	3/2/2004	Th-230	=	0.26	0.18	0.18 pCi/L	1	J



tmpAnalyticalResultsOverTime

S9	6/3/2004 Th-230	=	0.51	0.13	0.23 pCi/L	1 J	
S9	9/3/2004 Th-230	=	0.48	0.18	0.24 pCi/L	1 J	
S9	12/2/2004 Th-230	=	0.22	0.19	0.17 pCi/L	1 J	
S9	3/8/2005 Th-230	=	0.18	0.13	0.15 pCi/L	1 J	
S9	9/2/2005 Th-230	=	0.24	0.09	0.15 pCi/L	1 J	
S9	12/5/2005 Th-230	=	0.5	0.06	0.22 pCi/L	1 J	
S9	3/3/2006 Th-230	=	0.19	0.13	0.14 pCi/L	1 J	
S9	6/1/2006 Th-230	=	0.73	0.1	0.28 pCi/L	1 J	
S9	9/7/2006 Th-230	=	0.18	0.14	0.14 pCi/L	1 J	
S9	12/6/2006 Th-230	=	0.24	0.1	0.15 pCi/L	1 J	
S9	9/5/2007 Th-230	=	0.15	0.07	0.14 pCi/L	1 J	mg/L
S9	12/5/2007 Th-230	=	0.91	0.12	0.4 pCi/L	1 J	
S9	9/5/2008 Th-230	=	0.36	0.16	0.21 pCi/L	1 J	
S9	3/6/2009 Th-230	=	0.29	0.16	0.19 pCi/L	1 J	
S9	9/4/2009 Th-230	=	0.18	0.11	0.13 PCI/L	1 J	
S9	12/4/2009 Th-230	=	0.22	0.14	0.15 PCI/L	1 J	
S9	3/8/2010 Th-230	=	0.17	0.11	0.13 PCI/L	1	
S9	6/7/2010 Th-230	=	0.17	0.14	0.14 PCI/L	1	
S9	9/8/2010 Th-230	=	0.2	0.06	0.13 PCI/L	1	
S9	12/7/2010 Th-230	=	0.15	0.13	0.13 PCI/L	1	
S10	3/5/2009 Th-232	=	0.14	0.14	0.13 pCi/L	1	
S11	5/24/2004 Th-232	=	0.062	0.056	0.082 pCi/L	1 J	
S2	12/4/2007 Th-232	=	0.21	0.16	0.16 pCi/L	1 J	
S2	12/2/2009 Th-232	=	0.21	0.15	0.17 PCI/L	1 J	
S3	9/9/2004 Th-232	=	0.082	0.055	0.091 pCi/L	1 J	
S4	12/13/2002 Th-232	=	0.18	0.15	0.15 pCi/L	1 J	
S4	9/3/2008 Th-232	=	0.3	0.11	0.18 pCi/L	1 J	
S6	12/18/2002 Th-232	=	0.068	0.061	0.079 pCi/L	1 J	
S6	12/6/2007 Th-232	=	0.23	0.06	0.14 pCi/L	1 J	
S6	12/3/2008 Th-232	=	0.23	0.17	0.18 pCi/L	1 J	
S7	12/17/2002 Th-232	=	0.12	0.12	0.12 pCi/L	1 J	
S7	9/2/2005 Th-232	=	0.12	0.11	0.11 pCi/L	1 J	
S7	6/4/2008 Th-232	=	0.14	0.08	0.12 pCi/L	1 J	
S8	12/4/2008 Th-232	=	0.097	0.066	0.098 pCi/L	1 J	
S10	5/24/2004 Thiocyanate as SCN	=	1.68	0.038	0.05	mg/L	1 NA
S10	5/24/2004 Thiocyanate as SCN	=	1.66	0.038	0.05	mg/L	1
S10	9/10/2004 Thiocyanate as SCN	=	0.28	0.038	0.05	mg/L	1
S10	12/1/2004 Thiocyanate as SCN	=	0.24	0.038	0.05	mg/L	1
S10	12/1/2004 Thiocyanate as SCN	=	0.22	0.038	0.05	mg/L	1
S10	3/3/2005 Thiocyanate as SCN	=	0.28	0.038	0.05	mg/L	1
S10	9/7/2005 Thiocyanate as SCN	=	0.17	0.02	0.05	mg/l	1
S10	9/4/2007 Thiocyanate as SCN	=	0.11	0.04	0.05	mg/l	1
S10	9/2/2008 Thiocyanate as SCN	=	0.13	0.05	0.05	mg/l	1 J
S11	5/24/2004 Thiocyanate as SCN	=	2.7	0.038	0.05	mg/L	1
S11	9/10/2004 Thiocyanate as SCN	=	1.37	0.038	0.05	mg/L	1
S11	12/1/2004 Thiocyanate as SCN	=	1.14	0.038	0.05	mg/L	1
S11	3/3/2005 Thiocyanate as SCN	=	1.74	0.038	0.05	mg/L	1
S11	9/7/2005 Thiocyanate as SCN	=	1.48	0.02	0.05	mg/l	2
S11	9/6/2006 Thiocyanate as SCN	=	1.08	0.04	0.05	mg/l	3
S11	9/4/2007 Thiocyanate as SCN	=	1.09	0.04	0.05	mg/l	5
S11	9/3/2008 Thiocyanate as SCN	=	1.71	0.25	0.25	mg/l	5 J
S11	9/3/2008 Thiocyanate as SCN	=	1.71	0.25	0.25	mg/l	5 J
S11	9/2/2009 Thiocyanate as SCN	=	1.3	0.05	0.1	mg/L	
S2	4/3/2002 Thiocyanate as SCN	=	3.1	0.5	0.1	mg/L	
S2	12/13/2002 Thiocyanate as SCN	=	1	1	5	mg/L	J
S2	3/4/2003 Thiocyanate as SCN	=	1	1	5	mg/L	J
S2	3/4/2003 Thiocyanate as SCN	=	1	1	5	mg/L	J

tmpAnalyticalResultsOverTime

S2	6/5/2003	Thiocyanate as SCN	=	2.5	0.1	0.5		mg/L	
S2	12/3/2003	Thiocyanate as SCN	=	1.67	0.009	0.05		mg/L	
S2	9/10/2004	Thiocyanate as SCN	=	2.5	0.038	0.05		mg/L	1
S2	9/7/2005	Thiocyanate as SCN	=	2.53	0.02	0.05		mg/l	10
S2	9/5/2006	Thiocyanate as SCN	=	1.68	0.04	0.05		mg/l	3
S2	9/4/2007	Thiocyanate as SCN	=	1.4	0.04	0.05		mg/l	3
S2	9/2/2008	Thiocyanate as SCN	=	1.96	0.25	0.25		mg/l	5 J
S2	9/2/2009	Thiocyanate as SCN	=	1.6	0.05	0.1		mg/L	
S2	9/1/2010	Thiocyanate as SCN	=	0.75	0.061		0.5	MG/L	1
S3	4/3/2002	Thiocyanate as SCN	=	4.4	0.5	0.1		mg/L	
S3	6/25/2002	Thiocyanate as SCN	=	1.9	0.1	0.5		mg/L	J
S3	6/5/2003	Thiocyanate as SCN	=	0.3	0.1	0.5		mg/L	J
S3	9/5/2003	Thiocyanate as SCN	=	0.2	0.1	0.5		mg/L	J
S3	9/9/2004	Thiocyanate as SCN	=	0.24	0.038	0.05		mg/L	1
S3	9/9/2004	Thiocyanate as SCN	=	0.24	0.038	0.05		mg/L	1
S3	9/7/2005	Thiocyanate as SCN	=	0.22	0.02	0.05		mg/l	1
S3	9/5/2006	Thiocyanate as SCN	=	0.25	0.04	0.05		mg/l	1
S3	9/4/2007	Thiocyanate as SCN	=	0.6	0.04	0.05		mg/l	1
S3	9/2/2008	Thiocyanate as SCN	=	0.24	0.05	0.05		mg/l	1 J
S3	9/2/2009	Thiocyanate as SCN	=	1.6	0.05	0.1		mg/L	
S4	4/3/2002	Thiocyanate as SCN	=	0.5	0.5	0.1		mg/L	J
S4	6/25/2002	Thiocyanate as SCN	=	0.4	0.1	0.5		mg/L	J
S4	9/8/2003	Thiocyanate as SCN	=	0.3	0.1	0.5		mg/L	J
S4	9/9/2004	Thiocyanate as SCN	=	0.19	0.038	0.05		mg/L	1
S4	9/8/2005	Thiocyanate as SCN	=	0.47	0.02	0.05		mg/l	1
S4	9/6/2006	Thiocyanate as SCN	=	0.2	0.04	0.05		mg/l	1
S4	9/10/2007	Thiocyanate as SCN	=	0.17	0.04	0.05		mg/l	1
S4	9/3/2008	Thiocyanate as SCN	=	0.25	0.05	0.05		mg/l	1 J
S4	9/2/2009	Thiocyanate as SCN	=	0.2	0.025	0.05		mg/L	
S5	4/4/2002	Thiocyanate as SCN	=	0.5	0.5	0.1		mg/L	
S5	6/24/2002	Thiocyanate as SCN	=	0.4	0.1	0.5		mg/L	J
S5	9/8/2004	Thiocyanate as SCN	=	0.36	0.038	0.05		mg/L	1
S5	9/8/2005	Thiocyanate as SCN	=	0.29	0.02	0.05		mg/l	1
S5	9/6/2006	Thiocyanate as SCN	=	0.15	0.04	0.05		mg/l	1
S5	9/7/2007	Thiocyanate as SCN	=	0.19	0.04	0.05		mg/l	1
S5	9/3/2008	Thiocyanate as SCN	=	0.24	0.05	0.05		mg/l	1 J
S5	9/2/2009	Thiocyanate as SCN	=	0.15	0.025	0.05		mg/L	
S6	4/4/2002	Thiocyanate as SCN	=	0.7	0.5	0.1		mg/L	
S6	6/24/2002	Thiocyanate as SCN	=	1.1	0.1	0.5		mg/L	J
S6	6/24/2002	Thiocyanate as SCN	=	1.1	0.1	0.5		mg/L	J
S6	9/8/2004	Thiocyanate as SCN	=	0.74	0.038	0.05		mg/L	1
S6	9/9/2005	Thiocyanate as SCN	=	0.92	0.02	0.05		mg/l	2
S6	9/7/2006	Thiocyanate as SCN	=	0.76	0.04	0.05		mg/l	1
S6	9/7/2007	Thiocyanate as SCN	=	0.6	0.04	0.05		mg/l	1
S6	9/4/2008	Thiocyanate as SCN	=	1.43	0.25	0.25		mg/l	5 J
S6	9/3/2009	Thiocyanate as SCN	=	0.88	0.025	0.05		mg/L	
S7	4/10/2002	Thiocyanate as SCN	=	0.2	0.5	0.1		mg/L	J
S7	6/21/2002	Thiocyanate as SCN	=	1.1	0.1	0.5		mg/L	
S7	9/7/2004	Thiocyanate as SCN	=	0.09	0.038	0.05		mg/L	1
S7	9/10/2007	Thiocyanate as SCN	=	0.07	0.04	0.05		mg/l	1
S7	9/4/2008	Thiocyanate as SCN	=	0.14	0.05	0.05		mg/l	1 J
S8	9/3/2004	Thiocyanate as SCN	=	0.11	0.038	0.05		mg/L	1
S8	9/2/2005	Thiocyanate as SCN	=	0.07	0.02	0.05		mg/l	1
S8	9/7/2006	Thiocyanate as SCN	=	0.21	0.04	0.05		mg/l	1
S8	9/10/2007	Thiocyanate as SCN	=	0.14	0.04	0.05		mg/l	1
S8	9/3/2009	Thiocyanate as SCN	=	0.16	0.025	0.05		mg/L	
S5	9/3/2010	Thorium 228	=	0.149			0.14	0.062 PCI/L	1

tmpAnalyticalResultsOverTime

S10	3/3/2005 Total Cyanide	=	0.19	0.0028	0.01	mg/L	1	
S2	4/3/2002 Total Cyanide	=	0.0037		0.01	mg/L	1 J	
S3	4/3/2002 Total Cyanide	=	0.0075		0.01	mg/L	1 J	
S3	6/5/2003 Total Cyanide	=	0.012	0.0021	0.01	mg/L	1	
S4	4/3/2002 Total Cyanide	=	0.0076		0.01	mg/L	1 J	
S4	6/25/2002 Total Cyanide	=	0.01	0.0021	0.01	mg/L	1 J	
S5	4/4/2002 Total Cyanide	=	0.01		0.01	mg/L	1	
S6	4/4/2002 Total Cyanide	=	0.005		0.01	mg/L	1 J	
S7	9/8/2009 Total Cyanide	=	0.033	0.0024	0.01	MG/L	1 J	
S9	9/11/2003 Total Cyanide	=	0.012	0.0021	0.01	mg/L	1	
S10	5/24/2004 Total Uranium	=	19.2		0.3	2.3 ug/L	1 J	0.03
S10	5/24/2004 Total Uranium	=	18.4		0.3	2.2 ug/L	1 J	
S10	9/10/2004 Total Uranium	=	3.23		0.31	0.39 ug/L	1	
S10	12/1/2004 Total Uranium	=	2.13		0.31	0.22 ug/L	1 J	
S10	12/1/2004 Total Uranium	=	2		0.31	0.21 ug/L	1 J	
S10	3/3/2005 Total Uranium	=	0.705		0.31	0.081 ug/L	1 J	
S10	6/3/2005 Total Uranium	=	0.99		0.31	0.11 ug/L	1 J	
S10	10/6/2005 Total Uranium	=	0.353		0.31	0.037 ug/L	1 J	
S10	12/6/2005 Total Uranium	=	0.326		0.31	0.034 UG/L	1 J	
S10	3/2/2006 Total Uranium	=	13.8		3.1	1.4 UG/L	1	
S10	6/1/2006 TOTAL URANIUM	=	0.528		0.31	0.055 UG/L	1 J	
S10	9/6/2006 Total Uranium	=	0.799		0.31	0.091 UG/L	1 J	
S11	5/24/2004 Total Uranium	=	20.3		0.3	2.4 ug/L	1 J	
S11	9/10/2004 Total Uranium	=	2.56		1.2	0.27 ug/L	4 J	
S11	12/1/2004 Total Uranium	=	2.61		0.31	0.27 ug/L	1 J	
S11	3/3/2005 Total Uranium	=	1.79		0.31	0.21 ug/L	1	
S11	9/7/2005 Total Uranium	=	1.28		0.31	0.14 ug/L	1 J	
S11	3/3/2006 Total Uranium	=	1.43		0.62	0.15 UG/L	1 J	
S11	3/3/2006 Total Uranium	=	1.39		0.31	0.15 UG/L	1	
S11	6/2/2006 TOTAL URANIUM	=	0.84		0.31	0.14 UG/L	1 J	
S11	9/6/2006 Total Uranium	=	0.776		0.31	0.082 UG/L	1 J	
S2	4/3/2002 Total Uranium	=	12.4		4	1.2 ug/L		
S2	6/26/2002 Total Uranium	=	14.8		4	1.5 ug/L	4	
S2	9/18/2002 Total Uranium	=	19.2		1	2.4 ug/L	1	
S2	12/13/2002 Total Uranium	=	21.8		1	2.6 ug/L	1	
S2	3/4/2003 Total Uranium	=	21.5		1	0.68 ug/L	1	
S2	3/4/2003 Total Uranium	=	21.3		1	0.68 ug/L	1	
S2	9/5/2003 Total Uranium	=	14.4		1	0.49 ug/L	1	
S2	9/5/2003 Total Uranium	=	12.3		1	0.41 ug/L	1	
S2	12/3/2003 Total Uranium	=	12.1		1	1.4 ug/L	1 J	
S2	3/2/2004 Total Uranium	=	0.37		0.31	0.038 ug/L	1 J	
S2	6/2/2004 Total Uranium	=	8.51		0.31	0.88 ug/L	1	
S2	9/10/2004 Total Uranium	=	21.9		1.2	2.2 ug/L	4	
S2	12/6/2004 Total Uranium	=	21.6		0.3	3 ug/L	1	
S2	3/4/2005 Total Uranium	=	26.8		0.6	3.2 ug/L	2	
S2	6/7/2005 Total Uranium	=	25		0.6	2.8 ug/L	2 J	
S2	6/7/2005 Total Uranium	=	25		3.1	3 ug/L	10 J	
S2	9/7/2005 Total Uranium	=	25.2		0.3	3 ug/L	1 J	
S2	12/5/2005 Total Uranium	=	0.209		0.039	0.021 UG/L	1 J	
S2	3/2/2006 Total Uranium	=	30.3		0.3	3.7 UG/L	1	
S2	6/2/2006 TOTAL URANIUM	=	33.5		0.6	4 UG/L	1	
S2	9/5/2006 Total Uranium	=	23.4		3.1	2.4 UG/L	1	
S3	4/3/2002 Total Uranium	=	12.6		4	1.3 ug/L		
S3	6/25/2002 Total Uranium	=	1.52		1	0.15 ug/L	1	
S3	9/19/2002 Total Uranium	=	7.05		1	0.71 ug/L	1	
S3	9/19/2002 Total Uranium	=	6.87		1	0.69 ug/L	1	
S3	12/13/2002 Total Uranium	=	7.16		1	0.72 ug/L	1	

tmpAnalyticalResultsOverTime

S3	3/5/2003 Total Uranium	=	1.12	1	0.017 ug/L	1
S3	9/5/2003 Total Uranium	=	3.32	1	0.048 ug/L	1
S3	9/9/2004 Total Uranium	=	5.66	0.31	0.58 ug/L	1
S3	9/9/2004 Total Uranium	=	5.91	0.31	0.6 ug/L	1
S3	9/7/2005 Total Uranium	=	4.9	0.31	0.5 ug/L	1 J
S4	4/3/2002 Total Uranium	=	16.5	1	1.9 ug/L	
S4	3/2/2004 Total Uranium	=	0.961	0.31	0.0996 ug/L	1 J
S4	6/2/2004 Total Uranium	=	0.591	0.31	0.062 ug/L	1 J
S4	12/6/2004 Total Uranium	=	0.316	0.31	0.037 ug/L	1 J
S4	3/4/2005 Total Uranium	=	3.68	1.2	0.39 ug/L	4 J
S4	6/7/2005 Total Uranium	=	3.18	0.62	0.36 ug/L	2 J
S4	9/8/2005 Total Uranium	=	0.877	0.31	0.095 ug/L	1 J
S4	6/1/2006 TOTAL URANIUM	=	2.57	0.31	0.27 UG/L	1
S4	9/6/2006 Total Uranium	=	0.743	0.31	0.078 UG/L	1 J
S5	4/4/2002 Total Uranium	=	22.2	1	2.6 ug/L	
S5	6/24/2002 Total Uranium	=	7.76	1	0.78 ug/L	1
S5	9/20/2002 Total Uranium	=	4.45	1	0.45 ug/L	1
S5	12/16/2002 Total Uranium	=	1.38	1	0.14 ug/L	1
S5	3/2/2004 Total Uranium	=	0.379	0.31	0.039 ug/L	1 J
S5	6/2/2004 Total Uranium	=	0.59	0.31	0.062 ug/L	1
S5	12/3/2004 Total Uranium	=	0.686	0.31	0.077 ug/L	1 J
S5	9/8/2005 Total Uranium	=	0.594	0.31	0.063 ug/L	1 J
S5	3/3/2006 Total Uranium	=	0.66	0.31	0.33 UG/L	1 J
S5	6/5/2006 TOTAL URANIUM	=	0.554	0.31	0.065 UG/L	1 J
S5	9/6/2006 Total Uranium	=	0.318	0.31	0.034 UG/L	1 J
S6	4/4/2002 Total Uranium	=	4.33	1	0.44 ug/L	
S6	6/24/2002 Total Uranium	=	2.47	1	0.25 ug/L	1
S6	6/24/2002 Total Uranium	=	4.19	1	0.42 ug/L	1
S6	9/23/2002 Total Uranium	=	1.21	1	0.12 ug/L	1
S6	3/10/2003 Total Uranium	=	1.04	1	0.017 ug/L	1
S6	3/2/2004 Total Uranium	=	0.925	0.31	0.095 ug/L	1 J
S6	6/4/2004 Total Uranium	=	0.96	0.31	0.1 ug/L	1 J
S6	9/8/2004 Total Uranium	=	0.514	0.31	0.054 ug/L	1 J
S6	3/4/2005 Total Uranium	=	1.25	0.62	0.14 ug/L	2 J
S6	6/3/2005 Total Uranium	=	1.98	0.62	0.24 ug/L	2 J
S6	9/9/2005 Total Uranium	=	0.855	0.31	0.096 ug/L	1 J
S6	3/3/2006 Total Uranium	=	2.1	0.62	0.22 UG/L	1
S6	6/5/2006 TOTAL URANIUM	=	0.722	0.31	0.082 UG/L	1 J
S6	9/7/2006 Total Uranium	=	0.488	0.31	0.054 UG/L	1 J
S7	4/10/2002 Total Uranium	=	2.29	1	0.23 ug/L	
S7	3/2/2004 Total Uranium	=	0.367	0.31	0.038 ug/L	1 J
S7	6/4/2004 Total Uranium	=	5.69	0.31	0.58 ug/L	1
S8	4/10/2002 Total Uranium	=	7.98	1	0.8 ug/L	
S8	6/21/2002 Total Uranium	=	9.56	1	0.96 ug/L	1
S8	9/20/2002 Total Uranium	=	1.35	1	0.14 ug/L	1
S8	12/16/2002 Total Uranium	=	1.3	1	0.13 ug/L	1
S8	3/7/2003 Total Uranium	=	1.08	1	0.012 ug/L	1
S8	12/5/2003 Total Uranium	=	1.12	1	0.11 ug/L	1
S8	3/5/2004 Total Uranium	=	2.79	0.31	0.29 ug/L	1
S8	6/4/2004 Total Uranium	=	4.31	0.31	0.44 ug/L	1
S8	9/3/2004 Total Uranium	=	4.57	0.31	0.47 ug/L	1
S8	12/3/2004 Total Uranium	=	4.3	0.31	0.45 ug/L	1
S8	3/8/2005 Total Uranium	=	12.3	0.3	1.5 ug/L	1
S8	6/6/2005 Total Uranium	=	23.3	3.1	2.6 ug/L	10 J
S8	6/6/2005 Total Uranium	=	21.4	0.3	2.7 ug/L	1 J
S8	9/2/2005 Total Uranium	=	14.8	0.3	1.8 ug/L	1 J
S8	12/2/2005 Total Uranium	=	0.141	0.008	0.014 UG/L	1 J

mg/L

tmpAnalyticalResultsOverTime

S8	3/1/2006 Total Uranium	=	30.1		0.6	3.1 UG/L	1
S8	6/2/2006 TOTAL URANIUM	=	42.6		0.3	5 UG/L	1
S8	6/2/2006 TOTAL URANIUM	=	37.4		1.5	3.8 UG/L	1
S8	9/7/2006 Total Uranium	=	22.9		0.3	2.7 UG/L	1
S9	3/2/2004 Total Uranium	=	0.54		0.31	0.056 ug/L	1 J
S9	6/3/2004 Total Uranium	=	0.709		0.31	0.073 ug/L	1 J
S9	6/3/2005 Total Uranium	=	46.1		0.3	5.9 ug/L	1 J
S9	3/3/2006 Total Uranium	=	0		0	0 UG/L	1
S11	3/5/2008 Uranium-DISSOLVED	=	0.001	0.00002	0.001	MG/L	1
S2	12/6/2006 Uranium-DISSOLVED	=	0.024	0.00002	0.001	MG/L	1 J
S2	3/5/2007 Uranium-DISSOLVED	=	0.024	0.0002	0.01	MG/L	10
S2	6/4/2007 Uranium-DISSOLVED	=	0.03	0.0001	0.005	MG/L	5
S2	12/4/2007 Uranium-DISSOLVED	=	0.027	0.00004	0.002	MG/L	2
S2	6/3/2008 Uranium-DISSOLVED	=	0.042	0.0002	0.01	MG/L	10
S2	9/2/2008 Uranium-DISSOLVED	=	0.023	0.00002	0.001	mg/L	1
S2	12/2/2008 Uranium-DISSOLVED	=	0.026	0.00004	0.002	MG/L	2
S2	12/2/2008 Uranium-DISSOLVED	=	0.027	0.00004	0.002	MG/L	2
S2	3/5/2009 Uranium-DISSOLVED	=	0.035	0.0001	0.005	MG/L	5
S2	6/1/2009 Uranium-DISSOLVED	=	0.03	0.00002	0.001	MG/L	1
S2	9/2/2009 Uranium-DISSOLVED	=	0.032	0.0002	0.01	MG/L	10
S2	12/2/2009 Uranium-DISSOLVED	=	0.025	0.0001	0.005	MG/L	5
S2	3/5/2010 Uranium-DISSOLVED	=	0.034	0.0002	0.01	MG/L	10
S2	6/3/2010 Uranium-DISSOLVED	=	0.041	0.0008	0.04	MG/L	40
S2	9/1/2010 Uranium-DISSOLVED	=	0.025	0.0001	0.005	MG/L	5
S2	12/2/2010 Uranium-DISSOLVED	=	0.029	0.0002	0.01	MG/L	10
S3	9/4/2007 Uranium-DISSOLVED	=	0.0019	0.00002	0.001	MG/L	1
S3	9/2/2008 Uranium-DISSOLVED	=	0.0014	0.00002	0.001	mg/L	1
S7	6/4/2010 Uranium-DISSOLVED	=	0.082	0.0008	0.04	MG/L	40
S8	12/5/2006 Uranium-DISSOLVED	=	0.015	0.00002	0.001	MG/L	1
S8	3/5/2007 Uranium-DISSOLVED	=	0.022	0.0002	0.01	MG/L	10
S8	6/5/2007 Uranium-DISSOLVED	=	0.017	0.00002	0.001	MG/L	1
S8	9/10/2007 Uranium-DISSOLVED	=	0.015	0.0002	0.01	MG/L	10
S8	12/5/2007 Uranium-DISSOLVED	=	0.0077	0.00002	0.001	MG/L	1
S8	3/3/2008 Uranium-DISSOLVED	=	0.0072	0.00002	0.001	MG/L	1
S8	6/4/2008 Uranium-DISSOLVED	=	0.015	0.00002	0.001	MG/L	1
S8	9/4/2008 Uranium-DISSOLVED	=	0.015	0.0001	0.005	MG/L	5
S8	12/4/2008 Uranium-DISSOLVED	=	0.011	0.00002	0.001	MG/L	1
S8	3/4/2009 Uranium-DISSOLVED	=	0.011	0.0001	0.005	MG/L	5
S8	3/4/2009 Uranium-DISSOLVED	=	0.012	0.0001	0.005	MG/L	5
S8	6/3/2009 Uranium-DISSOLVED	=	0.026	0.00002	0.001	MG/L	1
S8	9/3/2009 Uranium-DISSOLVED	=	0.034	0.0002	0.01	MG/L	10
S8	12/4/2009 Uranium-DISSOLVED	=	0.02	0.00002	0.001	MG/L	1
S8	3/3/2010 Uranium-DISSOLVED	=	0.018	0.0001	0.005	MG/L	5
S8	9/3/2010 Uranium-DISSOLVED	=	0.017	0.0001	0.005	MG/L	5
S8	12/6/2010 Uranium-DISSOLVED	=	0.011	0.00002	0.001	MG/L	1
S2	4/3/2002 Vanadium-DISSOLVED	=	0.00092		0.01	mg/L	1
S3	4/3/2002 Vanadium-DISSOLVED	=	0.0014		0.01	mg/L	1 J
S4	4/3/2002 Vanadium-DISSOLVED	=	0.003		0.01	mg/L	1 J
S5	4/4/2002 Vanadium-DISSOLVED	=	0.0039		0.01	mg/L	1 J
S6	4/4/2002 Vanadium-DISSOLVED	=	0.0048		0.01	mg/L	1 J
S7	4/10/2002 Vanadium-DISSOLVED	=	0.0019		0.01	mg/L	1 J
S9	4/10/2002 Vanadium-DISSOLVED	=	0.00079		0.01	mg/L	1 J
S2	4/3/2002 Vanadium-TOTAL	=	0.0048		0.05	mg/L	5 J
S2	12/13/2002 Vanadium-TOTAL	=	1	0.011	0.05	mg/L	5
S3	4/3/2002 Vanadium-TOTAL	=	0.0071		0.05	mg/L	5 J
S4	4/3/2002 Vanadium-TOTAL	=	0.0029		0.01	mg/L	1 J
S5	4/4/2002 Vanadium-TOTAL	=	0.0047		0.01	mg/L	1 J

tmpAnalyticalResultsOverTime

S6	4/4/2002 Vanadium-TOTAL	=	0.0036		0.01	mg/L	1	J	
S7	4/10/2002 Vanadium-TOTAL	=	0.005		0.01	mg/L	1	J	
S7	9/7/2006 Vanadium-TOTAL	=	0.012	0.0025	0.01	MG/L	1		
S8	4/10/2002 Vanadium-TOTAL	=	0.00094		0.01	mg/L	1	J	
S10	12/1/2004 Zinc-DISSOLVED	=	0.031	0.0049	0.02	mg/L	1		
S11	9/10/2004 Zinc-DISSOLVED	=	0.11	0.024	0.1	mg/L	5		
S4	12/13/2002 Zinc-DISSOLVED	=	0.28	0.034	0.1	mg/L	5		
S5	12/16/2002 Zinc-DISSOLVED	=	0.15	0.034	0.1	mg/L	5		
S7	4/10/2002 Zinc-DISSOLVED	=	0.011		0.02	mg/L	1	J	
S7	12/17/2002 Zinc-DISSOLVED	=	0.1	0.034	0.1	mg/L	5		
S8	12/16/2002 Zinc-DISSOLVED	=	0.17	0.034	0.1	mg/L	5		
S9	12/12/2002 Zinc-DISSOLVED	=	0.78	0.034	0.1	mg/L	5		
S2	9/10/2004 Zinc-TOTAL	=	0.33	0.024	0.1	mg/L	5	J	
S2	9/5/2006 Zinc-TOTAL	=	0.1	0.023	0.1	MG/L	5		
S3	6/5/2003 Zinc-TOTAL	=	0.028	0.0071	0.02	mg/L	1		
S3	9/9/2004 Zinc-TOTAL	=	0.02	0.0071	0.02	mg/L	1		
S4	4/3/2002 Zinc-TOTAL	=	0.028		0.02	mg/L	1	J	
S4	9/3/2008 Zinc-TOTAL	=	0.02	0.0045	0.02	MG/L	1		
S5	4/4/2002 Zinc-TOTAL	=	0.0083		0.02	mg/L	1	J	
S5	6/24/2002 Zinc-TOTAL	=	0.024	0.0068	0.02	mg/L	1	J	
S5	9/20/2002 Zinc-TOTAL	=	0.023	0.0068	0.02	mg/L	1		
S6	6/24/2002 Zinc-TOTAL	=	0.08	0.0068	0.02	mg/L	1	J	
S6	6/24/2002 Zinc-TOTAL	=	0.02	0.0068	0.02	mg/L	1	J	
S7	4/10/2002 Zinc-TOTAL	=	0.013		0.02	mg/L	1	J	
S7	9/7/2006 Zinc-TOTAL	=	0.03	0.0045	0.02	MG/L	1		
S8	12/16/2002 Zinc-TOTAL	=	0.11	0.034	0.1	mg/L	5	J	
S9	4/10/2002 Zinc-TOTAL	=	0.044		0.02	mg/L	1	J	
S9	12/12/2002 Zinc-TOTAL	=	0.12	0.034	0.1	mg/L	5	J	
S3	9/19/2002 Zirconium-DISSOLVED	=	0.013	0.0015	0.005	mg/L	1		
S3	9/19/2002 Zirconium-DISSOLVED	=	0.0071	0.0015	0.005	mg/L	1		
S4	9/19/2002 Zirconium-DISSOLVED	=	0.0068	0.0015	0.005	mg/L	1		
S9	9/11/2002 Zirconium-DISSOLVED	=	0.015	0.0015	0.005	mg/L	1		
S2	12/3/2003 Zirconium-TOTAL	=	0.0059	0.0019	0.005	mg/L	1		
S6	9/9/2003 Zirconium-TOTAL	=	0.006	0.0019	0.005	mg/L	1		
S7	4/10/2002 Zirconium-TOTAL	=	0.0032		0.005	mg/L	1	J	
S9	9/11/2002 Zirconium-TOTAL	=	0.0051	0.0015	0.005	mg/L	1		
S5	6/24/2002 1,1,2-Trichloro-1-propene	TI	22			ug/L	1	NJ	
S8	6/21/2002 1,1,2-Trichloro-1-propene	TI	12			ug/L	1	NJ	
S9	6/20/2002 1,1,2-Trichloro-1-propene	TI	13			ug/L	1	NJ	
S9	9/11/2002 1,1,2-Trichloro-1-propene	TI	16			ug/L	1	NJ	
S6	6/24/2002 1,2,3-Trichloropropene	TI	19			ug/L	1	NJ	
S10	5/24/2004 1-Propanol, 2-(2-hydroxypropox	TI	5.8			ug/L	1	NJ	NA
S10	5/24/2004 1-Propene, 1,1,2-trichloro-	TI	12			ug/L	1	NJ	NA
S10	5/24/2004 1-Propene, 1,1,2-trichloro-	TI	8.1			ug/L	1	NJ	
S11	5/24/2004 1-Propene, 1,1,2-trichloro-	TI	12			ug/L	1	NJ	
S2	4/3/2002 1-Propene, 1,1,2-trichloro-	TI	14			ug/L	1	NJ	
S2	6/5/2003 1-Propene, 1,1,2-trichloro-	TI	12			ug/L	1	NJ	
S3	4/3/2002 1-Propene, 1,1,2-trichloro-	TI	6.7			ug/L	1	NJ	
S7	4/10/2002 1-Propene, 1,1,2-trichloro-	TI	24			ug/L	1	NJ	
S7	12/17/2002 1-Propene, 1,1,2-trichloro-	TI	36			ug/L	1	NJ	
S9	4/10/2002 1-Propene, 1,1,2-trichloro-	TI	15			ug/L	1	NJ	
S2	3/4/2003 1-Propene, 1,2,3-trichloro-	TI	24			ug/L	1	NJ	NA
S9	12/12/2002 1-Propene, 1,2,3-trichloro-	TI	25			ug/L	1	NJ	
S2	3/4/2003 2-propanol	TI	19			ug/L	1	NJ	NA
S8	4/10/2002 2-Propenoic acid, 2-ethylhexyl	TI	2.62			ug/L	1	NJ	NA
S10	5/24/2004 Acetic acid, 2-ethylhexyl este	TI	18			ug/L	1	NJ	NA
S10	3/3/2005 Acetic acid, 2-ethylhexyl este	TI	8.8			ug/L	1	NJ	

tmpAnalyticalResultsOverTime

S11	3/3/2005	Acetic acid, 2-ethylhexyl este	TI	17			ug/L	1	NJ	
S3	12/2/2003	Acetic acid, 2-ethylhexyl este	TI	2.8			ug/L	1	NJ	
S6	9/8/2004	Acetic acid, 2-ethylhexyl este	TI	13			ug/L	1	NJ	
S8	4/10/2002	Acetic acid, 2-ethylhexyl este	TI	9.22			ug/L	1	NJ	
S9	4/10/2002	Acetic acid, 2-ethylhexyl este	TI	3.22			ug/L	1	NJ	
S11	5/24/2004	Benzamide, n-propyl-	TI	4.9			ug/L	1	NJ	NA
S3	9/9/2004	Butane, 2-methoxy-2-methyl-	TI	260			ug/L	1	NJ	NA
S4	9/9/2004	Butane, 2-methoxy-2-methyl-	TI	310			ug/L	1	NJ	
S3	4/3/2002	Caprolactam	TI	9.6			ug/L	1	NJ	NA
S6	4/4/2002	Caprolactam	TI	4.8			ug/L	1	NJ	
S10	3/3/2005	Cyclohexane	TI	27			ug/L	1	NJ	
S11	3/3/2005	Cyclohexane	TI	23			ug/L	1	NJ	
S2	6/5/2003	Cyclohexane	TI	12			ug/L	1	NJ	
S10	12/1/2004	Cyclotetrasiloxane, octamethyl	TI	4.3			ug/L	1	NJ	NA
S10	3/3/2005	Cyclotetrasiloxane, octamethyl	TI	2.6			ug/L	1	NJ	
S11	12/1/2004	Cyclotetrasiloxane, octamethyl	TI	1.9			ug/L	1	NJ	
S3	9/9/2004	Cyclotetrasiloxane, octamethyl	TI	0			ug/L	1	NJ	
S5	12/16/2002	Cyclotetrasiloxane, octamethyl	TI	1.7			ug/L	1	NJ	
S6	9/9/2003	Cyclotetrasiloxane, octamethyl	TI	3			ug/L	1	NJ	
S6	9/8/2004	Cyclotetrasiloxane, octamethyl	TI	1.2			ug/L	1	NJ	
S8	12/16/2002	Cyclotetrasiloxane, octamethyl	TI	2.3			ug/L	1	NJ	
S10	3/3/2005	Cyclotrisiloxane, hexamethyl-	TI	2.3			ug/L	1	NJ	
S11	3/3/2005	Cyclotrisiloxane, hexamethyl-	TI	2.3			ug/L	1	NJ	
S3	9/9/2004	Cyclotrisiloxane, hexamethyl-	TI	0			ug/L	1	NJ	
S8	12/16/2002	Cyclotrisiloxane, hexamethyl-	TI	1.9			ug/L	1	NJ	
S3	9/9/2004	Docosane	TI	0			ug/L	1	NJ	NA
S7	9/7/2004	Ethanol, 2-(2-ethoxyethoxy)-	TI	13			ug/L	1	NJ	NA
S3	9/19/2002	Hexamethylcyclotrisiloxane	TI	1.3			ug/L	1	NJ	
S6	9/23/2002	Hexamethylcyclotrisiloxane	TI	1.7			ug/L	1	NJ	
S7	9/23/2002	Hexamethylcyclotrisiloxane	TI	4.5			ug/L	1	NJ	
S3	6/25/2002	Isobutylene	TI	4.52			ug/L	1	NJ	
S9	9/11/2002	N-butyl-benzenesulfonamide	TI	4.8			ug/L	1	NJ	NA
S3	9/19/2002	Octamethylcyclotetrasiloxane	TI	2.5			ug/L	1	NJ	NA
S4	9/19/2002	Octamethylcyclotetrasiloxane	TI	1.6			ug/L	1	NJ	
S5	9/20/2002	Octamethylcyclotetrasiloxane	TI	3			ug/L	1	NJ	
S6	9/23/2002	Octamethylcyclotetrasiloxane	TI	3			ug/L	1	NJ	
S7	9/23/2002	Octamethylcyclotetrasiloxane	TI	8.4			ug/L	1	NJ	
S8	9/20/2002	Octamethylcyclotetrasiloxane	TI	2.1			ug/L	1	NJ	
S9	4/10/2002	Octamethylcyclotetrasiloxane	TI	1.62			ug/L	1	NJ	
S3	12/13/2002	Phenol, 2-fluoro-4-nitro-	TI	9.4			ug/L	1	NJ	NA
S2	3/4/2003	Silane, fluorotrimethyl-	TI	4.6			ug/L	1	NJ	NA
S2	3/4/2003	Silanol, trimethyl-	TI	5			ug/L	1	NJ	NA
S2	6/5/2003	Tridecane	TI	3.4			ug/L	1	NJ	NA
S11	5/24/2004	2-Butanone (MEK)	TR	3.1	2	5	ug/L	1	J	
S11	9/10/2004	Acetone	TR	4.1	2.5	10	ug/L	1	J	
S2	6/26/2002	Acetone	TR	4.2	2.9	10	ug/L	1	J	
S2	12/13/2002	Acetone	TR	5.2	2.9	10	ug/L	1	J	
S2	9/10/2004	Acetone	TR	2.8	2.5	10	ug/L	1	J	
S3	6/25/2002	Acetone	TR	8.8	2.9	10	ug/L	1	J	
S3	12/13/2002	Acetone	TR	3.4	2.9	10	ug/L	1	J	
S3	6/5/2003	Acetone	TR	4.1	2.5	10	ug/L	1	J	
S4	6/25/2002	Acetone	TR	4.5	2.9	10	ug/L	1	J	
S6	6/24/2002	Acetone	TR	3.6	2.9	10	ug/L	1	J	
S6	9/23/2002	Acetone	TR	3	2.9	10	ug/L	1	J	
S8	6/21/2002	Acetone	TR	3.1	2.9	10	ug/L	1	J	
S10	5/24/2004	Aluminum-DISSOLVED	TR	0.058	0.02	0.1	mg/L	1	J	NA
S10	5/24/2004	Aluminum-DISSOLVED	TR	0.077	0.02	0.1	mg/L	1	J	

tmpAnalyticalResultsOverTime

S11	9/10/2004	Aluminum-DISSOLVED	TR	0.077	0.055	0.1	mg/L	1	J	
S11	12/1/2004	Aluminum-DISSOLVED	TR	0.065	0.055	0.1	mg/L	1	J	
S11	3/3/2005	Aluminum-DISSOLVED	TR	0.07	0.055	0.1	mg/L	1	J	
S2	12/13/2002	Aluminum-DISSOLVED	TR	0.073	0.02	0.1	mg/L	1	J	
S4	12/13/2002	Aluminum-DISSOLVED	TR	0.027	0.02	0.1	mg/L	1	J	
S5	6/24/2002	Aluminum-DISSOLVED	TR	0.031	0.028	0.1	mg/L	1	B	
S5	12/16/2002	Aluminum-DISSOLVED	TR	0.03	0.02	0.1	mg/L	1	J	
S6	6/24/2002	Aluminum-DISSOLVED	TR	0.03	0.028	0.1	mg/L	1	B	
S6	12/18/2002	Aluminum-DISSOLVED	TR	0.044	0.02	0.1	mg/L	1	J	
S10	9/10/2004	Aluminum-TOTAL	TR	0.072	0.055	0.1	mg/L	1	J	
S10	12/1/2004	Aluminum-TOTAL	TR	0.078	0.055	0.1	mg/L	1	J	
S10	12/1/2004	Aluminum-TOTAL	TR	0.076	0.055	0.1	mg/L	1	J	
S10	9/7/2005	Aluminum-TOTAL	TR	0.017	0.017	0.1	MG/L	1	J	
S11	9/6/2006	Aluminum-TOTAL	TR	0.13	0.09	0.5	MG/L	5	J	
S11	9/4/2007	Aluminum-TOTAL	TR	0.15	0.09	0.5	MG/L	5	J	
S2	9/18/2002	Aluminum-TOTAL	TR	0.062	0.02	0.1	mg/L	1	J	
S2	12/13/2002	Aluminum-TOTAL	TR	0.043	0.02	0.1	mg/L	1	J	
S2	3/4/2003	Aluminum-TOTAL	TR	0.068	0.02	0.1	mg/L	1	J	
S2	3/4/2003	Aluminum-TOTAL	TR	0.05	0.02	0.1	mg/L	1	J	
S2	9/5/2003	Aluminum-TOTAL	TR	0.07	0.02	0.1	mg/L	1	J	
S2	9/5/2003	Aluminum-TOTAL	TR	0.071	0.02	0.1	mg/L	1	J	
S3	9/19/2002	Aluminum-TOTAL	TR	0.031	0.02	0.1	mg/L	1	J	
S3	9/19/2002	Aluminum-TOTAL	TR	0.034	0.02	0.1	mg/L	1	J	
S3	12/13/2002	Aluminum-TOTAL	TR	0.045	0.02	0.1	mg/L	1	J	
S3	3/5/2003	Aluminum-TOTAL	TR	0.026	0.02	0.1	mg/L	1	J	
S3	6/5/2003	Aluminum-TOTAL	TR	0.061	0.02	0.1	mg/L	1	J	
S3	12/2/2003	Aluminum-TOTAL	TR	0.054	0.02	0.1	mg/L	1	J	
S4	9/19/2002	Aluminum-TOTAL	TR	0.029	0.02	0.1	mg/L	1	J	
S4	9/9/2004	Aluminum-TOTAL	TR	0.049	0.02	0.1	mg/L	1	J	
S4	9/3/2008	Aluminum-TOTAL	TR	0.041	0.018	0.1	MG/L	1	J	
S5	12/16/2002	Aluminum-TOTAL	TR	0.068	0.02	0.1	mg/L	1	J	
S5	9/10/2003	Aluminum-TOTAL	TR	0.03	0.02	0.1	mg/L	1	J	
S5	9/8/2005	Aluminum-TOTAL	TR	0.034	0.017	0.1	MG/L	1	J	
S6	9/23/2002	Aluminum-TOTAL	TR	0.088	0.02	0.1	mg/L	1	J	
S6	12/18/2002	Aluminum-TOTAL	TR	0.082	0.02	0.1	mg/L	1	J	
S6	9/7/2007	Aluminum-TOTAL	TR	0.16	0.09	0.5	MG/L	5	J	
S6	9/4/2008	Aluminum-TOTAL	TR	0.029	0.018	0.1	MG/L	1	J	
S6	9/3/2009	Aluminum-TOTAL	TR	0.058	0.018	0.1	MG/L	1	J	
S8	12/16/2002	Aluminum-TOTAL	TR	0.036	0.02	0.1	mg/L	1	J	
S9	6/20/2002	Aluminum-TOTAL	TR	0.052	0.028	0.1	mg/L	1	J	
S9	12/12/2002	Aluminum-TOTAL	TR	0.027	0.02	0.1	mg/L	1	J	
S9	9/11/2003	Aluminum-TOTAL	TR	0.052	0.02	0.1	mg/L	1	J	
S9	9/7/2006	Aluminum-TOTAL	TR	0.046	0.018	0.1	MG/L	1	J	
S9	9/5/2008	Aluminum-TOTAL	TR	0.028	0.018	0.1	MG/L	1	J	
S10	9/1/2010	AMMONIA as N	TR	4	0.022	0.1	MG/L	1	J	
S10	9/1/2010	AMMONIA as N	TR	3.9	0.022	0.1	MG/L	1	J	
S11	9/2/2010	AMMONIA as N	TR	9	0.022	0.1	MG/L	1	J	
S2	9/1/2010	AMMONIA as N	TR	5.4	0.022	0.1	MG/L	1	J	
S3	9/1/2010	AMMONIA as N	TR	5.8	0.022	0.1	MG/L	1	J	
S4	9/2/2010	AMMONIA as N	TR	6.6	0.022	0.1	MG/L	1	J	
S5	9/3/2010	AMMONIA as N	TR	4.7	0.022	0.1	MG/L	1	J	
S6	6/2/2009	Ammonia as N	TR	5.6	0.022	9.1	MG/L	1	J	
S6	9/3/2010	AMMONIA as N	TR	5.4	0.022	0.1	MG/L	1	J	
S7	9/7/2010	AMMONIA as N	TR	4	0.022	0.1	MG/L	1	J	
S8	9/3/2010	AMMONIA as N	TR	1.9	0.022	0.1	MG/L	1	J	
S10	5/24/2004	Arsenic-DISSOLVED	TR	0.0093	0.0049	0.015	mg/L	1	J	0.05
S10	5/24/2004	Arsenic-DISSOLVED	TR	0.0085	0.0049	0.015	mg/L	1	J	



tmpAnalyticalResultsOverTime

S10	12/1/2004	Arsenic-DISSOLVED	TR	0.012	0.0034	0.015	mg/L	1	J
S10	3/3/2005	Arsenic-DISSOLVED	TR	0.0052	0.0034	0.015	mg/L	1	J
S11	5/24/2004	Arsenic-DISSOLVED	TR	0.01	0.0049	0.015	mg/L	1	J
S11	9/10/2004	Arsenic-DISSOLVED	TR	0.019	0.017	0.075	mg/L	5	J
S2	6/26/2002	Arsenic-DISSOLVED	TR	0.0095	0.0072	0.03	mg/L	2	J
S3	6/25/2002	Arsenic-DISSOLVED	TR	0.0091	0.0072	0.03	mg/L	2	J
S3	12/13/2002	Arsenic-DISSOLVED	TR	0.018	0.018	0.075	mg/L	5	J
S4	6/25/2002	Arsenic-DISSOLVED	TR	0.011	0.0036	0.015	mg/L	1	J
S4	9/19/2002	Arsenic-DISSOLVED	TR	0.0044	0.0036	0.015	mg/L	1	J
S5	6/24/2002	Arsenic-DISSOLVED	TR	0.011	0.0036	0.015	mg/L	1	J
S5	9/20/2002	Arsenic-DISSOLVED	TR	0.0084	0.0036	0.015	mg/L	1	J
S6	6/24/2002	Arsenic-DISSOLVED	TR	0.013	0.0036	0.015	mg/L	1	J
S6	9/23/2002	Arsenic-DISSOLVED	TR	0.0076	0.0036	0.015	mg/L	1	J
S7	6/21/2002	Arsenic-DISSOLVED	TR	0.0048	0.0036	0.015	mg/L	1	J
S7	9/23/2002	Arsenic-DISSOLVED	TR	0.0053	0.0036	0.015	mg/L	1	J
S8	12/16/2002	Arsenic-DISSOLVED	TR	0.039	0.018	0.075	mg/L	5	J
S10	5/24/2004	Arsenic-TOTAL	TR	0.0084	0.0049	0.015	mg/L	1	J
S10	5/24/2004	Arsenic-TOTAL	TR	0.0094	0.0049	0.015	mg/L	1	J
S10	12/1/2004	Arsenic-TOTAL	TR	0.011	0.0034	0.015	mg/L	1	J
S10	12/1/2004	Arsenic-TOTAL	TR	0.01	0.0034	0.015	mg/L	1	J
S10	3/3/2005	Arsenic-TOTAL	TR	0.0059	0.0034	0.015	mg/L	1	J
S10	9/7/2005	Arsenic-TOTAL	TR	0.0075	0.0044	0.015	MG/L	1	J
S10	9/6/2006	Arsenic-TOTAL	TR	0.0028	0.00042	0.01	MG/L	2	J
S10	9/4/2007	Arsenic-TOTAL	TR	0.0043	0.0021	0.05	MG/L	10	J
S10	9/2/2008	Arsenic-TOTAL	TR	0.0015	0.00021	0.005	mg/L	1	J
S10	9/1/2009	Arsenic-TOTAL	TR	0.0042	0.00021	0.005	MG/L	1	J
S10	9/1/2010	Arsenic-TOTAL	TR	0.0013	0.001	0.025	MG/L	5	J
S10	9/1/2010	Arsenic-TOTAL	TR	0.0011	0.001	0.025	MG/L	5	J
S11	5/24/2004	Arsenic-TOTAL	TR	0.01	0.0049	0.015	mg/L	1	J
S11	12/1/2004	Arsenic-TOTAL	TR	0.011	0.0034	0.015	mg/L	1	J
S11	9/7/2005	Arsenic-TOTAL	TR	0.0049	0.0044	0.015	MG/L	1	J
S11	9/6/2006	Arsenic-TOTAL	TR	0.01	0.0021	0.05	MG/L	10	J
S11	9/4/2007	Arsenic-TOTAL	TR	0.023	0.0021	0.05	MG/L	10	J
S11	9/3/2008	Arsenic-TOTAL	TR	0.007	0.001	0.025	MG/L	5	J
S11	9/3/2008	Arsenic-TOTAL	TR	0.0073	0.001	0.025	MG/L	5	J
S11	9/2/2009	Arsenic-TOTAL	TR	0.0064	0.0021	0.05	MG/L	10	J
S11	9/2/2010	Arsenic-TOTAL	TR	0.0078	0.001	0.025	MG/L	5	J
S2	6/26/2002	Arsenic-TOTAL	TR	0.0087	0.0072	0.03	mg/L	2	J
S2	9/18/2002	Arsenic-TOTAL	TR	0.023	0.018	0.075	mg/L	5	J
S2	9/5/2003	Arsenic-TOTAL	TR	0.027	0.024	0.075	mg/L	5	J
S2	9/5/2006	Arsenic-TOTAL	TR	0.015	0.001	0.025	MG/L	5	J
S2	9/4/2007	Arsenic-TOTAL	TR	0.02	0.0021	0.05	MG/L	10	J
S2	9/2/2008	Arsenic-TOTAL	TR	0.0082	0.001	0.025	mg/L	5	J
S2	9/2/2009	Arsenic-TOTAL	TR	0.0084	0.0021	0.05	MG/L	10	J
S2	9/1/2010	Arsenic-TOTAL	TR	0.012	0.001	0.025	MG/L	5	J
S3	6/25/2002	Arsenic-TOTAL	TR	0.016	0.0072	0.03	mg/L	2	J
S3	9/4/2007	Arsenic-TOTAL	TR	0.015	0.0021	0.05	MG/L	10	J
S3	9/2/2009	Arsenic-TOTAL	TR	0.0074	0.0021	0.05	MG/L	10	J
S3	9/1/2010	Arsenic-TOTAL	TR	0.0061	0.001	0.025	MG/L	5	J
S4	6/25/2002	Arsenic-TOTAL	TR	0.012	0.0036	0.015	mg/L	1	J
S4	9/19/2002	Arsenic-TOTAL	TR	0.0096	0.0036	0.015	mg/L	1	J
S4	9/6/2006	Arsenic-TOTAL	TR	0.0078	0.001	0.025	MG/L	5	J
S4	9/3/2008	Arsenic-TOTAL	TR	0.004	0.00042	0.01	MG/L	2	J
S4	9/2/2009	Arsenic-TOTAL	TR	0.004	0.0021	0.05	MG/L	10	J
S4	9/2/2010	Arsenic-TOTAL	TR	0.005	0.001	0.025	MG/L	5	J
S5	9/20/2002	Arsenic-TOTAL	TR	0.011	0.0036	0.015	mg/L	1	J
S5	12/16/2002	Arsenic-TOTAL	TR	0.035	0.018	0.075	mg/L	5	J

tmpAnalyticalResultsOverTime

S5	9/8/2005	Arsenic-TOTAL	TR	0.0045	0.0044	0.015	MG/L	1	J	
S5	9/6/2006	Arsenic-TOTAL	TR	0.0047	0.001	0.025	MG/L	5	J	
S5	9/3/2008	Arsenic-TOTAL	TR	0.0039	0.00042	0.01	MG/L	2	J	
S5	9/2/2009	Arsenic-TOTAL	TR	0.004	0.0021	0.05	MG/L	10	J	
S5	9/3/2010	Arsenic-TOTAL	TR	0.0036	0.001	0.025	MG/L	5	J	
S6	9/23/2002	Arsenic-TOTAL	TR	0.013	0.0036	0.015	mg/L	1	J	
S6	9/9/2003	Arsenic-TOTAL	TR	0.0087	0.0049	0.015	mg/L	1	J	
S6	9/7/2006	Arsenic-TOTAL	TR	0.014	0.0021	0.05	MG/L	10	J	
S6	9/4/2008	Arsenic-TOTAL	TR	0.0066	0.001	0.025	MG/L	5	J	
S6	9/3/2009	Arsenic-TOTAL	TR	0.0095	0.0021	0.05	MG/L	10	J	
S6	9/3/2010	Arsenic-TOTAL	TR	0.0081	0.001	0.025	MG/L	5	J	
S7	6/21/2002	Arsenic-TOTAL	TR	0.0092	0.0036	0.015	mg/L	1	J	
S7	9/23/2002	Arsenic-TOTAL	TR	0.004	0.0036	0.015	mg/L	1	J	
S7	9/11/2003	Arsenic-TOTAL	TR	0.0058	0.0049	0.015	mg/L	1	J	
S7	9/2/2005	Arsenic-TOTAL	TR	0.0056	0.0044	0.015	MG/L	1	J	
S7	9/7/2006	Arsenic-TOTAL	TR	0.0047	0.00021	0.005	MG/L	1	J	
S7	9/10/2007	Arsenic-TOTAL	TR	0.0023	0.00021	0.005	MG/L	1	J	
S7	9/4/2008	Arsenic-TOTAL	TR	0.0018	0.001	0.025	MG/L	5	J	
S7	9/7/2010	Arsenic-TOTAL	TR	0.0022	0.001	0.025	MG/L	5	J	
S8	9/3/2009	Arsenic-TOTAL	TR	0.032	0.0021	0.05	MG/L	10	J	
S9	9/7/2006	Arsenic-TOTAL	TR	0.00026	0.00021	0.005	MG/L	1	J	
S2	3/4/2003	Barium-TOTAL	TR	0.098	0.018	0.1	mg/L	10	J	
S6	9/3/2010	Barium-TOTAL	TR	0.088	0.0058	0.1	MG/L	10	J	
S7	9/7/2010	Barium-TOTAL	TR	0.26	0.00058	0.01	MG/L	1	J	
S8	9/10/2007	Barium-TOTAL	TR	0.019	0.0052	0.05	MG/L	5	J	
S3	6/25/2002	Benzene	TR	0.28	0.27	1	ug/L	1	J	
S4	12/13/2002	bis(2-Ethylhexyl) phthalate	TR	5.8	3.1	10	ug/L	1	J	
S4	9/8/2003	bis(2-Ethylhexyl) phthalate	TR	1.3	0.9	10	ug/L	1	J	
S9	6/20/2002	bis(2-Ethylhexyl) phthalate	TR	6.7	3.1	10	ug/L	1	J	
S3	12/13/2002	Bromomethane	TR	0.53	0.28	2	ug/L	1	J	
S3	6/5/2003	Bromomethane	TR	0.33	0.22	2	ug/L	1	J	
S10	5/24/2004	Cadmium-DISSOLVED	TR	0.00039	0.00014	0.005	mg/L	5	J	0.005
S10	5/24/2004	Cadmium-DISSOLVED	TR	0.0004	0.00014	0.005	mg/L	5	J	
S10	9/10/2004	Cadmium-DISSOLVED	TR	0.000049	0.000028	0.001	mg/L	1	J	
S10	12/1/2004	Cadmium-DISSOLVED	TR	0.000056	0.000028	0.001	mg/L	1	J	
S10	12/1/2004	Cadmium-DISSOLVED	TR	0.000054	0.000028	0.001	mg/L	1	J	
S11	5/24/2004	Cadmium-DISSOLVED	TR	0.0007	0.00028	0.01	mg/L	10	J	
S11	12/1/2004	Cadmium-DISSOLVED	TR	0.000085	0.000028	0.001	mg/L	1	J	
S2	9/18/2002	Cadmium-DISSOLVED	TR	0.00034	0.00011	5	mg/L	5	J	
S2	12/13/2002	Cadmium-DISSOLVED	TR	0.00017	0.00011	0.005	mg/L	5	J	
S3	9/19/2002	Cadmium-DISSOLVED	TR	0.00014	0.00011	0.005	mg/L	5	J	
S3	9/19/2002	Cadmium-DISSOLVED	TR	0.00015	0.00011	0.005	mg/L	5	J	
S3	12/13/2002	Cadmium-DISSOLVED	TR	0.00011	0.00011	0.005	mg/L	5	J	
S5	12/16/2002	Cadmium-DISSOLVED	TR	0.00011	0.00011	0.005	mg/L	5	J	
S9	12/12/2002	Cadmium-DISSOLVED	TR	0.00013	0.00011	0.005	mg/L	5	J	
S10	5/24/2004	Cadmium-TOTAL	TR	0.00042	0.00014	0.005	mg/L	5	J	
S10	5/24/2004	Cadmium-TOTAL	TR	0.00042	0.00014	0.005	mg/L	5	J	
S10	12/1/2004	Cadmium-TOTAL	TR	0.000084	0.000028	0.001	mg/L	1	J	
S10	12/1/2004	Cadmium-TOTAL	TR	0.000071	0.000028	0.001	mg/L	1	J	
S10	3/3/2005	Cadmium-TOTAL	TR	0.000065	0.000028	0.001	mg/L	1	J	
S10	9/1/2009	Cadmium-TOTAL	TR	0.000058	0.00004	0.001	MG/L	1	J	
S11	5/24/2004	Cadmium-TOTAL	TR	0.00068	0.00014	0.005	mg/L	5	J	
S11	12/1/2004	Cadmium-TOTAL	TR	0.00013	0.000028	0.001	mg/L	1	J	
S2	9/18/2002	Cadmium-TOTAL	TR	0.0004	0.00011	0.005	mg/L	5	J	
S2	12/13/2002	Cadmium-TOTAL	TR	0.00028	0.00011	0.005	mg/L	5	J	
S2	3/4/2003	Cadmium-TOTAL	TR	0.00031	0.000022	0.001	mg/L	1	J	
S2	3/4/2003	Cadmium-TOTAL	TR	0.00031	0.000022	0.001	mg/L	1	J	

tmpAnalyticalResultsOverTime

S2	6/5/2003	Cadmium-TOTAL	TR	0.00038	0.00026	0.005	mg/L	5	J	
S2	9/10/2004	Cadmium-TOTAL	TR	0.00046	0.00028	0.01	mg/L	10	J	
S2	9/5/2006	Cadmium-TOTAL	TR	0.0004	0.0002	0.005	MG/L	5	J	
S2	9/4/2007	Cadmium-TOTAL	TR	0.00086	0.0004	0.01	MG/L	10	J	
S2	9/2/2008	Cadmium-TOTAL	TR	0.00074	0.0002	0.005	mg/L	5	J	
S2	9/2/2009	Cadmium-TOTAL	TR	0.0019	0.0004	0.01	MG/L	10	J	
S2	9/1/2010	Cadmium-TOTAL	TR	0.00079	0.0002	0.005	MG/L	5	J	
S3	9/19/2002	Cadmium-TOTAL	TR	0.00015	0.00011	0.005	mg/L	5	J	
S3	9/19/2002	Cadmium-TOTAL	TR	0.00015	0.00011	0.005	mg/L	5	J	
S3	12/13/2002	Cadmium-TOTAL	TR	0.00047	0.00011	0.005	mg/L	5	J	
S3	3/5/2003	Cadmium-TOTAL	TR	0.00051	0.000022	0.001	mg/L	1	J	
S3	9/5/2003	Cadmium-TOTAL	TR	0.008	0.00051	0.01	mg/L	10	J	
S3	9/2/2008	Cadmium-TOTAL	TR	0.00052	0.00004	0.001	mg/L	1	J	
S4	9/8/2003	Cadmium-TOTAL	TR	0.000053	0.000051	0.001	mg/L	1	J	
S4	9/3/2008	Cadmium-TOTAL	TR	0.00075	0.00008	0.002	MG/L	2	J	
S5	9/2/2009	Cadmium-TOTAL	TR	0.00056	0.0004	0.01	MG/L	10	J	
S6	9/7/2007	Cadmium-TOTAL	TR	0.00005	0.00004	0.001	MG/L	1	J	
S6	9/3/2009	Cadmium-TOTAL	TR	0.00082	0.0004	0.01	MG/L	10	J	
S7	9/11/2003	Cadmium-TOTAL	TR	0.000097	0.000051	0.001	mg/L	1	J	
S7	9/7/2004	Cadmium-TOTAL	TR	0.00015	0.000028	0.001	mg/L	1	J	
S7	9/2/2005	Cadmium-TOTAL	TR	0.00022	0.00004	0.001	MG/L	1	J	
S7	9/7/2006	Cadmium-TOTAL	TR	0.00016	0.00004	0.001	MG/L	1	J	
S7	9/10/2007	Cadmium-TOTAL	TR	0.00027	0.00004	0.001	MG/L	1	J	
S7	9/7/2010	Cadmium-TOTAL	TR	0.00022	0.0002	0.005	MG/L	5	J	
S8	9/3/2004	Cadmium-TOTAL	TR	0.00012	0.000056	0.002	mg/L	2	J	
S8	9/2/2005	Cadmium-TOTAL	TR	0.00032	0.00004	0.001	MG/L	1	J	
S8	9/7/2006	Cadmium-TOTAL	TR	0.00027	0.00008	0.002	MG/L	2	J	
S8	9/10/2007	Cadmium-TOTAL	TR	0.00012	0.00004	0.001	MG/L	1	J	
S8	9/3/2009	Cadmium-TOTAL	TR	0.00042	0.0004	0.01	MG/L	10	J	
S9	9/3/2004	Cadmium-TOTAL	TR	0.000035	0.000028	0.001	mg/L	1	J	
S9	9/5/2007	Cadmium-TOTAL	TR	0.000054	0.00004	0.001	MG/L	1	J	
S10	5/24/2004	Carbon disulfide	TR	0.3	0.24	1	ug/L	1	J	NA
S10	5/24/2004	Carbon disulfide	TR	0.35	0.24	1	ug/L	1	J	
S10	5/24/2004	Chloroform	TR	0.66	0.17	1	ug/L	1	J	NA
S10	5/24/2004	Chloroform	TR	0.69	0.17	1	ug/L	1	J	
S2	6/26/2002	Chloroform	TR	0.67	0.29	1	ug/L	1	J	
S2	9/18/2002	Chloroform	TR	0.67	0.29	1	ug/L	1	J	
S2	12/13/2002	Chloroform	TR	0.63	0.29	1	ug/L	1	J	
S2	6/5/2003	Chloroform	TR	0.31	0.17	1	ug/L	1	J	
S2	9/5/2003	Chloroform	TR	0.29	0.17	1	ug/L	1	J	
S2	9/5/2003	Chloroform	TR	0.32	0.17	1	ug/L	1	J	
S2	9/4/2007	CHLOROFORM	TR	0.25	0.16	1	UG/L	1	J	
S2	9/2/2008	Chloroform	TR	0.51	0.16	1	ug/L	1	J	
S2	9/2/2009	Chloroform	TR	0.78	0.16	1	UG/L	1	J	
S2	9/1/2010	CHLOROFORM	TR	1	0.86	1	UG/L	1	U	
S3	9/2/2009	Chloroform	TR	0.19	0.16	1	UG/L	1	J	
S10	12/1/2004	Chromium-DISSOLVED	TR	0.0014	0.0012	0.01	mg/L	1	J	
S5	6/24/2002	Chromium-DISSOLVED	TR	0.0011	0.00074	0.01	mg/L	1	B	
S6	6/24/2002	Chromium-DISSOLVED	TR	0.001	0.00074	0.01	mg/L	1	B	
S6	6/24/2002	Chromium-DISSOLVED	TR	0.0023	0.00074	0.01	mg/L	1	B	
S6	9/23/2002	Chromium-DISSOLVED	TR	0.001	0.00074	0.01	mg/L	1	J	
S7	9/23/2002	Chromium-DISSOLVED	TR	0.0025	0.00074	0.01	mg/L	1	J	
S10	5/24/2004	Chromium-TOTAL	TR	0.0097	0.0021	0.01	mg/L	1	J	
S10	12/1/2004	Chromium-TOTAL	TR	0.0018	0.0012	0.01	mg/L	1	J	
S10	3/3/2005	Chromium-TOTAL	TR	0.0016	0.0012	0.01	mg/L	1	J	
S10	9/4/2007	Chromium-TOTAL	TR	0.037	0.013	0.05	MG/L	5	J	
S10	9/1/2010	Chromium-TOTAL	TR	0.0011	0.00066	0.01	MG/L	1	J	

tmpAnalyticalResultsOverTime

S10	9/1/2010 Chromium-TOTAL	TR	0.0012	0.00066	0.01	MG/L	1 J
S11	12/1/2004 Chromium-TOTAL	TR	0.0013	0.0012	0.01	mg/L	1 J
S11	9/4/2007 Chromium-TOTAL	TR	0.039	0.013	0.05	MG/L	5 J
S11	9/3/2008 Chromium-TOTAL	TR	0.0041	0.0033	0.05	MG/L	5 J
S11	9/2/2009 Chromium-TOTAL	TR	0.01	0.00066	0.01	MG/L	1 UJ
S2	9/18/2002 Chromium-TOTAL	TR	0.0038	0.0037	0.05	mg/L	5 J
S2	12/13/2002 Chromium-TOTAL	TR	0.0068	0.0037	0.05	mg/L	5 J
S2	9/4/2007 Chromium-TOTAL	TR	0.036	0.013	0.05	MG/L	5 J
S2	9/1/2010 Chromium-TOTAL	TR	0.001	0.00066	0.01	MG/L	1 J
S3	12/13/2002 Chromium-TOTAL	TR	0.0088	0.0037	0.05	mg/L	5 J
S3	9/5/2003 Chromium-TOTAL	TR	0.0032	0.0021	0.01	mg/L	1 J
S3	9/4/2007 Chromium-TOTAL	TR	0.039	0.013	0.05	MG/L	5 J
S3	9/2/2008 Chromium-TOTAL	TR	0.00092	0.00066	0.01	mg/L	1 J
S3	9/2/2009 Chromium-TOTAL	TR	0.01	0.00066	0.01	MG/L	1 U
S4	12/13/2002 Chromium-TOTAL	TR	0.008	0.0037	0.05	mg/L	5 J
S4	9/10/2007 Chromium-TOTAL	TR	0.039	0.013	0.05	MG/L	5 J
S4	9/3/2008 Chromium-TOTAL	TR	0.001	0.00066	0.01	MG/L	1 J
S4	9/2/2009 Chromium-TOTAL	TR	0.01	0.00066	0.01	MG/L	1 U
S5	6/24/2002 Chromium-TOTAL	TR	0.0037	0.00074	0.01	mg/L	1 J
S5	9/7/2007 Chromium-TOTAL	TR	0.038	0.013	0.05	MG/L	5 J
S5	9/2/2009 Chromium-TOTAL	TR	0.01	0.00066	0.01	MG/L	1 U
S6	6/24/2002 Chromium-TOTAL	TR	0.0056	0.00074	0.01	mg/L	1 J
S6	6/24/2002 Chromium-TOTAL	TR	0.007	0.00074	0.01	mg/L	1 J
S6	9/23/2002 Chromium-TOTAL	TR	0.0017	0.00074	0.01	mg/L	1 J
S6	12/18/2002 Chromium-TOTAL	TR	0.0078	0.0037	0.05	mg/L	5 J
S6	9/8/2004 Chromium-TOTAL	TR	0.0021	0.0012	0.01	mg/L	1 J
S6	9/7/2007 Chromium-TOTAL	TR	0.037	0.013	0.05	MG/L	5 J
S6	9/4/2008 Chromium-TOTAL	TR	0.0014	0.00066	0.01	MG/L	1 J
S6	9/3/2009 Chromium-TOTAL	TR	0.0018	0.00066	0.01	MG/L	1 J
S7	6/21/2002 Chromium-TOTAL	TR	0.0037	0.00074	0.01	mg/L	1 J
S7	9/23/2002 Chromium-TOTAL	TR	0.0028	0.00074	0.01	mg/L	1 J
S7	12/17/2002 Chromium-TOTAL	TR	0.011	0.0037	0.05	mg/L	5 J
S7	9/11/2003 Chromium-TOTAL	TR	0.0057	0.0021	0.01	mg/L	1 J
S7	9/7/2004 Chromium-TOTAL	TR	0.0039	0.0012	0.01	mg/L	1 J
S7	9/2/2005 Chromium-TOTAL	TR	0.0061	0.0026	0.01	MG/L	1 J
S7	9/7/2006 Chromium-TOTAL	TR	0.0096	0.0026	0.01	MG/L	1 J
S7	9/10/2007 Chromium-TOTAL	TR	0.04	0.013	0.05	MG/L	5 J
S7	9/4/2008 Chromium-TOTAL	TR	0.0032	0.00066	0.01	MG/L	1 J
S7	9/8/2009 Chromium-TOTAL	TR	0.0017	0.00066	0.01	MG/L	1 J
S7	9/8/2009 Chromium-TOTAL	TR	0.0025	0.00066	0.01	MG/L	1 J
S7	9/7/2010 Chromium-TOTAL	TR	0.0012	0.00066	0.01	MG/L	1 J
S8	9/3/2009 Chromium-TOTAL	TR	0.00077	0.00066	0.01	MG/L	1 J
S9	12/12/2002 Chromium-TOTAL	TR	0.009	0.0037	0.05	mg/L	5 J
S9	9/3/2004 Chromium-TOTAL	TR	0.0012	0.0012	0.01	mg/L	1 J
S9	9/5/2007 Chromium-TOTAL	TR	0.039	0.013	0.05	MG/L	5 J
S10	12/1/2004 Copper-DISSOLVED	TR	0.0016	0.0016	0.01	mg/L	1 J
S10	12/1/2004 Copper-DISSOLVED	TR	0.0019	0.0016	0.01	mg/L	1 J
S11	12/1/2004 Copper-DISSOLVED	TR	0.015	0.008	0.05	mg/L	5 J
S2	6/26/2002 Copper-DISSOLVED	TR	0.0041	0.0015	0.02	mg/L	2 J
S2	9/18/2002 Copper-DISSOLVED	TR	0.0051	0.0038	0.05	mg/L	5 J
S3	6/25/2002 Copper-DISSOLVED	TR	0.0066	0.0015	0.02	mg/L	2 J
S3	9/19/2002 Copper-DISSOLVED	TR	0.0019	0.00076	0.01	mg/L	1 J
S3	9/19/2002 Copper-DISSOLVED	TR	0.0014	0.00076	0.01	mg/L	1 J
S4	9/19/2002 Copper-DISSOLVED	TR	0.0011	0.00076	0.01	mg/L	1 J
S5	6/24/2002 Copper-DISSOLVED	TR	0.0016	0.00076	0.01	mg/L	1 J
S5	9/20/2002 Copper-DISSOLVED	TR	0.00088	0.00076	0.01	mg/L	1 J
S6	6/24/2002 Copper-DISSOLVED	TR	0.0023	0.00076	0.01	mg/L	1 J

tmpAnalyticalResultsOverTime

S6	6/24/2002	Copper-DISSOLVED	TR	0.0017	0.00076	0.01	mg/L	1	J	
S10	9/1/2009	Copper-TOTAL	TR	0.0023	0.0014	0.01	MG/L	1	J	
S10	9/1/2010	Copper-TOTAL	TR	0.01	0.0026	0.01	MG/L	1	U	
S10	9/1/2010	Copper-TOTAL	TR	0.01	0.0028	0.01	MG/L	1	U	
S11	12/1/2004	Copper-TOTAL	TR	0.0022	0.0016	0.01	mg/L	1	J	
S2	6/26/2002	Copper-TOTAL	TR	0.0016	0.0015	0.02	mg/L	2	B	
S2	9/18/2002	Copper-TOTAL	TR	0.0092	0.0038	0.05	mg/L	5	J	
S2	3/4/2003	Copper-TOTAL	TR	0.045	0.0076	0.1	mg/L	10	J	
S2	3/4/2003	Copper-TOTAL	TR	0.024	0.0038	0.05	mg/L	5	J	
S2	6/5/2003	Copper-TOTAL	TR	0.049	0.0097	0.1	mg/L	10	J	
S2	9/5/2003	Copper-TOTAL	TR	0.019	0.0048	0.05	mg/L	5	J	
S2	9/5/2003	Copper-TOTAL	TR	0.016	0.0048	0.05	mg/L	5	J	
S2	12/3/2003	Copper-TOTAL	TR	0.045	0.0048	0.05	mg/L	5	J	
S2	9/2/2008	Copper-TOTAL	TR	0.0088	0.0068	0.05	mg/L	5	J	
S2	9/2/2009	Copper-TOTAL	TR	0.015	0.0068	0.05	MG/L	5	J	
S2	9/1/2010	Copper-TOTAL	TR	0.01	0.0065	0.01	MG/L	1	U	
S3	6/25/2002	Copper-TOTAL	TR	0.0056	0.0015	0.02	mg/L	2	B	
S3	9/19/2002	Copper-TOTAL	TR	0.0028	0.00076	0.01	mg/L	1	J	
S3	3/5/2003	Copper-TOTAL	TR	0.0011	0.00076	0.01	mg/L	1	J	
S3	6/5/2003	Copper-TOTAL	TR	0.0094	0.00097	0.01	mg/L	1	J	
S3	9/5/2003	Copper-TOTAL	TR	0.0091	0.00097	0.01	mg/L	1	J	
S3	12/2/2003	Copper-TOTAL	TR	0.0023	0.00097	0.01	mg/L	1	J	
S3	9/9/2004	Copper-TOTAL	TR	0.002	0.00097	0.01	mg/L	1	J	
S3	9/9/2004	Copper-TOTAL	TR	0.0019	0.00097	0.01	mg/L	1	J	
S3	9/2/2008	Copper-TOTAL	TR	0.0014	0.0014	0.01	mg/L	1	J	
S3	9/2/2009	Copper-TOTAL	TR	0.0016	0.0014	0.01	MG/L	1	J	
S3	9/1/2010	Copper-TOTAL	TR	0.01	0.0016	0.01	MG/L	1	U	
S4	6/25/2002	Copper-TOTAL	TR	0.0018	0.00076	0.01	mg/L	1	B	
S4	9/8/2003	Copper-TOTAL	TR	0.004	0.00097	0.01	mg/L	1	J	
S4	9/9/2004	Copper-TOTAL	TR	0.0013	0.00097	0.01	mg/L	1	J	
S4	9/3/2008	Copper-TOTAL	TR	0.0029	0.0014	0.01	MG/L	1	J	
S4	9/2/2009	Copper-TOTAL	TR	0.002	0.0014	0.01	MG/L	1	J	
S4	9/2/2010	Copper-TOTAL	TR	0.01	0.0028	0.01	MG/L	1	U	
S5	9/8/2004	Copper-TOTAL	TR	0.0044	0.0016	0.01	mg/L	1	J	
S5	9/2/2009	Copper-TOTAL	TR	0.0022	0.0014	0.01	MG/L	1	J	
S5	9/3/2010	Copper-TOTAL	TR	0.01	0.0018	0.01	MG/L	1	U	
S6	6/24/2002	Copper-TOTAL	TR	0.0018	0.00076	0.01	mg/L	1	B	
S6	9/23/2002	Copper-TOTAL	TR	0.0008	0.00076	0.01	mg/L	1	J	
S6	9/8/2004	Copper-TOTAL	TR	0.0049	0.0016	0.01	mg/L	1	J	
S7	6/21/2002	Copper-TOTAL	TR	0.0067	0.00076	0.01	mg/L	1	B	
S7	9/11/2003	Copper-TOTAL	TR	0.0072	0.00097	0.01	mg/L	1	J	
S7	9/7/2004	Copper-TOTAL	TR	0.0063	0.0016	0.01	mg/L	1	J	
S7	9/7/2006	Copper-TOTAL	TR	0.0079	0.0045	0.01	MG/L	1	J	
S7	9/4/2008	Copper-TOTAL	TR	0.0028	0.0014	0.01	MG/L	1	J	
S7	9/8/2009	Copper-TOTAL	TR	0.0016	0.0014	0.01	MG/L	1	J	
S8	6/21/2002	Copper-TOTAL	TR	0.002	0.00076	0.01	mg/L	1	B	
S8	9/11/2003	Copper-TOTAL	TR	0.0016	0.00097	0.01	mg/L	1	J	
S8	9/4/2008	Copper-TOTAL	TR	0.0018	0.0014	0.01	MG/L	1	J	
S8	9/3/2009	Copper-TOTAL	TR	0.0029	0.0014	0.01	MG/L	1	J	
S6	9/8/2004	Ethanol	TR	130	78	200	ug/L	1	J	
S10	9/1/2009	Fluoride	TR	0.81	0.3	2.5	MG/L	5	J	
S3	9/2/2008	Fluoride	TR	0.66	0.6	1	mg/L	10	J	
S3	9/2/2009	Fluoride	TR	0.85	0.3	2.5	MG/L	5	J	
S5	9/2/2009	Fluoride	TR	0.79	0.3	2.5	MG/L	5	J	
S5	9/3/2010	FLUORIDE	TR	0.48	0.3	0.5	MG/L	5	J	
S10	9/1/2009	Hafnium-TOTAL	TR	0.05	0.00053	0.05	0.05	MG/L	5	U
S10	9/1/2010	Hafnium-TOTAL	TR	0.0068	0.0011	0.01	0.01	MG/L	1	

tmpAnalyticalResultsOverTime

S10	9/1/2010	Hafnium-TOTAL	TR	0.0019	0.0011	0.01	0.01	MG/L	1
S3	9/1/2010	Hafnium-TOTAL	TR	0.0016	0.0011	0.01	0.01	MG/L	1
S5	9/3/2010	Hafnium-TOTAL	TR	0.002	0.0011	0.01	0.01	MG/L	1
S7	9/8/2009	Hafnium-TOTAL	TR	0.0017	0.00053	0.05	0.05	MG/L	5 J
S7	9/7/2010	Hafnium-TOTAL	TR	0.018	0.0056	0.05	0.05	MG/L	5
S9	9/4/2009	Hafnium-TOTAL	TR	0.0017	0.00053	0.05	0.05	MG/L	5 J
S10	9/10/2004	Iron-DISSOLVED	TR	0.045	0.028		0.1	mg/L	1 J
S10	12/1/2004	Iron-DISSOLVED	TR	0.064	0.028		0.1	mg/L	1 J
S10	12/1/2004	Iron-DISSOLVED	TR	0.066	0.028		0.1	mg/L	1 J
S10	3/3/2005	Iron-DISSOLVED	TR	0.074	0.028		0.1	mg/L	1 J
S2	6/26/2002	Iron-DISSOLVED	TR	0.015	0.013		0.1	mg/L	1 B
S2	12/13/2002	Iron-DISSOLVED	TR	0.013	0.013		0.1	mg/L	1 J
S3	6/25/2002	Iron-DISSOLVED	TR	0.021	0.013		0.1	mg/L	1 B
S4	12/13/2002	Iron-DISSOLVED	TR	0.026	0.013		0.1	mg/L	1 J
S5	12/16/2002	Iron-DISSOLVED	TR	0.091	0.013		0.1	mg/L	1 J
S6	6/24/2002	Iron-DISSOLVED	TR	0.071	0.013		0.1	mg/L	1 B
S7	12/17/2002	Iron-DISSOLVED	TR	0.047	0.013		0.1	mg/L	1 J
S8	12/16/2002	Iron-DISSOLVED	TR	0.063	0.013		0.1	mg/L	1 J
S9	6/20/2002	Iron-DISSOLVED	TR	0.048	0.013		0.1	mg/L	1 B
S9	9/11/2002	Iron-DISSOLVED	TR	0.041	0.013		0.1	mg/L	1 J
S9	12/12/2002	Iron-DISSOLVED	TR	0.043	0.013		0.1	mg/L	1 J
S10	9/10/2004	Iron-TOTAL	TR	0.085	0.028		0.1	mg/L	1 J
S10	9/1/2009	Iron-TOTAL	TR	0.064	0.022		0.1	MG/L	1 J
S2	6/26/2002	Iron-TOTAL	TR	0.088	0.013		0.1	mg/L	1 B
S2	9/18/2002	Iron-TOTAL	TR	0.016	0.013		0.1	mg/L	1 J
S2	12/13/2002	Iron-TOTAL	TR	0.059	0.013		0.1	mg/L	1 J
S2	12/3/2003	Iron-TOTAL	TR	0.027	0.019		0.1	mg/L	1 J
S2	9/4/2007	Iron-TOTAL	TR	0.22	0.11		0.5	MG/L	5 J
S3	9/19/2002	Iron-TOTAL	TR	0.026	0.013		0.1	mg/L	1 J
S3	9/19/2002	Iron-TOTAL	TR	0.021	0.013		0.1	mg/L	1 J
S3	12/13/2002	Iron-TOTAL	TR	0.026	0.013		0.1	mg/L	1 J
S3	3/5/2003	Iron-TOTAL	TR	0.027	0.013		0.1	mg/L	1 J
S3	12/2/2003	Iron-TOTAL	TR	0.033	0.019		0.1	mg/L	1 J
S4	12/13/2002	Iron-TOTAL	TR	0.066	0.013		0.1	mg/L	1 J
S4	9/8/2003	Iron-TOTAL	TR	0.036	0.019		0.1	mg/L	1 J
S4	9/9/2004	Iron-TOTAL	TR	0.043	0.028		0.1	mg/L	1 J
S4	9/6/2006	Iron-TOTAL	TR	0.027	0.022		0.1	MG/L	1 J
S4	9/2/2009	Iron-TOTAL	TR	0.027	0.022		0.1	MG/L	1 J
S4	9/2/2010	Iron-TOTAL	TR	0.04	0.022		0.1	MG/L	1 J
S5	9/6/2006	Iron-TOTAL	TR	0.077	0.022		0.1	MG/L	1 J
S5	9/2/2009	Iron-TOTAL	TR	0.065	0.022		0.1	MG/L	1 J
S5	9/3/2010	Iron-TOTAL	TR	0.07	0.022		0.1	MG/L	1 J
S6	9/9/2005	Iron-TOTAL	TR	0.5	0.21		1	MG/L	10 J
S6	9/7/2007	Iron-TOTAL	TR	0.28	0.11		0.5	MG/L	5 J
S6	9/3/2010	Iron-TOTAL	TR	0.24	0.22		1	MG/L	10 J
S9	9/11/2002	Iron-TOTAL	TR	0.076	0.013		0.1	mg/L	1 J
S9	12/12/2002	Iron-TOTAL	TR	0.077	0.013		0.1	mg/L	1 J
S9	9/11/2003	Iron-TOTAL	TR	0.09	0.019		0.1	mg/L	1 J
S9	9/7/2006	Iron-TOTAL	TR	0.082	0.022		0.1	MG/L	1 J
S9	9/4/2009	Iron-TOTAL	TR	0.085	0.022		0.1	MG/L	1 J
S9	9/8/2010	Iron-TOTAL	TR	0.1	0.047		0.1	MG/L	1 U
S7	12/17/2002	Lead-DISSOLVED	TR	0.012	0.01		0.015	mg/L	5 J
S9	12/12/2002	Lead-DISSOLVED	TR	0.011	0.01		0.015	mg/L	5 J
S3	9/5/2003	Lead-TOTAL	TR	0.0022	0.0021		0.003	mg/L	1 J
S5	12/16/2002	Lead-TOTAL	TR	0.011	0.01		0.015	mg/L	5 J
S6	9/7/2007	Lead-TOTAL	TR	0.00049	0.00018		0.001	MG/L	1 J
S7	6/21/2002	Lead-TOTAL	TR	0.0024	0.002		0.003	mg/L	1 J

tmpAnalyticalResultsOverTime

S7	9/10/2007	Lead-TOTAL	TR	0.0007	0.00018	0.001	MG/L	1	J		
S7	9/4/2008	Lead-TOTAL	TR	0.0011	0.0009	0.005	MG/L	5	J		
S7	9/7/2010	Lead-TOTAL	TR	0.0015	0.0009	0.005	MG/L	5	J		
S6	12/18/2002	Mercury-DISSOLVED	TR	0.000027	0.000015	0.0002	mg/L	1	J		
S11	9/2/2009	Mercury-TOTAL	TR	0.000038	0.000027	0.0002	MG/L	1	J		
S2	9/5/2003	Mercury-TOTAL	TR	0.000059	0.000054	0.0002	mg/L	1	J		
S2	9/2/2009	Mercury-TOTAL	TR	0.000041	0.000027	0.0002	MG/L	1	J		
S3	9/5/2003	Mercury-TOTAL	TR	0.000055	0.000054	0.0002	mg/L	1	J		
S3	9/2/2009	Mercury-TOTAL	TR	0.000034	0.000027	0.0002	MG/L	1	J		
S4	9/9/2004	Mercury-TOTAL	TR	0.000041	0.000025	0.0002	mg/L	1	J		
S4	9/2/2009	Mercury-TOTAL	TR	0.000036	0.000027	0.0002	MG/L	1	J		
S5	9/2/2009	Mercury-TOTAL	TR	0.000032	0.000027	0.0002	MG/L	1	J		
S6	12/18/2002	Mercury-TOTAL	TR	0.00003	0.000015	0.0002	mg/L	1	J		
S7	9/8/2009	Mercury-TOTAL	TR	0.000034	0.000027	0.0002	MG/L	1	J		
S7	9/8/2009	Mercury-TOTAL	TR	0.000042	0.000027	0.0002	MG/L	1	J		
S8	9/3/2009	Mercury-TOTAL	TR	0.000089	0.000027	0.0002	MG/L	1	J		
S9	9/4/2009	Mercury-TOTAL	TR	0.0002	0.000027	0.0002	MG/L	1	U		
S2	3/4/2003	Methylene chloride	TR	0.28	0.21	1	ug/L	1	J		
S2	3/4/2003	Methylene chloride	TR	0.25	0.21	1	ug/L	1	J		
S10	5/24/2004	Nickel-DISSOLVED	TR	0.0093	0.0042	0.04	mg/L	1	J	NA	
S10	5/24/2004	Nickel-DISSOLVED	TR	0.0093	0.0042	0.04	mg/L	1	J		mg/L
S10	9/10/2004	Nickel-DISSOLVED	TR	0.0034	0.002	0.04	mg/L	1	J		
S10	12/1/2004	Nickel-DISSOLVED	TR	0.0059	0.002	0.04	mg/L	1	J		
S10	12/1/2004	Nickel-DISSOLVED	TR	0.0056	0.002	0.04	mg/L	1	J		
S10	3/3/2005	Nickel-DISSOLVED	TR	0.0027	0.002	0.04	mg/L	1	J		
S11	5/24/2004	Nickel-DISSOLVED	TR	0.0051	0.0042	0.04	mg/L	1	J		
S2	6/26/2002	Nickel-DISSOLVED	TR	0.0065	0.0034	0.08	mg/L	2	B		
S3	6/25/2002	Nickel-DISSOLVED	TR	0.0059	0.0034	0.08	mg/L	2	B		
S5	6/24/2002	Nickel-DISSOLVED	TR	0.0028	0.0017	0.04	mg/L	1	B		
S6	6/24/2002	Nickel-DISSOLVED	TR	0.0023	0.0017	0.04	mg/L	1	B		
S6	6/24/2002	Nickel-DISSOLVED	TR	0.0039	0.0017	0.04	mg/L	1	B		
S7	6/21/2002	Nickel-DISSOLVED	TR	0.0019	0.0017	0.04	mg/L	1	B		
S7	9/23/2002	Nickel-DISSOLVED	TR	0.0028	0.0017	0.04	mg/L	1	J		
S10	5/24/2004	Nickel-TOTAL	TR	0.0076	0.0042	0.04	mg/L	1	J		
S10	5/24/2004	Nickel-TOTAL	TR	0.0076	0.0042	0.04	mg/L	1	J		
S10	12/1/2004	Nickel-TOTAL	TR	0.0071	0.002	0.04	mg/L	1	J		
S10	12/1/2004	Nickel-TOTAL	TR	0.0062	0.002	0.04	mg/L	1	J		
S10	3/3/2005	Nickel-TOTAL	TR	0.0033	0.002	0.04	mg/L	1	J		
S10	9/7/2005	Nickel-TOTAL	TR	0.0016	0.0012	0.04	MG/L	1	J		
S11	5/24/2004	Nickel-TOTAL	TR	0.0049	0.0042	0.04	mg/L	1	J		
S11	9/7/2005	Nickel-TOTAL	TR	0.0026	0.0012	0.04	MG/L	1	J		
S2	6/26/2002	Nickel-TOTAL	TR	0.0079	0.0034	0.08	mg/L	2	J		
S2	9/7/2005	Nickel-TOTAL	TR	0.006	0.0058	0.2	MG/L	5	J		
S2	9/2/2008	Nickel-TOTAL	TR	0.012	0.0064	0.2	mg/L	5	J		
S2	9/2/2009	Nickel-TOTAL	TR	0.017	0.0064	0.2	MG/L	5	J		
S2	9/1/2010	Nickel-TOTAL	TR	0.019	0.0013	0.04	MG/L	1	J		
S3	9/19/2002	Nickel-TOTAL	TR	0.002	0.0017	0.04	mg/L	1	J		
S3	3/5/2003	Nickel-TOTAL	TR	0.0036	0.0017	0.04	mg/L	1	J		
S3	6/5/2003	Nickel-TOTAL	TR	0.012	0.0042	0.04	mg/L	1	J		
S3	9/5/2003	Nickel-TOTAL	TR	0.0068	0.0042	0.04	mg/L	1	J		
S3	12/2/2003	Nickel-TOTAL	TR	0.0048	0.0042	0.04	mg/L	1	J		
S3	9/7/2005	Nickel-TOTAL	TR	0.0034	0.0012	0.04	MG/L	1	J		
S4	6/25/2002	Nickel-TOTAL	TR	0.0021	0.0017	0.04	mg/L	1	J		
S5	6/24/2002	Nickel-TOTAL	TR	0.0045	0.0017	0.04	mg/L	1	J		
S5	9/8/2004	Nickel-TOTAL	TR	0.002	0.002	0.04	mg/L	1	J		
S5	9/8/2005	Nickel-TOTAL	TR	0.0024	0.0012	0.04	MG/L	1	J		
S6	6/24/2002	Nickel-TOTAL	TR	0.0041	0.0017	0.04	mg/L	1	J		

tmpAnalyticalResultsOverTime

S6	6/24/2002	Nickel-TOTAL	TR	0.0045	0.0017	0.04	mg/L	1	J
S6	9/8/2004	Nickel-TOTAL	TR	0.0037	0.002	0.04	mg/L	1	J
S7	6/21/2002	Nickel-TOTAL	TR	0.0052	0.0017	0.04	mg/L	1	J
S7	9/23/2002	Nickel-TOTAL	TR	0.0026	0.0017	0.04	mg/L	1	J
S7	9/11/2003	Nickel-TOTAL	TR	0.0058	0.0042	0.04	mg/L	1	J
S7	9/7/2004	Nickel-TOTAL	TR	0.0064	0.002	0.04	mg/L	1	J
S7	9/2/2005	Nickel-TOTAL	TR	0.0062	0.0012	0.04	MG/L	1	J
S7	9/7/2006	Nickel-TOTAL	TR	0.008	0.0078	0.04	MG/L	1	J
S7	9/4/2008	Nickel-TOTAL	TR	0.0022	0.0013	0.04	MG/L	1	J
S7	9/8/2009	Nickel-TOTAL	TR	0.0014	0.0013	0.04	MG/L	1	J
S8	9/3/2004	Nickel-TOTAL	TR	0.002	0.002	0.04	mg/L	1	J
S8	9/2/2005	Nickel-TOTAL	TR	0.0027	0.0012	0.04	MG/L	1	J
S8	9/3/2009	Nickel-TOTAL	TR	0.0024	0.0013	0.04	MG/L	1	J
S9	9/2/2005	Nickel-TOTAL	TR	0.007	0.0012	0.04	MG/L	1	J
S10	12/1/2004	Nitrate	TR	0.036	0.021	0.1	mg/L	1	J
S10	12/1/2004	Nitrate	TR	0.093	0.021	0.1	mg/L	1	J
S10	3/3/2005	Nitrate	TR	0.03	0.021	0.1	mg/L	1	J
S10	6/1/2006	Nitrate	TR	0.041	0.019	0.1	MG/L	1	J
S10	9/6/2006	Nitrate	TR	0.051	0.019	0.1	MG/L	1	J
S10	9/4/2007	Nitrate	TR	0.023	0.019	0.1	MG/L	1	J
S10	9/1/2009	Nitrate	TR	0.022	0.019	0.1	MG/L	1	J
S10	6/3/2010	NITRATE	TR	0.048	0.019	0.1	MG/L	1	J
S11	6/2/2006	Nitrate	TR	0.039	0.019	0.1	MG/L	1	J
S11	12/6/2006	Nitrate	TR	0.023	0.019	0.1	MG/L	1	J
S11	12/4/2007	Nitrate	TR	0.047	0.019	0.1	MG/L	1	J
S3	9/4/2007	Nitrate	TR	0.028	0.019	0.1	MG/L	1	J
S3	9/2/2009	Nitrate	TR	0.034	0.019	0.1	MG/L	1	J
S3	9/1/2010	NITRATE	TR	0.033	0.019	0.1	MG/L	1	J
S4	9/19/2002	Nitrate	TR	0.042	0.01	0.1	mg/L	1	J
S4	3/6/2003	Nitrate	TR	0.072	0.012	0.1	mg/L	1	J
S4	6/9/2003	Nitrate	TR	0.012	0.012	0.1	mg/L	1	J
S4	9/8/2003	Nitrate	TR	0.052	0.012	0.1	mg/L	1	J
S4	6/2/2004	Nitrate	TR	0.048	0.021	0.1	mg/L	1	J
S4	3/2/2006	Nitrate	TR	0.071	0.019	0.1	MG/L	1	J
S4	6/1/2006	Nitrate	TR	0.037	0.019	0.1	MG/L	1	J
S4	3/2/2007	Nitrate	TR	0.037	0.019	0.1	MG/L	1	J
S4	12/4/2007	Nitrate	TR	0.048	0.019	0.1	MG/L	1	J
S4	9/3/2008	Nitrate	TR	0.024	0.019	0.1	MG/L	1	J
S4	12/2/2008	Nitrate	TR	0.02	0.019	0.1	MG/L	1	J
S4	6/2/2009	Nitrate	TR	0.036	0.019	0.1	MG/L	1	J
S4	12/3/2009	Nitrate	TR	0.028	0.019	0.1	MG/L	1	J
S4	3/4/2010	NITRATE	TR	0.026	0.019	0.1	MG/L	1	J
S5	6/24/2002	Nitrate	TR	0.049	0.01	0.1	mg/L	1	J
S5	12/16/2002	Nitrate	TR	0.021	0.01	0.1	mg/L	1	J
S5	3/6/2003	Nitrate	TR	0.024	0.012	0.1	mg/L	1	J
S5	6/6/2003	Nitrate	TR	0.039	0.012	0.1	mg/L	1	J
S5	3/2/2004	Nitrate	TR	0.068	0.021	0.1	mg/L	1	J
S5	3/4/2005	Nitrate	TR	0.06	0.021	0.1	mg/L	1	J
S5	3/2/2007	Nitrate	TR	0.032	0.019	0.1	MG/L	1	J
S5	9/7/2007	Nitrate	TR	0.06	0.019	0.1	MG/L	1	J
S5	12/6/2007	Nitrate	TR	0.062	0.019	0.1	MG/L	1	J
S5	3/3/2009	Nitrate	TR	0.042	0.019	0.1	MG/L	1	J
S5	6/1/2009	Nitrate	TR	0.022	0.019	0.1	MG/L	1	J
S5	12/3/2009	Nitrate	TR	0.028	0.019	0.1	MG/L	1	J
S5	3/4/2010	NITRATE	TR	0.048	0.019	0.1	MG/L	1	J
S5	6/7/2010	NITRATE	TR	0.062	0.019	0.1	MG/L	1	J
S5	12/6/2010	NITRATE	TR	0.022	0.019	0.1	MG/L	1	J



tmpAnalyticalResultsOverTime

S6	3/10/2003 Nitrate	TR	0.021	0.012	0.1	mg/L	1 J
S6	6/6/2003 Nitrate	TR	0.03	0.012	0.1	mg/L	1 J
S6	9/9/2003 Nitrate	TR	0.051	0.012	0.1	mg/L	1 J
S6	3/2/2004 Nitrate	TR	0.053	0.021	0.1	mg/L	1 J
S6	6/3/2005 Nitrate	TR	0.068	0.021	0.1	mg/L	1 J
S6	9/7/2006 Nitrate	TR	0.043	0.019	0.1	MG/L	1 J
S6	6/5/2007 Nitrate	TR	0.058	0.019	0.1	MG/L	1 J
S6	9/7/2007 Nitrate	TR	0.051	0.019	0.1	MG/L	1 J
S6	6/6/2008 Nitrate	TR	0.02	0.019	0.1	MG/L	1 J
S6	9/3/2009 Nitrate	TR	0.026	0.019	0.1	MG/L	1 J
S6	3/4/2010 NITRATE	TR	0.05	0.019	0.1	MG/L	1 J
S6	9/3/2010 NITRATE	TR	0.039	0.019	0.1	MG/L	1 J
S7	6/21/2002 Nitrate	TR	0.091	0.01	0.1	mg/L	1 J
S7	9/23/2002 Nitrate	TR	0.034	0.01	0.1	mg/L	1 J
S7	3/7/2003 Nitrate	TR	0.039	0.012	0.1	mg/L	1 J
S7	9/11/2003 Nitrate	TR	0.065	0.012	0.1	mg/L	1 J
S7	3/2/2004 Nitrate	TR	0.022	0.021	0.1	mg/L	1 J
S7	6/4/2004 Nitrate	TR	0.035	0.021	0.1	mg/L	1 J
S7	9/7/2004 Nitrate	TR	0.043	0.021	0.1	mg/L	1 J
S7	3/8/2005 Nitrate	TR	0.031	0.021	0.1	mg/L	1 J
S7	9/2/2005 Nitrate	TR	0.06	0.021	0.1	MG/L	1 J
S7	6/5/2006 NITRATE	TR	0.05	0.019	0.1	MG/L	1 J
S7	9/7/2006 Nitrate	TR	0.042	0.019	0.1	MG/L	1 J
S7	6/5/2007 Nitrate	TR	0.04	0.019	0.1	MG/L	1 J
S7	3/5/2009 Nitrate	TR	0.021	0.019	0.1	MG/L	1 J
S7	6/3/2009 Nitrate	TR	0.041	0.019	0.1	MG/L	1 J
S7	12/4/2009 Nitrate	TR	0.043	0.019	0.1	MG/L	1 J
S7	3/3/2010 NITRATE	TR	0.024	0.019	0.1	MG/L	1 J
S8	9/20/2002 Nitrate	TR	0.097	0.01	0.1	mg/L	1 J
S8	12/16/2002 Nitrate	TR	0.015	0.01	0.1	mg/L	1 J
S8	3/7/2003 Nitrate	TR	0.045	0.012	0.1	mg/L	1 J
S8	3/7/2003 Nitrate	TR	0.057	0.012	0.1	mg/L	1 J
S8	6/10/2003 Nitrate	TR	0.03	0.012	0.1	mg/L	1 J
S8	9/11/2003 Nitrate	TR	0.064	0.012	0.1	mg/L	1 J
S8	12/5/2007 Nitrate	TR	0.041	0.019	0.1	MG/L	1 J
S8	3/3/2008 Nitrate	TR	0.044	0.019	0.1	MG/L	1 J
S8	3/4/2009 Nitrate	TR	0.078	0.019	0.1	MG/L	1 J
S8	3/4/2009 Nitrate	TR	0.083	0.019	0.1	MG/L	1 J
S8	9/3/2010 NITRATE	TR	0.02	0.019	0.1	MG/L	1 J
S8	12/6/2010 NITRATE	TR	0.02	0.019	0.1	MG/L	1 J
S9	12/12/2002 Nitrate	TR	0.013	0.01	0.1	mg/L	1
S9	3/6/2003 Nitrate	TR	0.067	0.012	0.1	mg/L	1 J
S9	6/9/2003 Nitrate	TR	0.084	0.012	0.1	mg/L	1 J
S9	9/11/2003 Nitrate	TR	0.083	0.012	0.1	mg/L	1 J
S9	3/2/2004 Nitrate	TR	0.026	0.021	0.1	mg/L	1 J
S9	6/3/2005 Nitrate	TR	0.023	0.021	0.1	mg/L	1 J
S9	12/5/2005 Nitrate	TR	0.08	0.021	0.1	MG/L	1 J
S9	9/7/2006 Nitrate	TR	0.047	0.019	0.1	MG/L	1 J
S9	12/5/2007 Nitrate	TR	0.065	0.019	0.1	MG/L	1 J
S9	3/7/2008 Nitrate	TR	0.029	0.019	0.1	MG/L	1 J
S9	6/3/2009 Nitrate	TR	0.036	0.019	0.1	MG/L	1 J
S9	3/8/2010 NITRATE	TR	0.043	0.019	0.1	MG/L	1 J
S9	12/7/2010 NITRATE	TR	0.025	0.019	0.1	MG/L	1 J
S10	12/1/2004 Nitrate-Nitrite	TR	0.036	0.031	0.1	mg/L	1 J
S10	12/1/2004 Nitrate-Nitrite	TR	0.093	0.031	0.1	mg/L	1 J
S10	3/3/2005 Nitrate-Nitrite	TR	0.032	0.031	0.1	mg/L	1 J
S10	6/1/2006 Nitrate-Nitrite	TR	0.045	0.019	0.1	MG/L	1 J

tmpAnalyticalResultsOverTime

S10	9/6/2006	Nitrate-Nitrite	TR	0.056	0.019	0.1	MG/L	1	J
S10	6/4/2007	Nitrate-Nitrite	TR	0.023	0.019	0.1	MG/L	1	J
S10	9/4/2007	Nitrate-Nitrite	TR	0.027	0.019	0.1	MG/L	1	J
S10	9/1/2009	Nitrate-Nitrite	TR	0.022	0.019	0.1	MG/L	1	J
S10	6/3/2010	NITRATE-NITRITE	TR	0.048	0.019	0.1	MG/L	1	J
S11	6/2/2006	Nitrate-Nitrite	TR	0.049	0.019	0.1	MG/L	1	J
S11	9/6/2006	Nitrate-Nitrite	TR	0.022	0.019	0.1	MG/L	1	J
S11	12/6/2006	Nitrate-Nitrite	TR	0.028	0.019	0.1	MG/L	1	J
S11	12/4/2007	Nitrate-Nitrite	TR	0.052	0.019	0.1	MG/L	1	J
S3	9/4/2007	Nitrate-Nitrite	TR	0.038	0.019	0.1	MG/L	1	J
S3	9/2/2009	Nitrate-Nitrite	TR	0.041	0.019	0.1	MG/L	1	J
S3	9/1/2010	NITRATE-NITRITE	TR	0.033	0.019	0.1	MG/L	1	J
S4	9/19/2002	Nitrate-Nitrite	TR	0.047	0.01	0.1	mg/L	1	J
S4	6/9/2003	Nitrate-Nitrite	TR	0.039	0.01	0.1	mg/L	1	J
S4	6/9/2003	Nitrate-Nitrite	TR	0.015	0.01	0.1	mg/L	1	J
S4	9/8/2003	Nitrate-Nitrite	TR	0.06	0.012	0.1	mg/L	1	J
S4	6/2/2004	Nitrate-Nitrite	TR	0.052	0.021	0.1	mg/L	1	J
S4	3/2/2006	Nitrate-Nitrite	TR	0.074	0.019	0.1	MG/L	1	J
S4	6/1/2006	Nitrate-Nitrite	TR	0.043	0.019	0.1	MG/L	1	J
S4	3/2/2007	Nitrate-Nitrite	TR	0.06	0.019	0.1	MG/L	1	J
S4	12/4/2007	Nitrate-Nitrite	TR	0.053	0.019	0.1	MG/L	1	J
S4	9/3/2008	Nitrate-Nitrite	TR	0.032	0.019	0.1	MG/L	1	J
S4	12/2/2008	Nitrate-Nitrite	TR	0.025	0.019	0.1	MG/L	1	J
S4	3/4/2009	Nitrate-Nitrite	TR	0.021	0.019	0.1	MG/L	1	J
S4	6/2/2009	Nitrate-Nitrite	TR	0.043	0.019	0.1	MG/L	1	J
S4	6/2/2009	Nitrate-Nitrite	TR	0.019	0.019	0.1	MG/L	1	J
S4	9/2/2009	Nitrate-Nitrite	TR	0.028	0.019	0.1	MG/L	1	J
S4	12/3/2009	Nitrate-Nitrite	TR	0.031	0.019	0.1	MG/L	1	J
S4	3/4/2010	NITRATE-NITRITE	TR	0.026	0.019	0.1	MG/L	1	J
S5	6/24/2002	Nitrate-Nitrite	TR	0.05	0.01	0.1	mg/L	1	B
S5	12/16/2002	Nitrate-Nitrite	TR	0.022	0.01	0.1	mg/L	1	J
S5	3/6/2003	Nitrate-Nitrite	TR	0.024	0.01	0.1	mg/L	1	J
S5	6/6/2003	Nitrate-Nitrite	TR	0.042	0.01	0.1	mg/L	1	J
S5	3/2/2004	Nitrate-Nitrite	TR	0.068	0.021	0.1	mg/L	1	J
S5	3/4/2005	Nitrate-Nitrite	TR	0.062	0.031	0.1	mg/L	1	J
S5	3/2/2007	Nitrate-Nitrite	TR	0.035	0.019	0.1	MG/L	1	J
S5	9/7/2007	Nitrate-Nitrite	TR	0.064	0.019	0.1	MG/L	1	J
S5	12/6/2007	Nitrate-Nitrite	TR	0.067	0.019	0.1	MG/L	1	J
S5	3/3/2009	Nitrate-Nitrite	TR	0.05	0.019	0.1	MG/L	1	J
S5	6/1/2009	Nitrate-Nitrite	TR	0.029	0.019	0.1	MG/L	1	J
S5	12/3/2009	Nitrate-Nitrite	TR	0.028	0.019	0.1	MG/L	1	J
S5	3/4/2010	NITRATE-NITRITE	TR	0.048	0.019	0.1	MG/L	1	J
S5	6/7/2010	NITRATE-NITRITE	TR	0.062	0.019	0.1	MG/L	1	J
S5	12/6/2010	NITRATE-NITRITE	TR	0.022	0.019	0.1	MG/L	1	J
S6	3/10/2003	Nitrate-Nitrite	TR	0.023	0.01	0.1	mg/L	1	J
S6	6/6/2003	Nitrate-Nitrite	TR	0.03	0.01	0.1	mg/L	1	J
S6	9/9/2003	Nitrate-Nitrite	TR	0.056	0.012	0.1	mg/L	1	J
S6	12/4/2003	Nitrate-Nitrite	TR	0.024	0.021	0.1	mg/L	1	J
S6	3/2/2004	Nitrate-Nitrite	TR	0.057	0.021	0.1	mg/L	1	J
S6	6/3/2005	Nitrate-Nitrite	TR	0.07	0.031	0.1	mg/L	1	J
S6	3/3/2006	Nitrate-Nitrite	TR	0.02	0.019	0.1	MG/L	1	J
S6	9/7/2006	Nitrate-Nitrite	TR	0.063	0.019	0.1	MG/L	1	J
S6	6/5/2007	Nitrate-Nitrite	TR	0.065	0.019	0.1	MG/L	1	J
S6	9/7/2007	Nitrate-Nitrite	TR	0.056	0.019	0.1	MG/L	1	J
S6	12/6/2007	Nitrate-Nitrite	TR	0.02	0.019	0.1	MG/L	1	J
S6	6/6/2008	Nitrate-Nitrite	TR	0.023	0.019	0.1	MG/L	1	J
S6	3/4/2009	Nitrate-Nitrite	TR	0.02	0.019	0.1	MG/L	1	J

tmpAnalyticalResultsOverTime

S6	6/2/2009	Nitrate-Nitrite	TR	0.022	0.019	0.1	MG/L	1	J
S6	9/3/2009	Nitrate-Nitrite	TR	0.036	0.019	0.1	MG/L	1	J
S6	3/4/2010	NITRATE-NITRITE	TR	0.05	0.019	0.1	MG/L	1	J
S6	9/3/2010	NITRATE-NITRITE	TR	0.039	0.019	0.1	MG/L	1	J
S7	6/21/2002	Nitrate-Nitrite	TR	0.091	0.01	0.1	mg/L	1	B
S7	9/23/2002	Nitrate-Nitrite	TR	0.039	0.01	0.1	mg/L	1	
S7	3/7/2003	Nitrate-Nitrite	TR	0.041	0.01	0.1	mg/L	1	J
S7	9/11/2003	Nitrate-Nitrite	TR	0.068	0.012	0.1	mg/L	1	J
S7	3/2/2004	Nitrate-Nitrite	TR	0.026	0.021	0.1	mg/L	1	J
S7	6/4/2004	Nitrate-Nitrite	TR	0.039	0.021	0.1	mg/L	1	J
S7	9/7/2004	NITRATE-NITRITE	TR	0.05	0.021	0.1	mg/L	1	J
S7	3/8/2005	Nitrate-Nitrite	TR	0.036	0.031	0.1	mg/L	1	J
S7	9/2/2005	Nitrate-Nitrite	TR	0.06	0.031	0.1	MG/L	1	J
S7	6/5/2006	NITRATE-NITRITE	TR	0.053	0.019	0.1	MG/L	1	J
S7	9/7/2006	Nitrate-Nitrite	TR	0.045	0.019	0.1	MG/L	1	J
S7	6/5/2007	Nitrate-Nitrite	TR	0.044	0.019	0.1	MG/L	1	J
S7	3/3/2008	Nitrate-Nitrite	TR	0.028	0.019	0.1	MG/L	1	J
S7	12/3/2008	Nitrate-Nitrite	TR	0.023	0.019	0.1	MG/L	1	J
S7	3/5/2009	Nitrate-Nitrite	TR	0.028	0.019	0.1	MG/L	1	J
S7	12/4/2009	Nitrate-Nitrite	TR	0.046	0.019	0.1	MG/L	1	J
S7	3/3/2010	NITRATE-NITRITE	TR	0.021	0.019	0.1	MG/L	1	J
S7	3/3/2010	NITRATE-NITRITE	TR	0.024	0.019	0.1	MG/L	1	J
S8	12/16/2002	Nitrate-Nitrite	TR	0.016	0.01	0.1	mg/L	1	J
S8	3/7/2003	Nitrate-Nitrite	TR	0.045	0.01	0.1	mg/L	1	J
S8	3/7/2003	Nitrate-Nitrite	TR	0.057	0.01	0.1	mg/L	1	J
S8	6/10/2003	Nitrate-Nitrite	TR	0.034	0.01	0.1	mg/L	1	J
S8	9/11/2003	Nitrate-Nitrite	TR	0.064	0.012	0.1	mg/L	1	J
S8	12/5/2007	Nitrate-Nitrite	TR	0.049	0.019	0.1	MG/L	1	J
S8	3/4/2009	Nitrate-Nitrite	TR	0.088	0.019	0.1	MG/L	1	J
S8	3/4/2009	Nitrate-Nitrite	TR	0.091	0.019	0.1	MG/L	1	J
S8	9/3/2010	NITRATE-NITRITE	TR	0.025	0.019	0.1	MG/L	1	J
S8	12/6/2010	NITRATE-NITRITE	TR	0.02	0.019	0.1	MG/L	1	J
S9	6/20/2002	Nitrate-Nitrite	TR	0.02	0.01	0.1	mg/L	1	B
S9	12/12/2002	Nitrate-Nitrite	TR	0.016	0.01	0.1	mg/L	1	
S9	3/6/2003	Nitrate-Nitrite	TR	0.07	0.01	0.1	mg/L	1	J
S9	6/9/2003	Nitrate-Nitrite	TR	0.086	0.01	0.1	mg/L	1	J
S9	9/11/2003	Nitrate-Nitrite	TR	0.083	0.012	0.1	mg/L	1	J
S9	3/2/2004	Nitrate-Nitrite	TR	0.026	0.021	0.1	mg/L	1	J
S9	12/2/2004	Nitrate-Nitrite	TR	0.04	0.031	0.1	mg/L	1	J
S9	12/5/2005	Nitrate-Nitrite	TR	0.08	0.031	0.1	MG/L	1	J
S9	9/7/2006	Nitrate-Nitrite	TR	0.053	0.019	0.1	MG/L	1	J
S9	12/5/2007	Nitrate-Nitrite	TR	0.069	0.019	0.1	MG/L	1	J
S9	3/7/2008	Nitrate-Nitrite	TR	0.033	0.019	0.1	MG/L	1	J
S9	6/3/2009	Nitrate-Nitrite	TR	0.042	0.019	0.1	MG/L	1	J
S9	9/4/2009	Nitrate-Nitrite	TR	0.024	0.019	0.1	MG/L	1	J
S9	12/7/2010	NITRATE-NITRITE	TR	0.025	0.019	0.1	MG/L	1	J
S2	12/13/2002	Nitrite	TR	0.004	0.002	0.01	mg/L	1	J
S5	6/24/2002	Nitrite	TR	0.0031	0.002	0.01	mg/L	1	B
S6	6/24/2002	Nitrite	TR	0.0021	0.002	0.01	mg/L	1	B
S6	6/24/2002	Nitrite	TR	0.0038	0.002	0.01	mg/L	1	B
S6	12/18/2002	Nitrite	TR	0.0045	0.002	0.01	mg/L	1	J
S7	12/17/2002	Nitrite	TR	0.0031	0.002	0.01	mg/L	1	J
S8	6/21/2002	Nitrite	TR	0.0024	0.002	0.01	mg/L	1	B
S9	9/11/2002	Nitrite	TR	0.0026	0.002	0.01	mg/L	1	J
S9	9/8/2010	Potassium-TOTAL	TR	34	0.24	3	MG/L	1	
S3	12/13/2002	Selenium-DISSOLVED	TR	0.0097	0.00095	0.01	mg/L	5	J
S4	12/13/2002	Selenium-DISSOLVED	TR	0.0089	0.00095	0.01	mg/L	5	J

tmpAnalyticalResultsOverTime

S5	12/16/2002	Selenium-DISSOLVED	TR	0.0094	0.00095	0.01	mg/L	5 J
S7	9/23/2002	Selenium-DISSOLVED	TR	0.0034	0.00095	0.01	mg/L	5 J
S7	12/17/2002	Selenium-DISSOLVED	TR	0.0032	0.00095	0.01	mg/L	5 J
S8	9/20/2002	Selenium-DISSOLVED	TR	0.0013	0.00095	0.01	mg/L	5 J
S8	12/16/2002	Selenium-DISSOLVED	TR	0.0029	0.00095	0.01	mg/L	5 J
S9	12/12/2002	Selenium-DISSOLVED	TR	0.0022	0.00095	0.01	mg/L	5 J
S10	9/4/2007	Selenium-TOTAL	TR	0.0092	0.007	0.02	MG/L	10 J
S10	9/1/2009	Selenium-TOTAL	TR	0.0015	0.0014	0.004	MG/L	2 J
S10	9/1/2010	Selenium-TOTAL	TR	0.0036	0.0035	0.01	MG/L	5 J
S11	9/7/2005	Selenium-TOTAL	TR	0.018	0.0066	0.04	MG/L	20 J
S11	9/4/2007	Selenium-TOTAL	TR	0.018	0.007	0.02	MG/L	10 J
S11	9/2/2009	Selenium-TOTAL	TR	0.013	0.007	0.02	MG/L	10 J
S2	9/5/2003	Selenium-TOTAL	TR	0.019	0.012	0.1	mg/L	50 J
S2	9/5/2003	Selenium-TOTAL	TR	0.017	0.012	0.1	mg/L	50 J
S2	9/7/2005	Selenium-TOTAL	TR	0.026	0.016	0.1	MG/L	50 J
S2	9/4/2007	Selenium-TOTAL	TR	0.012	0.007	0.02	MG/L	10 J
S3	6/5/2003	Selenium-TOTAL	TR	0.0064	0.0012	0.01	mg/L	5 J
S3	9/5/2003	Selenium-TOTAL	TR	0.0035	0.0024	0.02	mg/L	10 J
S3	12/2/2003	Selenium-TOTAL	TR	0.0051	0.0048	0.04	mg/L	20 J
S3	9/9/2004	Selenium-TOTAL	TR	0.0011	0.0008	0.01	mg/L	5 J
S3	9/7/2005	Selenium-TOTAL	TR	0.0021	0.0016	0.01	MG/L	5 J
S3	9/2/2009	Selenium-TOTAL	TR	0.012	0.007	0.02	MG/L	10 J
S4	12/13/2002	Selenium-TOTAL	TR	0.0082	0.00095	0.01	mg/L	5 J
S4	9/8/2005	Selenium-TOTAL	TR	0.0053	0.0016	0.01	MG/L	5 J
S4	9/6/2006	Selenium-TOTAL	TR	0.0036	0.0035	0.01	MG/L	5 J
S4	9/2/2009	Selenium-TOTAL	TR	0.013	0.007	0.02	MG/L	10 J
S5	9/20/2002	Selenium-TOTAL	TR	0.0088	0.00095	0.01	mg/L	5 J
S5	12/16/2002	Selenium-TOTAL	TR	0.0098	0.00095	0.01	mg/L	5 J
S5	9/8/2005	Selenium-TOTAL	TR	0.0022	0.0016	0.01	MG/L	5 J
S5	9/2/2009	Selenium-TOTAL	TR	0.013	0.007	0.02	MG/L	10 J
S5	9/3/2010	Selenium-TOTAL	TR	0.0039	0.0035	0.01	MG/L	5 J
S6	9/9/2003	Selenium-TOTAL	TR	0.0047	0.0024	0.02	mg/L	10 J
S6	9/8/2004	Selenium-TOTAL	TR	0.0022	0.0016	0.02	mg/L	10 J
S6	9/9/2005	Selenium-TOTAL	TR	0.016	0.0066	0.04	MG/L	20 J
S6	9/3/2009	Selenium-TOTAL	TR	0.013	0.007	0.02	MG/L	10 J
S6	9/3/2010	Selenium-TOTAL	TR	0.0049	0.0035	0.01	MG/L	5 J
S7	9/23/2002	Selenium-TOTAL	TR	0.0026	0.00095	0.01	mg/L	5 J
S7	12/17/2002	Selenium-TOTAL	TR	0.0031	0.00095	0.01	mg/L	5 J
S7	9/2/2005	Selenium-TOTAL	TR	0.0005	0.00033	0.002	MG/L	1 J
S8	9/20/2002	Selenium-TOTAL	TR	0.0012	0.00095	0.01	mg/L	5 J
S8	12/16/2002	Selenium-TOTAL	TR	0.0028	0.00095	0.01	mg/L	5 J
S8	9/11/2003	Selenium-TOTAL	TR	0.00057	0.00024	0.002	mg/L	1 J
S8	9/7/2006	Selenium-TOTAL	TR	0.0019	0.0014	0.004	MG/L	2 J
S9	9/11/2002	Selenium-TOTAL	TR	0.0028	0.00095	0.025	mg/L	5 J
S9	12/12/2002	Selenium-TOTAL	TR	0.0013	0.00095	0.01	mg/L	5 J
S9	9/11/2003	Selenium-TOTAL	TR	0.00029	0.00024	0.002	mg/L	1 J
S2	9/18/2002	Silver-TOTAL	TR	0.0028	0.0027	0.05	mg/L	5 J
S3	9/5/2003	Silver-TOTAL	TR	0.001	0.0007	0.01	mg/L	1 J
S5	6/24/2002	Silver-TOTAL	TR	0.0015	0.00054	0.01	mg/L	1 J
S6	6/24/2002	Silver-TOTAL	TR	0.0026	0.00054	0.01	mg/L	1 B
S6	6/24/2002	Silver-TOTAL	TR	0.0027	0.00054	0.01	mg/L	1 J
S6	9/3/2009	Silver-TOTAL	TR	0.01	0.00093	0.01	MG/L	1 U
S8	9/3/2009	Silver-TOTAL	TR	0.01	0.00093	0.01	MG/L	1 U
S9	9/8/2010	Silver-TOTAL	TR	0.0012	0.00093	0.01	MG/L	1 J
S10	9/1/2010	Sodium-TOTAL	TR	1200	0.092	1	MG/L	1 J
S10	9/1/2010	Sodium-TOTAL	TR	1300	0.092	1	MG/L	1 J
S11	9/2/2010	Sodium-TOTAL	TR	14000	0.92	10	MG/L	10

tmpAnalyticalResultsOverTime

S2	9/1/2010 Sodium-TOTAL	TR	17000	0.92	10	MG/L	10 J	
S3	9/1/2010 Sodium-TOTAL	TR	2200	0.092	1	MG/L	1 J	
S4	9/2/2010 Sodium-TOTAL	TR	3100	0.092	1	MG/L	1	
S5	9/3/2010 Sodium-TOTAL	TR	2700	0.092	1	MG/L	1 J	
S6	9/3/2010 Sodium-TOTAL	TR	11000	0.92	10	MG/L	10 J	
S7	9/7/2010 Sodium-TOTAL	TR	460	0.092	1	MG/L	1	
S8	9/3/2010 Sodium-TOTAL	TR	1300	0.092	1	MG/L	1 J	
S10	9/7/2005 Sulfate	TR	79	15	100	MG/L	20 J	
S10	9/6/2006 Sulfate	TR	770	620	1200	MG/L	250 J	
S10	9/2/2008 Sulfate	TR	7.5	1.2	25	mg/L	5 J	
S10	9/1/2009 Sulfate	TR	5.6	1.2	25	MG/L	5 J	
S10	9/1/2010 SULFATE	TR	3.1	0.46	10	MG/L	2 J	
S10	9/1/2010 SULFATE	TR	3.1	0.46	10	MG/L	2 J	
S7	9/10/2007 Sulfate	TR	3.6	2.5	5	MG/L	1 J	
S7	9/4/2008 Sulfate	TR	2.5	0.46	10	MG/L	2 J	
S7	9/8/2009 Sulfate	TR	1.2	0.23	5	MG/L	1 J	
S7	9/8/2009 Sulfate	TR	1.4	0.23	5	MG/L	1 J	
S7	9/7/2010 SULFATE	TR	1.4	0.23	5	MG/L	1 J	
S9	6/20/2002 Sulfate	TR	3.1	1.6	5	mg/L	1 J	
S9	9/11/2002 Sulfate	TR	2.8	0.71	5	mg/L	1 J	
S9	9/7/2006 Sulfate	TR	66	50	100	MG/L	20 J	
S9	9/5/2007 Sulfate	TR	3.2	2.5	5	MG/L	1 J	
S3	6/25/2002 tert-Butyl alcohol	TR	18	10	50	ug/L	1 J	
S11	9/2/2010 Thiocyanate as SCN	TR	0.25	0.061	0.5	MG/L	1 J	
S5	9/3/2010 THIOCYANATE as SCN	TR	0.25	0.061	0.5	MG/L	1 J	
S6	9/3/2010 THIOCYANATE as SCN	TR	0.25	0.061	0.5	MG/L	1 J	
S10	5/24/2004 Total Cyanide	TR	0.0065	0.0021	0.01	mg/L	1 J	NA
S10	5/24/2004 Total Cyanide	TR	0.0068	0.0021	0.01	mg/L	1 J	
S10	9/10/2004 Total Cyanide	TR	0.0022	0.0021	0.01	mg/L	1 J	
S10	12/1/2004 Total Cyanide	TR	0.0041	0.0028	0.01	mg/L	1 J	
S10	9/6/2006 Total Cyanide	TR	0.003	0.0024	0.01	MG/L	1 J	
S10	9/1/2009 Total Cyanide	TR	0.0099	0.0024	0.01	MG/L	1 J	
S10	9/1/2010 TOTAL CYANIDE	TR	0.01	0.0058	0.01	MG/L	1 U	
S10	9/1/2010 TOTAL CYANIDE	TR	0.01	0.0069	0.01	MG/L	1 U	
S11	5/24/2004 Total Cyanide	TR	0.0022	0.0021	0.01	mg/L	1 J	
S11	9/3/2008 Total Cyanide	TR	0.006	0.0024	0.01	MG/L	1 J	
S11	9/2/2010 TOTAL CYANIDE	TR	0.01	0.005	0.01	MG/L	1 U	
S2	12/13/2002 Total Cyanide	TR	0.0043	0.0021	0.01	mg/L	1 J	
S2	9/7/2005 Total Cyanide	TR	0.004	0.0024	0.01	MG/L	1 J	
S2	9/1/2010 TOTAL CYANIDE	TR	0.01	0.0089	0.01	MG/L	1 U	
S3	9/19/2002 Total Cyanide	TR	0.0062	0.0021	0.01	mg/L	1 J	
S3	9/19/2002 Total Cyanide	TR	0.0039	0.0021	0.01	mg/L	1 J	
S3	12/13/2002 Total Cyanide	TR	0.0027	0.0021	0.01	mg/L	1 J	
S3	9/5/2003 Total Cyanide	TR	0.0051	0.0021	0.01	mg/L	1 J	
S3	9/2/2008 Total Cyanide	TR	0.0028	0.0024	0.01	mg/L	1 J	
S3	9/1/2010 TOTAL CYANIDE	TR	0.01	0.0056	0.01	MG/L	1 U	
S4	12/13/2002 Total Cyanide	TR	0.0025	0.0021	0.01	mg/L	1 J	
S4	9/2/2010 TOTAL CYANIDE	TR	0.01	0.0044	0.01	MG/L	1 U	
S5	9/20/2002 Total Cyanide	TR	0.0047	0.0021	0.01	mg/L	1 J	
S5	9/10/2003 Total Cyanide	TR	0.0027	0.0021	0.01	mg/L	1 J	
S5	9/3/2010 TOTAL CYANIDE	TR	0.01	0.0078	0.01	MG/L	1 U	
S6	9/23/2002 Total Cyanide	TR	0.005	0.0021	0.01	mg/L	1 J	
S6	9/9/2003 Total Cyanide	TR	0.003	0.0021	0.01	mg/L	1 J	
S6	9/7/2006 Total Cyanide	TR	0.0084	0.0024	0.01	MG/L	1 J	
S6	9/7/2007 Total Cyanide	TR	0.0044	0.0024	0.01	MG/L	1 J	
S6	9/3/2010 TOTAL CYANIDE	TR	0.01	0.0077	0.01	MG/L	1 U	
S7	6/21/2002 Total Cyanide	TR	0.0041	0.0021	0.01	mg/L	1 J	

tmpAnalyticalResultsOverTime

S7	9/23/2002 Total Cyanide	TR	0.004	0.0021	0.01	mg/L	1 J	
S7	12/17/2002 Total Cyanide	TR	0.0025	0.0021	0.01	mg/L	1 J	
S7	9/4/2008 Total Cyanide	TR	0.0033	0.0024	0.01	MG/L	1 J	
S7	9/8/2009 Total Cyanide	TR	0.003	0.0024	0.01	MG/L	1 J	
S7	9/7/2010 TOTAL CYANIDE	TR	0.01	0.0044	0.01	MG/L	1 U	
S8	6/21/2002 Total Cyanide	TR	0.0023	0.0021	0.01	mg/L	1 J	
S8	9/20/2002 Total Cyanide	TR	0.0022	0.0021	0.01	mg/L	1 J	
S8	9/2/2005 Total Cyanide	TR	0.0044	0.0024	0.01	MG/L	1 J	
S8	9/4/2008 Total Cyanide	TR	0.0036	0.0024	0.01	MG/L	1 J	
S8	9/3/2010 TOTAL CYANIDE	TR	0.01	0.0045	0.01	MG/L	1 U	
S9	6/20/2002 Total Cyanide	TR	0.0031	0.0021	0.01	mg/L	1 J	
S9	9/11/2002 Total Cyanide	TR	0.0071	0.0021	0.01	mg/L	1 J	
S9	9/5/2008 Total Cyanide	TR	0.0058	0.0024	0.01	MG/L	1 J	
S9	9/4/2009 Total Cyanide	TR	0.0027	0.0024	0.01	MG/L	1 J	
S9	9/8/2010 TOTAL CYANIDE	TR	0.01	0.0069	0.01	MG/L	1 U	
S10	12/6/2006 Uranium-DISSOLVED	TR	0.0004	0.00002	0.001	MG/L	1 J	0.03
S10	3/1/2007 Uranium-DISSOLVED	TR	0.00037	0.0002	0.01	MG/L	10	
S10	3/1/2007 Uranium-DISSOLVED	TR	0.00031	0.0002	0.01	MG/L	10 J	
S10	6/4/2007 Uranium-DISSOLVED	TR	0.00031	0.00002	0.001	MG/L	1 J	
S10	9/4/2007 Uranium-DISSOLVED	TR	0.00032	0.00002	0.001	MG/L	1 J	
S10	12/4/2007 Uranium-DISSOLVED	TR	0.00026	0.00002	0.001	MG/L	1 J	
S10	3/5/2008 Uranium-DISSOLVED	TR	0.00025	0.00002	0.001	MG/L	1 J	
S10	6/3/2008 Uranium-DISSOLVED	TR	0.0003	0.00002	0.001	MG/L	1 J	
S10	9/2/2008 Uranium-DISSOLVED	TR	0.0002	0.00002	0.001	mg/L	1 J	
S10	12/2/2008 Uranium-DISSOLVED	TR	0.0002	0.00002	0.001	MG/L	1 J	
S10	3/5/2009 Uranium-DISSOLVED	TR	0.00021	0.0001	0.005	MG/L	5 J	
S10	6/1/2009 Uranium-DISSOLVED	TR	0.00021	0.00002	0.001	MG/L	1 J	
S10	9/1/2009 Uranium-DISSOLVED	TR	0.00017	0.00002	0.001	MG/L	1 J	
S10	12/2/2009 Uranium-DISSOLVED	TR	0.00013	0.0001	0.005	MG/L	5 J	
S10	3/8/2010 Uranium-DISSOLVED	TR	0.00013	0.00002	0.001	MG/L	1 J	
S10	6/3/2010 Uranium-DISSOLVED	TR	0.0015	0.0008	0.04	MG/L	40 J	
S10	9/1/2010 Uranium-DISSOLVED	TR	0.005	0.00023	0.005	MG/L	5 U	
S10	9/1/2010 Uranium-DISSOLVED	TR	0.005	0.00012	0.005	MG/L	5 U	
S10	12/2/2010 Uranium-DISSOLVED	TR	0.001	0.0001	0.001	MG/L	1 U	
S11	12/6/2006 Uranium-DISSOLVED	TR	0.00093	0.00002	0.001	MG/L	1 J	
S11	3/1/2007 Uranium-DISSOLVED	TR	0.00079	0.0002	0.01	MG/L	10 J	
S11	6/4/2007 Uranium-DISSOLVED	TR	0.00064	0.00002	0.001	MG/L	1 J	
S11	9/4/2007 Uranium-DISSOLVED	TR	0.00068	0.00002	0.001	MG/L	1 J	
S11	12/4/2007 Uranium-DISSOLVED	TR	0.00098	0.00004	0.002	MG/L	2 J	
S11	6/4/2008 Uranium-DISSOLVED	TR	0.00095	0.0001	0.005	MG/L	5 J	
S11	9/3/2008 Uranium-DISSOLVED	TR	0.0006	0.0001	0.005	MG/L	5 J	
S11	9/3/2008 Uranium-DISSOLVED	TR	0.00069	0.0001	0.005	MG/L	5 J	
S11	12/2/2008 Uranium-DISSOLVED	TR	0.00059	0.00004	0.002	MG/L	2 J	mg/L
S11	3/5/2009 Uranium-DISSOLVED	TR	0.00063	0.0001	0.005	MG/L	5 J	
S11	6/1/2009 Uranium-DISSOLVED	TR	0.00052	0.00002	0.001	MG/L	1 J	
S11	9/2/2009 Uranium-DISSOLVED	TR	0.00052	0.0002	0.01	MG/L	10 J	
S11	12/2/2009 Uranium-DISSOLVED	TR	0.00053	0.0001	0.005	MG/L	5 J	
S11	3/5/2010 Uranium-DISSOLVED	TR	0.00064	0.0001	0.005	MG/L	5 J	
S11	9/2/2010 Uranium-DISSOLVED	TR	0.00033	0.0001	0.005	MG/L	5 J	
S11	12/2/2010 Uranium-DISSOLVED	TR	0.00038	0.00002	0.001	MG/L	1 J	
S2	9/4/2007 Uranium-DISSOLVED	TR	0.00028	0.00002	0.001	MG/L	1 J	
S2	3/4/2008 Uranium-DISSOLVED	TR	0.033	0.001	0.05	MG/L	50 J	
S3	9/2/2009 Uranium-DISSOLVED	TR	0.0013	0.0002	0.01	MG/L	10 J	
S3	9/1/2010 Uranium-DISSOLVED	TR	0.00081	0.0001	0.005	MG/L	5 J	
S4	12/1/2006 Uranium-DISSOLVED	TR	0.00041	0.00002	0.001	MG/L	1 J	
S4	12/1/2006 Uranium-DISSOLVED	TR	0.00038	0.00002	0.001	MG/L	1 J	
S4	3/2/2007 Uranium-DISSOLVED	TR	0.00026	0.0002	0.01	MG/L	10 J	

tmpAnalyticalResultsOverTime

S4	6/4/2007	Uranium-DISSOLVED	TR	0.00029	0.00002	0.001	MG/L	1	J
S4	12/4/2007	Uranium-DISSOLVED	TR	0.00023	0.00002	0.001	MG/L	1	J
S4	3/4/2008	Uranium-DISSOLVED	TR	0.00023	0.00004	0.002	MG/L	2	J
S4	6/3/2008	Uranium-DISSOLVED	TR	0.00026	0.00002	0.001	MG/L	1	J
S4	9/3/2008	Uranium-DISSOLVED	TR	0.00022	0.00004	0.002	MG/L	2	J
S4	12/2/2008	Uranium-DISSOLVED	TR	0.00021	0.00002	0.001	MG/L	1	J
S4	3/4/2009	Uranium-DISSOLVED	TR	0.00027	0.0001	0.005	MG/L	5	J
S4	6/2/2009	Uranium-DISSOLVED	TR	0.0003	0.00002	0.001	MG/L	1	J
S4	6/2/2009	Uranium-DISSOLVED	TR	0.00031	0.00002	0.001	MG/L	1	J
S4	9/2/2009	Uranium-DISSOLVED	TR	0.00021	0.0002	0.01	MG/L	10	J
S4	12/3/2009	Uranium-DISSOLVED	TR	0.0003	0.0001	0.005	MG/L	5	J
S4	3/4/2010	Uranium-DISSOLVED	TR	0.00022	0.0001	0.005	MG/L	5	J
S4	9/2/2010	Uranium-DISSOLVED	TR	0.005	0.00017	0.005	MG/L	5	U
S4	12/3/2010	Uranium-DISSOLVED	TR	0.0002	0.00002	0.001	MG/L	1	J
S5	12/1/2006	Uranium-DISSOLVED	TR	0.00019	0.00002	0.001	MG/L	1	J
S5	6/5/2007	Uranium-DISSOLVED	TR	0.00014	0.00002	0.001	MG/L	1	J
S5	6/5/2007	Uranium-DISSOLVED	TR	0.00013	0.00002	0.001	MG/L	1	J
S5	12/6/2007	Uranium-DISSOLVED	TR	0.00018	0.00002	0.001	MG/L	1	J
S5	3/4/2008	Uranium-DISSOLVED	TR	0.0002	0.00004	0.002	MG/L	2	J
S5	6/6/2008	Uranium-DISSOLVED	TR	0.00021	0.0002	0.01	MG/L	10	J
S5	9/3/2008	Uranium-DISSOLVED	TR	0.00016	0.00004	0.002	MG/L	2	J
S5	12/3/2008	Uranium-DISSOLVED	TR	0.00015	0.00002	0.001	MG/L	1	J
S5	3/3/2009	Uranium-DISSOLVED	TR	0.00019	0.0001	0.005	MG/L	5	J
S5	6/1/2009	Uranium-DISSOLVED	TR	0.0002	0.00002	0.001	MG/L	1	J
S5	12/3/2009	Uranium-DISSOLVED	TR	0.00014	0.0001	0.005	MG/L	5	J
S5	12/3/2009	Uranium-DISSOLVED	TR	0.00014	0.0001	0.005	MG/L	5	J
S5	3/4/2010	Uranium-DISSOLVED	TR	0.00018	0.0001	0.005	MG/L	5	J
S5	12/6/2010	Uranium-DISSOLVED	TR	0.001	0.00013	0.001	MG/L	1	U
S6	12/1/2006	Uranium-DISSOLVED	TR	0.00042	0.00002	0.001	MG/L	1	J
S6	6/5/2007	Uranium-DISSOLVED	TR	0.00027	0.00002	0.001	MG/L	1	J
S6	9/7/2007	Uranium-DISSOLVED	TR	0.00031	0.0002	0.01	MG/L	10	J
S6	12/6/2007	Uranium-DISSOLVED	TR	0.00031	0.00002	0.001	MG/L	1	J
S6	3/5/2008	Uranium-DISSOLVED	TR	0.00068	0.00002	0.001	MG/L	1	J
S6	3/5/2008	Uranium-DISSOLVED	TR	0.00033	0.0002	0.01	MG/L	10	J
S6	6/6/2008	Uranium-DISSOLVED	TR	0.00036	0.0002	0.01	MG/L	10	J
S6	9/4/2008	Uranium-DISSOLVED	TR	0.00033	0.0001	0.005	MG/L	5	J
S6	12/3/2008	Uranium-DISSOLVED	TR	0.00026	0.00002	0.001	MG/L	1	J
S6	3/4/2009	Uranium-DISSOLVED	TR	0.00057	0.0001	0.005	MG/L	5	J
S6	6/2/2009	Uranium-DISSOLVED	TR	0.00026	0.00002	0.001	MG/L	1	J
S6	9/3/2009	Uranium-DISSOLVED	TR	0.00036	0.0002	0.01	MG/L	10	J
S6	12/3/2009	Uranium-DISSOLVED	TR	0.00023	0.0001	0.005	MG/L	5	J
S6	3/4/2010	Uranium-DISSOLVED	TR	0.00039	0.0001	0.005	MG/L	5	J
S6	9/3/2010	Uranium-DISSOLVED	TR	0.00023	0.0001	0.005	MG/L	5	J
S6	12/3/2010	Uranium-DISSOLVED	TR	0.00026	0.0002	0.01	MG/L	10	J
S6	12/3/2010	Uranium-DISSOLVED	TR	0.00028	0.0001	0.005	MG/L	5	J
S7	6/5/2007	Uranium-DISSOLVED	TR	0.00005	0.00002	0.001	MG/L	1	J
S7	3/3/2008	Uranium-DISSOLVED	TR	0.000031	0.00002	0.001	MG/L	1	J
S7	6/4/2008	Uranium-DISSOLVED	TR	0.000029	0.00002	0.001	MG/L	1	J
S7	6/4/2008	Uranium-DISSOLVED	TR	0.000031	0.00002	0.001	MG/L	1	J
S7	12/3/2008	Uranium-DISSOLVED	TR	0.000036	0.00002	0.001	MG/L	1	J
S7	6/3/2009	Uranium-DISSOLVED	TR	0.000036	0.00002	0.001	MG/L	1	J
S7	12/4/2009	Uranium-DISSOLVED	TR	0.000047	0.00002	0.001	MG/L	1	J
S7	3/3/2010	Uranium-DISSOLVED	TR	0.000039	0.00002	0.001	MG/L	1	J
S7	3/3/2010	Uranium-DISSOLVED	TR	0.000046	0.00002	0.001	MG/L	1	J
S7	9/7/2010	Uranium-DISSOLVED	TR	0.005	0.00019	0.005	MG/L	5	U
S7	12/6/2010	Uranium-DISSOLVED	TR	0.001	0.000055	0.001	MG/L	1	U
S8	6/4/2010	Uranium-DISSOLVED	TR	0.014	0.0008	0.04	MG/L	40	J

mg/L

tmpAnalyticalResultsOverTime

S9	12/7/2010	Uranium-DISSOLVED	TR	0.001	0.000025	0.001	MG/L	1	U
S10	5/24/2004	Vanadium-DISSOLVED	TR	0.003	0.0026	0.01	mg/L	1	J
S2	6/26/2002	Vanadium-DISSOLVED	TR	0.0014	0.0012	0.02	mg/L	2	B
S3	9/19/2002	Vanadium-DISSOLVED	TR	0.0047	0.0022	0.01	mg/L	1	J
S3	9/19/2002	Vanadium-DISSOLVED	TR	0.004	0.0022	0.01	mg/L	1	J
S4	6/25/2002	Vanadium-DISSOLVED	TR	0.0023	0.00061	0.01	mg/L	1	B
S4	9/19/2002	Vanadium-DISSOLVED	TR	0.0026	0.0022	0.01	mg/L	1	J
S5	6/24/2002	Vanadium-DISSOLVED	TR	0.00065	0.00061	0.01	mg/L	1	B
S6	6/24/2002	Vanadium-DISSOLVED	TR	0.002	0.00061	0.01	mg/L	1	B
S6	6/24/2002	Vanadium-DISSOLVED	TR	0.0025	0.00061	0.01	mg/L	1	B
S7	6/21/2002	Vanadium-DISSOLVED	TR	0.0026	0.00061	0.01	mg/L	1	B
S7	9/23/2002	Vanadium-DISSOLVED	TR	0.0038	0.0022	0.01	mg/L	1	J
S8	6/21/2002	Vanadium-DISSOLVED	TR	0.001	0.00061	0.01	mg/L	1	B
S10	9/2/2008	Vanadium-TOTAL	TR	0.0014	0.0011	0.01	mg/L	1	J
S11	5/24/2004	Vanadium-TOTAL	TR	0.0028	0.0026	0.01	mg/L	1	J
S11	9/2/2009	Vanadium-TOTAL	TR	0.0013	0.0011	0.01	MG/L	1	J
S2	9/1/2010	Vanadium-TOTAL	TR	0.0061	0.0011	0.01	MG/L	1	J
S3	6/25/2002	Vanadium-TOTAL	TR	0.0015	0.0012	0.02	mg/L	2	B
S3	9/19/2002	Vanadium-TOTAL	TR	0.0059	0.0022	0.01	mg/L	1	J
S3	9/19/2002	Vanadium-TOTAL	TR	0.0064	0.0022	0.01	mg/L	1	J
S3	3/5/2003	Vanadium-TOTAL	TR	0.0049	0.0022	0.01	mg/L	1	J
S3	6/5/2003	Vanadium-TOTAL	TR	0.0065	0.0026	0.01	mg/L	1	J
S3	9/5/2003	Vanadium-TOTAL	TR	0.0099	0.0026	0.01	mg/L	1	J
S3	12/2/2003	Vanadium-TOTAL	TR	0.0086	0.0026	0.01	mg/L	1	J
S3	9/9/2004	Vanadium-TOTAL	TR	0.0058	0.0026	0.01	mg/L	1	J
S3	9/9/2004	Vanadium-TOTAL	TR	0.006	0.0026	0.01	mg/L	1	J
S3	9/7/2005	Vanadium-TOTAL	TR	0.0036	0.0025	0.01	MG/L	1	J
S3	9/2/2008	Vanadium-TOTAL	TR	0.0033	0.0011	0.01	mg/L	1	J
S3	9/2/2009	Vanadium-TOTAL	TR	0.0014	0.0011	0.01	MG/L	1	J
S3	9/1/2010	Vanadium-TOTAL	TR	0.0017	0.0011	0.01	MG/L	1	J
S4	6/25/2002	Vanadium-TOTAL	TR	0.0021	0.00061	0.01	mg/L	1	B
S4	9/19/2002	Vanadium-TOTAL	TR	0.0038	0.0022	0.01	mg/L	1	J
S4	9/8/2003	Vanadium-TOTAL	TR	0.0032	0.0026	0.01	mg/L	1	J
S4	9/9/2004	Vanadium-TOTAL	TR	0.0026	0.0026	0.01	mg/L	1	J
S4	9/3/2008	Vanadium-TOTAL	TR	0.0028	0.0011	0.01	MG/L	1	J
S4	9/2/2009	Vanadium-TOTAL	TR	0.0018	0.0011	0.01	MG/L	1	J
S4	9/2/2010	Vanadium-TOTAL	TR	0.0017	0.0011	0.01	MG/L	1	J
S5	6/24/2002	Vanadium-TOTAL	TR	0.0038	0.00061	0.01	mg/L	1	B
S5	9/20/2002	Vanadium-TOTAL	TR	0.0026	0.0022	0.01	mg/L	1	J
S5	9/10/2003	Vanadium-TOTAL	TR	0.0051	0.0026	0.01	mg/L	1	J
S5	9/8/2005	Vanadium-TOTAL	TR	0.0027	0.0025	0.01	MG/L	1	J
S5	9/3/2008	Vanadium-TOTAL	TR	0.0024	0.0011	0.01	MG/L	1	J
S5	9/2/2009	Vanadium-TOTAL	TR	0.0014	0.0011	0.01	MG/L	1	J
S5	9/3/2010	Vanadium-TOTAL	TR	0.0012	0.0011	0.01	MG/L	1	J
S6	6/24/2002	Vanadium-TOTAL	TR	0.0069	0.00061	0.01	mg/L	1	B
S6	6/24/2002	Vanadium-TOTAL	TR	0.0077	0.00061	0.01	mg/L	1	B
S6	9/23/2002	Vanadium-TOTAL	TR	0.0022	0.0022	0.01	mg/L	1	J
S6	9/9/2003	Vanadium-TOTAL	TR	0.0043	0.0026	0.01	mg/L	1	J
S6	9/8/2004	Vanadium-TOTAL	TR	0.0024	0.0024	0.01	mg/L	1	J
S6	9/4/2008	Vanadium-TOTAL	TR	0.004	0.0011	0.01	MG/L	1	J
S6	9/3/2009	Vanadium-TOTAL	TR	0.0028	0.0011	0.01	MG/L	1	J
S7	6/21/2002	Vanadium-TOTAL	TR	0.0062	0.00061	0.01	mg/L	1	B
S7	9/23/2002	Vanadium-TOTAL	TR	0.0038	0.0022	0.01	mg/L	1	J
S7	9/11/2003	Vanadium-TOTAL	TR	0.0092	0.0026	0.01	mg/L	1	J
S7	9/7/2004	Vanadium-TOTAL	TR	0.0083	0.0024	0.01	mg/L	1	J
S7	9/2/2005	Vanadium-TOTAL	TR	0.0096	0.0025	0.01	MG/L	1	J
S7	9/4/2008	Vanadium-TOTAL	TR	0.0042	0.0011	0.01	MG/L	1	J



tmpAnalyticalResultsOverTime

S7	9/8/2009	Vanadium-TOTAL	TR	0.0013	0.0011	0.01	MG/L	1 J	
S7	9/8/2009	Vanadium-TOTAL	TR	0.0017	0.0011	0.01	MG/L	1 J	
S7	9/7/2010	Vanadium-TOTAL	TR	0.0033	0.0011	0.01	MG/L	1 J	
S8	9/4/2008	Vanadium-TOTAL	TR	0.0023	0.0011	0.01	MG/L	1 J	
S8	9/3/2009	Vanadium-TOTAL	TR	0.0024	0.0011	0.01	MG/L	1 J	
S10	5/24/2004	Zinc-DISSOLVED	TR	0.015	0.0071	0.02	mg/L	1 J	5
S10	5/24/2004	Zinc-DISSOLVED	TR	0.011	0.0071	0.02	mg/L	1 J	
S10	9/10/2004	Zinc-DISSOLVED	TR	0.0074	0.0049	0.02	mg/L	1 J	
S10	12/1/2004	Zinc-DISSOLVED	TR	0.005	0.0049	0.02	mg/L	1 J	
S11	3/3/2005	Zinc-DISSOLVED	TR	0.013	0.0049	0.02	mg/L	1 J	
S2	6/26/2002	Zinc-DISSOLVED	TR	0.024	0.014	0.04	mg/L	2 J	
S2	12/13/2002	Zinc-DISSOLVED	TR	0.094	0.034	0.1	mg/L	5 J	mg/L
S3	6/25/2002	Zinc-DISSOLVED	TR	0.018	0.014	0.04	mg/L	2 J	
S3	12/13/2002	Zinc-DISSOLVED	TR	0.085	0.034	0.1	mg/L	5 J	
S4	9/19/2002	Zinc-DISSOLVED	TR	0.012	0.0068	0.02	mg/L	1 J	
S5	6/24/2002	Zinc-DISSOLVED	TR	0.0072	0.0068	0.02	mg/L	1 J	
S6	6/24/2002	Zinc-DISSOLVED	TR	0.0071	0.0068	0.02	mg/L	1 J	
S6	6/24/2002	Zinc-DISSOLVED	TR	0.0084	0.0068	0.02	mg/L	1 J	
S6	12/18/2002	Zinc-DISSOLVED	TR	0.055	0.034	0.1	mg/L	5 J	
S7	9/23/2002	Zinc-DISSOLVED	TR	0.014	0.0068	0.02	mg/L	1 J	
S10	5/24/2004	Zinc-TOTAL	TR	0.01	0.0071	0.02	mg/L	1 J	
S10	5/24/2004	Zinc-TOTAL	TR	0.0088	0.0071	0.02	mg/L	1 J	
S10	12/1/2004	Zinc-TOTAL	TR	0.0095	0.0049	0.02	mg/L	1 J	
S10	12/1/2004	Zinc-TOTAL	TR	0.0091	0.0049	0.02	mg/L	1 J	
S10	9/7/2005	Zinc-TOTAL	TR	0.0098	0.0045	0.02	MG/L	1 J	
S10	9/2/2008	Zinc-TOTAL	TR	0.0062	0.0045	0.02	mg/L	1 J	
S10	9/1/2009	Zinc-TOTAL	TR	0.0072	0.0045	0.02	MG/L	1 J	
S11	12/1/2004	Zinc-TOTAL	TR	0.0068	0.0049	0.02	mg/L	1 J	
S11	3/3/2005	Zinc-TOTAL	TR	0.0068	0.0049	0.02	mg/L	1 J	
S11	9/6/2006	Zinc-TOTAL	TR	0.034	0.023	0.1	MG/L	5 J	
S11	9/2/2010	Zinc-TOTAL	TR	0.051	0.045	0.2	MG/L	10 J	
S2	6/26/2002	Zinc-TOTAL	TR	0.016	0.014	0.04	mg/L	2 J	
S2	6/5/2003	Zinc-TOTAL	TR	0.095	0.071	0.2	mg/L	10 J	
S2	9/7/2005	Zinc-TOTAL	TR	0.025	0.023	0.1	MG/L	5 J	
S2	9/2/2008	Zinc-TOTAL	TR	0.026	0.023	0.1	mg/L	5 J	
S2	9/2/2009	Zinc-TOTAL	TR	0.043	0.023	0.1	MG/L	5 J	
S2	9/1/2010	Zinc-TOTAL	TR	0.012	0.0045	0.02	MG/L	1 J	
S3	9/19/2002	Zinc-TOTAL	TR	0.0084	0.0068	0.02	mg/L	1 J	
S3	9/5/2003	Zinc-TOTAL	TR	0.015	0.0071	0.02	mg/L	1 J	
S3	12/2/2003	Zinc-TOTAL	TR	0.0075	0.0071	0.02	mg/L	1 J	
S3	9/2/2008	Zinc-TOTAL	TR	0.0055	0.0045	0.02	mg/L	1 J	
S4	6/25/2002	Zinc-TOTAL	TR	0.0093	0.0068	0.02	mg/L	1 J	
S4	9/2/2009	Zinc-TOTAL	TR	0.0045	0.0045	0.02	MG/L	1 J	
S4	9/2/2010	Zinc-TOTAL	TR	0.0061	0.0045	0.02	MG/L	1 J	
S5	9/3/2008	Zinc-TOTAL	TR	0.0058	0.0045	0.02	MG/L	1 J	
S5	9/2/2009	Zinc-TOTAL	TR	0.0074	0.0045	0.02	MG/L	1 J	
S6	9/8/2004	Zinc-TOTAL	TR	0.011	0.0049	0.02	mg/L	1 J	
S6	9/9/2005	Zinc-TOTAL	TR	0.0046	0.0045	0.02	MG/L	1 J	
S6	9/4/2008	Zinc-TOTAL	TR	0.0072	0.0045	0.02	MG/L	1 J	
S6	9/3/2009	Zinc-TOTAL	TR	0.0058	0.0045	0.02	MG/L	1 J	
S6	9/3/2010	Zinc-TOTAL	TR	0.05	0.045	0.2	MG/L	10 J	
S7	6/21/2002	Zinc-TOTAL	TR	0.014	0.0068	0.02	mg/L	1 J	
S7	9/23/2002	Zinc-TOTAL	TR	0.0068	0.0068	0.02	mg/L	1 J	
S7	9/11/2003	Zinc-TOTAL	TR	0.018	0.0071	0.02	mg/L	1 J	
S7	9/7/2004	Zinc-TOTAL	TR	0.015	0.0049	0.02	mg/L	1 J	
S7	9/2/2005	Zinc-TOTAL	TR	0.014	0.0045	0.02	MG/L	1 J	
S7	9/4/2008	Zinc-TOTAL	TR	0.011	0.0045	0.02	MG/L	1 J	

tmpAnalyticalResultsOverTime

S7	9/8/2009	Zinc-TOTAL	TR	0.0087	0.0045	0.02	MG/L	1	J	
S7	9/8/2009	Zinc-TOTAL	TR	0.0052	0.0045	0.02	MG/L	1	J	
S7	9/7/2010	Zinc-TOTAL	TR	0.0076	0.0045	0.02	MG/L	1	J	
S8	9/3/2004	Zinc-TOTAL	TR	0.0092	0.0049	0.02	mg/L	1	J	
S8	9/2/2005	Zinc-TOTAL	TR	0.0093	0.0045	0.02	MG/L	1	J	
S8	9/4/2008	Zinc-TOTAL	TR	0.0046	0.0045	0.02	MG/L	1	J	
S9	9/3/2004	Zinc-TOTAL	TR	0.0069	0.0049	0.02	mg/L	1	J	
S9	9/5/2007	Zinc-TOTAL	TR	0.025	0.023	0.1	MG/L	5	J	
S10	5/24/2004	Zirconium-DISSOLVED	TR	0.0024	0.0019	0.005	mg/L	1	J	NA
S10	5/24/2004	Zirconium-DISSOLVED	TR	0.0032	0.0019	0.005	mg/L	1	J	
S11	5/24/2004	Zirconium-DISSOLVED	TR	0.0034	0.0019	0.005	mg/L	1	J	
S11	12/1/2004	Zirconium-DISSOLVED	TR	0.0029	0.0027	0.005	mg/L	1	J	
S11	3/3/2005	Zirconium-DISSOLVED	TR	0.0029	0.0027	0.005	mg/L	1	J	
S4	6/25/2002	Zirconium-DISSOLVED	TR	0.0019	0.001	0.005	mg/L	1	B	
S5	6/24/2002	Zirconium-DISSOLVED	TR	0.0011	0.001	0.005	mg/L	1	B	
S5	9/20/2002	Zirconium-DISSOLVED	TR	0.0037	0.0015	0.005	mg/L	1	J	
S6	6/24/2002	Zirconium-DISSOLVED	TR	0.0016	0.001	0.005	mg/L	1	B	
S6	6/24/2002	Zirconium-DISSOLVED	TR	0.0015	0.001	0.005	mg/L	1	B	
S6	9/23/2002	Zirconium-DISSOLVED	TR	0.0032	0.0015	0.005	mg/L	1	J	
S7	9/23/2002	Zirconium-DISSOLVED	TR	0.0019	0.0015	0.005	mg/L	1	J	
S8	9/20/2002	Zirconium-DISSOLVED	TR	0.0015	0.0015	0.005	mg/L	1	J	
S10	5/24/2004	Zirconium-TOTAL	TR	0.0028	0.0019	0.005	mg/L	1	J	
S10	5/24/2004	Zirconium-TOTAL	TR	0.0034	0.0019	0.005	mg/L	1	J	
S10	9/7/2005	Zirconium-TOTAL	TR	0.0059	0.0016	0.015	MG/L	1	J	
S11	5/24/2004	Zirconium-TOTAL	TR	0.0049	0.0019	0.005	mg/L	1	J	
S11	9/10/2004	Zirconium-TOTAL	TR	0.0028	0.0027	0.005	mg/L	1	J	
S11	3/3/2005	Zirconium-TOTAL	TR	0.0034	0.0027	0.005	mg/L	1	J	
S11	9/7/2005	Zirconium-TOTAL	TR	0.064	0.016	0.15	MG/L	10	J	
S3	9/9/2004	Zirconium-TOTAL	TR	0.0044	0.0027	0.005	mg/L	1	J	
S4	6/25/2002	Zirconium-TOTAL	TR	0.0022	0.001	0.005	mg/L	1	J	
S4	9/8/2005	Zirconium-TOTAL	TR	0.0024	0.0016	0.015	MG/L	1	J	
S5	6/24/2002	Zirconium-TOTAL	TR	0.0014	0.001	0.005	mg/L	1	J	
S5	9/10/2003	Zirconium-TOTAL	TR	0.0048	0.0019	0.005	mg/L	1	J	
S5	9/8/2005	Zirconium-TOTAL	TR	0.0017	0.0016	0.015	MG/L	1	J	
S6	6/24/2002	Zirconium-TOTAL	TR	0.0022	0.001	0.005	mg/L	1	J	
S6	6/24/2002	Zirconium-TOTAL	TR	0.0024	0.001	0.005	mg/L	1	J	
S6	9/8/2004	Zirconium-TOTAL	TR	0.0033	0.0027	0.005	mg/L	1	J	
S6	9/9/2005	Zirconium-TOTAL	TR	0.027	0.016	0.15	MG/L	10	J	
S7	6/21/2002	Zirconium-TOTAL	TR	0.0024	0.001	0.005	mg/L	1	J	
S7	9/11/2003	Zirconium-TOTAL	TR	0.0048	0.0019	0.005	mg/L	1	J	
S7	9/2/2005	Zirconium-TOTAL	TR	0.0047	0.0016	0.015	MG/L	1	J	
S7	9/7/2006	Zirconium-TOTAL	TR	0.0054	0.0024	0.015	MG/L	1	J	
S8	9/2/2005	Zirconium-TOTAL	TR	0.0038	0.0016	0.015	MG/L	1	J	

tmpAnalyticalResultsOverTime

NA

NA