The monitoring forms for compliance with TTHMs and HAA5s are:

- 1 Quarterly Report to the Primacy Agency for the Running Annual Average (RAA) for <u>Total Trihalomethanes</u> (TTHMs) (1st of 2 pages).
- 2 Quarterly Report to the Primacy Agency for the Running Annual Average (RAA) for <u>Haloacetic Acids Five</u> (HAA5) (2nd of 2 pages).
- 3 Quarterly Report to the Primacy Agency for the Running Annual Average (RAA) for <u>Source Water Total Organic Carbon</u> (TOC) for Surface Water Systems Serving Greater than 500 Persons to Reduce Monitoring.
- 4 TTHM Worksheet.
- 5 HAA5 Worksheet.

Quarterly Report to the Primacy Agency for the Running Annual Average (RAA) for <u>Total Trihalomethanes</u> (TTHMs) (1st of 2 pages).

(The PWS must maintain a RAA of less than 0.080 mg/L for TTHMs and meet the RAA for HAA5s (page 2 of this report). The TTHM and HAA5 samples must be taken at the same time and location.)

Date:_____ System/Treatment Plant_

PWSID #_____ Filtration Technology___

Prepared By_____(Include laboratory results from the last quarter.)

How many water treatment plants (WTP) has the primacy agency determined your system has, including wellsdrawing from the same aquifer_____ Monitoring requirements (circle one): 4 samples per qtr per WTP,1

sample per qtr per WTP, 1 sample per year per WTP. Total # of samples required_____ or if seasonal fluctuations in the # of samples per qtr: 1^{st} qtr____ 2^{nd} qtr____ 3^{rd} qtr____ 4^{th} qtr____

Has reduced monitoring been granted, if yes, circle which applies: 1 sample per qtr per WTP,

1 sample per year per WTP, 1 sample per every 3-years per WTP.

Check one 1^{st} Quarter (report by April 10 th) 2^{nd} Quarter (report by July 10 th) 3^{rd} Quarter (report by Oct 10 th) 4^{th} Quarter (report by Jan 10 th)	Total Trihalomethanes Monthly Data (mg/L)*	Total Trihalomethanes Quarterly Average (mg/L)**	Total Trihalomethanes Running Annual Average (mg/L)***
January of 20			
February of 20			
March of 20			
April of 20			
May of 20			
June of 20			
July of 20			
August of 20			
September of 20			
October of 20			
November of 20			
December of 20			

*If more than one sample is taken for a particular month those samples must be averaged, see TTHM worksheet. **Calculation of Quarterly Average: If the number for Jan. was 1.5 mg/L, Feb. was 1.9 mg/L and March was 1.1 mg/L then, add all three numbers up and divide by 3. For example, (1.5 + 1.9 + 1.1) = 1.5 mg/L (this is your quarterly average.) 3

Quarterly Report to the Primacy Agency for the Running Annual Average (RAA) for <u>Haloacetic Acids Five</u> (HAA5) (2nd of 2 pages).

(The PWS must maintain a RAA of less than 0.060 mg/L for HAA5s and meet the RAA for TTHMs (page 1 of this report). The TTHM and HAA5 samples must be taken at the same time and location. The PWS must take the same number of HAA5 samples as was established on page one of this report for TTHMs.)

Date:	System/Treatment Plant
PWSID #	Filtration Technology
Prepared By	(Include laboratory results from the last quarter.)

	Γ	Γ	1
Check one 1^{st} Quarter (report by April 10 th) 2^{nd} Quarter (report by July 10 th) 3^{rd} Quarter (report by Oct 10 th) 4^{th} Quarter (report by Jan 10 th)	Haloacetic Acids Five Monthly Data (mg/L)*	Haloacetic Acids Five Quarterly Average (mg/L)**	Haloacetic Acids Five Running Annual Average (mg/L)***
January of 20			
February of 20			
March of 20			
April of 20			
May of 20			
June of 20			
July of 20			
August of 20			
September of 20			
October of 20			
November of 20			
December of 20			

*If more than one sample is taken for a particular month those samples must be averaged, see HAA5 worksheet. **Calculation of Quarterly Average: If the number for Jan. was 1.5 mg/L, Feb. was 1.9 mg/L and March was 1.1 mg/L then, add all three numbers up and divide by 3. For example, (1.5 + 1.9 + 1.1) = 1.5 mg/L (this is your quarterly average.)

TTHM Worksheet

(This worksheet is provided to assist a system in calculating the average of all TTHM samples that were taken during the month when more than one sample is required. The number calculated at the bottom right of this form is the average of all the months samples and is the number that is entered for that month in the second column of the TTHM RAA monitoring form.)

A # of Samples (1, 2, 3, etc.)	B Chloroform (mg/L)	C Bromoform (mg/L)	D Bromodichlo romethane (mg/L)	E Dibromochlo romethane (mg/L)	F TTHMs (mg/L) (B+C+D+E)	
Add all the numbers in column F for TTHMs and enter the sum here>>						
Calculate the average of all samples for the month by dividing the sum of column F by the total number of samples in column A (F/A). Enter this average into the 2 nd column of the monitoring form for calculating the RAA for TTHMs.						

Month _____ Year_____

HAA5 Worksheet

(This worksheet is provided to assist a system in calculating the average of all HAA5 samples that were taken during the month when more than one sample is required. The number calculated at the bottom right of this form is the average of all the months samples and is the number that is entered for that month in the second column of the HAA5 RAA monitoring form.)

С F А В D Ε G # of Monochloro Dichloro Trichloro Monobrom Dibromo HAA5 Samples acetic acid acetic acid acetic acid oacetic acetic acid (mg/L)(mg/L)acid (1, 2, 3,(mg/L)(mg/L)(mg/L)(B+C+D+etc.) (mg/L)E+F) Add all the numbers in column G for HAA5s and enter the sum here>> Calculate the average of all samples for the month by dividing the sum of column G by the total number of samples in column A (G/A). Enter this average into the 2nd column of the monitoring form for calculating the RAA for HAA5s.

Month _____ Year____

Quarterly Report to the Primacy Agency for the Running Annual Average (RAA) for <u>Source Water Total Organic Carbon</u> (TOC) for Surface Water Systems Serving Greater than 500 Persons to Reduce Monitoring.

(The PWS must maintain a RAA of less than 4.0 mg/L for source water TOC in addition to maintaining a RAA of TTHMs/HAA5s of less than 0.040/0.030 mg/L, respectively to be granted reduced monitoring for TTHMs and HAA5s.)

Date:	System/Treatment Plant
PWSID #	Filtration Technology
Prepared By	(Include laboratory results from the last quarter.)

	Total Organic Carbon Source Water Monthly Data (mg/L)*	Total Organic Carbon Source Water Quarterly Average (mg/L)**	Total Organic Carbon Source Water Running Annual Average (mg/L)***
January of 20			
February of 20			
March of 20			
April of 20			
May of 20			
June of 20			
July of 20			
August of 20			
September of 20			
October of 20			
November of 20			
December of 20			

*Sample must be taken prior to any treatment including disinfectant application.

**Calculation of Quarterly Average: If the number for Jan. was 1.5 mg/L, Feb. was 1.9 mg/L and March was 1.1 mg/L then, add all three numbers up and divide by 3. For example, (1.5 + 1.9 + 1.1) = 1.5 mg/L (this is your quarterly average.) 3

The monitoring forms for compliance with Bromate are:

- 1 Quarterly Report to the Primacy Agency for the Running Annual Average (RAA) for <u>Bromate</u> for Systems Using Ozone.
- 2 Quarterly Report to the Primacy Agency for the Running Annual Average (RAA) for <u>Source Water Bromide</u> for Systems Using Ozone to Reduce Monitoring for Bromate.

Quarterly Report to the Primacy Agency for the Running Annual Average (RAA) for <u>Bromate</u> for Systems Using Ozone.

(The PWS must maintain a RAA of less than 0.010 mg/L for bromate. Samples are taken at the entrance of the distribution system. Reduced monitoring is available if the RAA for source water bromide is less than 0.05 mg/L.)

Date:	System/Treatment Plant
PWSID #	Filtration Technology
Prepared By	(Include laboratory results from the last quarter.)
Has reduced mon	itoring been granted (yes/no)

	Bromate Monthly Data (mg/L)*	Bromate Quarterly Average (mg/L)**	Bromate Running Annual Average (mg/L)***
January of 20			
February of 20			
March of 20			
April of 20			
May of 20			
June of 20			
July of 20			
August of 20			
September of 20			
October of 20			
November of 20			
December of 20			

*Sample must be taken at the entrance to the distribution system during normal operating conditions for each ozone plant.

**Calculation of Quarterly Average: If the number for Jan. was 1.5 mg/L, Feb. was 1.9 mg/L and March was 1.1 mg/L then, add all three numbers up and divide by 3. For example, (1.5 + 1.9 + 1.1) = 1.5 mg/L (this is your quarterly average.) 3

Quarterly Report to the Primacy Agency for the Running Annual Average (RAA) for Source Water Bromide for Systems Using Ozone to Reduce Monitoring for Bromate.

(The PWS must maintain a RAA of less than 0.05 mg/L for source water bromide to reduce the monitoring for bromate to once per quarter.)

Date:	System/Treatment Plant
PWSID #	Filtration Technology
Prepared By	(Include laboratory results from the last quarter.)

	Bromide Source Water Monthly Data (mg/L)*	Bromide Source Water Quarterly Average (mg/L)**	Bromide Source Water Running Annual Average (mg/L)***
January of 20			
February of 20			
March of 20			
April of 20			
May of 20			
June of 20			
July of 20			
August of 20			
September of 20			
October of 20			
November of 20			
December of 20			

*Sample must be taken at the source prior to any treatment including disinfectant application.

**Calculation of Quarterly Average: If the number for Jan. was 1.5 mg/L, Feb. was 1.9 mg/L and March was 1.1 mg/L then, add all three numbers up and divide by 3. For example, (1.5 + 1.9 + 1.1) = 1.5 mg/L (this is your quarterly average.) 3

The monitoring forms for compliance with the maximum residual disinfectant levels for chlorine and chloramines are:

- 1 Quarterly Report to the Primacy Agency for the Running Annual Average (RAA) for <u>Chlorine and Chloramines</u>.
- 2 Chlorine/Chloramine Residual Worksheet.

Quarterly Report to the Primacy Agency for the Running Annual Average (RAA) for <u>Chlorine and Chloramines</u>.

(The PWS must maintain a RAA of less than 4.0 mg/L for chlorine and chloramines. Samples are taken at the same time and location as total coliform samples are taken. Monitoring cannot be reduced.)

Date:	System/Treatment Plant
PWSID #	Filtration Technology
Prepared By	(Include laboratory results from the last quarter.)

	Chlorine or Chloramine Monthly Data (mg/L)*	Chlorine or Chloramine Quarterly Average (mg/L)**	Chlorine or Chloramine Running Annual Average (mg/L)***
January of 20			
February of 20			
March of 20			
April of 20			
May of 20			
June of 20			
July of 20			
August of 20			
September of 20			
October of 20			
November of 20			
December of 20			

*This sample is the average of all samples taken during the month (routine, repeat, increased routine sampling the following month for systems taking less than 5 total coliform samples per month and other sampling for compliance for total coliforms .) See chlorine/chloramine worksheet.

**Calculation of Quarterly Average: If the number for Jan. was 1.5 mg/L, Feb. was 1.9 mg/L and March was 1.1 mg/L then, add all three numbers up and divide by 3. For example, (1.5 + 1.9 + 1.1) = 1.5 mg/L (this is your quarterly average.) 3

Chlorine/Chloramine Residual Worksheet

(This worksheet is provided to assist a system in calculating the average of all chlorine or chloramine residual levels recorded during total coliform sampling during the month. Each row will contain only one residual level and will be located under one of the following headings: routine, repeat, increased routine or other compliance total coliform sample. The number from this row will be carried over to column F and summed on the second to last row of the table. The number calculated at the bottom right of this table is the average of all the months residual levels and is the number that is entered for that month in the second column of the chlorine/chloramine RAA monitoring form.)

Month _____ Year_____

A # of Samples (1, 2, 3, etc.)	B Chlorine/ Chloramine Level Recorded for Routine Total Coliform Sample (mg/L)	C Chlorine/ Chloramine Level Recorded for Repeat Total Coliform Sample (mg/L)	D Chlorine/ Chloramine Level Recorded for Increased Routine Total Coliform Sample	E Chlorine/ Chloramine Level Recorded for Other Compliance Total Coliform Sample	F Carry the Chlorine/ Chloramine Level in B, or C, or D, or E to this column (mg/L) (there should be only one sample per
			(mg/L)	(mg/L)	row)
Add all the numbers in column F and enter the sum here>>					
Calculate the average of all residual levels for the month by dividing the sum of column F by the total number of samples in column A (F/A). Enter this average into the 2 nd column of the monitoring form for calculating the RAA for chlorine/chloramines.					

The monitoring forms for compliance with chlorine dioxide and chlorite are:

- 1 Quarterly Report to the Primacy Agency for Daily, Monthly, and Additional Chlorite Sampling for Systems using Chlorine Dioxide.
- 2 Quarterly Report to the Primacy Agency for Daily <u>Chlorine Dioxide</u> Sampling (no chlorine booster station) for Systems using Chlorine Dioxide.
- **3** Quarterly Report to the Primacy Agency for Daily <u>Chlorine Dioxide</u> Sampling (with a chlorine booster station) for Systems using Chlorine Dioxide.

Quarterly Report to the Primacy Agency for Daily, Monthly, and Additional <u>Chlorite</u> Sampling for Systems using Chlorine Dioxide.

(The PWS must monitor for chlorite daily at the entrance of the dist. system and one monthly 3-sample set in the dist system at the first customer, average and maximum residence time. A PWS exceeding the daily chlorite level of 1.0 mg/L must take an additional 3-sample set in the dist. system at the first customer, average and maximum residence time the following day. If the average of any 3-sample set exceeds 1.0 mg/L the system has a nonacute violation.) Reduced monitoring has been granted for monthly monitoring (yes/no)____

Date: _____ System/Treatment Plant _____ PWSID # Filtration Technology

F W SID #	
Prepared By	(Include laboratory results from the last quarter.)

Year	Chlorite	Routine	Distribution	Distribution	Distribution	Average of
Month		Monthly or	Chlorite at	Chlorite at	Chlorite at	Three Dist.
	(mg/L)	Additional	First Customer	Average Time	Max. Time	Samples
		Dist. Sample	(mg/L)	(mg/L)	(mg/L)	(mg/L)
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24		1				
25						1
26						
27						
28		1				
29						
30						
31						

Quarterly Report to the Primacy Agency for Daily <u>Chlorine Dioxide</u> Sampling (no chlorine booster station) for Systems using Chlorine Dioxide.

(The PWS must monitor for chlorine dioxide daily at the entrance of the dist. system. Two consecutive daily samples exceeding 0.8 mg/L or failure to monitor a daily sample after exceeding 0.8 mg/L in a daily sample is a nonacute violation. A PWS exceeding the daily chlorine dioxide level of 0.8 mg/L must take a 3-sample set in the dist. system the following day at the first customer at six hour intervals. If any one of the three samples taken in the dist. system exceed 0.8 mg/L, it is an acute violation.)

Date:	_ System/Treatment Plant
PWSID #	Filtration Technology
Prepared By	(Include laboratory results from the last quarter.)

(mg/L)at 0 Hours (mg/L)at 1 6 Hours (mg/L)at 1 2 Hours (mg/L)(mg/L)1IIIIII2IIIIIII2IIIIIIII3IIIIIIII4IIIIIIII5IIIIIIII6IIIIIIII7IIIIIIII8IIIIIIII9IIIIIIII10IIIIIIII11IIIIIIII12IIIIIIII13IIIIIIII14IIIIIIII15IIIIIIII16IIIIIIII17IIIIIIII18IIIIIIII19III	Year	ClO ₂	ClO ₂ Dist.	ClO ₂ Dist.	ClO ₂ Dist.	ClO ₂ Dist.
Image: Non- (mg/L)(mg/L)(mg/L)(mg/L)(mg/L)1Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)1Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)2Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)3Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)6Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)6Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)6Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)7Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)10Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)11Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)13Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)14Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)15Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)Image: Non- (mg/L)16Image: Non- (mg/L)Image: Non- (mg/L) </td <td>Month</td> <td></td> <td>First Customer</td> <td>First Customer</td> <td>First Customer</td> <td>Highest Level</td>	Month		First Customer	First Customer	First Customer	Highest Level
1111111211111131111114111111511111161111117111111911111110111111111111111211111113111111141111111511111116111111171111111811111191111121111112311111241111125111112611111281111130111113011111		(mg/L)				(mg/L)
2Image in the set of the set o			(mg/L)	(mg/L)	(mg/L)	
311111411111151111116111111711111181111119111111101111111111111112111111131111111411111115111111161111111711111118111112011111211111122111112311111241111125111112611111281111130111113011111301111130						
4111115111111611111171111118111111911111110111111111111111211111113111111141111111511111116111111171111111811111120111112111111231111124111112511111261111128111113011111301111130111113011111301111130 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>						
5Image: sector of the sector of t	3					
611117111181111911111011111111111211111311111411111511111611111711111811112011112111112211112311112411112511112611112811113011130111	4					
7Image: sector of the sector of t	5					
81111911111011111111111121111113111111411111151111116111111711111181111120111112111111231111124111112511111261111128111113011111	6					
911	7					
1011 <td>8</td> <td></td> <td></td> <td></td> <td></td> <td></td>	8					
11Image: style st	9					
12Image: sector of the sector of	10					
13 Image: state in the state in th	11					
14 Image: Market	12					
15Image: selection of the select	13					
16 Image: matrix	14					
17 Image: matrix	15					
18 Image: marked state	16					
1919191011112011111211111122111112311111241111125111112611111271111128111113011111	17					
202020202020211111221111231111241111251111261111271111281111291111301111	18					
21Image: state of the state of t	19					
22232324252627 <td>20</td> <td></td> <td></td> <td></td> <td></td> <td></td>	20					
23Image: state of the state of t	21					
24	22					
25 26 26 27 27 27 27 28 27 28 29 29 29 29 29 29 20 <td< td=""><td>23</td><td></td><td></td><td></td><td></td><td></td></td<>	23					
26 Image: Constraint of the second secon	24					
27 28 29 29 20 <td< td=""><td>25</td><td></td><td></td><td></td><td></td><td></td></td<>	25					
27 28 29 29 20 <td< td=""><td>26</td><td></td><td></td><td></td><td></td><td></td></td<>	26					
28 29 29 20<						
29						
30						
	31					

Quarterly Report to the Primacy Agency for Daily <u>Chlorine Dioxide</u> Sampling (with a chlorine booster station) for Systems using Chlorine Dioxide.

(The PWS must monitor for chlorine dioxide daily at the entrance of the dist. system. Two consecutive daily samples exceeding 0.8 mg/L or failure to monitor a daily sample after exceeding 0.8 mg/L in a daily sample is a nonacute violation. A PWS exceeding the daily chlorine dioxide level of 0.8 mg/L must take a 3-sample set in the dist. system the following day at the first customer, average and maximum residence time. If any one of the three samples taken in the dist. system exceed 0.8 mg/L, it is an acute violation.)

-	_ System/Treat	-					
PWSID # Filtration Technology							
Prepared By	(Include laboratory results from the last quarter.)						
Year Month	ClO ₂ Daily Data (mg/L)	ClO ₂ Dist. First Customer (mg/L)	ClO ₂ Dist. Average Residence time (mg/L)	ClO ₂ Dist. Maximum Residence Time (mg/L)	ClO ₂ Dist. Highest Level (mg/L)		
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							

30 31