

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

AU ID	AU Name	Water Type	Size	Location Description
UT14010005-001_00	Colorado River-6	RIVER	3.84 MILES	Colorado River from HUC 14010005-14030001 boundary to Colorado State Line
Cause	Cycle First Listed	TMDL Status	Use	Source
Selenium	2006	Medium Priority	Warm Water Aquatic Life	• Sources Outside State Jurisdiction or Borders
AU ID	AU Name	Water Type	Size	Location Description
UT14030001-001_00	Cottonwood Wash	RIVER	20.867 MILES	Cottonwood Wash from Colorado River confluence to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2010	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT14030001-003_00	Westwater Creek	RIVER	0.01 MILES	Westwater Creek and tributaries from confluence with Colorado River to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2010	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT14030001-005_00	Colorado River-5	RIVER	33.895 MILES	Colorado River from Dolores River confluence to HUC 14010005 boundary
Cause	Cycle First Listed	TMDL Status	Use	Source
Selenium	2006	Medium Priority	Warm Water Aquatic Life	• Sources Outside State Jurisdiction or Borders
AU ID	AU Name	Water Type	Size	Location Description
UT14030004-001_00	Dolores River	RIVER	61.727 MILES	Dolores River and tributaries (except Granite Creek) from confluence with Colorado River to headwaters or Utah-Colorado state line
Cause	Cycle First Listed	TMDL Status	Use	Source
Total Dissolved Solids	2008	Low Priority	Agricultural	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

UT14030005-003_00	Colorado River-3	RIVER	62.688 MILES	Colorado River from Green River confluence to Moab
Cause	Cycle First Listed	TMDL Status	Use	Source
Selenium	2006	Medium Priority	Warm Water Aquatic Life	<ul style="list-style-type: none"> • Sources Outside State Jurisdiction or Borders
AU ID	AU Name	Water Type	Size	Location Description
UT14030005-004_00	Colorado River-4	RIVER	35.767 MILES	Colorado River from Moab to HUC unit (14030005) boundary
Cause	Cycle First Listed	TMDL Status	Use	Source
Selenium	2006	Medium Priority	Warm Water Aquatic Life	<ul style="list-style-type: none"> • Sources Outside State Jurisdiction or Borders
AU ID	AU Name	Water Type	Size	Location Description
UT14030005-009_00	Castle Creek-1	RIVER	9.1 MILES	Castle Creek and tributaries from confluence with Colorado River to Seventh-Day Adventist diversion
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Warm Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT14030005-011_00	Pack Creek	RIVER	15.214 MILES	Pack Creek and tributaries from the confluence with Mill Creek to USFS boundary
Cause	Cycle First Listed	TMDL Status	Use	Source
Selenium	2010	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Natural Sources • Source Unknown • Agriculture
Temperature, water	2006	Medium Priority	Cold Water Aquatic Life	
Total Dissolved Solids	2006	Medium Priority	Agricultural	
AU ID	AU Name	Water Type	Size	Location Description
UT14030005-013_00	Onion Creek Upper	RIVER	2.198 MILES	Onion Creek and tributaries from road crossing above Stinking Springs to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Total Dissolved Solids	2006	Low Priority	Agricultural	<ul style="list-style-type: none"> • Agriculture • Natural Sources • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

UT14050007-003_00	Evacuation Creek	RIVER	0.01 MILES	Evacuation Creek and tributaries from the confluence with White River to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Total Dissolved Solids	2008	Low Priority	Agricultural	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT14060002-001_00	Ashley Creek Lower	RIVER	8.097 MILES	Ashley Creek and tributaries from Green River confluence to Vernal sewage lagoons
Cause	Cycle First Listed	TMDL Status	Use	Source
Total Dissolved Solids	1992	Low Priority	Agricultural	<ul style="list-style-type: none"> • Agriculture • Industrial Point Source Discharge • Municipal Point Source Discharges • Natural Sources
AU ID	AU Name	Water Type	Size	Location Description
UT14060002-002_00	Middle Ashley Creek	RIVER	12.282 MILES	Ashley Creek and tributaries from Vernal sewage lagoons to Dry Fork confluence
Cause	Cycle First Listed	TMDL Status	Use	Source
Selenium	2008	Low Priority	Warm Water Aquatic Life	<ul style="list-style-type: none"> • Agriculture • Natural Sources
Total Dissolved Solids	2008	Low Priority	Agricultural	
AU ID	AU Name	Water Type	Size	Location Description
UT14060002-003_00	Brush Creek	RIVER	22.739 MILES	Brush Creek and tributaries from confluence with Green River to Red Fleet Dam but excluding Little Brush Creek
Cause	Cycle First Listed	TMDL Status	Use	Source
Selenium	2006	Medium Priority	Agricultural Warm Water Aquatic Life	<ul style="list-style-type: none"> • Natural Sources
AU ID	AU Name	Water Type	Size	Location Description
UT14060002-008_00	Dry Fork Creek Lower	RIVER	5.77 MILES	Dry Fork and tributaries from confluence with Ashley Creek to USFS boundary
Cause	Cycle First Listed	TMDL Status	Use	Source

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

Temperature, water	2008	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT14060003-002_00	Duchesne River-2	RIVER	31.593 MILES	Duchesne River and tributaries from confluence with Uinta River to Myton
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2008	Low Priority	Warm Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT14060003-005_00	Antelope Creek	RIVER	31.574 MILES	Antelope Creek and tributaries from Duchesne River confluence to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Boron	2008	Low Priority	Agricultural	• Agriculture
Total Dissolved Solids	1998	High Priority	Agricultural	• Habitat Modification - other than Hydromodification • Natural Sources
AU ID	AU Name	Water Type	Size	Location Description
UT14060003-006_00	Duchesne River-3	RIVER	39.455 MILES	Duchesne River from Myton to Strawberry River confluence
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT14060003-008_00	Lake Fork-1	RIVER	19.643 MILES	Lake Fork River and tributaries from Duchesne River confluence to Pigeon Water Creek confluence
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2008	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT14060004-001_00	Strawberry River-1	RIVER	5.941 MILES	Strawberry River from confluence with Duchesne River to Starvation Dam
Cause	Cycle First Listed	TMDL Status	Use	Source
Boron	2008	Low Priority	Agricultural	• Source Unknown

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

AU ID	AU Name	Water Type	Size	Location Description
UT14060004-002_00	Indian Canyon Creek	RIVER	44.01 MILES	Indian Canyon Creek and tributaries from Strawberry River confluence to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Arsenic	2008	Low Priority	Domestic Water Supply	<ul style="list-style-type: none"> • Source Unknown • Agriculture • Habitat Modification - other than Hydromodification • Natural Sources
Boron	2008	Low Priority	Agricultural	
Total Dissolved Solids	1998	High Priority	Agricultural	
AU ID	AU Name	Water Type	Size	Location Description
UT14060004-005_00	Avintaquin Creek	RIVER	53.837 MILES	Avintaquin Creek and tributaries from Strawberry River confluence to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Arsenic	2008	Low Priority	Domestic Water Supply	<ul style="list-style-type: none"> • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT14060005-002_00	Pariette Draw Creek	RIVER	54.096 MILES	Pariette Draw Creek and tributaries from Green River confluence to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Boron	1998	High Priority	Agricultural	<ul style="list-style-type: none"> • Agriculture • Habitat Modification - other than Hydromodification • Natural Sources • Irrigated Crop Production • Livestock (Grazing or Feeding Operations)
Selenium	1998	High Priority	Warm Water Aquatic Life	
Total Dissolved Solids	1998	High Priority	Wildlife Habitat Agricultural	
AU ID	AU Name	Water Type	Size	Location Description
UT14060005-003_00	Ninemile Creek	RIVER	119.076 MILES	Ninemile Creek and tributaries from Green River confluence to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	1998	High Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Agriculture • Habitat Modification - other than Hydromodification
AU ID	AU Name	Water Type	Size	Location Description

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

UT14060006-001_00	Willow Creek	RIVER	57.177 MILES	Willow Creek and tributaries from Geen River confluence to Meadow Creek confluence (excluding Hill Creek)
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2010	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT14060007-007_00	Price River-3	RIVER	16.648 MILES	Price River and tributaries (excluding Gordon Creeka nd Pinnacle Wash) from Coal Creek confluence to Carbon Canal Diversion
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2010	Low Priority	Non-Game Fish and Other Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT14060009-010_00	Huntington Creek-1	RIVER	25.789 MILES	Huntington Creek and tributaries from confluence with Cottonwood Creek to Highway 10
Cause	Cycle First Listed	TMDL Status	Use	Source
Selenium	2006	Low Priority	Non-Game Fish and Other Aquatic Life	• Agriculture • Natural Sources
AU ID	AU Name	Water Type	Size	Location Description
UT14060009-013_00	San Rafael Upper	RIVER	23.254 MILES	San Rafael River from Buckhorn Crossing to confluence of Huntington and Cottonwood Creeks
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Non-Game Fish and Other Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT14060009-014_00	San Rafael Lower	RIVER	82.837 MILES	San Rafael River from confluence with Green River to Buckhorn Crossing
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2010	Low Priority	Non-Game Fish and Other Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

UT14070002-002_00	Quitchipah Creek Upper	RIVER	29.022 MILES	Quitchipah Creek from U-10 to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2010	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT14070002-007_00	Lower Quitchipah Creek	RIVER	9.951 MILES	Quitchipah Creek and tributaries from confluence with Ivie Creek to U-10 crossing
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2010	Low Priority	Non-Game Fish and Other Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT14070003-008_00	Fremont River-3	RIVER	82.881 MILES	Fremont River and tributaries from east boundary of Capitol Reef National Park to Bicknell
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT14070005-007_00	Calf Creek	RIVER	8.128 MILES	Calf Creek and tributaries from confluence with Escalante River to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2008	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT14070005-012_00	Escalante River Upper	RIVER	26.778 MILES	Escalante River from Boulder Creek confluence to Birch Creek confluence
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Warm Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT14070006-004_00	Chance Creek	RIVER	16.719 MILES	Chance Creek and tributaries from Lake Powell to headwaters

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT14070007-001_00	Paria River-1	RIVER	16.766 MILES	Paria River from start of Paria River Gorge to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Non-Game Fish and Other Aquatic Life	<ul style="list-style-type: none"> • Source Unknown • Drought-related Impacts • Agriculture • Natural Sources
Temperature, water	2008	Low Priority	Non-Game Fish and Other Aquatic Life	
Total Dissolved Solids	2000	Low Priority	Agricultural	
AU ID	AU Name	Water Type	Size	Location Description
UT14070007-005_00	Paria River-3	RIVER	9.226 MILES	Paria River and tributaries from Arizona-Utah state line to Cottonwood Creek confluence
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Non-Game Fish and Other Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT14080201-004_00	Johnson Creek	RIVER	3.894 MILES	Johnson Creek and tributaries from confluence with Recapture Creek to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2010	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Natural Sources • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT14080201-011_00	Comb Wash	STREAM	31.627 MILES	Comb Wash and tributaries from the confluence with San Juan River to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2010	Low Priority	Warm Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

UT15010003-002_00	Kanab Creek-1	RIVER	17.637 MILES	Kanab Creek and tributaries from state line to the confluence with Fourmile Hollow near the White Cliffs
Cause	Cycle First Listed	TMDL Status	Use	Source
Total Dissolved Solids	2008	Low Priority	Agricultural	<ul style="list-style-type: none"> • Agriculture • Natural Sources
AU ID	AU Name	Water Type	Size	Location Description
UT15010003-004_00	Johnson Wash-1	RIVER	11.964 MILES	Johnson Wash and tributaries from Utah-Arizona state line to Skutumpah Canyon confluence
Cause	Cycle First Listed	TMDL Status	Use	Source
Total Dissolved Solids	2008	Low Priority	Agricultural	<ul style="list-style-type: none"> • Agriculture
AU ID	AU Name	Water Type	Size	Location Description
UT15010008-001_00	Santa Clara-1	RIVER	23.667 MILES	Santa Clara River from confluence with Virgin River to Gunlock Reservoir
Cause	Cycle First Listed	TMDL Status	Use	Source
Boron	2008	Low Priority	Agricultural	<ul style="list-style-type: none"> • Source Unknown
Temperature, water	2008	Low Priority	Warm Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT15010008-002_00	Santa Clara-2	RIVER	24.958 MILES	Santa Clara River and tributaries from Gunlock Reservoir to Baker Dam Reservoir (includes Magotsu Creek)
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT15010008-004_00	Virgin River-2	RIVER	41.11 MILES	Virgin River and tributaries from Santa Clara River confluence to Quail Creek diversion, excluding Quail, Ash, and La Verkin Creeks
Cause	Cycle First Listed	TMDL Status	Use	Source
Boron	2008	Low Priority	Agricultural	<ul style="list-style-type: none"> • Source Unknown • Drought-related Impacts
Temperature, water	2008	Low Priority	Warm Water Aquatic Life	

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

AU ID	AU Name	Water Type	Size	Location Description
UT15010008-013_00	North Fork Virgin River-2	RIVER	34.805 MILES	North Fork Virgin River and tributaries from Deep Creek confluence to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Escherichia coli	2010	Low Priority	Secondary Recreation	<ul style="list-style-type: none"> • Natural Sources • Other Recreational Pollution Sources • Rangeland Grazing
AU ID	AU Name	Water Type	Size	Location Description
UT15010008-015_00	North Fork Virgin River-1	RIVER	38.317 MILES	North Fork Virgin River and tributaries from confluence with East Fork Virgin River to Kolob Creek confluence
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2010	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Natural Sources • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT15010010-001_00	Virgin River-1	RIVER	15.242 MILES	Virgin River from state line to Santa Clara River confluence
Cause	Cycle First Listed	TMDL Status	Use	Source
Boron	2008	Low Priority	Agricultural	<ul style="list-style-type: none"> • Agriculture • Source Unknown
Temperature, water	2006	Low Priority	Warm Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT16010101-004_00	Sage Creek	RIVER	9.094 MILES	Sage Creek and tributaries from confluence with Bear River to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2010	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Natural Sources • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16010101-007_00	Big Creek	RIVER	26.839 MILES	Big Creek and tributaries from Bear River to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

Temperature, water	2010	Medium Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Natural Sources • Source Unknown
pH	2006	Medium Priority	Agricultural Cold Water Aquatic Life Secondary Recreation	
AU ID	AU Name	Water Type	Size	Location Description
UT16010101-028_00	Yellow Creek	RIVER	16.4 MILES	Yellow Creek and tributaries from Utah-Wyoming border to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16010201-002_00	Laketown	RIVER	11.458 MILES	Laketown and Big Creek and other tributaries from Bear Lake to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16010201-004_00	North Eden	RIVER	15.062 MILES	North Eden Creek and tributaries from Bear Lake to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2010	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Natural Sources • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16010202-002_00	Newton Creek	RIVER	5.159 MILES	Newton Creek from confluence with Cutler Reservoir to Newton Reservoir
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16010202-005_00	Summit Creek Lower	RIVER	6.8 MILES	Summit Creek and tributaries from confluence with Bear River to USFS boundary

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> Hydromodification
AU ID	AU Name	Water Type	Size	Location Description
UT16010203-008_00	Spring Creek	RIVER	7.361 MILES	Spring Creek and tributaries from confluence with Little Bear River to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> Source Unknown Industrial Point Source Discharge
Temperature, water	2006	Low Priority	Cold Water Aquatic Life	
Total Dissolved Solids	2006	Low Priority	Agricultural	
AU ID	AU Name	Water Type	Size	Location Description
UT16010203-009_00	Little Bear River-1	RIVER	16.516 MILES	Little Bear River from Cutler Reservoir to Hyrum Reservoir
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> Source Unknown
Temperature, water	2008	Low Priority	Wildlife Habitat Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT16010203-013_00	South Fork Little Bear	RIVER	15.998 MILES	South Fork Little Bear and tributaries from confluence with Little Bear River to headwaters, except Davenport Creek
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16010204-003_00	Bear River-1	RIVER	17.506 MILES	Bear River from Great Salt Lake to Malad River confluence
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2010	Low Priority	Warm Water Aquatic Life	<ul style="list-style-type: none"> Source Unknown Industrial Point Source Discharge Municipal Point Source Discharges
Total Dissolved Solids	2008	Low Priority	Agricultural	

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

AU ID	AU Name	Water Type	Size	Location Description
UT16010204-006_00	Malad River-1	RIVER	51.961 MILES	Malad River from confluence with Bear River to Utah-Idaho state line
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Non-Game Fish and Other Aquatic Life	<ul style="list-style-type: none"> • Source Unknown
Source				
Source				
AU ID	AU Name	Water Type	Size	Location Description
UT16010204-008_00	Bear River-2	RIVER	41.5 MILES	Bear River from Malad River confluence to Cutler Reservoir
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Warm Water Aquatic Life Wildlife Habitat	<ul style="list-style-type: none"> • Source Unknown
Source				
Source				
AU ID	AU Name	Water Type	Size	Location Description
UT16020101-004_00	Weber River-7	RIVER	10.572 MILES	Weber River segment between confluence of Lost Creek and Echo Reservoir
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown
Phosphorus (Total)	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Agriculture • Hydromodification
Source				
Source				
AU ID	AU Name	Water Type	Size	Location Description
UT16020101-010_00	Chalk Creek-1	RIVER	7.671 MILES	Chalk Creek and tributaries from confluence with Weber River to South Fork confluence
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown
Source				
Source				
AU ID	AU Name	Water Type	Size	Location Description
UT16020101-012_00	Chalk Creek-2	RIVER	4.489 MILES	Chalk Creek and tributaries from South Fork confluence to Huff Creek confluence
Cause	Cycle First Listed	TMDL Status	Use	Source

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16020101-015_00	East Fork Chalk Creek	RIVER	28.424 MILES	East Fork Chalk Creek and tributaries from confluence with Chalk Creek to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16020101-020_00	Silver Creek	RIVER	21.367 MILES	Silver Creek and tributaries from confluence with Weber River to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Arsenic	2006	Medium Priority	Domestic Water Supply	• Resource Extraction • Source Unknown
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	
Total Dissolved Solids	2010	Medium Priority	Agricultural Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT16020102-001_00	Weber River-1	RIVER	60.151 MILES	Weber River and tributaries from Great Salt Lake to Slaterville Diversion
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Non-Game Fish and Other Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16020102-002_00	Weber River-3	RIVER	17.86 MILES	Weber River from Ogden River confluence to Cottonwood Creek confluence
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16020102-005_00	Ogden River-1	RIVER	9.656 MILES	Ogden River from confluence with Weber River to Pineview Reservoir

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16020102-022_00	Weber River-6	RIVER	12.37 MILES	Weber River between East Canyon Creek confluence and Lost Creek confluence
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16020102-026_00	East Canyon Creek-2	RIVER	34.66 MILES	East Canyon Creek and tributaries from East Canyon Reservoir to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16020102-027_00	Kimball Creek	RIVER	12.971 MILES	Kimball Creek and tributaries from East Canyon Creek confluence to headwaters, including McLeod Creek
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16020201-003_00	Currant Creek	RIVER	3.439 MILES	Current Creek from mouth of Goshen Canyon to Mona Reservoir
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water pH	2006 2006	Low Priority High Priority	Cold Water Aquatic Life Agricultural Cold Water Aquatic Life Secondary Recreation	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16020201-008_00	Jordan River-8	RIVER	10.596 MILES	Jordan River from Narrows to Utah Lake

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown • Industrial Point Source Discharge • Municipal Point Source Discharges • Natural Sources
Total Dissolved Solids	2006	High Priority	Agricultural	
AU ID	AU Name	Water Type	Size	Location Description
UT16020202-006_00	Diamond Fork-1	RIVER	20.062 MILES	Diamond Fork Creek and tributaries from confluence with Spanish Fork River to Sixth Water confluence
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16020202-019_00	Clear Creek	RIVER	12.63 MILES	Clear Creek and tributaries from confluence with Soldier Creek to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16020202-022_00	Thistle Creek-1	RIVER	18.28 MILES	Thistle Creek from confluence with Soldier Creek to confluence with Little Clear Creek
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16020203-001_00	Provo River-1	RIVER	10.262 MILES	Provo River from Utah Lake to Murdock Diversion
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16020203-004_00	Provo River-4	RIVER	9.54 MILES	Provo River from Deer Creek Reservoir to Jordanelle Reservoir
Cause	Cycle First Listed	TMDL Status	Use	Source

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

Escherichia coli	2010	Low Priority	Domestic Water Supply Secondary Recreation	<ul style="list-style-type: none"> • Livestock (Grazing or Feeding Operations) • Natural Sources • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16020203-009_00	Main Creek-1	RIVER	6.206 MILES	Main Creek and tributaries from Deer Creek Reservoir to Round Valley
Cause	Cycle First Listed	TMDL Status	Use	Source
Escherichia coli	2010	Low Priority	Domestic Water Supply	<ul style="list-style-type: none"> • Source Unknown • Natural Sources
Temperature, water	2010	Low Priority	Secondary Recreation Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT16020203-013_00	Provo Deer Creek	RIVER	19.137 MILES	Provo Deer Creek and tributaries from confluence with Provo River to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown • Natural Sources
Escherichia coli	2010	Low Priority	Domestic Water Supply Secondary Recreation	
AU ID	AU Name	Water Type	Size	Location Description
UT16020203-014_00	Snake Creek-1	RIVER	4.085 MILES	Snake Creek from confluence with Provo River to Wasatch Mountain State Park Golf Course
Cause	Cycle First Listed	TMDL Status	Use	Source
Arsenic	2006	Medium Priority	Domestic Water Supply	<ul style="list-style-type: none"> • Source Unknown
Escherichia coli	2010	Medium Priority	Domestic Water Supply Secondary Recreation	
AU ID	AU Name	Water Type	Size	Location Description
UT16020204-001_00	Jordan River-1	RIVER	7.602 MILES	Jordan River from Farmington Bay upstream contiguous with the Davis County line
Cause	Cycle First Listed	TMDL Status	Use	Source

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Warm Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown • Livestock (Grazing or Feeding Operations) • Urban Runoff/Storm Sewers • Industrial Point Source Discharge • Municipal Point Source Discharges
Escherichia coli	2010	Medium Priority	Secondary Recreation	
Oxygen, Dissolved	2006	High Priority	Warm Water Aquatic Life Wildlife Habitat	
AU ID	AU Name	Water Type	Size	Location Description
UT16020204-002_00	Jordan River-2	RIVER	4.456 MILES	Jordan River from Davis County line upstream to North Temple Street
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Warm Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown • Agriculture • Natural Sources • Urban Runoff/Storm Sewers • Industrial Point Source Discharge • Municipal Point Source Discharges
Escherichia coli	2006	Medium Priority	Secondary Recreation	
Oxygen, Dissolved	2006	High Priority	Warm Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT16020204-003_00	Jordan River-3	RIVER	4.197 MILES	Jordan River from North Temple to 2100 South
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Warm Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown • Agriculture • Natural Sources • Urban Runoff/Storm Sewers • Industrial Point Source Discharge • Municipal Point Source Discharges
Escherichia coli	2006	Medium Priority	Secondary Recreation	
Oxygen, Dissolved	2008	High Priority	Warm Water Aquatic Life	
Phosphorus (Total)	2008	High Priority	Warm Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT16020204-004_00	Jordan River-4	RIVER	6.203 MILES	Jordan River from 2100 South to the confluence with Little Cottonwood Creek
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2010	Low Priority	Warm Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown • Natural Sources • Urban Runoff/Storm Sewers
Total Dissolved Solids	2008	High Priority	Agricultural	
AU ID	AU Name	Water Type	Size	Location Description

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

UT16020204-005_00	Jordan River-5	RIVER	4.698 MILES	Jordan River from the confluence with Little Cottonwood Creek to 7800 South
Cause	Cycle First Listed	TMDL Status	Use	Source
Escherichia coli	2006	Medium Priority	Secondary Recreation	<ul style="list-style-type: none"> • Agriculture • Natural Sources • Urban Runoff/Storm Sewers • Source Unknown
Temperature, water	2006	High Priority	Cold Water Aquatic Life	
Total Dissolved Solids	2006	High Priority	Agricultural	
AU ID	AU Name	Water Type	Size	Location Description
UT16020204-006_00	Jordan River-6	RIVER	10.291 MILES	Jordan River from 7800 South to Bluffdale at 14600 South
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown • Industrial Point Source Discharge • Municipal Point Source Discharges • Urban Runoff/Storm Sewers
Temperature, water	2006	High Priority	Cold Water Aquatic Life	
Total Dissolved Solids	2006	High Priority	Agricultural	
AU ID	AU Name	Water Type	Size	Location Description
UT16020204-007_00	Jordan River-7	RIVER	4.175 MILES	Jordan River from Bluffdale at 14600 South to Narrows
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown • Industrial Point Source Discharge • Municipal Point Source Discharges • Natural Sources • Urban Runoff/Storm Sewers
Temperature, water	2006	High Priority	Cold Water Aquatic Life	
Total Dissolved Solids	2006	High Priority	Agricultural	
AU ID	AU Name	Water Type	Size	Location Description
UT16020204-010_00	City Creek-2	RIVER	4.758 MILES	City Creek and tributaries from filtration plant to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Cadmium	2010	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16020204-012_00	Emigration Creek	RIVER	4.293 MILES	Emigration Creek and tributaries from Foothill BLVD to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

Escherichia coli	2008	High Priority	Secondary Recreation	<ul style="list-style-type: none"> • Natural Sources • On-site Treatment Systems (Septic Systems and Similar Decentralized Systems) • Urban Runoff/Storm Sewers
AU ID	AU Name	Water Type	Size	Location Description
UT16020204-017_00	Mill Creek-2	RIVER	7.364 MILES	Mill Creek and tributaries from Interstate 15 to USFS Boundary
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2010	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown • Natural Sources • Wastes from Pets
Fecal Coliform	2002		Secondary Recreation	
AU ID	AU Name	Water Type	Size	Location Description
UT16020204-019_00	Big Cottonwood Creek-1	RIVER	9.525 MILES	Big Cottonwood Creek and tributaries from Jordan River to Big Cottonwood WTP
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2006	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16020204-021_00	Little Cottonwood Creek-1	RIVER	8.734 MILES	Little Cottonwood Creek and tributaries from Jordan River confluence to Metropolitan WTP
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown • Urban Runoff/Storm Sewers
Temperature, water	2006	Low Priority	Cold Water Aquatic Life	
Total Dissolved Solids	2006	Low Priority	Agricultural	
AU ID	AU Name	Water Type	Size	Location Description
UT16020204-022_00	Little Cottonwood Creek-2	RIVER	21.489 MILES	Little Cottonwood Creek and tributaries from Metropolitan WTP to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

UT16020204-025_00	Parley Canyon Creek-1	RIVER	11.434 MILES	Parleys Canyon Creek and tributaries from 1300 East to Mountain Dell Reservoir
Cause	Cycle First Listed	TMDL Status	Use	Source
Escherichia coli	2010	Medium Priority	Domestic Water Supply Secondary Recreation	<ul style="list-style-type: none"> • Natural Sources • Wastes from Pets
AU ID	AU Name	Water Type	Size	Location Description
UT16030001-002_00	Sevier River-4	RIVER	16.208 MILES	Sevier River and tributaries from Piute Reservoir to Circleville Irrigation Diversion, excluding East Fork Sevier River and tributaries
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16030001-005_00	Sevier River-3	RIVER	20.66 MILES	Sevier River and tributaries from Circleville Irrigation Diversion to Horse Valley Diversion
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16030001-012_00	Sevier River-1	RIVER	28.607 MILES	Sevier River and tributaries from Long Canal to Mammoth Creek confluence
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16030001-013_00	Piute	RIVER	4.036 MILES	Piute Reservoir tributaries below USFS boundary and excluding Sevier River inlet
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16030001-014_00	Threemile Creek	RIVER	19.91 MILES	Threemile Creek and other Sevier River west side tributaries from Horse

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

				Valley Diversion upstream to Long Canal, excluding Panquitch and Bear Creeks
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2008	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16030002-001_00	Otter Creek-4	RIVER	18.583 MILES	Otter Creek and tributaries from Koosharem Reservoir to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2008	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16030002-002_00	Otter Creek-1	RIVER	59.82 MILES	Otter Creek and tributaries from Otter Creek Reservoir to Koosharem Reservoir, except Box and Greenwich Creeks
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	• Source Unknown
Temperature, water	2008	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT16030002-005_00	East Fork Sevier River-4	RIVER	25.741 MILES	East Fork Sevier River and tributaries from confluence with Sevier River upstream to Antimony Creek confluence, excluding Otter Creek and tributaries
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2006	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16030002-006_00	East Fork Sevier-3	RIVER	21.292 MILES	East Fork Sevier River and tributaries from Antimony Creek confluence to Deer Creek confluence
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2010	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16030003-017_00	Sevier River-6	RIVER	28.062 MILES	Sevier River from Clear Creek confluence to HUC unit 1603003-1603001

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

				boundary
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2006	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16030004-009_00	San Pitch-5	RIVER	65.657 MILES	San Pitch River and tributaries from U-132 to Pleasant Creek confluence, excluding Cedar Creek, Oak Creek, Pleasant Creek and Cottowood Creek
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16030005-022_00	Chicken Creek-2	RIVER	24.51 MILES	Chicken Creek and tributaries from confluence with Sevier River to Levan
Cause	Cycle First Listed	TMDL Status	Use	Source
Total Dissolved Solids	1998	High Priority	Agricultural	• Hydromodification • Natural Sources
AU ID	AU Name	Water Type	Size	Location Description
UT16030005-025_00	Sevier River-20	RIVER	34.432 MILES	Sevier River from U-132 crossing at the northern most point of the Sevier River (near Dog Valley Wash confluence) upstream to Yuba Dam
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Warm Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16030005-028_00	Sevier River-25	RIVER	18.664 MILES	Sevier River from Crafts Lake to Gunnison Bend Reservoir
Cause	Cycle First Listed	TMDL Status	Use	Source
Boron	2008	Low Priority	Agricultural	• Natural Sources
AU ID	AU Name	Water Type	Size	Location Description
UT16030006-004_00	Parowan Creek	STREAM	35.718 MILES	Parowan Creek and tributaries from the south end of Main Street in Parowan to headwaters
Cause	Cycle First Listed	TMDL Status	Use	Source

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

Benthic-Macroinvertebrate Bioassessments	2010	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT16030007-002_00	Beaver River-2	RIVER	57.567 MILES	Beaver River and tributaries from Minersville Reservoir to USFS boundary
Cause	Cycle First Listed	TMDL Status	Use	Source
Benthic-Macroinvertebrate Bioassessments	2008	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT-L-14040106-016_00	Sheep Creek Lake	FRESHWATER LAKE	86 ACRES	LL= 405322/1095059 2N 18E 23,24 USGS MAP AND DATE: JESSON-BUTTE, UTAH-WYOMING-1963 WATERSHED: BEAVER CREEK
Cause	Cycle First Listed	TMDL Status	Use	Source
pH	2006	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT-L-14040106-033_00	Matt Warner Reservoir	FRESHWATER LAKE	297 ACRES	HUC: 14040106, WMU Uinta Basin
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2008	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-14040106-034_00	Calder Reservoir	FRESHWATER RESERVOIR	99 ACRES	HUC: 14040106, WMU Uinta Basin
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2010	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-14040107-003_00	Marsh Lake	FRESHWATER LAKE	38 ACRES	LL= 405729/1102342 3N 14E 30,31 USGS MAP AND DATE: BRIDGER LAKE, UTAH-1967 WATERSHED: UNNAMED TRIBUTARY TO E. FORK SMITH'S FORK, WMU Uinta Basin
Cause	Cycle First Listed	TMDL Status	Use	Source
Oxygen, Dissolved	2006	Low Priority	Cold Water Aquatic Life	

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

AU ID	AU Name	Water Type	Size	Location Description
UT-L-14040107-004_00	Bridger Lake	FRESHWATER LAKE	21 ACRES	LL= 405842/1102307 3N 13E 17,18,19 USGS MAP AND DATE: BRIDGER LAKE UTAH-WYOMING-1967 WATERSHED: EAST FORK SMITH'S FORK, WMU Uinta Basin
Cause	Cycle First Listed	TMDL Status	Use	Source
Oxygen, Dissolved	2006	High Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-14040107-005_00	Lyman Lake	FRESHWATER LAKE	27 ACRES	HUC: 14040107 WMU Uinta Basin
Cause	Cycle First Listed	TMDL Status	Use	Source
Oxygen, Dissolved	2006	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT-L-14040107-006_00	China Lake	FRESHWATER LAKE	31 ACRES	HUC: 14040107, WMU Uinta Basin
Cause	Cycle First Listed	TMDL Status	Use	Source
Oxygen, Dissolved	2006	Low Priority	Cold Water Aquatic Life	• Source Unknown
Temperature, water	2008	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-14060001-001_00	Pelican Lake	FRESHWATER LAKE	1680 ACRES	LL= 401142/1094052 7S 20E 19,20,21,28,29 USGS MAP AND DATE: PELICAN LAKE, UTAH-1964 WATERSHED: LAKE CANAL, WMU Uinta Basin
Cause	Cycle First Listed	TMDL Status	Use	Source
pH	2004	Low Priority	Warm Water Aquatic Life	• Livestock (Grazing or Feeding Operations) • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT-L-14060001-002_00	Brough Reservoir	FRESHWATER RESERVOIR	128 ACRES	HUC: 14060001, WMU Uinta Basin
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2008	Low Priority	Cold Water Aquatic Life	• Source Unknown

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

AU ID	AU Name	Water Type	Size	Location Description
UT-L-14060002-004_00	Steinaker Reservoir	FRESHWATER LAKE	829 ACRES	LL= 403058/1093152 3,4S 21E 26,34,35,,2,3 USGS MAP AND DATE: STEINAKER RESERVOIR, UTAH-1978 WATERSHED: STEINAKER FEEDER CANAL, WMU Uinta Basin
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2008	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-14060002-006_00	Red Fleet Reservoir	FRESHWATER LAKE	520 ACRES	HUC: 14060002, WMU Uinta Basin
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2010	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-14060003-230_00	Big Sand Wash Reservoir	FRESHWATER LAKE	390 ACRES	LL= 401802/1101317 2S 3N 9,15,16,21,22 USGS MAP AND DATE: BLUEBELL, UTAH-1965 WATERSHED: BIG SAND WASH, WMU Uinta Basin
Cause	Cycle First Listed	TMDL Status	Use	Source
Oxygen, Dissolved	2010	Low Priority	Cold Water Aquatic Life	
Temperature, water	2010	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-14060004-006_00	Starvation Reservoir	FRESHWATER LAKE	2760 ACRES	LL= 401100/1102800 3,4S 5,6W 1-3,6,14-16,21,22,25,28,29-31,33,36 USGS MAP AND DATE: DUCHESNE, UTAH 1965 WATERSHED: STRAWBERRY RIVER, WMU Uinta Basin
Cause	Cycle First Listed	TMDL Status	Use	Source
Oxygen, Dissolved	2008	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-14060007-004_00	Lower Gooseberry Reservoir	FRESHWATER LAKE	57 ACRES	LL= 394230/1111730 13S 6E 6,7 USGS MAP AND DATE: FAIRVIEW LAKES, UTAH-1978 WATERSHED: GOOSEBERRY CREEK , WMU Colorado River West
Cause	Cycle First Listed	TMDL Status	Use	Source

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

Oxygen, Dissolved	2006	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Managed Pasture Grazing • Other Recreational Pollution Sources • Rangeland Grazing • Source Unknown
pH	1992	Low Priority	Cold Water Aquatic Life	
Phosphorus (Total)	2010	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-14070003-044_00	Lower Bowns Reservoir	FRESHWATER LAKE	90 ACRES	LL= 380635/1111612 31S 6E 17 USGS MAP AND DATE: GROVER 15' QUAD.-1952 WATERSHED: OAK CREEK; WMU Colorado River West
Cause	Cycle First Listed	TMDL Status	Use	Source
Oxygen, Dissolved	2010	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Rangeland Grazing
pH	2006	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-14070005-011_00	Wide Hollow Reservoir	FRESHWATER LAKE	145 ACRES	LL= 374714/1113813 35S 2E 1,2,12 USGS MAP AND DATE: WIDE HOLLOW RESERVOIR, UTAH, QUAD-1964 WATERSHED: ESCALANTE RIVER, WMU Colorado River West
Cause	Cycle First Listed	TMDL Status	Use	Source
Oxygen, Dissolved	2010	Medium Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown
Temperature, water	2008	Low Priority	Cold Water Aquatic Life	
pH	2008	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-14080201-007_00	Recapture Reservoir	FRESHWATER RESERVOIR	17 ACRES	TOWNSHIP: 36S RANGE: 22E SECTION: 10 USGS MAP AND DATE: BLANDING-1962, WMU Colorado River Southeast
Cause	Cycle First Listed	TMDL Status	Use	Source
Oxygen, Dissolved	2006	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-14080203-002_00	MONTICELLO LAKE	FRESHWATER LAKE	3 ACRES	LL= 375340/1092800 33S 22E 23 USGS MAP AND DATE: MONTICELLO, UTAH-1957 WATERSHED: SPRING CREEK, WMU Colorado River Southeast
Cause	Cycle First Listed	TMDL Status	Use	Source

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

pH	2006	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-15010008-008_00	Baker Dam Reservoir	FRESHWATER LAKE	63 ACRES	LL= 372208 / 1133806 39S 16W 22 USGS MAP AND DATE: CENTRAL WEST, UTAH- 1972 WATERSHED: SANTA CLARA RIVER, WMU Lower Colorado River
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	1992	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16010202-002_00	Cutler Reservoir	FRESHWATER LAKE	7184 ACRES	LL= 414916/1115735 12,13N 1W USGS MAP AND DATE: CUTLER DAM 1964, NEWTON,UTAH 1964 WATERSHED: BEAR RIVER, WMU Bear River
Cause	Cycle First Listed	TMDL Status	Use	Source
Oxygen, Dissolved	2006	High Priority	Warm Water Aquatic Life	
Phosphorus (Total)	2006	High Priority	Warm Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16010202-013_00	NEWTON RESERVOIR	FRESHWATER LAKE	350 ACRES	LL= 415414/1105853 13,14N 1,2W 9,31,32,36 USGS MAP AND DATE: TRENTON, UTAH-1964 WATERSHED: CLARKSTON CREEK, WMU Bear River
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2006	Low Priority	Cold Water Aquatic Life	• Natural Sources
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16010203-005_00	Hyrum Reservoir	FRESHWATER LAKE	438 ACRES	LL= 413714/1115128 10N 1E 7,8 USGS MAP AND DATE: PARADISE-1955 WATERSHED: LITTLE BEAR RIVER, WMU Bear River
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	1994	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16010203-012_00	Tony Grove Lake	FRESHWATER LAKE	25 ACRES	LL= 415335/1113825 13N 3E 5 USGS MAP AND DATE: NAOMI PEAK, UTAH-1969 WATERSHED: TONY GROVE CREEK, WMU Bear River

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

Cause	Cycle First Listed	TMDL Status	Use	Source
Oxygen, Dissolved	2006	Low Priority	Cold Water Aquatic Life	
Temperature, water	2006	Low Priority	Cold Water Aquatic Life	
pH	2006	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16010204-033_00	Mantua Reservoir	FRESHWATER LAKE	554 ACRES	LL= 413012/1115557 9N 1W 22,23 USGS MAP AND DATE: MOUNT PISGAH 1969 WATERSHED: MAPLE CREEK, WMU Bear River
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2008	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16020101-001_00	Echo Reservoir	FRESHWATER LAKE	1394 ACRES	LL= 405700/1112419 2N,3N 5E 29,30,31,32,5,8,17 USGS MAP AND DATE: COALVILLE, UTAH 1967 WATERSHED: WEBER RIVER
Cause	Cycle First Listed	TMDL Status	Use	Source
Oxygen, Dissolved	2006	High Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Animal Feeding Operations (NPS) • Combined Sewer Overflows • Irrigated Crop Production • Managed Pasture Grazing • Mine Tailings • Municipal Point Source Discharges • Other Recreational Pollution Sources • Rangeland Grazing • Septage Disposal • Site Clearance (Land Development or Redevelopment) • Unspecified Urban Stormwater
Phosphorus (Total)	1994	High Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16020101-002_00	Rockport Reservoir	FRESHWATER LAKE	1189 ACRES	LL= 404364/1112343 1N,1S 5E 28,29,33,32,4,5,9,10 USGS MAP AND DATE: WANSHIP, UTAH-1967 WATERSHED: WEBER RIVER
Cause	Cycle First Listed	TMDL Status	Use	Source
Oxygen, Dissolved	2006	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16020102-014_00	Pineview	FRESHWATER RESERVOIR	2874 ACRES	LL= 411600/1114828 6N 1,2E 1-3,7,10-16,18,19 USGS MAP AND

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

	Reservoir			DATE: HUNTSVILLE,1975 WATERSHED: OGDEN RIVER, WMU Weber River
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	1994	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16020201-004_00	Utah Lake	FRESHWATER LAKE	96900 ACRES	LL= 401145/1114733 5,6,7,8,9S 1W,1,2,3E USGS MAP AND DATE: PELICAN POINT,1975 WATERSHED: JORDAN RIVER
Cause	Cycle First Listed	TMDL Status	Use	Source
Total Dissolved Solids Phosphorus (Total) PCB in Fish Tissue	2006 1994 2010	Medium Priority Medium Priority Low Priority	Agricultural Warm Water Aquatic Life Warm Water Aquatic Life	<ul style="list-style-type: none"> • Highways, Roads, Bridges, Infrastructure (New Construction) • Industrial Point Source Discharge • Municipal Point Source Discharges • Source Unknown • Unspecified Urban Stormwater • Animal Feeding Operations (NPS) • Irrigated Crop Production • Managed Pasture Grazing
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16020202-002_00	Big East Lake	FRESHWATER LAKE	23 ACRES	LL= 395605/1113821 10S 3E 19 USGS MAP AND DATE: PAYSON LAKES, UTAH-1979 WATERSHED: PETEETNEET CREEK, WMU Jordan River/Utah Lake
Cause	Cycle First Listed	TMDL Status	Use	Source
Oxygen, Dissolved	2006	High Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16020203-001_00	Deer Creek Reservoir	FRESHWATER LAKE	2965 ACRES	LL= 402445/1113258 4,5S 4E 3,4,5,6,10,15,22,27,28,32,33 USGS MAP AND DATE: CHARLESTON,1966 WATERSHED: PROVO RIVER, WMU Jordan River/Utah Lake
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2006	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16020203-004_00	MILL HOLLOW RESERVOIR	FRESHWATER LAKE	15 ACRES	LL= 403922/1105356 4S 7E 12 USGS MAP AND DATE: WOLF CREEK SUMMIT, UTAH-1967 WATERSHED: MILL HOLLOW, WMU Jordan River/Utah Lake

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

Cause	Cycle First Listed	TMDL Status	Use	Source
pH	1992	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Grazing in Riparian or Shoreline Zones • Other Recreational Pollution Sources • Rangeland Grazing
Phosphorus (Total)	1992	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16030001-001_00	Navajo Lake	FRESHWATER LAKE	714 ACRES	LL= 373118/1124536 38S 8,9W 8,7,9,12 USGS MAP AND DATE: CEDAR BREAKS, UTAH-1958, WMU Sevier River
Cause	Cycle First Listed	TMDL Status	Use	Source
Oxygen, Dissolved	2006	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Grazing in Riparian or Shoreline Zones • Managed Pasture Grazing • Other Recreational Pollution Sources • Rangeland Grazing
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16030001-011_00	Piute Reservoir	FRESHWATER RESERVOIR	2508 ACRES	LL= 381722/1121226 28,29S 2,3N 3,4,9,10,16,17,21,22,27,28,34 USGS MAP AND DATE: MARYSVALE, UTAH 1945 WATERSHED: SEVIER RIVER
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	2010	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Aquaculture (Permitted) • Managed Pasture Grazing • Other Recreational Pollution Sources
Phosphorus (Total)	2006	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16030002-004_00	Otter Creek Reservoir	FRESHWATER RESERVOIR	2520 ACRES	LL= 381252/1115917 29,30S 2W 10,11,12,14,15,21,22,27,28,35,36 USGS MAP AND DATE: PHONOLITE HILL, UTAH 1971, ANGLE,UTAH 1970 WATERSHED: OTTER CREEK, WMU Sevier River
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	1994	Low Priority	Cold Water Aquatic Life	<ul style="list-style-type: none"> • Source Unknown
pH	2006	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16030002-005_00	Lower Box Creek Reservoir	FRESHWATER LAKE	50 ACRES	TOWNSHIP: 27S RANGE: 2W SECTION: 9,10 USGS MAP AND DATE: GREENWICH, UTAH-1969 WATERSHED: BOX CREEK; WMU Sevier River

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

Cause	Cycle First Listed	TMDL Status	Use	Source
pH	2010	Low Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16030003-006_00	Manning Meadow Reservoir	FRESHWATER LAKE	59 ACRES	TOWNSHIP: 27S RANGE: 2.5W SECTION: 1 USGS MAP AND DATE: MARYSVALE, UTAH-9145 WATERSHED: MANNING CREEK, WMU Sevier River
Cause	Cycle First Listed	TMDL Status	Use	Source
Oxygen, Dissolved	2006	Low Priority	Cold Water Aquatic Life	• Managed Pasture Grazing • Rangeland Grazing
Phosphorus (Total)	1994	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16030004-001_00	Ninemile Reservoir	FRESHWATER LAKE	197 ACRES	LL= 391030/1114230 19S 2E 8,9 USGS MAP AND DATE: STERLING, UTAH-1966 WATERSHED: HIGHLAND CANAL, WMU Sevier River
Cause	Cycle First Listed	TMDL Status	Use	Source
Oxygen, Dissolved	2006	Low Priority	Cold Water Aquatic Life	• Grazing in Riparian or Shoreline Zones • Other Recreational Pollution Sources • Rangeland Grazing • Silviculture Plantation Management
Temperature, water	2008	Low Priority	Cold Water Aquatic Life	
pH	2008	Low Priority	Cold Water Aquatic Life	
Phosphorus (Total)	2006	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16030004-005_00	Palisade Lake	FRESHWATER LAKE	66 ACRES	LL= 391200/1114030 18S 2E 34,35 USGS MAP AND DATE: STERLING, UTAH-1966 WATERSHED: LAKE CANAL, WMU
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	1992	High Priority	Cold Water Aquatic Life	• Source Unknown
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16030006-008_00	NEWCASTLE RESERVOIR	FRESHWATER LAKE	163 ACRES	LL= 373858/1133115 36S 15W 22,27 USGS MAP AND DATE: NEWCASTLE,UTAH-1972 WATERSHED: PINTO CREEK,
Cause	Cycle First Listed	TMDL Status	Use	Source
Mercury in Fish Tissue	2010	Low Priority	Cold Water Aquatic Life	

Enclosure 4

River, Stream, Lake and Reservoir Assessment Units Needing a Total Maximum Daily Load (TMDL) Analysis - 2010 303(d) List

AU ID	AU Name	Water Type	Size	Location Description
UT-L-16030006-017_00	Yankee Meadow Reservoir	FRESHWATER LAKE	53 ACRES	TOWNSHIP: 35S RANGE: 8W SECTION: 20 USGS MAP AND DATE: PAROWAN, UTAH-1971 WATERSHED: BOWERY CREEK,
Cause	Cycle First Listed	TMDL Status	Use	Source
Oxygen, Dissolved	2008	Low Priority	Cold Water Aquatic Life	
pH	2006	Low Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16030006-019_00	Red Creek Reservoir (Iron County)	FRESHWATER RESERVOIR	62 ACRES	TOWNSHIP: 34S RANGE: 7W SECTION: 7,18 USGS MAP AND DATE: RED CREEK RESERVOIR, UTAH-1971 WATERSHED: RED CREEK
Cause	Cycle First Listed	TMDL Status	Use	Source
Oxygen, Dissolved	2006	High Priority	Cold Water Aquatic Life	• Source Unknown
Phosphorus (Total)	2006	High Priority	Cold Water Aquatic Life	
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16030007-011_00	Minersville Reservoir	FRESHWATER LAKE	990 ACRES	LL= 381408/1124848 29,30S 8,9W 1,2,11,25,30,31,36 USGS MAP AND DATE: MINERSVILLE, UTAH 1958 WATERSHED: BEAVER RIVER, WMU Beaver/Cedar Rivers
Cause	Cycle First Listed	TMDL Status	Use	Source
Temperature, water	1994	Low Priority	Cold Water Aquatic Life	• Natural Sources • Post-development Erosion and Sedimentation
AU ID	AU Name	Water Type	Size	Location Description
UT-L-16030007-025_00	Three Creeks Reservoir	FRESHWATER LAKE	57 ACRES	LL= 381745/1122515 29S 5W 9 USGS MAP AND DATE: DELANO PEAK, UTAH-1943 WATERSHED: LAKE STREAM
Cause	Cycle First Listed	TMDL Status	Use	Source
pH	2006	Low Priority	Cold Water Aquatic Life	• Source Unknown