



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

Lenora Sullivan  
Utah Division of Water Quality  
PO Box 144870  
SLC, UT 84114  
TEL: (801) 538-6329

RE: Gold King Mine - San Juan River Sampling

Dear Lenora Sullivan:

Lab Set ID: 1508188

American West Analytical Laboratories received sample(s) on 8/11/2015 for the analyses presented in the following report.

American West Analytical Laboratories (AWAL) is accredited by The National Environmental Laboratory Accreditation Program (NELAP) in Utah and Texas; and is state accredited in Colorado, Idaho, New Mexico, Wyoming, and Missouri.

All analyses were performed in accordance to the NELAP protocols unless noted otherwise. Accreditation scope documents are available upon request. If you have any questions or concerns regarding this report please feel free to call.

The abbreviation "Surr" found in organic reports indicates a surrogate compound that is intentionally added by the laboratory to determine sample injection, extraction, and/or purging efficiency. The "Reporting Limit" found on the report is equivalent to the practical quantitation limit (PQL). This is the minimum concentration that can be reported by the method referenced and the sample matrix. The reporting limit must not be confused with any regulatory limit. Analytical results are reported to three significant figures for quality control and calculation purposes.

Thank You,

Approved by: \_\_\_\_\_  
Laboratory Director or designee



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## INORGANIC ANALYTICAL REPORT

**Client:** Utah Division of Water Quality **Contact:** Lenora Sullivan  
**Project:** Gold King Mine - San Juan River Sampling  
**Lab Sample ID:** 1508188-001  
**Client Sample ID:** San Juan R at Mexican Hat US163 Xing (4953000)  
**Collection Date:** 8/10/2015 1644h  
**Received Date:** 8/11/2015 1320h

### Analytical Results

### TOTAL METALS

Compound	CAS	Units	Date Prepared	Date Analyzed	Method Used	MDL	Reporting Limit	Analytical Result	Qual
Aluminum	7429-90-5	mg/L	8/11/2015 1442h	8/12/2015 856h	E200.7	0.237	1.00	<b>80.6</b>	
Antimony	7440-36-0	mg/L	8/11/2015 1442h	8/11/2015 2324h	E200.8	0.0000366	0.00200	0.000316	JB
Arsenic	7440-38-2	mg/L	8/11/2015 1442h	8/11/2015 2324h	E200.8	0.0000920	0.00200	<b>0.0227</b>	
Barium	7440-39-3	mg/L	8/11/2015 1442h	8/12/2015 1000h	E200.8	0.00269	0.0100	<b>1.91</b>	
Beryllium	7440-41-7	mg/L	8/11/2015 1442h	8/11/2015 2324h	E200.8	0.0000288	0.00200	<b>0.00612</b>	
Cadmium	7440-43-9	mg/L	8/11/2015 1442h	8/11/2015 2324h	E200.8	0.000193	0.000500	<b>0.00127</b>	
Calcium	7440-70-2	mg/L	8/11/2015 1442h	8/12/2015 856h	E200.7	0.401	10.0	<b>254</b>	
Chromium	7440-47-3	mg/L	8/11/2015 1442h	8/11/2015 2324h	E200.8	0.00154	0.00200	<b>0.0368</b>	
Cobalt	7440-48-4	mg/L	8/11/2015 1442h	8/11/2015 2324h	E200.8	0.0000434	0.00400	<b>0.0328</b>	
Copper	7440-50-8	mg/L	8/11/2015 1442h	8/11/2015 2324h	E200.8	0.000692	0.00200	<b>0.0698</b>	
Iron	7439-89-6	mg/L	8/11/2015 1442h	8/12/2015 1035h	E200.7	0.0767	0.100	<b>38.1</b>	
Lead	7439-92-1	mg/L	8/11/2015 1442h	8/11/2015 2324h	E200.8	0.000264	0.00200	<b>0.171</b>	
Magnesium	7439-95-4	mg/L	8/11/2015 1442h	8/12/2015 1035h	E200.7	0.0294	1.00	<b>49.4</b>	
Manganese	7439-96-5	mg/L	8/11/2015 1442h	8/12/2015 1000h	E200.8	0.00764	0.0100	<b>2.43</b>	
Mercury	7439-97-6	mg/L	8/11/2015 1620h	8/12/2015 825h	E245.1	0.00000892	0.000150	0.000133	J
Molybdenum	7439-98-7	mg/L	8/11/2015 1442h	8/11/2015 2324h	E200.8	0.000206	0.00200	0.000674	J
Nickel	7440-02-0	mg/L	8/11/2015 1442h	8/11/2015 2324h	E200.8	0.000754	0.00200	<b>0.0584</b>	
Potassium	7440-09-7	mg/L	8/11/2015 1442h	8/12/2015 1035h	E200.7	0.247	1.00	<b>18.1</b>	
Selenium	7782-49-2	mg/L	8/11/2015 1442h	8/11/2015 2324h	E200.8	0.0000634	0.00200	0.00128	J
Silver	7440-22-4	mg/L	8/11/2015 1442h	8/11/2015 2324h	E200.8	0.0000244	0.00200	0.00110	JB
Sodium	7440-23-5	mg/L	8/11/2015 1442h	8/12/2015 1035h	E200.7	0.0330	1.00	<b>52.6</b>	
Thallium	7440-28-0	mg/L	8/11/2015 1442h	8/11/2015 2324h	E200.8	0.0000242	0.00200	0.000442	J
Vanadium	7440-62-2	mg/L	8/11/2015 1442h	8/11/2015 2324h	E200.8	0.000438	0.00440	<b>0.0833</b>	
Zinc	7440-66-6	mg/L	8/11/2015 1442h	8/11/2015 2324h	E200.8	0.00476	0.00500	<b>0.815</b>	

*B - This analyte was also detected in the method blank below the PQL.*

*J - Estimated value between the MDL and the reporting limit (PQL).*



3440 South 700 West

Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687

e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## INORGANIC ANALYTICAL REPORT

**Client:** Utah Division of Water Quality **Contact:** Lenora Sullivan  
**Project:** Gold King Mine - San Juan River Sampling  
**Lab Sample ID:** 1508188-002  
**Client Sample ID:** San Juan R at Sand Island (4953250)  
**Collection Date:** 8/10/2015 1558h  
**Received Date:** 8/11/2015 1320h

### Analytical Results

### TOTAL METALS

Compound	CAS	Units	Date Prepared	Date Analyzed	Method Used	MDL	Reporting Limit	Analytical Result	Qual
Aluminum	7429-90-5	mg/L	8/11/2015 1442h	8/12/2015 858h	E200.7	0.237	1.00	<b>28.7</b>	<sup>2</sup>
Antimony	7440-36-0	mg/L	8/11/2015 1442h	8/11/2015 2327h	E200.8	0.0000366	0.00200	0.000293	J <sup>1</sup> B
Arsenic	7440-38-2	mg/L	8/11/2015 1442h	8/11/2015 2327h	E200.8	0.0000920	0.00200	<b>0.0107</b>	
Barium	7440-39-3	mg/L	8/11/2015 1442h	8/12/2015 1004h	E200.8	0.00269	0.0100	<b>0.726</b>	<sup>1</sup>
Beryllium	7440-41-7	mg/L	8/11/2015 1442h	8/11/2015 2327h	E200.8	0.0000288	0.00200	<b>0.00261</b>	
Cadmium	7440-43-9	mg/L	8/11/2015 1442h	8/11/2015 2327h	E200.8	0.000193	0.000500	<b>0.000713</b>	
Calcium	7440-70-2	mg/L	8/11/2015 1442h	8/12/2015 858h	E200.7	0.401	10.0	<b>99.9</b>	
Chromium	7440-47-3	mg/L	8/11/2015 1442h	8/11/2015 2327h	E200.8	0.00154	0.00200	<b>0.0161</b>	
Cobalt	7440-48-4	mg/L	8/11/2015 1442h	8/11/2015 2327h	E200.8	0.0000434	0.00400	<b>0.0173</b>	
Copper	7440-50-8	mg/L	8/11/2015 1442h	8/11/2015 2327h	E200.8	0.000692	0.00200	<b>0.0547</b>	
Iron	7439-89-6	mg/L	8/11/2015 1442h	8/12/2015 1037h	E200.7	0.0767	0.100	<b>27.7</b>	<sup>2</sup>
Lead	7439-92-1	mg/L	8/11/2015 1442h	8/11/2015 2327h	E200.8	0.000264	0.00200	<b>0.0847</b>	
Magnesium	7439-95-4	mg/L	8/11/2015 1442h	8/12/2015 1037h	E200.7	0.0294	1.00	<b>20.4</b>	
Manganese	7439-96-5	mg/L	8/11/2015 1442h	8/11/2015 2327h	E200.8	0.00153	0.00200	<b>1.17</b>	
Mercury	7439-97-6	mg/L	8/11/2015 1620h	8/12/2015 827h	E245.1	0.00000892	0.000150	0.0000733	J
Molybdenum	7439-98-7	mg/L	8/11/2015 1442h	8/11/2015 2327h	E200.8	0.000206	0.00200	0.000876	J <sup>1</sup>
Nickel	7440-02-0	mg/L	8/11/2015 1442h	8/11/2015 2327h	E200.8	0.000754	0.00200	<b>0.0223</b>	
Potassium	7440-09-7	mg/L	8/11/2015 1442h	8/12/2015 1037h	E200.7	0.247	1.00	<b>7.29</b>	
Selenium	7782-49-2	mg/L	8/11/2015 1442h	8/11/2015 2327h	E200.8	0.0000634	0.00200	0.000894	J
Silver	7440-22-4	mg/L	8/11/2015 1442h	8/11/2015 2327h	E200.8	0.0000244	0.00200	0.000527	JB
Sodium	7440-23-5	mg/L	8/11/2015 1442h	8/12/2015 1037h	E200.7	0.0330	1.00	<b>33.2</b>	
Thallium	7440-28-0	mg/L	8/11/2015 1442h	8/11/2015 2327h	E200.8	0.0000242	0.00200	0.000245	J
Vanadium	7440-62-2	mg/L	8/11/2015 1442h	8/11/2015 2327h	E200.8	0.000438	0.00440	<b>0.0409</b>	
Zinc	7440-66-6	mg/L	8/11/2015 1442h	8/11/2015 2327h	E200.8	0.00476	0.00500	<b>0.960</b>	

<sup>1</sup> - Matrix spike recovery indicates matrix interference. The method is in control as indicated by the LCS.

<sup>2</sup> - Analyte concentration is too high for accurate matrix spike recovery and/or RPD.

B - This analyte was also detected in the method blank below the PQL.

J - Estimated value between the MDL and the reporting limit (PQL).



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## INORGANIC ANALYTICAL REPORT

**Client:** Utah Division of Water Quality **Contact:** Lenora Sullivan  
**Project:** Gold King Mine - San Juan River Sampling  
**Lab Sample ID:** 1508188-003  
**Client Sample ID:** San Juan River at Town of Montezuma (4953990)  
**Collection Date:** 8/10/2015 1458h  
**Received Date:** 8/11/2015 1320h

### Analytical Results

### TOTAL METALS

Compound	CAS	Units	Date Prepared	Date Analyzed	Method Used	MDL	Reporting Limit	Analytical Result	Qual
Aluminum	7429-90-5	mg/L	8/11/2015 1442h	8/12/2015 909h	E200.7	0.237	1.00	<b>39.1</b>	
Antimony	7440-36-0	mg/L	8/11/2015 1442h	8/11/2015 2353h	E200.8	0.0000366	0.00200	0.000228	JB
Arsenic	7440-38-2	mg/L	8/11/2015 1442h	8/11/2015 2353h	E200.8	0.0000920	0.00200	<b>0.0118</b>	
Barium	7440-39-3	mg/L	8/11/2015 1442h	8/11/2015 2353h	E200.8	0.000538	0.00200	<b>1.70</b>	
Beryllium	7440-41-7	mg/L	8/11/2015 1442h	8/11/2015 2353h	E200.8	0.0000288	0.00200	<b>0.00371</b>	
Cadmium	7440-43-9	mg/L	8/11/2015 1442h	8/11/2015 2353h	E200.8	0.000193	0.000500	<b>0.000881</b>	
Calcium	7440-70-2	mg/L	8/11/2015 1442h	8/12/2015 909h	E200.7	0.401	10.0	<b>97.1</b>	
Chromium	7440-47-3	mg/L	8/11/2015 1442h	8/11/2015 2353h	E200.8	0.00154	0.00200	<b>0.0221</b>	
Cobalt	7440-48-4	mg/L	8/11/2015 1442h	8/11/2015 2353h	E200.8	0.0000434	0.00400	<b>0.0232</b>	
Copper	7440-50-8	mg/L	8/11/2015 1442h	8/11/2015 2353h	E200.8	0.000692	0.00200	<b>0.0673</b>	
Iron	7439-89-6	mg/L	8/11/2015 1442h	8/12/2015 1044h	E200.7	0.0767	0.100	<b>35.8</b>	
Lead	7439-92-1	mg/L	8/11/2015 1442h	8/11/2015 2353h	E200.8	0.000264	0.00200	<b>0.0758</b>	
Magnesium	7439-95-4	mg/L	8/11/2015 1442h	8/12/2015 1044h	E200.7	0.0294	1.00	<b>22.5</b>	
Manganese	7439-96-5	mg/L	8/11/2015 1442h	8/11/2015 2353h	E200.8	0.00153	0.00200	<b>1.40</b>	
Mercury	7439-97-6	mg/L	8/11/2015 1620h	8/12/2015 833h	E245.1	0.00000892	0.000150	0.0000983	J
Molybdenum	7439-98-7	mg/L	8/11/2015 1442h	8/11/2015 2353h	E200.8	0.000206	0.00200	0.000930	J
Nickel	7440-02-0	mg/L	8/11/2015 1442h	8/11/2015 2353h	E200.8	0.000754	0.00200	<b>0.0296</b>	
Potassium	7440-09-7	mg/L	8/11/2015 1442h	8/12/2015 1044h	E200.7	0.247	1.00	<b>8.49</b>	
Selenium	7782-49-2	mg/L	8/11/2015 1442h	8/11/2015 2353h	E200.8	0.0000634	0.00200	0.00108	J
Silver	7440-22-4	mg/L	8/11/2015 1442h	8/11/2015 2353h	E200.8	0.0000244	0.00200	0.000747	JB
Sodium	7440-23-5	mg/L	8/11/2015 1442h	8/12/2015 1044h	E200.7	0.0330	1.00	<b>34.9</b>	
Thallium	7440-28-0	mg/L	8/11/2015 1442h	8/11/2015 2353h	E200.8	0.0000242	0.00200	0.000438	J
Vanadium	7440-62-2	mg/L	8/11/2015 1442h	8/11/2015 2353h	E200.8	0.000438	0.00440	<b>0.0490</b>	
Zinc	7440-66-6	mg/L	8/11/2015 1442h	8/11/2015 2353h	E200.8	0.00476	0.00500	<b>0.658</b>	

*B - This analyte was also detected in the method blank below the PQL.*

*J - Estimated value between the MDL and the reporting limit (PQL).*



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## INORGANIC ANALYTICAL REPORT

**Client:** Utah Division of Water Quality **Contact:** Lenora Sullivan  
**Project:** Gold King Mine - San Juan River Sampling  
**Lab Sample ID:** 1508188-004  
**Client Sample ID:** San Juan R at US160 Xing in CO (4954000)  
**Collection Date:** 8/10/2015 1406h  
**Received Date:** 8/11/2015 1320h

### Analytical Results

### TOTAL METALS

Compound	CAS	Units	Date Prepared	Date Analyzed	Method Used	MDL	Reporting Limit	Analytical Result	Qual
Aluminum	7429-90-5	mg/L	8/11/2015 1442h	8/12/2015 911h	E200.7	0.237	1.00	<b>43.7</b>	
Antimony	7440-36-0	mg/L	8/11/2015 1442h	8/11/2015 2356h	E200.8	0.0000366	0.00200	0.000190	JB
Arsenic	7440-38-2	mg/L	8/11/2015 1442h	8/11/2015 2356h	E200.8	0.0000920	0.00200	<b>0.0123</b>	
Barium	7440-39-3	mg/L	8/11/2015 1442h	8/12/2015 1007h	E200.8	0.00269	0.0100	<b>0.889</b>	
Beryllium	7440-41-7	mg/L	8/11/2015 1442h	8/11/2015 2356h	E200.8	0.0000288	0.00200	<b>0.00404</b>	
Cadmium	7440-43-9	mg/L	8/11/2015 1442h	8/11/2015 2356h	E200.8	0.000193	0.000500	<b>0.000884</b>	
Calcium	7440-70-2	mg/L	8/11/2015 1442h	8/12/2015 911h	E200.7	0.401	10.0	<b>86.7</b>	
Chromium	7440-47-3	mg/L	8/11/2015 1442h	8/11/2015 2356h	E200.8	0.00154	0.00200	<b>0.0237</b>	
Cobalt	7440-48-4	mg/L	8/11/2015 1442h	8/11/2015 2356h	E200.8	0.0000434	0.00400	<b>0.0254</b>	
Copper	7440-50-8	mg/L	8/11/2015 1442h	8/11/2015 2356h	E200.8	0.000692	0.00200	<b>0.0697</b>	
Iron	7439-89-6	mg/L	8/11/2015 1442h	8/12/2015 1046h	E200.7	0.0767	0.100	<b>39.1</b>	
Lead	7439-92-1	mg/L	8/11/2015 1442h	8/11/2015 2356h	E200.8	0.000264	0.00200	<b>0.0693</b>	
Magnesium	7439-95-4	mg/L	8/11/2015 1442h	8/12/2015 1046h	E200.7	0.0294	1.00	<b>20.1</b>	
Manganese	7439-96-5	mg/L	8/11/2015 1442h	8/11/2015 2356h	E200.8	0.00153	0.00200	<b>1.39</b>	
Mercury	7439-97-6	mg/L	8/11/2015 1620h	8/12/2015 819h	E245.1	0.00000892	0.000150	0.000117	J
Molybdenum	7439-98-7	mg/L	8/11/2015 1442h	8/11/2015 2356h	E200.8	0.000206	0.00200	0.000620	J
Nickel	7440-02-0	mg/L	8/11/2015 1442h	8/11/2015 2356h	E200.8	0.000754	0.00200	<b>0.0308</b>	
Potassium	7440-09-7	mg/L	8/11/2015 1442h	8/12/2015 1046h	E200.7	0.247	1.00	<b>8.89</b>	
Selenium	7782-49-2	mg/L	8/11/2015 1442h	8/11/2015 2356h	E200.8	0.0000634	0.00200	0.000955	J
Silver	7440-22-4	mg/L	8/11/2015 1442h	8/11/2015 2356h	E200.8	0.0000244	0.00200	0.000422	JB
Sodium	7440-23-5	mg/L	8/11/2015 1442h	8/12/2015 1046h	E200.7	0.0330	1.00	<b>38.5</b>	
Thallium	7440-28-0	mg/L	8/11/2015 1442h	8/11/2015 2356h	E200.8	0.0000242	0.00200	0.000422	J
Vanadium	7440-62-2	mg/L	8/11/2015 1442h	8/11/2015 2356h	E200.8	0.000438	0.00440	<b>0.0534</b>	
Zinc	7440-66-6	mg/L	8/11/2015 1442h	8/11/2015 2356h	E200.8	0.00476	0.00500	<b>0.897</b>	

*B - This analyte was also detected in the method blank below the PQL.*

*J - Estimated value between the MDL and the reporting limit (PQL).*



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## INORGANIC ANALYTICAL REPORT

**Client:** Utah Division of Water Quality **Contact:** Lenora Sullivan  
**Project:** Gold King Mine - San Juan River Sampling  
**Lab Sample ID:** 1508188-001  
**Client Sample ID:** San Juan R at Mexican Hat US163 Xing (4953000)  
**Collection Date:** 8/10/2015 1644h  
**Received Date:** 8/11/2015 1320h

### Analytical Results

### DISSOLVED METALS

Compound	CAS	Units	Date Prepared	Date Analyzed	Method Used	MDL	Reporting Limit	Analytical Result	Qual
Aluminum	7429-90-5	mg/L	8/11/2015 1442h	8/12/2015 1105h	E200.7	0.0237	0.100	<b>0.149</b>	
Antimony	7440-36-0	mg/L	8/11/2015 1442h	8/11/2015 2156h	E200.8	0.0000366	0.00200	0.00126	JB
Arsenic	7440-38-2	mg/L	8/11/2015 1442h	8/11/2015 2156h	E200.8	0.0000920	0.00200	0.00140	J
Barium	7440-39-3	mg/L	8/11/2015 1442h	8/11/2015 2156h	E200.8	0.000538	0.00200	<b>0.265</b>	
Beryllium	7440-41-7	mg/L	8/11/2015 1442h	8/11/2015 2156h	E200.8	0.0000288	0.00200	< 0.00200	U
Cadmium	7440-43-9	mg/L	8/11/2015 1442h	8/11/2015 2156h	E200.8	0.000193	0.000500	< 0.000500	U
Calcium	7440-70-2	mg/L	8/11/2015 1442h	8/12/2015 1105h	E200.7	0.0401	1.00	<b>44.2</b>	
Chromium	7440-47-3	mg/L	8/11/2015 1442h	8/11/2015 2156h	E200.8	0.00154	0.00200	< 0.00200	U
Cobalt	7440-48-4	mg/L	8/11/2015 1442h	8/11/2015 2156h	E200.8	0.0000434	0.00400	0.0000789	J
Copper	7440-50-8	mg/L	8/11/2015 1442h	8/11/2015 2156h	E200.8	0.000692	0.00200	<b>0.00248</b>	
Iron	7439-89-6	mg/L	8/11/2015 1442h	8/12/2015 1105h	E200.7	0.0767	0.100	< 0.100	U
Lead	7439-92-1	mg/L	8/11/2015 1442h	8/11/2015 2156h	E200.8	0.000264	0.00200	0.000315	J
Magnesium	7439-95-4	mg/L	8/11/2015 1442h	8/12/2015 1105h	E200.7	0.0294	1.00	<b>7.87</b>	
Manganese	7439-96-5	mg/L	8/11/2015 1442h	8/11/2015 2156h	E200.8	0.00153	0.00200	< 0.00200	U
Mercury	7439-97-6	mg/L	8/11/2015 1620h	8/12/2015 900h	E245.1	0.00000892	0.000150	< 0.000150	U
Molybdenum	7439-98-7	mg/L	8/11/2015 1442h	8/11/2015 2156h	E200.8	0.000206	0.00200	<b>0.00263</b>	
Nickel	7440-02-0	mg/L	8/11/2015 1442h	8/11/2015 2156h	E200.8	0.000754	0.00200	< 0.00200	U
Potassium	7440-09-7	mg/L	8/11/2015 1442h	8/12/2015 1105h	E200.7	0.247	1.00	<b>3.35</b>	
Selenium	7782-49-2	mg/L	8/11/2015 1442h	8/11/2015 2156h	E200.8	0.0000634	0.00200	0.000753	J
Silver	7440-22-4	mg/L	8/11/2015 1442h	8/11/2015 2156h	E200.8	0.0000244	0.00200	0.000193	J
Sodium	7440-23-5	mg/L	8/11/2015 1442h	8/12/2015 1105h	E200.7	0.0330	1.00	<b>41.9</b>	
Thallium	7440-28-0	mg/L	8/11/2015 1442h	8/11/2015 2156h	E200.8	0.0000242	0.00200	< 0.00200	U
Vanadium	7440-62-2	mg/L	8/11/2015 1442h	8/11/2015 2156h	E200.8	0.000438	0.00440	<b>0.00667</b>	
Zinc	7440-66-6	mg/L	8/11/2015 1442h	8/11/2015 2156h	E200.8	0.00476	0.00500	<b>0.0185</b>	

*B - This analyte was also detected in the method blank below the PQL.*

*J - Estimated value between the MDL and the reporting limit (PQL).*

*U - This flag indicates the compound was analyzed for but not detected above the MDL.*



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## INORGANIC ANALYTICAL REPORT

**Client:** Utah Division of Water Quality **Contact:** Lenora Sullivan  
**Project:** Gold King Mine - San Juan River Sampling  
**Lab Sample ID:** 1508188-002  
**Client Sample ID:** San Juan R at Sand Island (4953250)  
**Collection Date:** 8/10/2015 1558h  
**Received Date:** 8/11/2015 1320h

### Analytical Results

### DISSOLVED METALS

Compound	CAS	Units	Date Prepared	Date Analyzed	Method Used	MDL	Reporting Limit	Analytical Result	Qual
Aluminum	7429-90-5	mg/L	8/11/2015 1442h	8/12/2015 1114h	E200.7	0.0237	0.100	<b>0.108</b>	
Antimony	7440-36-0	mg/L	8/11/2015 1442h	8/11/2015 2159h	E200.8	0.0000366	0.00200	0.000574	JB
Arsenic	7440-38-2	mg/L	8/11/2015 1442h	8/11/2015 2159h	E200.8	0.0000920	0.00200	0.00107	J
Barium	7440-39-3	mg/L	8/11/2015 1442h	8/11/2015 2159h	E200.8	0.000538	0.00200	<b>0.184</b>	
Beryllium	7440-41-7	mg/L	8/11/2015 1442h	8/11/2015 2159h	E200.8	0.0000288	0.00200	< 0.00200	U
Cadmium	7440-43-9	mg/L	8/11/2015 1442h	8/11/2015 2159h	E200.8	0.000193	0.000500	< 0.000500	U
Calcium	7440-70-2	mg/L	8/11/2015 1442h	8/12/2015 1026h	E200.7	0.401	10.0	<b>48.4</b>	
Chromium	7440-47-3	mg/L	8/11/2015 1442h	8/11/2015 2159h	E200.8	0.00154	0.00200	< 0.00200	U
Cobalt	7440-48-4	mg/L	8/11/2015 1442h	8/11/2015 2159h	E200.8	0.0000434	0.00400	0.0000556	J
Copper	7440-50-8	mg/L	8/11/2015 1442h	8/11/2015 2159h	E200.8	0.000692	0.00200	0.00196	J
Iron	7439-89-6	mg/L	8/11/2015 1442h	8/12/2015 1114h	E200.7	0.0767	0.100	< 0.100	U
Lead	7439-92-1	mg/L	8/11/2015 1442h	8/11/2015 2159h	E200.8	0.000264	0.00200	0.000315	J
Magnesium	7439-95-4	mg/L	8/11/2015 1442h	8/12/2015 1114h	E200.7	0.0294	1.00	<b>7.83</b>	
Manganese	7439-96-5	mg/L	8/11/2015 1442h	8/11/2015 2159h	E200.8	0.00153	0.00200	< 0.00200	U
Mercury	7439-97-6	mg/L	8/11/2015 1620h	8/12/2015 906h	E245.1	0.00000892	0.000150	< 0.000150	U
Molybdenum	7439-98-7	mg/L	8/11/2015 1442h	8/11/2015 2159h	E200.8	0.000206	0.00200	<b>0.00226</b>	
Nickel	7440-02-0	mg/L	8/11/2015 1442h	8/11/2015 2159h	E200.8	0.000754	0.00200	< 0.00200	U
Potassium	7440-09-7	mg/L	8/11/2015 1442h	8/12/2015 1114h	E200.7	0.247	1.00	<b>2.67</b>	
Selenium	7782-49-2	mg/L	8/11/2015 1442h	8/11/2015 2159h	E200.8	0.0000634	0.00200	0.000526	J
Silver	7440-22-4	mg/L	8/11/2015 1442h	8/11/2015 2159h	E200.8	0.0000244	0.00200	< 0.00200	U
Sodium	7440-23-5	mg/L	8/11/2015 1442h	8/12/2015 1114h	E200.7	0.0330	1.00	<b>30.6</b>	
Thallium	7440-28-0	mg/L	8/11/2015 1442h	8/11/2015 2159h	E200.8	0.0000242	0.00200	< 0.00200	U
Vanadium	7440-62-2	mg/L	8/11/2015 1442h	8/11/2015 2159h	E200.8	0.000438	0.00440	0.00189	J
Zinc	7440-66-6	mg/L	8/11/2015 1442h	8/11/2015 2159h	E200.8	0.00476	0.00500	<b>0.0132</b>	

*B - This analyte was also detected in the method blank below the PQL.*

*J - Estimated value between the MDL and the reporting limit (PQL).*

*U - This flag indicates the compound was analyzed for but not detected above the MDL.*



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## INORGANIC ANALYTICAL REPORT

**Client:** Utah Division of Water Quality **Contact:** Lenora Sullivan  
**Project:** Gold King Mine - San Juan River Sampling  
**Lab Sample ID:** 1508188-003  
**Client Sample ID:** San Juan River at Town of Montezuma (4953990)  
**Collection Date:** 8/10/2015 1458h  
**Received Date:** 8/11/2015 1320h

### Analytical Results

### DISSOLVED METALS

Compound	CAS	Units	Date Prepared	Date Analyzed	Method Used	MDL	Reporting Limit	Analytical Result	Qual
Aluminum	7429-90-5	mg/L	8/11/2015 1442h	8/12/2015 1121h	E200.7	0.0237	0.100	0.0945	J
Antimony	7440-36-0	mg/L	8/11/2015 1442h	8/11/2015 2215h	E200.8	0.0000366	0.00200	0.00131	JB
Arsenic	7440-38-2	mg/L	8/11/2015 1442h	8/11/2015 2215h	E200.8	0.0000920	0.00200	0.000933	J
Barium	7440-39-3	mg/L	8/11/2015 1442h	8/11/2015 2215h	E200.8	0.000538	0.00200	<b>0.200</b>	
Beryllium	7440-41-7	mg/L	8/11/2015 1442h	8/11/2015 2215h	E200.8	0.0000288	0.00200	0.0000336	J
Cadmium	7440-43-9	mg/L	8/11/2015 1442h	8/11/2015 2215h	E200.8	0.000193	0.000500	< 0.000500	U
Calcium	7440-70-2	mg/L	8/11/2015 1442h	8/12/2015 1121h	E200.7	0.0401	1.00	<b>48.6</b>	
Chromium	7440-47-3	mg/L	8/11/2015 1442h	8/11/2015 2215h	E200.8	0.00154	0.00200	< 0.00200	U
Cobalt	7440-48-4	mg/L	8/11/2015 1442h	8/11/2015 2215h	E200.8	0.0000434	0.00400	0.0000595	J
Copper	7440-50-8	mg/L	8/11/2015 1442h	8/11/2015 2215h	E200.8	0.000692	0.00200	<b>0.00248</b>	
Iron	7439-89-6	mg/L	8/11/2015 1442h	8/12/2015 1121h	E200.7	0.0767	0.100	< 0.100	U
Lead	7439-92-1	mg/L	8/11/2015 1442h	8/11/2015 2215h	E200.8	0.000264	0.00200	0.000297	J
Magnesium	7439-95-4	mg/L	8/11/2015 1442h	8/12/2015 1121h	E200.7	0.0294	1.00	<b>7.35</b>	
Manganese	7439-96-5	mg/L	8/11/2015 1442h	8/11/2015 2215h	E200.8	0.00153	0.00200	< 0.00200	U
Mercury	7439-97-6	mg/L	8/11/2015 1620h	8/12/2015 908h	E245.1	0.0000892	0.000150	< 0.000150	U
Molybdenum	7439-98-7	mg/L	8/11/2015 1442h	8/11/2015 2215h	E200.8	0.000206	0.00200	<b>0.00232</b>	
Nickel	7440-02-0	mg/L	8/11/2015 1442h	8/11/2015 2215h	E200.8	0.000754	0.00200	< 0.00200	U
Potassium	7440-09-7	mg/L	8/11/2015 1442h	8/12/2015 1121h	E200.7	0.247	1.00	<b>2.59</b>	
Selenium	7782-49-2	mg/L	8/11/2015 1442h	8/11/2015 2215h	E200.8	0.0000634	0.00200	0.000609	J
Silver	7440-22-4	mg/L	8/11/2015 1442h	8/11/2015 2215h	E200.8	0.0000244	0.00200	0.000251	J
Sodium	7440-23-5	mg/L	8/11/2015 1442h	8/12/2015 1121h	E200.7	0.0330	1.00	<b>31.8</b>	
Thallium	7440-28-0	mg/L	8/11/2015 1442h	8/11/2015 2215h	E200.8	0.0000242	0.00200	< 0.00200	U
Vanadium	7440-62-2	mg/L	8/11/2015 1442h	8/11/2015 2215h	E200.8	0.000438	0.00440	0.00196	J
Zinc	7440-66-6	mg/L	8/11/2015 1442h	8/11/2015 2215h	E200.8	0.00476	0.00500	<b>0.0146</b>	

*B - This analyte was also detected in the method blank below the PQL.*

*J - Estimated value between the MDL and the reporting limit (PQL).*

*U - This flag indicates the compound was analyzed for but not detected above the MDL.*





3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## INORGANIC ANALYTICAL REPORT

**Client:** Utah Division of Water Quality **Contact:** Lenora Sullivan  
**Project:** Gold King Mine - San Juan River Sampling  
**Lab Sample ID:** 1508188-004  
**Client Sample ID:** San Juan R at US160 Xing in CO (4954000)  
**Collection Date:** 8/10/2015 1406h  
**Received Date:** 8/11/2015 1320h

### Analytical Results

### DISSOLVED METALS

Compound	CAS	Units	Date Prepared	Date Analyzed	Method Used	MDL	Reporting Limit	Analytical Result	Qual
Aluminum	7429-90-5	mg/L	8/11/2015 1442h	8/12/2015 1123h	E200.7	0.0237	0.100	<b>1.05</b>	
Antimony	7440-36-0	mg/L	8/11/2015 1442h	8/11/2015 2218h	E200.8	0.0000366	0.00200	0.000711	JB
Arsenic	7440-38-2	mg/L	8/11/2015 1442h	8/11/2015 2218h	E200.8	0.0000920	0.00200	0.00130	J
Barium	7440-39-3	mg/L	8/11/2015 1442h	8/11/2015 2218h	E200.8	0.000538	0.00200	<b>0.220</b>	
Beryllium	7440-41-7	mg/L	8/11/2015 1442h	8/11/2015 2218h	E200.8	0.0000288	0.00200	0.0000905	J
Cadmium	7440-43-9	mg/L	8/11/2015 1442h	8/11/2015 2218h	E200.8	0.000193	0.000500	< 0.000500	U
Calcium	7440-70-2	mg/L	8/11/2015 1442h	8/12/2015 1123h	E200.7	0.0401	1.00	<b>44.2</b>	
Chromium	7440-47-3	mg/L	8/11/2015 1442h	8/11/2015 2218h	E200.8	0.00154	0.00200	< 0.00200	U
Cobalt	7440-48-4	mg/L	8/11/2015 1442h	8/11/2015 2218h	E200.8	0.0000434	0.00400	0.000407	J
Copper	7440-50-8	mg/L	8/11/2015 1442h	8/11/2015 2218h	E200.8	0.000692	0.00200	<b>0.00335</b>	
Iron	7439-89-6	mg/L	8/11/2015 1442h	8/12/2015 1123h	E200.7	0.0767	0.100	<b>0.732</b>	
Lead	7439-92-1	mg/L	8/11/2015 1442h	8/11/2015 2218h	E200.8	0.000264	0.00200	0.00104	J
Magnesium	7439-95-4	mg/L	8/11/2015 1442h	8/12/2015 1123h	E200.7	0.0294	1.00	<b>6.02</b>	
Manganese	7439-96-5	mg/L	8/11/2015 1442h	8/11/2015 2218h	E200.8	0.00153	0.00200	<b>0.0128</b>	
Mercury	7439-97-6	mg/L	8/11/2015 1620h	8/12/2015 910h	E245.1	0.0000892	0.000150	< 0.000150	U
Molybdenum	7439-98-7	mg/L	8/11/2015 1442h	8/11/2015 2218h	E200.8	0.000206	0.00200	0.00192	J
Nickel	7440-02-0	mg/L	8/11/2015 1442h	8/11/2015 2218h	E200.8	0.000754	0.00200	0.000838	J
Potassium	7440-09-7	mg/L	8/11/2015 1442h	8/12/2015 1123h	E200.7	0.247	1.00	<b>2.72</b>	
Selenium	7782-49-2	mg/L	8/11/2015 1442h	8/11/2015 2218h	E200.8	0.0000634	0.00200	0.000645	J
Silver	7440-22-4	mg/L	8/11/2015 1442h	8/11/2015 2218h	E200.8	0.0000244	0.00200	0.0000586	J
Sodium	7440-23-5	mg/L	8/11/2015 1442h	8/12/2015 1123h	E200.7	0.0330	1.00	<b>35.1</b>	
Thallium	7440-28-0	mg/L	8/11/2015 1442h	8/11/2015 2218h	E200.8	0.0000242	0.00200	< 0.00200	U
Vanadium	7440-62-2	mg/L	8/11/2015 1442h	8/11/2015 2218h	E200.8	0.000438	0.00440	0.00364	J
Zinc	7440-66-6	mg/L	8/11/2015 1442h	8/11/2015 2218h	E200.8	0.00476	0.00500	<b>0.0180</b>	

*B - This analyte was also detected in the method blank below the PQL.*

*J - Estimated value between the MDL and the reporting limit (PQL).*

*U - This flag indicates the compound was analyzed for but not detected above the MDL.*



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## INORGANIC ANALYTICAL REPORT

**Client:** Utah Division of Water Quality **Contact:** Lenora Sullivan  
**Project:** Gold King Mine - San Juan River Sampling  
**Lab Sample ID:** 1508188-001  
**Client Sample ID:** San Juan R at Mexican Hat US163 Xing (4953000)  
**Collection Date:** 8/10/2015 1644h  
**Received Date:** 8/11/2015 1320h

### Analytical Results

Compound	CAS	Units	Date Prepared	Date Analyzed	Method Used	MDL	Reporting Limit	Analytical Result	Qual
Alkalinity (as CaCO <sub>3</sub> )		mg/L		8/12/2015 638h	SM2320B	1.86	10.0	<b>105</b>	
Bicarbonate (as CaCO <sub>3</sub> )		mg/L		8/12/2015 638h	SM2320B	1.86	10.0	<b>105</b>	
Carbonate (as CaCO <sub>3</sub> )		mg/L		8/12/2015 638h	SM2320B	1.86	10.0	< 10.0	U
Chloride	16887-00-6	mg/L		8/12/2015 1757h	E300.0	0.0751	1.00	<b>10.0</b>	
Conductivity		µmhos/cm		8/12/2015 612h	SM2510B	0.436	2.00	<b>538</b>	B1
Hardness (as CaCO <sub>3</sub> )		mg/L		8/12/2015 1333h	SM2340B	10.0	10.0	<b>837</b>	
Hardness, Dissolved (as CaCO <sub>3</sub> )		mg/L		8/12/2015 1333h	SM2340B	10.0	10.0	<b>143</b>	
Nitrate/Nitrite (as N)	7727-37-9	mg/L		8/11/2015 1729h	E353.2	0.0833	0.100	<b>0.337</b>	B1
pH @ 25° C		pH Units		8/11/2015 2006h	SM4500-H+B	1.00	1.00	<b>8.27</b>	H
Sulfate	14808-79-8	mg/L		8/12/2015 1707h	E300.0	2.11	75.0	<b>132</b>	
Total Dissolved Solids		mg/L		8/11/2015 1420h	SM2540C	30.6	50.0	<b>660</b>	@
Total Suspended Solids	TSS	mg/L		8/11/2015 1430h	SM2540D	70.8	75.0	<b>7,390</b>	@

@ - High RPD due to suspected sample non-homogeneity or matrix interference.

B1 - The method blank was acceptable, as the method blank result is less than 10% of the lowest reported sample concentration.

H - Sample was received outside of the holding time.

U - This flag indicates the compound was analyzed for but not detected above the MDL.



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## INORGANIC ANALYTICAL REPORT

**Client:** Utah Division of Water Quality **Contact:** Lenora Sullivan  
**Project:** Gold King Mine - San Juan River Sampling  
**Lab Sample ID:** 1508188-002  
**Client Sample ID:** San Juan R at Sand Island (4953250)  
**Collection Date:** 8/10/2015 1558h  
**Received Date:** 8/11/2015 1320h

### Analytical Results

Compound	CAS	Units	Date Prepared	Date Analyzed	Method Used	MDL	Reporting Limit	Analytical Result	Qual
Alkalinity (as CaCO <sub>3</sub> )		mg/L		8/12/2015 638h	SM2320B	1.86	10.0	<b>103</b>	
Bicarbonate (as CaCO <sub>3</sub> )		mg/L		8/12/2015 638h	SM2320B	1.86	10.0	<b>103</b>	
Carbonate (as CaCO <sub>3</sub> )		mg/L		8/12/2015 638h	SM2320B	1.86	10.0	< 10.0	U
Chloride	16887-00-6	mg/L		8/12/2015 1814h	E300.0	0.0751	1.00	<b>9.99</b>	
Conductivity		µmhos/cm		8/12/2015 612h	SM2510B	0.436	2.00	<b>496</b>	B1
Hardness (as CaCO <sub>3</sub> )		mg/L		8/12/2015 1333h	SM2340B	10.0	10.0	<b>333</b>	
Hardness, Dissolved (as CaCO <sub>3</sub> )		mg/L		8/12/2015 1333h	SM2340B	10.0	10.0	<b>153</b>	
Nitrate/Nitrite (as N)	7727-37-9	mg/L		8/11/2015 1736h	E353.2	0.0833	0.100	<b>0.315</b>	B1
pH @ 25° C		pH Units		8/11/2015 2006h	SM4500-H+B	1.00	1.00	<b>8.23</b>	H
Sulfate	14808-79-8	mg/L		8/12/2015 1814h	E300.0	0.211	7.50	<b>118</b>	
Total Dissolved Solids		mg/L		8/11/2015 1420h	SM2540C	30.6	50.0	<b>490</b>	
Total Suspended Solids	TSS	mg/L		8/11/2015 1430h	SM2540D	70.8	75.0	<b>3,720</b>	

*B1 - The method blank was acceptable, as the method blank result is less than 10% of the lowest reported sample concentration.*

*H - Sample was received outside of the holding time.*

*U - This flag indicates the compound was analyzed for but not detected above the MDL.*



3440 South 700 West  
 Salt Lake City, UT 84119  
 Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
 e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
 Laboratory Director

Jose Rocha  
 QA Officer

## INORGANIC ANALYTICAL REPORT

**Client:** Utah Division of Water Quality **Contact:** Lenora Sullivan  
**Project:** Gold King Mine - San Juan River Sampling  
**Lab Sample ID:** 1508188-003  
**Client Sample ID:** San Juan River at Town of Montezuma (4953990)  
**Collection Date:** 8/10/2015 1458h  
**Received Date:** 8/11/2015 1320h

### Analytical Results

Compound	CAS	Units	Date Prepared	Date Analyzed	Method Used	MDL	Reporting Limit	Analytical Result	Qual
Alkalinity (as CaCO <sub>3</sub> )		mg/L		8/12/2015 638h	SM2320B	1.86	10.0	<b>105</b>	
Bicarbonate (as CaCO <sub>3</sub> )		mg/L		8/12/2015 638h	SM2320B	1.86	10.0	<b>105</b>	
Carbonate (as CaCO <sub>3</sub> )		mg/L		8/12/2015 638h	SM2320B	1.86	10.0	< 10.0	U
Chloride	16887-00-6	mg/L		8/12/2015 1831h	E300.0	0.0751	1.00	<b>9.73</b>	
Conductivity		µmhos/cm		8/12/2015 612h	SM2510B	0.436	2.00	<b>502</b>	B1
Hardness (as CaCO <sub>3</sub> )		mg/L		8/12/2015 1333h	SM2340B	10.0	10.0	<b>335</b>	
Hardness, Dissolved (as CaCO <sub>3</sub> )		mg/L		8/12/2015 1333h	SM2340B	10.0	10.0	<b>152</b>	
Nitrate/Nitrite (as N)	7727-37-9	mg/L		8/11/2015 1737h	E353.2	0.0833	0.100	<b>0.226</b>	B1
pH @ 25° C		pH Units		8/11/2015 2006h	SM4500-H+B	1.00	1.00	<b>8.28</b>	H
Sulfate	14808-79-8	mg/L		8/12/2015 1831h	E300.0	0.211	7.50	<b>108</b>	
Total Dissolved Solids		mg/L		8/11/2015 1420h	SM2540C	30.6	50.0	<b>460</b>	
Total Suspended Solids	TSS	mg/L		8/11/2015 1430h	SM2540D	70.8	75.0	<b>3,870</b>	

*B1 - The method blank was acceptable, as the method blank result is less than 10% of the lowest reported sample concentration.*

*H - Sample was received outside of the holding time.*

*U - This flag indicates the compound was analyzed for but not detected above the MDL.*



3440 South 700 West

Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687

e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## INORGANIC ANALYTICAL REPORT

**Client:** Utah Division of Water Quality **Contact:** Lenora Sullivan  
**Project:** Gold King Mine - San Juan River Sampling  
**Lab Sample ID:** 1508188-004  
**Client Sample ID:** San Juan R at US160 Xing in CO (4954000)  
**Collection Date:** 8/10/2015 1406h  
**Received Date:** 8/11/2015 1320h

### Analytical Results

Compound	CAS	Units	Date Prepared	Date Analyzed	Method Used	MDL	Reporting Limit	Analytical Result	Qual
Alkalinity (as CaCO3)		mg/L		8/12/2015 638h	SM2320B	1.86	10.0	<b>105</b>	
Bicarbonate (as CaCO3)		mg/L		8/12/2015 638h	SM2320B	1.86	10.0	<b>105</b>	
Carbonate (as CaCO3)		mg/L		8/12/2015 638h	SM2320B	1.86	10.0	< 10.0	U
Chloride	16887-00-6	mg/L		8/12/2015 1848h	E300.0	0.0751	1.00	<b>9.41</b>	
Conductivity		µmhos/cm		8/12/2015 612h	SM2510B	0.436	2.00	<b>490</b>	B1
Hardness (as CaCO3)		mg/L		8/12/2015 1333h	SM2340B	10.0	10.0	<b>299</b>	
Hardness, Dissolved (as CaCO3)		mg/L		8/12/2015 1333h	SM2340B	10.0	10.0	<b>135</b>	
Nitrate/Nitrite (as N)	7727-37-9	mg/L		8/11/2015 1747h	E353.2	0.0833	0.100	<b>0.445</b>	B1
pH @ 25° C		pH Units		8/11/2015 2006h	SM4500-H+B	1.00	1.00	<b>8.25</b>	H
Sulfate	14808-79-8	mg/L		8/12/2015 1848h	E300.0	0.211	7.50	<b>102</b>	
Total Dissolved Solids		mg/L		8/11/2015 1420h	SM2540C	30.6	50.0	<b>490</b>	
Total Suspended Solids	TSS	mg/L		8/11/2015 1430h	SM2540D	70.8	75.0	<b>4,040</b>	

B1 - The method blank was acceptable, as the method blank result is less than 10% of the lowest reported sample concentration.

H - Sample was received outside of the holding time.

U - This flag indicates the compound was analyzed for but not detected above the MDL.



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality  
**Lab Set ID:** 1508188  
**Project:** Gold King Mine - San Juan River Sampling

**Contact:** Lenora Sullivan  
**Dept:** ME  
**QC Type:** LCS

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID: LCS-38483</b>													
Date Analyzed:		08/12/2015 1022h											
Test Code:		200.7-DIS											
Date Prepared:		08/11/2015 1442h											
Aluminum	1.01	mg/L	E200.7	0.0237	0.100	1.000	0	101	85 - 115				
Calcium	9.89	mg/L	E200.7	0.0401	1.00	10.00	0	98.9	85 - 115				
Iron	0.967	mg/L	E200.7	0.0767	0.100	1.000	0	96.7	85 - 115				
Magnesium	9.98	mg/L	E200.7	0.0294	1.00	10.00	0	99.8	85 - 115				
Potassium	10.1	mg/L	E200.7	0.247	1.00	10.00	0	101	85 - 115				
Sodium	9.75	mg/L	E200.7	0.0330	1.00	10.00	0	97.5	85 - 115				
<b>Lab Sample ID: LCS-38481</b>													
Date Analyzed:		08/12/2015 854h											
Test Code:		200.7-W											
Date Prepared:		08/11/2015 1442h											
Aluminum	0.960	mg/L	E200.7	0.0237	0.100	1.000	0	96.0	85 - 115				
Calcium	9.42	mg/L	E200.7	0.0401	1.00	10.00	0	94.2	85 - 115				
Magnesium	9.83	mg/L	E200.7	0.0294	1.00	10.00	0	98.3	85 - 115				
Potassium	9.75	mg/L	E200.7	0.247	1.00	10.00	0	97.5	85 - 115				
Sodium	9.39	mg/L	E200.7	0.0330	1.00	10.00	0	93.9	85 - 115				
<b>Lab Sample ID: LCS-38481</b>													
Date Analyzed:		08/12/2015 1144h											
Test Code:		200.7-W											
Date Prepared:		08/11/2015 1442h											
Iron	0.887	mg/L	E200.7	0.0767	0.100	1.000	0	88.7	85 - 115				
<b>Lab Sample ID: LCS-38484</b>													
Date Analyzed:		08/11/2015 2152h											
Test Code:		200.8-DIS											
Date Prepared:		08/11/2015 1442h											
Arsenic	0.205	mg/L	E200.8	0.0000920	0.00200	0.2000	0	103	85 - 115				
Barium	0.191	mg/L	E200.8	0.000538	0.00200	0.2000	0	95.6	85 - 115				
Beryllium	0.206	mg/L	E200.8	0.0000288	0.00200	0.2000	0	103	85 - 115				
Cadmium	0.192	mg/L	E200.8	0.000193	0.000500	0.2000	0	96.0	85 - 115				
Chromium	0.208	mg/L	E200.8	0.00154	0.00200	0.2000	0	104	85 - 115				
Cobalt	0.197	mg/L	E200.8	0.0000434	0.00400	0.2000	0	98.4	85 - 115				
Copper	0.200	mg/L	E200.8	0.000692	0.00200	0.2000	0	100	85 - 115				
Lead	0.188	mg/L	E200.8	0.000264	0.00200	0.2000	0	94.0	85 - 115				
Manganese	0.199	mg/L	E200.8	0.00153	0.00200	0.2000	0	99.5	85 - 115				



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality

**Contact:** Lenora Sullivan

**Lab Set ID:** 1508188

**Dept:** ME

**Project:** Gold King Mine - San Juan River Sampling

**QC Type:** LCS

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID: LCS-38484</b>		Date Analyzed: 08/11/2015 2152h											
Test Code: 200.8-DIS		Date Prepared: 08/11/2015 1442h											
Molybdenum	0.196	mg/L	E200.8	0.000206	0.00200	0.2000	0	97.8	85 - 115				
Nickel	0.197	mg/L	E200.8	0.000754	0.00200	0.2000	0	98.4	85 - 115				
Selenium	0.192	mg/L	E200.8	0.0000634	0.00200	0.2000	0	96.1	85 - 115				
Silver	0.188	mg/L	E200.8	0.0000244	0.00200	0.2000	0	93.8	85 - 115				
Thallium	0.185	mg/L	E200.8	0.0000242	0.00200	0.2000	0	92.6	85 - 115				
Vanadium	0.203	mg/L	E200.8	0.000438	0.00440	0.2000	0	101	85 - 115				
Zinc	1.01	mg/L	E200.8	0.00476	0.00500	1.000	0	101	85 - 115				
<b>Lab Sample ID: LCS-38484</b>		Date Analyzed: 08/12/2015 954h											
Test Code: 200.8-DIS		Date Prepared: 08/11/2015 1442h											
Antimony	0.174	mg/L	E200.8	0.0000366	0.00200	0.2000	0	87.0	85 - 115				
<b>Lab Sample ID: LCS-38482</b>		Date Analyzed: 08/11/2015 2304h											
Test Code: 200.8-W		Date Prepared: 08/11/2015 1442h											
Arsenic	0.202	mg/L	E200.8	0.0000920	0.00200	0.2000	0	101	85 - 115				
Barium	0.191	mg/L	E200.8	0.000538	0.00200	0.2000	0	95.7	85 - 115				
Beryllium	0.205	mg/L	E200.8	0.0000288	0.00200	0.2000	0	103	85 - 115				
Cadmium	0.193	mg/L	E200.8	0.000193	0.000500	0.2000	0	96.7	85 - 115				
Chromium	0.206	mg/L	E200.8	0.00154	0.00200	0.2000	0	103	85 - 115				
Cobalt	0.198	mg/L	E200.8	0.0000434	0.00400	0.2000	0	98.9	85 - 115				
Copper	0.201	mg/L	E200.8	0.000692	0.00200	0.2000	0	101	85 - 115				
Lead	0.189	mg/L	E200.8	0.000264	0.00200	0.2000	0	94.4	85 - 115				
Manganese	0.199	mg/L	E200.8	0.00153	0.00200	0.2000	0	99.5	85 - 115				
Molybdenum	0.196	mg/L	E200.8	0.000206	0.00200	0.2000	0	98.2	85 - 115				
Nickel	0.198	mg/L	E200.8	0.000754	0.00200	0.2000	0	99.0	85 - 115				
Selenium	0.193	mg/L	E200.8	0.0000634	0.00200	0.2000	0	96.6	85 - 115				
Silver	0.188	mg/L	E200.8	0.0000244	0.00200	0.2000	0	94.1	85 - 115				
Thallium	0.187	mg/L	E200.8	0.0000242	0.00200	0.2000	0	93.4	85 - 115				
Vanadium	0.202	mg/L	E200.8	0.000438	0.00440	0.2000	0	101	85 - 115				
Zinc	1.01	mg/L	E200.8	0.00476	0.00500	1.000	0	101	85 - 115				



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality  
**Lab Set ID:** 1508188  
**Project:** Gold King Mine - San Juan River Sampling

**Contact:** Lenora Sullivan  
**Dept:** ME  
**QC Type:** LCS

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID:</b> LCS-38482	Date Analyzed:	08/12/2015	957h										
Test Code:	200.8-W	Date Prepared:	08/11/2015	1442h									
Antimony	0.175	mg/L	E200.8	0.0000366	0.00200	0.2000	0	87.3	85 - 115				
<b>Lab Sample ID:</b> LCS-38493	Date Analyzed:	08/12/2015	811h										
Test Code:	HG-DW-245.1	Date Prepared:	08/11/2015	1620h									
Mercury	0.00345	mg/L	E245.1	0.00000892	0.000150	0.003330	0	104	85 - 115				
<b>Lab Sample ID:</b> LCS-38492	Date Analyzed:	08/12/2015	850h										
Test Code:	HG-DW-DIS-245.1	Date Prepared:	08/11/2015	1620h									
Mercury	0.00347	mg/L	E245.1	0.00000892	0.000150	0.003330	0	104	85 - 115				





3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality

**Contact:** Lenora Sullivan

**Lab Set ID:** 1508188

**Dept:** ME

**Project:** Gold King Mine - San Juan River Sampling

**QC Type:** MBLK

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID: MB-38483</b>													
Date Analyzed:		08/12/2015 1020h											
Test Code:		200.7-DIS											
Date Prepared:		08/11/2015 1442h											
Aluminum	< 0.100	mg/L	E200.7	0.0237	0.100								U
Calcium	< 1.00	mg/L	E200.7	0.0401	1.00								U
Iron	< 0.100	mg/L	E200.7	0.0767	0.100								U
Magnesium	< 1.00	mg/L	E200.7	0.0294	1.00								U
Potassium	< 1.00	mg/L	E200.7	0.247	1.00								U
Sodium	< 1.00	mg/L	E200.7	0.0330	1.00								U
<b>Lab Sample ID: MB-38481</b>													
Date Analyzed:		08/12/2015 851h											
Test Code:		200.7-W											
Date Prepared:		08/11/2015 1442h											
Aluminum	< 0.100	mg/L	E200.7	0.0237	0.100								U
Calcium	< 1.00	mg/L	E200.7	0.0401	1.00								U
Magnesium	< 1.00	mg/L	E200.7	0.0294	1.00								U
Potassium	< 1.00	mg/L	E200.7	0.247	1.00								U
Sodium	< 1.00	mg/L	E200.7	0.0330	1.00								U
<b>Lab Sample ID: MB-38481</b>													
Date Analyzed:		08/12/2015 1142h											
Test Code:		200.7-W											
Date Prepared:		08/11/2015 1442h											
Iron	< 0.100	mg/L	E200.7	0.0767	0.100								U
<b>Lab Sample ID: MB-38484</b>													
Date Analyzed:		08/11/2015 2149h											
Test Code:		200.8-DIS											
Date Prepared:		08/11/2015 1442h											
Antimony	0.0000427	mg/L	E200.8	0.0000366	0.00200								JB
Arsenic	< 0.00200	mg/L	E200.8	0.0000920	0.00200								U
Barium	< 0.00200	mg/L	E200.8	0.000538	0.00200								U
Beryllium	< 0.00200	mg/L	E200.8	0.0000288	0.00200								U
Cadmium	< 0.000500	mg/L	E200.8	0.000193	0.000500								U
Chromium	< 0.00200	mg/L	E200.8	0.00154	0.00200								U
Cobalt	< 0.00400	mg/L	E200.8	0.0000434	0.00400								U
Copper	< 0.00200	mg/L	E200.8	0.000692	0.00200								U
Lead	< 0.00200	mg/L	E200.8	0.000264	0.00200								U



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality

**Contact:** Lenora Sullivan

**Lab Set ID:** 1508188

**Dept:** ME

**Project:** Gold King Mine - San Juan River Sampling

**QC Type:** MBLK

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID:</b> MB-38484	Date Analyzed:	08/11/2015	2149h										
Test Code:	200.8-DIS	Date Prepared:	08/11/2015	1442h									
Manganese	< 0.00200	mg/L	E200.8	0.00153	0.00200								U
Molybdenum	< 0.00200	mg/L	E200.8	0.000206	0.00200								U
Nickel	< 0.00200	mg/L	E200.8	0.000754	0.00200								U
Selenium	< 0.00200	mg/L	E200.8	0.0000634	0.00200								U
Silver	< 0.00200	mg/L	E200.8	0.0000244	0.00200								U
Thallium	< 0.00200	mg/L	E200.8	0.0000242	0.00200								U
Vanadium	< 0.00440	mg/L	E200.8	0.000438	0.00440								U
Zinc	< 0.00500	mg/L	E200.8	0.00476	0.00500								U
<b>Lab Sample ID:</b> MB-38482	Date Analyzed:	08/11/2015	2301h										
Test Code:	200.8-W	Date Prepared:	08/11/2015	1442h									
Antimony	0.000121	mg/L	E200.8	0.0000366	0.00200								JB
Arsenic	< 0.00200	mg/L	E200.8	0.0000920	0.00200								U
Barium	< 0.00200	mg/L	E200.8	0.000538	0.00200								U
Beryllium	< 0.00200	mg/L	E200.8	0.0000288	0.00200								U
Cadmium	< 0.000500	mg/L	E200.8	0.000193	0.000500								U
Chromium	< 0.00200	mg/L	E200.8	0.00154	0.00200								U
Cobalt	< 0.00400	mg/L	E200.8	0.0000434	0.00400								U
Copper	< 0.00200	mg/L	E200.8	0.000692	0.00200								U
Lead	< 0.00200	mg/L	E200.8	0.000264	0.00200								U
Manganese	< 0.00200	mg/L	E200.8	0.00153	0.00200								U
Molybdenum	< 0.00200	mg/L	E200.8	0.000206	0.00200								U
Nickel	< 0.00200	mg/L	E200.8	0.000754	0.00200								U
Selenium	< 0.00200	mg/L	E200.8	0.0000634	0.00200								U
Silver	0.0000303	mg/L	E200.8	0.0000244	0.00200								JB
Thallium	< 0.00200	mg/L	E200.8	0.0000242	0.00200								U
Vanadium	< 0.00440	mg/L	E200.8	0.000438	0.00440								U
Zinc	< 0.00500	mg/L	E200.8	0.00476	0.00500								U



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality  
**Lab Set ID:** 1508188  
**Project:** Gold King Mine - San Juan River Sampling

**Contact:** Lenora Sullivan  
**Dept:** ME  
**QC Type:** MBLK

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID:</b> MB-38493	Date Analyzed:	08/12/2015	809h										
Test Code: HG-DW-245.1	Date Prepared:	08/11/2015	1620h										
Mercury	< 0.000150	mg/L	E245.1	0.00000892	0.000150								U
<b>Lab Sample ID:</b> MB-38492	Date Analyzed:	08/12/2015	849h										
Test Code: HG-DW-DIS-245.1	Date Prepared:	08/11/2015	1620h										
Mercury	< 0.000150	mg/L	E245.1	0.00000892	0.000150								U

*B - This analyte was also detected in the method blank below the PQL.*

*J - Estimated value between the MDL and the reporting limit (PQL).*

*U - This flag indicates the compound was analyzed for but not detected above the MDL.*



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality  
**Lab Set ID:** 1508188  
**Project:** Gold King Mine - San Juan River Sampling

**Contact:** Lenora Sullivan  
**Dept:** ME  
**QC Type:** MS

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID: 1508188-002CMS</b>													
Date Analyzed:	08/12/2015 1116h												
Test Code:	200.7-DIS												
Date Prepared:	08/11/2015 1442h												
Aluminum	1.14	mg/L	E200.7	0.0237	0.100	1.000	0.108	103	70 - 130				
Iron	1.01	mg/L	E200.7	0.0767	0.100	1.000	0	101	70 - 130				
Magnesium	17.9	mg/L	E200.7	0.0294	1.00	10.00	7.83	101	70 - 130				
Potassium	12.8	mg/L	E200.7	0.247	1.00	10.00	2.67	102	70 - 130				
Sodium	41.1	mg/L	E200.7	0.0330	1.00	10.00	30.6	105	70 - 130				
<b>Lab Sample ID: 1508189-001CMS</b>													
Date Analyzed:	08/12/2015 1127h												
Test Code:	200.7-DIS												
Date Prepared:	08/11/2015 1442h												
Aluminum	1.42	mg/L	E200.7	0.0237	0.100	1.000	0.325	110	70 - 130				
Calcium	54.4	mg/L	E200.7	0.0401	1.00	10.00	44.6	98.1	70 - 130				
Iron	1.11	mg/L	E200.7	0.0767	0.100	1.000	0.14	97.2	70 - 130				
Magnesium	18.0	mg/L	E200.7	0.0294	1.00	10.00	7.84	101	70 - 130				
Potassium	13.5	mg/L	E200.7	0.247	1.00	10.00	3.41	101	70 - 130				
Sodium	54.0	mg/L	E200.7	0.0330	1.00	10.00	43.6	105	70 - 130				
<b>Lab Sample ID: 1508188-002CMS</b>													
Date Analyzed:	08/12/2015 1033h												
Test Code:	200.7-DIS												
Date Prepared:	08/11/2015 1442h												
Calcium	58.6	mg/L	E200.7	0.401	10.0	10.00	48.4	102	70 - 130				
<b>Lab Sample ID: 1508188-002BMS</b>													
Date Analyzed:	08/12/2015 905h												
Test Code:	200.7-W												
Date Prepared:	08/11/2015 1442h												
Aluminum	32.6	mg/L	E200.7	0.237	1.00	1.000	28.7	395	70 - 130				2
Calcium	110	mg/L	E200.7	0.401	10.0	10.00	99.9	106	70 - 130				
<b>Lab Sample ID: 1508189-001BMS</b>													
Date Analyzed:	08/12/2015 927h												
Test Code:	200.7-W												
Date Prepared:	08/11/2015 1442h												
Aluminum	94.2	mg/L	E200.7	0.237	1.00	1.000	90.8	337	70 - 130				2
Calcium	314	mg/L	E200.7	0.401	10.0	10.00	314	0.926	70 - 130				2
Magnesium	65.7	mg/L	E200.7	0.294	10.0	10.00	57	87.2	70 - 130				
Sodium	52.9	mg/L	E200.7	0.330	10.0	10.00	46.1	67.9	70 - 130				1



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality  
**Lab Set ID:** 1508188  
**Project:** Gold King Mine - San Juan River Sampling

**Contact:** Lenora Sullivan  
**Dept:** ME  
**QC Type:** MS

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID: 1508188-002BMS</b>													
Date Analyzed:	08/12/2015 1039h												
Test Code:	200.7-W												
Date Prepared:	08/11/2015 1442h												
Iron	27.7	mg/L	E200.7	0.0767	0.100	1.000	27.7	-2.87	70 - 130				2
Magnesium	28.5	mg/L	E200.7	0.0294	1.00	10.00	20.4	81.1	70 - 130				
Potassium	17.0	mg/L	E200.7	0.247	1.00	10.00	7.29	97.6	70 - 130				
Sodium	43.4	mg/L	E200.7	0.0330	1.00	10.00	33.2	102	70 - 130				
<b>Lab Sample ID: 1508189-001BMS</b>													
Date Analyzed:	08/12/2015 1051h												
Test Code:	200.7-W												
Date Prepared:	08/11/2015 1442h												
Iron	42.9	mg/L	E200.7	0.0767	0.100	1.000	43.4	-48.1	70 - 130				2
Potassium	29.5	mg/L	E200.7	0.247	1.00	10.00	19.7	97.6	70 - 130				
<b>Lab Sample ID: 1508188-002CMS</b>													
Date Analyzed:	08/11/2015 2209h												
Test Code:	200.8-DIS												
Date Prepared:	08/11/2015 1442h												
Antimony	0.169	mg/L	E200.8	0.0000366	0.00200	0.2000	0.000574	84.1	75 - 125				
Arsenic	0.205	mg/L	E200.8	0.0000920	0.00200	0.2000	0.00107	102	75 - 125				
Barium	0.371	mg/L	E200.8	0.000538	0.00200	0.2000	0.184	93.7	75 - 125				
Beryllium	0.202	mg/L	E200.8	0.0000288	0.00200	0.2000	0	101	75 - 125				
Cadmium	0.190	mg/L	E200.8	0.000193	0.000500	0.2000	0	95.2	75 - 125				
Chromium	0.203	mg/L	E200.8	0.00154	0.00200	0.2000	0	102	75 - 125				
Cobalt	0.193	mg/L	E200.8	0.0000434	0.00400	0.2000	0.0000556	96.7	75 - 125				
Copper	0.200	mg/L	E200.8	0.000692	0.00200	0.2000	0.00196	99.0	75 - 125				
Lead	0.186	mg/L	E200.8	0.000264	0.00200	0.2000	0.000315	92.8	75 - 125				
Manganese	0.197	mg/L	E200.8	0.00153	0.00200	0.2000	0	98.5	75 - 125				
Molybdenum	0.198	mg/L	E200.8	0.000206	0.00200	0.2000	0.00226	98.0	75 - 125				
Nickel	0.193	mg/L	E200.8	0.000754	0.00200	0.2000	0	96.5	75 - 125				
Selenium	0.189	mg/L	E200.8	0.0000634	0.00200	0.2000	0.000526	94.3	75 - 125				
Silver	0.185	mg/L	E200.8	0.0000244	0.00200	0.2000	0	92.5	75 - 125				
Thallium	0.183	mg/L	E200.8	0.0000242	0.00200	0.2000	0	91.5	75 - 125				
Vanadium	0.202	mg/L	E200.8	0.000438	0.00440	0.2000	0.00189	100	75 - 125				
Zinc	1.01	mg/L	E200.8	0.00476	0.00500	1.000	0.0132	99.7	75 - 125				



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality  
**Lab Set ID:** 1508188  
**Project:** Gold King Mine - San Juan River Sampling

**Contact:** Lenora Sullivan  
**Dept:** ME  
**QC Type:** MS

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID: 1508189-001CMS</b>		Date Analyzed:	08/11/2015 2235h										
Test Code: 200.8-DIS		Date Prepared:	08/11/2015 1442h										
Antimony	0.171	mg/L	E200.8	0.0000366	0.00200	0.2000	0.000376	85.2	75 - 125				
Arsenic	0.205	mg/L	E200.8	0.0000920	0.00200	0.2000	0.00194	102	75 - 125				
Barium	0.489	mg/L	E200.8	0.000538	0.00200	0.2000	0.299	94.8	75 - 125				
Beryllium	0.203	mg/L	E200.8	0.0000288	0.00200	0.2000	0	102	75 - 125				
Cadmium	0.191	mg/L	E200.8	0.000193	0.000500	0.2000	0	95.3	75 - 125				
Chromium	0.203	mg/L	E200.8	0.00154	0.00200	0.2000	0	102	75 - 125				
Cobalt	0.196	mg/L	E200.8	0.0000434	0.00400	0.2000	0.000102	98.1	75 - 125				
Copper	0.201	mg/L	E200.8	0.000692	0.00200	0.2000	0.00295	98.8	75 - 125				
Lead	0.187	mg/L	E200.8	0.000264	0.00200	0.2000	0.000315	93.2	75 - 125				
Manganese	0.200	mg/L	E200.8	0.00153	0.00200	0.2000	0.00255	98.7	75 - 125				
Molybdenum	0.198	mg/L	E200.8	0.000206	0.00200	0.2000	0.00243	97.8	75 - 125				
Nickel	0.194	mg/L	E200.8	0.000754	0.00200	0.2000	0	96.9	75 - 125				
Selenium	0.191	mg/L	E200.8	0.0000634	0.00200	0.2000	0.000606	95.2	75 - 125				
Silver	0.184	mg/L	E200.8	0.0000244	0.00200	0.2000	0.0000297	91.8	75 - 125				
Thallium	0.183	mg/L	E200.8	0.0000242	0.00200	0.2000	0	91.7	75 - 125				
Vanadium	0.209	mg/L	E200.8	0.000438	0.00440	0.2000	0.00759	101	75 - 125				
Zinc	1.03	mg/L	E200.8	0.00476	0.00500	1.000	0.0176	101	75 - 125				
<b>Lab Sample ID: 1508188-002BMS</b>		Date Analyzed:	08/11/2015 2347h										
Test Code: 200.8-W		Date Prepared:	08/11/2015 1442h										
Antimony	0.0218	mg/L	E200.8	0.0000366	0.00200	0.2000	0.000293	10.8	75 - 125				1
Arsenic	0.191	mg/L	E200.8	0.0000920	0.00200	0.2000	0.0107	90.3	75 - 125				
Barium	1.92	mg/L	E200.8	0.000538	0.00200	0.2000	0.726	598	75 - 125				1
Beryllium	0.198	mg/L	E200.8	0.0000288	0.00200	0.2000	0.00261	97.9	75 - 125				
Cadmium	0.192	mg/L	E200.8	0.000193	0.000500	0.2000	0.000713	95.6	75 - 125				
Chromium	0.214	mg/L	E200.8	0.00154	0.00200	0.2000	0.0161	98.8	75 - 125				
Cobalt	0.206	mg/L	E200.8	0.0000434	0.00400	0.2000	0.0173	94.6	75 - 125				
Copper	0.241	mg/L	E200.8	0.000692	0.00200	0.2000	0.0547	92.9	75 - 125				
Lead	0.267	mg/L	E200.8	0.000264	0.00200	0.2000	0.0847	91.1	75 - 125				



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality  
**Lab Set ID:** 1508188  
**Project:** Gold King Mine - San Juan River Sampling

**Contact:** Lenora Sullivan  
**Dept:** ME  
**QC Type:** MS

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID: 1508188-002BMS</b>													
Date Analyzed:		08/11/2015 2347h											
Test Code:		200.8-W											
Date Prepared:		08/11/2015 1442h											
Manganese	1.34	mg/L	E200.8	0.00153	0.00200	0.2000	1.17	81.2	75 - 125				
Molybdenum	0.132	mg/L	E200.8	0.000206	0.00200	0.2000	0.000876	65.6	75 - 125				1
Nickel	0.213	mg/L	E200.8	0.000754	0.00200	0.2000	0.0223	95.4	75 - 125				
Selenium	0.170	mg/L	E200.8	0.0000634	0.00200	0.2000	0.000894	84.4	75 - 125				
Silver	0.185	mg/L	E200.8	0.0000244	0.00200	0.2000	0.000527	92.1	75 - 125				
Thallium	0.173	mg/L	E200.8	0.0000242	0.00200	0.2000	0.000245	86.2	75 - 125				
Vanadium	0.230	mg/L	E200.8	0.000438	0.00440	0.2000	0.0409	94.4	75 - 125				
Zinc	1.72	mg/L	E200.8	0.00476	0.00500	1.000	0.96	76.1	75 - 125				
<b>Lab Sample ID: 1508189-001BMS</b>													
Date Analyzed:		08/12/2015 003h											
Test Code:		200.8-W											
Date Prepared:		08/11/2015 1442h											
Antimony	0.00408	mg/L	E200.8	0.0000366	0.00200	0.2000	0.000171	1.96	75 - 125				1
Arsenic	0.189	mg/L	E200.8	0.0000920	0.00200	0.2000	0.0206	84.1	75 - 125				
Beryllium	0.196	mg/L	E200.8	0.0000288	0.00200	0.2000	0.00761	94.4	75 - 125				
Cadmium	0.192	mg/L	E200.8	0.000193	0.000500	0.2000	0.00153	95.4	75 - 125				
Chromium	0.237	mg/L	E200.8	0.00154	0.00200	0.2000	0.0431	97.0	75 - 125				
Cobalt	0.226	mg/L	E200.8	0.0000434	0.00400	0.2000	0.0402	92.8	75 - 125				
Copper	0.235	mg/L	E200.8	0.000692	0.00200	0.2000	0.0728	81.2	75 - 125				
Lead	0.262	mg/L	E200.8	0.000264	0.00200	0.2000	0.0821	89.9	75 - 125				
Molybdenum	0.0526	mg/L	E200.8	0.000206	0.00200	0.2000	0.00065	26.0	75 - 125				1
Nickel	0.256	mg/L	E200.8	0.000754	0.00200	0.2000	0.0709	92.7	75 - 125				
Selenium	0.156	mg/L	E200.8	0.0000634	0.00200	0.2000	0.00137	77.6	75 - 125				
Silver	0.184	mg/L	E200.8	0.0000244	0.00200	0.2000	0.000401	91.6	75 - 125				
Thallium	0.156	mg/L	E200.8	0.0000242	0.00200	0.2000	0.000616	77.7	75 - 125				
Vanadium	0.236	mg/L	E200.8	0.000438	0.00440	0.2000	0.08	78.0	75 - 125				
Zinc	1.62	mg/L	E200.8	0.00476	0.00500	1.000	0.843	78.0	75 - 125				
<b>Lab Sample ID: 1508189-001BMS</b>													
Date Analyzed:		08/12/2015 1013h											
Test Code:		200.8-W											
Date Prepared:		08/11/2015 1442h											
Barium	2.28	mg/L	E200.8	0.00269	0.0100	0.2000	2.3	-10.8	75 - 125				2



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality

**Lab Set ID:** 1508188

**Project:** Gold King Mine - San Juan River Sampling

**Contact:** Lenora Sullivan

**Dept:** ME

**QC Type:** MS

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID:</b> 1508189-001BMS	Date Analyzed:	08/12/2015	1013h										
Test Code:	200.8-W	Date Prepared:	08/11/2015	1442h									
Manganese	3.24	mg/L	E200.8	0.00764	0.0100	0.2000	3.23	3.63	75 - 125				2
<b>Lab Sample ID:</b> 1508188-004BMS	Date Analyzed:	08/12/2015	821h										
Test Code:	HG-DW-245.1	Date Prepared:	08/11/2015	1620h									
Mercury	0.00355	mg/L	E245.1	0.00000892	0.000150	0.003330	0.000117	103	80 - 120				
<b>Lab Sample ID:</b> 1508189-003BMS	Date Analyzed:	08/12/2015	837h										
Test Code:	HG-DW-245.1	Date Prepared:	08/11/2015	1620h									
Mercury	0.00353	mg/L	E245.1	0.00000892	0.000150	0.003330	0.0000717	104	80 - 120				
<b>Lab Sample ID:</b> 1508188-001CMS	Date Analyzed:	08/12/2015	902h										
Test Code:	HG-DW-DIS-245.1	Date Prepared:	08/11/2015	1620h									
Mercury	0.00345	mg/L	E245.1	0.00000892	0.000150	0.003330	0	104	85 - 115				
<b>Lab Sample ID:</b> 1508189-004CMS	Date Analyzed:	08/12/2015	918h										
Test Code:	HG-DW-DIS-245.1	Date Prepared:	08/11/2015	1620h									
Mercury	0.00358	mg/L	E245.1	0.00000892	0.000150	0.003330	0	108	85 - 115				

<sup>1</sup> - Matrix spike recovery indicates matrix interference. The method is in control as indicated by the LCS.

<sup>2</sup> - Analyte concentration is too high for accurate matrix spike recovery and/or RPD.





3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality  
**Lab Set ID:** 1508188  
**Project:** Gold King Mine - San Juan River Sampling

**Contact:** Lenora Sullivan  
**Dept:** ME  
**QC Type:** MSD

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID: 1508188-002CMSD</b>													
Date Analyzed:	08/12/2015 1118h												
Test Code:	200.7-DIS												
Date Prepared:	08/11/2015 1442h												
Aluminum	1.14	mg/L	E200.7	0.0237	0.100	1.000	0.108	103	70 - 130	1.14	0.313	20	
Iron	1.02	mg/L	E200.7	0.0767	0.100	1.000	0	102	70 - 130	1.01	1.16	20	
Magnesium	18.1	mg/L	E200.7	0.0294	1.00	10.00	7.83	103	70 - 130	17.9	1.16	20	
Potassium	12.8	mg/L	E200.7	0.247	1.00	10.00	2.67	101	70 - 130	12.8	0.208	20	
Sodium	41.0	mg/L	E200.7	0.0330	1.00	10.00	30.6	104	70 - 130	41.1	0.257	20	
<b>Lab Sample ID: 1508189-001CMSD</b>													
Date Analyzed:	08/12/2015 1129h												
Test Code:	200.7-DIS												
Date Prepared:	08/11/2015 1442h												
Aluminum	1.42	mg/L	E200.7	0.0237	0.100	1.000	0.325	110	70 - 130	1.42	0.0835	20	
Calcium	53.9	mg/L	E200.7	0.0401	1.00	10.00	44.6	93.1	70 - 130	54.4	0.924	20	
Iron	1.10	mg/L	E200.7	0.0767	0.100	1.000	0.14	95.6	70 - 130	1.11	1.50	20	
Magnesium	18.0	mg/L	E200.7	0.0294	1.00	10.00	7.84	101	70 - 130	18	0.109	20	
Potassium	13.5	mg/L	E200.7	0.247	1.00	10.00	3.41	101	70 - 130	13.5	0.226	20	
Sodium	54.0	mg/L	E200.7	0.0330	1.00	10.00	43.6	105	70 - 130	54	0.00402	20	
<b>Lab Sample ID: 1508188-002CMSD</b>													
Date Analyzed:	08/12/2015 1046h												
Test Code:	200.7-DIS												
Date Prepared:	08/11/2015 1442h												
Calcium	60.6	mg/L	E200.7	0.401	10.0	10.00	48.4	122	70 - 130	58.6	3.44	20	
<b>Lab Sample ID: 1508188-002BMSD</b>													
Date Analyzed:	08/12/2015 907h												
Test Code:	200.7-W												
Date Prepared:	08/11/2015 1442h												
Aluminum	38.2	mg/L	E200.7	0.237	1.00	1.000	28.7	950	70 - 130	32.6	15.7	20	2
Calcium	111	mg/L	E200.7	0.401	10.0	10.00	99.9	107	70 - 130	110	0.0794	20	
<b>Lab Sample ID: 1508189-001BMSD</b>													
Date Analyzed:	08/12/2015 929h												
Test Code:	200.7-W												
Date Prepared:	08/11/2015 1442h												
Aluminum	91.0	mg/L	E200.7	0.237	1.00	1.000	90.8	23.3	70 - 130	94.2	3.39	20	2
Calcium	315	mg/L	E200.7	0.401	10.0	10.00	314	13.6	70 - 130	314	0.402	20	2
Magnesium	65.2	mg/L	E200.7	0.294	10.0	10.00	57	82.0	70 - 130	65.7	0.798	20	
Sodium	52.7	mg/L	E200.7	0.330	10.0	10.00	46.1	66.3	70 - 130	52.9	0.303	20	1



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality  
**Lab Set ID:** 1508188  
**Project:** Gold King Mine - San Juan River Sampling

**Contact:** Lenora Sullivan  
**Dept:** ME  
**QC Type:** MSD

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID: 1508188-002BMSD</b>													
Date Analyzed:	08/12/2015 1042h												
Test Code:	200.7-W												
Date Prepared:	08/11/2015 1442h												
Iron	31.7	mg/L	E200.7	0.0767	0.100	1.000	27.7	397	70 - 130	27.7	13.5	20	2
Magnesium	29.9	mg/L	E200.7	0.0294	1.00	10.00	20.4	94.9	70 - 130	28.5	4.72	20	
Potassium	17.8	mg/L	E200.7	0.247	1.00	10.00	7.29	105	70 - 130	17	4.21	20	
Sodium	44.1	mg/L	E200.7	0.0330	1.00	10.00	33.2	109	70 - 130	43.4	1.65	20	
<b>Lab Sample ID: 1508189-001BMSD</b>													
Date Analyzed:	08/12/2015 1100h												
Test Code:	200.7-W												
Date Prepared:	08/11/2015 1442h												
Iron	40.2	mg/L	E200.7	0.0767	0.100	1.000	43.4	-319	70 - 130	42.9	6.53	20	2
Potassium	28.4	mg/L	E200.7	0.247	1.00	10.00	19.7	86.6	70 - 130	29.5	3.79	20	
<b>Lab Sample ID: 1508188-002CMSD</b>													
Date Analyzed:	08/11/2015 2212h												
Test Code:	200.8-DIS												
Date Prepared:	08/11/2015 1442h												
Antimony	0.173	mg/L	E200.8	0.0000366	0.00200	0.2000	0.000574	86.0	75 - 125	0.169	2.23	20	
Arsenic	0.216	mg/L	E200.8	0.0000920	0.00200	0.2000	0.00107	107	75 - 125	0.205	5.21	20	
Barium	0.376	mg/L	E200.8	0.000538	0.00200	0.2000	0.184	96.2	75 - 125	0.371	1.36	20	
Beryllium	0.205	mg/L	E200.8	0.0000288	0.00200	0.2000	0	102	75 - 125	0.202	1.40	20	
Cadmium	0.192	mg/L	E200.8	0.000193	0.000500	0.2000	0	95.9	75 - 125	0.19	0.816	20	
Chromium	0.216	mg/L	E200.8	0.00154	0.00200	0.2000	0	108	75 - 125	0.203	5.89	20	
Cobalt	0.206	mg/L	E200.8	0.0000434	0.00400	0.2000	0.0000556	103	75 - 125	0.193	6.23	20	
Copper	0.212	mg/L	E200.8	0.000692	0.00200	0.2000	0.00196	105	75 - 125	0.2	5.84	20	
Lead	0.188	mg/L	E200.8	0.000264	0.00200	0.2000	0.000315	93.6	75 - 125	0.186	0.855	20	
Manganese	0.210	mg/L	E200.8	0.00153	0.00200	0.2000	0	105	75 - 125	0.197	6.62	20	
Molybdenum	0.200	mg/L	E200.8	0.000206	0.00200	0.2000	0.00226	99.0	75 - 125	0.198	1.03	20	
Nickel	0.206	mg/L	E200.8	0.000754	0.00200	0.2000	0	103	75 - 125	0.193	6.35	20	
Selenium	0.194	mg/L	E200.8	0.0000634	0.00200	0.2000	0.000526	96.8	75 - 125	0.189	2.58	20	
Silver	0.186	mg/L	E200.8	0.0000244	0.00200	0.2000	0	93.0	75 - 125	0.185	0.464	20	
Thallium	0.186	mg/L	E200.8	0.0000242	0.00200	0.2000	0	92.8	75 - 125	0.183	1.40	20	
Vanadium	0.215	mg/L	E200.8	0.000438	0.00440	0.2000	0.00189	107	75 - 125	0.202	6.24	20	
Zinc	1.08	mg/L	E200.8	0.00476	0.00500	1.000	0.0132	107	75 - 125	1.01	7.09	20	



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality  
**Lab Set ID:** 1508188  
**Project:** Gold King Mine - San Juan River Sampling

**Contact:** Lenora Sullivan  
**Dept:** ME  
**QC Type:** MSD

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID: 1508189-001CMSD</b>		Date Analyzed:	08/11/2015 2238h										
Test Code: 200.8-DIS		Date Prepared:	08/11/2015 1442h										
Antimony	0.170	mg/L	E200.8	0.0000366	0.00200	0.2000	0.000376	85.1	75 - 125	0.171	0.175	20	
Arsenic	0.205	mg/L	E200.8	0.0000920	0.00200	0.2000	0.00194	101	75 - 125	0.205	0.0836	20	
Barium	0.485	mg/L	E200.8	0.000538	0.00200	0.2000	0.299	92.9	75 - 125	0.489	0.798	20	
Beryllium	0.199	mg/L	E200.8	0.0000288	0.00200	0.2000	0	99.7	75 - 125	0.203	1.99	20	
Cadmium	0.188	mg/L	E200.8	0.000193	0.000500	0.2000	0	94.1	75 - 125	0.191	1.29	20	
Chromium	0.202	mg/L	E200.8	0.00154	0.00200	0.2000	0	101	75 - 125	0.203	0.495	20	
Cobalt	0.193	mg/L	E200.8	0.0000434	0.00400	0.2000	0.000102	96.6	75 - 125	0.196	1.53	20	
Copper	0.200	mg/L	E200.8	0.000692	0.00200	0.2000	0.00295	98.6	75 - 125	0.201	0.180	20	
Lead	0.183	mg/L	E200.8	0.000264	0.00200	0.2000	0.000315	91.6	75 - 125	0.187	1.81	20	
Manganese	0.196	mg/L	E200.8	0.00153	0.00200	0.2000	0.00255	96.7	75 - 125	0.2	2.09	20	
Molybdenum	0.196	mg/L	E200.8	0.000206	0.00200	0.2000	0.00243	96.8	75 - 125	0.198	1.02	20	
Nickel	0.192	mg/L	E200.8	0.000754	0.00200	0.2000	0	96.1	75 - 125	0.194	0.894	20	
Selenium	0.189	mg/L	E200.8	0.0000634	0.00200	0.2000	0.000606	94.3	75 - 125	0.191	1.00	20	
Silver	0.183	mg/L	E200.8	0.0000244	0.00200	0.2000	0.0000297	91.3	75 - 125	0.184	0.578	20	
Thallium	0.181	mg/L	E200.8	0.0000242	0.00200	0.2000	0	90.6	75 - 125	0.183	1.21	20	
Vanadium	0.207	mg/L	E200.8	0.000438	0.00440	0.2000	0.00759	99.6	75 - 125	0.209	0.915	20	
Zinc	1.01	mg/L	E200.8	0.00476	0.00500	1.000	0.0176	99.6	75 - 125	1.03	1.21	20	
<b>Lab Sample ID: 1508188-002BMSD</b>		Date Analyzed:	08/11/2015 2350h										
Test Code: 200.8-W		Date Prepared:	08/11/2015 1442h										
Antimony	0.0189	mg/L	E200.8	0.0000366	0.00200	0.2000	0.000293	9.32	75 - 125	0.0218	14.3	20	1
Arsenic	0.192	mg/L	E200.8	0.0000920	0.00200	0.2000	0.0107	90.7	75 - 125	0.191	0.410	20	
Barium	1.98	mg/L	E200.8	0.000538	0.00200	0.2000	0.726	625	75 - 125	1.92	2.79	20	1
Beryllium	0.198	mg/L	E200.8	0.0000288	0.00200	0.2000	0.00261	97.8	75 - 125	0.198	0.125	20	
Cadmium	0.192	mg/L	E200.8	0.000193	0.000500	0.2000	0.000713	95.8	75 - 125	0.192	0.245	20	
Chromium	0.215	mg/L	E200.8	0.00154	0.00200	0.2000	0.0161	99.7	75 - 125	0.214	0.772	20	
Cobalt	0.208	mg/L	E200.8	0.0000434	0.00400	0.2000	0.0173	95.3	75 - 125	0.206	0.720	20	
Copper	0.246	mg/L	E200.8	0.000692	0.00200	0.2000	0.0547	95.6	75 - 125	0.241	2.19	20	
Lead	0.273	mg/L	E200.8	0.000264	0.00200	0.2000	0.0847	93.9	75 - 125	0.267	2.05	20	



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality

**Lab Set ID:** 1508188

**Project:** Gold King Mine - San Juan River Sampling

**Contact:** Lenora Sullivan

**Dept:** ME

**QC Type:** MSD

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID: 1508188-002BMSD</b>													
Date Analyzed:		08/11/2015 2350h											
Test Code:		200.8-W											
Date Prepared:		08/11/2015 1442h											
Manganese	1.38	mg/L	E200.8	0.00153	0.00200	0.2000	1.17	102	75 - 125	1.34	3.05	20	
Molybdenum	0.121	mg/L	E200.8	0.000206	0.00200	0.2000	0.000876	59.9	75 - 125	0.132	8.96	20	1
Nickel	0.214	mg/L	E200.8	0.000754	0.00200	0.2000	0.0223	95.9	75 - 125	0.213	0.463	20	
Selenium	0.172	mg/L	E200.8	0.0000634	0.00200	0.2000	0.000894	85.8	75 - 125	0.17	1.57	20	
Silver	0.185	mg/L	E200.8	0.0000244	0.00200	0.2000	0.000527	92.4	75 - 125	0.185	0.268	20	
Thallium	0.174	mg/L	E200.8	0.0000242	0.00200	0.2000	0.000245	87.1	75 - 125	0.173	1.02	20	
Vanadium	0.233	mg/L	E200.8	0.000438	0.00440	0.2000	0.0409	96.2	75 - 125	0.23	1.62	20	
Zinc	1.73	mg/L	E200.8	0.00476	0.00500	1.000	0.96	76.6	75 - 125	1.72	0.291	20	
<b>Lab Sample ID: 1508189-001BMSD</b>													
Date Analyzed:		08/12/2015 006h											
Test Code:		200.8-W											
Date Prepared:		08/11/2015 1442h											
Antimony	0.00394	mg/L	E200.8	0.0000366	0.00200	0.2000	0.000171	1.88	75 - 125	0.00408	3.59	20	1
Arsenic	0.186	mg/L	E200.8	0.0000920	0.00200	0.2000	0.0206	82.6	75 - 125	0.189	1.67	20	
Beryllium	0.196	mg/L	E200.8	0.0000288	0.00200	0.2000	0.00761	94.0	75 - 125	0.196	0.395	20	
Cadmium	0.191	mg/L	E200.8	0.000193	0.000500	0.2000	0.00153	94.6	75 - 125	0.192	0.880	20	
Chromium	0.232	mg/L	E200.8	0.00154	0.00200	0.2000	0.0431	94.4	75 - 125	0.237	2.24	20	
Cobalt	0.222	mg/L	E200.8	0.0000434	0.00400	0.2000	0.0402	91.0	75 - 125	0.226	1.62	20	
Copper	0.227	mg/L	E200.8	0.000692	0.00200	0.2000	0.0728	77.2	75 - 125	0.235	3.41	20	
Lead	0.260	mg/L	E200.8	0.000264	0.00200	0.2000	0.0821	89.1	75 - 125	0.262	0.609	20	
Molybdenum	0.0521	mg/L	E200.8	0.000206	0.00200	0.2000	0.00065	25.7	75 - 125	0.0526	1.10	20	1
Nickel	0.253	mg/L	E200.8	0.000754	0.00200	0.2000	0.0709	91.2	75 - 125	0.256	1.16	20	
Selenium	0.151	mg/L	E200.8	0.0000634	0.00200	0.2000	0.00137	74.8	75 - 125	0.156	3.62	20	1
Silver	0.182	mg/L	E200.8	0.0000244	0.00200	0.2000	0.000401	91.0	75 - 125	0.184	0.629	20	
Thallium	0.152	mg/L	E200.8	0.0000242	0.00200	0.2000	0.000616	75.8	75 - 125	0.156	2.48	20	
Vanadium	0.230	mg/L	E200.8	0.000438	0.00440	0.2000	0.08	74.9	75 - 125	0.236	2.70	20	1
Zinc	1.70	mg/L	E200.8	0.00476	0.00500	1.000	0.843	85.8	75 - 125	1.62	4.71	20	
<b>Lab Sample ID: 1508189-001BMSD</b>													
Date Analyzed:		08/12/2015 1017h											
Test Code:		200.8-W											
Date Prepared:		08/11/2015 1442h											
Barium	2.51	mg/L	E200.8	0.00269	0.0100	0.2000	2.3	102	75 - 125	2.28	9.45	20	2



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality

**Lab Set ID:** 1508188

**Project:** Gold King Mine - San Juan River Sampling

**Contact:** Lenora Sullivan

**Dept:** ME

**QC Type:** MSD

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID:</b> 1508189-001BMSD	Date Analyzed:	08/12/2015	1017h										
Test Code:	200.8-W	Date Prepared:	08/11/2015	1442h									
Manganese	3.45	mg/L	E200.8	0.00764	0.0100	0.2000	3.23	111	75 - 125	3.24	6.39	20	<sup>2</sup>
<b>Lab Sample ID:</b> 1508188-004BMSD	Date Analyzed:	08/12/2015	823h										
Test Code:	HG-DW-245.1	Date Prepared:	08/11/2015	1620h									
Mercury	0.00355	mg/L	E245.1	0.00000892	0.000150	0.003330	0.000117	103	80 - 120	0.00355	0.0469	20	
<b>Lab Sample ID:</b> 1508189-003BMSD	Date Analyzed:	08/12/2015	839h										
Test Code:	HG-DW-245.1	Date Prepared:	08/11/2015	1620h									
Mercury	0.00355	mg/L	E245.1	0.00000892	0.000150	0.003330	0.0000717	104	80 - 120	0.00353	0.518	20	
<b>Lab Sample ID:</b> 1508188-001CMSD	Date Analyzed:	08/12/2015	904h										
Test Code:	HG-DW-DIS-245.1	Date Prepared:	08/11/2015	1620h									
Mercury	0.00353	mg/L	E245.1	0.00000892	0.000150	0.003330	0	106	85 - 115	0.00345	2.15	20	
<b>Lab Sample ID:</b> 1508189-004CMSD	Date Analyzed:	08/12/2015	920h										
Test Code:	HG-DW-DIS-245.1	Date Prepared:	08/11/2015	1620h									
Mercury	0.00342	mg/L	E245.1	0.00000892	0.000150	0.003330	0	103	85 - 115	0.00358	4.62	20	

<sup>1</sup> - Matrix spike recovery indicates matrix interference. The method is in control as indicated by the LCS.

<sup>2</sup> - Analyte concentration is too high for accurate matrix spike recovery and/or RPD.



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality  
**Lab Set ID:** 1508188  
**Project:** Gold King Mine - San Juan River Sampling

**Contact:** Lenora Sullivan  
**Dept:** WC  
**QC Type:** DUP

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID:</b> 1508188-001ADUP <b>Test Code:</b> COND-W-2510B	Date Analyzed: 08/12/2015 612h												
Conductivity	534	µmhos/cm	SM2510B	0.436	2.00					538	0.746	5	
<b>Lab Sample ID:</b> 1508189-001ADUP <b>Test Code:</b> COND-W-2510B	Date Analyzed: 08/12/2015 612h												
Conductivity	562	µmhos/cm	SM2510B	0.436	2.00					564	0.355	5	
<b>Lab Sample ID:</b> 1508188-004ADUP <b>Test Code:</b> PH-4500H+B	Date Analyzed: 08/11/2015 2006h												
pH @ 25° C	8.23	pH Units	SM4500-H+B	1.00	1.00					8.25	0.243	5	H
<b>Lab Sample ID:</b> 1508189-004ADUP <b>Test Code:</b> PH-4500H+B	Date Analyzed: 08/11/2015 2006h												
pH @ 25° C	8.20	pH Units	SM4500-H+B	1.00	1.00					8.15	0.612	5	H
<b>Lab Sample ID:</b> 1508188-001ADUP <b>Test Code:</b> TDS-W-2540C	Date Analyzed: 08/11/2015 1420h												
Total Dissolved Solids	560	mg/L	SM2540C	30.6	50.0					660	16.4	5	@
<b>Lab Sample ID:</b> 1508189-001ADUP <b>Test Code:</b> TDS-W-2540C	Date Analyzed: 08/11/2015 1420h												
Total Dissolved Solids	690	mg/L	SM2540C	30.6	50.0					590	15.6	5	@
<b>Lab Sample ID:</b> 1508188-001ADUP <b>Test Code:</b> TSS-W-2540D	Date Analyzed: 08/11/2015 1430h												
Total Suspended Solids	7,800	mg/L	SM2540D	70.8	75.0					7390	5.40	5	@
<b>Lab Sample ID:</b> 1508189-002ADUP <b>Test Code:</b> TSS-W-2540D	Date Analyzed: 08/11/2015 1430h												
Total Suspended Solids	2,740	mg/L	SM2540D	70.8	75.0					2370	14.5	5	@

@ - High RPD due to suspected sample non-homogeneity or matrix interference.  
H - Sample was received outside of the holding time.



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality

**Lab Set ID:** 1508188

**Project:** Gold King Mine - San Juan River Sampling

**Contact:** Lenora Sullivan

**Dept:** WC

**QC Type:** LCS

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID: LCS-R81550</b>													
Date Analyzed:		08/12/2015 1650h											
Test Code:		300.0-W											
Chloride	5.24	mg/L	E300.0	0.00751	0.100	5.000	0	105	90 - 110				
Sulfate	5.12	mg/L	E300.0	0.0211	0.750	5.000	0	102	90 - 110				
<b>Lab Sample ID: LCS-R81500</b>													
Date Analyzed:		08/12/2015 638h											
Test Code:		ALK-W-2320B											
Alkalinity (as CaCO3)	50,700	mg/L	SM2320B	1.86	10.0	50,000	0	101	90 - 110				
<b>Lab Sample ID: LCS-R81496</b>													
Date Analyzed:		08/12/2015 612h											
Test Code:		COND-W-2510B											
Conductivity	999	µmhos/cm	SM2510B	0.436	2.00	1,000	0	99.9	98 - 102				
<b>Lab Sample ID: LCS NO3-81490</b>													
Date Analyzed:		08/11/2015 1728h											
Test Code:		NO2/NO3-W-353.2											
Nitrate/Nitrite (as N)	0.913	mg/L	E353.2	0.00833	0.0100	1.000	0	91.3	90 - 110				
<b>Lab Sample ID: LCS-R81493</b>													
Date Analyzed:		08/11/2015 2006h											
Test Code:		PH-4500H+B											
pH @ 25° C	9.03	pH Units	SM4500-H+B	1.00	1.00	9.000	0	100	98 - 102				
<b>Lab Sample ID: LCS-R81506</b>													
Date Analyzed:		08/11/2015 1420h											
Test Code:		TDS-W-2540C											
Total Dissolved Solids	198	mg/L	SM2540C	6.13	10.0	205.0	0	96.6	80 - 120				
<b>Lab Sample ID: LCS-R81508</b>													
Date Analyzed:		08/11/2015 1430h											
Test Code:		TSS-W-2540D											
Total Suspended Solids	94.0	mg/L	SM2540D	2.83	3.00	100.0	0	94.0	80 - 120				



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality  
**Lab Set ID:** 1508188  
**Project:** Gold King Mine - San Juan River Sampling

**Contact:** Lenora Sullivan  
**Dept:** WC  
**QC Type:** MBLK

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID: MB-R81550</b>													
Date Analyzed: 08/12/2015 1633h													
Test Code: 300.0-W													
Chloride	< 0.100	mg/L	E300.0	0.00751	0.100								U
Sulfate	< 0.750	mg/L	E300.0	0.0211	0.750								U
<b>Lab Sample ID: MB-R81500</b>													
Date Analyzed: 08/12/2015 638h													
Test Code: ALK-W-2320B													
Alkalinity (as CaCO3)	< 10.0	mg/L	SM2320B	1.86	10.0								U
Bicarbonate (as CaCO3)	< 10.0	mg/L	SM2320B	1.86	10.0								U
Carbonate (as CaCO3)	< 10.0	mg/L	SM2320B	1.86	10.0								U
<b>Lab Sample ID: MB-R81496</b>													
Date Analyzed: 08/12/2015 612h													
Test Code: COND-W-2510B													
Conductivity	0.860	µmhos/cm	SM2510B	0.436	2.00								JB1
<b>Lab Sample ID: MB-R81490</b>													
Date Analyzed: 08/11/2015 1725h													
Test Code: NO2/NO3-W-353.2													
Nitrate/Nitrite (as N)	0.00874	mg/L	E353.2	0.00833	0.0100								JB1
<b>Lab Sample ID: MB-R81506</b>													
Date Analyzed: 08/11/2015 1420h													
Test Code: TDS-W-2540C													
Total Dissolved Solids	< 10.0	mg/L	SM2540C	6.13	10.0								U
<b>Lab Sample ID: MB-R81508</b>													
Date Analyzed: 08/11/2015 1430h													
Test Code: TSS-W-2540D													
Total Suspended Solids	< 3.00	mg/L	SM2540D	2.83	3.00								U

*B1 - The method blank was acceptable, as the method blank result is less than 10% of the lowest reported sample concentration.*

*J - Estimated value between the MDL and the reporting limit (PQL).*

*U - This flag indicates the compound was analyzed for but not detected above the MDL.*





3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality  
**Lab Set ID:** 1508188  
**Project:** Gold King Mine - San Juan River Sampling

**Contact:** Lenora Sullivan  
**Dept:** WC  
**QC Type:** MS

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID: 1508188-001AMS</b> Date Analyzed: 08/12/2015 1724h													
Test Code: 300.0-W													
Chloride	538	mg/L	E300.0	0.751	10.0	500.0	10	106	90 - 110				
Sulfate	631	mg/L	E300.0	2.11	75.0	500.0	132	99.9	90 - 110				
<b>Lab Sample ID: 1508189-001AMS</b> Date Analyzed: 08/12/2015 1955h													
Test Code: 300.0-W													
Chloride	537	mg/L	E300.0	0.751	10.0	500.0	11.7	105	90 - 110				
Sulfate	624	mg/L	E300.0	2.11	75.0	500.0	126	99.4	90 - 110				
<b>Lab Sample ID: 1508227-001AMS</b> Date Analyzed: 08/13/2015 042h													
Test Code: 300.0-W													
Chloride	540	mg/L	E300.0	0.751	10.0	500.0	11.3	106	90 - 110				
Sulfate	621	mg/L	E300.0	2.11	75.0	500.0	129	98.3	90 - 110				
<b>Lab Sample ID: 1508228-001AMS</b> Date Analyzed: 08/13/2015 316h													
Test Code: 300.0-W													
Chloride	543	mg/L	E300.0	0.751	10.0	500.0	37	101	90 - 110				
Sulfate	625	mg/L	E300.0	2.11	75.0	500.0	117	102	90 - 110				
<b>Lab Sample ID: 1508188-001AMS</b> Date Analyzed: 08/12/2015 638h													
Test Code: ALK-W-2320B													
Alkalinity (as CaCO <sub>3</sub> )	204	mg/L	SM2320B	1.86	10.0	100.0	105	99.7	80 - 120				
<b>Lab Sample ID: 1508189-001AMS</b> Date Analyzed: 08/12/2015 638h													
Test Code: ALK-W-2320B													
Alkalinity (as CaCO <sub>3</sub> )	216	mg/L	SM2320B	1.86	10.0	100.0	115	101	80 - 120				
<b>Lab Sample ID: 1508188-001AMS NO3</b> Date Analyzed: 08/11/2015 1733h													
Test Code: NO2/NO3-W-353.2													
Nitrate/Nitrite (as N)	9.99	mg/L	E353.2	0.0833	0.100	10.00	0.337	96.5	90 - 110				



3440 South 700 West  
 Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
 e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
 Laboratory Director

Jose Rocha  
 QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality

**Lab Set ID:** 1508188

**Project:** Gold King Mine - San Juan River Sampling

**Contact:** Lenora Sullivan

**Dept:** WC

**QC Type:** MS

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID:</b> 1508189-001AMS NO3	Date Analyzed: 08/11/2015 1752h												
Test Code: NO2/NO3-W-353.2													
Nitrate/Nitrite (as N)	9.50	mg/L	E353.2	0.0833	0.100	10.00	0.338	91.7	90 - 110				



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality  
**Lab Set ID:** 1508188  
**Project:** Gold King Mine - San Juan River Sampling

**Contact:** Lenora Sullivan  
**Dept:** WC  
**QC Type:** MSD

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID: 1508188-001AMSD</b> Date Analyzed: 08/12/2015 1741h													
Test Code: 300.0-W													
Chloride	539	mg/L	E300.0	0.751	10.0	500.0	10	106	90 - 110	538	0.224	20	
Sulfate	634	mg/L	E300.0	2.11	75.0	500.0	132	100	90 - 110	631	0.429	20	
<b>Lab Sample ID: 1508189-001AMSD</b> Date Analyzed: 08/12/2015 2012h													
Test Code: 300.0-W													
Chloride	539	mg/L	E300.0	0.751	10.0	500.0	11.7	106	90 - 110	537	0.473	20	
Sulfate	622	mg/L	E300.0	2.11	75.0	500.0	126	99.1	90 - 110	624	0.231	20	
<b>Lab Sample ID: 1508227-001AMSD</b> Date Analyzed: 08/13/2015 059h													
Test Code: 300.0-W													
Chloride	541	mg/L	E300.0	0.751	10.0	500.0	11.3	106	90 - 110	540	0.0929	20	
Sulfate	610	mg/L	E300.0	2.11	75.0	500.0	129	96.1	90 - 110	621	1.76	20	
<b>Lab Sample ID: 1508228-001AMSD</b> Date Analyzed: 08/13/2015 333h													
Test Code: 300.0-W													
Chloride	538	mg/L	E300.0	0.751	10.0	500.0	37	100	90 - 110	543	0.939	20	
Sulfate	620	mg/L	E300.0	2.11	75.0	500.0	117	101	90 - 110	625	0.781	20	
<b>Lab Sample ID: 1508188-001AMSD</b> Date Analyzed: 08/12/2015 638h													
Test Code: ALK-W-2320B													
Alkalinity (as CaCO3)	206	mg/L	SM2320B	1.86	10.0	100.0	105	101	80 - 120	205	0.828	10	
<b>Lab Sample ID: 1508189-001AMSD</b> Date Analyzed: 08/12/2015 638h													
Test Code: ALK-W-2320B													
Alkalinity (as CaCO3)	215	mg/L	SM2320B	1.86	10.0	100.0	115	99.7	80 - 120	216	0.789	10	
<b>Lab Sample ID: 1508188-001AMSD NO3</b> Date Analyzed: 08/11/2015 1735h													
Test Code: NO2/NO3-W-353.2													
Nitrate/Nitrite (as N)	9.96	mg/L	E353.2	0.0833	0.100	10.00	0.337	96.2	90 - 110	0	0	10	



3440 South 700 West  
Salt Lake City, UT 84119

Phone: (801) 263-8686, Toll Free: (888) 263-8686, Fax: (801) 263-8687  
e-mail: awal@awal-labs.com, web: www.awal-labs.com

Kyle F. Gross  
Laboratory Director

Jose Rocha  
QA Officer

## QC SUMMARY REPORT

**Client:** Utah Division of Water Quality  
**Lab Set ID:** 1508188  
**Project:** Gold King Mine - San Juan River Sampling

**Contact:** Lenora Sullivan  
**Dept:** WC  
**QC Type:** MSD

Analyte	Result	Units	Method	MDL	Reporting Limit	Amount Spiked	Spike Ref. Amount	%REC	Limits	RPD Ref. Amt	% RPD	RPD Limit	Qual
<b>Lab Sample ID: 1508189-001AMSD NO3</b> Date Analyzed: 08/11/2015 1754h													
Test Code: NO2/NO3-W-353.2													
Nitrate/Nitrite (as N)	9.32	mg/L	E353.2	0.0833	0.100	10.00	0.338	89.8	90 - 110	0	0	10	§

§ - QC limits are set with an accuracy of two significant figures, therefore the recovery rounds to an acceptable value within the control limits.

## WORK ORDER Summary

Work Order: **1508188**

Page 1 of 4

**Client:** Utah Division of Water Quality

Due Date: 8/12/2015

**Client ID:** UTD200

**Contact:** Lenora Sullivan

**Project:** Gold King Mine - San Juan River Sampling

**QC Level:** II+ MDL

**WO Type:** Standard

**Comments:** Next Day Rush; QC 2+. Flag any concentrations detected less than RL and at or greater than the MDL with a J flag. Include EDD. Samples for Dissolved Metals were field filtered. Cc: jamesharris@utah.gov;

DB

Sample ID	Client Sample ID	Collected Date	Received Date	Test Code	Matrix	Sel Storage
1508188-001A	San Juan R at Mexican Hat US163 Xing (4953000)	8/10/2015 1644h	8/11/2015 1320h	300.0-W	Aqueous	df - wc
				2 SEL Analytes: CL SO4		
				ALK-W-2320B		df - wc
				3 SEL Analytes: ALK ALKB ALKC		
				COND-W-2510B		df - wc
				NO2/NO3-W-353.2		df - wc
				PH-4500H+B		df - wc
				TDS-W-2540C		df - wc
				TSS-W-2540D		df - wc
1508188-001B				200.7-W		df - metals
				7 SEL Analytes: AL CA FE MG K NA V		
				200.7-W-PR		df - metals
				200.8-W		df - metals
				16 SEL Analytes: SB AS BA BE CD CR CO CU PB MN MO NI SE AG TL ZN		
				200.8-W-PR		df - metals
				HARD-2340B		df - metals
				HG-DW-245.1		df - metals
				HG-DW-PR		df - metals
1508188-001C				200.7-DIS		df - dis met
				7 SEL Analytes: AL CA FE MG K NA V		
				200.7-DIS-PR		df - dis met
				200.8-DIS		df - dis met
				16 SEL Analytes: SB AS BA BE CD CR CO CU PB MN MO NI SE AG TL ZN		
				200.8-DIS-PR		df - dis met
				HARD-2340B		df - dis met
				1 SEL Analytes: HARD		
				HG-DW-DIS-245.1		df - dis met
				HG-DW-DIS-PR		df - dis met

# WORK ORDER Summary

Work Order: **1508188** Page 2 of 4

Client: Utah Division of Water Quality

Due Date: 8/12/2015

Sample ID	Client Sample ID	Collected Date	Received Date	Test Code	Matrix	Sel Storage
1508188-002A	San Juan R at Sand Island (4953250)	8/10/2015 1558h	8/11/2015 1320h	300.0-W	Aqueous	df - wc
				<i>2 SEL Analytes: CL SO4</i>		
				ALK-W-2320B		df - wc
				<i>3 SEL Analytes: ALK ALKB ALKC</i>		
				COND-W-2510B		df - wc
				NO2/NO3-W-353.2		df - wc
				PH-4500H+B		df - wc
				TDS-W-2540C		df - wc
				TSS-W-2540D		df - wc
				1508188-002B		
<i>7 SEL Analytes: AL CA FE MG K NA V</i>						
200.7-W-PR		df - metals				
200.8-W		df - metals				
<i>16 SEL Analytes: SB AS BA BE CD CR CO CU PB MN MO NI SE AG TL ZN</i>						
200.8-W-PR		df - metals				
HARD-2340B		df - metals				
HG-DW-245.1		df - metals				
HG-DW-PR		df - metals				
1508188-002C						
				<i>7 SEL Analytes: AL CA FE MG K NA V</i>		
				200.7-DIS-PR		df - dis met
				200.8-DIS		df - dis met
				<i>16 SEL Analytes: SB AS BA BE CD CR CO CU PB MN MO NI SE AG TL ZN</i>		
				200.8-DIS-PR		df - dis met
				HARD-2340B		df - dis met
				<i>1 SEL Analytes: HARD</i>		
				HG-DW-DIS-245.1		df - dis met
				HG-DW-DIS-PR		df - dis met
1508188-003A	San Juan River at Town of Montezuma (4953990)	8/10/2015 1458h	8/11/2015 1320h	300.0-W	Aqueous	df - wc
				<i>2 SEL Analytes: CL SO4</i>		
				ALK-W-2320B		df - wc
				<i>3 SEL Analytes: ALK ALKB ALKC</i>		
				COND-W-2510B		df - wc
				NO2/NO3-W-353.2		df - wc
				PH-4500H+B		df - wc
TDS-W-2540C		df - wc				

# WORK ORDER Summary

Work Order: **1508188**

Page 3 of 4

Client: Utah Division of Water Quality

Due Date: 8/12/2015

Sample ID	Client Sample ID	Collected Date	Received Date	Test Code	Matrix	Sel Storage	
1508188-003A	San Juan River at Town of Montezuma (4953990)	8/10/2015 1458h	8/11/2015 1320h	TSS-W-2540D	Aqueous	df - wc	1
1508188-003B				200.7-W	df - metals		
				7 SEL Analytes: AL CA FE MG K NA V			
				200.7-W-PR	df - metals		
				200.8-W	df - metals		
				16 SEL Analytes: SB AS BA BE CD CR CO CU PB MN MO NI SE AG TL ZN			
				200.8-W-PR	df - metals		
				HARD-2340B	df - metals		
				HG-DW-245.1	df - metals		
				HG-DW-PR	df - metals		
				1508188-003C	200.7-DIS	df - dis met	
					7 SEL Analytes: AL CA FE MG K NA V		
					200.7-DIS-PR	df - dis met	
					200.8-DIS	df - dis met	
16 SEL Analytes: SB AS BA BE CD CR CO CU PB MN MO NI SE AG TL ZN							
200.8-DIS-PR	df - dis met						
HARD-2340B	df - dis met						
1 SEL Analytes: HARD							
HG-DW-DIS-245.1	df - dis met						
HG-DW-DIS-PR	df - dis met						
1508188-004A	San Juan R at US160 Xing in CO (4954000)	8/10/2015 1406h	8/11/2015 1320h	300.0-W	Aqueous	df - wc	1
2 SEL Analytes: CL SO4							
ALK-W-2320B				df - wc			
3 SEL Analytes: ALK ALKB ALKC							
COND-W-2510B				df - wc			
NO2/NO3-W-353.2				df - wc			
PH-4500H+B				df - wc			
TDS-W-2540C				df - wc			
TSS-W-2540D				df - wc			
1508188-004B				200.7-W	df - metals		
	7 SEL Analytes: AL CA FE MG K NA V						
	200.7-W-PR	df - metals					
	200.8-W	df - metals					
	16 SEL Analytes: SB AS BA BE CD CR CO CU PB MN MO NI SE AG TL ZN						
200.8-W-PR	df - metals						

# WORK ORDER Summary

Work Order: **1508188**

Page 4 of 4

Client: Utah Division of Water Quality

Due Date: 8/12/2015

Sample ID	Client Sample ID	Collected Date	Received Date	Test Code	Matrix	Sel	Storage		
1508188-004B	San Juan R at US160 Xing in CO (4954000)	8/10/2015 1406h	8/11/2015 1320h	HARD-2340B	Aqueous		df - metals		
				HG-DW-245.1		df - metals			
				HG-DW-PR		df - metals			
1508188-004C				200.7-DIS			df - dis met		
				<i>7 SEL Analytes: AL CA FE MG K NA V</i>					
				200.7-DIS-PR			df - dis met		
				200.8-DIS			df - dis met		
				<i>16 SEL Analytes: SB AS BA BE CD CR CO CU PB MN MO NI SE AG TL ZN</i>					
				200.8-DIS-PR			df - dis met		
				HARD-2340B			df - dis met		
				<i>1 SEL Analytes: HARD</i>					
			HG-DW-DIS-245.1				df - dis met		
			HG-DW-DIS-PR				df - dis met		



American West Analytical Laboratories

Chain of Custody

Lab Sample Set # 1508188

Client: **Utah Division of Water Quality**  
 Address: **PO Box 144870**  
**Salt Lake City, UT 84114-4870**

Contact: **Lenora Sullivan**  
 Phone: **801-536-4367**  
 Fax: **801-536-4301**

Page 1 of 1

Project Name: **Gold King Mine - San Juan River Sampling**  
 PO#:

Email: **lenoras@utah.gov**  
**jamesharris@utah.gov (please copy on results)**

QC Level: 2+

TAT - ASAP

Sample ID:	Date Sampled	Time	# of Containers	Sample Matrix	Total Chemistry: pH, Alkalinity, Anions, TDS, TSS, Conductivity	Total TAL Metals + Mo + Hardness (200.7: Al, Ca, Fe, K, Mg, Na, 200.8: Sb, As, Ba, Be, Cd, Cr, Co, Cu, Pb, Mn, Mo, N, Ag, Se, Ti, V, Zn, 245.1: Hg)	Dissolved TAL Metals + Mo + Hardness (200.7: Al, Ca, Fe, K, Mg, Na, 200.8: Sb, As, Ba, Be, Cd, Cr, Co, Cu, Pb, Mn, Mo, N, Ag, Se, Ti, V, Zn, 245.1: Hg)	Comments	Laboratory Use Only
SAN JUAN R AT MEXICAN HAT US163 XING (4953000)	08/10/15	1644	2		X	X	X	Dissolved Metals samples have been field filtered. Samples collected from river monitoring following a mine waste dump release. Please flag any concentrations detected less than RL and at or greater than the MDL with a J qualifier. Please include EDD.	Samples Were: 1 Shipped or Hand delivered 2 Ambient or Chilled 3 Temperature <u>04°C</u> 4 Received Broken/Leaking (Improperly Sealed) Y <input checked="" type="radio"/> N 5 Properly Preserved Y <input checked="" type="radio"/> N 6 Received Within Holding Times Y <input checked="" type="radio"/> N COC Tape Was: 1 Present on Outer Package Y <input checked="" type="radio"/> N <input checked="" type="radio"/> NA 2 Unbroken on Outer Package Y <input checked="" type="radio"/> N <input checked="" type="radio"/> NA 3 Present on Sample Y <input checked="" type="radio"/> N <input checked="" type="radio"/> NA 4 Unbroken on Sample Y <input checked="" type="radio"/> N <input checked="" type="radio"/> NA Discrepancies Between Sample Labels and COC Record? Y <input checked="" type="radio"/> N
SAN JUAN R AT SAND ISLAND (4953250)	08/10/15	1558	3		X	X	X		
San Juan River at Town of Montezuma 4953990	08/10/15	1458	3		X	X	X		
SAN JUAN R AT US160 XING IN CO (4954000)	08/10/15	1406	3		X	X	X		

Special Instructions:

Relinquished by: Signature <u>Ben Brown</u>	Date: <u>08/10/2015</u>	Received by: Signature <u>Keith Garow</u>	Date: <u>8/10/15</u>
Print Name <u>Ben Brown</u>	Time: <u>19:00</u>	Print Name <u>Keith Garow</u>	Time: <u>19:00</u>
Relinquished by: Signature <u>Denise Braun</u>	Date: <u>8/11/15</u>	Received by: Signature <u>Denise Braun</u>	Date: <u>8/11/15</u>
Print Name <u>Keith Garow</u>	Time: <u>13:20</u>	Print Name <u>Denise Braun</u>	Time: <u>13:20</u>

**For Water Samples:**

**Total Chemistry:** pH, Alkalinity, Anions, TDS, TSS, Conductivity

**Total TAL Metals + Mo + Hardness (200.7:** Al, Ca, Fe, K, Mg, Na, **200.8:** Sb, As, Ba, Be, Cd, Cr, Co, Cu, Pb, Mn, Mo, N, Ag, Se, Tl, V, Zn, **245.1:** Hg)

**Dissolved TAL Metals + Mo + Hardness (200.7:** Al, Ca, Fe, K, Mg, Na, **200.8:** Sb, As, Ba, Be, Cd, Cr, Co, Cu, Pb, Mn, Mo, N, Ag, Se, Tl, V, Zn, **245.1:** Hg)

**For Soil Samples:**

Same analytes, let AWAL pick methods.

**Preservation Check Sheet**

**Sample Set Extension and pH**

Analysis	Preservative	-001	-002	-003	-004													
Ammonia	pH <2 H <sub>2</sub> SO <sub>4</sub>																	
COD	pH <2 H <sub>2</sub> SO <sub>4</sub>																	
Cyanide	pH >12 NaOH																	
Metals	pH <2 HNO <sub>3</sub>	yes	yes	yes	yes													
NO <sub>2</sub> & NO <sub>3</sub>	pH <2 H <sub>2</sub> SO <sub>4</sub>																	
O & G	pH <2 HCL																	
Phenols	pH <2 H <sub>2</sub> SO <sub>4</sub>																	
Sulfide	pH > 9NaOH, Zn Acetate																	
TKN	pH <2 H <sub>2</sub> SO <sub>4</sub>																	
T PO <sub>4</sub>	pH <2 H <sub>2</sub> SO <sub>4</sub>																	

- Procedure:
- 1) Pour a small amount of sample in the sample lid
  - 2) Pour sample from Lid gently over wide range pH paper
  - 3) **Do Not** dip the pH paper in the sample bottle or lid
  - 4) If sample is not preserved, properly list its extension and receiving pH in the appropriate column above
  - 5) Flag COC, notify client if requested
  - 6) Place client conversation on COC
  - 7) Samples may be adjusted

Frequency: All samples requiring preservation

- \* The sample required additional preservative upon receipt.
- + The sample was received unpreserved.
- ▲ The sample was received unpreserved and therefore preserved upon receipt.
- # The sample pH was unadjustable to a pH < 2 due to the sample matrix.
- The sample pH was unadjustable to a pH > \_\_\_\_ due to the sample matrix interference.