


BUILDING	CAPACITIES (BY LOCATION)	
	55 GALLON CONTAINERS	GALLONS
E1 (receiving mode)	524	28,820
E1 (storage mode)	1048	57,640
E2	1,524	83,820
E3	2,690	147,950
E4	1,452	79,860
E5 (receiving mode)	580	31,900
E5 (storage mode)	1160	63,800
E6	2,096	115,280
E7	2,552	140,360
E2 (WS1-WS3) (each)	4	220
E4 REPACK	4	220
E4 DECANT	4	220
E1 & E5 DOCKS (each)	100	5,500
E1 & E5 DOCKS (each) (refrigerated trailer)	84	4,620
E1 & E5 DOCKS (each) (bulk container)	1	4,888
CYLINDER STORAGE	800	
LABORATORY COOLER	2	110
BLDG #68	56	3,080
BLDG #69	56	3,080
BLDG #70 EAST	32	1,760
BLDG #70 WEST	32	1,760
BLDG #71 EAST	32	1,760
BLDG #71 WEST	32	1,760


FOR UPPER LEVEL PALLET LOCATIONS SEE STORAGE AREA I SPECIAL WASTE UPPER LEVEL.

NOTES:
 (1) ROWS 'A' IN STORAGE BLDGS. E2, E3, E6, & E7 MAY HAVE CONTAINERS IN EITHER PERMANENT OR TEMPORARY STORAGE OR BOTH.

- DESIGN CRITERIA:
- 6" MINIMUM CURB AT EXTERIOR OPENINGS
 - BUILDING E6 "H" ROW IS ONLY ONE LEVEL HIGH IN SPACES 1 THROUGH 4.
 - 6" RAMP AT FIREWALLS.
 - PALLETS ARE SHOWN FOR ILLUSTRATION ONLY.
 - EXITS PER U.B.C.
 - ALL CONVEYORS & DECANT STATIONS INSIDE CONTAINER PROCESSING BUILDING WILL BE FLOOR MOUNTED.
 - PIPING FURNISHED TO PROCESSING AREA:
 - 3 LINES TO TANK FARM.
 - COMPRESSED AIR
 - NITROGEN
 - PLANT WATER & FIRE PROTECTION WATER
 - PENETRATION FOR EQUIP. VENT TO ATMOSPHERE
 - ROLL UP DOOR WITH TWO FUSIBLE LINKS ON EACH FIRE WALL PENETRATION.
 - DIMENSIONS ARE NOMINAL INSIDE DIMENSIONS.
 - E6 ROW D&F 24 ONLY 2 HIGH DUE TO DUCT. E7 F 19 ONLY 2 HIGH DUE TO DUCT.



FIRE RATINGS:
 4 HR. FIREWALL
 2 HR. FIREWALL
 UNRATED WALL



REFERENCE DRAWINGS	
DRAWING NO	TITLE

REVISIONS				
NO	DESCRIPTION	DATE	BY	CHK
1	RECOVERED AND ADDED DRUM STORAGE	03-25-06	JM	
2	VENTILATION SYSTEMS FOR E-5 & E-1	01/03/07	KL	
3	ADD BLDG #68 & #69	4/03/10	BAO	WC
4	ADD NORTH & SOUTH DESIGNATION TO BLDG 69	03/27/12	TJK	
5	MOVE WS1 & WS2 ADD BIN WASHING SYSTEM	12/21/17	JWR	

REVISIONS				
NO	DESCRIPTION	DATE	BY	CHK
1	E1 & E5 LAYOUT, CORRECT BLDG STORAGE, AS BUILT	07-02-20	KB	TH
2	MOVE BLDG 68, 69. ADD BLDG 70, 71, UPDATE TABLE	03-03-21	KB	TH
3	ADD FIRE DOORS TO E-BUILDINGS			
4	AS-BUILT (MODULAR BUILDINGS)	12-10-21	KB	TH

APPROVALS	
BY	DATE
DRWN	07-28-04
CHEK	
ELEC	
MECH	
STRUCT	
PROJECT ENG	
ENGINEERING MGR	
AS BUILT	

CleanHarbor
 DRAGONITE LLC

TITLE: **UTAH ENVIRONMENTAL SERVICE CENTER INCINERATION PLANT FOR INDUSTRIAL WASTES CONTAINER STORAGE BUILDING PLAN**

FOR TOOELE SITE CAD NO. NA300
 SCALE 1"=20'-0" JOB NO. SAFETY-KLEEN DWG NO. D-800-M-402
 REGISTERED PROFESSIONAL ENGINEER DATE: REV 13