

ATTACHMENT 2
SECURITY PROCEDURES

Table of Contents

1.0	24-Hour Surveillance System	1
2.0	Barrier	1
3.0	Means to Control Entry.....	1
4.0	Warning Signs.....	2

1.0 24-Hour Surveillance System

The Clean Harbors Aragonite facility is occupied 24 hours per day. The guard station is manned during normal business hours. It is located at the main gate and is shown on the plot plan, drawing number D-034-M-002, Attachment 10. The gate is electrically controlled and can be opened/closed from the guard station. All visitors and trucks are logged by name, time of entrance, and egress.

During non-business hours, the main gate and front door will be locked. Visitors arriving during non-business hours will be able to communicate with either the Shift Supervisor or Control Board Operator by telephone or radio.

2.0 Barrier

The Clean Harbors Aragonite facility is fenced with an approximate eight-foot fence on the north, south, east, and west sides.

3.0 Means to Control Entry

The plant entrance is on the north side of the property. All vehicles must stop at the guard station to sign in and obtain routing information. Trucks will be checked to determine if they are scheduled and then routed to the appropriate area. Visitors must return their badges to the guard or receptionist who logs them out, when exiting the property. If an unscheduled truck arrives at the facility, the guard contacts the responsible department. The manager or designee will initiate the following procedures:

- Check the manifest.
- Call the generator of the waste to determine what his/her intentions are:
 - If the generator does not want Clean Harbors Aragonite to handle the waste, an alternate destination as directed by generator will be worked out.
 - If the generator would like Clean Harbors Aragonite to handle the waste, a series of events commences, including contract negotiation and pre-acceptance sampling to determine if the waste should be transferred and/or incinerated. The remaining steps are those outlined in the Waste Analysis Plan, Attachment 1.

Local law enforcement will be called for any trespassing.

4.0 Warning Signs

On either side of the entry point to the facility will be a sign: **DANGER - UNAUTHORIZED PERSONNEL KEEP OUT**. The lettering will be greater than three inches high and will be legible at 25 feet. The signs will also appear on the northern, southern, eastern, and western property fence lines. Drawing number D-034-M-005, Attachment 10, shows the placement of signs. The perimeter fence has signs, at a minimum, every 200 feet.

Other signs will be posted as required.