



After drip pans have been set it place  
 install 2x1 Reducing Busing, 1" close nipple  
 1" brass ball valve.  
 Tie-in to 2" main header and route per  
 Project Engineer to the south.

TYPICAL SECTION THROUGH CONCRETE PAD

PLAN VIEW  
 CONCRETE PADS, STORAGE RACKS, DRIP PANS & PIPING



INTERLOCK DESCRIPTION	
NO	DESCRIPTION

REVISIONS						
NO	DESCRIPTION	DATE	BY	CHK	ENG MGR	NO
1	INITIAL DESIGN					
2	UPDATED RACK ORIENTATION AND STORAGE AMOUNT	03-08-21	KB	SS	TH	KB
3	ADDED STORAGE LOCATIONS	03-31-21	KB	SS	TH	KB

REVISIONS						
NO	DESCRIPTION	DATE	BY	CHK	ENG MGR	NO

APPROVALS		
	BY	DATE
DRAWN	gbr	11-2-2020
CHECKED		
ELEC		
MECH		
STRUCT		
PROJECT ENG		
ENGINEERING MGR		
AS BUILT		

**CleanHarbors**  
 ARIZONITE LLC  
 2020 SHREDDER INSTALLATION  
 BARREL STORAGE AREA  
 CONCRETE PAD, RACKS AND DRIP PANS

FOR TOOELE SITE  
 SCALE 1/2"=12"  
 REGISTERED PROFESSIONAL ENGINEER  
 DATE: \_\_\_\_\_

CAD NO. D-800-M-501  
 CLEANHARBORS DWG NO D-800-M-500  
 JOB NO ZAG-1908-03  
 REV 2