

ATTACHMENT 1-2 CHWSF SECURITY

1.0 INTRODUCTION

1.1 This attachment describes the overall security at U.S. Army Dugway Proving Ground (DPG) at the Central Hazardous Waste Storage Facility (CHWSF) as required by Utah Administrative Code (Utah Admin. Code) R315-R315-264-14.

2.0 SECURITY PROCEDURES AND EQUIPMENT: 40 CODE OF FEDERAL REGULATIONS (CFR) 264.14; UTAH ADMIN. CODE R315-264-14

2.0.1 DPG utilizes several types of procedures and equipment to effectively prevent the unknowing entry, and to minimize the possibility for unauthorized entry, of persons or livestock onto the active portion of the facility. These procedures and equipment are discussed in Sections 2.1 and 2.2.

2.1 24-HOUR SURVEILLANCE SYSTEM: 40 CFR 264.14(b)(1); UTAH ADMIN. CODE R315-264-14(b)(1)

2.1.1 The main entrance to DPG is located one mile east of English Village at the eastern boundary of the facility. This entrance is manned by security guards 24 hours a day. Visitors and contractors may enter only at this gate and are required to obtain temporary vehicle passes from the Pass and Identification (ID) Office located in Building 5910. Employees have permanent vehicle passes, government employee cards (specific to DPG), and security badges.

2.1.2 Continuous surveillance of DPG is provided by both security and police personnel (figure 1).

2.2 BARRIER AND MEANS TO CONTROL ENTRY: 40 CFR 264.14(b)(2)(i); UTAH ADMIN. CODE R315-264-14(b)(2)(i)

2.2.0 This section describes the following:

- Barriers,
- Means to control entry, and
- Warning signs.

2.2.1 BARRIERS: 40 CFR 264.14(b)(2)(i); UTAH ADMIN. CODE R315-264-14(b)(2)(i)

2.2.1.1 The accessible portion of the DPG property boundary is fenced

2.2.1.2 For added security, the CHWSF has an eight-foot-high chain link fence surrounding it. In addition, the Container Storage Building is a fully enclosed building of metal construction. The 90-day storage area is also fenced and padlocked.

2.2.2 MEANS TO CONTROL ENTRY: 40 CFR 264.14(b)(2)(ii); UTAH ADMIN. CODE R315-264-14 (b)(2)(ii)

2.2.2.1 Controlled entry to DPG through the main entrance gate is discussed in Section 2.1. DPG has additional entry gates, which are kept locked. These gates may only be used by DPG employees and are opened only for short periods to allow entry of personnel or vehicles displaying the

appropriate security badges.

2.2.2.2 Entry to the CHWSF is controlled by padlocked gates and entrances, which are unlocked only when the facility is manned.

2.2.3 WARNING SIGNS: 40 CFR 264.14(c); UTAH ADMIN. CODE R315-264-14(c)

2.2.3.1 Signs warning that the area is restricted and dangerous and that unauthorized entry is illegal are posted along the perimeter fence surrounding DPG at intervals of 500 feet or less and near all access gates. These signs measure approximately 18 inches by 24 inches and are easily visible from a distance of 25 feet. The signs are also posted where fencing does not exist.

2.2.3.2 Signs with the legend "Danger - Unauthorized Personnel Keep Out" are posted at the entrance to the CHWSF and at other locations in sufficient numbers to be seen from any approach to the CHWSF. Signs are legible from a distance of 25 feet. These signs are also posted at all 90-day storage areas.

Figure 1. Controlled Access Areas on Dugway Proving Ground

