



Div of Waste Management
and Radiation Control

MAY 24 2023

Energy Fuels Resources (USA) Inc.
225 Union Blvd. Suite 600
Lakewood, CO, US, 80228
303 974 2140
www.energyfuels.com

DRC-2023-004650

May 18, 2023

Sent VIA EXPEDITED DELIVERY

Mr. Doug Hansen
Director
Division of Waste Management and Radiation Control
Utah Department of Environmental Quality
195 North 1950 West
Salt Lake City, UT 84116

**Re: Transmittal of 1st Quarter 2023 Routine Chloroform Monitoring Report
UDEQ Docket No. UGW-20-01 White Mesa Uranium Mill**

Dear Mr. Hansen:

Enclosed are two copies of the White Mesa Uranium Mill Chloroform Monitoring Report for the 1st Quarter of 2023 as required by the Stipulation and Consent Order, UDEQ Docket No. UGW-20-01 as well as two CDs, that each contains a word searchable electronic copy of the report.

If you should have any questions regarding this report please contact me.

Yours very truly,

A handwritten signature in blue ink that reads 'Jordan App' with 'on behalf of' written below it.

ENERGY FUELS RESOURCES (USA) INC.
Kathy Weinel
Director, Regulatory Compliance

CC: David Frydenlund
Logan Shumway
Scott Bakken
Garrin Palmer
Jordan App
Dawn Kolkman
John Uhrie



Energy Fuels Resources (USA) Inc.
225 Union Blvd. Suite 600
Lakewood, CO, US, 80228
303 974 2140
www.energyfuels.com

May 18, 2023

Sent VIA EXPEDITED DELIVERY

Mr. Doug Hansen
Director
Division of Waste Management and Radiation Control
Utah Department of Environmental Quality
195 North 1950 West
Salt Lake City, UT 84116

**Re: Transmittal of 1st Quarter 2023 Routine Chloroform Monitoring Report
UDEQ Docket No. UGW-20-01 White Mesa Uranium Mill**

Dear Mr. Hansen:

Enclosed are two copies of the White Mesa Uranium Mill Chloroform Monitoring Report for the 1st Quarter of 2023 as required by the Stipulation and Consent Order, UDEQ Docket No. UGW-20-01 as well as two CDs, that each contains a word searchable electronic copy of the report.

If you should have any questions regarding this report please contact me.

Yours very truly,

A handwritten signature in blue ink that reads 'Jordan App' with 'on behalf of' written below it.

ENERGY FUELS RESOURCES (USA) INC.
Kathy Weinel
Director, Regulatory Compliance

CC: David Frydenlund
Logan Shumway
Scott Bakken
Garrin Palmer
Jordan App
Dawn Kolkman
John Uhrie

White Mesa Uranium Mill
Chloroform Monitoring Report

State of Utah
Stipulation and Consent Order Docket No. UGW-20-01

(January through March)
2023

Prepared by:



Energy Fuels Resources (USA) Inc.
225 Union Boulevard, Suite 600
Lakewood, CO 80228

May 18, 2023

TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
2.0	CHLOROFORM MONITORING.....	1
2.1	Samples and Measurements Taken During the Quarter	1
2.1.1	Chloroform Monitoring	1
2.1.2	Parameters Analyzed	2
2.1.3	Groundwater Head Monitoring.....	2
2.2	Sampling Methodology and Equipment and Decontamination Procedures	3
2.2.1	Decontamination Procedures	3
2.2.2	Well Purging and Depth to Groundwater	4
2.2.3	Sample Collection.....	5
2.3	Field Data.....	5
2.4	Depth to Groundwater Data and Water Table Contour Map.....	6
2.5	Laboratory Results	6
2.5.1	Copy of Laboratory Results.....	6
2.5.2	Regulatory Framework	6
3.0	QUALITY ASSURANCE AND DATA VALIDATION	6
3.1	Field QC Samples	7
3.2	Adherence to Mill Sampling SOPs.....	7
3.3	Analyte Completeness Review	7
3.4	Data Validation	7
3.4.1	Field Data QA/QC Evaluation.....	8
3.4.2	Holding Time Evaluation.....	9
3.4.3	Receipt Temperature Evaluation.....	9
3.4.4	Analytical Method Checklist	9
3.4.5	Reporting Limit Evaluation	9
3.4.6	Receipt pH Evaluation	10
3.4.7	Trip Blank Evaluation.....	10
3.4.8	QA/QC Evaluation for Sample Duplicates	10
3.4.9	Rinsate Sample Check	10
3.4.10	Other Laboratory QA/QC	11
4.0	INTERPRETATION OF DATA	12
4.1	Interpretation of Groundwater Levels, Gradients and Flow Directions.	12
4.1.1	Current Site Groundwater Contour Map.....	12
4.1.2	Comparison of Current Groundwater Contour Maps to Groundwater Contour Maps for Previous Quarter.....	19
4.1.3	Hydrographs.....	21
4.1.4	Depth to Groundwater Measured and Groundwater Elevation.....	21
4.1.5	Evaluation of the Effectiveness of Hydraulic Capture	21
4.2	Review of Analytical Results.....	26
4.2.1	Current Chloroform Isoconcentration Map	26
4.2.2	Chloroform Concentration Trend Data and Graphs.....	26
4.2.3	Interpretation of Analytical Data	26

5.0	LONG TERM PUMP TEST AT MW-4, MW-26, TW4-19, TW4-20, AND TW4-4 OPERATIONS REPORT	30
5.1	Introduction.....	30
5.2	Pump Test Data Collection	30
5.3	Water Level Measurements	31
5.4	Pumping Rates and Volumes	31
5.5	Mass Removed and Plume Residual Mass	32
5.6	Inspections	33
5.7	Conditions That May Affect Water Levels in Piezometers	33
6.0	CORRECTIVE ACTION REPORT	33
6.1	Assessment of Previous Quarter’s Corrective Actions	33
7.0	CURRENT COMPLIANCE STATUS	33
7.1	Long Term Chloroform Plume Control	33
7.2	Well Construction, Maintenance and Operation.....	34
7.3	Disposal of Extracted Groundwater	34
7.4	Compliance Well Performance	34
7.5	Chloroform Plume Monitoring for Wells within 500 Feet of the Property Boundary	35
8.0	CONCLUSIONS AND RECOMMENDATIONS.....	35
9.0	ELECTRONIC DATA FILES AND FORMAT	41
10.0	SIGNATURE AND CERTIFICATION	42

LIST OF TABLES

Table 1	Summary of Wells Sampling for the Period
---------	--

INDEX OF TABS

- Tab A Site Plan and Perched Well Locations White Mesa Site
- Tab B Order of Sampling and Field Data Worksheets
- Tab C Weekly and Monthly Depth to Water Data
- Tab D Kriged Current Quarter Groundwater Contour Map, Capture Zone Map, Capture Zone Details Map and Depth to Water Data
- Tab E Kriged Previous Quarter Groundwater Contour Map
- Tab F Depths to Groundwater and Elevations and Hydrographs of Groundwater Elevations over Time for Chloroform Monitoring Wells
- Tab G Chloroform Mass Removed and Volume Pumped in Chloroform Pumping Wells over Time
- Tab H Laboratory Analytical Reports
- Tab I Quality Assurance and Data Validation Tables
- I-1 Field Data QA/QC Evaluation
 - I-2 Holding Time Evaluation
 - I-3 Receipt Temperature Check
 - I-4 Analytical Method Check
 - I-5 Reporting Limit Evaluation
 - I-6 Trip Blank Evaluations
 - I-7 QA/QC Evaluation for Sample Duplicates
 - I-8 QC Control Limits for Analyses and Blanks
 - I-9 Rinsate Check
- Tab J Kriged Current Quarter Chloroform Isoconcentration Map
- Tab K Analyte Concentration Data and Chloroform Concentration Trend Graphs over Time
- Tab L Contour Map Based Chloroform Plume Mass Calculations and Data Over Time
- Tab M CSV Transmittal Letter
- Tab N Exceedance Notices for the Reporting Period

1.0 INTRODUCTION

The presence of chloroform was initially identified in groundwater at the White Mesa Mill (the “Mill”) as a result of split sampling performed in May 1999. The discovery resulted in the issuance of State of Utah Notice of Violation (“NOV”) and Groundwater Corrective Action Order (“CAO”) State of Utah Department of Environmental Quality (“UDEQ”), Division of Waste Management and Radiation Control (“DWMRC”) Docket No. UGW-20-01, which required that Energy Fuels Resources (USA) Inc. (“EFRI”) submit a Contamination Investigation Plan and Report pursuant to the provisions of UAC R317-6-6.15(D). In response to the NOV, EFRI submitted a series of documents outlining plans for investigation of the chloroform contamination. This plan of action and preliminary schedule was set out in EFRI submittals dated: September 20, 1999; June 30, 2000; April 14, 2005; and November 29, 2006. EFRI submitted a draft Groundwater Corrective Action Plan (“GCAP”) dated August 22, 2007. The draft GCAP was reviewed by the Director, who advised EFRI in 2013 that modifications were required. In an effort to expedite and formalize active and continued remediation of the chloroform plume, both parties have agreed to the GCAP found in Attachment 1, of the final Stipulation and Consent Order (“SCO”) dated September 14, 2015.

This is the Quarterly Chloroform Monitoring Report for the first quarter of 2023 as required under the SCO. This report also includes the Operations Report for MW-04, TW4-01, TW4-04, TW4-02, TW4-11, TW4-19, TW4-21, MW-26, TW4-22, TW4-24, TW4-25, TW4-37, TW4-39, TW4-40, and TW4-41 for the quarter.

2.0 CHLOROFORM MONITORING

2.1 Samples and Measurements Taken During the Quarter

A map showing the location of all groundwater monitoring wells, piezometers, existing wells, temporary chloroform contaminant investigation wells and temporary nitrate investigation wells is attached under Tab A. Chloroform samples and measurements taken during this reporting period are discussed in the remainder of this section.

2.1.1 Chloroform Monitoring

Quarterly sampling for chloroform monitoring parameters is currently required in the following wells:

MW-4	TW4-9	TW4-18	TW4-28	TW4-37
TW4-1	TW4-10	TW4-19	TW4-29	TW4-38
TW4-2	TW4-11	TW4-21	TW4-30	TW4-39
TW4-3	TW4-12	TW4-22	TW4-31	TW4-40
TW4-4	TW4-13	TW4-23	TW4-32	TW4-41
TW4-5	TW4-14	TW4-24	TW4-33	TW4-42
TW4-6	MW-26 (formerly TW4-15)	TW4-25	TW4-34	TW4-43
TW4-7	TW4-16	TW4-26	TW4-35	
TW4-8	MW-32 (formerly TW4-17)	TW4-27	TW4-36	

Chloroform monitoring was performed in all of the required chloroform monitoring wells. Table 1 provides an overview of all wells sampled during the quarter, along with the date samples were collected from each well, and the date(s) when analytical data were received from the contract laboratory. Table 1 also identifies equipment rinse samples collected, as well as sample numbers associated with the deionized field blank (“DIFB”) and any required duplicates.

2.1.2 Parameters Analyzed

Wells sampled during this reporting period were analyzed for the following constituents:

- Chloroform
- Chloromethane
- Carbon tetrachloride
- Methylene chloride
- Chloride
- Nitrate plus Nitrite as Nitrogen

Use of analytical methods is consistent with the requirements of the Chloroform Investigation Monitoring Quality Assurance Program (the “Chloroform QAP”) attached as Appendix A to the White Mesa Uranium Mill Groundwater Monitoring QAP Revision 7.7, dated February 15, 2022.

2.1.3 Groundwater Head Monitoring

Depth to groundwater was measured in the following wells and/or piezometers, pursuant to Part I.E.3 of the Groundwater Discharge Permit (the “GWDP”):

- The quarterly groundwater compliance monitoring wells
- Existing monitoring well MW-4 and all of the temporary chloroform investigation wells
- Piezometers P-1, P-2, P-3A, P-4 and P-5
- MW-20 and MW-22
- Nitrate monitoring wells
- The DR piezometers that were installed during the Southwest Hydrologic Investigation

In addition to the above, depth to water measurements are routinely observed in conjunction with sampling events for all wells sampled during quarterly and accelerated efforts, regardless of the sampling purpose.

Weekly and monthly depth to groundwater measurements were taken in the chloroform pumping wells MW-4, MW-26, TW4-1, TW4-2, TW4-4, TW4-11, TW4-19, TW4-21, TW4-37, TW4-39, TW4-40, and TW4-41 and the nitrate pumping wells TW4-22, TW4-24, TW4-25, and TWN-02. In addition, monthly water level measurements were taken in non-pumping wells TW4-3 through TW4-10, TW4-12 through TW4-14, TW4-16, TW4-18, TW4-26 through TW4-36, TW4-38, TW4-42, TW4-43, MW-27, MW-30, MW-31, TWN-1, TWN-3, TWN-4, TWN-7, and TWN-18.

2.2 Sampling Methodology and Equipment and Decontamination Procedures

EFRI completed, and transmitted to DWMRC on May 25, 2006, a revised QAP for sampling under the Mill's GWDP. While the water sampling conducted for chloroform investigation purposes has conformed to the general principles set out in the QAP, some of the requirements in the QAP were not fully implemented prior to DWMRC's approval of the QAP, for reasons set out in correspondence to DWMRC dated December 8, 2006. Subsequent to the delivery of the December 8, 2006 letter, EFRI discussed the issues brought forward in the letter with DWMRC and has received correspondence from DWMRC about those issues. In response to DWMRC's letter and subsequent discussions with DWMRC, EFRI modified the chloroform Quality Assurance ("QA") procedures within the Chloroform QAP. The Chloroform QAP describes the requirements of the chloroform investigation program and identifies where they differ from the Groundwater QAP. On June 20, 2009 the Chloroform QAP was modified to require that the quarterly chloroform reports include additional items specific to EFRI's ongoing pump testing and chloroform capture efforts. The Groundwater QAP as well as the Chloroform QAP were revised again on June 6, 2012, August 15, 2017, July 23, 2018, May 14, 2019, August 22, 2019, and February 15, 2022. The revised Groundwater QAP and Chloroform QAP, Revision 7.7 was approved by DWMRC on March 31, 2022.

The sampling methodology, equipment and decontamination procedures used in the chloroform contaminant investigation, as summarized below, are consistent with the approved QAP and the Chloroform QAP.

2.2.1 Decontamination Procedures

Non-dedicated sampling equipment is decontaminated prior to use as described in the DWMRC-approved QAP and as summarized below.

The water level meter is decontaminated with a detergent/deionized ("DI") water mixture by pouring the solutions over the water level indicator. The water level meter is then rinsed with DI water.

The field measurement instrument probe is decontaminated by rinsing with DI water prior to each calibration. The sample collection cup is washed with a detergent/DI water solution and rinsed with fresh DI water prior to each calibration.

The non-dedicated purging pump is decontaminated after each use and prior to use at subsequent sampling locations using the following procedures:

- a) the pump is submerged into a 55-gallon drum of nonphosphate detergent/DI water mixture;
- b) the detergent/DI water solution is pumped through the pump and pump outlet lines;
- c) the pump is submerged into a 55-gallon drum of DI water;
- d) the DI water solution is pumped through the pump and pump outlet lines;

2.2.2 Well Purging and Depth to Groundwater

The non-pumping wells are purged prior to sampling by means of a portable pump. A list of the wells in order of increasing chloroform concentration is generated quarterly. The order for purging the non-pumping wells is thus established. The list is included with the Field Data Worksheets under Tab B. Mill personnel start purging with all of the non-detect wells and then move to the wells with detectable chloroform concentrations starting with the lowest concentration and proceeding to the wells with the highest concentration. One deviation to this practice is made for the continuously pumping wells. These wells are sampled throughout the sampling event and are not sampled in the order of contamination. This practice does not affect the samples for this reason: the pumping wells have dedicated pumps and there will be no cross-contamination resulting from the sampling order.

Samples are collected by means of disposable bailer(s) the day following the purging. The disposable bailer is used only for the collection of a sample from an individual well and disposed subsequent to the sampling. As noted in the approved QAP, sampling will generally follow the same order as purging; however, the sampling order may deviate slightly from the generated list. This practice does not affect the samples for these reasons: any wells sampled in slightly different order either have dedicated pumps or are sampled via a disposable bailer. This practice does not affect the quality or usability of the data as there will be no cross-contamination resulting from the sampling order.

Before leaving the Mill office, the portable pump and hose are rinsed with DI water. Where portable (non-dedicated) sampling equipment is used, a rinsate sample is collected at a frequency of one rinsate sample per 20 field samples. Well depth measurements are taken and the one casing volume is calculated for those wells which do not have a dedicated pump as described in Attachment 2-3 of the QAP. Purging is completed to remove stagnant water from the casing and to assure that representative samples of formation water are collected for analysis. There are three purging strategies that are used to remove stagnant water from the casing during groundwater sampling at the Mill. The three strategies are as follows:

1. Purging three well casing volumes with a single measurement of field parameters specific conductivity, turbidity, pH, redox potential, Dissolved Oxygen (“DO”) and water temperature
2. Purging two casing volumes with stable field parameters for specific conductivity, turbidity, pH, redox potential, DO, and water temperature (within 10% Relative Percent Difference [“RPD”])
3. Purging a well to dryness and stability (within 10% RPD) of field parameters for pH, specific conductivity, and water temperature only after recovery

If the well has a dedicated pump, it is pumped on a set schedule per the remediation plan and is considered sufficiently evacuated to immediately collect a sample; however, if a pumping well has been out of service for 48 hours or more, EFRI will follow the purging requirements outlined in Attachment 2-3 of the QAP. The dedicated pump is used to collect parameters and to collect the samples as described below. If the well does not have a dedicated pump, a Grundfos pump (9 - 10 gpm pump) is then lowered to the screened interval in the well and purging is started.

The purge rate is measured for the well by using a calibrated 5 gallon bucket. This purging process is repeated at each well location moving from least contaminated to the most contaminated well. All wells are capped and secured prior to leaving the sampling location.

Wells with dedicated pumps are sampled when the pump is in the pumping mode. If the pump is not pumping at the time of sampling, it is manually switched on by the Mill Personnel. The well is pumped for approximately 5 to 10 minutes prior to the collection of the field parameters. Per the approved QAP, one set of parameters is collected. Samples are collected following the measurement of one set of field parameters. After sampling, the pump is turned off and allowed to resume its timed schedule.

2.2.3 Sample Collection

Prior to sampling, a cooler with ice is prepared. The trip blank is also gathered at that time (the trip blank for these events is provided by the analytical laboratory). Once Mill Personnel arrive at the well sites, labels are filled out for the various samples to be collected. All personnel involved with the collection of water and samples are then outfitted with disposable gloves. Chloroform investigation samples are collected by means of disposable bailers.

Mill personnel use a disposable bailer to sample each well that does not have a dedicated pump. The bailer is attached to a reel of approximately 150 feet of nylon rope and then lowered into the well. After coming into contact with the water, the bailer is allowed to sink into the water in order to fill. Once full, the bailer is reeled up out of the well and the sample bottles are filled as follows:

- Volatile Organic Compound (“VOC”) samples are collected first. This sample consists of three 40 ml vials provided by the Analytical Laboratory. The VOC sample is not filtered and is preserved with HCl;
- A sample for nitrate/nitrite is then collected. This sample consists of one 250 ml. bottle that is provided by the Analytical Laboratory. The nitrate/nitrite sample is not filtered and is preserved with H₂SO₄;
- A sample for chloride is then collected. This sample consists of one 500 ml. bottle that is provided by the Analytical Laboratory. The chloride sample is not filtered and is not chemically preserved.

After the samples have been collected for a particular well, the bailer is disposed of and the samples are placed into the cooler that contains ice. The well is then recapped and Mill personnel proceed to the next well.

2.3 Field Data

Attached under Tab B are copies of the Field Data Worksheets that were completed during the quarter for the chloroform contaminant investigation monitoring wells identified in paragraph 2.1.1 above, and Table 1.

2.4 Depth to Groundwater Data and Water Table Contour Map

Attached under Tab C are copies of the Depth to Water Sheets for the weekly monitoring of MW-4, MW-26, TW4-1, TW4-2, TW4-4, TW4-11, TW4-19, TW4-21, TW4-22, TW4-24, TW4-25, TW4-37, TW4-39, TW4-40, TW4-41 and TWN-2 as well as the monthly depth to groundwater data for the chloroform contaminant investigation wells and the non-pumped wells measured during the quarter. Depth to groundwater measurements that were utilized for groundwater contours are included on the Quarterly Depth to Water Worksheet at Tab D of this report, along with the kriged groundwater contour map for the current quarter generated from this data. A copy of the kriged groundwater contour map generated from the previous quarter's data is provided under Tab E.

2.5 Laboratory Results

2.5.1 Copy of Laboratory Results

All analytical results were provided by Chemtech-Ford Analytical Laboratory ("CTF"). Table 1 lists the dates when analytical results were reported to the Director, Regulatory Compliance for each sample.

Results from the analyses of samples collected for this quarter's chloroform contaminant investigation are provided under Tab H of this Report. Also included under Tab H are the results of the analyses for duplicate samples, the DIFB, and rinsate samples for this sampling effort, as identified in Table 1, as well as results for trip blank analyses required by the Chloroform QAP.

2.5.2 Regulatory Framework

As discussed in Section 1.0, above, the SCO triggered a series of actions on EFRI's part. In addition to the monitoring program, EFRI has equipped one nitrate well and fifteen chloroform wells with pumps to recover impacted groundwater and has initiated recovery of chloroform from the perched zone.

Sections 4.0 and 5.0, below, interpret the groundwater level and flow information, contaminant analytical results, and pump test data to assess effectiveness of EFRI's chloroform capture program.

3.0 QUALITY ASSURANCE AND DATA VALIDATION

The Director, Regulatory Compliance performed a QA/Quality Control ("QC") review to confirm compliance of the monitoring program with requirements of the QAP. As required in the QAP, data QA includes preparation and analysis of QC samples in the field, review of field procedures, an analyte completeness review, and QC review of laboratory methods and data. Identification of field QC samples collected and analyzed is provided in Section 3.1. Discussion of adherence to Mill sampling Standard Operating Procedures ("SOPs") is provided in Section 3.2. Analytical completeness review results are provided in Section 3.3. The steps and tests applied to check laboratory data QA/QC are discussed in Sections 3.4.4 through 3.4.9 below.

The analytical laboratory has provided summary reports of the analytical QA/QC measurements necessary to maintain conformance with National Environmental Laboratory Accreditation Conference (“NELAC”) certification and reporting protocol. The Analytical Laboratory QA/QC Summary Reports, including copies of the Mill’s Chain of Custody and Analytical Request Record forms for each set of Analytical Results, follow the analytical results under Tab H. Results of the review of the laboratory QA/QC information are provided under Tab I and are discussed in Section 3.4, below.

3.1 Field QC Samples

The following QC samples were generated by Mill personnel and submitted to the analytical laboratory in order to assess the quality of data resulting from the field sampling program.

Field QC samples for the chloroform investigation program consist of one field duplicate sample for each 20 samples, a trip blank for each shipped cooler that contains VOCs, one DIFB and rinsate samples.

During this quarter, three duplicate samples were collected as indicated in Table 1. The duplicates were sent blind to the analytical laboratory and analyzed for the same parameters as the chloroform wells.

Three trip blanks were provided by CTF and returned with the quarterly chloroform monitoring samples.

Two rinsate blank samples were collected as indicated on Table 1. Rinsate samples were labeled with the name of the subsequently purged well with a terminal letter “R” added (e.g. TW4-7R). The results of these analyses are included with the routine analyses under Tab H.

In addition, one DIFB, while not required by the Chloroform QAP, was collected and analyzed for the same constituents as the well samples and rinsate blank samples.

3.2 Adherence to Mill Sampling SOPs

The Director, Regulatory Compliance’s review of Mill Personnel’s adherence to the existing SOPs, confirmed that the QA/QC requirements established in the QAP and Chloroform QAP were met.

3.3 Analyte Completeness Review

All analyses required by the GCAP for chloroform monitoring for the period were performed.

3.4 Data Validation

The QAP and GWDP identify the data validation steps and data QC checks required for the chloroform monitoring program. Consistent with these requirements, the Director, Regulatory Compliance performed the following evaluations: a field data QA/QC evaluation, a holding time

check, a receipt temperature check, an analytical method check, a reporting limit evaluation, a trip blank check, a QA/QC evaluation of sample duplicates, a QC Control Limit check for analyses and blanks including the DIFB and a rinsate sample check. Each evaluation is discussed in the following sections. Data check tables indicating the results of each test are provided under Tab I.

3.4.1 Field Data QA/QC Evaluation

The Director, Regulatory Compliance performs a review of the field recorded parameters to assess their adherence with QAP requirements. The assessment involved review of two sources of information: the Field Data Sheets and the Quarterly Depth to Water summary sheet. Review of the Field Data Sheets addresses well purging volumes and measurement of field parameters based on the requirements discussed in section 2.2.1 above. The purging technique employed determines the requirements for field parameter measurement and whether stability criteria are applied. Review of the Depth to Water data confirms that all depth measurements used for development of the groundwater contour maps were conducted within a five-day period as indicated by the measurement dates in the summary sheet under Tab D. The results of this quarter's review of field data are provided under Tab I.

Based upon the review of the field data sheets, the purging and field measurements were completed in conformance with the QAP requirements. A summary of the purging techniques employed and field measurements taken is described below:

Purging Two Casing Volumes with Stable Field Parameters (within 10% RPD)

Wells TW4-5, TW4-8, TW4-9, TW4-16, MW-32, TW4-18, TW4-23, TW4-32, and TW4-38 were sampled after two casing volumes were removed. Field parameters (pH, specific conductivity, turbidity, water temperature, DO, and redox potential) were measured during purging. All field parameters for this requirement were stable within 10% RPD.

Purging a Well to Dryness and Stability of a Limited List of Field Parameters

Wells TW4-3, TW4-6, TW4-7, TW4-10, TW4-12, TW4-13, TW4-14, TW4-26, TW4-27, TW4-28, TW4-29, TW4-30, TW4-31, TW4-33, TW4-34, TW4-35, TW4-36, TW4-42, and TW4-43 were pumped to dryness before two casing volumes were evacuated. After well recovery, one set of measurements of pH, conductivity and temperature were taken. The samples were then collected, and another set of measurements of pH, conductivity and temperature were taken. Stabilization of pH, conductivity and temperature are required within 10% RPD under the QAP. The QAP requirements for stabilization were met.

Continuously Pumped Wells

Wells MW-4, TW4-1, TW4-2, TW4-4, TW4-11, MW-26, TW4-19, TW4-21, TW4-22, TW4-24, TW4-25, TW4-37, TW4-39, TW4-40, and TW4-41 are continuously pumped wells. These wells are pumped on a set schedule per the remediation plan and are considered sufficiently evacuated to immediately collect a sample.

During review of the field data sheets, the Director, Regulatory Compliance confirmed that sampling personnel consistently recorded depth to water to the nearest 0.01 foot.

The review of the field sheets for compliance with QAP requirements resulted in the observations noted below. The QAP requirements in Attachment 2-3 specifically state that field parameters must be stabilized to within 10% over at least 2 consecutive measurements for wells purged to 2 casing volumes or purged to dryness. The QAP Attachment 2-3 states that turbidity should be less than 5 NTU prior to sampling unless the well is characterized by water that has a higher turbidity. The QAP Attachment 2-3 does not require that turbidity measurements be less than 5 NTU prior to sampling. As such, the noted observations below regarding turbidity measurements greater than 5 NTU are included for information purposes only.

Wells TW4-9, TW4-16, MW-32, TW4-18, TW4-19, TW4-23, TW4-32, TW4-38, and TW4-39 exceeded the QAP's 5 NTU goal. EFRI's letter to DWMRC of March 26, 2010 discusses further why turbidity does not appear to be an appropriate parameter for assessing well stabilization. In response to DWMRC's subsequent correspondence dated June 1, 2010 and June 24, 2010, EFRI completed a monitoring well redevelopment program. The redevelopment report was submitted to DWMRC on September 30, 2011. DWMRC responded to the redevelopment report via letter on November 15, 2012. Per the DWMRC letter dated November 15, 2012, the field data generated this quarter are compliant with the turbidity requirements of the approved QAP.

3.4.2 Holding Time Evaluation

QAP Table 1 identifies the method holding times for each suite of parameters. Sample holding time checks are provided in Tab I. The samples were received and analyzed within the required holding times.

3.4.3 Receipt Temperature Evaluation

Chain of Custody sheets were reviewed to confirm compliance with the QAP requirement which specifies that samples be received at 6°C or lower. Sample temperatures checks are provided in Tab I. The samples were received within the required temperature limit.

3.4.4 Analytical Method Checklist

The analytical methods reported by the laboratory were checked against the required methods enumerated in the Chloroform QAP. Analytical method checks are provided in Tab I. The analytical methods were consistent with the requirements of the Chloroform QAP.

3.4.5 Reporting Limit Evaluation

The analytical method reporting limits reported by the laboratory were checked against the reporting limits enumerated in the Chloroform QAP. Reporting Limit Checks are provided under Tab I. The analytes were measured and reported to the required reporting limits; several sets of sample results had the reporting limit raised for at least one analyte due to matrix interference and/or sample dilution. In these cases, the reported value for the analyte was higher than the increased detection limit.

3.4.6 Receipt pH Evaluation

Appendix A of the QAP states that volatile samples are required to be preserved and arrive at the laboratory with a pH less than 2. A review of the laboratory data revealed that the volatile samples were received at the laboratory with a pH less than 2.

3.4.7 Trip Blank Evaluation

Trip blank results were reviewed to identify any VOC contamination resulting from transport of the samples. Trip blank checks are provided in Tab I. All of the trip blank samples were nondetect.

3.4.8 QA/QC Evaluation for Sample Duplicates

Section 9.1.4 a) of the QAP states that RPDs will be calculated for the comparison of duplicate and original field samples. The QAP acceptance limits for RPDs between the duplicate and original field sample is less than or equal to 20% unless the measured results are less than 5 times the required detection limit. This standard is based on the EPA Contract Laboratory Program National Functional Guidelines for Inorganic Data Review, February 1994, 9240.1-05-01 as cited in the QAP. The RPDs are calculated for the duplicate pairs for all analytes regardless of whether or not the reported concentrations are greater than 5 times the required detection limits; however, data are considered noncompliant only when the results are greater than 5 times the reported detection limit and the RPD is greater than 20%. The additional duplicate information is provided for information purposes.

The duplicate results were less than or equal to the 20% RPD criteria in the samples. Duplicate results are included in Tab I.

3.4.9 Rinsate Sample Check

Rinsate blank sample checks are provided in Tab I. The rinsate blank sample concentration levels were compared to the QAP requirements i.e., that rinsate sample concentrations be one order of magnitude lower than that of the actual well.

Rinsate blank sample TW4-03R was nondetect for chloroform. TW4-3 was also nondetect for chloroform. The rinsate blank results for TW4-3 were within acceptance limits for the rinsate blank results.

Rinsate blank sample TW4-38R had a reported detection of 4.1 ug/L for chloroform. The well sampled before TW4-38R was TW4-23 which was nondetect for chloroform. The rinsate blank results for TW4-38R were outside acceptance limits for the rinsate blank results.

The DI blank from the on-site DI system which generates the water for rinsate blank samples was 13.9 ug/L. EFRI is continuing the investigation of the chloroform in the DI samples. The results of this investigation will be provided in future reports. EFRI is contacting the media and

filter provider again and looking at plumbing systems to determine if the chloroform is originating within the physical system.

The data for all samples are usable as reported. Even if there were contribution of chloroform to the sample results, it would bias the data high and would result in a more conservative data application. EFRI does not believe the data quality has been affected.

3.4.10 Other Laboratory QA/QC

Section 9.2 of the QAP requires that the laboratory's QA/QC Manager check the following items in developing data reports: (1) sample preparation information is correct and complete, (2) analysis information is correct and complete, (3) appropriate analytical laboratory procedures are followed, (4) analytical results are correct and complete, (5) QC samples are within established control limits, (6) blanks are within QC limits, (7) special sample preparation and analytical requirements have been met, and (8) documentation is complete. In addition to other laboratory checks described above, EFRI's Director, Regulatory Compliance rechecks QC samples and blanks (items (5) and (6)) to confirm that the percent recovery for spikes and the relative percent difference for spike duplicates are within the method-specified acceptance limits, or that the case narrative sufficiently explains any deviation from these limits. Results of this quantitative check are provided in Tab I.

The lab QA/QC results met these specified acceptance limits except as noted below.

The QAP, Section 8.1.2 states that an MS/MSD pair may be analyzed with each analytical batch depending on the analytical method specifications. The QAP does not specify acceptance limits for the MS/MSD pair, and the QAP does not specify that the MS/MSD pair be prepared on EFRI samples only. Acceptance limits for MS/MSDs are set by the laboratories. The review of the information provided by the laboratories in the data packages verified that the specifications in the analytical methods to analyze either an MS or MS/MSD pair with each analytical batch were met as applicable to each method. While the QAP does not require it, the recoveries were reviewed for compliance with the laboratory established acceptance limits. The QAP does not require this level of review and the results of this review are provided for information only.

The information from the Laboratory QA/QC Summary Reports indicates that the MS/MSDs recoveries and the associated RPDs for the samples were within acceptable laboratory limits except as indicated in Tab I. The data recoveries and RPDs which are outside the laboratory established acceptance limits do not affect the quality or usability of the data because the recoveries and RPDs above or below the acceptance limits are indicative of matrix interference most likely caused by other constituents in the samples. Matrix interferences are applicable to the individual sample results only. The specifications in the analytical methods to analyze a MS/MSD pair with each analytical batch (as applicable to the methods) was met and as such the data are compliant with the QAP.

The QAP specifies that surrogate compounds shall be employed for all organic analyses, but the QAP does not specify acceptance limits for surrogate recoveries. The analytical data associated with the routine quarterly sampling met the requirement specified in the QAP. The information from the Laboratory QA/QC Summary Reports indicates that the surrogate recoveries for the

quarterly chloroform samples were within acceptable laboratory limits for the surrogate compounds. The requirement in the QAP to analyze surrogate compounds was met and the data are compliant with the QAP. Furthermore, there are no QAP requirements for surrogate recoveries.

The QAP, Section 8.1.2 requires that each analytical batch shall be accompanied by a method blank. The analytical batches routinely contain a blank, which is a blank sample made and carried through all analytical steps. For the Mill samples, a method blank was prepared for the analytical methods. Per the approved QAP, contamination detected in analysis of method blanks will be used to evaluate any analytical laboratory contamination of environmental samples. The QAP states that non-conformance conditions will exist when contaminant levels in the samples(s) are not an order of magnitude greater than the blank result. There were no detections in the method blanks in this quarter. Method blank results are included in Tab I.

The information from the Laboratory QA/QC Summary Reports indicates that there were low LCS recoveries in one of the analytical batches as indicated in Tab I.

A low LCS recovery for methylene chloride was reported in analytical batch 23C8030. The low LCS in batch 23C8030 affected all of the samples in the batch except TW4-25.

The data were flagged in accordance with EPA Method 8260. The data are usable for the intended purpose because carbon tetrachloride and chloromethane are not frequently detected. Further, the wells listed above do not have recent historical detections of chloromethane and the nondetect data are likely accurate.

4.0 INTERPRETATION OF DATA

4.1 Interpretation of Groundwater Levels, Gradients and Flow Directions.

4.1.1 Current Site Groundwater Contour Map

The water level contour maps (See Tab D) indicate that perched water flow ranges from generally southwesterly beneath the Mill site and tailings cells to generally southerly along the eastern and western margins of White Mesa south of the tailings management system.

Perched water mounding associated with the wildlife ponds locally changes the generally southerly perched water flow patterns. For example, northeast of the Mill site, mounding associated with formerly used wildlife ponds is still evident and disrupts the generally southwesterly flow pattern, to the extent that locally northwesterly flow occurs near MW-19 and PIEZ-1. The impact of the mounding associated with the northern ponds, to which water has not been delivered since March 2012, is diminishing and is expected to continue to diminish as the associated mound decays due to reduced recharge. The perched groundwater mound associated with the southern wildlife pond is also diminishing due to reduced recharge at that location.

Not only has recharge from the wildlife ponds impacted perched water elevations and flow directions at the site, but the cessation of water delivery to the northern ponds, which are

generally upgradient of the nitrate and chloroform plumes at the site, resulted in changing conditions that were expected to impact constituent concentrations and migration rates within the plumes. Specifically, past recharge from the northern ponds helped limit many constituent concentrations within the plumes by dilution while the associated groundwater mounding increased hydraulic gradients and contributed to plume migration. Since use of the northern ponds was discontinued in March 2012, increases in constituent concentrations in many wells, and decreases in hydraulic gradients within the plumes, are attributable to reduced recharge and the decay of the associated groundwater mound. EFRI and its consultants anticipated these changes and discussed these and other potential effects with DWMRC in March 2012 and May 2013.

The impacts associated with cessation of water delivery to the northern ponds were expected to propagate downgradient (south and southwest) over time. Wells close to the ponds were generally expected to be impacted sooner than wells farther downgradient of the ponds. Therefore, constituent concentrations were generally expected to increase in downgradient wells close to the ponds before increases were detected in wells farther downgradient of the ponds. Although such increases were anticipated to result from reduced dilution, the magnitude and timing of the increases were anticipated to be, and have been, difficult to predict due to the complex permeability distribution at the site and factors such as pumping and the rate of decay of the groundwater mound. Because of these complicating factors, some wells completed in higher permeability materials were expected to be impacted sooner than other wells completed in lower permeability materials even though the wells completed in lower permeability materials were closer to the ponds.

In general, chloroform and nitrate concentrations within and in the vicinity of the chloroform plume appear to have been impacted to a greater extent than nitrate concentrations within and adjacent to the nitrate plume. This behavior is reasonable considering that the chloroform plume is generally, more directly downgradient of and more hydraulically connected (via higher permeability materials) to the northern wildlife ponds.

In addition, the southern wildlife pond is in relatively close proximity to the downgradient (southern) extremity of the chloroform plume. Reduced recharge at the southern pond, and decay of the associated groundwater mound, can be expected to impact water level behavior and chloroform and nitrate concentrations in wells within this portion of the chloroform plume.

Localized increases in concentrations of constituents such as chloroform and nitrate within and near the chloroform plume, and of nitrate and chloride within and near the nitrate plume, may occur even when these plumes are under control. Ongoing mechanisms that can be expected to increase constituent concentrations locally as a result of reduced wildlife pond recharge include but are not limited to:

- 1) Reduced dilution - the mixing of low constituent concentration pond recharge into existing perched groundwater will be reduced over time.
- 2) Reduced saturated thicknesses – dewatering of higher permeability layers receiving primarily low constituent concentration pond water will result in wells intercepting these layers receiving a smaller proportion of the low constituent concentration water.

The combined impact of the above two mechanisms was anticipated to be more evident at chloroform pumping wells MW-4, MW-26, TW4-4, TW4-19, and TW4-20 (now abandoned); nitrate pumping wells TW4-22, TW4-24, TW4-25, and TWN-2; and non-pumped wells adjacent to the pumped wells. Impacts were also expected to occur over time at wells subsequently added to the chloroform pumping network: TW4-1, TW4-2, TW4-11, TW4-21 and TW4-37 (added during 2015); TW4-39 (added during the fourth quarter of 2016); TW4-41 (added during the second quarter of 2018); and TW4-40 (added during the second quarter of 2019). The overall impact was expected to be generally higher constituent concentrations in these wells over time until mass reduction resulting from pumping and natural attenuation eventually reduces concentrations. Short-term changes in concentrations at pumping wells and wells adjacent to pumping wells are also expected to result from changes in pumping conditions.

In addition to changes in the flow regime caused by wildlife pond recharge, perched flow directions are locally influenced by operation of the chloroform and nitrate pumping wells. Well defined cones of depression were typically evident in the vicinity of all chloroform pumping wells except TW4-4 and TW4-37, which began pumping in the first quarter of 2010 and the second quarter of 2015, respectively. The third quarter of 2018 was the first quarter that a well-defined cone of depression was associated with TW4-4, primarily the result of pumping at adjacent well TW4-41.

The lack of well-defined capture associated with chloroform pumping well TW4-4 was consistent prior to the third quarter of 2018, even though pumping since the first quarter of 2010 has depressed the water table in the vicinity of this well. The lack of a well-defined cone of depression near TW4-4 likely resulted from 1) variable permeability conditions in the vicinity of TW4-4, and 2) historical relatively low water levels at adjacent well TW4-14.

Nitrate pumping wells TW4-22, TW4-24, TW4-25, and TWN-2 started pumping during the first quarter of 2013. By the fourth quarter of 2013, operation of the nitrate pumping system had produced well-defined impacts on water levels. Water level impacts of the nitrate and chloroform pumping systems overlap; however the long-term interaction between the nitrate and chloroform pumping systems is evolving, and changes will be reflected in data collected during routine monitoring.

Water level patterns near nitrate pumping wells are expected to be influenced by the presence of, and the decay of, the groundwater mound associated with the northern wildlife ponds, and by the historically relatively low water level at TWN-7. Since 2012, water levels in TWN-7 have risen while water levels in nearby wells have generally dropped due to pumping and the decay of the northern groundwater mound. These factors have reduced water level differences between TWN-7 and nearby wells.

As discussed above, variable permeability conditions likely contributed to the lack of a well-defined cone of depression near chloroform pumping well TW4-4. Changes in water levels at wells immediately south and southeast (downgradient) of TW4-4 resulting from TW4-4 pumping were expected to be muted because TW4-4 is located at a transition from relatively high to relatively low permeability conditions south and southeast of TW4-4. As will be discussed

below, the permeability of the perched zone at TW4-6, TW4-26, TW4-29, TW4-30, TW4-31, TW4-33, TW4-34, and TW4-35 is one to two orders of magnitude lower than at TW4-4, and the permeability at TW4-27 is approximately three orders of magnitude lower than at TW4-4.

Detecting water level drawdowns in wells immediately south and southeast of TW4-4 resulting from TW4-4 pumping has also been complicated by a former, long-term increase in water levels in this area that has been attributable to past wildlife pond recharge. Between the fourth quarter of 2007 and the fourth quarter of 2009 (just prior to the start of TW4-4 pumping), water levels at TW4-4 and TW4-6 increased by nearly 2.7 and 2.9 feet at rates of approximately 1.2 feet/year and 1.3 feet/year, respectively. However, between the start of pumping at TW4-4 (first quarter of 2010) and the fourth quarter of 2013, the rate of increase in water levels at TW4-6 was reduced to less than 0.5 feet/year suggesting that TW4-6 is within the hydraulic influence of TW4-4.

Water levels in wells currently within the chloroform plume south of TW4-4 (TW4-26, TW4-29 and TW4-40) are generally decreasing to stable. Note that water levels at TW4-30, which was incorporated within the plume from the fourth quarter of 2020 through the second quarter of 2022, have been decreasing since 2020. Generally decreasing to stable water levels are evident at TW4-26 and TW4-29 since the fourth quarter of 2013; and at TW4-40 since installation in the first quarter of 2018. The water level in TW4-6 (remaining outside the plume again this quarter) has also trended generally downward since the fourth quarter of 2013; likewise the water level at TW4-33 (outside the plume since the first quarter of 2021) has trended downward since 2013. These generally downward trends are attributable to both the cessation of water delivery to the wildlife ponds and pumping. Although water levels at some of the wells marginal to the chloroform plume such as TW4-14, TW4-27 and TW4-31 were generally increasing until about the first quarter of 2018, these water levels now appear to be relatively stable to decreasing. Water level trends at TW4-30 have been similar to those at TW4-27.

These spatially variable water level trends likely result from pumping conditions, the permeability distribution, and distance from the wildlife ponds. Wells that are relatively hydraulically isolated (due to completion in lower permeability materials or due to intervening lower permeability materials) and that are more distant from pumping wells and the wildlife ponds, are expected to respond more slowly to pumping and reduced recharge than wells that are less hydraulically isolated and are closer to pumping wells and the wildlife ponds. Wells that are more hydraulically isolated will also respond more slowly to changes in pumping.

The previous lack of a well-defined cone of depression associated with TW4-4 was also influenced by the historically relatively low water level at non-pumping well TW4-14, located east of TW4-4 and TW4-6. Prior to 2018, although water level differences among these three wells had diminished, and TW4-4 has been pumping since 2010, the water level at TW4-14 was typically lower than the water level at TW4-6 and lower to an even greater extent than the water level at TW4-4. However, since the first quarter of 2018, as a result of pumping at TW4-41 (adjacent to TW4-4), and declining water levels at TW4-6, the water level at TW4-14 was typically higher than the water levels at both TW4-4 and TW4-6. During the current quarter the water level at TW4-14 (approximately 5535.7 feet above mean sea level ["ft amsl"]) is more than 7 feet higher than the water level at TW4-6 (approximately 5528.3 ft amsl), and is more than 3 feet higher than the water level at TW4-4 (approximately 5532.4ft. amsl).

The static water levels at wells TW4-14 and downgradient well TW4-27 (installed south of TW4-14 in the fourth quarter of 2011) were similar (within 1 to 2 feet) until the third quarter of 2014; both appeared anomalously low. TW4-27 was positioned at a location considered likely to detect any chloroform present and/or to bound the chloroform plume to the southeast and east (respectively) of TW4-4 and TW4-6. As will be discussed below, groundwater data collected since installation indicates that TW4-27 does indeed bound the chloroform plume to the southeast and east of TW4-4 and TW4-6 (respectively); however, chloroform exceeding 70 µg/L has been detected at more recently installed temporary perched wells TW4-29 (located south of TW4-27) and TW4-33 (located between TW4-4 and TW4-29).

Prior to the installation of TW4-27, the persistently low water level at TW4-14 was considered anomalous because it appeared to be downgradient of all three wells TW4-4, TW4-6, and TW4-26, yet chloroform had not been detected at TW4-14. Chloroform had apparently migrated from TW4-4 to TW4-6 and from TW4-6 to TW4-26. This suggested that TW4-26 was actually downgradient of TW4-6, and TW4-6 was actually downgradient of TW4-4, regardless of the flow direction implied by the relatively low water level at TW4-14. The water level at TW4-26 (5526.5 feet amsl) is, however, lower than water levels at adjacent wells TW4-6 (5528.3 feet amsl) and TW4-23 (5530.3 feet amsl), as shown in the detail water level map under Tab D.

Hydraulic tests indicate that the permeability at TW4-27 is an order of magnitude lower than at TW4-6 and three orders of magnitude lower than at TW4-4 (see Hydro Geo Chem, Inc. [HGC], September 20, 2010: Hydraulic Testing of TW4-4, TW4-6, and TW4-26, White Mesa Uranium Mill, July 2010; and HGC, November 28, 2011: Installation, Hydraulic Testing, and Perched Zone Hydrogeology of Perched Monitoring Well TW4-27, White Mesa Uranium Mill Near Blanding, Utah). Past similarity of water levels at TW4-14 and TW4-27, and the low permeability estimate at TW4-27, suggested that both wells were completed in materials having lower permeability than nearby wells. The low permeability condition likely reduced the rate of long-term water level increase at TW4-14 and TW4-27 compared to nearby wells, yielding water levels that appeared anomalously low. This behavior is consistent with hydraulic test data collected from more recently installed wells TW4-29, TW4-30, TW4-31, TW4-33, TW4-34 and TW4-35, which indicate that the permeability of these wells is one to two orders of magnitude higher than the permeability of TW4-27 (see: HGC, January 23, 2014, Contamination Investigation Report, TW4-12 and TW4-27 Areas, White Mesa Uranium Mill Near Blanding, Utah; and HGC, July 1, 2014, Installation and Hydraulic Testing of TW4-35 and TW4-36, White Mesa Uranium Mill Near Blanding, Utah [As-Built Report]). Hydraulic tests also indicate that the permeability at TW4-36 is slightly higher than but comparable to the low permeability at TW4-27, suggesting that TW4-36, TW4-14 and TW4-27 are completed in a continuous low permeability zone.

The current quarterly water level at TW4-27 (5528.5 ft. amsl) is more than 7 feet lower than the water level at TW4-14 (5535.7 ft. amsl). Increases in water level differences between TW4-14 and TW4-27 since 2013 are attributable to more rapid increases in water levels at TW4-14 compared to TW4-27. This behavior likely results primarily from: the relative positions of the wells; past water delivery to the northern wildlife ponds; and the permeability distribution. Past seepage from the ponds caused propagation of water level increases in all directions including downgradient to the south. The relative hydraulic isolation of TW4-14 and TW4-27 delayed

responses at these locations. Until pumping started at TW4-41, water levels at both these wells were consistently lower than in surrounding higher permeability materials even though water levels in surrounding materials were generally decreasing due to reduced pond seepage and pumping. Although water levels at TW4-14 and TW4-27 appear to have stabilized, the previous rate of increase was higher at TW4-14 due to factors that include: closer proximity to the northern pond seepage source; and a smaller thickness of low permeability materials separating TW4-14 from surrounding higher permeability materials. In addition, hydraulic gradients between TW4-14 and surrounding higher permeability materials were relatively large and were consistently directed toward TW4-14 prior to TW4-41 pumping. Slowing of the rates of water level increase at TW4-14 (since 2015) and TW4-27 (since early 2014), and relative stabilization since about the first quarter of 2018, are attributable to changes in hydraulic gradients between these wells and surrounding higher permeability materials.

In addition, water levels in this area are affected by reduced recharge at the southern wildlife pond and the decay of the associated groundwater mound. The decay of the mound is expected to contribute to changes in hydraulic gradients between the low permeability materials penetrated by TW4-14 and TW4-27 and the surrounding higher permeability materials. Because TW4-27 is closer to the southern wildlife pond than TW4-14, changes in hydraulic gradients attributable to decay of the southern groundwater mound are expected to impact TW4-27 sooner and to a greater extent than TW4-14, consistent with the lower rate of increase in water levels at TW4-27, and the earlier reduction in the rate of increase (since early 2014) as discussed above).

The low permeability at TW4-14 and TW4-27 is expected to retard the transport of chloroform to these wells (compared to nearby wells). As will be discussed in Section 4.2.3, TW4-14 and TW4-27 remain outside the plume with current quarter chloroform concentrations of less than 1 $\mu\text{g/L}$ and 2 $\mu\text{g/L}$, respectively.

Chloroform exceeding 70 $\mu\text{g/L}$ detected at TW4-29 and TW4-33 since their installation in 2013 indicates that, in addition to migrating south from TW4-4 to TW4-6 and TW4-26, chloroform also migrated along a relatively narrow path to the southeast from the vicinity of TW4-4 to TW4-33 then TW4-29. Such migration was in a direction nearly cross-gradient with respect to the direction of groundwater flow implied by the historic groundwater elevations in this area, which, until about 2014, placed TW4-14 almost directly downgradient of TW4-4. Such migration was historically possible because the water levels at TW4-29 were lower than the water levels at TW4-4 (and TW4-6). The permeability and historic water level distributions are generally consistent with the apparent nearly cross-gradient migration of chloroform from TW4-4 around the low permeability zone defined by TW4-36, TW4-14, and TW4-27.

Chloroform at TW4-30 exceeded 70 $\mu\text{g/L}$ for the first time during the fourth quarter of 2020; dropped below 70 $\mu\text{g/L}$ during the third quarter of 2022; and was detected at approximately 46 $\mu\text{g/L}$ this quarter. Consequently, TW4-30 again bounds the plume immediately to the east. Chloroform was not detected at relatively recently installed bounding well TW4-43 (located east-southeast of TW4-30); nor at wells TW4-31 (located east of TW4-27), or TW4-35 (located southeast and generally downgradient of TW4-29). During the third quarter of 2022 chloroform was detected for the first time at TW4-34 (located south and cross- to downgradient of TW4-29)

at a concentration of 1.2 µg/L. Although chloroform was not detected at TW4-34 last quarter, chloroform was again detected at 1.2 µg/L this quarter.

Data from wells within and adjacent to the southern portion of the chloroform plume indicate that:

1. Chloroform exceeding 70 µg/L at TW4-29 is bounded by concentrations below 70 µg/L at wells TW4-6, TW4-23, TW4-27, TW4-33, TW4-34, TW4-35 and TW4-42; and, as discussed above, TW4-30 (with a concentration this quarter of approximately 46 µg/L) again bounds the plume immediately to the east. Although previously downgradient of TW4-29, due to long-term changes in water levels, TW4-30 is now generally cross-gradient of TW4-29. TW4-6, TW4-23, TW4-27 and TW4-33 are generally cross- to upgradient of TW4-29; TW4-34 and TW4-35 are generally cross- to downgradient of TW4-29; TW4-42 is generally cross- to downgradient of TW4-29; and TW4-43 is generally cross- to downgradient of TW4-30.
2. Chloroform concentrations at TW4-33 that are lower than concentrations at TW4-29, and the likelihood that a pathway exists from TW4-4 to TW4-33 to TW4-29, suggest that concentrations in the vicinity of TW4-33 were likely higher prior to initiation of TW4-4 pumping, and that lower concentrations currently detected at TW4-33 are due to its closer proximity to TW4-4.
3. Chloroform concentrations at TW4-26 exceeded 70 µg/L for the first time during the second quarter of 2017. Chloroform at TW4-26 is bounded by concentrations below 70 µg/L at TW4-6 and TW4-23 (located up- to cross-gradient of TW4-26); and at TW4-34 (located generally cross- gradient of TW4-26). Chloroform has not been detected at TW4-23; and, although historically non-detect, chloroform has been detected at TW4-34 during the third quarter of 2022 and the current quarter (at a concentration of 1.2 µg/L). Although chloroform exceeding 70 µg/L was detected at well TW4-40, installed approximately 200 feet south of TW4-26 in February, 2018, chloroform has not been detected at TW4-42, installed approximately 200 feet south of TW4-40 in April, 2019. TW4-42 is generally down to cross-gradient of TW4-26 and downgradient of TW4-40 and bounds the chloroform plume to the south.

TW4-4 pumping, enhanced by operation of adjacent pumping well TW4-41, has been expected to eventually reduce chloroform at both TW4-29 and TW4-33 by cutting off the source. The decrease at TW4-33 has been anticipated to be faster than at TW4-29 because TW4-33 is in closer proximity to TW4-4 pumping. Such behavior would be analogous to the temporary decreases in chloroform concentrations that occurred at TW4-6 and TW4-26 once TW4-4 pumping began (discussed in Section 4.2.3). Since installation in 2013, concentrations at TW4-33 have been relatively stable to decreasing (and have generally been decreasing since 2018); however, from the third quarter of 2014 until the second quarter of 2020, concentrations at TW4-29 generally increased before subsequently stabilizing and decreasing.

This behavior suggests that chloroform migration has been arrested at TW4-33 by TW4-4 (and TW4-41) pumping and that previously increasing chloroform at TW4-29 resulted from a remnant of the plume that migrated past TW4-33 and generally toward TW4-30 (which was previously downgradient of TW4-29). The influence of TW4-4 pumping at the distal end of the plume is

consistent with generally decreasing water levels at both TW4-29 and TW4-33. Pumping at TW4-41 since the second quarter of 2018 has been expected to help maintain or enhance this decline.

Decreasing water level trends at TW4-29 and TW4-33 are also consistent with reduced wildlife pond seepage. The decay of the groundwater mound associated with the southern wildlife pond, which is 3 to 4 times closer to the southern extremity of the chloroform plume than the northern ponds, is expected to impact water levels within and adjacent to this portion of the plume. Reduced wildlife pond seepage, in particular, reduced seepage from the southern wildlife pond, likely contributes to decreasing water level trends at both wells (since about the fourth quarter of 2013); temporarily increased concentrations at TW4-6 subsequent to the first quarter of 2014; and increased concentrations at TW4-26 since the third quarter of 2016.

As the groundwater mound associated with the southern pond decays, groundwater flow directions in the southern extremity of the plume have become more southerly, and plume migration has turned more to the south. An increasingly southerly direction of plume migration is consistent with water level changes in this area and increased concentrations at TW4-26.

In addition, generally decreasing concentrations at TW4-6 since the third quarter of 2015, and generally increased concentrations at TW4-26 since the third quarter of 2016, suggest that TW4-4 pumping has arrested chloroform migration between TW4-4 and TW4-6, and that increased chloroform at TW4-26 results from a remnant of the plume that continues to migrate south from TW4-6 to TW4-26. The enhancement of pumping in the vicinity of TW4-4 by the start-up of TW4-41 pumping in the second quarter of 2018 has been expected to increase this apparent separation and to have resulted in concentrations at TW4-6 dropping below 70 µg/L after the second quarter of 2018. Furthermore, the initiation of pumping at TW4-40 during the second quarter of 2019 is expected to reduce or prevent chloroform migration to the south of TW4-40.

Small but detectable chloroform concentrations at TW4-14 (from the fourth quarter of 2014 through the first quarter of 2021; and during the third quarter of 2022) and at TW4-27 (since the third quarter of 2015) suggest ongoing, but slow, downgradient migration of chloroform from the southeastern extremity of the plume (near TW4-29 and TW4-33) into the low permeability materials penetrated by TW4-14 and TW4-27. Pumping at TW4-41 is expected to reduce or prevent future migration of chloroform toward these wells.

4.1.2 Comparison of Current Groundwater Contour Maps to Groundwater Contour Maps for Previous Quarter

The groundwater contour map for the Mill site for the fourth quarter of 2022, as submitted with the Chloroform Monitoring Report for the fourth quarter of 2022, is attached under Tab E. A comparison of the water table contour maps for the current quarter (first quarter of 2023) to the water table contour maps for the previous quarter (fourth quarter of 2022) indicates the following: water level changes at the majority of site wells were small (< 1 foot); and water level contours have not changed significantly except in the vicinities of many of the nitrate and chloroform pumping wells. Overall, total pumping capture is larger than last quarter.

Drawdown patterns and overall capture associated with pumping of the original chloroform pumping wells MW-4, MW-26, and TW4-19 have changed as additional groups of wells have been added to the pumping network. A large expansion in capture occurred within a year of the initiation of pumping at nitrate pumping wells TW4-22, TW4-24, TW4-25 and TWN-2 in the first quarter of 2013. Additional large expansions occurred once chloroform pumping wells TW4-1, TW4-2, TW4-11, TW4-21 and TW4-37 became operational in 2015, and once TW4-39 became operational in the fourth quarter of 2016. Significant expansion of capture to the south has resulted from pumping of TW4-41 since the second quarter of 2018 and from initiation of pumping at TW4-40 during the second quarter of 2019.

The drawdowns at chloroform pumping wells TW4-11, TW4-19, TW4-21 and TW4-39; and at nitrate pumping well TWN-2 increased by more than 2 feet this quarter. However, water level changes at other nitrate and chloroform pumping wells were 2 feet or less, although both increases (decreases in drawdown) and decreases (increases in drawdown) occurred. Water level fluctuations at pumping wells typically occur in part because of fluctuations in pumping conditions just prior to and at the time the measurements are taken. The reported water level for chloroform pumping well TW4-11 is below the depth of the Brushy Basin contact this quarter.

Although both increases and decreases in drawdown occurred in pumping wells, the overall apparent capture area of the combined pumping system is larger than last quarter.

As discussed in Section 4.1.1, pumping at chloroform well TW4-4, which began in the first quarter of 2010, depressed the water table near TW4-4, but a well-defined cone of depression was not clearly evident until the third quarter of 2018, likely due to variable permeability conditions near TW4-4 and the historically relatively low water level at adjacent well TW4-14. The expanded cone of depression associated with TW4-4 and adjacent pumping well TW4-41 since the initiation of pumping at TW4-41 in the second quarter of 2018 has contributed to southerly expansion of total pumping system capture. As discussed above, southerly expansion of capture was additionally enhanced in the second quarter of 2019 by the initiation of pumping at TW4-40.

The water levels at Piezometers 1 and 2 decreased by as much as 0.93 feet this quarter; and water levels at TWN-1 and TWN-4 decreased by as much as 0.34 feet. These decreases are consistent with cessation of water delivery to the wildlife ponds as discussed in Section 4.1.1 and the consequent continuing decay of the associated perched water mounds. However water levels at Piezometers 3A, 4 and 5 increased by as much as 1.4 feet.

The reported water level at MW-20 increased by approximately 1.2 feet. Water level variability at this well likely results from low permeability and variable intervals between purging/sampling and water level measurement. The reported water level increase at MW-20 partly compensates for the reported decrease last quarter.

Measurable water was not reported at DR-22. Although DR-22 is typically dry, measurable water was reported in the bottom of its casing between the second quarter of 2015 and the third quarter of 2016. Similar to last quarter, measurable water was also not reported at DR-12. Measurable water has not been reported at DR-12 since the end of 2021.

4.1.3 Hydrographs

Attached under Tab F are hydrographs showing groundwater elevation in each chloroform contaminant investigation monitor well over time.

4.1.4 Depth to Groundwater Measured and Groundwater Elevation

Attached under Tab F are tables showing depth to groundwater measured and groundwater elevation over time for each of the wells listed in Section 2.1.1 above.

4.1.5 Evaluation of the Effectiveness of Hydraulic Capture

Perched water containing chloroform has been removed from the subsurface by operating chloroform pumping wells MW-4, MW-26 and TW4-19 since 2003; TW4-4 since 2010; TW4-1, TW4-2, TW4-11, TW4-21 and TW4-37 since 2015; TW4-39 since the fourth quarter of 2016; TW4-41 since the second quarter of 2018; and TW4-40 since the second quarter of 2019. TW4-20 was also operated as a pumping well from 2005 until August, 2020 when it collapsed and was subsequently abandoned. The primary purpose of pumping the above wells is to reduce total chloroform mass in the perched zone as rapidly as is practical.

The original pumping wells upgradient of TW4-4 were chosen because 1) they were located in areas of the perched zone having relatively high permeability and saturated thickness, and 2) high concentrations of chloroform were detected at these locations. The relatively high transmissivity of the perched zone in the vicinity of these original pumping wells resulted in the wells having a relatively high productivity. The combination of relatively high productivity and high chloroform concentrations allowed for a high rate of chloroform mass removal. TW4-4 and TW4-41 are located in a downgradient area having relatively high chloroform concentrations but relatively small saturated thickness, and at a transition from relatively high to relatively low permeability conditions downgradient of TW4-4. As with the other chloroform pumping wells, pumping TW4-4 and TW4-41 helps to reduce the rate of chloroform migration in downgradient portions of the plume.

Although pumping of TW4-6 and TW4-26 (located south of TW4-4 and TW4-41) is impractical due to low permeability and small saturated thicknesses, the permeability in the vicinity of TW4-40 (located south of TW4-26) is large enough to make pumping practical. TW4-40 is valuable in that it is located within the downgradient (southern) toe of the plume and is relatively productive. Pumping of TW4-40 is likely to more effectively reduce or prevent further downgradient plume migration than can be expected by pumping at the more upgradient locations.

The impact of chloroform pumping is indicated by the water level contour maps attached under Tabs D and E. Cones of depression are evident in the vicinity of MW-4; and near MW-26, TW4-19, TW4-37 and TW4-39. These wells continue to remove significant quantities of chloroform from the perched zone. Relatively large cones of depression are also evident in the vicinities of wells TW4-1 and TW4-2 (near MW-4); and at TW4-11. These wells began pumping during the first quarter of 2015. As discussed in Section 4.1.1, although chloroform pumping well TW4-4 became operational in 2010, the drawdown associated with TW4-4 was likely less apparent due to variable permeability conditions near TW4-4 and the persistently low water level

at adjacent well TW4-14. However, pumping at adjacent well TW4-41 since the second quarter of 2018 has generally increased drawdowns in this area; the third quarter of 2018 was the first quarter that a well-defined cone of depression was associated with TW4-4. As discussed in Section 4.1.2 the combined pumping of TW4-4 and TW4-41, enhanced by initiation of pumping at TW4-40 during the second quarter of 2019, has contributed to southerly expansion of total pumping system capture. Overall, the water level contour maps indicate effective capture of water containing high chloroform concentrations in the vicinities of the pumping wells.

Compared to last quarter, both increases and decreases in water levels occurred at nitrate and chloroform pumping wells, although changes in water levels in chloroform pumping wells MW-4, MW-26, TW4-1, TW4-2, TW4-4, TW4-37, TW4-40 and TW4-41; and nitrate pumping wells TW4-22, TW4-24 and TW4-25 were less than two feet. Water level decreases occurred in chloroform pumping wells MW-4 (approximately 0.33 feet); MW-26 (approximately 0.04 feet); TW4-1 (approximately 1.4 feet); TW4-2 (nearly 1.5 feet); TW4-11 (more than 8.3 feet); TW4-19 (more than 2 feet); TW4-21 (more than 4.7 feet); TW4-37 (nearly 0.5 feet); TW4-39 (approximately 4 feet); and TW4-41 (more than 0.9 feet); and in nitrate pumping wells TW4-25 (approximately 0.14 feet); and TWN-2 (more than 6.3 feet). Water level increases occurred in chloroform pumping wells TW4-4 (approximately 1.5 feet); and TW4-40 (approximately 0.06 feet); and in nitrate pumping wells TW4-22 (approximately 1 foot); and TW4-24 (nearly 1.9 feet).

Overall, the apparent combined capture area of the nitrate and chloroform pumping systems is larger than last quarter; capture increased primarily within the northern portion of the pumping system due to increased drawdowns at nitrate pumping well TWN-2.

The capture associated with nitrate pumping wells and chloroform pumping wells added since the beginning of 2015 is expected to generally increase over time as water levels continue to decline due to cessation of water delivery to the northern wildlife ponds and continued pumping. Slow development of hydraulic capture in the vicinities of many wells is consistent with and expected based on the relatively low permeability of the perched zone at the site.

The hydraulic capture effectiveness of both chloroform and nitrate pumping systems depends to some extent on the continued productivity of chloroform and nitrate pumping wells. Decreases in productivity since the third quarter of 2014 have been noted in chloroform pumping well TW4-19 and nitrate pumping well TW4-24. The impact of reduced productivity of these wells on chloroform capture was discussed in Attachment N (Tab N) of the third quarter, 2015 report. The report also included a discussion of the effectiveness of chloroform pumping on chloroform capture. 'Background' flow through the chloroform plume was calculated in Attachment N as approximately 3.3 gpm. A more refined 'background' flow calculation of 3.4 gpm was provided in the CACME Report (See HGC, March 31, 2016: Corrective Action Comprehensive Monitoring Evaluation Report, White Mesa Uranium Mill, Near Blanding, Utah).

Decreases in productivity at TW4-4 since the third quarter of 2016 have been addressed by the operation of adjacent pumping well TW4-41 since the second quarter of 2018.

Pumping from wells within and immediately adjacent to the chloroform plume during the current quarter (from wells MW-4, MW-26, TW4-1, TW4-2, TW4-4, TW4-11, TW4-19, TW4-21, TW4-22, TW4-24, TW4-37, TW4-39, TW4-40 and TW4-41) is approximately 4.6 gpm.

The pumping calculation is based on the total volume pumped by the above wells over the 90 day quarter (595,620 gallons) and accounts for times that the pumps are off due to insufficient water columns in the wells. Pumping from these wells exceeds the calculated background flow by 1.2 gpm or 35 %, and is considered adequate at the present time even with the reduced productivities of some wells and the abandonment of TW4-20. In addition, because of continued reductions in saturated thicknesses and hydraulic gradients resulting from reduced wildlife pond recharge, 'background' flow through the plume is expected to continue to diminish, thereby reducing the pumping needed to control the plume.

Chloroform concentrations at many locations have been or appear to be affected by changes associated with reduced dilution from the wildlife ponds and nitrate pumping. For example, increases in chloroform at TW4-22 and TW4-24 after these wells were converted to nitrate pumping wells are attributable to westward migration of chloroform from the vicinity of TW4-20 (now abandoned) toward these wells. The increase in concentration at TW4-8 from non-detect to 100 µg/L in the first quarter of 2014 is likely related to reduced dilution. The concentration at TW4-8 remained below 70 µg/L this quarter after dropping below 70 µg/L during the first quarter of 2020. In addition, although the chloroform concentration in TW4-6 generally decreased between the first quarter of 2015 and the current quarter (and remains outside the plume), concentrations at TW4-6 increased from approximately 6 µg/L in the first quarter of 2014 to 1,180 µg/L in the first quarter of 2015 before dropping to 1.7 µg/L this quarter. The increase between the first quarter of 2014 and the first quarter of 2015 was likely related to both reduced dilution and more westward flow induced by nitrate pumping.

TW4-6 is located immediately south and historically cross- to downgradient of chloroform pumping well TW4-4. TW4-6 has been incorporated into the chloroform plume twice: from the first quarter of 2009 through the third quarter of 2010; and from the third quarter of 2014 through the second quarter of 2018. Pumping of TW4-6 (and TW4-26) is impractical because of relatively low permeability and relatively small saturated thicknesses. However, pumping at more productive locations upgradient of TW4-6 (such as TW4-4 and TW4-41) enhances mass removal and lowers hydraulic gradients, thereby reducing the rate of downgradient chloroform migration and allowing natural attenuation to be more effective. Pumping at TW4-4 was implemented during the first quarter of 2010 to improve capture downgradient of TW4-4 to the extent allowable by the lower productivity conditions present in this area.

The beneficial effect of pumping TW4-4 was demonstrated by the net decreases in TW4-6 chloroform concentrations from 1,000 µg/L to 10.3 µg/L, and in TW4-26 from 13 µg/L to 4.2 µg/L, between the initiation of TW4-4 pumping and the second quarter of 2014. Concentrations at these wells decreased substantially even though they did not unambiguously appear to be within the hydraulic capture of TW4-4. As discussed in Section 4.1.1, however, the decrease in the long-term rate of water level rise at TW4-6 after TW4-4 began pumping does suggest that TW4-6 was within the hydraulic influence of TW4-4. The decline in water levels at TW4-6 since the fourth quarter of 2013 likely reflects the additional influences of cessation of water delivery

to the wildlife ponds and the addition of chloroform pumping wells TW4-1, TW4-2, TW4-11 and TW4-41. Regardless of whether TW4-6 was demonstrably within the hydraulic capture of TW4-4, pumping TW4-4, and more recently installed adjacent pumping well TW4-41, helps to reduce chloroform migration to TW4-6, TW4-26, and other downgradient locations by the mechanisms discussed above.

Likewise, pumping at other productive upgradient locations has a beneficial impact on downgradient chloroform even if the downgradient chloroform is not completely within the hydraulic capture of the productive upgradient well(s). For example, pumping at MW-26 likely reduced chloroform concentrations at TW4-16 from a maximum of 530 $\mu\text{g/L}$ in the second quarter of 2004 to less than 70 $\mu\text{g/L}$ by the fourth quarter of 2005, and maintained concentrations below 70 $\mu\text{g/L}$ until the second quarter of 2014, even though TW4-16 appears to be beyond the hydraulic capture of MW-26. Furthermore, the overall hydraulic capture of the chloroform pumping system has expanded since initiation of pumping at wells TW4-1, TW4-2, TW4-11 TW4-21, TW4-37, TW4-39, TW4-40 and TW4-41 since the beginning of 2015. In particular, the addition of wells TW4-1, TW4-2, TW4-11, TW4-21, TW4-37 and TW4-39 likely halted the mid-2013 to end of 2014 increase in concentration at TW4-16 from non-detect to 387 $\mu\text{g/L}$. Concentrations at TW4-16 dropped from 387 $\mu\text{g/L}$ in the fourth quarter of 2014 to less than 70 $\mu\text{g/L}$ by the second quarter of 2015. Although chloroform at TW4-16 has been above and below 70 $\mu\text{g/L}$ since 2014, and was detected at 179 $\mu\text{g/L}$ this quarter, concentrations have generally increased since 2018, likely in response to reduced dilution.

Chloroform exceeding 70 $\mu\text{g/L}$ was detected in the second quarter of 2013 at TW4-29, installed during the first quarter of 2013 and located south of TW4-27 and east of TW4-26. With respect to historic groundwater flow directions implied by historic groundwater elevations in this area, TW4-29 was positioned generally cross-gradient of TW4-4 and TW4-6. As discussed in Section 4.1.1, chloroform detected at TW4-29 may have migrated around the low permeability area defined by TW4-27, TW4-14 and TW4-36. The apparent migration pathway from TW4-4 to TW4-29 is consistent with chloroform exceeding 70 $\mu\text{g/L}$ detected in the fourth quarter of 2013 at TW4-33, installed during the third quarter of 2013 and located between TW4-4 and TW4-29. Chloroform concentrations at TW4-33 that are lower than concentrations at TW4-29, and the likelihood that a pathway exists from TW4-4 to TW4-33 to TW4-29, suggest that concentrations in the vicinity of TW4-33 were likely higher prior to initiation of TW4-4 pumping.

TW4-4 pumping (augmented by pumping at adjacent well TW4-41) has been expected to reduce chloroform at both TW4-33 and TW4-29 by cutting off the source, with the impact at TW4-33 anticipated to be greater than at TW4-29 because TW4-33 is in closer proximity to TW4-4 (and TW4-41) pumping. By analogy, such behavior would be consistent with the decreases in chloroform concentrations at TW4-6 and TW4-26 that occurred once TW4-4 pumping began.

However, for several quarters after installation, concentrations at both TW4-29 and TW4-33 were relatively stable (rather than decreasing). Between the third quarter of 2014 and the second quarter of 2020, concentrations at TW4-29 generally increased; subsequently concentrations stabilized then began to decrease. Over the same time period concentrations at TW4-33 remained generally stable to decreasing. As discussed in Section 4.1.1, decreasing concentration trends at both wells were eventually expected to occur. Since the third quarter of 2014, TW4-33

concentrations that have been relatively stable to decreasing; and TW4-29 concentrations that generally increased before stabilizing then generally decreasing; appear consistent with these expectations. Trends at these wells suggest that chloroform migration has been arrested at TW4-33 by TW4-4 (and TW4-41) pumping and that previously increasing chloroform at TW4-29 resulted from a remnant of the plume that migrated past TW4-33 generally toward TW4-30. The influence of TW4-4 pumping at the distal end of the plume is consistent with generally decreasing water levels at both TW4-29 and TW4-33. However, as discussed in Section 4.1.1, decreasing water level trends are also consistent with reduced wildlife pond seepage. The decay of the groundwater mound associated with the southern wildlife pond, which is 3 to 4 times closer to the southern extremity of the chloroform plume than the northern ponds, is likely to have an impact on water levels within and adjacent to this portion of the plume.

As discussed in Section 4.1.1, generally decreasing water level trends at TW4-6 and TW4-26 (since about the fourth quarter of 2013), temporarily increased concentrations at TW4-6 (since the first quarter of 2014) and increased concentrations at TW4-26 (since the third quarter of 2016), are also consistent with reduced wildlife pond seepage, in particular reduced seepage from the southern wildlife pond. As the groundwater mound associated with the southern pond decays, groundwater flow directions in the southern extremity of the plume have become more southerly, and plume migration is turning more to the south. An increasingly southerly direction of plume migration is consistent with increased concentrations at TW4-26 (from less than 10 µg/L in the third quarter of 2016 to 703 µg/L this quarter).

In addition, as in the area near TW4-29 and TW4-33, generally decreasing concentrations at TW4-6 since the third quarter of 2015, and generally increased concentrations at TW4-26 since the third quarter of 2016, suggest that TW4-4 (and TW4-41) pumping has arrested chloroform migration between TW4-4 and TW4-6, and that increased chloroform at TW4-26 results from a remnant of the plume that continues to migrate south from TW4-6 to TW4-26. The enhancement of pumping in the vicinity of TW4-4 by the start-up of TW4-41 pumping in the second quarter of 2018 has been expected to increase this apparent separation and to have resulted in concentrations at TW4-6 dropping below 70 µg/L beginning in the third quarter of 2018.

Furthermore, small but detectable chloroform concentrations at TW4-14 (from the fourth quarter of 2014 through the first quarter of 2021; and during the third quarter of 2022) and at TW4-27 (since the third quarter of 2015) suggest ongoing, but slow, downgradient migration of chloroform from the southeastern extremity of the plume into the low permeability materials penetrated by these wells. Because the chloroform concentration at TW4-30 dropped below 70 µg/L during the third quarter of 2022, TW4-30 again bounds the plume to the east of TW4-29.

Chloroform analytical results from TW4-35 (as discussed in Section 4.2.3) demonstrate that chloroform is bounded to the southeast of TW4-29; and relatively recently installed well TW4-43 bounds chloroform to the southeast of TW4-29 and TW4-30. From 2014 through 2019 chloroform concentrations at TW4-8 exceeded 70 µg/L and TW4-36 (non-detect for chloroform) served as an eastern bounding well. However, since the end of 2019, chloroform at TW4-8 remained below 70 µg/L and continues to bound the chloroform plume to the east.

4.2 Review of Analytical Results

4.2.1 Current Chloroform Isoconcentration Map

Included under Tab J of this Report is a current chloroform isoconcentration map for the Mill site. Details of the gridding procedure used to generate the chloroform isoconcentration map (consistent with Part III.B.2.a through Part III.B.2.c of the GCAP) are provided in Tab L.

4.2.2 Chloroform Concentration Trend Data and Graphs

Attached under Tab K are tables summarizing values for all required parameters, chloride, nitrate/nitrite, carbon tetrachloride, chloroform, chloromethane, and methylene chloride, for each well over time.

Attached under Tab K are graphs showing chloroform concentration trends in each monitor well over time.

4.2.3 Interpretation of Analytical Data

Comparing the chloroform analytical results to those of the previous quarter, as summarized in the tables included under Tab K, the following observations can be made:

- a) Chloroform concentrations have increased by more than 20% in the following wells compared to last quarter: TW4-8 and TW4-24;
- b) Chloroform concentrations decreased by more than 20% in the following wells compared to last quarter: MW-26, TW4-2, TW4-7, TW4-10, TW4-19, TW4-26, TW4-29 and TW4-30;
- c) Chloroform concentrations have remained within 20% in the following wells compared to last quarter: MW-4, TW4-1, TW4-4, TW4-5, TW4-6, TW4-9, TW4-11, TW4-16, TW4-18, TW4-21, TW4-22, TW4-27, TW4-33, TW4-37, TW4-39, TW4-40 and TW4-41; and
- d) Chloroform concentrations have remained non-detect in the following wells: MW-32, TW4-3, TW4-12, TW4-13, TW4-14, TW4-23, TW4-25, TW4-28, TW4-31, TW4-32, TW4-35, TW4-36, TW4-38, TW4-42 and TW4-43.
- e) TW4-30 remained below 70 µg/L and continues to bound the plume to the east; and
- f) Chloroform was detected for the second time at TW4-34 at a concentration of 1.2 µg/L.

As indicated, chloroform concentrations at many of the wells with detected chloroform were within 20% of the values reported for the wells during the previous quarter, suggesting that variations are within the range typical for sampling and analytical error. Wells MW-26, TW4-2, TW4-7, TW4-8, TW4-10, TW4-19, TW4-24, TW4-26, TW4-29 and TW4-30 had changes in concentration greater than 20%. Of these, MW-26, TW4-2, and TW4-19 are chloroform

pumping wells and TW4-24 is a nitrate pumping well; TW4-7 is located just within the plume margin adjacent to chloroform pumping well MW-4; TW4-8 is located just outside the plume margin adjacent to chloroform pumping well MW-4; TW4-10 is located within the plume near chloroform pumping wells MW-26 and TW4-11; and TW4-26 is located adjacent to chloroform pumping well TW4-40. Fluctuations in concentrations at both chloroform and nitrate pumping wells and wells adjacent to pumping wells likely result in part from changes in pumping. In addition, fluctuations in concentrations are expected at wells located near the plume margins (such as TW4-29 and TW4-30).

Chloroform pumping wells MW-4 (1,010 µg/L); TW4-11 (2,430 µg/L); TW4-37 (8,010 µg/L); TW4-39 (1,850 µg/L); TW4-41 (985 µg/L); and nitrate pumping well TW4-22 (1,900 µg/L) had the highest detected chloroform concentrations. Although pumping well TW4-20, formerly located between pumping wells TW4-19 and TW4-37, would typically be distinguished as having one of the highest concentrations, TW4-20 collapsed during August, 2020 and was abandoned in October, 2020.

Since last quarter, the chloroform concentrations in MW-4 decreased from 1,170 to 1,010 µg/L; TW4-11 decreased from 2,900 to 2,430 µg/L; TW4-37 decreased from 9,640 to 8,010 µg/L; and TW4-39 increased from 1,720 to 1,850 µg/L. In addition, the chloroform concentration in chloroform pumping well TW4-21 increased from 482 to 526 µg/L; the concentration in chloroform pumping well TW4-41 decreased from 1,050 to 985 µg/L; the concentration in nitrate pumping well TW4-22 decreased from 2,350 to 1,900 µg/L; and the concentration in nitrate pumping well TW4-24 increased from 79.5 to 99.5 µg/L, remaining just within the plume boundary this quarter. Nitrate pumping well TW4-25 remained non-detect. TW4-25, located north of TW4-21, bounds the chloroform plume to the north.

Chloroform at TW4-8 (which was non-detect from the first quarter of 2008 through the fourth quarter of 2013) increased from approximately 4 µg/L to approximately 9 µg/L, and remained outside the plume. TW4-8 is located immediately east of chloroform pumping well MW-4, where chloroform was detected at a concentration of 1,010 µg/L. Although the plume boundary remained between MW-4 and TW4-8 from the first quarter of 2005 through the fourth quarter of 2013, TW4-8 was re-incorporated into the plume between the first quarter of 2014 and the fourth quarter of 2019. Elevated chloroform at TW4-8 was bounded to the north by TW4-3 and TW4-38 (both non-detect), to the northeast by TW4-13 (non-detect), to the east by TW4-36 (non-detect), and to the southeast by TW4-14 (which has remained below 10 µg/L and is non-detect this quarter). Although previously elevated, TW4-8 has remained outside of and has bounded the plume since the end of 2019. Changes in the plume boundary near TW4-8 are expected to result from changes in pumping and reduced dilution resulting from cessation of water delivery to the northern wildlife ponds.

Chloroform at TW4-29 (located at the southeastern extremity of the plume, to the east of TW4-26 and to the south of TW4-27) decreased from 588 µg/L to 467 µg/L; and chloroform at TW4-30, located immediately cross-gradient of TW4-29, decreased from 60.5 µg/L to 45.5 µg/L, remaining outside the plume. Chloroform at TW4-14 remained non-detect and chloroform at TW4-27 decreased from approximately 2.3 µg/L to 2 µg/L. Concentration trends at these wells are generally consistent with ongoing, but slow, downgradient migration of chloroform at these

locations. For example, it took more than 51 quarters for detectable chloroform at TW4-4 to migrate approximately 400 feet downgradient to TW4-14; and it took more than 30 quarters for chloroform exceeding 70 µg/L at TW4-29 to migrate approximately 160 feet to TW4-30. In addition, although TW4-30 was previously downgradient of TW4-29, due to long-term changes in water levels in this area, TW4-30 is now generally cross-gradient of TW4-29.

Furthermore, as discussed in Section 4.1.1, increased concentrations at TW4-26 since the third quarter of 2016 are also consistent with continuing downgradient chloroform migration which is likely enhanced by the decay of the groundwater mound associated with the southern wildlife pond. Increased concentrations at TW4-26 have widened the southeast extremity of the plume which historically was narrow compared to more upgradient locations.

Chloroform at TW4-29 is bounded to the north by TW4-27 (approximately 2 µg/L), to the southeast by TW4-35 (non-detect), to the south by TW4-34 (approximately 1.2 µg/L), and to the west-northwest by TW4-6 (approximately 1.7 µg/L) and TW4-23 (non-detect). As discussed above, TW4-30, with a concentration of 45.5 µg/L again bounds the plume to the east of TW4-29, as it did prior to the fourth quarter of 2020. TW4-43, installed in September, 2021, served as a new bounding well during the period that concentrations at TW4-30 exceeded 70 µg/L. Continued monitoring will determine whether TW4-30 acts as a bounding well in the future.

Chloroform at TW4-33 (located between TW4-4 and TW4-29) showed a decrease in concentration, from approximately 50.5 µg/L to approximately 47.7 µg/L. TW4-33 has remained outside the plume since the first quarter of 2021. Chloroform at TW4-33 is bounded to the north by TW4-14 (non-detect), to the east by TW4-27 (approximately 2 µg/L), and to the west by TW4-6 (approximately 1.7 µg/L) and TW4-23 (non-detect).

The chloroform concentration in TW4-6 increased slightly from approximately 1.5µg/L to 1.7 µg/L. TW4-6 has remained outside the chloroform plume since the third quarter of 2018. Installed in the second quarter of 2000, TW4-6 was the most downgradient temporary perched well prior to installation of TW4-23 in 2007 and TW4-26 in the second quarter of 2010. TW4-6 remained outside the chloroform plume between installation in the second quarter of 2000 and the fourth quarter of 2008 likely due to a combination of 1) slow rates of downgradient chloroform migration in this area due to low permeability conditions and the effects of upgradient chloroform removal by pumping, and 2) natural attenuation. TW4-6 was subsequently incorporated into the plume twice: from the first quarter of 2009 through the third quarter of 2010; and from the third quarter of 2014 through the second quarter of 2018. Between initiation of pumping of TW4-4 in the first quarter of 2010 and the second quarter of 2014, concentrations at TW4-6 showed a net decrease from 1,000 µg/L to 10.3 µg/L.

The relatively slow rate of chloroform migration in the vicinity of TW4-6 in the past is demonstrated by comparing the rate of increase in chloroform at this well to the rate of increase in the nearest upgradient well TW4-4. Concentrations at TW4-4 increased from non-detect to more than 2,200 µg/L within only two quarters whereas 16 quarters were required for concentrations in TW4-6 to increase from non-detect to only 81 µg/L. This behavior is consistent with hydraulic tests performed at TW4-4, TW4-6, and TW4-26 during the third quarter of 2010 that indicate a nearly two orders of magnitude decrease in permeability south (downgradient) of

TW4-4. Chloroform migration rates in the vicinities of wells TW4-26, TW4-29 and TW4-33 have been expected to be relatively slow due to upgradient pumping and relatively low permeability conditions. By analogy with the decreases in concentration at TW4-6 and TW4-26 that occurred after initiation of TW4-4 pumping, chloroform concentrations at both TW4-29 and TW4-33 have been expected to eventually trend downward; and recent data are consistent with this expectation.

Although changes in concentration have occurred in wells within the chloroform plume, the boundaries of the plume have not changed significantly since the last quarter, except for slight contractions near TW4-18 and TW4-30; and slight expansion near TW4-24. The slight contractions were due to chloroform concentration decreases at TW4-18 and TW4-30; and the slight expansion due to the increase in concentration at TW4-24. As has been the case since the first quarter of 2020, due primarily to decreases in concentrations at TW4-6 and TW4-33, the kriging algorithm has ‘pinched off’ the southern extremity of the plume.

TW4-9 remained outside the plume from the second quarter of 2019 through the first quarter of 2021; was temporarily re-incorporated within the plume during the second quarter of 2021; and remains outside the plume again this quarter. TW4-9 was incorporated into the plume from the first quarter of 2016 until the first quarter of 2019 due to increased concentrations attributable to reduced recharge (and dilution) from the northern wildlife ponds. Prior to the first quarter of 2016, however, TW4-9 was outside the plume except during the fourth quarter of 2014.

Nitrate pumping generally caused the western boundary of the northern portion of the chloroform plume to migrate to the west toward TW4-24. Since the first quarter of 2014, TW4-24 has been both inside and outside the plume and is just within the plume this quarter. TW4-24 likely remained primarily outside the plume since 2014 due to initiation of TW4-37 pumping in the second quarter of 2015 and reduced productivity at TW4-24 (since the third quarter of 2014). Subsequent to the first quarter of 2014, generally higher concentrations at TW4-6 and TW4-16 (both of which were within the chloroform plume in the past) caused the plume boundary to migrate to the southwest and temporarily re-incorporate both wells. This increase was likely related to reduced dilution from cessation of water delivery to the northern wildlife ponds and more westerly flow induced by nitrate pumping. In addition, concentrations at TW4-6 are expected to be influenced by reduced recharge at the southern wildlife pond and the decay of the associated groundwater mound.

TW4-6 has remained outside the plume since the third quarter of 2018 due to the general decrease in chloroform concentrations since the third quarter of 2015, while (as discussed in Section 4.1.5) TW4-16 has been both within and outside the plume. This quarter, although TW4-6 remains outside the plume, TW4-16 remains just within the plume.

The decreasing trend in chloroform concentrations at TW4-6 since the third quarter of 2015, and generally increased concentrations at TW4-26 since the third quarter of 2016, suggest that TW4-4 pumping has arrested chloroform migration between TW4-4 and TW4-6, and that increased chloroform at TW4-26 results from a remnant of the plume that continues to migrate south from TW4-6 to TW4-26. This behavior is consistent with the apparent ‘pinching-off’ of the southern extremity of the plume since the end of 2019. Regardless, pumping at TW4-41, located adjacent

to TW4-4, and pumping at TW4-40, located just south (downgradient) of TW4-26, is expected to reduce or halt plume expansion to the south.

Although the nitrate pumping system may redistribute chloroform within the plume and cause changes in the chloroform plume boundaries, continued operation of the nitrate pumping system is expected to enhance capture associated with the chloroform pumping system. Furthermore, since the beginning of 2015, the addition of chloroform wells TW4-1, TW4-2, TW4-11, TW4-21, TW4-37, TW4-39, TW4-40 and TW4-41 is expected to have a beneficial impact. Generally reduced concentrations at TW4-6 (since the first quarter of 2015) and TW4-16 (since the fourth quarter of 2014) after previous increases are likely the result of initiation of TW4-1, TW4-2, and TW4-11 pumping during 2015. Maintaining reduced concentrations at TW4-6 is anticipated to result from pumping at TW4-41.

5.0 LONG TERM PUMP TEST AT MW-4, MW-26, TW4-19, TW4-20, AND TW4-4 OPERATIONS REPORT

5.1 Introduction

As a part of the investigation of chloroform contamination at the Mill site, EFRI has been conducting a Long Term Pump Test on MW-4, TW4-19, MW-26, and TW4-20, and, since January 31, 2010, TW4-4. The purpose of the test is to serve as an interim action that will remove a significant amount of chloroform-contaminated water while gathering additional data on hydraulic properties in the area of investigation. TW4-20 collapsed in August of 2020 and was abandoned in October 2020.

Beginning in January 2013, EFRI began long term pumping of TW4-22, TW4-24, TW4-25, and TWN-02 as required by the Nitrate CAP, dated May 7, 2012 and the Stipulated Consent Order (the "SCO") dated December 12, 2012. Because wells TW4-22, TW4-24, and TW4-25 are chloroform program wells, they are included in this report and any chloroform removal realized as part of this pumping is calculated and included in the chloroform quarterly reports.

Beginning on January 14, 2015, EFRI began long term pumping of TW4-1, TW4-2, and TW4-11 and began long term pumping of TW4-21 and TW4-37 on June 9, 2015. Beginning in December 2016 EFRI began long term pumping of TW4-39. Beginning in April 2018 EFRI began long term pumping of TW4-41. Beginning in May 2019 EFRI began long term pumping of TW4-40.

The following information documents the operational activities during the quarter.

5.2 Pump Test Data Collection

The long term pump test for MW-4 was started on April 14, 2003, followed by the start of pumping from TW4-19 on April 30, 2003, from MW-26 on August 8, 2003, from TW4-20 on August 4, 2005, from TW4-4 on January 31, 2010, and from TW4-22, TW4-24, and TW4-25 on January 26, 2013. Personnel from Hydro Geo Chem, Inc. were on site to conduct the first phase of the pump test and collect the initial two days of monitoring data for MW-4. EFRI personnel have gathered subsequent water level and pumping data.

Analyses of hydraulic parameters and discussions of perched zone hydrogeology near MW-4 has been provided by Hydro Geo Chem in a separate report, dated November 12, 2001, and in the May 26, 2004 *Final Report on the Long Term Pumping Test*.

Data collected during the quarter included the following:

- Measurement of water levels at MW-4, TW4-1, TW4-2, TW4-4, TW4-11, TW4-19, MW-26, TW4-21, TWN-2, TW4-22, TW4-24, TW4-25, TW4-37, TW4-39, TW4-40, and TW4-41 on a weekly basis, and at selected temporary wells and permanent monitoring wells on a monthly basis.
- Measurement of pumping history, including:
 - pumping rates
 - total pumped volume
 - operational and non-operational periods.
- Periodic sampling of pumped water for chloroform and nitrate/nitrite analysis and other constituents.

5.3 Water Level Measurements

Beginning August 16, 2003, the frequency of water level measurements from MW-4, MW-26, and TW4-19 was reduced to weekly. From commencement of pumping, and regularly after March 1, 2010 for TW4-4, water levels in these wells have been measured weekly. From commencement of pumping, water levels in wells TW4-1, TW4-2, TW4-11, TW4-21, TW4-22, TW4-24, TW4-25, TW4-37, TW4-39, TW4-41, and TWN-2 have been measured weekly. Depth to groundwater in all other chloroform contaminant investigation wells is monitored monthly. Copies of the weekly Depth to Water monitoring sheets for MW-4, MW-26, TW4-1, TW4-2, TW4-11, TW4-19, TW4-21, TW4-4, TW4-22, TW4-24, TW4-25, TW4-37, TW4-39, TW4-40 (beginning May 2019), TW4-41 and TWN-2 and the monthly Depth to Water monitoring sheets for the chloroform contaminant investigation wells and the selected temporary wells and permanent monitoring wells are included under Tab C. Monthly depth to water measurements for the quarter are recorded in the Field Data Worksheets included under Tab C.

5.4 Pumping Rates and Volumes

Table G-2 summarizes the recovered mass of chloroform by well per quarter and historically since the inception of the chloroform recovery program for the active pumping wells. It is important to note that TWN-02 is a nitrate program well and is sampled only for nitrate and chloride as required by the nitrate program. Because TWN-02 is not sampled or analyzed for chloroform, the mass of chloroform recovered is not calculated.

The pumping wells do not pump continuously but are on a delay device. The wells purge for a set amount of time and then shut off to allow the well to recharge. Water from the pumping wells is transferred to a holding tank. The water in the holding tank is used in the Mill processes. The pumping rates and volumes for each of the pumping wells are shown in Table G-3. Specific operational problems observed with the well or pumping equipment which occurred during the quarter are noted for each well below.

5.5 Mass Removed and Plume Residual Mass

Chloroform removal was estimated as of the first quarter 2007. Since that estimation, the mass removed by well for each quarter has been compiled in Table G-2, which shows the pounds of chloroform that have been removed to date. The mass of chloroform removed from the plume this quarter is approximately 5.9 lb., which is approximately 61 % less than the approximately 15 lb. removed last quarter. The smaller rate of mass removal is attributable primarily to the decreased concentrations at TW4-19.

The residual mass of chloroform within the plume is estimated as 444 lb. using the methodology described in Appendix A of the GCAP (“Chloroform Plume Mass Calculation Method”). This is nearly 450 lb. smaller than last quarter’s estimate of 893 lb, due to generally decreased concentrations within the plume, and primarily due to the decreased concentrations at TW4-19. As per Part III.B.2 of the GCAP, electronic files used in calculating the mass estimate are provided with this report. Details of the procedure are provided in Tab L.

The residual mass is plotted in Figure L.1. Subsequent residual plume mass estimates will be calculated quarterly, added to the graph, and the trendline updated as per Part III.B.3 of the GCAP.

As discussed in the CACME Report, the calculated chloroform mass has been larger since the cessation of water delivery to the two northern wildlife ponds in the first quarter of 2012. These ponds are located immediately upgradient of the chloroform plume. The increase in calculated mass results from increased plume area and increased average concentrations within the plume. The increases in both plume area and average concentrations are attributable to reduced dilution due to the reduction in chloroform-free wildlife pond seepage.

However, the residual mass estimates have generally decreased since the second quarter of 2016 maximum estimate of 2,261 lb. suggesting stabilization and decline; and, although the residual mass estimates have generally been larger since 2012, the rate of mass removed per quarter by pumping has also been generally larger. Mass removal rates were particularly enhanced after the addition of 5 new pumping wells in 2015; and the subsequent addition of 3 additional pumping wells has helped maintain mass removal rates. Furthermore, although the pumping system is not designed to hydraulically capture the entire plume, the proportion of the mass of the plume under capture has historically been large. The proportion of the mass of the plume under capture during the fourth quarters of 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021 and 2022 ranged from approximately 84% to 99%.

The approximate proportion of the mass of the plume under capture this quarter is 96 %, which is smaller than last quarter’s approximately 99%. The decrease is primarily attributable to a decrease in capture area near TW4-22 and TW4-24 (due to reduced drawdowns at these wells) and to a slight contraction in capture area within the southernmost portion of the plume near TW4-26. The contraction in capture area near TW4-26 results from the general decline in

productivity of chloroform pumping well TW4-40 since the third quarter of 2019 (from approximately 0.9 gpm to the current quarter's approximately 0.37 gpm). The productivity decline is likely due in large part to the general decrease in plume saturated thicknesses in this area.

As discussed above, the residual mass estimates have been generally larger since the cessation of water delivery to the two northern wildlife ponds in the first quarter of 2012; however, the current quarter's mass estimate (444 lb.) is less than the first quarter, 2012 mass estimate of 492 lb. The current quarter's relatively low mass estimate is, however, consistent with the general decrease in residual mass estimates since the mid-2016 maximum estimate.

5.6 Inspections

All of the required inspections were completed, and the inspection forms are included in Tab C.

5.7 Conditions That May Affect Water Levels in Piezometers

No water was added to the any of the wildlife ponds during the quarter.

6.0 CORRECTIVE ACTION REPORT

No corrective actions were necessary for the current reporting period.

6.1 Assessment of Previous Quarter's Corrective Actions

There were no corrective actions required during the previous quarters' monitoring period.

7.0 CURRENT COMPLIANCE STATUS

7.1 Long Term Chloroform Plume Control

The chloroform plume is currently entirely within the Mill property boundary and is bounded on all sides by wells having chloroform concentrations that are either non-detect or less than 70 µg/L (Tab J). The chloroform plume is bounded to the north by TW4-25 (non-detect); to the west and southwest by MW-28 (non-detect), MW-31 (non-detect), MW-32 (non-detect), TW4-6 (approximately 1.7 µg/L) and TW4-23 (non-detect); to the east by TW4-3 (non-detect), TW4-5 (8.6 µg/L), TW4-8 (approximately 9 µg/L), TW4-9 (approximately 6 µg/L), TW4-13 (non-detect), TW4-14 (non-detect), TW4-18 (approximately 54 µg/L), TW4-27 (approximately 2 µg/L), TW4-30 (approximately 46 µg/L), TW4-33 (nearly 48 µg/L); TW4-36 (non-detect) and TW4-38 (non-detect); to the south by TW4-34 (1.2 µg/L) and TW4-42 (non-detect); and to the southeast by TW4-35 (non-detect) and TW4-43 (non-detect).

As discussed in Section 4.1.1, although last quarter chloroform was not detected at TW4-34 (located south and cross- to downgradient of TW4-29), chloroform was detected at 1.2 µg/L this quarter. The current quarter's detection is the second detection of chloroform at this well. The previous detection during the third quarter of 2022, although below 70 µg/L, was the first detection of chloroform since the well was initially sampled in November of 2013. That

chloroform was detected at TW4-34 for the second time this quarter suggests that the detection may be the result of slow downgradient plume migration.

In addition, chloroform is not detected at wells far to the south (cross- to downgradient) and southwest (cross-gradient) of the plume. MW-17 (non-detect) and MW-38 (non-detect) bound the plume to the far southwest (cross-gradient); and MW-22 (non-detect), MW-39 (non-detect) and MW-40 (non-detect) bound the plume far to the south (cross- to downgradient).

Because TW4-30 no longer bounded the plume immediately to the east due to increases in concentration that brought TW4-30 into the plume for the first time during the fourth quarter of 2020, new bounding well TW4-43 was installed approximately 200 feet to the east-southeast of TW4-30 during September, 2021. As indicated above, chloroform has not been detected at TW4-43; and, due to decreases in chloroform concentrations since 2021, TW4-30 has been outside the plume since the third quarter of 2022. Subsequent data will determine whether or not TW4-30 remains outside the plume and can serve (as in the past) as a bounding well.

Data collected to date indicate there are sufficient chloroform monitoring and pumping wells to effectively define, control, and monitor the plume. In addition, site water level data indicate that perched groundwater flow to the east of TW4-30, between TW4-30 and the eastern site property boundary, is to the south-southwest; therefore it is unlikely that any chloroform within this portion of the plume could ever migrate across the eastern property boundary. Furthermore, chloroform in the vicinity of TW4-30 is migrating relatively slowly; it took more than 30 quarters for chloroform exceeding 70 µg/L at TW4-29 to migrate approximately 160 feet to TW4-30. Due to long-term changes in water levels in this area, the former hydraulic gradient that was directed from TW4-29 toward TW4-30 no longer exists; consequently, chloroform is no longer expected to migrate from TW4-29 to TW4-30, consistent with the generally decreasing trend in chloroform since 2021 that has brought TW4-30 outside the plume since the third quarter of 2022. Finally, the groundwater flow direction in the immediate vicinity of TW4-30 is now south-southeasterly, generally toward TW4-35 and TW4-43, both non-detect for chloroform.

7.2 Well Construction, Maintenance and Operation

Part II of the GCAP specifies that EFRI must construct, maintain and operate the chloroform wells in accordance with the specifications delineated therein. The wells were maintained and operated as required. Additional details regarding any specific pumping well operations and maintenance issues noted during the quarter are discussed in Section 5.0 above.

7.3 Disposal of Extracted Groundwater

Part II of the GCAP requires that all extracted groundwater be disposed of in the tailings management system or fed in the Mill process. All extracted groundwater was handled as required by the GCAP.

7.4 Compliance Well Performance

Part II.G of the GCAP states that an exceedance of the compliance well performance standard is defined as the presence of chloroform in any compliance monitoring well in excess of 70 ug/L for two or more quarters.

The compliance well chloroform concentrations were below the 70 ug/L except as noted in previous reports. The previously noted exceedances have been addressed in Plans and Time Schedules. There are no new exceedances in Q1 2023.

7.5 Chloroform Plume Monitoring for Wells within 500 Feet of the Property Boundary

Currently there are no compliance wells within 500 feet of the property boundary.

8.0 CONCLUSIONS AND RECOMMENDATIONS

The residual mass of chloroform within the plume is estimated as 444 lb. using the methodology described in Appendix A of the GCAP (“Chloroform Plume Mass Calculation Method”). This is nearly 450 lb. less than last quarter’s estimate of 893 lb., attributable to generally decreased concentrations within the plume, and primarily to decreased concentrations at chloroform pumping well TW4-19. Since the third quarter of 2015, the residual mass estimate trend is downward; and the current quarter’s estimate of 444 lb. is substantially lower than both the third quarter 2015 estimate of 1,712 lb., and the maximum of 2,261 lb. estimated for the second quarter of 2016.

In addition, although the residual mass estimates have generally been larger since cessation of water delivery to the wildlife ponds in 2012, the current quarter’s mass estimate (444 lb.) is less than the first quarter, 2012 mass estimate of 492 lb. The current quarter’s relatively low mass estimate is, however, consistent with the general decrease in residual mass estimates since the mid-2016 maximum.

The mass of chloroform removed from the plume this quarter by pumping, approximately 5.9 lb., is approximately 61 % smaller than the mass removed last quarter (approximately 15 lb.). The smaller mass removal is attributable primarily to the decreased concentrations at pumping well TW4-19.

The chloroform plume is currently entirely within the Mill property boundary and is bounded on all sides by wells having chloroform concentrations that are either non-detect or less than 70 µg/L (Tab J). The chloroform plume is bounded to the north by TW4-25 (non-detect); to the west and southwest by MW-28 (non-detect), MW-31 (non-detect), MW-32 (non-detect), TW4-6 (approximately 1.7 µg/L) and TW4-23 (non-detect); to the east by TW4-3 (non-detect), TW4-5 (approximately 8.6 µg/L), TW4-8 (approximately 9 µg/L), TW4-9 (approximately 6 µg/L), TW4-13 (non-detect), TW4-14 (non-detect), TW4-18 (approximately 54 µg/L), TW4-27 (approximately 2 µg/L), TW4-30 (approximately 46 µg/L), TW4-33 (approximately 48 µg/L); TW4-36 (non-detect) and TW4-38 (non-detect); to the south by TW4-34 (1.2 µg/L) and TW4-42 (non-detect); and to the southeast by TW4-35 (non-detect) and TW4-43 (non-detect).

Because TW4-30 no longer bounded the plume immediately to the east due to increases in concentration that brought TW4-30 into the plume for the first time during the fourth quarter of

2020, new bounding well TW4-43 was installed approximately 200 feet to the east-southeast of TW4-30 during September, 2021. As indicated above, chloroform has not been detected at TW4-43. However, due to concentration decreases since 2021, TW4-30 has been outside the plume since the third quarter of 2022, and again bounds the plume to the east. Subsequent data will determine whether or not TW4-30 remains outside the plume and can serve (as in the past) as a bounding well in the future.

Data collected to date indicate there are sufficient chloroform monitoring and pumping wells to effectively define, control, and monitor the plume. In addition, site water level data indicate that perched groundwater flow to the east of TW4-30, between TW4-30 and the eastern site property boundary, is to the south-southwest; therefore it is unlikely that any chloroform within this portion of the plume could ever migrate across the eastern property boundary. Furthermore, chloroform in the vicinity of TW4-30 is migrating relatively slowly; it took more than 30 quarters for chloroform exceeding 70 µg/L at TW4-29 to migrate approximately 160 feet to TW4-30. Due to long-term changes in water levels in this area, the former hydraulic gradient that was directed from TW4-29 toward TW4-30 no longer exists; consequently, chloroform is no longer expected to migrate from TW4-29 to TW4-30, consistent with the concentration decreases since 2021 that have brought TW4-30 again outside the plume. Finally, the groundwater flow direction in the immediate vicinity of TW4-30 is now south-southeasterly, generally toward TW4-35 and TW4-43, both non-detect for chloroform.

The water level contour maps for the first quarter, 2023 indicate effective capture of water containing high chloroform concentrations over most of the chloroform plume. Capture in the southeastern portion of the plume (vicinity of MW-4) was enhanced by start-up of chloroform pumping wells TW4-1, TW4-2, and TW4-11 during the first quarter of 2015. Capture in the northwestern portion of the plume was enhanced by start-up of chloroform pumping wells TW4-21 and TW4-37 during the second quarter of 2015; and of TW4-39 during the fourth quarter of 2016. Capture in the southernmost portion of the plume was enhanced by start-up of pumping at TW4-41 during the second quarter of 2018 and of TW4-40 during the second quarter of 2019. All pumping wells added since the beginning of 2015 have enhanced the effectiveness of chloroform mass removal.

Although pumping began in the first quarter of 2010, a well-defined capture zone was not clearly evident at chloroform pumping well TW4-4 until the third quarter of 2018. Increased drawdowns in this area since the second quarter of 2018, and development of a definable capture zone, is attributable to pumping at adjacent well TW4-41.

The capture zone associated with TW4-4 was likely obscured prior to the second quarter of 2018 by the historically relatively low water level at adjacent well TW4-14 and the two orders of magnitude decrease in permeability south of TW4-4. However, as noted in previous reports, between the first quarter of 2010 and the second quarter of 2014, decreases in chloroform concentrations and the rate of water level rise at TW4-6 (located downgradient of TW4-4) likely resulted from TW4-4 pumping.

Cones of depression associated with the nitrate pumping wells became evident as of the fourth quarter of 2013, and capture associated with the nitrate pumping is expected to continue to

develop. Overall, the apparent capture area of the combined chloroform and nitrate pumping systems is larger than last quarter, with capture increasing within the northern portion of the combined pumping system due primarily to increased drawdowns at nitrate pumping well TWN-2.

'Background' flow through the chloroform plume was calculated as approximately 3.4 gpm (See HGC, March 31, 2016: Corrective Action Comprehensive Monitoring Evaluation [CACME] Report, White Mesa Uranium Mill, Near Blanding, Utah). Pumping from wells within and immediately adjacent to the chloroform plume during the current quarter (from wells MW-4, MW-26, TW4-1, TW4-2, TW4-4, TW4-11, TW4-19, TW4-21, TW4-22, TW4-24, TW4-37, TW4-39, TW4-40 and TW4-41) is approximately 4.6 gpm. The combined pumping rate of 4.6 gpm exceeds the calculated background flow by 1.2 gpm or 35 %, and is considered adequate at the present time.

Chloroform concentrations at many of the wells with detected chloroform were within 20% of the values reported during the previous quarter, suggesting that variations are within the range typical for sampling and analytical error. Wells MW-26, TW4-2, TW4-7, TW4-8, TW4-10, TW4-19, TW4-24, TW4-26, TW4-29 and TW4-30 had changes in concentration greater than 20%. Of these, MW-26, TW4-2, and TW4-19 are chloroform pumping wells and TW4-24 is a nitrate pumping well; TW4-7 is located just within the plume margin adjacent to chloroform pumping well MW-4; TW4-8 is located just outside the plume margin adjacent to chloroform pumping well MW-4; TW4-10 is located within the plume near chloroform pumping wells MW-26 and TW4-11; and TW4-26 is located adjacent to chloroform pumping well TW4-40. Fluctuations in concentrations at both chloroform and nitrate pumping wells and wells adjacent to pumping wells likely result in part from changes in pumping. In addition, fluctuations in concentrations are expected at wells located near the plume margins (such as TW4-29 and TW4-30). Furthermore, changes in concentrations at chloroform wells are expected to result from continued operation of the nitrate pumping system, as the capture associated with nitrate pumping expands and flow directions change locally.

Chloroform pumping wells MW-4 (1,010 µg/L); TW4-11 (2,430 µg/L); TW4-37 (8,010 µg/L); TW4-39 (1,850 µg/L); TW4-41 (985 µg/L); and nitrate pumping well TW4-22 (1,900 µg/L) had the highest detected chloroform concentrations. Since last quarter, the chloroform concentrations in MW-4 decreased from 1,170 to 1,010 µg/L; TW4-11 decreased from 2,900 to 2,430 µg/L; TW4-37 decreased from 9,640 to 8,010 µg/L; and TW4-39 increased from 1,720 to 1,850 µg/L. In addition, the chloroform concentration in chloroform pumping well TW4-21 increased from 482 to 526 µg/L; the concentration in chloroform pumping well TW4-41 decreased from 1,050 to 985 µg/L; the concentration in nitrate pumping well TW4-22 decreased from 2,350 to 1,900 µg/L; and the concentration in nitrate pumping well TW4-24 increased from 79.5 to 99.5 µg/L, remaining just within the plume boundary this quarter. Nitrate pumping well TW4-25 remained non-detect. TW4-25, located north of TW4-21, bounds the chloroform plume to the north.

Chloroform at TW4-8 (which was non-detect from the first quarter of 2008 through the fourth quarter of 2013) increased from approximately 4 µg/L to approximately 9 µg/L, and remained outside the plume. TW4-8 is located immediately east of chloroform pumping well MW-4, where chloroform was detected at a concentration of 1,010 µg/L. Although the plume boundary

remained between MW-4 and TW4-8 from the first quarter of 2005 through the fourth quarter of 2013, TW4-8 was re-incorporated into the plume between the first quarter of 2014 and the fourth quarter of 2019. Elevated chloroform at TW4-8 was bounded to the north by TW4-3 and TW4-38 (both non-detect), to the northeast by TW4-13 (non-detect), to the east by TW4-36 (non-detect), and to the southeast by TW4-14 (which has remained below 10 µg/L and is non-detect this quarter). Although previously elevated, TW4-8 has remained outside of and has bounded the plume since the end of 2019. Changes in the plume boundary near TW4-8 are expected to result from changes in pumping and reduced dilution resulting from cessation of water delivery to the northern wildlife ponds.

Detectable chloroform concentrations at TW4-14 (between the fourth quarter of 2014 and the first quarter of 2021; and during the third quarter of 2022) and at TW4-27 (since the third quarter of 2015) are consistent with continued, but slow, downgradient migration of chloroform from the distal end of the plume (near TW4-29 and TW4-33) into the low permeability materials penetrated by TW4-14 and TW4-27. Chloroform at TW4-14 remained non-detect and chloroform at TW4-27 decreased slightly from approximately 2.3 µg/L to 2 µg/L. Pumping at TW4-41 is expected to reduce or prevent future migration of chloroform toward these wells.

Concentration trends at TW4-29 (located at the southeastern extremity of the plume, to the east of TW4-26 and to the south of TW4-27); and at TW4-30 (located immediately east of TW4-29), are also generally consistent with ongoing, but slow, downgradient migration of chloroform. Although previously downgradient of TW4-29, due to long-term changes in water levels in this area, TW4-30 is now generally cross-gradient of TW4-29. Chloroform at TW4-29 decreased from 588 µg/L to 467 µg/L; and chloroform at TW4-30 decreased from approximately 61 µg/L to 46 µg/L, remaining just outside the plume. As discussed above, slow downgradient migration is consistent with the more than 30 quarters needed for chloroform exceeding 70 µg/L at TW4-29 to migrate approximately 160 feet to TW4-30 (although TW4-30 is again outside the plume).

Chloroform at TW4-29 is bounded to the north by TW4-27 (approximately 2 µg/L), to the southeast by TW4-35 (non-detect), to the south by TW4-34 (approximately 1.2 µg/L), and to the west-northwest by TW4-6 (approximately 1.7 µg/L) and TW4-23 (non-detect). As discussed above, TW4-30 no longer bounded the plume immediately to the east and TW4-43 has acted as a new bounding well in this area; however, due to decreased concentrations, TW4-30 has bounded the plume to the east since the third quarter of 2022. In addition, generally increased concentrations at TW4-26 since the third quarter of 2016 are consistent with continuing downgradient chloroform migration, which is likely enhanced by the decay of the groundwater mound associated with the southern wildlife pond.

Chloroform at TW4-33 (located between TW4-4 and TW4-29), which has remained below 70 µg/L since the first quarter of 2021, showed a decrease in concentration, from approximately 51 µg/L to approximately 48 µg/L. Chloroform at TW4-33 is bounded to the north by TW4-14 (non-detect), to the east by TW4-27 (approximately 2 µg/L), and to the west by TW4-6 (less than 2 µg/L) and TW4-23 (non-detect).

Although changes in concentration have occurred in wells within the chloroform plume, the boundaries of the plume have not changed significantly since the last quarter, except for slight

contractions near TW4-18 and TW4-30; and slight expansion near TW4-24. The slight contractions were due to chloroform concentration decreases at TW4-18 and TW4-30; and the slight expansion due to the increase in concentration at TW4-24. As has been the case since the first quarter of 2020, due primarily to decreases in concentrations at TW4-6 and TW4-33, the kriging algorithm has ‘pinched off’ the southern extremity of the plume.

TW4-9 remained outside the plume from the second quarter of 2019 through the first quarter of 2021; was temporarily re-incorporated within the plume during the second quarter of 2021; and remains outside the plume again this quarter. TW4-9 was incorporated into the plume from the first quarter of 2016 until the first quarter of 2019 due to increased concentrations attributable to reduced recharge (and dilution) from the northern wildlife ponds. However, except for the fourth quarter of 2014, TW4-9 was outside the plume prior to the first quarter of 2016. TW4-38 was installed to the east-southeast of TW4-9 to serve as a bounding well when concentrations at TW4-9 exceeded 70 µg/L.

Nitrate pumping generally caused the western boundary of the northern portion of the chloroform plume to migrate to the west toward TW4-24. Since the first quarter of 2014, TW4-24 has been both inside and outside the plume and is again just within the plume this quarter. TW4-24 likely remained primarily outside the plume since 2014 due to initiation of TW4-37 pumping in the second quarter of 2015 and reduced productivity at TW4-24 (since the third quarter of 2014). Subsequent to the first quarter of 2014, generally increased concentrations at TW4-6 and TW4-16 (both of which were within the chloroform plume in the past), caused the plume boundary to migrate to the southwest and temporarily re-incorporate both wells. Increased concentrations at these wells subsequent to the first quarter of 2014 are likely related to reduced dilution from cessation of water delivery to the northern wildlife ponds and more westerly flow induced by nitrate pumping. In addition, concentrations at TW4-6 are expected to be influenced by reduced recharge at the southern wildlife pond and the decay of the associated groundwater mound.

Since 2014, TW4-16 has been both within and outside the plume; whereas a decreasing trend in chloroform concentrations at TW4-6 (since the third quarter of 2015) has once again taken TW4-6 outside the plume. This quarter, TW4-16 and TW4-6 remain within and outside the plume, respectively. Although chloroform at TW4-16 has been above and below 70 µg/L since 2014, and was detected at 179 µg/L this quarter, concentrations have generally increased since 2018, likely in response to reduced dilution.

The decreasing trend in chloroform concentration at TW4-6 since the third quarter of 2015, and generally increased concentrations at TW4-26 since the third quarter of 2016, suggest that TW4-4 pumping has arrested chloroform migration between TW4-4 and TW4-6, and that the increased chloroform at TW4-26 results from a remnant of the plume that continues to migrate south from TW4-6 to TW4-26. Pumping at adjacent well TW4-41 since the second quarter of 2018 has likely enhanced the decline in TW4-6 concentrations to less than 70 µg/L.

Although the nitrate pumping system may redistribute chloroform within the plume and cause changes in the chloroform plume boundaries, continued operation of the nitrate pumping system is expected to enhance capture associated with the chloroform pumping system. Furthermore, the

addition of chloroform pumping wells TW4-1, TW4-2, TW4-11, TW4-21, TW4-37, TW4-39, TW4-40 and TW4-41 since the beginning of 2015 is expected to have a beneficial impact. Generally reduced concentrations at TW4-6 (since the third quarter of 2015) and TW4-16 (since the fourth quarter of 2014) after previous increases are likely the result of initiation of TW4-1, TW4-2, and TW4-11 pumping.

Continued operation of the original chloroform pumping wells (MW-4, MW-26, and TW4-19) is recommended. Pumping these wells, regardless of any short-term fluctuations in concentrations detected at the wells, helps to reduce downgradient chloroform migration by removing chloroform mass and reducing hydraulic gradients, thereby allowing natural attenuation to be more effective.

Continued operation of chloroform pumping well TW4-4, augmented by pumping at adjacent well TW4-41, is recommended to improve capture of chloroform to the extent practical in the southern portion of the plume. The overall decrease in chloroform concentrations at TW4-6 from 1,000 µg/L in the first quarter of 2010 to 10.3 µg/L in the second quarter of 2014 is likely related to pumping at TW4-4. The decrease in the long-term rate of water level rise at TW4-6 once TW4-4 pumping began, which suggests that TW4-6 is within the hydraulic influence of TW4-4, is also consistent with the decrease in chloroform concentrations at TW4-6 between the first quarter of 2010 and the second quarter of 2014. The decreasing trend in water levels beginning in 2014 and, as noted above, the generally decreasing chloroform concentrations since the first quarter of 2015 at TW4-6 are also attributable in part to TW4-4 (augmented by TW4-41) pumping.

Continued operation of chloroform pumping wells TW4-1, TW4-2, TW4-11, TW4-21, TW4-37, TW4-39, TW4-40 and TW4-41 is also recommended because pumping these wells has increased overall capture and improved chloroform mass removal. In particular, continued pumping of TW4-37 (in conjunction with TW4-19) compensates for the loss of TW4-20; and pumping at TW4-40 has expanded capture within the southern extremity of the plume.

Furthermore, because of the influence of TW4-4 pumping (augmented by TW4-41 pumping since the second quarter of 2018), and by analogy with the concentration decreases at TW4-6 and TW4-26 that occurred after initiation of TW4-4 pumping, chloroform concentrations at TW4-29 and TW4-33 have been expected to eventually trend downward. Since the third quarter of 2014, TW4-33 concentrations that have been relatively stable to decreasing; and TW4-29 concentrations that generally increased before becoming relatively stable to decreasing; appear consistent with these expectations. As discussed above, trends at these wells suggest that chloroform migration has been arrested at TW4-33 by TW4-4 (and TW4-41) pumping and that previously increasing chloroform at downgradient well TW4-29 resulted from a remnant of the plume that migrated past TW4-33 generally toward TW4-30, which until recently was downgradient of TW4-29, and which until the fourth quarter of 2020 bounded the plume to the east. As discussed above, due to concentration decreases since 2021, TW4-30 again bounds the plume to the east; and continued monitoring will determine whether it can function (as in the past) as a bounding well in the future.

The influence of TW4-4 pumping at the distal end of the plume is consistent with decreasing water levels at both TW4-29 and TW4-33. Pumping at adjacent well TW4-41 has been expected to help maintain or enhance these decreasing trends in water levels and to augment the expected eventual reductions in concentrations in the distal end of the plume. Continued evaluation of trends at TW4-29 and TW4-33 will be provided in subsequent quarters.

EFRI and its consultants have raised the issues and potential effects associated with cessation of water delivery to the northern wildlife ponds in March, 2012 during discussions with DWMRC in March 2012 and May 2013. While past recharge from the ponds has helped limit many constituent concentrations within the chloroform and nitrate plumes by dilution, the associated groundwater mounding has increased hydraulic gradients and contributed to plume migration. Since use of the northern wildlife ponds ceased in March 2012, the reduction in recharge and decay of the associated groundwater mound has caused the expected decrease in hydraulic gradients and the increases in constituent concentrations within the chloroform plume. Generally increased chloroform concentrations at TW4-6 (between 2013 and 2020); and at TW4-8, TW4-9 and TW4-16 (since 2013), are likely related in part to reduced dilution (although concentrations at TW4-6 and TW4-8 have been trending downward since the first quarter of 2015; and concentrations at TW4-9 have been trending generally downward since the first quarter of 2018). As discussed above, increased concentrations at TW4-26 since the third quarter of 2016 that are consistent with continuing downgradient chloroform migration are also likely enhanced by the decay of the groundwater mound associated with the southern wildlife pond.

The net impact of reduced wildlife pond recharge has been expected to be beneficial even though it was also expected to result in (temporarily) higher concentrations that would persist until continued mass reduction via pumping and natural attenuation ultimately reduced concentrations. Temporary increases in chloroform concentrations have been judged less important than reduced chloroform migration rates. The evolution of the impacts of reduced recharge on concentrations and plume migration rates will be defined by continued monitoring.

9.0 ELECTRONIC DATA FILES AND FORMAT

EFRI has provided to the Director an electronic copy of the laboratory results for groundwater quality monitoring conducted under the chloroform contaminant investigation during the quarter, in Comma Separated Values format. A copy of the transmittal e-mail is included under Tab M.

10.0 SIGNATURE AND CERTIFICATION

This document was prepared by Energy Fuels Resources (USA) Inc.

Energy Fuels Resources (USA) Inc.

By:



Scott A. Bakken
Vice President, Regulatory Affairs



Date

Certification:

I certify, under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.



Scott A. Bakken
Vice President, Regulatory Affairs
Energy Fuels Resources (USA) Inc.

INDEX OF TABS

- Tab A Site Plan and Perched Well Locations White Mesa Site
- Tab B Order of Sampling and Field Data Worksheets
- Tab C Weekly and Monthly Depth to Water Data
- Tab D Kriged Current Quarter Groundwater Contour Map, Capture Zone Map, Capture Zone Details Map, and Depth to Water Data
- Tab E Kriged Previous Quarter Groundwater Contour Map
- Tab F Depths to Groundwater and Elevations and Hydrographs of Groundwater Elevations over Time for Chloroform Monitoring Wells
- Tab G Chloroform Mass Removed and Volume Pumped in Chloroform Pumping Wells over Time
- Tab H Laboratory Analytical Reports
- Tab I Quality Assurance and Data Validation Tables
 - I-1 Field Data QA/QC Evaluation
 - I-2 Holding Time Evaluation
 - I-3 Receipt Temperature Check
 - I-4 Analytical Method Check
 - I-5 Reporting Limit Evaluation
 - I-6 Trip Blank Evaluations
 - I-7 QA/QC Evaluation for Sample Duplicates
 - I-8 QC Control Limits for Analyses and Blanks
 - I-9 Rinsate Check
- Tab J Kriged Current Quarter Chloroform Isoconcentration Map
- Tab K Analyte Concentration Data and Chloroform Concentration Trend Graphs over Time
- Tab L Contour Map Based Chloroform Plume Mass Calculations and Data Over Time
- Tab M CSV Transmittal Letter
- Tab N Exceedance Notices for the Reporting Period

Tables

Table 1: Summary of Well Sampling for the Period

Well	Sample Date	Date of Lab Report
MW-04	3/7/2023	3/20/2023
TW4-01	3/7/2023	3/20/2023
TW4-02	3/7/2023	3/20/2023
TW4-03	3/22/2023	4/5/2023
TW4-03R	3/21/2023	4/5/2023
TW4-04	3/7/2023	3/20/2023
TW4-05	3/29/2023	4/18/2023
TW4-06	3/29/2023	4/18/2023
TW4-07	3/29/2023	4/18/2023
TW4-08	3/29/2023	4/18/2023
TW4-09	3/29/2023	4/18/2023
TW4-10	3/29/2023	4/18/2023
TW4-11	3/7/2023	3/20/2023
TW4-12	3/22/2023	4/5/2023
TW4-13	3/23/2023	4/5/2023
TW4-14	3/23/2023	4/5/2023
MW-26	3/29/2023	4/18/2023
TW4-16	3/29/2023	4/18/2023
MW-32	3/30/2023	4/5/2023
TW4-18	3/29/2023	4/18/2023
TW4-19	3/7/2023	3/20/2023
TW4-21	3/7/2023	3/20/2023
TW4-22	3/7/2023	3/20/2023
TW4-23	3/29/2023	4/18/2023
TW4-24	3/7/2023	3/20/2023
TW4-25	3/7/2023	3/20/2023
TW4-26	3/29/2023	4/18/2023
TW4-27	3/29/2023	4/18/2023
TW4-28	3/22/2023	4/5/2023
TW4-29	3/29/2023	4/18/2023
TW4-30	3/29/2023	4/18/2023
TW4-31	3/23/2023	4/5/2023
TW4-32	3/23/2023	4/5/2023
TW4-33	3/29/2023	4/18/2023
TW4-34	3/29/2023	4/18/2023
TW4-35	3/29/2023	4/18/2023
TW4-36	3/23/2023	4/5/2023
TW4-37	3/7/2023	3/20/2023
TW4-38	3/29/2023	4/18/2023
TW4-38R	3/28/2023	4/18/2023
TW4-39	3/7/2023	3/20/2023
TW4-40	3/7/2023	3/20/2023
TW4-41	3/7/2023	3/20/2023
TW4-42	3/22/2023	4/5/2023
TW4-43	3/23/2023	4/5/2023
TW4-60	3/7/2023	3/20/2023
TW4-65	3/22/2023	4/5/2023
TW4-70	3/29/2023	4/18/2023
TW4-75	3/29/2023	1/3/2023

All sample locations were sampled for Chloroform, Carbon Tetrachloride, Chloromethane, Methylene Chloride, Chloride and Nitrogen.

Date in parantheses is the date the analytical data package was resubmitted by the laboratory. The package was resubmitted to correct an error.


"R" following a well number deisgnates a rinsate sample collected prior to purging of the well of that number.

TW4-60 is a DI Field Blank, TW4-65 is a duplicate of TW4-28, and TW4-70 is a duplicate of TW4-09 and TW4-75 is a duplicate of TW4-16.

Highlighted wells are continuously pumped.


Tab A

Site Plan and Perched Well Locations White Mesa Site



EXPLANATION

- TW4-43** ✖ temporary perched monitoring well installed September, 2021
- TWN-20** □ temporary perched nitrate monitoring well installed April, 2021
- MW-24A** ● perched monitoring well installed December 2019
- TW4-42** ○ temporary perched monitoring well installed April 2019
- TW4-40** ⊕ perched chloroform pumping well installed February 2018
- TW4-19** ⊕ perched chloroform or nitrate pumping well
- MW-38** ○ perched monitoring well installed February 2018
- MW-5** ● perched monitoring well
- TW4-12** ○ temporary perched monitoring well
- TWN-7** ◇ temporary perched nitrate monitoring well
- PIEZ-1** ○ perched piezometer
- RUIN SPRING** ○ seep or spring



**HYDRO
GEO
CHEM, INC.**

**WHITE MESA SITE PLAN SHOWING LOCATIONS OF
PERCHED WELLS AND PIEZOMETERS**

APPROVED	DATE	REFERENCE	FIGURE
		H:1718000/nov21/Uwelloc1221.srf	A-1

Tab B

Order of Sampling and Field Data Worksheets

Order of Contamination for 1st Quarter 2023 Chloroform Purging Event

Well	Sample time	Chloroform Levels	Rinsate date/time	Water level	Well Depth	
TW4-03	3/22/23	0755	ND		141	TW4-03R_03212023 0920
TW4-42	3/22/23	0805	ND		86	
TW4-12	3/22/23	0818	ND		101.5	
TW4-28	3/22/23	0830	ND		107	
TW4-32	3/23/23	0746	ND		115.1	
TW4-13	3/23/23	0800	ND		102.5	
TW4-14	3/23/23	0808	ND		93	
TW4-36	3/23/23	0820	ND		99	
TW4-31	3/23/23	0827	ND		106	
TW4-43	3/23/23	0835	ND		97.9	
TW4-35	3/23/23	0817	03/29/23		87.5	
TW4-34	3/29/23	0826	ND		97.2	
TW4-23	3/29/23	0835	ND		114	
TW4-38	3/29/23	0847	ND		112.75	TW4-38R_03282023 0900
TW4-25	3/7/23	0925	ND		134.8	Cont. Pumping
MW-32	3/30/23	1200	ND		130.6	Bladder pump
TW4-06	3/29/23	0857	1.5		97.5	
TW4-27	3/29/23	0907	2.3		96	
TW4-08	3/29/23	0918	4.4		125	
TW4-09	3/29/23	0928	6.7		120	
TW4-05	3/29/23	0937	7.6		120	
TW4-33	3/29/23	0948	50.5		87.9	
TW4-30	3/29/23	1000	60.5		92.5	
TW4-18	3/29/23	1015	62.6		137.5	
TW4-24	3/7/23	0936	79.5		112.5	Cont. Pumping
TW4-16	3/29/23	1026	152		146.3	
TW4-40	3/7/23	1110	298		86	Cont. Pumping
TW4-21	3/7/23	0916	482		121	Cont. Pumping
TW4-10	3/29/23	1040	499		111	
TW4-29	3/29/23	1050	588		93.5	
TW4-07	3/29/23	1100	824		120	
TW4-26	3/29/23	1108	890		86	
TW4-01	3/7/23	1043	1010		110	Cont. Pumping
TW4-02	3/7/23	1025	1030		120	Cont. Pumping
TW4-04	3/7/23	1100	1030		112	Cont. Pumping
MW-26	3/7/23	1009	1040		122.5	Cont. Pumping
TW4-41	3/7/23	1051	1050		97.75	Cont. Pumping
MW-04	3/7/23	1034	1170		124	Cont. Pumping
TW4-39	3/7/23	1001	1720		120	Cont. Pumping
TW4-22	3/7/23	0945	2350		113.5	Cont. Pumping
TW4-11	3/7/23	1017	2900		100	Cont. Pumping
TW4-19	3/7/23	1200	7380		125	Cont. Pumping
TW4-37	3/7/23	0954	9640		112	Cont. Pumping

TW4-60 D.I. Blank 3/7/23 1230
 TW4-65 Duplicate 3/22/23 0830
 TW4-70 Duplicate 3/29/23 0928
 TW4-75 Duplicate 3/29/23 1026

Comments:



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	MW-04
Field Sample ID	MW-04_03072023
Purge Date & Time	3/7/2023 10:33
Sample Date & Time	3/7/2023 10:34

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	14.61
Calculated Casing Volumes Purge Duration ()	
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Cloudy
External Ambient Temperature (C)	7
Previous Well Sampled	TW4-02
Well Depth (ft)	123.60
Well Casing Diameter (in)	3
Depth to Water Before Purging (ft)	83.77

Date/Time	3/7/2023 10:33	Gallons Purged	1938	Conductivity (umhos/cm)	1938	pH (pH Units)	7.09	Temp (deg C)	15.08	Redox (mV)	308	Turbidity (NTU)	0	Dissolved Oxygen (%)	31.1	Before/After
-----------	----------------	----------------	------	-------------------------	------	---------------	------	--------------	-------	------------	-----	-----------------	---	----------------------	------	--------------

Volume of water purged ()

Flow Rate (Q = S/60) (gal/min)	4.0
Time to evacuate 2 Casing Volumes ()	
Number of casing Volumes	
Volume, if well evacuated to dryness ()	0

Final Depth to Water (feet) 85.12

Name of Certified Analytical Laboratory
AWSL

Analytical Samples Information		Container		Preservative			
Type of Sample/Analysis	Sample Collected?	Matrix	Number	Type	Sample Filtered?	Type	Added?
VOCS-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Arrived on site at 1029. Samples collected at 1034. Water was clear. Left site at 1037.

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-01
Field Sample ID	TW4-01_03072023
Purge Date & Time	3/7/2023 10:42
Sample Date & Time	3/7/2023 10:43

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	5.34
Calculated Casing Volumes Purge Duration (l)	
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Cloudy
External Ambient Temperature (C)	7
Previous Well Sampled	MW-04
Well Depth (ft)	111.30
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	103.11

Date/Time	3/7/2023 10:42	Gallons Purged	2262	Conductivity (umhos/cm)	2262	pH (pH Units)	7.16	Temp (deg C)	15.90	Redox (mV)	295	Turbidity (NTU)	0	Dissolved Oxygen (%)	80.3	Before/After
-----------	----------------	----------------	------	-------------------------	------	---------------	------	--------------	-------	------------	-----	-----------------	---	----------------------	------	--------------

Volume of water purged (l)

Flow Rate (Q = S/60) (gal/min)	13.00
Time to evacuate 2 Casing Volumes (l)	

Final Depth to Water (feet)

Number of casing Volumes	
Volume, if well evacuated to dryness (l)	0

Name of Certified Analytical Laboratory
AWSL

Analytical Samples Information

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:

Arrived on site at 1039. Samples collected at 1043. Water was clear. Left site at 1046.

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-02
Field Sample ID	TW4-02_03072023
Purge Date & Time	3/7/2023 10:24
Sample Date & Time	3/7/2023 10:25

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	13.41
Calculated Casing Volumes Purge Duration (h)	
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Sunny
External Ambient Temperature (C)	7
Previous Well Sampled	TW4-11
Well Depth (ft)	120.90
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	100.36

Date/Time	3/7/2023 10:24	Gallons Purged	3924	pH (pH Units)	7.00	Temp (deg C)	15.22	Redox (mV)	313	Turbidity (NTU)	4.3	Dissolved Oxygen (%)	84.0	Before/After	
-----------	----------------	----------------	------	---------------	------	--------------	-------	------------	-----	-----------------	-----	----------------------	------	--------------	--

Volume of water purged (l) _____

Final Depth to Water (feet) 117.88

Name of Certified Analytical Laboratory _____
AWSL

Pumping Rate Calculations	
Flow Rate (Q = S/60) (gal/min)	16.00
Time to evacuate 2 Casing Volumes (h)	
Number of casing Volumes	
Volume, if well evacuated to dryness (l)	0

Analytical Samples Information

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:

Arrived on site at 1021. Samples collected at 1025. Water was clear. Left site at 1028.

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-03
Field Sample ID	TW4-03_03222023
Purge Date & Time	3/21/2023 10:36
Sample Date & Time	3/22/2023 7:55

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	48.94
Calculated Casing Volumes Purge Duration (min)	8.89
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Snowing
External Ambient Temperature (C)	2
Previous Well Sampled	TW4-03R
Well Depth (ft)	140.30
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	65.35

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/21/2023 10:42	69.66	1902	6.65	14.11	428	2.0	82.1	Before
3/22/2023 7:55		1841	6.39	15.21				Before
3/22/2023 7:56		1847	6.45	15.22				After

Pumping Rate Calculations	
Flow Rate (Q = S/60) (gal/min)	11.00
Time to evacuate 2 Casing Volumes (min)	6.33
Number of casing Volumes	1.42
Volume, if well evacuated to dryness (gals)	69.66

Volume of water purged (gals)	69.66
Final Depth to Water (feet)	137.21
Name of Certified Analytical Laboratory	
AWSL	

Analytical Samples Information	Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
				Number	Type		Type	Added?
	VOCs-Chloroform Chloride	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
	Nitrate/nitrite as N	Y	WATER	1	500-ml Poly	U	None	N
		Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
 Arrived on 1032. Purge began at 1036. Purged well for a total of 6 minutes and 20 seconds. Purged well dry. Purge ended at 1042. Water was clear. Left side of 1046.
 Arrived on site at 0748. Depth to water was 65.50. Samples bailed and collected at 0755. Left site at 0757.

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-03R
Field Sample ID	TW4-03R_03212023
Purge Date & Time	
Sample Date & Time	3/21/2023 9:20

Sampling Program	
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	
Pump Type	
Purging Method	
Casing Volume (l)	
Calculated Casing Volumes Purge Duration (l)	
pH Buffer 7.0	
pH Buffer 4.0	
Specific Conductance (l)	

Weather Conditions	
External Ambient Temperature (l)	
Previous Well Sampled	
Well Depth (ft)	
Well Casing Diameter (l)	
Depth to Water Before Purging (ft)	

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/21/2023 9:19	133.00	11.1	7.81	14.16	268	4.3	95.0	

Volume of water purged (l)

Final Depth to Water (feet)

Name of Certified Analytical Laboratory
AWSL

Pumping Rate Calculations

Flow Rate (Q = S/60) (l)	
Time to evacuate 2 Casing Volumes (l)	
Number of casing Volumes	
Volume, if well evacuated to dryness (l)	

Analytical Samples Information

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:

Signature of Field Technician

[Handwritten Signature]



White Mesa Mill
Field Data Worksheet For Groundwater

Groundwater Discharge Permit
Groundwater Monitoring Quality Assurance Plan

Location ID	TW4-04
Field Sample ID	TW4-04_03072023
Purge Date & Time	3/7/2023 10:59
Sample Date & Time	3/7/2023 11:00

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	19.02
Calculated Casing Volumes Purge Duration (l)	
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Cloudy
External Ambient Temperature (C)	7
Previous Well Sampled	TW4-41
Well Depth (ft)	114.50
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	85.37

Date/Time	3/7/2023 10:59	Gallons Purged	2418	Conductivity (umhos/cm)	2418	pH (pH Units)	7.35	Temp (deg C)	14.56	Redox (mV)	287	Turbidity (NTU)	0	Dissolved Oxygen (%)	95.2	Before/After
-----------	----------------	----------------	------	-------------------------	------	---------------	------	--------------	-------	------------	-----	-----------------	---	----------------------	------	--------------

Volume of water purged (l) _____

Flow Rate (Q = S/60) (gal/min)	16.00
Time to evacuate 2 Casing Volumes (l)	
Number of casing Volumes	
Volume, if well evacuated to dryness (l)	0

Final Depth to Water (feet) 106.20

Name of Certified Analytical Laboratory
AWSL

Analytical Samples Information

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative		Added?
			Number	Type		Type	Type	
VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C		Y
Chloride	Y	WATER	1	500-ml Poly	U	None		N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C		Y

Comments:

Arrived on site at 1056. Samples collected at 1100. Water was clear. Left site at 1103.

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Groundwater Discharge Permit
Groundwater Monitoring Quality Assurance Plan

Location ID	TW4-05
Field Sample ID	TW4-05_03292023
Purge Date & Time	3/28/2023 11:50
Sample Date & Time	3/29/2023 9:37

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	31.70
Calculated Casing Volumes Purge Duration (min)	5.76
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Sunny
External Ambient Temperature (C)	5
Previous Well Sampled	TW4-09
Well Depth (ft)	121.85
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	73.30

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/28/2023 11:54	44.00	1632	6.50	15.37	518	3.0	63.0	
3/28/2023 11:55	55.00	1615	6.56	15.36	514	3.1	61.0	
3/28/2023 11:56	66.00	1604	6.60	15.37	511	3.0	60.0	
3/28/2023 11:57	77.00	1600	6.65	15.38	508	3.0	59.0	

Pumping Rate Calculations

Flow Rate (Q = S/60) (gal/min)	11.00
Time to evacuate 2 Casing Volumes (min)	7.00
Number of casing Volumes	2.00
Volume, if well evacuated to dryness (l)	0

Volume of water purged (gals)	77.00
Final Depth to Water (feet)	74.98
Name of Certified Analytical Laboratory	
AWSL	

Analytical Samples Information

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-mL Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-mL HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:

Arrived on site at 1146. Purge began at 1150. Purged well for a total of 7 minutes. Purge ended at 1157. Water was clear. Left site at 1200.
Arrived on site at 0933. Depth to water was 73.13. Samples bailed and collected at 0937. Left site at 0938.

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-06
Field Sample ID	TW4-06_03292023
Purge Date & Time	3/28/2023 9:45
Sample Date & Time	3/29/2023 8:57

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	12.48
Calculated Casing Volumes Purge Duration (min)	2.27
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Sunny
External Ambient Temperature (C)	0
Previous Well Sampled	TW4-38
Well Depth (ft)	99.60
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	80.48

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/28/2023 9:46	14.66	3960	6.30	14.28	474	16.0	7.1	
3/29/2023 8:57		3890	6.75	13.86				Before
3/29/2023 8:58		3903	6.73	13.90				After

Pumping Rate Calculations

Flow Rate (Q = S/60) (gal/min)	11.00
Time to evacuate 2 Casing Volumes (min)	1.33
Number of casing Volumes	1.17
Volume, if well evacuated to dryness (gals)	14.66

Volume of water purged (gals)	14.66
Final Depth to Water (feet)	97.30

Name of Certified Analytical Laboratory
AWSL

Analytical Samples Information

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCS-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:

Arrived on site at 0940. Purge began at 0945. Purged well for a total of 1 minute and 20 seconds. Purged well dry. Purge ended at 0946. Water was mostly clear. Left site at 0948.
Arrived on site at 0853. Depth to water was 80.51. Samples bailed and collected at 0857. Left site at 0859.

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Groundwater Discharge Permit
Groundwater Monitoring Quality Assurance Plan

Location ID	TW4-07
Field Sample ID	TW4-07_03292023
Purge Date & Time	3/28/2023 15:31
Sample Date & Time	3/29/2023 11:00

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	24.87
Calculated Casing Volumes Purge Duration (min)	4.52
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Partly cloudy
External Ambient Temperature (C)	6
Previous Well Sampled	TW4-29
Well Depth (ft)	121.00
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	82.90

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/28/2023 15:35	52.25	1743	6.65	14.93	463	17.0	34.5	Before
3/29/2023 11:00		1764	7.10	13.74				Before
3/29/2023 11:01		1770	7.12	13.80				After

Volume of water purged (gals)	52.25
Final Depth to Water (feet)	116.76

Pumping Rate Calculations	
Flow Rate (Q = S/60) (gal/min)	11.00
Time to evacuate 2 Casing Volumes (min)	4.75
Number of casing Volumes	2.00
Volume, if well evacuated to dryness (gals)	52.25

Name of Certified Analytical Laboratory
AWSL

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Arrived on site at 1527. Purge began at 1531. Purged well for a total of 4 minutes and 45 seconds. Purged well dry. Purge ended at 1535. Water was mostly clear. Left site at 1539.
Arrived on site at 1056. Depth to water was 85.76. Samples bailed and collected at 1100. Left site at 1102.

Signature of Field Technician
Dennis H. Willey



White Mesa Mill
Field Data Worksheet For Groundwater

Groundwater Discharge Permit
Groundwater Monitoring Quality Assurance Plan

Location ID	TW4-08
Field Sample ID	TW4-08_03292023
Purge Date & Time	3/28/2023 10:41
Sample Date & Time	3/29/2023 9:18

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	26.67
Calculated Casing Volumes Purge Duration (min)	4.85
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Sunny
External Ambient Temperature (C)	3
Previous Well Sampled	TW4-27
Well Depth (ft)	126.20
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	85.35

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/28/2023 10:44	33.00	4741	6.30	14.80	534	0	1.0	
3/28/2023 10:45	44.00	4744	6.35	14.85	529	0	1.0	
3/28/2023 10:46	55.00	4745	6.39	14.87	524	0	1.0	
3/28/2023 10:47	66.00	4742	6.41	14.90	520	0	1.0	

Pumping Rate Calculations	
Flow Rate (Q = S/60) (gal/min)	11.00
Time to evacuate 2 Casing Volumes (min)	6.00
Number of casing Volumes	2.00
Volume, if well evacuated to dryness ()	0

Volume of water purged (gals) 66.00
Final Depth to Water (feet) 101.78
Name of Certified Analytical Laboratory
AW/SL

Analytical Samples Information	Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
				Number	Type		Type	Added?
	VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
	Chloride	Y	WATER	1	500-mL Poly	U	None	N
	Nitrate/nitrite as N	Y	WATER	1	250-mL HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Arrived on site at 1037. Purge began at 1041. Purged well for a total of 6 minutes. Purge ended at 1047. Water was clear. Left site at 1050.
Arrived on site at 0915. Depth to water was 85.25. Samples bailed and collected at 0918. Left site at 0920.

Signature of Field Technician
Dunbar H. H. H. H.



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-09
Field Sample ID	TW4-09_03292023
Purge Date & Time	3/28/2023 11:14
Sample Date & Time	3/29/2023 9:28

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	31.82
Calculated Casing Volumes Purge Duration (min)	5.78
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Sunny
External Ambient Temperature (C)	4
Previous Well Sampled	TW4-08
Well Depth (ft)	120.10
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	71.37

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/28/2023 11:18	44.00	2531	6.30	14.98	497	20.0	1.0	
3/28/2023 11:19	55.00	2537	6.43	15.00	494	21.0	1.0	
3/28/2023 11:20	66.00	2535	6.50	15.00	491	22.0	1.0	
3/28/2023 11:21	77.00	2525	6.53	15.01	489	22.0	1.0	

Pumping Rate Calculations	
Flow Rate (Q = S/60) (gal/min)	11.00
Time to evacuate 2 Casing Volumes (min)	7.00
Number of casing Volumes	2.00
Volume, if well evacuated to dryness ()	0

Volume of water purged (gals) 77.00
Final Depth to Water (feet) 78.34
Name of Certified Analytical Laboratory
AWSL

Analytical Samples Information	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Type	Number		Type	Added?
Type of Sample/Analysis	Y	WATER	40ml VOA	3	U	HCl (pH<2), 4 Deg C	Y
VOCs-Chloroform Chloride	Y	WATER	500-ml Poly	1	U	None	N
Nitrate/nitrite as N	Y	WATER	250-ml HDPE	1	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Arrived on site at 1109. Purge began at 1114. Purged well for a total of 7 minutes. Purge ended at 1121. Water was a little murky. Left site at 1124.
Arrived on site at 0924. Depth to water was 71.13. Samples bailed and collected at 0928. Left site at 0931.

Signature of Field Technician
Doreen H. Mackey



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-10
Field Sample ID	TW4-10_03292023
Purge Date & Time	3/28/2023 14:33
Sample Date & Time	3/29/2023 10:40

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	27.73
Calculated Casing Volumes Purge Duration (min)	5.04
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Partly cloudy
External Ambient Temperature (C)	7
Previous Well Sampled	TW4-16
Well Depth (ft)	113.20
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	70.72

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/28/2023 14:35	38.50	2662	6.05	14.74	520	19.0	16.0	
3/29/2023 10:40		2594	6.45	14.43				Before
3/29/2023 10:41		2599	6.43	14.50				After

Volume of water purged (gals)	38.50
Final Depth to Water (feet)	110.34

Pumping Rate Calculations		
Flow Rate (Q = S/60) (gal/min)		11.00
Time to evacuate 2 Casing Volumes (min)		3.50
Number of casing Volumes		1.38
Volume, if well evacuated to dryness (gals)		38.50

Name of Certified Analytical Laboratory
AWSL

Analytical Samples Information	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Type	Number		Type	Added?
VOCS-Chloroform	Y	WATER	40ml VOA	3	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	500-ml Poly	1	U	None	N
Nitrate/nitrite as N	Y	WATER	250-ml HDPE	1	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Arrived on site at 1428. Purge began at 1432. Purged well for a total of 3 minutes and 30 seconds. Purged well dry. Purge ended at 1435. Water was mostly clear. Left site at 1439.
Arrived on site at 1036. Depth to water was 70.50. Samples bailed and collected at 1040. Left site at 1042.

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-11
Field Sample ID	TW4-11_03072023
Purge Date & Time	3/7/2023 10:16
Sample Date & Time	3/7/2023 10:17

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	8.55
Calculated Casing Volumes Purge Duration (h)	
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Cloudy
External Ambient Temperature (C)	6
Previous Well Sampled	MW-26
Well Depth (ft)	102.40
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	89.30

Date/Time	3/7/2023 10:16	Gallons Purged	3715	Conductivity (umhos/cm)	3715	pH (pH Units)	6.86	Temp (deg C)	12.72	Redox (mV)	339	Turbidity (NTU)	0	Dissolved Oxygen (%)	74.0	Before/After
-----------	----------------	----------------	------	-------------------------	------	---------------	------	--------------	-------	------------	-----	-----------------	---	----------------------	------	--------------

Volume of water purged (l) _____

Flow Rate (Q = S/60) (gal/min)	15.00
Time to evacuate 2 Casing Volumes (h)	
Number of casing Volumes	
Volume, if well evacuated to dryness (l)	0

Final Depth to Water (feet) 100.11

Name of Certified Analytical Laboratory
AWSL

Analytical Samples Information

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:

Arrived on site at 1013. Samples collected at 1017. Water was clear. Left site at 1019.

Signature of Field Technician

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-12
Field Sample ID	TW4-12_03222023
Purge Date & Time	3/21/2023 13:12
Sample Date & Time	3/22/2023 8:18

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	30.61
Calculated Casing Volumes Purge Duration (min)	5.56
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Snowing
External Ambient Temperature (C)	0
Previous Well Sampled	TW4-42
Well Depth (ft)	103.20
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	56.32

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/21/2023 13:15	38.5	1416	6.53	14.35	520	12.0	35.0	
3/22/2023 8:18		1588	7.01	13.40				Before
3/22/2023 8:19		1599	7.03	13.48				After

Volume of water purged (gals)	38.50
Final Depth to Water (feet)	100.36

Pumping Rate Calculations			
Flow Rate (Q = S/60) (gal/min)			11.00
Time to evacuate 2 Casing Volumes (min)			3.50
Number of casing Volumes			1.25
Volume, if well evacuated to dryness (gals)			38.50

Name of Certified Analytical Laboratory
AWSL

Analytical Samples Information	Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
				Number	Type		Type	Added?
	VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
	Chloride	Y	WATER	1	500-ml Poly	U	None	N
	Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Arrived on site at 1307. Purge began at 1312. Purged well for a total of 3 minutes and 30 seconds. Purged well dry. Purge ended at 1315. Left site at 1319.
Arrived on site at 0813. Depth to water 56.28. Samples bailed and collected at 0818. Left site at 0820.

Signature of Field Technician
Doreen H. Hickey



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-13
Field Sample ID	TW4-13_03232023
Purge Date & Time	3/22/2023 10:40
Sample Date & Time	3/23/2023 8:00

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	31.60
Calculated Casing Volumes Purge Duration (min)	5.74
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Raining
External Ambient Temperature (C)	4
Previous Well Sampled	TW4-32
Well Depth (ft)	105.70
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	57.30

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/22/2023 10:43	41.25	2117	6.95	14.58	302	9.2	85.0	Before
3/23/2023 7:59		2110	7.00	15.39				Before
3/23/2023 8:01		2113	6.99	15.45				After

Pumping Rate Calculations

Volume of water purged (gals)	41.25	Flow Rate (Q = S/60) (gal/min)	11.00
Final Depth to Water (feet)	101.88	Time to evacuate 2 Casing Volumes (min)	3.75
Name of Certified Analytical Laboratory		Number of casing Volumes	1.30
AWSL		Volume, if well evacuated to dryness (gals)	41.25

Analytical Samples Information

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-mL Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-mL HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:

Arrived on site at 1034. Purge began at 1040. Purged well for a total of 3 minutes and 45 seconds. Purged well dry. Purge ended at 1043. Water was clear. Left site at 1046. Arrived on site at 0754. Depth to water was 57.65. Samples bailed and collected at 0800. Left site at 0802.

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-14
Field Sample ID	TW4-14_03232023
Purge Date & Time	3/22/2023 12:03
Sample Date & Time	3/23/2023 8:08

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Weather Conditions	Snowing
External Ambient Temperature (C)	3
Previous Well Sampled	TW4-13

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	11.71
Calculated Casing Volumes Purge Duration (min)	2.12
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Well Depth (ft)	95.10
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	77.16

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/22/2023 12:04	13.75	5383	6.50	14.04	322	39.0	85.1	
3/23/2023 8:07		5377	6.72	14.20				Before
3/23/2023 8:09		5380	6.70	14.30				After

Volume of water purged (gals)	13.75
Final Depth to Water (feet)	92.43

Pumping Rate Calculations	
Flow Rate (Q = S/60) (gal/min)	11.00
Time to evacuate 2 Casing Volumes (min)	1.25
Number of casing Volumes	1.17
Volume, if well evacuated to dryness (gals)	13.75

Name of Certified Analytical Laboratory
AWSL

Analytical Samples Information		Sample Collected?	Matrix	Container	Type	Sample Filtered?	Type	Preservative	Added?
Type of Sample/Analysis		Y	WATER		40ml VOA	U	HCl (pH<2), 4 Deg C		Y
	VOCs-Chloroform Chloride	Y	WATER		500-ml Poly	U	None		N
	Nitrate/nitrite as N	Y	WATER		250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C		Y

Comments:
Arrived on site at 1157. Purge began at 1203. Purged well for a total of 1 minute and 15 seconds. Purge ended at 1204. Water was a little murky. Left site at 1208. Arrived on site at 0804. Depth to water was 77.32. Samples bailed and collected at 0808. Left site at 0810.

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	MW-26
Field Sample ID	MW-26_03072023
Purge Date & Time	3/7/2023 10:08
Sample Date & Time	3/7/2023 10:09

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	28.07
Calculated Casing Volumes Purge Duration ()	
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Cloudy
External Ambient Temperature (C)	6
Previous Well Sampled	TW4-39
Well Depth (ft)	121.33
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	78.34

Date/Time	3/7/2023 10:08	Gallons Purged	3654	pH (pH Units)	6.84	Temp (deg C)	15.08	Redox (mV)	378	Turbidity (NTU)	0	Dissolved Oxygen (%)	33.1	Before/After
-----------	----------------	----------------	------	---------------	------	--------------	-------	------------	-----	-----------------	---	----------------------	------	--------------

Volume of water purged ()

Flow Rate (Q = S/60) (gal/min)	16.00
Time to evacuate 2 Casing Volumes ()	
Number of casing Volumes	
Volume, if well evacuated to dryness ()	0

Final Depth to Water (feet)

106.54

Name of Certified Analytical Laboratory
AWSL

Analytical Samples Information

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:

Arrived on site at 1005. Samples collected at 1009. Water was clear. Left site at 1012.

Signature of Field Technician

Demetrius Hill



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-16
Field Sample ID	TW4-16_03292023
Purge Date & Time	3/28/2023 13:56
Sample Date & Time	3/29/2023 10:26

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	47.49
Calculated Casing Volumes Purge Duration (min)	8.63
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Sunny
External Ambient Temperature (C)	7
Previous Well Sampled	TW4-18
Well Depth (ft)	147.60
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	74.86

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/28/2023 14:03	77.00	3949	6.48	14.89	415	15.1	3.1	
3/28/2023 14:04	88.00	3804	6.50	14.88	412	15.0	3.0	
3/28/2023 14:05	99.00	3752	6.51	14.90	410	14.3	3.0	
3/28/2023 14:06	110.00	3760	6.53	14.85	407	13.6	3.1	

Pumping Rate Calculations	
Flow Rate (Q = S/60) (gal/min)	11.00
Time to evacuate 2 Casing Volumes (min)	10.00
Number of casing Volumes	2.00
Volume, if well evacuated to dryness (l)	0

Volume of water purged (gals)	110.00
Final Depth to Water (feet)	120.11

Name of Certified Analytical Laboratory
AVSL

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCS-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Arrived on site at 1352. Purge began at 1356. Purged well for a total 10 minutes. Purge ended at 1406. Water was mostly clear. Left site at 1409.
Arrived on site at 1022. Depth to water was 74.71. Samples bailed and collected at 1026. Left site at 1030.

Signature of Field Technician
Dennis H. Hays



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	MW-32
Field Sample ID	MW-32_03302023
Purge Date & Time	3/30/2023 8:39
Sample Date & Time	3/30/2023 12:00

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	31.35
Calculated Casing Volumes Purge Duration (min)	289.00
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Partly cloudy and windy
External Ambient Temperature (C)	3
Previous Well Sampled	TW4-26
Well Depth (ft)	130.60
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	82.58

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/30/2023 11:57	64.44	3750	6.48	13.80	285	200.1	5.3	
3/30/2023 11:58	64.66	3779	6.50	13.83	279	203.0	5.4	
3/30/2023 11:59	64.88	3750	6.53	13.87	273	205.0	5.2	
3/30/2023 12:00	65.10	3740	6.55	12.83	269	208.0	5.3	

Volume of water purged (gals)	65.10
Final Depth to Water (feet)	86.98
Name of Certified Analytical Laboratory	
AWSL	

Pumping Rate Calculations	
Flow Rate (Q = S/60) (gal/min)	217
Time to evacuate 2 Casing Volumes (min)	300.00
Number of casing Volumes	2.00
Volume, if well evacuated to dryness ()	0

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCS-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
 Arrived on site at 0656. Purge began at 0700. Purged well for a total of 300 minutes. Purge ended and samples collected at 1200.
 Water was a little murky with tiny bubbles surfacing. Left site at 1204.

Signature of Field Technician



Location ID	TW4-18
Field Sample ID	TW4-18_03292023
Purge Date & Time	3/28/2023 13:21
Sample Date & Time	3/29/2023 10:15

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Weather Conditions	Sunny
External Ambient Temperature (C)	7
Previous Well Sampled	TW4-30

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	40.76
Calculated Casing Volumes Purge Duration (min)	7.41
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Well Depth (ft)	136.90
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	74.48

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/28/2023 13:26	55.00	2218	6.40	15.56	431	11.0	11.8	
3/28/2023 13:27	66.00	2180	6.44	15.57	430	12.0	11.0	
3/28/2023 13:28	77.00	2156	6.50	15.57	429	12.0	10.5	
3/28/2023 13:29	88.00	2131	6.54	15.60	428	11.7	10.4	

Volume of water purged (gals) 88.00

Flow Rate (Q = S/60) (gal/min)	11.00
Time to evacuate 2 Casing Volumes (min)	8.00

Final Depth to Water (feet) 75.30

Number of casing Volumes	2.00
Volume, if well evacuated to dryness (l)	0

Name of Certified Analytical Laboratory
AVNSL

Analytical Samples Information	Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
				Number	Type		Type	Added?
	VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
	Chloride	Y	WATER	1	500-ml Poly	U	None	N
	Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:

Arrived on site at 1317. Purge began at 1321. Purged well for a total of 8 minutes. Purge ended at 1329. Water was mostly clear. Left site at 1332. Arrived on site at 1011. Depth to water was 74.25. Samples bailed and collected at 1015. Left site at 1016.

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-19
Field Sample ID	TW4-19_03072023
Purge Date & Time	3/7/2023 11:59
Sample Date & Time	3/7/2023 12:00

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform

Sampler	TH/DL
---------	-------

Weather Conditions	Partly cloudy
External Ambient Temperature (C)	7
Previous Well Sampled	TW4-40

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	33.38
Calculated Casing Volumes Purge Duration (h)	
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Well Depth (ft)	126.86
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	75.73

Date/Time	3/7/2023 11:59	Gallons Purged	2873	Conductivity (umhos/cm)	2873	pH (pH Units)	6.76	Temp (deg C)	15.31	Redox (mV)	388	Turbidity (NTU)	30.0	Dissolved Oxygen (%)	93.0	Before/After
-----------	----------------	----------------	------	-------------------------	------	---------------	------	--------------	-------	------------	-----	-----------------	------	----------------------	------	--------------

Volume of water purged (l)

Flow Rate (Q = S/60) (gal/min)	16.00
Time to evacuate 2 Casing Volumes (h)	
Number of casing Volumes	
Volume, if well evacuated to dryness (l)	0

Final Depth to Water (feet)

81.44

Name of Certified Analytical Laboratory
AVSL

Analytical Samples Information

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:

Arrived on site at 1155. Samples collected at 1200. Water was a little murky. Left site at 1203.

Signature of Field Technician

Summer Hill



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-21
Field Sample ID	TW4-21_03072023
Purge Date & Time	3/7/2023 9:15
Sample Date & Time	3/7/2023 9:16

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	29.83
Calculated Casing Volumes Purge Duration ()	
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Cloudy
External Ambient Temperature (C)	5
Previous Well Sampled	N/A
Well Depth (ft)	118.80
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	73.11

Date/Time	3/7/2023 9:15	Gallons Purged	3157	Conductivity (umhos/cm)	3157	pH (pH Units)	6.58	Temp (deg C)	16.30	Redox (mV)	430	Turbidity (NTU)	0	Dissolved Oxygen (%)	48.0	Before/After
-----------	---------------	----------------	------	-------------------------	------	---------------	------	--------------	-------	------------	-----	-----------------	---	----------------------	------	--------------

Volume of water purged ()		Flow Rate (Q = S/60) (gal/min)	16.00
Final Depth to Water (feet)	80.39	Time to evacuate 2 Casing Volumes ()	
Name of Certified Analytical Laboratory		Number of casing Volumes	
AWSL		Volume, if well evacuated to dryness ()	0

Analytical Samples Information

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Arrived on site at 0912. Samples collected at 0916. Water was clear. Left site at 0919.

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-22
Field Sample ID	TW4-22_03072023
Purge Date & Time	3/7/2023 9:44
Sample Date & Time	3/7/2023 9:45

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	29.20
Calculated Casing Volumes Purge Duration ()	
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Cloudy
External Ambient Temperature (C)	6
Previous Well Sampled	TW4-24
Well Depth (ft)	114.70
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	69.98

Date/Time	3/7/2023 9:44	Gallons Purged	531.1	Conductivity (umhos/cm)	531.1	pH (pH Units)	6.50	Temp (deg C)	14.83	Redox (mV)	382	Turbidity (NTU)	1.3	Dissolved Oxygen (%)	28.1	Before/After
-----------	---------------	----------------	-------	-------------------------	-------	---------------	------	--------------	-------	------------	-----	-----------------	-----	----------------------	------	--------------

Volume of water purged (l)	
Final Depth to Water (feet)	104.95

Pumping Rate Calculations

Flow Rate (Q = S/60) (gal/min)	16.00
Time to evacuate 2 Casing Volumes ()	
Number of casing Volumes	
Volume, if well evacuated to dryness (l)	0

Name of Certified Analytical Laboratory	
AWSL	

Analytical Samples Information

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Arrived on site at 0942. Samples collected at 0945. Water was clear. Left site at 0949.

Signature of Field Technician
Dennis H. Wiley



White Mesa Mill
Field Data Worksheet For Groundwater

Groundwater Discharge Permit
Groundwater Monitoring Quality Assurance Plan

Location ID	TW4-23
Field Sample ID	TW4-23_03292023
Purge Date & Time	3/28/2023 8:37
Sample Date & Time	3/29/2023 8:35

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Weather Conditions	Sunny
External Ambient Temperature (C)	-2
Previous Well Sampled	TW4-34

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	25.70
Calculated Casing Volumes Purge Duration (min)	4.67
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Well Depth (ft)	116.40
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	77.03

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/28/2023 8:40	33.00	3516	6.57	14.15	311	12.0	7.1	
3/28/2023 8:41	44.00	3522	6.60	14.20	303	10.0	5.0	
3/28/2023 8:42	55.00	3528	6.65	14.25	294	9.0	4.9	
3/28/2023 8:43	66.00	3521	6.70	14.28	284	8.9	4.9	

Volume of water purged (gals)	66.00
Final Depth to Water (feet)	102.11

Pumping Rate Calculations	
Flow Rate (Q = S/60) (gal/min)	11.00
Time to evacuate 2 Casing Volumes (min)	6.00
Number of casing Volumes	2.00
Volume, if well evacuated to dryness ()	0

Name of Certified Analytical Laboratory
AWSL

Analytical Samples Information	Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
				Number	Type		Type	Added?
	VOCS-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
	Chloride	Y	WATER	1	500-ml Poly	U	None	N
	Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Arrived on site at 0833. Purge began at 0837. Purged well for a total of 6 minutes. Purge ended at 0843. Water started with an orange coloration and cleared as purge went on. Left site at 0846. Arrived on site at 0832. Depth to water was 76.75. Samples bailed and collected at 0835. Left site at 0836.

Signature of Field Technician
Darwin H. Hedges



White Mesa Mill
Field Data Worksheet For Groundwater

Groundwater Discharge Permit
Groundwater Monitoring Quality Assurance Plan

Location ID	TW4-24
Field Sample ID	TW4-24_03072023
Purge Date & Time	3/7/2023 9:34
Sample Date & Time	3/7/2023 9:36

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	29.23
Calculated Casing Volumes Purge Duration ()	
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Cloudy
External Ambient Temperature (C)	5
Previous Well Sampled	TW4-25
Well Depth (ft)	114.80
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	70.03

Date/Time	3/7/2023 9:35	Gallons Purged	-	Conductivity (umhos/cm)	6837	pH (pH Units)	6.76	Temp (deg C)	14.94	Redox (mV)	392	Turbidity (NTU)	1.0	Dissolved Oxygen (%)	16.5	Before/After
-----------	---------------	----------------	---	-------------------------	------	---------------	------	--------------	-------	------------	-----	-----------------	-----	----------------------	------	--------------

Volume of water purged (l) _____

Final Depth to Water (feet) 81.39

Name of Certified Analytical Laboratory
AWSL

Pumping Rate Calculations

Flow Rate (Q = S/60) (gal/min)	16.00
Time to evacuate 2 Casing Volumes ()	
Number of casing Volumes	
Volume, if well evacuated to dryness (l)	0

Analytical Samples Information

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCS-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:

Arrived on site at 0932. Samples collected at 0936. Water was clear. Left site at 0940.

Signature of Field Technician

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-25
Field Sample ID	TW4-25_03072023
Purge Date & Time	3/7/2023 9:24
Sample Date & Time	3/7/2023 9:25

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	43.65
Calculated Casing Volumes Purge Duration ()	
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Cloudy
External Ambient Temperature (C)	5
Previous Well Sampled	TW4-21
Well Depth (ft)	136.70
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	69.85

Date/Time	3/7/2023 9:24	Gallons Purged	2706	Conductivity (umhos/cm)	2706	pH (pH Units)	6.88	Temp (deg C)	15.75	Redox (mV)	400	Turbidity (NTU)	0	Dissolved Oxygen (%)	26.4	Before/After
-----------	---------------	----------------	------	-------------------------	------	---------------	------	--------------	-------	------------	-----	-----------------	---	----------------------	------	--------------

Volume of water purged ()

Flow Rate (Q = S/60) (gal/min)	11.00
Time to evacuate 2 Casing Volumes ()	
Number of casing Volumes	
Volume, if well evacuated to dryness ()	0

Final Depth to Water (feet)

98.75

Name of Certified Analytical Laboratory
AWSL

Analytical Samples Information

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:

Arrived on site at 0922. Samples collected at 0925. Water was clear. Left site at 0928.

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-26
Field Sample ID	TW4-26_03292023
Purge Date & Time	3/28/2023 16:02
Sample Date & Time	3/29/2023 11:08

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	8.12
Calculated Casing Volumes Purge Duration (min)	1.47
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Sunny
External Ambient Temperature (C)	6
Previous Well Sampled	TW4-07
Well Depth (ft)	87.70
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	75.25

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/28/2023 16:03	8.25	4648	6.30	14.78	435	10.0	83.0	Before
3/29/2023 11:08		4802	7.00	14.03				Before
3/29/2023 11:09		4807	6.98	14.05				After

Volume of water purged (gals)	8.25
Final Depth to Water (feet)	85.20
Name of Certified Analytical Laboratory	
AW/SL	

Pumping Rate Calculations			
Flow Rate (Q = S/60) (gal/min)	11.00		
Time to evacuate 2 Casing Volumes (min)	0.75		
Number of casing Volumes	1.01		
Volume, if well evacuated to dryness (gals)	8.25		

Analytical Samples Information	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Type	Number		Type	Added?
Type of Sample/Analysis	Y	WATER	40ml VOA	3	U	HCl (pH<2), 4 Deg C	Y
VOCS-Chloroform	Y	WATER	500-mL Poly	1	U	None	N
Chloride	Y	WATER	250-mL HDPE	1	U	H2SO4 (pH<2), 4 Deg C	Y
Nitrate/nitrite as N	Y	WATER					

Comments:
 Arrived on site at 1558. Purge began at 1602. Purged well for a total of 45 seconds. Purged well dry. Purge ended at 1603. Water was clear. Left site at 1606.
 Arrived on site at 1104. Depth to water was 75.35. Samples bailed and collected at 1108. Left site at 1110.

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-27
Field Sample ID	TW4-27_03292023
Purge Date & Time	3/28/2023 10:14
Sample Date & Time	3/29/2023 9:07

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Weather Conditions	Sunny
External Ambient Temperature (C)	3
Previous Well Sampled	TW4-06

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	10.63
Calculated Casing Volumes Purge Duration (min)	1.93
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Well Depth (ft)	95.75
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	79.46

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/28/2023 10:15	11.00	5360	6.20	14.36	482	15.0	67.0	
3/29/2023 9:06		3747	6.63	13.85				Before
3/29/2023 9:08		3790	6.61	13.90				After

Pumping Rate Calculations

Flow Rate (Q = S/60) (gal/min)	11.00
Time to evacuate 2 Casing Volumes (min)	1.00
Number of casing Volumes	1.03
Volume, if well evacuated to dryness (gals)	11.00

Volume of water purged (gals)	11.00
Final Depth to Water (feet)	92.88
Name of Certified Analytical Laboratory	
AVSL	

Analytical Samples Information

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCS-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-mL Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-mL HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:

Arrived on site at 1009. Purge began at 1014. Purged well for a total of 1 minute. Purged well dry. Purge ended at 1015. Water was mostly clear. Left site at 1017.
Arrived on site at 0904. Depth to water was 79.58. Samples bailed and collected at 0907. Left site at 0909.

Signature of Field Technician

Signature



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-28
Field Sample ID	TW4-28_03222023
Purge Date & Time	3/21/2023 13:56
Sample Date & Time	3/22/2023 8:30

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	38.29
Calculated Casing Volumes Purge Duration (min)	6.96
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Snowing
External Ambient Temperature (C)	1
Previous Well Sampled	TW4-12
Well Depth (ft)	108.48
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	49.83

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/21/2023 14:00	49.50	1570	6.72	14.71	517	10.2	83.0	Before
3/22/2023 8:30		1580	7.25	13.20				Before
3/22/2023 8:32		1586	7.21	13.2				After

Volume of water purged (gals)	49.50
Final Depth to Water (feet)	104.59

Pumping Rate Calculations	
Flow Rate (Q = S/60) (gal/min)	11.00
Time to evacuate 2 Casing Volumes (min)	1.29
Number of casing Volumes	2.00
Volume, if well evacuated to dryness (gals)	49.50

Name of Certified Analytical Laboratory
AWSL

Analytical Samples Information	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Type	Number		Type	Added?
VOCS-Chloroform	Y	WATER	40ml VOA	3	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	500-ml Poly	1	U	None	N
Nitrate/nitrite as N	Y	WATER	250-ml HDPE	1	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Arrived on site at 1352. Purge began at 1356. Purged well for a total of 4 minutes and 30 seconds. Purged well dry. Purge ended at 1400. Water was mostly clear. Left site at 1404.
Arrived on site at 0824. Depth to water was 49.82. Samples bailed and collected at 0830. Left site at 0835.

Signature of Field Technician

Dennis H. Hickey



White Mesa Mill
Field Data Worksheet For Groundwater

Groundwater Discharge Permit
Groundwater Monitoring Quality Assurance Plan

Location ID	TW4-29
Field Sample ID	TW4-29_03292023
Purge Date & Time	3/28/2023 15:05
Sample Date & Time	3/29/2023 10:50

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	9.79
Calculated Casing Volumes Purge Duration (min)	1.78
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Partly cloudy
External Ambient Temperature (C)	6
Previous Well Sampled	TW4-10
Well Depth (ft)	94.48
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	79.48

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/28/2023 15:06	8.25	4110	5.80	14.82	512	7.6	100.0	
3/29/2023 10:50		4094	6.85	14.00				Before
3/29/2023 10:51		4102	6.83	14.08				After

Pumping Rate Calculations	
Flow Rate (Q = S/60) (gal/min)	11.00
Time to evacuate 2 Casing Volumes (min)	0.75
Number of casing Volumes	0.84
Volume, if well evacuated to dryness (gals)	8.25

Volume of water purged (gals) 8.25
Final Depth to Water (feet) 91.78
Name of Certified Analytical Laboratory
AWSL

Analytical Samples Information	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Type	Number		Type	Added?
Type of Sample/Analysis	Y	WATER	40ml VOA	3	U	HCl (pH<2), 4 Deg C	Y
VOCs-Chloroform Chloride	Y	WATER	500-ml Poly	1	U	None	N
Nitrate/nitrite as N	Y	WATER	250-ml HDPE	1	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Arrived on site at 1501. Purge began at 1505. Purged well for a total of 45 seconds. Purged well dry. Purge ended at 1506. Water was mostly clear. Left site at 1509
Arrived on site at 1046. Depth to water was 79.35. Samples bailed and collected at 1050. Left site at 1052.

Signature of Field Technician
D. ...



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-30
Field Sample ID	TW4-30_03292023
Purge Date & Time	3/28/2023 12:53
Sample Date & Time	3/29/2023 10:00

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Weather Conditions	Sunny
External Ambient Temperature (C)	6
Previous Well Sampled	TW4-33

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	11.77
Calculated Casing Volumes Purge Duration (min)	2.14
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Well Depth (ft)	93.48
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	75.45

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/28/2023 12:54	14.66	4570	5.80	14.71	473	18.0	43.0	
3/29/2023 10:00		4543	6.40	13.91				Before
3/29/2023 10:01		4545	6.35	14.00				After

Pumping Rate Calculations

Flow Rate (Q = S/60) (gal/min)	11.00
Time to evacuate 2 Casing Volumes (min)	1.33
Number of casing Volumes	1.24
Volume, if well evacuated to dryness (gals)	14.66

Volume of water purged (gals)	14.66
Final Depth to Water (feet)	90.67
Name of Certified Analytical Laboratory	
AWSL	

Analytical Samples Information	Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
				Number	Type		Type	Added?
	VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
	Chloride	Y	WATER	1	500-ml Poly	U	None	N
	Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:

Arrived on site at 1249. Purge began at 1253. Purged well for a total of 1 minute and 20 seconds. Purged well dry. Purge ended at 1254. Water was a little murky. Left site at 1257. Arrived on site at 0955. Depth to water was 75.27. Samples bailed and collected at 1000. Left site at 1002.

Signature of Field Technician

[Handwritten Signature]



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-31
Field Sample ID	TW4-31_03232023
Purge Date & Time	3/22/2023 13:25
Sample Date & Time	3/23/2023 8:27

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	20.58

Weather Conditions	Snowing
External Ambient Temperature (C)	3
Previous Well Sampled	TW4-36

Calculated Casing Volumes Purge Duration (min)	3.74
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Well Depth (ft)	107.48
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	75.95

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/22/2023 13:27	24.75	3753	6.90	14.76	293	24.0	25.0	
3/23/2023 8:27		3750	6.98	14.00				Before
3/23/2023 8:28		3756	7.00	14.05				After

Volume of water purged (gals)	24.75
Final Depth to Water (feet)	104.86

Pump Rate Calculations	
Flow Rate (Q = S/60) (gal/min)	11.00
Time to evacuate 2 Casing Volumes (min)	2.25
Number of casing Volumes	1.20
Volume, if well evacuated to dryness (gals)	24.75

Name of Certified Analytical Laboratory
AWSL

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Arrived on site at 1320. Purge began at 1325. Purged well for a total of 2 minutes and 15 seconds. Purged well dry. Purge ended at 1327. Water was a little murky. Left site at 1330.
Arrived on site at 0823. Depth to water was 76.16. Samples bailed and collected at 0827. Left site 0829.

Signature of Field Technician
Summer H. Kelly



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-32
Field Sample ID	TW4-32_03232023
Purge Date & Time	3/22/2023 9:50
Sample Date & Time	3/23/2023 7:46

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Weather Conditions	Raining
External Ambient Temperature (C)	4
Previous Well Sampled	TW4-28

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	37.83
Calculated Casing Volumes Purge Duration (min)	6.87
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Well Depth (ft)	114.64
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	56.70

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/22/2023 9:54	44.00	6326	3.80	14.71	527	21.0	1.0	
3/22/2023 9:55	55.00	6377	3.81	14.73	520	23.0	1.0	
3/22/2023 9:56	66.00	6394	3.83	14.70	515	24.0	1.0	
3/22/2023 9:57	77.00	6389	3.84	14.72	510	23.0	1.0	

Pumping Rate Calculations

Flow Rate (Q = S/60) (gal/min)	11.00
Time to evacuate 2 Casing Volumes (min)	7.00
Number of casing Volumes	2.00
Volume, if well evacuated to dryness ()	0

Volume of water purged (gals)	77.00
Final Depth to Water (feet)	98.71
Name of Certified Analytical Laboratory	
AWSL	

Analytical Samples Information	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Type	Number		Type	Added?
Type of Sample/Analysis	Y	WATER	40ml VOA	3	U	HCl (pH<2), 4 Deg C	Y
VOCs-Chloroform Chloride	Y	WATER	500-ml Poly	1	U	None	N
Nitrate/nitrite as N	Y	WATER	250-ml HDPE	1	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:

Arrived on site at 0943. Purge began at 0950. Purged well for a total of 7 minutes. Purge ended at 0957. Water was a little murky. Pump had white salt like particles on it when pulled. Left site at 1000. Arrived on site at 0741. Depth to water was 57.03. Samples bailed and collected at 0746. Left site at 0747.

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-33
Field Sample ID	TW4-33_03292023
Purge Date & Time	3/28/2023 12:23
Sample Date & Time	3/29/2023 9:48

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	4.45
Calculated Casing Volumes Purge Duration (min)	0.81
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Sunny
External Ambient Temperature (C)	6
Previous Well Sampled	TW4-05
Well Depth (ft)	86.23
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	79.40

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/28/2023 12:23	3.66	4001	6.32	14.08	432	0	95.0	
3/29/2023 9:48		4833	7.03	14.18				Before
3/29/2023 9:49		4830	7.04	14.20				After

Volume of water purged (gals)	3.66
Final Depth to Water (feet)	83.95

Pumping Rate Calculations			
Flow Rate (Q = S/60) (gal/min)			11.00
Time to evacuate 2 Casing Volumes (min)			0.33
Number of casing Volumes			0.82
Volume, if well evacuated to dryness (gals)			3.66

Name of Certified Analytical Laboratory
AWSL

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Preservative		
			Type	Number	Type	Sample Filtered?	Type
VOCs-Chloroform	Y	WATER	40ml VOA	3	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	500-ml Poly	1	U	None	N
Nitrate/nitrite as N	Y	WATER	250-ml HDPE	1	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Arrived on site at 1219. Purge began at 1223. Purged well for a total of 20 seconds. Purged well dry. Purge ended at 1223. Water was clear. Left site at 1226.
Arrived on site at 0944. Depth to water was 80.00. Samples bailed and collected at 0948. Left site at 0950.

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-34
Field Sample ID	TW4-34_03292023
Purge Date & Time	3/28/2023 8:04
Sample Date & Time	3/29/2023 8:26

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	11.59
Calculated Casing Volumes Purge Duration (min)	2.10
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Partly cloudy
External Ambient Temperature (C)	-4
Previous Well Sampled	TW4-35
Well Depth (ft)	95.74
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	77.98

Date/Time	Gallons Purged (gal)	productivity (umhos/cr)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	dolved Oxygen	Before/After
3/28/2023 8:05	14.66	3780	6.54	14.09	455	12.0	16.0	
3/29/2023 8:26		3877	6.73	14.43				Before
3/29/2023 8:27		3875	6.76	14.50				After

Volume of water purged (gals)	14.66
Final Depth to Water (feet)	92.46

Pumping Rate Calculations			
Flow Rate (Q = S/60) (gall/min)			11.00
Time to evacuate 2 Casing Volumes (min)			1.33
Number of casing Volumes			1.26
Volume, if well evacuated to dryness (gals)			14.66

Name of Certified Analytical Laboratory
AWSL

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative		Added?
			Number	Type		Type		
VOCS-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C		Y
Chloride	Y	WATER	1	500-ml Poly	U	None		N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C		Y

Comments:
Arrived on site at 0759. Purge began at 0804. Purged well for a total of 1 minute and 20 seconds. Purged well dry. Purge ended at 0805. Water was clear. Left site at 0809
Arrived on site at 0823. Depth to water was 77.77. Samples bailed and collected at 0826. Left site 0828.

Signature of Field Technician
Dianne H. Hickey



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-35
Field Sample ID	TW4-35_03292023
Purge Date & Time	3/28/2023 7:28
Sample Date & Time	3/29/2023 8:17

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	6.82
Calculated Casing Volumes Purge Duration (min)	1.24
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Partly cloudy
External Ambient Temperature (C)	-5
Previous Well Sampled	TW4-43
Well Depth (ft)	86.50
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	76.05

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/28/2023 7:29	7.33	4476	6.55	15.16	415	14.0	37.9	Before
3/29/2023 8:17		4372	6.35	15.33				Before
3/29/2023 8:18		4376	6.38	15.35				After

Pumping Rate Calculations

Flow Rate (Q = S/60) (gal/min)	11.00
Time to evacuate 2 Casing Volumes (min)	0.66
Number of casing Volumes	1.07
Volume, if well evacuated to dryness (gals)	7.33

Volume of water purged (gals)	7.33
Final Depth to Water (feet)	83.97
Name of Certified Analytical Laboratory	
AVSL	

Analytical Samples Information	Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
				Number	Type		Type	Added?
	VOCS-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
	Chloride	Y	WATER	1	500-ml Poly	U	None	N
	Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:

Arrived on site at 0723. Purge began at 0728. Purged well for a total of 40 seconds. Purged well dry. Purge ended at 0729. Water was mostly clear. Left site at 0733. Arrived on site at 0813. Depth to water was 75.80. Samples bailed and collected at 0817. Left site at 0819.

Signature of Field Technician



Location ID	TW4-36
Field Sample ID	TW4-36_03232023
Purge Date & Time	3/22/2023 12:42
Sample Date & Time	3/23/2023 8:20

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	26.68
Calculated Casing Volumes Purge Duration (min)	4.85
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Snowing
External Ambient Temperature (C)	3
Previous Well Sampled	TW4-14
Well Depth (ft)	99.41
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	58.55

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/22/2023 12:45	33.00	2531	6.85	14.79	240	42.0	2.5	
3/23/2023 8:19		2700	6.82	13.85				Before
3/23/2023 8:21		2713	6.83	13.92				After

Volume of water purged (gals)	33.00
Final Depth to Water (feet)	96.97

Pumping Rate Calculations			
Flow Rate (Q = S/60) (gal/min)	11.00		
Time to evacuate 2 Casing Volumes (min)	3.00		
Number of casing Volumes	1.23		
Volume, if well evacuated to dryness (gals)	33.00		

Name of Certified Analytical Laboratory
AWSL

Analytical Samples Information	Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
				Number	Type		Type	Added?
	VOCS-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
	Chloride	Y	WATER	1	500-ml Poly	U	None	N
	Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Arrived on site at 1236. Purge began at 1242. Purged well for a total of 3 minutes. Purge ended at 1245. Purged well dry. Water was a little murky. Left site at 1248.
Arrived on site at 0814. Depth to water was 59.73. Samples bailed and collected at 0820. Left site at 0822.

Signature of Field Technician
Daniel H. Hines



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-37
Field Sample ID	TW4-37_03072023
Purge Date & Time	3/7/2023 9:53
Sample Date & Time	3/7/2023 9:54

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	26.00
Calculated Casing Volumes Purge Duration (l)	
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Cloudy
External Ambient Temperature (C)	6
Previous Well Sampled	TW4-22

Well Depth (ft)	113.72
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	73.89

Date/Time	3/7/2023 9:53	Gallons Purged	5116	Conductivity (umhos/cm)	5116	pH (pH Units)	6.51	Temp (deg C)	15.75	Redox (mV)	380	Turbidity (NTU)	0	Dissolved Oxygen (%)	56.3	Before/After
-----------	---------------	----------------	------	-------------------------	------	---------------	------	--------------	-------	------------	-----	-----------------	---	----------------------	------	--------------

Volume of water purged (l) _____

Flow Rate (Q = S/60) (gal/min)	18.00
Time to evacuate 2 Casing Volumes (l)	
Number of casing Volumes	
Volume, if well evacuated to dryness (l)	0

Final Depth to Water (feet) 85.61

Name of Certified Analytical Laboratory
AWSL

Analytical Samples Information

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:

Arrived on site at 0950. Samples collected at 0954. Water was clear. Left site at 0957.

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-38
Field Sample ID	TW4-38_03292023
Purge Date & Time	3/28/2023 9:12
Sample Date & Time	3/29/2023 8:47

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	34.53
Calculated Casing Volumes Purge Duration (min)	6.27
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Sunny
External Ambient Temperature (C)	0
Previous Well Sampled	TW4-23
Well Depth (ft)	113.92
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	61.03

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/28/2023 9:16	44.00	1962	6.50	14.69	451	18.0	62.0	
3/28/2023 9:17	55.00	1824	6.55	14.69	442	17.0	67.0	
3/28/2023 9:18	66.00	1893	6.60	14.67	436	16.5	65.3	
3/28/2023 9:19	77.00	1864	6.65	14.68	430	15.5	64.0	

Pumping Rate Calculations	
Flow Rate (Q = S/60) (gal/min)	11.00
Time to evacuate 2 Casing Volumes (min)	7.00
Number of casing Volumes	2.00
Volume, if well evacuated to dryness ()	0

Volume of water purged (gals) 77.00
Final Depth to Water (feet) 106.27
Name of Certified Analytical Laboratory
AWSL

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Type	Number		Type	Added?
VOCs-Chloroform	Y	WATER	40ml VOA	3	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	500-ml Poly	1	U	None	N
Nitrate/nitrite as N	Y	WATER	250-ml HDPE	1	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Arrived on site at 0908. Purge began at 0912. Purged well for a total of 7 minutes. Purge ended at 0919. Left site at 0922. Water was mostly clear.
Arrived on site at 0843. Depth to water was 60.83. Samples bailed and collected at 0847. Left site at 0849.

Signature of Field Technician
D. ...



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-38R
Field Sample ID	TW4-38R_03282023
Purge Date & Time	
Sample Date & Time	3/28/2023 9:00

Sampling Program	
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	
Pump Type	
Purging Method	
Casing Volume (l)	
Calculated Casing Volumes Purge Duration (l)	
pH Buffer 7.0	
pH Buffer 4.0	
Specific Conductance (l)	

Weather Conditions	
External Ambient Temperature (l)	
Previous Well Sampled	
Well Depth (ft)	
Well Casing Diameter (l)	
Depth to Water Before Purging (ft)	

Date/Time	3/28/2023 8:59	Gallons Purged (gal)	133.00	Conductivity (umhos/cm)	8.9	pH (pH Units)	7.95	Temp (deg C)	7.89	Redox (mV)	210	Turbidity (NTU)	0	Dissolved Oxygen (%)	90.0	Before/After
-----------	----------------	----------------------	--------	-------------------------	-----	---------------	------	--------------	------	------------	-----	-----------------	---	----------------------	------	--------------

Pumping Rate Calculations

Flow Rate (Q = S/60) (l)	
Time to evacuate 2 Casing Volumes (l)	
Number of casing Volumes	
Volume, if well evacuated to dryness (l)	

Volume of water purged (l)	
Final Depth to Water (feet)	
Name of Certified Analytical Laboratory	
AWSL	

Analytical Samples Information

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Preservative		
			Number	Type	Sample Filtered?	Type	Added?
VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:

--

Signature of Field Technician

D. [Signature]



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-39
Field Sample ID	TW4-39_03072023
Purge Date & Time	3/7/2023 10:00
Sample Date & Time	3/7/2023 10:01

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	29.59
Calculated Casing Volumes Purge Duration ()	
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Cloudy
External Ambient Temperature (C)	6
Previous Well Sampled	TW4-37
Well Depth (ft)	120.74
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	75.42

Date/Time	3/7/2023 10:00	Gallons Purged	2514	Conductivity (umhos/cm)	2514	pH (pH Units)	6.78	Temp (deg C)	15.30	Redox (mV)	367	Turbidity (NTU)	70.1	Dissolved Oxygen (%)	83.7	Before/After
-----------	----------------	----------------	------	-------------------------	------	---------------	------	--------------	-------	------------	-----	-----------------	------	----------------------	------	--------------

Volume of water purged ()

Flow Rate (Q = S/S60) (gal/min)	18.00
Time to evacuate 2 Casing Volumes ()	
Number of casing Volumes	
Volume, if well evacuated to dryness ()	0

Final Depth to Water (feet)

113.58

Name of Certified Analytical Laboratory
AWSL

Analytical Samples Information

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCS-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:

Arrived on site at 0957. Samples collected at 1001. Water was a little murky. Left site at 1003.

Signature of Field Technician

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-40
Field Sample ID	TW4-40_03072023
Purge Date & Time	3/7/2023 11:09
Sample Date & Time	3/7/2023 11:10

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	8.88
Calculated Casing Volumes Purge Duration (h)	
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Cloudy
External Ambient Temperature (C)	7
Previous Well Sampled	TW4-04
Well Depth (ft)	86.00
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	72.39

Date/Time	Gallons Purged	(umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Oxygen (%)	Before/After
3/7/2023 11:09	4156		7.32	15.05	279	2.3	106.0	

Volume of water purged (l)		18.00
Final Depth to Water (feet)	83.07	
Name of Certified Analytical Laboratory	AWSL	

Pumping Rate Calculations

Flow Rate (Q = S/60) (gal/min)	18.00
Time to evacuate 2 Casing Volumes (h)	
Number of casing Volumes	
Volume, if well evacuated to dryness (l)	0

Analytical Samples Information

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCS-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Arrived on site at 1106. Samples collected at 1110. Water was clear. Left site at 1113.

Signature of Field Technician

Summer Hill



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-41
Field Sample ID	TW4-41_03072023
Purge Date & Time	3/7/2023 10:50
Sample Date & Time	3/7/2023 10:51

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	11.53
Calculated Casing Volumes Purge Duration ()	
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Cloudy
External Ambient Temperature (C)	7
Previous Well Sampled	TW4-01
Well Depth (ft)	97.75
Well Casing Diameter (in)	6
Depth to Water Before Purging (ft)	89.90

Date/Time	3/7/2023 10:50	Gallons Purged	2736	Conductivity (umhos/cm)	2736	pH (pH Units)	7.20	Temp (deg C)	15.55	Redox (mV)	296	Turbidity (NTU)	0	Dissolved Oxygen (%)	98.20	Before/After
-----------	----------------	----------------	------	-------------------------	------	---------------	------	--------------	-------	------------	-----	-----------------	---	----------------------	-------	--------------

Volume of water purged ()	
Final Depth to Water (feet)	94.45

Pumping Rate Calculations

Flow Rate (Q = S/60) (gal/min)	6.00
Time to evacuate 2 Casing Volumes ()	
Number of casing Volumes	
Volume, if well evacuated to dryness ()	0

Name of Certified Analytical Laboratory
AWSL

Analytical Samples Information

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCS-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Arrived on site at 1047. Samples collected at 1051. Water was clear. Left site at 1054.

Signature of Field Technician

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Groundwater Discharge Permit
Groundwater Monitoring Quality Assurance Plan

Location ID	TW4-42
Field Sample ID	TW4-42_03222023
Purge Date & Time	3/21/2023 12:34
Sample Date & Time	3/22/2023 8:05

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform

Sampler	TH/DL
---------	-------

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	9.80
Calculated Casing Volumes Purge Duration (min)	1.78
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Snowing
External Ambient Temperature (C)	1
Previous Well Sampled	TW4-03

Well Depth (ft)	86.00
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	70.98

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/21/2023 12:35	11.00	3970	6.67	13.50	367	1.1	97.0	Before
3/22/2023 8:05		3812	6.84	13.40				Before
3/22/2023 8:06		3824	6.85	13.47				After

Pumping Rate Calculations

Flow Rate (Q = S/60) (gal/min)	11.00
Time to evacuate 2 Casing Volumes (min)	1.00
Number of casing Volumes	1.12
Volume, if well evacuated to dryness (gals)	11.00

Volume of water purged (gals)	11.00
Final Depth to Water (feet)	83.03
Name of Certified Analytical Laboratory	
AWSL	

Analytical Samples Information	Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
				Number	Type		Type	Added?
	VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
	Chloride	Y	WATER	1	500-ml Poly	U	None	N
	Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
 Arrived on site at 1228. Purge began at 1234. Purged well for a total of 1 minute. Purged well dry. Purge ended at 1235. Water was clear. Left site at 1239.
 Arrived on site at 0800. Depth to water was 70.95. Samples bailed and collected at 0805. Left site at 0807.

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-43
Field Sample ID	TW4-43_03232023
Purge Date & Time	3/22/2023 14:04
Sample Date & Time	3/23/2023 8:35

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (gal)	14.56
Calculated Casing Volumes Purge Duration (min)	2.64
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Weather Conditions	Snowing
External Ambient Temperature (C)	3
Previous Well Sampled	TW4-31
Well Depth (ft)	95.5
Well Casing Diameter (in)	4
Depth to Water Before Purging (ft)	73.20

Date/Time	Gallons Purged (gal)	Conductivity (umhos/cm)	pH (pH Units)	Temp (deg C)	Redox (mV)	Turbidity (NTU)	Dissolved Oxygen (%)	Before/After
3/22/2023 14:06	22.00	3724	6.48	14.80	525	20.0	22.0	
3/23/2023 8:35		3744	6.91	13.76				Before
3/23/2023 8:36		3750	6.91	13.80				After

Volume of water purged (gals) 22.00

Final Depth to Water (feet) 91.58

Name of Certified Analytical Laboratory
AWSL

Pumping Rate Calculations			
Flow Rate (Q = S/60) (gal/min)	11.00		
Time to evacuate 2 Casing Volumes (min)	2.00		
Number of casing Volumes	1.51		
Volume, if well evacuated to dryness (gals)	22.00		

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCS-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Arrived on site at 1359. Purge began at 1404. Purged well for a total of 2 minutes. Purged well dry. Purge ended at 1406. Water was a little murky. Left site at 1409. Arrived on site at 0831. Depth to water was 73.35. Samples bailed and collected at 0835. Left site at 0837.

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Groundwater Discharge Permit
Groundwater Monitoring Quality Assurance Plan

Location ID	TW4-60
Field Sample ID	TW4-60_03072023
Purge Date & Time	3/7/2023 12:25
Sample Date & Time	3/7/2023 12:30

Sampling Program	Chloroform Monitoring
Sampling Event	2023 Q1 Chloroform

Sampler	TH/DL
---------	-------

Weather Conditions	Partly cloudy
External Ambient Temperature (C)	7
Previous Well Sampled	TW4-19

Purging Equipment	Pump
Pump Type	Grundfos
Purging Method	2 Casings
Casing Volume (l)	
Calculated Casing Volumes Purge Duration (l)	
pH Buffer 7.0	7.0
pH Buffer 4.0	4.0
Specific Conductance (micromhos)	1000

Well Depth (ft)	
Well Casing Diameter (l)	
Depth to Water Before Purging (ft)	

Date/Time	3/7/2023 12:29	Gallons Purged		Conductivity (umhos/cm)	3.6	pH (pH Units)	7.73	Temp (deg C)	16.74	Redox (mV)	262	Turbidity (NTU)	0	Dissolved Oxygen (%)	27.0	Before/After	
-----------	----------------	----------------	--	-------------------------	-----	---------------	------	--------------	-------	------------	-----	-----------------	---	----------------------	------	--------------	--

Volume of water purged (l)

Final Depth to Water (feet)

Name of Certified Analytical Laboratory
AWSL

Pumping Rate Calculations

Flow Rate (Q = S/60) (l)	
Time to evacuate 2 Casing Volumes (l)	
Number of casing Volumes	
Volume, if well evacuated to dryness (l)	0

Analytical Samples Information

Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
			Number	Type		Type	Added?
VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Samples collected in the lab at 1230.

Signature of Field Technician

[Handwritten Signature]



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-65
Field Sample ID	TW4-65_03222023
Purge Date & Time	
Sample Date & Time	3/22/2023 8:30

Sampling Program	
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	
Pump Type	
Purging Method	
Casing Volume (l)	
Calculated Casing Volumes Purge Duration (l)	
pH Buffer 7.0	
pH Buffer 4.0	
Specific Conductance (l)	

Weather Conditions	
External Ambient Temperature (l)	
Previous Well Sampled	
Well Depth (ft)	
Well Casing Diameter (l)	
Depth to Water Before Purging (ft)	

Date/Time	Gallons Purged	Conductivity	pH	Temp	Redox	Turbidity	Dissolved Oxygen	Before/After
-----------	----------------	--------------	----	------	-------	-----------	------------------	--------------

Volume of water purged (l)

Pumping Rate Calculations	
Flow Rate (Q = S/60) (l)	
Time to evacuate 2 Casing Volumes (l)	
Number of casing Volumes	
Volume, if well evacuated to dryness (l)	

Final Depth to Water (feet)

Name of Certified Analytical Laboratory

AWSL

Analytical Samples Information		Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
Type of Sample/Analysis	Number			Type	Type		Type	Added?
VOCs-Chloroform	3	Y	WATER	40ml VOA	U	HCl (pH<2), 4 Deg C		Y
Chloride	1	Y	WATER	500-ml Poly	U	None		N
Nitrate/nitrite as N	1	Y	WATER	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C		Y

Comments:

Duplicate of TW4-28

Signature of Field Technician

Signature of Field Technician



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-70
Field Sample ID	TW4-70_03292023
Purge Date & Time	
Sample Date & Time	3/29/2023 9:28

Sampling Program	
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	
Pump Type	
Purging Method	
Casing Volume (l)	
Calculated Casing Volumes Purge Duration (l)	
pH Buffer 7.0	
pH Buffer 4.0	
Specific Conductance (l)	

Weather Conditions	
External Ambient Temperature (l)	
Previous Well Sampled	
Well Depth (ft)	
Well Casing Diameter (l)	
Depth to Water Before Purging (ft)	

Date/Time	Gallons Purged	Conductivity	pH	Temp	Redox	Turbidity	Dissolved Oxygen	Before/After
-----------	----------------	--------------	----	------	-------	-----------	------------------	--------------

Volume of water purged (l)	
Final Depth to Water (feet)	

Pumping Rate Calculations	
Flow Rate (Q = S/60) (l)	
Time to evacuate 2 Casing Volumes (l)	
Number of casing Volumes	
Volume, if well evacuated to dryness (l)	

Name of Certified Analytical Laboratory
AWSL

Analytical Samples Information		Container		Preservative			
Type of Sample/Analysis	Sample Collected?	Matrix	Number	Type	Sample Filtered?	Type	Added?
VOCs-Chloroform	Y	WATER	3	40ml VOA	U	HCl (pH<2), 4 Deg C	Y
Chloride	Y	WATER	1	500-ml Poly	U	None	N
Nitrate/nitrite as N	Y	WATER	1	250-ml HDPE	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Duplicate of TW4-09

Signature of Field Technician

[Handwritten Signature]



White Mesa Mill
Field Data Worksheet For Groundwater

Location ID	TW4-75
Field Sample ID	TW4-75_03292023
Purge Date & Time	
Sample Date & Time	3/29/2023 10:26

Sampling Program	
Sampling Event	2023 Q1 Chloroform
Sampler	TH/DL

Purging Equipment	
Pump Type	
Purging Method	
Casing Volume (l)	
Calculated Casing Volumes Purge Duration (l)	
pH Buffer 7.0	
pH Buffer 4.0	
Specific Conductance (l)	

Weather Conditions	
External Ambient Temperature (l)	
Previous Well Sampled	
Well Depth (ft)	
Well Casing Diameter (l)	
Depth to Water Before Purging (ft)	

Date/Time	Gallons Purged	Conductivity	pH	Temp	Redox	Turbidity	Dissolved Oxygen	Before/After
-----------	----------------	--------------	----	------	-------	-----------	------------------	--------------

Volume of water purged (l)	
Final Depth to Water (feet)	

Pumping Rate Calculations	
Flow Rate (Q = S/60) (l)	
Time to evacuate 2 Casing Volumes (l)	
Number of casing Volumes	
Volume, if well evacuated to dryness (l)	

Name of Certified Analytical Laboratory
AWSL

Analytical Samples Information	Type of Sample/Analysis	Sample Collected?	Matrix	Container		Sample Filtered?	Preservative	
				Type	Number		Type	Type
	VOCs-Chloroform	Y	WATER	40ml VOA	3	U	HCl (pH<2), 4 Deg C	Y
	Chloride	Y	WATER	500-ml Poly	1	U	None	N
	Nitrate/nitrite as N	Y	WATER	250-ml HDPE	1	U	H2SO4 (pH<2), 4 Deg C	Y

Comments:
Duplicate of TW4-16

Signature of Field Technician
[Handwritten Signature]

Tab C

Weekly and Monthly Depth to Water Data

Weekly Inspection Form

Date 1-3-2023

Name Deen Glyman Tanner Holliday

Time	Well	Depth*	Comments	System Operational (If no note any problems/corrective actions)
0935	MW-4	83.50	Flow 4.0 Meter 3504628.01	Yes No Yes No
0909	MW-26	87.73	Flow 16.0 Meter 772026.3	Yes No Yes No
1248	TW4-19	74.33	Flow 16.0 Meter 474241.23	Yes No Yes No
0956	TW4-4	87.41	Flow 16.0 Meter 827560.9	Yes No Yes No
0833	TWN-2	62.20	Flow 16.0 Meter 177333.43	Yes No Yes No
0850	TW4-22	71.55	Flow 16.0 Meter 942374.7	Yes No Yes No
0842	TW4-24	69.54	Flow 16.2 Meter 2102934.36	Yes No Yes No
0826	TW4-25	69.78	Flow 10.8 Meter 1421897.00	Yes No Yes No
0942	TW4-1	101.62	Flow 13.6 Meter 418040.0	Yes No Yes No
0927	TW4-2	98.16	Flow 16.2 Meter 516781.5	Yes No Yes No
0921	TW4-11	90.01	Flow 16.0 Meter 12652.88	Yes No Yes No
0818	TW4-21	77.10	Flow 16.0 Meter 3250735.37	Yes No Yes No
0857	TW4-37	68.31	Flow 18.0 Meter 2280329.1	Yes No Yes No
0905	TW4-39	72.08	Flow 18.0 Meter 1033125.1	Yes No Yes No
	TW4-40	72.64	Flow 18.0 Meter 1127470.31	Yes No Yes No
0950	TW4-41	89.80	Flow 6.0 Meter 421106.79	Yes No Yes No

Operational Problems (Please list well number): _____

Corrective Action(s) Taken (Please list well number): _____

* Depth is measured to the nearest 0.01 feet.

Weekly Inspection Form

Date 1-9-23

Name Deen G Lyman, Turner Holliday

System Operational (If no note
any problems/corrective actions)

Time	Well	Depth*	Comments	System Operational (If no note any problems/corrective actions)
0906	MW-4	83.18	Flow 4.0 Meter 3510527.15	Yes No Yes No
0843	MW-26	74.32	Flow 16.2 Meter 773934.4	Yes No Yes No
1052	TW4-19	74.29	Flow 16.0 Meter 482842.19	Yes No Yes No
0924	TW4-4	89.99	Flow 16.4 Meter 828007.9	Yes No Yes No
0803	TWN-2	80.15	Flow 16.0 Meter 178319.23	Yes No Yes No
0824	TW4-22	76.95	Flow 16.2 Meter 943231.6	Yes No Yes No
0815	TW4-24	69.51	Flow 16.2 Meter 2109905.39	Yes No Yes No
0755	TW4-25	70.44	Flow 10.8 Meter 1427888.33	Yes No Yes No
0911	TW4-1	105.13	Flow 12.8 Meter 418963.0	Yes No Yes No
0900	TW4-2	97.39	Flow 16.0 Meter 517405.9	Yes No Yes No
0853	TW4-11	89.75	Flow 15.6 Meter 12638.26	Yes No Yes No
0749	TW4-21	91.02	Flow 16.2 Meter 3256616.00	Yes No Yes No
0830	TW4-37	69.68	Flow 18.0 Meter 2283410.1	Yes No Yes No
0836	TW4-39	75.40	Flow 17.8 Meter 1036878.2	Yes No Yes No
0933	TW4-40	75.75	Flow 18.0 Meter 1130358.27	Yes No Yes No
0918	TW4-41	89.87	Flow 6.2 Meter 421855.58	Yes No Yes No

Operational Problems (Please list well number): _____

Corrective Action(s) Taken (Please list well number): _____

* Depth is measured to the nearest 0.01 feet.

Monthly Depth Check Form

Date 1-12-23

Name Deen G. Lyman, Tracey Holliday

<u>Time</u>	<u>Well</u>	<u>Depth*</u>	<u>Time</u>	<u>Well</u>	<u>Depth*</u>
<u>0746</u>	MW-4	<u>83.76</u>	<u>1341</u>	TWN-1	<u>70.34</u>
<u>0749</u>	TW4-1	<u>99.44</u>	<u>1337</u>	TWN-2	<u>58.85</u>
<u>0743</u>	TW4-2	<u>101.23</u>	<u>1332</u>	TWN-3	<u>43.58</u>
<u>0724</u>	TW4-3	<u>65.90</u>	<u>1326</u>	TWN-4	<u>63.22</u>
<u>0756</u>	TW4-4	<u>81.55</u>	<u>1311</u>	TWN-7	<u>79.71</u>
<u>0719</u>	TW4-5	<u>73.28</u>	<u>1322</u>	TWN-18	<u>62.93</u>
<u>0800</u>	TW4-6	<u>80.45</u>	<u>1317</u>	MW-27	<u>58.61</u>
<u>0735</u>	TW4-7	<u>82.72</u>	<u>1431</u>	MW-30	<u>75.21</u>
<u>0732</u>	TW4-8	<u>85.27</u>	<u>1426</u>	MW-31	<u>69.53</u>
<u>0721</u>	TW4-9	<u>71.33</u>			
<u>0715</u>	TW4-10	<u>70.77</u>			
<u>0739</u>	TW4-11	<u>89.90</u>			
<u>0848</u>	TW4-12	<u>56.78</u>			
<u>0844</u>	TW4-13	<u>57.98</u>	<u>0833</u>	TW4-29	<u>79.57</u>
<u>0839</u>	TW4-14	<u>77.55</u>	<u>0903</u>	TW4-30	<u>75.51</u>
<u>1414</u>	MW-26	<u>86.19</u>	<u>0859</u>	TW4-31	<u>76.46</u>
<u>1418</u>	TW4-16	<u>74.48</u>	<u>0854</u>	TW4-32	<u>57.46</u>
<u>1422</u>	MW-32	<u>82.85</u>	<u>0827</u>	TW4-33	<u>79.33</u>
<u>1345</u>	TW4-18	<u>74.14</u>	<u>0831</u>	TW4-34	<u>77.91</u>
<u>0808</u>	TW4-19	<u>76.21</u>	<u>0906</u>	TW4-35	<u>76.07</u>
<u>1349</u>	TW4-21	<u>72.72</u>	<u>0841</u>	TW4-36	<u>59.06</u>
<u>1401</u>	TW4-22	<u>70.35</u>	<u>1405</u>	TW4-37	<u>73.43</u>
<u>0804</u>	TW4-23	<u>77.00</u>	<u>0728</u>	TW4-38	<u>60.80</u>
<u>1357</u>	TW4-24	<u>69.83</u>	<u>1409</u>	TW4-39	<u>76.05</u>
<u>1352</u>	TW4-25	<u>69.61</u>	<u>0819</u>	TW4-40	<u>72.28</u>
<u>0815</u>	TW4-26	<u>75.33</u>	<u>0753</u>	TW4-41	<u>89.74</u>
<u>0836</u>	TW4-27	<u>79.51</u>	<u>0823</u>	TW4-42	<u>71.32</u>
<u>0851</u>	TW4-28	<u>50.25</u>	<u>0913</u>	TW4-43	<u>73.61</u>

Comments: (Please note the well number for any comments)

* Depth is measured to the nearest 0.01 feet

Weekly Inspection Form

Date 1-16-23

Name Deer G. Lyman, Tanner Holliday

Time	Well	Depth*	Comments	System Operational (If no note any problems/corrective actions)
1309	MW-4	82.53	Flow 4.0 Meter 3519709.11	Yes No Yes No
1245	MW-26	76.87	Flow 16.2 Meter 776792.3	Yes No Yes No
1400	TW4-19	73.98	Flow 16.0 Meter 496389.85	Yes No Yes No
1329	TW4-4	84.64	Flow 16.0 Meter 828874.7	Yes No Yes No
0820	TWN-2	59.36	Flow 16.0 Meter 179084.81	Yes No Yes No
1215	TW4-22	70.09	Flow 16.0 Meter 946441.9	Yes No Yes No
0830	TW4-24	69.55	Flow 16.2 Meter 2120761.66	Yes No Yes No
0814	TW4-25	69.15	Flow 10.8 Meter 1436788.77	Yes No Yes No
1317	TW4-1	102.02	Flow 12.8 Meter 419403.5	Yes No Yes No
1301	TW4-2	108.13	Flow 16.0 Meter 518677.5	Yes No Yes No
1252	TW4-11	89.70	Flow 15.6 Meter 12884.26	Yes No Yes No
0807	TW4-21	76.23	Flow 16.0 Meter 3266599.10 52	Yes No Yes No
1228	TW4-37	72.29	Flow 18.0 Meter 2288179.5	Yes No Yes No
1238	TW4-39	74.41	Flow 18.0 Meter 1040865.3	Yes No Yes No
1338	TW4-40	72.16	Flow 6.0 Meter 1135018.48	Yes No Yes No
1323	TW4-41	89.35	Flow 17.8 Meter 423019.86	Yes No Yes No

Operational Problems (Please list well number): _____

Corrective Action(s) Taken (Please list well number): _____

* Depth is measured to the nearest 0.01 feet.

Weekly Inspection Form

Date 1-24-23

Name Dea G Lyman, Tanner Holliday

Time	Well	Depth*	Comments	System Operational (If no note any problems/corrective actions)
0935	MW-4	84.11	Flow 4.0 Meter 3525591.55	Yes No Yes No
0858	MW-26	73.25	Flow 16.4 Meter 778580.6	Yes No Yes No
1015	TW4-19	74.35	Flow 16.0 Meter 504919.99	Yes No Yes No
0952	TW4-4	87.96	Flow 16.4 Meter 829411.9	Yes No Yes No
0830	TWN-2	58.21	Flow 16.0 Meter 181956.51	Yes No Yes No
0912	TW4-22	72.82	Flow 16.0 Meter 947477.7	Yes No Yes No
0843	TW4-24	68.33	Flow 16.2 Meter 947477.7	Yes No 2126611.23 Yes No
0837	TW4-25	69.65	Flow 10.816.0 Meter 2126611.23	Yes No 1442699.22 Yes No
0941	TW4-1	101.17	Flow 12.8 Meter 419932.0	Yes No Yes No
0930	TW4-2	103.26	Flow 16.0 Meter 519311.8	Yes No Yes No
0905	TW4-11	90.06	Flow 14.8 Meter 12963.40	Yes No Yes No
0823	TW4-21	75.49	Flow 16.2 Meter 3270755.45	Yes No Yes No
0848	TW4-37	70.18	Flow 18.0 Meter 2291165.1	Yes No Yes No
0853	TW4-39	72.54	Flow 18.0 Meter 1042233.2	Yes No Yes No
0959	TW4-40	72.35	Flow 18.0 Meter 1138016.77	Yes No Yes No
0947	TW4-41	89.39	Flow 6.0 Meter 423709.55	Yes No Yes No

Operational Problems (Please list well number): _____

Corrective Action(s) Taken (Please list well number): _____

* Depth is measured to the nearest 0.01 feet.

Weekly Inspection Form

Date 1-30-23

Name Deen & Lyman, Tanner Halliday

System Operational (If no note any problems/corrective actions)

Time	Well	Depth*	Comments	System Operational (If no note any problems/corrective actions)
1336	MW-4	84.39	Flow 4.0 Meter 3532687.38	Yes No Yes No
1320	MW-26	81.57	Flow 16.2 Meter 780711.1	Yes No Yes No
1425	TW4-19	69.88	Flow 16.0 Meter 515417.73	Yes No Yes No
1352	TW4-4	83.55	Flow 16.0 Meter 830188.3	Yes No Yes No
1222	TWN-2	59.73	Flow 16.0 Meter 182177.57	Yes No Yes No
1011	TW4-22	69.70	Flow 16.2 Meter 949177.4	Yes No Yes No
0955	TW4-24	68.98	Flow 16.0 Meter 2133727.75	Yes No Yes No
0821	TW4-25	69.91	Flow 10.8 Meter 1448693.31	Yes No Yes No
1342	TW4-1	100.60	Flow 12.8 Meter 420686.9	Yes No Yes No
1331	TW4-2	102.16	Flow 16.0 Meter 520229.9 519929.9	Yes No Yes No
1325	TW4-11	89.10	Flow 14.6 Meter 13076.37	Yes No Yes No
0815	TW4-21	75.28	Flow 16.2 Meter 3276324.09	Yes No Yes No
1016	TW4-37	66.85	Flow 18.0 Meter 2294679.8	Yes No Yes No
1021	TW4-39	73.26	Flow 18.0 Meter 1045288.2	Yes No Yes No
1401	TW4-40	72.43	Flow 18.0 Meter 1141622.06	Yes No Yes No
1347	TW4-41	90.19	Flow 6.0 Meter 424627.22	Yes No Yes No

Operational Problems (Please list well number): _____

Corrective Action(s) Taken (Please list well number): _____

* Depth is measured to the nearest 0.01 feet.

- 1

Weekly Inspection Form

Date 2-6-23

Name Dea Glyman, Tanner Halliday

System Operational (if no note
any problems/corrective actions)

Time	Well	Depth*	Comments	System Operational (if no note any problems/corrective actions)
0946	MW-4	85.53	Flow 4.0 Meter 3538290.13	Yes No Yes No
0926	MW-26	89.35	Flow 16.2 Meter 782622.3	Yes No Yes No
1205	TW4-19	76.33	Flow 16.0 Meter 524158.40	Yes No Yes No
1008	TW4-4	86.81	Flow 16.0 Meter 830680.7	Yes No Yes No
0830	TWN-2	58.60	Flow 16.0 Meter 183250.39	Yes No Yes No
0906	TW4-22	70.86	Flow 16.2 Meter 950620.4	Yes No Yes No
0859	TW4-24	73.31	Flow 16.0 Meter 2139420.05	Yes No Yes No
0819	TW4-25	69.95	Flow 10.8 Meter 1455785.49	Yes No Yes No
0953	TW4-1	105.66	Flow 12.6 Meter 421108.9	Yes No Yes No
0940	TW4-2	111.18	Flow 16.2 Meter 521951.1	Yes No 520641.9 Yes No
0934	TW4-11	89.19	Flow 15.6 Meter 13051.33	Yes No Yes No
0759	TW4-21	74.24	Flow 16.2 Meter 3282807.72	Yes No Yes No
0913	TW4-37	68.72	Flow 18.0 Meter 2297846.3	Yes No Yes No
0920	TW4-39	74.75	Flow 18.0 Meter 1047680.0	Yes No Yes No
1015	TW4-40	72.34	Flow 18.0 Meter 1144536.91	Yes No Yes No
1002	TW4-41	88.99	Flow 6.0 Meter 425469.06	Yes No Yes No

Operational Problems (Please list well number): _____

Corrective Action(s) Taken (Please list well number): _____

* Depth is measured to the nearest 0.01 feet.

Weekly Inspection Form

Date 2-14-23

Name Deen G. Lyman, Turner Holliday

System Operational (If no note
any problems/corrective actions)

Time	Well	Depth*	Comments	System Operational (If no note any problems/corrective actions)
0827	MW-4	83.30	Flow 4.0 Meter 3546284.45	Yes No Yes No
0732	MW-26	76.35	Flow 16.2 Meter 784839.5	Yes No Yes No
0933	TW4-19	72.14	Flow 16.0 Meter 535775.88	Yes No Yes No
0844	TW4-4	86.26	Flow 16.2 Meter 831392.2	Yes No Yes No
0657	TWN-2	58.88	Flow 16.0 Meter 184747.99	Yes No Yes No
0713	TW4-22	68.31	Flow 16.0 Meter 952539.3	Yes No Yes No
0703	TW4-24	71.17	Flow 16.2 Meter 2146857.22	Yes No Yes No
0651	TW4-25	69.85	Flow 12.0 Meter 1463536.09	Yes No Yes No
0833	TW4-1	104.61	Flow 12.8 Meter 421619.2	Yes No Yes No
0822	TW4-2	103.53	Flow 16.0 Meter 521951.2	Yes No Yes No
0815	TW4-11	90.13	Flow 15.4 Meter 13277.28	Yes No Yes No
0645	TW4-21	74.62	Flow 16.4 Meter 3290109.04	Yes No Yes No
0721	TW4-37	68.04	Flow 18.0 Meter 2301436.0	Yes No Yes No
0727	TW4-39	73.20	Flow 17.6 Meter 1051660.8	Yes No Yes No
0852	TW4-40	72.32	Flow 18.0 Meter 8148524.36	Yes No Yes No
0838	TW4-41	88.95	Flow 6.0 Meter 426483.88	Yes No Yes No

Operational Problems (Please list well number): _____

Corrective Action(s) Taken (Please list well number): _____

* Depth is measured to the nearest 0.01 feet.

Weekly Inspection Form

Date 2-20-23

Name Dea G Lyman, Tanner Holliday

System Operational (If no note any problems/corrective actions)

Time	Well	Depth*	Comments	System Operational (If no note any problems/corrective actions)
0909	MW-4	82.88	Flow 4.2 Meter 3552114.38	Yes No Yes No
0842	MW-26	82.01	Flow 16.2 Meter 786758.6	Yes No Yes No
1140	TW4-19	71.10	Flow 16.0 Meter 544524.11	Yes No Yes No
0927	TW4-4	81.59	Flow 16.0 Meter 831860.3	Yes No Yes No
0803	TWN-2	81.90	Flow 16.0 Meter 185794.51	Yes No Yes No
0821	TW4-22	69.37	Flow 15.8 Meter 954025.3	Yes No Yes No
0817	TW4-24	68.15	Flow 16.0 Meter 2151771.85	Yes No Yes No
0757	TW4-25	69.28	Flow 10.8 Meter 1468484.74	Yes No Yes No
0916	TW4-1	105.73	Flow 12.8 Meter 422356.8	Yes No Yes No
0903	TW4-2	110.19	Flow 16.0 Meter 522716.9	Yes No Yes No
* 0858	TW4-11	89.75	Flow 15.6 Meter 13377.19	Yes No Yes No
0752	TW4-21	75.41	Flow 16.4 Meter 3295898.52	Yes No Yes No
0826	TW4-37	70.56	Flow 18.0 Meter 2304552.2	Yes No Yes No
0834	TW4-39	73.81	Flow 18.0 Meter 1053056.4	Yes No Yes No
0936	TW4-40	72.45	Flow 18.0 Meter 1151352.99	Yes No Yes No
0922	TW4-41	89.10	Flow 6.0 Meter 427164.33	Yes No Yes No

Operational Problems (Please list well number): _____

Corrective Action(s) Taken (Please list well number): _____

* Depth is measured to the nearest 0.01 feet.

Weekly Inspection Form

Date 2-28-23

Name Deen G. Lyman

Time	Well	Depth*	Comments	System Operational (If no note any problems/corrective actions)
1335	MW-4	83.18	Flow 4.0 Meter 3560317.28	Yes No Yes No
1318	MW-26	75.26	Flow 16.0 Meter 789377.7	Yes No Yes No
1430	TW4-19	69.30	Flow 16.0 Meter 556549.77	Yes No Yes No
1351	TW4-4	82.15	Flow 16.4 Meter 832769.2	Yes No Yes No
1215	TWN-2	81.09	Flow 16.2 Meter 187270.38	Yes No Yes No
1302	TW4-22	69.75	Flow 16.0 Meter 955983.8	Yes No Yes No
1251	TW4-24	69.82	Flow 16.0 Meter 2158201.85	Yes No Yes No
1210	TW4-25	69.36	Flow 10.8 Meter 1477398.03	Yes No Yes No
1341	TW4-1	100.03	Flow 12.6 Meter 423190.5	Yes No Yes No
1329	TW4-2	101.60	Flow 16.0 Meter 523877.2	Yes No Yes No
1324	TW4-11	89.81	Flow 16.0 Meter 13481.30	Yes No Yes No
1205	TW4-21	76.30	Flow 16.2 Meter 3303486.64	Yes No Yes No
1308	TW4-37	67.44	Flow 18.0 Meter 2308598.9	Yes No Yes No
1313	TW4-39	74.28	Flow 18.0 Meter 1056859.4	Yes No Yes No
1400	TW4-40	72.11	Flow 17.8 Meter 1155765.26	Yes No Yes No
1346	TW4-41	90.39	Flow 5.8 Meter 428262.98	Yes No Yes No

Operational Problems (Please list well number): _____

Corrective Action(s) Taken (Please list well number): _____

* Depth is measured to the nearest 0.01 feet.

Monthly Depth Check Form

Date 2-28-23

Name Debra Chapman, Tamara Holliday

<u>Time</u>	<u>Well</u>	<u>Depth*</u>	<u>Time</u>	<u>Well</u>	<u>Depth*</u>
0936	MW-4	83.69	0700	TWN-1	70.30
0940	TW4-1	99.48	0709	TWN-2	74.81
0933	TW4-2	105.21	0713	TWN-3	48.60
1107	TW4-3	65.87	0717	TWN-4	63.18
0946	TW4-4	81.52	0724	TWN-7	79.72
1114	TW4-5	73.25	0705	TWN-18	69.90
1056	TW4-6	80.40	0730	MW-27	58.63
1100	TW4-7	82.70	0748	MW-30	75.18
1103	TW4-8	85.25	0743	MW-31	69.52
1110	TW4-9	71.30			
1113	TW4-10	70.75			
0929	TW4-11	89.89			
1037	TW4-12	56.77			
1034	TW4-13	57.95	1023	TW4-29	79.51
1027	TW4-14	77.53	1008	TW4-30	75.49
0926	MW-26	86.15	1005	TW4-31	76.43
0735	TW4-16	74.50	1043	TW4-32	57.39
0739	MW-32	82.84	0958	TW4-33	79.32
0900	TW4-18	74.12	1015	TW4-34	77.87
0650	TW4-19	76.13	1012	TW4-35	76.10
0905	TW4-21	72.71	1030	TW4-36	59.06
0916	TW4-22	70.39	0919	TW4-37	74.61
1052	TW4-23	77.10	1110	TW4-38	60.77
0913	TW4-24	69.22	0922	TW4-39	76.04
0909	TW4-25	69.78	0950	TW4-40	72.25
1048	TW4-26	75.29	0943	TW4-41	89.79
1002	TW4-27	79.56	0955	TW4-42	71.31
1040	TW4-28	50.23	1019	TW4-43	73.63

Comments: (Please note the well number for any comments)

* Depth is measured to the nearest 0.01 feet

Weekly Inspection Form

Date 3-6-23

Name Deen Glyman, Tanner Holliday

System Operational (If no note any problems/corrective actions)

Time	Well	Depth*	Comments	<u>System Operational</u> (If no note any problems/corrective actions)
1016	MW-4	82.86	Flow 4.0 Meter 3566165.50	Yes No Yes No
1001	MW-26	84.62	Flow 16.0 Meter 791154.4	Yes No Yes No
1145	TW4-19	74.61	Flow 16.0 Meter 565435.01	Yes No Yes No
1030	TW4-4	86.46	Flow 16.0 Meter 833237.2	Yes No Yes No
0930	TWN-2	89.93	Flow 16.0 Meter 188355.82	Yes No Yes No
0945	TW4-22	68.50	Flow 16.0 Meter 957411.7	Yes No Yes No
0937	TW4-24	69.69	Flow 16.0 Meter 2162532.15	Yes No Yes No
0924	TW4-25	88.31	Flow 10.8 Meter 1482989.33	Yes No Yes No
1021	TW4-1	105.11	Flow 12.8 Meter 423616.0	Yes No Yes No
1011	TW4-2	108.16	Flow 16.0 Meter 524525.4	Yes No Yes No
1006	TW4-11	90.03	Flow 15.6 Meter 13584.22	Yes No Yes No
0919	TW4-21	75.14	Flow 16.2 Meter 3308853.32	Yes No Yes No
0950	TW4-37	74.81	Flow 18.0 Meter 2311490.5	Yes No Yes No
0955	TW4-39	73.33	Flow 18.0 Meter 1058842.5	Yes No Yes No
1037	TW4-40	72.38	Flow 18.0 Meter 1158788.81	Yes No Yes No
1026	TW4-41	89.27	Flow 6.0 Meter 429043.71	Yes No Yes No

Operational Problems (Please list well number): _____

Corrective Action(s) Taken (Please list well number): _____

* Depth is measured to the nearest 0.01 feet.

Weekly Inspection Form

Date 3-13-23

Name Deen Glyman

Time	Well	Depth*	Comments	System Operational (If no note any problems/corrective actions)
1330	MW-4	83.74	Flow 4.0 Meter 3573324.91	Yes No Yes No
1310	MW-26	85.53	Flow 16.0 Meter 793249.2	Yes No Yes No
1400	TW4-19	69.70	Flow 16.0 Meter 577209.65	Yes No Yes No
1345	TW4-4	86.06	Flow 16.0 Meter 833954.1	Yes No Yes No
1027	TWN-2	59.25	Flow 16.0 Meter 189935.39	Yes No Yes No
1044	TW4-22	68.95	Flow 16.0 Meter 959000.2	Yes No Yes No
1038	TW4-24	69.88	Flow 15.0 Meter 2167250.44	Yes No Yes No
1018	TW4-25	70.61	Flow 10.8 Meter 1489533.57	Yes No Yes No
1335	TW4-1	103.80	Flow 12.8 Meter 357234244403	Yes No Yes No
1324	TW4-2	99.15	Flow 16.0 Meter 525409.7	Yes No Yes No
1318	TW4-11	89.33	Flow 16.0 Meter 13672.03	Yes No Yes No
0954	TW4-21	75.23	Flow 16.2 Meter 3315355.99	Yes No Yes No
1049	TW4-37	66.27	Flow 18.0 Meter 2314899.9	Yes No Yes No
1238	TW4-39	74.38	Flow 18.0 Meter 1061377.1	Yes No Yes No
1350	TW4-40	72.32	Flow 18.0 18.0 Meter 1162296.91	Yes No Yes No
1340	TW4-41	88.49	Flow 6.0 Meter 430070.61	Yes No Yes No

Operational Problems (Please list well number): _____

Corrective Action(s) Taken (Please list well number): _____

* Depth is measured to the nearest 0.01 feet.

Weekly Inspection Form

Date 3-20-23

Name Deen & Lyman, Tanner Holliday

Time	Well	Depth*	Comments	System Operational (If no note any problems/corrective actions)
0847	MW-4	84.76	Flow 4.0 Meter 3580309.68	Yes No Yes No
0830	MW-26	83.40	Flow 16.0 Meter 795313.1	Yes No Yes No
1005	TW4-19	76.67	Flow 16.2 Meter 585802.80	Yes No Yes No
0912	TW4-4	87.78	Flow 16.0 Meter 834546.1	Yes No Yes No
0655	TWN-2	60.72	Flow 16.0 Meter 190929.16	Yes No Yes No
0810	TW4-22	73.66	Flow 16.0 Meter 960799.2	Yes No Yes No
0805 0805	TW4-24	73.18	Flow 15.6 Meter 2170918.85	Yes No Yes No
0650	TW4-25	69.54	Flow 10.8 Meter 1496099.54	Yes No Yes No
0902	TW4-1	98.85	Flow 12.8 Meter 424628.1	Yes No Yes No
0841	TW4-2	97.44	Flow 16.2 Meter 526435.7	Yes No Yes No
0836	TW4-11	88.90	Flow 15.2 Meter 13770.22	Yes No Yes No
0645	TW4-21	75.25	Flow 16.2 Meter 3321620.74	Yes No Yes No
0816	TW4-37	74.80	Flow 18.0 Meter 2318105.7	Yes No Yes No
0822	TW4-39	74.31	Flow 18.0 Meter 1063875.3	Yes No Yes No
0922	TW4-40	72.39	Flow 18.0 Meter 1165609.93	Yes No Yes No
0907	TW4-41	90.67	Flow 6.0 Meter 430836.92	Yes No Yes No

Operational Problems (Please list well number): _____

Corrective Action(s) Taken (Please list well number): _____

* Depth is measured to the nearest 0.01 feet.

Weekly Inspection Form

Date 3-27-23

Name _____

Time	Well	Depth*	Comments	System Operational (If no note any problems/corrective actions)
0950	MW-4	82.78	Flow 4.0 Meter 3587626.65	Yes No Yes No
0932	MW-26	83.35	Flow 15.8 Meter 797456.3	Yes No Yes No
1207	TW4-19	74.17	Flow 16.0 Meter 596128.48	Yes No Yes No
1008	TW4-4	81.11	Flow 16.0 Meter 835183.8	Yes No Yes No
0845	TWN-2	65.20	Flow 16.0 Meter 192567.50	Yes No Yes No
0915	TW4-22	69.71	Flow 16.0 Meter 962486.3	Yes No Yes No
0854	TW4-24	67.85	Flow 15.8 Meter 2174780.66	Yes No Yes No
0837	TW4-25	70.14	Flow 11.0 Meter 1502687.62	Yes No Yes No
0956	TW4-1	102.55	Flow 12.8 Meter 425435.6	Yes No Yes No
0941	TW4-2	101.16	Flow 16.0 Meter 527122.7	Yes No Yes No
0936	TW4-11	98.80	Flow 15.6 Meter 13883.92	Yes No Yes No
0821	TW4-21	77.03	Flow 16.4 Meter 3328229.05	Yes No Yes No
0921	TW4-37	72.48	Flow 18.0 Meter 2321587.7	Yes No Yes No
0929	TW4-39	74.66	Flow 18.0 Meter 1065364.0	Yes No Yes No
1015	TW4-40	72.34	Flow 18.0 Meter 1169125.65	Yes No Yes No
1003	TW4-41	90.15	Flow 6.0 Meter 431727.92	Yes No Yes No


Operational Problems (Please list well number): _____

Corrective Action(s) Taken (Please list well number): _____






* Depth is measured to the nearest 0.01 feet.

Tab D

Kriged Current Quarter Groundwater Contour Map, Details Map, and Depth to Water Summary



EXPLANATION

-  estimated dry area
-  TW4-43 temporary perched monitoring well installed September, 2021 showing elevation in feet amsl
-  TWN-20 temporary perched nitrate monitoring well installed April, 2021 showing elevation in feet amsl
-  TW4-42 temporary perched monitoring well installed April, 2019 showing elevation in feet amsl
-  MW-38 perched monitoring well installed February, 2018 showing elevation in feet amsl
-  MW-5 perched monitoring well showing elevation in feet amsl
-  TW4-12 temporary perched monitoring well showing elevation in feet amsl
-  TWN-7 temporary perched nitrate monitoring well showing elevation in feet amsl
-  PIEZ-1 perched piezometer showing elevation in feet amsl
-  RUIN SPRING seep or spring showing elevation in feet amsl

NOTES: MW-4, MW-26, TW4-1, TW4-2, TW4-4, TW4-11, TW4-19, TW4-21, TW4-22, TW4-24, TW4-25 and TWN-2 are nitrate pumping wells; TW4-11 water level is below the base of the Burro Canyon Formation



HYDRO
GED
CHEM, INC.


**KRIGED 1st QUARTER, 2023 WATER LEVELS
WHITE MESA SITE**

APPROVED













DATE

REFERENCE
H:\718000\may23\WLUW0323.srf


FIGURE
D-1



EXPLANATION


-  estimated chloroform capture zone boundary stream tubes resulting from pumping. (note: combined capture shown for MW-4, TW4-1, TW4-2, TW4-4, TW4-11, TW4-19, TW4-21, TW4-25 and TW4-39; and for MW-26, TW4-19, TW4-21, TW4-25, TW4-37 and TW4-39)
-  estimated nitrate capture zone boundary stream tubes resulting from pumping. (note: combined capture shown for TW4-22 and TW4-24)
-  estimated dry area
-  TW4-43 temporary perched monitoring well installed September, 2021 showing elevation in feet amsl
-  TWN-20 temporary perched nitrate monitoring well installed April, 2021 showing elevation in feet amsl
-  TW4-42 temporary perched monitoring well installed April, 2019 showing elevation in feet amsl
-  MW-38 perched monitoring well installed February, 2018 showing elevation in feet amsl
-  MW-5 perched monitoring well showing elevation in feet amsl
-  TW4-12 temporary perched monitoring well showing elevation in feet amsl
-  TWN-7 temporary perched nitrate monitoring well showing elevation in feet amsl
-  PIEZ-1 perched piezometer showing elevation in feet amsl
-  RUIN SPRING seep or spring showing elevation in feet amsl

NOTES: MW-4, MW-26, TW4-1, TW4-2, TW4-4, TW4-11, TW4-19, TW4-21, TW4-25 and TW4-39 are chloroform pumping wells; TW4-22, TW4-24, TW4-25 and TWN-2 are nitrate pumping wells; TW4-11 water level is below the base of the Burro Canyon Formation










KRIGED 1st QUARTER, 2023 WATER LEVELS AND ESTIMATED CAPTURE ZONES WHITE MESA SITE


APPROVED	DATE	REFERENCE	FIGURE
		H:\7180000\may23\WU\Uw0323cz2.srf	D-2



EXPLANATION

-  estimated chloroform capture zone boundary stream tubes resulting from pumping. (note: combined capture shown for MW-4, TW4-1, TW4-2, TW4-4, TW4-11, TW4-40 and TW4-41; and for MW-26, TW4-19, TW4-21, TW4-25, TW4-37 and TW4-39)
-  estimated nitrate capture zone boundary stream tube resulting from pumping. (note: combined capture shown for TW4-22 and TW4-24)
-  temporary perched monitoring well installed September, 2021 showing elevation in feet amsl
-  temporary perched monitoring well installed April, 2019 showing elevation in feet amsl
-  perched monitoring well showing elevation in feet amsl
-  temporary perched monitoring well showing elevation in feet amsl
-  perched piezometer showing elevation in feet amsl

NOTES: MW-4, MW-26, TW4-1, TW4-2, TW4-4, TW4-11, TW4-19, TW4-21, TW4-37, TW4-39, TW4-40 and TW4-41 are chloroform pumping wells; TW4-22, TW4-24, TW4-25 and TWN-2 are nitrate pumping wells; TW4-11 water level is below the base of the Burro Canyon Formation



KRIGED 1st QUARTER, 2023 WATER LEVELS AND ESTIMATED CAPTURE ZONES WHITE MESA SITE (detail map)

APPROVED	DATE	REFERENCE	FIGURE
		H:\718000\may23\WV\Uw0323cz.srf	D-3

Date	Time	Well	Depth to Water (ft.)	Date	Time	Well	Depth to Water (ft.)	Date	Time	Well	Depth to Water (ft.)
3/24/2023	900	MW-01	65.07	3/24/2023	955	MW-04	82.68	3/24/2023	750	PIEZ-01	67.66
3/24/2023	920	MW-02	109.66	3/24/2023	950	TW4-01	102.50	3/24/2023	756	PIEZ-02	46.91
3/24/2023	1301	MW-03A	84.07	3/24/2023	936	TW4-02	101.11	3/24/2023	1345	PIEZ-03A	54.54
3/24/2023	957	MW-05	108.30	3/24/2023	715	TW4-03	65.34	3/24/2023	715	PIEZ-04	67.29
3/24/2023	952	MW-11	85.29	3/24/2023	1140	TW4-04	81.06	3/24/2023	719	PIEZ-05	65.96
3/24/2023	1001	MW-12	109.66	3/24/2023	844	TW4-05	73.30	3/24/2023	1450	TWN-01	70.17
3/24/2023	1037	MW-14	102.01	3/24/2023	811	TW4-06	80.50	3/24/2023	840	TWN-02	65.15
3/24/2023	1033	MW-15	105.45	3/24/2023	839	TW4-07	82.89	3/24/2023	1354	TWN-03	44.21
3/24/2023	1145	MW-17	72.10	3/24/2023	840	TW4-08	85.36	3/24/2023	1349	TWN-04	63.19
3/24/2023	1330	MW-18	74.26	3/24/2023	842	TW4-09	71.39	3/24/2023	1409	TWN-06	81.06
3/24/2023	1335	MW-19	66.69	3/24/2023	843	TW4-10	70.72	3/24/2023	1405	TWN-07	80.40
3/24/2023	1223	MW-20	88.03	3/24/2023	931	TW4-11	98.75	3/24/2023	1420	TWN-14	59.36
3/24/2023	1217	MW-22	66.40	3/24/2023	720	TW4-12	56.31	3/24/2023	1425	TWN-16	48.01
3/24/2023	1006	MW-23	113.98	3/24/2023	724	TW4-13	57.32	3/24/2023	1358	TWN-18	63.13
3/24/2023	916	MW-24A	110.67	3/24/2023	734	TW4-14	77.15	3/24/2023	1430	TWN-19	54.51
3/24/2023	913	MW-24	109.73	3/24/2023	759	TW4-16	74.86	3/24/2023	1249	TWN-20	78.16
3/24/2023	948	MW-25	82.02	3/24/2023	1200	TW4-18	74.47	3/24/2023	1245	TWN-21	79.27
3/24/2023	830	MW-26	84.33	3/24/2023	1202	TW4-19	74.07	3/24/2023	802	DR-05	82.03
3/24/2023	908	MW-27	58.75	3/24/2023	815	TW4-21	76.97	3/24/2023	806	DR-06	93.91
3/24/2023	925	MW-28	74.74	3/24/2023	910	TW4-22	69.70	3/24/2023	935	DR-07	91.70
3/24/2023	929	MW-29	107.26	3/24/2023	711	TW4-23	77.03	3/24/2023	818	DR-08	51.33
3/24/2023	934	MW-30	75.50	3/24/2023	849	TW4-24	67.80	3/24/2023	815	DR-09	85.39
3/24/2023	939	MW-31	69.74	3/24/2023	832	TW4-25	70.09	3/24/2023	810	DR-10	78.26
3/24/2023	944	MW-32	82.86	3/24/2023	1003	TW4-26	75.23	3/24/2023	1315	DR-11	97.91
3/24/2023	1018	MW-33	DRY	3/24/2023	836	TW4-27	79.45	3/24/2023	1310	DR-12	DRY
3/24/2023	1028	MW-34	107.37	3/24/2023	739	TW4-28	49.84	3/24/2023	1306	DR-13	69.79
3/24/2023	1010	MW-35	112.52	3/24/2023	750	TW4-29	79.47	3/24/2023	825	DR-14	76.30
3/24/2023	1014	MW-36	110.57	3/24/2023	751	TW4-30	75.46	3/24/2023	1317	DR-15	92.52
3/24/2023	1022	MW-37	106.80	3/24/2023	752	TW4-31	75.94	3/24/2023	830	DR-17	64.26
3/24/2023	1210	MW-38	70.22	3/24/2023	744	TW4-32	56.71	3/24/2023	834	DR-19	63.15
3/24/2023	1203	MW-39	64.66	3/24/2023	800	TW4-33	79.39	3/24/2023	848	DR-20	55.30
3/24/2023	1152	MW-40	79.99	3/24/2023	802	TW4-34	77.97	3/24/2023	854	DR-21	103.50
				3/24/2023	1001	TW4-35	76.07	3/24/2023	839	DR-22	DRY
				3/24/2023	729	TW4-36	58.56	3/24/2023	851	DR-23	73.00
				3/24/2023	915	TW4-37	72.43	3/24/2023	842	DR-24	44.58
				3/24/2023	806	TW4-38	61.02				
				3/24/2023	924	TW4-39	74.60				
				3/24/2023	1010	TW4-40	72.28				
				3/24/2023	1003	TW4-41	90.10				
				3/24/2023	748	TW4-42	70.99				
				3/24/2023	748	TW4-43	73.22				


MW-26 = TW4-15

MW-32 = TW4-17

Comments:




Tab E

Kriged Previous Quarter Groundwater Contour Map




EXPLANATION

-  estimated dry area
-  TW4-43 5523 temporary perched monitoring well installed September, 2021 showing elevation in feet amsl
-  TW4-20 5564 temporary perched nitrate monitoring well installed April, 2021 showing elevation in feet amsl
-  TW4-42 5524 temporary perched monitoring well installed April, 2019 showing elevation in feet amsl
-  MW-38 5463 perched monitoring well installed February, 2018 showing elevation in feet amsl
-  MW-5 5604 perched monitoring well showing elevation in feet amsl
-  TW4-12 5568 temporary perched monitoring well showing elevation in feet amsl

-  TW4-7 5569 temporary perched nitrate monitoring well showing elevation in feet amsl
-  PIEZ-1 5588 perched piezometer showing elevation in feet amsl
-  RUIN SPRING 5380 seep or spring showing elevation in feet amsl

1 mile

NOTES: MW-4, MW-26, TW4-1, TW4-2, TW4-4, TW4-11, TW4-19, TW4-21, TW4-37, TW4-39, TW4-40 and TW4-41 are chloroform pumping wells; TW4-22, TW4-24, TW4-25 and TW4-25 are nitrate pumping wells; TW4-11 water level is below the base of the Burro Canyon Formation



**HYDRO
GEO
CHEM, INC.**

**KRIGED 4th QUARTER, 2022 WATER LEVELS
WHITE MESA SITE**

APPROVED	DATE	REFERENCE	FIGURE
		H:\718000\feb23\WL\Uw1222.srf	E-1

Tab F

Depths to Groundwater and Elevations and Hydrographs of Groundwater Elevations over Time for
Chloroform Monitoring Wells

**Water Levels and Data over Time
White Mesa Mill - Well MW4**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,620.77	5,622.33	1.56				123.6
5,527.63				09/25/79	94.70	93.14	
5,527.63				10/10/79	94.70	93.14	
5,528.43				01/10/80	93.90	92.34	
5,529.93				03/20/80	92.40	90.84	
5,528.03				06/17/80	94.30	92.74	
5,528.03				09/15/80	94.30	92.74	
5,527.93				10/08/80	94.40	92.84	
5,527.93				02/12/81	94.40	92.84	
5,525.93				09/01/84	96.40	94.84	
5,528.33				12/01/84	94.00	92.44	
5,528.13				02/01/85	94.20	92.64	
5,528.33				06/01/85	94.00	92.44	
5,528.93				09/01/85	93.40	91.84	
5,528.93				10/01/85	93.40	91.84	
5,528.93				11/01/85	93.40	91.84	
5,528.83				12/01/85	93.50	91.94	
5,512.33				03/01/86	110.00	108.44	
5,528.91				06/19/86	93.42	91.86	
5,528.83				09/01/86	93.50	91.94	
5,529.16				12/01/86	93.17	91.61	
5,526.66				02/20/87	95.67	94.11	
5,529.16				04/28/87	93.17	91.61	
5,529.08				08/14/87	93.25	91.69	
5,529.00				11/20/87	93.33	91.77	
5,528.75				01/26/88	93.58	92.02	
5,528.91				06/01/88	93.42	91.86	
5,528.25				08/23/88	94.08	92.52	
5,529.00				11/02/88	93.33	91.77	
5,528.33				03/09/89	94.00	92.44	
5,529.10				06/21/89	93.23	91.67	
5,529.06				09/01/89	93.27	91.71	
5,529.21				11/15/89	93.12	91.56	
5,529.22				02/16/90	93.11	91.55	
5,529.43				05/08/90	92.90	91.34	
5,529.40				08/07/90	92.93	91.37	
5,529.53				11/13/90	92.80	91.24	
5,529.86				02/27/91	92.47	90.91	
5,529.91				05/21/91	92.42	90.86	
5,529.77				08/27/91	92.56	91.00	
5,529.79				12/03/91	92.54	90.98	
5,530.13				03/17/92	92.20	90.64	
5,529.85				06/11/92	92.48	90.92	
5,529.90				09/13/92	92.43	90.87	

**Water Levels and Data over Time
White Mesa Mill - Well MW4**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,620.77	5,622.33	1.56				123.6
5,529.92				12/09/92	92.41	90.85	
5,530.25				03/24/93	92.08	90.52	
5,530.20				06/08/93	92.13	90.57	
5,530.19				09/22/93	92.14	90.58	
5,529.75				12/14/93	92.58	91.02	
5,530.98				03/24/94	91.35	89.79	
5,531.35				06/15/94	90.98	89.42	
5,531.62				08/18/94	90.71	89.15	
5,532.58				12/13/94	89.75	88.19	
5,533.42				03/16/95	88.91	87.35	
5,534.70				06/27/95	87.63	86.07	
5,535.44				09/20/95	86.89	85.33	
5,537.16				12/11/95	85.17	83.61	
5,538.37				03/28/96	83.96	82.40	
5,539.10				06/07/96	83.23	81.67	
5,539.13				09/16/96	83.20	81.64	
5,542.29				03/20/97	80.04	78.48	
5,551.58				04/07/99	70.75	69.19	
5,552.08				05/11/99	70.25	68.69	
5,552.83				07/06/99	69.50	67.94	
5,553.47				09/28/99	68.86	67.30	
5,554.63				01/03/00	67.70	66.14	
5,555.13				04/04/00	67.20	65.64	
5,555.73				05/02/00	66.60	65.04	
5,556.03				05/11/00	66.30	64.74	
5,555.73				05/15/00	66.60	65.04	
5,555.98				05/25/00	66.35	64.79	
5,556.05				06/09/00	66.28	64.72	
5,556.18				06/16/00	66.15	64.59	
5,556.05				06/26/00	66.28	64.72	
5,556.15				07/06/00	66.18	64.62	
5,556.18				07/13/00	66.15	64.59	
5,556.17				07/18/00	66.16	64.60	
5,556.26				07/25/00	66.07	64.51	
5,556.35				08/02/00	65.98	64.42	
5,556.38				08/09/00	65.95	64.39	
5,556.39				08/15/00	65.94	64.38	
5,556.57				08/31/00	65.76	64.20	
5,556.68				09/08/00	65.65	64.09	
5,556.73				09/13/00	65.60	64.04	
5,556.82				09/20/00	65.51	63.95	
5,556.84				09/29/00	65.49	63.93	
5,556.81				10/05/00	65.52	63.96	

**Water Levels and Data over Time
White Mesa Mill - Well MW4**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,620.77	5,622.33	1.56				123.6
5,556.89				10/12/00	65.44	63.88	
5,556.98				10/19/00	65.35	63.79	
5,557.01				10/23/00	65.32	63.76	
5,557.14				11/09/00	65.19	63.63	
5,557.17				11/14/00	65.16	63.60	
5,556.95				11/21/00	65.38	63.82	
5,557.08				11/30/00	65.25	63.69	
5,557.55				12/07/00	64.78	63.22	
5,557.66				01/14/01	64.67	63.11	
5,557.78				02/09/01	64.55	62.99	
5,558.28				03/29/01	64.05	62.49	
5,558.23				04/30/01	64.10	62.54	
5,558.31				05/31/01	64.02	62.46	
5,558.49				06/22/01	63.84	62.28	
5,558.66				07/10/01	63.67	62.11	
5,559.01				08/20/01	63.32	61.76	
5,559.24				09/19/01	63.09	61.53	
5,559.26				10/02/01	63.07	61.51	
5,559.27				11/08/01	63.06	61.50	
5,559.77				12/03/01	62.56	61.00	
5,559.78				01/03/02	62.55	60.99	
5,559.96				02/06/02	62.37	60.81	
5,560.16				03/26/02	62.17	60.61	
5,560.28				04/09/02	62.05	60.49	
5,560.76				05/23/02	61.57	60.01	
5,560.58				06/05/02	61.75	60.19	
5,560.43				07/08/02	61.90	60.34	
5,560.44				08/23/02	61.89	60.33	
5,560.71				09/11/02	61.62	60.06	
5,560.89				10/23/02	61.44	59.88	
5,557.86				11/22/02	64.47	62.91	
5,561.10				12/03/02	61.23	59.67	
5,561.39				01/09/03	60.94	59.38	
5,561.41				02/12/03	60.92	59.36	
5,561.93				03/26/03	60.40	58.84	
5,561.85				04/02/03	60.48	58.92	
5,536.62				05/01/03	85.71	84.15	
5,528.56				06/09/03	93.77	92.21	
5,535.28				07/07/03	87.05	85.49	
5,534.44				08/04/03	87.89	86.33	
5,537.10				09/11/03	85.23	83.67	
5,539.96				10/02/03	82.37	80.81	
5,535.91				11/07/03	86.42	84.86	

**Water Levels and Data over Time
White Mesa Mill - Well MW4**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,620.77	5,622.33	1.56				123.6
5,550.70				12/03/03	71.63	70.07	
5,557.58				01/15/04	64.75	63.19	
5,558.80				02/10/04	63.53	61.97	
5,560.08				03/28/04	62.25	60.69	
5,560.55				04/12/04	61.78	60.22	
5,561.06				05/13/04	61.27	59.71	
5,561.48				06/18/04	60.85	59.29	
5,561.86				07/28/04	60.47	58.91	
5,529.17				08/30/04	93.16	91.60	
5,536.55				09/16/04	85.78	84.22	
5,529.00				10/11/04	93.33	91.77	
5,541.55				11/16/04	80.78	79.22	
5,541.12				12/22/04	81.21	79.65	
5,540.59				01/18/05	81.74	80.18	
5,542.85				02/28/05	79.48	77.92	
5,537.91				03/15/05	84.42	82.86	
5,548.67				04/26/05	73.66	72.10	
5,549.53				05/24/05	72.80	71.24	
5,544.36				06/30/05	77.97	76.41	
5,545.16				07/29/05	77.17	75.61	
5,544.67				09/12/05	77.66	76.10	
5,541.28				09/27/05	81.05	79.49	
5,536.96				12/07/05	85.37	83.81	
5,546.49				03/08/06	75.84	74.28	
5,546.15				06/13/06	76.18	74.62	
5,545.15				07/18/06	77.18	75.62	
5,545.91				11/17/06	76.42	74.86	
5,545.90				02/27/07	76.43	74.87	
5,548.16				05/02/07	74.17	72.61	
5,547.20				08/13/07	75.13	73.57	
5,547.20				10/10/07	75.13	73.57	
5,547.79				03/26/08	74.54	72.98	
5,545.09				06/25/08	77.24	75.68	
5,550.36				08/26/08	71.97	70.41	
5,550.39				10/14/08	71.94	70.38	
5,542.25				03/03/09	80.08	78.52	
5,542.25				06/24/09	80.08	78.52	
5,550.19				09/10/09	72.14	70.58	
5,550.94				12/11/09	71.39	69.83	
5,546.08				03/11/10	76.25	74.69	
5,550.98				05/11/10	71.35	69.79	
5,548.33				09/29/10	74.00	72.44	
5,551.01				12/21/10	71.32	69.76	


**Water Levels and Data over Time
White Mesa Mill - Well MW4**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,620.77	5,622.33	1.56				123.6
5,547.00				02/28/11	75.33	73.77	
5,557.54				06/21/11	64.79	63.23	
5,551.14				09/20/11	71.19	69.63	
5,550.32				12/21/11	72.01	70.45	
5,551.22				03/27/12	71.11	69.55	
5,551.29				06/28/12	71.04	69.48	
5,550.29				09/27/12	72.04	70.48	
5,549.31				12/28/12	73.02	71.46	
5,552.30				03/28/13	70.03	68.47	
5,550.18				06/27/13	72.15	70.59	
5,552.55				09/27/13	69.78	68.22	
5,553.23				12/20/13	69.10	67.54	
5,551.91				03/27/14	70.42	68.86	
5,552.93				06/25/14	69.40	67.84	
5,552.23				09/25/14	70.10	68.54	
5,552.08				12/17/14	70.25	68.69	
5,551.13				03/26/15	71.20	69.64	
5,556.02				06/22/15	66.31	64.75	
5,543.38				09/30/15	78.95	77.39	
5,551.13				12/02/15	71.20	69.64	
5,542.10				03/30/16	80.23	78.67	
5,542.31				06/30/16	80.02	78.46	
5,540.96				09/29/16	81.37	79.81	
5,540.65				12/21/16	81.68	80.12	
5,542.05				03/30/17	80.28	78.72	
5,550.28				06/27/17	72.05	70.49	
5,534.84				09/28/17	87.49	85.93	
5,532.41				11/30/17	89.92	88.36	
5,534.64				03/28/18	87.69	86.13	
5,539.53				06/22/18	82.80	81.24	
5,537.04				09/24/18	85.29	83.73	
5,537.82				12/17/18	84.51	82.95	
5,536.10				03/25/19	86.23	84.67	
5,536.20				06/24/19	86.13	84.57	
5,538.67				08/12/19	83.66	82.10	
5,533.67				11/18/19	88.66	87.10	
5,525.79				02/10/20	96.54	94.98	
5,533.63				05/04/20	88.70	87.14	
5,536.94				09/21/20	85.39	83.83	
5,535.31				12/28/20	87.02	85.46	
5,539.70				03/11/21	82.63	81.07	
5,540.44				06/24/21	81.89	80.33	
5,540.65				08/13/21	81.68	80.12	

**Water Levels and Data over Time
White Mesa Mill - Well MW4**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,620.77	5,622.33	1.56				123.6
5,539.10				12/30/21	83.23	81.67	
5,539.70				02/10/22	82.63	81.07	
5,540.38				06/28/22	81.95	80.39	
5,540.67				08/15/22	81.66	80.10	
5,539.98				11/17/22	82.35	80.79	
5,539.65				03/24/23	82.68	81.12	


MW 4 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well MW-4A**

Water Elevation (WL)	Land Surface (LSD)	Measuring		Date Of Monitoring	Total or	Total	Total Depth Of Well
		Point Elevation (MP)	Length Of Riser (L)		Measured Depth to Water (blw.MP)	Depth to Water (blw.LSD)	
	5,620.51	5,622.31	1.80				121.33
5,560.53				08/23/02	61.78	59.98	
5,560.76				09/11/02	61.55	59.75	
5,560.96				10/23/02	61.35	59.55	
5,561.00				11/22/02	61.31	59.51	
5,561.19				12/03/02	61.12	59.32	
5,561.46				01/09/03	60.85	59.05	
5,561.48				02/12/03	60.83	59.03	
5,561.96				03/26/03	60.35	58.55	
5,561.94				04/02/03	60.37	58.57	
5,536.88				05/01/03	85.43	83.63	
5,529.35				06/09/03	92.96	91.16	
5,535.54				07/07/03	86.77	84.97	
5,534.74				08/04/03	87.57	85.77	
5,536.74				09/11/03	85.57	83.77	
5,540.24				10/02/03	82.07	80.27	
5,536.13				11/07/03	86.18	84.38	
5,550.77				12/03/03	71.54	69.74	
5,557.67				01/15/04	64.64	62.84	
5,558.87				02/10/04	63.44	61.64	
5,560.16				03/28/04	62.15	60.35	
5,560.63				04/12/04	61.68	59.88	
5,561.14				05/13/04	61.17	59.37	
5,561.56				06/18/04	60.75	58.95	
5,561.95				07/28/04	60.36	58.56	
5,529.25				08/30/04	93.06	91.26	
5,536.63				09/16/04	85.68	83.88	
5,529.08				10/11/04	93.23	91.43	
5,541.63				11/16/04	80.68	78.88	
5,541.20				12/22/04	81.11	79.31	
5,540.67				01/18/05	81.64	79.84	
5,543.45				02/28/05	78.86	77.06	
5,537.99				03/15/05	84.32	82.52	
5,549.27				04/26/05	73.04	71.24	
5,545.08				05/24/05	77.23	75.43	
5,544.94				06/30/05	77.37	75.57	
5,544.71				07/29/05	77.60	75.80	
5,545.23				09/12/05	77.08	75.28	
5,545.00				09/27/05	77.31	75.51	
5,537.45				12/07/05	84.86	83.06	
5,546.86				03/08/06	75.45	73.65	
5,546.66				06/13/06	75.65	73.85	
5,545.63				07/18/06	76.68	74.88	
5,546.18				11/07/06	76.13	74.33	

MW-4A Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-1**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
z	5,620.77	5,618.58	1.02				111.30
5,537.23				11/08/99	81.35	80.33	
5,537.38				11/09/99	81.20	80.18	
5,537.48				01/02/00	81.10	80.08	
5,537.48				01/10/00	81.10	80.08	
5,537.23				01/17/00	81.35	80.33	
5,537.28				01/24/00	81.30	80.28	
5,537.28				02/01/00	81.30	80.28	
5,537.18				02/07/00	81.40	80.38	
5,537.48				02/14/00	81.10	80.08	
5,537.48				02/23/00	81.10	80.08	
5,537.58				03/01/00	81.00	79.98	
5,537.68				03/08/00	80.90	79.88	
5,537.98				03/15/00	80.60	79.58	
5,537.68				03/20/00	80.90	79.88	
5,537.68				03/29/00	80.90	79.88	
5,537.43				04/04/00	81.15	80.13	
5,537.18				04/13/00	81.40	80.38	
5,537.48				04/21/00	81.10	80.08	
5,537.68				04/28/00	80.90	79.88	
5,537.58				05/01/00	81.00	79.98	
5,537.88				05/11/00	80.70	79.68	
5,537.58				05/15/00	81.00	79.98	
5,537.88				05/25/00	80.70	79.68	
5,537.88				06/09/00	80.70	79.68	
5,537.90				06/16/00	80.68	79.66	
5,537.88				06/26/00	80.70	79.68	
5,538.10				07/06/00	80.48	79.46	
5,538.04				07/13/00	80.54	79.52	
5,538.16				07/18/00	80.42	79.40	
5,538.42				07/27/00	80.16	79.14	
5,538.56				08/02/00	80.02	79.00	
5,538.68				08/09/00	79.90	78.88	
5,538.66				08/15/00	79.92	78.90	
5,538.33				08/31/00	80.25	79.23	
5,539.18				09/01/00	79.40	78.38	
5,539.12				09/08/00	79.46	78.44	
5,539.34				09/13/00	79.24	78.22	
5,539.50				09/20/00	79.08	78.06	
5,539.69				10/05/00	78.89	77.87	
5,540.33				11/09/00	78.25	77.23	
5,540.74				12/06/00	77.84	76.82	
5,542.39				01/14/01	76.19	75.17	
5,543.69				02/02/01	74.89	73.87	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-1**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
z	5,620.77	5,618.58	1.02				111.30
5,544.96				03/29/01	73.62	72.60	
5,545.45				04/30/01	73.13	72.11	
5,545.89				05/31/01	72.69	71.67	
5,546.19				06/21/01	72.39	71.37	
5,546.50				07/10/01	72.08	71.06	
5,547.18				08/20/01	71.40	70.38	
5,547.59				09/19/01	70.99	69.97	
5,547.84				10/02/01	70.74	69.72	
5,548.12				11/08/01	70.46	69.44	
5,548.65				12/03/01	69.93	68.91	
5,548.87				01/03/02	69.71	68.69	
5,549.37				02/06/02	69.21	68.19	
5,550.00				03/26/02	68.58	67.56	
5,550.22				04/09/02	68.36	67.34	
5,550.81				05/23/02	67.77	66.75	
5,550.79				06/05/02	67.79	66.77	
5,551.08				07/08/02	67.50	66.48	
5,551.54				08/23/02	67.04	66.02	
5,551.79				09/11/02	66.79	65.77	
5,552.19				10/23/02	66.39	65.37	
5,552.27				11/22/02	66.31	65.29	
5,552.48				12/03/02	66.10	65.08	
5,552.74				01/09/03	65.84	64.82	
5,552.92				02/12/03	65.66	64.64	
5,553.40				03/26/03	65.18	64.16	
5,553.48				04/02/03	65.10	64.08	
5,552.32				05/01/03	66.26	65.24	
5,550.53				06/09/03	68.05	67.03	
5,550.09				07/07/03	68.49	67.47	
5,549.64				08/04/03	68.94	67.92	
5,549.31				09/11/03	69.27	68.25	
5,549.58				10/02/03	69.00	67.98	
5,549.50				11/07/03	69.08	68.06	
5,550.07				12/03/03	68.51	67.49	
5,551.86				01/15/04	66.72	65.70	
5,552.57				02/10/04	66.01	64.99	
5,553.63				03/28/04	64.95	63.93	
5,554.04				04/12/04	64.54	63.52	
5,554.60				05/13/04	63.98	62.96	
5,556.28				06/18/04	62.30	61.28	
5,556.61				07/28/04	61.97	60.95	
5,554.21				08/30/04	64.37	63.35	
5,553.49				09/16/04	65.09	64.07	


**Water Levels and Data over Time
White Mesa Mill - Well TW4-1**

Water Elevation (WL) z	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,620.77	5,618.58	1.02				111.30
5,552.53				10/11/04	66.05	65.03	
5,552.42				11/16/04	66.16	65.14	
5,552.46				12/22/04	66.12	65.10	
5,552.07				01/18/05	66.51	65.49	
5,552.21				02/28/05	66.37	65.35	
5,552.26				03/15/05	66.32	65.30	
5,552.30				04/26/05	66.28	65.26	
5,552.25				05/24/05	66.33	65.31	
5,552.22				06/30/05	66.36	65.34	
5,552.15				07/29/05	66.43	65.41	
5,552.47				09/12/05	66.11	65.09	
5,552.50				12/07/05	66.08	65.06	
5,552.96				03/08/06	65.62	64.60	
5,553.23				06/14/06	65.35	64.33	
5,557.20				07/18/06	61.38	60.36	
5,553.32				11/07/06	65.26	64.24	
5,554.35				02/27/07	64.23	63.21	
5,554.07				05/02/07	64.51	63.49	
5,554.07				08/14/07	64.51	63.49	
5,553.88				10/10/07	64.70	63.68	
5,555.73				03/26/08	62.85	61.83	
5,556.60				06/24/08	61.98	60.96	
5,556.83				08/26/08	61.75	60.73	
5,556.87				10/14/08	61.71	60.69	
5,556.90				03/10/09	61.68	60.66	
5,556.91				06/24/09	61.67	60.65	
5,556.61				09/10/09	61.97	60.95	
5,556.78				12/11/09	61.8	60.78	
5,556.75				03/11/10	61.83	60.81	
5,556.19				05/11/10	62.39	61.37	
5,555.26				09/29/10	63.32	62.30	
5,554.66				12/21/10	63.92	62.90	
5,554.74				02/28/11	63.84	62.82	
5,554.57				06/21/11	64.01	62.99	
5,554.13				09/20/11	64.45	63.43	
5,554.54				12/21/11	64.04	63.02	
5,553.64				03/27/12	64.94	63.92	
5,553.66				06/28/12	64.92	63.90	
5,553.73				09/27/12	64.85	63.83	
5,553.59				12/28/12	64.99	63.97	
5,554.73				03/28/13	63.85	62.83	
5,554.44				06/27/13	64.14	63.12	
5,554.37				09/27/13	64.21	63.19	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-1**

Water Elevation (WL) z	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,620.77	5,618.58	1.02				111.30
5,553.92				12/20/13	64.66	63.64	
5,553.20				03/27/14	65.38	64.36	
5,552.20				06/25/14	66.38	65.36	
5,551.13				09/25/14	67.45	66.43	
5,550.72				12/17/14	67.86	66.84	
5,546.50				03/26/15	72.08	71.06	
5,544.18				06/22/15	74.40	73.38	
5,535.85				09/30/15	82.73	81.71	
5,529.54				12/02/15	89.04	88.02	
5,527.55				03/30/16	91.03	90.01	
5,525.92				06/30/16	92.66	91.64	
5,524.48				09/29/16	94.10	93.08	
5,533.15				12/21/16	85.43	84.41	
5,527.92				03/30/17	90.66	89.64	
5,534.48				06/27/17	84.10	83.08	
5,524.98				09/28/17	93.60	92.58	
5,525.88				11/30/17	92.70	91.68	
5,526.18				03/28/18	92.40	91.38	
5,515.78				06/22/18	102.80	101.78	
5,510.83				09/24/18	107.75	106.73	
5,542.47				12/17/18	76.11	75.09	
5,531.82				03/25/19	86.76	85.74	
5,539.90				06/24/19	78.68	77.66	
5,538.56				08/12/19	80.02	79.00	
5,510.85				11/18/19	107.73	106.71	
5,513.12				02/10/20	105.46	104.44	
5,512.44				05/04/20	106.14	105.12	
5,517.82				09/21/20	100.76	99.74	
5,520.38				12/28/20	98.20	97.18	
5,513.47				03/11/21	105.11	104.09	
5,513.44				06/24/21	105.14	104.12	
5,515.25				08/13/21	103.33	102.31	
5,513.03				12/30/21	105.55	104.53	
5,513.17				02/10/22	105.41	104.39	
5,513.35				06/28/22	105.23	104.21	
5,518.60				08/15/22	99.98	98.96	
5,517.52				11/17/22	101.06	100.04	
5,516.08				03/24/23	102.50	101.48	

TW4-1 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-2**

Water Elevation (z)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or	Total	Total Depth Of Well
					Measured Depth to Water (blw.MP)	Depth to Water (blw.LSD)	
	5,623.10	5,624.72	1.62				120.900
5,548.57				11/08/99	76.15	74.53	
5,548.57				11/09/99	76.15	74.53	
5,548.32				01/02/00	76.40	74.78	
5,548.52				01/10/00	76.20	74.58	
5,548.32				01/17/00	76.40	74.78	
5,548.72				01/24/00	76.00	74.38	
5,548.62				02/01/00	76.10	74.48	
5,548.62				02/07/00	76.10	74.48	
5,549.02				02/14/00	75.70	74.08	
5,549.12				02/23/00	75.60	73.98	
5,549.22				03/01/00	75.50	73.88	
5,549.32				03/08/00	75.40	73.78	
5,549.22				03/15/00	75.50	73.88	
5,549.92				03/20/00	74.80	73.18	
5,549.72				03/29/00	75.00	73.38	
5,549.42				04/04/00	75.30	73.68	
5,549.52				04/13/00	75.20	73.58	
5,549.72				04/21/00	75.00	73.38	
5,549.82				04/28/00	74.90	73.28	
5,549.82				05/01/00	74.90	73.28	
5,550.12				05/11/00	74.60	72.98	
5,549.82				05/15/00	74.90	73.28	
5,550.12				05/25/00	74.60	72.98	
5,550.12				06/09/00	74.60	72.98	
5,550.22				06/16/00	74.50	72.88	
5,550.07				06/26/00	74.65	73.03	
5,550.17				07/06/00	74.55	72.93	
5,550.17				07/13/00	74.55	72.93	
5,550.18				07/18/00	74.54	72.92	
5,550.33				07/27/00	74.39	72.77	
5,550.38				08/02/00	74.34	72.72	
5,550.40				08/09/00	74.32	72.70	
5,550.42				08/15/00	74.30	72.68	
5,550.54				08/31/00	74.18	72.56	
5,550.87				09/08/00	73.85	72.23	
5,550.97				09/13/00	73.75	72.13	
5,551.04				09/20/00	73.68	72.06	
5,545.83				10/05/00	78.89	77.27	
5,546.47				11/09/00	78.25	76.63	
5,546.88				12/06/00	77.84	76.22	
5,552.18				01/26/01	72.54	70.92	
5,552.20				02/02/01	72.52	70.90	
5,551.10				03/29/01	73.62	72.00	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-2**

Water Elevation (z)	Land Surface (LSD)	Measuring Point		Date Of Monitoring	Total or Measured Depth to		Total Depth Of Well
		Elevation (MP)	Length Of Riser (L)		Water (blw.MP)	Water (blw.LSD)	
	5,623.10	5,624.72	1.62				120.900
5,551.59				04/30/01	73.13	71.51	
5,552.03				05/31/01	72.69	71.07	
5,552.33				06/21/01	72.39	70.77	
5,552.64				07/10/01	72.08	70.46	
5,553.32				08/20/01	71.40	69.78	
5,553.73				09/19/01	70.99	69.37	
5,553.98				10/02/01	70.74	69.12	
5,554.14				11/08/01	70.58	68.96	
5,554.79				12/03/01	69.93	68.31	
5,554.74				01/03/02	69.98	68.36	
5,554.91				02/06/02	69.81	68.19	
5,555.15				03/26/02	69.57	67.95	
5,555.39				04/09/02	69.33	67.71	
5,555.73				05/23/02	68.99	67.37	
5,555.79				06/05/02	68.93	67.31	
5,555.91				07/08/02	68.81	67.19	
5,556.04				08/23/02	68.68	67.06	
5,556.25				09/11/02	68.47	66.85	
5,556.72				10/23/02	68.00	66.38	
5,556.42				11/22/02	68.30	66.68	
5,557.01				12/03/02	67.71	66.09	
5,557.20				01/09/03	67.52	65.90	
5,557.35				02/12/03	67.37	65.75	
5,557.83				03/26/03	66.89	65.27	
5,557.87				04/02/03	66.85	65.23	
5,553.71				05/01/03	71.01	69.39	
5,548.98				06/09/03	75.74	74.12	
5,548.14				07/07/03	76.58	74.96	
5,547.75				08/04/03	76.97	75.35	
5,547.22				09/11/03	77.50	75.88	
5,547.68				10/02/03	77.04	75.42	
5,547.52				11/07/03	77.20	75.58	
5,548.29				12/03/03	76.43	74.81	
5,554.00				01/15/04	70.72	69.10	
5,555.46				02/10/04	69.26	67.64	
5,556.90				03/28/04	67.82	66.20	
5,557.49				04/12/04	67.23	65.61	
5,558.07				05/13/04	66.65	65.03	
5,558.19				06/18/04	66.53	64.91	
5,559.00				07/28/04	65.72	64.10	
5,554.26				08/30/04	70.46	68.84	
5,551.97				09/16/04	72.75	71.13	
5,549.65				10/11/04	75.07	73.45	


**Water Levels and Data over Time
White Mesa Mill - Well TW4-2**

Water Elevation (z)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,623.10	5,624.72	1.62				120.900
5,549.89				11/16/04	74.83	73.21	
5,550.37				12/22/04	74.35	72.73	
5,549.95				01/18/05	74.77	73.15	
5,550.09				02/28/05	74.63	73.01	
5,550.13				03/15/05	74.59	72.97	
5,550.18				04/26/05	74.54	72.92	
5,550.32				05/24/05	74.40	72.78	
5,550.21				06/30/05	74.51	72.89	
5,550.11				07/29/05	74.61	72.99	
5,550.33				09/12/05	74.39	72.77	
5,550.29				12/07/05	74.43	72.81	
5,551.30				03/08/06	73.42	71.80	
5,551.42				06/14/06	73.30	71.68	
5,550.52				07/18/06	74.20	72.58	
5,550.52				11/07/06	74.20	72.58	
5,552.89				02/27/07	71.83	70.21	
5,552.06				05/02/07	72.66	71.04	
5,552.02				08/14/07	72.70	71.08	
5,552.20				10/10/07	72.52	70.90	
5,554.58				03/26/08	70.14	68.52	
5,555.23				06/24/08	69.49	67.87	
5,555.29				08/26/08	69.43	67.81	
5,555.43				10/14/08	69.29	67.67	
5,555.73				03/10/09	68.99	67.37	
5,556.25				06/24/09	68.47	66.85	
5,555.94				09/10/09	68.78	67.16	
5,556.53				12/11/09	68.19	66.57	
5,557.87				03/11/10	66.85	65.23	
5,557.63				05/11/10	67.09	65.47	
5,557.24				09/29/10	67.48	65.86	
5,557.00				12/21/10	67.72	66.10	
5,557.61				02/28/11	67.11	65.49	
5,557.58				06/21/11	67.14	65.52	
5,557.46				09/20/11	67.26	65.64	
5,557.84				12/21/11	66.88	65.26	
5,557.86				03/27/12	66.86	65.24	
5,557.87				06/28/12	66.85	65.23	
5,557.46				09/27/12	67.26	65.64	
5,557.82				12/28/12	66.90	65.28	
5,559.39				03/28/13	65.33	63.71	
5,559.21				06/27/13	65.51	63.89	
5,559.26				09/27/13	65.46	63.84	
5,559.27				12/20/13	65.45	63.83	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-2**

Water Elevation (z)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,623.10	5,624.72	1.62				120.900
5,558.92				03/27/14	65.80	64.18	
5,557.99				06/25/14	66.73	65.11	
5,557.09				09/25/14	67.63	66.01	
5,557.07				12/17/14	67.65	66.03	
5,549.93				03/26/15	74.79	73.17	
5,551.30				06/22/15	73.42	71.80	
5,547.12				09/30/15	77.60	75.98	
5,538.34				12/02/15	86.38	84.76	
5,542.22				03/30/16	82.50	80.88	
5,538.31				06/30/16	86.41	84.79	
5,536.70				09/29/16	88.02	86.40	
5,540.40				12/21/16	84.32	82.70	
5,536.61				03/30/17	88.11	86.49	
5,547.16				06/27/17	77.56	75.94	
5,522.65				09/28/17	102.07	100.45	
5,532.64				11/30/17	92.08	90.46	
5,506.94				03/28/18	117.78	116.16	
5,521.60				06/22/18	103.12	101.50	
5,510.01				09/24/18	114.71	113.09	
5,543.01				12/17/18	81.71	80.09	
5,522.70				03/25/19	102.02	100.40	
5,522.49				06/24/19	102.23	100.61	
5,522.29				08/12/19	102.43	100.81	
5,515.62				11/18/19	109.10	107.48	
5,516.60				02/10/20	108.12	106.5	
5,514.51				05/04/20	110.21	108.59	
5,522.29				09/21/20	102.43	100.81	
5,521.08				12/28/20	103.64	102.02	
5,513.42				03/11/21	111.30	109.68	
5,513.51				06/24/21	111.21	109.59	
5,526.62				08/13/21	98.10	96.48	
5,514.01				12/30/21	110.71	109.09	
5,513.52				02/10/22	111.20	109.58	
5,514.54				06/28/22	110.18	108.56	
5,566.52				08/15/22	58.20	56.58	
5,525.09				11/17/22	99.63	98.01	
5,523.61				03/24/23	101.11	99.49	

TW4-2 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-3**

Water Elevation (z)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,631.21	5,632.23	1.02				140.30
5,565.78				11/29/99	66.45	65.43	
5,566.93				1/2/00	65.30	64.28	
5,567.03				1/10/00	65.20	64.18	
5,566.83				1/17/00	65.40	64.38	
5,567.13				1/24/00	65.10	64.08	
5,567.33				2/1/00	64.90	63.88	
5,567.13				2/7/00	65.10	64.08	
5,567.43				2/14/00	64.80	63.78	
5,567.63				2/23/00	64.60	63.58	
5,567.73				3/1/00	64.50	63.48	
5,567.83				3/8/00	64.40	63.38	
5,567.70				3/15/00	64.53	63.51	
5,568.03				3/20/00	64.20	63.18	
5,567.93				3/29/00	64.30	63.28	
5,567.63				4/4/00	64.60	63.58	
5,567.83				4/13/00	64.40	63.38	
5,568.03				4/21/00	64.20	63.18	
5,568.23				4/28/00	64.00	62.98	
5,568.13				5/1/00	64.10	63.08	
5,568.53				5/11/00	63.70	62.68	
5,568.23				5/15/00	64.00	62.98	
5,568.53				5/25/00	63.70	62.68	
5,568.61				6/9/00	63.62	62.60	
5,568.69				6/16/00	63.54	62.52	
5,568.45				6/26/00	63.78	62.76	
5,568.61				7/6/00	63.62	62.60	
5,568.61				7/6/00	63.62	62.60	
5,568.49				7/13/00	63.74	62.72	
5,568.55				7/18/00	63.68	62.66	
5,568.65				7/27/00	63.58	62.56	
5,568.73				8/2/00	63.50	62.48	
5,568.77				8/9/00	63.46	62.44	
5,568.76				8/16/00	63.47	62.45	
5,568.95				8/31/00	63.28	62.26	
5,568.49				9/8/00	63.74	62.72	
5,568.67				9/13/00	63.56	62.54	
5,568.96				9/20/00	63.27	62.25	
5,568.93				10/5/00	63.30	62.28	
5,569.34				11/9/00	62.89	61.87	
5,568.79				12/6/00	63.44	62.42	
5,569.11				1/3/01	63.12	62.10	
5,569.75				2/9/01	62.48	61.46	
5,570.34				3/28/01	61.89	60.87	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-3**

Water Elevation (z)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,631.21	5,632.23	1.02				140.30
5,570.61				4/30/01	61.62	60.60	
5,570.70				5/31/01	61.53	60.51	
5,570.88				6/21/01	61.35	60.33	
5,571.02				7/10/01	61.21	60.19	
5,571.70				8/20/01	60.53	59.51	
5,572.12				9/19/01	60.11	59.09	
5,572.08				10/2/01	60.15	59.13	
5,572.78				11/8/01	59.45	58.43	
5,573.27				12/3/01	58.96	57.94	
5,573.47				1/3/02	58.76	57.74	
5,573.93				2/6/02	58.30	57.28	
5,574.75				3/26/02	57.48	56.46	
5,574.26				4/9/02	57.97	56.95	
5,575.39				5/23/02	56.84	55.82	
5,574.84				6/5/02	57.39	56.37	
5,575.33				7/8/02	56.90	55.88	
5,575.79				8/23/02	56.44	55.42	
5,576.08				9/11/02	56.15	55.13	
5,576.30				10/23/02	55.93	54.91	
5,576.35				11/22/02	55.88	54.86	
5,576.54				12/3/02	55.69	54.67	
5,576.96				1/9/03	55.27	54.25	
5,577.11				2/12/03	55.12	54.10	
5,577.61				3/26/03	54.62	53.60	
5,572.80				4/2/03	59.43	58.41	
5,577.89				5/1/03	54.34	53.32	
5,577.91				6/9/03	54.32	53.30	
5,577.53				7/7/03	54.70	53.68	
5,577.50				8/4/03	54.73	53.71	
5,577.71				9/11/03	54.52	53.50	
5,577.31				10/2/03	54.92	53.90	
5,577.33				11/7/03	54.90	53.88	
5,577.34				12/3/03	54.89	53.87	
5,578.24				1/15/04	53.99	52.97	
5,578.38				2/10/04	53.85	52.83	
5,578.69				3/28/04	53.54	52.52	
5,579.15				4/12/04	53.08	52.06	
5,579.47				5/13/04	52.76	51.74	
5,579.53				6/18/04	52.70	51.68	
5,580.17				7/28/04	52.06	51.04	
5,580.20				8/30/04	52.03	51.01	
5,580.26				9/16/04	51.97	50.95	
5,580.12				10/11/04	52.11	51.09	


**Water Levels and Data over Time
White Mesa Mill - Well TW4-3**

Water Elevation (z)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,631.21	5,632.23	1.02				140.30
5,579.93				11/16/04	52.30	51.28	
5,580.07				12/22/04	52.16	51.14	
5,579.80				1/18/05	52.43	51.41	
5,580.35				2/28/05	51.88	50.86	
5,580.57				3/15/05	51.66	50.64	
5,580.86				4/26/05	51.37	50.35	
5,581.20				5/24/05	51.03	50.01	
5,581.51				6/30/05	50.72	49.70	
5,581.55				7/29/05	50.68	49.66	
5,581.68				9/12/05	50.55	49.53	
5,581.83				12/7/05	50.40	49.38	
5,564.92				3/8/06	67.31	66.29	
5,582.73				6/13/06	49.50	48.48	
5,582.33				7/18/06	49.90	48.88	
5,582.75				11/7/06	49.48	48.46	
5,583.35				2/27/07	48.88	47.86	
5,559.57				5/2/07	72.66	71.64	
5,583.29				8/14/07	48.94	47.92	
5,583.49				10/10/07	48.74	47.72	
5,584.95				3/26/08	47.28	46.26	
5,584.59				6/24/08	47.64	46.62	
5,584.55				8/26/08	47.68	46.66	
5,584.03				10/14/08	48.20	47.18	
5,583.64				3/3/09	48.59	47.57	
5,587.34				6/24/09	44.89	43.87	
5,582.90				9/10/09	49.33	48.31	
5,583.27				12/11/09	48.96	47.94	
5,583.63				3/11/10	48.60	47.58	
5,583.82				5/11/10	48.41	47.39	
5,583.51				9/29/10	48.72	47.70	
5,582.86				12/21/10	49.37	48.35	
5,582.60				2/28/11	49.63	48.61	
5,590.00				6/21/11	42.23	41.21	
5,582.70				9/20/11	49.53	48.51	
5,583.05				12/21/11	49.18	48.16	
5,581.93				3/27/12	50.30	49.28	
5,582.03				6/28/12	50.20	49.18	
5,582.08				9/27/12	50.15	49.13	
5,581.94				12/28/12	50.29	49.27	
5,581.52				3/28/13	50.71	49.69	
5,580.88				6/27/13	51.35	50.33	
5,580.58				9/27/13	51.65	50.63	
5,580.38				12/20/13	51.85	50.83	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-3**

Water Elevation (z)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,631.21	5,632.23	1.02				140.30
5,579.62				3/27/14	52.61	51.59	
5,578.52				6/25/14	53.71	52.69	
5,577.59				9/25/14	54.64	53.62	
5,577.40				12/17/14	54.83	53.81	
5,576.73				3/26/15	55.50	54.48	
5,576.62				6/22/15	55.61	54.59	
5,576.16				9/30/15	56.07	55.05	
5,575.57				12/2/15	56.66	55.64	
5,575.62				3/30/16	56.61	55.59	
5,574.89				6/30/16	57.34	56.32	
5,574.37				9/29/16	57.86	56.84	
5,574.23				12/21/16	58.00	56.98	
5,574.23				3/30/17	58.00	56.98	
5,573.72				6/27/17	58.51	57.49	
5,573.28				9/28/17	58.95	57.93	
5,572.66				11/30/17	59.57	58.55	
5,572.19				3/28/18	60.04	59.02	
5,571.83				6/22/18	60.40	59.38	
5,571.34				9/25/18	60.89	59.87	
5,570.99				12/17/18	61.24	60.22	
5,570.21				3/25/19	62.02	61.00	
5,570.28				6/24/19	61.95	60.93	
5,570.04				8/12/19	62.19	61.17	
5,569.68				11/18/19	62.55	61.53	
5,569.35				2/10/20	62.88	61.86	
5,568.92				5/4/20	63.31	62.29	
5,568.38				9/22/20	63.85	62.83	
5,568.28				12/30/20	63.95	62.93	
5,568.31				3/11/21	63.92	62.90	
5,567.65				6/24/21	64.58	63.56	
5,567.61				8/13/21	64.62	63.60	
5,567.72				12/30/21	64.51	63.49	
5,567.15				2/10/22	65.08	64.06	
5,567.57				6/28/22	64.66	63.64	
5,566.83				8/15/22	65.40	64.38	
5,566.63				11/17/22	65.60	64.58	
5,566.89				3/24/23	65.34	64.32	

TW4-3 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-4**

Water Elevation (z)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,612.301	5,613.485	1.184				114.5
5,512.15				05/25/00	101.34	100.16	
5,518.99				06/09/00	94.50	93.32	
5,512.15				06/16/00	101.34	100.16	
5,517.47				06/26/00	96.02	94.84	
5,520.15				07/06/00	93.34	92.16	
5,521.44				07/13/00	92.05	90.87	
5,522.01				07/18/00	91.48	90.30	
5,522.95				07/27/00	90.54	89.36	
5,523.49				08/02/00	90.00	88.82	
5,523.85				08/09/00	89.64	88.46	
5,523.89				08/15/00	89.60	88.42	
5,524.56				09/01/00	88.93	87.75	
5,513.24				09/08/00	100.25	99.07	
5,516.67				09/13/00	96.82	95.64	
5,519.09				09/20/00	94.40	93.22	
5,522.17				10/05/00	91.32	90.14	
5,524.67				11/09/00	88.82	87.64	
5,518.55				12/06/00	94.94	93.76	
5,527.70				01/03/01	85.79	84.61	
5,529.09				02/09/01	84.40	83.22	
5,529.54				03/27/01	83.95	82.77	
5,530.24				04/30/01	83.25	82.07	
5,530.27				05/31/01	83.22	82.04	
5,534.41				06/22/01	79.08	77.90	
5,533.15				07/10/01	80.34	79.16	
5,534.04				08/20/01	79.45	78.27	
5,534.47				09/19/01	79.02	77.84	
5,533.29				10/02/01	80.20	79.02	
5,533.87				11/08/01	79.62	78.44	
5,534.28				12/03/01	79.21	78.03	
5,534.72				01/03/02	78.77	77.59	
5,535.44				02/06/02	78.05	76.87	
5,536.45				03/26/02	77.04	75.86	
5,536.41				04/09/02	77.08	75.90	
5,537.34				05/23/02	76.15	74.97	
5,537.33				06/05/02	76.16	74.98	
5,537.98				07/08/02	75.51	74.33	
5,538.83				08/23/02	74.66	73.48	
5,539.28				09/11/02	74.21	73.03	
5,539.77				10/23/02	73.72	72.54	
5,540.21				11/22/02	73.28	72.10	
5,540.30				12/03/02	73.19	72.01	
5,540.80				01/09/03	72.69	71.51	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-4**

Water Elevation (z)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,612.301	5,613.485	1.184				114.5
5,540.99				02/12/03	72.50	71.32	
5,541.68				03/26/03	71.81	70.63	
5,541.77				04/02/03	71.72	70.54	
5,541.89				05/01/03	71.60	70.42	
5,542.03				06/09/03	71.46	70.28	
5,541.93				07/07/03	71.56	70.38	
5,541.89				08/04/03	71.60	70.42	
5,541.83				09/11/03	71.66	70.48	
5,541.89				10/02/03	71.60	70.42	
5,542.00				11/07/03	71.49	70.31	
5,542.01				12/03/03	71.48	70.30	
5,542.56				01/15/04	70.93	69.75	
5,542.71				02/10/04	70.78	69.60	
5,543.23				03/28/04	70.26	69.08	
5,543.56				04/12/04	69.93	68.75	
5,543.87				05/13/04	69.62	68.44	
5,543.92				06/18/04	69.57	68.39	
5,544.66				07/28/04	68.83	67.65	
5,544.80				08/30/04	68.69	67.51	
5,544.85				09/16/04	68.64	67.46	
5,544.71				10/11/04	68.78	67.60	
5,544.53				11/16/04	68.96	67.78	
5,544.63				12/22/04	68.86	67.68	
5,544.31				01/18/05	69.18	68.00	
5,544.59				02/28/05	68.90	67.72	
5,544.69				03/15/05	68.80	67.62	
5,544.68				04/26/05	68.81	67.63	
5,544.79				05/24/05	68.70	67.52	
5,544.80				06/30/05	68.69	67.51	
5,544.78				07/29/05	68.71	67.53	
5,545.01				09/12/05	68.48	67.30	
5,545.23				12/07/05	68.26	67.08	
5,545.74				03/08/06	67.75	66.57	
5,545.79				06/14/06	67.70	66.52	
5,545.86				07/18/06	67.63	66.45	
5,545.81				11/07/06	67.68	66.50	
5,546.68				02/27/07	66.81	65.63	
5,546.54				05/02/07	66.95	65.77	
5,547.16				08/15/07	66.33	65.15	
5,547.22				10/10/07	66.27	65.09	
5,548.31				03/26/08	65.18	64.00	
5,548.87				06/24/08	64.62	63.44	
5,549.24				08/26/08	64.25	63.07	


**Water Levels and Data over Time
White Mesa Mill - Well TW4-4**

Water Elevation (z)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,612.301	5,613.485	1.184				114.5
5,549.31				10/14/08	64.18	63.00	
5,549.73				03/03/09	63.76	62.58	
5,549.91				06/24/09	63.58	62.40	
5,549.70				09/10/09	63.79	62.61	
5,549.87				12/11/09	63.62	62.44	
5,545.60				03/11/10	67.89	66.71	
5,530.88				05/11/10	82.61	81.43	
5,545.24				09/29/10	68.25	67.07	
5,533.66				12/21/10	79.83	78.65	
5,544.44				02/28/11	69.05	67.87	
5,543.73				06/21/11	69.76	68.58	
5,540.48				09/20/11	73.01	71.83	
5,544.36				12/21/11	69.13	67.95	
5,543.48				03/27/12	70.01	68.83	
5,543.49				06/28/12	70.00	68.82	
5,543.36				09/27/12	70.13	68.95	
5,543.51				12/28/12	69.98	68.80	
5,543.49				03/28/13	70.00	68.82	
5,543.36				06/27/13	70.13	68.95	
5,544.59				09/27/13	68.90	67.72	
5,543.33				12/20/13	70.16	68.98	
5,544.11				03/27/14	69.38	68.20	
5,543.61				06/25/14	69.88	68.70	
5,543.67				09/25/14	69.82	68.64	
5,543.69				12/17/14	69.80	68.62	
5,541.49				03/26/15	72.00	70.82	
5,539.67				06/22/15	73.82	72.64	
5,541.35				09/30/15	72.14	70.96	
5,541.63				12/02/15	71.86	70.68	
5,540.38				03/30/16	73.11	71.93	
5,539.46				06/30/16	74.03	72.85	
5,540.39				09/29/16	73.10	71.92	
5,539.21				12/21/16	74.28	73.10	
5,539.53				03/30/17	73.96	72.78	
5,539.89				06/27/17	73.60	72.42	
5,540.09				09/28/17	73.40	72.22	
5,539.07				11/30/17	74.42	73.24	
5,540.45				03/28/18	73.04	71.86	
5,531.79				06/22/18	81.70	80.52	
5,531.94				09/24/18	81.55	80.37	
5,540.22				12/17/18	73.27	72.09	
5,514.10				03/25/19	99.39	98.21	
5,529.11				06/24/19	84.38	83.20	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-4**

Water Elevation (z)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,612.301	5,613.485	1.184				114.5
5,527.15				08/12/19	86.34	85.16	
5,528.08				11/18/19	85.41	84.23	
5,534.40				02/10/20	79.09	77.91	
5,533.16				05/04/20	80.33	79.15	
5,539.39				09/21/20	74.10	72.92	
5,536.54				12/28/20	76.95	75.77	
5,533.98				03/11/21	79.51	78.33	
5,528.14				06/24/21	85.35	84.17	
5,532.43				08/13/21	81.06	79.88	
5,530.32				12/30/21	83.17	81.99	
5,539.46				02/10/22	74.03	72.85	
5,529.37				06/28/22	84.12	82.94	
5,524.97				08/15/22	88.52	87.34	
5,530.93				11/17/22	82.56	81.38	
5,532.43				03/24/23	81.06	79.88	

TW4-4 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-5**

Water Elevation (z)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,638.75	5,640.70	1.95				121.85
5,579.30				01/02/00	61.40	59.45	
5,579.60				01/10/00	61.10	59.15	
5,579.35				01/17/00	61.35	59.40	
5,579.60				01/24/00	61.10	59.15	
5,579.50				02/01/00	61.20	59.25	
5,579.50				02/07/00	61.20	59.25	
5,579.90				02/14/00	60.80	58.85	
5,579.90				02/23/00	60.80	58.85	
5,580.20				03/01/00	60.50	58.55	
5,580.00				03/08/00	60.70	58.75	
5,580.04				03/15/00	60.66	58.71	
5,580.70				03/20/00	60.00	58.05	
5,580.30				03/29/00	60.40	58.45	
5,580.00				04/04/00	60.70	58.75	
5,580.20				04/13/00	60.50	58.55	
5,580.40				04/21/00	60.30	58.35	
5,580.50				04/28/00	60.20	58.25	
5,580.50				05/01/00	60.20	58.25	
5,580.90				05/11/00	59.80	57.85	
5,580.50				05/15/00	60.20	58.25	
5,580.75				05/25/00	59.95	58.00	
5,580.80				06/09/00	59.90	57.95	
5,580.92				06/16/00	59.78	57.83	
5,580.80				06/26/00	59.90	57.95	
5,580.90				07/06/00	59.80	57.85	
5,581.05				07/13/00	59.65	57.70	
5,580.90				07/18/00	59.80	57.85	
5,581.05				07/27/00	59.65	57.70	
5,581.06				08/02/00	59.64	57.69	
5,581.08				08/09/00	59.62	57.67	
5,581.07				08/16/00	59.63	57.68	
5,581.25				08/31/00	59.45	57.50	
5,581.32				09/08/00	59.38	57.43	
5,581.34				09/13/00	59.36	57.41	
5,581.41				09/20/00	59.29	57.34	
5,581.37				10/05/00	59.33	57.38	
5,581.66				11/09/00	59.04	57.09	
5,581.63				12/06/00	59.07	57.12	
5,581.92				01/03/01	58.78	56.83	
5,582.20				02/09/01	58.50	56.55	
5,582.54				03/28/01	58.16	56.21	
5,582.72				04/30/01	57.98	56.03	
5,582.72				05/31/01	57.98	56.03	
5,582.81				06/22/01	57.89	55.94	
5,582.92				07/10/01	57.78	55.83	
5,583.17				08/20/01	57.53	55.58	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-5**

Water Elevation (z)	Land Surface (LSD)	Measuring		Date Of Monitoring	Total or	Total	Total Depth Of Well
		Point Elevation (MP)	Length Of Riser (L)		Measured Depth to Water (blw.MP)	Depth to Water (blw.LSD)	
	5,638.75	5,640.70	1.95				121.85
5,583.28				09/19/01	57.42	55.47	
5,583.36				10/02/01	57.34	55.39	
5,583.49				11/08/01	57.21	55.26	
5,583.84				12/03/01	56.86	54.91	
5,583.79				01/03/02	56.91	54.96	
5,583.96				02/06/02	56.74	54.79	
5,584.39				03/26/02	56.31	54.36	
5,584.12				04/09/02	56.58	54.63	
5,584.55				05/23/02	56.15	54.20	
5,584.42				06/05/02	56.28	54.33	
5,583.65				07/08/02	57.05	55.10	
5,584.90				08/23/02	55.80	53.85	
5,585.02				09/11/02	55.68	53.73	
5,585.20				10/23/02	55.50	53.55	
5,585.15				11/22/02	55.55	53.60	
5,585.42				12/03/02	55.28	53.33	
5,585.65				01/09/03	55.05	53.10	
5,585.65				02/12/03	55.05	53.10	
5,585.92				03/26/03	54.78	52.83	
5,586.22				04/02/03	54.48	52.53	
5,586.01				05/01/03	54.69	52.74	
5,584.81				06/09/03	55.89	53.94	
5,584.34				07/07/03	56.36	54.41	
5,584.40				08/04/03	56.30	54.35	
5,583.88				09/11/03	56.82	54.87	
5,583.57				10/02/03	57.13	55.18	
5,583.39				11/07/03	57.31	55.36	
5,583.97				12/03/03	56.73	54.78	
5,585.28				01/15/04	55.42	53.47	
5,585.50				02/10/04	55.20	53.25	
5,585.87				03/28/04	54.83	52.88	
5,586.20				04/12/04	54.50	52.55	
5,586.45				05/13/04	54.25	52.30	
5,586.50				06/18/04	54.20	52.25	
5,587.13				07/28/04	53.57	51.62	
5,586.22				08/30/04	54.48	52.53	
5,585.69				09/16/04	55.01	53.06	
5,585.17				10/11/04	55.53	53.58	
5,584.64				11/16/04	56.06	54.11	
5,584.77				12/22/04	55.93	53.98	
5,584.65				01/18/05	56.05	54.10	
5,584.98				02/28/05	55.72	53.77	
5,585.15				03/15/05	55.55	53.60	
5,586.25				04/26/05	54.45	52.50	
5,586.79				05/24/05	53.91	51.96	
5,586.52				06/30/05	54.18	52.23	


**Water Levels and Data over Time
White Mesa Mill - Well TW4-5**

Water Elevation (z)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,638.75	5,640.70	1.95				121.85
5,586.03				07/29/05	54.67	52.72	
5,586.05				09/12/05	54.65	52.70	
5,585.80				12/07/05	54.90	52.95	
5,587.06				03/08/06	53.64	51.69	
5,585.90				06/13/06	54.80	52.85	
5,585.32				07/18/06	55.38	53.43	
5,585.35				11/07/06	55.35	53.40	
5585.81				02/27/07	54.89	52.94	
5,585.20				05/02/07	55.50	53.55	
5,586.66				08/14/07	54.04	52.09	
5,586.80				10/10/07	53.90	51.95	
5,588.48				03/26/08	52.22	50.27	
5,586.51				06/24/08	54.19	52.24	
5,586.45				08/26/08	54.25	52.30	
5,585.40				10/14/08	55.30	53.35	
5,584.80				03/03/09	55.90	53.95	
5,584.73				06/24/09	55.97	54.02	
5,584.36				09/10/09	56.34	54.39	
5,585.02				12/11/09	55.68	53.73	
5,585.66				03/11/10	55.04	53.09	
5,584.86				05/11/10	55.84	53.89	
5,584.55				09/29/10	56.15	54.20	
5,584.17				12/21/10	56.53	54.58	
5,583.55				02/28/11	57.15	55.20	
5,584.72				06/21/11	55.98	54.03	
5,584.62				09/20/11	56.08	54.13	
5,585.04				11/21/11	55.66	53.71	
5,583.89				03/27/12	56.81	54.86	
5,583.92				06/28/12	56.78	54.83	
5,583.89				09/27/12	56.81	54.86	
5,583.89				12/28/12	56.81	54.86	
5,582.88				03/28/13	57.82	55.87	
5,582.05				06/27/13	58.65	56.70	
5,581.35				09/27/13	59.35	57.40	
5,580.52				12/20/13	60.18	58.23	
5,579.44				03/27/14	61.26	59.31	
5,578.11				06/25/14	62.59	60.64	
5,577.15				09/25/14	63.55	61.60	
5,577.44				12/17/14	63.26	61.31	
5,577.37				03/26/15	63.33	61.38	
5,576.92				06/22/15	63.24	61.29	
5,576.33				09/30/15	63.78	61.83	
5,576.30				12/02/15	64.37	62.42	
5,575.72				03/30/16	64.40	62.45	
5,575.12				06/30/16	64.98	63.03	
				09/29/16	65.58	63.63	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-5**

Water Elevation (z)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,638.75	5,640.70	1.95				121.85
5,574.77				12/21/16	65.93	63.98	
5,575.03				03/30/17	65.67	63.72	
5,574.55				06/27/17	66.15	64.20	
5,574.09				09/28/17	66.61	64.66	
5,573.48				11/30/17	67.22	65.27	
5,573.05				03/28/18	67.65	65.70	
5,572.68				06/22/18	68.02	66.07	
5,571.89				09/24/18	68.81	66.86	
5,571.86				12/17/18	68.84	66.89	
5,571.15				03/25/19	69.55	67.60	
5,571.26				06/24/19	69.44	67.49	
5,571.12				08/12/19	69.58	67.63	
5,570.73				11/18/19	69.97	68.02	
5,570.50				02/10/20	70.20	68.25	
5,570.15				05/04/20	70.55	68.60	
5,569.36				09/22/20	71.34	69.39	
5,569.17				12/30/20	71.53	69.58	
5,569.24				03/11/21	71.46	69.51	
5,568.71				06/24/21	71.99	70.04	
5,568.68				08/13/21	72.02	70.07	
5,568.99				12/30/21	71.71	69.76	
5,568.23				02/10/22	72.47	70.52	
5,568.73				06/28/22	71.97	70.02	
5,568.04				08/15/22	72.66	70.71	
5,567.85				11/17/22	72.85	70.9	
5567.4				03/24/23	73.3	71.35	

TW4-5 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-6**

Water Elevation (z)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well (blw.LSD)
	5,607.33	5,608.78	1.450				99.60
5,522.28				05/25/00	86.50	85.05	
5,521.51				06/09/00	87.27	85.82	
5,522.35				06/16/00	86.43	84.98	
5,522.14				06/26/00	86.64	85.19	
5,522.25				07/06/00	86.53	85.08	
5,522.13				07/13/00	86.65	85.20	
5,522.17				07/18/00	86.61	85.16	
5,522.26				07/25/00	86.52	85.07	
5,522.31				08/02/00	86.47	85.02	
5,522.33				08/09/00	86.45	85.00	
5,522.35				08/15/00	86.43	84.98	
5,522.40				08/31/00	86.38	84.93	
5,522.40				09/08/00	86.38	84.93	
5,522.45				09/13/00	86.33	84.88	
5,522.53				09/20/00	86.25	84.80	
5,522.39				10/05/00	86.39	84.94	
5,522.42				11/09/00	86.36	84.91	
5,522.29				12/06/00	86.49	85.04	
5,522.63				01/03/01	86.15	84.70	
5,522.72				02/09/01	86.06	84.61	
5,522.90				03/26/01	85.88	84.43	
5,522.70				04/30/01	86.08	84.63	
5,522.89				05/31/01	85.89	84.44	
5,522.88				06/20/01	85.90	84.45	
5,522.96				07/10/01	85.82	84.37	
5,523.10				08/20/01	85.68	84.23	
5,523.23				09/19/01	85.55	84.10	
5,523.21				10/02/01	85.57	84.12	
5,523.25				11/08/01	85.53	84.08	
5,523.46				12/03/01	85.32	83.87	
5,523.36				01/03/02	85.42	83.97	
5,523.50				02/06/02	85.28	83.83	
5,523.94				03/26/02	84.84	83.39	
5,523.75				04/09/02	85.03	83.58	
5,524.23				05/23/02	84.55	83.10	
5,523.98				06/05/02	84.80	83.35	
5,524.31				07/08/02	84.47	83.02	
5,524.36				08/23/02	84.42	82.97	
5,524.49				09/11/02	84.29	82.84	
5,524.71				10/23/02	84.07	82.62	
5,524.60				11/22/02	84.18	82.73	
5,524.94				12/03/02	83.84	82.39	
5,525.10				01/09/03	83.68	82.23	
5,525.15				02/12/03	83.63	82.18	
5,525.35				03/26/03	83.43	81.98	
5,525.68				04/02/03	83.10	81.65	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-6**

Water Elevation (z)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well (blw.LSD)
	5,607.33	5,608.78	1.450				99.60
5,525.74				05/01/03	83.04	81.59	
5,525.98				06/09/03	82.80	81.35	
5,526.04				07/07/03	82.74	81.29	
5,526.07				08/04/03	82.71	81.26	
5,526.42				09/11/03	82.36	80.91	
5,526.30				10/02/03	82.48	81.03	
5,526.41				11/07/03	82.37	80.92	
5,526.46				12/03/03	82.32	80.87	
5,526.83				01/15/04	81.95	80.50	
5,526.81				02/10/04	81.97	80.52	
5,527.14				03/28/04	81.64	80.19	
5,527.39				04/12/04	81.39	79.94	
5,527.64				05/13/04	81.14	79.69	
5,527.70				06/18/04	81.08	79.63	
5,528.16				07/28/04	80.62	79.17	
5,528.30				08/30/04	80.48	79.03	
5,528.52				09/16/04	80.26	78.81	
5,528.71				10/11/04	80.07	78.62	
5,528.74				11/16/04	80.04	78.59	
5,529.20				12/22/04	79.58	78.13	
5,528.92				01/18/05	79.86	78.41	
5,529.51				02/28/05	79.27	77.82	
5,529.74				03/15/05	79.04	77.59	
5,529.96				04/26/05	78.82	77.37	
5,530.15				05/24/05	78.63	77.18	
5,530.35				06/30/05	78.43	76.98	
5,530.47				07/29/05	78.31	76.86	
5,530.95				09/12/05	77.83	76.38	
5,531.50				12/07/05	77.28	75.83	
5,532.43				03/08/06	76.35	74.90	
5,533.49				06/13/06	75.29	73.84	
5,532.58				07/18/06	76.20	74.75	
5,532.88				11/07/06	75.90	74.45	
5534.09				02/27/07	74.69	73.24	
5,534.04				05/02/07	74.74	73.29	
5,534.43				08/14/07	74.35	72.90	
5,554.54				10/10/07	54.24	52.79	
5,535.40				03/26/08	73.38	71.93	
5,535.55				06/24/08	73.23	71.78	
5,535.90				08/26/08	72.88	71.43	
5,535.87				10/14/08	72.91	71.46	
5,536.42				03/10/09	72.36	70.91	
5,536.71				06/24/09	72.07	70.62	
5,536.83				09/10/09	71.95	70.50	
5,537.35				12/11/09	71.43	69.98	
5,537.93				03/11/10	70.85	69.40	


**Water Levels and Data over Time
White Mesa Mill - Well TW4-6**

Water Elevation (z)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well (blw.LSD)
	5,607.33	5,608.78	1.450				99.60
5,538.14				05/11/10	70.64	69.19	
5,538.03				09/29/10	70.75	69.30	
5,538.04				12/21/10	70.74	69.29	
5,537.98				02/28/11	70.80	69.35	
5,538.46				06/21/11	70.32	68.87	
5,538.37				09/20/11	70.41	68.96	
5,538.87				12/21/11	69.91	68.46	
5,538.73				03/27/12	70.05	68.60	
5,538.80				06/28/12	69.98	68.53	
5,539.04				09/27/12	69.74	68.29	
5,538.74				12/28/12	70.04	68.59	
5,539.53				03/28/13	69.25	67.80	
5,539.46				06/27/13	69.32	67.87	
5,539.62				09/27/13	69.16	67.71	
5,539.85				12/20/13	68.93	67.48	
5,539.65				03/27/14	69.13	67.68	
5,538.85				06/25/14	69.93	68.48	
5,538.69				09/25/14	70.09	68.64	
5,538.71				12/17/14	70.07	68.62	
5,538.03				03/26/15	70.75	69.30	
5,537.78				06/22/15	71.00	69.55	
5,537.40				09/30/15	71.38	69.93	
5,537.44				12/02/15	71.34	69.89	
5,536.76				03/30/16	72.02	70.57	
5,536.08				06/30/16	72.70	71.25	
5,535.54				09/29/16	73.24	71.79	
5,535.38				12/21/16	73.40	71.95	
5,535.48				03/30/17	73.30	71.85	
5,535.13				06/27/17	73.65	72.20	
5,534.78				09/28/17	74.00	72.55	
5,534.54				11/30/17	74.24	72.79	
5,534.38				03/28/18	74.40	72.95	
5,533.92				06/22/18	74.86	73.41	
5,533.49				09/25/18	75.29	73.84	
5,533.17				12/17/18	75.61	74.16	
5,532.63				03/25/19	76.15	74.70	
5,532.56				06/24/19	76.22	74.77	
5,532.28				08/12/19	76.50	75.05	
5,531.69				11/18/19	77.09	75.64	
5,531.34				02/10/20	77.44	75.99	
5,530.76				05/04/20	78.02	76.57	
5,530.36				09/22/20	78.42	76.97	
5,530.29				12/30/20	78.49	77.04	
5,530.20				03/11/21	78.58	77.13	
5,529.69				06/24/21	79.09	77.64	
5,529.67				08/13/21	79.11	77.66	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-6**

Water Elevation (z)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well (blw.LSD)
	5,607.33	5,608.78	1.450				99.60
5,529.78				12/30/21	79.00	77.55	
5,529.23				02/10/22	79.55	78.10	
5,529.65				06/28/22	79.13	77.68	
5,528.84				08/15/22	79.94	78.49	
5,528.58				11/17/22	80.20	78.75	
5,528.28				03/24/23	80.5	79.05	

TW4-6 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-7**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well (blw.LSD)
	5,619.87	5,621.07	1.20				121.0
5,552.37				11/29/99	68.70	67.50	
5,553.57				01/02/00	67.50	66.30	
5,553.87				01/10/00	67.20	66.00	
5,553.72				01/17/00	67.35	66.15	
5,553.97				01/24/00	67.10	65.90	
5,553.87				02/01/00	67.20	66.00	
5,553.87				02/07/00	67.20	66.00	
5,554.17				02/14/00	66.90	65.70	
5,554.27				02/23/00	66.80	65.60	
5,554.37				03/01/00	66.70	65.50	
5,554.37				03/08/00	66.70	65.50	
5,554.27				03/15/00	66.80	65.60	
5,554.77				03/20/00	66.30	65.10	
5,554.57				03/29/00	66.50	65.30	
5,554.27				04/04/00	66.80	65.60	
5,554.57				04/13/00	66.50	65.30	
5,554.77				04/21/00	66.30	65.10	
5,554.87				04/28/00	66.20	65.00	
5,554.87				05/01/00	66.20	65.00	
5,555.27				05/11/00	65.80	64.60	
5,554.97				05/15/00	66.10	64.90	
5,555.27				05/25/00	65.80	64.60	
5,555.33				06/09/00	65.74	64.54	
5,555.45				06/16/00	65.62	64.42	
5,555.22				06/26/00	65.85	64.65	
5,555.45				07/06/00	65.62	64.42	
5,555.40				07/13/00	65.67	64.47	
5,555.45				07/18/00	65.62	64.42	
5,555.59				07/27/00	65.48	64.28	
5,555.65				08/02/00	65.42	64.22	
5,555.70				08/09/00	65.37	64.17	
5,555.74				08/16/00	65.33	64.13	
5,555.96				08/31/00	65.11	63.91	
5,555.87				09/08/00	65.20	64.00	
5,555.95				09/13/00	65.12	63.92	
5,556.05				09/20/00	65.02	63.82	
5,556.06				10/05/00	65.01	63.81	
5,556.17				10/12/00	64.90	63.70	
5,556.20				10/19/00	64.87	63.67	
5,556.22				10/23/00	64.85	63.65	
5,556.36				11/09/00	64.71	63.51	
5,556.42				11/14/00	64.65	63.45	
5,556.45				11/30/00	64.62	63.42	
5,556.15				12/06/00	64.92	63.72	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-7**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well (blw.LSD)
	5,619.87	5,621.07	1.20				121.0
5,556.89				01/14/01	64.18	62.98	
5,557.07				02/09/01	64.00	62.80	
5,557.62				03/29/01	63.45	62.25	
5,557.51				04/30/01	63.56	62.36	
5,557.77				05/31/01	63.30	62.10	
5,557.84				06/21/01	63.23	62.03	
5,557.98				07/10/01	63.09	61.89	
5,558.33				08/20/01	62.74	61.54	
5,558.57				09/19/01	62.50	61.30	
5,558.53				10/02/01	62.54	61.34	
5,558.62				11/08/01	62.45	61.25	
5,559.03				12/03/01	62.04	60.84	
5,559.08				01/03/02	61.99	60.79	
5,559.32				02/06/02	61.75	60.55	
5,559.63				03/26/02	61.44	60.24	
5,559.55				04/09/02	61.52	60.32	
5,560.06				05/23/02	61.01	59.81	
5,559.91				06/05/02	61.16	59.96	
5,560.09				07/08/02	60.98	59.78	
5,560.01				08/23/02	61.06	59.86	
5,560.23				09/11/02	60.84	59.64	
5,560.43				10/23/02	60.64	59.44	
5,560.39				11/22/02	60.68	59.48	
5,560.61				12/03/02	60.46	59.26	
5,560.89				01/09/03	60.18	58.98	
5,560.94				02/12/03	60.13	58.93	
5,561.28				03/26/03	59.79	58.59	
5,561.35				04/02/03	59.72	58.52	
5,546.20				05/01/03	74.87	73.67	
5,539.47				06/09/03	81.60	80.40	
5,541.87				07/07/03	79.20	78.00	
5,542.12				08/04/03	78.95	77.75	
5,541.91				09/11/03	79.16	77.96	
5,544.62				10/02/03	76.45	75.25	
5,542.67				11/07/03	78.40	77.20	
5,549.96				12/03/03	71.11	69.91	
5,557.17				01/15/04	63.90	62.70	
5,558.65				02/10/04	62.42	61.22	
5,559.90				03/28/04	61.17	59.97	
5,560.36				04/12/04	60.71	59.51	
5,560.87				05/13/04	60.20	59.00	
5,560.95				06/18/04	60.12	58.92	
5,561.64				07/28/04	59.43	58.23	
5,543.00				08/30/04	78.07	76.87	


Water Levels and Data over Time
White Mesa Mill - Well TW4-7

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well (blw.LSD)
	5,619.87	5,621.07	1.20				121.0
5,541.91				09/16/04	79.16	77.96	
5,540.08				10/11/04	80.99	79.79	
5,546.92				11/16/04	74.15	72.95	
5,546.97				12/22/04	74.10	72.90	
5,546.51				01/18/05	74.56	73.36	
5,546.66				02/28/05	74.41	73.21	
5,546.81				03/15/05	74.26	73.06	
5,548.19				04/26/05	72.88	71.68	
5,547.11				05/24/05	73.96	72.76	
5,546.98				06/30/05	74.09	72.89	
5,546.92				07/29/05	74.15	72.95	
5,547.26				09/12/05	73.81	72.61	
5,547.26				12/07/05	73.81	72.61	
5,548.86				03/08/06	72.21	71.01	
5,548.62				06/13/06	72.45	71.25	
5,550.04				07/18/06	71.03	69.83	
5,548.32				11/07/06	72.75	71.55	
5,550.44				02/27/07	70.63	69.43	
5,549.69				05/02/07	71.38	70.18	
5,549.97				08/14/07	71.10	69.90	
5,550.30				10/10/07	70.77	69.57	
5,551.92				03/26/08	69.15	67.95	
5,552.94				06/24/08	68.13	66.93	
5,552.34				08/26/08	68.73	67.53	
5,552.61				10/14/08	68.46	67.26	
5,552.81				03/10/09	68.26	67.06	
5,553.11				06/24/09	67.96	66.76	
5,552.55				09/10/09	68.52	67.32	
5,553.06				12/11/09	68.01	66.81	
5,554.64				03/11/10	66.43	65.23	
5,554.20				05/11/10	66.87	65.67	
5,553.45				09/29/10	67.62	66.42	
5,553.40				12/21/10	67.67	66.47	
5,553.93				02/28/11	67.14	65.94	
5,553.67				06/21/11	67.4	66.20	
5,553.46				09/20/11	67.61	66.41	
5,553.78				12/21/11	67.29	66.09	
5,553.17				03/27/12	67.90	66.70	
5,553.21				06/28/12	67.86	66.66	
5,552.90				09/27/12	68.17	66.97	
5,553.15				12/28/12	67.92	66.72	
5,556.23				03/28/13	64.84	63.64	
5,556.04				06/27/13	65.03	63.83	
5,556.09				09/27/13	64.98	63.78	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-7**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well (blw.LSD)
	5,619.87	5,621.07	1.20				121.0
5,555.80				12/20/13	65.27	64.07	
5,555.40				03/27/14	65.67	64.47	
5,554.20				06/25/14	66.87	65.67	
5,552.96				09/25/14	68.11	66.91	
5,552.62				12/17/14	68.45	67.25	
5,548.57				03/26/15	72.50	71.30	
5,555.88				06/22/15	65.19	63.99	
5,546.22				09/30/15	74.85	73.65	
5,539.47				12/02/15	81.60	80.40	
5,545.08				03/30/16	75.99	74.79	
5,544.62				06/30/16	76.45	75.25	
5,544.61				09/29/16	76.46	75.26	
5,544.09				12/21/16	76.98	75.78	
5,546.07				03/30/17	75.00	73.80	
5,549.36				06/27/17	71.71	70.51	
5,541.91				09/28/17	79.16	77.96	
5,540.51				11/30/17	80.56	79.36	
5,540.71				03/28/18	80.36	79.16	
5,540.12				06/22/18	80.95	79.75	
5,540.17				09/25/18	80.90	79.70	
5,538.26				12/17/18	82.81	81.61	
5,538.81				03/25/19	82.26	81.06	
5,539.11				06/24/19	81.96	80.76	
5,539.75				08/12/19	81.32	80.12	
5,539.13				11/18/19	81.94	80.74	
5,538.03				02/10/20	83.04	81.84	
5,538.29				05/04/20	82.78	81.58	
5,540.28				09/22/20	80.79	79.59	
5,539.17				12/30/20	81.90	80.70	
5,539.03				03/11/21	82.04	80.84	
5,538.82				06/24/21	82.25	81.05	
5,539.00				08/13/21	82.07	80.87	
5,539.08				12/30/21	81.99	80.79	
5,537.94				02/10/22	83.13	81.93	
5,538.86				06/28/22	82.21	81.01	
5,538.64				08/15/22	82.43	81.23	
5,538.68				11/17/22	82.39	81.19	
5,538.18				03/24/23	82.89	81.69	

TW4-7 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-8**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,616.80	5,621.40	4.60				126.2
5,546.40				11/29/99	75.00	70.40	
5,546.20				01/02/00	75.20	70.60	
5,546.50				01/10/00	74.90	70.30	
5,546.30				01/17/00	75.10	70.50	
5,546.60				01/24/00	74.80	70.20	
5,546.50				02/01/00	74.90	70.30	
5,546.50				02/07/00	74.90	70.30	
5,546.90				02/14/00	74.50	69.90	
5,546.95				02/23/00	74.45	69.85	
5,547.05				03/01/00	74.35	69.75	
5,547.05				03/08/00	74.35	69.75	
5,547.10				03/15/00	74.30	69.70	
5,547.50				03/20/00	73.90	69.30	
5,547.40				03/29/00	74.00	69.40	
5,547.20				04/04/00	74.20	69.60	
5,547.40				04/13/00	74.00	69.40	
5,547.60				04/21/00	73.80	69.20	
5,547.70				04/28/00	73.70	69.10	
5,547.70				05/01/00	73.70	69.10	
5,548.00				05/11/00	73.40	68.80	
5,547.70				05/15/00	73.70	69.10	
5,547.90				05/25/00	73.50	68.90	
5,547.90				06/09/00	73.50	68.90	
5,548.00				06/16/00	73.40	68.80	
5,547.87				06/26/00	73.53	68.93	
5,547.95				07/06/00	73.45	68.85	
5,547.96				07/13/00	73.44	68.84	
5,547.95				07/18/00	73.45	68.85	
5,548.11				07/27/00	73.29	68.69	
5,548.15				08/02/00	73.25	68.65	
5,548.17				08/09/00	73.23	68.63	
5,548.16				08/15/00	73.24	68.64	
5,548.40				08/31/00	73.00	68.40	
5,548.50				09/08/00	72.90	68.30	
5,548.62				09/13/00	72.78	68.18	
5,548.75				09/20/00	72.65	68.05	
5,548.76				10/05/00	72.64	68.04	
5,549.00				11/09/00	72.40	67.80	
5,548.85				12/06/00	72.55	67.95	
5,549.47				01/03/01	71.93	67.33	
5,549.89				02/09/01	71.51	66.91	
5,550.37				03/27/01	71.03	66.43	
5,550.50				04/30/01	70.90	66.30	
5,550.68				05/31/01	70.72	66.12	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-8**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,616.80	5,621.40	4.60				126.2
5,550.68				06/20/01	70.72	66.12	
5,551.02				07/10/01	70.38	65.78	
5,551.32				08/20/01	70.08	65.48	
5,551.49				09/19/01	69.91	65.31	
5,551.64				10/02/01	69.76	65.16	
5,551.81				11/08/01	69.59	64.99	
5,552.22				12/03/01	69.18	64.58	
5,552.16				01/03/02	69.24	64.64	
5,552.38				02/06/02	69.02	64.42	
5,552.85				03/26/02	68.55	63.95	
5,552.83				04/09/02	68.57	63.97	
5,553.20				05/23/02	68.20	63.60	
5,553.16				06/05/02	68.24	63.64	
5,553.32				07/08/02	68.08	63.48	
5,553.49				08/23/02	67.91	63.31	
5,553.69				09/11/02	67.71	63.11	
5,554.09				10/23/02	67.31	62.71	
5,554.02				11/22/02	67.38	62.78	
5,554.23				12/03/02	67.17	62.57	
5,554.43				01/09/03	66.97	62.37	
5,554.42				02/12/03	66.98	62.38	
5,554.71				03/26/03	66.69	62.09	
5,554.83				04/02/03	66.57	61.97	
5,552.21				05/01/03	69.19	64.59	
5,547.93				06/09/03	73.47	68.87	
5,546.97				07/07/03	74.43	69.83	
5,546.58				08/04/03	74.82	70.22	
5,546.24				09/11/03	75.16	70.56	
5,546.38				10/02/03	75.02	70.42	
5,546.40				11/07/03	75.00	70.40	
5,546.59				12/03/03	74.81	70.21	
5,551.29				01/15/04	70.11	65.51	
5,552.69				02/10/04	68.71	64.11	
5,554.06				03/28/04	67.34	62.74	
5,554.52				04/12/04	66.88	62.28	
5,555.06				05/13/04	66.34	61.74	
5,555.11				06/18/04	66.29	61.69	
5,555.88				07/28/04	65.52	60.92	
5,552.97				08/30/04	68.43	63.83	
5,550.65				09/16/04	70.75	66.15	
5,548.40				10/11/04	73.00	68.40	
5,548.28				11/16/04	73.12	68.52	
5,548.80				12/22/04	72.60	68.00	
5,548.43				01/18/05	72.97	68.37	


**Water Levels and Data over Time
White Mesa Mill - Well TW4-8**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,616.80	5,621.40	4.60				126.2
5,548.61				02/28/05	72.79	68.19	
5,548.64				03/15/05	72.76	68.16	
5,548.65				04/26/05	72.75	68.15	
5,548.85				05/24/05	72.55	67.95	
5,548.73				06/30/05	72.67	68.07	
5,548.62				07/29/05	72.78	68.18	
5,548.80				09/12/05	72.60	68.00	
5,548.71				12/07/05	72.69	68.09	
5,549.72				03/08/06	71.68	67.08	
5,549.70				06/13/06	71.70	67.10	
5,549.70				07/18/06	71.70	67.10	
5,549.65				11/07/06	71.75	67.15	
5,551.11				02/27/07	70.29	65.69	
5,550.20				05/02/07	71.20	66.60	
5,550.59				08/14/07	70.81	66.21	
5,550.76				10/10/07	70.64	66.04	
5,551.95				03/26/08	69.45	64.85	
5,552.36				06/24/08	69.04	64.44	
5,552.50				08/26/08	68.90	64.30	
5,552.56				10/14/08	68.84	64.24	
5,552.91				03/03/09	68.49	63.89	
5,553.27				06/24/09	68.13	63.53	
5,553.12				09/10/09	68.28	63.68	
5,553.63				12/11/09	67.77	63.17	
5,554.65				03/11/10	66.75	62.15	
5,554.57				05/11/10	66.83	62.23	
5,554.34				09/29/10	67.06	62.46	
5,554.09				12/21/10	67.31	62.71	
5,554.50				02/28/11	66.9	62.30	
5,554.79				06/21/11	66.61	62.01	
5,554.63				09/20/11	66.77	62.17	
5,555.01				12/21/11	66.39	61.79	
5,554.85				03/27/12	66.55	61.95	
5,554.90				06/28/12	66.5	61.90	
5,554.85				09/27/12	66.55	61.95	
5,554.86				12/28/12	66.54	61.94	
5,556.48				03/28/13	64.92	60.32	
5,556.35				06/27/13	65.05	60.45	
5,556.60				09/27/13	64.80	60.20	
5,556.56				12/20/13	64.84	60.24	
5,556.38				03/27/14	65.02	60.42	
5,555.56				06/25/14	65.84	61.24	
5,554.82				09/25/14	66.58	61.98	
5,554.95				12/17/14	66.45	61.85	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-8**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,616.80	5,621.40	4.60				126.2
5,546.89				03/26/15	74.51	69.91	
5,547.80				06/22/15	73.60	69.00	
5,544.84				09/30/15	76.56	71.96	
5,540.22				12/02/15	81.18	76.58	
5,542.00				03/30/16	79.40	74.80	
5,542.10				06/30/16	79.30	74.70	
5,541.70				09/29/16	79.70	75.10	
5,539.90				12/21/16	81.50	76.90	
5,541.70				03/30/17	79.70	75.10	
5,542.19				06/27/17	79.21	74.61	
5,540.58				09/28/17	80.82	76.22	
5,538.52				11/30/17	82.88	78.28	
5,537.95				03/28/18	83.45	78.85	
5,537.73				06/22/18	83.67	79.07	
5,537.38				09/25/18	84.02	79.42	
5,536.86				12/17/18	84.54	79.94	
5,536.30				03/25/19	85.10	80.50	
5,536.67				06/24/19	84.73	80.13	
5,536.82				08/12/19	84.58	79.98	
5,536.37				11/18/19	85.03	80.43	
5,535.53				02/10/20	85.87	81.27	
5,535.25				05/04/20	86.15	81.55	
5,535.49				09/22/20	85.91	81.31	
5,534.69				12/30/20	86.71	82.11	
5,534.92				03/11/21	86.48	81.88	
5,534.82				06/24/21	86.58	81.98	
5,536.12				08/13/21	85.28	80.68	
5,534.94				12/30/21	86.46	81.86	
5,535.76				02/10/22	85.64	81.04	
5,534.80				06/28/22	86.60	82.00	
5,535.98				08/15/22	85.42	80.82	
5,535.89				11/17/22	85.51	80.91	
5,536.04				03/24/23	85.36	80.76	

TW4-8 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-9**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,636.11	5,637.59	1.48				120.1
5,577.09				12/20/99	60.50	59.02	
5,577.09				01/02/00	60.50	59.02	
5,577.29				01/10/00	60.30	58.82	
5,577.09				01/17/00	60.50	59.02	
5,577.39				01/24/00	60.20	58.72	
5,577.29				02/01/00	60.30	58.82	
5,577.19				02/07/00	60.40	58.92	
5,577.69				02/14/00	59.90	58.42	
5,577.69				02/23/00	59.90	58.42	
5,577.79				03/01/00	59.80	58.32	
5,577.79				03/08/00	59.80	58.32	
5,577.89				03/15/00	59.70	58.22	
5,568.49				03/20/00	69.10	67.62	
5,578.14				03/29/00	59.45	57.97	
5,577.84				04/04/00	59.75	58.27	
5,578.04				04/13/00	59.55	58.07	
5,578.24				04/21/00	59.35	57.87	
5,578.39				04/28/00	59.20	57.72	
5,578.39				05/01/00	59.20	57.72	
5,578.79				05/11/00	58.80	57.32	
5,578.39				05/15/00	59.20	57.72	
5,578.79				05/25/00	58.80	57.32	
5,578.81				06/09/00	58.78	57.30	
5,578.89				06/16/00	58.70	57.22	
5,578.74				06/26/00	58.85	57.37	
5,578.86				07/06/00	58.73	57.25	
5,578.87				07/13/00	58.72	57.24	
5,578.84				07/18/00	58.75	57.27	
5,579.03				07/27/00	58.56	57.08	
5,579.03				08/02/00	58.56	57.08	
5,579.05				08/09/00	58.54	57.06	
5,579.04				08/15/00	58.55	57.07	
5,579.25				08/31/00	58.34	56.86	
5,579.35				09/08/00	58.24	56.76	
5,579.40				09/13/00	58.19	56.71	
5,579.46				09/20/00	58.13	56.65	
5,579.44				10/05/00	58.15	56.67	
5,579.79				11/09/00	57.80	56.32	
5,579.73				12/06/00	57.86	56.38	
5,580.01				01/03/01	57.58	56.10	
5,580.30				02/09/01	57.29	55.81	
5,580.66				03/27/01	56.93	55.45	
5,580.75				04/30/01	56.84	55.36	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-9**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,636.11	5,637.59	1.48				120.1
5,581.04				05/31/01	56.55	55.07	
5,581.12				06/21/01	56.47	54.99	
5,581.15				07/10/01	56.44	54.96	
5,581.51				08/20/01	56.08	54.60	
5,581.70				09/19/01	55.89	54.41	
5,581.61				10/02/01	55.98	54.50	
5,581.83				11/08/01	55.76	54.28	
5,582.17				12/03/01	55.42	53.94	
5,582.21				01/03/02	55.38	53.90	
5,582.57				02/06/02	55.02	53.54	
5,583.12				03/26/02	54.47	52.99	
5,582.77				04/09/02	54.82	53.34	
5,583.21				05/23/02	54.38	52.90	
5,582.94				06/05/02	54.65	53.17	
5,582.71				07/08/02	54.88	53.40	
5,583.67				08/23/02	53.92	52.44	
5,583.82				09/11/02	53.77	52.29	
5,584.01				10/23/02	53.58	52.10	
5,583.88				11/22/02	53.71	52.23	
5,583.81				12/03/02	53.78	52.30	
5,584.28				01/09/03	53.31	51.83	
5,584.41				02/12/03	53.18	51.70	
5,584.68				03/26/03	52.91	51.43	
5,584.49				04/02/03	53.10	51.62	
5,584.51				05/01/03	53.08	51.60	
5,583.59				06/09/03	54.00	52.52	
5,582.96				07/07/03	54.63	53.15	
5,582.98				08/04/03	54.61	53.13	
5,582.57				09/11/03	55.02	53.54	
5,582.25				10/02/03	55.34	53.86	
5,582.09				11/07/03	55.50	54.02	
5,582.48				12/03/03	55.11	53.63	
5,583.69				01/15/04	53.90	52.42	
5,583.89				02/10/04	53.70	52.22	
5,584.30				03/28/04	53.29	51.81	
5,584.59				04/12/04	53.00	51.52	
5,584.87				05/13/04	52.72	51.24	
5,584.96				06/18/04	52.63	51.15	
5,585.50				07/28/04	52.09	50.61	
5,584.81				08/30/04	52.78	51.30	
5,584.40				09/16/04	53.19	51.71	
5,583.91				10/11/04	53.68	52.20	
5,583.39				11/16/04	54.20	52.72	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-9**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,636.11	5,637.59	1.48				120.1
5,583.54				12/22/04	54.05	52.57	
5,583.34				01/18/05	54.25	52.77	
5,583.66				02/28/05	53.93	52.45	
5,583.87				03/15/05	53.72	52.24	
5,584.74				04/26/05	52.85	51.37	
5,585.26				05/24/05	52.33	50.85	
5,585.06				06/30/05	52.53	51.05	
5,584.67				07/29/05	52.92	51.44	
5,584.75				09/12/05	52.84	51.36	
5,584.51				12/07/05	53.08	51.60	
5,585.74				03/08/06	51.85	50.37	
5,584.74				06/13/06	52.85	51.37	
5,584.26				07/18/06	53.33	51.85	
5,584.21				11/07/06	53.38	51.90	
5,584.67				02/27/07	52.92	51.44	
5,584.06				05/02/07	53.53	52.05	
5,585.33				08/14/07	52.26	50.78	
5,585.42				10/10/07	52.17	50.69	
5,587.01				03/26/08	50.58	49.10	
5,585.44				06/24/08	52.15	50.67	
5,585.23				08/26/08	52.36	50.88	
5,584.42				10/14/08	53.17	51.69	
5,583.59				03/03/09	54.00	52.52	
5,583.35				06/24/09	54.24	52.76	
5,582.91				09/10/09	54.68	53.20	
5,583.43				12/11/09	54.16	52.68	
5,584.00				03/11/10	53.59	52.11	
5,583.27				05/11/10	54.32	52.84	
5,582.92				09/29/10	54.67	53.19	
5,583.08				12/21/10	54.51	53.03	
5,582.63				02/28/11	54.96	53.48	
5,583.62				06/21/11	53.97	52.49	
5,583.52				09/20/11	54.07	52.59	
5,583.91				12/21/11	53.68	52.20	
5,582.84				03/27/12	54.75	53.27	
5,582.84				06/28/12	54.75	53.27	
5,582.92				09/27/12	54.67	53.19	
5,582.84				12/28/12	54.75	53.27	
5,581.97				03/28/13	55.62	54.14	
5,581.19				06/27/13	56.40	54.92	
5,580.50				09/27/13	57.09	55.61	
5,579.73				12/20/13	57.86	56.38	
5,578.61				03/27/14	58.98	57.50	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-9**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,636.11	5,637.59	1.48				120.1
5,577.24				06/25/14	60.35	58.87	
5,576.24				09/25/14	61.35	59.87	
5,576.44				12/17/14	61.15	59.67	
5,576.35				03/26/15	61.24	59.76	
5,576.48				06/22/15	61.11	59.63	
5,575.98				09/30/15	61.61	60.13	
5,575.41				12/02/15	62.18	60.70	
5,575.38				03/30/16	62.21	60.73	
5,574.74				06/30/16	62.85	61.37	
5,574.26				09/29/16	63.33	61.85	
5,573.88				12/21/16	63.71	62.23	
5,573.99				03/30/17	63.60	62.12	
5,573.49				06/27/17	64.10	62.62	
5,573.05				09/28/17	64.54	63.06	
5,572.34				11/30/17	65.25	63.77	
5,574.97				03/28/18	62.62	61.14	
5,571.69				06/22/18	65.90	64.42	
5,571.20				09/25/18	66.39	64.91	
5,570.92				12/17/18	66.67	65.19	
5,570.16				03/25/19	67.43	65.95	
5,570.17				06/24/19	67.42	65.94	
5,570.01				08/12/19	67.58	66.10	
5,569.66				11/18/19	67.93	66.45	
5,569.38				02/10/20	68.21	66.73	
5,569.04				05/04/20	68.55	67.07	
5,568.30				09/22/20	69.29	67.81	
5,568.12				12/30/20	69.47	67.99	
5,568.18				03/11/21	69.41	67.93	
5,567.66				06/24/21	69.93	68.45	
5,567.54				08/13/21	70.05	68.57	
5,567.77				12/30/21	69.82	68.34	
5,567.12				02/10/22	70.47	68.99	
5,567.68				06/28/22	69.91	68.43	
5,566.83				08/15/22	70.76	69.28	
5,566.66				11/17/22	70.93	69.45	
5,566.20				03/24/23	71.39	69.91	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-10**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured	Total	Total Depth Of Well
					Depth to Water (blw.MP)	Depth to Water (blw.LSD)	
	5,631.99	5,634.24	2.25				113.2
5,576.75				01/03/02	57.49	55.24	
5,576.92				02/06/02	57.32	55.07	
5,577.43				03/26/02	56.81	54.56	
5,577.22				04/09/02	57.02	54.77	
5,577.80				05/23/02	56.44	54.19	
5,577.47				06/05/02	56.77	54.52	
5,577.55				07/08/02	56.69	54.44	
5,578.10				08/23/02	56.14	53.89	
5,578.24				09/11/02	56.00	53.75	
5,578.49				10/23/02	55.75	53.50	
5,578.43				11/22/02	55.81	53.56	
5,578.43				12/03/02	55.81	53.56	
5,578.66				01/09/03	55.58	53.33	
5,578.66				02/12/03	55.58	53.33	
5,578.78				03/26/03	55.46	53.21	
5,578.90				04/02/03	55.34	53.09	
5,578.83				05/01/03	55.41	53.16	
5,578.05				06/09/03	56.19	53.94	
5,577.38				07/07/03	56.86	54.61	
5,577.15				08/04/03	57.09	54.84	
5,576.76				09/11/03	57.48	55.23	
5,576.36				10/02/03	57.88	55.63	
5,576.05				11/07/03	58.19	55.94	
5,576.20				12/03/03	58.04	55.79	
5,577.43				01/15/04	56.81	54.56	
5,577.81				02/10/04	56.43	54.18	
5,578.47				03/28/04	55.77	53.52	
5,578.69				04/12/04	55.55	53.30	
5,578.93				05/13/04	55.31	53.06	
5,578.99				06/18/04	55.25	53.00	
5,579.18				07/28/04	55.06	52.81	
5,579.06				08/30/04	55.18	52.93	
5,578.78				09/16/04	55.46	53.21	
5,577.80				10/11/04	56.44	54.19	
5,577.13				11/16/04	57.11	54.86	
5,576.96				12/22/04	57.28	55.03	
5,576.63				01/18/05	57.61	55.36	
5,576.82				02/28/05	57.42	55.17	
5,576.86				03/15/05	57.38	55.13	
5,577.52				04/26/05	56.72	54.47	
5,578.01				05/24/05	56.23	53.98	
5,578.15				06/30/05	56.09	53.84	
5,577.90				07/29/05	56.34	54.09	
5,578.02				09/12/05	56.22	53.97	


**Water Levels and Data over Time
White Mesa Mill - Well TW4-10**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	total or	Total	Total Depth Of Well
					Measured Depth to Water (blw.MP)	Depth to Water (blw.LSD)	
	5,631.99	5,634.24	2.25				113.2
5,577.56				12/07/05	56.68	54.43	
5,579.69				03/08/06	54.55	52.30	
5,578.34				06/13/06	55.90	53.65	
5,577.94				07/18/06	56.30	54.05	
5,578.01				11/07/06	56.23	53.98	
5,578.43				02/27/07	55.81	53.56	
5,577.84				05/02/07	56.40	54.15	
5,578.74				08/14/07	55.50	53.25	
5,579.04				10/10/07	55.20	52.95	
5,580.69				03/26/08	53.55	51.30	
5,579.87				06/24/08	54.37	52.12	
5,579.47				08/26/08	54.77	52.52	
5,578.87				10/14/08	55.37	53.12	
5,578.01				03/10/09	56.23	53.98	
5,577.85				06/24/09	56.39	54.14	
5,577.49				09/10/09	56.75	54.50	
5,577.98				12/11/09	56.26	54.01	
5,578.38				03/11/10	55.86	53.61	
5,578.16				05/11/10	56.08	53.83	
5,577.85				09/29/10	56.39	54.14	
5,577.28				12/21/10	56.96	54.71	
5,577.14				02/28/11	57.10	54.85	
5,578.09				06/21/11	56.15	53.90	
5,578.24				09/20/11	56.00	53.75	
5,578.74				12/21/11	55.50	53.25	
5,577.89				03/27/12	56.35	54.10	
5,577.90				06/28/12	56.34	54.09	
5,578.29				09/27/12	55.95	53.70	
5,577.87				12/28/12	56.37	54.12	
5,577.92				03/28/13	56.32	54.07	
5,577.19				06/27/13	57.05	54.80	
5,576.77				09/27/13	57.47	55.22	
5,576.22				12/20/13	58.02	55.77	
5,575.36				03/27/14	58.88	56.63	
5,574.11				06/25/14	60.13	57.88	
5,573.19				09/25/14	61.05	58.80	
5,573.19				12/17/14	61.05	58.80	
5,573.12				03/26/15	61.12	58.87	
5,573.33				06/22/15	60.91	58.66	
5,572.98				09/30/15	61.26	59.01	
5,572.39				12/02/15	61.85	59.60	
5,572.64				03/30/16	61.60	59.35	
5,571.79				06/30/16	62.45	60.20	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-10**

Water Elevation (WL)	Land Surface (LSD)	Measuring		Date Of Monitoring	Total or Measured		Total Depth Of Well
		Point Elevation (MP)	Length Of Riser (L)		Depth to Water (blw.MP)	Depth to Water (blw.LSD)	
	5,631.99	5,634.24	2.25				113.2
5,571.27				09/29/16	62.97	60.72	
5,570.94				12/21/16	63.30	61.05	
5,571.09				03/30/17	63.15	60.90	
5,570.59				06/27/17	63.65	61.40	
5,570.12				09/28/17	64.12	61.87	
5,569.42				11/30/17	64.82	62.57	
5,569.06				03/28/18	65.18	62.93	
5,568.81				06/22/18	65.43	63.18	
5,568.33				09/25/18	65.91	63.66	
5,568.08				12/17/18	66.16	63.91	
5,567.33				03/25/19	66.91	64.66	
5,567.39				06/24/19	66.85	64.60	
5,567.21				08/12/19	67.03	64.78	
5,566.88				11/18/19	67.36	65.11	
5,566.61				02/10/20	67.63	65.38	
5,566.27				05/04/20	67.97	65.72	
5,565.53				09/22/20	68.71	66.46	
5,565.33				12/30/20	68.91	66.66	
5,565.46				03/11/21	68.78	66.53	
5,564.86				06/24/21	69.38	67.13	
5,564.89				08/13/21	69.35	67.10	
5,565.05				12/30/21	69.19	66.94	
5,564.41				02/10/22	69.83	67.58	
5,564.82				06/28/22	69.42	67.17	
5,564.09				08/15/22	70.15	67.90	
5,563.87				11/17/22	70.37	68.12	
5,563.52				03/24/23	70.72	68.47	

TW4-10 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-11**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,621.92	5,623.62	1.70				102.4
5,548.32				01/03/02	75.30	73.60	
5,548.73				02/06/02	74.89	73.19	
5,549.03				03/26/02	74.59	72.89	
5,548.84				04/09/02	74.78	73.08	
5,549.30				05/23/02	74.32	72.62	
5,549.01				06/05/02	74.61	72.91	
5,549.22				07/08/02	74.40	72.70	
5,549.44				08/23/02	74.18	72.48	
5,549.57				09/11/02	74.05	72.35	
5,549.64				10/23/02	73.98	72.28	
5,549.58				11/22/02	74.04	72.34	
5,549.62				12/03/02	74.00	72.30	
5,549.85				01/09/03	73.77	72.07	
5,549.91				02/12/03	73.71	72.01	
5,550.15				03/26/03	73.47	71.77	
5,550.01				04/02/03	73.61	71.91	
5,550.31				05/01/03	73.31	71.61	
5,550.44				06/09/03	73.18	71.48	
5,550.33				07/07/03	73.29	71.59	
5,550.35				08/04/03	73.27	71.57	
5,550.44				09/11/03	73.18	71.48	
5,550.47				10/02/03	73.15	71.45	
5,550.60				11/07/03	73.02	71.32	
5,550.60				12/03/03	73.02	71.32	
5,550.94				01/15/04	72.68	70.98	
5,551.00				02/10/04	72.62	70.92	
5,550.34				03/28/04	73.28	71.58	
5,551.54				04/12/04	72.08	70.38	
5,551.89				05/13/04	71.73	70.03	
5,551.94				06/18/04	71.68	69.98	
5,552.49				07/28/04	71.13	69.43	
5,552.74				08/30/04	70.88	69.18	
5,553.01				09/16/04	70.61	68.91	
5,553.11				10/11/04	70.51	68.81	
5,553.19				11/16/04	70.43	68.73	
5,553.53				12/22/04	70.09	68.39	
5,553.31				01/18/05	70.31	68.61	
5,553.84				02/28/05	69.78	68.08	
5,554.04				03/15/05	69.58	67.88	
5,554.23				04/26/05	69.39	67.69	
5,553.87				05/24/05	69.75	68.05	
5,554.46				06/30/05	69.16	67.46	
5,554.57				07/29/05	69.05	67.35	


Water Levels and Data over Time
White Mesa Mill - Well TW4-11

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,621.92	5,623.62	1.70				102.4
5,553.86				09/12/05	69.76	68.06	
5,555.30				12/07/05	68.32	66.62	
5,556.20				03/08/06	67.42	65.72	
5,556.48				06/14/06	67.14	65.44	
5,556.37				07/18/06	67.25	65.55	
5,556.94				11/07/06	66.68	64.98	
5557.92				02/27/07	65.70	64.00	
5,557.84				05/02/07	65.78	64.08	
5,558.02				08/15/07	65.60	63.90	
5,557.13				10/10/07	66.49	64.79	
5,569.74				03/26/08	53.88	52.18	
5,561.01				06/24/08	62.61	60.91	
5,562.07				08/26/08	61.55	59.85	
5,562.47				10/14/08	61.15	59.45	
5,563.80				03/10/09	59.82	58.12	
5,564.27				06/24/09	59.35	57.65	
5,564.32				09/10/09	59.30	57.60	
5,564.70				12/11/09	58.92	57.22	
5,565.14				03/11/10	58.48	56.78	
5,565.61				05/11/10	58.01	56.31	
5,565.67				09/29/10	57.95	56.25	
5,565.62				12/21/10	58.00	56.30	
5,565.42				02/28/11	58.20	56.50	
5,566.01				06/21/11	57.61	55.91	
5,566.03				09/20/11	57.59	55.89	
5,566.63				12/21/11	56.99	55.29	
5,565.81				03/27/12	57.81	56.11	
5,565.82				06/28/12	57.80	56.10	
5,566.66				09/27/12	56.96	55.26	
5,565.77				12/28/12	57.85	56.15	
5,566.89				03/28/13	56.73	55.03	
5,566.32				06/27/13	57.30	55.60	
5,565.92				09/27/13	57.70	56.00	
5,565.63				12/20/13	57.99	56.29	
5,565.03				03/27/14	58.59	56.89	
5,564.18				06/25/14	59.44	57.74	
5,563.52				09/25/14	60.10	58.40	
5,563.37				12/17/14	60.25	58.55	
5,532.62				03/26/15	91.00	89.30	
5,527.07				06/22/15	96.55	94.85	
5,533.27				09/30/15	90.35	88.65	
5,532.67				12/02/15	90.95	89.25	
5,531.44				03/30/16	92.18	90.48	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-11**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,621.92	5,623.62	1.70				102.4
5,529.85				06/30/16	93.77	92.07	
5,530.64				09/29/16	92.98	91.28	
5,530.61				12/21/16	93.01	91.31	
5,538.48				03/30/17	85.14	83.44	
5,529.93				06/27/17	93.69	91.99	
5,530.41				09/28/17	93.21	91.51	
5,531.26				11/30/17	92.36	90.66	
5,530.28				03/28/18	93.34	91.64	
5,530.36				06/22/18	93.26	91.56	
5,530.41				09/24/18	93.21	91.51	
5,531.96				12/17/18	91.66	89.96	
5,532.84				03/25/19	90.78	89.08	
5,533.62				06/24/19	90.00	88.30	
5,532.49				08/12/19	91.13	89.43	
5,532.50				11/18/19	91.12	89.42	
5,533.60				02/10/20	90.02	88.32	
5,533.02				05/04/20	90.60	88.90	
5,530.54				09/21/20	93.08	91.38	
5,533.51				12/28/20	90.11	88.41	
5,533.54				03/11/21	90.08	88.38	
5,534.12				06/24/21	89.50	87.80	
5,533.72				08/13/21	89.90	88.20	
5,533.62				12/30/21	90.00	88.30	
5,533.51				02/10/22	90.11	88.41	
5,534.08				06/28/22	89.54	87.84	
5,533.84				08/15/22	89.78	88.08	
5,533.21				11/17/22	90.41	88.71	
5,524.87				03/24/23	98.75	97.05	

TW4-11 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-12**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,622.38	5,624.23	1.85				103.2
5,580.91				08/23/02	43.32	41.47	
5,581.54				09/11/02	42.69	40.84	
5,581.33				10/23/02	42.90	41.05	
5,581.47				11/22/02	42.76	40.91	
5,581.55				12/03/02	42.68	40.83	
5,582.58				01/09/03	41.65	39.80	
5,582.47				02/12/03	41.76	39.91	
5,582.71				03/26/03	41.52	39.67	
5,582.11				04/02/03	42.12	40.27	
5,582.92				05/01/03	41.31	39.46	
5,583.13				06/09/03	41.10	39.25	
5,583.21				07/07/03	41.02	39.17	
5,583.31				08/04/03	40.92	39.07	
5,583.55				09/11/03	40.68	38.83	
5,583.72				10/02/03	40.51	38.66	
5,583.77				11/07/03	40.46	38.61	
5,584.01				12/03/03	40.22	38.37	
5,584.37				01/15/04	39.86	38.01	
5,584.39				02/10/04	39.84	37.99	
5,584.51				03/28/04	39.72	37.87	
5,584.90				04/12/04	39.33	37.48	
5,584.88				05/13/04	39.35	37.50	
5,584.93				06/18/04	39.30	37.45	
5,585.36				07/28/04	38.87	37.02	
5,585.38				08/30/04	38.85	37.00	
5,585.49				09/16/04	38.74	36.89	
5,585.85				10/11/04	38.38	36.53	
5,585.91				11/16/04	38.32	36.47	
5,586.35				12/22/04	37.88	36.03	
5,586.14				01/18/05	38.09	36.24	
5,586.56				02/28/05	37.67	35.82	
5,586.95				03/15/05	37.28	35.43	
5,587.20				04/26/05	37.03	35.18	
5,587.35				05/24/05	36.88	35.03	
5,587.58				06/30/05	36.65	34.80	
5,587.58				07/29/05	36.65	34.80	
5,587.94				09/12/05	36.29	34.44	
5,588.43				12/07/05	35.80	33.95	
5,588.92				03/08/06	35.31	33.46	
5,588.34				06/13/06	35.89	34.04	
5,588.33				07/18/06	35.90	34.05	
5,584.70				11/07/06	39.53	37.68	
5588.85				02/27/07	35.38	33.53	


**Water Levels and Data over Time
White Mesa Mill - Well TW4-12**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,622.38	5,624.23	1.85				103.2
5,588.53				05/02/07	35.70	33.85	
5,586.49				08/14/07	37.74	35.89	
5,586.68				10/10/07	37.55	35.70	
5,587.76				03/26/08	36.47	34.62	
5,587.59				06/24/08	36.64	34.79	
5,587.35				08/26/08	36.88	35.03	
5,586.84				10/14/08	37.39	35.54	
5,586.17				03/03/09	38.06	36.21	
5,585.74				06/24/09	38.49	36.64	
5,585.54				09/10/09	38.69	36.84	
5,585.77				12/11/09	38.46	36.61	
5,585.88				03/11/10	38.35	36.50	
5,586.35				05/11/10	37.88	36.03	
5,585.68				09/29/10	38.55	36.70	
5,585.09				12/21/10	39.14	37.29	
5,584.65				02/28/11	39.58	37.73	
5,584.76				06/21/11	39.47	37.62	
5,584.32				09/20/11	39.91	38.06	
5,584.22				12/21/11	40.01	38.16	
5,577.07				03/27/12	47.16	45.31	
5,577.05				06/28/12	47.18	45.33	
5,583.14				09/27/12	41.09	39.24	
5,577.10				12/28/12	47.13	45.28	
5,582.71				03/28/13	41.52	39.67	
5,582.25				06/27/13	41.98	40.13	
5,582.24				09/27/13	41.99	40.14	
5,582.12				12/20/13	42.11	40.26	
5,581.67				03/27/14	42.56	40.71	
5,581.03				06/25/14	43.20	41.35	
5,580.49				09/25/14	43.74	41.89	
5,580.33				12/17/14	43.90	42.05	
5,579.28				03/26/15	44.95	43.10	
5,579.23				06/22/15	45.00	43.15	
5,578.87				09/30/15	45.36	43.51	
5,578.53				12/02/15	45.70	43.85	
5,578.53				03/30/16	45.70	43.85	
5,578.03				06/30/16	46.20	44.35	
5,577.54				09/29/16	46.69	44.84	
5,577.27				12/21/16	46.96	45.11	
5,577.00				03/30/17	47.23	45.38	
5,576.59				06/27/17	47.64	45.79	
5,576.00				09/28/17	48.23	46.38	
5,575.27				11/29/17	48.96	47.11	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-12**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,622.38	5,624.23	1.85				103.2
5,573.64				03/28/18	50.59	48.74	
5,572.58				06/22/18	51.65	49.80	
5,571.91				09/25/18	52.32	50.47	
5,571.49				12/17/18	52.74	50.89	
5,570.77				03/25/19	53.46	51.61	
5,570.78				06/24/19	53.45	51.60	
5,570.54				08/12/19	53.69	51.84	
5,570.06				11/18/19	54.17	52.32	
5,570.02				02/10/20	54.21	52.36	
5,569.45				05/04/20	54.78	52.93	
5,569.03				09/22/20	55.20	53.35	
5,568.91				12/30/20	55.32	53.47	
5,568.99				03/11/21	55.24	53.39	
5,568.44				06/24/21	55.79	53.94	
5,568.35				08/13/21	55.88	54.03	
5,568.70				12/30/21	55.53	53.68	
5,567.90				02/10/22	56.33	54.48	
5,568.45				06/28/22	55.78	53.93	
5,567.92				08/15/22	56.31	54.46	
5,567.68				11/17/22	56.55	54.70	
5,567.92				03/24/23	56.31	54.46	

TW4-12 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-13**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,618.09	5,619.94	1.85				105.7
5,529.66				08/23/02	90.28	88.43	
5,530.66				09/11/02	89.28	87.43	
5,529.10				10/23/02	90.84	88.99	
5,530.58				11/22/02	89.36	87.51	
5,530.61				12/03/02	89.33	87.48	
5,529.74				01/09/03	90.20	88.35	
5,531.03				02/12/03	88.91	87.06	
5,531.82				03/26/03	88.12	86.27	
5,524.63				04/02/03	95.31	93.46	
5,531.54				05/01/03	88.40	86.55	
5,538.46				06/09/03	81.48	79.63	
5,539.38				07/07/03	80.56	78.71	
5,540.72				08/04/03	79.22	77.37	
5,541.25				09/11/03	78.69	76.84	
5,541.34				10/02/03	78.60	76.75	
5,541.69				11/07/03	78.25	76.40	
5,541.91				12/03/03	78.03	76.18	
5,542.44				01/15/04	77.50	75.65	
5,542.47				02/10/04	77.47	75.62	
5,542.84				03/28/04	77.10	75.25	
5,543.08				04/12/04	76.86	75.01	
5,543.34				05/13/04	76.60	74.75	
5,543.40				06/18/04	76.54	74.69	
5,544.06				07/28/04	75.88	74.03	
5,544.61				08/30/04	75.33	73.48	
5,545.23				09/16/04	74.71	72.86	
5,546.20				10/11/04	73.74	71.89	
5,547.43				11/16/04	72.51	70.66	
5,548.96				12/22/04	70.98	69.13	
5,549.02				01/18/05	70.92	69.07	
5,550.66				02/28/05	69.28	67.43	
5,551.26				03/15/05	68.68	66.83	
5,552.23				04/26/05	67.71	65.86	
5,552.87				05/24/05	67.07	65.22	
5,553.42				06/30/05	66.52	64.67	
5,554.00				07/29/05	65.94	64.09	
5,555.21				09/12/05	64.73	62.88	
5,558.13				12/07/05	61.81	59.96	
5,562.93				03/08/06	57.01	55.16	
5,564.39				06/13/06	55.55	53.70	
5,562.09				07/18/06	57.85	56.00	
5,565.49				11/07/06	54.45	52.60	
5,571.08				02/27/07	48.86	47.01	


**Water Levels and Data over Time
White Mesa Mill - Well TW4-13**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,618.09	5,619.94	1.85				105.7
5,570.63				05/02/07	49.31	47.46	
5,565.24				08/14/07	54.70	52.85	
5,565.83				10/10/07	54.11	52.26	
5,569.29				03/26/08	50.65	48.80	
5,570.00				06/24/08	49.94	48.09	
5,570.41				08/26/08	49.53	47.68	
5,570.64				10/14/08	49.30	47.45	
5,570.43				03/03/09	49.51	47.66	
5,570.56				06/24/09	49.38	47.53	
5,570.42				09/10/09	49.52	47.67	
5,571.15				12/11/09	48.79	46.94	
5,572.01				03/11/10	47.93	46.08	
5,572.88				05/11/10	47.06	45.21	
5,573.17				09/29/10	46.77	44.92	
5,573.14				12/21/10	46.80	44.95	
5,573.10				02/28/11	46.84	44.99	
5,573.75				06/21/11	46.19	44.34	
5,573.63				09/20/11	46.31	44.46	
5,573.94				12/21/11	46.00	44.15	
5,572.79				03/27/12	47.15	45.30	
5,572.77				06/28/12	47.17	45.32	
5,573.04				09/27/12	46.90	45.05	
5,572.79				12/28/12	47.15	45.30	
5,573.03				03/28/13	46.91	45.06	
5,572.44				06/27/13	47.50	45.65	
5,573.46				09/27/13	46.48	44.63	
5,573.46				12/20/13	46.48	44.63	
5,572.90				03/27/14	47.04	45.19	
5,571.79				06/25/14	48.15	46.30	
5,571.04				09/25/14	48.90	47.05	
5,571.08				12/17/14	48.86	47.01	
5,569.50				03/26/15	50.44	48.59	
5,569.16				06/22/15	50.78	48.93	
5,568.66				09/30/15	51.28	49.43	
5,568.02				12/02/15	51.92	50.07	
5,568.39				03/30/16	51.55	49.70	
5,567.49				06/30/16	52.45	50.60	
5,566.99				09/29/16	52.95	51.10	
5,566.94				12/21/16	53.00	51.15	
5,567.24				03/30/17	52.70	50.85	
5,566.79				06/27/17	53.15	51.30	
5,566.43				09/28/17	53.51	51.66	
5,566.28				11/29/17	53.66	51.81	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-13**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,618.09	5,619.94	1.85				105.7
5,566.24				03/28/18	53.70	51.85	
5,566.03				06/22/18	53.91	52.06	
5,565.61				09/25/18	54.33	52.48	
5,565.32				12/17/18	54.62	52.77	
5,564.78				03/25/19	55.16	53.31	
5,564.99				06/24/19	54.95	53.10	
5,564.78				08/12/19	55.16	53.31	
5,564.39				11/18/19	55.55	53.70	
5,564.39				02/10/20	55.55	53.70	
5,563.82				05/04/20	56.12	54.27	
5,563.55				09/22/20	56.39	54.54	
5,563.51				12/30/20	56.43	54.58	
5,563.66				03/11/21	56.28	54.43	
5,563.14				06/24/21	56.80	54.95	
5,562.99				08/13/21	56.95	55.10	
5,563.28				12/30/21	56.66	54.81	
5,562.69				02/10/22	57.25	55.40	
5,563.11				06/28/22	56.83	54.98	
5,562.34				08/15/22	57.60	55.75	
5,562.12				11/17/22	57.82	55.97	
5,562.62				03/24/23	57.32	55.47	

TW4-13 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-14**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,610.92	5,612.77	1.85				95.1
5,518.90				08/23/02	93.87	92.02	
5,519.28				09/11/02	93.49	91.64	
5,519.95				10/23/02	92.82	90.97	
5,520.32				11/22/02	92.45	90.60	
5,520.42				12/03/02	92.35	90.50	
5,520.70				01/09/03	92.07	90.22	
5,520.89				02/12/03	91.88	90.03	
5,521.12				03/26/03	91.65	89.80	
5,521.12				04/02/03	91.65	89.80	
5,521.24				05/01/03	91.53	89.68	
5,521.34				06/09/03	91.43	89.58	
5,521.36				07/07/03	91.41	89.56	
5,521.35				08/04/03	91.42	89.57	
5,521.30				09/11/03	91.47	89.62	
5,521.35				10/02/03	91.42	89.57	
5,521.36				11/07/03	91.41	89.56	
5,521.16				12/03/03	91.61	89.76	
5,521.29				01/15/04	91.48	89.63	
5,521.36				02/10/04	91.41	89.56	
5,521.46				03/28/04	91.31	89.46	
5,521.54				04/12/04	91.23	89.38	
5,521.59				05/13/04	91.18	89.33	
5,521.69				06/18/04	91.08	89.23	
5,521.71				07/28/04	91.06	89.21	
5,521.76				08/30/04	91.01	89.16	
5,521.77				09/16/04	91.00	89.15	
5,521.79				10/11/04	90.98	89.13	
5,521.80				11/16/04	90.97	89.12	
5,521.82				12/22/04	90.95	89.10	
5,521.82				01/18/05	90.95	89.10	
5,521.86				02/28/05	90.91	89.06	
5,521.85				03/15/05	90.92	89.07	
5,521.91				04/26/05	90.86	89.01	
5,521.93				05/24/05	90.84	88.99	
5,521.94				06/30/05	90.83	88.98	
5,521.84				07/29/05	90.93	89.08	
5,521.99				09/12/05	90.78	88.93	
5,522.04				12/07/05	90.73	88.88	
5,522.05				03/08/06	90.72	88.87	
5,522.27				06/13/06	90.50	88.65	
5,521.92				07/18/06	90.85	89.00	
5,520.17				11/07/06	92.60	90.75	
5,522.24				02/27/07	90.53	88.68	


**Water Levels and Data over Time
White Mesa Mill - Well TW4-14**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,610.92	5,612.77	1.85				95.1
5,522.47				05/02/07	90.30	88.45	
5,520.74				08/14/07	92.03	90.18	
5,518.13				10/10/07	94.64	92.79	
5,522.85				03/26/08	89.92	88.07	
5,522.91				06/24/08	89.86	88.01	
5,523.01				08/26/08	89.76	87.91	
5,522.96				10/14/08	89.81	87.96	
5,523.20				03/03/09	89.57	87.72	
5,523.33				06/24/09	89.44	87.59	
5,523.47				09/10/09	89.30	87.45	
5,523.54				12/11/09	89.23	87.38	
5,522.98				03/11/10	89.79	87.94	
5,524.01				05/11/10	88.76	86.91	
5,524.37				09/29/10	88.40	86.55	
5,524.62				12/21/10	88.15	86.30	
5,524.78				02/28/11	87.99	86.14	
5,525.23				06/21/11	87.54	85.69	
5,525.45				09/20/11	87.32	85.47	
5,525.72				12/21/11	87.05	85.20	
5,525.88				03/27/12	86.89	85.04	
5,525.97				06/28/12	86.80	84.95	
5,526.32				09/27/12	86.45	84.60	
5,525.88				12/28/12	86.89	85.04	
5,526.91				03/28/13	85.86	84.01	
5,526.99				06/27/13	85.78	83.93	
5,527.68				09/27/13	85.09	83.24	
5,528.19				12/20/13	84.58	82.73	
5,528.75				03/27/14	84.02	82.17	
5,529.21				06/25/14	83.56	81.71	
5,529.78				09/25/14	82.99	81.14	
5,530.41				12/17/14	82.36	80.51	
5,530.86				03/26/15	81.91	80.06	
5,531.40				06/22/15	81.37	79.52	
5,532.15				09/30/15	80.62	78.77	
5,532.12				12/02/15	80.65	78.80	
5,533.12				03/30/16	79.65	77.80	
5,533.13				06/30/16	79.64	77.79	
5,533.24				09/29/16	79.53	77.68	
5,533.42				12/21/16	79.35	77.50	
5,533.97				03/30/17	78.80	76.95	
5,534.05				06/27/17	78.72	76.87	
5,534.07				09/28/17	78.70	76.85	
5,534.29				11/29/17	78.48	76.63	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-14**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,610.92	5,612.77	1.85				95.1
5,534.56				03/28/18	78.21	76.36	
5,534.67				06/22/18	78.10	76.25	
5,534.75				09/25/18	78.02	76.17	
5,534.71				12/17/18	78.06	76.21	
5,534.71				03/25/19	78.06	76.21	
5,535.04				06/24/19	77.73	75.88	
5,535.17				08/12/19	77.60	75.75	
5,535.09				11/18/19	77.68	75.83	
5,535.31				02/10/20	77.46	75.61	
5,535.12				05/04/20	77.65	75.80	
5,535.25				09/22/20	77.52	75.67	
5,535.54				12/30/20	77.23	75.38	
5,535.55				03/11/21	77.22	75.37	
5,535.41				06/24/21	77.36	75.51	
5,535.25				08/13/21	77.52	75.67	
5,535.65				12/30/21	77.12	75.27	
5,535.43				02/10/22	77.34	75.49	
5,535.40				06/28/22	77.37	75.52	
5,535.37				08/15/22	77.40	75.55	
5,535.26				11/17/22	77.51	75.66	
5,535.62				03/24/23	77.15	75.3	

TW4-14 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well MW-26**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point		Date Of Monitoring	Total or Measured Depth to Water		Total Depth to Water	Total Depth Of Well
		Elevation (MP)	Length Of Riser (L)		(blw.MP)	(blw.LSD)		
	5,624.15	5,625.45	1.30					121.33
5,574.75				08/23/02	50.70		49.40	
5,574.97				09/11/02	50.48		49.18	
5,575.10				10/23/02	50.35		49.05	
5,574.99				11/22/02	50.46		49.16	
5,575.28				12/03/02	50.17		48.87	
5,575.41				01/09/03	50.04		48.74	
5,575.43				02/12/03	50.02		48.72	
5,575.63				03/26/03	49.82		48.52	
5,575.91				04/02/03	49.54		48.24	
5,575.81				05/01/03	49.64		48.34	
5,572.36				06/09/03	53.09		51.79	
5,570.70				07/07/03	54.75		53.45	
5,570.29				08/04/03	55.16		53.86	
5,560.94				09/11/03	64.51		63.21	
5,560.63				10/02/03	64.82		63.52	
5,560.56				11/07/03	64.89		63.59	
5,564.77				12/03/03	60.68		59.38	
5,570.89				01/15/04	54.56		53.26	
5,572.55				02/10/04	52.90		51.60	
5,574.25				03/28/04	51.20		49.90	
5,574.77				04/12/04	50.68		49.38	
5,575.53				05/13/04	49.92		48.62	
5,575.59				06/18/04	49.86		48.56	
5,576.82				07/28/04	48.63		47.33	
5,527.47				09/16/04	97.98		96.68	
5,553.97				11/16/04	71.48		70.18	
5,562.33				12/22/04	63.12		61.82	
5,550.00				01/18/05	75.45		74.15	
5,560.02				04/26/05	65.43		64.13	
5,546.11				05/24/05	79.34		78.04	
5,556.71				06/30/05	68.74		67.44	
5,554.95				07/29/05	70.50		69.20	
5,555.48				09/12/05	69.97		68.67	
5,551.09				12/07/05	74.36		73.06	
5,552.85				03/08/06	72.60		71.30	
5,554.30				06/13/06	71.15		69.85	
5,554.87				07/18/06	70.58		69.28	
5,550.88				11/07/06	74.57		73.27	
5,558.77				02/27/07	66.68		65.38	
5,548.54				05/02/07	76.91		75.61	
5,551.33				10/10/07	74.12		72.82	
5,545.56				03/26/08	79.89		78.59	
5,545.56				06/25/08	79.89		78.59	


**Water Levels and Data over Time
White Mesa Mill - Well MW-26**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,624.15	5,625.45	1.30				121.33
5,545.82				08/26/08	79.63	78.33	
5,545.64				10/14/08	79.81	78.51	
5,544.45				03/03/09	81.00	79.70	
5,545.32				06/24/09	80.13	78.83	
5,544.61				09/10/09	80.84	79.54	
5,549.33				12/11/09	76.12	74.82	
5,543.78				03/11/10	81.67	80.37	
5,545.61				05/11/10	79.84	78.54	
5,547.43				09/29/10	78.02	76.72	
5,544.14				12/21/10	81.31	80.01	
5,546.77				02/28/11	78.68	77.38	
5,537.60				06/21/11	87.85	86.55	
5,551.46				09/20/11	73.99	72.69	
5,549.12				12/21/11	76.33	75.03	
5,557.30				03/27/12	68.15	66.85	
5,557.38				06/28/12	68.07	66.77	
5,550.86				09/27/12	74.59	73.29	
5,557.30				12/28/12	68.15	66.85	
5,565.37				03/28/13	60.08	58.78	
5,563.55				06/27/13	61.90	60.60	
5,560.12				09/27/13	65.33	64.03	
5,559.27				12/20/13	66.18	64.88	
5,556.65				03/27/14	68.80	67.50	
5,552.23				06/25/14	73.22	71.92	
5,554.05				09/25/14	71.40	70.10	
5,550.65				12/17/14	74.80	73.50	
5,557.55				03/26/15	67.90	66.60	
5,558.51				06/22/15	66.94	65.64	
5,560.81				09/30/15	64.64	63.34	
5,560.25				12/02/15	65.20	63.90	
5,561.07				03/30/16	64.38	63.08	
5,560.51				06/30/16	64.94	63.64	
5,557.99				09/29/16	67.46	66.16	
5,561.26				12/21/16	64.19	62.89	
5,559.85				03/30/17	65.60	64.30	
5,559.35				06/27/17	66.10	64.80	
5,553.30				09/28/17	72.15	70.85	
5,557.38				11/30/17	68.07	66.77	
5,543.85				03/28/18	81.60	80.30	
5,553.27				06/22/18	72.18	70.88	
5,547.57				09/24/18	77.88	76.58	
5,547.63				12/20/18	77.82	76.52	
5,545.54				03/25/19	79.91	78.61	

**Water Levels and Data over Time
White Mesa Mill - Well MW-26**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,624.15	5,625.45	1.30				121.33
5,547.27				06/24/19	78.18	76.88	
5,549.07				08/12/19	76.38	75.08	
5,549.15				11/18/19	76.30	75.00	
5,552.38				02/13/20	73.07	71.77	
5,539.82				05/04/20	85.63	84.33	
5,545.34				09/21/20	80.11	78.81	
5,551.33				12/28/20	74.12	72.82	
5,551.37				03/11/21	74.08	72.78	
5,539.74				06/24/21	85.71	84.41	
5,550.05				08/11/21	75.40	74.10	
5,539.30				12/30/21	86.15	84.85	
5,549.04				02/10/22	76.41	75.11	
5,542.23				06/28/22	83.22	81.92	
5,551.32				08/15/22	74.13	72.83	
5,541.16				11/17/22	84.29	82.99	
5,541.12				03/24/23	84.33	83.03	

MW-26 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-16**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,625.28	5,628.65	3.37				147.6
5,562.91				08/23/02	61.11	57.74	
5,563.45				09/11/02	60.57	57.20	
5,563.75				10/23/02	60.27	56.90	
5,563.68				11/22/02	60.34	56.97	
5,563.68				12/03/02	60.34	56.97	
5,564.16				01/09/03	59.86	56.49	
5,564.25				02/12/03	59.77	56.40	
5,564.53				03/26/03	59.49	56.12	
5,564.46				04/02/03	59.56	56.19	
5,564.79				05/01/03	59.23	55.86	
5,564.31				06/09/03	59.71	56.34	
5,563.29				07/07/03	60.73	57.36	
5,562.76				08/04/03	61.26	57.89	
5,561.73				09/11/03	62.29	58.92	
5,561.04				10/02/03	62.98	59.61	
5,560.39				11/07/03	63.63	60.26	
5,559.79				12/03/03	64.23	60.86	
5,561.02				01/15/04	63.00	59.63	
5,561.75				02/10/04	62.27	58.90	
5,562.98				03/28/04	61.04	57.67	
5,563.29				04/12/04	60.73	57.36	
5,564.03				05/13/04	59.99	56.62	
5,564.09				06/18/04	59.93	56.56	
5,565.08				07/28/04	58.94	55.57	
5,564.56				08/30/04	59.46	56.09	
5,563.55				09/16/04	60.47	57.10	
5,561.79				10/11/04	62.23	58.86	
5,560.38				11/16/04	63.64	60.27	
5,559.71				12/22/04	64.31	60.94	
5,559.14				01/18/05	64.88	61.51	
5,558.65				02/28/05	65.37	62.00	
5,558.54				03/15/05	65.48	62.11	
5,558.22				04/26/05	65.80	62.43	
5,558.54				05/24/05	65.48	62.11	
5,559.24				06/30/05	64.78	61.41	
5,559.38				07/29/05	64.64	61.27	
5,559.23				09/12/05	64.79	61.42	
5,557.67				12/07/05	66.35	62.98	
5,557.92				03/08/06	66.10	62.73	
5,558.47				06/13/06	65.55	62.18	
5,558.42				07/18/06	65.60	62.23	
5,558.09				11/07/06	65.93	62.56	
5,557.34				02/27/07	66.68	63.31	


Water Levels and Data over Time
White Mesa Mill - Well TW4-16

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,625.28	5,628.65	3.37				147.6
5,547.11				05/02/07	76.91	73.54	
5,558.52				08/14/07	65.50	62.13	
5,559.02				10/10/07	65.00	61.63	
5,561.04				03/26/08	62.98	59.61	
5,560.06				06/24/08	63.96	60.59	
5,559.32				08/26/08	64.70	61.33	
5,558.89				10/14/08	65.13	61.76	
5,558.40				03/03/09	65.62	62.25	
5,558.32				06/24/09	65.70	62.33	
5,558.03				09/10/09	65.99	62.62	
5,558.81				12/11/09	65.21	61.84	
5,559.80				03/11/10	64.22	60.85	
5,559.85				05/11/10	64.17	60.80	
5,560.54				09/29/10	63.48	60.11	
5,558.65				12/21/10	65.37	62.00	
5,559.26				02/28/11	64.76	61.39	
5,560.48				06/21/11	63.54	60.17	
5,561.52				09/20/11	62.50	59.13	
5,562.95				12/21/11	61.07	57.70	
5,563.76				03/27/12	60.26	56.89	
5,563.90				06/28/12	60.12	56.75	
5,564.65				09/27/12	59.37	56.00	
5,563.77				12/28/12	60.25	56.88	
5,564.74				03/28/13	59.28	55.91	
5,563.66				06/27/13	60.36	56.99	
5,562.27				09/27/13	61.75	58.38	
5,562.17				12/20/13	61.85	58.48	
5,561.17				03/27/14	62.85	59.48	
5,559.53				06/25/14	64.49	61.12	
5,558.36				09/25/14	65.66	62.29	
5,558.00				12/17/14	66.02	62.65	
5,559.02				03/26/15	65.00	61.63	
5,560.62				06/22/15	63.40	60.03	
5,560.62				09/30/15	63.40	60.03	
5,560.85				12/02/15	63.17	59.80	
5,560.92				03/30/16	63.10	59.73	
5,559.95				06/30/16	64.07	60.70	
5,559.72				09/29/16	64.30	60.93	
5,559.71				12/21/16	64.31	60.94	
5,559.53				03/30/17	64.49	61.12	
5,569.02				06/27/17	59.63	56.26	
5,558.97				09/28/17	69.68	66.31	
5,558.51				11/30/17	70.14	66.77	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-16**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,625.28	5,628.65	3.37				147.6
5,558.00				03/29/18	70.65	67.28	
5,557.94				06/22/18	70.71	67.34	
5,557.67				09/25/18	70.98	67.61	
5,557.66				12/17/18	70.99	67.62	
5,548.49				03/25/19	80.16	76.79	
5,556.98				06/24/19	71.67	68.30	
5,556.83				08/12/19	71.82	68.45	
5,556.90				11/18/19	71.75	68.38	
5,556.65				02/10/20	72.00	68.63	
5,556.25				05/04/20	72.40	69.03	
5,555.53				09/22/20	73.12	69.75	
5,555.37				12/30/20	73.28	69.91	
5,555.38				03/11/21	73.27	69.9	
5,554.94				06/24/21	73.71	70.34	
5,554.95				08/13/21	73.70	70.33	
5,555.23				12/30/21	73.42	70.05	
5,554.68				02/10/22	73.97	70.60	
5,554.93				06/28/22	73.72	70.35	
5,554.47				08/15/22	74.18	70.81	
5,554.26				11/17/22	74.39	71.02	
5,553.79				03/24/23	74.86	71.49	

TW4-16 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well MW-32**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,623.41	5,625.24	1.83				130.6
5,542.17				08/23/02	83.07	81.24	
5,542.39				09/11/02	82.85	81.02	
5,542.61				10/23/02	82.63	80.80	
5,542.49				11/22/02	82.75	80.92	
5,542.82				12/03/02	82.42	80.59	
5,543.03				01/09/03	82.21	80.38	
5,543.04				02/12/03	82.20	80.37	
5,543.41				03/26/03	81.83	80.00	
5,543.69				04/02/03	81.55	79.72	
5,543.77				05/01/03	81.47	79.64	
5,544.01				06/09/03	81.23	79.40	
5,544.05				07/07/03	81.19	79.36	
5,543.99				08/04/03	81.25	79.42	
5,544.17				09/11/03	81.07	79.24	
5,544.06				10/02/03	81.18	79.35	
5,544.03				11/07/03	81.21	79.38	
5,543.94				12/03/03	81.30	79.47	
5,543.98				01/15/04	81.26	79.43	
5,543.85				02/10/04	81.39	79.56	
5,544.05				03/28/04	81.19	79.36	
5,544.33				04/12/04	80.91	79.08	
5,544.55				05/13/04	80.69	78.86	
5,544.59				06/18/04	80.65	78.82	
5,545.08				07/28/04	80.16	78.33	
5,545.26				08/30/04	79.98	78.15	
5,545.48				09/16/04	79.76	77.93	
5,545.61				10/11/04	79.63	77.80	
5,545.46				11/16/04	79.78	77.95	
5,545.66				12/22/04	79.58	77.75	
5,545.33				01/18/05	79.91	78.08	
5,545.51				02/28/05	79.73	77.90	
5,545.57				03/15/05	79.67	77.84	
5,545.46				04/26/05	79.78	77.95	
5,545.45				05/24/05	79.79	77.96	
5,545.33				06/30/05	79.91	78.08	
5,545.16				07/29/05	80.08	78.25	
5,545.54				09/12/05	79.70	77.87	
5,545.77				12/07/05	79.47	77.64	
5,546.09				03/08/06	79.15	77.32	
5,545.94				06/13/06	79.30	77.47	
5,545.94				07/18/06	79.30	77.47	
5,546.24				11/07/06	79.00	77.17	
5,546.81				02/27/07	78.43	76.60	


Water Levels and Data over Time
White Mesa Mill - Well MW-32

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,623.41	5,625.24	1.83				130.6
5,546.56				05/02/07	78.68	76.85	
5,546.81				08/15/07	78.43	76.6	
5,546.96				10/10/07	78.28	76.45	
5,547.90				03/26/08	77.34	75.51	
5,548.08				06/25/08	77.16	75.33	
5,548.42				08/26/08	76.82	74.99	
5,548.05				10/14/08	77.19	75.36	
5,548.29				03/03/09	76.95	75.12	
5,548.09				06/24/09	77.15	75.32	
5,547.79				09/10/09	77.45	75.62	
5,548.09				12/11/09	77.15	75.32	
5,548.50				03/11/10	76.74	74.91	
5,548.89				05/11/10	76.35	74.52	
5,548.83				09/29/10	76.41	74.58	
5,548.97				12/21/10	76.27	74.44	
5,548.68				02/28/11	76.56	74.73	
5,549.33				06/21/11	75.91	74.08	
5,549.19				09/20/11	76.05	74.22	
5,550.06				12/21/11	75.18	73.35	
5,550.31				03/27/12	74.93	73.10	
5,550.32				06/28/12	74.92	73.09	
5,550.88				09/27/12	74.36	72.53	
5,550.29				12/28/12	74.95	73.12	
5,551.54				03/28/13	73.70	71.87	
5,550.34				06/27/13	74.90	73.07	
5,551.35				09/27/13	73.89	72.06	
5,551.33				12/20/13	73.91	72.08	
5,550.97				03/27/14	74.27	72.44	
5,550.16				06/25/14	75.08	73.25	
5,549.29				09/25/14	75.95	74.12	
5,548.99				12/17/14	76.25	74.42	
5,548.24				03/26/15	77.00	75.17	
5,548.29				06/22/15	76.95	75.12	
5,548.33				09/30/15	76.91	75.08	
5,547.98				12/02/15	77.26	75.43	
5,548.24				03/30/16	77.00	75.17	
5,547.68				06/30/16	77.56	75.73	
5,547.29				09/29/16	77.95	76.12	
5,547.09				12/21/16	78.15	76.32	
5,547.34				03/30/17	77.90	76.07	
5,546.94				06/27/17	78.30	76.47	
5,546.59				09/28/17	78.65	76.82	
5,546.32				11/30/17	78.92	77.09	

**Water Levels and Data over Time
White Mesa Mill - Well MW-32**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,623.41	5,625.24	1.83				130.6
5,546.19				03/29/18	79.05	77.22	
5,545.99				06/22/18	79.25	77.42	
5,545.57				09/26/18	79.67	77.84	
5,545.56				12/17/18	79.68	77.85	
5,545.08				03/26/19	80.16	78.33	
5,544.99				06/24/19	80.25	78.42	
5,544.87				08/12/19	80.37	78.54	
5,544.70				11/19/19	80.54	78.71	
5,544.57				02/13/20	80.67	78.84	
5,544.99				05/05/20	80.25	78.42	
5,543.69				09/22/20	81.55	79.72	
5,543.67				12/30/20	81.57	79.74	
5,543.64				03/11/21	81.60	79.77	
5,543.20				06/24/21	82.04	80.21	
5,543.06				08/11/21	82.18	80.35	
5,543.37				12/30/21	81.87	80.04	
5,542.66				02/10/22	82.58	80.75	
5,542.36				06/28/22	82.88	81.05	
5,542.44				08/15/22	82.80	80.97	
5,542.31				11/17/22	82.93	81.10	
5,542.38				03/24/23	82.86	81.03	

MW-32 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-18**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,639.13	5,641.28	2.15				136.9
5,585.13				08/23/02	56.15	54.00	
5,585.41				09/11/02	55.87	53.72	
5,585.47				10/23/02	55.81	53.66	
5,585.40				11/22/02	55.88	53.73	
5,585.68				12/03/02	55.60	53.45	
5,585.90				01/09/03	55.38	53.23	
5,590.79				02/12/03	50.49	48.34	
5,586.18				03/26/03	55.10	52.95	
5,586.36				04/02/03	54.92	52.77	
5,586.24				05/01/03	55.04	52.89	
5,584.93				06/09/03	56.35	54.20	
5,584.46				07/07/03	56.82	54.67	
5,584.55				08/04/03	56.73	54.58	
5,584.01				09/11/03	57.27	55.12	
5,583.67				10/02/03	57.61	55.46	
5,583.50				11/07/03	57.78	55.63	
5,584.08				12/03/03	57.20	55.05	
5,585.45				01/15/04	55.83	53.68	
5,585.66				02/10/04	55.62	53.47	
5,586.13				03/28/04	55.15	53.00	
5,586.39				04/12/04	54.89	52.74	
5,586.66				05/13/04	54.62	52.47	
5,586.77				06/18/04	54.51	52.36	
5,587.35				07/28/04	53.93	51.78	
5,586.34				08/30/04	54.94	52.79	
5,585.85				09/16/04	55.43	53.28	
5,585.22				10/11/04	56.06	53.91	
5,584.70				11/16/04	56.58	54.43	
5,584.81				12/22/04	56.47	54.32	
5,584.68				01/18/05	56.60	54.45	
5,585.02				02/28/05	56.26	54.11	
5,585.25				03/15/05	56.03	53.88	
5,586.31				04/26/05	54.97	52.82	
5,586.97				05/24/05	54.31	52.16	
5,586.58				06/30/05	54.70	52.55	
5,586.10				07/29/05	55.18	53.03	
5,586.05				09/12/05	55.23	53.08	
5,585.86				12/07/05	55.42	53.27	
5,587.13				03/08/06	54.15	52.00	
5,585.93				06/13/06	55.35	53.20	
5,585.40				07/18/06	55.88	53.73	
5,585.38				11/07/06	55.90	53.75	
5,585.83				02/27/07	55.45	53.30	


**Water Levels and Data over Time
White Mesa Mill - Well TW4-18**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,639.13	5,641.28	2.15				136.9
5,585.15				05/02/07	56.13	53.98	
5,586.47				06/24/08	54.81	52.66	
5,586.30				08/26/08	54.98	52.83	
5,585.21				10/14/08	56.07	53.92	
5,584.47				03/03/09	56.81	54.66	
5,584.35				06/24/09	56.93	54.78	
5,583.88				09/10/09	57.40	55.25	
5,584.43				12/11/09	56.85	54.70	
5,585.26				03/11/10	56.02	53.87	
5,584.17				05/11/10	57.11	54.96	
5,583.61				09/29/10	57.67	55.52	
5,604.29				12/21/10	36.99	34.84	
5,583.56				02/28/11	57.72	55.57	
5,584.73				06/21/11	56.55	54.40	
5,584.71				09/20/11	56.57	54.42	
5,585.03				12/21/11	56.25	54.10	
5,584.63				03/27/12	56.65	54.50	
5,584.67				06/28/12	56.61	54.46	
5,583.98				09/27/12	57.30	55.15	
5,584.65				12/28/12	56.63	54.48	
5,582.88				03/28/13	58.40	56.25	
5,584.63				06/27/13	56.65	54.50	
5,581.38				09/27/13	59.90	57.75	
5,579.71				12/20/13	61.57	59.42	
5,579.26				03/27/14	62.02	59.87	
5,577.73				06/25/14	63.55	61.40	
5,576.79				09/25/14	64.49	62.34	
5,577.11				12/17/14	64.17	62.02	
5,577.18				03/26/15	64.10	61.95	
5,577.13				06/22/15	64.15	62.00	
5,576.63				09/30/15	64.65	62.50	
5,576.20				12/02/15	65.08	62.93	
5,576.05				03/30/16	65.23	63.08	
5,575.35				06/30/16	65.93	63.78	
5,575.02				09/29/16	66.26	64.11	
5,574.34				12/21/16	66.94	64.79	
5,574.73				03/30/17	66.55	64.40	
5,574.13				06/27/17	67.15	65.00	
5,573.51				09/28/17	67.77	65.62	
5,572.93				11/29/17	68.35	66.20	
5,572.51				03/29/18	68.77	66.62	
5,572.28				06/22/18	69.00	66.85	
5,571.72				09/26/18	69.56	67.41	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-18**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,639.13	5,641.28	2.15				136.9
5,571.45				12/17/18	69.83	67.68	
5,570.86				03/26/19	70.42	68.27	
5,570.60				06/24/19	70.68	68.53	
5,570.53				08/12/19	70.75	68.60	
5,570.39				11/19/19	70.89	68.74	
5,570.03				02/10/20	71.25	69.10	
5,569.68				05/04/20	71.60	69.45	
5,568.90				09/22/20	72.38	70.23	
5,568.70				12/30/20	72.58	70.43	
5,568.73				03/11/21	72.55	70.40	
5,568.28				06/24/21	73.00	70.85	
5,568.17				08/13/21	73.11	70.96	
5,568.41				12/30/21	72.87	70.72	
5,567.75				02/10/22	73.53	71.38	
5,567.34				06/28/22	73.94	71.79	
5,567.35				08/15/22	73.93	71.78	
5,567.22				11/17/22	74.06	71.91	
5,566.81				03/24/23	74.47	72.32	

TW4-18 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-19**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,629.53	5,631.39	1.86				126.86
5,581.88				08/23/02	49.51	47.65	
5,582.14				09/11/02	49.25	47.39	
5,582.06				10/23/02	49.33	47.47	
5,582.07				11/22/02	49.32	47.46	
5,582.16				12/03/02	49.23	47.37	
5,582.28				01/09/03	49.11	47.25	
5,582.29				02/21/03	49.10	47.24	
5,582.74				03/26/03	48.65	46.79	
5,582.82				04/02/03	48.57	46.71	
5,548.47				05/01/03	82.92	81.06	
5,564.76				06/09/03	66.63	64.77	
5,562.53				07/07/03	68.86	67.00	
5,564.10				08/04/03	67.29	65.43	
5,566.01				08/30/04	65.38	63.52	
5,555.16				09/16/04	76.23	74.37	
5,549.80				10/11/04	81.59	79.73	
5,546.04				11/16/04	85.35	83.49	
5,547.34				12/22/04	84.05	82.19	
5,548.77				01/18/05	82.62	80.76	
5,551.18				02/28/05	80.21	78.35	
5,556.81				03/15/05	74.58	72.72	
5,562.63				04/26/05	68.76	66.90	
5,573.42				05/24/05	57.97	56.11	
5,552.94				07/29/05	78.45	76.59	
5,554.00				09/12/05	77.39	75.53	
5,555.98				12/07/05	75.41	73.55	
5,552.00				03/08/06	79.39	77.53	
5,545.74				06/13/06	85.65	83.79	
5,544.06				07/18/06	87.33	85.47	
5,548.81				11/07/06	82.58	80.72	
5,543.59				02/27/07	87.80	85.94	
5,544.55				05/02/07	86.84	84.98	
5,558.97				08/15/07	72.42	70.56	
5,559.73				10/10/07	71.66	69.8	
5,569.26				03/26/08	62.13	60.27	
5,535.47				06/25/08	95.92	94.06	
5,541.41				08/26/08	89.98	88.12	
5,558.45				10/14/08	72.94	71.08	
5,536.90				03/03/09	94.49	92.63	
5,547.76				06/24/09	83.63	81.77	
5,561.48				09/10/09	69.91	68.05	
5,548.14				12/11/09	83.25	81.39	
5,570.58				03/11/10	60.81	58.95	


**Water Levels and Data over Time
White Mesa Mill - Well TW4-19**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,629.53	5,631.39	1.86				126.86
5,561.35				05/11/10	70.04	68.18	
5,535.26				09/29/10	96.13	94.27	
5,568.40				12/21/10	62.99	61.13	
5,550.36				02/28/11	81.03	79.17	
5,570.41				06/21/11	60.98	59.12	
5,567.84				09/20/11	63.55	61.69	
5,571.32				12/21/11	60.07	58.21	
5,572.40				03/27/12	58.99	57.13	
5,572.39				06/28/12	59.00	57.14	
5,571.40				09/27/12	59.99	58.13	
5,568.21				12/28/12	63.18	61.32	
5,572.51				03/28/13	58.88	57.02	
5,566.00				06/27/13	65.39	63.53	
5,568.37				09/27/13	63.02	61.16	
5,564.55				12/20/13	66.84	64.98	
5,565.11				03/27/14	66.28	64.42	
5,561.49				06/25/14	69.90	68.04	
5,562.67				09/25/14	68.72	66.86	
5,562.99				12/17/14	68.40	66.54	
5,567.99				03/26/15	63.40	61.54	
5,562.79				06/22/15	68.60	66.74	
5,568.16				09/30/15	63.23	61.37	
5,567.51				12/02/15	63.88	62.02	
5,566.38				03/30/16	65.01	63.15	
5,566.91				06/30/16	64.48	62.62	
5,567.38				09/29/16	64.01	62.15	
5,567.41				12/21/16	63.98	62.12	
5,566.87				03/30/17	64.52	62.66	
5,566.76				06/27/17	64.63	62.77	
5,565.19				09/28/17	66.20	64.34	
5,565.79				11/30/17	65.60	63.74	
5,563.79				03/28/18	67.60	65.74	
5,564.58				06/22/18	66.81	64.95	
5,562.56				09/24/18	68.83	66.97	
5,555.78				12/18/18	75.61	73.75	
5,547.86				03/25/19	83.53	81.67	
5,557.99				06/24/19	73.40	71.54	
5,554.26				08/12/19	77.13	75.27	
5,561.87				11/18/19	69.52	67.66	
5,561.71				02/10/20	69.68	67.82	
5,563.21				05/04/20	68.18	66.32	
5,559.19				09/21/20	72.20	70.34	
5,554.95				12/28/20	76.44	74.58	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-19**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,629.53	5,631.39	1.86				126.86
5,558.24				03/11/21	73.15	71.29	
5,559.02				06/24/21	72.37	70.51	
5,557.99				08/13/21	73.40	71.54	
5,559.25				12/30/21	72.14	70.28	
5,560.12				02/10/22	71.27	69.41	
5,559.22				06/28/22	72.17	70.31	
5,557.94				08/15/22	73.45	71.59	
5,559.35				11/17/22	72.04	70.18	
5,557.32				03/24/23	74.07	72.21	

TW4-19 Water Depth Over Time (ft. blmp)




**Water Levels and Data over Time
White Mesa Mill - Well TW4-20**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,628.52	5,629.53	1.01				105.9
5,565.70				07/29/05	63.83	62.82	
5,546.53				08/30/05	83.00	81.99	
5,540.29				09/12/05	89.24	88.23	
5,541.17				12/07/05	88.36	87.35	
5,540.33				03/08/06	89.20	88.19	
5,530.43				06/13/06	99.10	98.09	
5,569.13				07/18/06	60.40	59.39	
5,547.95				11/07/06	81.58	80.57	
5,549.25				02/27/07	80.28	79.27	
5,550.58				05/02/07	78.95	77.94	
5,563.60				08/14/07	65.93	64.92	
5,555.85				10/10/07	73.68	72.67	
5,569.10				03/26/08	60.43	59.42	
5,560.00				06/25/08	69.53	68.52	
5,539.64				08/26/08	89.89	88.88	
5,539.51				10/14/08	90.02	89.01	
5,553.00				03/03/09	76.53	75.52	
5,534.18				06/24/09	95.35	94.34	
5,558.39				09/10/09	71.14	70.13	
5,560.99				12/11/09	68.54	67.53	
5,564.09				03/11/10	65.44	64.43	
5,564.22				05/11/10	65.31	64.30	
5,560.33				09/29/10	69.20	68.19	
5,561.35				12/21/10	68.18	67.17	
5,560.18				02/28/11	69.35	68.34	
5,576.23				06/21/11	53.30	52.29	
5,548.50				09/20/11	81.03	80.02	
5,558.58				12/21/11	70.95	69.94	
5,567.73				03/27/12	61.80	60.79	
5,567.77				06/28/12	61.76	60.75	
5,569.58				09/27/12	59.95	58.94	
5,572.58				12/28/12	56.95	55.94	
5,571.52				03/28/13	58.01	57.00	
5,569.93				06/27/13	59.60	58.59	
5,568.53				09/27/13	61.00	59.99	
5,559.44				12/20/13	70.09	69.08	
5,562.17				03/27/14	67.36	66.35	
5,558.98				06/25/14	70.55	69.54	
5,561.03				09/25/14	68.50	67.49	
5,559.39				12/17/14	70.14	69.13	
5,565.65				03/26/15	63.88	62.87	
5,568.25				06/22/15	61.28	60.27	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-20**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,628.52	5,629.53	1.01				105.9
5,566.78				09/30/15	62.75	61.74	
5,565.43				12/02/15	64.10	63.09	
5,565.87				03/30/16	63.66	62.65	
5,564.42				06/30/16	65.11	64.10	
5,565.43				09/29/16	64.10	63.09	
5,564.93				12/21/16	64.60	63.59	
5,564.27				03/30/17	65.26	64.25	
5,564.46				06/27/17	65.07	64.06	
5,564.23				09/28/17	65.30	64.29	
5,556.13				11/30/17	73.40	72.39	
5,562.98				03/28/18	66.55	65.54	
5,562.81				06/22/18	66.72	65.71	
5,562.58				09/24/18	66.95	65.94	
5,558.49				12/17/18	71.04	70.03	
5,553.96				03/25/19	75.57	74.56	
5,555.22				06/24/19	74.31	73.30	
5,556.08				08/12/19	73.45	72.44	
5,549.40				11/18/19	80.13	79.12	
5,550.65				02/10/20	78.88	77.87	
5,559.63				05/04/20	69.90	68.89	

TW4-20 Water Depth Over Time (ft. blmp)




**Water Levels and Data over Time
White Mesa Mill - Well TW4-21**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,638.20	5,639.35	1.15				118.8
5,582.98				07/29/05	56.37	55.22	
5,583.43				08/30/05	55.92	54.77	
5,581.87				09/12/05	57.48	56.33	
5,580.50				12/07/05	58.85	57.70	
5,583.64				03/08/06	55.71	54.56	
5,580.55				06/13/06	58.80	57.65	
5,578.95				07/18/06	60.40	59.25	
5,578.47				11/07/06	60.88	59.73	
5,579.53				02/27/07	59.82	58.67	
5,578.07				05/02/07	61.28	60.13	
5,583.41				08/15/07	55.94	54.79	
5,583.45				10/10/07	55.90	54.75	
5,586.47				03/26/08	52.88	51.73	
5,579.16				06/24/08	60.19	59.04	
5,579.92				08/26/08	59.43	58.28	
5,577.37				10/14/08	61.98	60.83	
5,578.00				03/10/09	61.35	60.20	
5,580.14				06/24/09	59.21	58.06	
5,578.72				09/10/09	60.63	59.48	
5,579.99				12/11/09	59.36	58.21	
5,582.81				03/11/10	56.54	55.39	
5,582.23				05/11/10	57.12	55.97	
5,576.60				09/29/10	62.75	61.60	
5,581.14				12/21/10	58.21	57.06	
5,579.53				02/28/11	59.82	58.67	
5,584.17				06/21/11	55.18	54.03	
5,584.80				09/20/11	54.55	53.40	
5,585.68				12/21/11	53.67	52.52	
5,585.24				03/27/12	54.11	52.96	
5,585.26				06/28/12	54.09	52.94	
5,585.16				09/27/12	54.19	53.04	
5,585.25				12/28/12	54.10	52.95	
5,582.84				03/28/13	56.51	55.36	
5,581.79				06/27/13	57.56	56.41	
5,580.89				09/27/13	58.46	57.31	
5,577.45				12/20/13	61.90	60.75	
5,576.01				03/27/14	63.34	62.19	
5,574.08				06/25/14	65.27	64.12	
5,573.20				09/25/14	66.15	65.00	
5,576.13				12/17/14	63.22	62.07	
5,578.19				03/26/15	61.16	60.01	
5,574.85				06/22/15	64.50	63.35	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-21**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,638.20	5,639.35	1.15				118.8
5,573.05				09/30/15	66.30	65.15	
5,569.88				12/02/15	69.47	68.32	
5,571.81				03/30/16	67.54	66.39	
5,571.86				06/30/16	67.49	66.34	
5,570.82				09/29/16	68.53	67.38	
5,570.45				12/21/16	68.90	67.75	
5,574.53				03/30/17	64.82	63.67	
5,569.91				06/27/17	69.44	68.29	
5,569.49				09/28/17	69.86	68.71	
5,566.87				11/30/17	72.48	71.33	
5,568.10				03/28/18	71.25	70.10	
5,568.17				06/22/18	71.18	70.03	
5,567.50				09/24/18	71.85	70.70	
5,554.80				12/17/18	84.55	83.40	
5,560.92				03/25/19	78.43	77.28	
5,561.49				06/24/19	77.86	76.71	
5,564.17				08/12/19	75.18	74.03	
5,555.91				11/18/19	83.44	82.29	
5,561.05				02/10/20	78.30	77.15	
5,567.23				05/04/20	72.12	70.97	
5,566.29				09/21/20	73.06	71.91	
5,562.48				12/28/20	76.87	75.72	
5,568.64				03/11/21	70.71	69.56	
5,564.50				06/24/21	74.85	73.70	
5,567.02				08/13/21	72.33	71.18	
5,563.30				12/30/21	76.05	74.90	
5,567.61				02/10/22	71.74	70.59	
5,567.20				06/28/22	72.15	71.00	
5,563.51				08/15/22	75.84	74.69	
5,567.10				11/17/22	72.25	71.10	
5,562.38				03/24/23	76.97	75.82	

TW4-21 Water Depth Over Time (ft. blmp)




**Water Levels and Data over Time
White Mesa Mill - Well TW4-22**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,627.83	5,629.00	1.17				114.7
5,571.89				07/29/05	57.11	55.94	
5,572.20				08/30/05	56.80	55.63	
5,572.08				09/12/05	56.92	55.75	
5,571.61				12/07/05	57.39	56.22	
5,571.85				03/08/06	57.15	55.98	
5,571.62				06/13/06	57.38	56.21	
5,571.42				07/18/06	57.58	56.41	
5,571.02				11/07/06	57.98	56.81	
5571.24				02/27/07	57.76	56.59	
5,570.75				06/29/07	58.25	57.08	
5,571.82				08/14/07	57.18	56.01	
5,571.99				10/10/07	57.01	55.84	
5,573.05				03/26/08	55.95	54.78	
5,573.04				06/24/08	55.96	54.79	
5,573.04				08/26/08	55.96	54.79	
5,573.02				10/14/08	55.98	54.81	
5,573.19				03/10/09	55.81	54.64	
5,573.32				06/24/09	55.68	54.51	
5,573.17				09/10/09	55.83	54.66	
5,573.52				12/11/09	55.48	54.31	
5,573.88				03/11/10	55.12	53.95	
5,574.29				05/11/10	54.71	53.54	
5,574.88				09/29/10	54.12	52.95	
5,574.44				12/21/10	54.56	53.39	
5,574.49				02/28/11	54.51	53.34	
5,574.97				06/21/11	54.03	52.86	
5,575.06				09/20/11	53.94	52.77	
5,575.69				12/21/11	53.31	52.14	
5,575.61				03/27/12	53.39	52.22	
5,575.62				06/28/12	53.38	52.21	
5,575.90				09/27/12	53.10	51.93	
5,575.59				12/28/12	53.41	52.24	
5,573.50				03/28/13	55.50	54.33	
5,572.45				06/27/13	56.55	55.38	
5,572.25				09/27/13	56.75	55.58	
5,569.93				12/20/13	59.07	57.90	
5,569.36				03/27/14	59.64	58.47	
5,569.02				06/25/14	59.98	58.81	
5,570.00				09/25/14	59.00	57.83	
5,568.60				12/17/14	60.40	59.23	
5,557.00				03/26/15	72.00	70.83	
5,570.93				06/22/15	58.07	56.90	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-22**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,627.83	5,629.00	1.17				114.7
5,571.24				09/30/15	57.76	56.59	
5,568.23				12/02/15	60.77	59.60	
5,570.28				03/30/16	58.72	57.55	
5,570.75				06/30/16	58.25	57.08	
5,544.60				09/29/16	84.40	83.23	
5,565.11				12/21/16	63.89	62.72	
5,567.99				03/30/17	61.01	59.84	
5,569.17				06/27/17	59.83	58.66	
5,569.37				09/28/17	59.63	58.46	
5,566.48				11/30/17	62.52	61.35	
5,568.30				03/28/18	60.70	59.53	
5,568.42				06/22/18	60.58	59.41	
5,567.98				09/24/18	61.02	59.85	
5,553.65				12/17/18	75.35	74.18	
5,550.09				03/25/19	78.91	77.74	
5,540.65				06/24/19	88.35	87.18	
5,557.09				08/12/19	71.91	70.74	
5,544.97				11/18/19	84.03	82.86	
5,558.05				02/10/20	70.95	69.78	
5,558.77				05/04/20	70.23	69.06	
5,559.12				09/21/20	69.88	68.71	
5,564.70				12/28/20	64.30	63.13	
5,560.19				03/11/21	68.81	67.64	
5,560.12				06/24/21	68.88	67.71	
5,560.80				08/13/21	68.20	67.03	
5,562.87				12/30/21	66.13	64.96	
5,559.35				02/10/22	69.65	68.48	
5,559.49				06/28/22	69.51	68.34	
5,548.25				08/15/22	80.75	79.58	
5,558.30				11/17/22	70.70	69.53	
5,559.30				03/24/23	69.70	68.53	

TW4-22 Water Depth Over Time (ft. blmp)




**Water Levels and Data over Time
White Mesa Mill - Well TW4-23**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,605.77	5,607.37	1.60				116.4
5,538.89				09/13/07	68.48	66.88	
5,538.80				10/10/07	68.57	66.97	
5,539.25				11/30/07	68.12	66.52	
5,539.49				12/11/07	67.88	66.28	
5,539.19				01/08/08	68.18	66.58	
5,539.44				02/18/08	67.93	66.33	
5,539.54				03/26/08	67.83	66.23	
5,539.71				04/23/08	67.66	66.06	
5,539.48				05/30/08	67.89	66.29	
5,539.53				06/24/08	67.84	66.24	
5,539.44				07/16/08	67.93	66.33	
5,539.68				08/26/08	67.69	66.09	
5,541.18				09/10/08	66.19	64.59	
5,539.57				10/14/08	67.80	66.20	
5,539.29				11/26/08	68.08	66.48	
5,539.55				12/29/08	67.82	66.22	
5,540.15				01/26/09	67.22	65.62	
5,539.74				02/24/09	67.63	66.03	
5,539.86				03/06/09	67.51	65.91	
5,539.72				04/07/09	67.65	66.05	
5,539.84				05/29/09	67.53	65.93	
5,540.12				06/30/09	67.25	65.65	
5,540.12				07/31/09	67.25	65.65	
5,540.27				08/31/09	67.10	65.50	
5,540.13				09/10/09	67.24	65.64	
5,540.64				12/11/09	66.73	65.13	
5,541.15				03/11/10	66.22	64.62	
5,541.61				05/11/10	65.76	64.16	
5,541.47				09/29/10	65.90	64.30	
5,541.54				12/21/10	65.83	64.23	
5,541.54				02/28/11	65.83	64.23	
5,541.98				06/21/11	65.39	63.79	
5,541.90				09/20/11	65.47	63.87	
5,542.58				12/21/11	64.79	63.19	
5,542.59				03/27/12	64.78	63.18	
5,542.61				06/28/12	64.76	63.16	
5,542.92				09/27/12	64.45	62.85	
5,542.61				12/28/12	64.76	63.16	
5,543.48				03/28/13	63.89	62.29	
5,543.23				06/27/13	64.14	62.54	
5,543.12				09/27/13	64.25	62.65	
5,542.96				12/20/13	64.41	62.81	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-23**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,605.77	5,607.37	1.60				116.4
5,542.35				03/27/14	65.02	63.42	
5,541.42				06/25/14	65.95	64.35	
5,540.65				09/25/14	66.72	65.12	
5,540.34				12/17/14	67.03	65.43	
5,539.47				03/26/15	67.90	66.30	
5,539.22				06/22/15	68.15	66.55	
5,538.82				09/30/15	68.55	66.95	
5,538.28				12/02/15	69.09	67.49	
5,538.29				03/30/16	69.08	67.48	
5,537.60				06/30/16	69.77	68.17	
5,537.07				09/29/16	70.30	68.70	
5,536.86				12/21/16	70.51	68.91	
5,536.91				03/30/17	70.46	68.86	
5,536.49				06/27/17	70.88	69.28	
5,536.18				09/28/17	71.19	69.59	
5,535.72				11/30/17	71.65	70.05	
5,535.62				03/28/18	71.75	70.15	
5,535.34				06/22/18	72.03	70.43	
5,534.93				09/25/18	72.44	70.84	
5,534.64				12/17/18	72.73	71.13	
5,534.23				03/25/19	73.14	71.54	
5,534.22				06/24/19	73.15	71.55	
5,534.01				08/12/19	73.36	71.76	
5,533.51				11/18/19	73.86	72.26	
5,533.26				02/10/20	74.11	72.51	
5,532.76				05/04/20	74.61	73.01	
5,532.33				09/22/20	75.04	73.44	
5,532.30				12/30/20	75.07	73.47	
5,532.32				03/11/21	75.05	73.45	
5,531.71				06/24/21	75.66	74.06	
5,531.63				08/13/21	75.74	74.14	
5,531.77				12/30/21	75.60	74.00	
5,531.17				02/10/22	76.20	74.60	
5,531.73				06/28/22	75.64	74.04	
5530.84				08/15/22	76.53	74.93	
5530.58				11/17/22	76.79	75.19	
5530.34				03/24/23	77.03	75.43	

TW4-23 Water Depth Over Time (ft. blmp)




**Water Levels and Data over Time
White Mesa Mill - Well TW4-24**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,625.70	5,627.83	2.13				114.8
5,570.61				09/13/07	57.22	55.09	
5,570.53				10/10/07	57.30	55.17	
5,571.16				11/30/07	56.67	54.54	
5,571.30				12/11/07	56.53	54.40	
5,571.03				01/08/08	56.80	54.67	
5,571.22				02/18/08	56.61	54.48	
5,571.43				03/26/08	56.40	54.27	
5,571.68				04/23/08	56.15	54.02	
5571.52				05/30/08	56.31	54.18	
5,571.34				06/24/08	56.49	54.36	
5,571.28				07/16/08	56.55	54.42	
5,571.34				08/26/08	56.49	54.36	
5,571.23				09/10/08	56.60	54.47	
5,571.12				10/14/08	56.71	54.58	
5,570.95				11/26/08	56.88	54.75	
5,570.92				12/29/08	56.91	54.78	
5,571.65				01/26/09	56.18	54.05	
5,571.31				02/24/09	56.52	54.39	
5,571.37				03/06/09	56.46	54.33	
5,571.21				04/07/09	56.62	54.49	
5,571.23				05/29/09	56.60	54.47	
5,571.42				06/30/09	56.41	54.28	
5,571.38				07/31/09	56.45	54.32	
5,571.48				08/31/09	56.35	54.22	
5,571.28				09/10/09	56.55	54.42	
5,571.64				12/11/09	56.19	54.06	
5,571.86				03/11/10	55.97	53.84	
5,571.91				05/11/10	55.92	53.79	
5,572.18				09/29/10	55.65	53.52	
5,571.86				12/21/10	55.97	53.84	
5,571.78				02/28/11	56.05	53.92	
5,572.40				06/21/11	55.43	53.30	
5,572.19				09/20/11	55.64	53.51	
5,573.02				12/21/11	54.81	52.68	
5,573.03				03/27/12	54.80	52.67	
5,573.02				06/28/12	54.81	52.68	
5,573.13				09/27/12	54.70	52.57	
5,573.05				12/28/12	54.78	52.65	
5,566.53				03/28/13	61.30	59.17	
5,564.63				06/27/13	63.20	61.07	
5,570.01				09/27/13	57.82	55.69	
5,566.85				12/20/13	60.98	58.85	
5,562.33				03/27/14	65.50	63.37	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-24**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,625.70	5,627.83	2.13				114.8
5,563.43				06/25/14	64.40	62.27	
5,563.43				09/25/14	64.40	62.27	
5,560.97				12/17/14	66.86	64.73	
5,561.95				03/26/15	65.88	63.75	
5,565.38				06/22/15	62.45	60.32	
5,562.61				09/30/15	65.22	63.09	
5,560.91				12/02/15	66.92	64.79	
5,563.69				03/30/16	64.14	62.01	
5,565.64				06/30/16	62.19	60.06	
5,565.35				09/29/16	62.48	60.35	
5,563.33				12/21/16	64.50	62.37	
5,565.27				03/30/17	62.56	60.43	
5,565.86				06/27/17	61.97	59.84	
5,565.21				09/28/17	62.62	60.49	
5,559.24				11/30/17	68.59	66.46	
5,564.78				03/28/18	63.05	60.92	
5,564.83				06/22/18	63.00	60.87	
5,565.47				09/24/18	62.36	60.23	
5,549.72				12/17/18	78.11	75.98	
5,559.52				03/25/19	68.31	66.18	
5,546.68				06/24/19	81.15	79.02	
5,549.54				08/12/19	78.29	76.16	
5,554.44				11/18/19	73.39	71.26	
5,563.62				02/10/20	64.21	62.08	
5,558.32				05/04/20	69.51	67.38	
5,558.88				09/21/20	68.95	66.82	
5,556.76				12/28/20	71.07	68.94	
5,557.89				03/11/21	69.94	67.81	
5,561.51				06/24/21	66.32	64.19	
5,559.12				08/13/21	68.71	66.58	
5,560.64				12/30/21	67.19	65.06	
5,556.44				02/10/22	71.39	69.26	
5,558.22				06/28/22	69.61	67.48	
5,558.62				08/15/22	69.21	67.08	
5,558.14				11/17/22	69.69	67.56	
5,560.03				03/24/23	67.80	65.67	

TW4-24 Water Depth Over Time (ft. blmp)




**Water Levels and Data over Time
White Mesa Mill - Well TW4-25**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,642.82	5,644.91	2.09				136.7
5,601.86				09/13/07	43.05	40.96	
5,601.89				10/10/07	43.02	40.93	
5,602.57				11/30/07	42.34	40.25	
5,602.82				12/11/07	42.09	40.00	
5,601.94				01/08/08	42.97	40.88	
5,599.13				02/18/08	45.78	43.69	
5,597.11				03/26/08	47.80	45.71	
5,595.51				04/23/08	49.40	47.31	
5,594.42				05/30/08	50.49	48.40	
5,594.26				06/24/08	50.65	48.56	
5,586.67				07/16/08	58.24	56.15	
5,594.17				08/26/08	50.74	48.65	
5,594.23				09/10/08	50.68	48.59	
5,594.12				10/14/08	50.79	48.70	
5,594.06				11/26/08	50.85	48.76	
5,594.87				12/29/08	50.04	47.95	
5,595.89				01/26/09	49.02	46.93	
5,596.27				02/24/09	48.64	46.55	
5,596.47				03/06/09	48.44	46.35	
5,596.74				04/07/09	48.17	46.08	
5,597.55				05/29/09	47.36	45.27	
5,598.11				06/30/09	46.80	44.71	
5,598.22				07/31/09	46.69	44.60	
5,598.52				08/31/09	46.39	44.30	
5,598.49				09/10/09	46.42	44.33	
5,599.48				12/11/09	45.43	43.34	
5,599.75				03/11/10	45.16	43.07	
5,599.63				05/11/10	45.28	43.19	
5,598.68				09/29/10	46.23	44.14	
5,598.66				12/21/10	46.25	44.16	
5,598.18				02/28/11	46.73	44.64	
5,598.61				06/21/11	46.30	44.21	
5,598.08				09/20/11	46.83	44.74	
5,598.23				12/21/11	46.68	44.59	
5,597.41				03/27/12	47.50	45.41	
5,597.41				06/28/12	47.50	45.41	
5,595.60				09/27/12	49.31	47.22	
5,597.41				12/28/12	47.50	45.41	
5,597.43				03/28/13	47.48	45.39	
5,587.61				06/27/13	57.30	55.21	
5,585.91				09/27/13	59.00	56.91	
5,561.00				12/20/13	83.91	81.82	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-25**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,642.82	5,644.91	2.09				136.7
5,584.79				03/27/14	60.12	58.03	
5,582.44				06/25/14	62.47	60.38	
5,583.95				09/25/14	60.96	58.87	
5,581.13				12/17/14	63.78	61.69	
5,587.40				03/26/15	57.51	55.42	
5,581.91				06/22/15	63.00	60.91	
5,581.40				09/30/15	63.51	61.42	
5,578.42				12/02/15	66.49	64.40	
5,579.42				03/30/16	65.49	63.40	
5,579.25				06/30/16	65.66	63.57	
5,579.68				09/29/16	65.23	63.14	
5,577.73				12/21/16	67.18	65.09	
5,584.44				03/30/17	60.47	58.38	
5,580.19				06/27/17	64.72	62.63	
5,573.63				09/28/17	71.28	69.19	
5,577.88				11/30/17	67.03	64.94	
5,543.71				03/28/18	101.20	99.11	
5,575.26				06/22/18	69.65	67.56	
5,578.78				09/24/18	66.13	64.04	
5,567.86				12/17/18	77.05	74.96	
5,572.46				03/25/19	72.45	70.36	
5,571.58				06/24/19	73.33	71.24	
5,572.15				08/12/19	72.76	70.67	
5,572.66				11/18/19	72.25	70.16	
5,572.77				02/10/20	72.14	70.05	
5,572.46				05/04/20	72.45	70.36	
5,575.17				09/21/20	69.74	67.65	
5,574.42				12/28/20	70.49	68.40	
5,574.90				03/11/21	70.01	67.92	
5,575.01				06/24/21	69.90	67.81	
5,575.66				08/13/21	69.25	67.16	
5,578.11				12/30/21	66.80	64.71	
5,578.07				02/10/22	66.84	64.75	
5,574.87				06/28/22	70.04	67.95	
5,574.46				08/15/22	70.45	68.36	
5,574.96				11/17/22	69.95	67.86	
5,574.82				03/24/23	70.09	68.00	

TW4-25 Water Depth Over Time (ft. blmp)




**Water Levels and Data over Time
White Mesa Mill - Well TW4-26**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,599.98	5,601.68	1.70				87.7
5,536.90				06/14/10	64.78	63.08	
5,536.95				09/29/10	64.73	63.03	
5,537.17				12/21/10	64.51	62.81	
5,537.16				02/28/11	64.52	62.82	
5,537.57				06/21/11	64.11	62.41	
5,537.59				09/20/11	64.09	62.39	
5,538.16				12/21/11	63.52	61.82	
5,538.18				03/27/12	63.50	61.80	
5,538.23				06/28/12	63.45	61.75	
5,538.57				09/27/12	63.11	61.41	
5,538.20				12/28/12	63.48	61.78	
5,539.13				03/28/13	62.55	60.85	
5,539.00				06/27/13	62.68	60.98	
5,538.94				09/27/13	62.74	61.04	
5,538.97				12/20/13	62.71	61.01	
5,538.53				03/27/14	63.15	61.45	
5,537.85				06/25/14	63.83	62.13	
5,537.33				09/25/14	64.35	62.65	
5,537.14				12/17/14	64.54	62.84	
5,536.43				03/26/15	65.25	63.55	
5,536.16				06/22/15	65.52	63.82	
5,535.76				09/30/15	65.92	64.22	
5,535.23				12/02/15	66.45	64.75	
5,535.15				03/30/16	66.53	64.83	
5,534.61				06/30/16	67.07	65.37	
5,534.12				09/29/16	67.56	65.86	
5,533.96				12/21/16	67.72	66.02	
5,533.97				03/30/17	67.71	66.01	
5,533.66				06/27/17	68.02	66.32	
5,533.43				09/28/17	68.25	66.55	
5,533.39				11/30/17	68.29	66.59	
5,532.99				03/28/18	68.69	66.99	
5,532.74				06/22/18	68.94	67.24	
5,532.32				09/25/18	69.36	67.66	
5,532.04				12/17/18	69.64	67.94	
5,531.48				03/25/19	70.20	68.50	
5,531.20				06/24/19	70.48	68.78	
5,530.96				08/12/19	70.72	69.02	
5,530.14				11/18/19	71.54	69.84	
5,529.73				02/10/20	71.95	70.25	
5,529.08				05/04/20	72.60	70.90	
5,528.48				09/22/20	73.20	71.50	
5,528.42				12/30/20	73.26	71.56	
5,528.39				03/11/21	73.29	71.59	

**Water Levels and Data over Time
White Mesa Mill - Well TW4-26**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,599.98	5,601.68	1.70				87.7
5,527.76				06/24/21	73.92	72.22	
5,527.73				08/13/21	73.95	72.25	
5,527.80				12/30/21	73.88	72.18	
5,527.26				02/10/22	74.42	72.72	
5,527.73				06/28/22	73.95	72.25	
5,526.86				08/15/22	74.82	73.12	
5,526.62				11/17/22	75.06	73.36	
5,526.45				03/24/23	75.23	73.53	


TW4-26 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-27**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,606.19	5,607.94	1.75				95.75
5,517.78				12/21/11	90.16	88.41	
5,524.84				03/27/12	83.10	81.35	
5,524.93				06/28/12	83.01	81.26	
5,525.59				09/27/12	82.35	80.60	
5,524.86				12/28/12	83.08	81.33	
5,526.37				03/28/13	81.57	79.82	
5,526.29				06/27/13	81.65	79.90	
5,527.04				09/27/13	80.90	79.15	
5,527.14				12/20/13	80.80	79.05	
5,527.55				03/27/14	80.39	78.64	
5,527.43				06/25/14	80.51	78.76	
5,527.48				09/25/14	80.46	78.71	
5,527.81				12/17/14	80.13	78.38	
5,527.71				03/26/15	80.23	78.48	
5,527.86				06/22/15	80.08	78.33	
5,528.13				09/30/15	79.81	78.06	
5,527.92				12/02/15	80.02	78.27	
5,528.59				03/30/16	79.35	77.60	
5,528.34				06/30/16	79.60	77.85	
5,528.32				09/29/16	79.62	77.87	
5,528.44				12/21/16	79.50	77.75	
5,528.85				03/30/17	79.09	77.34	
5,528.81				06/27/17	79.13	77.38	
5,528.84				09/28/17	79.10	77.35	
5,528.85				11/29/17	79.09	77.34	
5,529.14				03/28/18	78.80	77.05	
5,529.06				06/21/18	78.88	77.13	
5,529.18				09/25/18	78.76	77.01	
5,529.09				12/17/18	78.85	77.10	
5,528.96				03/25/19	78.98	77.23	
5,529.20				06/24/19	78.74	76.99	
5,529.24				08/12/19	78.70	76.95	
5,529.12				11/18/19	78.82	77.07	
5,529.29				02/10/20	78.65	76.90	
5,528.97				05/04/20	78.97	77.22	
5,528.89				09/22/20	79.05	77.30	
5,529.12				12/30/20	78.82	77.07	
5,529.21				03/11/21	78.73	76.98	
5,528.90				06/24/21	79.04	77.29	
5,528.76				08/13/21	79.18	77.43	
5,529.06				12/30/21	78.88	77.13	
5,528.79				02/10/22	79.15	77.40	
5,528.85				06/28/22	79.09	77.34	
5,528.69				08/15/22	79.25	77.50	
5,528.49				11/17/22	79.45	77.70	
5528.49				03/24/23	79.45	77.70	


TW4-27 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-28**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,613.52	5,617.00	3.48				108.48
5,580.69				03/28/13	36.31	32.83	
5,580.30				06/27/13	36.70	33.22	
5,580.35				09/27/13	36.65	33.17	
5,580.25				12/20/13	36.75	33.27	
5,579.83				03/27/14	37.17	33.69	
5,579.21				06/25/14	37.79	34.31	
5,578.84				09/25/14	38.16	34.68	
5,578.72				12/17/14	38.28	34.80	
5,578.11				03/26/15	38.89	35.41	
5,577.83				06/22/15	39.17	35.69	
5,577.56				09/30/15	39.44	35.96	
5,577.27				12/02/15	39.73	36.25	
5,577.25				03/30/16	39.75	36.27	
5,576.75				06/30/16	40.25	36.77	
5,576.36				09/29/16	40.64	37.16	
5,576.13				12/21/16	40.87	37.39	
5,575.92				03/30/17	41.08	37.60	
5,575.50				06/27/17	41.50	38.02	
5,575.08				09/28/17	41.92	38.44	
5,574.80				11/29/17	42.20	38.72	
5,574.36				03/28/18	42.64	39.16	
5,573.92				06/22/18	43.08	39.60	
5,572.37				09/25/18	44.63	41.15	
5,571.74				12/17/18	45.26	41.78	
5,570.65				03/25/19	46.35	42.87	
5,570.60				06/24/19	46.40	42.92	
5,570.24				08/12/19	46.76	43.28	
5,569.87				11/18/19	47.13	43.65	
5,569.89				02/10/20	47.11	43.63	
5,569.01				05/04/20	47.99	44.51	
5,568.41				09/22/20	48.59	45.11	
5,568.29				12/30/20	48.71	45.23	
5,568.32				03/11/21	48.68	45.20	
5,567.79				06/24/21	49.21	45.73	
5,567.64				08/13/21	49.36	45.88	
5,567.89				12/30/21	49.11	45.63	
5,567.24				02/10/22	49.76	46.28	
5,567.75				06/28/22	49.25	45.77	
5,567.73				08/15/22	49.27	45.79	
5,567.42				11/17/22	49.58	46.10	
5,567.16				03/24/23	49.84	46.36	


TW4-28 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-29**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point		Date Of Monitoring	Total or Measured	Total Depth to Water (blw.LSD)	Total Depth Of Well
		Elevation (MP)	Length Of Riser (L)		Depth to Water (blw.MP)		
	5,602.56	5,606.04	3.48				94.48
5,533.98				03/28/13	72.06	68.58	
5,533.84				06/27/13	72.20	68.72	
5,534.27				09/27/13	71.77	68.29	
5,534.43				12/20/13	71.61	68.13	
5,534.32				03/27/14	71.72	68.24	
5,533.85				06/25/14	72.19	68.71	
5,533.53				09/25/14	72.51	69.03	
5,533.60				12/17/14	72.44	68.96	
5,533.04				03/26/15	73.00	69.52	
5,532.93				06/22/15	73.11	69.63	
5,532.79				09/30/15	73.25	69.77	
5,532.34				12/02/15	73.70	70.22	
5,532.54				03/30/16	73.50	70.02	
5,532.01				06/30/16	74.03	70.55	
5,531.58				09/29/16	74.46	70.98	
5,531.49				12/21/16	74.55	71.07	
5,531.60				03/30/17	74.44	70.96	
5,531.24				06/27/17	74.80	71.32	
5,530.95				09/28/17	75.09	71.61	
5,530.83				11/29/17	75.21	71.73	
5,530.74				03/28/18	75.30	71.82	
5,530.54				06/21/18	75.50	72.02	
5,530.28				09/25/18	75.76	72.28	
5,530.11				12/17/18	75.93	72.45	
5,527.99				03/25/19	78.05	74.57	
5,529.77				06/24/19	76.27	72.79	
5,529.64				08/12/19	76.40	72.92	
5,529.23				11/18/19	76.81	73.33	
5,529.10				02/10/20	76.94	73.46	
5,528.51				05/04/20	77.53	74.05	
5,528.21				09/22/20	77.83	74.35	
5,528.13				12/30/20	77.91	74.43	
5,528.13				03/11/21	77.91	74.43	
5,527.67				06/24/21	78.37	74.89	
5,527.56				08/13/21	78.48	75.00	
5,527.84				12/30/21	78.20	74.72	
5,527.28				02/10/22	78.76	75.28	
5,527.66				06/28/22	78.38	74.90	
5,526.89				08/15/22	79.15	75.67	
5,526.68				11/17/22	79.36	75.88	
5526.57				03/24/23	79.47	75.99	


TW4-29 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-30**

Water Elevation (WL)	Land Surface (LSD)	Measurin g Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,599.33	5,602.81	3.48				93.48
5,524.78				03/28/13	78.03	74.55	
5,524.79				06/27/13	78.02	74.54	
5,525.54				09/27/13	77.27	73.79	
5,525.81				12/20/13	77.00	73.52	
5,525.98				03/27/14	76.83	73.35	
5,525.91				06/25/14	76.90	73.42	
5,526.00				09/25/14	76.81	73.33	
5,526.41				12/17/14	76.40	72.92	
5,526.23				03/26/15	76.58	73.10	
5,526.48				06/22/15	76.33	72.85	
5,526.74				09/30/15	76.07	72.59	
5,526.56				12/02/15	76.25	72.77	
5,527.26				03/30/16	75.55	72.07	
5,527.04				06/30/16	75.77	72.29	
5,526.97				09/29/16	75.84	72.36	
5,527.17				12/21/16	75.64	72.16	
5,527.65				03/30/17	75.16	71.68	
5,527.54				06/27/17	75.27	71.79	
5,527.56				09/28/17	75.25	71.77	
5,527.59				11/29/17	75.22	71.74	
5,527.88				03/28/18	74.93	71.45	
5,527.86				06/21/18	74.95	71.47	
5,525.76				09/25/18	77.05	73.57	
5,527.87				12/17/18	74.94	71.46	
5,527.69				03/25/19	75.12	71.64	
5,528.01				06/24/19	74.80	71.32	
5,528.04				08/12/19	74.77	71.29	
5,527.94				11/18/19	74.87	71.39	
5,528.12				02/10/20	74.69	71.21	
5,527.73				05/04/20	75.08	71.6	
5,527.75				09/22/20	75.06	71.58	
5,527.90				12/30/20	74.91	71.43	
5,527.96				03/11/21	74.85	71.37	
5,527.75				06/24/21	75.06	71.58	
5,527.65				08/13/21	75.16	71.68	
5,527.88				12/30/21	74.93	71.45	
5,527.63				02/10/22	75.18	71.7	
5,527.77				06/28/22	75.04	71.56	
5,527.50				08/15/22	75.31	71.83	
5,527.36				11/17/22	75.45	71.97	
5,527.35				03/24/23	75.46	71.98	


TW4-30 Water Depth Over Time (ft. blmp)



Water Levels and Data over Time
White Mesa Mill - Well TW4-31

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,601.10	5,604.58	3.48				107.48
5,520.17				03/28/13	84.41	80.93	
5,520.36				06/27/13	84.22	80.74	
5,521.22				09/27/13	83.36	79.88	
5,521.81				12/20/13	82.77	79.29	
5,522.25				03/27/14	82.33	78.85	
5,522.32				06/25/14	82.26	78.78	
5,522.64				09/25/14	81.94	78.46	
5,523.27				12/17/14	81.31	77.83	
5,523.33				03/26/15	81.25	77.77	
5,523.82				06/22/15	80.76	77.28	
5,524.34				09/30/15	80.24	76.76	
5,524.29				12/02/15	80.29	76.81	
5,525.32				03/30/16	79.26	75.78	
5,525.33				06/30/16	79.25	75.77	
5,525.43				09/29/16	79.15	75.67	
5,525.81				12/21/16	78.77	75.29	
5,526.48				03/30/17	78.10	74.62	
5,526.53				06/30/17	78.05	74.57	
5,526.68				09/28/17	77.90	74.42	
5,526.82				11/29/17	77.76	74.28	
5,527.28				03/28/18	77.30	73.82	
5,527.36				06/21/18	77.22	73.74	
5,529.67				09/25/18	74.91	71.43	
5,527.58				12/17/18	77.00	73.52	
5,527.53				03/25/19	77.05	73.57	
5,527.94				06/24/19	76.64	73.16	
5,528.03				08/12/19	76.55	73.07	
5,528.02				11/18/19	76.56	73.08	
5,528.30				02/10/20	76.28	72.80	
5,528.01				05/04/20	76.57	73.09	
5,528.13				09/22/20	76.45	72.97	
5,528.41				12/30/20	76.17	72.69	
5,528.59				03/11/21	75.99	72.51	
5,528.34				06/24/21	76.24	72.76	
5,528.17				08/13/21	76.41	72.93	
5,528.49				12/30/21	76.09	72.61	
5,528.36				02/10/22	76.22	72.74	
5,528.30				06/28/22	76.28	72.80	
5,528.30				08/15/22	76.28	72.80	
5,528.15				11/17/22	76.43	72.95	
5,528.64				03/24/23	75.94	72.46	


TW4-31 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-32**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,610.20	5,611.84	1.64				114.64
5,564.43				09/27/13	47.41	45.77	
5,563.74				12/20/13	48.10	46.46	
5,563.24				03/27/14	48.60	46.96	
5,562.43				06/25/14	49.41	47.77	
5,561.90				09/25/14	49.94	48.30	
5,560.93				12/17/14	50.91	49.27	
5,561.35				03/26/15	50.49	48.85	
5,561.15				06/22/15	50.69	49.05	
5,560.96				09/30/15	50.88	49.24	
5,560.58				12/02/15	51.26	49.62	
5,560.85				03/30/16	50.99	49.35	
5,560.25				06/30/16	51.59	49.95	
5,559.69				09/29/16	52.15	50.51	
5,559.75				12/21/16	52.09	50.45	
5,560.14				03/30/17	51.70	50.06	
5,559.44				06/27/17	52.40	50.76	
5,558.99				09/28/17	52.85	51.21	
5,558.84				11/29/17	53.00	51.36	
5,558.85				03/28/18	52.99	51.35	
5,558.52				06/22/18	53.32	51.68	
5,557.92				09/25/18	53.92	52.28	
5,557.89				12/17/18	53.95	52.31	
5,557.24				03/25/19	54.60	52.96	
5,557.41				06/24/19	54.43	52.79	
5,557.03				08/12/19	54.81	53.17	
5,556.86				11/18/19	54.98	53.34	
5,557.04				02/10/20	54.80	53.16	
5,556.29				05/04/20	55.55	53.91	
5,555.99				09/22/20	55.85	54.21	
5,555.99				12/30/20	55.85	54.21	
5,556.19				03/11/21	55.65	54.01	
5,555.54				06/24/21	56.30	54.66	
5,555.41				08/13/21	56.43	54.79	
5,555.56				12/30/21	56.28	54.64	
5,555.23				02/10/22	56.61	54.97	
5,555.56				06/28/22	56.28	54.64	
5,554.76				08/15/22	57.08	55.44	
5,554.52				11/17/22	57.32	55.68	
5555.13				03/24/23	56.71	55.07	


TW4-32 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-33**

Water Elevation (WL)	Land Surface (LSD)	Measuring		Date Of Monitoring	Total or	Total	Total Depth Of Well
		Point Elevation (MP)	Length Of Riser (L)		Measured Depth to Water (blw.MP)	Depth to Water (blw.LSD)	
	5,605.20	5,606.73	1.53				86.23
5,536.70				09/27/13	70.03	68.50	
5,536.62				12/20/13	70.11	68.58	
5,536.49				03/27/14	70.24	68.71	
5,536.06				06/25/14	70.67	69.14	
5,535.73				09/25/14	71.00	69.47	
5,535.73				12/17/14	71.00	69.47	
5,535.14				03/26/15	71.59	70.06	
5,534.98				06/22/15	71.75	70.22	
5,534.81				09/30/15	71.92	70.39	
5,534.34				12/02/15	72.39	70.86	
5,534.33				03/30/16	72.40	70.87	
5,533.90				06/30/16	72.83	71.30	
5,533.48				09/29/16	73.25	71.72	
5,533.39				12/21/16	73.34	71.81	
5,533.28				03/30/17	73.45	71.92	
5,533.01				06/27/17	73.72	72.19	
5,532.67				09/28/17	74.06	72.53	
5,532.53				11/29/17	74.20	72.67	
5,532.37				03/28/18	74.36	72.83	
5,532.13				06/21/18	74.60	73.07	
5,531.82				09/25/18	74.91	73.38	
5,531.61				12/17/18	75.12	73.59	
5,531.14				03/25/19	75.59	74.06	
5,531.08				06/24/19	75.65	74.12	
5,530.98				08/12/19	75.75	74.22	
5,530.45				11/18/19	76.28	74.75	
5,530.22				02/10/20	76.51	74.98	
5,529.68				05/04/20	77.05	75.52	
5,529.30				09/22/20	77.43	75.90	
5,529.15				12/30/20	77.58	76.05	
5,529.07				03/11/21	77.66	76.13	
5,528.64				06/24/21	78.09	76.56	
5,528.48				08/13/21	78.25	76.72	
5,528.74				12/30/21	77.99	76.46	
5,528.18				02/10/22	78.55	77.02	
5,528.57				06/28/22	78.16	76.63	
5,527.78				08/15/22	78.95	77.42	
5,527.65				11/17/22	79.08	77.55	
5,527.34				03/24/23	79.39	77.86	


TW4-33 Water Depth Over Time (ft. blmp)



Water Levels and Data over Time
White Mesa Mill - Well TW4-34

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,601.60	5,603.34	1.74				95.74
5,534.04				09/27/13	69.30	67.56	
5,534.14				12/20/13	69.20	67.46	
5,533.89				03/27/14	69.45	67.71	
5,533.32				06/25/14	70.02	68.28	
5,532.94				09/25/14	70.40	68.66	
5,532.99				12/17/14	70.35	68.61	
5,532.37				03/26/15	70.97	69.23	
5,532.24				06/22/15	71.10	69.36	
5,532.08				09/30/15	71.26	69.52	
5,531.79				12/02/15	71.55	69.81	
5,531.80				03/30/16	71.54	69.80	
5,531.28				06/30/16	72.06	70.32	
5,530.87				09/29/16	72.47	70.73	
5,530.74				12/21/16	72.60	70.86	
5,530.79				03/30/17	72.55	70.81	
5,530.43				06/27/17	72.91	71.17	
5,530.12				09/28/17	73.22	71.48	
5,530.01				11/29/17	73.33	71.59	
5,529.84				03/28/18	73.50	71.76	
5,529.64				06/21/18	73.70	71.96	
5,529.39				09/25/18	73.95	72.21	
5,529.23				12/17/18	74.11	72.37	
5,528.83				03/25/19	74.51	72.77	
5,528.84				06/24/19	74.50	72.76	
5,528.75				08/12/19	74.59	72.85	
5,528.30				11/18/19	75.04	73.30	
5,528.18				02/10/20	75.16	73.42	
5,527.62				05/04/20	75.72	73.98	
5,527.28				09/22/20	76.06	74.32	
5,527.22				12/30/20	76.12	74.38	
5,527.10				03/11/21	76.24	74.50	
5,526.73				06/24/21	76.61	74.87	
5,526.63				08/13/21	76.71	74.97	
5,526.78				12/30/21	76.56	74.82	
5,526.26				02/10/22	77.08	75.34	
5,525.76				06/28/22	77.58	75.84	
5,525.83				08/15/22	77.51	75.77	
5,525.67				11/17/22	77.67	75.93	
5,525.37				03/24/23	77.97	76.23	


TW4-34 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-35**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,598.67	5,599.87	1.20				86.5
5,525.52				9/25/2014	74.35	73.15	
5,525.72				12/17/2014	74.15	72.95	
5,525.56				3/26/2015	74.31	73.11	
5,525.67				6/22/2015	74.20	73.00	
5,525.81				9/30/2015	74.06	72.86	
5,525.57				12/2/2015	74.30	73.10	
5,526.01				3/30/2016	73.86	72.66	
5,525.75				6/30/2016	74.12	72.92	
5,525.57				9/29/2016	74.30	73.10	
5,525.62				12/21/2016	74.25	73.05	
5,525.87				3/30/2017	74.00	72.80	
5,525.70				6/27/2017	74.17	72.97	
5,525.57				9/28/2017	74.30	73.10	
5,525.56				11/29/2017	74.31	73.11	
5,525.64				3/28/2018	74.23	73.03	
5,525.56				6/21/2018	74.31	73.11	
5,525.46				9/25/2018	74.41	73.21	
5,525.37				12/17/2018	74.50	73.30	
5,525.12				3/25/2019	74.75	73.55	
5,525.35				6/24/2019	74.52	73.32	
5,525.31				8/12/2019	74.56	73.36	
5,525.12				11/18/2019	74.75	73.55	
5,525.17				2/10/2020	74.70	73.50	
5,524.80				5/4/2020	75.07	73.87	
5,524.71				9/22/2020	75.16	73.96	
5,524.82				12/30/2020	75.05	73.85	
5,524.49				3/11/2021	75.38	74.18	
5,524.52				6/24/2021	75.35	74.15	
5,524.45				8/13/2021	75.42	74.22	
5,524.58				12/30/2021	75.29	74.09	
5,524.30				2/10/2022	75.57	74.37	
5,524.47				6/28/2022	75.40	74.20	
5,524.09				8/15/2022	75.78	74.58	
5,523.89				11/17/2022	75.98	74.78	
5,523.80				3/24/2023	76.07	74.87	


TW4-35 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-36**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,615.18	5,616.59	1.41				99.41
5,559.14				09/25/14	57.45	56.04	
5,559.77				12/17/14	56.82	55.41	
5,559.79				03/26/15	56.80	55.39	
5,560.08				06/22/15	56.51	55.10	
5,560.18				09/30/15	56.41	55.00	
5,559.95				12/02/15	56.64	55.23	
5,560.53				03/30/16	56.06	54.65	
5,560.20				06/30/16	56.39	54.98	
5,560.00				09/29/16	56.59	55.18	
5,560.04				12/21/16	56.55	55.14	
5,560.43				03/30/17	56.16	54.75	
5,560.26				06/27/17	56.33	54.92	
5,560.12				09/28/17	56.47	55.06	
5,560.07				11/29/17	56.52	55.11	
5,560.18				03/28/18	56.41	55.00	
5,560.11				06/22/18	56.48	55.07	
5,560.14				09/25/18	56.45	55.04	
5,559.78				12/17/18	56.81	55.40	
5,559.43				03/25/19	57.16	55.75	
5,559.61				06/24/19	56.98	55.57	
5,559.55				08/12/19	57.04	55.63	
5,559.28				11/18/19	57.31	55.90	
5,559.32				02/10/20	57.27	55.86	
5,558.94				05/04/20	57.65	56.24	
5,558.64				09/22/20	57.95	56.54	
5,558.76				12/30/20	57.83	56.42	
5,558.84				03/11/21	57.75	56.34	
5,558.44				06/24/21	58.15	56.74	
5,558.31				08/13/21	58.28	56.87	
5,558.53				12/30/21	58.06	56.65	
5,558.09				02/10/22	58.50	57.09	
5,558.46				06/28/22	58.13	56.72	
5,557.86				08/15/22	58.73	57.32	
5,557.72				11/17/22	58.87	57.46	
5,558.03				03/24/23	58.56	57.15	


TW4-36 Water Depth Over Time (ft. blmp)



Water Levels and Data over Time
White Mesa Mill - Well TW4-37

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,630.13	5,631.85	1.72				113.72
5,571.99				06/22/15	59.86	58.14	
5,570.67				09/30/15	61.18	59.46	
5,568.25				12/02/15	63.60	61.88	
5,569.80				03/30/16	62.05	60.33	
5,569.07				06/30/16	62.78	61.06	
5,569.40				09/29/16	62.45	60.73	
5,568.35				12/21/16	63.50	61.78	
5,524.05				03/30/17	107.80	106.08	
5,566.35				06/27/17	65.50	63.78	
5,568.47				09/28/17	63.38	61.66	
5,567.57				11/30/17	64.28	62.56	
5,567.83				03/28/18	64.02	62.30	
5,567.87				06/22/18	63.98	62.26	
5,567.35				09/24/18	64.50	62.78	
5,555.12				12/17/18	76.73	75.01	
5,558.24				03/25/19	73.61	71.89	
5,560.63				06/24/19	71.22	69.50	
5,550.84				08/12/19	81.01	79.29	
5,560.14				11/18/19	71.71	69.99	
5,558.17				02/10/20	73.68	71.96	
5,555.68				05/04/20	76.17	74.45	
5,553.36				09/21/20	78.49	76.77	
5,563.37				12/28/20	68.48	66.76	
5,562.66				03/11/21	69.19	67.47	
5,558.68				06/24/21	73.17	71.45	
5,559.70				08/13/21	72.15	70.43	
5,558.45				12/30/21	73.40	71.68	
5,562.73				02/10/22	69.12	67.40	
5,559.41				06/28/22	72.44	70.72	
5,560.55				08/15/22	71.30	69.58	
5,559.90				11/17/22	71.95	70.23	
5,559.42				03/24/23	72.43	70.71	


TW4-37 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-38**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,628.82	5,629.99	1.17				113.92
5,576.59				12/21/16	53.40	52.23	
5,576.62				03/30/17	53.37	52.20	
5,576.07				06/27/17	53.92	52.75	
5,577.49				09/28/17	52.50	51.33	
5,575.68				11/30/17	54.31	53.14	
5,574.69				03/28/18	55.30	54.13	
5,574.25				06/22/18	55.74	54.57	
5,573.63				09/25/18	56.36	55.19	
5,572.31				12/17/18	57.68	56.51	
5,572.51				03/25/19	57.48	56.31	
5,572.53				06/24/19	57.46	56.29	
5,572.31				08/12/19	57.68	56.51	
5,571.90				11/18/19	58.09	56.92	
5,571.67				02/10/20	58.32	57.15	
5,571.20				05/04/20	58.79	57.62	
5,570.69				09/22/20	59.30	58.13	
5,570.74				12/30/20	59.25	58.08	
5,570.54				03/11/21	59.45	58.28	
5,570.04				06/24/21	59.95	58.78	
5,569.93				08/13/21	60.06	58.89	
5,570.39				12/30/21	59.60	58.43	
5,569.49				02/10/22	60.50	59.33	
5,569.98				06/28/22	60.01	58.84	
5,569.51				08/15/22	60.48	59.31	
5,569.29				11/17/22	60.70	59.53	
5,568.97				03/24/23	61.02	59.85	


TW4-38 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-39**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,628.82	5,629.56	0.74				120.74
5,566.39				12/21/16	63.17	62.43	
5,567.57				03/30/17	61.99	61.25	
5,567.11				06/27/17	62.45	61.71	
5,567.26				09/28/17	62.30	61.56	
5,560.52				11/30/17	69.04	68.30	
5,565.51				03/28/18	64.05	63.31	
5,529.91				06/22/18	99.65	98.91	
5,565.04				09/24/18	64.52	63.78	
5,557.32				12/17/18	72.24	71.50	
5,564.12				03/25/19	65.44	64.70	
5,553.85				06/24/19	75.71	74.97	
5,555.03				08/12/19	74.53	73.79	
5,549.98				11/18/19	79.58	78.84	
5,548.39				02/10/20	81.17	80.43	
5,544.51				05/04/20	85.05	84.31	
5,552.04				09/21/20	77.52	76.78	
5,553.71				12/28/20	75.85	75.11	
5,557.31				03/11/21	72.25	71.51	
5,554.26				06/24/21	75.30	74.56	
5,555.01				08/13/21	74.55	73.81	
5,555.23				12/30/21	74.33	73.59	
5,559.05				02/10/22	70.51	69.77	
5,558.79				06/28/22	70.77	70.03	
5,555.74				08/15/22	73.82	73.08	
5,558.96				11/17/22	70.60	69.86	
5,554.96				03/24/23	74.60	73.86	


TW4-39 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-40**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,595.66	5,597.58	1.92				86
5,531.12				03/28/18	66.46	64.54	
5,530.83				06/22/18	66.75	64.83	
5,530.34				09/25/18	67.24	65.32	
5,530.06				12/17/18	67.52	65.60	
5,529.52				03/25/19	68.06	66.14	
5,527.69				06/24/19	69.89	67.97	
5,526.98				08/12/19	70.60	68.68	
5,526.43				11/18/19	71.15	69.23	
5,525.57				02/10/20	72.01	70.09	
5,525.81				05/04/20	71.77	69.85	
5,525.51				09/21/20	72.07	70.15	
5,523.08				12/28/20	74.50	72.58	
5,526.17				03/11/21	71.41	69.49	
5,525.45				06/24/21	72.13	70.21	
5,525.26				08/13/21	72.32	70.40	
5,525.46				12/30/21	72.12	70.20	
5,525.47				02/10/22	72.11	70.19	
5,524.39				06/28/22	73.19	71.27	
5,525.27				08/15/22	72.31	70.39	
5,525.24				11/17/22	72.34	70.42	
5,525.30				03/24/23	72.28	70.36	


TW4-40 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-41**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,613.31	5,614.96	1.65				97.8
5,539.24				03/28/18	75.72	74.07	
5,526.18				06/22/18	88.78	87.13	
5,513.86				09/24/18	101.10	99.45	
5,536.53				12/17/18	78.43	76.78	
5,521.88				03/25/19	93.08	91.43	
5,527.89				06/24/19	87.07	85.42	
5,530.75				08/12/19	84.21	82.56	
5,536.69				11/18/19	78.27	76.62	
5,538.67				02/10/20	76.29	74.64	
5,526.94				05/04/20	88.02	86.37	
5,529.30				09/21/20	85.66	84.01	
5,528.43				12/28/20	86.53	84.88	
5,525.74				03/11/21	89.22	87.57	
5,525.25				06/24/21	89.71	88.06	
5,526.09				08/13/21	88.87	87.22	
5,524.68				12/30/21	90.28	88.63	
5,524.95				02/10/22	90.01	88.36	
5,524.97				06/28/22	89.99	88.34	
5,525.83				08/15/22	89.13	87.48	
5,525.79				11/17/22	89.17	87.52	
5,524.86				03/24/23	90.10	88.45	


TW4-41 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-42**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,592.39	5,594.70	2.31				86.0
5,518.98				03/28/18	75.72	73.41	
5,528.28				06/24/19	66.42	64.11	
5,527.90				08/12/19	66.80	64.49	
5,527.13				11/18/19	67.57	65.26	
5,526.83				02/10/20	67.87	65.56	
5,526.10				05/04/20	68.60	66.29	
5,525.75				09/22/20	68.95	66.64	
5,525.59				12/30/20	69.11	66.80	
5,525.52				03/11/21	69.18	66.87	
5,525.00				06/24/21	69.70	67.39	
5,524.77				08/13/21	69.93	67.62	
5,525.14				12/30/21	69.56	67.25	
5,524.45				02/10/22	70.25	67.94	
5,524.93				06/28/22	69.77	67.46	
5,523.95				08/15/22	70.75	68.44	
5,523.74				11/17/22	70.96	68.65	
5,523.71				03/24/23	70.99	68.68	


TW4-42 Water Depth Over Time (ft. blmp)



**Water Levels and Data over Time
White Mesa Mill - Well TW4-43**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,595.17	5,596.89	1.72				95.5
5,523.85				12/30/21	73.04	71.32	
5,523.48				02/10/22	73.41	71.69	
5,523.28				06/28/22	73.61	71.89	
5,523.41				08/15/22	73.48	71.76	
5,523.25				11/17/22	73.64	71.92	
5,523.67				03/24/23	73.22	71.50	

TW4-43 Water Depth Over Time (ft. blmp)



Tab G

Chloroform Mass Removed and Volume Pumped in Chloroform Pumping Wells over Time

Table G-1
 Quarterly Calculation of Chloroform Removed and Total Volume of Water Pumped

Quarter	MW-4						MW-26 (formerly TW4-15)					
	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)
Q1 2007	1307110	3370	4947411.4	1.6673E+10	16673	36.8	930510	1660	3521980.4	5846487381	5846	12.9
Q2 2007	81230	2000	307455.6	614911100	615	1.4	54400	300	205904.0	61771200	62	0.1
Q3 2007	100700	2600	381149.5	990988700	991	2.2	72080	1400	272822.8	381951920	382	0.8
Q4 2007	90830	2300	343791.6	790720565	791	1.7	61750	2000	233723.8	467447500	467	1.0
Q1 2008	83950	2400	317750.8	762601800	763	1.7	47780	930	180847.3	168187989	168	0.4
Q2 2008	62780	2500	237622.3	594055750	594	1.3	44840	1300	169719.4	220635220	221	0.5
Q3 2008	81400	1800	308099.0	554578200	555	1.2	61280	630	231944.8	146125224	146	0.3
Q4 2008	91320	1700	345646.2	587598540	588	1.3	55700	630	210824.5	132819435	133	0.3
Q1 2009	90710	2200	343337.4	75342170	755	1.7	52970	950	200491.5	190466878	190	0.4
Q2 2009	450040	1800	1703401.4	3066122520	3066	6.8	58050	410	219719.3	90084892.5	90	0.2
Q3 2009	90420	2000	342239.7	684479400	684	1.5	57610	850	218053.9	185345773	185	0.4
Q4 2009	322380	1800	1220208.3	2196374940	2196	4.8	61960	1100	234518.6	257970460	258	0.6
Q1 2010	68125	1600	257853.1	412565000	413	0.9	61320	780	232096.2	181035036	181	0.4
Q2 2010	84005.33	2100	317960.2	667716366	668	1.5	60500	1900	228992.5	435085750	435	1.0
Q3 2010	79859.1	1900	302266.7	574306718	574	1.3	63850	2200	241672.3	531678950	532	1.2
Q4 2010	90042.2	1500	340809.7	511214591	511	1.1	60180	970	227781.3	220947861	221	0.5
Q1 2011	76247.6	1700	288597.2	490615182	491	1.1	55130	450	208667.1	93900172.5	94	0.2
Q2 2011	85849.3	1700	324939.6	552397321	552	1.2	55800.6	1800	211205.3	380169488	380	0.8
Q3 2011	85327.7	1700	322965.3	549041086	549	1.2	65618	720	248364.1	178822174	179	0.4
Q4 2011	89735.0	1600	339647.0	543435160	543	1.2	50191.3	1800	189974.1	341953327	342	0.8
Q1 2012	90376.4	1500	342074.7	513112011	513	1.1	31440.1	2400	119000.8	285601868	286	0.6
Q2 2012	90916.5	1400	344118.8	481766269	482	1.1	26701.2	3000	101064.1	303192353	303	0.7
Q3 2012	91607.0	1500	346732.5	520098743	520	1.1	25246	3100	95556.1	296223941	296	0.7
Q4 2012	78840.0	1300	298409.4	387932220	388	0.9	30797	1200	116566.6	139879974	140	0.3
Q1 2013	62943.7	1670	238241.9	397863981	398	0.9	22650.7	2120	85732.9	181753747	182	0.4
Q2 2013	71187.3	1490	269443.9	401471456	401	0.9	25343.4	4030	95924.8	386576819	387	0.9
Q3 2013	72898.8	1520	275922.0	419401376	419	0.9	25763	2940	97513.0	286688088	287	0.6
Q4 2013	70340.4	1410	266238.4	375396164	375	0.8	24207.6	1410	91625.8	129192330	129	0.3
Q1 2014	69833.8	1390	264320.9	367406097	367	0.8	23263.1	1400	88050.8	123271167	123	0.3
Q2 2014	71934.9	1390	272273.6	378460299	378	0.8	23757.5	1960	89922.1	176247390	176	0.4
Q3 2014	74788.2	1490	283073.3	421779272	422	0.9	24062.4	2120	91076.2	193081510	193	0.4
Q4 2014	63093.0	1440	238807.0	343882087	344	0.8	21875.8	2090	82799.9	173051797	173	0.4
Q1 2015	76454.3	1400	289379.5	405131336	405	0.9	24004.9	1980	90858.5	179899922	180	0.4
Q2 2015	60714.7	1300	229805.1	298746681	299	0.7	27804.6	1980	105240.4	208376014	208	0.5
Q3 2015	89520.8	1290	338836.2	437098734	437	1.0	21042.0	2350	79644.0	187163330	187	0.4
Q4 2015	99633.4	1200	377112.4	452534903	453	1.0	19355.6	2680	73260.9	196339335	196	0.4
Q1 2016	90882.1	1240	343988.7	426546048	427	0.9	19150.8	2650	72485.8	192087312	192	0.4
Q2 2016	96540.5	1580	365405.8	577341152	577	1.3	22105.7	2220	83670.1	185747565	186	0.4
Q3 2016	79786.4	1430	301991.5	431847879	432	1.0	17149.5	3190	64910.9	207065635	207	0.5
Q4 2016	85414.0	1470	323292.0	475239225	475	1.0	18541.6	2510	70180.0	176151690	176	0.4
Q1 2017	76642.3	1450	290091.1	420632103	421	0.9	26107.0	1290	98815.0	127471344	127	0.3
Q2 2017	72299.8	1430	273654.7	391326282	391	0.9	25921.8	2450	98114.0	240379332	240	0.5
Q3 2017	95349.3	1400	360897.1	505255941	505	1.1	27489.9	1230	104049.3	127980604	128	0.3
Q4 2017	106679.8	1320	403783.0	532993617	533	1.2	26445.8	2570	100097.4	257250197	257	0.6

Table G-1
 Quarterly Calculation of Chloroform Removed and Total Volume of Water Pumped

Quarter	MW-4						MW-26 (formerly TW4-15)					
	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)
Q1 2018	105060.4	1320	397653.6	524902770	525	1.2	27004.7	1210	102212.8	123677475	124	0.3
Q2 2018	101786.2	1240	385260.8	477723351	478	1.1	26654.7	1870	100888.0	188660634	189	0.4
Q3 2018	95480.5	1300	361393.7	469811800	470	1.0	25536.1	1680	96654.1	162378953	162	0.4
Q4 2018	102884.8	1330	389418.9	517927177	518	1.1	23791.3	1480	90050.1	133274104	133	0.3
Q1 2019	111746.9	1190	422962.0	503324800	503	1.1	26798.5	1110	101432.3	112589878	113	0.2
Q2 2019	94540.7	1300	357836.5	465187514	465	1.0	24050.2	1280	91030.0	116518409	117	0.3
Q3 2019	95517.7	1180	361534.5	426610704	427	0.9	24181.1	1360	91525.5	124474630	124	0.3
Q4 2019	99220.8	1370	375550.9	514504705	515	1.1	22384.8	1390	84726.5	117769791	118	0.3
Q1 2020	102597.0	1230	388329.6	477645370	478	1.1	24107.0	1100	91245.0	100369495	100	0.2
Q2 2020	101850.7	1250	385504.9	481881077	482	1.1	25418.4	1610	96208.6	154895917	155	0.3
Q3 2020	84607.8	1240	320240.6	397098342	397	0.9	23663.7	1130	89567.1	101210828	101	0.2
Q4 2020	91258.6	1050	345413.8	362684491	363	0.8	28934.5	866	109517.1	94841793.4	95	0.2
Q1 2021	93486.7	1150	353847.3	406924364	407	0.9	27898.0	3060	105593.9	323117426	323	0.7
Q2 2021	93252.4	1320	352960.3	465907641	466	1.0	29124.1	998	110234.7	110014249	110	0.2
Q3 2021	89693.5	1140	339489.9	387018483	387	0.9	27945.6	1580	105774.1	167123072	167	0.4
Q4 2021	95091.4	1100	359920.9	395913044	396	0.9	30045.3	826	113721.5	93933926.4	94	0.2
Q1 2022	96291.3	1040	364462.6	379041073	379	0.8	29113.3	1030	110193.8	113499656	113	0.3
Q2 2022	93554.5	1010	354103.8	357644820	358	0.8	29385.9	611	111225.6	67958860.8	68	0.1
Q3 2022	82718.6	1200	313089.9	375707881	376	0.8	28531.3	612	107991.0	66090473.9	66	0.1
Q4 2022	91487.4	1170	346279.8	405147421	405	0.9	29411.4	1040	111322.1	115775035	116	0.3
Q1 2023	90044.0	1010	340816.6	344224782	344	0.8	27474.7	571	103991.7	59379283.3	59	0.1
Totals	7462910.56					114.0	3173201.5					39.8

Table G-1
 Quarterly Calculation of Chloroform Removed and Total Volume of Water Pumped

Quarter	TW4-19					TW4-20						
	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)
Q1 2007	6768986	2660	25620612.0	68150827947	68151	150.2	642290	16240	2431067.7	39481E+10	39481	87.0
Q2 2007	605400	8	2291439.0	18331512	18	0.0	163520	1800	618923.2	1114061760	1114	2.5
Q3 2007	316080	1100	1196362.8	1315999080	1316	2.9	70360	5200	266312.6	1384825520	1385	3.1
Q4 2007	334350	1100	1265514.8	1392066225	1392	3.1	63630	9000	240839.6	216755950	2168	4.8
Q1 2008	304784	1800	1153607.4	2076493392	2076	4.6	66520	13000	251778.2	3273116600	3273	7.2
Q2 2008	380310	1000	1439473.4	1439473350	1439	3.2	39360	30000	148977.6	4469328000	4469	9.9
Q3 2008	529020	3600	2002340.7	7208426520	7208	15.9	53260	21000	201589.1	4233371100	4233	9.3
Q4 2008	589620	4200	2231711.7	9373189140	9373	20.7	50230	1000	190120.6	190120550	190	0.4
Q1 2009	469100	1100	1775543.5	1953097850	1953	4.3	52050	8200	197009.3	1615475850	1615	3.6
Q2 2009	450040	990	1703401.4	1686367386	1686	3.7	49270	6800	186487.0	1268112660	1268	2.8
Q3 2009	200650	6600	759460.3	5012437650	5012	11.1	51030	13000	193148.6	2510931150	2511	5.5
Q4 2009	454205	4700	1719165.9	8080079848	8080	17.8	208790	15000	790270.2	11854E+10	11854	26.1
Q1 2010	348550	940	1319261.8	1240106045	1240	2.7	14490	3500	54844.7	191956275	192	0.4
Q2 2010	453340	1800	1715891.9	3088605420	3089	6.8	39014.86	18000	147671.2	2658082412	2658	5.9
Q3 2010	116899.2	2000	442463.5	884926944	885	2.0	39098.3	15000	147987.1	2219805983	2220	4.9
Q4 2010	767970.5	1200	2906768.3	3488122011	3488	7.7	36752.5	24000	139108.2	3338597100	3339	7.4
Q1 2011	454607.9	3400	1720690.9	5850349065	5850	12.9	37187.5	31000	140754.7	4363395313	4363	9.6
Q2 2011	159238.9	4000	602719.2	2410876946	2411	5.3	67907.7	8100	257030.6	2081948220	2082	4.6
Q3 2011	141542.6	970	535738.7	519666578.8	520	1.1	72311.2	6800	273697.9	1861145666	1861	4.1
Q4 2011	148747	2200	558844.7	1229458234	1229	2.7	72089.3	7900	272858.0	2155578204	2156	4.8
Q1 2012	148747	650	563007.4	365954806.8	366	0.8	76306	11000	288818.2	3177000310	3177	7.0
Q2 2012	172082.03	460	651330.5	299612022.4	300	0.7	22956.43	36000	86890.1	3128043152	3128	6.9
Q3 2012	171345	950	648540.8	616113783.8	616	1.4	22025	13000	83364.6	1083740125	1084	2.4
Q4 2012	156653	1500	592931.6	889397407.5	889	2.0	20114	19000	76131.5	1446498310	1446	3.2
Q1 2013	210908	4210	798286.8	3360787344	3361	7.4	18177	18500	68799.9	1272798983	1273	2.8
Q2 2013	226224	2070	856257.8	1772453729	1772	3.9	20252.4	26300	76655.3	2016035284	2016	4.4
Q3 2013	329460.1	8100	1247006.5	10100752476	10101	22.3	19731	26800	74681.8	2001473178	2001	4.4
Q4 2013	403974	942	1529041.6	1440357178	1440	3.2	19280.2	15700	72975.6	1145716245	1146	2.5
Q1 2014	304851	586	1153861.0	676162566.5	676	1.5	18781.6	17800	71088.4	1265327237	1265	2.8
Q2 2014	297660.0	810	1126643.1	912580911	913	2.0	18462.4	22100	69880.2	1544352066	1544	3.4
Q3 2014	309742.0	1410	1172373.5	1653046593	1653	3.6	17237.9	12400	65245.5	809043599	809	1.8
Q4 2014	198331.0	4310	750682.8	3235443019	3235	7.1	16341.8	23300	61853.7	1441191513	1441	3.2
Q1 2015	60553.0	4660	229193.1	1068039869	1068	2.4	15744.7	19900	59593.7	1185914421	1186	2.6
Q2 2015	75102.8	1570	284264.1	446294633.9	446	1.0	18754.1	17600	70984.3	1249323126	1249	2.8
Q3 2015	116503.9	7860	440967.3	3466002675	3466	7.6	17657.3	17000	66832.9	1136158969	1136	2.5
Q4 2015	112762.7	7840	426806.8	3346165465	3346	7.4	15547.4	17000	58846.9	1000397453	1000	2.2
Q1 2016	116597.0	7780	441319.6	3433466838	3433	7.6	14353.5	21600	54328.0	1173484746	1173	2.6
Q2 2016	123768.0	12600	468461.9	5902619688	5903	13.0	15813.3	33700	59872.3	2017695347	2018	4.4
Q3 2016	103609.0	6040	392160.1	2368646793	2369	5.2	12186.6	23600	46126.3	1088580232	1089	2.4
Q4 2016	104919.4	6640	397119.9	2636876329	2637	5.8	12879.6	21300	48749.3	1038359792	1038	2.3
Q1 2017	110416.7	1240	417927.2	518229739.8	518	1.1	13552.8	23400	51297.3	1200357943	1200	2.6
Q2 2017	109943.0	510	416134.3	212228470.1	212	0.5	12475.3	18100	47219.0	854664090	855	1.9
Q3 2017	112626.4	8840	426290.9	3768411768	3768	8.3	14556.8	27600	55097.5	1520690669	1521	3.4
Q4 2017	108891.2	129	412153.2	53167761.77	53	0.1	14271.0	11600	54015.7	626582526	627	1.4

Table G-1
 Quarterly Calculation of Chloroform Removed and Total Volume of Water Pumped

Quarter	TW4-19					TW4-20						
	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)
Q1 2018	109856.3	2640	415806.1	1097728092	1098	2.4	14258.4	15400	53968.0	831107878	831	1.8
Q2 2018	111271.4	2980	421162.2	1255063502	1255	2.8	13367.6	12000	50596.4	607156392	607	1.3
Q3 2018	105821.8	1910	400535.5	765022829.8	765	1.7	12443.6	10500	47099.0	494539773	495	1.1
Q4 2018	107197.4	5270	405742.2	2138261178	2138	4.7	12841.1	9500	48603.5	461733494	462	1.0
Q1 2019	116132.8	2050	439562.6	901103428.4	901	2.0	14623.9	15600	55351.5	863482799	863	1.9
Q2 2019	100704.0	11500	381164.6	4383393360	4383	9.7	13439.1	13700	50867.0	696877811	697	1.5
Q3 2019	101026.8	6670	382386.4	2550517541	2551	5.6	13787.0	10500	52183.8	547929848	548	1.2
Q4 2019	98806.8	551	373983.7	206065039.6	206	0.5	8317.69	8790	31482.5	276730794	277	0.6
Q1 2020	96857.9	8720	366607.2	3196814361	3197	7.0	9505.05	14300	35976.6	514465584	514	1.1
Q2 2020	136619.7	7600	517105.6	3930002290	3930	8.7	100713.8	5800	381201.6	2210969393	2211	4.9
Q3 2020	154514.4	1350	584837.0	789529955.4	790	1.7	12476.2		Well collapsed and not sampled			
Q4 2020	144512.0	660	546977.9	361005427.2	361	0.8			Well plugged and abandoned			
Q1 2021	133462.3	6660	505154.8	3364331005	3364	7.4			Well plugged and abandoned			
Q2 2021	151242.8	775	572454.0	443651848.5	444	1.0			Well plugged and abandoned			
Q3 2021	157632.4	4450	596638.6	2655041921	2655	5.9			Well plugged and abandoned			
Q4 2021	124359.9	6950	470702.2	3271380439	3271	7.2			Well plugged and abandoned			
Q1 2022	112209.2	654	424711.8	277761531.6	278	0.6			Well plugged and abandoned			
Q2 2022	123246.5	2540	466488.0	1184879526	1185	2.6			Well plugged and abandoned			
Q3 2022	137486.6	4750	520386.7	2471836850	2472	5.4			Well plugged and abandoned			
Q4 2022	137474.5	7380	520341.0	3840116451	3840	8.5			Well plugged and abandoned			
Q1 2023	132291.8	230	500724.3	115166591.7	115	0.3			Well plugged and abandoned			
Totals						480.7			2582397.89			296.2

Table G-1
 Quarterly Calculation of Chloroform Removed and Total Volume of Water Pumped

Quarter	TW4-4					TW4-22						
	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)
Q1 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2010	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2010	84513.9	2000	319885.1	639770223	640	1.4	NA	NA	NA	NA	NA	NA
Q3 2010	76916.8	2100	291130.1	611373184.8	611	1.3	NA	NA	NA	NA	NA	NA
Q4 2010	86872.1	1700	328810.9	558978527.5	559	1.2	NA	NA	NA	NA	NA	NA
Q1 2011	73360.0	1800	277667.6	499801680	500	1.1	NA	NA	NA	NA	NA	NA
Q2 2011	80334.6	1700	304066.5	516912983.7	517	1.1	NA	NA	NA	NA	NA	NA
Q3 2011	97535.0	1500	369170.0	553754962.5	554	1.2	NA	NA	NA	NA	NA	NA
Q4 2011	109043.5	1500	412729.6	619094471.3	619	1.4	NA	NA	NA	NA	NA	NA
Q1 2012	101616.8	1200	384619.6	461543505.6	462	1.0	NA	NA	NA	NA	NA	NA
Q2 2012	87759.1	1500	332168.2	498252290.3	498	1.1	NA	NA	NA	NA	NA	NA
Q3 2012	80006.0	1600	302822.7	484516336	485	1.1	NA	NA	NA	NA	NA	NA
Q4 2012	71596	1400	270990.9	379387204	379	0.8	NA	NA	NA	NA	NA	NA
Q1 2013	58716.8	1460	222243.1	324474908.5	324	0.7	16677.4	10600	63124.0	669113965.4	669.1	1.5
Q2 2013	65603.4	1330	248308.9	330250795.8	330	0.7	25223.2	12500	96605.3	1207566400.0	1207.6	2.7
Q3 2013	63515.4	1380	240405.8	331759988.8	332	0.7	25592.9	9640	96869.1	933818379.5	933.8	2.1
Q4 2013	60233.6	1360	227984.2	310058479.4	310	0.7	24952.2	13300	94444.1	1256106224.1	1256.1	2.8
Q1 2014	58992.9	1260	223288.1	281343039.4	281	0.6	24532.0	12100	92853.6	1123528802.0	1123.5	2.5
Q2 2014	60235.3	1220	227990.6	278148544.8	278	0.6	24193.9	12400	91573.9	1135516502.6	1135.5	2.5
Q3 2014	69229.4	1320	262033.3	345883928.3	346	0.8	24610.9	12400	93152.3	1155087980.6	1155.1	2.5
Q4 2014	64422.6	1130	243839.5	275538681.3	276	0.6	23956.9	12400	90676.9	1124393144.6	1124.4	2.5
Q1 2015	36941.3	1350	139822.8	188760807.7	189	0.4	22046.9	12700	83447.5	1059783459.6	1059.8	2.3
Q2 2015	68162.8	1280	257996.2	330235133.4	330	0.7	23191.6	8050	87780.2	706630658.3	706.6	1.6
Q3 2015	64333.0	1220	243500.4	297070494.1	297	0.7	24619.9	7810	93186.3	727785170.9	727.8	1.6
Q4 2015	59235.1	1190	224204.9	266803775.7	267	0.6	23657.6	7530	89544.0	674266440.5	674.3	1.5
Q1 2016	57274.0	1190	216782.1	257970687.1	258	0.6	24517.8	6070	92799.9	563295229.1	563.3	1.2
Q2 2016	61378.0	1780	232315.7	413521999.4	414	0.9	26506.3	8570	100326.3	859796780.9	859.8	1.9
Q3 2016	50104.2	1380	189644.4	261709267.9	262	0.6	22144.1	5840	83815.4	489482044.0	489.5	1.1
Q4 2016	31656.0	1430	119818.0	171339682.8	171	0.4	23646.8	3370	89503.1	301625575.1	301.6	0.7
Q1 2017	23526.8	1290	89048.9	114873130	115	0.3	24066.2	5320	91090.6	484601816.4	484.6	1.1
Q2 2017	23244.9	1290	87981.9	113496711	113	0.3	23685.0	3670	89647.7	329007150.8	329.0	0.7
Q3 2017	23937.3	1290	90602.7	116877457.8	117	0.3	24583.2	5150	93047.4	479194171.8	479.2	1.1
Q4 2017	22900.6	1120	86678.8	97080223.52	97	0.2	23779.6	4770	90005.8	429327599.2	429.3	0.9

Table G-1

Quarterly Calculation of Chloroform Removed and Total Volume of Water Pumped

Quarter	TW4-4						TW4-22					
	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)
Q1 2018	23103.4	1160	87446.4	101437788	101	0.2	23982.8	4530	90774.9	411210287.9	411.2	0.9
Q2 2018	18137.0	1050	68648.5	72080972.25	72	0.2	23256.6	3010	88026.2	264958955.3	265.0	0.6
Q3 2018	15366.0	1030	58160.3	59905119.3	60	0.1	21248.7	3600	80426.3	289534786.2	289.5	0.6
Q4 2018	15420.2	1140	58365.5	66536620.98	67	0.1	24171.0	2680	91487.2	245185789.8	245.2	0.5
Q1 2019	16655.0	1050	63039.2	66191133.75	66	0.1	26149.9	4310	98977.4	426592471.2	426.6	0.9
Q2 2019	14311.9	1070	54170.5	57962479.41	58	0.1	23073.1	4690	87331.7	409585595.6	409.6	0.9
Q3 2019	14520.0	989	54958.2	54353659.8	54	0.1	24711.7	3460	93533.8	323626894.4	323.6	0.7
Q4 2019	14399.8	1140	54503.2	62133697.02	62	0.1	24052.5	3820	91038.7	347767881.8	347.8	0.8
Q1 2020	14439.2	1100	54652.4	60117609.2	60	0.1	24746.1	3910	93664.0	366226195.0	366.2	0.8
Q2 2020	15347.0	1140	58088.4	66220770.3	66	0.1	25295.3	2530	93742.7	242229057.6	242.2	0.5
Q3 2020	14389.9	1110	54465.8	60457006.37	60	0.1	23050.6	3760	87246.5	328046919.0	328.0	0.7
Q4 2020	15061.5	979	57007.8	5810614.17	56	0.1	22866.1	3640	86548.2	315035406.1	315.0	0.7
Q1 2021	13740.8	1130	52008.9	58770088.64	59	0.1	22605.6	5100	85562.2	436367199.6	436.4	1.0
Q2 2021	13425.7	1240	50816.3	63012180.38	63	0.1	22893.3	4520	86651.1	391663155.1	391.7	0.9
Q3 2021	12021.0	1100	45499.5	50049433.5	50	0.1	22272.5	3510	84301.4	295897957.9	295.9	0.7
Q4 2021	11401.1	950	43153.2	40995505.33	41	0.1	22667.3	3330	85795.7	285699782.6	285.7	0.6
Q1 2022	10434.1	1010	39493.1	39887999.19	40	0.1	22083.6	3320	83586.4	277506934.3	277.5	0.6
Q2 2022	11463.2	1110	43388.2	48160915.32	48	0.1	22489.0	2600	85120.9	221314249.0	221.3	0.5
Q3 2022	7928.5	1040	30009.4	31209747.4	31	0.1	21940.2	3190	83043.7	264909265.8	264.9	0.6
Q4 2022	8777.0	1030	33220.9	34217573.35	34	0.1	22398.4	2350	84777.9	199228168.4	199.2	0.4
Q1 2023	8236.0	945	31173.3	29458730.7	29	0.1	21783.0	1900	82448.7	156652444.5	156.7	0.3
Totals	2261775.5					26.6	964221.7				48.6	

Table G-1
 Quarterly Calculation of Chloroform Removed and Total Volume of Water Pumped

Quarter	TW4-24					TW4-25						
	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)
Q1 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2010	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2010	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2010	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2010	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2011	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2011	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2011	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2011	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2012	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2012	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2012	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2012	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2013	144842.6	5.7	548229.2	3124906.7	3.1	0.0	99369.9	0.0	376115.1	0.0	0.0	0.0
Q2 2013	187509.3	17.4	709722.7	12349175.0	12.3	0.0	147310.4	0.0	557569.9	0.0	0.0	0.0
Q3 2013	267703.5	21.8	1013257.7	22089018.9	22.1	0.1	145840.9	0.0	552007.8	0.0	0.0	0.0
Q4 2013	260555.3	32.5	986201.8	32051558.8	32.1	0.1	126576.5	0.0	479092.1	0.0	0.0	0.0
Q1 2014	229063.9	78.5	867006.9	68060038.6	68.1	0.2	129979.2	0.0	491971.3	0.0	0.0	0.0
Q2 2014	216984.1	62.7	821284.8	51494558.1	51.5	0.1	124829.8	0.0	472480.8	0.0	0.0	0.0
Q3 2014	213652.5	76.3	808674.7	61701880.6	61.7	0.1	119663.9	0.0	452927.9	0.0	0.0	0.0
Q4 2014	178468.7	25.8	675504.0	17428004.0	17.4	0.04	107416.1	0.0	406569.9	0.0	0.0	0.0
Q1 2015	92449.3	49.2	349920.6	17216093.5	17.2	0.04	71452.4	0.0	270447.3	0.0	0.0	0.0
Q2 2015	62664.2	4.28	237184.0	1015147.5	1.0	0.002	91985.3	0.0	348164.4	0.0	0.0	0.0
Q3 2015	66313.2	46.9	250995.5	11771687.2	11.8	0.026	124137.1	0.0	469858.9	0.0	0.0	0.0
Q4 2015	107799.1	25.3	408019.6	10322895.7	10.3	0.023	116420.1	0.0	440650.1	0.0	0.0	0.0
Q1 2016	100063.2	22.8	378739.2	8635254.0	8.6	0.019	115483.2	0.0	437103.9	0.0	0.0	0.0
Q2 2016	65233.6	69.6	246909.2	17184878.6	17.2	0.038	125606.0	0.0	475418.7	0.0	0.0	0.0
Q3 2016	51765.8	17.8	195933.6	3487617.2	3.5	0.008	104983.6	0.0	397362.9	0.0	0.0	0.0
Q4 2016	99522.5	20.8	376692.7	7835207.4	7.8	0.017	98681.2	0.0	373508.3	0.0	0.0	0.0
Q1 2017	99117.4	18.3	375159.4	6865416.3	6.9	0.015	161.2	1.15	610.1	701.7	0.0	0.0
Q2 2017	52808.7	17.2	199880.9	3437952.0	3.4	0.008	101617.2	0.0	384621.1	0.0	0.0	0.0
Q3 2017	55574.6	17.8	210349.9	3744227.5	3.7	0.008	124138.4	0.0	469863.8	0.0	0.0	0.0
Q4 2017	106021.4	16.0	401291.0	6420656.0	6.4	0.014	116731.9	0.0	441830.2	0.0	0.0	0.0

Table G-1
 Quarterly Calculation of Chloroform Removed and Total Volume of Water Pumped

Quarter	TW4-24						TW4-25					
	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)
Q1 2018	96900.2	24.9	366767.3	9132504.7	9.1	0.020	116991.7	0.0	442813.6	0.0	0.0	0.0
Q2 2018	53117.9	49.2	201051.3	9891721.6	9.9	0.022	117758.3	0.0	445715.2	0.0	0.0	0.0
Q3 2018	53142.5	35.0	201144.4	7040052.7	7.0	0.016	111657.5	0.0	422623.6	0.0	0.0	0.0
Q4 2018	101606.4	21.0	384580.3	8076185.5	8.1	0.018	114458.2	0.0	433224.3	0.0	0.0	0.0
Q1 2019	97701.0	28.1	369798.3	10391331.8	10.4	0.023	90789.5	0.0	343638.3	0.0	0.0	0.0
Q2 2019	53197.3	28.8	201351.8	5798931.3	5.8	0.013	88302.0	0.0	334223.1	0.0	0.0	0.0
Q3 2019	54445.7	31.1	206077.0	6408993.9	6.4	0.014	87609.5	0.0	311602.0	0.0	0.0	0.0
Q4 2019	102211.02	43.3	386868.7	16751415.2	16.8	0.037	85928.53	0.0	325239.5	0.0	0.0	0.0
Q1 2020	86344.38	61.7	326813.5	20164391.6	20.2	0.044	85049.47	0.0	321912.2	0.0	0.0	0.0
Q2 2020	57634.7	49.4	218147.3	10776478.6	10.8	0.024	90767.9	0.0	343556.6	0.0	0.0	0.0
Q3 2020	53316.1	63.8	201801.4	12874931.8	12.9	0.028	83956.3	0.0	317774.6	0.0	0.0	0.0
Q4 2020	103987.2	72.6	393591.6	28574746.7	28.6	0.063	86254.4	0.0	326472.7	0.0	0.0	0.0
Q1 2021	81891.2	96.2	309958.3	29817985.4	29.8	0.066	80272.2	0.0	303830.4	0.0	0.0	0.0
Q2 2021	54377.9	41.2	205820.4	8479798.5	8.5	0.019	82692.8	0.0	312992.2	0.0	0.0	0.0
Q3 2021	53333.1	103.0	201865.8	20792175.7	20.8	0.046	82802.3	0.0	313406.7	0.0	0.0	0.0
Q4 2021	96534.8	112.0	365384.2	40923032.4	40.9	0.090	89361.5	0.0	338233.3	0.0	0.0	0.0
Q1 2022	73545.0	114.0	278367.8	31733932.1	31.7	0.070	92972.1	0.0	351899.4	0.0	0.0	0.0
Q2 2022	50341.7	124.0	190543.3	23627373.5	23.6	0.052	101724.9	0.0	385028.7	0.0	0.0	0.0
Q3 2022	58456.4	88.9	221257.7	19669806.3	19.7	0.043	98357.6	0.0	372283.7	0.0	0.0	0.0
Q4 2022	100289.8	79.5	379596.9	30177956.0	30.2	0.067	95056.0	0.0	359787.1	0.0	0.0	0.0
Q1 2023	75424.5	95.5	285481.6	27263491.0	27.3	0.060	87269.8	0.0	330316.2	0.0	0.0	0.0
Totals	4215911.8					1.6	4162416.9					0.0

Table G-1
 Quarterly Calculation of Chloroform Removed and Total Volume of Water Pumped

Quarter	TW4-01						TW4-02					
	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ng)	Total (grams)	Total (pounds)
Q1 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2010	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2010	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2010	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2010	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2011	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2011	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2011	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2011	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2012	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2012	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2012	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2012	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2013	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2013	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2013	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2013	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2014	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2014	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2014	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2014	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2015	24569.2	1130	92994.4	105083696.9	105.1	0.23	24156.7	1840	91433.1	168236921.5	168.2	0.37
Q2 2015	23989.9	1260	90801.8	114410232.1	114.4	0.25	22029.9	1650	83383.2	1375822233.0	137.6	0.30
Q3 2015	23652.0	1060	89522.8	94894189.2	94.9	0.21	21586.9	1310	81706.4	107035405.6	107.0	0.24
Q4 2015	20764.3	1040	78592.9	81736590.5	81.7	0.18	21769.8	2070	82398.7	170565294.5	170.6	0.38
Q1 2016	19255.6	974	72882.4	70987502.4	71.0	0.16	20944.6	1970	79275.3	156172362.7	156.2	0.34
Q2 2016	19588.2	1140	74141.3	84521124.2	84.5	0.19	20624.0	2070	78061.8	161588008.8	161.6	0.36
Q3 2016	15613.5	1160	59097.1	68552633.1	68.6	0.15	17487.4	1780	66189.8	117817860.0	117.8	0.26
Q4 2016	16756.8	1330	63424.5	84354569.0	84.4	0.19	19740.6	1600	74718.2	119549073.6	119.5	0.26
Q1 2017	16931.8	519	64086.9	33261081.9	33.3	0.07	19869.7	1570	75206.8	118074698.8	118.1	0.26
Q2 2017	18200.2	977	68887.8	67303338.6	67.3	0.15	18716.7	1940	70842.7	137434856.4	137.4	0.30
Q3 2017	17413.6	958	65910.5	63142236.0	63.1	0.14	19338.8	1310	73197.4	95888539.0	95.9	0.21
Q4 2017	14089.8	556	53329.9	29651420.5	29.7	0.07	17327.6	1610	65585.0	1035591795.3	105.6	0.23

Table G-1

Quarterly Calculation of Chloroform Removed and Total Volume of Water Pumped

Quarter	TW4-01						TW4-02					
	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)
Q1 2018	12505.7	70.4	47334.1	3332318.8	3.3	0.01	16232.3	764	61439.3	46939591.2	46.9	0.10
Q2 2018	10814.8	942	40934.0	38559845.0	38.6	0.09	16051.4	949	60754.5	57656067.0	57.7	0.13
Q3 2018	9727.3	1010	36817.8	37186008.8	37.2	0.08	14927.2	980	56499.5	55369463.0	55.4	0.12
Q4 2018	9836.7	752	37231.9	27998395.9	28.0	0.06	15464.1	822	58531.6	48112990.4	48.1	0.11
Q1 2019	10603.6	87.2	40134.6	3499739.4	3.50	0.01	16169.9	1040.0	61203.1	63651194.4	63.65	0.14
Q2 2019	9393.9	1040.0	35555.9	36978148.0	36.98	0.08	13893.7	1360.0	52587.7	71519210.1	71.52	0.16
Q3 2019	9734.1	894	36843.6	32938150.2	32.94	0.07	14106.9	797	53394.6	42555509.4	42.56	0.09
Q4 2019	9184.3	1070	34762.6	37195955.8	37.20	0.08	14220.9	934	53826.1	50273583.5	50.27	0.11
Q1 2020	8796.7	1190	33295.5	39621656.3	39.62	0.09	13162.1	1880	49818.5	93658871.2	93.66	0.21
Q2 2020	9600.2	499	36336.8	18132041.7	18.13	0.04	14155.6	1070	53578.9	57329472.2	57.33	0.13
Q3 2020	9487.3	1060	35909.4	38063996.3	38.06	0.08	14009.5	1260	53026.0	66812706.5	66.81	0.15
Q4 2020	9318.7	924	35271.3	32590662.3	32.59	0.07	14582.9	1130	55196.3	62371792.4	62.37	0.14
Q1 2021	9066.4	948	34316.3	32531875.2	32.53	0.07	13189.6	939	49922.6	46877355.2	46.88	0.10
Q2 2021	8764.1	957	33172.1	31745717.4	31.75	0.07	11975.9	1160	45328.8	52581386.5	52.58	0.12
Q3 2021	8677.2	821	32843.2	26964268.8	26.96	0.06	12694.5	1150	48048.7	55255984.9	55.26	0.12
Q4 2021	8873.4	957	33585.8	32141628.8	32.14	0.07	12351.3	852	46749.7	39830719.3	39.83	0.09
Q1 2022	8251.8	946	31233.1	29546477.6	29.55	0.07	11380.6	1020	43075.6	43937082.4	43.94	0.10
Q2 2022	7616.0	914	28826.6	26347475.8	26.35	0.06	11518.1	892	43596.0	38887639.6	38.89	0.09
Q3 2022	8512.1	954	32218.3	30736256.8	30.74	0.07	10953.7	832	41459.8	34494515.7	34.49	0.08
Q4 2022	8450.8	1010	31986.3	32306140.8	32.31	0.07	12148.6	1030	45982.5	47361924.5	47.36	0.10
Q1 2023	7985.1	928	30223.6	28047504.0	28.05	0.06	10275.4	772	38892.4	30024924.3	30.02	0.07
Totals	426025.1					3.3	527056.9					5.9

Table G-1
 Quarterly Calculation of Chloroform Removed and Total Volume of Water Pumped

Quarter	TW4-11					TW4-21						
	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)
Q1 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2010	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2010	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2010	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2010	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2011	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2011	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2011	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2011	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2012	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2012	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2012	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2012	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2013	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2013	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2013	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2013	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2014	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2014	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2014	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2014	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2015	9898.7	2450	37466.6	91793119.8	91.8	0.20	NA	NA	NA	NA	NA	NA
Q2 2015	5243.3	2710	19845.9	53782363.3	53.8	0.12	30743.7	366	116364.9	42589555.0	42.6	0.09
Q3 2015	3584.4	1120	13567.0	15194988.5	15.2	0.03	125285.4	281	474205.2	133251672.2	133.3	0.29
Q4 2015	4110.3	2730	15557.5	42471935.4	42.5	0.09	134774.9	339	510123.0	172931695.8	172.9	0.38
Q1 2016	3676.2	2660	13914.4	37012349.2	37.0	0.08	125513.3	390	475067.8	185276457.8	185.3	0.41
Q2 2016	3760.4	3340	14233.1	47538600.8	47.5	0.10	132248.7	545	500561.3	272805924.6	272.8	0.60
Q3 2016	2953.8	3200	11180.1	35776425.6	35.8	0.08	110381.9	456	417795.5	190514744.1	190.5	0.42
Q4 2016	3050.2	3180	11545.0	36713122.3	36.7	0.08	130311.3	434	493228.3	214061069.4	214.1	0.47
Q1 2017	2984.2	3310	11295.2	37387102.1	37.4	0.08	54333.5	598	205652.3	122980073.9	123.0	0.27
Q2 2017	2845.9	3370	10771.7	36300735.2	36.3	0.08	60969.7	224	230770.3	51692550.4	51.7	0.11
Q3 2017	2830.0	3290	10711.6	35240999.5	35.2	0.08	120116.2	537	454639.8	244141581.7	244.1	0.54
Q4 2017	2612.7	2880	9889.1	28480520.2	28.5	0.06	126492.5	466	478774.1	223108736.4	223.1	0.49

Table G-1

Quarterly Calculation of Chloroform Removed and Total Volume of Water Pumped

Quarter	TW4-11						TW4-21					
	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)
Q1 2018	2571.0	3090	9731.2	30069516.2	30.1	0.07	117832.0	421	445994.1	187763524.5	187.8	0.41
Q2 2018	2513.5	2800	9513.6	26638073.0	26.6	0.06	116681.0	532	441637.6	234951195.2	235.0	0.52
Q3 2018	2170.2	3050	8214.2	25033331.4	25.1	0.06	110001.4	476	416355.3	198185122.3	198.2	0.44
Q4 2018	2379.5	2930	9006.4	26388774.0	26.4	0.06	121686.3	585	460582.8	269440914.0	269.4	0.59
Q1 2019	2342.4	2820	8866.0	25002074.9	25.00	0.06	123264	323	466554.6	150697141.8	150.70	0.3
Q2 2019	2195.1	2970	8308.5	24676106.9	24.68	0.05	106893.6	734	404592.3	296970730.6	297.0	0.7
Q3 2019	2046.0	2790	7744.1	21606066.9	21.61	0.05	108132.9	596	409283.0	243932683.8	243.9	0.5
Q4 2019	1983.9	3250	7509.1	24404449.9	24.40	0.05	116167.55	794	439694.2	349117176.3	349.1	0.8
Q1 2020	1947.4	2990	7370.9	22039017.9	22.04	0.05	106622.01	844	403564.3	340608275.8	340.6	0.8
Q2 2020	2003.9	2810	7584.8	21313179.8	21.31	0.05	110999.13	767	420131.7	322241019.3	322.2	0.7
Q3 2020	1784.1	3070	6752.8	20731152.8	20.73	0.05	99515.11	920	376664.7	346531516.0	346.5	0.8
Q4 2020	1394.6	2670	5278.6	14093757.9	14.09	0.03	107061.16	948	405226.5	384154713.1	384.2	0.8
Q1 2021	2195.1	2750	8308.5	22848455.3	22.85	0.05	97211.49	400	367945.5	147178195.9	147.2	0.3
Q2 2021	1694.5	3320	6413.7	21293425.9	21.29	0.05	97157.60	1130	367741.5	415547913.1	415.5	0.9
Q3 2021	1560.8	2600	5907.6	15359832.8	15.36	0.03	93390.40	669	353482.7	236479902.2	236.5	0.5
Q4 2021	1485.5	2850	5622.6	16024459.9	16.02	0.04	102535.00	649	388095.0	251873638.8	251.9	0.6
Q1 2022	1497.2	2780	5666.9	15753987.6	15.75	0.03	91105.40	469	344833.9	161727117.4	161.7	0.4
Q2 2022	1473.1	2550	5575.7	14217992.9	14.22	0.03	91682.50	657	347018.3	227990998.5	228.0	0.5
Q3 2022	1304.3	3020	4936.9	14909290.6	14.91	0.03	87160.0	1070	329900.7	352993763.5	353.0	0.8
Q4 2022	1442.4	2900	5459.5	15832503.6	15.83	0.03	94463.6	482	357544.6	172336503.2	172.3	0.4
Q1 2023	1326.4	2430	5020.3	12199446.4	12.20	0.03	83943.5	526	317726.1	167123933.7	167.1	0.4
Totals	86861.0				2.0		3334676.9					15.8

Table G-1
 Quarterly Calculation of Chloroform Removed and Total Volume of Water Pumped

Quarter	TW4-37					TW4-39						
	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)
Q1 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2010	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2010	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2010	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2010	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2011	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2011	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2011	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2011	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2012	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2012	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2012	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2012	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2013	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2013	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2013	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2013	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2014	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2014	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q3 2014	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q4 2014	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q1 2015	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Q2 2015	29206.0	30200	110544.7	3338450242.0	3338.5	7.4	NA	NA	NA	NA	NA	NA
Q3 2015	118063.9	19100	446871.9	8535252554.7	8535.3	18.8	NA	NA	NA	NA	NA	NA
Q4 2015	111737.5	19500	422926.4	8247065531.3	8247.1	18.2	NA	NA	NA	NA	NA	NA
Q1 2016	111591.0	17500	422371.9	7391508862.5	7391.5	16.3	NA	NA	NA	NA	NA	NA
Q2 2016	119241.2	16200	451327.9	7311512660.4	7311.5	16.1	NA	NA	NA	NA	NA	NA
Q3 2016	98377.6	15900	372359	5920511534.4	5920.5	13.1	NA	NA	NA	NA	NA	NA
Q4 2016	101949.1	16400	385877	6328388433.4	6328.4	14.0	3598.3	2800	13620	38134783.4	38.1	0.1
Q1 2017	97071.7	18000	367416	6613494921.0	6613.5	14.6	103117.8	6460	390301	2521343639.6	2521.3	5.56
Q2 2017	93191.3	15800	352729	5573119313.9	5573.1	12.3	41313.0	5560	156370	869415559.8	869.4	1.92
Q3 2017	81749.3	15000	309421	4641316507.5	4641.3	10.2	34546.3	10000	130758	1307577455.0	1307.6	2.9
Q4 2017	87529.6	15500	331300	5135142808.0	5135.1	11.3	68180.2	552	258062	142450255.5	142.5	0.3

Table G-1

Quarterly Calculation of Chloroform Removed and Total Volume of Water Pumped

Quarter	TW4-37					TW4-39						
	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)
Q1 2018	84769.3	12900	320852	4138988226.5	4139.0	9.1	59262.2	2870	224307	643762315.5	643.8	1.4
Q2 2018	83653.1	14400	316627	4559428562.4	4559.4	10.1	34259.8	7160	129673	928461135.9	928.5	2.0
Q3 2018	77457.8	14100	293178	4133806599.3	4133.8	9.1	33473.4	8180	126697	1036379979.4	1036.4	2.3
Q4 2018	76271.4	15200	288687	4388046184.8	4388.0	9.7	37003.6	6520	140059	913182241.5	913.2	2.0
Q1 2019	77591	13300	293683.4	3905989871.7	3906.0	8.6	49117	885	185907.5	164528107.9	164.5	0.4
Q2 2019	64950.1	16200	245836.1	3982545281.7	3982.5	8.8	34285.7	8640	129771.4	1121224675.7	1121.2	2.5
Q3 2019	67572.0	11900	255760.0	3043544238.0	3043.5	6.7	36976.2	4240	139954.9	593408848.1	593.4	1.3
Q4 2019	66732.4	13100	252582.1	3308825955.4	3308.8	7.3	51808.6	1650	196095.6	323557659.2	323.6	0.7
Q1 2020	65554.2	12000	248122.6	2977471764.0	2977.5	6.6	43169.3	812	163395.8	132677390.0	132.7	0.3
Q2 2020	65163.8	11700	246645.0	2885746301.1	2885.7	6.4	37352.7	5870	141380.0	829900421.0	829.9	1.8
Q3 2020	56659.3	13800	214455.5	2959485216.9	2959.5	6.5	35628.2	5960	134852.7	803722312.5	803.7	1.8
Q4 2020	61323.9	10300	232111.0	2390742903.5	2390.7	5.3	46794.2	648	177116.0	114771198.5	114.8	0.3
Q1 2021	59907.4	9380	226749.5	2126910394.4	2126.9	4.7	38932.4	2970	147359.1	437656628.0	437.7	1.0
Q2 2021	58564.2	13000	221665.5	2881651461.0	2881.7	6.4	32865.2	2490	124394.8	309743007.2	309.7	0.7
Q3 2021	49987.5	10200	189202.7	1929867412.5	1929.9	4.3	31436.6	858	118987.5	102091301.6	102.1	0.2
Q4 2021	46649.1	14800	176566.8	2613189283.8	2613.2	5.8	42730.6	776	161735.3	125506609.1	125.5	0.3
Q1 2022	42923.5	13700	162465.4	2225776630.8	2225.8	4.9	35550.2	724	134557.5	97419635.1	97.4	0.2
Q2 2022	41998.3	46800	158963.6	7439494865.4	7439.5	16.4	31354.2	982	118675.6	116559485.4	116.5	0.3
Q3 2022	39640.3	11600	150038.5	1740447011.8	1740.4	3.8	31305.9	843	118492.8	98889457.0	99.9	0.2
Q4 2022	43251.9	9640	163708.4	1578149376.1	1578.1	3.5	39072.6	1720	147889.8	254370440.5	254.4	0.6
Q1 2023	44536.9	8010	168572.2	1350263053.7	1350.3	3.0	35659.0	1850	134969.3	249693232.8	249.7	0.6
Totals	2324866.0				296.0		1068793.1					30.9

Table G-1
 Quarterly Calculation of Chloroform Removed and Total Volume of Water Pumped

Quarter	TW4-40						TW4-41						
	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)	Total Pumped (gal)	Conc	Total Pumped (liters)	Total (ug)	Total (grams)	Total (pounds)	Total Volume Pumped (gallons)
Q1 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	286.9	9648896.0
Q2 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.0	904550.0
Q3 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.0	559220.0
Q4 2007	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.6	550560.0
Q1 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.8	503034.0
Q2 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	14.8	527290.0
Q3 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	26.8	724960.0
Q4 2008	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.7	786870.0
Q1 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.0	664830.0
Q2 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.5	1007400.0
Q3 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.5	399710.0
Q4 2009	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.4	1047335.0
Q1 2010	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.5	492485.0
Q2 2010	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	16.5	721374.1
Q3 2010	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.6	376623.4
Q4 2010	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	17.9	1041817.3
Q1 2011	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	24.9	696533.0
Q2 2011	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.1	449131.1
Q3 2011	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.1	462334.5
Q4 2011	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.8	468706.3
Q1 2012	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.6	448486.3
Q2 2012	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.4	400415.2
Q3 2012	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.6	390229.0
Q4 2012	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.1	358000.0
Q1 2013	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.7	634286.1
Q2 2013	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.5	768953.4
Q3 2013	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	31.1	950505.6
Q4 2013	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.3	990119.8
Q1 2014	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.6	859297.5
Q2 2014	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.9	838057.9
Q3 2014	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.2	852987.2
Q4 2014	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	14.6	673905.9
Q1 2015	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.9	458271.4
Q2 2015	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	15.3	539592.9
Q3 2015	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	33.4	816299.8
Q4 2015	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	32.3	847567.8
Q1 2016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	30.6	819302.3
Q2 2016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	39.4	832418.9
Q3 2016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	24.7	686543.4
Q4 2016	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	25.6	750667.4
Q1 2017	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	27.2	667899.1
Q2 2017	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	19.6	657232.5
Q3 2017	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	28.5	754250.1
Q4 2017	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	16.9	841953.7

Table G-2
Chloroform Mass Removal Per Well Per Quarter

Quarter*	MW-4 (lbs.)	TW4-15 (MW-26) (lbs.)	TW4-19 (lbs.)	TW4-20 (lbs.)**	TW4-4 (lbs.)	TW4-22 (lbs.)	TW4-24 (lbs.)	TW4-25 (lbs.)	TW4-01 (lbs.)	TW4-02 (lbs.)	TW4-11 (lbs.)	TW4-21 (lbs.)	TW4-37 (lbs.)	TW4-39 (lbs.)	TW4-40 (lbs.)	TW4-41 (lbs.)	Quarter Totals (lbs.)
Q1 2007	36.8	12.9	150.2	87.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	286.9
Q2 2007	1.4	0.1	0.0	2.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.0
Q3 2007	2.2	0.8	2.9	3.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.0
Q4 2007	1.7	1.0	3.1	4.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.6
Q1 2008	1.7	0.4	4.6	7.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.8
Q2 2008	1.3	0.5	3.2	9.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	14.8
Q3 2008	1.2	0.3	15.9	9.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	26.8
Q4 2008	1.3	0.3	20.7	0.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	22.7
Q1 2009	1.7	0.4	4.3	3.6	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.0
Q2 2009	6.8	0.2	3.7	2.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.5
Q3 2009	1.5	0.4	11.1	5.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18.5
Q4 2009	4.8	0.6	17.8	26.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	49.4
Q1 2010	0.9	0.4	2.7	0.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.5
Q2 2010	1.5	1.0	6.8	5.9	1.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	16.5
Q3 2010	1.3	1.2	2.0	4.9	1.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.6
Q4 2010	1.1	0.5	7.7	7.4	1.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	17.9
Q1 2011	1.1	0.2	12.9	9.6	1.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	24.9
Q2 2011	1.2	0.8	5.3	4.6	1.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13.1
Q3 2011	1.2	0.4	1.1	4.1	1.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	8.1
Q4 2011	1.2	0.8	2.7	4.8	1.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.8
Q1 2012	1.1	0.6	0.8	7.0	1.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.6
Q2 2012	1.1	0.7	0.7	6.9	1.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	10.4
Q3 2012	1.1	0.7	1.4	2.4	1.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	6.6
Q4 2012	0.9	0.3	2.0	3.2	0.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	7.2
Q1 2013	0.9	0.4	7.4	2.8	0.7	1.5	0.0	0.0	NA	NA	NA	NA	NA	NA	NA	NA	13.7
Q2 2013	0.9	0.9	3.9	4.4	0.7	2.7	0.0	0.0	NA	NA	NA	NA	NA	NA	NA	NA	13.5
Q3 2013	0.9	0.6	22.3	4.4	0.7	2.1	0.1	0.0	NA	NA	NA	NA	NA	NA	NA	NA	31.1
Q4 2013	0.8	0.3	3.2	2.5	0.7	2.8	0.1	0.0	NA	NA	NA	NA	NA	NA	NA	NA	10.3
Q1 2014	0.8	0.3	1.5	2.8	0.6	2.5	0.2	0.0	NA	NA	NA	NA	NA	NA	NA	NA	8.6
Q2 2014	0.8	0.4	2.0	3.4	0.6	2.5	0.1	0.0	NA	NA	NA	NA	NA	NA	NA	NA	9.9
Q3 2014	0.9	0.4	3.6	1.8	0.8	2.5	0.1	0.0	NA	NA	NA	NA	NA	NA	NA	NA	10.2
Q4 2014	0.8	0.4	7.1	3.2	0.6	2.5	0.04	0.0	NA	NA	NA	NA	NA	NA	NA	NA	14.6
Q1 2015	0.9	0.4	2.4	2.6	0.4	2.3	0.04	0.0	0.23	0.37	0.20	NA	NA	NA	NA	NA	9.9
Q2 2015	0.7	0.5	1.0	2.8	0.7	1.6	0.00	0.0	0.25	0.30	0.12	0.09	7.4	NA	NA	15.3	
Q3 2015	1.0	0.4	7.6	2.5	0.7	1.6	0.03	0.0	0.21	0.24	0.03	0.29	18.8	NA	NA	33.4	
Q4 2015	1.0	0.4	7.4	2.2	0.6	1.5	0.02	0.0	0.18	0.38	0.09	0.38	18.2	NA	NA	32.3	
Q1 2016	0.9	0.4	7.6	2.6	0.6	1.2	0.02	0.0	0.16	0.34	0.08	0.41	16.3	NA	NA	30.6	
Q2 2016	1.3	0.4	13.0	4.4	0.9	1.9	0.04	0.0	0.19	0.36	0.10	0.60	16.1	NA	NA	39.4	
Q3 2016	1.0	0.5	5.2	2.4	0.6	1.1	0.01	0.0	0.15	0.26	0.08	0.42	13.1	NA	NA	24.7	
Q4 2016	1.0	0.4	5.8	2.3	0.4	0.7	0.017	0.0	0.19	0.26	0.08	0.47	14.0	0.1	NA	25.6	
Q1 2017	0.9	0.3	1.1	2.6	0.3	1.1	0.015	0.0	0.07	0.26	0.08	0.27	14.6	5.6	NA	23.2	
Q2 2017	0.9	0.5	0.5	1.9	0.3	0.7	0.008	0.0	0.15	0.30	0.08	0.11	12.3	1.9	NA	19.6	
Q3 2017	1.1	0.3	8.3	3.4	0.3	1.1	0.008	0.0	0.14	0.21	0.08	0.54	10.2	2.9	NA	28.5	
Q4 2017	1.2	0.6	0.1	1.4	0.2	0.9	0.014	0.0	0.07	0.23	0.06	0.49	11.3	0.3	NA	16.9	
Q1 2018	1.2	0.3	2.4	1.8	0.2	0.9	0.020	0.0	0.01	0.10	0.07	0.41	9.1	1.4	NA	18.0	
Q2 2018	1.1	0.4	2.8	1.3	0.2	0.6	0.022	0.0	0.09	0.13	0.06	0.52	10.1	2.0	NA	20.1	
Q3 2018	1.0	0.4	1.7	1.1	0.1	0.6	0.016	0.0	0.08	0.12	0.06	0.44	9.1	2.3	NA	17.6	
Q4 2018	1.1	0.3	4.7	1.0	0.1	0.5	0.018	0.0	0.06	0.11	0.06	0.59	9.7	2.0	NA	20.8	
Q1 2019	1.1	0.2	2.0	1.9	0.1	0.9	0.023	0.0	0.01	0.14	0.06	0.33	8.6	0.4	NA	16.2	
Q2 2019	1.0	0.3	9.7	1.5	0.1	0.9	0.013	0.0	0.08	0.16	0.05	0.65	8.8	2.5	0.18	26.1	
Q3 2019	0.9	0.3	5.6	1.2	0.1	0.7	0.014	0.0	0.07	0.09	0.05	0.5	6.7	1.3	0.37	18.3	
Q4 2019	1.1	0.3	0.5	0.6	0.1	0.8	0.037	0.0	0.08	0.11	0.05	0.8	7.3	0.7	0.28	13.0	
Q1 2020	1.1	0.2	7.0	1.1	0.1	0.8	0.044	0.0	0.09	0.21	0.05	0.8	6.6	0.3	0.31	18.9	

Table C-2
Chloroform Mass Removal Per Well Per Quarter

Quarter**	MW-4 (lbs.)	TW4-15 (MW-26) (lbs.)	TW4-19 (lbs.)	TW4-20 (lbs.)**	TW4-4 (lbs.)	TW4-22 (lbs.)	TW4-24 (lbs.)	TW4-25 (lbs.)	TW4-01 (lbs.)	TW4-02 (lbs.)	TW4-11 (lbs.)	TW4-21 (lbs.)	TW4-37 (lbs.)	TW4-39 (lbs.)	TW4-40 (lbs.)	TW4-41 (lbs.)	Quarter Totals (lbs.)
Q2 2020	1.1	0.3	8.7	4.9	0.1	0.5	0.024	0.0	0.04	0.13	0.05	0.7	6.4	1.8	0.31	0.2	25.2
Q3 2020	0.9	0.2	1.7	0.0	0.1	0.7	0.028	0.0	0.08	0.15	0.05	0.8	6.5	1.8	0.24	0.1	13.4
Q4 2020	0.8	0.2	0.8	0.0	0.1	0.7	0.063	0.0	0.07	0.14	0.03	0.8	5.3	0.3	0.17	0.2	9.6
Q1 2021	0.9	0.7	7.4	0.0	0.1	1.0	0.066	0.0	0.07	0.10	0.05	0.3	4.7	1.0	0.26	0.1	16.8
Q2 2021	1.0	0.2	1.0	0.0	0.1	0.9	0.019	0.0	0.07	0.12	0.05	0.9	6.4	0.7	0.19	0.1	11.8
Q3 2021	0.9	0.4	5.9	0.0	0.1	0.7	0.046	0.0	0.06	0.12	0.03	0.5	4.3	0.2	0.15	0.1	13.4
Q4 2021	0.9	0.2	7.2	0.0	0.1	0.6	0.090	0.0	0.07	0.09	0.04	0.6	5.8	0.3	0.14	0.1	16.1
Q1 2022	0.8	0.3	0.6	0.0	0.1	0.6	0.070	0.0	0.07	0.10	0.03	0.4	4.9	0.2	0.11	0.1	8.4
Q2 2022	0.8	0.1	2.6	0.0	0.1	0.5	0.052	0.0	0.06	0.09	0.03	0.5	16.4	0.3	0.14	0.1	21.8
Q3 2022	0.8	0.1	5.4	0.0	0.1	0.6	0.043	0.0	0.07	0.08	0.03	0.8	3.8	0.2	0.11	0.1	12.3
Q4 2022	0.9	0.3	8.5	0.0	0.1	0.4	0.067	0.0	0.07	0.10	0.03	0.4	3.5	0.6	0.12	0.1	15.0
Q1 2023	0.8	0.1	0.3	0.0	0.1	0.3	0.060	0.0	0.06	0.07	0.03	0.4	3.0	0.6	0.10	0.1	5.9
Well Totals	114.0	39.8	480.7	296.2	26.6	48.6	1.6	0.0	3.3	5.9	2.0	15.8	296.0	30.9	3.1	4.4	1368.9


* Q1 2007 represents the cumulative total prior to and including Q1 2007.

** TW4-20 collapsed in August 2020 and was abandoned on October 1, 2020

Table G-3 Well Pumping Rates and Volumes


Pumping Well Name	Volume of Water Pumped During the Quarter (gals)	Average Pump Rate (gpm)
MW-4	90044.0	4.0
MW-26	27474.7	16.1
TW4-19	132291.8	16.0
TW4-4	8236.0	16.1
TWN-2	17321.5	16.0
TW4-22	21783.0	16.0
TW4-24	75424.5	16.0
TW4-25	87269.8	10.9
TW4-01	7985.1	12.8
TW4-02	10275.4	16.0
TW4-11	1326.4	15.5
TW4-21	83943.5	16.2
TW4-37	44536.9	18.0
TW4-39	35659.0	18.0
TW4-40	45062.1	18.0
TW4-41	11577.2	6.0

Mass of Chloroform Removed by Quarter (lbs.)




Q1 2007 represents the cumulative total prior to and including Q1 2007.

MW-04 Mass of Chloroform Removed by Quarter (lbs.)



Q1 2007 represents the cumulative total prior to and including Q1 2007.

MW-26 Mass of Chloroform Removed by Quarter (lbs.)




TW4-20 Mass of Chloroform Removed by Quarter (lbs.)




Well collapsed Q3 2020


TW4-04 Mass of Chloroform Removed by Quarter (lbs.)




TW4-22 Mass of Chloroform Removed by Quarter (lbs.)




TW4-24 Mass of Chloroform Removed by Quarter (lbs.)




TW4-25 Mass of Chloroform Removed by Quarter (lbs.)




TW4-01 Mass of Chloroform Removed by Quarter (lbs.)




TW4-02 Mass of Chloroform Removed by Quarter (lbs.)




TW4-11 Mass of Chloroform Removed by Quarter (lbs.)




TW4-21 Mass of Chloroform Removed by Quarter (lbs.)




TW4-37 Mass of Chloroform Removed by Quarter (lbs.)




TW4-39 Mass of Chloroform Removed by Quarter (lbs.)




TW4-40 Mass of Chloroform Removed by Quarter (lbs.)




TW4-41 Mass of Chloroform Removed by Quarter (lbs.)




Volume Pumped by Quarter (gal.)



MW-04 Volume Pumped by Quarter (gal.)




MW-26 Volume Pumped by Quarter (gal.)




Q1 2007 represents the cumulative total prior to and including Q1 2007.


TW4-19 Volume Pumped by Quarter (gal.)




TW4-20 Volume Pumped by Quarter (gal.)




TW4-04 Volume Pumped by Quarter (gal.)




TW4-22 Volume Pumped by Quarter (gal.)




TW4-24 Volume Pumped by Quarter (gal.)




TW4-25 Volume Pumped by Quarter (gal.)




TW4-01 Volume Pumped by Quarter (gal.)




TW4-02 Volume Pumped by Quarter (gal.)




TW4-11 Volume Pumped by Quarter (gal.)




TW4-21 Volume Pumped by Quarter (gal.)



TW4-37 Volume Pumped by Quarter (gal.)



TW4-39 Volume Pumped by Quarter (gal.)



TW4-40 Volume Pumped by Quarter (gal.)



TW4-41 Volume Pumped by Quarter (gal.)




Table G-3 Well Pumping Rates and Volumes

Pumping Well Name	Volume of Water Pumped During the Quarter (gals)	Average Pump Rate (gpm)
MW-4	90044.0	4.0
MW-26	27474.7	16.1
TW4-19	132291.8	16.0
TW4-4	8236.0	16.1
TWN-2	17321.5	16.0
TW4-22	21783.0	16.0
TW4-24	75424.5	16.0
TW4-25	87269.8	10.9
TW4-01	7985.1	12.8
TW4-02	10275.4	16.0
TW4-11	1326.4	15.5
TW4-21	83943.5	16.2
TW4-37	44536.9	18.0
TW4-39	35659.0	18.0
TW4-40	45062.1	18.0
TW4-41	11577.2	6.0

Tab H

Laboratory Analytical Reports



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/10/23 11:13 @ -0.1 °C
Date Reported: 3/20/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: MW-04_03072023

Matrix: Water

Lab ID: 23C0830-10

Date Sampled: 3/7/23 10:34

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	29.4	mg/L	1.00	EPA 300.0	3/13/23	3/14/23	
Nitrate + Nitrite, Total, as N	4.44	mg/L	0.100	EPA 353.2	3/14/23	3/14/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloroform	1010	ug/L	100	EPA 8260D /5030A	3/14/23	3/14/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	J-LOW-L



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/10/23 11:13 @ -0.1 °C
Date Reported: 3/20/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-01_03072023

Matrix: Water

Lab ID: 23C0830-05

Date Sampled: 3/7/23 10:43

Sampled By: Tanner Holliday

	Result	Units	Minimum Reporting Limit	Method	Preparation Date/Time	Analysis Date/Time	Flag(s)
Inorganic							
Chloride	43.8	mg/L	1.00	EPA 300.0	3/13/23	3/13/23	
Nitrate + Nitrite, Total, as N	1.71	mg/L	0.100	EPA 353.2	3/14/23	3/14/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloroform	928	ug/L	100	EPA 8260D /5030A	3/14/23	3/14/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	J-LOW-L



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/10/23 11:13 @ -0.1 °C
Date Reported: 3/20/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-02_03072023

Matrix: Water

Lab ID: 23C0830-06

Date Sampled: 3/7/23 10:25

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	41.4	mg/L	1.00	EPA 300.0	3/13/23	3/13/23	
Nitrate + Nitrite, Total, as N	2.03	mg/L	0.100	EPA 353.2	3/14/23	3/14/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloroform	772	ug/L	100	EPA 8260D /5030A	3/14/23	3/14/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	J-LOW-L



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/24/23 10:24 @ -0.5 °C
Date Reported: 4/5/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-03_03222023

Matrix: Water

Lab ID: 23C1819-02

Date Sampled: 3/22/23 7:55

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	20.6	mg/L	1.00	EPA 300.0	3/28/23	3/28/23	
Nitrate + Nitrite, Total, as N	6.09	mg/L	0.200	EPA 353.2	3/28/23	3/28/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloroform	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#: _____
Receipt: 3/10/23 11:13 @ -0.1 °C
Date Reported: 3/20/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-04_03072023

Matrix: Water

Lab ID: 23C0830-07

Date Sampled: 3/7/23 11:00

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	30.2	mg/L	1.00	EPA 300.0	3/13/23	3/13/23	
Nitrate + Nitrite, Total, as N	7.12	mg/L	0.200	EPA 353.2	3/14/23	3/14/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloroform	945	ug/L	100	EPA 8260D /5030A	3/14/23	3/14/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	J-LOW-L



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/24/23 10:24 @ -0.5 °C
Date Reported: 4/5/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-03R_03212023

Matrix: Water

Lab ID: 23C1819-01

Date Sampled: 3/21/23 9:20

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	< 1.00	mg/L	1.00	EPA 300.0	3/28/23	3/28/23	
Nitrate + Nitrite, Total, as N	< 0.100	mg/L	0.100	EPA 353.2	3/28/23	3/28/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloroform	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Methylene Chloride	3.2	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O: (801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#: _____
Receipt: 3/31/23 10:30 @ 1.3 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-05_03292023

Matrix: Water

Lab ID: 23C2300-10

Date Sampled: 3/29/23 9:37

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	51.3	mg/L	1.00	EPA 300.0	4/4/23	4/4/23	
Nitrate + Nitrite, Total, as N	6.27	mg/L	0.500	EPA 353.2	4/13/23	4/13/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloroform	8.6	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#: _____
Receipt: 3/31/23 10:30 @ 1.3 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-06_03292023

Matrix: Water

Lab ID: 23C2300-06

Date Sampled: 3/29/23 8:57

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	43.2	mg/L	1.00	EPA 300.0	4/4/23	4/4/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloroform	1.7	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#: _____
Receipt: 4/4/23 10:45 @ 1.4 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-06_03292023

Matrix: Water

Lab ID: 23D0114-01

Date Sampled: 3/29/23 8:57

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Nitrate + Nitrite, Total, as N	< 0.100	mg/L	0.100	EPA 353.2	4/10/23	4/10/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/31/23 10:30 @ 1.3 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-07_03292023

Matrix: Water

Lab ID: 23C2300-17

Date Sampled: 3/29/23 11:00

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Nitrate + Nitrite, Total, as N	3.85	mg/L	0.100	EPA 353.2	4/10/23	4/10/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloroform	619	ug/L	100	EPA 8260D /5030A	4/3/23	4/3/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	

Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#: _____
Receipt: 4/4/23 10:45 @ 1.4 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-07_03292023

Matrix: Water

Lab ID: 23D0114-02

Date Sampled: 3/29/23 11:00

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	44.9	mg/L	1.00	EPA 300.0	4/6/23	4/6/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#: _____
Receipt: 3/31/23 10:30 @ 1.3 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-08_03292023

Matrix: Water

Lab ID: 23C2300-08

Date Sampled: 3/29/23 9:18

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	53.4	mg/L	1.00	EPA 300.0	4/4/23	4/4/23	
Nitrate + Nitrite, Total, as N	0.658	mg/L	0.100	EPA 353.2	4/10/23	4/10/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloroform	9.1	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/31/23 10:30 @ 1.3 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-09_03292023

Matrix: Water

Lab ID: 23C2300-09

Date Sampled: 3/29/23 9:28

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	37.1	mg/L	1.00	EPA 300.0	4/4/23	4/4/23	
Nitrate + Nitrite, Total, as N	0.765	mg/L	0.100	EPA 353.2	4/10/23	4/10/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloroform	6.2	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
 Sandy, UT 84070
 O:(801) 262-7299 F: (866) 792-0093
 www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
 Tanner Holliday
 6425 South Highway 191
 Blanding, UT 84511

PO#: _____
 Receipt: 3/31/23 10:30 @ 1.3 °C
 Date Reported: 4/18/2023
 Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-10_03292023

Matrix: Water

Lab ID: 23C2300-15

Date Sampled: 3/29/23 10:40

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	48.6	mg/L	1.00	EPA 300.0	4/4/23	4/4/23	
Nitrate + Nitrite, Total, as N	4.20	mg/L	0.100	EPA 353.2	4/10/23	4/10/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloroform	361	ug/L	100	EPA 8260D /5030A	4/3/23	4/3/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/10/23 11:13 @ -0.1 °C
Date Reported: 3/20/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-11_03072023

Matrix: Water

Lab ID: 23C0830-13

Date Sampled: 3/7/23 10:17

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	39.2	mg/L	1.00	EPA 300.0	3/13/23	3/14/23	
Nitrate + Nitrite, Total, as N	5.68	mg/L	0.200	EPA 353.2	3/14/23	3/14/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloroform	2430	ug/L	1000	EPA 8260D /5030A	3/14/23	3/14/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	J-LOW-L



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O: (801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/24/23 10:24 @ -0.5 °C
Date Reported: 4/5/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-12_03222023

Matrix: Water

Lab ID: 23C1819-04

Date Sampled: 3/22/23 8:18

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	35.9	mg/L	1.00	EPA 300.0	3/28/23	3/28/23	
Nitrate + Nitrite, Total, as N	2.84	mg/L	0.500	EPA 353.2	3/28/23	3/28/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloroform	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/24/23 10:24 @ -0.5 °C
Date Reported: 4/5/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-13_03232023

Matrix: Water

Lab ID: 23C1819-08

Date Sampled: 3/23/23 8:00

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	57.6	mg/L	1.00	EPA 300.0	3/28/23	3/28/23	
Nitrate + Nitrite, Total, as N	4.47	mg/L	0.100	EPA 353.2	3/28/23	3/28/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloroform	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O: (801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#: _____
Receipt: 3/24/23 10:24 @ -0.5 °C
Date Reported: 4/5/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-14_03232023

Matrix: Water

Lab ID: 23C1819-09

Date Sampled: 3/23/23 8:08

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	47.6	mg/L	1.00	EPA 300.0	3/29/23	3/29/23	
Nitrate + Nitrite, Total, as N	5.58	mg/L	0.200	EPA 353.2	3/28/23	3/28/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloroform	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#: _____
Receipt: 3/10/23 11:13 @ -0.1 °C
Date Reported: 3/20/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: MW-26_03072023

Matrix: Water

Lab ID: 23C0830-08

Date Sampled: 3/7/23 10:09

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	61.0	mg/L	1.00	EPA 300.0	3/13/23	3/13/23	
Nitrate + Nitrite, Total, as N	0.694	mg/L	0.100	EPA 353.2	3/14/23	3/14/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloroform	571	ug/L	100	EPA 8260D /5030A	3/14/23	3/14/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	J-LOW-L



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#: _____
Receipt: 3/31/23 10:30 @ 1.3 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-16_03292023

Matrix: Water

Lab ID: 23C2300-14

Date Sampled: 3/29/23 10:26

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	88.5	mg/L	1.00	EPA 300.0	4/4/23	4/4/23	
Nitrate + Nitrite, Total, as N	5.69	mg/L	0.500	EPA 353.2	4/13/23	4/13/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloroform	179	ug/L	10.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#: _____
Receipt: 3/31/23 10:30 @ 1.3 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: MW-32_03302023

Matrix: Water

Lab ID: 23C2300-21

Date Sampled: 3/30/23 12:00

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	36.8	mg/L	1.00	EPA 300.0	4/4/23	4/5/23	
Nitrate + Nitrite, Total, as N	< 0.100	mg/L	0.100	EPA 353.2	4/10/23	4/10/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/4/23	4/4/23	
Chloroform	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/4/23	4/4/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/4/23	4/4/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/4/23	4/4/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/31/23 10:30 @ 1.3 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-18_03292023

Matrix: Water

Lab ID: 23C2300-13

Date Sampled: 3/29/23 10:15

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	45.6	mg/L	1.00	EPA 300.0	4/4/23	4/4/23	
Nitrate + Nitrite, Total, as N	3.40	mg/L	0.100	EPA 353.2	4/10/23	4/10/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloroform	54.4	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/10/23 11:13 @ -0.1 °C
Date Reported: 3/20/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-19_03072023

Matrix: Water

Lab ID: 23C0830-14

Date Sampled: 3/7/23 12:00

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	122	mg/L	5.00	EPA 300.0	3/13/23	3/14/23	
Nitrate + Nitrite, Total, as N	1.75	mg/L	0.100	EPA 353.2	3/14/23	3/14/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloroform	230	ug/L	10.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	J-LOW-L



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O: (801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#: _____
Receipt: 3/10/23 11:13 @ -0.1 °C
Date Reported: 3/20/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-21_03072023

Matrix: Water

Lab ID: 23C0830-04

Date Sampled: 3/7/23 9:16

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	335	mg/L	5.00	EPA 300.0	3/13/23	3/13/23	
Nitrate + Nitrite, Total, as N	10.9	mg/L	0.500	EPA 353.2	3/14/23	3/14/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloroform	526	ug/L	10.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	J-LOW-L



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/10/23 11:13 @ -0.1 °C
Date Reported: 3/20/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-22_03072023

Matrix: Water

Lab ID: 23C0830-12

Date Sampled: 3/7/23 9:45

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	562	mg/L	10.0	EPA 300.0	3/13/23	3/14/23	
Nitrate + Nitrite, Total, as N	49.1	mg/L	2.00	EPA 353.2	3/14/23	3/14/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloroform	1900	ug/L	1000	EPA 8260D /5030A	3/14/23	3/14/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Methylene Chloride	1.3	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	J-LOW-L



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O: (801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#: _____
Receipt: 3/31/23 10:30 @ 1.3 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-23_03292023

Matrix: Water

Lab ID: 23C2300-04

Date Sampled: 3/29/23 8:35

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	50.2	mg/L	1.00	EPA 300.0	4/4/23	4/4/23	
Nitrate + Nitrite, Total, as N	< 0.100	mg/L	0.100	EPA 353.2	4/10/23	4/10/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloroform	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/10/23 11:13 @ -0.1 °C
Date Reported: 3/20/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-24_03072023

Matrix: Water

Lab ID: 23C0830-02

Date Sampled: 3/7/23 9:36

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	932	mg/L	20.0	EPA 300.0	3/13/23	3/13/23	
Nitrate + Nitrite, Total, as N	36.2	mg/L	1.00	EPA 353.2	3/14/23	3/14/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloroform	99.5	ug/L	10.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	J-LOW-L



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#: _____
Receipt: 3/10/23 11:13 @ -0.1 °C
Date Reported: 3/20/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-25_03072023

Matrix: Water

Lab ID: 23C0830-01

Date Sampled: 3/7/23 9:25

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	96.7	mg/L	1.00	EPA 300.0	3/13/23	3/13/23	
Nitrate + Nitrite, Total, as N	1.96	mg/L	0.100	EPA 353.2	3/14/23	3/14/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/13/23	3/13/23	
Chloroform	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/13/23	3/13/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/13/23	3/13/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/13/23	3/13/23	MS-Low



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/31/23 10:30 @ 1.3 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-26_03292023

Matrix: Water

Lab ID: 23C2300-18

Date Sampled: 3/29/23 11:08

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	34.5	mg/L	1.00	EPA 300.0	4/4/23	4/4/23	
Nitrate + Nitrite, Total, as N	10.5	mg/L	0.500	EPA 353.2	4/13/23	4/13/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloroform	703	ug/L	100	EPA 8260D /5030A	4/3/23	4/3/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/31/23 10:30 @ 1.3 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-27_03292023

Matrix: Water

Lab ID: 23C2300-07

Date Sampled: 3/29/23 9:07

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	22.8	mg/L	1.00	EPA 300.0	4/4/23	4/4/23	
Nitrate + Nitrite, Total, as N	20.9	mg/L	0.500	EPA 353.2	4/13/23	4/13/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloroform	2.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/24/23 10:24 @ -0.5 °C
Date Reported: 4/5/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-28_03222023

Matrix: Water

Lab ID: 23C1819-05

Date Sampled: 3/22/23 8:30

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	46.1	mg/L	1.00	EPA 300.0	3/28/23	3/28/23	
Nitrate + Nitrite, Total, as N	11.9	mg/L	0.500	EPA 353.2	3/28/23	3/28/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloroform	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/31/23 10:30 @ 1.3 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-29_03292023

Matrix: Water

Lab ID: 23C2300-16

Date Sampled: 3/29/23 10:50

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	41.3	mg/L	1.00	EPA 300.0	4/4/23	4/4/23	
Nitrate + Nitrite, Total, as N	2.74	mg/L	0.100	EPA 353.2	4/10/23	4/10/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloroform	467	ug/L	100	EPA 8260D /5030A	4/3/23	4/3/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/31/23 10:30 @ 1.3 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-30_03292023

Matrix: Water

Lab ID: 23C2300-12

Date Sampled: 3/29/23 10:00

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	36.6	mg/L	1.00	EPA 300.0	4/4/23	4/4/23	
Nitrate + Nitrite, Total, as N	2.84	mg/L	0.100	EPA 353.2	4/10/23	4/10/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloroform	45.5	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/24/23 10:24 @ -0.5 °C
Date Reported: 4/5/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-31_03232023

Matrix: Water

Lab ID: 23C1819-11

Date Sampled: 3/23/23 8:27

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	35.9	mg/L	1.00	EPA 300.0	3/29/23	3/29/23	
Nitrate + Nitrite, Total, as N	0.391	mg/L	0.100	EPA 353.2	3/28/23	3/28/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloroform	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#: _____
Receipt: 3/24/23 10:24 @ -0.5 °C
Date Reported: 4/5/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-32_03232023

Matrix: Water

Lab ID: 23C1819-07

Date Sampled: 3/23/23 7:46

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	43.6	mg/L	1.00	EPA 300.0	3/28/23	3/28/23	
Nitrate + Nitrite, Total, as N	1.53	mg/L	0.100	EPA 353.2	3/28/23	3/28/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloroform	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/31/23 10:30 @ 1.3 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-33_03292023

Matrix: Water

Lab ID: 23C2300-11

Date Sampled: 3/29/23 9:48

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	52.6	mg/L	1.00	EPA 300.0	4/4/23	4/4/23	
Nitrate + Nitrite, Total, as N	3.93	mg/L	0.100	EPA 353.2	4/10/23	4/10/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloroform	47.7	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/31/23 10:30 @ 1.3 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-34_03292023

Matrix: Water

Lab ID: 23C2300-03

Date Sampled: 3/29/23 8:26

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	20.7	mg/L	1.00	EPA 300.0	4/4/23	4/4/23	
Nitrate + Nitrite, Total, as N	1.07	mg/L	0.100	EPA 353.2	4/10/23	4/10/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloroform	1.2	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/31/23 10:30 @ 1.3 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-35_03292023

Matrix: Water

Lab ID: 23C2300-02

Date Sampled: 3/29/23 8:17

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	33.8	mg/L	1.00	EPA 300.0	4/4/23	4/4/23	
Nitrate + Nitrite, Total, as N	1.74	mg/L	0.100	EPA 353.2	4/10/23	4/10/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloroform	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/24/23 10:24 @ -0.5 °C
Date Reported: 4/5/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-36_03232023

Matrix: Water

Lab ID: 23C1819-10

Date Sampled: 3/23/23 8:20

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	60.7	mg/L	1.00	EPA 300.0	3/29/23	3/29/23	
Nitrate + Nitrite, Total, as N	0.102	mg/L	0.100	EPA 353.2	3/28/23	3/28/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloroform	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
 Sandy, UT 84070
 O:(801) 262-7299 F: (866) 792-0093
 www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
 Tanner Holliday
 6425 South Highway 191
 Blanding, UT 84511

PO#:
 Receipt: 3/10/23 11:13 @ -0.1 °C
 Date Reported: 3/20/2023
 Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-37_03072023

Matrix: Water

Lab ID: 23C0830-15

Date Sampled: 3/7/23 9:54

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	209	mg/L	5.00	EPA 300.0	3/13/23	3/14/23	
Nitrate + Nitrite, Total, as N	19.1	mg/L	1.00	EPA 353.2	3/14/23	3/14/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloroform	8010	ug/L	1000	EPA 8260D /5030A	3/14/23	3/14/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	J-LOW-L

Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: **3/31/23 10:30 @ 1.3 °C**
Date Reported: 4/18/2023
Project Name: **1st Quarter Chloroform 2023**

Sample ID: **TW4-38_03292023**

Matrix: **Water**

Lab ID: **23C2300-05**

Date Sampled: **3/29/23 8:47**

Sampled By: **Tanner Holliday**

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	37.2	mg/L	1.00	EPA 300.0	4/4/23	4/4/23	
Nitrate + Nitrite, Total, as N	8.78	mg/L	0.500	EPA 353.2	4/13/23	4/13/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloroform	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#: _____
Receipt: 3/31/23 10:30 @ 1.3 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-38R_03282023

Matrix: Water

Lab ID: 23C2300-01

Date Sampled: 3/28/23 9:00

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	< 1.00	mg/L	1.00	EPA 300.0	4/4/23	4/4/23	
Nitrate + Nitrite, Total, as N	< 0.100	mg/L	0.100	EPA 353.2	4/10/23	4/10/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloroform	4.1	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/10/23 11:13 @ -0.1 °C
Date Reported: 3/20/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-39_03072023

Matrix: Water

Lab ID: 23C0830-11

Date Sampled: 3/7/23 10:01

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	38.7	mg/L	1.00	EPA 300.0	3/13/23	3/14/23	
Nitrate + Nitrite, Total, as N	1.37	mg/L	0.200	EPA 353.2	3/14/23	3/14/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloroform	1850	ug/L	1000	EPA 8260D /5030A	3/14/23	3/14/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	J-LOW-L



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/10/23 11:13 @ -0.1 °C
Date Reported: 3/20/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-40_03072023

Matrix: Water

Lab ID: 23C0830-03

Date Sampled: 3/7/23 11:10

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	23.5	mg/L	1.00	EPA 300.0	3/13/23	3/13/23	
Nitrate + Nitrite, Total, as N	1.28	mg/L	0.100	EPA 353.2	3/14/23	3/14/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloroform	259	ug/L	10.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	J-LOW-L



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/10/23 11:13 @ -0.1 °C
Date Reported: 3/20/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-41_03072023

Matrix: Water

Lab ID: 23C0830-09

Date Sampled: 3/7/23 10:51

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	34.4	mg/L	1.00	EPA 300.0	3/13/23	3/13/23	
Nitrate + Nitrite, Total, as N	4.30	mg/L	0.200	EPA 353.2	3/14/23	3/14/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloroform	985	ug/L	100	EPA 8260D /5030A	3/14/23	3/14/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	J-LOW-L



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/24/23 10:24 @ -0.5 °C
Date Reported: 4/5/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-42_03222023

Matrix: Water

Lab ID: 23C1819-03

Date Sampled: 3/22/23 8:05

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	21.1	mg/L	1.00	EPA 300.0	3/28/23	3/28/23	
Nitrate + Nitrite, Total, as N	2.78	mg/L	0.100	EPA 353.2	3/28/23	3/28/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloroform	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/24/23 10:24 @ -0.5 °C
Date Reported: 4/5/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-43_03232023

Matrix: Water

Lab ID: 23C1819-12

Date Sampled: 3/23/23 8:35

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	28.0	mg/L	1.00	EPA 300.0	3/29/23	3/29/23	
Nitrate + Nitrite, Total, as N	0.384	mg/L	0.100	EPA 353.2	3/28/23	3/28/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloroform	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/10/23 11:13 @ -0.1 °C
Date Reported: 3/20/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-60_03072023

Matrix: Water

Lab ID: 23C0830-16

Date Sampled: 3/7/23 12:30

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	< 1.00	mg/L	1.00	EPA 300.0	3/13/23	3/14/23	
Nitrate + Nitrite, Total, as N	< 0.100	mg/L	0.100	EPA 353.2	3/14/23	3/14/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloroform	13.9	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	J-LOW-L



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/24/23 10:24 @ -0.5 °C
Date Reported: 4/5/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-65_03222023

Matrix: Water

Lab ID: 23C1819-06

Date Sampled: 3/22/23 8:30

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	49.4	mg/L	1.00	EPA 300.0	3/28/23	3/28/23	
Nitrate + Nitrite, Total, as N	11.1	mg/L	0.500	EPA 353.2	3/28/23	3/28/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloroform	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#: _____
Receipt: 3/31/23 10:30 @ 1.3 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-70_03292023

Matrix: Water

Lab ID: 23C2300-19

Date Sampled: 3/29/23 9:28

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	36.4	mg/L	1.00	EPA 300.0	4/4/23	4/4/23	
Nitrate + Nitrite, Total, as N	0.743	mg/L	0.100	EPA 353.2	4/10/23	4/10/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/4/23	4/4/23	
Chloroform	5.6	ug/L	1.0	EPA 8260D /5030A	4/4/23	4/4/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/4/23	4/4/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/4/23	4/4/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O: (801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/31/23 10:30 @ 1.3 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: TW4-75_03292023

Matrix: Water

Lab ID: 23C2300-20

Date Sampled: 3/29/23 10:26

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Inorganic							
Chloride	92.5	mg/L	1.00	EPA 300.0	4/4/23	4/4/23	
Nitrate + Nitrite, Total, as N	5.06	mg/L	0.500	EPA 353.2	4/13/23	4/13/23	
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloroform	178	ug/L	10.0	EPA 8260D /5030A	4/3/23	4/3/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/3/23	4/3/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O: (801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#: _____
Receipt: 3/31/23 10:30 @ 1.3 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: Trip Blank

Matrix: Water

Lab ID: 23C2300-22

Date Sampled: 3/28/23 9:00

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/4/23	4/4/23	
Chloroform	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/4/23	4/4/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/4/23	4/4/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	4/4/23	4/4/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#: _____
Receipt: 3/24/23 10:24 @ -0.5 °C
Date Reported: 4/5/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: Trip Blank

Matrix: Water

Lab ID: 23C1819-13

Date Sampled: 3/21/23 9:20

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloroform	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/27/23	3/27/23	



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O: (801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#: _____
Receipt: 3/10/23 11:13 @ -0.1 °C
Date Reported: 3/20/2023
Project Name: 1st Quarter Chloroform 2023

Sample ID: Trip Blank

Matrix: Water

Lab ID: 23C0830-17

Date Sampled: 3/7/23 9:16

Sampled By: Tanner Holliday

	<u>Result</u>	<u>Units</u>	<u>Minimum Reporting Limit</u>	<u>Method</u>	<u>Preparation Date/Time</u>	<u>Analysis Date/Time</u>	<u>Flag(s)</u>
Volatile Organic Compounds							
Carbon Tetrachloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloroform	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Chloromethane	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	
Methylene Chloride	< 1.0	ug/L	1.0	EPA 8260D /5030A	3/14/23	3/14/23	J-LOW-L



3/20/2023

Work Order: 23C0830
Project: 1st Quarter Chloroform 2023

Energy Fuels Resources, Inc.
Attn: Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

Client Service Contact: 801.262.7299

The analyses presented on this report were performed in accordance with the National Environmental Laboratory Accreditation Program (NELAP) unless noted in the comments, flags, or case narrative. If the report is to be used for regulatory compliance, it should be presented in its entirety, and not be altered.



Approved By:

Melissa Connolly, Project Manager



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Energy Fuels Resources, Inc.

Project: 1st Quarter Chloroform 2023

Project Manager: Tanner Holliday

<u>Laboratory ID</u>	<u>Sample Name</u>
23C0830-01	TW4-25_03072023
23C0830-02	TW4-24_03072023
23C0830-03	TW4-40_03072023
23C0830-04	TW4-21_03072023
23C0830-05	TW4-01_03072023
23C0830-06	TW4-02_03072023
23C0830-07	TW4-04_03072023
23C0830-08	MW-26_03072023
23C0830-09	TW4-41_03072023
23C0830-10	MW-04_03072023
23C0830-11	TW4-39_03072023
23C0830-12	TW4-22_03072023
23C0830-13	TW4-11_03072023
23C0830-14	TW4-19_03072023
23C0830-15	TW4-37_03072023
23C0830-16	TW4-60_03072023
23C0830-17	Trip Blank

Work Order Report Narrative

Sample Preparation

All samples were prepared within method specified holding times. No preparation issues were noted.

Method Blanks

All blank values were within method acceptance criteria. No blank values exceeded the minimum reporting limit for any analysis in this work order.

Laboratory Control Samples

All laboratory control samples were within method acceptance criteria, except as noted by qualifying flags. Batch BXC0643, which contains samples 23C0803-02 through -17, had a low LCS recovery on Methylene Chloride. It is important to note that certain flags on an individual analyte do not constitute failure of the method as a whole. EPA methodologies recognize that it may not be possible for every compound to meet all recovery or percent difference criteria. The batch passed required method criteria for these analytes.

Method Spikes

All method spike recoveries were within method acceptance criteria, except as noted by qualifying flags.

Method Spike Duplicates

All method spike duplicates were within method acceptance criteria, except as noted by qualifying flags.

Corrective Actions

There are no corrective actions associated with this work order.



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: **3/10/23 11:13 @ -0.1 °C**
Date Reported: **3/20/2023**
Project Name: **1st Quarter Chloroform 2023**

Report Footnotes

Abbreviations

ND = Not detected at the corresponding Minimum Reporting Limit (MRL).
1 mg/L = one milligram per liter or 1 mg/kg = one milligram per kilogram = 1 part per million.
1 ug/L = one microgram per liter or 1 ug/kg = one microgram per kilogram = 1 part per billion.
1 ng/L = one nanogram per liter or 1 ng/kg = one nanogram per kilogram = 1 part per trillion.

Flag Descriptions

J-LOW-L = Estimated low due to low recovery of LCS
MS-Low = Estimated low due to Matrix Spike recovery.



American West Analytical Laboratories

463 W 3600 S Salt Lake City, UT 84115
Phone # (801) 263-8686 Toll Free # (888) 263-8686
Fax # (801) 263-8687 Email awal@awal-labs.com
www.awal-labs.com

Client: Energy Fuels Resources, Inc.

Address: 6425 S. Hwy. 191

Blanding, UT 84511

Contact: Tanner Holliday

Phone #: (435) 678-2221

Email: tholliday@energyfuels.com; KWelch@energyfuels.com

Project Name: 1st Quarter Chloroform 2023

Project #:

PO #:

Sampler Name: Tanner Holliday

Table with columns: Sample ID, Date Sampled, Time Sampled, # of Containers, Sample Matrix, VOCs (8260C), CI (4500 or 300.0), NO2/NO3 (353.2), Turn Around Time: Standard, QC Level: 3, Laboratory Use Only. Includes handwritten data for 13 samples.

Signature and receipt section. Includes fields for Requisitioned by, Date, Time, Signature, and Received by. Includes handwritten signatures and dates.

CHAIN OF CUSTODY

All analysis will be conducted using NELAP accredited methods and all data will be reported using AWAL's standard analyte lists and reporting limits (PQL) unless specifically requested otherwise on this Chain of Custody and/or attached documentation

AWAL Lab Sample Set # Page 1 of 2 Due Date:

Unless other arrangements have been made, signed reports will be emailed by 5:00 pm on the day they are due

Include EDD: LOCUS UPLOAD EXCEL Field Filled For

For Compliance With: NELAP, RCRA, CWA, SDWA, ELAP / A2LA, NLLAP, Non-Compliance, Other:

Known Hazards & Sample Comments

COC Tags Was: Present on Outer Package, Unbroken on Outer Package, Present on Sample, Unbroken on Sample

Discrepancies Between Sample Labels and COC Record?

Special Instructions: See the Analytical Scope of Work for Reporting Limits and VOC analyte list.

Sample Receipt Conditions: Correct Containers, Custody Seals Present, Containers Intact, COC and Labels Match, Received on Ice

UPS 12 187 44Y 03 9101 1555



American West Analytical Laboratories

463 W 3600 S Salt Lake City, UT 84115
 Phone # (801) 263-8686 Toll Free # (888) 263-8686
 Fax # (801) 263-8687 Email awal@awal-labs.com
www.awal-labs.com

Energy Fuels Resources, Inc.

Client: **6425 S. Hwy. 191**
 Address: **Blanding, UT 84511**
 Contact: **Tanner Holliday**
 Phone #: **(435) 678-2221** Cell #: _____
 Email: tholliday@energyfuels.com KW@energyfuels.com

1st Quarter Chloroform 2023

Project #: _____
 PO #: _____

Tanner Holliday

Sample ID:	Date Sampled	Time Sampled	# of Containers	Sample Matrix	NO2/MO3 (353.2)	Cl (4500 or 300.0)	VOCs (8260C)
TW4-19_03072023	3/7/2023	1200	5	w	X	X	X
TW4-37_03072023	3/7/2023	954	5	w	X	X	X
TW4-60_03072023	3/7/2023	1230	5	w	X	X	X
TRIP BLANK	3/7/2023	916	3	w			X

Relinquished by:	Date:	Received by:	Date:
<i>Tanner Holliday</i>	3/9/2023	Signature	
Print Name: _____	Time: _____	Print Name: _____	Time: _____
Relinquished by:	Date:	Received by:	Date:
Signature		Signature	
Print Name: _____	Time: _____	Print Name: _____	Time: _____
Relinquished by:	Date:	Received by:	Date:
Signature		Signature	
Print Name: _____	Time: _____	Print Name: _____	Time: _____
Relinquished by:	Date:	Received by:	Date:
Signature		Signature	
Print Name: _____	Time: _____	Print Name: _____	Time: _____

CHAIN OF CUSTODY

All analysis will be conducted using NELAP accredited methods and all data will be reported using AWAL's standard analyte lists and reporting limits (PQL) unless specifically requested otherwise on this Chain of Custody and/or attached documentation

AWAL Lab Sample Set # _____
 Page 2 of 2

QC Level:	Turn Around Time:	
3	Standard	

Unless other arrangements have been made, signed reports will be emailed by 5:00 pm on the day they are due

X Include EDD:
 LOCUS UPLOAD
 EXCEL
 Field Filled For:

For Compliance With:
 NELAP
 RCRA
 CWA
 SDWA
 ELAP / AZLA
 NLLAP
 Non-Compliance
 Other:

Known Hazards & Sample Comments

Due Date:	Laboratory Use Only
	Samples Were
	1 Shipped or hand delivered
	2 Ambient or Chilled
	3 Temperature _____ °C
	4 Received Broken/Leaking (Improperly Sealed) <input type="checkbox"/> Y <input type="checkbox"/> N
	5 Properly Preserved <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> Checked at bench <input type="checkbox"/> Y <input type="checkbox"/> N
	6 Received Within Holding Times <input type="checkbox"/> Y <input type="checkbox"/> N
	COC Tape Was: 1 Present on Outer Package <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA 2 Unbroken on Outer Package <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA 3 Present on Sample <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA 4 Unbroken on Sample <input type="checkbox"/> Y <input type="checkbox"/> N <input type="checkbox"/> NA Discrepancies Between Sample Labels and COC Record? <input type="checkbox"/> Y <input type="checkbox"/> N

Special Instructions:
 See the Analytical Scope of Work for Reporting Limits and VOC analyte list.

QC Report for Work Order (WO) - 23C0830

Analyte	% Rec	RPD	Limits	RPD Max	Result	Source Conc	Spk Value	MRL	DF
Blank - EPA 300.0									
QC Sample ID: BXC0564-BLK1	Batch: BXC0564								
Date Prepared: 03/13/2023	Date Analyzed: 03/13/2023								
Chloride					ND	mg/L		1.00	1.00

LCS - EPA 300.0

QC Sample ID: BXC0564-BS1	Batch: BXC0564								
Date Prepared: 03/13/2023	Date Analyzed: 03/13/2023								
Chloride	97.6		90 - 110		48.8	mg/L	50.0	1.00	1.00

Matrix Spike - EPA 300.0

QC Sample ID: BXC0564-MS1	Batch: BXC0564	QC Source Sample: 23C0830-01								
Date Prepared: 03/13/2023	Date Analyzed: 03/13/2023									
Chloride	93.0		80 - 120		107	mg/L	96.7	11.1	1.11	1.00

QC Sample ID: BXC0564-MS2	Batch: BXC0564	QC Source Sample: 23C0830-02								
Date Prepared: 03/13/2023	Date Analyzed: 03/13/2023									
Chloride	39.7		80 - 120		1010	mg/L	932	200	22.0	1.00

QM-4X - The spike recovery was outside of QC acceptance limits for the MS and/or MSD due to analyte concentration at 4 times or greater the spike concentration. The QC batch was accepted based on LCS and/or LCSD recoveries within the acceptance limits.

Matrix Spike Dup - EPA 300.0

QC Sample ID: BXC0564-MSD1	Batch: BXC0564	QC Source Sample: 23C0830-01								
Date Prepared: 03/13/2023	Date Analyzed: 03/13/2023									
Chloride	93.3	0.0291	80 - 120	20	107	mg/L	96.7	11.1	1.11	1.00

QC Sample ID: BXC0564-MSD2	Batch: BXC0564	QC Source Sample: 23C0830-02								
Date Prepared: 03/13/2023	Date Analyzed: 03/13/2023									
Chloride	31.5	1.63	80 - 120	20	995	mg/L	932	200	22.0	1.00

QM-4X - The spike recovery was outside of QC acceptance limits for the MS and/or MSD due to analyte concentration at 4 times or greater the spike concentration. The QC batch was accepted based on LCS and/or LCSD recoveries within the acceptance limits.

QC Report for Work Order (WO) - 23C0830

Analyte	% Rec	RPD	Limits	RPD Max	Result	Source Conc	Spk Value	MRL	DF	
Blank - EPA 353.2										
QC Sample ID: BXC0590-BLK1	Batch: BXC0590									
Date Prepared: 03/14/2023	Date Analyzed: 03/14/2023									
Nitrate + Nitrite, Total, as N					ND	mg/L		0.100	1.00	
QC Sample ID: BXC0591-BLK1	Batch: BXC0591									
Date Prepared: 03/14/2023	Date Analyzed: 03/14/2023									
Nitrate + Nitrite, Total, as N					ND	mg/L		0.100	1.00	
LCS - EPA 353.2										
QC Sample ID: BXC0590-BS1	Batch: BXC0590									
Date Prepared: 03/14/2023	Date Analyzed: 03/14/2023									
Nitrate + Nitrite, Total, as N	96.4		80 - 120		1.93	mg/L	2.00	0.100	1.00	
QC Sample ID: BXC0591-BS1	Batch: BXC0591									
Date Prepared: 03/14/2023	Date Analyzed: 03/14/2023									
Nitrate + Nitrite, Total, as N	92.9		80 - 120		1.86	mg/L	2.00	0.100	1.00	
Matrix Spike - EPA 353.2										
QC Sample ID: BXC0590-MS1	Batch: BXC0590		QC Source Sample: XXXXXXXX-XX							
Date Prepared: 03/14/2023	Date Analyzed: 03/14/2023									
Nitrate + Nitrite, Total, as N	77.8		80 - 120		2.92	2.14	mg/L	1.00	0.100	1.00
<i>QM-12 - The MSD recovery was outside acceptance limits, but passed duplicate spike acceptance criteria. The batch was accepted based on the acceptability of the MS.</i>										
QC Sample ID: BXC0590-MS2	Batch: BXC0590		QC Source Sample: 23C0830-01							
Date Prepared: 03/14/2023	Date Analyzed: 03/14/2023									
Nitrate + Nitrite, Total, as N	119		80 - 120		3.15	1.96	mg/L	1.00	0.100	1.00
QC Sample ID: BXC0591-MS1	Batch: BXC0591		QC Source Sample: XXXXXXXX-XX							
Date Prepared: 03/14/2023	Date Analyzed: 03/14/2023									
Nitrate + Nitrite, Total, as N	110		80 - 120		1.22	0.121	mg/L	1.00	0.100	1.00
Matrix Spike Dup - EPA 353.2										
QC Sample ID: BXC0590-MSD1	Batch: BXC0590		QC Source Sample: XXXXXXXX-XX							
Date Prepared: 03/14/2023	Date Analyzed: 03/14/2023									
Nitrate + Nitrite, Total, as N	82.7	1.67	80 - 120	20	2.97	2.14	mg/L	1.00	0.100	1.00
QC Sample ID: BXC0590-MSD2	Batch: BXC0590		QC Source Sample: 23C0830-01							
Date Prepared: 03/14/2023	Date Analyzed: 03/14/2023									
Nitrate + Nitrite, Total, as N	96.4	7.54	80 - 120	20	2.92	1.96	mg/L	1.00	0.100	1.00
QC Sample ID: BXC0591-MSD1	Batch: BXC0591		QC Source Sample: XXXXXXXX-XX							
Date Prepared: 03/14/2023	Date Analyzed: 03/14/2023									
Nitrate + Nitrite, Total, as N	110	0.491	80 - 120	20	1.22	0.121	mg/L	1.00	0.100	1.00

QC Report for Work Order (WO) - 23C0830

Analyte	% Rec	RPD	Limits	RPD Max	Result	Source Conc	Spk Value	MRL	DF
Blank - EPA 8260D /5030A									
QC Sample ID: BXC0593-BLK1	Batch: BXC0593								
Date Prepared: 03/13/2023	Date Analyzed: 03/13/2023			Units: ug/L					
Carbon Tetrachloride					ND			1.0	1.00
Chloroform					ND			1.0	1.00
Chloromethane					ND			1.0	1.00
Methylene Chloride					ND			1.0	1.00
QC Sample ID: BXC0593-BLK2	Batch: BXC0593								
Date Prepared: 03/13/2023	Date Analyzed: 03/13/2023			Units: ug/L					
Carbon Tetrachloride					ND			250	1.00
Chloroform					ND			250	1.00
Chloromethane					ND			250	1.00
Methylene Chloride					ND			250	1.00
QC Sample ID: BXC0643-BLK1	Batch: BXC0643								
Date Prepared: 03/14/2023	Date Analyzed: 03/14/2023			Units: ug/L					
Carbon Tetrachloride					ND			1.0	1.00
Chloroform					ND			1.0	1.00
Chloromethane					ND			1.0	1.00
Methylene Chloride					ND			1.0	1.00
J-LOW-L - Estimated low due to low recovery of LCS									
LCS - EPA 8260D /5030A									
QC Sample ID: BXC0593-BS1	Batch: BXC0593								
Date Prepared: 03/13/2023	Date Analyzed: 03/13/2023			Units: ug/L					
Carbon Tetrachloride	100		70 - 130		10.0		10.0	1.0	1.00
Chloroform	78.6		70 - 130		7.86		10.0	1.0	1.00
Chloromethane	77.0		70 - 130		7.70		10.0	1.0	1.00
Methylene Chloride	75.9		70 - 130		7.59		10.0	1.0	1.00
QC Sample ID: BXC0643-BS1	Batch: BXC0643								
Date Prepared: 03/14/2023	Date Analyzed: 03/14/2023			Units: ug/L					
Carbon Tetrachloride	88.8		70 - 130		8.88		10.0	1.0	1.00
Chloroform	78.5		70 - 130		7.85		10.0	1.0	1.00
Chloromethane	84.8		70 - 130		8.48		10.0	1.0	1.00
Methylene Chloride	65.4		70 - 130		6.54		10.0	1.0	1.00
J-LOW-L - Estimated low due to low recovery of LCS									
Matrix Spike - EPA 8260D /5030A									
QC Sample ID: BXC0593-MS1	Batch: BXC0593	QC Source Sample: 23C0830-01							
Date Prepared: 03/13/2023	Date Analyzed: 03/13/2023			Units: ug/L					
Carbon Tetrachloride	95.5		70 - 130		47.8	ND	50.0	5.0	1.00
Chloroform	75.0		70 - 130		37.5	ND	50.0	5.0	1.00
Chloromethane	81.5		70 - 130		40.8	ND	50.0	5.0	1.00
Methylene Chloride	57.4		70 - 130		28.7	ND	50.0	5.0	1.00
MS-Low - Estimated low due to Matrix Spike recovery.									
QC Sample ID: BXC0643-MS1	Batch: BXC0643	QC Source Sample: 23C0830-02							
Date Prepared: 03/14/2023	Date Analyzed: 03/14/2023			Units: ug/L					
Carbon Tetrachloride	91.5		70 - 130		45.8	ND	50.0	5.0	1.00
Chloroform	63.7		70 - 130		131	99.5	50.0	5.0	1.00
QM-4X - The spike recovery was outside of QC acceptance limits for the MS and/or MSD due to analyte concentration at 4 times or greater the spike concentration. The QC batch was accepted based on LCS and/or LCSD recoveries within the acceptance limits.									
Chloromethane	87.7		70 - 130		43.8	ND	50.0	5.0	1.00
Methylene Chloride	65.7		70 - 130		32.8	ND	50.0	5.0	1.00

QC Report for Work Order (WO) - 23C0830

Analyte	% Rec	RPD	Limits	RPD Max	Result	Source Conc	Spk Value	MRL	DF
Matrix Spike - EPA 8260D /5030A (cont.)									
QC Sample ID: BXC0643-MS1	Batch: BXC0643		QC Source Sample: 23C0830-02						
Date Prepared: 03/14/2023	Date Analyzed: 03/14/2023		Units: ug/L						
MS-Low - Estimated low due to Matrix Spike recovery.									

Matrix Spike Dup - EPA 8260D /5030A									
QC Sample ID: BXC0593-MSD1	Batch: BXC0593		QC Source Sample: 23C0830-01						
Date Prepared: 03/13/2023	Date Analyzed: 03/13/2023		Units: ug/L						
Carbon Tetrachloride	92.4	3.30	70 - 130	20	46.2	ND	50.0	5.0	1.00
Chloroform	77.7	3.54	70 - 130	20	38.8	ND	50.0	5.0	1.00
Chloromethane	83.7	2.66	70 - 130	20	41.8	ND	50.0	5.0	1.00
Methylene Chloride	64.0	10.9	70 - 130	20	32.0	ND	50.0	5.0	1.00
MS-Low - Estimated low due to Matrix Spike recovery.									

QC Sample ID: BXC0643-MSD1	Batch: BXC0643		QC Source Sample: 23C0830-02						
Date Prepared: 03/14/2023	Date Analyzed: 03/14/2023		Units: ug/L						
Carbon Tetrachloride	87.3	4.70	70 - 130	20	43.6	ND	50.0	5.0	1.00
Chloroform	56.6	11.8	70 - 130	20	128	99.5	50.0	5.0	1.00
QM-4X - The spike recovery was outside of QC acceptance limits for the MS and/or MSD due to analyte concentration at 4 times or greater the spike concentration. The QC batch was accepted based on LCS and/or LCSD recoveries within the acceptance limits.									
Chloromethane	85.2	2.89	70 - 130	20	42.6	ND	50.0	5.0	1.00
Methylene Chloride	65.7	0.00	70 - 130	20	32.8	ND	50.0	5.0	1.00
MS-Low - Estimated low due to Matrix Spike recovery.									

Surrogates Report for Work Order (WO) - 23C0830

QC ID	Analyte	% Rec	LCL	UCL	Result	Spk Value	Batch	DF
Blank - EPA 8260D /5030A								
BXC0593-BLK1	1,2-Dichloroethane-d4	101	64.2	126	10.1	10.0	BXC0593	1.00
BXC0593-BLK2	1,2-Dichloroethane-d4	97.6	64.2	126	2440	2500	BXC0593	1.00
BXC0593-BLK2	4-Bromofluorobenzene	90.2	71.4	125	2260	2500	BXC0593	1.00
BXC0593-BLK1	4-Bromofluorobenzene	94.2	71.4	125	9.42	10.0	BXC0593	1.00
BXC0593-BLK1	Toluene-d8	97.3	63.2	129	9.73	10.0	BXC0593	1.00
BXC0593-BLK2	Toluene-d8	98.1	63.2	129	2450	2500	BXC0593	1.00
BXC0643-BLK1	1,2-Dichloroethane-d4	96.5	64.2	126	9.65	10.0	BXC0643	1.00
BXC0643-BLK1	4-Bromofluorobenzene	94.6	71.4	125	9.46	10.0	BXC0643	1.00
BXC0643-BLK1	Toluene-d8	98.2	63.2	129	9.82	10.0	BXC0643	1.00
LCS - EPA 8260D /5030A								
BXC0593-BS1	1,2-Dichloroethane-d4	98.6	64.2	126	9.86	10.0	BXC0593	1.00
BXC0593-BS1	4-Bromofluorobenzene	94.3	71.4	125	9.43	10.0	BXC0593	1.00
BXC0593-BS1	Toluene-d8	99.9	63.2	129	9.99	10.0	BXC0593	1.00
BXC0643-BS1	1,2-Dichloroethane-d4	96.8	64.2	126	9.68	10.0	BXC0643	1.00
BXC0643-BS1	4-Bromofluorobenzene	91.5	71.4	125	9.15	10.0	BXC0643	1.00
BXC0643-BS1	Toluene-d8	100	63.2	129	10.0	10.0	BXC0643	1.00
Matrix Spike - EPA 8260D /5030A								
BXC0593-MS1	1,2-Dichloroethane-d4	100	64.2	126	50.1	50.0	BXC0593	1.00
BXC0593-MS1	4-Bromofluorobenzene	90.1	71.4	125	45.0	50.0	BXC0593	1.00
BXC0593-MS1	Toluene-d8	95.7	63.2	129	47.8	50.0	BXC0593	1.00
BXC0643-MS1	1,2-Dichloroethane-d4	98.6	64.2	126	49.3	50.0	BXC0643	1.00
BXC0643-MS1	4-Bromofluorobenzene	91.9	71.4	125	46.0	50.0	BXC0643	1.00
BXC0643-MS1	Toluene-d8	98.2	63.2	129	49.1	50.0	BXC0643	1.00
Matrix Spike Dup - EPA 8260D /5030A								
BXC0593-MSD1	1,2-Dichloroethane-d4	99.1	64.2	126	49.6	50.0	BXC0593	1.00
BXC0593-MSD1	4-Bromofluorobenzene	93.4	71.4	125	46.7	50.0	BXC0593	1.00
BXC0593-MSD1	Toluene-d8	100	63.2	129	50.0	50.0	BXC0593	1.00
BXC0643-MSD1	1,2-Dichloroethane-d4	97.6	64.2	126	48.8	50.0	BXC0643	1.00
BXC0643-MSD1	4-Bromofluorobenzene	93.2	71.4	125	46.6	50.0	BXC0643	1.00
BXC0643-MSD1	Toluene-d8	100	63.2	129	50.0	50.0	BXC0643	1.00

Surrogate Recoveries (Field Samples)

<u>LabNumber</u>	<u>Analyte</u>	<u>Result</u>	<u>SpkLvl</u>	<u>%Rec</u>	<u>LCL</u>	<u>UCL</u>	<u>Qualifier</u>
8260 Low Level Volatiles							
23C0830-01	1,2-Dichloroethane-d4	9.82	10.0	98.2	64.2	126	
23C0830-01	4-Bromofluorobenzene	9.36	10.0	93.6	71.4	125	
23C0830-01	Toluene-d8	9.81	10.0	98.1	63.2	129	
8260 Low Level Volatiles							
23C0830-02	1,2-Dichloroethane-d4	9.81	10.0	98.1	64.2	126	
23C0830-02	4-Bromofluorobenzene	9.25	10.0	92.5	71.4	125	
23C0830-02	Toluene-d8	10.0	10.0	100	63.2	129	
8260 Low Level Volatiles							
23C0830-03	Toluene-d8	10.0	10.0	100	63.2	129	
23C0830-03	4-Bromofluorobenzene	9.20	10.0	92.0	71.4	125	
23C0830-03	1,2-Dichloroethane-d4	9.68	10.0	96.8	64.2	126	
8260 Low Level Volatiles							
23C0830-04	1,2-Dichloroethane-d4	10.0	10.0	100	64.2	126	
23C0830-04	Toluene-d8	9.89	10.0	98.9	63.2	129	
23C0830-04	4-Bromofluorobenzene	9.24	10.0	92.4	71.4	125	
8260 Low Level Volatiles							
23C0830-05	Toluene-d8	10.0	10.0	100	63.2	129	
23C0830-05	4-Bromofluorobenzene	9.14	10.0	91.4	71.4	125	
23C0830-05	1,2-Dichloroethane-d4	9.79	10.0	97.9	64.2	126	
8260 Low Level Volatiles							
23C0830-06	Toluene-d8	10.0	10.0	100	63.2	129	
23C0830-06	1,2-Dichloroethane-d4	10.0	10.0	100	64.2	126	
23C0830-06	4-Bromofluorobenzene	9.04	10.0	90.4	71.4	125	
8260 Low Level Volatiles							
23C0830-07	Toluene-d8	9.83	10.0	98.3	63.2	129	
23C0830-07	4-Bromofluorobenzene	9.21	10.0	92.1	71.4	125	
23C0830-07	1,2-Dichloroethane-d4	9.79	10.0	97.9	64.2	126	
8260 Low Level Volatiles							
23C0830-08	1,2-Dichloroethane-d4	9.76	10.0	97.6	64.2	126	
23C0830-08	4-Bromofluorobenzene	9.26	10.0	92.6	71.4	125	

23C0830-08	Toluene-d8	9.86	10.0	98.6	63.2	129
8260 Low Level Volatiles						
23C0830-09	Toluene-d8	10.0	10.0	100	63.2	129
23C0830-09	4-Bromofluorobenzene	9.12	10.0	91.2	71.4	125
23C0830-09	1,2-Dichloroethane-d4	10.1	10.0	101	64.2	126
8260 Low Level Volatiles						
23C0830-10	1,2-Dichloroethane-d4	9.36	10.0	93.6	64.2	126
23C0830-10	4-Bromofluorobenzene	9.14	10.0	91.4	71.4	125
23C0830-10	Toluene-d8	10.0	10.0	100	63.2	129
8260 Low Level Volatiles						
23C0830-11	4-Bromofluorobenzene	9.14	10.0	91.4	71.4	125
23C0830-11	1,2-Dichloroethane-d4	9.82	10.0	98.2	64.2	126
23C0830-11	Toluene-d8	10.0	10.0	100	63.2	129
8260 Low Level Volatiles						
23C0830-12	Toluene-d8	9.74	10.0	97.4	63.2	129
23C0830-12	1,2-Dichloroethane-d4	9.77	10.0	97.7	64.2	126
23C0830-12	4-Bromofluorobenzene	9.13	10.0	91.3	71.4	125
8260 Low Level Volatiles						
23C0830-13	1,2-Dichloroethane-d4	9.93	10.0	99.3	64.2	126
23C0830-13	4-Bromofluorobenzene	9.06	10.0	90.6	71.4	125
23C0830-13	Toluene-d8	10.0	10.0	100	63.2	129
8260 Low Level Volatiles						
23C0830-14	1,2-Dichloroethane-d4	10.2	10.0	102	64.2	126
23C0830-14	Toluene-d8	10.0	10.0	100	63.2	129
23C0830-14	4-Bromofluorobenzene	9.32	10.0	93.2	71.4	125
8260 Low Level Volatiles						
23C0830-15	1,2-Dichloroethane-d4	9.70	10.0	97.0	64.2	126
23C0830-15	4-Bromofluorobenzene	9.24	10.0	92.4	71.4	125
23C0830-15	Toluene-d8	9.80	10.0	98.0	63.2	129
8260 Low Level Volatiles						
23C0830-16	4-Bromofluorobenzene	9.10	10.0	91.0	71.4	125
23C0830-16	1,2-Dichloroethane-d4	10.1	10.0	101	64.2	126
23C0830-16	Toluene-d8	10.0	10.0	100	63.2	129

8260 Low Level Volatiles

23C0830-17	Toluene-d8	10.0	10.0	100	63.2	129
23C0830-17	1,2-Dichloroethane-d4	10.0	10.0	100	64.2	126
23C0830-17	4-Bromofluorobenzene	9.32	10.0	93.2	71.4	125



4/5/2023

Work Order: 23C1819
Project: 1st Quarter Chloroform 2023

Energy Fuels Resources, Inc.
Attn: Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

Client Service Contact: 801.262.7299

The analyses presented on this report were performed in accordance with the National Environmental Laboratory Accreditation Program (NELAP) unless noted in the comments, flags, or case narrative. If the report is to be used for regulatory compliance, it should be presented in its entirety, and not be altered.



Approved By:

Melissa Connolly, Project Manager



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Energy Fuels Resources, Inc.

Project: 1st Quarter Chloroform 2023

Project Manager: Tanner Holliday

<u>Laboratory ID</u>	<u>Sample Name</u>
23C1819-01	TW4-03R_03212023
23C1819-02	TW4-03_03222023
23C1819-03	TW4-42_03222023
23C1819-04	TW4-12_03222023
23C1819-05	TW4-28_03222023
23C1819-06	TW4-65_03222023
23C1819-07	TW4-32_03232023
23C1819-08	TW4-13_03232023
23C1819-09	TW4-14_03232023
23C1819-10	TW4-36_03232023
23C1819-11	TW4-31_03232023
23C1819-12	TW4-43_03232023
23C1819-13	Trip Blank

Work Order Report Narrative

Sample Preparation

All samples were prepared within method specified holding times. No preparation issues were noted.

Method Blanks

All blank values were within method acceptance criteria. No blank values exceeded the minimum reporting limit for any analysis in this work order.

Laboratory Control Samples

All laboratory control samples were within method acceptance criteria.

Method Spikes

All method spike recoveries were within method acceptance criteria, except as noted by qualifying flags.

Method Spike Duplicates

All method spike duplicates were within method acceptance criteria, except as noted by qualifying flags.

Corrective Actions

There are no corrective actions associated with this work order.



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: **3/24/23 10:24 @ -0.5 °C**
Date Reported: 4/5/2023
Project Name: **1st Quarter Chloroform 2023**

Report Footnotes

Abbreviations

ND = Not detected at the corresponding Minimum Reporting Limit (MRL).

1 mg/L = one milligram per liter or 1 mg/kg = one milligram per kilogram = 1 part per million.

1 ug/L = one microgram per liter or 1 ug/kg = one microgram per kilogram = 1 part per billion.

1 ng/L = one nanogram per liter or 1 ng/kg = one nanogram per kilogram = 1 part per trillion.



American West Analytical Laboratories

463 W 3600 S Salt Lake City, UT 84115
 Phone # (801) 263-8686 Toll Free # (888) 263-8686
 Fax # (801) 263-8687 Email awal@awalabs.com

www.awal-labs.com

Client: Energy Fuels Resources, Inc.

Address: 6425 S. Hwy. 191

Blanding, UT 84511

Contact: Tanner Holliday

Phone #: (435) 678-2221

Email: tholliday@energyfuels.com; KWcluel@energyfuels.com

Project Name: 1st Quarter Chloroform 2023

Project #:

PO #:

Sampler Name: Tanner Holliday

Sample ID	Date Sampled	Time Sampled	QC Level:			Turn Around Time:			Laboratory Use Only
			3	Standard	Field Filtered For:	For Compliance With:	Known Hazards & Sample Comments		
1 TW4-03R_03212023	3/21/2023	920	X	X	X	W	5	Sample Matrix	Samples Were: 1 Shipped or hand delivered 2 Ambient or Chilled 3 Temperature <u>0.5</u> °C 4 Received Broken/Leaking (Improperly Sealed) <u>N</u> 5 Properly Preserved <u>Y</u> 6 Checked at bench <u>Y</u> 7 Received Within Holding Times <u>Y</u>
2 TW4-03_03222023	3/22/2023	755	X	X	X	W	5	VOCs (8260C)	COC Type Was: 1 Present on Outer Package <u>NA</u> 2 Unbroken on Outer Package <u>NA</u> 3 Present on Sample <u>NA</u> 4 Unbroken on Sample <u>NA</u> Discrepancies Between Sample Labels and COC Receipt? <u>Y</u>
3 TW4-42_03222023	3/22/2023	805	X	X	X	W	5	CI (4500 or 300.0)	X Include EDD: LOCUS UPLOAD EXCEL Field Filtered For: For Compliance With: <input type="checkbox"/> NELAP <input type="checkbox"/> RCRA <input type="checkbox"/> CWA <input type="checkbox"/> SDWA <input type="checkbox"/> ELAP / A2LA <input type="checkbox"/> NLAP <input type="checkbox"/> Non-Compliance <input type="checkbox"/> Other: Known Hazards & Sample Comments Do NOT use for QC <u>N 1265</u> <u>AY 1282</u> <u>WP/1235</u>
4 TW4-12_03222023	3/22/2023	818	X	X	X	W	5		
5 TW4-28_03222023	3/22/2023	830	X	X	X	W	5		
6 TW4-65_03222023	3/22/2023	830	X	X	X	W	5		
7 TW4-32_03232023	3/23/2023	746	X	X	X	W	5		
8 TW4-13_03232023	3/23/2023	800	X	X	X	W	5		
9 TW4-14_03232023	3/23/2023	808	X	X	X	W	5		
10 TW4-36_03232023	3/23/2023	820	X	X	X	W	5		
11 TW4-31_03232023	3/23/2023	827	X	X	X	W	5		
12 TW4-43_03232023	3/23/2023	835	X	X	X	W	5		
13 TRIP BLANK	3/21/2023	920	X	X	X	W	3		

Retinquished by Signature: Tanner Holliday Date: 3/24/2023
 Retinquished by Signature: _____ Date: _____
 Retinquished by Signature: _____ Date: _____
 Retinquished by Signature: _____ Date: _____
 Retinquished by Signature: _____ Date: _____
 Retinquished by Signature: _____ Date: _____
 Retinquished by Signature: _____ Date: _____

Special Instructions: See the Analytical Scope of Work for Reporting Limits and VOC analyte list.

QC Report for Work Order (WO) - 23C1819

Analyte	% Rec	RPD	Limits	RPD Max	Result	Source Conc	Spk Value	MRL	DF
Blank - EPA 300.0									
QC Sample ID: BXC1174-BLK1	Batch: BXC1174								
Date Prepared: 03/28/2023	Date Analyzed: 03/28/2023								
Chloride					ND			1.00	1.00
Units:	mg/L								
QC Sample ID: BXC1226-BLK1	Batch: BXC1226								
Date Prepared: 03/29/2023	Date Analyzed: 03/29/2023								
Chloride					ND			1.00	1.00
Units:	mg/L								
LCS - EPA 300.0									
QC Sample ID: BXC1174-BS1	Batch: BXC1174								
Date Prepared: 03/28/2023	Date Analyzed: 03/28/2023								
Chloride	98.4		90 - 110		49.2		50.0	1.00	1.00
Units:	mg/L								
QC Sample ID: BXC1226-BS1	Batch: BXC1226								
Date Prepared: 03/29/2023	Date Analyzed: 03/29/2023								
Chloride	101		90 - 110		50.3		50.0	1.00	1.00
Units:	mg/L								
Matrix Spike - EPA 300.0									
QC Sample ID: BXC1174-MS1	Batch: BXC1174		QC Source Sample: 23C1819-02						
Date Prepared: 03/28/2023	Date Analyzed: 03/28/2023								
Chloride	325		80 - 120		56.7	20.6	11.1	1.11	1.00
Units:	mg/L								
QC Sample ID: BXC1174-MS2	Batch: BXC1174		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 03/28/2023	Date Analyzed: 03/28/2023								
Chloride	-2770		80 - 120		16600	19300	100	11.0	1.00
<p>E - The concentration indicated for this analyte is an estimated value above the calibration range of the instrument. This value is considered an estimate (CLP E-flag). QM-4X - The spike recovery was outside of QC acceptance limits for the MS and/or MSD due to analyte concentration at 4 times or greater the spike concentration. The QC batch was accepted based on LCS and/or LCSD recoveries within the acceptance limits.</p>									
QC Sample ID: BXC1226-MS1	Batch: BXC1226		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 03/29/2023	Date Analyzed: 03/29/2023								
Chloride	93.2		80 - 120		36000	26700	10000	1100	1.00
Units:	mg/L								
QC Sample ID: BXC1226-MS2	Batch: BXC1226		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 03/29/2023	Date Analyzed: 03/29/2023								
Chloride	95.3		80 - 120		28900	19300	10000	1100	1.00
Units:	mg/L								
Matrix Spike Dup - EPA 300.0									
QC Sample ID: BXC1174-MSD1	Batch: BXC1174		QC Source Sample: 23C1819-02						
Date Prepared: 03/28/2023	Date Analyzed: 03/28/2023								
Chloride	99.4	56.7	80 - 120	20	31.6	20.6	11.1	1.11	1.00
Units:	mg/L								
QC Sample ID: BXC1174-MSD2	Batch: BXC1174		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 03/28/2023	Date Analyzed: 03/28/2023								
Chloride	-2870	0.623	80 - 120	20	16500	19300	100	11.0	1.00
<p>E - The concentration indicated for this analyte is an estimated value above the calibration range of the instrument. This value is considered an estimate (CLP E-flag). QM-4X - The spike recovery was outside of QC acceptance limits for the MS and/or MSD due to analyte concentration at 4 times or greater the spike concentration. The QC batch was accepted based on LCS and/or LCSD recoveries within the acceptance limits.</p>									
QC Sample ID: BXC1226-MSD1	Batch: BXC1226		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 03/29/2023	Date Analyzed: 03/29/2023								
Chloride	95.4	0.624	80 - 120	20	36300	26700	10000	1100	1.00
Units:	mg/L								
QC Sample ID: BXC1226-MSD2	Batch: BXC1226		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 03/29/2023	Date Analyzed: 03/29/2023								
Chloride	92.4	0.987	80 - 120	20	28600	19300	10000	1100	1.00
Units:	mg/L								

QC Report for Work Order (WO) - 23C1819

Analyte	% Rec	RPD	Limits	RPD Max	Result	Source Conc	Spk Value	MRL	DF
Blank - EPA 353.2									
QC Sample ID: BXC1158-BLK1	Batch: BXC1158								
Date Prepared: 03/28/2023	Date Analyzed: 03/28/2023								
Nitrate + Nitrite, Total, as N					ND	mg/L		0.100	1.00
LCS - EPA 353.2									
QC Sample ID: BXC1158-BS1	Batch: BXC1158								
Date Prepared: 03/28/2023	Date Analyzed: 03/28/2023								
Nitrate + Nitrite, Total, as N	103		80 - 120		2.06	mg/L	2.00	0.100	1.00
Matrix Spike - EPA 353.2									
QC Sample ID: BXC1158-MS1	Batch: BXC1158			QC Source Sample: XXXXXXXX-XX					
Date Prepared: 03/28/2023	Date Analyzed: 03/28/2023								
Nitrate + Nitrite, Total, as N	93.9		80 - 120		6.29	5.36	1.00	0.200	2.00
QC Sample ID: BXC1158-MS2	Batch: BXC1158			QC Source Sample: 23C1819-02					
Date Prepared: 03/28/2023	Date Analyzed: 03/28/2023								
Nitrate + Nitrite, Total, as N	115		80 - 120		7.23	6.09	1.00	0.200	2.00
Matrix Spike Dup - EPA 353.2									
QC Sample ID: BXC1158-MSD1	Batch: BXC1158			QC Source Sample: XXXXXXXX-XX					
Date Prepared: 03/28/2023	Date Analyzed: 03/28/2023								
Nitrate + Nitrite, Total, as N	96.1	0.349	80 - 120	20	6.32	5.36	1.00	0.200	2.00
QC Sample ID: BXC1158-MSD2	Batch: BXC1158			QC Source Sample: 23C1819-02					
Date Prepared: 03/28/2023	Date Analyzed: 03/28/2023								
Nitrate + Nitrite, Total, as N	112	0.318	80 - 120	20	7.21	6.09	1.00	0.200	2.00

QC Report for Work Order (WO) - 23C1819

Analyte	% Rec	RPD	Limits	RPD Max	Result	Source Conc	Spk Value	MRL	DF
Blank - EPA 8260D /5030A									
QC Sample ID: BXC1154-BLK1	Batch: BXC1154								
Date Prepared: 03/27/2023	Date Analyzed: 03/27/2023			Units: ug/L					
Carbon Tetrachloride					ND			1.0	1.00
Chloroform					ND			1.0	1.00
Chloromethane					ND			1.0	1.00
Methylene Chloride					ND			1.0	1.00

LCS - EPA 8260D /5030A

QC Sample ID: BXC1154-BS1	Batch: BXC1154								
Date Prepared: 03/27/2023	Date Analyzed: 03/27/2023			Units: ug/L					
Carbon Tetrachloride	102		70 - 130		10.2		10.0	1.0	1.00
Chloroform	93.0		70 - 130		9.30		10.0	1.0	1.00
Chloromethane	75.1		70 - 130		7.51		10.0	1.0	1.00
Methylene Chloride	86.6		70 - 130		8.66		10.0	1.0	1.00

Matrix Spike - EPA 8260D /5030A

QC Sample ID: BXC1154-MS1	Batch: BXC1154		QC Source Sample: 23C1819-02						
Date Prepared: 03/27/2023	Date Analyzed: 03/27/2023			Units: ug/L					
Carbon Tetrachloride	114		70 - 130		57.2	ND	50.0	5.0	1.00
Chloroform	104		70 - 130		52.0	ND	50.0	5.0	1.00
Chloromethane	88.0		70 - 130		44.0	ND	50.0	5.0	1.00
Methylene Chloride	93.0		70 - 130		46.5	ND	50.0	5.0	1.00

QC Sample ID: BXC1154-MS2	Batch: BXC1154		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 03/27/2023	Date Analyzed: 03/27/2023			Units: ug/L					
Carbon Tetrachloride	84.9		70 - 130		2120	ND	2500	250	1.00
Chloroform	112		70 - 130		2800	ND	2500	250	1.00
Chloromethane	110		70 - 130		2760	ND	2500	250	1.00
Methylene Chloride	91.0		70 - 130		2280	ND	2500	250	1.00

Matrix Spike Dup - EPA 8260D /5030A

QC Sample ID: BXC1154-MSD1	Batch: BXC1154		QC Source Sample: 23C1819-02						
Date Prepared: 03/27/2023	Date Analyzed: 03/27/2023			Units: ug/L					
Carbon Tetrachloride	120	4.52	70 - 130	20	59.9	ND	50.0	5.0	1.00
Chloroform	99.3	4.53	70 - 130	20	49.6	ND	50.0	5.0	1.00
Chloromethane	85.2	3.23	70 - 130	20	42.6	ND	50.0	5.0	1.00
Methylene Chloride	88.8	4.62	70 - 130	20	44.4	ND	50.0	5.0	1.00

QC Sample ID: BXC1154-MSD2	Batch: BXC1154		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 03/27/2023	Date Analyzed: 03/27/2023			Units: ug/L					
Carbon Tetrachloride	88.0	3.59	70 - 130	20	2200	ND	2500	250	1.00
Chloroform	110	1.35	70 - 130	20	2760	ND	2500	250	1.00
Chloromethane	106	4.44	70 - 130	20	2640	ND	2500	250	1.00
Methylene Chloride	91.1	0.110	70 - 130	20	2280	ND	2500	250	1.00

Surrogates Report for Work Order (WO) - 23C1819

QC ID	Analyte	% Rec	LCL	UCL	Result	Spk Value	Batch	DF
Blank - EPA 8260D /5030A								
BXC1154-BLK1	1,2-Dichloroethane-d4	87.2	64.2	126	8.72	10.0	BXC1154	1.00
BXC1154-BLK1	4-Bromofluorobenzene	97.6	71.4	125	9.76	10.0	BXC1154	1.00
BXC1154-BLK1	Toluene-d8	100	63.2	129	10.0	10.0	BXC1154	1.00
LCS - EPA 8260D /5030A								
BXC1154-BS1	1,2-Dichloroethane-d4	90.7	64.2	126	9.07	10.0	BXC1154	1.00
BXC1154-BS1	4-Bromofluorobenzene	102	71.4	125	10.2	10.0	BXC1154	1.00
BXC1154-BS1	Toluene-d8	100	63.2	129	10.0	10.0	BXC1154	1.00
Matrix Spike - EPA 8260D /5030A								
BXC1154-MS2	1,2-Dichloroethane-d4	75.4	64.2	126	1880	2500	BXC1154	1.00
BXC1154-MS1	1,2-Dichloroethane-d4	86.9	64.2	126	43.4	50.0	BXC1154	1.00
BXC1154-MS1	4-Bromofluorobenzene	99.0	71.4	125	49.5	50.0	BXC1154	1.00
BXC1154-MS2	4-Bromofluorobenzene	99.0	71.4	125	2480	2500	BXC1154	1.00
BXC1154-MS2	Toluene-d8	100	63.2	129	2500	2500	BXC1154	1.00
BXC1154-MS1	Toluene-d8	93.6	63.2	129	46.8	50.0	BXC1154	1.00
Matrix Spike Dup - EPA 8260D /5030A								
BXC1154-MSD1	1,2-Dichloroethane-d4	95.2	64.2	126	47.6	50.0	BXC1154	1.00
BXC1154-MSD2	1,2-Dichloroethane-d4	79.0	64.2	126	1980	2500	BXC1154	1.00
BXC1154-MSD1	4-Bromofluorobenzene	102	71.4	125	50.8	50.0	BXC1154	1.00
BXC1154-MSD2	4-Bromofluorobenzene	97.7	71.4	125	2440	2500	BXC1154	1.00
BXC1154-MSD2	Toluene-d8	100	63.2	129	2500	2500	BXC1154	1.00
BXC1154-MSD1	Toluene-d8	100	63.2	129	50.0	50.0	BXC1154	1.00

Surrogate Recoveries (Field Samples)

<u>LabNumber</u>	<u>Analyte</u>	<u>Result</u>	<u>SpkLvl</u>	<u>%Rec</u>	<u>LCL</u>	<u>UCL</u>	<u>Qualifier</u>
8260 Low Level Volatiles							
23C1819-01	4-Bromofluorobenzene	9.64	10.0	96.4	71.4	125	
23C1819-01	Toluene-d8	10.0	10.0	100	63.2	129	
23C1819-01	1,2-Dichloroethane-d4	9.00	10.0	90.0	64.2	126	
8260 Low Level Volatiles							
23C1819-02	1,2-Dichloroethane-d4	8.94	10.0	89.4	64.2	126	
23C1819-02	4-Bromofluorobenzene	9.60	10.0	96.0	71.4	125	
23C1819-02	Toluene-d8	10.0	10.0	100	63.2	129	
8260 Low Level Volatiles							
23C1819-03	4-Bromofluorobenzene	9.85	10.0	98.5	71.4	125	
23C1819-03	Toluene-d8	10.0	10.0	100	63.2	129	
23C1819-03	1,2-Dichloroethane-d4	8.89	10.0	88.9	64.2	126	
8260 Low Level Volatiles							
23C1819-04	4-Bromofluorobenzene	9.70	10.0	97.0	71.4	125	
23C1819-04	Toluene-d8	9.41	10.0	94.1	63.2	129	
23C1819-04	1,2-Dichloroethane-d4	8.67	10.0	86.7	64.2	126	
8260 Low Level Volatiles							
23C1819-05	1,2-Dichloroethane-d4	9.13	10.0	91.3	64.2	126	
23C1819-05	4-Bromofluorobenzene	9.50	10.0	95.0	71.4	125	
23C1819-05	Toluene-d8	9.78	10.0	97.8	63.2	129	
8260 Low Level Volatiles							
23C1819-06	Toluene-d8	10.0	10.0	100	63.2	129	
23C1819-06	1,2-Dichloroethane-d4	9.17	10.0	91.7	64.2	126	
23C1819-06	4-Bromofluorobenzene	9.99	10.0	99.9	71.4	125	
8260 Low Level Volatiles							
23C1819-07	1,2-Dichloroethane-d4	9.17	10.0	91.7	64.2	126	
23C1819-07	4-Bromofluorobenzene	9.92	10.0	99.2	71.4	125	
23C1819-07	Toluene-d8	10.0	10.0	100	63.2	129	
8260 Low Level Volatiles							
23C1819-08	Toluene-d8	10.0	10.0	100	63.2	129	
23C1819-08	4-Bromofluorobenzene	9.51	10.0	95.1	71.4	125	

23C1819-08	1,2-Dichloroethane-d4	9.10	10.0	91.0	64.2	126
8260 Low Level Volatiles						
23C1819-09	1,2-Dichloroethane-d4	8.92	10.0	89.2	64.2	126
23C1819-09	4-Bromofluorobenzene	9.98	10.0	99.8	71.4	125
23C1819-09	Toluene-d8	9.83	10.0	98.3	63.2	129
8260 Low Level Volatiles						
23C1819-10	1,2-Dichloroethane-d4	9.56	10.0	95.6	64.2	126
23C1819-10	4-Bromofluorobenzene	9.88	10.0	98.8	71.4	125
23C1819-10	Toluene-d8	10.0	10.0	100	63.2	129
8260 Low Level Volatiles						
23C1819-11	Toluene-d8	10.0	10.0	100	63.2	129
23C1819-11	4-Bromofluorobenzene	9.93	10.0	99.3	71.4	125
23C1819-11	1,2-Dichloroethane-d4	9.31	10.0	93.1	64.2	126
8260 Low Level Volatiles						
23C1819-12	Toluene-d8	10.0	10.0	100	63.2	129
23C1819-12	1,2-Dichloroethane-d4	8.79	10.0	87.9	64.2	126
23C1819-12	4-Bromofluorobenzene	9.78	10.0	97.8	71.4	125
8260 Low Level Volatiles						
23C1819-13	Toluene-d8	9.81	10.0	98.1	63.2	129
23C1819-13	1,2-Dichloroethane-d4	8.65	10.0	86.5	64.2	126
23C1819-13	4-Bromofluorobenzene	9.95	10.0	99.5	71.4	125



4/18/2023

Work Order: 23D0114
Project: 1st Quarter Chloroform 2023

Energy Fuels Resources, Inc.
Attn: Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

Client Service Contact: 801.262.7299

The analyses presented on this report were performed in accordance with the National Environmental Laboratory Accreditation Program (NELAP) unless noted in the comments, flags, or case narrative. If the report is to be used for regulatory compliance, it should be presented in its entirety, and not be altered.



Approved By:

Melissa Connolly, Project Manager



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O: (801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Energy Fuels Resources, Inc.

Project: 1st Quarter Chloroform 2023

Project Manager: Tanner Holliday

<u>Laboratory ID</u>	<u>Sample Name</u>
23D0114-01	TW4-06_03292023
23D0114-02	TW4-07_03292023

Work Order Report Narrative

Sample Preparation

All samples were prepared within method specified holding times. No preparation issues were noted.

Method Blanks

All blank values were within method acceptance criteria. No blank values exceeded the minimum reporting limit for any analysis in this work order.

Laboratory Control Samples

All laboratory control samples were within method acceptance criteria.

Method Spikes

All method spike recoveries were within method acceptance criteria, except as noted by qualifying flags.

Method Spike Duplicates

All method spike duplicates were within method acceptance criteria, except as noted by qualifying flags.

Corrective Actions

There are no corrective actions associated with this work order.



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O:(801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 4/4/23 10:45 @ 1.4 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Report Footnotes

Abbreviations

ND = Not detected at the corresponding Minimum Reporting Limit (MRL).

1 mg/L = one milligram per liter or 1 mg/kg = one milligram per kilogram = 1 part per million.

1 ug/L = one microgram per liter or 1 ug/kg = one microgram per kilogram = 1 part per billion.

1 ng/L = one nanogram per liter or 1 ng/kg = one nanogram per kilogram = 1 part per trillion.

All analysis will be conducted using NELAP recognized methods and all data will be reported using AWAL's standard analysis lists and reporting limits (PCL) unless specifically requested otherwise on this Chain of Custody and/or attached documentation

AWAL Lab Sample Set # _____
Page _____ of _____

QC Level:		Turn Around Time:		Due Date:	
3		Standard			
1	Sample Matrix	1	Time Sampled	857	Unless other arrangements have been made, signed reports will be emailed by 5:00 pm on the day they are due.
2	W	1	Time Sampled	1100	
3	W	1	Time Sampled		X Include EDD: LOCUS UPL-LOAD EXCEL Field Filtered For:
4	W	1	Time Sampled		
5	W	1	Time Sampled		For Compliance With: <input type="checkbox"/> NELAP <input type="checkbox"/> RCRA <input type="checkbox"/> CWA <input type="checkbox"/> SDWA <input type="checkbox"/> ELAP / A2LA <input type="checkbox"/> NLLAP <input type="checkbox"/> Non-Compliance <input type="checkbox"/> Other:
6	W	1	Time Sampled		
7	W	1	Time Sampled		Known Hazards & Sample Comments N 12:00 AP 12:52
8	W	1	Time Sampled		
9	W	1	Time Sampled		VOCs (8260) CI (4500 or 300.0)
10	W	1	Time Sampled		
11	W	1	Time Sampled		MO2/MO3 (353.2)
12	W	1	Time Sampled		
13	W	1	Time Sampled		Laboratory Use Only Samples Were: <u>CCPS</u> 1 Shipped or hand delivered 2 Ambient or Collected <u>1.4</u> °C 3 Received Broken/Leaking (Improperly Sealed) Y N 4 Properly Preserved Y N 5 Checked at bench Y N 6 Received Within Holding Times Y N
14	W	1	Time Sampled		
15	W	1	Time Sampled		COC Tests Was: 1 Present on Outer Package Y N NA 2 Unbroken on Outer Package Y N NA 3 Present on Sample Y N NA 4 Unbroken on Sample Y N NA Discrepancies Between Sample Labels and COC Received? Y N
16	W	1	Time Sampled		
17	W	1	Time Sampled		Special Instructions: See the Analytical Scope of Work for Reporting Limits and VOC analyte list.
18	W	1	Time Sampled		
19	W	1	Time Sampled		Received by: <u>Janner Holliday</u> Signature Date: <u>4/14/23</u> Time: <u>1045</u>
20	W	1	Time Sampled		
21	W	1	Time Sampled		Received by: <u>[Signature]</u> Signature Date: <u>4/14/23</u> Time: <u>1045</u>
22	W	1	Time Sampled		
23	W	1	Time Sampled		Received by: <u>[Signature]</u> Signature Date: <u>4/14/23</u> Time: <u>1045</u>
24	W	1	Time Sampled		
25	W	1	Time Sampled		Received by: <u>[Signature]</u> Signature Date: <u>4/14/23</u> Time: <u>1045</u>
26	W	1	Time Sampled		
27	W	1	Time Sampled		Received by: <u>[Signature]</u> Signature Date: <u>4/14/23</u> Time: <u>1045</u>
28	W	1	Time Sampled		
29	W	1	Time Sampled		Received by: <u>[Signature]</u> Signature Date: <u>4/14/23</u> Time: <u>1045</u>
30	W	1	Time Sampled		

QC Report for Work Order (WO) - 23D0114

Analyte	% Rec	RPD	Limits	RPD Max	Result	Source Conc	Spk Value	MRL	DF
Blank - EPA 300.0									
QC Sample ID: BXD0167-BLK1	Batch: BXD0167								
Date Prepared: 04/06/2023	Date Analyzed: 04/06/2023								
Chloride					ND			1.00	1.00
LCS - EPA 300.0									
QC Sample ID: BXD0167-BS1	Batch: BXD0167								
Date Prepared: 04/06/2023	Date Analyzed: 04/06/2023								
Chloride	97.7		90 - 110		48.9		50.0	1.00	1.00
Matrix Spike - EPA 300.0									
QC Sample ID: BXD0167-MS1	Batch: BXD0167		QC Source Sample: 23D0114-02						
Date Prepared: 04/06/2023	Date Analyzed: 04/06/2023								
Chloride	82.9		80 - 120		54.1	44.9	11.1	1.11	1.00
QC Sample ID: BXD0167-MS2	Batch: BXD0167		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 04/06/2023	Date Analyzed: 04/06/2023								
Chloride	97.1		80 - 120		123	25.6	100	11.0	1.00
Matrix Spike Dup - EPA 300.0									
QC Sample ID: BXD0167-MSD1	Batch: BXD0167		QC Source Sample: 23D0114-02						
Date Prepared: 04/06/2023	Date Analyzed: 04/06/2023								
Chloride	83.3	0.0746	80 - 120	20	54.1	44.9	11.1	1.11	1.00
QC Sample ID: BXD0167-MSD2	Batch: BXD0167		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 04/06/2023	Date Analyzed: 04/06/2023								
Chloride	85.1	10.3	80 - 120	20	111	25.6	100	11.0	1.00

QC Report for Work Order (WO) - 23D0114

Analyte	% Rec	RPD	Limits	RPD Max	Result	Source Conc	Spk Value	MRL	DF
Blank - EPA 353.2									
QC Sample ID: BXD0275-BLK1	Batch: BXD0275								
Date Prepared: 04/10/2023	Date Analyzed: 04/10/2023		Units: mg/L						
Nitrate + Nitrite, Total, as N					ND			0.100	1.00
LCS - EPA 353.2									
QC Sample ID: BXD0275-BS1	Batch: BXD0275								
Date Prepared: 04/10/2023	Date Analyzed: 04/10/2023		Units: mg/L						
Nitrate + Nitrite, Total, as N	85.8		80 - 120		1.72		2.00	0.100	1.00
Matrix Spike - EPA 353.2									
QC Sample ID: BXD0275-MS1	Batch: BXD0275		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 04/10/2023	Date Analyzed: 04/10/2023		Units: mg/L						
Nitrate + Nitrite, Total, as N	91.7		80 - 120		2.66	1.74	1.00	0.100	1.00
QC Sample ID: BXD0275-MS2	Batch: BXD0275		QC Source Sample: 23D0114-01						
Date Prepared: 04/10/2023	Date Analyzed: 04/10/2023		Units: mg/L						
Nitrate + Nitrite, Total, as N	101		80 - 120		1.01	ND	1.00	0.100	1.00
Matrix Spike Dup - EPA 353.2									
QC Sample ID: BXD0275-MSD1	Batch: BXD0275		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 04/10/2023	Date Analyzed: 04/10/2023		Units: mg/L						
Nitrate + Nitrite, Total, as N	86.9	1.82	80 - 120	20	2.61	1.74	1.00	0.100	1.00
QC Sample ID: BXD0275-MSD2	Batch: BXD0275		QC Source Sample: 23D0114-01						
Date Prepared: 04/10/2023	Date Analyzed: 04/10/2023		Units: mg/L						
Nitrate + Nitrite, Total, as N	99.3	1.90	80 - 120	20	0.993	ND	1.00	0.100	1.00



4/18/2023

Work Order: 23C2300
Project: 1st Quarter Chloroform 2023

Energy Fuels Resources, Inc.
Attn: Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

Client Service Contact: 801.262.7299

The analyses presented on this report were performed in accordance with the National Environmental Laboratory Accreditation Program (NELAP) unless noted in the comments, flags, or case narrative. If the report is to be used for regulatory compliance, it should be presented in its entirety, and not be altered.



Approved By:

Melissa Connolly, Project Manager

Energy Fuels Resources, Inc.

Project: 1st Quarter Chloroform 2023

Project Manager: Tanner Holliday

<u>Laboratory ID</u>	<u>Sample Name</u>
23C2300-01	TW4-38R_03282023
23C2300-02	TW4-35_03292023
23C2300-03	TW4-34_03292023
23C2300-04	TW4-23_03292023
23C2300-05	TW4-38_03292023
23C2300-06	TW4-06_03292023
23C2300-07	TW4-27_03292023
23C2300-08	TW4-08_03292023
23C2300-09	TW4-09_03292023
23C2300-10	TW4-05_03292023
23C2300-11	TW4-33_03292023
23C2300-12	TW4-30_03292023
23C2300-13	TW4-18_03292023
23C2300-14	TW4-16_03292023
23C2300-15	TW4-10_03292023
23C2300-16	TW4-29_03292023
23C2300-17	TW4-07_03292023
23C2300-18	TW4-26_03292023
23C2300-19	TW4-70_03292023
23C2300-20	TW4-75_03292023
23C2300-21	MW-32_03302023
23C2300-22	Trip Blank

Work Order Report Narrative

Sample Preparation

All samples were prepared within method specified holding times. No preparation issues were noted.

Method Blanks

All blank values were within method acceptance criteria. No blank values exceeded the minimum reporting limit for any analysis in this work order.

Laboratory Control Samples

All laboratory control samples were within method acceptance criteria.

Method Spikes

All method spike recoveries were within method acceptance criteria, except as noted by qualifying flags.

Method Spike Duplicates

All method spike duplicates were within method acceptance criteria, except as noted by qualifying flags.

Corrective Actions

There are no corrective actions associated with this work order.



Chemtech-Ford Laboratories

Serving the Intermountain West Since 1953

9632 South 500 West
Sandy, UT 84070
O: (801) 262-7299 F: (866) 792-0093
www.ChemtechFord.com



Certificate of Analysis

Energy Fuels Resources, Inc.
Tanner Holliday
6425 South Highway 191
Blanding, UT 84511

PO#:
Receipt: 3/31/23 10:30 @ 1.3 °C
Date Reported: 4/18/2023
Project Name: 1st Quarter Chloroform 2023

Report Footnotes

Abbreviations

ND = Not detected at the corresponding Minimum Reporting Limit (MRL).

1 mg/L = one milligram per liter or 1 mg/kg = one milligram per kilogram = 1 part per million.

1 ug/L = one microgram per liter or 1 ug/kg = one microgram per kilogram = 1 part per billion.

1 ng/L = one nanogram per liter or 1 ng/kg = one nanogram per kilogram = 1 part per trillion.



American West Analytical Laboratories
 463 W. 3600 S. Salt Lake City, UT 84115
 Phone # (801) 263-8686 Toll Free # (888) 263-8686

Fax # (801) 263-8687 Email awal@awal-labs.com
www.awal-labs.com

Client: **Energy Fuels Resources, Inc.**

Address: **6425 S. Hwy. 191**

Blanding, UT 84511

Contact: **Georgia-Palmer Tanner Holliday**

Phone #: **(435) 678-2221** Cell #: _____

Email: tholliday@energyfuels.com; KWadella@energyfuels.com

Project Name: **1st Quarter Chloroform 2023**

Project #: _____

PO #: _____

Sampler Name: **Tanner Holliday**

Sample ID	Date Sampled	Time Sampled	# of Containers	Sample Matrix	NO2/NO3 (353.2)	CI (4500 or 300.0)	VOCs (8260C)
23C2300	3/28/2023	900	5	W	X	X	X
TW4-38R_03282023	3/28/2023	900	5	W	X	X	X
TW4-35_03292023	3/29/2023	917	5	W	X	X	X
TW4-34_03292023	3/29/2023	926	5	W	X	X	X
TW4-23_03292023	3/29/2023	935	5	W	X	X	X
TW4-38_03292023	3/29/2023	947	5	W	X	X	X
TW4-06_03292023	3/29/2023	957	5	W	X	X	X
TW4-27_03292023	3/29/2023	907	5	W	X	X	X
TW4-08_03292023	3/29/2023	918	5	W	X	X	X
TW4-09_03292023	3/29/2023	928	5	W	X	X	X
TW4-05_03292023	3/29/2023	937	5	W	X	X	X
TW4-33_03292023	3/29/2023	948	5	W	X	X	X
TW4-30_03292023	3/29/2023	1000	5	W	X	X	X
TW4-18_03292023	3/29/2023	1015	5	W	X	X	X

CHAIN OF CUSTODY

All analysis will be conducted using NELAP accredited methods and all data will be reported using AWAL's standard analyte lists and reporting limits (POL), unless specifically requested otherwise on this Chain of Custody and/or attached documentation.

AWAL Lab Sample Set # _____
 Page 1 of 2

QC Level: 3	Turn Around Time: Standard	Due Date:
Unless other arrangements have been made, signed reports will be emailed by 5:00 pm on the day they are due. X Include EDD: LOCUS UP/LOAD EXCEL Field Filled For: For Compliance With: <input type="checkbox"/> NELAP <input type="checkbox"/> RCRA <input type="checkbox"/> CWA <input type="checkbox"/> SDWA <input type="checkbox"/> ELAP / A2LA <input type="checkbox"/> NLLAP <input type="checkbox"/> Non-Compliance <input type="checkbox"/> Other: Known Hazards & Sample Comments Do NOT use for QC	Laboratory Use Only Samples Were: 1 Shipped or hand delivered 2 Ambient or Chilled 3 Temperature <u>1.5</u> °C 4 Received Broken/Leaking (appropriately sealed) N 5 Properly Preserved N 6 Checked at bench N 7 Received Within Holding Times N 8	COD Tape Use: 1 Present on Outer Package NA 2 Unbroken on Outer Package NA 3 Present on Sample NA 4 Unbroken on Sample NA
Sample Receipt Conditions: <input type="checkbox"/> Custody Seals Present <input checked="" type="checkbox"/> Containers Intact <input checked="" type="checkbox"/> COC and Labels Match <input checked="" type="checkbox"/> Received on Ice AP 1282 N 1265 WLC31235 () Headspace Present (VOC) () Temperature Blank <input checked="" type="checkbox"/> Received within Hold Checked by: <u>W</u>	Special Instructions: See the Analytical Scope of Work for Reporting Limits and VOC analyte list. Bottles for NO2/NO3 on TW4-06 and for Chloride on TW4-07 were received as Chemtech Workorder 23D0114.	



American West Analytical Laboratories
 463 W 3600 S Salt Lake City, UT 84115
 Phone # (801) 263-8686 Toll Free # (888) 263-8686
 Fax # (801) 263-8687 Email: awal@awal-labs.com

www.awal-labs.com

Energy Fuels Resources, Inc.

Client: **6425 S. Hwy. 191**

Address: **Blanding, UT 84511**

Contact: **Tanner Holiday**

Phone #: **(435) 678-2221** Cell #: _____

Email: tholiday@energyfuels.com; kwelsh@energyfuels.com

Project Name: **1st Quarter Chloroform 2023**

Project # _____

PO # _____

Sampler Name: **Tanner Holiday**

Sample ID	Date Sampled	Time Sampled	# of Containers	Sample Matrix	NO2/NO3 (353.2)	CO (4500 or 300.0)	VOCs (8260)
232300							
TW4-16_03292023	3/29/2023	1026	5 W		X	X	X
TW4-10_03292023	3/29/2023	1040	5 W		X	X	X
TW4-29_03292023	3/29/2023	1050	5 W		X	X	X
TW4-07_03292023	3/29/2023	1100	5 W		X	X	X
TW4-26_03292023	3/29/2023	1108	5 W		X	X	X
TW4-70_03292023	3/29/2023	928	5 W		X	X	X
TW4-75_03292023	3/29/2023	1026	5 W		X	X	X
MW-32_03302023	3/30/2023	1200	5 W		X	X	X
Trip Blank	3/28/2023	900	5 W				X

Requisitioned by: *Deon Lyman*
 Signature: _____ Date: 3/31/2023
 Print Name: Deon Lyman
 Requisitioned by: _____
 Signature: _____ Date: _____
 Print Name: _____
 Requisitioned by: _____
 Signature: _____ Date: _____
 Print Name: _____
 Requisitioned by: _____
 Signature: _____ Date: _____
 Print Name: _____

CHAIN OF CUSTODY

All analysis will be conducted using NELAP accredited methods and all data will be reported using AWAL's standard analyte lists and reporting limits (POL) unless specifically requested otherwise on this Chain of Custody and/or attached documentation

QC Level: **3** Turn Around Time: **Standard**

Unless other arrangements have been made, signed reports will be emailed by 5:00 pm on the day they are due

Include EDD: **LOCUS UPLOAD EXCEL** Field Filtered For: _____

For Compliance With:
 NELAP
 RCRA
 CWA
 SDWA
 ELAP / A2LA
 NLLAP
 Non-Compliance
 Other: _____

Known Hazards & Sample Comments: **Do NOT use for QC**

Due Date: _____

Laboratory Use Only

Samples Were:
 1 Shipped or hand delivered
 2 Ambient or Chilled
 3 Temperature **1.9** °C
 4 Received Broken/Leaking (Improperly Sealed) Y
 5 Properly Preserved Y
 6 Checked at bench N
 7 Received Within Holding Times N

COC Tape Was:
 1 Present on Outer Package N NA
 2 Unbroken on Outer Package N NA
 3 Present on Sample N NA
 4 Unbroken on Sample N NA

Discrepancies Between Sample Labels and COC Record?
 Y N

Special Instructions:
 See the Analytical Scope of Work for Reporting Limits and VOC analyte list.
 Bottles for NO2/NO3 on TW4-06 and for Chloride on TW4-07 were received as Chemtech Workorder 23D0114.

QC Report for Work Order (WO) - 23C2300

Analyte	% Rec	RPD	Limits	RPD Max	Result	Source Conc	Spk Value	MRL	DF
Blank - EPA 300.0									
QC Sample ID: BXD0050-BLK1	Batch: BXD0050								
Date Prepared: 04/04/2023	Date Analyzed: 04/04/2023								
Chloride					ND			1.00	1.00
Units:	mg/L								
QC Sample ID: BXD0070-BLK1	Batch: BXD0070								
Date Prepared: 04/04/2023	Date Analyzed: 04/04/2023								
Chloride					ND			1.00	1.00
Units:	mg/L								
LCS - EPA 300.0									
QC Sample ID: BXD0050-BS1	Batch: BXD0050								
Date Prepared: 04/04/2023	Date Analyzed: 04/04/2023								
Chloride	98.2		90 - 110		49.1		50.0	1.00	1.00
Units:	mg/L								
QC Sample ID: BXD0070-BS1	Batch: BXD0070								
Date Prepared: 04/04/2023	Date Analyzed: 04/04/2023								
Chloride	98.2		90 - 110		49.1		50.0	1.00	1.00
Units:	mg/L								
Matrix Spike - EPA 300.0									
QC Sample ID: BXD0050-MS1	Batch: BXD0050		QC Source Sample: 23C2300-02						
Date Prepared: 04/04/2023	Date Analyzed: 04/04/2023								
Chloride	101		80 - 120		45.0	33.8	11.1	1.11	1.00
Units:	mg/L								
QC Sample ID: BXD0050-MS2	Batch: BXD0050		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 04/04/2023	Date Analyzed: 04/04/2023								
Chloride	90.8		80 - 120		59.7	49.6	11.1	1.11	1.00
Units:	mg/L								
QC Sample ID: BXD0070-MS1	Batch: BXD0070		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 04/04/2023	Date Analyzed: 04/04/2023								
Chloride	112		80 - 120		117	5.77	100	11.0	1.00
Units:	mg/L								
QC Sample ID: BXD0070-MS2	Batch: BXD0070		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 04/04/2023	Date Analyzed: 04/04/2023								
Chloride	70.7		80 - 120		625	555	100	11.0	1.00
Units:	mg/L								
QM-4X - The spike recovery was outside of QC acceptance limits for the MS and/or MSD due to analyte concentration at 4 times or greater the spike concentration. The QC batch was accepted based on LCS and/or LCSD recoveries within the acceptance limits.									
Matrix Spike Dup - EPA 300.0									
QC Sample ID: BXD0050-MSD1	Batch: BXD0050		QC Source Sample: 23C2300-02						
Date Prepared: 04/04/2023	Date Analyzed: 04/04/2023								
Chloride	103	0.380	80 - 120	20	45.2	33.8	11.1	1.11	1.00
Units:	mg/L								
QC Sample ID: BXD0050-MSD2	Batch: BXD0050		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 04/04/2023	Date Analyzed: 04/04/2023								
Chloride	91.0	0.0369	80 - 120	20	59.7	49.6	11.1	1.11	1.00
Units:	mg/L								
QC Sample ID: BXD0070-MSD1	Batch: BXD0070		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 04/04/2023	Date Analyzed: 04/04/2023								
Chloride	110	1.55	80 - 120	20	116	5.77	100	11.0	1.00
Units:	mg/L								
QC Sample ID: BXD0070-MSD2	Batch: BXD0070		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 04/04/2023	Date Analyzed: 04/04/2023								
Chloride	79.7	1.43	80 - 120	20	634	555	100	11.0	1.00
Units:	mg/L								
QM-4X - The spike recovery was outside of QC acceptance limits for the MS and/or MSD due to analyte concentration at 4 times or greater the spike concentration. The QC batch was accepted based on LCS and/or LCSD recoveries within the acceptance limits.									

QC Report for Work Order (WO) - 23C2300

Analyte	% Rec	RPD	Limits	RPD Max	Result	Source Conc	Spk Value	MRL	DF
Blank - EPA 353.2									
QC Sample ID: BXD0274-BLK1	Batch: BXD0274								
Date Prepared: 04/10/2023	Date Analyzed: 04/10/2023								
Nitrate + Nitrite, Total, as N					ND	mg/L		0.100	1.00
QC Sample ID: BXD0275-BLK1	Batch: BXD0275								
Date Prepared: 04/10/2023	Date Analyzed: 04/10/2023								
Nitrate + Nitrite, Total, as N					ND	mg/L		0.100	1.00
QC Sample ID: BXD0491-BLK1	Batch: BXD0491								
Date Prepared: 04/13/2023	Date Analyzed: 04/13/2023								
Nitrate + Nitrite, Total, as N					ND	mg/L		0.100	1.00
LCS - EPA 353.2									
QC Sample ID: BXD0274-BS1	Batch: BXD0274								
Date Prepared: 04/10/2023	Date Analyzed: 04/10/2023								
Nitrate + Nitrite, Total, as N	90.8	80 - 120			1.82	mg/L	2.00	0.100	1.00
QC Sample ID: BXD0275-BS1	Batch: BXD0275								
Date Prepared: 04/10/2023	Date Analyzed: 04/10/2023								
Nitrate + Nitrite, Total, as N	85.8	80 - 120			1.72	mg/L	2.00	0.100	1.00
QC Sample ID: BXD0491-BS1	Batch: BXD0491								
Date Prepared: 04/13/2023	Date Analyzed: 04/13/2023								
Nitrate + Nitrite, Total, as N	89.6	80 - 120			1.79	mg/L	2.00	0.100	1.00
Matrix Spike - EPA 353.2									
QC Sample ID: BXD0274-MS1	Batch: BXD0274	QC Source Sample: XXXXXXXX-XX							
Date Prepared: 04/10/2023	Date Analyzed: 04/10/2023								
Nitrate + Nitrite, Total, as N	86.1	80 - 120			0.952	0.0910	1.00	0.100	1.00
QC Sample ID: BXD0274-MS2	Batch: BXD0274	QC Source Sample: XXXXXXXX-XX							
Date Prepared: 04/10/2023	Date Analyzed: 04/10/2023								
Nitrate + Nitrite, Total, as N	77.9	80 - 120			0.876	0.0970	1.00	0.100	1.00
QM-010 - The MS recovery was outside acceptance limits but passed Duplicate Spike acceptance limits. The batch was accepted based on the acceptability of the MSD as the batch Spike.									
QC Sample ID: BXD0274-MS3	Batch: BXD0274	QC Source Sample: XXXXXXXX-XX							
Date Prepared: 04/10/2023	Date Analyzed: 04/10/2023								
Nitrate + Nitrite, Total, as N	83.8	80 - 120			2.23	1.39	1.00	0.100	1.00
QC Sample ID: BXD0275-MS1	Batch: BXD0275	QC Source Sample: 23C2300-02							
Date Prepared: 04/10/2023	Date Analyzed: 04/10/2023								
Nitrate + Nitrite, Total, as N	91.7	80 - 120			2.66	1.74	1.00	0.100	1.00
QC Sample ID: BXD0275-MS2	Batch: BXD0275	QC Source Sample: XXXXXXXX-XX							
Date Prepared: 04/10/2023	Date Analyzed: 04/10/2023								
Nitrate + Nitrite, Total, as N	101	80 - 120			1.01	ND	1.00	0.100	1.00
QC Sample ID: BXD0491-MS1	Batch: BXD0491	QC Source Sample: XXXXXXXX-XX							
Date Prepared: 04/13/2023	Date Analyzed: 04/13/2023								
Nitrate + Nitrite, Total, as N	91.1	80 - 120			0.911	ND	1.00	0.100	1.00
QC Sample ID: BXD0491-MS2	Batch: BXD0491	QC Source Sample: XXXXXXXX-XX							
Date Prepared: 04/13/2023	Date Analyzed: 04/13/2023								
Nitrate + Nitrite, Total, as N	90.7	80 - 120			2.52	1.62	1.00	0.100	1.00
Matrix Spike Dup - EPA 353.2									
QC Sample ID: BXD0274-MSD1	Batch: BXD0274	QC Source Sample: XXXXXXXX-XX							
Date Prepared: 04/10/2023	Date Analyzed: 04/10/2023								
						mg/L			

QC Report for Work Order (WO) - 23C2300

Analyte	% Rec	RPD	Limits	RPD Max	Result	Source Conc	Spk Value	MRL	DF
Matrix Spike Dup - EPA 353.2 (cont.)									
QC Sample ID: BXD0274-MSD1	Batch: BXD0274		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 04/10/2023	Date Analyzed: 04/10/2023		Units: mg/L						
Nitrate + Nitrite, Total, as N	90.0	4.01	80 - 120	20	0.991	0.0910	1.00	0.100	1.00
QC Sample ID: BXD0274-MSD2	Batch: BXD0274		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 04/10/2023	Date Analyzed: 04/10/2023		Units: mg/L						
Nitrate + Nitrite, Total, as N	81.4	3.92	80 - 120	20	0.911	0.0970	1.00	0.100	1.00
QC Sample ID: BXD0274-MSD3	Batch: BXD0274		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 04/10/2023	Date Analyzed: 04/10/2023		Units: mg/L						
Nitrate + Nitrite, Total, as N	78.2	2.54	80 - 120	20	2.18	1.39	1.00	0.100	1.00
QM-12 - The MSD recovery was outside acceptance limits, but passed duplicate spike acceptance criteria. The batch was accepted based on the acceptability of the MS.									
QC Sample ID: BXD0275-MSD1	Batch: BXD0275		QC Source Sample: 23C2300-02						
Date Prepared: 04/10/2023	Date Analyzed: 04/10/2023		Units: mg/L						
Nitrate + Nitrite, Total, as N	86.9	1.82	80 - 120	20	2.61	1.74	1.00	0.100	1.00
QC Sample ID: BXD0275-MSD2	Batch: BXD0275		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 04/10/2023	Date Analyzed: 04/10/2023		Units: mg/L						
Nitrate + Nitrite, Total, as N	99.3	1.90	80 - 120	20	0.993	ND	1.00	0.100	1.00
QC Sample ID: BXD0491-MSD1	Batch: BXD0491		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 04/13/2023	Date Analyzed: 04/13/2023		Units: mg/L						
Nitrate + Nitrite, Total, as N	92.5	1.53	80 - 120	20	0.925	ND	1.00	0.100	1.00
QC Sample ID: BXD0491-MSD2	Batch: BXD0491		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 04/13/2023	Date Analyzed: 04/13/2023		Units: mg/L						
Nitrate + Nitrite, Total, as N	86.6	1.64	80 - 120	20	2.48	1.62	1.00	0.100	1.00

QC Report for Work Order (WO) - 23C2300

Analyte	% Rec	RPD	Limits	RPD Max	Result	Source Conc	Spk Value	MRL	DF	
Blank - EPA 8260D /5030A										
QC Sample ID: BXD0047-BLK1	Batch: BXD0047									
Date Prepared: 04/03/2023	Date Analyzed: 04/03/2023			Units: ug/L						
Carbon Tetrachloride					ND			1.0	1.00	
Chloroform					ND			1.0	1.00	
Chloromethane					ND			1.0	1.00	
Methylene Chloride					ND			1.0	1.00	
QC Sample ID: BXD0083-BLK1	Batch: BXD0083									
Date Prepared: 04/04/2023	Date Analyzed: 04/04/2023			Units: ug/L						
Carbon Tetrachloride					ND			1.0	1.00	
Chloroform					ND			1.0	1.00	
Chloromethane					ND			1.0	1.00	
Methylene Chloride					ND			1.0	1.00	
QC Sample ID: BXD0083-BLK2	Batch: BXD0083									
Date Prepared: 04/04/2023	Date Analyzed: 04/04/2023			Units: ug/L						
Carbon Tetrachloride					ND			1.0	1.00	
Chloroform					ND			1.0	1.00	
Chloromethane					ND			1.0	1.00	
Methylene Chloride					ND			1.0	1.00	
LCS - EPA 8260D /5030A										
QC Sample ID: BXD0047-BS1	Batch: BXD0047									
Date Prepared: 04/03/2023	Date Analyzed: 04/03/2023			Units: ug/L						
Carbon Tetrachloride	107		70 - 130		10.7			10.0	1.0	1.00
Chloroform	104		70 - 130		10.4			10.0	1.0	1.00
Chloromethane	78.3		70 - 130		7.83			10.0	1.0	1.00
Methylene Chloride	98.1		70 - 130		9.81			10.0	1.0	1.00
QC Sample ID: BXD0083-BS1	Batch: BXD0083									
Date Prepared: 04/04/2023	Date Analyzed: 04/04/2023			Units: ug/L						
Carbon Tetrachloride	91.1		70 - 130		9.11			10.0	1.0	1.00
Chloroform	82.8		70 - 130		8.28			10.0	1.0	1.00
Chloromethane	90.2		70 - 130		9.02			10.0	1.0	1.00
Methylene Chloride	80.4		70 - 130		8.04			10.0	1.0	1.00
Matrix Spike - EPA 8260D /5030A										
QC Sample ID: BXD0047-MS1	Batch: BXD0047			QC Source Sample: 23C2300-02						
Date Prepared: 04/03/2023	Date Analyzed: 04/03/2023			Units: ug/L						
Carbon Tetrachloride	108		70 - 130		53.8	ND		50.0	5.0	1.00
Chloroform	102		70 - 130		51.0	ND		50.0	5.0	1.00
Chloromethane	74.5		70 - 130		37.2	ND		50.0	5.0	1.00
Methylene Chloride	91.7		70 - 130		45.8	ND		50.0	5.0	1.00
QC Sample ID: BXD0083-MS1	Batch: BXD0083			QC Source Sample: XXXXXXXX-XX						
Date Prepared: 04/04/2023	Date Analyzed: 04/04/2023			Units: ug/L						
Carbon Tetrachloride	101		70 - 130		50.6	ND		50.0	5.0	1.00
Chloroform	88.6		70 - 130		44.3	ND		50.0	5.0	1.00
Chloromethane	106		70 - 130		53.0	ND		50.0	5.0	1.00
Methylene Chloride	83.8		70 - 130		41.9	ND		50.0	5.0	1.00
QC Sample ID: BXD0083-MS2	Batch: BXD0083			QC Source Sample: XXXXXXXX-XX						
Date Prepared: 04/04/2023	Date Analyzed: 04/04/2023			Units: ug/L						
Carbon Tetrachloride	88.5		70 - 130		44.2	ND		50.0	5.0	1.00
Chloroform	81.3		70 - 130		40.6	ND		50.0	5.0	1.00
Chloromethane	97.0		70 - 130		48.5	ND		50.0	5.0	1.00

QC Report for Work Order (WO) - 23C2300

Analyte	% Rec	RPD	Limits	RPD Max	Result	Source Conc	Spk Value	MRL	DF
Matrix Spike - EPA 8260D /5030A (cont.)									
QC Sample ID: BXD0083-MS2	Batch: BXD0083		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 04/04/2023	Date Analyzed: 04/04/2023		Units: ug/L						
Methylene Chloride	78.9		70 - 130		39.4	ND	50.0	5.0	1.00

Matrix Spike Dup - EPA 8260D /5030A

QC Sample ID: BXD0047-MSD1	Batch: BXD0047		QC Source Sample: 23C2300-02						
Date Prepared: 04/03/2023	Date Analyzed: 04/03/2023		Units: ug/L						
Carbon Tetrachloride	109	1.02	70 - 130	20	54.4	ND	50.0	5.0	1.00
Chloroform	109	7.10	70 - 130	20	54.7	ND	50.0	5.0	1.00
Chloromethane	82.0	9.58	70 - 130	20	41.0	ND	50.0	5.0	1.00
Methylene Chloride	102	10.1	70 - 130	20	50.8	ND	50.0	5.0	1.00

QC Sample ID: BXD0083-MSD1	Batch: BXD0083		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 04/04/2023	Date Analyzed: 04/04/2023		Units: ug/L						
Carbon Tetrachloride	99.2	1.90	70 - 130	20	49.6	ND	50.0	5.0	1.00
Chloroform	85.8	3.21	70 - 130	20	42.9	ND	50.0	5.0	1.00
Chloromethane	109	2.79	70 - 130	20	54.6	ND	50.0	5.0	1.00
Methylene Chloride	81.4	2.91	70 - 130	20	40.7	ND	50.0	5.0	1.00

QC Sample ID: BXD0083-MSD2	Batch: BXD0083		QC Source Sample: XXXXXXXX-XX						
Date Prepared: 04/04/2023	Date Analyzed: 04/04/2023		Units: ug/L						
Carbon Tetrachloride	88.1	0.453	70 - 130	20	44.0	ND	50.0	5.0	1.00
Chloroform	83.7	2.91	70 - 130	20	41.8	ND	50.0	5.0	1.00
Chloromethane	96.1	0.932	70 - 130	20	48.0	ND	50.0	5.0	1.00
Methylene Chloride	82.4	4.34	70 - 130	20	41.2	ND	50.0	5.0	1.00

Surrogates Report for Work Order (WO) - 23C2300

QC ID	Analyte	% Rec	LCL	UCL	Result	Spk Value	Batch	DF
Blank - EPA 8260D /5030A								
BXD0047-BLK1	1,2-Dichloroethane-d4	101	64.2	126	10.1	10.0	BXD0047	1.00
BXD0047-BLK1	4-Bromofluorobenzene	98.9	71.4	125	9.89	10.0	BXD0047	1.00
BXD0047-BLK1	Toluene-d8	100	63.2	129	10.0	10.0	BXD0047	1.00
BXD0083-BLK2	1,2-Dichloroethane-d4	76.0	64.2	126	7.60	10.0	BXD0083	1.00
BXD0083-BLK1	1,2-Dichloroethane-d4	75.5	64.2	126	7.55	10.0	BXD0083	1.00
BXD0083-BLK1	4-Bromofluorobenzene	101	71.4	125	10.1	10.0	BXD0083	1.00
BXD0083-BLK2	4-Bromofluorobenzene	101	71.4	125	10.1	10.0	BXD0083	1.00
BXD0083-BLK1	Toluene-d8	98.9	63.2	129	9.89	10.0	BXD0083	1.00
BXD0083-BLK2	Toluene-d8	100	63.2	129	10.0	10.0	BXD0083	1.00
LCS - EPA 8260D /5030A								
BXD0047-BS1	1,2-Dichloroethane-d4	102	64.2	126	10.2	10.0	BXD0047	1.00
BXD0047-BS1	4-Bromofluorobenzene	102	71.4	125	10.2	10.0	BXD0047	1.00
BXD0047-BS1	Toluene-d8	100	63.2	129	10.0	10.0	BXD0047	1.00
BXD0083-BS1	1,2-Dichloroethane-d4	80.2	64.2	126	8.02	10.0	BXD0083	1.00
BXD0083-BS1	4-Bromofluorobenzene	104	71.4	125	10.4	10.0	BXD0083	1.00
BXD0083-BS1	Toluene-d8	100	63.2	129	10.0	10.0	BXD0083	1.00
Matrix Spike - EPA 8260D /5030A								
BXD0047-MS1	1,2-Dichloroethane-d4	98.9	64.2	126	49.4	50.0	BXD0047	1.00
BXD0047-MS1	4-Bromofluorobenzene	100	71.4	125	50.2	50.0	BXD0047	1.00
BXD0047-MS1	Toluene-d8	100	63.2	129	50.2	50.0	BXD0047	1.00
BXD0083-MS1	1,2-Dichloroethane-d4	78.7	64.2	126	39.4	50.0	BXD0083	1.00
BXD0083-MS2	1,2-Dichloroethane-d4	79.4	64.2	126	39.7	50.0	BXD0083	1.00
BXD0083-MS2	4-Bromofluorobenzene	101	71.4	125	50.7	50.0	BXD0083	1.00
BXD0083-MS1	4-Bromofluorobenzene	103	71.4	125	51.7	50.0	BXD0083	1.00
BXD0083-MS1	Toluene-d8	101	63.2	129	50.6	50.0	BXD0083	1.00
BXD0083-MS2	Toluene-d8	100	63.2	129	50.1	50.0	BXD0083	1.00
Matrix Spike Dup - EPA 8260D /5030A								
BXD0047-MSD1	1,2-Dichloroethane-d4	106	64.2	126	53.0	50.0	BXD0047	1.00
BXD0047-MSD1	4-Bromofluorobenzene	103	71.4	125	51.6	50.0	BXD0047	1.00
BXD0047-MSD1	Toluene-d8	100	63.2	129	50.0	50.0	BXD0047	1.00
BXD0083-MSD2	1,2-Dichloroethane-d4	78.9	64.2	126	39.4	50.0	BXD0083	1.00
BXD0083-MSD1	1,2-Dichloroethane-d4	78.0	64.2	126	39.0	50.0	BXD0083	1.00
BXD0083-MSD2	4-Bromofluorobenzene	103	71.4	125	51.3	50.0	BXD0083	1.00
BXD0083-MSD1	4-Bromofluorobenzene	101	71.4	125	50.4	50.0	BXD0083	1.00
BXD0083-MSD1	Toluene-d8	102	63.2	129	50.8	50.0	BXD0083	1.00
BXD0083-MSD2	Toluene-d8	100	63.2	129	50.0	50.0	BXD0083	1.00

Surrogate Recoveries (Field Samples)

<u>LabNumber</u>	<u>Analyte</u>	<u>Result</u>	<u>SpkLvl</u>	<u>%Rec</u>	<u>LCL</u>	<u>UCL</u>	<u>Qualifier</u>
8260 Low Level Volatiles							
23C2300-01	4-Bromofluorobenzene	9.57	10.0	95.7	71.4	125	
23C2300-01	Toluene-d8	9.95	10.0	99.5	63.2	129	
23C2300-01	1,2-Dichloroethane-d4	10.2	10.0	102	64.2	126	
8260 Low Level Volatiles							
23C2300-02	1,2-Dichloroethane-d4	10.8	10.0	108	64.2	126	
23C2300-02	4-Bromofluorobenzene	9.62	10.0	96.2	71.4	125	
23C2300-02	Toluene-d8	9.96	10.0	99.6	63.2	129	
8260 Low Level Volatiles							
23C2300-03	1,2-Dichloroethane-d4	10.4	10.0	104	64.2	126	
23C2300-03	4-Bromofluorobenzene	9.45	10.0	94.5	71.4	125	
23C2300-03	Toluene-d8	10.0	10.0	100	63.2	129	
8260 Low Level Volatiles							
23C2300-04	1,2-Dichloroethane-d4	10.6	10.0	106	64.2	126	
23C2300-04	4-Bromofluorobenzene	9.37	10.0	93.7	71.4	125	
23C2300-04	Toluene-d8	10.0	10.0	100	63.2	129	
8260 Low Level Volatiles							
23C2300-05	Toluene-d8	9.92	10.0	99.2	63.2	129	
23C2300-05	1,2-Dichloroethane-d4	10.3	10.0	103	64.2	126	
23C2300-05	4-Bromofluorobenzene	9.17	10.0	91.7	71.4	125	
8260 Low Level Volatiles							
23C2300-06	1,2-Dichloroethane-d4	10.3	10.0	103	64.2	126	
23C2300-06	Toluene-d8	10.0	10.0	100	63.2	129	
23C2300-06	4-Bromofluorobenzene	9.21	10.0	92.1	71.4	125	
8260 Low Level Volatiles							
23C2300-07	Toluene-d8	10.0	10.0	100	63.2	129	
23C2300-07	4-Bromofluorobenzene	9.46	10.0	94.6	71.4	125	
23C2300-07	1,2-Dichloroethane-d4	10.6	10.0	106	64.2	126	
8260 Low Level Volatiles							
23C2300-08	4-Bromofluorobenzene	9.31	10.0	93.1	71.4	125	
23C2300-08	1,2-Dichloroethane-d4	10.8	10.0	108	64.2	126	

23C2300-08	Toluene-d8	10.0	10.0	100	63.2	129
8260 Low Level Volatiles						
23C2300-09	1,2-Dichloroethane-d4	9.97	10.0	99.7	64.2	126
23C2300-09	Toluene-d8	9.77	10.0	97.7	63.2	129
23C2300-09	4-Bromofluorobenzene	9.02	10.0	90.2	71.4	125
8260 Low Level Volatiles						
23C2300-10	Toluene-d8	9.85	10.0	98.5	63.2	129
23C2300-10	4-Bromofluorobenzene	9.22	10.0	92.2	71.4	125
23C2300-10	1,2-Dichloroethane-d4	10.5	10.0	105	64.2	126
8260 Low Level Volatiles						
23C2300-11	Toluene-d8	9.93	10.0	99.3	63.2	129
23C2300-11	1,2-Dichloroethane-d4	10.4	10.0	104	64.2	126
23C2300-11	4-Bromofluorobenzene	8.97	10.0	89.7	71.4	125
8260 Low Level Volatiles						
23C2300-12	4-Bromofluorobenzene	9.28	10.0	92.8	71.4	125
23C2300-12	1,2-Dichloroethane-d4	10.6	10.0	106	64.2	126
23C2300-12	Toluene-d8	10.0	10.0	100	63.2	129
8260 Low Level Volatiles						
23C2300-13	Toluene-d8	10.0	10.0	100	63.2	129
23C2300-13	1,2-Dichloroethane-d4	10.4	10.0	104	64.2	126
23C2300-13	4-Bromofluorobenzene	8.87	10.0	88.7	71.4	125
8260 Low Level Volatiles						
23C2300-14	4-Bromofluorobenzene	9.03	10.0	90.3	71.4	125
23C2300-14	Toluene-d8	9.84	10.0	98.4	63.2	129
23C2300-14	1,2-Dichloroethane-d4	10.2	10.0	102	64.2	126
8260 Low Level Volatiles						
23C2300-15	Toluene-d8	9.92	10.0	99.2	63.2	129
23C2300-15	4-Bromofluorobenzene	8.79	10.0	87.9	71.4	125
23C2300-15	1,2-Dichloroethane-d4	10.4	10.0	104	64.2	126
8260 Low Level Volatiles						
23C2300-16	4-Bromofluorobenzene	8.98	10.0	89.8	71.4	125
23C2300-16	Toluene-d8	10.0	10.0	100	63.2	129
23C2300-16	1,2-Dichloroethane-d4	10.3	10.0	103	64.2	126

8260 Low Level Volatiles						
23C2300-17	1,2-Dichloroethane-d4	10.2	10.0	102	64.2	126
23C2300-17	4-Bromofluorobenzene	8.88	10.0	88.8	71.4	125
23C2300-17	Toluene-d8	9.89	10.0	98.9	63.2	129

8260 Low Level Volatiles						
23C2300-18	Toluene-d8	10.0	10.0	100	63.2	129
23C2300-18	1,2-Dichloroethane-d4	10.5	10.0	105	64.2	126
23C2300-18	4-Bromofluorobenzene	9.11	10.0	91.1	71.4	125

8260 Low Level Volatiles						
23C2300-19	Toluene-d8	10.0	10.0	100	63.2	129
23C2300-19	1,2-Dichloroethane-d4	7.84	10.0	78.4	64.2	126
23C2300-19	4-Bromofluorobenzene	9.80	10.0	98.0	71.4	125

8260 Low Level Volatiles						
23C2300-20	1,2-Dichloroethane-d4	10.5	10.0	105	64.2	126
23C2300-20	4-Bromofluorobenzene	10.2	10.0	102	71.4	125
23C2300-20	Toluene-d8	10.0	10.0	100	63.2	129

8260 Low Level Volatiles						
23C2300-21	Toluene-d8	9.84	10.0	98.4	63.2	129
23C2300-21	1,2-Dichloroethane-d4	7.33	10.0	73.3	64.2	126
23C2300-21	4-Bromofluorobenzene	9.98	10.0	99.8	71.4	125

8260 Low Level Volatiles						
23C2300-22	1,2-Dichloroethane-d4	7.36	10.0	73.6	64.2	126
23C2300-22	4-Bromofluorobenzene	10.0	10.0	100	71.4	125
23C2300-22	Toluene-d8	10.0	10.0	100	63.2	129

Tab I

Quality Assurance and Data Validation Tables

I-1: Field QA/QC Evaluation

Location	1x Casing Volume	Volume Pumped	2x Casing Volume	Volume Check	Conductivity		RPD	pH		RPD	Temperature		RPD	Redox		RPD	Turbidity		RPD	Dissolved Oxygen		RPD
MW-04	NA	Continuously Pumped well	--		1938		NC	7.09		NC	15.08		NC	308		NC	0		NC	31.1		NC
TW4-01	NA	Continuously Pumped well	--		2262		NC	7.16		NC	15.90		NC	295		NC	0		NC	80.3		NC
TW4-02	NA	Continuously Pumped well	--		3924		NC	7.00		NC	15.22		NC	313		NC	4.3		NC	84.0		NC
TW4-03	48.94	69.66	97.88	Pumped Dry	1841	1847	0.33	6.39	6.45	0.93	15.21	15.22	0.07	NM		NC	NM		NC	NM		NC
TW4-04	NA	Continuously Pumped well	--		2418		NC	7.35		NC	14.56		NC	287		NC	0		NC	95.2		NC
TW4-05	31.70	77.00	63.4	okay	1604	1600	0.25	6.60	6.65	0.75	15.37	15.38	0.07	511	508	0.59	3.0	3.0	0.00	60.0	59.0	1.68
TW4-06	12.48	14.66	24.96	Pumped Dry	3890	3903	0.33	6.75	6.73	0.30	13.86	13.90	0.29	NM		NC	NM		NC	NM		NC
TW4-07	24.87	52.25	49.74	Pumped Dry	1764	1770	0.34	7.10	7.12	0.28	13.74	13.80	0.44	NM		NC	NM		NC	NM		NC
TW4-08	26.67	66.00	53.34	okay	4745	4742	0.06	6.39	6.41	0.31	14.87	14.90	0.20	524	520	0.77	0	0	0.00	1.0	1.0	0.00
TW4-09	31.82	77.00	63.64	okay	2535	2525	0.40	6.50	6.53	0.46	15.00	15.01	0.07	491	489	0.41	22.0	22.0	0.00	1.0	1.0	0.00
TW4-10	27.73	38.50	55.46	Pumped Dry	2594	2599	0.19	6.45	6.43	0.31	14.43	14.50	0.48	NM		NC	NM		NC	NM		NC
TW4-11	NA	Continuously Pumped well	--		3715		NC	6.86		NC	12.72		NC	339		NC	0		NC	74.0		NC
TW4-12	30.61	38.50	61.22	Pumped Dry	1588	1599	0.69	7.01	7.03	0.28	13.40	13.48	0.60	NM		NC	NM		NC	NM		NC
TW4-13	31.60	41.25	63.2	Pumped Dry	2110	2113	0.14	7.00	6.99	0.14	15.39	15.45	0.39	NM		NC	NM		NC	NM		NC
TW4-14	11.71	13.75	23.42	Pumped Dry	5377	5380	0.06	6.72	6.70	0.30	14.20	14.30	0.70	NM		NC	NM		NC	NM		NC
MW-26	NA	Continuously Pumped well	--		3654		NC	6.84		NC	15.08		NC	378		NC	0		NC	33.1		NC
TW4-16	47.49	110.00	94.98	okay	3752	3760	0.21	6.51	6.53	0.31	14.90	14.85	0.34	410	407	0.73	14.3	13.6	5.02	3.0	3.1	3.28
MW-32	31.35	65.10	62.7	okay	3750	3740	0.27	6.53	6.55	0.31	13.87	12.83	7.79	273	269	1.48	205.0	208.0	1.45	5.2	5.3	1.90
TW4-18	40.76	88.00	81.52	okay	2156	2131	1.17	6.50	6.54	0.61	15.57	15.60	0.19	429	428	0.23	12.0	11.7	2.53	10.5	10.4	0.96
TW4-19	NA	Continuously Pumped well	--		2873		NC	6.76		NC	15.31		NC	388		NC	30.0		NC	93.0		NC
TW4-21	NA	Continuously Pumped well	--		3157		NC	6.58		NC	16.30		NC	430		NC	0		NC	48.0		NC
TW4-22	NA	Continuously Pumped well	--		5311		NC	6.50		NC	14.83		NC	382		NC	1.3		NC	28.1		NC
TW4-23	25.70	66.00	51.4	okay	3528	3521	0.20	6.65	6.70	0.75	14.25	14.28	0.21	294	284	3.46	9.0	8.9	1.12	4.9	4.9	0.00
TW4-24	NA	Continuously Pumped well	--		6837		NC	6.76		NC	14.94		NC	392		NC	1.0		NC	16.5		NC
TW4-25	NA	Continuously Pumped well	--		2706		NC	6.88		NC	15.75		NC	400		NC	0		NC	26.4		NC
TW4-26	8.12	8.25	16.24	Pumped Dry	4802	4807	0.10	7.00	6.98	0.29	14.03	14.05	0.14	NM		NC	NM		NC	NM		NC
TW4-27	10.63	11.00	21.26	Pumped Dry	3747	3790	1.14	6.63	6.61	0.30	13.85	13.90	0.36	NM		NC	NM		NC	NM		NC
TW4-28	38.29	49.50	76.58	Pumped Dry	1580	1586	0.38	7.25	7.21	0.55	13.20	13.20	0.00	NM		NC	NM		NC	NM		NC
TW4-29	9.79	8.25	19.58	Pumped Dry	4094	4102	0.20	6.85	6.83	0.29	14.00	14.08	0.57	NM		NC	NM		NC	NM		NC
TW4-30	11.77	14.66	23.54	Pumped Dry	4543	4545	0.04	6.40	6.35	0.78	13.91	14.00	0.64	NM		NC	NM		NC	NM		NC
TW4-31	20.58	24.75	41.16	Pumped Dry	3750	3756	0.16	6.98	7.00	0.29	14.00	14.05	0.36	NM		NC	NM		NC	NM		NC
TW4-32	37.83	77.00	75.66	okay	6394	6389	0.08	3.83	3.84	0.26	14.70	14.72	0.14	515	510	0.98	24.0	23.0	4.26	1.0	1.0	0.00
TW4-33	4.45	3.66	8.9	Pumped Dry	4833	4830	0.06	7.03	7.04	0.14	14.18	14.20	0.14	NM		NC	NM		NC	NM		NC
TW4-34	11.59	14.66	23.18	Pumped Dry	3877	3875	0.05	6.73	6.76	0.44	14.43	14.50	0.48	NM		NC	NM		NC	NM		NC
TW4-35	6.82	7.33	13.64	Pumped Dry	4372	4376	0.09	6.35	6.38	0.47	15.33	15.35	0.13	NM		NC	NM		NC	NM		NC
TW4-36	26.68	33.00	53.36	Pumped Dry	2700	2713	0.48	6.82	6.83	0.15	13.85	13.92	0.50	NM		NC	NM		NC	NM		NC
TW4-37	NA	Continuously Pumped well	--		5116		NC	6.51		NC	15.75		NC	380		NC	0		NC	56.3		NC
TW4-38	34.53	77.00	69.06	okay	1893	1864	1.54	6.60	6.65	0.75	14.67	14.68	0.07	436	430	1.39	16.5	15.5	6.25	65.3	64.0	2.01
TW4-39	NA	Continuously Pumped well	--		2514		NC	6.78		NC	15.30		NC	367		NC	70.1		NC	83.7		NC
TW4-40	NA	Continuously Pumped well	--		4156		NC	7.32		NC	15.05		NC	279		NC	2.3		NC	106.0		NC
TW4-41	NA	Continuously Pumped well	--		2736		NC	7.20		NC	15.55		NC	296		NC	0		NC	98.20		NC
TW4-42	9.80	11.00	19.6	Pumped Dry	3812	3824	0.31	6.84	6.85	0.15	13.40	13.47	0.52	NM		NC	NM		NC	NM		NC
TW4-43	14.56	22.00	29.12	Pumped Dry	3744	3750	0.16	6.91	6.91	0.00	13.76	13.80	0.29	NM		NC	NM		NC	NM		NC

MW-04, MW-26, TW4-01, TW4-02, TW4-04, TW4-11, TW4-19, TW4-21, TW4-22, TW4-24, TW4-25, TW4-37, TW4-39, TW4-40, TW4-41 are continually pumped wells.

TW4-03, TW4-06, TW4-07, TW4-10, TW4-12, TW4-13, TW4-14, TW4-26, TW4-27, TW4-28, TW4-29, TW4-30, TW4-31, TW4-33, TW4-34, TW4-35, TW4-36, TW4-42, TW4-43 were pumped dry and sampled after recovery.

NM = Not Measured. The QAP does not require the measurement of redox potential or turbidity in wells that were purged to dryness.

RPD = Relative Percent Difference

The QAP states that turbidity should be less than 5 Nephelometric Turbidity Units ("NTU") prior to sampling unless the well is characterized by water that has a higher turbidity. The QAP does not require that turbidity measurements be less than 5 NTU prior to sampling. As such, the noted observations regarding turbidity measurements less than 5 NTU are included for information purposes only.

Table I-3 Receipt Temperature Check

Sample Batch	Wells in Batch	Temperature
23C0830	MW-04, TW4-01, TW4-02, TW4-04, TW4-11, MW-26, TW4-19, TW4-21, TW4-22, TW4-24, TW4-25, TW4-37, TW4-39, TW4-40, TW4-41, TW4-60, Trip Blank	-0.1°C
23C1819	TW4-03, TW4-03R, TW4-12, TW4-13, TW4-14, TW4-28, TW4-31, TW4-32, TW4-36, TW4-42, TW4-43, TW4-65, Trip Blank	-0.5°C
23C2300	TW5-05, TW4-06, TW4-07, TW4-08, TW4-09, TW4-10, TW4-16, TW4-18, TW4-23, TW4-26, TW4-27, TW4-29, TW4-30, MW-32, TW4-33, TW4-34, TW4-35, TW4-38, TW4-38R, TW4-70, TW4-75, Trip Blank	1.3°C
23D0225	TW4-06, TW4-07	1.4°C

I-4 Analytical Method Check

Parameter	Method	Method Used by Lab
Carbon Tetrachloride	SW8260B, SW8260C or SW8260D	SW8260D
Chloride	A4500-Cl B or A4500-Cl E or E300.0	E300.0
Chloroform	SW8260B, SW8260C or SW8260D	SW8260D
Chloromethane	SW8260B, SW8260C or SW8260D	SW8260D
Methylene chloride	SW8260B, SW8260C or SW8260D	SW8260D
Nitrogen	E353.1 or E353.2	E353.2

All parameters were analyzed using the reporting method specified in the QAP

I-6 Trip Blank Evaluation

Lab Report	Constituent	Result
23C0830	Carbon tetrachloride	ND ug/L
	Chloroform	ND ug/L
	Chloromethane	ND ug/L
	Methylene chloride	ND ug/L
23C1819	Carbon tetrachloride	ND ug/L
	Chloroform	ND ug/L
	Chloromethane	ND ug/L
	Methylene chloride	ND ug/L
23C2300	Carbon tetrachloride	ND ug/L
	Chloroform	ND ug/L
	Chloromethane	ND ug/L
	Methylene chloride	ND ug/L

I-7 QA/QC Evaluation for Sample Duplicates

Constituent	TW4-28	TW4-65	%RPD
Chloride (mg/L)	46.1	49.4	6.9
Nitrate + Nitrite (as N)	11.9	11.1	7.0
Carbon Tetrachloride	ND	ND	NC
Chloroform	ND	ND	NC
Chloromethane	ND	ND	NC
Dichloromethane (Methylene Chloride)	ND	ND	NC

Constituent	TW4-09	TW4-70	%RPD
Chloride (mg/L)	37.1	36.4	1.9
Nitrate + Nitrite (as N)	0.765	0.743	2.9
Carbon Tetrachloride	ND	ND	NC
Chloroform	6.2	5.6	10.2
Chloromethane	ND	ND	NC
Dichloromethane (Methylene Chloride)	ND	ND	NC

Constituent	TW4-16	TW4-75	%RPD
Chloride (mg/L)	88.5	92.5	4.4
Nitrate + Nitrite (as N)	5.69	5.06	11.7
Carbon Tetrachloride	ND	ND	NC
Chloroform	179	178	0.6
Chloromethane	ND	ND	NC
Dichloromethane (Methylene Chloride)	ND	ND	NC

RPD = Relative Percent Difference

ND = The analyte was not detected

Highlighted cells indicate an RPD that exceeded the 20% RPD criteria

I-8 QC Control Limits for Analysis and Blanks

Method Blank Detections

All Method Blanks (MB) for the quarter were nondetect.

Matrix Spike % Recoveries

Lab Report	Lab Sample ID	Well	Analyte	MS %REC	MSD %REC	REC Range	RPD	RPD Range
23C0830	23C0830-02	TW4-24	Chloride*	NC	NC	80-120	NC	20
23C0830	N/A	N/A	Nitrate	77.8	82.7	80-120	1.67	20
23C0830	23C0830-01	TW4-25	Methylene	57.4	64	70-130	10.9	20
23C0830	23C0830-02	TW4-24	Chloroform	63.7	56.6	80 - 120	11.8	20
23C0830	23C0830-02	TW4-24	Methylene	65.7	65.7	70-130	0.00	20
23C1819	23C1819-02	TW4-03	Chloride	325	99.4	70-130	56.7	20
23C1819	N/A	N/A	Chloride*	NC	NC	80-120	NC	20
23C2300	N/A	N/A	Chloride*	NC	NC	80-120	NC	20
23C2300	N/A	N/A	Nitrate	77.9	81.4	80 - 120	3.92	20
23C2300	N/A	N/A	Nitrate	83.8	78.2	80 - 120	2.54	20

NC - Not calculated

* - Recovery was not calculated because the analyte in the sample was greater than 4 times the spike amount

N/A = QC was not performed on an EFRI sample.

Laboratory Control Sample

Lab Report	Analyte	LCS %REC	REC Range
23C0830	Methylene Chloride	65.4	70-130

Surrogate % Recovery

All Surrogate recoveries were within acceptance limits for the quarter.


I-9 Rinsate Evaluation

Rinsate Sample	Parameter	Rinsate Result (ug/L)	Previous Well Purged
TW4-03R	Chloroform	ND	NA
TW4-38R	Chloroform	4.1	TW4-23 (<1.0 ug/L)

NA = This rinsate sample was collected prior to the first use of the pump.

Tab J


Kriged Current Quarter Chloroform Isoconcentration Map



EXPLANATION


- NS = not sampled; ND = not detected
- ND 4Q = not detected during fourth quarter
- 70 kriged chloroform isocoon and label
- TW4-43 temporary perched monitoring well installed September, 2021 showing concentration in µg/L
- TWN-21 temporary perched nitrate monitoring well installed April, 2021 (not sampled)
- TW4-42 temporary perched monitoring well installed April, 2019 showing concentration in µg/L
- MW-38 perched monitoring well installed February, 2018 showing concentration in µg/L
- MW-32 perched monitoring well showing concentration in µg/L
- MW-31 perched monitoring well showing concentration in µg/L
- TW4-7 temporary perched monitoring well showing concentration in µg/L
- TWN-1 temporary perched nitrate monitoring well (not sampled)
- PIEZ-1 perched piezometer (not sampled)

NOTES: MW-4, MW-26, TW4-1, TW4-2, TW4-4, TW4-11, TW4-19, TW4-21, TW4-37, TW4-39, TW4-40 and TW4-41 are chloroform pumping wells; TW4-22, TW4-24, TW4-25 and TWN-2 are nitrate pumping wells; MW-24A installed December, 2019



**KRIGED 1st QUARTER, 2023 CHLOROFORM (µg/L)
WHITE MESA SITE**


APPROVED	DATE	REFERENCE	FIGURE
		H:\718000\may23\chloroform\Uch10323.srf	J-1



EXPLANATION

- NS = not sampled; ND = not detected
- ND 4Q = not detected during fourth quarter
- 70 kriged chloroform isocon and label
- TW4-43 temporary perched monitoring well installed September, 2021 showing concentration in µg/L
- TW4-42 temporary perched monitoring well installed April, 2019 showing concentration in µg/L
- MW-32 perched monitoring well showing concentration (µg/L)
- TW4-7 showing concentration (µg/L)
- PIEZ-2 perched piezometer (not sampled)

NOTES: MW-4, MW-26, TW4-1, TW4-2, TW4-4, TW4-11, TW4-19, TW4-21, TW4-37, TW4-39, TW4-40 and TW4-41 are chloroform pumping wells; TW4-22, TW4-24, TW4-25 and TWN-2 are nitrate pumping wells



HYDRO
GED
CHEM, INC.

**KRIGED 1st QUARTER, 2023 CHLOROFORM (µg/L)
WHITE MESA SITE
(detail map)**

APPROVED

DATE

REFERENCE

H:\718000\may23\chloroform\Uch0323det.srf

FIGURE
J-2


Tab K

Analyte Concentration Data and Chloroform Concentration Trend Graphs over Time

MW-4	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
28-Sep-99	6200					
28-Sep-99	5820					
28-Sep-99	6020					
15-Mar-00	5520					
15-Mar-00	5430					
2-Sep-00	5420				9.63	
30-Nov-00	6470				9.37	
29-Mar-01	4360				8.77	
22-Jun-01	6300				9.02	
20-Sep-01	5300				9.45	
8-Nov-01	5200				8	
26-Mar-02	4700				8.19	
22-May-02	4300				8.21	
12-Sep-02	6000				8.45	
24-Nov-02	2500				8.1	
28-Mar-03	2000				8.3	
30-Apr-03	3300				NA	
30-May-03	3400				8.2	
23-Jun-03	4300				8.2	
30-Jul-03	3600				8.1	
29-Aug-03	4100				8.4	
12-Sep-03	3500				8.5	
15-Oct-03	3800				8.1	
8-Nov-03	3800				8	
29-Mar-04	NA				NA	
22-Jun-04	NA				NA	
17-Sep-04	3300				6.71	
17-Nov-04	4300				7.5	
16-Mar-05	2900				6.3	
25-May-05	3170	NA	NA	NA	7.1	NA
31-Aug-05	3500	<10	<10	<10	7.0	NA
1-Dec-05	3000	<50	<50	<50	7.0	NA
9-Mar-06	3100	<50	<50	50	6	49
14-Jun-06	3000	<50	<50	50	6	49
20-Jul-06	2820	<50	<50	<50	1.2	48
9-Nov-06	2830	2.1	1.4	<1	6.4	50
28-Feb-07	2300	1.6	<1	<1	6.3	47
27-Jun-07	2000	1.8	<1	<1	7	45
15-Aug-07	2600	1.9	<1	<1	6.2	47
10-Oct-07	2300	1.7	<1	<1	6.2	45
26-Mar-08	2400	1.7	<1	<1	5.8	42
25-Jun-08	2500	1.6	<1	<1	6.09	42
10-Sep-08	1800	1.8	<1	<1	6.36	35
15-Oct-08	2100	1.7	<1	<1	5.86	45
4-Mar-09	2200	1.5	<1	<1	5.7	37
23-Jun-09	1800	1.3	<1	<1	5.2	34
14-Sep-09	2000	1.4	<1	<1	5.3	43
14-Dec-09	1800	1.6	ND	ND	5.8	44
17-Feb-10	1600	1.2	ND	ND	4	45
14-Jun-10	2100	1.2	ND	ND	5.1	41
16-Aug-10	1900	1.5	ND	ND	4.8	38

MW-4	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
11-Oct-10	1500	1.4	ND	ND	4.9	41
23-Feb-11	1700	1.5	ND	ND	4.6	40
1-Jun-11	1700	1.4	ND	ND	4.9	35
17-Aug-11	1700	1.1	ND	ND	4.9	41
16-Nov-11	1600	1.3	ND	ND	5.1	40
23-Jan-12	1500	1	ND	ND	4.8	41
6-Jun-12	1400	1.2	ND	ND	4.9	39
4-Sep-12	1500	1.5	ND	ND	5	41
4-Oct-12	1300	1	ND	ND	4.8	42
11-Feb-13	1670	1.49	ND	ND	4.78	37.8
5-Jun-13	1490	1.31	ND	ND	4.22	44
3-Sep-13	1520	1.13	ND	ND	4.89	41.4
29-Oct-13	1410	5.58	ND	ND	5.25	40.1
27-Jan-14	1390	4.15	ND	ND	4.7	38.5
19-May-14	1390	5.21	ND	ND	4.08	39.9
24-Aug-14	1490	ND	7.6	ND	3.7	41
21-Oct-14	1440	ND	ND	ND	5.07	41.5
9-Mar-15	1400	1.26	ND	ND	5.75	40.7
8-Jun-15	1300	ND	ND	ND	2.53	43.1
31-Aug-15	1290	ND	ND	ND	4.79	44.3
19-Oct-15	1200	ND	ND	ND	4.43	40.8
9-Mar-16	1240	ND	ND	ND	5.15	42.2
23-May-16	1580	1.44	ND	ND	4.54	43.7
25-Jul-16	1430	ND	ND	ND	4.95	42.5
12-Oct-16	1470	1.24	ND	ND	4.88	44.8
8-Mar-17	1450	1.22	ND	ND	4.99	43.3
13-Jun-17	1430	1.15	ND	ND	4.88	44.0
26-Jul-17	1400	1.15	ND	ND	4.59	43.8
11-Oct-17	1320	ND	ND	ND	5.25	43.8
12-Mar-18	1320	1.07	ND	ND	4.47	46.2
8-Jun-18	1240	ND	ND	ND	4.64	43.5
22-Aug-18	1300	ND	ND	ND	4.55	48.5
28-Nov-18	1330	ND	ND	ND	4.44	43.1
8-Mar-19	1190	ND	ND	ND	5.05	41.5
5-Jun-19	1300	ND	ND	ND	5.16	40.6
4-Sep-19	1180	ND	ND	ND	4.69	41.9
11-Dec-19	1370	ND	ND	ND	4.34	45.5
19-Feb-20	1230	ND	ND	ND	6.22	48.1
27-May-20	1250	ND	ND	ND	5.04	40.7
4-Sep-20	1240	ND	ND	ND	4.93	43.8
28-Oct-20	1050	ND	ND	ND	4.62	41.4
23-Feb-21	1150	ND	ND	ND	4.61	46.5
9-Jun-21	1320	ND	ND	ND	6.48	34.8
24-Aug-21	1140	ND	ND	ND	3.83	43.2
1-Dec-21	1100	ND	ND	ND	4.9	47.6
9-Mar-22	1040	ND	ND	ND	4.8	40.9
8-Jun-22	1010	ND	ND	ND	3.9	43.7
30-Aug-22	1200	ND	ND	ND	4.20	44.7
30-Nov-22	1170	ND	ND	ND	4.05	35.9
7-Mar-23	1010	ND	ND	ND	4.44	29.4

MW4-Chloroform Values




TW4-1	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
28-Jun-99	1700				7.2	
10-Nov-99	5.8					
15-Mar-00	1100					
10-Apr-00	1490					
6-Jun-00	1530					
2-Sep-00	2320				5.58	
30-Nov-00	3440				7.79	
29-Mar-01	2340				7.15	
22-Jun-01	6000				8.81	
20-Sep-01					12.8	
8-Nov-01	3200				12.4	
26-Mar-02	3200				13.1	
22-May-02	2800				12.7	
12-Sep-02	3300				12.8	
24-Nov-02	3500				13.6	
28-Mar-03	3000				12.4	
23-Jun-03	3600				12.5	
12-Sep-03	2700				12.5	
8-Nov-03	3400				11.8	
29-Mar-04	3200				11	
22-Jun-04	3100				8.78	
17-Sep-04	2800				10.8	
17-Nov-04	3000				11.1	
16-Mar-05	2700				9.1	
25-May-05	3080	NA	NA	NA	10.6	NA
31-Aug-05	2900	<10	<10	<10	9.8	NA
1-Dec-05	2400	<50	<50	<50	9.7	NA
9-Mar-06	2700	<50	<50	<50	9.4	49
14-Jun-06	2200	<50	<50	<50	9.8	48
20-Jul-06	2840	<50	<50	<50	9.7	51
8-Nov-06	2260	1.4	<1	<1	9.4	47
28-Feb-07	1900	1.2	<1	<1	8.9	47
27-Jun-07	1900	1.4	<1	<1	9	45
15-Aug-07	2300	1.3	<1	<1	8.4	43
10-Oct-07	2000	1.3	<1	<1	7.8	43
26-Mar-08	2000	1.3	<1	<1	7.6	39
25-Jun-08	1900	1.1	<1	<1	8.68	39
10-Sep-08	1700	1.3	<1	<1	8.15	35
15-Oct-08	1700	1.3	<1	<1	9.3	41
11-Mar-09	1700	1.1	<1	<1	7.5	37
24-Jun-09	1500	1	<1	<1	6.9	37
15-Sep-09	1700	<1	<1	<1	7.3	36

TW4-1	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
29-Dec-09	1400	<1	<1	<1	6.8	41
3-Mar-10	1300	<1	<1	<1	7.1	35
15-Jun-10	1600	1.2	<1	<1	6.8	40
24-Aug-10	1500	<1	<1	<1	6.8	35
14-Oct-10	1500	<1	<1	<1	6.6	40
24-Feb-11	1300	ND	ND	ND	6.6	41
1-Jun-11	1200	ND	ND	ND	7	35
18-Aug-11	1300	ND	ND	ND	6.8	36
29-Nov-11	1300	ND	ND	ND	6.6	37
19-Jan-12	1300	ND	ND	ND	6.8	38
14-Jun-12	1000	ND	ND	ND	7.1	42
13-Sep-12	1000	ND	ND	ND	5	39
4-Oct-12	1100	ND	ND	ND	6.5	40
13-Feb-13	1320	3.66	ND	ND	6.99	37.6
19-Jun-13	1100	ND	ND	ND	6.87	39.1
12-Sep-13	1150	ND	ND	ND	7.12	37.6
14-Nov-13	1280	ND	ND	ND	7.08	36.5
5-Feb-14	1090	5.47	ND	ND	7.74	38.9
23-May-14	1020	4.77	ND	ND	6.93	37.4
27-Aug-14	845	ND	1.4	ND	4.8	38
29-Oct-14	1140	ND	ND	ND	6.31	38.7
9-Mar-15	1130	ND	ND	ND	7.06	38.3
8-Jun-15	1260	ND	ND	ND	6.07	40.3
31-Aug-15	1060	ND	ND	ND	6.28	45.9
19-Oct-15	1040	ND	ND	ND	1.55	38.5
9-Mar-16	974	ND	ND	ND	0.148	41.7
23-May-16	1140	ND	ND	ND	0.138	44.4
25-Jul-16	1160	ND	ND	ND	5.49	44.7
13-Oct-16	1330	ND	ND	ND	0.746	44.2
8-Mar-17	519	ND	ND	ND	4.44	41.5
13-Jun-17	977	ND	ND	ND	5.74	41.8
26-Jul-17	958	ND	ND	ND	5.04	42.8
11-Oct-17	556	ND	ND	ND	5.78	38.5
12-Mar-18	70.4	ND	ND	ND	4.84	45.8
8-Jun-18	942	ND	ND	ND	4.38	42.0
22-Aug-18	1010	ND	ND	ND	4.30	47.3
22-Oct-18	752	ND	ND	ND	4.57	43.2
8-Mar-19	87.2	ND	ND	ND	4.51	40.9
5-Jun-19	1040	ND	ND	ND	1.43	44.8
4-Sep-19	894	ND	ND	ND	1.65	46.0
10-Dec-19	1070	ND	ND	ND	3.91	44.2
19-Feb-20	1190	ND	ND	ND	4.67	47.5

TW4-1	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
27-May-20	499	ND	ND	ND	0.443	46.4
4-Sep-20	1060	ND	ND	ND	2.22	43.7
28-Oct-20	924	ND	ND	ND	4.30	41.9
23-Feb-21	948	ND	ND	ND	27.2	45.4
9-Jun-21	957	ND	ND	ND	0.728	37.2
24-Aug-21	821	ND	1.18	ND	1.38	44.5
1-Dec-21	957	ND	ND	ND	4.37	45.5
9-Mar-22	946	ND	ND	ND	3.9	42.6
8-Jun-22	914	ND	ND	ND	0.18	45.5
30-Aug-22	954	ND	ND	ND	0.420	45.1
30-Nov-22	1010	ND	ND	ND	3.62	38.2
7-Mar-23	928	ND	ND	ND	1.71	43.8

TW4-1 Chloroform Values




TW4-2	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
10-Nov-99	2510					
2-Sep-00	5220					
28-Nov-00	4220				10.7	
29-Mar-01	3890				10.2	
22-Jun-01	5500				9.67	
20-Sep-01	4900				11.4	
8-Nov-01	5300				10.1	
26-Mar-02	5100				9.98	
23-May-02	4700				9.78	
12-Sep-02	6000				9.44	
24-Nov-02	5400				10.4	
28-Mar-03	4700				9.5	
23-Jun-03	5100				9.6	
12-Sep-03	3200				8.6	
8-Nov-03	4700				9.7	
29-Mar-04	4200				9.14	
22-Jun-04	4300				8.22	
17-Sep-04	4100				8.4	
17-Nov-04	4500				8.6	
16-Mar-05	3700				7.7	
25-May-05	3750				8.6	
31-Aug-05	3900	<10	<10	<10	8	NA
1-Dec-05	3500	<50	<50	<50	7.8	NA
9-Mar-06	3800	<50	<50	<50	7.5	56
14-Jun-06	3200	<50	<50	<50	7.1	56
20-Jul-06	4120	<50	<50	<50	7.4	54
8-Nov-06	3420	2.3	<1	<1	7.6	55
28-Feb-07	2900	1.8	<1	<1	7.3	54
27-Jun-07	3000	2.5	<1	<1	7.8	50
15-Aug-07	340	2.2	<1	<1	7.3	49
10-Oct-07	3200	2.1	<1	<1	6.9	51
26-Mar-08	3300	2.3	<1	<1	6.9	48
25-Jun-08	3100	2.2	<1	<1	7.44	46
10-Sep-08	2800	2.4	<1	<1	7.1	42
15-Oct-08	3200	2.4	<2	<2	7.99	47
11-Mar-09	3100	2.2	<1	<1	6.5	46
24-Jun-09	2800	2	<1	<1	6.4	44
15-Sep-09	3000	2	<1	<1	6.6	43
29-Dec-09	1600	2	<1	<1	6.4	46
3-Mar-10	2600	2	<1	<1	6.8	42
15-Jun-10	3300	2.6	<1	<1	6.7	43
16-Aug-10	3300	2.5	<1	<1	6.6	43

TW4-2	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
14-Oct-10	3000	2.1	<1	<1	6.5	41
24-Feb-11	3100	2.4	ND	ND	7	46
2-Jun-11	3000	2.2	ND	ND	6.8	42
17-Aug-11	2400	1.6	ND	ND	6	48
29-Nov-11	3900	2.8	ND	ND	7	49
24-Jan-12	2500	2	ND	ND	7.1	49
14-Jun-12	2500	2.1	ND	ND	7.7	52
13-Sep-12	2900	1.8	ND	ND	4	76
4-Oct-12	3100	2	ND	ND	7.6	49
13-Feb-13	3580	5.17	ND	ND	8.1	46
19-Jun-13	3110	2.65	ND	ND	7.51	46.9
12-Sep-13	3480	2.41	ND	ND	9.3	44.9
14-Nov-13	3740	3.15	ND	ND	8.39	43.9
6-Feb-14	3180	7.1	ND	ND	7.87	45.9
23-May-14	2930	6.05	ND	ND	9.11	45.4
27-Aug-14	3170	1.4	3.6	ND	6.2	45
30-Oct-14	3580	2.6	ND	ND	8.45	45.5
9-Mar-15	1840	1.44	ND	ND	5.32	44.9
8-Jun-15	1650	ND	ND	ND	4.3	48.1
31-Aug-15	1310	ND	ND	ND	3.76	50.0
19-Oct-15	2070	ND	ND	ND	5.18	41.9
9-Mar-16	1970	1.20	ND	ND	5.30	43.4
23-May-16	2070	1.49	ND	ND	5.67	43.8
25-Jul-16	1780	ND	ND	ND	4.07	42.9
12-Oct-16	1600	ND	ND	ND	6.07	44.3
8-Mar-17	1570	ND	ND	ND	4.74	43.1
13-Jun-17	1940	ND	ND	ND	4.90	43.6
26-Jul-17	1310	ND	ND	ND	5.08	43.2
11-Oct-17	1610	ND	ND	ND	3.28	43.5
12-Mar-18	764	ND	ND	ND	2.94	44.4
8-Jun-18	949	ND	ND	ND	3.50	41.3
22-Aug-18	980	ND	ND	ND	4.83	44.3
28-Nov-18	822	ND	ND	ND	3.52	41.7
8-Mar-19	1040	ND	ND	ND	3.92	40.4
5-Jun-19	1360	ND	ND	ND	4.38	39.8
4-Sep-19	797	ND	ND	ND	4.79	40.8
10-Dec-19	934	ND	ND	ND	3.40	41.5
19-Feb-20	1880	ND	ND	ND	6.07	42.1
27-May-20	1070	ND	ND	ND	3.62	40.6
4-Sep-20	1260	ND	ND	ND	3.35	41.3
28-Oct-20	1130	ND	ND	ND	2.34	38.7
23-Feb-21	939	ND	ND	ND	3.30	43.3

TW4-2	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
9-Jun-21	1160	ND	ND	ND	3.89	32.5
24-Aug-21	1150	ND	ND	ND	1.97	36.8
1-Dec-21	852	ND	ND	ND	3.49	41.9
9-Mar-22	1020	ND	ND	ND	3.3	36.7
8-Jun-22	892	ND	ND	ND	3.1	39.5
30-Aug-22	832	ND	ND	ND	3.07	40.7
30-Nov-22	1030	ND	ND	ND	3.74	35.5
7-Mar-23	772	ND	ND	ND	2.03	41.4

TW4-2 Chloroform Values




TW4-3	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
28-Jun-99	3500				7.6	
29-Nov-99	702					
15-Mar-00	834					
2-Sep-00	836				1.56	
29-Nov-00	836				1.97	
27-Mar-01	347				1.85	
21-Jun-01	390				2.61	
20-Sep-01	300				3.06	
7-Nov-01	170				3.6	
26-Mar-02	11				3.87	
21-May-02	204				4.34	
12-Sep-02	203				4.32	
24-Nov-02	102				4.9	
28-Mar-03	0				4.6	
23-Jun-03	0				4.8	
12-Sep-03	0				4.3	
8-Nov-03	0				4.8	
29-Mar-04	0				4.48	
22-Jun-04	0				3.68	
17-Sep-04	0				3.88	
17-Nov-04	0				4.1	
16-Mar-05	0				3.5	
25-May-05	<1	NA	NA	NA	3.7	NA
31-Aug-05	<1	<1	6.4	<1	3.5	NA
1-Dec-05	<1	<1	2.3	<1	3.3	NA
9-Mar-06	<1	<1	2.2	<1	3.3	26
14-Jun-06	<1	<1	<1	<1	3.2	26
20-Jul-06	<1	<1	1.6	<1	2.9	26
8-Nov-06	<1	<1	<1	<1	1.5	23
28-Feb-07	<1	<1	<1	<1	3.1	22
27-Jun-07	<1	<1	<1	<1	3.3	23
15-Aug-07	<1	<1	<1	<1	3.1	24
10-Oct-07	<1	<1	<1	<1	2.8	27
26-Mar-08	<1	<1	<1	<1	2.8	21
25-Jun-08	<1	<1	<1	<1	2.85	19
10-Sep-08	<1	<1	<1	<1	2.66	19
15-Oct-08	<1	<1	<1	<1	2.63	22
4-Mar-09	<1	<1	<1	<1	2.5	21
24-Jun-09	<1	<1	<1	<1	2.9	20
15-Sep-09	<1	<1	<1	<1	2.8	21
16-Dec-09	<1	<1	<1	<1	2.5	22
23-Feb-10	<1	<1	<1	<1	2.8	23
8-Jun-10	<1	<1	<1	<1	3	24
10-Aug-10	<1	<1	<1	<1	3.1	22
5-Oct-10	<1	<1	<1	<1	3.3	26

TW4-3	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
15-Feb-11	ND	ND	ND	ND	3.5	23
25-May-11	ND	ND	ND	ND	3.7	23
16-Aug-11	ND	ND	ND	ND	4	23
15-Nov-11	ND	ND	ND	ND	4.4	23
17-Jan-12	ND	ND	ND	ND	4.3	21
31-May-12	ND	ND	ND	ND	4.4	24
29-Aug-12	ND	ND	ND	ND	4.9	25
3-Oct-12	ND	ND	ND	ND	4.8	25
7-Feb-13	ND	ND	ND	ND	5.05	23.7
29-May-13	ND	ND	ND	ND	5.83	23.8
29-Aug-13	ND	ND	ND	ND	6.26	24.0
6-Nov-13	ND	ND	ND	ND	5.89	24.1
22-Jan-14	ND	ND	ND	ND	6.66	24.9
19-May-14	ND	ND	ND	ND	6.01	24.4
13-Aug-14	ND	ND	ND	ND	5.3	26
23-Oct-14	ND	ND	ND	ND	6.07	26.7
11-Mar-15	ND	ND	ND	ND	6.64	26.2
10-Jun-15	ND	ND	ND	ND	5.71	27.5
2-Sep-15	ND	ND	ND	ND	3.88	27.4
21-Oct-15	ND	ND	ND	ND	5.37	25.6
15-Mar-16	ND	ND	ND	ND	5.83	32.8
25-May-16	ND	ND	ND	ND	5.65	27.9
27-Jul-16	ND	ND	ND	ND	6.10	26.5
19-Oct-16	ND	ND	ND	ND	6.00	29.5
14-Mar-17	ND	ND	ND	ND	6.18	28.1
14-Jun-17	ND	ND	ND	ND	6.36	28.7
27-Jul-17	ND	ND	ND	ND	6.36	28.5
10-Oct-17	ND	ND	ND	ND	6.32	25.9
14-Mar-18	ND	ND	ND	ND	6.46	29.8
12-Jun-18	ND	ND	ND	ND	6.52	26.1
29-Aug-18	ND	ND	ND	ND	5.53	31.0
30-Nov-18	ND	ND	ND	ND	5.85	27.4
13-Mar-19	ND	ND	ND	ND	5.82	25.5
13-Jun-19	ND	ND	ND	ND	6.68	27.4
11-Sep-19	ND	ND	ND	ND	5.12	26.0
12-Dec-19	ND	ND	ND	ND	5.91	28.0
17-Mar-20	ND	ND	ND	ND	6.15	27.7
10-Jun-20	ND	ND	ND	ND	6.53	26.2
17-Sep-20	ND	ND	ND	ND	6.36	25.9
4-Nov-20	ND	ND	ND	ND	6.02	24.9
17-Mar-21	ND	ND	ND	ND	6.19	28.4
15-Jun-21	ND	ND	ND	ND	8.04	27.0
15-Sep-21	ND	ND	ND	ND	5.28	20.3
7-Dec-21	ND	ND	ND	ND	5.97	26.2
15-Mar-22	ND	ND	ND	ND	6.1	24.3

TW4-3	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
15-Jun-22	ND	ND	ND	ND	5.8	26.7
13-Sep-22	ND	ND	ND	ND	5.47	27.3
7-Dec-22	ND	ND	ND	ND	6.64	21.5
22-Mar-23	ND	ND	ND	ND	6.09	20.6

TW4-3 Chloroform Values




TW4-4	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
6-Jun-00	0					
2-Sep-00	0					
28-Nov-00	3.9					
28-Mar-01	2260				1.02	
20-Jun-01	3100				14.5	
20-Sep-01	3200				14	
8-Nov-01	2900				14.8	
26-Mar-02	3400				15	
22-May-02	3200				13.2	
12-Sep-02	4000				13.4	
24-Nov-02	3800				12.6	
28-Mar-03	3300				13.4	
23-Jun-03	3600				12.8	
12-Sep-03	2900				12.3	
8-Nov-03	3500				12.3	
29-Mar-04	3200				12.2	
22-Jun-04	3500				12.1	
17-Sep-04	3100				11.1	
17-Nov-04	3600				10.8	
16-Mar-05	3100				11.6	
25-May-05	2400	NA	NA	NA	11.3	NA
31-Aug-05	3200	<10	<10	<10	9.9	NA
1-Dec-05	2800	<50	<50	<50	10.2	NA
9-Mar-06	2900	<50	<50	<50	9.5	51
14-Jun-06	2600	<50	<50	<50	8.6	48
20-Jul-06	2850	<50	<50	<50	9.7	50
8-Nov-06	2670	1.7	<1	<1	10.1	49
28-Feb-07	2200	1.5	<1	<1	9	49
27-Jun-07	2400	1.7	<1	<1	9.4	47
15-Aug-07	2700	1.5	<1	<1	9.5	45
10-Oct-07	2500	1.5	<1	<1	9.5	47
26-Mar-08	2800	1.6	<1	<1	9.2	43
25-Jun-08	2500	1.5	<1	<1	10.8	42
10-Sep-08	2200	1.4	<1	<1	8.83	39
15-Oct-08	2500	2	<2	<2	10.1	44
4-Mar-09	2200	1.2	<1	<1	10.2	37
24-Jun-09	1800	1.2	<1	<1	8.2	34
15-Sep-09	2000	1.1	<1	<1	8.4	39
29-Dec-09	950	1.1	<1	<1	7.6	41
17-Feb-10	1700	1	<1	<1	6.6	48
10-Jun-10	2000	1.2	<1	<1	7.6	35
16-Aug-10	2100	1.3	<1	<1	7.3	36

TW4-4	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
11-Oct-10	1700	1.3	<1	<1	7.1	38
23-Feb-11	1800	1.4	ND	ND	7	41
1-Jun-11	1700	1.2	ND	ND	7	35
17-Aug-11	1500	ND	ND	ND	6.6	40
16-Nov-11	1500	1	ND	ND	7	39
23-Jan-12	1200	ND	ND	ND	7.1	38
6-Jun-12	1500	ND	ND	ND	7.1	43
4-Sep-12	1600	1.2	ND	ND	7.1	39
3-Oct-12	1400	1	ND	ND	7	38
11-Feb-13	1460	1.12	ND	ND	7.36	39
5-Jun-13	1330	ND	ND	ND	6.3	39.6
3-Sep-13	1380	ND	ND	ND	7.22	38.8
29-Oct-13	1360	5.3	ND	ND	7.84	43.9
27-Jan-14	1260	3.88	ND	ND	7.28	37.4
19-May-14	1220	5	ND	ND	5.91	47.5
11-Aug-14	1320	ND	7	ND	5.30	40.0
21-Oct-14	1130	ND	ND	ND	7.02	40.0
9-Mar-15	1350	1	ND	ND	7.70	37.6
8-Jun-15	1280	ND	ND	ND	6.33	41.3
31-Aug-15	1220	ND	ND	ND	6.45	45.8
19-Oct-15	1190	ND	ND	ND	6.27	38.5
9-Mar-16	1190	ND	ND	ND	6.71	39.7
23-May-16	1780	1	ND	ND	6.56	41.9
26-Jul-16	1380	ND	ND	ND	7.22	40.2
13-Oct-16	1430	ND	ND	ND	6.77	42.3
8-Mar-17	1290	ND	ND	ND	6.87	41.7
13-Jun-17	1290	ND	ND	ND	7.06	40.7
26-Jul-17	1290	ND	ND	ND	6.47	40.5
11-Oct-17	1290	ND	ND	ND	6.90	40.7
12-Mar-18	1160	ND	ND	ND	6.12	42.2
8-Jun-18	1050	ND	ND	ND	6.34	39.0
22-Aug-18	1030	ND	ND	ND	6.34	39.0
28-Nov-18	1140	ND	ND	ND	6.02	41.4
8-Mar-19	1050	ND	ND	ND	7.26	38.3
5-Jun-19	1070	ND	ND	ND	10.40	38.5
4-Sep-19	989	ND	ND	ND	6.32	39.8
10-Dec-19	1140	ND	ND	ND	6.52	40.4
19-Feb-20	1100	ND	ND	ND	4.58	43.4
27-May-20	1140	ND	ND	ND	7.26	46.1
4-Sep-20	1110	ND	ND	ND	7.04	40.0
28-Oct-20	979	ND	ND	ND	6.77	38.6
23-Feb-21	1130	ND	ND	ND	6.75	39.8

TW4-4	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
9-Jun-21	1240	ND	ND	ND	9.02	39.4
24-Aug-21	1100	ND	ND	ND	4.00	39.6
1-Dec-21	950	ND	ND	ND	7.32	42.5
9-Mar-22	1010	ND	ND	ND	6.6	37.1
8-Jun-22	1110	ND	ND	ND	6.0	39.9
30-Aug-22	1040	ND	ND	ND	6.65	41.0
30-Nov-22	1030	ND	ND	ND	6.59	29.6
7-Mar-23	945	ND	ND	ND	7.12	30.2

TW4-4 Chloroform Values




TW4-5	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
20-Dec-99	29.5					
15-Mar-00	49.0					
2-Sep-00	124					
29-Nov-00	255					
28-Mar-01	236					
20-Jun-01	240					
20-Sep-01	240					
7-Nov-01	260					
26-Mar-02	260					
22-May-02	300					
12-Sep-02	330					
24-Nov-02	260					
28-Mar-03	240					
23-Jun-03	290					
12-Sep-03	200					
8-Nov-03	240					
29-Mar-04	210					
22-Jun-04	200					
17-Sep-04	150					
17-Nov-04	180					
16-Mar-05	120					
25-May-05	113	NA	NA	NA	3.70	NA
31-Aug-05	82.0	<2.5	5.8	<2.5	6.00	NA
1-Dec-05	63.0	<2.5	2.5	<2.5	6.00	NA
9-Mar-06	66.0	<2.5	3.1	<2.5	6.00	52
14-Jun-06	51.0	<1	<2.5	<2.5	5.90	51
20-Jul-06	53.7	<1	<1	<1	6.70	54
8-Nov-06	47.1	<1	<1	<1	2.90	55
28-Feb-07	33.0	<1	<1	<1	7.80	57
27-Jun-07	26.0	<1	<1	<1	7.00	45
15-Aug-07	9.2	<1	<1	<1	7.70	38
10-Oct-07	9.4	<1	<1	<1	8.20	39
26-Mar-08	11.0	<1	<1	<1	7.40	36
25-Jun-08	9.3	<1	<1	<1	8.70	37
10-Sep-08	11.0	<1	<1	<1	7.91	34
15-Oct-08	10.0	<1	<1	<1	9.30	37
4-Mar-09	12.0	<1	<1	<1	7.90	34
24-Jun-09	13.0	<1	<1	<1	7.50	37
15-Sep-09	12.0	<1	<1	<1	8.30	48
22-Dec-09	8.5	<1	<1	<1	7.50	41
25-Feb-10	13.0	<1	<1	<1	6.80	43
9-Jun-10	12.0	<1	<1	<1	7.10	28

TW4-5	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
11-Aug-10	12.0	<1	<1	<1	7.00	38
13-Oct-10	11.0	<1	<1	<1	7.20	41
22-Feb-11	10.0	ND	ND	ND	7.00	34
26-May-11	9.0	ND	ND	ND	7.20	35
17-Aug-11	10.0	ND	ND	ND	7.50	37
7-Dec-11	7.9	ND	ND	ND	6.00	30
18-Jan-12	7.6	ND	ND	ND	5.80	22
6-Jun-12	8.4	ND	ND	ND	8.00	39
11-Sep-12	12.0	ND	ND	ND	8.10	37
3-Oct-12	8.0	ND	ND	ND	7.70	38
13-Feb-13	10.8	ND	ND	ND	8.24	34.3
13-Jun-13	11.2	ND	ND	ND	10.70	36.5
5-Sep-13	11.6	ND	ND	ND	7.79	39.1
13-Nov-13	14.4	ND	ND	ND	7.75	41.1
30-Jan-14	12.5	ND	ND	ND	9.16	40.5
22-May-14	13.4	ND	ND	ND	7.78	51.4
14-Aug-14	12.0	ND	ND	ND	7.20	44
28-Oct-14	14.6	ND	ND	ND	8.31	45.1
12-Mar-15	13.8	ND	ND	ND	9.32	45.1
10-Jun-15	13.3	ND	1.07	ND	7.08	47.3
3-Sep-15	12.9	ND	ND	ND	8.10	52.2
28-Oct-15	11.0	ND	ND	ND	8.03	43.6
17-Mar-16	11.0	ND	ND	ND	10.20	44.7
26-May-16	13.6	ND	ND	ND	8.98	45.9
25-Jul-16	10.8	ND	ND	ND	8.49	44.6
26-Oct-16	10.8	ND	ND	ND	8.32	47.8
15-Mar-17	12.6	ND	ND	ND	8.49	44.7
15-Jun-17	14.6	ND	ND	ND	8.52	47.3
2-Aug-17	14.6	ND	ND	ND	8.52	48.6
10-Oct-17	13.8	ND	ND	ND	8.57	42.5
15-Mar-18	15.2	ND	ND	ND	8.36	51.2
13-Jun-18	13.9	ND	ND	ND	9.24	47.4
30-Aug-18	15.4	ND	ND	ND	7.34	54.7
12-Dec-18	15.6	ND	ND	ND	7.67	49.8
16-Mar-19	14.1	ND	ND	ND	7.38	47.6
13-Jun-19	15.8	ND	ND	ND	7.62	49.3
11-Sep-19	14.6	ND	ND	ND	7.02	46.1
14-Dec-19	15.7	ND	ND	ND	6.97	53.1
17-Mar-20	14.8	ND	ND	ND	7.10	48.3
11-Jun-20	15.4	ND	ND	ND	7.83	49.5
18-Sep-20	14.8	ND	ND	ND	6.37	47.0
4-Nov-20	15.6	ND	ND	ND	6.19	50.2

TW4-5	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
18-Mar-21	12.9	ND	ND	ND	7.43	46.0
16-Jun-21	13.0	ND	ND	ND	8.11	50.8
22-Sep-21	11.2	ND	ND	ND	6.63	39.8
8-Dec-21	12.4	ND	ND	ND	6.71	51.3
23-Mar-22	11.0	ND	ND	ND	7.30	47.7
16-Jun-22	10.3	ND	ND	ND	7.10	40.7
14-Sep-22	13.2	ND	ND	ND	7.22	45.8
8-Dec-22	7.6	ND	ND	ND	7.54	51.8
29-Mar-23	8.6	ND	ND	ND	6.27	51.3

TW4-5 Chloroform Values




TW4-6	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
6-Jun-00	0					
2-Sep-00	0					
28-Nov-00	0				ND	
26-Mar-01	0				0.13	
20-Jun-01	0				ND	
20-Sep-01	4				ND	
7-Nov-01	1				ND	
26-Mar-02	0				ND	
21-May-02	0				ND	
12-Sep-02	0				ND	
24-Nov-02	0				ND	
28-Mar-03	0				0.1	
23-Jun-03	0				ND	
12-Sep-03	0				ND	
8-Nov-03	0				ND	
29-Mar-04	0				ND	
22-Jun-04	0				ND	
17-Sep-04	0				ND	
17-Nov-04	0				ND	
16-Mar-05	0				0.2	
25-May-05	2.5	NA	NA	NA	0.4	NA
31-Aug-05	10.0	<1	2.8	<1	0.8	NA
1-Dec-05	17.0	<1	1.3	<1	0.9	NA
9-Mar-06	31.0	<1	<1	<1	1.2	31
14-Jun-06	19.0	<1	<1	<1	1	30
20-Jul-06	11.0	<1	<1	<1	0.6	37
8-Nov-06	42.8	<1	<1	<1	1.4	65
28-Feb-07	46.0	<1	<1	<1	1.5	32
27-Jun-07	11.0	<1	<1	<1	0.6	38
15-Aug-07	18.0	<1	<1	<1	0.7	36
10-Oct-07	18.0	<1	<1	<1	0.8	38
26-Mar-08	52.0	<1	<1	<1	1.1	33
25-Jun-08	24.0	<1	<1	<1	0.9	35
10-Sep-08	39.0	<1	<1	<1	1.14	35
15-Oct-08	37.0	<1	<1	<1	1.01	33
11-Mar-09	81.0	<1	<1	<1	2.2	35
24-Jun-09	120	<1	<1	<1	2.7	37
15-Sep-09	280	<1	<1	<1	5.0	37
22-Dec-09	250	<1	<1	<1	6.1	41
25-Feb-10	1000	<1	<1	<1	1.6	45
10-Jun-10	590	<1	<1	<1	2.5	33
12-Aug-10	630	<1	<1	<1	3.9	31

TW4-6	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
13-Oct-10	420	<1	<1	<1	4.3	41
23-Feb-11	47	ND	ND	ND	0.7	40
26-May-11	10	ND	ND	ND	0.3	42
17-Aug-11	16	ND	ND	ND	0.3	39
7-Dec-11	21	ND	ND	ND	0.8	36
18-Jan-12	38	ND	ND	ND	0.7	38
13-Jun-12	4.7	ND	ND	ND	0.2	40
11-Sep-12	6.9	ND	ND	ND	0.1	21
3-Oct-12	9.0	ND	ND	ND	0.2	41
13-Feb-13	6.9	ND	ND	ND	0.154	40.4
13-Jun-13	4.9	ND	ND	ND	0.155	37.9
5-Sep-13	5.9	ND	ND	ND	0.157	40.6
13-Nov-13	5.5	ND	ND	ND	1.52	40.2
29-Jan-14	5.7	ND	ND	ND	0.184	40.6
22-May-14	10.3	ND	ND	ND	0.312	37
14-Aug-14	202	ND	ND	ND	4.2	40
24-Sep-14	260	ND	ND	ND	N/A	N/A
29-Oct-14	723	ND	ND	ND	6.92	41.1
18-Mar-15	1180	ND	ND	ND	5.25	41.2
11-Jun-15	1040	ND	ND	ND	5.87	41.6
10-Sep-15	1040	ND	ND	ND	6.75	47.0
29-Oct-15	843	ND	ND	ND	5.61	40.2
22-Mar-16	834	ND	ND	ND	6.79	42.0
8-Jun-16	486	ND	ND	ND	3.19	44.1
4-Aug-16	433	ND	ND	ND	3.85	42.2
26-Oct-16	301	ND	ND	ND	3.74	46.1
16-Mar-17	288	ND	ND	ND	3.15	42.1
21-Jun-17	239	ND	ND	ND	2.42	42.6
3-Aug-17	129	ND	ND	ND	1.71	42.9
11-Oct-17	121	ND	ND	ND	1.71	37.6
20-Mar-18	159	ND	ND	ND	1.96	43.1
14-Jun-18	74.9	ND	ND	ND	1.48	40.2
5-Sep-18	53.2	ND	ND	ND	1.18	44.0
12-Dec-18	37.0	ND	ND	ND	0.900	20.0
19-Mar-19	23.2	ND	ND	ND	0.755	41.0
13-Jun-19	15.8	ND	ND	ND	0.484	38.1
11-Sep-19	15.8	ND	ND	ND	0.412	39.7
14-Dec-19	7.40	ND	ND	ND	0.244	45.7
17-Mar-20	6.93	ND	ND	ND	0.222	43.2
11-Jun-20	4.86	ND	ND	ND	0.205	42.4
18-Sep-20	3.63	ND	ND	ND	0.144	40.5
4-Nov-20	4.61	ND	ND	ND	0.197	42.9

TW4-6	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
18-Mar-21	3.78	ND	ND	ND	0.205	41.6
16-Jun-21	2.90	ND	ND	ND	0.215	43.8
15-Sep-21	3.71	ND	ND	ND	0.166	34.1
8-Dec-21	3.92	ND	ND	ND	<0.100	44.8
22-Mar-22	3.10	ND	ND	ND	0.1	31.5
16-Jun-22	2.10	ND	ND	ND	0.2	43.1
14-Sep-22	3.90	ND	ND	ND	0.144	38.7
8-Dec-22	1.50	ND	ND	ND	0.134	40.7
29-Mar-23	1.70	ND	ND	ND	<0.100	43.2

TW4-6 Chloroform Values




TW4-7	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
29-Nov-99	256					
15-Mar-00	616					
2-Sep-00	698					
29-Nov-00	684				1.99	
28-Mar-01	747				2.46	
20-Jun-01	1100				2.65	
20-Sep-01	1200				3.38	
8-Nov-01	1100				2.5	
26-Mar-02	1500				3.76	
23-May-02	1600				3.89	
12-Sep-02	1500				3.18	
24-Nov-02	2300				4.6	
28-Mar-03	1800				4.8	
23-Jun-03	5200				7.6	
12-Sep-03	3600				7.6	
8-Nov-03	4500				7.1	
29-Mar-04	2500				4.63	
22-Jun-04	2900				4.83	
17-Sep-04	3100				5.59	
17-Nov-04	3800				6	
16-Mar-05	3100				5.2	
25-May-05	2700	NA	NA	NA	5.4	NA
31-Aug-05	3100	<10	<10	<10	5.2	NA
1-Dec-05	2500	<50	<50	<50	5.3	NA
9-Mar-06	1900	<50	<50	<50	1	48
14-Jun-06	2200	<50	<50	<50	4.5	47
20-Jul-06	2140	<50	<50	<50	4.7	51
8-Nov-06	2160	1.5	<1	<1	4.6	49
28-Feb-07	1800	1.1	<1	<1	5	47
27-Jun-07	2600	1.5	<1	<1	5.1	45
14-Aug-07	2300	1.4	<1	<1	4.7	44
10-Oct-07	1900	1.2	<1	<1	4.7	45
26-Mar-08	2200	1.3	<1	<1	4.2	43
25-Jun-08	1800	1.3	<1	<1	4.8	43
10-Sep-08	1600	1.4	<1	<1	4.16	35
15-Oct-08	1900	<2	<2	<2	4.01	40
11-Mar-09	1800	1.2	<1	<1	3.7	35
24-Jun-09	1400	<1	<1	<1	3.8	37
15-Sep-09	1500	1.0	<1	<1	4.1	37
29-Dec-09	1300	<1	<1	<1	4.2	37
3-Mar-10	1200	<1	<1	<1	3.8	36
10-Jun-10	1100	<1	<1	<1	3.9	31

TW4-7	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
18-Aug-10	1500	1.1	<1	<1	3.9	36
13-Oct-10	1100	1.1	<1	<1	4	38
23-Feb-11	1300	ND	ND	ND	3.60	45
1-Jun-11	1200	ND	ND	ND	4.00	35
18-Aug-11	1200	ND	ND	ND	4.10	37
29-Nov-11	1000	ND	ND	ND	3.80	37
19-Jan-12	1000	ND	ND	ND	3.90	37
14-Jun-12	790	ND	ND	ND	4.00	41
13-Sep-12	870	ND	ND	ND	3.80	40
4-Oct-12	940	ND	ND	ND	3.80	41
13-Feb-13	1080	3.51	ND	ND	3.90	37.7
18-Jun-13	953	ND	ND	ND	4.04	39.3
12-Sep-13	1040	ND	ND	ND	4.17	36.4
14-Nov-13	1050	ND	ND	ND	4.13	37.2
5-Feb-14	946	5.41	ND	ND	4.24	38.2
23-May-14	847	4.78	ND	ND	4.19	37.7
27-Aug-14	857	ND	1.5	ND	2.90	39
30-Oct-14	926	ND	ND	ND	3.68	40.2
18-Mar-15	942	ND	ND	ND	4.25	40.4
11-Jun-15	950	ND	ND	ND	2.62	42.1
10-Sep-15	897	ND	ND	ND	4.72	46.7
29-Oct-15	847	ND	ND	ND	3.49	40.6
22-Mar-16	834	ND	ND	ND	4.43	42.4
8-Jun-16	909	ND	ND	ND	3.75	44.1
4-Aug-16	1000	ND	ND	ND	4.21	42.3
27-Oct-16	886	ND	ND	ND	4.33	45.8
21-Mar-17	986	ND	ND	ND	3.87	40.5
21-Jun-17	968	ND	ND	ND	4.15	43.3
4-Aug-17	1070	ND	ND	ND	4.20	44.7
11-Oct-17	884	ND	ND	ND	4.35	43.7
21-Mar-18	721	ND	ND	ND	3.96	44.5
14-Jun-18	751	ND	ND	ND	4.45	41.5
5-Sep-18	781	ND	ND	ND	4.34	48.5
13-Dec-18	838	ND	ND	ND	3.98	42.8
20-Mar-19	736	ND	ND	ND	4.01	41.3
19-Jun-19	862	ND	ND	ND	4.19	43.0
12-Sep-19	801	ND	ND	ND	3.76	39.7
18-Dec-19	546	ND	ND	ND	3.11	47.2
18-Mar-20	746	ND	ND	ND	3.75	42.1
12-Jun-20	864	ND	ND	ND	4.06	44.1
19-Sep-20	971	ND	ND	ND	3.87	41.5
11-Nov-20	967	ND	ND	ND	4.40	42.8

TW4-7	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
24-Mar-21	875	ND	ND	ND	4.25	46.2
17-Jun-21	819	ND	ND	ND	4.80	41.7
23-Sep-21	801	ND	ND	ND	4.58	42.8
9-Dec-21	868	ND	ND	ND	3.02	42.9
24-Mar-22	776	0.5	2.1	ND	4.1	41.3
22-Jun-22	447	ND	ND	ND	3.9	42.5
15-Sep-22	887	ND	ND	ND	3.77	45.0
9-Dec-22	824	ND	ND	ND	4.06	44.8
29-Mar-23	619	ND	ND	ND	3.85	44.9

TW4-7 Chloroform Values




TW4-8	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
29-Nov-99	0					
15-Mar-00	21.8					
2-Sep-00	102					
29-Nov-00	107				ND	
26-Mar-01	116				ND	
20-Jun-01	180				ND	
20-Sep-01	180				0.35	
7-Nov-01	180				ND	
26-Mar-02	190				0.62	
22-May-02	210				0.77	
12-Sep-02	300				ND	
24-Nov-02	450				ND	
28-Mar-03	320				0.8	
23-Jun-03	420				ND	
12-Sep-03	66.0				ND	
8-Nov-03	21.0				0.1	
29-Mar-04	24.0				0.65	
22-Jun-04	110				0.52	
17-Sep-04	120				ND	
17-Nov-04	120				ND	
16-Mar-05	10.0				ND	
25-May-05	<1	NA	NA	NA	0.2	NA
31-Aug-05	1.1	<1	1.7	<1	<0.1	NA
30-Nov-05	<1	<1	<1	<1	<0.1	NA
9-Mar-06	1.3	<1	2.1	<1	0.3	39
14-Jun-06	1.0	<1	1.8	<1	<0.1	37
20-Jul-06	<1	<1	<1	<1	0.1	39
8-Nov-06	<1	<1	<1	<1	<0.1	40
28-Feb-07	2.5	<1	<1	<1	0.7	39
27-Jun-07	2.5	<1	<1	<1	0.2	42
15-Aug-07	1.5	<1	<1	<1	<0.1	42
10-Oct-07	3.5	<1	<1	<1	0.5	43
26-Mar-08	<1	<1	<1	<1	0.1	46
25-Jun-08	<1	<1	<1	<1	<0.05	45
10-Sep-08	<1	<1	<1	<1	<0.05	39
15-Oct-08	<1	<1	<1	<1	<0.05	44
4-Mar-09	<1	<1	<1	<1	<0.1	42
24-Jun-09	<1	<1	<1	<1	<0.1	44
15-Sep-09	<1	<1	<1	<1	<1	44
17-Dec-09	<1	<1	<1	<1	<0.1	51
24-Feb-10	<1	<1	<1	<1	<0.1	57
9-Jun-10	<1	<1	<1	<1	<0.1	42

TW4-8	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
11-Aug-10	<1	<1	<1	<1	<0.1	45
5-Oct-10	<1	<1	<1	<1	<0.1	46
16-Feb-11	ND	ND	ND	ND	ND	52
25-May-11	ND	ND	ND	ND	0.1	45
16-Aug-11	ND	ND	ND	ND	0.1	46
7-Dec-11	ND	ND	ND	ND	0.2	45
18-Jan-12	ND	ND	ND	ND	0.3	45
31-May-12	ND	ND	ND	ND	0.2	44
29-Aug-12	ND	ND	ND	ND	0.1	48
3-Oct-12	ND	ND	ND	ND	ND	47
7-Feb-13	ND	ND	ND	ND	0.411	46.6
30-May-13	ND	ND	ND	ND	ND	45.5
5-Sep-13	ND	ND	ND	ND	ND	47.5
7-Nov-13	ND	ND	ND	ND	ND	46.1
23-Jan-14	63.8	ND	ND	ND	0.166	48.5
6-Feb-14	100	ND	ND	ND	0.165	46.6
22-May-14	122	ND	ND	ND	0.538	53
27-Aug-14	107	ND	ND	ND	0.6	47
29-Oct-14	191	ND	ND	ND	0.914	46.7
12-Mar-15	961	ND	ND	ND	2.34	49.6
11-Jun-15	981	ND	ND	ND	1.88	53
10-Sep-15	747	ND	ND	ND	1.96	59.6
29-Oct-15	770	ND	ND	ND	2.20	52.0
17-Mar-16	634	ND	ND	ND	2.48	54.2
8-Jun-16	595	ND	ND	ND	2.14	58.7
4-Aug-16	522	ND	ND	ND	2.10	56.9
27-Oct-16	472	ND	ND	ND	2.16	60.1
21-Mar-17	359	ND	ND	ND	2.06	57.4
21-Jun-17	256	ND	ND	ND	1.97	58.8
4-Aug-17	223	ND	ND	ND	1.64	61.2
11-Oct-17	214	ND	ND	ND	1.97	52.2
21-Mar-18	220	ND	ND	ND	1.36	60.8
14-Jun-18	155	ND	ND	ND	1.31	53.8
5-Sep-18	137	ND	ND	ND	1.40	63.2
13-Dec-18	93.8	ND	ND	ND	0.123	65.8
19-Mar-19	103	ND	ND	ND	1.23	54.3
19-Jun-19	96.0	ND	ND	ND	1.10	56.5
12-Sep-19	75.4	ND	ND	ND	0.999	52.0
18-Dec-19	84.4	ND	ND	ND	1.21	60.1
18-Mar-20	55.0	ND	ND	ND	1.04	53.8
12-Jun-20	53.8	ND	ND	ND	1.06	56.9
18-Sep-20	39.5	ND	ND	ND	0.894	52.6

TW4-8	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
11-Nov-20	51.3	ND	ND	ND	1.27	54.7
18-Mar-21	26.9	ND	ND	ND	1.00	52.8
16-Jun-21	22.3	ND	ND	ND	1.12	51.5
22-Sep-21	17.0	ND	ND	ND	0.665	40.8
8-Dec-21	17.2	ND	ND	ND	0.738	54.9
23-Mar-22	15.1	ND	ND	ND	0.8	50.8
16-Jun-22	10.9	ND	ND	ND	0.64	52.8
14-Sep-22	15.3	ND	ND	ND	0.718	52.5
15-Sep-22	16.3	ND	ND	ND	0.718	52.5
8-Dec-22	4.4	ND	ND	ND	0.654	50.8
29-Mar-23	9.1	ND	ND	ND	0.658	53.4

TW4-8 Chloroform Values




TW4-9	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
20-Dec-99	4.2					
15-Mar-00	1.9					
2-Sep-00	14.2					
29-Nov-00	39.4				ND	
27-Mar-01	43.6				ND	
20-Jun-01	59.0				0.15	
20-Sep-01	19.0				0.4	
7-Nov-01	49.0				0.1	
26-Mar-02	41.0				0.5	
22-May-02	38.0				0.65	
12-Sep-02	49.0				0.2	
24-Nov-02	51.0				0.6	
28-Mar-03	34.0				0.6	
23-Jun-03	33.0				0.8	
12-Sep-03	32.0				1.1	
8-Nov-03	46.0				1.1	
29-Mar-04	48.0				0.82	
22-Jun-04	48.0				0.75	
17-Sep-04	39.0				0.81	
17-Nov-04	26.0				1.2	
16-Mar-05	3.8				1.3	
25-May-05	1.2	NA	NA	NA	1.3	NA
31-Aug-05	<1	<1	2.9	<1	1.3	NA
1-Dec-05	<1	<1	<1	<1	1.3	NA
9-Mar-06	<1	<1	2.6	<1	1.5	38
14-Jun-06	<1	<1	2.7	<1	1.5	39
20-Jul-06	<1	<1	<1	<1	0.9	41
8-Nov-06	<1	<1	<1	<1	0.7	44
28-Feb-07	<1	<1	<1	<1	0.6	44
27-Jun-07	21	<1	<1	<1	1.3	42
15-Aug-07	9.5	<1	<1	<1	1.8	38
10-Oct-07	8.7	<1	<1	<1	2	40
26-Mar-08	1.3	<1	<1	<1	2.1	35
25-Jun-08	1.0	<1	<1	<1	2.3	35
10-Sep-08	<1	<1	<1	<1	2.79	28
15-Oct-08	<1	<1	<1	<1	1.99	58
4-Mar-09	<1	<1	<1	<1	2.5	30
24-Jun-09	<1	<1	<1	<1	2.3	30
15-Sep-09	<1	<1	<1	<1	2.5	30
17-Dec-09	<1	<1	<1	<1	1.7	37
23-Feb-10	<1	<1	<1	<1	1.7	47
9-Jun-10	<1	<1	<1	<1	1.5	33

TW4-9	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
11-Aug-10	<1	<1	<1	<1	1.2	40
6-Oct-10	<1	<1	<1	<1	1.8	34
17-Feb-11	ND	ND	ND	ND	1.3	41
25-May-11	ND	ND	ND	ND	3.4	38
16-Aug-11	ND	ND	ND	ND	4	21
7-Dec-11	ND	ND	ND	ND	2.3	38
18-Jan-12	ND	ND	ND	ND	2.3	28
31-May-12	ND	ND	ND	ND	4	23
30-Aug-12	ND	ND	ND	ND	3.9	22
3-Oct-12	ND	ND	ND	ND	3.8	21
7-Feb-13	ND	ND	ND	ND	4.12	20.6
30-May-13	ND	ND	ND	ND	4.49	21.4
5-Sep-13	ND	ND	ND	ND	4.03	22.7
7-Nov-13	ND	ND	ND	ND	4.87	23.6
29-Jan-14	ND	ND	ND	ND	4.36	22
21-May-14	6.9	ND	ND	ND	3.44	24
14-Aug-14	46.9	ND	ND	ND	2.7	27
29-Oct-14	101	ND	ND	ND	4.27	25
12-Mar-15	53.5	ND	ND	ND	3.28	29.5
11-Jun-15	35.1	ND	ND	ND	1.83	35.3
3-Sep-15	48.2	ND	ND	ND	1.44	39.5
28-Oct-15	68.4	ND	ND	ND	2.89	29.2
17-Mar-16	74.3	ND	ND	ND	2.51	33.6
8-Jun-16	76.2	ND	ND	ND	2.16	35.1
3-Aug-16	76.8	ND	ND	ND	2.11	33.6
26-Oct-16	76	ND	ND	ND	2.24	37.4
16-Mar-17	113	ND	ND	ND	2.18	34.5
21-Jun-17	113	ND	ND	ND	1.92	35.9
3-Aug-17	118	ND	ND	ND	1.90	37.0
11-Oct-17	132	ND	ND	ND	2.18	32.3
21-Mar-18	159	ND	ND	ND	1.85	38.3
14-Jun-18	134	ND	ND	ND	1.85	35.7
5-Sep-18	94.2	ND	ND	ND	1.04	43.4
13-Dec-18	109	ND	ND	ND	1.23	36.3
19-Mar-19	86.4	ND	ND	ND	1.09	36.9
19-Jun-19	68.1	ND	ND	ND	0.785	38.3
11-Sep-19	66.0	ND	ND	ND	0.904	35.2
18-Dec-19	54.8	ND	ND	ND	0.744	40.1
18-Mar-20	48.9	ND	ND	ND	0.855	37.7
12-Jun-20	55.1	ND	ND	ND	0.990	39.5
18-Sep-20	45.0	ND	ND	ND	0.867	36.7
11-Nov-20	47.1	ND	ND	ND	1.11	37.2

TW4-9	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
18-Mar-21	39.0	ND	ND	ND	1.06	40.7
16-Jun-21	102.0	ND	ND	ND	1.00	37.4
22-Sep-21	30.0	ND	ND	ND	0.700	30.8
8-Dec-21	25.4	ND	ND	ND	0.798	36.9
23-Mar-22	16.5	ND	ND	ND	0.8	34.6
22-Jun-22	9.8	ND	ND	ND	0.62	41.7
14-Sep-22	10.8	ND	ND	ND	0.673	32.4
15-Sep-22	11.8	ND	ND	ND	0.673	32.4
8-Dec-22	6.7	ND	ND	ND	0.676	33.2
29-Mar-23	6.2	ND	ND	ND	0.765	37.1

TW4-9 Chloroform Values




TW4-10	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
21-Jan-02	14					
26-Mar-02	16				0.14	
21-May-02	17				0.11	
12-Sep-02	6				ND	
24-Nov-02	14				ND	
28-Mar-03	29				0.2	
23-Jun-03	110				0.4	
12-Sep-03	74				0.4	
8-Nov-03	75				0.3	
29-Mar-04	22				0.1	
22-Jun-04	32				ND	
17-Sep-04	63				0.46	
17-Nov-04	120				0.4	
16-Mar-05	140				1.6	
25-May-05	62.4	NA	NA	NA	0.8	NA
31-Aug-05	110	<2.5	6.2	<2.5	1.1	NA
1-Dec-05	300	<2.5	<2.5	<2.5	3.3	NA
9-Mar-06	190	<5	<50	<50	2.4	50
14-Jun-06	300	<5	<50	<50	3.5	54
20-Jul-06	504	<5	<50	<50	6.8	61
8-Nov-06	452	<1	1.6	1	5.7	58
28-Feb-07	500	<1	<1	1	7.6	62
27-Jun-07	350	<1	<1	1	5.1	54
15-Aug-07	660	<1	<1	1	7.3	59
10-Oct-07	470	<1	<1	1	6.7	59
26-Mar-08	620	<1	<1	1	7.3	55
25-Jun-08	720	<1	<1	1	9.91	58
10-Sep-08	680	<1	<1	1	9.23	51
15-Oct-08	1200	<2	<2	2	10.5	61
11-Mar-09	1100	<1	<1	1	11.6	64
24-Jun-09	1200	<1	<1	1	9.8	62
15-Sep-09	910	<1	<1	1	8.1	51
22-Dec-09	300	<1	<1	<1	3.5	51
3-Mar-10	460	<1	<1	<1	5	49
10-Jun-10	220	<1	<1	<1	1.6	42
12-Aug-10	100	<1	<1	<1	0.8	38
13-Oct-10	1100	<1	<1	<1	11	52
23-Feb-11	620	ND	ND	ND	9	62
1-Jun-11	280	ND	ND	ND	3.3	42
17-Aug-11	180	ND	ND	ND	1.9	41
16-Nov-11	110	ND	ND	ND	1.1	45
19-Jan-12	76	ND	ND	ND	0.9	40
13-Jun-12	79	ND	ND	ND	0.8	46

TW4-10	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
12-Sep-12	130	ND	ND	ND	1.0	44
3-Oct-12	140	ND	ND	ND	1.6	45
13-Feb-13	154	ND	ND	ND	1.2	49.1
13-Jun-13	486	ND	ND	ND	5.6	51.5
12-Sep-13	1160	ND	ND	ND	13.0	67.9
14-Nov-13	1380	ND	ND	ND	16.0	70.9
5-Feb-14	1260	5.16	ND	ND	16.8	73
23-May-14	1110	ND	ND	ND	13.9	77.3
27-Aug-14	1060	ND	1.5	ND	9.8	74
30-Oct-14	1220	ND	ND	ND	13.2	75.2
18-Mar-15	1210	ND	ND	ND	15.0	78.6
11-Jun-15	1240	ND	ND	ND	11.4	75
10-Sep-15	1280	ND	ND	ND	14.0	89.5
29-Oct-15	1350	ND	ND	ND	13.5	79.9
22-Mar-16	1430	ND	ND	ND	17.3	84.1
8-Jun-16	1510	ND	ND	ND	14.9	89.5
4-Aug-16	1500	ND	ND	ND	14.9	85.3
27-Oct-16	1290	ND	ND	ND	14.8	84.4
21-Mar-17	1260	ND	ND	ND	13.0	74.6
21-Jun-17	1140	ND	ND	ND	13.0	73.1
4-Aug-17	1320	ND	ND	ND	13.4	77.0
11-Oct-17	1150	ND	ND	ND	12.9	70.0
21-Mar-18	1240	ND	ND	ND	11.1	72.7
14-Jun-18	914	ND	ND	ND	11.2	64.5
5-Sep-18	911	ND	ND	ND	10.1	73.5
13-Dec-18	1070	ND	ND	ND	10.6	63.5
20-Mar-19	869	ND	ND	ND	9.34	59.3
19-Jun-19	799	ND	ND	ND	8.86	58.7
12-Sep-19	734	ND	ND	ND	7.79	55.8
18-Dec-19	768	ND	ND	ND	6.89	62.0
18-Mar-20	798	ND	ND	ND	7.83	53.5
12-Jun-20	928	ND	ND	ND	8.13	60.1
19-Sep-20	854	ND	ND	ND	7.34	53.9
11-Nov-20	903	ND	ND	ND	8.69	58.6
24-Mar-21	718	ND	ND	ND	7.20	58.1
17-Jun-21	609	ND	ND	ND	7.75	48.7
23-Sep-21	545	ND	ND	ND	6.35	50.6
9-Dec-21	675	ND	ND	ND	5.47	51.9
24-Mar-22	471	ND	1	ND	5.1	49.0
22-Jun-22	342	ND	ND	ND	4.6	46.0
15-Sep-22	563	ND	ND	ND	5.57	52.0
16-Sep-22	564	ND	ND	ND	5.57	52.0
9-Dec-22	499	ND	ND	ND	4.76	43.4

TW4-10	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
29-Mar-23	361	ND	ND	ND	4.20	48.6

TW4-10 Chloroform Values




TW4-11	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
21-Jan-02	4700					
26-Mar-02	4900				9.6	
22-May-02	5200				9.07	
12-Sep-02	6200				8.84	
24-Nov-02	5800				9.7	
28-Mar-03	5100				9.7	
23-Jun-03	5700				9.4	
12-Sep-03	4600				9.9	
8-Nov-03	5200				9.3	
29-Mar-04	5300				9.07	
22-Jun-04	5700				8.74	
17-Sep-04	4800				8.75	
17-Nov-04	5800				9.7	
16-Mar-05	4400				8.7	
25-May-05	3590	NA	NA	NA	10.3	NA
31-Aug-05	4400	<10	<10	<10	9.4	NA
1-Dec-05	4400	<100	<100	<100	9.4	NA
9-Mar-06	4400	<50	<50	<50	9.2	56
14-Jun-06	4300	<50	<50	<50	10	56
20-Jul-06	4080	<50	<50	<50	10	55
8-Nov-06	3660	1.7	2.7	1.3	10	55
28-Feb-07	3500	1.3	<1	1.6	10.1	54
27-Jun-07	3800	1.6	<1	1.1	10.6	53
15-Aug-07	4500	1.7	<1	1.1	10.2	53
10-Oct-07	4400	1.6	<1	1.2	9.8	53
26-Mar-08	340	<1	<1	<1	7.7	63
25-Jun-08	640	<1	<1	<1	7.28	46
10-Sep-08	900	<1	<1	<1	7.93	42
15-Oct-08	1000	<2	<2	<2	9.46	47
11-Mar-09	1100	<1	<1	<1	7.3	49
24-Jun-09	980	<1	<1	<1	6.8	44
15-Sep-09	1000	<1	<1	<1	7	49
29-Dec-09	860	<1	<1	<1	6.6	46
3-Mar-10	820	<1	<1	<1	6.8	42
10-Jun-10	820	<1	<1	<1	6.9	40
12-Aug-10	800	<1	<1	<1	6.7	43
13-Oct-10	720	<1	<1	<1	6.4	49
23-Feb-11	1000	ND	ND	ND	6.5	46
1-Jun-11	930	ND	ND	ND	7.3	49
17-Aug-11	820	ND	ND	ND	7.1	48
16-Nov-11	1500	ND	ND	ND	7.1	46
24-Jan-12	610	ND	ND	ND	6.8	43

TW4-11	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
13-Jun-12	660	ND	ND	ND	6.7	52
13-Sep-12	740	ND	ND	ND	3	49
4-Oct-12	730	ND	ND	ND	7	50
13-Feb-13	867	3.23	ND	ND	6.83	47.3
18-Jun-13	788	ND	ND	ND	7.42	49.7
12-Sep-13	865	ND	ND	ND	7.8	46.6
13-Nov-13	874	ND	ND	ND	8.01	46.7
5-Feb-14	785	5.19	ND	ND	8.47	48.5
23-May-14	751	ND	ND	ND	6.92	51.6
27-Aug-14	719	ND	1.2	ND	5.4	48
29-Oct-14	803	ND	ND	ND	7.33	56.4
9-Mar-15	2450	1.24	ND	ND	8.72	49.8
8-Jun-15	2710	ND	ND	ND	8.48	62.2
31-Aug-15	1120	ND	1.62	ND	9.61	73.1
19-Oct-15	2730	ND	ND	ND	7.5	55.3
9-Mar-16	2660	1.2	ND	ND	7.13	55.5
23-May-16	3340	2.19	ND	ND	7.81	56.4
25-Jul-16	3200	ND	ND	ND	8.83	55.3
12-Oct-16	3180	1.58	ND	ND	8.92	57.2
8-Mar-17	3310	1.71	ND	ND	8.12	49.8
13-Jun-17	3370	1.83	ND	ND	7.92	51.4
26-Jul-17	3290	1.81	ND	ND	7.78	51.0
11-Oct-17	2880	1.48	ND	ND	7.79	49.7
12-Mar-18	3090	1.82	ND	ND	7.89	54.0
8-Jun-18	2800	1.34	ND	ND	7.51	52.6
22-Aug-18	3050	1.47	ND	ND	7.15	53.3
28-Nov-18	2930	1.33	ND	ND	6.85	45.4
8-Mar-19	2820	1.48	ND	ND	7.50	46.8
5-Jun-19	2970	1.52	1.40	ND	8.30	45.3
4-Sep-19	2790	ND	ND	ND	7.15	48.8
10-Dec-19	3250	ND	ND	ND	7.14	49.0
19-Feb-20	2990	ND	ND	ND	7.07	51.9
27-May-20	2810	1.37	ND	ND	7.56	48.6
4-Sep-20	3070	1.37	ND	ND	7.59	46.3
28-Oct-20	2670	ND	3.86	ND	7.19	43.3
23-Feb-21	2750	ND	3.86	ND	7.21	49.5
9-Jun-21	3320	ND	ND	ND	8.17	37.7
24-Aug-21	2600	ND	ND	ND	5.78	40.2
1-Dec-21	2850	ND	ND	ND	7.44	48.4
9-Mar-22	2780	ND	ND	ND	7.4	41.5
8-Jun-22	2550	1.0	2.7	ND	5.9	44.5
30-Aug-22	3020	ND	ND	ND	6.90	42.4

TW4-11	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
31-Aug-22	3021	ND	ND	ND	6.90	42.4
30-Nov-22	2900	ND	ND	ND	7.05	36.6
7-Mar-23	2430	ND	ND	ND	5.68	39.2


TW4-11 Chloroform Values



TW4-12	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
12-Sep-02	2				2.54	
24-Nov-02	0				2.2	
28-Mar-03	0				1.9	
23-Jun-03	0				1.8	
12-Sep-03	0				1.8	
9-Nov-03	0				1.6	
29-Mar-04	0				1.58	
22-Jun-04	0				1.4	
17-Sep-04	0				1.24	
17-Nov-04	0				1.5	
16-Mar-05	0				1.4	
25-May-05	<1	NA	NA	NA	1.6	NA
31-Aug-05	<1	<1	5.8	<1	1.5	NA
1-Dec-05	<1	<1	1.9	<2	1.4	NA
9-Mar-06	<1	<1	2.6	<1	1.3	19
14-Jun-06	<1	<1	1.4	<1	1.4	16
20-Jul-06	<1	<1	<1	<1	1.4	16
8-Nov-06	<1	<1	<1	<1	1.4	16
28-Feb-07	<1	<1	<1	<1	1.5	16
27-Jun-07	<1	<1	<1	<1	1.5	18
15-Aug-07	<1	<1	<1	<1	1.4	29
10-Oct-07	<1	<1	<1	<1	1.4	16
26-Mar-08	<1	<1	<1	<1	1.6	16
25-Jun-08	<1	<1	<1	<1	2.69	19
10-Sep-08	<1	<1	<1	<1	2.65	18
15-Oct-08	<1	<1	<1	<1	2.47	22
4-Mar-09	<1	<1	<1	<1	2.4	23
24-Jun-09	<1	<1	<1	<1	3.8	22
15-Sep-09	<1	<1	<1	<1	5.1	22
16-Dec-09	<1	<1	<1	<1	3.6	23
23-Feb-10	<1	<1	<1	<1	4	22
8-Jun-10	<1	<1	<1	<1	11	29
10-Aug-10	<1	<1	<1	<1	9	35
5-Oct-10	<1	<1	<1	<1	8	31
15-Feb-11	ND	ND	ND	ND	6.5	31
25-May-11	ND	ND	ND	ND	7	32
16-Aug-11	ND	ND	ND	ND	6.8	31
15-Nov-11	ND	ND	ND	ND	8	30
17-Jan-12	ND	ND	ND	ND	7.7	28
31-May-12	ND	ND	ND	ND	10	34
29-Aug-12	ND	ND	ND	ND	13	39
3-Oct-12	ND	ND	ND	ND	13	39

TW4-12	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
7-Feb-13	ND	ND	ND	ND	12.6	36.7
29-May-13	ND	ND	ND	ND	14.2	38.6
29-Aug-13	ND	ND	ND	ND	17.4	41.7
6-Nov-13	ND	ND	ND	ND	16.4	41.4
22-Jan-14	ND	ND	ND	ND	18.4	41.6
21-May-14	ND	ND	ND	ND	17	40.2
27-Aug-14	ND	ND	ND	ND	13	47
23-Oct-14	ND	ND	ND	ND	16.1	50.2
11-Mar-15	ND	ND	ND	ND	19.2	50.6
10-Jun-15	ND	ND	ND	ND	18.8	56
2-Sep-15	ND	ND	ND	ND	16.4	60.2
21-Oct-15	ND	ND	ND	ND	18	51.0
15-Mar-16	ND	ND	ND	ND	34.8	56.2
25-May-16	ND	ND	ND	ND	30.7	66.4
27-Jul-16	ND	ND	ND	ND	37.7	67.5
19-Oct-16	ND	ND	ND	ND	25.8	72.6
14-Mar-17	ND	ND	ND	ND	25.9	62.6
14-Jun-17	1.25	ND	ND	ND	29.9	67.2
2-Aug-17	1.20	ND	ND	ND	25.1	65.3
10-Oct-17	ND	ND	ND	ND	26.9	56.2
14-Mar-18	ND	ND	ND	ND	19.8	59.5
12-Jun-18	ND	ND	ND	ND	18.4	53.6
29-Aug-18	ND	ND	ND	ND	13.6	59.9
30-Nov-18	ND	ND	ND	ND	10.4	56.1
16-Mar-19	ND	ND	ND	ND	10.1	50.8
13-Jun-19	ND	ND	ND	ND	8.31	55.3
11-Sep-19	ND	ND	ND	ND	8.88	52.6
14-Dec-19	ND	ND	ND	ND	8.04	58.0
17-Mar-20	ND	ND	ND	ND	6.39	53.0
10-Jun-20	ND	ND	ND	ND	4.95	51.7
17-Sep-20	ND	ND	ND	ND	2.34	50.3
4-Nov-20	ND	ND	ND	ND	5.91	48.0
17-Mar-21	ND	ND	ND	ND	3.10	52.0
15-Jun-21	ND	ND	ND	ND	2.39	51.8
15-Sep-21	ND	ND	ND	ND	1.95	36.1
7-Dec-21	ND	ND	ND	ND	1.46	49.8
15-Mar-22	ND	ND	ND	ND	8.4	25.8
15-Jun-22	ND	ND	ND	ND	16.0	53.3
13-Sep-22	ND	ND	ND	ND	13.80	57.9
7-Dec-22	ND	ND	ND	ND	4.68	49.2
22-Mar-23	ND	ND	ND	ND	2.84	35.9


TW4-12 Chloroform Values



TW4-13	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
12-Sep-02	ND				ND	
24-Nov-02	ND				ND	
28-Mar-03	ND				0.20	
23-Jun-03	ND				0.20	
12-Sep-03	ND				ND	
9-Nov-03	ND				0.90	
29-Mar-04	ND				0.12	
22-Jun-04	ND				0.17	
17-Sep-04	ND				4.43	
17-Nov-04	ND				4.70	
16-Mar-05	ND				4.20	
25-May-05	<1	NA	NA	NA	4.30	NA
31-Aug-05	<1	<1	3.1	<1	4.60	NA
1-Dec-05	<1	<1	<1	<1	4.30	NA
9-Mar-06	<1	<1	1.7	<1	4.20	67.0
14-Jun-06	<1	<1	1.4	<1	4.90	66.0
20-Jul-06	<1	<1	<1	<1	4.30	65.0
8-Nov-06	<1	<1	<1	<1	0.80	33.0
28-Feb-07	<1	<1	<1	<1	4.00	59.0
27-Jun-07	<1	<1	<1	<1	4.60	59.0
15-Aug-07	<1	<1	<1	<1	4.40	58.0
10-Oct-07	<1	<1	<1	<1	4.10	58.0
26-Mar-08	<1	<1	<1	<1	3.80	54.0
25-Jun-08	<1	<1	<1	<1	4.24	58.0
10-Sep-08	<1	<1	<1	<1	4.26	50.0
15-Oct-08	<1	<1	<1	<1	4.63	58.0
4-Mar-09	<1	<1	<1	<1	3.70	58.0
24-Jun-09	<1	<1	<1	<1	1.20	57.0
15-Sep-09	<1	<1	<1	<1	4.70	63.0
16-Dec-09	<1	<1	<1	<1	4.10	60.0
24-Feb-10	<1	<1	<1	<1	4.30	53.0
8-Jun-10	<1	<1	<1	<1	5.20	52.0
10-Aug-10	<1	<1	<1	<1	5.60	55.0
5-Oct-10	<1	<1	<1	<1	5.80	55.0
15-Feb-11	ND	ND	ND	ND	5.50	60.0
25-May-11	ND	ND	ND	ND	5.40	56.0
16-Aug-11	ND	ND	ND	ND	5.20	60.0
15-Nov-11	ND	ND	ND	ND	5.90	54.0
17-Jan-12	ND	ND	ND	ND	5.50	55.0
31-May-12	ND	ND	ND	ND	6.00	59.0
29-Aug-12	ND	ND	ND	ND	6.20	60.0
3-Oct-12	ND	ND	ND	ND	5.90	60.0
7-Feb-13	ND	ND	ND	ND	6.31	59.3
29-May-13	ND	ND	ND	ND	6.84	56

TW4-13	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
29-Aug-13	ND	ND	ND	ND	7.16	63.5
6-Nov-13	ND	ND	ND	ND	6.48	58.5
22-Jan-14	ND	ND	ND	ND	7.09	63.1
21-May-14	ND	ND	ND	ND	5.99	56.1
13-Aug-14	ND	ND	ND	ND	4.80	62
23-Oct-14	ND	ND	ND	ND	6.28	66.1
11-Mar-15	ND	ND	ND	ND	7.09	66.4
10-Jun-15	ND	ND	ND	ND	6.32	70.3
2-Sep-15	ND	ND	ND	ND	5.70	76.5
21-Oct-15	ND	ND	ND	ND	5.78	65.5
16-Mar-16	ND	ND	ND	ND	7.97	69.4
25-May-16	ND	ND	ND	ND	5.87	71.8
28-Jul-16	ND	ND	ND	ND	6.14	69.3
19-Oct-16	ND	ND	ND	ND	6.20	70.9
15-Mar-17	ND	ND	ND	ND	6.05	66.0
15-Jun-17	ND	ND	ND	ND	6.49	70.4
2-Aug-17	ND	ND	ND	ND	6.15	70.5
10-Oct-17	ND	ND	ND	ND	6.17	60.9
14-Mar-18	ND	ND	ND	ND	5.76	71.0
12-Jun-18	ND	ND	ND	ND	6.24	65.0
29-Aug-18	ND	ND	ND	ND	5.13	73.7
30-Nov-18	ND	ND	ND	ND	5.29	64.5
16-Mar-19	ND	ND	ND	ND	5.74	61.6
13-Jun-19	ND	ND	ND	ND	6.56	65.4
13-Sep-19	ND	ND	ND	ND	5.19	65.3
14-Dec-19	ND	ND	ND	ND	5.17	68.7
17-Mar-20	ND	ND	ND	ND	5.50	63.9
11-Jun-20	ND	ND	ND	ND	5.96	62.7
17-Sep-20	ND	ND	ND	ND	5.25	60.2
4-Nov-20	ND	ND	ND	ND	4.92	60.6
17-Mar-21	ND	ND	ND	ND	5.57	67.3
15-Jun-21	ND	ND	ND	ND	2.88	57.7
15-Sep-21	ND	ND	ND	ND	4.80	54.2
7-Dec-21	ND	ND	ND	ND	5.06	61.0
16-Mar-22	ND	ND	ND	ND	4.8	59.2
15-Jun-22	ND	ND	ND	ND	4.5	62.6
13-Sep-22	ND	ND	ND	ND	4.37	62.4
7-Dec-22	ND	ND	ND	ND	4.87	56.9
23-Mar-23	ND	ND	ND	ND	4.47	57.6

TW4-13 Chloroform Values




Chloroform has not been detected in TW4-13

TW4-14	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
8-Nov-06	<1	<1	<1	<1	2.40	37.0
28-Feb-07	<1	<1	<1	<1	2.30	38.0
27-Jun-07	<1	<1	<1	<1	1.40	38.0
15-Aug-07	<1	<1	<1	<1	1.10	36.0
10-Oct-07	<1	<1	<1	<1	0.80	36.0
26-Mar-08	<1	<1	<1	<1	0.04	57.0
25-Jun-08	<1	<1	<1	<1	1.56	35.0
10-Sep-08	<1	<1	<1	<1	1.34	34.0
15-Oct-08	<1	<1	<1	<1	0.76	40.0
4-Mar-09	<1	<1	<1	<1	1.60	35.0
24-Jun-09	<1	<1	<1	<1	1.40	36.0
15-Sep-09	<1	<1	<1	<1	1.50	38.0
16-Dec-09	<1	<1	<1	<1	1.40	34.0
3-Mar-10	<1	<1	<1	<1	2.50	33.0
8-Jun-10	<1	<1	<1	<1	2.90	49.0
10-Aug-10	<1	<1	<1	<1	2.80	35.0
6-Oct-10	<1	<1	<1	<1	2.90	29.0
15-Feb-11	ND	ND	ND	ND	1.80	25.0
16-Aug-11	ND	ND	ND	ND	2.60	33.0
15-Nov-11	ND	ND	ND	ND	1.70	15.0
17-Jan-12	ND	ND	ND	ND	1.90	20.0
31-May-12	ND	ND	ND	ND	3.30	35.0
29-Aug-12	ND	ND	ND	ND	3.90	37.0
3-Oct-12	ND	ND	ND	ND	4.20	37.0
7-Feb-13	ND	ND	ND	ND	4.63	35.2
30-May-13	ND	ND	ND	ND	4.37	38.6
29-Aug-13	ND	ND	ND	ND	4.51	37.6
6-Nov-13	ND	ND	ND	ND	4.81	36.5
22-Jan-14	ND	ND	ND	ND	5.92	35.5
21-May-14	ND	ND	ND	ND	4.87	32.5
13-Aug-14	ND	ND	ND	ND	4.10	38.0
23-Oct-14	1.68	ND	ND	ND	5.22	38.9
12-Mar-15	1.71	ND	ND	ND	5.22	40.1
10-Jun-15	1.82	ND	ND	ND	3.55	41.8
3-Sep-15	ND	ND	ND	ND	2.77	42.4
21-Oct-15	1.46	ND	ND	ND	2.45	40.6
16-Mar-16	4.49	ND	ND	2.18	2.94	42.4
26-May-16	6.15	ND	ND	3.18	2.45	43.6
28-Jul-16	5.00	ND	ND	1.80	2.88	42.4
20-Oct-16	7.02	ND	ND	1.59	2.86	45.6
15-Mar-17	6.45	ND	ND	ND	4.36	45.4
15-Jun-17	6.85	ND	ND	ND	5.12	46.9
2-Aug-17	6.14	ND	ND	ND	4.84	46.4

TW4-14	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
10-Oct-17	6.13	ND	ND	ND	4.73	42.5
15-Mar-18	5.80	ND	ND	ND	5.67	51.5
13-Jun-18	5.12	ND	ND	ND	6.36	46.9
30-Aug-18	4.76	ND	ND	ND	5.34	54.1
12-Dec-18	4.41	ND	ND	ND	5.85	48.7
16-Mar-19	4.08	ND	ND	ND	6.16	48.7
13-Jun-19	4.18	ND	ND	ND	5.86	48.3
11-Sep-19	6.08	ND	ND	ND	4.77	45.4
14-Dec-19	3.83	ND	ND	ND	4.76	49.4
17-Mar-20	2.98	ND	ND	ND	6.17	48.4
11-Jun-20	2.87	ND	ND	ND	6.57	47.6
18-Sep-20	2.41	ND	ND	ND	5.57	45.1
4-Nov-20	2.69	ND	ND	ND	5.81	49.7
18-Mar-21	1.77	ND	ND	ND	5.56	48.2
16-Jun-21	ND	ND	ND	ND	7.02	49.5
15-Sep-21	ND	ND	ND	ND	5.56	34.4
8-Dec-21	ND	ND	ND	ND	5.70	49.0
16-Mar-22	ND	ND	ND	ND	5.9	42.0
16-Jun-22	1.0	ND	ND	ND	5.3	48.4
14-Sep-22	1.1	ND	ND	ND	4.78	42.2
8-Dec-22	ND	ND	ND	ND	6.20	43.5
23-Mar-23	ND	ND	ND	ND	5.58	47.6

TW4-14 Chloroform Values




MW-26	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
12-Sep-02	3				ND	
24-Nov-02	0				ND	
28-Mar-03	0				0.1	
23-Jun-03	7800				14.5	
15-Aug-03	7400				16.8	
12-Sep-03	2500				2.7	
25-Sep-03	2600				2.5	
29-Oct-03	3100				3.1	
8-Nov-03	3000				2.8	
29-Mar-04	NA				NA	
22-Jun-04	NA				NA	
17-Sep-04	1400				0.53	
17-Nov-04	300				0.2	
16-Mar-05	310				0.3	
30-Mar-05	230				0.2	
25-May-05	442	NA	NA	NA	0.2	NA
31-Aug-05	960	<5	5.4	<5	0.2	NA
1-Dec-05	1000	<50	<50	<50	0.3	NA
9-Mar-06	1100	<50	<50	<50	0.2	52
14-Jun-06	830	<50	<50	<50	0.2	52
20-Jul-06	2170	<50	<50	<50	1.4	65
8-Nov-06	282	<1	<1	2.8	0.3	54
28-Feb-07	570	<1	<1	5.5	0.5	56
27-Jun-07	300	<1	<1	13	0.4	49
15-Aug-07	1400	<1	<1	36	1	57
10-Oct-07	2000	<1	<1	14	0.6	57
26-Mar-08	930	<1	<1	40	0.1	49
25-Jun-08	1300	<1	<1	53	0.56	57
10-Sep-08	630	<1	<1	24	0.24	44
15-Oct-08	1700	<1	<1	100	0.65	64
4-Mar-09	950	<1	<1	51	0.4	49
24-Jun-09	410	<1	<1	12	0.2	48
15-Sep-09	850	<1	<1	30	0.1	46
14-Dec-09	1100	<1	<1	40	2.3	60
17-Feb-10	780	<1	<1	19	0.2	57
9-Jun-10	1900	<1	<1	28	1.1	58
16-Aug-10	2200	<1	<1	21	0.6	49
11-Oct-10	970	<1	<1	6.5	0.7	65
23-Feb-11	450	ND	ND	3.6	0.5	57
31-May-11	1800	ND	ND	1.3	0.4	88
17-Aug-11	720	ND	ND	7.2	0.9	58
5-Dec-11	1800	ND	ND	2.9	2	69

MW-26	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
7-Feb-12	2400	ND	ND	16	1.7	98
6-Jun-12	3000	ND	ND	21	2.5	73
4-Sep-12	3100	ND	ND	31	2.6	73
4-Oct-12	1200	ND	ND	4	1.8	68
11-Feb-13	2120	ND	ND	9.34	2.27	81.9
5-Jun-13	4030	ND	ND	52.4	2.11	77.9
3-Sep-13	2940	ND	ND	33.2	1.18	60.5
29-Oct-13	1410	ND	ND	4.03	1.38	72.3
27-Jan-14	1400	ND	ND	13.8	0.549	59.4
19-May-14	1960	ND	ND	15.4	0.928	53.4
11-Aug-14	2120	ND	8.7	26	0.7	59
21-Oct-14	2090	ND	ND	23.2	0.934	60.1
9-Mar-15	1980	ND	ND	27.4	0.732	56.5
8-Jun-15	1980	ND	ND	11.2	0.419	62
31-Aug-15	2350	ND	4.05	11.6	0.684	69.6
19-Oct-15	2680	ND	1.32	8.28	0.991	62.6
9-Mar-16	2650	ND	1.32	4.66	1.45	68.3
23-May-16	2220	ND	ND	4.57	1.12	66.2
25-Jul-16	3190	ND	ND	7.81	1.57	66.4
12-Oct-16	2510	ND	ND	4.31	1.18	66.2
8-Mar-17	1290	ND	ND	7.65	0.768	58.4
13-Jun-17	2450	ND	ND	7.59	0.922	64.3
26-Jul-17	1230	ND	ND	5.26	1.56	61.4
11-Oct-17	2570	ND	ND	7.83	1.18	62.2
12-Mar-18	1210	ND	ND	2.14	1.57	60.3
8-Jun-18	1870	ND	ND	9.19	0.901	58.7
22-Aug-18	1680	ND	ND	ND	2.80	91.4
28-Nov-18	1480	ND	ND	ND	1.96	85.5
8-Mar-19	1110	ND	ND	2.20	1.85	69.9
5-Jun-19	1280	ND	ND	1.19	2.83	80.7
4-Sep-19	1360	ND	ND	1.93	3.08	76.2
10-Dec-19	1390	ND	ND	1.78	0.977	83.2
19-Feb-20	1100	ND	ND	ND	1.17	88.9
27-May-20	1610	ND	ND	3.92	2.93	77.6
4-Sep-20	1130	ND	ND	2.57	0.42	70.0
28-Oct-20	866	ND	ND	ND	3.62	67.4
23-Feb-21	3060	ND	ND	3.46	0.349	59.5
9-Jun-21	998	ND	ND	ND	0.810	48.6
24-Aug-21	1580	ND	ND	ND	0.671	46.6
1-Dec-21	826	ND	5.90	ND	0.518	54.7
9-Mar-22	1030	ND	ND	ND	0.3	50.2
8-Jun-22	611	ND	ND	ND	0.22	63.4

MW-26	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
30-Aug-22	612	ND	ND	ND	0.662	57.0
30-Nov-22	1040	ND	ND	ND	0.337	52.1
7-Mar-23	571	ND	ND	ND	0.694	61.0


MW-26 Chloroform Values



TW4-16	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
12-Sep-02	140				ND	
24-Nov-02	200				ND	
28-Mar-03	260				ND	
23-Jun-03	370				ND	
12-Sep-03	350				ND	
8-Nov-03	400				ND	
29-Mar-04	430				ND	
22-Jun-04	530				ND	
17-Sep-04	400				ND	
17-Nov-04	350				ND	
16-Mar-05	240				ND	
25-May-05	212	NA	NA	NA	<0.1	NA
31-Aug-05	85	<1	3.2	43	<0.1	NA
1-Dec-05	14	<2.5	2.6	5.9	1.4	NA
9-Mar-06	39	<1	1.1	21	3	60
14-Jun-06	13	<1	2.4	8.9	1.9	55
20-Jul-06	5.2	<1	<1	2.7	2.7	60
8-Nov-06	13.6	<1	<1	9.2	5.6	62
28-Feb-07	8.7	<1	<1	6.5	12.3	79
27-Jun-07	2.6	<1	<1	1.8	9.9	75
15-Aug-07	7.1	<1	<1	5.1	5.4	66
10-Oct-07	1.4	<1	<1	<1	4.4	69
26-Mar-08	11	<1	<1	26	ND	52
25-Jun-08	<1	<1	<1	<1	1.46	58
10-Sep-08	10	<1	<1	14	10.5	71
15-Oct-08	3.9	<1	<1	6.6	9.82	89
4-Mar-09	<1	<1	<1	<1	9.6	78
24-Jun-09	<1	<1	<1	<1	8.9	76
15-Sep-09	<1	<1	<1	<1	8.8	79
17-Dec-09	<1	<1	<1	<1	5.2	76
24-Feb-10	<1	<1	<1	<1	4.2	77
9-Jun-10	2.1	<1	<1	<1	4.7	64
24-Aug-10	4.3	<1	<1	<1	4.6	72
6-Oct-10	3	<1	<1	<1	3.3	72
22-Feb-11	15	ND	ND	ND	7	86
26-May-11	16	ND	ND	ND	5	81
17-Aug-11	9.2	ND	ND	ND	1.7	63
16-Nov-11	ND	ND	ND	1.4	0.4	38
18-Jan-12	ND	ND	ND	1.7	0.1	48
31-May-12	ND	ND	ND	ND	ND	53
30-Aug-12	ND	ND	ND	ND	ND	59
3-Oct-12	ND	ND	ND	3	ND	53

TW4-16	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
7-Feb-13	ND	ND	ND	3	ND	58.1
30-May-13	ND	ND	ND	4.21	ND	49.8
5-Sep-13	ND	ND	ND	ND	ND	54.4
7-Nov-13	13.4	ND	ND	ND	1.37	56.6
29-Jan-14	6.9	ND	ND	ND	3.16	66.8
22-May-14	14.6	ND	ND	ND	4.94	80.7
14-Aug-14	229	ND	ND	ND	5.1	80
24-Sep-14	371	ND	ND	ND	N/A	N/A
29-Oct-14	387	ND	ND	ND	8.40	92.1
12-Mar-15	153	ND	ND	ND	4.30	65.3
11-Jun-15	65.3	ND	ND	ND	1.06	61
3-Sep-15	82	ND	ND	ND	1.18	65.8
28-Oct-15	112	ND	ND	ND	1.69	58.3
17-Mar-16	45.9	ND	ND	ND	1.63	56.5
26-May-16	93.4	ND	ND	ND	1.89	61.3
3-Aug-16	49	ND	ND	ND	2.20	60
26-Oct-16	92.9	ND	ND	ND	2.78	66.7
8-Mar-17	19.1	ND	ND	ND	2.75	62.2
20-Jun-17	64.3	ND	ND	ND	1.81	60.6
3-Aug-17	143	ND	ND	ND	2.63	67.1
11-Oct-17	97.8	ND	ND	ND	2.12	54.2
20-Mar-18	170	ND	ND	ND	4.55	85.1
14-Jun-18	54.5	ND	ND	ND	2.83	62.5
30-Aug-18	54.5	ND	ND	ND	2.53	73.0
12-Dec-18	52.0	ND	ND	ND	2.88	68.8
19-Mar-19	60.6	ND	ND	ND	3.36	66.3
19-Jun-19	76.2	ND	ND	ND	2.43	71.5
12-Sep-19	99.8	ND	ND	ND	3.55	72.9
18-Dec-19	94.3	ND	ND	ND	3.37	88.6
18-Mar-20	113	ND	ND	ND	3.91	76.2
12-Jun-20	141	ND	ND	ND	4.44	79.7
19-Sep-20	220	ND	ND	ND	4.74	77.4
4-Nov-20	270	ND	ND	ND	5.73	85.9
24-Mar-21	248	ND	ND	ND	5.82	92.6
17-Jun-21	247	ND	ND	ND	6.74	87.4
23-Sep-21	202	ND	ND	ND	5.32	79.8
8-Dec-21	189	ND	ND	ND	4.85	89.9
23-Mar-22	150	ND	ND	ND	5.0	84.3
22-Jun-22	120	ND	ND	ND	4.2	93.2
15-Sep-22	138	ND	ND	ND	4.41	89.8
9-Dec-22	152	ND	ND	ND	4.75	91.0
29-Mar-23	179	ND	ND	ND	5.69	88.5


TW4-16 Chloroform Values



MW-32	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
12-Sep-02	1.6				ND	
24-Nov-02	ND				ND	
28-Mar-03	ND				ND	
23-Jun-03	ND				ND	
12-Sep-03	ND				ND	
8-Nov-03	ND				ND	
29-Mar-04	ND				ND	
22-Jun-04	ND				ND	
17-Sep-04	ND				ND	
17-Nov-04	ND				ND	
16-Mar-05	ND				ND	
30-Mar-05	ND				ND	
25-May-05	<1	NA	NA	NA	<0.1	NA
31-Aug-05	<1	<1	3.2	<1	<0.1	NA
1-Dec-05	<1	<1	<1	<1	<0.1	NA
9-Mar-06	<1	<1	<1	<1	<0.1	32
14-Jun-06	<1	<1	3.5	<1	<0.1	30
20-Jul-06	<1	<1	1.8	<1	<0.1	32
8-Nov-06	<1	<1	1.5	<1	<0.1	31
28-Feb-07	<1	<1	<1	<1	<0.1	32
27-Jun-07	<1	<1	<1	<1	<0.1	32
15-Aug-07	<1	<1	<1	<1	<0.1	31
10-Oct-07	<1	<1	<1	<1	<0.1	32
26-Mar-08	<1	<1	<1	<1	<0.1	31
25-Jun-08	<1	<1	<1	<1	<0.05	29
10-Sep-08	<1	<1	<1	<1	<0.05	30
15-Oct-08	<1	<1	<1	<1	<0.05	26
4-Mar-09	<1	<1	<1	<1	<0.1	30
24-Jun-09	<1	<1	<1	<1	<0.1	31
15-Sep-09	<1	<1	<1	<1	<0.1	33
16-Dec-09	<1	<1	<1	<1	<0.1	34
17-Feb-10	<1	<1	<1	<1	<0.1	38
14-Jun-10	<1	<1	<1	<1	<0.1	32
16-Aug-10	<1	<1	<1	<1	<0.1	28
6-Oct-10	<1	<1	<1	<1	<0.1	24
23-Feb-11	ND	ND	ND	ND	ND	40
25-May-11	ND	ND	ND	ND	ND	31
16-Aug-11	ND	ND	ND	ND	ND	33
6-Dec-11	ND	ND	ND	ND	ND	32
18-Jan-12	ND	ND	ND	ND	ND	21
4-Jun-12	ND	ND	ND	ND	ND	32
5-Sep-12	ND	ND	ND	ND	ND	33

MW-32	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
10-Oct-12	ND	ND	ND	ND	ND	35
13-Feb-13	ND	ND	ND	ND	ND	34.3
18-Jun-13	ND	ND	ND	ND	ND	34.9
4-Sep-13	ND	ND	ND	ND	ND	33
29-Oct-13	ND	ND	ND	ND	ND	35.7
29-Jan-14	ND	ND	ND	ND	ND	34
23-May-14	ND	ND	ND	ND	ND	39.7
26-Aug-14	ND	ND	ND	ND	ND	34
29-Oct-14	ND	ND	ND	ND	ND	34.9
17-Mar-15	ND	ND	ND	ND	ND	36.3
11-Jun-15	ND	ND	ND	ND	ND	35.8
9-Sep-15	ND	ND	ND	ND	ND	37.7
28-Oct-15	ND	ND	ND	ND	ND	34.7
22-Mar-16	ND	ND	ND	ND	ND	36.7
8-Jun-16	ND	ND	ND	ND	ND	37.2
17-Aug-16	ND	ND	ND	ND	ND	37.5
31-Oct-16	ND	ND	ND	ND	ND	36.9
21-Mar-17	ND	ND	ND	ND	ND	33.7
21-Jun-17	ND	ND	ND	ND	ND	37.2
4-Aug-17	ND	ND	ND	ND	ND	38.1
12-Oct-17	ND	ND	ND	ND	ND	32.6
15-Mar-18	ND	ND	ND	ND	ND	39.4
14-Jun-18	ND	ND	ND	ND	ND	34.4
5-Sep-18	ND	ND	ND	ND	ND	41.2
29-Oct-18	ND	ND	ND	ND	ND	32.9
19-Mar-19	ND	ND	ND	ND	ND	35.3
18-Jun-19	ND	ND	ND	ND	ND	36.5
11-Sep-19	ND	ND	ND	ND	ND	33.7
18-Dec-19	ND	ND	ND	ND	ND	36.3
18-Mar-20	ND	ND	ND	ND	ND	36.0
12-Jun-20	ND	ND	ND	ND	ND	35.6
18-Sep-20	ND	ND	ND	ND	ND	34.7
4-Nov-20	ND	ND	ND	ND	ND	31.3
22-Mar-21	ND	ND	ND	ND	ND	36.8
17-Jun-21	ND	ND	ND	ND	ND	35.8
23-Sep-21	ND	ND	ND	ND	ND	34.3
9-Dec-21	ND	ND	ND	ND	ND	35.8
22-Mar-22	ND	ND	ND	ND	ND	28.6
16-May-22	ND	ND	ND	ND	ND	26.9
15-Sep-22	ND	ND	ND	ND	ND	37.2
8-Dec-22	ND	ND	ND	ND	ND	35.1
30-Mar-23	ND	ND	ND	ND	ND	36.8


MW-32 Chloroform Values



TW4-18	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
12-Sep-02	440				1.49	
24-Nov-02	240				13.3	
28-Mar-03	160				13.1	
23-Jun-03	110				19	
12-Sep-03	68.0				19.9	
9-Nov-03	84.0				20.7	
29-Mar-04	90.0				14	
22-Jun-04	82.0				12.2	
17-Sep-04	38.0				14.5	
17-Nov-04	51.0				17.3	
16-Mar-05	38.0				14.1	
25-May-05	29.8	NA	NA	NA	12.9	NA
31-Aug-05	39	<1	2.8	<1	13.3	NA
1-Dec-05	14	<1	1.1	<1	7.3	NA
9-Mar-06	12.0	<1	1.1	<1	5.9	5.9
14-Jun-06	12.0	<1	1.6	<1	4.7	35
20-Jul-06	10.8	<1	2.7	<1	6.1	35
8-Nov-06	139	<1	<1	<1	8.7	34
28-Feb-07	9.2	<1	<1	<1	5.1	30
27-Jun-07	8.0	<1	<1	<1	4.9	28
15-Aug-07	8.9	<1	<1	<1	5	32
10-Oct-07	7.4	<1	<1	<1	4.4	27
26-Mar-08	6.4	<1	<1	<1	0.7	23
25-Jun-08	5.7	<1	<1	<1	4.55	23
10-Sep-08	8.0	<1	<1	<1	4.68	26
15-Oct-08	9.4	<1	<1	<1	5,15	30
4-Mar-09	11.0	<1	<1	<1	5.2	29
24-Jun-09	16.0	<1	<1	<1	6.2	30
15-Sep-09	13.0	<1	<1	<1	5.9	26
22-Dec-09	8.2	<1	<1	<1	5.4	30
24-Feb-10	69.0	<1	<1	<1	5.1	41
9-Jun-10	29.0	<1	<1	<1	9	35
12-Aug-10	29.0	<1	<1	<1	9	37
13-Oct-10	30.0	<1	<1	<1	10	50
22-Feb-11	39.0	ND	ND	ND	10	52
26-May-11	26.0	ND	ND	ND	9	36
17-Aug-11	29.0	ND	ND	ND	4.6	23
7-Dec-11	28.0	ND	ND	ND	6.3	23
19-Jan-12	25.0	ND	ND	ND	4.4	18
13-Jun-12	24.0	ND	ND	ND	6.6	30
11-Sep-12	38.0	ND	ND	ND	6.6	26
3-Oct-12	30.0	ND	ND	ND	6	27

TW4-18	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
13-Feb-13	34.9	ND	ND	ND	5.58	23.1
13-Jun-13	37.9	ND	ND	ND	8.86	22.9
5-Sep-13	41.0	ND	ND	ND	12.1	36.2
13-Nov-13	44.3	ND	ND	ND	14.2	37.1
30-Jan-14	38.9	ND	ND	ND	12.8	40.9
22-May-14	34.8	ND	ND	ND	12.2	47
14-Aug-14	32.8	ND	ND	ND	9.8	49
28-Oct-14	33.0	ND	ND	ND	11.1	40.8
12-Mar-15	32.0	ND	ND	ND	11.7	41.6
11-Jun-15	30.5	ND	ND	ND	9.69	43.5
3-Sep-15	28.7	ND	ND	ND	15.7	47.6
28-Oct-15	52.9	ND	ND	ND	6.24	39.4
17-Mar-16	56.6	ND	ND	ND	5.96	40.7
8-Jun-16	60.0	ND	ND	ND	5.43	43.8
3-Aug-16	56.3	ND	ND	ND	5.79	40.7
26-Oct-16	60.1	ND	ND	ND	5.24	43.9
16-Mar-17	62.0	ND	ND	ND	4.47	39.4
20-Jun-17	63.8	ND	ND	ND	4.5	41.6
3-Aug-17	62.8	ND	ND	ND	4.24	40.4
10-Oct-17	62.9	ND	ND	ND	4.43	37.1
15-Mar-18	62.3	ND	ND	ND	4.32	44.3
13-Jun-18	59.9	ND	ND	ND	4.09	39.5
30-Aug-18	56.2	ND	ND	ND	3.51	45.6
13-Dec-18	57.6	ND	ND	ND	3.60	38.2
19-Mar-19	52.8	ND	ND	ND	3.85	37.6
19-Jun-19	54.2	ND	ND	ND	4.01	39.5
11-Sep-19	56.2	ND	ND	ND	3.25	36.8
18-Dec-19	62.0	ND	ND	ND	3.02	42.7
18-Mar-20	57.0	ND	ND	ND	3.71	39.4
12-Jun-20	58.2	ND	ND	ND	3.62	41.4
18-Sep-20	60.0	ND	ND	ND	3.36	38.7
11-Nov-20	58.6	ND	ND	ND	3.67	39.6
18-Mar-21	52.0	ND	ND	ND	3.61	41.8
16-Jun-21	54.2	ND	ND	ND	4.24	37.7
22-Sep-21	49.9	ND	ND	ND	3.37	29.8
8-Dec-21	57.0	ND	ND	ND	3.90	41.1
23-Mar-22	56.0	ND	ND	ND	3.4	39.1
22-Jun-22	62.9	ND	ND	ND	3.4	48.1
14-Sep-22	60.6	ND	ND	ND	3.46	44.7
9-Dec-22	62.6	ND	ND	ND	3.60	44.4
29-Mar-23	54.4	ND	ND	ND	3.40	45.6

TW4-18 Chloroform Values




TW4-19	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
12-Sep-02	7700				47.6	
24-Nov-02	5400				42	
28-Mar-03	4200				61.4	
15-May-03	4700				NA	
23-Jun-03	4500				11.4	
15-Jul-03	2400				6.8	
15-Aug-03	2600				4	
12-Sep-03	2500				5.7	
25-Sep-03	4600				9.2	
29-Oct-03	4600				7.7	
9-Nov-03	2600				4.8	
29-Mar-04	NA				NA	
22-Jun-04	NA				NA	
16-Aug-04	7100				9.91	
17-Sep-04	2600				4.5	
17-Nov-04	1800				3.6	
16-Mar-05	2200				5.3	
25-May-05	1200				5.7	
31-Aug-05	1400	<5	<5	<5	4.6	NA
1-Dec-05	2800	<50	<50	<50	<0.1	NA
9-Mar-06	1200	<50	<50	<50	4	86
14-Jun-06	1100	<50	<50	<50	5.2	116
20-Jul-06	1120	<50	<50	<50	4.3	123
8-Nov-06	1050	1.6	2.6	<1	4.6	134
28-Feb-07	1200	1.3	<1	<1	4	133
27-Jun-07	1800				2.3	
15-Aug-07	1100	1.9	<1	<1	4.1	129
10-Oct-07	1100	1.9	<1	<1	4	132
26-Mar-08	1800	2.9	<1	<1	2.2	131
25-Jun-08	1000	1	<1	<1	2.81	128
10-Sep-08	3600	8.6	<1	<1	36.2	113
15-Oct-08	4200	12	<1	<1	47.8	124
4-Mar-09	1100	1.2	<1	<1	3.2	127
24-Jun-09	990	1.2	<1	<1	2.4	132
15-Sep-09	6600	15	<1	<1	0.1	43
14-Dec-09	4700	16	<1	<1	26.7	124
17-Feb-10	940	1.3	<1	<1	2	144
9-Jun-10	1800	4.2	<1	<1	4.4	132
16-Aug-10	2000	4.9	<1	<1	5.9	142
11-Oct-10	1200	1.3	<1	<1	2.7	146
17-Feb-11	3400	17	ND	ND	17	135
7-Jun-11	4000	8.3	ND	ND	12	148
17-Aug-11	970	2.1	ND	ND	3	148

TW4-19	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
5-Dec-11	2200	5.4	ND	ND	5	148
23-Jan-12	650	1.5	ND	ND	0.6	138
6-Jun-12	460	1.1	ND	ND	2.4	149
5-Sep-12	950	3.5	ND	ND	2.5	149
3-Oct-12	1500	4	ND	ND	4.1	150
11-Feb-13	4210	5.15	ND	ND	7.99	164
5-Jun-13	2070	5.15	ND	ND	2.95	148
3-Sep-13	8100	20.7	ND	ND	17.6	179
29-Oct-13	942	6.42	ND	ND	4.7	134
27-Jan-14	586	4.05	ND	ND	1.62	134
19-May-14	810	5.51	ND	ND	1.34	152
11-Aug-14	1410	1.9	8.3	ND	1.6	140
21-Oct-14	4310	4.8	ND	ND	4.72	130
9-Mar-15	4660	8.92	ND	ND	8.56	238
8-Jun-15	1570	2.62	ND	ND	0.916	180
4-Sep-15	7860	7.78	ND	ND	11.6	326
19-Oct-15	7840	12.2	5.46	ND	10.6	252
9-Mar-16	7780	13.5	1.40	ND	15.7	276
23-May-16	12600	23.1	ND	ND	1.27	204
25-Jul-16	6040	9.89	ND	ND	10.5	214
25-Jul-16	6040	9.89	ND	ND	10.5	214
13-Oct-16	6640	10.8	ND	ND	10.0	200
8-Mar-17	1240	3.06	ND	ND	11.1	461
13-Jun-17	510	1.35	ND	ND	0.243	135
26-Jul-17	8840	13.0	ND	ND	1.12	218
11-Oct-17	129	ND	ND	ND	0.377	139
12-Mar-18	2640	1.36	ND	ND	8.61	193
8-Jun-18	2980	3.45	ND	ND	0.494	138
22-Aug-18	1910	2.03	ND	ND	2.55	166
28-Nov-18	5270	6.18	ND	ND	0.233	140
8-Mar-19	2050	2.43	ND	ND	6.58	197
5-Jun-19	11500	15.90	ND	ND	8.96	160
4-Sep-19	6670	10.10	ND	ND	0.332	153
10-Dec-19	551	ND	ND	ND	0.535	147
19-Feb-20	8720	13.7	5.41	ND	10.1	205
27-May-20	7600	10.4	ND	ND	1.14	147
4-Sep-20	1350	1.98	ND	ND	11.6	188
28-Oct-20	660	1.10	ND	ND	1.10	104
23-Feb-21	6660	8.40	ND	ND	6.61	167
9-Jun-21	775	ND	ND	ND	4.04	115
24-Aug-21	4450	7.83	1.98	1.25	6.68	172
1-Dec-21	6950	13.20	ND	ND	11.0	184
9-Mar-22	654	ND	ND	ND	1.7	119

TW4-19	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
8-Jun-22	2540	2.7	4.0	ND	1.4	128
30-Aug-22	4750	2.5	ND	ND	4.76	178
30-Nov-22	7380	8.0	ND	ND	3.58	129
7-Mar-23	230	ND	ND	ND	1.75	122


TW4-19 Chloroform Values



TW4-20	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
25-May-05	39000	NA	NA	NA	10.1	NA
31-Aug-05	3800	<10	<10	<10	2.9	NA
1-Dec-05	19000	<250	<250	<250	1.8	NA
9-Mar-06	9200	<500	<500	<500	3.8	120
14-Jun-06	61000	<500	<500	<500	9.4	235
20-Jul-06	5300	<1000	<1000	<1000	2.9	134
8-Nov-06	11000	7.1	1.9	2.2	3.5	124
28-Feb-07	4400	3.1	<1	1.1	4.2	124
27-Jun-07	1800	2.2	<1	<1	2.3	112
15-Aug-07	5200	3.5	<1	1.8	2.1	117
10-Oct-07	9000	6.8	<1	1.9	5.6	170
26-Mar-08	13000	9	<1	1.5	0.9	132
25-Jun-08	30000	13	<1	1.2	7.96	191
10-Sep-08	21000	15	<1	3.7	4.44	156
15-Oct-08	NA	NA	NA	NA	5.51	166
4-Mar-09	8200	5.7	<1	5.2	5.1	164
24-Jun-09	6800	4.9	<2	4.2	2.9	164
15-Sep-09	13000	8.4	<2	4.4	3.3	153
14-Dec-09	15000	14	<1	3	5.3	187
17-Feb-10	3500	2.7	<1	3.2	2	179
14-Jun-10	18000	11	<1	3.7	5.6	200
16-Aug-10	15000	12	<1	2.2	5.3	196
11-Oct-10	24000	20	<1	5.5	4.6	203
23-Feb-11	31000	27	ND	19	4.4	220
1-Jun-11	8100	10	ND	2.1	4.8	177
17-Aug-11	6800	7.3	ND	3.1	6.5	207
16-Nov-11	7900	7.2	ND	2.5	4.2	186
23-Jan-12	11000	10	ND	1.3	7.9	207
6-Jun-12	36000	33	ND	ND	11	262
4-Sep-12	13000	26	ND	ND	10.8	289
3-Oct-12	19000	22	ND	ND	11	302
11-Feb-13	18500	19.6	ND	1.21	9.07	252
5-Jun-13	26300	32.5	ND	1.13	9.76	250
3-Sep-13	26800	25.7	ND	2.14	8.65	260
29-Oct-13	15700	17.3	ND	1.37	9.64	272
27-Jan-14	17800	18.4	ND	2.04	7.56	254
19-May-14	22100	22.1	2.31	3.98	5.95	269
11-Aug-14	12400	14.1	55.2	2.2	4.3	299
21-Oct-14	23300	18.5	4.04	2.38	7.67	292
9-Mar-15	19900	20.8	4.85	1.38	9.8	290
8-Jun-15	17600	16.2	13.4	1.73	5.76	296
31-Aug-15	17000	15.1	12.3	ND	9.27	365

TW4-20	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
19-Oct-15	17000	14.5	10.8	1	6.23	293
9-Mar-16	21600	20.2	4.09	1.16	10.3	293
23-May-16	33700	40.6	ND	ND	11.2	318
25-Jul-16	23600	26.6	ND	ND	11.3	307
12-Oct-16	21300	24.4	ND	ND	11.4	301
8-Mar-17	23400	23.5	ND	ND	12	290
13-Jun-17	18100	23.4	ND	ND	9.76	281
26-Jul-17	27600	25.0	ND	ND	10.8	292
12-Oct-17	11600	11.2	2.34	ND	8.91	293
12-Mar-18	15400	15.9	1.77	2.36	9.5	289
14-Jun-18	12000	ND	ND	7.77	10.4	258
22-Aug-18	10500	9.85	4.98	ND	8.14	282
28-Nov-18	9500	8.32	15.6	ND	9.72	295
8-Mar-19	15600	15.40	ND	ND	6.70	272
5-Jun-19	13700	10.10	ND	ND	9.59	279
4-Sep-19	10500	8.39	ND	ND	10.2	286
10-Dec-19	8790	5.92	2.67	ND	9.75	307
19-Feb-20	14300	8.60	10.7	ND	9.81	310
27-May-20	5800	6.74	1.30	12.3	7.23	301


TW4-20 Chloroform Values



TW4-21	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
25-May-05	192	NA	NA	NA	14.6	NA
31-Aug-05	78	<5	<5	<5	10.1	NA
1-Dec-05	86	<1	1.0	<1	9.6	NA
9-Mar-06	120	<2.5	<2.5	<2.5	8.5	347
14-Jun-06	130	<2.5	<2.5	<2.5	10.2	318
20-Jul-06	106	<2.5	<2.5	<2.5	8.9	357
8-Nov-06	139	2	<1	<1	8.7	296
28-Feb-07	160	1.8	<1	<1	8.7	306
27-Jun-07	300	5.8	<1	<1	8.6	327
15-Aug-07	140	<1	<1	<1	8.6	300
10-Oct-07	120	<1	<1	<1	8.3	288
26-Mar-08	380	7	<1	<1	14.3	331
25-Jun-08	160	1.7	<1	<1	8.81	271
10-Sep-08	120	1.6	<1	<1	7.57	244
15-Oct-08	170	2	<1	<2	8.00	284
11-Mar-09	180	<1	<1	<1	8.3	279
24-Jun-09	200	<1	<1	<1	8.1	291
15-Sep-09	140	<1	<1	<1	9.2	281
22-Dec-09	160	<1	<1	<1	8.4	256
25-Feb-10	170	<1	<1	<1	8.4	228
10-Jun-10	210	1.2	<1	<1	12	266
12-Aug-10	390	9.2	<1	<1	14	278
13-Oct-10	200	1.2	<1	<1	7	210
22-Feb-11	230	1.2	ND	ND	9	303
28-Jun-11	290	4.8	ND	ND	12	290
17-Aug-11	460	6.3	ND	ND	14	287
7-Dec-11	390	6.7	ND	ND	13	276
19-Jan-12	420	6.4	ND	ND	15	228
13-Jun-12	400	5.4	ND	ND	11	285
13-Sep-12	410	6	ND	ND	13	142
4-Oct-12	390	7	ND	ND	14	270
13-Jan-13	282	5.25	ND	ND	11.8	221
18-Jun-13	328	3.49	ND	ND	13.8	243
12-Sep-13	244	2.13	ND	ND	10.3	207
13-Nov-13	204	ND	ND	ND	9	206
5-Feb-14	220	6.23	ND	ND	11.4	200
22-May-14	240	4.73	ND	ND	11.5	243
27-Aug-14	204	ND	ND	ND	7.1	230
29-Oct-14	229	1.04	ND	ND	10	252
12-Mar-15	292	1.75	ND	ND	10.9	255
8-Jun-15	366	1.92	ND	ND	13.1	494
31-Aug-15	281	ND	ND	ND	14.7	499

TW4-21	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
19-Oct-15	339	ND	ND	ND	14.3	413
9-Mar-16	390	ND	ND	ND	14.6	452
23-May-16	545	ND	ND	ND	13.1	425
25-Jul-16	456	ND	ND	ND	16.5	457
12-Oct-16	434	ND	ND	ND	11.4	301
12-Oct-16	434	ND	ND	ND	11.4	301
8-Mar-17	598	2.36	ND	ND	12.0	290
13-Jun-17	224	1.16	ND	ND	9.53	309
26-Jul-17	537	1.05	ND	ND	18.2	447
11-Oct-17	466	ND	ND	ND	16.9	378
12-Mar-18	421	ND	ND	ND	15.8	447
8-Jun-18	532	ND	ND	ND	14.1	387
22-Aug-18	476	ND	ND	ND	0.236	182
22-Oct-18	585	ND	ND	ND	15.2	392
8-Mar-19	323	ND	ND	ND	8.99	180
5-Jun-19	734	ND	ND	ND	17.5	456
4-Sep-19	596	ND	ND	ND	14.7	478
10-Dec-19	794	ND	ND	ND	5.73	339
19-Feb-20	844	ND	2.58	ND	8.93	446
27-May-20	767	ND	ND	ND	15.4	353
4-Sep-20	920	ND	ND	ND	12.6	382
28-Oct-20	948	ND	ND	ND	16.3	411
23-Feb-21	400	ND	ND	ND	15.2	454
9-Jun-21	1130	ND	ND	ND	21.5	461
24-Aug-21	669	ND	ND	ND	12.9	375
1-Dec-21	649	ND	ND	ND	17.2	227
9-Mar-22	469	ND	ND	ND	2.2	110
8-Jun-22	657	ND	ND	ND	8.9	331
30-Aug-22	1070	ND	ND	ND	14.3	425
30-Nov-22	482	ND	ND	ND	2.12	158
7-Mar-23	526	ND	ND	ND	10.9	335


TW4-21 Chloroform Values



TW4-22	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
25-May-05	340	NA	NA	NA	18.2	NA
31-Aug-05	290	<5	<5	<5	15.7	NA
1-Dec-05	320	<5	<5	<5	15.1	NA
9-Mar-06	390	<10	<10	<10	15.3	236
14-Jun-06	280	<10	<10	<10	14.3	221
20-Jul-06	864	<10	<10	<10	14.5	221
8-Nov-06	350	<1	1.6	<1	15.9	236
28-Feb-07	440	<1	<1	<1	20.9	347
27-Jun-07	740	<1	<1	<1	19.3	273
15-Aug-07	530	<1	<1	<1	19.3	259
10-Oct-07	440	<1	<1	<1	18.8	238
26-Mar-08	1400	<1	<1	<1	39.1	519
25-Jun-08	1200	<1	<1	<1	41.9	271
10-Sep-08	6300	1.3	<1	<1	38.7	524
15-Oct-08	630	<2	<2	<2	36.3	539
11-Mar-09	390	<1	<1	<1	20.7	177
24-Jun-09	730	<1	<1	<1	20.6	177
15-Sep-09	2300	<1	<1	<1	40.3	391
29-Dec-09	380	<1	<1	<1	17.8	175
3-Mar-10	2200	<1	<1	<1	36.6	427
15-Jun-10	540	<1	<1	<1	19	134
24-Aug-10	340	<1	<1	<1	15	130
13-Oct-10	340	<1	<1	<1	16	134
23-Feb-11	1300	ND	ND	ND	18	114
1-Jun-11	210	ND	ND	ND	17	138
17-Aug-11	450	ND	ND	ND	15	120
7-Dec-11	400	ND	ND	ND	19	174
19-Jan-12	200	ND	ND	ND	14	36
13-Jun-12	120	ND	ND	ND	12.8	35
12-Sep-12	940	ND	ND	ND	7	121
4-Oct-12	330	ND	ND	ND	14	130
11-Feb-13	10600	3.24	ND	ND	58	635
5-Jun-13	12500	3.35	ND	ND	50.2	586
3-Sep-13	9640	3.25	ND	ND	29.7	487
29-Oct-13	13300	8.09	ND	ND	45.2	501
27-Jan-14	12100	6.06	ND	2.83	54.6	598
19-May-14	12400	6.65	ND	ND	47.2	614
11-Aug-14	12400	1.9	40	ND	41.5	540
21-Oct-14	12400	3.32	1.61	ND	54.9	596
9-Mar-15	12700	3.77	4.31	ND	69.2	675
8-Jun-15	8050	2.42	3.42	ND	47.1	390
31-Aug-15	7810	ND	5.47	ND	64.7	557

TW4-22	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
19-Oct-15	7530	ND	5.1	ND	56.1	567
9-Mar-16	6070	ND	ND	ND	31.1	583
23-May-16	8570	2.64	ND	ND	58.4	598
25-Jul-16	5840	ND	ND	ND	61.3	619
12-Oct-16	3370	1.08	ND	ND	61.5	588
8-Mar-17	5320	1.56	ND	ND	69.8	566
13-Jun-17	3670	1.21	ND	ND	70.8	572
26-Jul-17	5150	ND	ND	ND	66.1	391
11-Oct-17	4770	ND	ND	ND	80.1	600
12-Mar-18	4530	ND	ND	ND	62.3	607
8-Jun-18	3010	ND	ND	ND	72.5	580
22-Aug-18	3600	ND	ND	ND	55.4	613
28-Nov-18	2680	ND	ND	ND	75.7	567
8-Mar-19	4310	1.02	ND	ND	71.9	528
5-Jun-19	4690	ND	1.13	ND	83.9	662
4-Sep-19	3460	ND	ND	ND	72.5	588
10-Dec-19	3820	ND	ND	ND	59.9	608
19-Feb-20	3910	ND	ND	ND	57.7	606
27-May-20	2530	ND	ND	ND	60.5	578
4-Sep-20	3760	ND	ND	ND	64.8	514
28-Oct-20	3640	ND	6.83	ND	64.9	523
23-Feb-21	5100	ND	ND	ND	69.6	618
9-Jun-21	4520	ND	ND	ND	89.3	408
24-Aug-21	3510	ND	ND	ND	35.1	410
1-Dec-21	3330	ND	ND	ND	68.8	586
9-Mar-22	3320	ND	ND	ND	40.4	442
8-Jun-22	2600	ND	4.4	ND	45	564
30-Aug-22	3190	ND	ND	ND	69.9	637
30-Nov-22	2350	ND	ND	1.6	62.0	601
7-Mar-23	1900	ND	ND	1.3	49.1	562


TW4-22 Chloroform Values



TW4-23	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
27-Jun-07	<1	<1	<1	<1	<0.1	47
15-Aug-07	<1	<1	<1	<1	<0.1	46
10-Oct-07	<1	<1	<1	<1	<0.1	43
26-Mar-08	<1	<1	<1	<1	<0.1	41
25-Jun-08	<1	<1	<1	<1	<0.05	41
10-Sep-08	<1	<1	<1	<1	<0.05	35
15-Oct-08	<2	<2	<2	<2	<0.05	51
4-Mar-09	<1	<1	<1	<1	<0.1	41
24-Jun-09	<1	<1	<1	<1	<0.1	43
15-Sep-09	<1	<1	<1	<1	<0.1	43
16-Dec-09	<1	<1	<1	<1	<0.1	37
24-Feb-10	<1	<1	<1	<1	<0.1	45
8-Jun-10	<1	<1	<1	<1	<0.1	40
10-Aug-10	<1	<1	<1	<1	<0.1	40
5-Oct-10	<1	<1	<1	<1	<0.1	34
16-Feb-11	ND	ND	ND	ND	ND	44
25-May-11	ND	ND	ND	ND	ND	44
16-Aug-11	ND	ND	ND	ND	ND	41
15-Nov-11	ND	ND	ND	ND	ND	43
17-Jan-12	ND	ND	ND	ND	ND	40
31-May-12	ND	ND	ND	ND	ND	44
29-Aug-12	ND	ND	ND	ND	ND	46
3-Oct-12	ND	ND	ND	ND	ND	45
7-Feb-13	ND	ND	ND	ND	ND	43.6
30-May-13	ND	ND	ND	ND	0.116	44.7
5-Sep-13	ND	ND	ND	ND	ND	48.0
7-Nov-13	ND	ND	ND	ND	ND	43.0
23-Jan-14	ND	ND	ND	ND	ND	44.6
21-May-14	ND	ND	ND	ND	ND	42.3
13-Aug-14	ND	ND	ND	ND	ND	46.0
28-Oct-14	ND	ND	ND	ND	ND	46.8
12-Mar-15	ND	ND	ND	ND	ND	47.3
10-Jun-15	ND	ND	ND	ND	ND	48.4
3-Sep-15	ND	ND	ND	ND	ND	54.1
28-Oct-15	ND	ND	ND	ND	ND	46.4
16-Mar-16	ND	ND	ND	ND	ND	49.1
26-May-16	ND	ND	ND	ND	ND	50.4
3-Aug-16	ND	ND	ND	ND	ND	49.6
20-Oct-16	ND	ND	ND	ND	ND	52.1
15-Mar-17	ND	ND	ND	ND	ND	47.7
15-Jun-17	ND	ND	ND	ND	ND	51.5
2-Aug-17	ND	ND	ND	ND	ND	51.8

TW4-23	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
10-Oct-17	ND	ND	ND	ND	ND	44.7
14-Mar-18	ND	ND	ND	ND	ND	53.8
13-Jun-18	ND	ND	ND	ND	ND	47.6
30-Aug-18	ND	ND	ND	ND	ND	56.0
12-Dec-18	ND	ND	ND	ND	ND	54.9
16-Mar-19	ND	ND	ND	ND	ND	48.9
13-Jun-19	ND	ND	ND	ND	ND	50.2
11-Sep-19	ND	ND	ND	ND	ND	47.9
14-Dec-19	ND	ND	ND	ND	ND	54.4
17-Mar-20	ND	ND	ND	ND	ND	50.0
11-Jun-20	ND	ND	ND	ND	ND	49.0
17-Sep-20	ND	ND	ND	ND	ND	48.8
4-Nov-20	ND	ND	ND	ND	ND	49.3
17-Mar-21	ND	ND	ND	ND	ND	51.6
16-Jun-21	ND	ND	ND	ND	ND	48.8
15-Sep-21	ND	ND	ND	ND	ND	42.8
8-Dec-21	ND	ND	ND	ND	ND	51.2
22-Mar-22	ND	ND	ND	ND	ND	43.8
16-Jun-22	ND	ND	ND	ND	0.10	49.2
14-Sep-22	ND	ND	ND	ND	ND	45.0
7-Dec-22	ND	ND	ND	ND	ND	47.5
29-Mar-23	ND	ND	ND	ND	ND	50.2

TW4-23 Chloroform Values




TW4-24	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
27-Jun-07	2.6	<1	<1	<1	26.1	770
15-Aug-07	2.2	<1	<1	<1	29	791
10-Oct-07	1.5	<1	<1	<1	24.7	692
26-Mar-08	1.5	<1	<1	<1	24.4	740
25-Jun-08	1.4	<1	<1	<1	45.3	834
10-Sep-08	2.9	<1	<1	<1	38.4	1180
15-Oct-08	<2	<2	<2	<2	44.6	1130
4-Mar-09	1.4	<1	<1	<1	30.5	1010
24-Jun-09	1.5	<1	<1	<1	30.4	759
15-Sep-09	1.4	<1	<1	<1	30.7	618
17-Dec-09	1.2	<1	<1	<1	28.3	1080
25-Feb-10	1.3	<1	<1	<1	33.1	896
9-Jun-10	1.7	<1	<1	<1	30	639
24-Aug-10	1.8	<1	<1	<1	31	587
6-Oct-10	1.4	<1	<1	<1	31	522
17-Feb-11	1.8	ND	ND	ND	31	1100
26-May-11	1.1	ND	ND	ND	35	1110
17-Aug-11	1.7	ND	ND	ND	34	967
7-Dec-11	1.2	ND	ND	ND	35	608
18-Jan-12	ND	ND	ND	ND	37	373
6-Jun-12	ND	ND	ND	ND	37	355
30-Aug-12	1.1	ND	ND	ND	37	489
3-Oct-12	1.0	ND	ND	ND	38	405
11-Feb-13	5.7	ND	ND	ND	35.9	1260
5-Jun-13	17.4	ND	ND	ND	23.7	916
3-Sep-13	21.8	ND	ND	ND	32.6	998
29-Oct-13	32.5	ND	ND	ND	34.6	1030
27-Jan-14	78.5	ND	ND	1.18	31.6	809
19-May-14	62.7	ND	ND	ND	35	1020
11-Aug-14	76.3	ND	ND	ND	31.5	1150
21-Oct-14	25.8	ND	ND	ND	35.7	1050
9-Mar-15	49.2	ND	ND	ND	34.6	944
8-Jun-15	4.3	ND	ND	ND	31.8	1290
31-Aug-15	46.9	ND	ND	ND	25.3	788
19-Oct-15	25.3	ND	ND	ND	29.6	909
9-Mar-16	22.8	ND	ND	ND	29.1	989
23-May-16	69.6	ND	ND	ND	24.2	771
25-Jul-16	17.8	ND	ND	ND	34.4	1180
12-Oct-16	20.8	ND	ND	ND	31.9	1010
8-Mar-17	18.3	ND	ND	ND	41.3	1090
13-Jun-17	17.2	ND	ND	ND	39.9	1080
26-Jul-17	17.8	ND	ND	ND	40.0	1230

TW4-24	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
11-Oct-17	16.0	ND	ND	ND	31.7	895
12-Mar-18	24.9	ND	ND	ND	44.9	1320
14-Jun-18	49.2	ND	ND	ND	33.6	792
22-Aug-18	35.0	ND	ND	ND	33.8	996
28-Nov-18	21.0	ND	ND	ND	38.4	1100
8-Mar-19	28.1	ND	ND	ND	39.3	1040
5-Jun-19	28.8	ND	ND	ND	33.2	1020
4-Sep-19	31.1	ND	ND	ND	36.4	1130
10-Dec-19	43.3	ND	ND	ND	33.8	1090
19-Feb-20	61.7	ND	ND	ND	37.1	1010
27-May-20	49.4	ND	ND	ND	41.7	1060
4-Sep-20	63.8	ND	ND	ND	39.1	1100
28-Oct-20	72.6	ND	ND	ND	35.9	1050
23-Feb-21	96.2	ND	3.6	ND	41.9	1170
9-Jun-21	41.2	ND	ND	ND	48.0	938
24-Aug-21	103	ND	ND	ND	26.7	1010
1-Dec-21	112	ND	ND	ND	43.6	1140
9-Mar-22	114	ND	ND	ND	36.2	890
8-Jun-22	124	ND	ND	ND	35	944
30-Aug-22	88.9	ND	ND	ND	32.0	868
30-Nov-22	79.5	ND	ND	ND	27.6	972
7-Mar-23	99.5	ND	ND	ND	36.2	932

TW4-25	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
27-Jun-07	<1	<1	<1	<1	17.1	395
15-Aug-07	<1	<1	<1	<1	16.7	382
10-Oct-07	<1	<1	<1	<1	17	356
26-Mar-08	<1	<1	<1	<1	18.7	374
25-Jun-08	<1	<1	<1	<1	22.1	344
10-Sep-08	<1	<1	<1	<1	18.8	333
15-Oct-08	<2	<2	<2	<2	21.3	366
4-Mar-09	<1	<1	<1	<1	15.3	332
24-Jun-09	<1	<1	<1	<1	15.3	328
15-Sep-09	<1	<1	<1	<1	3.3	328
16-Dec-09	<1	<1	<1	<1	14.2	371
23-Feb-10	<1	<1	<1	<1	14.4	296
8-Jun-10	<1	<1	<1	<1	16	306
10-Aug-10	<1	<1	<1	<1	14	250
5-Oct-10	<1	<1	<1	<1	15	312
16-Feb-11	ND	ND	ND	ND	15	315
25-May-11	ND	ND	ND	ND	16	321
16-Aug-11	ND	ND	ND	ND	16	276
15-Nov-11	ND	ND	ND	ND	16	294
18-Jan-12	ND	ND	ND	ND	16	304
31-May-12	ND	ND	ND	ND	16	287
11-Sep-12	ND	ND	ND	ND	17	334
3-Oct-12	ND	ND	ND	ND	17	338
11-Feb-13	ND	ND	ND	ND	9.04	190
5-Jun-13	ND	ND	ND	ND	5.24	136
3-Sep-13	ND	ND	ND	ND	5.69	119
29-Oct-13	ND	ND	ND	ND	6.1	88.6
27-Jan-14	ND	ND	ND	ND	2.16	85.7
19-May-14	ND	ND	ND	ND	1.21	51.1
11-Aug-14	ND	ND	ND	ND	1.6	67
21-Oct-14	ND	ND	ND	ND	1.03	58.1
9-Mar-15	ND	ND	ND	ND	14.4	310
8-Jun-15	ND	ND	ND	ND	1.14	58.3
31-Aug-15	ND	ND	ND	ND	1.63	69.2
21-Oct-15	ND	ND	ND	ND	1.78	93.7
9-Mar-16	ND	ND	ND	ND	0.837	62.7
23-May-16	ND	ND	ND	ND	0.959	75.5
25-Jul-16	ND	ND	ND	ND	1.78	74.1
12-Oct-16	ND	ND	ND	ND	1.24	59.8
8-Mar-17	1.15	ND	ND	ND	17	285
13-Jun-17	ND	ND	ND	ND	0.976	69.8
26-Jul-17	ND	ND	ND	ND	1.23	70.1

TW4-25	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
11-Oct-17	ND	ND	ND	ND	1.29	68.0
12-Mar-18	ND	ND	ND	ND	2.23	70.5
14-Jun-18	ND	ND	ND	ND	1.14	60.3
22-Aug-18	ND	ND	ND	ND	0.810	69.1
28-Nov-18	ND	ND	ND	ND	0.634	59.7
8-Mar-19	ND	ND	ND	ND	0.639	65.0
5-Jun-19	ND	ND	ND	ND	0.821	59.0
4-Sep-19	ND	ND	ND	ND	0.548	58.1
10-Dec-19	ND	ND	ND	ND	0.841	73.1
19-Feb-20	ND	ND	ND	ND	0.607	86.0
27-May-20	ND	ND	ND	ND	0.851	76.8
4-Sep-20	ND	ND	ND	ND	0.994	67.3
28-Oct-20	ND	ND	ND	ND	1.64	61.3
23-Feb-21	ND	ND	ND	ND	3.43	100
9-Jun-21	ND	ND	ND	ND	1.57	55.1
24-Aug-21	ND	ND	1	ND	0.793	69.3
1-Dec-21	ND	ND	ND	ND	0.978	93.7
9-Mar-22	ND	ND	ND	ND	1.8	70.3
8-Jun-22	ND	ND	ND	ND	0.88	72.8
30-Aug-22	ND	ND	ND	ND	1.51	82.5
30-Nov-22	ND	ND	ND	ND	1.47	67.2
7-Mar-23	ND	ND	ND	ND	1.96	96.7


TW4-25 Chloroform Values



TW4-26	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
15-Jun-10	13	<1	<1	<1	7.9	33
11-Aug-10	5	<1	<1	<1	9	17
6-Oct-10	5.4	<1	<1	<1	9.6	22
22-Feb-11	2.0	ND	ND	ND	10	30
26-May-11	2.9	ND	ND	ND	10	15
17-Aug-11	2.8	ND	ND	ND	11	19
7-Dec-11	5.2	ND	ND	ND	10	26
18-Jan-12	7.0	ND	ND	ND	11	17
6-Jun-12	4.1	ND	ND	ND	12	19
11-Sep-12	4.9	ND	ND	ND	9	19
3-Oct-12	6.0	ND	ND	ND	12	19
7-Feb-13	5.0	ND	ND	ND	12.5	16.6
13-Jun-13	2.1	ND	ND	ND	13.6	14.5
5-Sep-13	2.8	ND	ND	ND	11.7	17.6
7-Nov-13	3.4	ND	ND	ND	15.9	15.9
29-Jan-14	1.4	ND	ND	ND	14.2	16.9
21-May-14	4.2	ND	ND	ND	12.5	15.4
11-Aug-14	1.3	ND	ND	ND	10.8	15
28-Oct-14	2.45	ND	ND	ND	12.3	14.6
12-Mar-15	2.37	ND	ND	ND	14.4	14.4
10-Jun-15	6.12	ND	1.17	ND	11.3	14.4
3-Sep-15	4.77	ND	ND	ND	14.2	14.0
28-Oct-15	3.45	ND	ND	ND	13.9	13.3
16-Mar-16	1.80	ND	ND	ND	16.9	13.7
26-May-16	8.23	ND	ND	ND	15.2	13.9
3-Aug-16	4.42	ND	ND	ND	17.9	13.9
20-Oct-16	19.9	ND	ND	ND	15.0	14.2
16-Mar-17	46.1	ND	ND	ND	15.8	16.2
20-Jun-17	244	ND	ND	ND	15.2	19.0
3-Aug-17	419	ND	ND	ND	15.2	25.8
11-Oct-17	608	ND	ND	ND	10.0	27.3
21-Mar-18	1050	ND	ND	ND	12.2	35.5
14-Jun-18	960	ND	ND	ND	13.2	33.5
5-Sep-18	916	ND	ND	ND	13.5	38.9
13-Dec-18	1050	ND	ND	ND	11.8	33.4
20-Mar-19	963	ND	ND	ND	12.2	32.9
19-Jun-19	1070	ND	ND	ND	12.6	35.8
12-Sep-19	877	ND	ND	ND	10.9	32.0
18-Dec-19	1070	ND	ND	ND	10.3	38.3
18-Mar-20	1090	ND	ND	ND	11.9	36.3
12-Jun-20	1140	ND	ND	ND	11.1	35.1
19-Sep-20	1120	ND	ND	ND	10.5	34.8
11-Nov-20	1160	ND	ND	ND	11.9	36.3
24-Mar-21	1030	ND	ND	ND	11.3	38.9
17-Jun-21	1020	ND	ND	ND	14.2	34.0


TW4-26	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
23-Sep-21	927	ND	ND	ND	12.1	36.5
9-Dec-21	993	ND	ND	ND	8.15	34.9
24-Mar-22	952	ND	2.4	ND	10.9	33.0
22-Jun-22	790	ND	2.4	ND	9.9	34.0
15-Sep-22	930	ND	ND	ND	10.3	36.7
9-Dec-22	890	ND	ND	ND	10.4	32.7
29-Mar-23	703	ND	ND	ND	10.5	34.5

TW4-26 Chloroform Values




TW4-27	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
24-Jan-12	9	ND	ND	ND	24	11
13-Jun-12	ND	ND	ND	ND	41	17
30-Aug-12	ND	ND	ND	ND	37	21
3-Oct-12	ND	ND	ND	ND	36	18
7-Feb-13	ND	ND	ND	ND	31.2	18.8
30-May-13	ND	ND	ND	ND	29.4	20.3
29-Aug-13	ND	ND	ND	ND	27.2	19
6-Nov-13	ND	ND	ND	ND	29.8	21.8
23-Jan-14	ND	ND	ND	ND	31.3	21.8
21-May-14	ND	ND	ND	ND	31.1	20.6
13-Aug-14	ND	ND	ND	ND	27.0	23
23-Oct-14	ND	ND	ND	ND	28.2	24.4
11-Mar-15	ND	ND	ND	ND	26.5	26.2
10-Jun-15	ND	ND	ND	ND	24.0	26.8
2-Sep-15	1.30	ND	ND	ND	20.9	26.8
28-Oct-15	1.60	ND	ND	ND	23.5	26.2
16-Mar-16	2.11	ND	ND	ND	25.0	28.0
26-May-16	3.16	ND	ND	ND	21.2	28.7
3-Aug-16	2.78	ND	ND	ND	21.8	27.1
20-Oct-16	3.80	ND	ND	ND	19.3	29.4
15-Mar-17	4.33	ND	ND	ND	22.2	28.3
15-Jun-17	5.65	ND	ND	ND	23.8	27.9
2-Aug-17	6.05	ND	ND	ND	20.0	29.5
10-Oct-17	5.91	ND	ND	ND	21.5	26.3
14-Mar-18	6.95	ND	ND	ND	19.5	30.3
13-Jun-18	5.95	ND	ND	ND	22.0	28.3
30-Aug-18	7.32	ND	ND	ND	18.1	31.4
12-Dec-18	7.70	ND	ND	ND	20.8	28.2
16-Mar-19	6.54	ND	ND	ND	21.5	26.2
13-Jun-19	8.24	ND	ND	ND	22.3	28.6
11-Sep-19	7.58	ND	ND	ND	21.2	25.3
14-Dec-19	7.97	ND	ND	ND	22.0	27.4
17-Mar-20	8.04	ND	ND	ND	23.6	27.6
11-Jun-20	7.92	ND	ND	ND	21.5	28.0
18-Sep-20	5.62	ND	ND	ND	25.2	26.2
4-Nov-20	7.80	ND	ND	ND	16.7	26.8
18-Mar-21	4.66	ND	ND	ND	23.0	27.5
16-Jun-21	4.26	ND	ND	ND	23.8	25.8
15-Sep-21	3.81	ND	ND	ND	21.1	21.7
8-Dec-21	4.08	ND	ND	ND	24.9	26.4
23-Mar-22	3.3	ND	ND	ND	21.3	22.7
16-Jun-22	3.1	ND	ND	ND	20	22.3
14-Sep-22	4.3	ND	ND	ND	16.9	23.2
8-Dec-22	2.3	ND	ND	ND	18.1	16.2
29-Mar-23	2.0	ND	ND	ND	20.9	22.8

TW4-27 Chloroform Values




TW4-28	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
19-Jun-13	ND	ND	ND	ND	14.9	44.6
29-Aug-13	ND	ND	ND	ND	17.3	45.3
6-Nov-13	ND	ND	ND	ND	16.2	45.2
22-Jan-14	ND	ND	ND	ND	16.9	47.8
21-May-14	ND	ND	ND	ND	16.5	45.7
13-Aug-14	ND	ND	ND	ND	14.2	50
23-Oct-14	ND	ND	ND	ND	16.5	52.1
11-Mar-15	ND	ND	ND	ND	19	52.2
10-Jun-15	ND	ND	ND	ND	19	56.4
2-Sep-15	ND	ND	ND	ND	17.8	61.4
21-Oct-15	ND	ND	ND	ND	18.7	52.7
15-Mar-16	ND	ND	ND	ND	34.0	61.6
25-May-16	ND	ND	ND	ND	29.0	67.1
27-Jul-16	ND	ND	ND	ND	31.3	70.1
19-Oct-16	ND	ND	ND	ND	25.5	70.9
14-Mar-17	ND	ND	ND	ND	24.4	64.2
14-Jun-17	ND	ND	ND	ND	26.0	68.6
27-Jul-17	ND	ND	ND	ND	24.8	67.1
10-Oct-17	ND	ND	ND	ND	24.8	57.4
14-Mar-18	ND	ND	ND	ND	17.2	65.0
12-Jun-18	ND	ND	ND	ND	19.0	55.7
29-Aug-18	ND	ND	ND	ND	16.0	63.8
30-Nov-18	ND	ND	ND	ND	17.7	52.4
16-Mar-19	ND	ND	ND	ND	17.2	51.7
13-Jun-19	ND	ND	ND	ND	15.0	51.8
11-Sep-19	ND	ND	ND	ND	10.2	49.0
12-Dec-19	ND	ND	ND	ND	9.48	50.0
17-Mar-20	ND	ND	ND	ND	9.87	52.1
10-Jun-20	ND	ND	ND	ND	9.55	49.8
17-Sep-20	ND	ND	ND	ND	8.36	47.4
4-Nov-20	ND	ND	ND	ND	7.76	49.0
17-Mar-21	ND	ND	ND	ND	8.68	51.8
15-Jun-21	ND	ND	ND	ND	9.09	48.5
15-Sep-21	ND	ND	ND	ND	8.08	40.7
7-Dec-21	ND	ND	ND	ND	7.06	47.8
15-Mar-22	ND	ND	ND	ND	7.8	38.8
15-Jun-22	ND	ND	ND	ND	15	52.3
13-Sep-22	ND	ND	ND	ND	16.2	58.5
7-Dec-22	ND	ND	ND	ND	16.6	52.0
22-Mar-23	ND	ND	ND	ND	11.9	46.1

TW4-28 Chloroform Values




TW4-29	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
19-Jun-13	242	ND	ND	ND	4.63	44.8
11-Jul-13	262	ND	ND	ND	3.52	37.7
26-Sep-13	246	ND	ND	ND	4.18	41.4
13-Nov-13	260	ND	ND	ND	4.11	42.5
5-Feb-14	258	ND	ND	ND	4.63	41.9
22-May-14	262	ND	ND	ND	3.52	38.2
27-Aug-14	242	ND	ND	ND	3.4	41
29-Oct-14	290	ND	ND	ND	3.64	41
12-Mar-15	299	ND	ND	ND	4.14	40.5
11-Jun-15	329	ND	ND	ND	2.95	42.5
3-Sep-15	276	ND	ND	ND	2.19	47.3
29-Oct-15	631	ND	ND	ND	2.74	39.8
17-Mar-16	335	ND	ND	ND	2.92	40.3
8-Jun-16	366	ND	ND	ND	2.51	42.9
4-Aug-16	401	ND	ND	ND	2.44	40.6
26-Oct-16	392	ND	ND	ND	2.4	44.2
16-Mar-17	446	ND	ND	ND	2.24	41.5
21-Jun-17	420	ND	ND	ND	2.26	42.0
4-Aug-17	466	ND	ND	ND	2.35	42.9
11-Oct-17	466	ND	ND	ND	2.45	37.7
21-Mar-18	533	ND	ND	ND	2.44	43.1
14-Jun-18	474	ND	ND	ND	2.67	40.1
5-Sep-18	454	ND	ND	ND	2.52	45.9
13-Dec-18	521	ND	ND	ND	2.50	40.9
20-Mar-19	507	ND	ND	ND	2.67	39.9
19-Jun-19	537	ND	ND	ND	2.56	39.4
12-Sep-19	549	ND	ND	ND	2.55	38.0
18-Dec-19	630	ND	ND	ND	2.58	44.8
18-Mar-20	652	ND	ND	ND	3.1	41.0
12-Jun-20	686	ND	ND	ND	3.18	42.2
19-Sep-20	621	ND	ND	ND	2.9	39.9
11-Nov-20	671	ND	ND	ND	3.27	40.8
24-Mar-21	577	ND	ND	ND	3.09	44.3
17-Jun-21	543	ND	ND	ND	3.59	40.0
23-Sep-21	602	ND	ND	ND	3.29	40.1
9-Dec-21	625	ND	ND	ND	2.39	38.7
23-Mar-22	624	ND	ND	ND	3.1	39.1
22-Jun-22	398	ND	ND	ND	2.9	41.5
15-Sep-22	591	ND	ND	ND	2.80	41.8
9-Dec-22	588	ND	ND	ND	2.69	41.3
29-Mar-23	467	ND	ND	ND	2.74	41.3

TW4-29 Chloroform Values




TW4-30	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
19-Jun-13	ND	ND	ND	ND	0.948	36
29-Aug-13	ND	ND	ND	ND	0.952	36.3
7-Nov-13	ND	ND	ND	ND	1.24	35.9
23-Jan-14	ND	ND	ND	ND	1.36	36
21-May-14	ND	ND	ND	ND	1.44	31.99
13-Aug-14	ND	ND	ND	ND	1.5	38
23-Oct-14	ND	ND	ND	ND	1.84	37.1
11-Mar-15	1.65	ND	ND	ND	2.15	38.3
10-Jun-15	2.25	ND	ND	ND	1.75	40.3
3-Sep-15	3.27	ND	ND	ND	1.75	44.2
28-Oct-15	3.48	ND	ND	ND	1.86	37.8
17-Mar-16	5.16	ND	ND	ND	2.74	39.6
26-May-16	7.38	ND	ND	ND	2.04	40.2
3-Aug-16	6.79	ND	ND	ND	2.32	38.6
20-Oct-16	8.69	ND	ND	ND	2.51	41.3
15-Mar-17	13.6	ND	ND	ND	2.7	37.7
15-Jun-17	15.2	ND	ND	ND	2.95	37.8
3-Aug-17	15.7	ND	ND	ND	3.11	39.8
10-Oct-17	13.4	ND	ND	ND	2.58	34.9
15-Mar-18	16.4	ND	ND	ND	3.63	41.0
13-Jun-18	16.9	ND	ND	ND	3.93	37.4
30-Aug-18	19.8	ND	ND	ND	3.79	44.1
12-Dec-18	23.9	ND	ND	ND	3.70	35.5
16-Mar-19	25.3	ND	ND	ND	4.08	35.9
13-Jun-19	31.5	ND	ND	ND	4.13	27.2
11-Sep-19	34.8	ND	ND	ND	3.62	34.5
18-Dec-19	44.9	ND	ND	ND	3.62	39.1
17-Mar-20	53.1	ND	ND	ND	3.85	37.5
12-Jun-20	65.4	ND	ND	ND	3.69	38.6
18-Sep-20	67.7	ND	ND	ND	3.49	35.0
11-Nov-20	82.8	ND	ND	ND	3.64	37.1
18-Mar-21	74.8	ND	ND	ND	3.54	37.6
17-Jun-21	78.7	ND	ND	ND	4.19	38.3
22-Sep-21	78.2	ND	ND	ND	2.60	23.5
8-Dec-21	81.2	ND	ND	ND	3.14	37.9
23-Mar-22	73.6	ND	ND	ND	3.0	35.1
22-Jun-22	70.8	ND	ND	ND	2.80	41.3
14-Sep-22	69.8	ND	ND	ND	2.61	30.5
9-Dec-22	60.5	ND	ND	ND	2.67	36.5
29-Mar-23	45.5	ND	ND	ND	2.84	36.6

TW4-30 Chloroform Values



TW4-31	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
19-Jun-13	ND	ND	ND	ND	1.26	28.4
5-Sep-13	ND	ND	ND	ND	1.1	29.4
7-Nov-13	ND	ND	ND	ND	1.33	28
23-Jan-14	ND	ND	ND	ND	1.32	28.5
21-May-14	ND	ND	ND	ND	1.22	26.3
13-Aug-14	ND	ND	ND	ND	1.1	30
28-Oct-14	ND	ND	ND	ND	1.23	30
11-Mar-15	ND	ND	ND	ND	1.33	30.6
10-Jun-15	ND	ND	ND	ND	1.19	31.1
2-Sep-15	ND	ND	ND	ND	0.916	30.4
21-Oct-15	ND	ND	ND	ND	0.953	29.1
16-Mar-16	ND	ND	ND	ND	1.84	31.5
25-May-16	ND	ND	ND	ND	1.36	32.5
28-Jul-16	ND	ND	ND	ND	1.41	30.6
20-Oct-16	ND	ND	ND	ND	1.14	34.0
15-Mar-17	ND	ND	ND	ND	1.19	31.3
15-Jun-17	ND	ND	ND	ND	1.21	33.4
2-Aug-17	ND	ND	ND	ND	1.11	33.0
10-Oct-17	ND	ND	ND	ND	1.04	30.9
14-Mar-18	ND	ND	ND	ND	0.916	38.8
12-Jun-18	ND	ND	ND	ND	0.948	34.4
29-Aug-18	ND	ND	ND	ND	0.710	40.3
12-Dec-18	ND	ND	ND	ND	0.766	35.2
16-Mar-19	ND	ND	ND	ND	0.754	35.0
13-Jun-19	ND	ND	ND	ND	0.713	36.9
11-Sep-19	ND	ND	ND	ND	0.610	35.8
14-Dec-19	ND	ND	ND	ND	0.583	40.6
17-Mar-20	ND	ND	ND	ND	0.572	38.2
11-Jun-20	ND	ND	ND	ND	0.569	36.7
17-Sep-20	ND	ND	ND	ND	0.507	36.5
4-Nov-20	ND	ND	ND	ND	0.501	36.4
17-Mar-21	ND	ND	ND	ND	0.501	40.3
16-Jun-21	ND	ND	ND	ND	0.451	37.9
15-Sep-21	ND	ND	ND	ND	0.461	31.2
8-Dec-21	ND	ND	ND	ND	0.339	40.3
16-Mar-22	ND	ND	ND	ND	0.4	34.8
16-Jun-22	ND	ND	ND	ND	0.41	35.5
13-Sep-22	ND	ND	ND	ND	0.396	40.0
7-Dec-22	ND	ND	ND	ND	0.410	31.8
23-Mar-23	ND	ND	ND	ND	0.391	35.9


TW4-31 Chloroform Values



Chloroform has not been detected in TW4-31


TW4-32	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
14-Nov-13	ND	ND	ND	ND	4.26	52.1
22-Jan-14	ND	ND	ND	ND	5.11	54.5
21-May-14	ND	ND	ND	ND	5.63	54.9
13-Aug-14	ND	ND	ND	ND	4.2	64
23-Oct-14	ND	ND	ND	ND	2.14	62.6
11-Mar-15	ND	ND	ND	ND	2.46	64.2
10-Jun-15	ND	ND	ND	ND	1.21	62.7
2-Sep-15	ND	ND	ND	ND	5.09	59.6
21-Oct-15	ND	ND	ND	ND	1.19	55.1
15-Mar-16	ND	ND	ND	ND	4.48	64.2
25-May-16	ND	ND	ND	ND	3.16	71.8
28-Jul-16	ND	ND	ND	ND	3.44	64.4
19-Oct-16	ND	ND	ND	ND	2.87	66.0
14-Mar-17	ND	ND	ND	ND	2.82	62.8
15-Jun-17	ND	ND	ND	ND	2.37	53.5
2-Aug-17	ND	ND	ND	ND	2.47	65.8
10-Oct-17	ND	ND	ND	ND	2.54	58.3
14-Mar-18	ND	ND	ND	ND	2.94	65.4
12-Jun-18	ND	ND	ND	ND	2.51	59.2
29-Aug-18	ND	ND	ND	ND	2.56	68.1
30-Nov-18	ND	ND	ND	ND	2.50	57.5
16-Mar-19	ND	ND	ND	ND	2.15	57.5
13-Jun-19	ND	ND	ND	ND	2.18	60.1
11-Sep-19	ND	ND	ND	ND	1.84	55.0
14-Dec-19	ND	ND	ND	ND	1.89	64.7
17-Mar-20	ND	ND	ND	ND	1.97	59.7
10-Jun-20	ND	ND	ND	ND	2.19	57.0
17-Sep-20	ND	ND	ND	ND	1.58	50.8
4-Nov-20	ND	ND	ND	ND	1.74	53.7
17-Mar-21	ND	ND	ND	ND	1.80	60.5
15-Jun-21	ND	ND	ND	ND	2.31	40.4
15-Sep-21	ND	ND	ND	ND	1.57	46.1
7-Dec-21	ND	ND	ND	ND	1.34	55.0
16-Mar-22	ND	ND	ND	ND	1.8	48.0
15-Jun-22	ND	ND	ND	ND	1.2	49.4
13-Sep-22	ND	ND	ND	ND	1.59	51.8
7-Dec-22	ND	ND	ND	ND	1.68	48.4
23-Mar-23	ND	ND	ND	ND	1.53	43.6

TW4-32 Chloroform Values




TW4-33	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
14-Nov-13	126	ND	ND	ND	1.82	47.2
30-Jan-14	124	ND	ND	ND	2.56	43.5
22-May-14	121	ND	ND	ND	1.63	46.8
27-Aug-14	104	ND	ND	ND	1.5	43
29-Oct-14	124	ND	ND	ND	2.22	44.2
12-Mar-15	134	ND	ND	ND	1.91	44.2
11-Jun-15	127	ND	ND	ND	1.62	46.4
3-Sep-15	123	ND	ND	ND	1.64	53.4
29-Oct-15	129	ND	ND	ND	1.92	44.5
17-Mar-16	122	ND	ND	ND	2.13	46.2
8-Jun-16	96	ND	ND	ND	2.06	49.7
4-Aug-16	121	ND	ND	ND	2.32	48.5
26-Oct-16	109	ND	ND	ND	2.36	52.4
16-Mar-17	91	ND	ND	ND	2.11	49.0
20-Jun-17	103	ND	ND	ND	2.34	49.2
3-Aug-17	127	ND	ND	ND	2.04	46.9
11-Oct-17	97.1	ND	ND	ND	2.09	42.5
15-Mar-18	128	ND	ND	ND	1.94	49.2
13-Jun-18	88	ND	ND	ND	2.13	44.0
5-Sep-18	113	ND	ND	ND	1.82	50.0
13-Dec-18	141	ND	ND	ND	2.01	43.2
20-Mar-19	86.2	ND	ND	ND	2.00	47.2
19-Jun-19	121	ND	ND	ND	2.16	43.4
12-Sep-19	101	ND	ND	ND	1.61	41.1
18-Dec-19	117	ND	ND	ND	1.86	48.8
18-Mar-20	94	ND	ND	ND	2.44	45.3
12-Jun-20	90	ND	ND	ND	3.26	48.9
18-Sep-20	85	ND	ND	ND	3.58	51.0
11-Nov-20	80.6	ND	ND	ND	3.71	51.5
18-Mar-21	64.9	ND	ND	ND	4.62	55.6
17-Jun-21	63.9	ND	ND	ND	6.25	54.7
22-Sep-21	60.2	ND	ND	ND	4.33	42.5
8-Dec-21	68.9	ND	ND	ND	4.65	53.8
23-Mar-22	53.1	ND	ND	ND	3.8	51.4
22-Jun-22	58.7	ND	ND	ND	3.7	56.7
14-Sep-22	53.9	ND	ND	ND	3.90	42.2
9-Dec-22	50.5	ND	ND	ND	3.52	45.1
29-Mar-23	47.7	ND	ND	ND	3.93	52.6

TW4-33 Chloroform Values




TW4-34	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
14-Nov-13	ND	ND	ND	ND	1.64	19.2
23-Jan-14	ND	ND	ND	ND	1.94	20.4
21-May-14	ND	ND	ND	ND	1.69	17.9
13-Aug-14	ND	ND	ND	ND	1.1	18
28-Oct-14	ND	ND	ND	ND	1.16	17.5
11-Mar-15	ND	ND	ND	ND	1.21	17.7
10-Jun-15	ND	ND	ND	ND	0.868	17.4
3-Sep-15	ND	ND	ND	ND	0.458	15.1
21-Oct-15	ND	ND	ND	ND	0.368	15.8
16-Mar-16	ND	ND	ND	ND	0.925	17.3
26-May-16	ND	ND	ND	ND	0.605	18
26-May-16	ND	ND	ND	ND	0.605	18
3-Aug-16	ND	ND	ND	ND	0.726	17.2
20-Oct-16	ND	ND	ND	ND	0.612	19.0
15-Mar-17	ND	ND	ND	ND	0.674	18.0
15-Jun-17	ND	ND	ND	ND	0.727	15.7
2-Aug-17	ND	ND	ND	ND	0.733	19.8
10-Oct-17	ND	ND	ND	ND	0.774	18.5
14-Mar-18	ND	ND	ND	ND	0.737	19.1
13-Jun-18	ND	ND	ND	ND	0.877	19.5
29-Aug-18	ND	ND	ND	ND	0.736	23.8
12-Dec-18	ND	ND	ND	ND	0.889	18.5
16-Mar-19	ND	ND	ND	ND	0.859	17.9
13-Jun-19	ND	ND	ND	ND	0.994	20.1
11-Sep-19	ND	ND	ND	ND	0.934	17.8
14-Dec-19	ND	ND	ND	ND	1.07	21.4
17-Mar-20	ND	ND	ND	ND	1.09	20.1
11-Jun-20	ND	ND	ND	ND	1.24	20.9
17-Sep-20	ND	ND	ND	ND	0.978	19.0
4-Nov-20	ND	ND	ND	ND	1.04	18.7
17-Mar-21	ND	ND	ND	ND	10.9	19.3
16-Jun-21	ND	ND	ND	ND	1.08	17.8
15-Sep-21	ND	ND	ND	ND	1.1	15.0
8-Dec-21	ND	ND	ND	ND	1.02	19.6
16-Mar-22	ND	ND	ND	ND	1.0	17.3
16-Jun-22	ND	ND	ND	ND	1.0	19.5
14-Sep-22	1.2	ND	ND	ND	0.788	18.8
8-Dec-22	ND	ND	ND	ND	1.16	17.0
29-Mar-23	1.2	ND	ND	ND	1.07	20.7

TW4-34 Chloroform Values




TW4-35	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
27-Aug-14	ND	ND	ND	ND	0.2	34
28-Oct-14	ND	ND	ND	ND	0.351	34.1
11-Mar-15	ND	ND	ND	ND	0.436	34.9
10-Jun-15	ND	ND	ND	ND	0.452	35.2
3-Sep-15	ND	ND	ND	ND	0.304	35.9
28-Oct-15	ND	ND	ND	ND	0.419	33.4
16-Mar-16	ND	ND	ND	ND	0.521	35.4
26-May-16	ND	ND	ND	ND	0.631	35.4
3-Aug-16	ND	ND	ND	ND	0.723	34.8
20-Oct-16	ND	ND	ND	ND	0.626	37.1
15-Mar-17	ND	ND	ND	ND	0.673	33.7
15-Jun-17	ND	ND	ND	ND	0.699	34.8
2-Aug-17	ND	ND	ND	ND	0.670	36.3
10-Oct-17	ND	ND	ND	ND	0.651	31.7
14-Mar-18	ND	ND	ND	ND	0.740	37.4
13-Jun-18	ND	ND	ND	ND	0.662	33.7
30-Aug-18	ND	ND	ND	ND	0.527	39.3
12-Dec-18	ND	ND	ND	ND	0.559	43.0
16-Mar-19	ND	ND	ND	ND	0.574	33.5
13-Jun-19	ND	ND	ND	ND	0.670	35.5
11-Sep-19	ND	ND	ND	ND	0.525	31.7
14-Dec-19	ND	ND	ND	ND	0.524	37.4
17-Mar-20	ND	ND	ND	ND	0.595	34.5
11-Jun-20	ND	ND	ND	ND	0.699	34.0
17-Sep-20	ND	ND	ND	ND	0.760	32.2
4-Nov-20	ND	ND	ND	ND	0.756	30.4
17-Mar-21	ND	ND	ND	ND	0.991	35.6
16-Jun-21	ND	ND	ND	ND	1.01	34.1
15-Sep-21	ND	ND	ND	ND	1.20	27.5
8-Dec-21	ND	ND	ND	ND	1.23	34.3
22-Mar-22	ND	ND	ND	ND	1.5	27.8
16-Jun-22	ND	ND	ND	ND	1.6	31.2
14-Sep-22	ND	ND	ND	ND	1.61	34.4
7-Dec-22	ND	ND	ND	ND	1.79	27.4
29-Mar-23	ND	ND	ND	ND	1.74	33.8

TW4-35 Chloroform Values




TW4-36	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
27-Aug-14	ND	ND	ND	ND	ND	65
23-Oct-14	ND	ND	ND	ND	ND	67.3
11-Mar-15	ND	ND	ND	ND	ND	67.2
10-Jun-15	ND	ND	ND	ND	ND	69.3
3-Sep-15	ND	ND	ND	ND	ND	76.4
21-Oct-15	ND	ND	ND	ND	ND	64.5
16-Mar-16	ND	ND	ND	ND	ND	67.1
25-May-16	ND	ND	ND	ND	ND	72.3
27-Jul-16	ND	ND	ND	ND	ND	69.4
20-Oct-16	ND	ND	ND	ND	ND	73.8
15-Mar-17	ND	ND	ND	ND	ND	60.2
15-Jun-17	ND	ND	ND	ND	ND	71.3
2-Aug-17	ND	ND	ND	ND	ND	69.6
10-Oct-17	ND	ND	ND	ND	0.104	62.9
14-Mar-18	ND	ND	ND	ND	ND	73.8
12-Jun-18	ND	ND	ND	ND	ND	64.3
29-Aug-18	ND	ND	ND	ND	ND	76.4
12-Dec-18	ND	ND	ND	ND	0.123	65.8
16-Mar-19	ND	ND	ND	ND	0.116	65.0
13-Jun-19	ND	ND	ND	ND	ND	71.5
11-Sep-19	ND	ND	ND	ND	ND	69.6
14-Dec-19	ND	ND	ND	ND	ND	73.7
17-Mar-20	ND	ND	ND	ND	ND	69.1
11-Jun-20	ND	ND	ND	ND	ND	67.0
17-Sep-20	ND	ND	ND	ND	ND	66.0
4-Nov-20	ND	ND	ND	ND	ND	64.0
17-Mar-21	ND	ND	ND	ND	ND	72.5
16-Jun-21	ND	ND	ND	ND	ND	68.7
15-Sep-21	ND	ND	ND	ND	ND	63.1
8-Dec-21	ND	ND	ND	ND	ND	69.9
16-Mar-22	ND	ND	ND	ND	0.1	61.2
15-Jun-22	ND	ND	ND	ND	ND	68.8
13-Sep-22	ND	ND	ND	ND	ND	69.3
7-Dec-22	ND	ND	ND	ND	0.100	59.7
23-Mar-23	ND	ND	ND	ND	0.102	60.7

TW4-36 Chloroform Values




TW4-37	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
8-Jun-15	30200	18	16	2	35	345
31-Aug-15	19100	17	14	1.04	32	374
19-Oct-15	19500	13	9	1.17	35	399
9-Mar-16	17500	16	4	1.34	28.4	332
23-May-16	16200	14	ND	1.17	27.9	389
25-Jul-16	15900	17	ND	ND	33.4	294
12-Oct-16	16400	16	ND	ND	26.1	304
8-Mar-17	18000	15	ND	ND	32.3	305
13-Jun-17	15800	16	ND	ND	31.2	281
26-Jul-17	15000	15.1	ND	ND	30.5	277
11-Oct-17	15500	12.6	2.47	ND	30.6	255
12-Mar-18	12900	12.8	1.14	ND	30.0	263
8-Jun-18	14400	10.6	ND	ND	28.6	275
22-Aug-18	14100	12.1	6.20	ND	25.4	387
28-Nov-18	15200	11.3	19.8	ND	27.3	264
8-Mar-19	13300	13.8	1.2	ND	30.1	209
5-Jun-19	16200	14.6	ND	ND	31.2	250
4-Sep-19	11900	10.7	1.90	ND	25.8	228
10-Dec-19	13100	8.8	3.12	ND	25.5	220
19-Feb-20	12000	8.5	12.30	ND	28.3	236
27-May-20	11700	11.8	1.44	ND	28.3	321
4-Sep-20	13800	9.6	ND	ND	29.5	273
28-Oct-20	10300	6.5	29.40	ND	28.7	254
23-Feb-21	9380	ND	ND	ND	26.9	242
9-Jun-21	13000	8.46	1.98	ND	26.6	176
24-Aug-21	10200	7.65	ND	ND	25.8	220
1-Dec-21	14800	11.50	6.70	5.05	31.3	410
9-Mar-22	13700	12.20	ND	ND	29.8	414
8-Jun-22	46800	8.2	12.0	ND	28	267
30-Aug-22	11600	5.4	2.4	ND	26.6	243
30-Nov-22	9640	5.7	ND	ND	30.9	578
7-Mar-23	8010	ND	ND	ND	19.1	209

TW4-37 Chloroform Values




TW4-38	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
10-Nov-16	ND	ND	ND	ND	11.2	40.0
15-Mar-17	ND	ND	ND	ND	10.6	35.7
15-Jun-17	ND	ND	ND	ND	10.8	36.2
2-Aug-17	ND	ND	ND	ND	10.1	36.9
10-Oct-17	ND	ND	ND	ND	10.3	31.3
14-Mar-18	ND	ND	ND	ND	9.34	36.5
13-Jun-18	ND	ND	ND	ND	9.48	33.1
30-Aug-18	ND	ND	ND	ND	7.77	39.2
12-Dec-18	ND	ND	ND	ND	8.48	35.0
16-Mar-19	ND	ND	ND	ND	8.96	33.5
13-Jun-19	ND	ND	ND	ND	8.53	33.7
11-Sep-19	ND	ND	ND	ND	7.61	31.6
14-Dec-19	ND	ND	ND	ND	7.51	36.0
17-Mar-20	ND	ND	ND	ND	8.11	33.4
11-Jun-20	ND	ND	ND	ND	9.00	34.9
18-Sep-20	ND	ND	ND	ND	7.35	34.7
4-Nov-20	ND	ND	ND	ND	7.72	35.1
18-Mar-21	ND	ND	ND	ND	8.24	37.2
16-Jun-21	ND	ND	ND	ND	9.59	37.7
15-Sep-21	ND	ND	ND	ND	8.04	32.1
8-Dec-21	ND	ND	ND	ND	8.02	35.8
22-Mar-22	ND	ND	ND	ND	7.7	32.7
16-Jun-22	ND	ND	ND	ND	7.9	37.3
14-Sep-22	ND	ND	ND	ND	7.57	32.9
7-Dec-22	ND	ND	ND	ND	8.90	36.4
29-Mar-23	ND	ND	ND	ND	8.78	37.2

TW4-38 Chloroform Values




TW4-39	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
10-Nov-16	2800	ND	ND	ND	20.7	68.9
8-Mar-17	6460	8.15	ND	1.35	6.44	130
13-Jun-17	5560	8.20	ND	1.31	6.25	120
26-Jul-17	10000	14.40	ND	1.50	7.74	132
11-Oct-17	552	ND	ND	ND	2.65	73.5
12-Mar-18	2870	3.10	ND	ND	3.33	118
8-Jun-18	7160	7.94	ND	ND	4.84	107
22-Aug-18	8180	12.50	2.33	ND	6.05	110
28-Nov-18	6520	6.08	ND	ND	6.39	123
8-Mar-19	885	1.20	ND	ND	2.08	49.0
5-Jun-19	8640	11.60	ND	ND	8.45	114.0
4-Sep-19	4240	5.71	ND	ND	1.75	48.2
10-Dec-19	1650	1.14	ND	ND	0.948	74.7
19-Feb-20	812	ND	ND	ND	0.792	76.5
27-May-20	5870	7.56	ND	ND	5.01	88.5
4-Sep-20	5960	8.18	ND	ND	2.69	63.2
28-Oct-20	648	ND	1.19	ND	7.03	83.2
23-Feb-21	2970	ND	ND	ND	2.12	53.0
9-Jun-21	2490	2.92	ND	ND	12.0	123.0
24-Aug-21	858	ND	ND	ND	2.70	78.7
1-Dec-21	776	ND	ND	ND	2.33	82.4
9-Mar-22	724	ND	ND	ND	2.9	75.2
8-Jun-22	982	ND	1.4	ND	9.0	76.8
30-Aug-22	843	ND	ND	ND	3.72	85.2
30-Nov-22	1720	1.20	ND	ND	7.86	80.6
7-Mar-23	1850	ND	ND	ND	1.37	38.7

TW4-39 Chloroform Values




TW4-40	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
21-Mar-18	248	ND	ND	ND	3.08	35.7
14-Jun-18	131	ND	ND	ND	3.33	31.6
5-Sep-18	116	ND	ND	ND	3.22	37.6
13-Dec-18	118	ND	ND	ND	3.54	29.9
20-Mar-19	111	ND	ND	ND	3.18	30.9
5-Jun-19	263	ND	ND	ND	3.55	35.6
4-Sep-19	380	ND	ND	ND	3.39	35.9
10-Dec-19	314	ND	ND	ND	2.89	36.7
19-Feb-20	364	ND	ND	ND	2.98	38.5
27-May-20	367	ND	ND	ND	2.91	36.5
4-Sep-20	333	ND	ND	ND	2.88	34.2
28-Oct-20	264	ND	ND	ND	2.58	34.6
23-Feb-21	436	ND	3.51	ND	2.43	36.0
9-Jun-21	343	ND	ND	ND	3.77	27.5
24-Aug-21	301	ND	1.32	ND	1.50	31.8
1-Dec-21	286	ND	ND	ND	2.60	38.4
9-Mar-22	238	ND	ND	ND	2.5	38.4
8-Jun-22	323	ND	ND	ND	1.9	36.6
30-Aug-22	302	ND	ND	ND	2.22	39.3
30-Nov-22	298	ND	ND	ND	2.24	44.8
7-Mar-23	259	ND	ND	ND	1.28	23.5

TW4-40 Chloroform Values




TW4-41	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
9-May-18	1400	ND	ND	ND	6.54	42.8
22-Aug-18	1390	ND	ND	ND	6.13	45.5
28-Nov-18	1320	ND	ND	ND	6.02	41.4
8-Mar-19	1220	ND	ND	ND	6.71	39.1
5-Jun-19	1320	ND	ND	ND	6.00	38.9
4-Sep-19	1190	ND	ND	ND	6.22	39.4
10-Dec-19	1410	ND	ND	ND	6.11	42.1
19-Feb-20	1200	ND	ND	ND	6.12	44.4
27-May-20	1220	ND	ND	ND	6.78	41.7
4-Sep-20	1110	ND	ND	ND	6.69	40.2
28-Oct-20	1020	ND	ND	ND	6.25	39.7
23-Feb-21	1170	ND	ND	ND	6.41	40.6
9-Jun-21	1130	ND	ND	ND	7.45	39.3
24-Aug-21	1100	ND	ND	ND	3.77	37.1
1-Dec-21	1030	ND	ND	ND	6.72	43.2
9-Mar-22	1030	ND	ND	ND	6.2	37.3
8-Jun-22	1010	ND	ND	ND	6.0	41.1
30-Aug-22	1060	ND	ND	ND	5.92	41.9
30-Nov-22	1050	ND	ND	ND	6.00	38.0
7-Mar-23	985	ND	ND	ND	4.30	34.4

TW4-41 Chloroform Values




TW4-42	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
19-Jun-19	ND	ND	ND	ND	2.57	23.3
11-Sep-19	ND	ND	ND	ND	2.75	20.6
12-Dec-19	ND	ND	ND	ND	2.82	22.6
17-Mar-20	ND	ND	ND	ND	2.88	23.2
10-Jun-20	ND	ND	ND	ND	3.23	23.1
17-Sep-20	ND	ND	ND	ND	3.65	23.5
4-Nov-20	ND	ND	ND	ND	2.77	22.4
17-Mar-21	ND	ND	ND	ND	3.15	24.2
15-Jun-21	ND	ND	ND	ND	3.57	24.6
15-Sep-21	ND	ND	ND	ND	3.26	16.6
7-Dec-21	ND	ND	ND	ND	2.02	24.2
15-Mar-22	ND	ND	ND	ND	2.5	21.5
15-Jun-22	ND	ND	ND	ND	3.3	24.0
30-Aug-22	ND	ND	ND	ND	3.03	22.8
7-Dec-22	ND	ND	ND	ND	3.30	15.6
22-Mar-23	ND	ND	ND	ND	2.78	21.1

TW4-42 Chloroform Values




TW4-43	Chloroform (ug/l)	Carbon Tetrachloride (ug/l)	Chloromethane (ug/l)	Methylene Chloride (ug/l)	Nitrate (mg/l)	Chloride (mg/l)
9-Dec-21	ND	ND	ND	ND	0.118	40.6
16-Mar-22	ND	ND	ND	ND	0.4	39.2
16-Jun-22	ND	ND	ND	ND	0.24	41.8
13-Sep-22	ND	ND	ND	ND	0.383	43.1
7-Dec-22	ND	ND	ND	ND	0.383	40.7
23-Mar-23	ND	ND	ND	ND	0.384	28.0

TW4-43 Chloroform Values



Tab L

Contour Map Based Chloroform Plume Mass Calculations and Data over Time



HYDRO GEO CHEM, INC.				TIME SERIES OF RESIDUAL CHLOROFORM MASS ESTIMATES			
Approved	Date	Author	Date	File Name	Figure		
SJS		SJS		MassEstTimeSeries.xls	L.1		

TABLE L.1
Chloroform Plume Residual Mass
Since Third Quarter 2015

Quarter	Residual Plume Mass (lbs)
Q3 15	1712
Q4 15	1869
Q1 16	1946
Q2 16	2261
Q3 16	1718
Q4 16	1711
Q1 17	1271
Q2 17	1372
Q3 17	1948
Q4 17	884
Q1 18	1271
Q2 18	1271
Q3 18	1208
Q4 18	1107
Q1 19	833
Q2 19	1408
Q3 19	1050
Q4 19	770
Q1 20	1106
Q2 20	1056
Q3 20	909
Q4 20	715
Q1 21	1273
Q2 21	784
Q3 21	933
Q4 21	981
Q1 22	711
Q2 22	1124
Q3 22	850
Q4 22	893
Q1 22	444

Notes:
lbs = pounds

Tab M
CSV Transmittal Letter

Jordan Christine App

From: Jordan Christine App
Sent: Thursday, May 18, 2023 10:58 AM
To: Phillip Goble
Cc: 'Dean Henderson'; David Frydenlund; Dawn Kolkman; Scott Bakken; Garrin Palmer; Logan Shumway; Kathy Weinel
Subject: Transmittal of CSV Files White Mesa Mill 2023 Q1 Chloroform Monitoring
Attachments: Q1 2023 DTW All Programs.csv; Q1 2023 Chloroform Field Data.csv; 23D0114 FINAL EnergyFuels-Client 18 Apr 23 1225.csv; 23C2300 FINAL EnergyFuels-Client 18 Apr 23 1227.csv; 23C1819 FINAL EnergyFuels-Client 05 Apr 23 1514.csv; 23C0830 FINAL EnergyFuels-Client 20 Mar 23 1326.csv

Dear Mr. Goble,

Attached to this e-mail is an electronic copy of laboratory results for chloroform monitoring conducted at the White Mesa Mill during the first quarter of 2023, in Comma Separated Value (CSV) format.

Other electronic files required by the Corrective Action Plan are included on the CDs included with the hard copy reports.

Please contact me at 303-389-4131 if you have any questions on this transmittal.

Yours Truly,

Jordan C. App



Jordan Christine App
Environmental Scientist

joapp@energyfuels.com

225 Union Blvd., Suite 600
Lakewood, CO 80228

<http://www.energyfuels.com>

This e-mail is intended for the exclusive use of person(s) mentioned as the recipient(s). This message and any attached files with it are confidential and may contain privileged or proprietary information. If you are not the intended recipient(s) please delete this message and notify the sender. You may not use, distribute print or copy this message if you are not the intended recipient(s).

Tab N

Exceedance Notices for the Reporting Period

This attachment has been deliberately left blank.