

ATTACHMENT II-1-13

MIXED WASTE STORAGE BUILDING OPERATING PLAN

1. Mixed waste management operations may be conducted in the Mixed Waste Storage Building in accordance with this Attachment.
2. Operations within this building include the storage of solid and liquid waste within containers, waste sampling, transferring waste, liquid solidification, and thermal desorption processing. Other miscellaneous units are not permitted to operate in the Mixed Waste Storage Building.
3. Processing of waste within the Mixed Waste Storage Building using waste management units, including thermal desorption, shall be limited to no more than 300 tons per day.
4. Thermal desorption activities within the Mixed Waste Storage Building shall only be operated in accordance with Attachment II-1-12, *Thermal Desorption Separation Plan*, or Attachment II-1-12-1, *Thermal Desorption Shakedown and Waste Family Demonstration Testing*.
5. Waste management activities within the Mixed Waste Storage Building involving the transfer of waste and moving containers shall be performed in accordance with Attachment III-1, *Container Management Plan*, or Attachment II-1-4, *Liquid Waste Management Plan*.
6. The volatile organic content of waste processed through the thermal desorption system within the Mixed Waste Storage Building shall be limited to concentrations that maintain the cancer risk and non-cancer Hazard Index requirements of Condition II.T.4.
7. Waste processed in the Mixed Waste Storage Building shall be evaluated for worker exposures to hazardous constituents of the waste to assure that the operations will comply with OSHA regulations. The appropriate level of worker protection will be assessed on the basis of the expected exposure, in addition to an evaluation of other operations that may occur concurrently with the evaluated activity, and other health and safety factors which may affect worker protection.

END OF ATTACHMENT II-1-13