

**Tooele Army Depot-South Area
Attachment 9
Security Plan**

Security Plan

- 1.0 Security
 - 1.1 Security Procedures and Equipment [Utah Admin. Code R315-270-14(b)(4)]
 - 1.1.1 This section describes the procedures and equipment that shall be used to prevent the unknowing entry, and to minimize the possibility for unauthorized entry, of persons onto the Tooele Army Depot-South Area (TEAD-S or Facility) installation. Security methods include barriers, an entry control system, and warning signs. Security procedures and equipment used at the Facility shall be in compliance with Utah Admin. Code.
 - 2.0 24-hour Surveillance System [Utah Admin. Code R315-264-14(b)(1)]
 - 2.1 The Facility employs a uniformed civil service security guard force to provide surveillance of the Facility and to restrict the entry of unwanted or unauthorized visitors. All patrols are motorized, equipped with communications equipment, and are assigned specific areas to patrol. At a minimum patrols shall:
 - 2.1.1 Check for intrusion or security violations;
 - 2.1.2 Check locks, fence lines, building security, and other areas within their patrol;
 - 2.1.3 Challenge all persons entering or exiting the areas who may act suspicious, who are not carrying proper identification, or who are without required escorts;
 - 2.1.4 Report all incidents to the Field Supervisor; and
 - 2.1.5 Perform specific duties outlined in the daily log for that patrol area.
 - 3.0 Barriers [Utah Admin. Code R315-264-14(b)(2)(i)]
 - 3.1 The Facility is entirely surrounded by an eight-foot, multi-strand, barbwire fence with secured gates. Clear zones are maintained on either side of the fence where possible. Gates in the perimeter fence are controlled by security personnel. Proper personal and vehicle identification is required for entry and exit.
 - 3.2 All permitted units are locked when not in use. Visitors entering permitted units shall be escorted while inside the building.
 - 3.3 Additional fencing and related security measures shall be maintained at Area 10.
 - 3.4 Entry to the Open Detonation (OD) Unit is limited by a posted road barricade/gate.
 - 4.0 Means to Control Entry [Utah Admin. Code R315-264-14(b)(2)(ii)]
 - 4.1 Access to the Facility is via State Highway 198, connecting State Highway 73 to the main (north) gate; and via State Highway 73 directly, connecting to Doolittle Road and the east gate (Figure 6-1). On the access road, signs shall be posted to notify visitors they are entering a military installation. The main entrance road takes personnel and visitors to a security gate. All visitors and unregistered vehicles are challenged at the gate. Visitor passes are required. Passes are obtained from the security personnel at the security gate before proceeding. All other gates within or around the perimeter of the Facility shall be kept locked.

- 4.2 Container storage buildings shall be locked at all times except when personnel are working in the individual buildings. Entry shall be possible only through the normally locked doors. Only personnel trained in handling hazardous waste shall have access to building keys.
- 4.3 Means to control entry at Area 10 shall be equal to or exceed those applied to the Facility as a whole. Igloos shall be secured at all times, except when personnel are working in an individual unit.
- 4.4 Access to the OD Unit is limited to personnel involved in ongoing operations and controlled by the Demilitarization (Demil) Team, the Environmental Office and the Security Office.
- 5.0 Warning Signs [Utah Admin. Code R315-264-14(c)]
- 5.1 Warning signs shall be posted on the main access road informing all vehicle drivers that they are entering a military installation. Warning signs identifying the Facility as a Department of Defense facility and listing the penalties for trespassing or unauthorized entry shall be posted every 1/10-mile on the perimeter fence line. Signs indicating that only entry of authorized personnel is permitted and entry into the area is potentially dangerous shall be located on the perimeter fence and on all other active permitted storage units.
- 5.2 The entrance to the Facility's OD Unit is clearly marked with signs informing personnel that detonation activities may be occurring. During the times that the OD Unit is active, Ammunition Operations personnel control access to the area. All signs are in English; all persons working within the TEAD-S perimeter are required to be literate in English, which is the predominant language of the surrounding area. Authorized visitors who might not be literate in English, such as members of international inspection teams, would be escorted by base personnel at all times.