

UTAH DEPARTMENT OF ENVIRONMENTAL QUALITY**DIVISION OF RADIATION CONTROL****Short Term Radon Test Results By County And ZIP Code
as of July 2018**

The data is informational only and should not be utilized for the purpose of determining where one should test nor where radon control systems should or should not be incorporated in new home construction.

BEAVER

ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84713	25.1%	74.9%	0.0	43.4	386
84731	100.0%	0.0%	2.9	2.6	2
84751	70.6%	29.4%	13.1	3.7	17
84752	20.0%	80.0%	25.9	9.4	15
Beaver	27.1%	72.9%	664.0	40.3	420

BOX ELDER

ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84301	100.0%	0.0%	3.7	2.7	3
84302	41.0%	59.0%	81.1	7.9	522
84306	50.0%	50.0%	17.8	6.5	10
84307	100.0%	0.0%	2.8	1.6	5
84309	15.4%	84.6%	43.9	14.6	13
84311	50.0%	50.0%	20.1	7.6	6
84312	58.5%	41.5%	10.4	3.6	41
84314	31.3%	68.8%	20.1	7.6	16
84316	0.0%	100.0%	4.6	4.6	1
84324	33.3%	66.7%	90.4	12.8	45
84329	100.0%	0.0%	2.7	2.7	1
84330	100.0%	0.0%	0.8	0.8	1
84331	0.0%	100.0%	8.5	8.5	1
84334	60.0%	40.0%	11.1	4.2	5
84337	61.1%	38.9%	24.9	4.0	72
84340	32.4%	67.6%	20.3	6.1	71
Box Elder	42.8%	57.2%	90.4	7.4	813

CACHE

ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84304	50.0%	50.0%	10.6	7.3	2
84305	33.3%	66.7%	11.8	7.6	3
84308	100.0%	0.0%	2.4	2.4	1
84318	31.8%	68.2%	40.9	7.6	173
84319	51.1%	48.9%	32.6	5.9	135
84320	55.6%	44.4%	14.8	5.6	36
84321	55.0%	45.0%	112.6	6.1	1134
84322	72.7%	27.3%	31.8	5.1	11
84323	66.7%	33.3%	19.2	5.4	24
84325	45.6%	54.4%	48.9	6.1	79
84326	31.6%	68.4%	21.9	6.7	57
84327	50.0%	50.0%	10.7	5.2	8
84328	26.6%	73.4%	67.6	11.0	79
84332	35.7%	64.3%	87.0	8.6	339
84333	58.5%	41.5%	18.2	4.6	53
84335	43.6%	56.4%	43.5	6.9	289
84338	100.0%	0.0%	1.7	1.3	4
84339	32.5%	67.5%	152.5	15.8	157
84341	48.9%	51.1%	89.0	6.6	558
Cache	47.1%	52.9%	152.5	7.2	3142

CARBON

ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
----------	----------	-----------	---------	---------	-------------

84501	70.6%	29.4%	280.0	5.3	136
84520	77.8%	22.2%	4.2	2.2	9
84526	87.5%	12.5%	4.9	2.0	24
84529	100.0%	0.0%	1.6	1.6	1
84542	33.3%	66.7%	16.5	8.4	21
Carbon	69.1%	30.9%	280.0	5.0	191
DAGGETT					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84023	100.0%	0.0%	1.0	0.9	3
84046	100.0%	0.0%	3.3	1.0	19
Daggett	100.0%	0.0%	3.3	1.0	22
DAVIS					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84010	57.4%	42.6%	215.0	5.8	1271
84011	77.3%	22.7%	12.8	3.5	22
84014	42.9%	57.1%	101.2	7.7	510
84015	89.9%	10.1%	49.8	2.2	524
84016	88.9%	11.1%	6.3	1.7	9
84025	55.1%	44.9%	37.8	5.0	481
84037	79.7%	20.3%	77.2	3.2	639
84040	81.9%	18.1%	24.2	3.0	443
84041	86.3%	13.7%	41.1	2.6	386
84054	79.6%	20.4%	32.5	2.9	294
84056	100.0%	0.0%	2.2	1.3	10
84075	86.0%	14.0%	9.6	2.4	242
84087	62.9%	37.1%	61.7	5.7	299
84089	50.0%	50.0%	7.7	3.7	4
Davis	69.3%	30.7%	215.0	4.4	5134
DUCHESNE					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84001	100.0%	0.0%	3.2	1.5	3
84007	66.7%	33.3%	5.4	2.8	3
84021	77.8%	22.2%	67.7	6.8	27
84027	33.3%	66.7%	31.1	20.8	3
84031	0.0%	100.0%	6.1	6.1	1
84051	100.0%	0.0%	1.6	1.6	1
84052	80.0%	20.0%	39.5	5.9	15
84053	100.0%	0.0%	1.4	1.0	3
84066	71.4%	28.6%	67.9	5.2	77
84072	94.7%	5.3%	5.3	1.1	19
84073	100.0%	0.0%	2.0	0.8	8
Duchesne	77.5%	22.5%	67.9	4.9	160
EMERY					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84513	40.0%	60.0%	5.8	4.8	5
84518	55.6%	44.4%	7.8	3.7	9
84522	100.0%	0.0%	3.7	2.8	2
84523	60.0%	40.0%	5.7	3.0	5
84525	100.0%	0.0%	3.2	1.7	4
84528	64.3%	35.7%	28.8	4.9	14
84537	100.0%	0.0%	1.2	1.2	1
Emery	65.0%	35.0%	28.8	3.9	40
GARFIELD					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84712	0.0%	100.0%	7.8	7.8	1
84716	100.0%	0.0%	3.9	2.4	5
84718	100.0%	0.0%	0.8	0.8	1
84726	66.7%	33.3%	13.8	4.3	9

84735	50.0%	50.0%	20.5	7.7	4
84736	100.0%	0.0%	2.8	2.8	1
84759	48.1%	51.9%	32.1	7.2	27
84776	100.0%	0.0%	3.5	3.5	1
Garfield	59.2%	40.8%	32.1	6.0	49
GRAND					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84532	87.7%	12.3%	44.5	2.6	130
Grand	87.7%	12.3%	44.5	2.6	130
IRON					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84719	100.0%	0.0%	0.8	0.8	1
84720	88.2%	11.8%	19.6	2.1	338
84721	75.4%	24.6%	14.8	3.0	130
84742	100.0%	0.0%	2.1	1.6	8
84760	100.0%	0.0%	1.8	1.8	1
84761	70.6%	29.4%	28.3	3.9	17
Iron	84.4%	15.6%	28.3	2.4	495
JUAB					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84628	71.4%	28.6%	6.8	3.5	7
84639	60.0%	40.0%	12.3	5.9	5
84645	36.8%	63.2%	61.0	7.0	57
84648	48.7%	51.3%	18.1	5.8	39
Juab	44.4%	55.6%	61.0	6.3	108
KANE					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84710	100.0%	0.0%	1.0	1.0	1
84729	0.0%	100.0%	7.1	7.1	2
84741	74.0%	26.0%	30.8	3.9	77
84755	0.0%	100.0%	26.1	24.7	4
84758	100.0%	0.0%	3.7	3.7	1
84762	75.0%	25.0%	4.6	2.7	4
Kane	69.7%	30.3%	30.8	4.9	89
MILLARD					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84624	93.9%	6.1%	8.0	2.4	33
84631	65.2%	34.8%	10.0	3.5	23
84635	100.0%	0.0%	2.2	2.0	2
84636	100.0%	0.0%	0.9	0.9	1
84637	71.4%	28.6%	6.0	3.1	7
84638	50.0%	50.0%	7.3	4.7	2
84640	100.0%	0.0%	1.4	1.4	1
84644	50.0%	50.0%	7.7	5.2	2
84649	85.7%	14.3%	6.2	2.4	7
84656	0.0%	100.0%	9.9	9.9	1
Millard	79.7%	20.3%	10.0	2.9	79
MORGAN					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84018	40.0%	60.0%	200.0	44.2	5
84050	47.0%	53.0%	41.1	5.9	249
Morgan	46.9%	53.1%	200.0	6.7	254
PIUTE					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84723	100.0%	0.0%	3.1	1.8	4
84740	100.0%	0.0%	1.8	1.8	1
84750	50.0%	50.0%	23.5	6.3	6
Piute	72.7%	27.3%	23.5	4.2	11

RICH					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84028	85.7%	14.3%	14.8	2.9	14
84038	0.0%	100.0%	30.8	11.3	12
84064	66.7%	33.3%	21.2	4.5	12
84086	100.0%	0.0%	2.2	2.2	1
Rich	53.8%	46.2%	30.8	6.0	39
SALT LAKE					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84006	34.4%	65.6%	81.0	12.9	61
84009	61.7%	38.3%	24.8	4.2	282
84020	64.4%	35.6%	86.0	4.6	1403
84044	58.8%	41.2%	20.7	4.3	216
84047	69.0%	31.0%	35.0	3.7	407
84065	47.0%	53.0%	130.3	6.1	1261
84070	87.3%	12.7%	152.6	2.3	3147
84081	69.2%	30.8%	54.2	4.1	520
84084	59.9%	40.1%	40.0	4.3	548
84088	54.1%	45.9%	30.7	4.9	553
84090	54.8%	45.2%	65.8	8.4	31
84091	71.4%	28.6%	7.9	2.8	14
84092	56.1%	43.9%	152.0	5.5	1797
84093	43.5%	56.5%	90.8	7.3	1657
84094	71.1%	28.9%	40.7	3.5	657
84095	55.3%	44.7%	99.8	5.1	1753
84096	57.2%	42.8%	89.3	5.4	1063
84101	76.9%	23.1%	7.7	2.4	26
84102	69.1%	30.9%	56.9	4.3	314
84103	77.5%	22.5%	70.2	3.4	631
84104	70.4%	29.6%	31.8	3.7	152
84105	62.5%	37.5%	27.4	3.9	1068
84106	77.9%	22.1%	42.7	3.0	2408
84107	74.5%	25.5%	31.1	3.3	533
84108	81.3%	18.7%	27.3	2.7	852
84109	65.3%	34.7%	50.1	4.0	1034
84110	73.3%	26.7%	22.6	4.0	30
84111	61.1%	38.9%	40.6	4.3	157
84112	90.0%	10.0%	6.0	1.6	10
84113	100.0%	0.0%	3.9	1.8	4
84114	59.5%	40.5%	54.4	7.3	121
84115	65.2%	34.8%	47.7	3.8	290
84116	75.9%	24.1%	36.4	3.2	245
84117	65.2%	34.8%	86.1	4.3	686
84118	74.6%	25.4%	85.4	3.5	465
84119	73.2%	26.8%	21.4	3.0	306
84120	63.5%	36.5%	140.5	4.1	348
84121	70.4%	29.6%	50.0	3.7	1743
84122	100.0%	0.0%	3.0	2.6	2
84123	71.8%	28.2%	33.5	3.3	599
84124	62.4%	37.6%	43.1	4.4	923
84125	100.0%	0.0%	2.8	2.3	2
84126	0.0%	100.0%	4.3	4.3	1
84127	66.7%	33.3%	6.9	4.1	3
84128	67.1%	32.9%	36.5	3.9	210
84129	67.0%	33.0%	22.0	3.9	197
84130	100.0%	0.0%	1.9	1.1	3
84138	100.0%	0.0%	1.4	1.4	1
84145	0.0%	100.0%	7.4	7.2	2

84147	75.0%	25.0%	7.8	3.1	4
84151	0.0%	100.0%	4.1	4.1	1
84152	75.0%	25.0%	18.4	3.7	24
84157	71.4%	28.6%	7.0	3.1	7
84158	82.4%	17.6%	8.8	2.3	17
84165	50.0%	50.0%	5.2	4.5	2
84170	80.0%	20.0%	10.3	3.1	5
84171	63.3%	36.7%	27.8	5.2	60
84184	0.0%	100.0%	11.6	11.6	1
Salt Lake	66.5%	33.5%	152.6	4.2	28857
SAN JUAN					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84511	87.7%	12.3%	13.5	1.9	138
84512	100.0%	0.0%	0.8	0.8	1
84530	71.4%	28.6%	12.7	4.4	7
84531	100.0%	0.0%	1.3	1.3	1
84533	100.0%	0.0%	0.1	0.1	2
84535	55.8%	44.2%	21.0	4.5	206
San Juan	69.0%	31.0%	21.0	3.5	355
SANPETE					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84621	33.3%	66.7%	9.2	7.3	3
84622	50.0%	50.0%	8.6	4.3	8
84623	50.0%	50.0%	6.1	3.8	2
84627	37.8%	62.2%	25.1	6.8	98
84629	35.3%	64.7%	34.2	8.7	34
84630	33.3%	66.7%	6.3	4.6	3
84632	46.7%	53.3%	21.7	6.6	15
84634	41.4%	58.6%	32.0	7.7	29
84642	48.5%	51.5%	33.7	6.1	33
84643	28.6%	71.4%	8.7	4.4	7
84646	77.8%	22.2%	6.4	2.7	9
84647	64.4%	35.6%	11.1	3.6	45
84662	50.0%	50.0%	9.2	4.1	14
84665	100.0%	0.0%	3.6	1.7	3
84667	25.0%	75.0%	7.6	4.3	4
Sanpete	45.6%	54.4%	34.2	6.0	307
SEVIER					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84620	62.5%	37.5%	4.9	2.9	8
84652	100.0%	0.0%	2.9	1.4	6
84654	63.6%	36.4%	8.6	4.1	11
84657	0.0%	100.0%	7.0	7.0	1
84701	65.4%	34.6%	31.3	4.1	104
84711	33.3%	66.7%	7.4	4.6	6
84724	100.0%	0.0%	2.6	1.8	5
84730	30.8%	69.2%	37.2	13.6	13
84739	33.3%	66.7%	6.3	4.5	3
84754	24.6%	75.4%	101.3	22.6	69
84766	100.0%	0.0%	2.0	1.6	3
Sevier	51.5%	48.5%	101.3	10.0	229
SUMMIT					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84017	65.5%	34.5%	33.0	4.9	55
84024	100.0%	0.0%	0.8	0.8	1
84033	54.5%	45.5%	11.0	3.8	11
84036	52.8%	47.2%	34.0	5.9	89
84055	63.6%	36.4%	16.6	3.8	22

84060	65.9%	34.1%	47.2	4.5	378
84061	41.7%	58.3%	10.8	4.4	12
84068	61.8%	38.2%	43.2	4.7	89
84098	64.2%	35.8%	375.8	5.7	776
Summit	63.5%	36.4%	375.8	5.3	1433
TOOELE					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84022	100.0%	0.0%	3.2	1.1	17
84029	44.1%	55.9%	98.1	8.2	188
84034	86.4%	13.6%	11.4	2.3	22
84069	0.0%	100.0%	7.4	7.4	1
84071	81.8%	18.2%	12.1	3.2	22
84074	63.2%	36.8%	63.0	4.7	1209
84083	100.0%	0.0%	3.0	2.7	2
Tooele	61.8%	38.2%	98.1	5.0	1461
UINTAH					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84026	100.0%	0.0%	2.9	1.2	6
84035	36.4%	63.6%	31.8	11.3	11
84039	66.7%	33.3%	4.1	1.8	3
84076	42.9%	57.1%	13.4	7.7	7
84078	67.4%	32.6%	40.5	4.0	387
84079	100.0%	0.0%	1.6	1.2	6
84085	60.0%	40.0%	34.7	11.6	5
Uintah	67.1%	32.9%	40.5	4.2	425
UTAH					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84003	45.7%	54.3%	173.7	6.4	1233
84004	46.4%	53.6%	77.3	7.3	476
84005	66.7%	33.3%	76.9	4.0	279
84013	100.0%	0.0%	3.8	2.8	4
84042	48.9%	51.1%	45.1	7.0	180
84043	61.0%	39.0%	129.5	4.7	1159
84045	67.4%	32.6%	135.9	4.3	435
84057	59.8%	40.2%	358.9	5.7	445
84058	83.4%	16.6%	47.8	2.7	367
84059	84.6%	15.4%	7.7	2.8	13
84062	48.5%	51.5%	54.6	6.1	855
84097	56.6%	43.4%	26.2	4.8	482
84601	74.1%	25.9%	31.4	3.2	274
84602	56.3%	43.8%	24.3	7.6	16
84603	71.4%	28.6%	4.2	2.5	7
84604	54.1%	45.9%	153.9	6.5	846
84605	37.5%	62.5%	9.1	4.9	8
84606	78.4%	21.6%	16.5	2.8	255
84626	66.7%	33.3%	5.7	3.3	3
84633	0.0%	100.0%	4.0	4.0	1
84651	55.3%	44.7%	481.4	8.6	311
84653	46.7%	53.3%	36.9	6.1	137
84655	47.0%	53.0%	41.0	7.1	83
84660	66.0%	34.0%	21.2	3.5	353
84663	51.9%	48.1%	178.2	7.0	551
84664	54.3%	45.7%	68.1	6.7	247
Utah	57.0%	43.0%	481.4	5.6	9020
WASATCH					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84032	30.7%	69.3%	123.0	10.5	823
84049	44.4%	55.6%	103.9	9.8	288

84082	50.0%	50.0%	21.4	7.2	14
Wasatch	34.6%	65.5%	123.0	10.2	1125
WASHINGTON					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84722	66.7%	33.3%	15.8	5.1	6
84725	100.0%	0.0%	3.6	2.1	8
84737	87.0%	13.0%	13.9	2.0	46
84738	96.2%	3.8%	4.0	1.7	26
84745	75.0%	25.0%	31.9	4.8	28
84746	86.7%	13.3%	8.0	2.4	15
84757	65.6%	34.4%	14.5	3.9	32
84763	50.0%	50.0%	10.4	5.8	4
84765	97.1%	2.9%	4.6	1.5	34
84767	62.5%	37.5%	4.7	3.2	8
84770	92.7%	7.3%	11.8	1.8	192
84771	100.0%	0.0%	0.8	0.5	3
84774	77.8%	22.2%	15.0	3.0	9
84779	50.0%	50.0%	5.9	3.8	2
84780	94.7%	5.3%	9.5	1.7	76
84781	100.0%	0.0%	1.5	1.3	2
84782	100.0%	0.0%	0.8	0.8	1
84783	75.0%	25.0%	10.2	3.3	8
84784	100.0%	0.0%	1.3	0.7	3
84790	87.4%	12.6%	12.7	2.2	246
84791	100.0%	0.0%	1.3	0.9	4
Washington	88.2%	11.8%	31.9	2.2	753
WAYNE					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84715	66.7%	33.3%	7.1	3.4	6
84734	0.0%	100.0%	5.1	5.1	1
84747	43.8%	56.3%	117.5	12.5	16
84749	100.0%	0.0%	0.5	0.5	2
84773	40.0%	60.0%	15.9	6.7	5
84775	71.4%	28.6%	25.6	5.6	14
Wayne	56.8%	43.2%	117.5	7.7	44
WEBER					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84067	94.6%	5.4%	19.4	1.8	148
84201	100.0%	0.0%	1.3	0.7	5
84310	36.8%	63.2%	152.4	12.3	266
84315	87.5%	12.5%	21.8	2.3	72
84317	43.9%	56.1%	98.4	9.4	82
84401	86.8%	13.2%	15.6	2.1	250
84402	20.0%	80.0%	15.4	7.5	5
84403	72.2%	27.8%	53.5	3.5	579
84404	67.3%	32.7%	144.4	5.1	401
84405	71.7%	28.3%	23.1	3.4	367
84408	100.0%	0.0%	1.3	1.0	3
84409	100.0%	0.0%	2.5	2.5	1
84412	50.0%	50.0%	18.9	7.6	4
84414	51.5%	48.5%	27.1	5.4	542
84415	100.0%	0.0%	3.4	2.7	5
Weber	66.0%	34.1%	152.4	4.9	2730
STATE TOTALS					
TOTALS	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
Web Table	63.0%	37.0%	664	5.1	57915

Master List					57915
The data is informational only and should not be utilized for the purpose of					