

UTAH DEPARTMENT OF ENVIRONMENTAL QUALITY**DIVISION OF RADIATION CONTROL****Short Term Radon Test Results By County And ZIP Code
as of April 2018**

The data is informational only and should not be utilized for the purpose of determining where one should test nor where radon control systems should or should not be incorporated in new home construction.

BEAVER

ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84713	25.1%	74.9%	0.0	43.4	386
84731	100.0%	0.0%	2.9	2.6	2
84751	70.6%	29.4%	13.1	3.7	17
84752	20.0%	80.0%	25.9	9.4	15
Beaver	27.1%	72.9%	664.0	40.3	420

BOX ELDER

ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84301	100.0%	0.0%	3.7	2.7	3
84302	40.7%	59.3%	81.1	7.9	518
84306	50.0%	50.0%	17.8	6.5	10
84307	100.0%	0.0%	2.8	1.6	5
84309	15.4%	84.6%	43.9	14.6	13
84311	50.0%	50.0%	20.1	7.6	6
84312	59.0%	41.0%	10.4	3.6	39
84314	31.3%	68.8%	20.1	7.6	16
84316	0.0%	100.0%	4.6	4.6	1
84324	33.3%	66.7%	90.4	12.8	45
84329	100.0%	0.0%	2.7	2.7	1
84330	100.0%	0.0%	0.8	0.8	1
84331	0.0%	100.0%	8.5	8.5	1
84334	60.0%	40.0%	11.1	4.2	5
84337	60.6%	39.4%	24.9	4.1	71
84340	32.4%	67.6%	20.3	6.1	71
Box Elder	42.6%	57.4%	90.4	7.5	806

CACHE

ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84304	50.0%	50.0%	10.6	7.3	2
84305	50.0%	50.0%	10.4	5.6	2
84308	100.0%	0.0%	2.4	2.4	1
84318	31.4%	68.6%	40.9	7.7	172
84319	50.0%	50.0%	32.6	6.0	132
84320	55.6%	44.4%	14.8	5.6	36
84321	54.5%	45.5%	112.6	6.1	1106
84322	72.7%	27.3%	31.8	5.1	11
84323	66.7%	33.3%	19.2	5.4	24
84325	45.5%	54.5%	48.9	6.1	77
84326	31.6%	68.4%	21.9	6.7	57
84327	42.9%	57.1%	10.7	5.6	7
84328	26.6%	73.4%	67.6	11.0	79
84332	36.0%	64.0%	87.0	8.5	336
84333	59.6%	40.4%	18.2	4.5	52
84335	44.2%	55.8%	43.5	6.8	283
84338	100.0%	0.0%	1.7	1.3	4
84339	32.1%	67.9%	152.5	15.9	156
84341	49.1%	50.9%	89.0	6.6	550
Cache	46.9%	53.1%	152.5	7.2	3087

CARBON

ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
----------	----------	-----------	---------	---------	-------------

84501	69.9%	30.1%	280.0	5.3	133
84520	77.8%	22.2%	4.2	2.2	9
84526	87.5%	12.5%	4.9	2.0	24
84529	100.0%	0.0%	1.6	1.6	1
84542	33.3%	66.7%	16.5	8.4	21
Carbon	68.6%	31.4%	280.0	5.1	188
DAGGETT					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84023	100.0%	0.0%	1.0	0.9	3
84046	100.0%	0.0%	3.3	1.0	19
Daggett	100.0%	0.0%	3.3	1.0	22
DAVIS					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84010	57.0%	43.0%	215.0	5.7	1236
84011	77.3%	22.7%	12.8	3.5	22
84014	43.4%	56.6%	101.2	7.7	495
84015	89.7%	10.3%	49.8	2.2	517
84016	88.9%	11.1%	6.3	1.7	9
84025	55.3%	44.7%	37.8	5.0	472
84037	80.1%	19.9%	77.2	3.1	627
84040	82.3%	17.7%	24.2	3.0	435
84041	86.2%	13.8%	41.1	2.6	377
84054	80.4%	19.6%	32.5	2.9	280
84056	100.0%	0.0%	2.2	1.3	10
84075	85.9%	14.1%	9.6	2.4	241
84087	62.9%	37.1%	61.7	5.7	294
84089	50.0%	50.0%	7.7	3.7	4
Davis	69.4%	30.6%	215.0	4.4	5019
DUCHESNE					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84001	100.0%	0.0%	3.2	1.5	3
84007	66.7%	33.3%	5.4	2.8	3
84021	76.0%	24.0%	67.7	7.3	25
84027	33.3%	66.7%	31.1	20.8	3
84031	0.0%	100.0%	6.1	6.1	1
84051	100.0%	0.0%	1.6	1.6	1
84052	80.0%	20.0%	39.5	5.9	15
84053	100.0%	0.0%	1.4	1.0	3
84066	71.6%	28.4%	67.9	5.3	74
84072	94.7%	5.3%	5.3	1.1	19
Duchesne	76.2%	23.8%	67.9	5.3	147
EMERY					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84513	40.0%	60.0%	5.8	4.8	5
84518	55.6%	44.4%	7.8	3.7	9
84522	100.0%	0.0%	3.7	2.8	2
84523	60.0%	40.0%	5.7	3.0	5
84525	100.0%	0.0%	3.2	1.7	4
84528	64.3%	35.7%	28.8	4.9	14
84537	100.0%	0.0%	1.2	1.2	1
Emery	65.0%	35.0%	28.8	3.9	40
GARFIELD					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84712	0.0%	100.0%	7.8	7.8	1
84716	100.0%	0.0%	3.9	2.5	4
84718	100.0%	0.0%	0.8	0.8	1
84726	66.7%	33.3%	13.8	4.3	9
84735	50.0%	50.0%	20.5	7.7	4

84736	100.0%	0.0%	2.8	2.8	1
84759	48.1%	51.9%	32.1	7.2	27
Garfield	57.4%	42.6%	32.1	6.1	47
GRAND					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84532	87.4%	12.6%	44.5	2.6	127
Grand	87.4%	12.6%	44.5	2.6	127
IRON					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84719	100.0%	0.0%	0.8	0.8	1
84720	88.0%	12.0%	19.6	2.1	333
84721	75.6%	24.4%	14.8	3.0	127
84742	100.0%	0.0%	2.1	1.6	8
84760	100.0%	0.0%	1.8	1.8	1
84761	75.0%	25.0%	28.3	3.8	16
Iron	84.6%	15.4%	28.3	2.4	486
JUAB					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84628	71.4%	28.6%	6.8	3.5	7
84639	60.0%	40.0%	12.3	5.9	5
84645	37.5%	62.5%	61.0	6.8	56
84648	47.4%	52.6%	18.1	5.9	38
Juab	44.3%	55.7%	61.0	6.2	106
KANE					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84710	100.0%	0.0%	1.0	1.0	1
84729	0.0%	100.0%	7.1	7.1	2
84741	74.0%	26.0%	30.8	3.9	77
84755	0.0%	100.0%	26.1	24.7	4
84758	100.0%	0.0%	3.7	3.7	1
84762	75.0%	25.0%	4.6	2.7	4
Kane	69.7%	30.3%	30.8	4.9	89
MILLARD					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84624	93.3%	6.7%	8.0	2.4	30
84631	65.2%	34.8%	10.0	3.5	23
84635	100.0%	0.0%	2.2	2.0	2
84636	100.0%	0.0%	0.9	0.9	1
84637	71.4%	28.6%	6.0	3.1	7
84638	50.0%	50.0%	7.3	4.7	2
84640	100.0%	0.0%	1.4	1.4	1
84644	50.0%	50.0%	7.7	5.2	2
84649	85.7%	14.3%	6.2	2.4	7
84656	0.0%	100.0%	9.9	9.9	1
Millard	78.9%	21.1%	10.0	3.0	76
MORGAN					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84018	40.0%	60.0%	200.0	44.2	5
84050	46.5%	53.5%	41.1	6.0	245
Morgan	46.4%	53.6%	200.0	6.8	250
PIUTE					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84723	100.0%	0.0%	3.1	1.8	4
84740	100.0%	0.0%	1.8	1.8	1
84750	50.0%	50.0%	23.5	6.3	6
Piute	72.7%	27.3%	23.5	4.2	11
RICH					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests

84028	92.3%	7.7%	14.8	2.6	13
84038	0.0%	100.0%	30.8	11.3	12
84064	66.7%	33.3%	21.2	4.5	12
84086	100.0%	0.0%	2.2	2.2	1
Rich	55.3%	44.7%	30.8	6.0	38
SALT LAKE					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84006	34.4%	65.6%	81.0	12.9	61
84009	61.8%	38.2%	24.8	4.3	259
84020	64.2%	35.8%	86.0	4.6	1390
84044	59.3%	40.7%	20.7	4.2	214
84047	69.4%	30.6%	35.0	3.7	402
84065	47.4%	52.6%	130.3	6.1	1235
84070	87.5%	12.5%	152.6	2.3	3140
84081	69.0%	31.0%	54.2	4.2	510
84084	59.7%	40.3%	40.0	4.4	538
84088	54.0%	46.0%	30.7	4.9	550
84090	54.8%	45.2%	65.8	8.4	31
84091	71.4%	28.6%	7.9	2.8	14
84092	56.1%	43.9%	152.0	5.5	1778
84093	43.4%	56.6%	90.8	7.4	1652
84094	71.4%	28.6%	40.7	3.5	643
84095	55.5%	44.5%	99.8	5.1	1734
84096	56.9%	43.1%	89.3	5.4	1029
84101	76.0%	24.0%	7.7	2.4	25
84102	68.7%	31.3%	56.9	4.3	310
84103	77.8%	22.2%	70.2	3.4	625
84104	70.9%	29.1%	31.8	3.6	151
84105	62.3%	37.7%	27.4	3.9	1048
84106	78.0%	22.0%	42.7	3.0	2386
84107	74.3%	25.7%	31.1	3.3	521
84108	81.5%	18.5%	27.3	2.7	839
84109	65.1%	34.9%	50.1	4.0	1026
84110	73.3%	26.7%	22.6	4.0	30
84111	61.9%	38.1%	40.6	4.3	155
84112	90.0%	10.0%	6.0	1.6	10
84113	100.0%	0.0%	3.9	1.8	4
84114	59.5%	40.5%	54.4	7.3	121
84115	65.3%	34.7%	47.7	3.8	285
84116	75.8%	24.2%	36.4	3.2	244
84117	65.1%	34.9%	86.1	4.4	671
84118	74.5%	25.5%	85.4	3.5	463
84119	73.2%	26.8%	21.4	3.0	306
84120	63.4%	36.6%	140.5	4.1	344
84121	70.3%	29.7%	50.0	3.7	1726
84122	100.0%	0.0%	3.0	2.6	2
84123	71.6%	28.4%	33.5	3.3	592
84124	62.3%	37.7%	43.1	4.4	912
84125	100.0%	0.0%	2.8	2.3	2
84126	0.0%	100.0%	4.3	4.3	1
84127	66.7%	33.3%	6.9	4.1	3
84128	67.1%	32.9%	36.5	3.9	210
84129	67.0%	33.0%	22.0	3.9	197
84130	100.0%	0.0%	1.9	1.1	3
84138	100.0%	0.0%	1.4	1.4	1
84145	0.0%	100.0%	7.4	7.2	2
84147	75.0%	25.0%	7.8	3.1	4
84151	0.0%	100.0%	4.1	4.1	1

84152	75.0%	25.0%	18.4	3.7	24
84157	71.4%	28.6%	7.0	3.1	7
84158	82.4%	17.6%	8.8	2.3	17
84165	50.0%	50.0%	5.2	4.5	2
84170	80.0%	20.0%	10.3	3.1	5
84171	63.3%	36.7%	27.8	5.2	60
84184	0.0%	100.0%	11.6	11.6	1
Salt Lake	66.6%	33.4%	152.6	4.2	28516
SAN JUAN					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84511	87.6%	12.4%	13.5	1.9	137
84512	100.0%	0.0%	0.8	0.8	1
84530	71.4%	28.6%	12.7	4.4	7
84531	100.0%	0.0%	1.3	1.3	1
84533	100.0%	0.0%	0.1	0.1	2
84535	56.7%	43.3%	21.0	4.4	203
San Juan	69.5%	30.5%	21.0	3.4	351
SANPETE					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84621	33.3%	66.7%	9.2	7.3	3
84622	57.1%	42.9%	8.6	4.2	7
84623	50.0%	50.0%	6.1	3.8	2
84627	33.3%	66.7%	22.0	6.9	90
84629	35.3%	64.7%	34.2	8.7	34
84630	33.3%	66.7%	6.3	4.6	3
84632	46.7%	53.3%	21.7	6.6	15
84634	41.4%	58.6%	32.0	7.7	29
84642	48.5%	51.5%	33.7	6.1	33
84643	28.6%	71.4%	8.7	4.4	7
84646	77.8%	22.2%	6.4	2.7	9
84647	64.4%	35.6%	11.1	3.6	45
84662	46.2%	53.8%	9.2	4.2	13
84665	100.0%	0.0%	3.6	1.7	3
84667	25.0%	75.0%	7.6	4.3	4
Sanpete	44.4%	55.6%	34.2	6.1	297
SEVIER					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84620	62.5%	37.5%	4.9	2.9	8
84652	100.0%	0.0%	2.9	1.4	6
84654	63.6%	36.4%	8.6	4.1	11
84657	0.0%	100.0%	7.0	7.0	1
84701	65.4%	34.6%	31.3	4.1	104
84711	33.3%	66.7%	7.4	4.6	6
84724	100.0%	0.0%	2.6	1.8	5
84730	33.3%	66.7%	30.8	11.7	12
84739	33.3%	66.7%	6.3	4.5	3
84754	23.9%	76.1%	101.3	22.9	67
84766	100.0%	0.0%	2.0	1.6	3
Sevier	51.8%	48.2%	101.3	9.9	226
SUMMIT					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84017	64.8%	35.2%	33.0	4.9	54
84024	100.0%	0.0%	0.8	0.8	1
84033	54.5%	45.5%	11.0	3.8	11
84036	49.4%	50.6%	34.0	6.3	83
84055	61.9%	38.1%	16.6	3.9	21
84060	65.6%	34.4%	47.2	4.5	372
84061	41.7%	58.3%	10.8	4.4	12

84068	61.4%	38.6%	43.2	4.8	88
84098	64.0%	36.0%	375.8	5.8	764
Summit	63.2%	36.8%	375.8	5.3	1406
TOOELE					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84022	100.0%	0.0%	3.2	1.1	17
84029	43.2%	56.8%	98.1	8.2	183
84034	86.4%	13.6%	11.4	2.3	22
84069	0.0%	100.0%	7.4	7.4	1
84071	81.8%	18.2%	12.1	3.2	22
84074	63.0%	37.0%	63.0	4.7	1172
84083	100.0%	0.0%	3.0	2.7	2
Tooele	61.5%	38.5%	98.1	5.1	1419
UINTAH					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84026	100.0%	0.0%	2.9	1.2	6
84035	36.4%	63.6%	31.8	11.3	11
84039	66.7%	33.3%	4.1	1.8	3
84076	42.9%	57.1%	13.4	7.7	7
84078	67.1%	32.9%	32.5	3.9	374
84079	100.0%	0.0%	1.6	1.2	6
84085	60.0%	40.0%	34.7	11.6	5
Uintah	66.7%	33.3%	34.7	4.2	412
UTAH					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84003	45.2%	54.8%	173.7	6.5	1205
84004	46.5%	53.5%	77.3	7.3	467
84005	66.5%	33.5%	76.9	4.1	269
84013	100.0%	0.0%	3.8	2.8	4
84042	48.6%	51.4%	45.1	7.0	179
84043	61.3%	38.7%	129.5	4.7	1129
84045	67.2%	32.8%	135.9	4.3	424
84057	59.3%	40.7%	358.9	5.8	440
84058	83.1%	16.9%	47.8	2.7	362
84059	84.6%	15.4%	7.7	2.8	13
84062	48.3%	51.7%	54.6	6.1	847
84097	56.3%	43.7%	26.2	4.8	478
84601	74.0%	26.0%	31.4	3.3	265
84602	56.3%	43.8%	24.3	7.6	16
84603	71.4%	28.6%	4.2	2.5	7
84604	54.1%	45.9%	153.9	6.5	830
84605	37.5%	62.5%	9.1	4.9	8
84606	78.6%	21.4%	16.5	2.8	252
84626	66.7%	33.3%	5.7	3.3	3
84633	0.0%	100.0%	4.0	4.0	1
84651	55.0%	45.0%	481.4	8.7	309
84653	46.7%	53.3%	36.9	6.1	137
84655	47.0%	53.0%	41.0	7.1	83
84660	65.8%	34.2%	21.2	3.6	351
84663	51.6%	48.4%	178.2	7.0	545
84664	53.9%	46.1%	68.1	6.7	245
Utah	56.8%	43.2%	481.4	5.6	8869
WASATCH					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84032	30.8%	69.2%	123.0	10.5	783
84049	45.3%	54.7%	103.9	9.7	278
84082	50.0%	50.0%	21.4	7.2	14
Wasatch	34.8%	65.2%	123.0	10.3	1075

WASHINGTON					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84722	66.7%	33.3%	15.8	5.1	6
84725	100.0%	0.0%	3.6	2.1	8
84737	88.4%	11.6%	7.1	1.8	43
84738	95.8%	4.2%	4.0	1.7	24
84745	75.0%	25.0%	31.9	4.8	28
84746	86.7%	13.3%	8.0	2.4	15
84757	65.6%	34.4%	14.5	3.9	32
84763	50.0%	50.0%	10.4	5.8	4
84765	96.9%	3.1%	4.6	1.5	32
84767	60.0%	40.0%	4.7	3.1	5
84770	92.7%	7.3%	11.8	1.8	191
84771	100.0%	0.0%	0.8	0.5	3
84774	71.4%	28.6%	15.0	3.7	7
84779	50.0%	50.0%	5.9	3.8	2
84780	94.4%	5.6%	9.5	1.7	72
84781	100.0%	0.0%	1.5	1.3	2
84782	100.0%	0.0%	0.8	0.8	1
84783	75.0%	25.0%	10.2	3.3	8
84784	100.0%	0.0%	1.3	0.7	3
84790	86.9%	13.1%	12.7	2.3	236
84791	100.0%	0.0%	1.3	0.9	4
Washington	88.0%	12.0%	31.9	2.2	726
WAYNE					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84715	66.7%	33.3%	7.1	3.4	6
84734	0.0%	100.0%	5.1	5.1	1
84747	42.9%	57.1%	117.5	13.0	14
84749	100.0%	0.0%	0.5	0.5	2
84773	40.0%	60.0%	15.9	6.7	5
84775	71.4%	28.6%	25.6	5.6	14
Wayne	57.1%	42.9%	117.5	7.6	42
WEBER					
ZIP CODE	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
84067	94.5%	5.5%	19.4	1.8	146
84201	100.0%	0.0%	1.3	0.7	5
84310	36.5%	63.5%	152.4	12.3	260
84315	87.1%	12.9%	21.8	2.4	70
84317	43.9%	56.1%	98.4	9.4	82
84401	87.1%	12.9%	15.6	2.1	248
84402	20.0%	80.0%	15.4	7.5	5
84403	71.8%	28.2%	53.5	3.5	556
84404	67.1%	32.9%	144.4	5.1	395
84405	72.1%	27.9%	23.1	3.3	365
84408	100.0%	0.0%	1.3	1.0	3
84409	100.0%	0.0%	2.5	2.5	1
84412	50.0%	50.0%	18.9	7.6	4
84414	51.2%	48.8%	27.1	5.4	535
84415	100.0%	0.0%	3.4	2.7	5
Weber	65.8%	34.2%	152.4	4.9	2680
STATE TOTALS					
TOTALS	<4 pCi/L	>=4 pCi/L	Maximum	Average	Total Tests
Web Table	63.0%	37.0%	664	5.1	56978
Master List					56978

The data is informational only and should not be utilized for the purpose of determining where one should test nor where radon control systems should or should not be incorporated in new home construction.
