



State of Utah

GARY R. HERBERT  
Governor

SPENCER J. COX  
Lieutenant Governor

Department of  
Environmental Quality

Alan Matheson  
Executive Director

DIVISION OF WASTE MANAGEMENT  
AND RADIATION CONTROL  
Scott T. Anderson  
Director

A regular meeting of the Waste Management and Radiation Control Board has been scheduled for April 13, 2017 at 1:30 pm at the Utah Department of Environmental Quality, Multi-Agency State Office Building, Conference Room #1015, 195 North 1950 West, SLC.  
(One or more members may participate telephonically.)

AGENDA

- I. Call to Order.
- II. **Approval of the Meeting Minutes for the February 9, 2017 Board meeting ..... Tab 1  
(Board Action Item)**
- III. **Underground Storage Tanks Update ..... Tab 2**
- IV. Administrative Rules ..... Tab 3
  - A. **Solid Waste Rules: Approval to proceed with formal rulemaking and public comment to remove paragraph R315-302-1(2)(a)(iii) that prohibits a new solid waste facility from being located within certain farmland classified by the U.S. Dept. of Agriculture. (Board Action Item)**
  - B. **Solid and Hazardous Waste Rules: Approval to proceed with formal rulemaking and public comment to incorporate EPA's hazardous waste generator improvement rule (promulgated on 11/28/2016, 81 FR 85732) into R315-15, R315-260, R315-261, R315-262, R315-263, R315-264, R315-265, R315-266, R315-268, R315-270, R315-273, R315-301, R315-304-3, and R315-305-3. (Board Action Item)**
- V. Director's Report/Legislative Update.
- VI. Open and Public Meetings Act, Utah Public Officers and Employees Ethics Act.
- VII. Other Business.
  - A. Misc. Information Items
  - B. Scheduling of next Board meeting.
- VIII. Election of Board Chair and Vice Chair.
- IX. Adjourn.

In compliance with the Americans with Disabilities Act, individuals with special needs (including auxiliary communicative aids and services) should contact Larene Wyss, Office of Human Resources at (801) 536-4281, TDD (801) 536-4284 or by email at lwyss@utah.gov

DSHW-2017-002963

195 North 1950 West • Salt Lake City, UT  
Mailing Address: P.O. Box 144880 • Salt Lake City, UT 84114-4880  
Telephone (801) 536-0200 • Fax (801) 536-0222 • T.D.D. (801) 536-4284  
[www.deq.utah.gov](http://www.deq.utah.gov)

Printed on 100% recycled paper

Waste Management and Radiation Control Board Meeting  
Utah Department of Environmental Quality  
195 North 1950 West (Conference Room #1015) SLC, Utah  
February 9, 2017  
1:30 p.m.

Board Members Present: Brett Mickelson (Chair), Richard Codell, , Mark Franc, Alan Matheson, Steve McIff, Shawn Milne, Nathan Rich, Vern Rogers and Shane Whitney

Board Members Absent: Dennis Riding (Vice Chair), Danielle Endres, Jeremy Hawk

Staff Members Present: Scott Anderson, Brent Everett, Craig Anderson, Gary Astin, Therron Blatter, Phil Goble, Doug Hansen, Laura Lockhart, Bret Randall, Arlene Lovato, Rusty Lundberg, Deborah Ng, Jerry Rogers, Elisa Smith, David Wilson and Raymond Wixom

Others Present: Linda Ebert and Dan Shrum

I. Call to Order.

Brett Mickelson (Chair) welcomed all in attendance and called the meeting to order at 1:30 p.m. Dennis Riding (Vice Chair), Danielle Endres and Jeremy Hawk were excused from the meeting.

II. Introduction of Bret Randall, new Assistant Attorney General.

Scott Anderson introduced Bret Randall. Mr. Randall is replacing Laura Lockhart in the Attorney General's Office. Mr. Randall graduated from BYU Law School and worked private practice for the law firm Durham, Jones and Pinegar. Mr. Randall also served as a UDEQ Administrative Law Judge.

III. Laura Lockhart Retirement.

Scott Anderson announced that Laura Lockhart, Attorney General's Office, will soon be retiring. Mr. Anderson expressed his appreciation to Ms. Lockhart for her many years of dedicated service to two Boards and for her commitment to the environment and all the work that she accomplished at UDEQ.

Ms. Lockhart stated that although she has not spent a lot of time with the new Board, as she had with the Board that preceded the current Board, she has enjoyed working with all the Boards and admires the time the Board members put into serving and thanked them for their efforts.

Brett Mickelson, Board Chairman, presented Ms. Lockhart with a plaque in recognition for her service in behalf of the Board.

Richard Codell, speaking as a former member of the Radiation Control Board, stated that the previous Radiation Board and former colleagues at NRC really appreciated Ms. Lockhart and all her dedicated efforts.

Craig Anderson, Attorney General's Office, also thanked Ms. Lockhart for her many years of dedicated service.

IV. Approval of Meeting Minutes for the January 12, 2017 Board Meeting (**Board Action Item**).

**It was moved by Richard Codell and seconded by Shane Whitney and UNANIMOUSLY CARRIED to approve the January 12, 2017 Board meeting minutes.**

V. Underground Storage Tanks Update.

Brent Everett, Director of the Division of Environmental Response and Remediation (DERR), informed the Board that the cash balance of the Petroleum Storage Tank (PST) Trust Fund at the end of December 2016 was \$16,969,043.00. The preliminary estimate for the cash balance of the PST Trust Fund for the end of January 2017 is \$15,608,438.00. The cash balance of the PST Trust Fund is watched closely to ensure sufficient funds are available in the PST Trust Fund. There were no questions regarding the PST Trust Fund update.

Mr. Everett informed the Board that Representative Eliason's Petroleum Vapor Recovery bill has passed the House and was delivered to the Senate for consideration. This bill requires operators of a gasoline cargo tank to meet certain requirements to control emission of gasoline vapors during loading and unloading of the cargo tank. If the bill passes, the implementation of the bill would be handled by the Division of Air Quality.

VI. Underground Storage Tanks Rules.

- A. Approval to file Five-Year review notices for Underground Storage Tank Rules: R311-200, R311-201, R311-202, R311-203, R311-204, R311-205, R311-206, R311-207, R311-208, R311-209, R311-210, R311-211, and R311-212 (**Board Action Item**).

Gary Astin, DERR Rules Coordinator for the UST Program, requested Board approval to submit the Five-Year Review of the UST Rules. The rules include R311-200, R311-201, R311-202, R311-203, R311-204, R311-205, R311-206, R311-207, R311-208, R311-209, R311-210, R311-211 and R311-212. A review of the rules is required every five years. The agency considers comments received in the past five years on the existing rules and then decides if the rules should continue, end, be reviewed or be repealed.

Mark Franc asked if any changes will be brought before the Board. Mr. Astin explained that a substantive rule change would come before the Board. If the change is non-substantive, it does not come before the Board for approval. No changes are being proposed at this time. The DERR is only requesting permission to submit the Five-Year Review.

**It was moved by Steve McIff and seconded by Shawn Milne and UNANIMOUSLY CARRIED for the DERR to submit the Five Year Review of the Underground Storage Tank Rules R311-200, R311-201, R311-202, R311-203, R311-204, R311-205, R311-206, R311-207, R311-208, R311-209, R311-210, R311-211 and R311-212.**

VII. Used Oil Program.

- A. Final adoption of changes to Used Oil Rules, R315-5-13 (**Board Action Item**).

Rusty Lundberg, Deputy Director, Division of Waste Management and Radiation Control, reminded the Board that during the October 14, 2016 meeting, the Board approved for publication in the Utah State Bulletin and commencement of a 30-day public comment period, proposed changes to the Used Oil Rules in Section R315-15-13, Registration and Permitting of Used Oil Handlers.

Subsection R315-15-13.4(f) allows generators of used oil to transport quantities exceeding 55 gallons under a permit by rule. The permit-by-rule exemption is limited to facilities that fall within certain

North American Industry Classification System (NAIC) codes (currently Utah only has three facilities in this category). The Division was approached by Rocky Mountain Power asking if the utilities sector code could be added to the list in the rule. Rocky Mountain Power generates large amounts of used oil, some of which is located in remote locations where it is difficult or impossible to get a used oil transporter to pick up the oil. This change would allow any utility to transport its own oil under a permit by rule. The change also updates reference to the current version of the North American Industry Classification System (NAIC). The proposed rule change was published in the November 1, 2016 edition of the Utah State Bulletin (a copy was included in the February 9, 2017 Board packet).

The public comment period began on November 1, 2016 and concluded on December 1, 2016. No comments were received.

The Division Director recommended that the Board approve for final adoption the proposed changes to Subsection R315-15-13.4(f) of the Used Oil Rules, as published in the Utah State Bulletin on November 1, 2016 and set an effective date before March 1, 2017.

**It was moved by Mark Franc and seconded by Nathan Rich and UNANIMOUSLY CARRIED to approve for final adoption the proposed changes to Used Oil Rules, R315-5-13 and set the effective date of February 10, 2017.**

#### VIII. Legislative Update.

Scott Anderson provided an update on legislation from the 2017 General Session of the Legislature that impacts the Division of Waste Management and Radiation Control.

SCR003, sponsored by Senator Hinkins, is a resolution requesting the Department of Energy (DOE) to adequately fund the Uranium Mill Tailings Remedial Action Project at Atlas Minerals in Moab, Utah. This bill is currently on the House 2<sup>nd</sup> Reading Calendar.

HB115, sponsored by Representative McKell, changes the way the solid waste fees are determined and assessed. Currently, fees from the disposal of solid waste are paid by a certain number of facilities and fund the solid waste program. This bill will increase the number of facilities who will be subject to the fees. The bill directs the agency to establish a fair and equitable fee to cover program costs. It moves the fee from a statutory provision to the fee schedule that the DEQ puts together every year as part of its budget request. Having the fees in the fee schedule allows a little more flexibility to address changes in program costs. This bill is expected to be considered by the House Business and Labor Standing Committee.

HB272, sponsored by Representative Wilson, requires agencies to do a quantitative analysis of the regulatory impacts on businesses and residents before submitting any new administrative rules. This bill is currently on the House 1<sup>st</sup> Reading Calendar.

SB79, sponsored by Senator Stuart Adams, addresses compatibility concerns raised by the Nuclear Regulatory Commission (NRC) regarding financial assurance for low-level radioactive waste management facilities (*EnergySolutions*). This bill will correct issues that NRC identified. This bill is currently on the Senate 2<sup>nd</sup> Reading Calendar. However, the bill has been circled awaiting NRC's input on the bill before moving forward.

HB33, sponsored by Representative Perry, extends the sunset date for the Mercury Switch Removal Act. This act has been reauthorized for ten more years. This bill has passed both houses and is awaiting the Governor's signature.

HB296, sponsored by Representative Wilson, modifies financial assurance requirements for perpetual care at radioactive waste disposal facilities. This bill removes the requirement for the adequacy report for commercial hazardous waste and radioactive waste management facilities, unless triggered by certain criteria. This bill also eliminates the annual 400K payment by EnergySolutions into the perpetual care fund and directs the State Treasurer to invest the current balance of the fund and provides a target for him to reach in the year 2141. This bill is currently on the House 1<sup>st</sup> Reading Calendar.

IX. Other Business.

A. Misc. Information Items.

Scott Anderson informed the Board that the terms of Danielle Endres, Mark Franc, Steve McIff, Shawn Milne and Dennis Riding will be expiring on August 31, 2017. Due to the fact that the process to re-appoint/appoint Board members is lengthy, Mr. Anderson requested these individual contact him to discuss their interest in continuing to serve. Those Board members requesting to be reappointed along with any others who have applied to serve will be submitted and a recommendation will be made to the Governor. The Governor then submits his nominations to the Senate for their consideration and consent. (An email will be sent out reminding the Board members of this matter.)

B. Scheduling of next Board meeting.

The next Board meeting is scheduled for April 13, 2017 at 1:30 p.m. at the Utah Department of Environmental Quality, 195 North 1950 West, Salt Lake City, Utah.

X. Adjourn.

The meeting adjourned at 2:00 p.m.

**UST STATISTICAL SUMMARY**  
**March 1, 2016 -- February 28, 2017**

<b>PROGRAM</b>													
	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>August</b>	<b>September</b>	<b>October</b>	<b>November</b>	<b>December</b>	<b>January</b>	<b>February</b>	<b>(+/-) OR Total</b>
<b>Regulated Tanks</b>	4,006	4,015	4,017	4,019	4,015	4,035	4,052	4,065	4,062	4,062	4,063	4,060	<b>54</b>
<b>Tanks with Certificate of Compliance</b>	3,917	3,911	3,916	3,919	3,916	3,935	3,919	3,936	3,934	3,959	3,968	3,971	<b>54</b>
<b>Tanks without COC</b>	89	104	101	100	99	100	133	129	128	103	95	89	<b>0</b>
<b>Cumulative Facilities with Registered A Operators</b>	1,332	1,332	1,324	1,327	1,325	1,320	1,315	1,316	1,315	1,316	1,318	1,315	<b>97.26%</b>
<b>Cumulative Facilities with Registered B Operators</b>	1,333	1,333	1,325	1,328	1,326	1,320	1,316	1,318	1,317	1,318	1,319	1,317	<b>97.41%</b>
<b>New LUST Sites</b>	10	13	4	8	7	5	7	3	8	7	6	8	<b>86</b>
<b>Closed LUST Sites</b>	10	2	14	4	11	12	11	8	13	12	4	5	<b>106</b>
<b>Cumulative Closed LUST Sites</b>	4889	4892	4905	4913	4921	4932	4942	4953	4961	4976	4978	4983	<b>94</b>
<b>FINANCIAL</b>													
	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>August</b>	<b>September</b>	<b>October</b>	<b>November</b>	<b>December</b>	<b>January</b>	<b>February</b>	<b>(+/-)</b>
<b>Tanks on PST Fund</b>	2,764	2,758	2,752	2,751	2,753	2,757	2,741	2,743	2,741	2,751	2,755	2,758	<b>(6)</b>
<b>PST Claims (Cumulative)</b>	649	649	651	651	655	655	655	657	657	660	661	663	<b>14</b>
<b>Equity Balance</b>	-\$7,535,427	-\$7,425,420	-\$8,031,463	-\$6,636,622	-\$7,375,813	-\$7,326,360	-\$8,286,855	-\$8,286,855	-\$8,286,855	-\$8,286,855	-\$8,286,855	-\$8,286,855	<b>(\$751,428)</b>
<b>Cash Balance</b>	\$16,375,040	\$16,422,739	\$17,142,184	\$17,376,517	\$17,213,545	\$17,974,397	\$16,972,968	\$17,123,780	\$17,630,497	\$16,969,043	\$15,608,438	\$15,660,762	<b>(\$714,278)</b>
<b>Loans</b>	0	0	0	2	1	0	0	0	0	0	0	0	<b>0</b>
<b>Cumulative Loans</b>	108	108	108	110	111	111	111	111	111	111	111	111	<b>3</b>
<b>Cumulative Amount</b>	\$3,911,924	\$3,911,924	\$3,911,924	\$4,039,774	\$4,069,774	\$4,069,774	\$4,069,774	\$4,069,774	\$4,069,774	\$4,069,774	\$4,069,774	\$4,069,774	<b>\$157,850</b>
<b>Defaults/Amount</b>	0	0	0	0	0	0	0	0	0	0	0	0	<b>0</b>
	<b>March</b>	<b>April</b>	<b>May</b>	<b>June</b>	<b>July</b>	<b>August</b>	<b>September</b>	<b>October</b>	<b>November</b>	<b>December</b>	<b>January</b>	<b>February</b>	<b>TOTAL</b>
<b>Speed Memos</b>	49	49	61	32	53	52	47	50	42	36	34	10	<b>515</b>
<b>Compliance Letters</b>	5	0	8	7	8	3	9	6	3	11	2	1	<b>63</b>
<b>Notice of Intent to Revoke</b>	0	0	0	1	0	0	0	0	0	2	0	0	<b>3</b>
<b>Orders</b>	0	5	1	0	0	0	1	0	0	0	0	0	<b>7</b>

# WASTE MANAGEMENT AND RADIATION CONTROL BOARD

## Executive Summary

Public Comment -- Proposed Rule Change  
Section R315-302-1, Location Standards for Disposal Facilities  
Solid Waste Management and Permitting Rules  
April 13, 2017

<b>What is the issue before the Board?</b>	Approval from the Board to proceed with formal rulemaking and public comment by publishing in the <i>Utah State Bulletin</i> a proposed change to the Solid Waste Management and Permitting rules that removes paragraph R315-302-1(2)(a)(iii).
<b>What is the historical background or context for this issue?</b>	<p>Paragraph R315-302-1(2)(a)(iii) establishes a location standard for farmland classified or evaluated as prime, unique or of statewide importance. The Division recommends removing this language because it is a standard overseen by the U.S. Department of Agriculture under the Farmland Protection Policy Act (FPPA) and is essentially outside the regulatory purview of the Division. The FPPA was designed, in part, to ensure federal programs are compatible with state and local farmland protection programs.</p> <p>Following this Executive Summary is R315-302-1 with the proposed change properly marked.</p>
<b>What is the governing statutory or regulatory citation?</b>	Utah Solid and Hazardous Waste Act, §§ 19-6-104 and 19-6-106.
<b>Is Board action required?</b>	Yes, Board approval is necessary to file the appropriate rule analysis form with the Office of Administrative Rules, publish the proposed change to R315-302-1(2)(a)(iii) in the <i>Utah State Bulletin</i> and conduct a public comment period.
<b>What is the Division Director's recommendation?</b>	The Director recommends that the Board approve proceeding with rulemaking by publishing the proposed change to R315-302-1(2)(a)(iii) in the <i>Utah State Bulletin</i> and conducting a public comment period.
<b>Where can more information be obtained?</b>	If you have any questions, please call Allan Moore at (801) 536-0211.

**R315. Environmental Quality, Waste Management and Radiation Control, Waste Management.**

**R315-302. Solid Waste Facility Location Standards, General Facility Requirements, and Closure Requirements.**

**R315-302-1. Location Standards for Disposal Facilities.**

(1) Applicability.

(a) These standards apply to each new solid waste disposal facility and any existing solid waste disposal facility seeking facility expansion, including:

(i) Class I, II, and V Landfills;

(ii) Class III Landfills as specified in Rule R315-304;

(iii) Class IV and VI Landfills as specified in Rule R315-305;

(iv) piles that are to be closed as landfills; and

(v) Incinerators as specified in Rule R315-306.

(b) These standards, except for Subsection R315-302-1(2)(f) or unless otherwise noted, do not apply to:

(i) an existing facility;

(ii) a transfer station or a drop box facility;

(iii) a pile used for storage;

(iv) composting or utilization of sludge or other solid waste on land; or

(v) a hazardous waste disposal sites regulated by Rules R315-1 through R315-50 and Rule R315-101.

(2) Location Standards. Each applicable solid waste facility shall be subject to the following location standards.

(a) Land Use Compatibility. No new facility shall be located within:

(i) one thousand feet of a:

(A) national, state, county, or city park, monument, or recreation area;

(B) designated wilderness or wilderness study area;

(C) wild and scenic river area; or

(D) stream, lake, or reservoir;

(ii) ecologically and scientifically significant natural areas, including wildlife management areas and habitat for threatened or endangered species as designated pursuant to the Endangered Species Act of 1982;

~~(iii) farmland classified or evaluated as "prime," "unique," or of "statewide importance" by the U.S. Department of Agriculture Soil Conservation Service under the Prime Farmland Protection Act;~~

~~(iv) one-fourth mile of:~~

(A) existing permanent dwellings, residential areas, and other incompatible structures such as schools or churches unless otherwise allowed by local zoning or ordinance; and

(B) historic structures or properties listed or eligible to be listed in the State or National Register of Historic Places;

~~(iv)~~ (iv) ten thousand feet of any airport runway end used by turbojet aircraft or within 5,000 feet of any airport runway end used by only piston-type aircraft unless the owner or operator demonstrates that the facility design and operation will not increase the likelihood of bird/aircraft collisions. Every new and existing disposal facility is subject to this requirement. If a new landfill or a lateral expansion of an existing landfill is located within six miles of an airport runway end, the owner or operator must notify the affected

airport and the Federal Aviation Administration; or

~~[(vi)]~~(v) areas with respect to archeological sites that would violate Section 9-8-404.

(b) Geology.

(i) No new facility or lateral expansion of an existing facility shall be located in a subsidence area, a dam failure flood area, above an underground mine, above a salt dome, above a salt bed, or on or adjacent to geologic features which could compromise the structural integrity of the facility.

(ii) Holocene Fault Areas. A new facility or a lateral expansions of an existing facility shall not be located within 200 feet of a Holocene fault unless the owner or operator demonstrates to the Director that an alternative setback distance of less than 200 feet will prevent damage to the structural integrity of the unit and will be protective of human health and the environment.

(iii) Seismic Impact Zones. A new facility or a lateral expansion of an existing facility shall not be located in seismic impact zones unless the owner or operator demonstrates to the satisfaction of the Director that all containment structures, including liners, leachate collection systems, and surface water control systems, are designed to resist the maximum horizontal acceleration in lithified earth material for the site.

(iv) Unstable Areas. The owner or operator of an existing facility, a lateral expansion of an existing facility, or a new facility located in an unstable area must demonstrate to the satisfaction of the Director that engineering measures have been incorporated into the facility design to ensure that the integrity of the structural components of the facility will not be disrupted. The owner or operator must consider the following factors when determining whether an area is unstable:

(A) on-site or local soil conditions that may result in significant differential settling;

(B) on-site or local geologic or geomorphologic features; and

(C) on-site or local human-made features or events, both surface and subsurface.

(c) Surface Water.

(i) No new facility or lateral expansion of an existing facility shall be located on any public land that is being used by a public water system for water shed control for municipal drinking water purposes.

(ii) Floodplains. No new or existing facility shall be located in a floodplain unless the owner or operator demonstrates to the Director that the unit will not restrict the flow of the 100-year flood, reduce the temporary water storage capacity of the floodplain, or result in a washout of solid waste so as to pose a hazard to human health or the environment.

(d) Wetlands. No new facility or lateral expansion of an existing facility shall be located in wetlands unless the owner or operator demonstrates to the Director that:

(i) where applicable under section 404 of the Clean Water Act or applicable State wetlands laws, the presumption that a practicable alternative to the proposed landfill is available which does not involve wetlands is clearly rebutted;

(ii) the unit will not violate any applicable state water

quality standard or section 307 of the Clean Water Act;

(iii) the unit will not jeopardize the continued existence of any endangered or threatened species or result in the destruction or adverse modification of a critical habitat protected under the Endangered Species Act of 1973;

(iv) the unit will not cause or contribute to significant degradation of wetlands. The owner or operator must demonstrate the integrity of the unit and its ability to protect ecological resources by addressing the following factors:

(A) erosion, stability, and migration potential of native wetland soils, muds, and deposits used to support the unit;

(B) erosion, stability, and migration potential of dredged and fill materials used to support the unit;

(C) the volume and chemical nature of the waste managed in the unit;

(D) impacts on fish, wildlife, and other aquatic resources and their habitat from release of the solid waste;

(E) the potential effects of catastrophic release of waste to the wetland and the resulting impacts on the environment; and

(F) any additional factors, as necessary, to demonstrate that ecological resources in the wetland are sufficiently protected;

(v) to the extent required under section 404 of the Clean Water Act or applicable state wetlands laws, steps have been taken to attempt to achieve no net loss of wetlands, as defined by acreage and function, by first avoiding impacts to wetlands to the maximum extent practicable as required by Subsection R315-302-1(2)(d)(i), then minimizing unavoidable impacts to the maximum extent practicable, and finally offsetting remaining unavoidable wetland impacts through all appropriate and practicable compensatory mitigation actions (e.g., restoration of existing degraded wetlands or creation of man-made wetlands); and

(vi) sufficient information is available to make a reasonable determination with respect to these demonstrations.

(e) Ground Water.

(i) No new facility or lateral expansion of an existing facility shall be located at a site:

(A) where the bottom of the lowest liner is less than five feet above the historical high level of ground water; or

(B) for a landfill that is not required to install a liner, the lowest level of waste must be at least ten feet above the historical high level of ground water.

(C) If the aquifer beneath a landfill contains ground water which has a Total Dissolved Solids (TDS) of 10,000 mg/l or greater and the landfill is constructed with a composite liner, the bottom of the lowest liner may be less than five feet above the historical high level of the ground water.

(ii) No new facility shall be located over a sole source aquifer as designated in 40 CFR 149.

(iii) No new facility shall be located over groundwater classed as IB under Section R317-6-3.3.

(iv) Unless all units of the proposed facility are constructed with a composite liner or other equivalent design approved by the Director:

(A) a new facility located above any aquifer containing ground

water which has a TDS content below 1,000 mg/l which does not exceed applicable ground water quality standards for any contaminant is permitted only where the depth to ground water is greater than 100 feet; or

(B) a new facility located above any aquifer containing ground water which has a TDS content between 1,000 and 3,000 mg/l and does not exceed applicable ground water quality standards for any contaminant is permitted only where the depth to ground water is 50 feet or greater.

(C) The applicant for the proposed facility will make the demonstration of ground water quality necessary to determine the appropriate aquifer classification.

(v) No new facility shall be located in designated drinking water source protection areas or, if no source protection area is designated, within a distance to existing drinking water wells or springs for public water supplies of 250 days ground water travel time. This requirement does not include on-site operation wells. The applicant for the proposed facility will make the demonstration, acceptable to the Director, of hydraulic conductivity and other information necessary to determine the 250 days ground water travel distance.

(vi) Ground Water Alternative.

(A) Subject to the ground water performance standard stated in Subsection R315-303-2(1), if a solid waste disposal facility is to be located over an area where the ground water has a TDS of 10,000 mg/l or greater, or where there is an extreme depth to ground water, or where there is a natural impermeable barrier above the ground water, or where there is no ground water, the Director may approve, on a site specific basis, an alternative ground water monitoring system at the facility or may wave the ground water monitoring requirement.

If ground water monitoring is waved the owner or operator shall make the demonstration stated in Subsection R315-308-1(3).

(B) A facility that has a ground water monitoring alternative approved under Subsection R315-302-1(2)(e)(vi) is subject to the ground water quality standards specified in Subsection R315-303-2(1) and the approved alternative shall be revoked by the Director if the operation of the facility impacts ground water.

(f) Historic preservation survey requirement.

(i) Each new facility or expansion of an existing facility shall:

(A) have a notice of concurrence issued by the state historic preservation officer as provided for in Subsection 9-8-404(3)(a)(i); or

(B) show that the state historic preservation officer did not respond within 30 days to the submittal, to the officer, of an evaluation; or

(C) have received a joint analysis conducted as required by Subsection 9-8-404(2).

(ii) Each existing facility shall, for all areas of the site that have not been disturbed:

(A) have a notice of concurrence issued by the state historic preservation officer as provided for in Subsection 9-8-404(3)(a)(i); or

(B) show that the state historic preservation officer did not

respond within 30 days to the submittal, to the officer, of an evaluation; or

(C) have received a joint analysis conducted as required by Subsection 9-8-404(2).

(3) Exemptions. Exemptions from the location standards with respect to airports, floodplains, wetlands, fault areas, seismic impact zones, and unstable areas cannot be granted. Exemptions from other location standards of Section R315-302-1 may be granted by the Director on a site specific basis if it is determined that the exemption will cause no adverse impacts to human health or the environment.

(a) No exemption may be granted without application to the Director.

(b) If an exemption is granted, a facility may be required to have a more stringent design, construction, monitoring program, or operational practice to protect human health or the environment.

(c) All applications for exemptions shall meet the conditions of Section R315-311-3 pertaining to public notice and comment period.

**KEY: solid waste management, waste disposal**

**Date of Enactment or Last Substantive Amendment: April 25, 2013**

**Notice of Continuation: February 13, 2013**

**Authorizing, and Implemented or Interpreted Law: 19-6-104; 19-6-105; 19-6-108; 19-6-109; 40 CFR 258**

**WASTE MANAGEMENT AND RADIATION CONTROL BOARD**

**Executive Summary**

Public Comment -- Proposed Rule Changes

April 13, 2017

<p><b>What is the issue before the Board?</b></p>	<p>Approval from the Board to proceed with formal rulemaking and public comment by publishing in the <i>Utah State Bulletin</i> proposed changes to the state hazardous and solid waste rules, listed below, to incorporate EPA’s hazardous waste generator improvement rule, as promulgated in the <i>Federal Register</i> on November 28, 2016 (81 FR 85732) and to make selected corrections and clarifications.</p>
<p><b>What is the historical background or context for this issue?</b></p>	<p>On November 28, 2016, the U.S. Environmental Protection Agency (EPA) published in the <i>Federal Register</i> a final rule that makes significant changes to the hazardous waste generator regulations. This final rule is known as the Hazardous Waste Generator Improvement Rule. In order to maintain regulatory equivalency, Utah is required to incorporate this federal rule into the state solid and hazardous waste rules.</p> <p>Consequently, proposed changes to the following rules are necessary:</p> <p align="center">R315-15, R315-260, R315-261, R315-262, R315-263, R315-264, R315-265, R315-266, R315-268, R315-270, R315-273, R315-301, R315-304, and R315-305</p> <p>Also included in this rulemaking is a proposed change in the used oil rules (R315-15-13) that will allow transit systems (e.g., UTA) to transport their own used oil, under a permit-by-rule status, to a permitted used oil recycler. This rule change will result in saving the cost of outsourcing the transportation of used oil by a permitted transporter in an equally protective and safe manner.</p> <p>Following this Executive Summary are the individual rules with the proposed changes properly marked.</p>
<p><b>What is the governing statutory or regulatory citation?</b></p>	<p>Utah Code Ann., §§ 19-6-104 and 19-6-106</p>
<p><b>Is Board action required?</b></p>	<p>Yes. Board approval is necessary to begin the rulemaking process by filing the appropriate forms with the Office of Administrative Rules for publishing the proposed rule changes in the <i>Utah State Bulletin</i> and conducting a public comment period.</p>
<p><b>What is the Division Director’s recommendation?</b></p>	<p>The Director recommends the Board approve proceeding with rulemaking and public comment by publishing in the <i>Utah State Bulletin</i> the proposed changes to the above listed state rules in order to incorporate EPA’s hazardous waste generator improvement rule, as promulgated in the <i>Federal Register</i> on November 28, 2016 (81 FR 85732) and make other selected corrections and clarifications.</p>
<p><b>Where can more information be obtained?</b></p>	<p>Please contact Rusty Lundberg (801-536-4257, <a href="mailto:rlundberg@utah.gov">rlundberg@utah.gov</a>) or Deborah Ng (801-536-0218, <a href="mailto:dng@utah.gov">dng@utah.gov</a>).</p>

**R315. Environmental Quality, Waste Management and Radiation Control, Waste Management.**

**R315-15. Standards for the Management of Used Oil.**

**R315-15-1. Applicability, Prohibitions, and Definitions.**

1.1 APPLICABILITY

This section identifies those materials that are subject to regulation as used oil under R315-15. This section also identifies some materials that are not subject to regulation as used oil under R315-15, and indicates whether these materials may be a hazardous waste as defined under R315-261.

(a) Used oil. It is presumed that used oil is to be recycled unless a used oil handler disposes of used oil or sends used oil for disposal. Except as provided in R315-15-1.2, the requirements of R315-15 apply to used oil, and to materials identified in this section as being subject to regulation as used oil, whether or not the used oil or material exhibits any characteristics of hazardous waste identified in R315-261-20 through 24.

(b) Mixtures of used oil and hazardous waste.

(1) Listed hazardous waste.

(i) Mixtures of used oil and hazardous waste which are listed in R315-261-30 through 33 and 35 are subject to regulation as hazardous waste under R315-261 rather than as used oil under R315-15.

(ii) Rebuttable presumption for used oil. Used oil containing more than 1,000 ppm total halogens is presumed to be a hazardous waste because it has been mixed with halogenated hazardous waste listed in R315-261-30 through 33 and 35. A person may rebut this presumption by demonstrating that the used oil does not contain hazardous waste, for example, by using an analytical method from SW-846, Edition III, Update IV to show that the used oil does not contain significant concentrations of halogenated hazardous constituents listed in R315-261, Appendix VIII.

(A) The rebuttable presumption does not apply to metalworking oils/fluids containing chlorinated paraffins, if they are processed, through a tolling arrangement as described in R315-15-2.5(c), to reclaim metalworking oils/fluids. The presumption does apply to metalworking oils/fluids if such oils/fluids are recycled in any other manner, or disposed.

(B) The rebuttable presumption does not apply to used oils contaminated with chlorofluorocarbons (CFCs) removed from refrigeration units where the CFCs are destined for reclamation. The rebuttable presumption does apply to used oils contaminated with CFCs that have been mixed with used oil from sources other than refrigeration units.

(2) Characteristic hazardous waste. A mixture of used oil and hazardous waste that solely exhibits one or more of the hazardous waste characteristics identified in R315-261-20 through 24 and a mixtures of used oil and hazardous waste that is listed in R315-261-30 through 33 and 35 solely because it exhibits one or more of the characteristics of hazardous waste identified in R315-261-20 through 24 are subject to:

(i) Except as provided in R315-15-1(b)(2)(iii), regulation as

hazardous waste under R315-260 through 266, 268, 270, and 273 rather than as used oil under R315-15, if the resultant mixture exhibits any characteristics of hazardous waste identified in R315-261-20 through 24; or

(ii) Except as specified in R315-15-1.1(b)(2)(iii), regulation as used oil under R315-15, if the resultant mixture does not exhibit any characteristics of hazardous waste identified under R315-261-20 through 24.

(iii) Regulation as used oil under R315-15, if the mixture is of used oil and a waste which is hazardous solely because it exhibits the characteristic of ignitability, e.g., mineral spirits, provided that the mixture does not exhibit the characteristic of ignitability under R315-261-21.

(3) ~~Conditionally exempt~~ Very small quantity generator hazardous waste. Mixtures of used oil and ~~conditionally exempt~~ very small quantity generator hazardous waste regulated under ~~R315-261-5,~~ Section R315-262-14 are subject to regulation as used oil under R315-15.

(c) Materials containing or otherwise contaminated with used oil.

(1) Except as provided in R315-15-1.1(c)(2) materials containing or otherwise contaminated with used oil from which the used oil has been properly drained or removed to the extent possible such that no visible signs of free-flowing oil remain in or on the material:

(i) Are not used oil and thus not subject to R315-15, and

(ii) If applicable, are subject to the hazardous waste regulations R315-260 through 266, 268, 270, and 273, and R315-101 and 102.

(2) Materials containing or otherwise contaminated with used oil that are burned for energy recovery are subject to regulation as used oil under R315-15.

(3) Used oil drained or removed from materials containing or otherwise contaminated with used oil is subject to regulation as used oil under R315-15.

(d) Mixtures of used oil with products.

(1) Except as provided in (d)(2) mixtures of used oil and fuels or other fuel products are subject to regulation as used oil under R315-15.

(2) Mixtures of used oil and diesel fuel mixed on site by the generator of the used oil for use in the generator's own vehicles are not subject to R315-15 after the used oil and diesel fuel have been mixed. Prior to mixing, the used oil is subject to the requirements of R315-15-2.

(e) Materials derived from used oil.

(1) Materials that are reclaimed from used oil that are used beneficially and are not burned for energy recovery or used in a manner constituting disposal, e.g., re-refined lubricants, are:

(i) Not used oil and thus are not subject to R315-15, and

(ii) Not solid wastes and are thus not subject to the hazardous waste regulations of R315-260 through 266, 268, 270, and 273 as provided in R315-261-3(c)(2)(i).

(2) Materials produced from used oil that are burned for energy recovery, e.g., used oil fuels, are subject to regulation as used

oil under R315-15.

(3) Except as provided in R315-15.1.1(e)(4), materials derived from used oil that are disposed of or used in a manner constituting disposal are:

(i) Not used oil and thus are not subject to R315-15, and

(ii) Are solid wastes and thus are subject to the hazardous waste regulations R315-260 through 266, 268, 270, and 273 if the materials are listed or identified as hazardous wastes.

(4) Used oil re-refining distillation bottoms that are used as feedstock to manufacture asphalt products are not subject to R315-15.

(f) Wastewater. Wastewater contaminated with de minimis quantities of used oil, the discharge of which is subject to regulation under either section 402 or section 307(b) of the Clean Water Act, including wastewaters at facilities that have eliminated the discharge of wastewater, are not subject to the requirements of Rule R315-15.

For purposes of this paragraph only, "de minimis" quantities of used oils are defined as small spills, leaks, or drippings from pumps, machinery, pipes, and other similar equipment during normal operations or small amounts of oil lost to the wastewater treatment system during washing or draining operations. This exception does not apply if the used oil is discarded as a result of abnormal manufacturing operations resulting in substantial leaks, spills, or other releases, or to used oil recovered from wastewaters.

(g) Used oil introduced into crude oil pipelines or a petroleum refining facility.

(1) Used oil mixed with crude oil or natural gas liquids, e.g., in a production separator or crude oil stock tank, for insertion into a crude oil pipeline is exempt from the requirements of R315-15. The used oil is subject to the requirements of R315-15 prior to the mixing of used oil with crude oil or natural gas liquids.

(2) Mixtures of used oil and crude oil or natural gas liquids containing less than 1% used oil that are being stored or transported to a crude oil pipeline or petroleum refining facility for insertion into the refining process at a point prior to crude distillation or catalytic cracking are exempt from the requirements of R315-15.

(3) Used oil that is inserted into the petroleum refining facility process before crude distillation or catalytic cracking without prior mixing with crude oil is exempt from the requirements of R315-15, provided that the used oil constitutes less than 1% of the crude oil feed to any petroleum refining facility process unit at any given time. Prior to insertion into the petroleum refining facility process, the used oil is subject to the requirements of R315-15.

(4) Except as provided in R315-15-1.1 (g)(5), used oil that is introduced into a petroleum refining facility process after crude distillation or catalytic cracking is exempt from the requirements of R315-15 only if the used oil meets the specification of R315-15-1.2.

Prior to insertion into the petroleum refining facility process, the used oil is subject to the requirements of R315-15.

(5) Used oil that is incidentally captured by a hydrocarbon recovery system or wastewater treatment system as part of routine process operations at a petroleum refining facility and inserted into the petroleum refining facility process is exempt from the

requirements of R315-15. This exemption does not extend to used oil that is intentionally introduced into a hydrocarbon recovery system, e.g., by pouring collected used oil into the waste water treatment system.

(6) Tank bottoms from stock tanks containing exempt mixtures of used oil and crude oil or natural gas liquids are exempt from the requirements of R315-15.

(h) Used oil on vessels. Used oil produced on vessels from normal shipboard operations is not subject to Rule R315-15 until it is transported ashore.

(i) Used oil containing PCBs. In addition to the requirements of R315-15, marketers and burners of used oil who market used oil containing PCBs at concentrations greater than or equal to 2 ppm are subject to the requirements found in R315-15-18 and 40 CFR 761.20(e).

(j) Inspections. Any duly authorized employee of the Director, may, at any reasonable time and upon presentation of credentials, have access to and the right to copy any records relating to used oil, and inspect, audit, or sample. Any authorized employee obtaining samples shall give to the owner, operator or agent a receipt describing the sample obtained and, if requested, a portion of each sample of waste equal in volume or weight to the portion retained. The employee may also make record of the inspection by photographic, electronic, audio, video, or any other reasonable means.

(k) Violations, Orders, and Hearings. If the Director has reason to believe a person is in violation of any provision of R315-15, procedural requirements for compliance shall follow Utah Code Annotated 19-6-721 and Utah Administrative Code R305-7.

#### 1.2 USED OIL SPECIFICATIONS

Used oil burned for energy recovery, and any fuel produced from used oil by processing, blending, or other treatment, is subject to regulation under R315-15 until:

(a) It has been demonstrated not to exceed any allowable levels of the constituents and properties shown in Table 1;

(b) The person making that claim complies with R315-15-7.3, R315-15-7.4, and R315-15-7.5(b); and

(c) The used oil is delivered to a used oil burner.

TABLE 1

USED OIL NOT EXCEEDING ANY ALLOWABLE LEVEL IS NOT SUBJECT TO R315-15-6 WHEN BURNED FOR ENERGY RECOVERY(1)

Constituent/property	Allowable level
Arsenic	5 ppm maximum
Cadmium	2 ppm maximum
Chromium	10 ppm maximum
Lead	100 ppm maximum
Flash point	100 degrees F minimum
Total halogens	4,000 ppm maximum(2)

(1) The allowable levels in Table 1 do not apply to mixtures of used oil and hazardous waste that continue to be regulated as hazardous waste. See R315-15-1.1(b).

(2) Used oil containing more than 1,000 ppm total halogens

is presumed to be a hazardous waste under the rebuttable presumption described in R315-15-1.1(b)(1). Such used oil is subject to R315-266-100 through 112, rather than R315-15 when burned for energy recovery unless the presumption of mixing can be successfully rebutted.

Note: Applicable standards for the marketing and burning of used oil containing any quantifiable level (2 ppm) of PCBs are found in 40 CFR 761.20(e), 2013 edition, incorporated by reference, and R315-15-18. Prohibition of PCB oil dilution is described in 40 CFR 279.10 and 40 CFR 761.20(e).

### 1.3 PROHIBITIONS

Except as authorized by the Director, a person may not place, discard, or otherwise dispose of used oil in any of the following manners:

(a) Surface impoundment and waste piles. Used oil shall not be managed in surface impoundments or waste piles unless the units are subject to regulation under R315-264 or R315-265.

(b) Use as a dust suppressant, weed suppressant, or for road oiling. The use of used oil as a dust suppressant, weed suppressant, or for road oiling or other similar use is prohibited. Any disposal of used oil on the ground is prohibited under Utah Code Annotated 19-6-706(1)(a)(iii).

(c) A person may not mix or commingle used oil with the following substances, except as incidental to the normal course of processing, mechanical, or industrial operations:

(1) Solid waste that is to be disposed of in any solid waste treatment, storage, or disposal facility, except as authorized by the Director; or

(2) Any hazardous waste so the resulting mixture may not be recycled or used for other beneficial purpose as authorized under R315-15.

(d) Used oil shall not be disposed in a solid waste treatment, storage, or disposal facility, except for the disposal of hazardous used oil as authorized under R315-261.

(e) Used oil shall not be disposed in sewers, drainage systems, septic tanks, surface or ground waters, watercourses, or any body of water.

### 1.4 BURNING IN PARTICULAR UNITS

Burning in particular units. Off-specification used oil fuel may be burned for energy recovery only in the devices described in R315-15-6.2(a).

### 1.5 DISPOSAL OF DE MINIMIS USED OIL

(a) R315-15-1.3 does not apply to release of de minimis quantities of used oil identified under Utah Code Annotated 19-6-706(4)(a) except for the requirements of 19-6-706(i) and (ii).

(b) A person may dispose of an item or substance that contains de minimis amounts of oil in disposal facilities in accordance with Utah Code Annotated 19-6-706 (2) (a) if:

(1) To the extent that all oil has been reasonably removed from the item or substance; and

(2) No free flowing oil remains in the item or substance.

### 1.6 USED OIL FILTERS

(a) Disposal of Used Oil Filters. A person may dispose of a

nonterne plated used oil filter as a non-hazardous solid waste when that filter is gravity hot-drained by one of the methods described in R315-15-1.6(b) and is not mixed with hazardous waste defined in R315-261.

(b) "Gravity hot-drained" means drained for not less than 12 hours near operating temperature but above 60 degrees Fahrenheit. A nonterne used oil filter is a container of used oil and is subject to R315-15 until it is gravity hot-drained by one of the following methods:

- (1) puncturing the filter anti-drain back valve or the filter dome end and gravity hot-draining;
- (2) gravity hot-draining and crushing;
- (3) dismantling and gravity hot-draining; or
- (4) any other equivalent gravity hot-draining method authorized by the Director that will remove used oil from the filter at least as effectively as the methods listed in R315-15-1.6(b)(1) through (3).

#### 1.7 DEFINITIONS

(a) Definitions of terms used in R315-15 are found in: R315-15-1.7(b) through (h) and R315-260.

(b) The term "de minimis quantities of used oil" defined in Utah Code Annotated 19-6-706(4)(b), and 19-6-708(3)(a) means small spills, leaks, or drippings from pumps, machinery, pipes, and other similar equipment during normal operations and does not apply to used oil discarded as a result of abnormal operations resulting in substantial leaks, spills, or other releases. Nor does it apply to accumulations of quantities of used oil that pose a potential threat to human health or the environment.

(c) "Financial responsibility" means the mechanism by which a person who has a financial obligation satisfies that obligation.

(d) "Used oil" means any oil, refined from crude oil or synthetic oil, that has been used and as a result of that use is contaminated by physical or chemical impurities. Used oil includes engine oil, transmission fluid, compressor oils, metalworking oils, hydraulic oil, brake fluid, oils used as buoyants, lubricating greases, electrical insulating, and dialectic oils.

(e) "Polychlorinated biphenyl (PCB)" means any chemical substance that is limited to the biphenyl molecule that has been chlorinated to varying degrees or any combination of substances which contains such substance.

(f) "On-specification used oil" means used oil that does not exceed levels of constituents and properties specified in R315-15-1.2.

(g) "Off-specification used oil" means used oil that exceeds levels of constituents and properties specified in R315-15-1.2.

(h) "Parts per million (ppm)" means a weight-per-weight ratio used to describe concentrations. Parts per million (ppm) is the number of units of mass of a contaminant per million units of total mass (e.g., micrograms per gram).

#### 1.8 LABORATORY ANALYSES

Laboratory analyses used to satisfy the requirements of R315-15 shall be performed by a laboratory that holds a current Utah Certification for environmental laboratories issued by the Utah Department of Health, Laboratory Improvement under R444-14 Utah Administrative Code. The laboratory shall be certified for the

method(s) and analyte(s) applied to generate the environmental data.

**R315-15-10. Financial Requirements.**

(a) Used oil activities. An owner or operator of an off-specification burner facility, transportation facility, processing/re-refining facility, or transfer facility, or a group of such facilities, is financially responsible for:

- (1) cleanup and closure costs;
- (2) general liabilities, including operation of motor vehicles, worker compensation and contractor liability; and
- (3) environmental pollution legal liability for bodily injury or property damage to third parties resulting from sudden or non-sudden used oil releases.

(i)(A) The owner or operator of a permitted used oil facility or operation shall present evidence satisfactory to the Director of its ability to meet these financial requirements.

(B) The owner or operator shall present with its permit application the information the Director requires to demonstrate its general comprehensive liability coverage.

(C) The owner or operator shall use the financial mechanisms described in R315-15-12 to demonstrate its ability to meet the financial requirements of R315-15-10(a)(1) and (a)(3).

(ii) In approving the financial mechanisms used to satisfy the financial requirements, the Director will take into account existing financial mechanisms already in place by the facility if required by R315-264-140 through 151, R315-265-140 through 150, and R311-201-6. Additionally, the Director will consider other relevant factors in approving the financial mechanisms, such as the volumes of used oil handled and existing secondary containment.

(iii) Financial responsibility, environmental pollution legal liability and general liability coverage shall be provided to the Director as part of the permit application and approval process and shall be maintained until released by Director.

(iv) Changes in extent, type, or amount of the environmental pollution legal liability and financial responsibility shall be considered a permit modification requiring notification to and approval from the Director.

(b)(1) Environmental pollution legal liability coverage for third party damages at used oil facilities. Each used oil processor, re-refiner, transfer facility, and off-specification burner shall obtain and maintain environmental pollution liability coverage for bodily injury and property damage to third parties resulting from ~~[sudden and non-sudden accidental releases]~~ sudden accidental releases, non-sudden accidental releases, or both, of used oil at its facility. This liability coverage shall be maintained for the duration of the permit or until released by the Director as provided for in R315-15-10.

(2) Changes in extent, type, or amount of the financial mechanism will be considered a permit modification requiring notification to and approval from the Director. The minimum amount of environmental pollution legal liability coverage using an assurance mechanism as specified in this section for third-party damages shall be:

(i) For operations where individual volumes of used oil are greater than 55 gallons, such as tanks, storage vessels, used oil processing equipment, and that are raised above grade-level sufficiently to allow for visual inspection of the underside for releases shall be required to obtain coverage in the amount of \$1 million per occurrence for sudden releases, with an annual aggregate coverage of \$2 million, exclusive of legal defense costs; and

(ii) For operations in whole or part that do not qualify under ~~R315-15-10(b)(1)~~ Subsection R315-15-10(b)(2)(i), coverage shall be in the amount of \$1 million per occurrence for sudden releases, with an annual aggregate coverage of \$2 million, and \$3 million per occurrence for non-sudden releases, with an annual aggregate coverage of \$6 million, exclusive of legal defense costs;

(iii) For operations covered under Subsection R315-15-10(b)(2)(ii), the owner or operator may choose to use a combined liability coverage for sudden and non-sudden accidental releases in the amount of \$4 million per occurrence, with an annual aggregate coverage of \$8 million, exclusive of legal defense costs.

(c) Used oil transporter environmental pollution legal liability coverage for third party damages. Each used oil transporter shall obtain environmental pollution legal liability coverage for bodily injury and property damage to third parties covering sudden accidental releases of used oil from its vehicles and other equipment and containers used during transit, loading, and unloading in Utah, and shall maintain this coverage for the duration of the permit or until released by the Director as provided for R315-15-10. The minimum amount of the coverage for used oil transporters shall be \$1 million per occurrence for sudden releases, with an annual aggregate coverage of \$2 million, exclusive of legal defense costs. Changes in extent, type, or amount of the liability coverage shall be considered a permit modification requiring notification to and approval from the Director.

(d) An owner or operator responsible for cleanup and closure under R315-15-11 or environmental pollution legal liability for bodily injury and property damage to third parties under R315-15-10(b) and (c) shall demonstrate its ability to satisfy its responsibility to the Director through the use of an acceptable financial assurance mechanism indicated under R315-15-12.

(e) Used Oil Collection Centers. Except for DIYers, who are subject to Utah Code Annotated 19-6-718, an owner of a used oil collection center shall be subject to the same liability requirements as a permitted facility under R315-15-10(a) and (b) unless these requirements are waived by the Director. In accordance with Utah Code Annotated 19-6-710, the Director may waive the requirement of proof of liability insurance or other means of financial responsibility that may be incurred in collecting or storing used oil if the following criteria are satisfied:

(1) The used oil storage tank or container is in good condition with no severe rusting, apparent structural defects or deterioration, and no visible leaks;

(2) There is adequate secondary containment for the tank or container that is impervious to used oil to prevent any used oil released into the secondary containment system from migrating out of the system;

(3) The storage tank or container is clearly labeled with the words "Used Oil";

(4) DIYer log entries are complete including the name and address of the generator, date and quantity of used oil received; and

(5) Oil sorbent material is readily available on site for immediate cleanup of spills.

(f) The Director shall waive an owner or operator from its existing financial responsibility mechanism as described in R315-15-10 when:

(1) The Director approves an alternative mechanism;

(2) The owner or operator has achieved cleanup and closure according to R315-15-11; or

(3) The Director determines that financial responsibility is no longer applicable under R315-15.

(g) State of Utah and Federal government used oil permittees are exempt from the requirements of R315-15-10.

### **R315-15-12. Financial Assurance.**

#### 12.1 DEFINITIONS

For the purposes of R315-15-12, the following definitions apply:

(a) "Existing used oil facility" means any used oil transfer facility, off-specification burner, or used oil processing/re-refining facility in operation on July 1, 1993 under a used oil operating permit issued by the Division of Oil, Gas and Mining and in effect on or before June 30, 1993. An existing used oil facility is also required to obtain a permit from the Director in accordance with R315-15-13.

(b) "New used oil facility" means any used oil transfer, off-specification burner, or used oil processing/re-refining facility that was not in operation as a used oil facility on July 1, 1993, and received an operating permit in accordance with R315-15-13 from the Director after July 1, 1993.

(c) "Financial assurance mechanism" means "reclamation surety" as used in Utah Code Annotated 19-6-709 and 19-6-710 of the Used Oil Management Act.

#### 12.2 APPLICABILITY

(a) The owner or operator of an existing or new used oil facility requiring a permit under R315-15-13 shall establish a financial assurance mechanism as evidence of financial responsibility under R315-15-10 sufficient to assure cleanup and closure of the facility in conformance with R315-15-11.1 with one or more of the financial assurance mechanisms of R315-15-12.3 prior to receiving a permit from the Director.

(b) Any increase in capacity to store or process used oil at a used oil facility permitted by the Director, above the storage or processing capacity identified in the permit application approved by the Director, shall require the owner or operator of the permitted used oil facility to increase the amount or face value of the financial assurance mechanism to meet the additional capacity. The additional amount or increase in face value of financial assurance mechanism shall be in place and effective before operation of the increased storage or processing capacity and shall meet the requirements of

R315-15-12.3 and R315-15-12.4.

(c) DIYer used oil collection centers, generator used oil collection centers, and used oil aggregation points are not required to post a financial assurance mechanism, but are subject to the cleanup and closure requirements of R315-15-10 and R315-15-11 unless they have received a waiver in writing from the Director as identified in R315-15-10(e).

### 12.3 FINANCIAL ASSURANCE MECHANISMS

(a) Any financial assurance mechanism used to show financial responsibility under R315-15-10 and 11 for an existing or new used oil facility shall:

(1) be legally valid, binding, and enforceable under Utah and federal law;

(2) be approved by the Director;

(3) ensure that funds will be available in a timely fashion for:

(i) completing all cleanup and closure activities indicated in the closure plan of the permit approved by the Director; and

(ii) environmental pollution legal liability for third party damages for bodily injury and property damage resulting from a sudden or non-sudden accidental release of used oil from or arising from permitted operations; and

(4) require a written notice sent by certified mail to the Director 120 days prior to cancellation or termination of the financial mechanism.

(5) be updated each year to adjust for inflation, using either:

(i) the gross domestic product implicit price deflator ratio of the increase of the current calendar year to the past calendar year or

(ii) a new estimated cleanup and closure cost estimate recalculated to account for all changes in scope and nature of the permitted operation.

(b) The owner or operator of an existing or new used oil facility shall establish a financial assurance mechanism for cleanup and closure by one of the following mechanisms and shall submit a signed original or an original signed duplicate of the financial assurance mechanism to the Director for approval as part of the permit application:

(1) Trust Fund.

(i) The trustee shall be an entity that has the authority to act as a trustee and whose operations are regulated and examined by a federal or state agency.

(ii) A signed original or an original signed duplicate of the trust agreement and accompanied by a formal certification of acknowledgement shall be submitted to the Director.

(iii) For trust funds that are fully funded at the time of permit approval, an annual trust valuation shall be certified and submitted to the Director. The permittee shall provide evidence annually, upon the anniversary of the trust agreement, that the trust remains fully funded.

(iv) For trust funds not fully funded at the time of permit approval by the Director, incremental payments into the trust fund shall be made annually by the owner or operator to fully fund the trust within five years of the Director's approval of the permit as

follows:

(A) initial payment value shall be the initial cleanup and closure cost estimate value divided by the pay-in period, not to exceed five years, and

(B) next payment value shall be the difference of the approved current cleanup and closure cost estimate less the trust fund value, all divided by the remaining number of years in the pay-in period, and

(C) subsequent next payments shall be made into the trust fund annually on or before the anniversary date of the initial payment made into the trust fund and reported in accordance with the approved trust agreement, and

(D) no later than 30 days after the last incremental payment to fully fund the trust, the permittee shall provide proof to the Director that the trust fund has been fully funded according to the current permitted cleanup and closure cost estimate.

(E) The facility shall submit an annual valuation of the trust to the Director on or before the anniversary date of the trust.

(v) For a new used oil facility, the payment into the trust fund shall be made before the initial receipt of used oil.

(vi) The owner or operator, or other person authorized to conduct cleanup and closure activities may request reimbursement from the trustee for cleanup and closure completed when approved in writing by the Director.

(vii) The request for reimbursement may be granted by the trustee as follows:

(A) only if sufficient funds exist to cover the reimbursement request; and

(B) if justification and documentation of the cleanup and closure expenditures are submitted to and approved by the Director in writing prior to the trustee granting reimbursement.

(viii) The Director may cancel the incremental trust funding option at any time and require the permittee to provide either a fully funded trust or other cleanup and closure financial mechanism as provided in R315-15-12 under the following conditions:

(A) upon the insolvency of the permittee, or

(B) when a violation of R315-15-10, 11 or 12 has been determined.

(ix) The trust agreement shall follow the wording provided by the Director as identified in R315-15-17.2.

(2) Surety Bond Guaranteeing Payment.

(i) The bond shall be effective before the initial receipt of used oil.

(ii) The surety company issuing the bond shall, at a minimum, be among those listed as acceptable sureties on Federal bonds in Circular 570 of the U.S. Department of the Treasury and the owner or operator shall notify the Director that a copy of the bond has been placed in the operating record.

(iii) The penal sum of the bond shall be in an amount at least equal to the cleanup and closure cost estimate developed under R315-15-11.2.

(iv) Under the terms of the bond, the surety shall become liable on the bond obligation when the owner or operator fails to perform as guaranteed by the bond.

(v) The owner or operator shall establish a standby trust

agreement at the time the bond is established.

(A) The standby trust agreement shall meet the requirements of R315-15-12.3(b)(1), except for R315-15-12.3(b)(1)(iii), (viii), and (ix) and the standby trust agreement shall follow the wording provided by the Director as identified in R315-15-17.14.

(B) Payment made under the terms of the bond shall be deposited by the surety directly into the standby trust agreement and payments from the standby trust fund shall be approved by the trustee with the written concurrence of the Director.

(vi) The surety bond shall automatically be renewed on the expiration date unless cancelled by the surety company 120 days in advance by sending both the bond applicant and the Director a written cancellation notice by certified mail.

(vii) The bond applicant may terminate the bond for nonpayment of fee by providing written notice, by certified mail, to the Director 120 days prior to termination.

(viii) Any change to the form or content of the surety bond shall be submitted to the Director for approval and acceptance.

(ix) The surety bond shall follow the language provided by the Director found in R315-15-17.3.

(3) Letter of Credit

(i) The letter of credit shall be effective before the initial receipt of used oil

(ii) The financial institution issuing the letter of credit shall be an entity that has the authority to issue letters of credit and whose letter of credit operations are regulated and examined by a state or federal agency.

(iii) The letter of credit shall be issued in an amount at least equal to the cleanup and closure cost estimate developed under R315-15-11.2.

(iv) The owner or operator shall establish a standby trust agreement at the time the letter of credit is established.

(A) The standby trust agreement shall meet the requirements of R315-15-12.3(b)(1), except for Subsections R315-15-12.3(b)(1)(iii), (viii), and (ix) and the standby trust agreement shall follow the language incorporated by reference in R315-15-17.14.

(B) Payment made under the terms of the letter of credit shall be deposited by the surety directly into the standby trust and payments from the standby trust fund shall be approved by the trustee with the written concurrence of the Director.

~~[(vi)]~~(v) The letter of credit shall follow the wording provided by the Director as identified in R315-15-17.4.

(4) Insurance.

(i) The insurance shall be effective before the initial receipt of used oil.

~~[(C)]~~(A) Insurance coverage period shall be the earliest date of permit issuance or a retroactive date established by the earliest period of coverage for any financial assurance mechanism.

(ii) At a minimum, the insurer shall be licensed to transact the business of insurance, or eligible to provide insurance as an excess or surplus lines insurer, in one or more states.

(iii) The insurance policy shall guarantee that funds will be available to perform the cleanup and closure activities approved by

the Director.

(iv) The policy shall guarantee that the insurer will be responsible for the paying out of funds to the owner or operator or person authorized to conduct the cleanup and closure activities, as approved by the Director, up to an amount equal to the face amount of the policy. Payment of any funds by the insurer shall be made with the written concurrence of the Director.

(A) The Insurer shall establish at a standby trust agreement for only the benefit of the Director when the Director notifies the Insurer that the Director is making a claim, as provided for in R315-15, for cleanup and closure of a permitted used oil transfer, processor, re-refiner, or off-specification burner facility.

(B) The Insurer shall place the face value of the applicable coverage in the trust within 30 days of establishing the standby trust agreement.

(C) The standby trust agreement shall meet the requirements of R315-15-12.3(b)(1), except for R315-15-12.3(b)(1)(iii), (iv), (v), (viii), and (xi), and the standby trust agreement shall follow the language provided by the Director incorporated by reference in R315-15-17.14.

(v) The insurance policy shall be issued for a face amount at least equal to the cleanup and closure cost estimate developed under R315-15-11.2.

(vi) An owner or operator, or other person authorized by the Director, may receive reimbursements for cleanup and closure activities completed if:

(A) the value of the policy is sufficient to cover the reimbursement request; and

(B) justification and documentation of the cleanup and closure expenditures are submitted to and approved by the Director, prior to receiving reimbursement.

(vii) Each policy shall contain a provision allowing assignment of the policy to a successor owner or operator.

(viii) The insurance policy shall provide that the insurer may not cancel, terminate, or fail to renew the policy except for failure to pay the premium. If there is a failure to pay the premium, the insurer may cancel the policy by sending notice of cancellation by certified mail to the owner or operator and the Director 120 days in advance of cancellation. If the insurer cancels the policy, the owner or operator shall obtain an alternate financial assurance mechanism meeting the requirements for financial responsibility under R315-15-10 and of this subsection within 60 days of notice of cancellation of the policy.

(ix) The policy coverage amount for cleanup and closure is exclusive of legal and defense costs.

(x) Bankruptcy or insolvency of the Insured shall not relieve the Insurer of its obligations under the policy.

(xi) The Insurer as first-payer is liable for the payment of amounts within any deductible, retention, self-insured retention (SIR), or reserve applicable to the policy, with a right of reimbursement by the Insured for any such payment made by the Insurer. This provision does not apply with respect to that amount of any deductible, retention, self-insured retention, or reserve for which coverage is otherwise demonstrated as specified in R315-15-12.

(xii) Whenever requested by the Director, the Insurer agrees to furnish to the Director a signed duplicate original of the policy and all endorsements.

(xiii) Cancellation of the policy, whether by the Insurer, the Insured, a parent corporation providing insurance coverage for its subsidiary, or by a firm having an insurable interest in and obtaining liability insurance on behalf of the owner or operator of the used oil management facility, will be effective only upon written notice and only after the expiration of 120 days after a copy of such written notice is received by the Director for those facilities that are located in Utah.

(xiv) Any other termination of the policy will be effective only upon written notice and only after the expiration of 120 days after a copy of such written notice is received by the Director for those facilities that are located in Utah.

(xv) All policy provisions related to R315-15 shall be construed in accordance with the laws of the State of Utah. In the event of the failure of the Insurer to pay any amount claimed to be due hereunder, the Insurer and the Insured will submit to the jurisdiction of the appropriate court of the State of Utah, and will comply with all the requirements necessary to give such court jurisdiction. All matters arising hereunder, including questions related to the interpretation, performance and enforcement of this policy, shall be determined in accordance with the law and practice of the State of Utah (notwithstanding Utah conflicts of law rules).

(xvi) Endorsement(s) added to, or removed from the policy that have the effect of affecting the environmental pollution liability language, directly or indirectly, shall be approved in writing by the Director before said endorsement(s) become effective.

(xvii) Neither the Insurer nor the Insured shall contest the state of Utah's use of the drafting history of the insurance policy in a judicial interpretation of the policy or endorsement(s) to said policy.

(xviii) The Insurer shall establish a standby trust fund for the benefit of the Director at the time the Director first makes a claim against the insurance policy.

(A) The standby trust fund shall meet the requirements of R315-15-12.3(b)(1), except for item R315-15-12.3(b)(1)(iii), (iv), (v), (viii), and (ix) and the standby trust agreement shall follow the wording found in R315-15-17.14.

(B) Payment made under the terms of the insurance policy shall be deposited by the Insurer as grantor directly into the standby trust fund and payments from the trust fund shall be approved by the trustee with the written concurrence of the Director.

(5) The owner or operator of an existing or new used oil facility may establish a financial assurance mechanism by a combination of the above mechanisms as approved by the Director.

(c) The owner or operator of an existing or new used oil facility or operation shall establish a financial assurance mechanism for bodily injury and property damage to third parties resulting from sudden and/or non-sudden accidental releases of used oil from a permitted used oil facility or operation as follows:

(1) An owner or operator that is a used oil processor, transfer facility, or off-specification burner, or a group of such facilities

regulated under R315-15 shall demonstrate financial responsibility for bodily injury and property damage to third parties caused by sudden and/or non-sudden accidental release of used oil arising from operations or operations of the facility or group of facilities shall have and maintain liability coverage in the amount as specified in R315-15-10(b). This liability coverage shall be demonstrated by one or more of the financial mechanisms in R315-15-12.3(c)(3).

(2) An owner or operator that is a used oil transporter regulated under R315-15, must demonstrate financial responsibility for bodily injury and property damage to third-parties resulting from sudden release of used oil arising from transit, loading and unloading, to or from facilities within Utah. The owner or operator shall maintain liability coverage for sudden accidental occurrences in the amount specified in R315-15-10(c). This liability coverage shall be demonstrated by one or more of the financial mechanisms in R315-15-12.3(c)(3).

(3) The owner or operator shall demonstrate compliance with R315-15-10(b) or (c) by using one or more of the following financial assurance mechanisms:

(i) Insurance. The owner or operator shall follow the wording provided by the Director identified in R315-15-17.5 through R315-15-17.9, as may be applicable.

(ii) Trust. The owner or operator shall follow the wording provided by the Director identified in R315-15-17.12.

(iii) Surety Bond. The owner or operator shall follow the wording provided by the Director identified in R315-15-17.11.

(iv) Letter of Credit. The owner or operator shall follow the wording provided by the Director identified in R315-15-17.10.

(d) Adjustments by the Director. If the Director determines that the levels of financial responsibility required by R315-15-10(b) or (c), as applicable are not consistent with the degree and duration of risk associated with used oil operations or facilities, the Director may adjust the level of financial responsibility required under R315-15-10(b) or (c), as applicable, as may be necessary to protect human health and the environment. This adjusted level will be based on the Director's assessment of the degree and duration of risk associated with the used oil operations or facilities. In addition, if the Director determines that there is a significant risk to human health and the environment from non-sudden release of used oil resulting from the used oil operations or facilities, the Director may require that an owner or operator of the used oil facility or operation comply with R315-15-10(b) and (c), as applicable. An owner or operator must furnish, within a reasonable time to the Director when requested in writing, any information the Director requests to determine whether cause exists for an adjustment to the financial responsibility under R315-15-10(b) or (c) with the used oil operations or facilities. Failure to provide the requested information as and when requested under this section may result in the Director revoking the owner's or operator's used oil permit(s). Any adjustment of the level or type of coverage for a facility that has a permit will be treated as a permit modification.

(e) When the owner or operator of a permitted used oil facility or operation believes that its responsibility for cleanup and closure or for environmental pollution liability as described in R315-15-10(d)

has changed, it may submit a written request to the Director to modify its permit to reflect the changed responsibility.

(f) The Director may release the requirement for cleanup and closure financial assurance after the owner or operator has clean-closed the facility according to R315-15-11.

(g) The owner or operator of a permitted used oil facility or operation may request the Director to modify its permit to change its financial assurance mechanism or mechanisms as described in R315-15-12.

(h) The Director may modify the permit to change financial assurance mechanism or mechanisms after the owner or operator has established a replacement financial assurance mechanism or mechanisms acceptable to the Director.

(i) Incapacity of owners or operators, guarantor, or financial institution. An owner or operator of a permitted used oil facility or operation shall notify the Director by certified mail within ten days of the commencement of a bankruptcy proceeding naming the owner or operator as debtor.

(1) An owner or operator who fulfills the financial responsibility requirements by obtaining a trust fund, surety bond, letter of credit, or insurance policy will be considered to be without the required financial responsibility or liability coverage in the event of:

(i) bankruptcy of the trustee or issuing institution; or

(ii) a suspension or revocation of the authority of the trustee institution to act as trustee; or

(iii) a suspension or revocation of the authority of the institution to issue a surety bond, a letter of credit, or an insurance policy.

(2) The owner or operator of a permitted used oil facility or operation must establish other financial responsibility or liability coverage within 60 days after such an event.

#### 12.4 ANNUAL UPDATE OF CLOSURE COST ESTIMATE AND FINANCIAL ASSURANCE MECHANISM

(a) The financial responsibility information required by R315-15-10, 11, and 12 and submitted to the Director with the initial permit application for a used oil facility or operation, or information provided as part of subsequent modifications to the permit made thereafter, shall be updated annually.

(b) The following annual updated financial responsibility information for the previous calendar year shall be submitted to the Director by March 1 of each year for each permitted facility or operation:

(1) The cleanup and closure cost estimate shall be based on a third party performing cleanup and closure of the facility to a post-operational land use in accordance with R315-15-11.1.

(2) The financial assurance mechanism shall be adjusted to reflect the new cleanup and closure cost estimate.

(3) The type of financial assurance mechanism, its current face value, and corresponding financial institution's instrument control number shall be provided.

(4) The type of environmental pollution liability financial responsibility for third-party damage mechanism shall be provided, including:

- (i) policy number or other mechanism control number,
  - (ii) effective date of policy or other mechanism, and
  - (iii) coverage types and amounts.
- (5) The type of general liability insurance information shall be provided, including:
- (i) policy number,
  - (ii) date of policy, effective date of policy, retroactive date of coverage, if applicable, and
  - (iii) coverage types and amounts.
- (c) Other type of information deemed necessary to evaluate compliance with a permitted used oil facilities or operations and R315-15-10, 11, and 12, shall be provided upon request by the Director.

**R315-15-13. Registration and Permitting of Used Oil Handlers.**

**13.1 DO-IT-YOURSELFER USED OIL COLLECTION CENTERS TYPES A AND B**

(a) Applicability. A person may not operate a do-it-yourselfer (DIYer) Type A or B used oil collection center without holding a registration number issued by the Director.

(b) General. The application for a registration number shall include the following information regarding the DIYer used oil collection center:

- (1) the name and address of the operator;
- (2) the location of the center;
- (3) the type of storage and secondary containment to be used;
- (4) the status of the business, zoning, or other licenses and permits if required by federal, state and local governmental entities;
- (5) a spill containment plan in the event of a release of used oil; and
- (6) proof of insurance or other means of financial responsibility for liabilities that may be incurred in collecting or storing used oil.

(c) Waiver of proof of insurance or other means of financial responsibility for liabilities that may be incurred in collecting or storing used oil. In accordance with Utah Annotated 19-6-710, the Director may waive the requirement of proof of liability insurance or other means of financial responsibility if the following criteria are satisfied:

(1) The used oil storage tank or container is in good condition with no severe rusting, apparent structural defects or deterioration, and no visible leaks;

(2) There is adequate secondary containment for the tank or container that is impervious to used oil to prevent any used oil released into the secondary containment system from migrating out of the system to the soil, groundwater or surface water;

(3) The storage tank or container is clearly labeled with the words "Used Oil;"

(4) DIYer log entries are complete including the name and address of the generator, date and quantity of used oil received;

(5) EPA-approved test kits for total halogens are readily available and operators are trained to perform halogen tests on any used oil received that may have been mixed with hazardous waste; and

(6) Oil sorbent material is readily available on site for immediate clean-up of spills.

(d) Changes in information. The owner or operator of the facility shall notify the Director in writing of any changes in the information submitted to apply for a registration number within 20 days of the change.

### 13.2 GENERATOR USED OIL COLLECTION CENTERS TYPES C AND D

(a) Applicability. A person may not operate a generator used oil collection center Type C or D without holding a registration number issued by the Director.

(b) General. The application for registration shall include the following information regarding the generator used oil collection center:

- (1) the name and address of the operator;
- (2) the location of the center;
- (3) whether the center will accept DIYer used oil;
- (4) the type of storage and secondary containment to be used;
- (5) the status of the business, zoning, or other licenses and permits if required by federal, state and local governmental entities;
- (6) a spill containment plan in the event of a release of used oil; and
- (7) proof of insurance or other means of financial responsibility for liabilities that may be incurred in collecting or storing used oil.

(c) Permit. Waiver of proof of insurance or other means of financial responsibility for liabilities that may be incurred in collecting or storing used oil. In accordance with Utah Code Annotated 19-6-710, the Director may waive the requirement of proof of liability insurance or other means of financial responsibility if the following criteria are satisfied:

- (1) The used oil storage tank or container is in good condition with no severe rusting, apparent structural defects or deterioration, and no visible leaks;
- (2) There is adequate secondary containment for the tank or container that is impervious to used oil to prevent any used oil released into the secondary containment system from migrating out of the system to the soil, groundwater or surface water;
- (3) The storage tank or container is clearly labeled with the words "Used Oil;"
- (4) DIYer log entries are complete including the name and address of the generator, date and quantity of used oil received;
- (5) EPA-approved test kits for total halogens are readily available and operators are trained to perform halogen tests on any used oil received that may have been mixed with hazardous waste; and
- (6) Oil sorbent material is readily available on site for immediate clean up of spills.

(d) Changes in information. The owner or operator of the facility shall notify the Director in writing of any changes in the information submitted to apply for a registration number within 20 days of the change.

### 13.3 USED OIL AGGREGATION POINTS

(a) Applicability. A person may operate a used oil aggregation point without holding a registration number issued by the Director if that aggregation point also accepts used oil from household do-it-yourselfers (DIYers) or other generators.

(b) If an aggregation point accepts used oil from household

DIYers, it must register with the Director as a DIYer collection center and comply with the DIYer standards in Section R315-15-3.1.

(c) If an aggregation point accepts used oil from other generators it must register with the Director as a generator collection center and comply with the standards in R315-15-3.2.

#### 13.4 USED OIL TRANSPORTERS AND USED OIL TRANSFER FACILITIES

(a) Applicability. Except as provided by R315-15-13.4(f), a person may not operate as a used oil transporter without holding a used oil transporter permit issued by the Director. A person shall not operate a used oil transfer facility without holding a used oil transfer facility permit specific to that facility, issued by the Director.

(b) General. The application for a permit shall include the following information:

- (1) The name and address of the operator;
- (2) The location of the transporter's base of operations and the location of any transfer facilities, if applicable;
- (3) Maps of all transfer facilities, if applicable;
- (4) The methods to be used for collecting, storing, and delivering used oil;
- (5) The methods to be used to determine if used oil received by the transporter or facility is on-specification or off-specification and how the transporter will comply with the rebuttable requirements of R315-15-4.5;
- (6) The type of containment and the volume, including type and number of storage vessels to be used and the number and type of transportation vehicles, if applicable;
- (7) The methods of disposing of any waste by-products;
- (8) The status of business, zoning, and other applicable licenses and permits if required by federal, state, and local government entities;
- (9) An emergency spill containment plan, including a list of spill containment equipment to be carried in vehicles used to transport used oil and spill containment equipment maintained at the used oil transfer facility, and how the transporter shall comply with the requirements of R315-15-9;
- (10) Proof of liability insurance or other means of financial responsibility for liabilities that may be incurred in collecting, transporting, or storing used oil;
- (11) Proof of form and amount of reclamation surety for any facility used in conjunction with transportation or storage of used oil;
- (12) A closure plan meeting the requirements of R315-15-11;
- (13) Proof of applicant's ownership of any property and facility used for storage of used oil or, if the property and facility is not owned by the applicant, the owners' written statement acknowledging the activities specified in the application;
- (14) For transfer facility permit applications, tank certification in accordance with R315-264-190 through 200 for used oil storage tanks at the transfer facility;
- (15) For transfer facility permit applications, a facility piping and instrument drawing certified by a Professional Engineer;
- (16) If rail transport is part of the application, a loading/off-loading plan for rail tanker cars used to transport used

oil. This plan shall include detailed procedures to be followed to minimize the potential for releases and on-site accidents. At a minimum, the following items shall be addressed:

- (i) Personal safety equipment;
- (ii) Coordination with railroad to ensure exclusive rights to the loading track during the entire period of loading/offloading;
- (iii) A minimum number and qualification of workers involved in the loading or off-loading operations;
- (iv) Braking and blocking of rail car wheels;
- (v) Procedures for Depressurizing tank car prior to opening manhole covers and outlet valves;
- (vi) The sequence of valve openings and closings on any hosing or piping involved in the loading or off-loading process,
- (vii) A description of how and where pipe and hose fitting will be attached, including a description of which rail car valves/openings will be used;
- (viii) Use of catchment container to collect any used oil released from hoses, valves, and pipes during and following the loading/offloading operation;
- (ix) Measures to insure ignition sources are not present;
- (x) Procedures for cleanup of any spills that occur during the loading/offloading operations; and
- (xi) Other site-specific requirements required by the Director to protect human health and the environment.

(c) Permit fees. Registration and permitting fees are established under the terms and conditions of Utah Code Annotated 63J-1-504. A copy of the Division's Fee Schedule is available upon request. Payment of appropriate fees is required prior to issuance of permit approvals and annual used oil handler certificates.

(d) Annual Reporting. Each transporter and transfer facility shall submit an annual report to the Director of its activities during the calendar year. The annual report shall be submitted to the Director no later than March 1, of the year following the reported activities. The Annual report shall either be submitted on a form provided by the Director or shall contain the following information:

- (1) the EPA identification number, name, and address of the transporter/transfer facility;
- (2) the calendar year covered by the report;
- (3) the total amount of used oil transported;
- (4) the itemized amounts and types of used oil transferred to permitted transporters and transfer facilities, used oil processors/re-refiners, off-specification used oil burners, and used oil fuel marketers; and
- (5) the itemized amounts and types of used oil transferred inside and outside the state, indicating the state to which used oil is transferred, and the specific name, address and telephone number of the operations or facility to which used oil was transferred.

(e) Changes in information. The owner or operator of the facility shall notify the Director in writing of any changes in the information submitted to apply for a permit within 20 days of the change.

(f) Transporter and Transfer Facility Permit by rule. Notwithstanding any other provisions of R315-15-13.4, a used oil generator who self-transportes used oil generated by that generator

at a non-contiguous operation to a central collection facility in the generator's own service vehicles in quantities exceeding 55 gallons shall be deemed to have an approved used oil transporter permit or used oil transfer facility permits, or both if the generator meets all applicable requirements of R315-15-13.4(f)(1) through (4).

(1) All used oil transporters or transfer facilities who qualify for a permit by rule shall submit a notification to the Director of their intent to operate under R315-15-13.4(f) and comply with the following conditions:

(i) The generator's facility is defined under the North American Industry Classification System (NAICS), published, in 2007, by the US Economic Classification Policy Committee, with a NAICS code of 21 (Mining), 23 (Construction), 485111 (Mixed Mode Transit Systems) or 541360 (Geophysical Surveying and Mapping Services);

(ii) The generator self-transportes and delivers the used oil to facilities that the generator owns, operates, or both.

(iii) The generator notifies the Director with the information required by R315-15-13.4(b)(1) through (10); and

(iv) The generator complies with R315-15-4.3, R315-15-4.4(b) through (d), R315-15-4.6(b) through (f), R315-15-4.7(b) and (d), and R315-15-4.8.

(2) A generator who self-transportes used oil in accordance with R315-15-13.4(f)(1) and who burns all the collected used oil for energy recovery is deemed to be approved by rule to operate as a used oil transporter for that activity if the following additional conditions are met:

(i) The generator only burns the self-collected used oil for energy recovery at that generator's own central collection facility.

(ii) The generator registers as a used oil fuel marketer in accordance with R315-15-13.7 and complies with R315-15-7.

(3) A generator who self-transportes used oil in accordance with R315-15-13.4(f)(1) and only stores the used oil for subsequent collection by permitted used oil transporters is deemed to be approved by rule to operate as a used oil transporter and transfer facility for that activity if the following additional conditions are met:

(i) The generator arranges for permitted used oil transporters to collect the generator's used oil.

(ii) The self-transported used oil is not stored at the generator's facility longer than 35 days. If the self-transported used oil is stored longer than 35 days, the generator becomes a used oil processor in accordance with R315-15-4.6(a) and shall obtain a used oil processor permit in accordance with R315-15-13.5.

(4) A generator who self-transportes used oil in accordance with R315-15-13.4(f)(1), and who both burns their collected used oil for energy recovery and arranges for permitted use oil transporters to collect that used oil, is deemed to be approved by rule to operate as a used oil transporter and transfer facility for that activity if the following additional conditions are met:

(i) The self-transported used oil burned for energy recovery is only burned at the generator's central collection facility;

(ii) The generator registers as a used oil fuel marketer in accordance with R315-15-13.7 and complies with R315-15-7; and

(iii) The generator arranges for permitted used oil transporters to collect the generator's used oil not burned on site.

(iv) The self-transported used oil is not stored at the generator's facility longer than 35 days. If the self-transported used oil is stored longer than 35 days, the generator becomes a used oil processor in accordance with R315-15-4.6(a) and shall obtain a used oil processor permit in accordance with R315-15-13.5.

(g) All used oil transporters and transfer facilities shall obtain and maintain a used oil handler certificates in accordance with R315-15-13.8.

### 13.5 USED OIL PROCESSORS/RE-REFINERS

(a) Applicability. A person may not operate as a used oil processing/re-refining facility without holding a permit issued by the Director.

(b) General. The application for a permit shall include the following information:

(1) The name and address of the operator;  
(2) The location of the facility;  
(3) A map of the facility;  
(4) The grades of oil to be produced;  
(5) The methods to be used to determine if used oil received by the transporter or facility is on-specification or off-specification;

(6) The type of containment and the volume, including type and number of storage vessels to be used and the number and type of transportation vehicles, if applicable;

(7) The methods of disposing of any waste by-products;

(8) The status of business, zoning, and other applicable licenses and permits if required by federal, state, and local government entities;

(9) An emergency spill containment plan, including a list of spill containment equipment to be maintained at the used oil processor facility;

(10) Proof of liability insurance or other means of financial responsibility for liabilities that may be incurred in processing or rerefining used oil;

(11) Proof of form and amount of reclamation surety for any facility used in conjunction with transportation or storage of used oil;

(12) Any other information the Director finds necessary to ensure the safe handling of used oil;

(13) A closure plan meeting the requirements of R315-15-11.

(14) A contingency plan meeting the requirements of R315-15-5.3(b);

(15) Proof of applicant's ownership of the property and facility or, if the property and facility is not owned by the applicant, the owner's written statement acknowledging the activities specified in the application;

(16) Tank certification in accordance with R315-264-190 through 200 for used oil storage tanks at the processor facility; and

(17) A facility piping and instrument drawing certified by a Professional Engineer.

(c) Permit fees. Registration and permitting fees are established under the terms and conditions of Department fee schedule 63J-1-504. A copy of the Division's Fee Schedule is available upon request. Payment of appropriate fees is required prior to issuance

of permit approvals and annual used oil handler certificates.

(d) Annual Reporting. Each used oil processing or rerefining facility shall submit an annual report to the Director of its activities during the calendar year. The annual report shall be submitted to the Director no later than March 1 of the year following the reported activities. The annual report shall either be submitted on a form provided by the Director or shall contain the following information:

(1) the EPA identification number, name, and address of the processor/re-refiner facility;

(2) the calendar year covered by the report;

(3) the quantities of used oil accepted for processing/rerefining and the manner in which the used oil is processed/rerefined, including the specific processes employed;

(4) the average daily quantities of used oil processed at the beginning and end of the reporting period;

(5) an itemization of the total amounts of used oil processed or rerefined during the reporting period year specifying the type and amounts of products produced, i.e., lubricating oil, fuel oil, etc.; and

(6) the amounts of used oil prepared for reuse as a lubricating oil, as a fuel, and for other uses, specifying each type of use, the amounts of used oil consumed or used in the process of preparing used oil for reuse, specifying the amounts and types of waste by-products generated including waste, water, and the methods and specific locations utilized for disposal.

(e) Changes in information. The owner or operator of the facility shall notify the Director in writing of any changes in the information submitted to apply for a permit within 20 days of the change.

(f) Used oil processors and re-refiners shall obtain and maintain a current used oil handler certificate in accordance with R315-15-13.8.

#### 13.6 USED OIL BURNERS

(a) On-specification used oil fuel burners. Facilities burning only on-specification used oil fuel are not required to register as used oil burners with the Director for the purpose of R315-15-13.6, if they hold a valid air quality operating order or are exempt under R315-15-2.4.

(b) Off-specification used oil fuel burners

(1) Applicability. The permitting requirements of this section apply to used oil burners who burn off-specification used oil for energy recovery except as specified in R315-15-6.1(a)(1) through (3). A person may not burn off-specification used oil fuel for energy recovery without holding a permit issued by the Director.

(2) Permit application. The application for a permit shall include the following information regarding the facility:

(i) The name and address of the operator;

(ii) The location of the facility;

(iii) The type of containment and type and capacity of storage;

(iv) The type of burner to be used;

(v) The methods of disposing of any waste by-products;

(vi) The status of business, zoning, and other applicable licenses and permits required by federal, state, and local

governmental entities;

(vii) An emergency spill containment plan; including a list of spill containment equipment to be maintained at the used oil processor facility.

(viii) Proof of insurance or other means of financial responsibility for liabilities that may be incurred in storing and burning off-specification used oil fuels.

(ix) Proof of form and amount of reclamation surety for any facility receiving and burning off-specification used oil.

(x) A closure plan meeting the requirements of R315-15-11;

(xi) Proof of applicant's ownership of the property and facility or, if the property and facility is not owned by the applicant, the owner's written statement acknowledging the activities specified in the application;

(xii) Tank certification in accordance with R315-264-190 through 200 for used oil storage tanks at the processor facility; and

(xiii) A facility piping and instrument drawing certified by a Professional Engineer.

(3) Permit fees. Registration and permitting fees are established under the terms and conditions of Utah Code Annotated 63J-1-504. A copy of the Division's Fee Schedule is available upon request. Payment of appropriate fees is required prior to issuance of permit approvals and annual used oil handler certificates.

(4) Changes in information. The owner or operator of the facility shall notify the Director in writing of any changes in the information submitted during permit application within 20 days of the change.

(5) Permits by rule. Any facility permitted by rule is not required to obtain a permit as required by R315-15-13.6(b)(1), but may be required to follow operational practices, as determined by the Director, to minimize risk to human health or the environment.

A permit by rule is conditional upon continued compliance with the requirements of R315-15-13.6(b), as determined by the Director. Notwithstanding any other provisions of R315-15-13.6, a hazardous waste incinerator facility that has been issued a final permit under R315-270-1, and that implements the requirements of R315-264-340 through 351, shall be deemed to have an approved off-specification used oil burner permit if that facility meets all of the following conditions:

(i) It burns off-specification used oil only in devices specified in R315-15-6.2(a);

(ii) It stores used oil in the manner described in R315-15-6.5;

(iii) It tracks off-specification used oil shipments as described in R315-15-6.6;

(iv) It complies with R315-15-6.3 and R315-15-6.7;

(v) It modifies its closure plan required under R315-264-110 through 120 (Closure and Post Closure), to include used oil storage and burning devices, taking into account any used oil activities at this facility;

(vi) It modifies its financial mechanism or mechanisms required R315-264-140 Through 151 (Financial Requirements), using a mechanism other than a corporate financial test/corporate written guarantee, to reflect the used oil activities at the facility; and

(vii) It submits to the Director the information required by R315-15-13.6(b)(2)(i) through (vi), and a one-time declaration that the facility intends to burn off-specification used oil.

(6) Annual Reporting. Each off-specification used oil burner, including those permitted by rule under R315-15-13.6(b)(5), shall submit an annual report to the Director of their activities during the calendar year. The annual report shall be submitted to the Director no later than March 1, of the year following the reported activities. The annual report shall either be submitted on a form provided by the Director or shall contain the following information:

(i) The EPA identification number, name, and address of the burner facility;

(ii) The calendar year covered by the report; and

(iii) The total amount of used oil burned.

(c) Off-specification used oil burners shall obtain and maintain a current used oil handler certificate in accordance with R315-15-13.8.

### 13.7 USED OIL FUEL MARKETERS

(a) Applicability. A person may not act as a used oil fuel marketer, as defined in R315-15-7, without holding a registration number issued by the Director.

(b) General. The application for a registration number shall include the following information regarding the facility acting as a used oil fuel marketer:

(1) The name and address of the marketer.

(2) The location of any facilities used by the marketer to collect, transport, process, or store used oil subject to separate permits, or registrations under this section.

(3) The status of business, zoning, and other applicable licenses and permits required by federal, state, and local governmental entities, including registrations or permits required under this part to collect, process/re-refine, transport, or store used oil.

(4) Sampling and Analysis Plan. Marketers shall develop and follow a written analysis plan describing the procedures that will be used to comply with the analysis requirements of R315-15, including the applicable portions of R315-15-1.2, R315-15-5.4, R315-15-7.3, and R315-15-18. The owner or operator shall keep the plan at the facility. The plan shall address at a minimum the following:

(i) Specification used oil fuel. The analysis plan shall describe how the marketer will comply with R315-15-1.2, R315-15-5.6, and R315-15-7.3, as applicable.

(ii) Analytical methods. The plan shall specify the preparation and analytical methods for each parameter.

(iii) PCBs. The analysis plan shall describe how the marketer will comply with R315-15-18.

(iv) Generator knowledge. The plan shall describe the requirements for generator knowledge, if applicable.

(v) Sample Quality Control. The plan shall specify the quality control parameters and acceptance limits.

(vi) Rebuttable presumption for used oil. The analysis plan shall describe how the marketer will comply with R315-15-1.1(b)(ii) and R315-15-5.4, if applicable.

(vii) Sampling. The analysis plan shall describe the sampling

protocol used to obtain representative samples, including:

(A) Sampling methods. The marketer shall use one of the sampling methods in R315-261 Appendix I, or a method shown to be equivalent under R315-260-21.

(B) Sample frequency. The plan shall specify the frequency of sampling to be performed, and whether the analysis will be performed on site or off site.

(c) Registration fees. Registration and permitting fees are established under the terms and conditions of Utah Code Annotated 63J-1-504. A copy of the Division's Fee Schedule is available upon request. Payment of appropriate fees is required prior to issuance of registration numbers and annual used oil handler certificates.

(d) A person who acts as used oil fuel marketer shall annually obtain a used oil handler certificate in accordance with R315-15-13.8. A used oil fuel marketer shall not operate without a used oil handler certificate.

(e) Changes in information. The owner or operator of the facility shall notify the Director in writing of any changes in the information submitted to apply for a registration within 20 days of the change.

### 13.8 USED OIL HANDLER CERTIFICATES

(a) Applicability. As well as obtaining permits and registration described in R315-15-13.4 through 13.7, a person shall not act as a used oil transporter, operator of a transfer facility, processor/re-refiner, off-specification burner, or marketer without applying for, receiving, and maintaining a current used oil handler certificate issued by the Director for each applicable activity. Each used oil permit and marketer registration described in R315-15-13.4 through 13.7 above requires a separate used oil handler certificate.

(b) General. Each application for a used oil handler certificate shall include the following information:

- (1) business name;
- (2) address to include:
  - (i) mailing address; and
  - (ii) site address if different from mailing address
- (3) telephone number
- (4) name of business owner;
- (5) name of business operator;
- (6) permit/registration number; and
- (7) type of permit/registration number (i.e., processor, transporter, transfer facility, off-specification burner, or marketer).

(c) Changes in information. A used oil handler certificate holder shall notify the Director of any changes in the information provided in Subsection R315-15-13.8(b) within 20 days of implementation of the change.

(d) A used oil handler certificate will be issued to an applicant following the:

- (1) completion and approval of the application required by R315-15-13.8(a); and
- (2) payment of the fee required by the Annual Appropriations Act.

(e) A used oil handler certificate is not transferable and shall

be valid January 1 through December 31 of the year issued. The certificate shall become void if the permit or registration associated with the used oil activity described in the certificate, in accordance with R315-15-13.8(b)(6) in the application, is revoked under R315-15-15.2 or if the Director, upon the written request of the permittee or registration holder, cancels the certificate.

(f) The certificate registration fee shall be paid prior to operation within any calendar year.

### **R315-15-17. Wording of Financial Assurance Mechanisms.**

#### **17.1 APPLICABILITY**

R315-15-17 presents the standard wording forms to be used for the financial assurance mechanisms found in R315-15-12. The following forms are hereby incorporated by reference and are available at the Division of Waste Management and Radiation Control located at 195 North 1950 West, Salt Lake City, Utah, during normal business hours or on the Division's web site, <http://www.hazardouswaste.utah.gov/>.

(a) The Division requires that the forms described in R315-15-17.2 through R315-15-17.14 shall be used for all financial assurance filings and shall be signed in duplicate original documents.

The wording of the forms shall be identical to the wording specified in R315-15-17.2 through R315-15-17.14.

(b) The Director may substitute new wording for the wording found in any of the financial assurance mechanism forms when such language changes are necessary to conform to applicable financial industry changes, when industry-wide consensus language changes are submitted to the Director.

#### **17.2 TRUST AGREEMENTS**

The trust agreement for a trust fund must be worded as found in the Trust Agreement Form approved by the Director.

#### **17.3 SURETY BOND GUARANTEEING PAYMENT INTO A STANDBY TRUST AGREEMENT TRUST FUND**

The surety bond guaranteeing payment into a standby trust agreement trust fund must be worded as found in the Surety Bond Guaranteeing Payment into a Standby Trust Agreement Trust Fund Form approved by the Director.

#### **17.4 IRREVOCABLE STANDBY LETTER OF CREDIT WITH STANDBY TRUST AGREEMENT**

The letter of credit must be worded as found in the Irrevocable Standby Letter of Credit with Standby Trust Agreement Form approved by the Director.

#### **17.5 UTAH USED OIL POLLUTION [LIABILITY] INSURANCE ENDORSEMENT FOR CLEANUP AND CLOSURE**

The insurance endorsement of cleanup and closure must be worded as found in the Utah Used Oil Pollution [Liability] Insurance Endorsement for Cleanup and Closure Form approved by the Director.

#### **17.6 UTAH USED OIL TRANSPORTER POLLUTION LIABILITY ENDORSEMENT FOR SUDDEN OCCURRENCE**

The used oil transporter pollution liability endorsement for sudden occurrence must be worded as found in the Utah Used Oil Transporter Pollution Liability Endorsement for Sudden Occurrence Form approved by the Director.

#### **17.7 UTAH USED OIL POLLUTION LIABILITY ENDORSEMENT FOR SUDDEN**

## OCCURRENCE

The used oil pollution liability endorsement for sudden occurrence for permitted facilities other than permitted transporters must be worded as found in the Utah Used Oil Pollution Liability Endorsement for Sudden Occurrence Form approved by the Director.

### 17.8 UTAH USED OIL POLLUTION LIABILITY ENDORSEMENT FOR NON-SUDDEN OCCURRENCE

The used oil pollution liability endorsement for non-sudden occurrence must be worded as found in the Utah Used Oil Pollution Liability Endorsement Non-Sudden Occurrence Form approved by the Director.

### 17.9 UTAH USED OIL POLLUTION LIABILITY ENDORSEMENT FOR COMBINED SUDDEN AND NON-SUDDEN OCCURRENCES

The used oil pollution liability endorsement combined for sudden and non-sudden occurrence must be worded as found in the Utah Used Oil Pollution Liability Endorsement for Combined Sudden and Non-Sudden Occurrences Form approved by the Director.

### 17.10 LETTER OF CREDIT FOR THIRD-PARTY DAMAGES FROM ENVIRONMENTAL POLLUTION LIABILITY WITH OPTIONAL STANDBY TRUST AGREEMENT TO BE USED BY TRANSFER/PROCESSOR/RE-REFINER/OFF-SPECIFICATION BURNER FACILITY

The letter of credit must be worded as found in the Letter of Credit for Third Party Damages from Environmental Pollution Liability with Optional Standby Trust Agreement to be used by Transfer/Processor/Re-refiner/Off-specification Burner Facility Form approved by the Director.

### 17.11 PAYMENT BOND FOR THIRD-PARTY DAMAGES FROM ENVIRONMENTAL POLLUTION LIABILITY TO BE USED BY TRANSFER/PROCESSOR/RE-REFINER/OFF-SPECIFICATION BURNER FACILITY

A surety bond must be worded as found in the Payment Bond for Third Party Damages from Environmental Pollution Liability to be used by Transfer/Processor/Re-refiner/Off-specification burner Facility Form approved by the Director.

### 17.12 TRUST AGREEMENT FOR THIRD-PARTY DAMAGES FROM ENVIRONMENTAL POLLUTION LIABILITY TO BE USED BY TRANSFER/PROCESSOR/RE-REFINER/OFF-SPECIFICATION BURNER FACILITY

A trust agreement must be worded as found in the Trust Agreement for Third Party Damages from Environmental Pollution Liability to be used by Transfer/Processor/Re-refiner/Off-specification Burner Facility Form approved by the Director.

### 17.13 STANDBY TRUST AGREEMENT ASSOCIATED WITH THIRD-PARTY DAMAGES FROM ENVIRONMENTAL POLLUTION LIABILITY REQUIRING A STANDBY TRUST AGREEMENT TO BE USED BY TRANSFER/PROCESSOR/RE-REFINER/OFF-SPECIFICATION BURNER FACILITY

A standby trust agreement must be worded as found in the Standby Trust Agreement Associated with Third Party Damages from Environmental Pollution Liability Requiring Standby Trust Agreement to be used by Transfer/Processor/Re-refiner/Off-specification Burner Facility Form approved by the Director.

### 17.14 STANDBY TRUST AGREEMENT, OTHER THAN LIABILITY, FOR TRANSFER/PROCESSOR/RE-REFINER/OFF-SPECIFICATION BURNER FACILITY

The standby trust agreement for a trust fund must be worded as found in the Standby Trust Agreement, other than Liability for Transfer/Processor/Re-refiner/Off-specification Burner Facility

Form approved by the Director.

**KEY:** hazardous waste, used oil

**Date of Enactment or Last Substantive Amendment:** November 12, 2015

**Notice of Continuation:** March 10, 2016

**Authorizing, and Implemented or Interpreted Law:** 19-6-704

**R315. Environmental Quality, Waste Management and Radiation Control, Waste Management.**

**R315-260. Hazardous Waste Management System.**

**R315-260-10. Definitions.**

(a) Terms used in Rules R315-15, R315-260 through 266, R315-268, R315-270, R315-273, and Rule R315-101 are defined in Sections 19-1-103 and 19-6-102.

(b) Terms used in Rule R315-15 are also defined in Sections 19-6-703 and 19-6-706(b).

(c) Additional terms used in Rules R315-260 through 266, R315-268, R315-270, R315-273, and Rule R315-101 are defined as follows:

(1) "Above ground tank" means a device meeting the definition of "tank" in Section R315-260-10 and that is situated in such a way that the entire surface area of the tank is completely above the plane of the adjacent surrounding surface and the entire surface area of the tank, including the tank bottom, is able to be visually inspected.

(2) "Acute hazardous waste" means hazardous wastes that meet the listing criteria in Subsection R315-261-11(a)(2) and therefore are either listed in Section R315-261-31 with the assigned hazard code of (H) or are listed in Subsection R315-261-33(e).

~~[(2)]~~(3) "Active life" of a facility means the period from the initial receipt of hazardous waste at the facility until the Director receives certification of final closure.

~~[(3)]~~(4) "Active portion" means that portion of a facility where treatment, storage, or disposal operations are being or have been conducted after November 19, 1980 and which is not a closed portion. See also "closed portion" and "inactive portion."

~~[(4)]~~(5) "Approved hazardous waste management facility" or "approved facility" means a hazardous waste treatment, storage, or disposal facility which has received an EPA permit in accordance with federal requirements, has been approved under Section 19-6-108 and Rule R315-270, or has been permitted or approved under any other EPA authorized hazardous waste state program.

~~[(5)]~~(6) "Ancillary equipment" means any device including, but not limited to, such devices as piping, fittings, flanges, valves, and pumps, that is used to distribute, meter, or control the flow of hazardous waste from its point of generation to a storage or treatment tank(s), between hazardous waste storage and treatment tanks to a point of disposal onsite, or to a point of shipment for disposal off-site.

~~[(6)]~~(7) "Aquifer" means a geologic formation, group of formations, or part of a formation capable of yielding a significant amount of ground water to wells or springs.

~~[(7)]~~(8) "Authorized representative" means the person responsible for the overall operation of a facility or an operational unit, i.e., part of a facility, e.g., the plant manager, superintendent or person of equivalent responsibility.

~~[(8)]~~(9) "Battery" means a device consisting of one or more electrically connected electrochemical cells which is designed to receive, store, and deliver electric energy. An electrochemical cell

is a system consisting of an anode, cathode, and an electrolyte, plus such connections, electrical and mechanical, as may be needed to allow the cell to deliver or receive electrical energy. The term battery also includes an intact, unbroken battery from which the electrolyte has been removed.

~~[(9)]~~(10) "Boiler" means an enclosed device using controlled flame combustion and having the following characteristics:

(i)(A) The unit shall have physical provisions for recovering and exporting thermal energy in the form of steam, heated fluids, or heated gases; and

(B) The unit's combustion chamber and primary energy recovery sections(s) shall be of integral design. To be of integral design, the combustion chamber and the primary energy recovery section(s), such as waterwalls and superheaters, shall be physically formed into one manufactured or assembled unit. A unit in which the combustion chamber and the primary energy recovery section(s) are joined only by ducts or connections carrying flue gas is not integrally designed; however, secondary energy recovery equipment, such as economizers or air preheaters, need not be physically formed into the same unit as the combustion chamber and the primary energy recovery section.

The following units are not precluded from being boilers solely because they are not of integral design: process heaters, units that transfer energy directly to a process stream, and fluidized bed combustion units; and

(C) While in operation, the unit shall maintain a thermal energy recovery efficiency of at least 60 percent, calculated in terms of the recovered energy compared with the thermal value of the fuel; and

(D) The unit shall export and utilize at least 75 percent of the recovered energy, calculated on an annual basis. In this calculation, no credit shall be given for recovered heat used internally in the same unit. Examples of internal use are the preheating of fuel or combustion air, and the driving of induced or forced draft fans or feedwater pumps; or

(ii) The unit is one which the Board has determined, on a case-by-case basis, to be a boiler, after considering the standards in Section R315-260-32

~~[(10)]~~(11) "Carbon dioxide stream" means carbon dioxide that has been captured from an emission source, e.g., power plant, plus incidental associated substances derived from the source materials and the capture process, and any substances added to the stream to enable or improve the injection process.

~~[(11)]~~(12) "Carbon regeneration unit" means any enclosed thermal treatment device used to regenerate spent activated carbon.

~~[(12)]~~(13) "Cathode ray tube" or "CRT" means a vacuum tube, composed primarily of glass, which is the visual or video display component of an electronic device. A used, intact CRT means a CRT whose vacuum has not been released. A used, broken CRT means glass removed from its housing or casing whose vacuum has been released.

(14) "Central accumulation area" means any on-site hazardous waste accumulation area with hazardous waste accumulating in units subject to either Section R315-262-16, for small quantity generators, or Section R315-262-17, for large quantity generators. A central accumulation area at an eligible academic entity that chooses to

operate under Sections R315-262-200 through 216 is also subject to Section R315-262-211 when accumulating unwanted material or hazardous waste, or both.

~~[(13)]~~(15) "Certification" means a statement of professional opinion based upon knowledge and belief.

~~[(14)]~~(16) "Closed portion" means that portion of a facility which an owner or operator has closed in accordance with the approved facility closure plan and all applicable closure requirements. See also "active portion" and "inactive portion".

~~[(15)]~~(17) "Component" means either the tank or ancillary equipment of a tank system.

~~[(16)]~~(18) "Confined aquifer" means an aquifer bounded above and below by impermeable beds or by beds of distinctly lower permeability than that of the aquifer itself; an aquifer containing confined ground water.

~~[(17)]~~(19) "Contained" means held in a unit, including a land-based unit as defined in R315-260-10, that meets the following criteria:

(i) The unit is in good condition, with no leaks or other continuing or intermittent unpermitted releases of the hazardous secondary materials to the environment, and is designed, as appropriate for the hazardous secondary materials, to prevent releases of hazardous secondary materials to the environment. Unpermitted releases are releases that are not covered by a permit, such as a permit to discharge to water or air, and may include, but are not limited to, releases through surface transport by precipitation runoff, releases to soil and groundwater, wind-blown dust, fugitive air emissions, and catastrophic unit failures;

(ii) The unit is properly labeled or otherwise has a system, such as a log, to immediately identify the hazardous secondary materials in the unit; and

(iii) The unit holds hazardous secondary materials that are compatible with other hazardous secondary materials placed in the unit and is compatible with the materials used to construct the unit and addresses any potential risks of fires or explosions.

(iv) Hazardous secondary materials in units that meet the applicable requirements of Rules R315-264 or 265 are presumptively contained.

~~[(18)]~~(20) "Container" means any portable device in which a material is stored, transported, treated, disposed of, or otherwise handled.

~~[(19)]~~(21) "Containment building" means a hazardous waste management unit that is used to store or treat hazardous waste under the provisions of Subsections Sections R315-264-1100 through 1102 or 40 CFR 265.1100 through 1102, which are adopted and incorporated by reference.

~~[(20)]~~(22) "Contingency plan" means a document setting out an organized, planned, and coordinated course of action to be followed in case of a fire, explosion, or release of hazardous waste or hazardous waste constituents which could threaten human health or the environment.

~~[(21)]~~(23) "Corrosion expert" means a person who, by reason of his knowledge of the physical sciences and the principles of engineering and mathematics, acquired by a professional education

and related practical experience, is qualified to engage in the practice of corrosion control on buried or submerged metal piping systems and metal tanks. Such a person shall be certified as being qualified by the National Association of Corrosion Engineers (NACE) or be a registered professional engineer who has certification or licensing that includes education and experience in corrosion control on buried or submerged metal piping systems and metal tanks.

~~[(22)]~~(24) "CRT collector" means a person who receives used, intact CRTs for recycling, repair, resale, or donation.

~~[(23)]~~(25) "CRT glass manufacturer" means an operation or part of an operation that uses a furnace to manufacture CRT glass.

~~[(24)]~~(26) "CRT processing" means conducting all of the following activities:

- (i) Receiving broken or intact CRTs; and
- (ii) Intentionally breaking intact CRTs or further breaking or separating broken CRTs; and
- (iii) Sorting or otherwise managing glass removed from CRT monitors.

~~[(25)]~~(27) "Designated facility" means:

(i) A hazardous waste treatment, storage, or disposal facility which:

(A) Has received a permit, or interim status, in accordance with the requirements of Rule R315-270 and 124;

(B) Has received a permit, or interim status, from a State authorized in accordance with 40 CFR 271; or

(C) Is regulated under Subsection R315-261-6(c)(2) or Section R315-266-70; and

(D) That has been designated on the manifest by the generator pursuant to Section R315-262-20.

(ii) "Designated facility" also means a generator site designated on the manifest to receive its waste as a return shipment from a facility that has rejected the waste in accordance with Subsections R315-264-72(f) or 40 CFR 265.72(f), which is adopted and incorporated by reference.

(iii) If a waste is destined to a facility in an authorized State which has not yet obtained authorization to regulate that particular waste as hazardous, then the designated facility shall be a facility allowed by the receiving State to accept such waste.

~~[(26)]~~(28) "Destination facility" means a facility that treats, disposes of, or recycles a particular category of universal waste, except those management activities described in Subsection R315-273-13(a) and (c) and Section R315-273-33. A facility at which a particular category of universal waste is only accumulated, is not a destination facility for purposes of managing that category of universal waste.

~~[(27)]~~(29) "Dike" means an embankment or ridge of either natural or man-made materials used to prevent the movement of liquids, sludges, solids, or other materials.

~~[(28)]~~(30) "Dioxins and furans (D/F)" means tetra, penta, hexa, hepta, and octa-chlorinated dibenzo dioxins and furans.

~~[(29)]~~(31) "Discharge" or "hazardous waste discharge" means the accidental or intentional spilling, leaking, pumping, pouring, emitting, emptying, or dumping of hazardous waste into or on any land or water.

~~[(30)]~~(32) "Disposal facility" means a facility or part of a facility at which hazardous waste is intentionally placed into or on any land or water, and at which waste will remain after closure. The term disposal facility does not include a corrective action management unit into which remediation wastes are placed.

~~[(31)]~~(33) "Division" means the Division of Waste Management and Radiation Control.

~~[(32)]~~(34) "Drip pad" is an engineered structure consisting of a curbed, free-draining base, constructed of non-earthen materials and designed to convey preservative kick-back or drippage from treated wood, precipitation, and surface water run-on to an associated collection system at wood preserving plants.

~~[(33)]~~(35) "Elementary neutralization unit" means a device which:

(i) Is used for neutralizing wastes that are hazardous only because they exhibit the corrosivity characteristic defined in Section R315-261-22, or they are listed in Sections R315-261-30 through 35 only for this reason; and

(ii) Meets the definition of tank, tank system, container, transport vehicle, or vessel in Sections R315-260-10.

~~[(34)]~~(36) "Electronic manifest, or e-Manifest" means the electronic format of the hazardous waste manifest that is obtained from EPA's national e-Manifest system and transmitted electronically to the system, and that is the legal equivalent of EPA Forms 8700-22, Manifest, and 8700-22A, Continuation Sheet.

~~[(35)]~~(37) "Electronic Manifest System, or e-Manifest System" means EPA's national information technology system through which the electronic manifest may be obtained, completed, transmitted, and distributed to users of the electronic manifest and to regulatory agencies.

~~[(36)]~~(38) "EPA hazardous waste number" means the number assigned by EPA to each hazardous waste listed in Sections R315-261-30 through 35 and to each characteristic identified in Sections R315-261-20 through 24.

~~[(37)]~~(39) "EPA identification number" means the number assigned by EPA to each generator, transporter, and treatment, storage, or disposal facility.

~~[(38)]~~(40) "EPA region" means the states and territories found in any one of the following ten regions:

(i) Region I-Maine, Vermont, New Hampshire, Massachusetts, Connecticut, and Rhode Island.

(ii) Region II-New York, New Jersey, Commonwealth of Puerto Rico, and the U.S. Virgin Islands.

(iii) Region III-Pennsylvania, Delaware, Maryland, West Virginia, Virginia, and the District of Columbia.

(iv) Region IV-Kentucky, Tennessee, North Carolina, Mississippi, Alabama, Georgia, South Carolina, and Florida.

(v) Region V-Minnesota, Wisconsin, Illinois, Michigan, Indiana and Ohio.

(vi) Region VI-New Mexico, Oklahoma, Arkansas, Louisiana, and Texas.

(vii) Region VII-Nebraska, Kansas, Missouri, and Iowa.

(viii) Region VIII-Montana, Wyoming, North Dakota, South Dakota, Utah, and Colorado.

(ix) Region IX-California, Nevada, Arizona, Hawaii, Guam, American Samoa, Commonwealth of the Northern Mariana Islands.

(x) Region X-Washington, Oregon, Idaho, and Alaska.

~~[(39)]~~(41) "Equivalent method" means any testing or analytical method approved by the Director under Sections R315-260-20 and 21.

~~[(40)]~~(42) "Existing hazardous waste management (HWM) facility" or "existing facility" means a facility which was in operation or for which construction commenced on or before November 19, 1980. A facility has commenced construction if:

(i) The owner or operator has obtained the Federal, State and local approvals or permits necessary to begin physical construction; and either

(ii)(A) A continuous on-site, physical construction program has begun; or

(B) The owner or operator has entered into contractual obligations-which cannot be cancelled or modified without substantial loss-for physical construction of the facility to be completed within a reasonable time.

~~[(41)]~~(43) "Existing portion" means that land surface area of an existing waste management unit, included in the original Part A permit application, on which wastes have been placed prior to the issuance of a permit.

~~[(42)]~~(44) "Existing tank system" or "existing component" means a tank system or component that is used for the storage or treatment of hazardous waste and that is in operation, or for which installation has commenced on or prior to July 14, 1986, or December 16, 1988 for purposes of implementing the non-HSWA requirements of the tank regulations as promulgated by EPA on July 14, 1986, 51 FR 25470, as they have been incorporated into the corresponding rules of R315. A non-HSWA existing tank system or non-HSWA tank component is one which does not implement any of the requirements of the federal Hazardous and Solid Waste Amendments of 1984 (HSWA) as identified in Table 1 of 40 CFR 271.1. Installation shall be considered to have commenced if the owner or operator has obtained all Federal, State, and local approvals or permits necessary to begin physical construction of the site or installation of the tank system and if either:

(i) a continuous on-site physical construction or installation program has begun; or

(ii) the owner or operator has entered into contractual obligations, which cannot be canceled or modified without substantial loss, for physical construction of the site or installation of the tank system to be completed within a reasonable time.

~~[(43)]~~(45) "Facility" means:

(i) All contiguous land, and structures, other appurtenances, and improvements on the land, used for treating, storing, or disposing of hazardous waste, or for managing hazardous secondary materials prior to reclamation. A facility may consist of several treatment, storage, or disposal operational units, e.g., one or more landfills, surface impoundments, or combinations of them.

(ii) For the purpose of implementing corrective action under Section R315-264-101, all contiguous property under the control of the owner or operator seeking a permit under Section 19-6-108. This definition also applies to facilities implementing corrective action

under Section R315-263-31 and Rule R315-101.

(iii) Notwithstanding Subsection R315-1-10(43)(ii), a remediation waste management site is not a facility that is subject to Section R315-264-101, but is subject to corrective action requirements if the site is located within such a facility.

~~[(44)]~~(46) "Federal agency" means any department, agency, or other instrumentality of the Federal Government, any independent agency or establishment of the Federal Government including any Government corporation, and the Government Printing Office.

~~[(45)]~~(47) "Federal, State and local approvals or permits necessary to begin physical construction" means permits and approvals required under Federal, State or local hazardous waste control statutes, regulations or ordinances.

~~[(46)]~~(48) "Final closure" means the closure of all hazardous waste management units at the facility in accordance with all applicable closure requirements so that hazardous waste management activities under Rules R315-264 and 265 are no longer conducted at the facility unless subject to the provisions in Section R315-262-34.

~~[(47)]~~(49) "Food-chain crops" means tobacco, crops grown for human consumption, and crops grown for feed for animals whose products are consumed by humans.

~~[(48)]~~(50) "Free liquids" means liquids which readily separate from the solid portion of a waste under ambient temperature and pressure.

~~[(49)]~~(51) "Freeboard" means the vertical distance between the top of a tank or surface impoundment dike, and the surface of the waste contained therein.

~~[(50)]~~(52) "Generator" means any person, by site, whose act or process produces hazardous waste identified or listed in Rule R315-261 or whose act first causes a hazardous waste to become subject to regulation.

~~[(51)]~~(53) "Ground water" means water below the land surface in a zone of saturation.

~~[(52)]~~(54) "Hazard class" means:

(i) The DOT hazard class identified in 49 CFR 172; and

(ii) If the DOT hazard class is "OTHER REGULATED MATERIAL," ORM, the EPA hazardous waste characteristic exhibited by the waste and identified in Sections R315-261-20 through 24.

~~[(53)]~~(55) "Hazardous secondary material" means a secondary material, e.g., spent material, by-product, or sludge, that, when discarded, would be identified as hazardous waste under Rule R315-261.

~~[(54)]~~(56) "Hazardous secondary material generator" means any person whose act or process produces hazardous secondary materials at the generating facility. For purposes of Subsection R315-260-10(c)~~[(56)]~~(58), "generating facility" means all contiguous property owned, leased, or otherwise controlled by the hazardous secondary material generator. For the purposes of Subsections R315-261-2(a)(2)(ii) and R315-261-4(a)(23), a facility that collects hazardous secondary materials from other persons is not the hazardous secondary material generator.

~~[(55)]~~(57) "Hazardous waste constituent" means a constituent that caused the Board to list the hazardous waste in Sections R315-261-30 through 35, or a constituent listed in table 1 of Section R315-261-24.

~~[(56)]~~(58) "Hazardous waste management unit" is a contiguous area of land on or in which hazardous waste is placed, or the largest area in which there is significant likelihood of mixing hazardous waste constituents in the same area. Examples of hazardous waste management units include a surface impoundment, a waste pile, a land treatment area, a landfill cell, an incinerator, a tank and its associated piping and underlying containment system and a container storage area. A container alone does not constitute a unit; the unit includes containers and the land or pad upon which they are placed.

~~[(57)]~~(59) "In operation" refers to a facility which is treating, storing, or disposing of hazardous waste.

~~[(58)]~~(60) "Inactive portion" means that portion of a facility which is not operated after November 19, 1980. See also "active portion" and "closed portion".

~~[(59)]~~(61) "Incinerator" means any enclosed device that:

(i) Uses controlled flame combustion and neither meets the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; or

(ii) Meets the definition of infrared incinerator or plasma arc incinerator.

~~[(60)]~~(62) "Incompatible waste" means a hazardous waste which is unsuitable for:

(i) Placement in a particular device or facility because it may cause corrosion or decay of containment materials, e.g., container inner liners or tank walls; or

(ii) Commingling with another waste or material under uncontrolled conditions because the commingling might produce heat or pressure, fire or explosion, violent reaction, toxic dusts, mists, fumes, or gases, or flammable fumes or gases.

~~[(61)]~~(63) "Individual generation site" means the contiguous site at or on which one or more hazardous wastes are generated. An individual generation site, such as a large manufacturing plant, may have one or more sources of hazardous waste but is considered a single or individual generation site if the site or property is contiguous.

~~[(62)]~~(64) "Industrial furnace" means any of the following enclosed devices that are integral components of manufacturing processes and that use thermal treatment to accomplish recovery of materials or energy:

(i) Cement kilns;

(ii) Lime kilns;

(iii) Aggregate kilns;

(iv) Phosphate kilns;

(v) Coke ovens;

(vi) Blast furnaces;

(vii) Smelting, melting and refining furnaces, including pyrometallurgical devices such as cupolas, reverberator furnaces, sintering machine, roasters, and foundry furnaces;

(viii) Titanium dioxide chloride process oxidation reactors;

(ix) Methane reforming furnaces;

(x) Pulping liquor recovery furnaces;

(xi) Combustion devices used in the recovery of sulfur values from spent sulfuric acid;

(xii) Halogen acid furnaces (HAFs) for the production of acid from halogenated hazardous waste generated by chemical production

facilities where the furnace is located on the site of a chemical production facility, the acid product has a halogen acid content of at least 3%, the acid product is used in a manufacturing process, and, except for hazardous waste burned as fuel, hazardous waste fed to the furnace has a minimum halogen content of 20% as-generated.

(xiii) Such other devices as the Board may, after notice and comment, add to this list on the basis of one or more of the following factors:

(A) The design and use of the device primarily to accomplish recovery of material products;

(B) The use of the device to burn or reduce raw materials to make a material product;

(C) The use of the device to burn or reduce secondary materials as effective substitutes for raw materials, in processes using raw materials as principal feedstocks;

(D) The use of the device to burn or reduce secondary materials as ingredients in an industrial process to make a material product;

(E) The use of the device in common industrial practice to produce a material product; and

(F) Other factors, as appropriate.

~~[(63)]~~(65) "Infrared incinerator" means any enclosed device that uses electric powered resistance heaters as a source of radiant heat followed by an afterburner using controlled flame combustion and which is not listed as an industrial furnace.

~~[(64)]~~(66) "Inground tank" means a device meeting the definition of "tank" in Section R315-260-10 whereby a portion of the tank wall is situated to any degree within the ground, thereby preventing visual inspection of that external surface area of the tank that is in the ground.

~~[(65)]~~(67) "Injection well" means a well into which fluids are injected. See also "underground injection".

~~[(66)]~~(68) "Inner liner" means a continuous layer of material placed inside a tank or container which protects the construction materials of the tank or container from the contained waste or reagents used to treat the waste.

~~[(67)]~~(69) "Installation inspector" means a person who, by reason of his knowledge of the physical sciences and the principles of engineering, acquired by a professional education and related practical experience, is qualified to supervise the installation of tank systems.

~~[(68)]~~(70) "Intermediate facility" means any facility that stores hazardous secondary materials for more than 10 days, other than a hazardous secondary material generator or reclaimer of such material.

~~[(69)]~~(71) "International shipment" means the transportation of hazardous waste into or out of the jurisdiction of the United States.

~~[(70)]~~(72) "Lamp," also referred to as "universal waste lamp", is defined as the bulb or tube portion of an electric lighting device.

A lamp is specifically designed to produce radiant energy, most often in the ultraviolet, visible, and infra-red regions of the electromagnetic spectrum. Examples of common universal waste electric lamps include, but are not limited to, fluorescent, high intensity discharge, neon, mercury vapor, high pressure sodium, and metal halide lamps.

~~[(71)]~~(73) "Land-based unit" means an area where hazardous secondary materials are placed in or on the land before recycling. This definition does not include land-based production units.

~~[(72)]~~(74) "Landfill" means a disposal facility or part of a facility where hazardous waste is placed in or on land and which is not a pile, a land treatment facility, a surface impoundment, an underground injection well, a salt dome formation, a salt bed formation, an underground mine, a cave, or a corrective action management unit.

~~[(73)]~~(75) "Landfill cell" means a discrete volume of a hazardous waste landfill which uses a liner to provide isolation of wastes from adjacent cells or wastes. Examples of landfill cells are trenches and pits.

~~[(74)]~~(76) "Land treatment facility" means a facility or part of a facility at which hazardous waste is applied onto or incorporated into the soil surface; such facilities are disposal facilities if the waste will remain after closure.

(77) "Large quantity generator" is a generator who generates any of the following amounts in a calendar month:

(i) Greater than or equal to 1,000 kilograms (2,200 lbs) of non-acute hazardous waste; or

(ii) Greater than 1 kilogram (2.2 lbs) of acute hazardous waste listed in Section R315-261-31 or Subsection R315-261-33(e); or

(iii) Greater than 100 kilograms (220 lbs) of any residue or contaminated soil, water, or other debris resulting from the cleanup of a spill, into or on any land or water, of any acute hazardous waste listed in Section R315-261-31 or Subsection R315-261-33(e).

~~[(75)]~~(78) "Leachate" means any liquid, including any suspended components in the liquid, that has percolated through or drained from hazardous waste.

~~[(76)]~~(79) "Leak-detection system" means a system capable of detecting the failure of either the primary or secondary containment structure or the presence of a release of hazardous waste or accumulated liquid in the secondary containment structure. Such a system shall employ operational controls, e.g., daily visual inspections for releases into the secondary containment system of aboveground tanks, or consist of an interstitial monitoring device designed to detect continuously and automatically the failure of the primary or secondary containment structure or the presence of a release of hazardous waste into the secondary containment structure.

~~[(77)]~~(80) "Liner" means a continuous layer of natural or man-made materials, beneath or on the sides of a surface impoundment, landfill, or landfill cell, which restricts the downward or lateral escape of hazardous waste, hazardous waste constituents, or leachate.

~~[(78)]~~(81) "Management" or "hazardous waste management" means the systematic control of the collection, source separation, storage, transportation, processing, treatment, recovery, and disposal of hazardous waste.

~~[(79)]~~(82) "Manifest" is defined in Subsection 19-6-102(14) and is further defined as: the shipping document EPA Form 8700-22, including, if necessary, EPA Form 8700-22A, or the electronic manifest, originated and signed in accordance with the applicable requirements of Rules R315-262 through 265.

~~[(80)]~~(83) "Manifest tracking number" means: The alphanumeric

identification number, i.e., a unique three letter suffix preceded by nine numerical digits, which is pre-printed in Item 4 of the Manifest by a registered source.

~~[(81)]~~(84) "Mercury-containing equipment" means a device or part of a device, including thermostats, but excluding batteries and lamps, that contains elemental mercury integral to its function.

~~[(82)]~~(85) "Mining overburden returned to the mine site" means any material overlying an economic mineral deposit which is removed to gain access to that deposit and is then used for reclamation of a surface mine.

~~[(83)]~~(86) "Miscellaneous unit" means a hazardous waste management unit where hazardous waste is treated, stored, or disposed of and that is not a container, tank, surface impoundment, pile, land treatment unit, landfill, incinerator, boiler, industrial furnace, underground injection well with appropriate technical standards under 40 CFR 146, containment building, corrective action management unit, unit eligible for a research, development, and demonstration permit under Section R315-270-65, or staging pile.

~~[(84)]~~(87) "Monitoring" means all procedures used to systematically inspect and collect data on operational parameters of the facility or on the quality of the air, ground water, surface water, or soils.

~~[(85)]~~(88) "Movement" means that hazardous waste transported to a facility in an individual vehicle.

~~[(86)]~~(89) "New hazardous waste management facility" or "new facility" means a facility which began operation, or for which construction commenced after November 19, 1980. See also "Existing hazardous waste management facility".

~~[(87)]~~(90) "New tank system" or "new tank component" means a tank system or component that will be used for the storage or treatment of hazardous waste and for which installation has commenced after July 14, 1986; except, however, for purposes of Subsections R315-264-193(g)(2) and 40 CFR 265.193(g)(2), which is adopted and incorporated by reference, a new tank system is one for which construction commences after July 14, 1986, or December 16, 1988 for purposes of implementing the non-HSWA requirements of the tank regulations as promulgated by EPA on July 14, 1986, 51 FR 25470, as they have been incorporated into the corresponding rules of R315; except, however, for purposes of 40 CFR 265-193(g)(2), which is adopted and incorporated by reference, and Subsection R315-264-193(g)(2), a new tank system is one which construction commences after July 14, 1986. A non-HSWA new tank system or non-HSWA new tank component is one which does not implement any of the requirements of the federal Hazardous and Solid Waste Amendments of 1984 (HSWA) as identified in Table 1 of 40 CFR 271.1. See also "existing tank system."

~~[(88)]~~(91) "No free liquids, as used in Subsections R315-261-4(a)(26) and R315-261-4(b)(18)", means that solvent-contaminated wipes may not contain free liquids as determined by Method 9095B, Paint Filter Liquids Test, included in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Publication SW-846, and that there is no free liquid in the container holding the wipes. No free liquids may also be determined using another standard or test method as defined by the Director.

(92) "Non-acute hazardous waste" means all hazardous wastes

that are not acute hazardous waste, as defined in Section R315-260-10.

~~[(89)]~~(93) "On ground tank" means a device meeting the definition of "tank" in Section R315-260-10 and that is situated in such a way that the bottom of the tank is on the same level as the adjacent surrounding surface so that the external tank bottom cannot be visually inspected.

~~[(90)]~~(94) "On-site" means the same or geographically contiguous property which may be divided by public or private right-of-way, provided the entrance and exit between the properties is at a cross-roads intersection, and access is by crossing as opposed to going along, the right-of-way. Non-contiguous properties owned by the same person but connected by a right-of-way which he controls and to which the public does not have access, is also considered on-site property.

~~[(91)]~~(95) "Open burning" means the combustion of any material without the following characteristics:

(i) Control of combustion air to maintain adequate temperature for efficient combustion,

(ii) Containment of the combustion-reaction in an enclosed device to provide sufficient residence time and mixing for complete combustion, and

(iii) Control of emission of the gaseous combustion products.

See also "incineration" and "thermal treatment".

~~[(92)]~~(96) "Operator" means the person responsible for the overall operation of a facility.

~~[(93)]~~(97) "Owner" means the person who owns a facility or part of a facility.

~~[(94)]~~(98) "Partial closure" means the closure of a hazardous waste management unit in accordance with the applicable closure requirements of Rules R315-264 and 265 at a facility that contains other active hazardous waste management units. For example, partial closure may include the closure of a tank, including its associated piping and underlying containment systems, landfill cell, surface impoundment, waste pile, or other hazardous waste management unit, while other units of the same facility continue to operate.

~~[(95)]~~(99) "Polychlorinated biphenyl, PCB" and "PCBs" means any chemical substance that is limited to the biphenyl molecule that has been chlorinated to varying degrees or any combination of substances which contains such substance. PCB and PCBs as contained in PCB items are defined in Section R315-260-10. For any purposes under Rules R315-260 through 266, 268, 270, 273, R315-15, and R315-5-101, inadvertently generated non-Aroclor PCBs are defined as the total PCBs calculated following division of the quantity of monochlorinated biphenyls by 50 and dichlorinated biphenyls by 5.

~~[(96)]~~(100) "PCB Item" means any PCB Article, PCB Article Container, PCB Container, PCB Equipment, or anything that deliberately or unintentionally contains or has as a part of it any PCB or PCBs.

~~[(97)]~~(101) "Permit" means the plan approval as required by subsection 19-6-108(3)(a), or equivalent control document issued by the Director to implement the requirements of the Utah Solid and Hazardous Waste Act;

~~[(98)]~~(102) "Permittee" is defined in Subsection 19-6-102(18) and includes any person who has received an approval of a hazardous waste operation plan under Section 19-6-108 and Rule R315-262 or a

Federal RCRA permit for a treatment, storage, or disposal facility.

~~[(99)]~~(103) "Person" means an individual, trust, firm, joint stock company, Federal Agency, corporation, including a government corporation, partnership, association, State, municipality, commission, political subdivision of a State, or any interstate body.

~~[(100)]~~(104) "Personnel" or "facility personnel" means all persons who work at, or oversee the operations of, a hazardous waste facility, and whose actions or failure to act may result in noncompliance with the requirements of Rules R315-264 or 265.

~~[(101)]~~(105) "Pesticide" means any substance or mixture of substances intended for preventing, destroying, repelling, or mitigating any pest, or intended for use as a plant regulator, defoliant, or desiccant, other than any article that:

(i) Is a new animal drug under FFDCCA section 201(w), or

(ii) Is an animal drug that has been determined by regulation of the Secretary of Health and Human Services not to be a new animal drug, or

(iii) Is an animal feed under FFDCCA section 201(x) that bears or contains any substances described by Subsection R315-260-10~~[(101)]~~(c)(105)(i) or (ii).

~~[(102)]~~(106) "Pile" means any non-containerized accumulation of solid, nonflowing hazardous waste that is used for treatment or storage and that is not a containment building.

~~[(103)]~~(107) "Plasma arc incinerator" means any enclosed device using a high intensity electrical discharge or arc as a source of heat followed by an afterburner using controlled flame combustion and which is not listed as an industrial furnace.

~~[(104)]~~(108) "POHC's" means principle organic hazardous constituents.

~~[(105)]~~(109) "Point source" means any discernible, confined, and discrete conveyance, including, but not limited to any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation, or vessel or other floating craft, from which pollutants are or may be discharged. This term does not include return flows from irrigated agriculture.

~~[(106)]~~(110) "Precipitation run-off" means water generated from naturally occurring storm events. If the precipitation run-off has been in contact with a waste defined in Sections R315-261-20 through 24, it qualifies as "precipitation run-off" if the water does not exhibit any of the characteristics identified in Section R315-261-20 through 24. If the precipitation run-off has been in contact with a waste listed in Sections R315-261-30 through 35, then it qualifies as "precipitation run-off" when the water has been excluded under Section R315-260-22. Water containing any leachate does not qualify as "precipitation run-off".

~~[(107)]~~(111) "Publicly owned treatment works" or "POTW" means any device or system used in the treatment, including recycling and reclamation, of municipal sewage or industrial wastes of a liquid nature which is owned by the State or a political subdivision within the State. This definition includes sewers, pipes, or other conveyances only if they convey wastewater to a POTW providing treatment.

~~[(108)]~~(112) "Qualified Ground-Water Scientist" means a scientist or engineer who has received a baccalaureate or

post-graduate degree in the natural sciences or engineering, and has sufficient training and experience in ground-water hydrology and related fields as may be demonstrated by state registration, professional certifications, or completion of accredited university courses that enable that individual to make sound professional judgements regarding ground-water monitoring and contaminant fate and transport.

~~[(109)]~~(113) "RCRA" means the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act of 1976, as amended, 42 U.S.C. section 6901 et seq.

~~[(110)]~~(114) "Remanufacturing" means processing a higher-value hazardous secondary material in order to manufacture a product that serves a similar functional purpose as the original commercial-grade material. For the purpose of this definition, a hazardous secondary material is considered higher-value if it was generated from the use of a commercial-grade material in a manufacturing process and can be remanufactured into a similar commercial-grade material.

~~[(111)]~~(115) "Remediation waste" means all solid and hazardous wastes, and all media, including ground water, surface water, soils, and sediments, and debris, that are managed for implementing cleanup.

~~[(112)]~~(116) "Remediation waste management site" means a facility where an owner or operator is or will be treating, storing or disposing of hazardous remediation wastes. A remediation waste management site is not a facility that is subject to corrective action under Section R315-264-101, but is subject to corrective action requirements if the site is located in such a facility.

~~[(113)]~~(117) (i) "Replacement unit" means a landfill, surface impoundment, or waste pile unit:

(A) from which all or substantially all of the waste is removed; and

(B) that is subsequently reused to treat, store, or dispose of hazardous waste.

(ii) "Replacement unit" does not apply to a unit from which waste is removed during closure, if the subsequent reuse solely involves the disposal of waste from that unit and other closing units or corrective action areas at the facility, in accordance with a closure plan approved by the Director or a corrective action approved by the Director.

~~[(114)]~~(118) "Representative sample" means a sample of a universe or whole, e.g., waste pile, lagoon, ground water, which can be expected to exhibit the average properties of the universe or whole.

~~[(115)]~~(119) "Run-off" means any rainwater, leachate, or other liquid that drains over land from any part of a facility.

~~[(116)]~~(120) "Run-on" means any rainwater, leachate, or other liquid that drains over land onto any part of a facility.

~~[(117)]~~(121) "Saturated zone" or "zone of saturation" means that part of the earth's crust in which all voids are filled with water.

~~[(118)]~~(122) "Sludge" means any solid, semi-solid, or liquid waste generated from a municipal, commercial, or industrial wastewater treatment plant, water supply treatment plant, or air pollution control facility exclusive of the treated effluent from a wastewater treatment plant.

~~[(119)]~~(123) "Sludge dryer" means any enclosed thermal

treatment device that is used to dehydrate sludge and that has a maximum total thermal input, excluding the heating value of the sludge itself, of 2,500 Btu/lb of sludge treated on a wet-weight basis.

~~[(120)]~~(124) "Small Quantity Generator" [means a generator who generates less than 1000 kg of hazardous waste in a calendar month] is a generator who generates the following amounts in a calendar month:

(i) Greater than 100 kilograms (220 lbs) but less than 1,000 kilograms (2,200 lbs) of non-acute hazardous waste; and

(ii) Less than or equal to 1 kilogram (2.2 lbs) of acute hazardous waste listed in Section R315-261-31 or Subsection R315-261-33(e); and

(iii) Less than or equal to 100 kilograms (220 lbs) of any residue or contaminated soil, water, or other debris resulting from the cleanup of a spill, into or on any land or water, of any acute hazardous waste listed in Section R315-261-31 or Subsection R315-261-33(e).

~~[(121)]~~(125) "Solid Waste Management Unit" means any discernible unit at which solid wastes have been placed at any time, irrespective of whether the unit was intended for the management of solid or hazardous waste. Such units ~~include~~include any area at a facility at which solid wastes have been routinely and systematically released.

~~[(122)]~~(126) "Solvent-contaminated wipe" means:

(i) A wipe that, after use or after cleaning up a spill, either:

(A) Contains one or more of the F001 through F005 solvents listed in Section R315-261-31 or the corresponding P- or U- listed solvents found in Section R315-261-33;

(B) Exhibits a hazardous characteristic found in Sections R315-261-20 through 24 when that characteristic results from a solvent listed in Rule R315-261; and/or

(C) Exhibits only the hazardous waste characteristic of ignitability found in Section R315-261-21 due to the presence of one or more solvents that are not listed in Rule R315-261.

(ii) Solvent-contaminated wipes that contain listed hazardous waste other than solvents, or exhibit the characteristic of toxicity, corrosivity, or reactivity due to contaminants other than solvents, are not eligible for the exclusions at Subsections R315-261-4(a)(26) and R315-261-4(b)(18).

~~[(123)]~~(127) "Sorbent" means a material that is used to soak up free liquids by either adsorption or absorption, or both.

~~[(124)]~~(128) "Sorb" means to either adsorb or absorb, or both.

~~[(125)]~~(129) A "spent material" is any material that has been used and as a result of contamination can no longer serve the purpose for which it was produced without processing.

~~[(126)]~~(130) "Spill" means the accidental discharging, spilling, leaking, pumping, pouring, emitting, emptying, releasing, or dumping of hazardous wastes or materials which, when spilled, become hazardous wastes, into or on any land or water.

~~[(127)]~~(131) "Staging pile" means an accumulation of solid, non-flowing remediation waste, as defined in Section R315-260-10, that is not a containment building and that is used only during remedial operations for temporary storage at a facility. Staging piles shall be designated by the Director according to the requirements of Section

R315-264-554.

~~[(128)]~~(132) "State" means the state of Utah.

~~[(129)]~~(133) "Storage" is defined in Subsection 19-6-102(20) and includes the holding of hazardous waste for a temporary period, at the end of which the hazardous waste is treated, disposed of, or stored elsewhere.

~~[(130)]~~(134) "Sump" means any pit or reservoir that meets the definition of tank and those troughs/trenches connected to it that serve to collect hazardous waste for transport to hazardous waste storage, treatment, or disposal facilities; except that as used in the landfill, surface impoundment, and waste pile rules, "sump" means any lined pit or reservoir that serves to collect liquids drained from a leachate collection and removal system or leak detection system for subsequent removal from the system.

~~[(131)]~~(135) "Surface impoundment" or "impoundment" means a facility or part of a facility which is a natural topographic depression, man-made excavation, or diked area formed primarily of earthen materials, although it may be lined with man-made materials, which is designed to hold an accumulation of liquid wastes or wastes containing free liquids, and which is not an injection well. Examples of surface impoundments are holding, storage, settling, and aeration pits, ponds, and lagoons.

~~[(132)]~~(136) "Tank" means a stationary device, designed to contain an accumulation of hazardous waste which is constructed primarily of non-earthen materials, e.g., wood, concrete, steel, plastic, which provide structural support.

~~[(133)]~~(137) "Tank system" means a hazardous waste storage or treatment tank and its associated ancillary equipment and containment system.

~~[(134)]~~(138) "TEQ" means toxicity equivalence, the international method of relating the toxicity of various dioxin/furan congeners to the toxicity of 2,3,7,8-tetrachlorodibenzo-p-dioxin.

~~[(135)]~~(139) "Thermal treatment" means the treatment of hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the hazardous waste. Examples of thermal treatment processes are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. See also "incinerator" and "open burning".

~~[(136)]~~(140) "Thermostat" means a temperature control device that contains metallic mercury in an ampule attached to a bimetal sensing element, and mercury-containing ampules that have been removed from these temperature control devices in compliance with the requirements of Subsections R315-273-13(c)(2) or R315-273-33(c)(2).

~~[(137)]~~(141) "Totally enclosed treatment facility" means a facility for the treatment of hazardous waste which is directly connected to an industrial production process and which is constructed and operated in a manner which prevents the release of any hazardous waste or any constituent thereof into the environment during treatment. An example is a pipe in which waste acid is neutralized.

~~[(138)]~~(142) "Transfer facility" means any transportation-related facility, including loading docks, parking areas, storage areas and other similar areas where shipments of hazardous waste or hazardous secondary materials are held during the

normal course of transportation.

~~[(139)]~~(143) "Transport vehicle" means a motor vehicle or rail car used for the transportation of cargo by any mode. Each cargo-carrying body; trailer, railroad freight car, etc.; is a separate transport vehicle.

~~[(140)]~~(144) "Transportation" is defined in Subsection 19-6-102(21) and includes the movement of hazardous waste by air, rail, highway, or water.

~~[(141)]~~(145) "Transporter" means a person engaged in the offsite transportation of hazardous waste by air, rail, highway, or water.

~~[(142)]~~(146) (i) "Treatability [Study]study" means a study in which a hazardous waste is subjected to a treatment process to determine:

- (A) Whether the waste is amenable to the treatment process,
- (B) what pretreatment, if any, is required,
- (C) the optimal process conditions needed to achieve the desired treatment,
- (D) the efficiency of a treatment process for a specific waste or wastes, or
- (E) the characteristics and volumes of residuals from a particular treatment process.

(ii) Also included in this definition for the purpose of the Subsection R315-261-4 (e) and (f) exemptions are liner compatibility, corrosion, and other material compatibility studies and toxicological and health effects studies.

(iii) A "treatability study" is not a means to commercially treat or dispose of hazardous waste.

~~[(143)]~~(147) "Treatment" is defined in Subsection 19-6-102(22) and includes any method, technique, or process, including neutralization, designed to change the physical, chemical, or biological character or composition of any hazardous waste so as to neutralize such waste, or so as to recover energy or material resources from the waste, or so as to render such waste non-hazardous, or less hazardous; safer to transport, store, or dispose of; or amenable for recovery, amenable for storage, or reduced in volume.

~~[(144)]~~(148) "Treatment zone" means a soil area of the unsaturated zone of a land treatment unit within which hazardous constituents are degraded, transformed, or immobilized.

~~[(145)]~~(149) "Underground injection" means the subsurface emplacement of fluids through a bored, drilled or driven well; or through a dug well, where the depth of the dug well is greater than the largest surface dimension. See also "injection well".

~~[(146)]~~(150) "Underground tank" means a device meeting the definition of "tank" in Section R315-260-10 whose entire surface area is totally below the surface of and covered by the ground.

~~[(147)]~~(151) "Unfit-for use tank system" means a tank system that has been determined through an integrity assessment or other inspection to be no longer capable of storing or treating hazardous waste without posing a threat of release of hazardous waste to the environment.

~~[(148)]~~(152) "United States" means the 50 States, the District of Columbia, the Commonwealth of Puerto Rico, the U.S. Virgin Islands, Guam, American Samoa, and the Commonwealth of the Northern Mariana

Islands.

~~[(149)]~~(153) "Universal waste" means any of the following hazardous wastes that are managed under the universal waste requirements of Rule R315-273:

- (i) Batteries as described in Section R315-273-2;
- (ii) Pesticides as described in Section R315-273-3;
- (iii) Mercury-containing equipment as described in Section R315-273-4;
- (iv) Lamps as described in Section R315-273-5;
- (v) Antifreeze as described in Subsection R315-273-6(a); and
- (vi) Aerosol cans as described in Subsection R315-273-6(b).

~~[(150)]~~(154) Universal ~~[Waste Handler]~~waste handler

(i) Means:

- (A) A generator of universal waste; or
- (B) The owner or operator of a facility, including all contiguous property, that receives universal waste from other universal waste handlers, accumulates universal waste, and sends universal waste to another universal waste handler, to a destination facility, or to a foreign destination.

(ii) Does not mean:

(A) A person who treats, except under the provisions of Subsection R315-273-13(a) or (c), or R315-273-33(a) or (c), disposes of, or recycles universal waste; or

(B) A person engaged in the off-site transportation of universal waste by air, rail, highway, or water, including a universal waste transfer facility.

~~[(151)]~~(155) "Universal ~~[Waste Transporter]~~waste transporter" means a person engaged in the off-site transportation of universal waste by air, rail, highway, or water.

~~[(152)]~~(156) "Unsaturated zone" or "zone of aeration" means the zone between the land surface and the water table.

~~[(153)]~~(157) "Uppermost aquifer" means the geologic formation nearest the natural ground surface that is an aquifer, as well as lower aquifers that are hydraulically interconnected with this aquifer within the facility's property boundary.

~~[(154)]~~(158) Used oil is defined in Subsection 19-6-703(19).

~~[(155)]~~(159) "User of the electronic manifest system" means a hazardous waste generator, a hazardous waste transporter, an owner or operator of a hazardous waste treatment, storage, recycling, or disposal facility, or any other person that:

(i) Is required to use a manifest to comply with:

(A) Any federal or state requirement to track the shipment, transportation, and receipt of hazardous waste or other waste material that is shipped from the site of generation to an off-site designated facility for treatment, storage, recycling, or disposal; or

(B) Any federal or state requirement to track the shipment, transportation, and receipt of rejected wastes or regulated container residues that are shipped from a designated facility to an alternative facility, or returned to the generator; and

(ii) Elects to use the system to obtain, complete and transmit an electronic manifest format supplied by the EPA electronic manifest system, or

(iii) Elects to use the paper manifest form and submits to the system for data processing purposes a paper copy of the manifest,

or data from such a paper copy, in accordance with Subsections R315-264-71(a)(2)(v) or [~~40 CFR~~]R315-265[~~-~~]-71(a)(2)(v)[~~which is adopted and incorporated by reference~~]. These paper copies are submitted for data exchange purposes only and are not the official copies of record for legal purposes.

(160) "Very small quantity generator" is a generator who generates less than or equal to the following amounts in a calendar month:

(i) 100 kilograms (220 lbs) of non-acute hazardous waste; and

(ii) 1 kilogram (2.2 lbs) of acute hazardous waste listed in Section R315-261-31 or Subsection R315-261-33(e); and

(iii) 100 kilograms (220 lbs) of any residue or contaminated soil, water, or other debris resulting from the cleanup of a spill, into or on any land or water, of any acute hazardous waste listed in Section R315-261-31 or Subsection R315-261-33(e).

~~[(156)]~~(161) "Vessel" includes every description of watercraft, used or capable of being used as a means of transportation on the water.

~~[(157)]~~(162) "Waste management area" means the limit projected in the horizontal plane of the area on which waste will be placed during the active life of a regulated unit. The waste management area includes horizontal space taken up by any liner, dike, or other barrier designed to contain waste in a regulated unit. If the facility contains more than one regulated unit, the waste management area is described by an imaginary line circumscribing the several regulated units.

~~[(158)]~~(163) "Wastewater treatment unit" means a device which:

(i) Is part of a wastewater treatment facility that is subject to regulation under either section 402 or 307(b) of the Clean Water Act; and

(ii) Receives and treats or stores an influent wastewater that is a hazardous waste as defined in Section R315-261-3, or that generates and accumulates a wastewater treatment sludge that is a hazardous waste as defined in Section R315-261-3, or treats or stores a wastewater treatment sludge which is a hazardous waste as defined in Section R315-261-3; and

(iii) Meets the definition of tank or tank system in Section R315-260-10.

~~[(159)]~~(164) "Water, bulk shipment" means the bulk transportation of hazardous waste which is loaded or carried on board a vessel without containers or labels.

~~[(160)]~~(165) "Well" means any shaft or pit dug or bored into the earth, generally of a cylindrical form, and often walled with bricks or tubing to prevent the earth from caving in.

~~[(161)]~~(166) "Well injection": See "underground injection"

~~[(162)]~~(167) "Wipe" means a woven or non-woven shop towel, rag, pad, or swab made of wood pulp, fabric, cotton, polyester blends, or other material.

~~[(163)]~~(168) "Zone of engineering control" means an area under the control of the owner/operator that, upon detection of a hazardous waste release, can be readily cleaned up prior to the release of hazardous waste or hazardous constituents to ground water or surface water.

**R315-260-11. References.**

(a) For purposes of Rules R315-260 through 266, 268, 270, and 273, Rule R315-15 and Rule R315-101, the references of 40 CFR 260.11, 2015 ed, as amended by 81 FR 85806, November 28, 2016, [is]are adopted and incorporated by reference.

**KEY: hazardous waste**

**Date of Enactment or Last Substantive Amendment: June 10, 2016**

**Authorizing, and Implemented or Interpreted Law: 19-1-301; 19-6-105; 19-6-106; 63G-4-201 through 63G-4-205; 63G-4-503**

**R315. Environmental Quality, Waste Management and Radiation Control, Waste Management.**

**R315-261. General Requirements - Identification and Listing of Hazardous Waste.**

**R315-261-1. Purpose and Scope.**

(a) This rule identifies those solid wastes which are subject to regulation as hazardous wastes under Rules R315-262 through 265, 268, 270, and 124 and which are subject to the notification requirements of these rules.

(1) Sections R315-261-1 through 9 define the terms "solid waste" and "hazardous waste", identify those wastes which are excluded from regulation under Rules R315-262 through R315-266, R315-268 and R315-270 and ~~establishes~~ establish special management requirements for hazardous waste produced by ~~conditionally exempt~~ very small quantity generators and hazardous waste which is recycled.

(2) Sections R315-261-10 and 11 set forth the criteria used to identify characteristics of hazardous waste and to list particular hazardous wastes.

(3) Sections R315-261-20 through 24 identify characteristics of hazardous waste.

(4) Sections R315-261-30 through 35 list particular hazardous wastes.

(b)(1) The definition of solid waste contained in this rule applies only to wastes that also are hazardous for purposes of the rules implementing Title 19 Chapter 6. For example, it does not apply to materials such as non-hazardous scrap, paper, textiles, or rubber that are not otherwise hazardous wastes and that are recycled.

(2) Rule R315-261 identifies only some of the materials which are solid wastes and hazardous wastes under the Utah Solid and Hazardous Waste Act. A material which is not defined as a solid waste in Rule R315-261, or is not a hazardous waste identified or listed in Rule R315-261, is still a solid waste and a hazardous waste for purposes of these sections if:

(i) In the case of section 19-6-109, the Director has reason to believe that the material may be a solid waste within the meaning of Subsection 19-6-102(13) and a hazardous waste within the meaning of Subsection 19-6-102(7) or

(ii) In the case of section 19-6-115, the material is presenting an imminent and substantial danger to human health or the environment.

(c) For the purposes of Sections R315-261-2 and 261-6:

(1) A "spent material" is any material that has been used and as a result of contamination can no longer serve the purpose for which it was produced without processing;

(2) "Sludge" has the same meaning used in Section R315-260-10;

(3) A "by-product" is a material that is not one of the primary products of a production process and is not solely or separately produced by the production process. Examples are process residues such as slags or distillation column bottoms. The term does not include a co-product that is produced for the general public's use and is ordinarily used in the form it is produced by the process.

(4) A material is "reclaimed" if it is processed to recover

a usable product, or if it is regenerated. Examples are recovery of lead values from spent batteries and regeneration of spent solvents.

In addition, for purposes of Subsections R315-261-4(a)(23), and (24) smelting, melting and refining furnaces are considered to be solely engaged in metals reclamation if the metal recovery from the hazardous secondary materials meets the same requirements as those specified for metals recovery from hazardous waste found in Subsection R315-266-100(d)(1) through (3), and if the residuals meet the requirements specified in Section R315-266-112.

(5) A material is "used or reused" if it is either:

(i) Employed as an ingredient, including use as an intermediate, in an industrial process to make a product, for example, distillation bottoms from one process used as feedstock in another process. However, a material will not satisfy this condition if distinct components of the material are recovered as separate end products, as when metals are recovered from metal-containing secondary materials; or

(ii) Employed in a particular function or application as an effective substitute for a commercial product, for example, spent pickle liquor used as phosphorous precipitant and sludge conditioner in wastewater treatment.

(6) "Scrap metal" is bits and pieces of metal[+] parts; for example bars, turnings, rods, sheets, or wire[+]; or metal pieces that may be combined together with bolts or soldering[+]; for example radiators, scrap automobiles, or railroad box cars[+]; which when worn or superfluous can be recycled.

(7) A material is "recycled" if it is used, reused, or reclaimed.

(8) A material is "accumulated speculatively" if it is accumulated before being recycled. A material is not accumulated speculatively, however, if the person accumulating it can show that the material is potentially recyclable and has a feasible means of being recycled; and that during the calendar year, commencing on January 1, the amount of material that is recycled, or transferred to a different site for recycling, equals at least 75 percent by weight or volume of the amount of that material accumulated at the beginning of the period. Materials shall be placed in a storage unit with a label indicating the first date that the material began to be accumulated. If placing a label on the storage unit is not practicable, the accumulation period shall be documented through an inventory log or other appropriate method. In calculating the percentage of turnover, the 75 percent requirement is to be applied to each material of the same type, e.g., slags from a single smelting process, that is recycled in the same way, i.e., from which the same material is recovered or that is used in the same way. Materials accumulating in units that would be exempt from regulation under Subsection R315-261-4(c) are not to be included in making the calculation. Materials that are already defined as solid wastes also are not to be included in making the calculation. Materials are no longer in this category once they are removed from accumulation for recycling, however.

(9) "Excluded scrap metal" is processed scrap metal, unprocessed home scrap metal, and unprocessed prompt scrap metal.

(10) "Processed scrap metal" is scrap metal which has been manually or physically altered to either separate it into distinct

materials to enhance economic value or to improve the handling of materials. Processed scrap metal includes, but is not limited to scrap metal which has been baled, shredded, sheared, chopped, crushed, flattened, cut, melted, or separated by metal type, i.e., sorted, and, fines, drosses and related materials which have been agglomerated. Note: shredded circuit boards being sent for recycling are not considered processed scrap metal. They are covered under the exclusion from the definition of solid waste for shredded circuit boards being recycled Subsection R315-261-4(a)(14).

(11) "Home scrap metal" is scrap metal as generated by steel mills, foundries, and refineries such as turnings, cuttings, punchings, and borings.

(12) "Prompt scrap metal" is scrap metal as generated by the metal working/fabrication industries and includes such scrap metal as turnings, cuttings, punchings, and borings. Prompt scrap is also known as industrial or new scrap metal.

#### **R315-261-4. Exclusions.**

(a) Materials which are not solid wastes. The following materials are not solid wastes for the purpose of Rule R315-261:

(1)(i) Domestic sewage; and

(ii) Any mixture of domestic sewage and other wastes that passes through a sewer system to a publicly-owned treatment works for treatment. "Domestic sewage" means untreated sanitary wastes that pass through a sewer system.

(2) Industrial wastewater discharges that are point source discharges subject to regulation under section 402 of the Clean Water Act, as amended. This exclusion applies only to the actual point source discharge. It does not exclude industrial wastewaters while they are being collected, stored or treated before discharge, nor does it exclude sludges that are generated by industrial wastewater treatment.

(3) Irrigation return flows.

(4) Source, special nuclear or by-product material as defined by the Atomic Energy Act of 1954, as amended, 42 U.S.C. 2011 et seq.

(5) Materials subjected to in-situ mining techniques which are not removed from the ground as part of the extraction process.

(6) Pulping liquors, i.e., black liquor, that are reclaimed in a pulping liquor recovery furnace and then reused in the pulping process, unless it is accumulated speculatively as defined in Subsection R315-261-1(c).

(7) Spent sulfuric acid used to produce virgin sulfuric acid[~~+~~ unless] provided it is not accumulated speculatively as defined in Subsection R315-261-1(c).

(8) Secondary materials that are reclaimed and returned to the original process or processes in which they were generated where they are reused in the production process provided:

(i) Only tank storage is involved, and the entire process through completion of reclamation is closed by being entirely connected with pipes or other comparable enclosed means of conveyance;

(ii) Reclamation does not involve controlled flame combustion, such as occurs in boilers, industrial furnaces, or incinerators;

(iii) The secondary materials are never accumulated in such tanks for over twelve months without being reclaimed; and

(iv) The reclaimed material is not used to produce a fuel, or used to produce products that are used in a manner constituting disposal.

(9)(i) Spent wood preserving solutions that have been reclaimed and are reused for their original intended purpose; and

(ii) Wastewaters from the wood preserving process that have been reclaimed and are reused to treat wood.

(iii) Prior to reuse, the wood preserving wastewaters and spent wood preserving solutions described in Subsections R315-261-4(a)(9)(i) and (ii), so long as they meet all of the following conditions:

(A) The wood preserving wastewaters and spent wood preserving solutions are reused on-site at water borne plants in the production process for their original intended purpose;

(B) Prior to reuse, the wastewaters and spent wood preserving solutions are managed to prevent release to either land or groundwater or both;

(C) Any unit used to manage wastewaters and/or spent wood preserving solutions prior to reuse can be visually or otherwise determined to prevent such releases;

(D) Any drip pad used to manage the wastewaters and/or spent wood preserving solutions prior to reuse complies with the standards in 40 CFR 265.440 through ~~[R315-265-445]~~265.445, which are adopted and incorporated by reference, regardless of whether the plant generates a total of less than 100 kg/month of hazardous waste; and

(E) Prior to operating pursuant to this exclusion, the plant owner or operator prepares a one-time notification stating that the plant intends to claim the exclusion, giving the date on which the plant intends to begin operating under the exclusion, and containing the following language: "I have read the applicable regulation establishing an exclusion for wood preserving wastewaters and spent wood preserving solutions and understand it requires me to comply at all times with the conditions set out in the regulation." The plant shall maintain a copy of that document in its on-site records until closure of the facility. The exclusion applies so long as the plant meets all of the conditions. If the plant goes out of compliance with any condition, it may apply to the Director for reinstatement.

The Director may reinstate the exclusion upon finding that the plant has returned to compliance with all conditions and that the violations are not likely to recur.

(10) EPA Hazardous Waste Nos. K060, K087, K141, K142, K143, K144, K145, K147, and K148, and any wastes from the coke by-products processes that are hazardous only because they exhibit the Toxicity Characteristic specified in Section R315-261-24, subsequent to generation, these materials are recycled to coke ovens, to the tar recovery process as a feedstock to produce coal tar, or mixed with coal tar prior to the tar's sale or refining. This exclusion is conditioned on there being no land disposal of the wastes from the point they are generated to the point they are recycled to coke ovens or tar recovery or refining processes, or mixed with coal tar.

(11) Nonwastewater splash condenser dross residue from the treatment of K061 in high temperature metals recovery units, provided it is shipped in drums, if shipped and not land disposed before recovery.

(12)(i) Oil-bearing hazardous secondary materials, i.e., sludges, byproducts, or spent materials, that are generated at a petroleum refinery, SIC code 2911, and are inserted into the petroleum refining process, SIC code 2911-including, but not limited to, distillation, catalytic cracking, fractionation, or thermal cracking units, i.e., cokers, unless the material is placed on the land, or speculatively accumulated before being so recycled. Materials inserted into thermal cracking units are excluded under Subsection R315-261-4(12)(i), provided that the coke product also does not exhibit a characteristic of hazardous waste. Oil-bearing hazardous secondary materials may be inserted into the same petroleum refinery where they are generated, or sent directly to another petroleum refinery and still be excluded under this provision. Except as provided in Subsection R315-261-4(a)(12)(ii), oil-bearing hazardous secondary materials generated elsewhere in the petroleum industry, i.e., from sources other than petroleum refineries, are not excluded under Section R315-261-4. Residuals generated from processing or recycling materials excluded under Subsection R315-261-4(a)(12)(i), where such materials as generated would have otherwise met a listing under Sections R315-261-30 through R315-261-35, are designated as F037 listed wastes when disposed of or intended for disposal.

(ii) Recovered oil that is recycled in the same manner and with the same conditions as described in Subsection R315-261-4(a)(12)(i).

Recovered oil is oil that has been reclaimed from secondary materials, including wastewater, generated from normal petroleum industry practices, including refining, exploration and production, bulk storage, and transportation incident thereto, SIC codes 1311, 1321, 1381, 1382, 1389, 2911, 4612, 4613, 4922, 4923, 4789, 5171, and 5172.

Recovered oil does not include oil-bearing hazardous wastes listed in Sections R315-261-30 through 35; however, oil recovered from such wastes may be considered recovered oil. Recovered oil does not include used oil as defined in Subsection 19-6-703(19).

(13) Excluded scrap metal (processed scrap metal, unprocessed home scrap metal, and unprocessed prompt scrap metal) being recycled.

(14) Shredded circuit boards being recycled provided that they are:

(i) Stored in containers sufficient to prevent a release to the environment prior to recovery; and

(ii) Free of mercury switches, mercury relays and nickel-cadmium batteries and lithium batteries.

(15) Condensates derived from the overhead gases from kraft mill steam strippers that are used to comply with 40 CFR 63.446(e).

The exemption applies only to combustion at the mill generating the condensates.

(16) Reserved.

(17) Spent materials, as defined in Section R315-261-1, other than hazardous wastes listed in Sections R315-261-30 through 35, generated within the primary mineral processing industry from which minerals, acids, cyanide, water, or other values are recovered by mineral processing or by beneficiation, provided that:

(i) The spent material is legitimately recycled to recover minerals, acids, cyanide, water or other values;

(ii) The spent material is not accumulated speculatively;

(iii) Except as provided in Subsection R315-261-4(a)(17)(iv),

the spent material is stored in tanks, containers, or buildings meeting the following minimum integrity standards: a building shall be an engineered structure with a floor, walls, and a roof all of which are made of non-earthen materials providing structural support, except smelter buildings may have partially earthen floors provided the secondary material is stored on the non-earthen portion, and have a roof suitable for diverting rainwater away from the foundation; a tank shall be free standing, not be a surface impoundment, as defined in Section R315-260-10, and be manufactured of a material suitable for containment of its contents; a container shall be free standing and be manufactured of a material suitable for containment of its contents. If tanks or containers contain any particulate which may be subject to wind dispersal, the owner/operator shall operate these units in a manner which controls fugitive dust. Tanks, containers, and buildings shall be designed, constructed and operated to prevent significant releases to the environment of these materials.

(iv) The Director may make a site-specific determination, after public review and comment, that only solid mineral processing spent material may be placed on pads rather than tanks containers, or buildings. Solid mineral processing spent materials do not contain any free liquid. The Director shall affirm that pads are designed, constructed and operated to prevent significant releases of the secondary material into the environment. Pads shall provide the same degree of containment afforded by the non-RCRA tanks, containers and buildings eligible for exclusion.

(A) The Director shall also consider if storage on pads poses the potential for significant releases via groundwater, surface water, and air exposure pathways. Factors to be considered for assessing the groundwater, surface water, air exposure pathways are: The volume and physical and chemical properties of the secondary material, including its potential for migration off the pad; the potential for human or environmental exposure to hazardous constituents migrating from the pad via each exposure pathway, and the possibility and extent of harm to human and environmental receptors via each exposure pathway.

(B) Pads shall meet the following minimum standards: Be designed of non-earthen material that is compatible with the chemical nature of the mineral processing spent material, capable of withstanding physical stresses associated with placement and removal, have run on/runoff controls, be operated in a manner which controls fugitive dust, and have integrity assurance through inspections and maintenance programs.

(C) Before making a determination under Subsection R315-261-4(a)(17)(iv), the Director shall provide notice and the opportunity for comment to all persons potentially interested in the determination. This can be accomplished by placing notice of this action in major local newspapers, or broadcasting notice over local radio stations.

(v) The owner or operator provides notice to the Director providing the following information: The types of materials to be recycled; the type and location of the storage units and recycling processes; and the annual quantities expected to be placed in land-based units. This notification shall be updated when there is a change in the type of materials recycled or the location of the recycling process.

(vi) For purposes of Subsection R315-261-4(b)(7), mineral processing spent materials shall be the result of mineral processing and may not include any listed hazardous wastes. Listed hazardous wastes and characteristic hazardous wastes generated by non-mineral processing industries are not eligible for the conditional exclusion from the definition of solid waste.

(18) Petrochemical recovered oil from an associated organic chemical manufacturing facility, where the oil is to be inserted into the petroleum refining process, SIC code 2911, along with normal petroleum refinery process streams, provided:

(i) The oil is hazardous only because it exhibits the characteristic of ignitability, as defined in Section R315-261-21, and/or toxicity for benzene, Section R315-261-24, waste code D018; and

(ii) The oil generated by the organic chemical manufacturing facility is not placed on the land, or speculatively accumulated before being recycled into the petroleum refining process. An "associated organic chemical manufacturing facility" is a facility where the primary SIC code is 2869, but where operations may also include SIC codes 2821, 2822, and 2865; and is physically co-located with a petroleum refinery; and where the petroleum refinery to which the oil being recycled is returned also provides hydrocarbon feedstocks to the organic chemical manufacturing facility. "Petrochemical recovered oil" is oil that has been reclaimed from secondary materials, i.e., sludges, byproducts, or spent materials, including wastewater, from normal organic chemical manufacturing operations, as well as oil recovered from organic chemical manufacturing processes.

(19) Spent caustic solutions from petroleum refining liquid treating processes used as a feedstock to produce cresylic or naphthenic acid unless the material is placed on the land, or accumulated speculatively as defined in Subsection R315-261-1(c).

(20) Hazardous secondary materials used to make zinc fertilizers, provided that the following conditions specified are satisfied:

(i) Hazardous secondary materials used to make zinc micronutrient fertilizers shall not be accumulated speculatively, as defined in Subsection R315-261-1(c)(8).

(ii) Generators and intermediate handlers of zinc-bearing hazardous secondary materials that are to be incorporated into zinc fertilizers shall:

(A) Submit a one-time notice to the Director, which contains the name, address and EPA ID number of the generator or intermediate handler facility, provides a brief description of the secondary material that will be subject to the exclusion, and identifies when the manufacturer intends to begin managing excluded, zinc-bearing hazardous secondary materials under the conditions specified in Subsection R315-261-4(a)(20).

(B) Store the excluded secondary material in tanks, containers, or buildings that are constructed and maintained in a way that prevents releases of the secondary materials into the environment. At a minimum, any building used for this purpose shall be an engineered structure made of non-earthen materials that provide structural support, and shall have a floor, walls and a roof that prevent wind dispersal and contact with rainwater. Tanks used for this purpose

shall be structurally sound and, if outdoors, shall have roofs or covers that prevent contact with wind and rain. Containers used for this purpose shall be kept closed except when it is necessary to add or remove material, and shall be in sound condition. Containers that are stored outdoors shall be managed within storage areas that:

(I) Have containment structures or systems sufficiently impervious to contain leaks, spills and accumulated precipitation; and

(II) Provide for effective drainage and removal of leaks, spills and accumulated precipitation; and

(III) Prevent run-on into the containment system.

(C) With each off-site shipment of excluded hazardous secondary materials, provide written notice to the receiving facility that the material is subject to the conditions of Subsection R315-261-4(a)(20).

(D) Maintain at the generator's or intermediate handlers's facility for no less than three years records of all shipments of excluded hazardous secondary materials. For each shipment these records shall at a minimum contain the following information:

(I) Name of the transporter and date of the shipment;

(II) Name and address of the facility that received the excluded material, and documentation confirming receipt of the shipment; and

(III) Type and quantity of excluded secondary material in each shipment.

(iii) Manufacturers of zinc fertilizers or zinc fertilizer ingredients made from excluded hazardous secondary materials shall:

(A) Store excluded hazardous secondary materials in accordance with the storage requirements for generators and intermediate handlers, as specified in Subsection R315-261-4(a)(20)(ii)(B).

(B) Submit a one-time notification to the Director that, at a minimum, specifies the name, address and EPA ID number of the manufacturing facility, and identifies when the manufacturer intends to begin managing excluded, zinc-bearing hazardous secondary materials under the conditions specified in Subsection R315-261-4(a)(20).

(C) Maintain for a minimum of three years records of all shipments of excluded hazardous secondary materials received by the manufacturer, which shall at a minimum identify for each shipment the name and address of the generating facility, name of transporter and date the materials were received, the quantity received, and a brief description of the industrial process that generated the material.

(D) Submit to the Director an annual report that identifies the total quantities of all excluded hazardous secondary materials that were used to manufacture zinc fertilizers or zinc fertilizer ingredients in the previous year, the name and address of each generating facility, and the industrial process(s) from which they were generated.

(iv) Nothing in Section R315-261-4 preempts, overrides or otherwise negates the provision in Section R315-262-11, which requires any person who generates a solid waste to determine if that waste is a hazardous waste.

(v) Interim status and permitted storage units that have been used to store only zinc-bearing hazardous wastes prior to the submission of the one-time notice described in Subsection

R315-261-4(a)(20)(ii)(A), and that afterward will be used only to store hazardous secondary materials excluded under Subsection R315-261-4(a)(20), are not subject to the closure requirements of Rules R315-264 and R315-265.

(21) Zinc fertilizers made from hazardous wastes, or hazardous secondary materials that are excluded under Subsection R315-261-4(a)(20), provided that:

- (i) The fertilizers meet the following contaminant limits:
  - (A) For metal contaminants:

TABLE

Constituent	Maximum Allowable Total Concentration in Fertilizer, per Unit (1%) of Zinc ppm)
Arsenic	0.3
Cadmium	1.4
Chromium	0.6
Lead	2.8
Mercury	0.3

(B) For dioxin contaminants the fertilizer shall contain no more than eight (8) parts per trillion of dioxin, measured as toxic equivalent.

(ii) The manufacturer performs sampling and analysis of the fertilizer product to determine compliance with the contaminant limits for metals no less than every six months, and for dioxins no less than every twelve months. Testing shall also be performed whenever changes occur to manufacturing processes or ingredients that could significantly affect the amounts of contaminants in the fertilizer product. The manufacturer may use any reliable analytical method to demonstrate that no constituent of concern is present in the product at concentrations above the applicable limits. It is the responsibility of the manufacturer to ensure that the sampling and analysis are unbiased, precise, and representative of the product(s) introduced into commerce.

(iii) The manufacturer maintains for no less than three years records of all sampling and analyses performed for purposes of determining compliance with the requirements of Subsection R315-261-4(a)(21)(ii). Such records shall at a minimum include:

(A) The dates and times product samples were taken, and the dates the samples were analyzed;

(B) The names and qualifications of the person(s) taking the samples;

(C) A description of the methods and equipment used to take the samples;

(D) The name and address of the laboratory facility at which analyses of the samples were performed;

(E) A description of the analytical methods used, including any cleanup and sample preparation methods; and

(F) All laboratory analytical results used to determine compliance with the contaminant limits specified in this Subsection R315-261-4(a)(21).

(22) Used cathode ray tubes (CRTs)

(i) Used, intact CRTs as defined in Section R315-260-10 are

not solid wastes within the United States unless they are disposed, or unless they are speculatively accumulated as defined in Subsection R315-261-1(c)(8) by CRT collectors or glass processors.

(ii) Used, intact CRTs as defined in Section R315-260-10 are not solid wastes when exported for recycling provided that they meet the requirements of Section R315-261-40.

(iii) Used, broken CRTs as defined in Section R315-260-10 are not solid wastes provided that they meet the requirements of Section R315-261-39.

(iv) Glass removed from CRTs is not a solid waste provided that it meets the requirements of Section R315-261-39(c).

(23) Hazardous secondary material generated and legitimately reclaimed within the United States or its territories and under the control of the generator, provided that the material complies with Subsections R315-261-4(a)(23)(i) and (ii):

(i)(A) The hazardous secondary material is generated and reclaimed at the generating facility, for purposes of this definition, generating facility means all contiguous property owned, leased, or otherwise controlled by the hazardous secondary material generator; or

(B) The hazardous secondary material is generated and reclaimed at different facilities, if the reclaiming facility is controlled by the generator or if both the generating facility and the reclaiming facility are controlled by a person as defined in Section R315-260-10, and if the generator provides one of the following certifications: "on behalf of (insert generator facility name), I certify that this facility will send the indicated hazardous secondary material to (insert reclaimer facility name), which is controlled by (insert generator facility name) and that (insert name of either facility) has acknowledged full responsibility for the safe management of the hazardous secondary material," or "on behalf of (insert generator facility name), I certify that this facility will send the indicated hazardous secondary material to (insert reclaimer facility name), that both facilities are under common control, and that (insert name of either facility) has acknowledged full responsibility for the safe management of the hazardous secondary material." For purposes of this paragraph, "control" means the power to direct the policies of the facility, whether by the ownership of stock, voting rights, or otherwise, except that contractors who operate facilities on behalf of a different person as defined in Section R315-260-10 shall not be deemed to "control" such facilities. The generating and receiving facilities shall both maintain at their facilities for no less than three years records of hazardous secondary materials sent or received under this exclusion. In both cases, the records shall contain the name of the transporter, the date of the shipment, and the type and quantity of the hazardous secondary material shipped or received under the exclusion. These requirements may be satisfied by routine business records, e.g., financial records, bills of lading, copies of DOT shipping papers, or electronic confirmations; or

(C) The hazardous secondary material is generated pursuant to a written contract between a tolling contractor and a toll manufacturer and is reclaimed by the tolling contractor, if the tolling contractor certifies the following: "On behalf of (insert tolling contractor name), I certify that (insert tolling contractor name) has a written

contract with (insert toll manufacturer name) to manufacture (insert name of product or intermediate) which is made from specified unused materials, and that (insert tolling contractor name) will reclaim the hazardous secondary materials generated during this manufacture.

On behalf of (insert tolling contractor name), I also certify that (insert tolling contractor name) retains ownership of, and responsibility for, the hazardous secondary materials that are generated during the course of the manufacture, including any releases of hazardous secondary materials that occur during the manufacturing process". The tolling contractor shall maintain at its facility for no less than three years records of hazardous secondary materials received pursuant to its written contract with the tolling manufacturer, and the tolling manufacturer shall maintain at its facility for no less than three years records of hazardous secondary materials shipped pursuant to its written contract with the tolling contractor. In both cases, the records shall contain the name of the transporter, the date of the shipment, and the type and quantity of the hazardous secondary material shipped or received pursuant to the written contract. These requirements may be satisfied by routine business records, e.g., financial records, bills of lading, copies of DOT shipping papers, or electronic confirmations. For purposes of Subsection R315-261-4(a)(23)(i)(C), tolling contractor means a person who arranges for the production of a product or intermediate made from specified unused materials through a written contract with a toll manufacturer. Toll manufacturer means a person who produces a product or intermediate made from specified unused materials pursuant to a written contract with a tolling contractor.

(ii)(A) The hazardous secondary material is contained as defined in Section R315-260-10. A hazardous secondary material released to the environment is discarded and a solid waste unless it is immediately recovered for the purpose of reclamation. Hazardous secondary material managed in a unit with leaks or other continuing or intermittent unpermitted releases is discarded and a solid waste.

(B) The hazardous secondary material is not speculatively accumulated, as defined in Subsection R315-261-1(c)(8).

(C) Notice is provided as required by Section R315-260-42.

(D) The material is not otherwise subject to material-specific management conditions under Subsection R315-261-4(a) when reclaimed, and it is not a spent lead-acid battery, see Sections R315-266-80 and R315-273-2.

(E) Persons performing the recycling of hazardous secondary materials under this exclusion shall maintain documentation of their legitimacy determination on-site. Documentation shall be a written description of how the recycling meets all four factors in Subsection R315-260-43(a). Documentation shall be maintained for three years after the recycling operation has ceased.

(F) The emergency preparedness and response requirements found in Sections R315-261-400, 410, 411 and 420 are met.

(24) Hazardous secondary material that is generated and then transferred to a verified reclamation facility for the purpose of reclamation is not a solid waste, provided that:

(i) The material is not speculatively accumulated, as defined in Subsection R315-261-1(c)(8);

(ii) The material is not handled by any person or facility other

than the hazardous secondary material generator, the transporter, an intermediate facility or a reclaimer, and, while in transport, is not stored for more than 10 days at a transfer facility, as defined in Section R315-260-10, and is packaged according to applicable Department of Transportation regulations at 49 CFR parts 173, 178, and 179 while in transport;

(iii) The material is not otherwise subject to material-specific management conditions under Subsection R315-261-4(a) when reclaimed, and it is not a spent lead-acid battery, see Sections R315-266-80 and R315-273-2;

(iv) The reclamation of the material is legitimate, as specified under Section R315-260-43;

(v) The hazardous secondary material generator satisfies all of the following conditions:

(A) The material shall be contained as defined in Section R315-260-10. A hazardous secondary material released to the environment is discarded and a solid waste unless it is immediately recovered for the purpose of recycling. Hazardous secondary material managed in a unit with leaks or other continuing releases is discarded and a solid waste.

(B) The hazardous secondary material generator shall arrange for transport of hazardous secondary materials to a verified reclamation facility, or facilities, in the United States. A verified reclamation facility is a facility that has been granted an exclusion under Subsection R315-260-31(d), or a reclamation facility where the management of the hazardous secondary materials is addressed under a hazardous waste Part B permit or interim status standards. If the hazardous secondary material will be passing through an intermediate facility, the intermediate facility shall have been granted an exclusion under Subsection R315-260-31(d) or the management of the hazardous secondary materials at that facility shall be addressed under a hazardous waste Part B permit or interim status standards, and the hazardous secondary material generator shall make contractual arrangements with the intermediate facility to ensure that the hazardous secondary material is sent to the reclamation facility identified by the hazardous secondary material generator.

(C) The hazardous secondary material generator shall maintain at the generating facility for no less than three years records of all off-site shipments of hazardous secondary materials. For each shipment, these records shall, at a minimum, contain the following information:

(I) Name of the transporter and date of the shipment;

(II) Name and address of each reclaimer and, if applicable, the name and address of each intermediate facility to which the hazardous secondary material was sent;

(III) The type and quantity of hazardous secondary material in the shipment.

(D) The hazardous secondary material generator shall maintain at the generating facility for no less than three years confirmations of receipt from each reclaimer and, if applicable, each intermediate facility for all off-site shipments of hazardous secondary materials.

Confirmations of receipt shall include the name and address of the reclaimer, or intermediate facility, the type and quantity of the hazardous secondary materials received and the date which the

hazardous secondary materials were received. This requirement may be satisfied by routine business records, e.g., financial records, bills of lading, copies of DOT shipping papers, or electronic confirmations of receipt;

(E) The hazardous secondary material generator shall comply with the emergency preparedness and response conditions in Sections R315-261-400, 410, 411, and 420.

(vi) Reclaimers of hazardous secondary material excluded from regulation under this exclusion and intermediate facilities as defined in Section R315-260-10 satisfy all of the following conditions:

(A) The reclaimer and intermediate facility shall maintain at its facility for no less than three years records of all shipments of hazardous secondary material that were received at the facility and, if applicable, for all shipments of hazardous secondary materials that were received and subsequently sent off-site from the facility for further reclamation. For each shipment, these records shall at a minimum contain the following information:

(I) Name of the transporter and date of the shipment;

(II) Name and address of the hazardous secondary material generator and, if applicable, the name and address of the reclaimer or intermediate facility which the hazardous secondary materials were received from;

(III) The type and quantity of hazardous secondary material in the shipment; and

(IV) For hazardous secondary materials that, after being received by the reclaimer or intermediate facility, were subsequently transferred off-site for further reclamation, the name and address of the, subsequent, reclaimer and, if applicable, the name and address of each intermediate facility to which the hazardous secondary material was sent.

(B) The intermediate facility shall send the hazardous secondary material to the reclaimer(s) designated by the hazardous secondary materials generator.

(C) The reclaimer and intermediate facility shall send to the hazardous secondary material generator confirmations of receipt for all off-site shipments of hazardous secondary materials. Confirmations of receipt shall include the name and address of the reclaimer, or intermediate facility, the type and quantity of the hazardous secondary materials received and the date which the hazardous secondary materials were received. This requirement may be satisfied by routine business records, e.g., financial records, bills of lading, copies of DOT shipping papers, or electronic confirmations of receipt.

(D) The reclaimer and intermediate facility shall manage the hazardous secondary material in a manner that is at least as protective as that employed for analogous raw material and shall be contained.

An "analogous raw material" is a raw material for which a hazardous secondary material is a substitute and serves the same function and has similar physical and chemical properties as the hazardous secondary material.

(E) Any residuals that are generated from reclamation processes shall be managed in a manner that is protective of human health and the environment. If any residuals exhibit a hazardous characteristic according to Sections R315-261-20 through 24, or if they themselves

are specifically listed in Sections R315-261-30 through 35, such residuals are hazardous wastes and shall be managed in accordance with the applicable requirements of Rules R315-260 through 266, 268, and 270.

(F) The reclaimer and intermediate facility have financial assurance as required under Sections R315-261-140 through 151,

(G) The reclaimer and intermediate facility have been granted an exclusion under Subsection R315-260-31(d) or have a hazardous waste Part B permit or interim status standards that address the management of the hazardous secondary materials; and

(vii) All persons claiming the exclusion under Subsection R315-261-4(a)(24) provide notification as required under Section R315-260-42.

(25) Reserved

(26) Solvent-contaminated wipes that are sent for cleaning and reuse are not solid wastes from the point of generation, provided that

(i) The solvent-contaminated wipes, when accumulated, stored, and transported, are contained in non-leaking, closed containers that are labeled "Excluded Solvent-Contaminated Wipes." The containers shall be able to contain free liquids, should free liquids occur. During accumulation, a container is considered closed when there is complete contact between the fitted lid and the rim, except when it is necessary to add or remove solvent-contaminated wipes. When the container is full, or when the solvent-contaminated wipes are no longer being accumulated, or when the container is being transported, the container shall be sealed with all lids properly and securely affixed to the container and all openings tightly bound or closed sufficiently to prevent leaks and emissions;

(ii) The solvent-contaminated wipes may be accumulated by the generator for up to 180 days from the start date of accumulation for each container prior to being sent for cleaning;

(iii) At the point of being sent for cleaning on-site or at the point of being transported off-site for cleaning, the solvent-contaminated wipes shall contain no free liquids as defined in Section R315-260-10.

(iv) Free liquids removed from the solvent-contaminated wipes or from the container holding the wipes shall be managed according to the applicable regulations found in Rules R315-260 through 266, 268, 270 and 273;

(v) Generators shall maintain at their site the following documentation:

(A) Name and address of the laundry or dry cleaner that is receiving the solvent-contaminated wipes;

(B) Documentation that the 180-day accumulation time limit in Subsection R315-261-4(a)(26)(ii) is being met;

(C) Description of the process the generator is using to ensure the solvent-contaminated wipes contain no free liquids at the point of being laundered or dry cleaned on-site or at the point of being transported off-site for laundering or dry cleaning;

(vi) The solvent-contaminated wipes are sent to a laundry or dry cleaner whose discharge, if any, is regulated under sections 301 and 402 or section 307 of the Clean Water Act.

(27) Hazardous secondary material that is generated and then

transferred to another person for the purpose of remanufacturing is not a solid waste, provided that:

(i) The hazardous secondary material consists of one or more of the following spent solvents: Toluene, xylenes, ethylbenzene, 1,2,4-trimethylbenzene, chlorobenzene, n-hexane, cyclohexane, methyl tert-butyl ether, acetonitrile, chloroform, chloromethane, dichloromethane, methyl isobutyl ketone, NN-dimethylformamide, tetrahydrofuran, n-butyl alcohol, ethanol, and/or methanol;

(ii) The hazardous secondary material originated from using one or more of the solvents listed in Subsection R315-261-4(a)(27)(i) in a commercial grade for reacting, extracting, purifying, or blending chemicals, or for rinsing out the process lines associated with these functions; in the pharmaceutical manufacturing, NAICS 325412; basic organic chemical manufacturing, NAICS 325199; plastics and resins manufacturing, NAICS 325211; and/or the paints and coatings manufacturing sectors, NAICS 325510.

(iii) The hazardous secondary material generator sends the hazardous secondary material spent solvents listed in Subsection R315-261-4(a)(27)(i) to a remanufacturer in the pharmaceutical manufacturing, NAICS 325412; basic organic chemical manufacturing, NAICS 325199; plastics and resins manufacturing, NAICS 325211; and/or the paints and coatings manufacturing sectors, NAICS 325510.

(iv) After remanufacturing one or more of the solvents listed in Subsection R315-261-4(a)(27)(i), the use of the remanufactured solvent shall be limited to reacting, extracting, purifying, or blending chemicals, or for rinsing out the process lines associated with these functions, in the pharmaceutical manufacturing, NAICS 325412; basic organic chemical manufacturing, NAICS 325199; plastics and resins manufacturing, NAICS 325211; and the paints and coatings manufacturing sectors, NAICS 325510; or to using them as ingredients in a product. These allowed uses correspond to chemical functional uses enumerated under the Chemical Data Reporting Rule of the Toxic Substances Control Act, 40 CFR parts 704, 710-711, including Industrial Function Codes U015, solvents consumed in a reaction to produce other chemicals, and U030, solvents become part of the mixture;

(v) After remanufacturing one or more of the solvents listed in Subsection R315-261-4(a)(27)(i), the use of the remanufactured solvent does not involve cleaning or degreasing oil, grease, or similar material from textiles, glassware, metal surfaces, or other articles.

(These disallowed continuing uses correspond to chemical functional uses in Industrial Function Code U029 under the Chemical Data Reporting Rule of the Toxics Substances Control Act.); and

(vi) Both the hazardous secondary material generator and the remanufacturer shall:

(A) Notify the Director and update the notification every two years per Section R315-260-42;

(B) Develop and maintain an up-to-date remanufacturing plan which identifies:

(I) The name, address and EPA ID number of the generator(s) and the remanufacturer(s),

(II) The types and estimated annual volumes of spent solvents to be remanufactured,

(III) The processes and industry sectors that generate the spent solvents,

(IV) The specific uses and industry sectors for the remanufactured solvents, and

(V) A certification from the remanufacturer stating "on behalf of (insert remanufacturer facility name), I certify that this facility is a remanufacturer under pharmaceutical manufacturing, NAICS 325412; basic organic chemical manufacturing, NAICS 325199; plastics and resins manufacturing, NAICS 325211; and/or the paints and coatings manufacturing sectors, NAICS 325510; and will accept the spent solvent(s) for the sole purpose of remanufacturing into commercial-grade solvent(s) that will be used for reacting, extracting, purifying, or blending chemicals, or for rinsing out the process lines associated with these functions, or for use as product ingredient(s). I also certify that the remanufacturing equipment, vents, and tanks are equipped with and are operating air emission controls in compliance with the appropriate Clean Air Act regulations under 40 CFR part 60, part 61 or part 63, or, absent such Clean Air Act standards for the particular operation or piece of equipment covered by the remanufacturing exclusion, are in compliance with the appropriate standards in Sections R315-261-1030 through 1035, 1050 through 1064 and 1080 through 1089";

(C) Maintain records of shipments and confirmations of receipts for a period of three years from the dates of the shipments;

(D) Prior to remanufacturing, store the hazardous spent solvents in tanks or containers that meet technical standards found in Sections R315-261-17- through 179 and 190 through 200, with the tanks and containers being labeled or otherwise having an immediately available record of the material being stored;

(E) During remanufacturing, and during storage of the hazardous secondary materials prior to remanufacturing, the remanufacturer certifies that the remanufacturing equipment, vents, and tanks are equipped with and are operating air emission controls in compliance with the appropriate Clean Air Act regulations under 40 CFR part 60, part 61 or part 63; or, absent such Clean Air Act standards for the particular operation or piece of equipment covered by the remanufacturing exclusion, are in compliance with the appropriate standards in Sections R315-261-1030 through 1035, 1050 through 1064 and 1080 through 1089; and

(F) Meet the requirements prohibiting speculative accumulation per Subsection R315-261-1(c)(8).

(b) Solid wastes which are not hazardous wastes. The following solid wastes are not hazardous wastes:

(1) Household waste, including household waste that has been collected, transported, stored, treated, disposed, recovered, e.g., refuse-derived fuel, or reused. "Household waste" means any material, including garbage, trash and sanitary wastes in septic tanks, derived from households, including single and multiple residences, hotels and motels, bunkhouses, ranger stations, crew quarters, campgrounds, picnic grounds and day-use recreation areas. A resource recovery facility managing municipal solid waste shall not be deemed to be treating, storing, disposing of, or otherwise managing hazardous wastes for the purposes of regulation under this subtitle, if such facility:

(i) Receives and burns only

(A) Household waste, from single and multiple dwellings,

hotels, motels, and other residential sources, and

(B) Solid waste from commercial or industrial sources that does not contain hazardous waste; and

(ii) Such facility does not accept hazardous wastes and the owner or operator of such facility has established contractual requirements or other appropriate notification or inspection procedures to assure that hazardous wastes are not received at or burned in such facility.

(2) Solid wastes generated by any of the following and which are returned to the soils as fertilizers:

(i) The growing and harvesting of agricultural crops.

(ii) The raising of animals, including animal manures.

(3) Mining overburden returned to the mine site.

(4)(i) Fly ash waste, bottom ash waste, slag waste, and flue gas emission control waste generated primarily from the combustion of coal or other fossil fuels, except as provided by Section R315-266-112 for facilities that burn or process hazardous waste.

(ii) The following wastes generated primarily from processes that support the combustion of coal or other fossil fuels that are co-disposed with the wastes in Subsection R315-261-4(b)(4)(i), except as provided by Section R315-266-112 for facilities that burn or process hazardous waste:

(A) Coal pile run-off. For purposes of Subsection R315-261-4(b)(4), coal pile run-off means any precipitation that drains off coal piles.

(B) Boiler cleaning solutions. For purposes of Subsection R315-261-4(b)(4), boiler cleaning solutions means water solutions and chemical solutions used to clean the fire-side and water-side of the boiler.

(C) Boiler blowdown. For purposes of Subsection R315-261-4(b)(4), boiler blowdown means water purged from boilers used to generate steam.

(D) Process water treatment and demineralizer regeneration wastes. For purposes of Subsection R315-261-4(b)(4), process water treatment and demineralizer regeneration wastes means sludges, rinses, and spent resins generated from processes to remove dissolved gases, suspended solids, and dissolved chemical salts from combustion system process water.

(E) Cooling tower blowdown. For purposes of Subsection R315-261-4(b)(4), cooling tower blowdown means water purged from a closed cycle cooling system. Closed cycle cooling systems include cooling towers, cooling ponds, or spray canals.

(F) Air heater and precipitator washes. For purposes of Subsection R315-261-4(b)(4), air heater and precipitator washes means wastes from cleaning air preheaters and electrostatic precipitators.

(G) Effluents from floor and yard drains and sumps. For purposes of Subsection R315-261-4(b)(4), effluents from floor and yard drains and sumps means wastewaters, such as wash water, collected by or from floor drains, equipment drains, and sumps located inside the power plant building; and wastewaters, such as rain runoff, collected by yard drains and sumps located outside the power plant building.

(H) Wastewater treatment sludges. For purposes of Subsection R315-261-4(b)(4), wastewater treatment sludges refers to sludges

generated from the treatment of wastewaters specified in Subsections R315-261-4(b)(4)(ii)(A) through (F).

(5) Drilling fluids, produced waters, and other wastes associated with the exploration, development, or production of crude oil, natural gas or geothermal energy.

(6)(i) Wastes which fail the test for the Toxicity Characteristic because chromium is present or are listed in Sections R315-261-30 through R316-261-35 due to the presence of chromium, which do not fail the test for the Toxicity Characteristic for any other constituent or are not listed due to the presence of any other constituent, and which do not fail the test for any other characteristic, if it is shown by a waste generator or by waste generators that:

(A) The chromium in the waste is exclusively, or nearly exclusively, trivalent chromium; and

(B) The waste is generated from an industrial process which uses trivalent chromium exclusively (or nearly exclusively) and the process does not generate hexavalent chromium; and

(C) The waste is typically and frequently managed in non-oxidizing environments.

(ii) Specific wastes which meet the standard in Subsections R315-261-4(b)(6)(i)(A), (B), and (C), so long as they do not fail the test for the toxicity characteristic for any other constituent, and do not exhibit any other characteristic, are:

(A) Chrome (blue) trimmings generated by the following subcategories of the leather tanning and finishing industry; hair pulp/chrome tan/retan/wet finish; hair save/chrome tan/retan/wet finish; retan/wet finish; no beamhouse; through-the-blue; and shearling.

(B) Chrome (blue) shavings generated by the following subcategories of the leather tanning and finishing industry: Hair pulp/chrome tan/retan/wet finish; hair save/chrome tan/retan/wet finish; retan/wet finish; no beamhouse; through-the-blue; and shearling.

(C) Buffing dust generated by the following subcategories of the leather tanning and finishing industry; hair pulp/chrome tan/retan/wet finish; hair save/chrome tan/retan/wet finish; retan/wet finish; no beamhouse; through-the-blue.

(D) Sewer screenings generated by the following subcategories of the leather tanning and finishing industry: Hair pulp/chrome tan/retan/wet finish; hair save/chrome tan/retan/wet finish; retan/wet finish; no beamhouse; through-the-blue; and shearling.

(E) Wastewater treatment sludges generated by the following subcategories of the leather tanning and finishing industry: Hair pulp/chrome tan/retan/wet finish; hair save/chrome tan/retan/wet finish; retan/wet finish; no beamhouse; through-the-blue; and shearling.

(F) Wastewater treatment sludges generated by the following subcategories of the leather tanning and finishing industry: Hair pulp/chrome tan/retan/wet finish; hair save/chrome tan/retan/wet finish; and through-the-blue.

(G) Waste scrap leather from the leather tanning industry, the shoe manufacturing industry, and other leather product manufacturing industries.

(H) Wastewater treatment sludges from the production of TiO<sub>2</sub> pigment using chromium-bearing ores by the chloride process.

(7) Solid waste from the extraction, beneficiation, and processing of ores and minerals, including coal, phosphate rock, and overburden from the mining of uranium ore, except as provided by Section R315-266-112 for facilities that burn or process hazardous waste.

(i) For purposes of Subsection R315-261-4(b)(7) beneficiation of ores and minerals is restricted to the following activities; crushing; grinding; washing; dissolution; crystallization; filtration; sorting; sizing; drying; sintering; pelletizing; briquetting; calcining to remove water and/or carbon dioxide; roasting, autoclaving, and/or chlorination in preparation for leaching (except where the roasting (and/or autoclaving and/or chlorination)/leaching sequence produces a final or intermediate product that does not undergo further beneficiation or processing); gravity concentration; magnetic separation; electrostatic separation; flotation; ion exchange; solvent extraction; electrowinning; precipitation; amalgamation; and heap, dump, vat, tank, and in situ leaching.

(ii) For the purposes of Subsection R315-261-4(b)(7), solid waste from the processing of ores and minerals includes only the following wastes as generated:

- (A) Slag from primary copper processing;
- (B) Slag from primary lead processing;
- (C) Red and brown muds from bauxite refining;
- (D) Phosphogypsum from phosphoric acid production;
- (E) Slag from elemental phosphorus production;
- (F) Gasifier ash from coal gasification;
- (G) Process wastewater from coal gasification;
- (H) Calcium sulfate wastewater treatment plant sludge from primary copper processing;
- (I) Slag tailings from primary copper processing;
- (J) Fluorogypsum from hydrofluoric acid production;
- (K) Process wastewater from hydrofluoric acid production;
- (L) Air pollution control dust/sludge from iron blast furnaces;
- (M) Iron blast furnace slag;
- (N) Treated residue from roasting/leaching of chrome ore;
- (O) Process wastewater from primary magnesium processing by the anhydrous process;
- (P) Process wastewater from phosphoric acid production;
- (Q) Basic oxygen furnace and open hearth furnace air pollution control dust/sludge from carbon steel production;
- (R) Basic oxygen furnace and open hearth furnace slag from carbon steel production;
- (S) Chloride process waste solids from titanium tetrachloride production;
- (T) Slag from primary zinc processing.

(iii) A residue derived from co-processing mineral processing secondary materials with normal beneficiation raw materials or with normal mineral processing raw materials remains excluded under Subsection R315-261-4(b) if the owner or operator:

(A) Processes at least 50 percent by weight normal beneficiation raw materials or normal mineral processing raw materials; and,

(B) Legitimately reclaims the secondary mineral processing materials.

(8) Cement kiln dust waste, except as provided by Section R315-266-112 for facilities that burn or process hazardous waste.

(9) Solid waste which consists of discarded arsenical-treated wood or wood products which fails the test for the Toxicity Characteristic for Hazardous Waste Codes D004 through D017 and which is not a hazardous waste for any other reason if the waste is generated by persons who utilize the arsenical-treated wood and wood products for these materials' intended end use.

(10) Petroleum-contaminated media and debris that fail the test for the Toxicity Characteristic of Section R315-261-24, Hazardous Waste Codes D018 through D043 only, and are subject to the corrective action regulations under Section R315-311-202-1 which adopts 40 CFR 280 by reference.

(11) Injected groundwater that is hazardous only because it exhibits the Toxicity Characteristic, Hazardous Waste Codes D018 through D043 only, in Section R315-261-24 that is reinjected through an underground injection well pursuant to free phase hydrocarbon recovery operations undertaken at petroleum refineries, petroleum marketing terminals, petroleum bulk plants, petroleum pipelines, and petroleum transportation spill sites until January 25, 1993. This extension applies to recovery operations in existence, or for which contracts have been issued, on or before March 25, 1991. For groundwater returned through infiltration galleries from such operations at petroleum refineries, marketing terminals, and bulk plants, until October 2, 1991. New operations involving injection wells, beginning after March 25, 1991, will qualify for this compliance date extension, until January 25, 1993, only if:

(i) Operations are performed pursuant to a written state agreement that includes a provision to assess the groundwater and the need for further remediation once the free phase recovery is completed; and

(ii) A copy of the written agreement has been submitted to: Waste Identification Branch (5304), U.S. Environmental Protection Agency, 1200 Pennsylvania Ave., NW., Washington, DC 20460 and the Division of Waste Management and Radiation Control, PO Box 144880, Salt Lake City, UT 84114-4880.

(12) Used chlorofluorocarbon refrigerants from totally enclosed heat transfer equipment, including mobile air conditioning systems, mobile refrigeration, and commercial and industrial air conditioning and refrigeration systems that use chlorofluorocarbons as the heat transfer fluid in a refrigeration cycle, provided the refrigerant is reclaimed for further use.

(13) Non-terne plated used oil filters that are not mixed with wastes listed in Sections R315-261-30 through R315-261-35 if these oil filters have been gravity hot-drained using one of the following methods:

(i) Puncturing the filter anti-drain back valve or the filter dome end and hot-draining;

(ii) Hot-draining and crushing;

(iii) Dismantling and hot-draining; or

(iv) Any other equivalent hot-draining method that will remove used oil.

(14) Used oil re-refining distillation bottoms that are used as feedstock to manufacture asphalt products.

(15) Leachate or gas condensate collected from landfills where certain solid wastes have been disposed, provided that:

(i) The solid wastes disposed would meet one or more of the listing descriptions for Hazardous Waste Codes K169, K170, K171, K172, K174, K175, K176, K177, K178 and K181 if these wastes had been generated after the effective date of the listing;

(ii) The solid wastes described in Subsection R315-261-4(b)(15)(i) were disposed prior to the effective date of the listing;

(iii) The leachate or gas condensate do not exhibit any characteristic of hazardous waste nor are derived from any other listed hazardous waste;

(iv) Discharge of the leachate or gas condensate, including leachate or gas condensate transferred from the landfill to a POTW by truck, rail, or dedicated pipe, is subject to regulation under sections 307(b) or 402 of the Clean Water Act.

(v) As of February 13, 2001, leachate or gas condensate derived from K169-K172 is no longer exempt if it is stored or managed in a surface impoundment prior to discharge. As of November 21, 2003, leachate or gas condensate derived from K176, K177, and K178 is no longer exempt if it is stored or managed in a surface impoundment prior to discharge. After February 26, 2007, leachate or gas condensate derived from K181 will no longer be exempt if it is stored or managed in a surface impoundment prior to discharge. There is one exception: if the surface impoundment is used to temporarily store leachate or gas condensate in response to an emergency situation, e.g., shutdown of wastewater treatment system, provided the impoundment has a double liner, and provided the leachate or gas condensate is removed from the impoundment and continues to be managed in compliance with the conditions of Subsection R315-261-4(b)(15)(v) after the emergency ends.

(16) Reserved

(17) Reserved

(18) Solvent-contaminated wipes, except for wipes that are hazardous waste due to the presence of trichloroethylene, that are sent for disposal are not hazardous wastes from the point of generation provided that

(i) The solvent-contaminated wipes, when accumulated, stored, and transported, are contained in non-leaking, closed containers that are labeled "Excluded Solvent-Contaminated Wipes." The containers shall be able to contain free liquids, should free liquids occur. During accumulation, a container is considered closed when there is complete contact between the fitted lid and the rim, except when it is necessary to add or remove solvent-contaminated wipes. When the container is full, or when the solvent-contaminated wipes are no longer being accumulated, or when the container is being transported, the container shall be sealed with all lids properly and securely affixed to the container and all openings tightly bound or closed sufficiently to prevent leaks and emissions;

(ii) The solvent-contaminated wipes may be accumulated by the generator for up to 180 days from the start date of accumulation for each container prior to being sent for disposal;

(iii) At the point of being transported for disposal, the solvent-contaminated wipes shall contain no free liquids as defined in Section R315-260-10.

(iv) Free liquids removed from the solvent-contaminated wipes or from the container holding the wipes shall be managed according to the applicable regulations found in Rules R315-260 through 266, 268, 270 and 273;

(v) Generators shall maintain at their site the following documentation:

(A) Name and address of the landfill or combustor that is receiving the solvent-contaminated wipes;

(B) Documentation that the 180 day accumulation time limit in Subsection R315-261-4(b)(18)(ii) is being met;

(C) Description of the process the generator is using to ensure solvent-contaminated wipes contain no free liquids at the point of being transported for disposal;

(vi) The solvent-contaminated wipes are sent for disposal

(A) To a solid waste landfill that:

(1) is regulated under R315-301 through R315-320

(2) is a Class I or V Landfill; and

(3) has a composite liner; or

(B) To a hazardous waste landfill regulated under Rules R315-260 through 266, 268, and 270; or

(C) To a municipal waste combustor or other combustion facility regulated under section 129 of the Clean Air Act or to a hazardous waste combustor, boiler, or industrial furnace regulated under Rule R315-264, Rule R315-265, or Sections R315-266-100 through R315-266-112.

(c) Hazardous wastes which are exempted from certain regulations. A hazardous waste which is generated in a product or raw material storage tank, a product or raw material transport vehicle or vessel, a product or raw material pipeline, or in a manufacturing process unit or an associated non-waste-treatment-manufacturing unit, is not subject to regulation under Rules R315-262 through 265, 268, 270, and 124 or to the notification requirements of section 3010 of RCRA until it exits the unit in which it was generated, unless the unit is a surface impoundment, or unless the hazardous waste remains in the unit more than 90 days after the unit ceases to be operated for manufacturing, or for storage or transportation of product or raw materials.

(d)(1) Samples. Except as provided in Subsection R315-261-4(d)(2), a sample of solid waste or a sample of water, soil, or air, which is collected for the sole purpose of testing to determine its characteristics or composition, is not subject to any requirements of Rules R315-261 through 266, 268 or 270 or 124 or to the notification requirements of Section 3010 of RCRA, when:

(i) The sample is being transported to a laboratory for the purpose of testing; or

(ii) The sample is being transported back to the sample collector after testing; or

(iii) The sample is being stored by the sample collector before transport to a laboratory for testing; or

(iv) The sample is being stored in a laboratory before testing;  
or

(v) The sample is being stored in a laboratory after testing but before it is returned to the sample collector; or

(vi) The sample is being stored temporarily in the laboratory after testing for a specific purpose (for example, until conclusion of a court case or enforcement action where further testing of the sample may be necessary).

(2) In order to qualify for the exemption in Subsections R315-261-4(d)(1) (i) and (ii), a sample collector shipping samples to a laboratory and a laboratory returning samples to a sample collector shall:

(i) Comply with U.S. Department of Transportation (DOT), U.S. Postal Service (USPS), or any other applicable shipping requirements; or

(ii) Comply with the following requirements if the sample collector determines that DOT, USPS, or other shipping requirements do not apply to the shipment of the sample:

(A) Assure that the following information accompanies the sample:

(I) The sample collector's name, mailing address, and telephone number;

(II) The laboratory's name, mailing address, and telephone number;

(III) The quantity of the sample;

(IV) The date of shipment; and

(V) A description of the sample.

(B) Package the sample so that it does not leak, spill, or vaporize from its packaging.

(3) This exemption does not apply if the laboratory determines that the waste is hazardous but the laboratory is no longer meeting any of the conditions stated in Subsection R315-261-4(d)(1).

(e)(1) Treatability Study Samples. Except as provided in Subsection R315-261-4(e)(2), persons who generate or collect samples for the purpose of conducting treatability studies as defined in Section R315-260-10, are not subject to any requirement of Rules R315-261 through 263 or to the notification requirements of Section 3010 of RCRA, nor are such samples included in the quantity determinations of Section R315-261-5 and Subsection R315-262-34(d) when:

(i) The sample is being collected and prepared for transportation by the generator or sample collector; or

(ii) The sample is being accumulated or stored by the generator or sample collector prior to transportation to a laboratory or testing facility; or

(iii) The sample is being transported to the laboratory or testing facility for the purpose of conducting a treatability study.

(2) The exemption in Subsection R315-261-4(e)(1) is applicable to samples of hazardous waste being collected and shipped for the purpose of conducting treatability studies provided that:

(i) The generator or sample collector uses (in "treatability studies") no more than 10,000 kg of media contaminated with non-acute hazardous waste, 1000 kg of non-acute hazardous waste other than contaminated media, 1 kg of acute hazardous waste, 2500 kg of media contaminated with acute hazardous waste for each process being evaluated for each generated waste stream; and

(ii) The mass of each sample shipment does not exceed 10,000 kg; the 10,000 kg quantity may be all media contaminated with non-acute hazardous waste, or may include 2500 kg of media contaminated with acute hazardous waste, 1000 kg of hazardous waste, and 1 kg of acute hazardous waste; and

(iii) The sample shall be packaged so that it will not leak, spill, or vaporize from its packaging during shipment and the requirements of Subsections R315-261-4(e)(2)(iii)(A) or (B) are met.

(A) The transportation of each sample shipment complies with U.S. Department of Transportation (DOT), U.S. Postal Service (USPS), or any other applicable shipping requirements; or

(B) If the DOT, USPS, or other shipping requirements do not apply to the shipment of the sample, the following information shall accompany the sample:

(I) The name, mailing address, and telephone number of the originator of the sample;

(II) The name, address, and telephone number of the facility that will perform the treatability study;

(III) The quantity of the sample;

(IV) The date of shipment; and

(V) A description of the sample, including its EPA Hazardous Waste Number.

(iv) The sample is shipped to a laboratory or testing facility which is exempt under Subsection R315-261-4(f) or has an appropriate RCRA permit or interim status.

(v) The generator or sample collector maintains the following records for a period ending three years after completion of the treatability study:

(A) Copies of the shipping documents;

(B) A copy of the contract with the facility conducting the treatability study;

(C) Documentation showing:

(I) The amount of waste shipped under this exemption;

(II) The name, address, and EPA identification number of the laboratory or testing facility that received the waste;

(III) The date the shipment was made; and

(IV) Whether or not unused samples and residues were returned to the generator.

(vi) The generator reports the information required under Subsection R315-261-4(e)(2)(v)(C) in its biennial report.

(3) The Director may grant requests on a case-by-case basis for up to an additional two years for treatability studies involving bioremediation. The Director may grant requests on a case-by-case basis for quantity limits in excess of those specified in Subsections R315-261-4(e)(2)(i) and (ii) and Subsection R315-261-4(f)(4), for up to an additional 5000 kg of media contaminated with non-acute hazardous waste, 500 kg of non-acute hazardous waste, 2500 kg of media contaminated with acute hazardous waste and 1 kg of acute hazardous waste:

(i) In response to requests for authorization to ship, store and conduct treatability studies on additional quantities in advance of commencing treatability studies. Factors to be considered in reviewing such requests include the nature of the technology; the type of process, e.g., batch versus continuous; size of the unit

undergoing testing, particularly in relation to scale-up considerations; the time/quantity of material required to reach steady state operating conditions; or test design considerations such as mass balance calculations.

(ii) In response to requests for authorization to ship, store and conduct treatability studies on additional quantities after initiation or completion of initial treatability studies, when: There has been an equipment or mechanical failure during the conduct of a treatability study; there is a need to verify the results of a previously conducted treatability study; there is a need to study and analyze alternative techniques within a previously evaluated treatment process; or there is a need to do further evaluation of an ongoing treatability study to determine final specifications for treatment.

(iii) The additional quantities and timeframes allowed in Subsections R315-261-4(e)(3)(i) and (ii) are subject to all the provisions in Subsections R315-261-4(e)(1) and (e)(2)(iii) through (vi). The generator or sample collector shall apply to the Director and provide in writing the following information:

(A) The reason why the generator or sample collector requires additional time or quantity of sample for treatability study evaluation and the additional time or quantity needed;

(B) Documentation accounting for all samples of hazardous waste from the waste stream which have been sent for or undergone treatability studies including the date each previous sample from the waste stream was shipped, the quantity of each previous shipment, the laboratory or testing facility to which it was shipped, what treatability study processes were conducted on each sample shipped, and the available results on each treatability study;

(C) A description of the technical modifications or change in specifications which will be evaluated and the expected results;

(D) If such further study is being required due to equipment or mechanical failure, the applicant shall include information regarding the reason for the failure or breakdown and also include what procedures or equipment improvements have been made to protect against further breakdowns; and

(E) Such other information that the Director considers necessary.

(f) Samples Undergoing Treatability Studies at Laboratories and Testing Facilities. Samples undergoing treatability studies and the laboratory or testing facility conducting such treatability studies, to the extent such facilities are not otherwise subject to RCRA requirements, are not subject to any requirement of Rules R315-261 through 266, 268 and 270, or to the notification requirements of Section 3010 of RCRA provided that the conditions of Subsection R315-261-4(f)(1) through (11) are met. A mobile treatment unit (MTU) may qualify as a testing facility subject to Subsections R315-261-4(f)(1) through (11). Where a group of MTUs are located at the same site, the limitations specified in Subsections R315-261-4(f)(1) through (11) apply to the entire group of MTUs collectively as if the group were one MTU.

(1) No less than 45 days before conducting treatability studies, the facility notifies the Director, in writing that it intends to conduct treatability studies under Subsection R315-261-4(f).

(2) The laboratory or testing facility conducting the treatability study has an EPA identification number.

(3) No more than a total of 10,000 kg of "as received" media contaminated with non-acute hazardous waste, 2500 kg of media contaminated with acute hazardous waste or 250 kg of other "as received" hazardous waste is subject to initiation of treatment in all treatability studies in any single day. "As received" waste refers to the waste as received in the shipment from the generator or sample collector.

(4) The quantity of "as received" hazardous waste stored at the facility for the purpose of evaluation in treatability studies does not exceed 10,000 kg, the total of which can include 10,000 kg of media contaminated with non-acute hazardous waste, 2500 kg of media contaminated with acute hazardous waste, 1000 kg of non-acute hazardous wastes other than contaminated media, and 1 kg of acute hazardous waste. This quantity limitation does not include treatment materials, including nonhazardous solid waste, added to "as received" hazardous waste.

(5) No more than 90 days have elapsed since the treatability study for the sample was completed, or no more than one year, two years for treatability studies involving bioremediation, have elapsed since the generator or sample collector shipped the sample to the laboratory or testing facility, whichever date first occurs. Up to 500 kg of treated material from a particular waste stream from treatability studies may be archived for future evaluation up to five years from the date of initial receipt. Quantities of materials archived are counted against the total storage limit for the facility.

(6) The treatability study does not involve the placement of hazardous waste on the land or open burning of hazardous waste.

(7) The facility maintains records for three years following completion of each study that show compliance with the treatment rate limits and the storage time and quantity limits. The following specific information shall be included for each treatability study conducted:

(i) The name, address, and EPA identification number of the generator or sample collector of each waste sample;

(ii) The date the shipment was received;

(iii) The quantity of waste accepted;

(iv) The quantity of "as received" waste in storage each day;

(v) The date the treatment study was initiated and the amount of "as received" waste introduced to treatment each day;

(vi) The date the treatability study was concluded;

(vii) The date any unused sample or residues generated from the treatability study were returned to the generator or sample collector or, if sent to a designated facility, the name of the facility and the EPA identification number.

(8) The facility keeps, on-site, a copy of the treatability study contract and all shipping papers associated with the transport of treatability study samples to and from the facility for a period ending three years from the completion date of each treatability study.

(9) The facility prepares and submits a report to the Director, by March 15 of each year, that includes the following information for the previous calendar year:

(i) The name, address, and EPA identification number of the

facility conducting the treatability studies;

(ii) The types (by process) of treatability studies conducted;

(iii) The names and addresses of persons for whom studies have been conducted, including their EPA identification numbers;

(iv) The total quantity of waste in storage each day;

(v) The quantity and types of waste subjected to treatability studies;

(vi) When each treatability study was conducted;

(vii) The final disposition of residues and unused sample from each treatability study.

(10) The facility determines whether any unused sample or residues generated by the treatability study are hazardous waste under Section R315-261-3 and, if so, are subject to Rules R315-261 through 268 and 270, unless the residues and unused samples are returned to the sample originator under the Subsection R3315-261-4(e) exemption.

(11) The facility notifies the Director, by letter when the facility is no longer planning to conduct any treatability studies at the site.

(g) Dredged material that is not a hazardous waste. Dredged material that is subject to the requirements of a permit that has been issued under 404 of the Federal Water Pollution Control Act (33 U.S.C.1344) or section 103 of the Marine Protection, Research, and Sanctuaries Act of 1972 (33 U.S.C. 1413) is not a hazardous waste.

For Subsection R315-261-4(g), the following definitions apply:

(1) The term dredged material has the same meaning as defined in 40 CFR 232.2;

(2) The term permit means:

(i) A permit issued by the U.S. Army Corps of Engineers (Corps) or an approved State under section 404 of the Federal Water Pollution Control Act (33 U.S.C. 1344);

(ii) A permit issued by the Corps under section 103 of the Marine Protection, Research, and Sanctuaries Act of 1972 (33 U.S.C. 1413);  
or

(iii) In the case of Corps civil works projects, the administrative equivalent of the permits referred to in Subsections R315-261-4(g)(2)(i) and (ii), as provided for in Corps regulations.

(h) Carbon dioxide stream injected for geologic sequestration.

Carbon dioxide streams that are captured and transported for purposes of injection into an underground injection well subject to the requirements for Class VI Underground Injection Control wells, including the requirements in Rule R317-7, are not a hazardous waste, provided the following conditions are met:

(1) Transportation of the carbon dioxide stream shall be in compliance with U.S. Department of Transportation requirements, including the pipeline safety laws, 49 U.S.C. 60101 et seq. and regulations, 49 CFR Parts 190-199, of the U.S. Department of Transportation, and pipeline safety regulations adopted and administered by a state authority pursuant to a certification under 49 U.S.C. [-]60105, as applicable.

(2) Injection of the carbon dioxide stream shall be in compliance with the applicable requirements for Class VI Underground Injection Control wells, including the applicable requirements in Rule R317-7;

(3) No hazardous wastes shall be mixed with, or otherwise

co-injected with, the carbon dioxide stream; and

(4)(i) Any generator of a carbon dioxide stream, who claims that a carbon dioxide stream is excluded under Subsection R315-261-4(h), shall have an authorized representative, as defined in Section R315-260-10, sign a certification statement worded as follows: I certify under penalty of law that the carbon dioxide stream that I am claiming to be excluded under Subsection R315-261.4(h) has not been mixed with hazardous wastes, and I have transported the carbon dioxide stream in compliance with, or have contracted with a pipeline operator or transporter to transport the carbon dioxide stream in compliance with, Department of Transportation requirements, including the pipeline safety laws, 49 U.S.C. 60101 et seq., and regulations, 49 CFR Parts 190-199, of the U.S. Department of Transportation, and the pipeline safety regulations adopted and administered by a state authority pursuant to a certification under 49 U.S.C. 60105, as applicable, for injection into a well subject to the requirements for the Class VI Underground Injection Control Program of Rule R317-7.

(ii) Any Class VI Underground Injection Control well owner or operator, who claims that a carbon dioxide stream is excluded under Subsection R315-261-4(h), shall have an authorized representative, as defined in Section R315-260-10, sign a certification statement worded as follows: I certify under penalty of law that the carbon dioxide stream that I am claiming to be excluded under Subsection R315-261-4(h) has not been mixed with, or otherwise co-injected with, hazardous waste at the Underground Injection Control (UIC) Class VI permitted facility, and that injection of the carbon dioxide stream is in compliance with the applicable requirements for UIC Class VI wells, including the applicable requirements in Rule R317-7.

(iii) The signed certification statement shall be kept on-site for no less than three years, and shall be made available within 72 hours of a written request from the Director. The signed certification statement shall be renewed every year that the exclusion is claimed, by having an authorized representative, as defined in Section R315-260-10, annually prepare and sign a new copy of the certification statement within one year of the date of the previous statement. The signed certification statement shall also be readily accessible on the facility's publicly-available Web site, if such Web site exists, as a public notification with the title of "Carbon Dioxide Stream Certification" at the time the exclusion is claimed.

**[R315-261-5. Special Requirements for Hazardous Waste Generated by Conditionally Exempt Small Quantity Generators.]**

(a) A generator is a conditionally exempt small quantity generator in a calendar month if he generates no more than 100 kilograms of hazardous waste in that month.

(b) Except for those wastes identified in Subsections R315-261-5(e), (f), (g), and (j), a conditionally exempt small quantity generator's hazardous wastes are not subject to regulation under Rules R315-262 through 268, 270 and 124, and the notification requirements of section 3010 of RCRA, provided the generator complies with the requirements of Subsections R315-261-5(f), (g), and (j).

(c) When making the quantity determinations of Rules R315-261 and 262, the generator shall include all hazardous waste that it generates, except hazardous waste that:

\_\_\_\_\_ (1) Is exempt from regulation under Subsections R315-261-4(c) through (f), R315-261-6(a)(3), R315-261-7(a)(1), or R315-261-8; or

\_\_\_\_\_ (2) Is managed immediately upon generation only in on-site elementary neutralization units, wastewater treatment units, or totally enclosed treatment facilities as defined in Section R315-260-10; or

\_\_\_\_\_ (3) Is recycled, without prior storage or accumulation, only in an on-site process subject to regulation under Subsection R315-261-6(c)(2); or

\_\_\_\_\_ (4) Is used oil managed under the requirements of Subsection R315-261-6(a)(4) and Rule R315-15; or

\_\_\_\_\_ (5) Is spent lead-acid batteries managed under the requirements of Section R315-266-80; or

\_\_\_\_\_ (6) Is universal waste managed under Section R315-261-9 and Rule R315-273;

\_\_\_\_\_ (7) Is a hazardous waste that is an unused commercial chemical product, listed in Sections R315-261-30 through 35 or exhibiting one or more characteristics in Sections R315-261-20 through 24, that is generated solely as a result of a laboratory clean-out conducted at an eligible academic entity pursuant to Section R315-262-213. For purposes of this provision, the term eligible academic entity shall have the meaning as defined in Section R315-262-200.

\_\_\_\_\_ (d) In determining the quantity of hazardous waste generated, a generator need not include:

\_\_\_\_\_ (1) Hazardous waste when it is removed from on-site storage; or

\_\_\_\_\_ (2) Hazardous waste produced by on-site treatment, including reclamation, of his hazardous waste, so long as the hazardous waste that is treated was counted once; or

\_\_\_\_\_ (3) Spent materials that are generated, reclaimed, and subsequently reused on-site, so long as such spent materials have been counted once.

\_\_\_\_\_ (e) If a generator generates acute hazardous waste in a calendar month in quantities greater than set forth below, all quantities of that acute hazardous waste are subject to full regulation under Rules R315-262 through 268, 270 and 124, and the notification requirements of section 3010 of RCRA:

\_\_\_\_\_ (1) A total of one kilogram of acute hazardous wastes listed in Section R315-261-31 or Subsection R315-261-33(e).

\_\_\_\_\_ (2) A total of 100 kilograms of any residue or contaminated soil, waste, or other debris resulting from the clean-up of a spill, into or on any land or water, of any acute hazardous wastes listed in Section R315-261-31 or Subsection R315-261-33(e).

\_\_\_\_\_ Note to Subsection R315-261-33(e): "Full regulation" means those regulations applicable to generators of 1,000 kg or greater of hazardous waste in a calendar month.

\_\_\_\_\_ (f) In order for acute hazardous wastes generated by a generator of acute hazardous wastes in quantities equal to or less than those set forth in Subsections R315-261-5(e)(1) or (2) to be excluded from full regulation under Section R315-261-5, the generator shall comply with the following requirements:

\_\_\_\_\_ (1) Section R315-262-11;

\_\_\_\_\_ (2) The generator may accumulate acute hazardous waste on-site. If he accumulates at any time acute hazardous wastes in quantities

greater than those set forth in Subsections R315-261-(e)(1) or (2), all of those accumulated wastes are subject to regulation under Rules R315-262 through 266, 268, 270 and 124, and the applicable notification requirements of section 3010 of RCRA. The time period of Subsection R315-262-34(a), for accumulation of wastes on-site, begins when the accumulated wastes exceed the applicable exclusion limit;

(3) A conditionally exempt small quantity generator may either treat or dispose of his acute hazardous waste in an on-site facility or ensure delivery to an off-site treatment, storage, or disposal facility, either of which, if located in the U.S., is:

(i) Permitted under Rule R315-270;

(ii) In interim status under Rules R315-270 and 265;

(iii) Authorized to manage hazardous waste by a State with a hazardous waste management program approved under 40 CFR 271;

(iv) Permitted, licensed, or registered by a State to manage municipal solid waste and, if managed in a municipal solid waste landfill is subject to Rules R315-301 through 320;

(v) Permitted, licensed, or registered by a State to manage non-municipal non-hazardous waste and, if managed in a non-municipal non-hazardous waste disposal unit after January 1, 1998, is subject to the requirements in 40 CFR 257.5 through 257.30; or

(vi) A facility which:

(A) Beneficially uses or reuses, or legitimately recycles or reclaims its waste; or

(B) Treats its waste prior to beneficial use or reuse, or legitimate recycling or reclamation; or

(vii) For universal waste managed under Rule R315-273, a universal waste handler or destination facility subject to the requirements of Rule R315-273.

(g) In order for hazardous waste generated by a conditionally exempt small quantity generator in quantities of 100 kilograms or less of hazardous waste during a calendar month to be excluded from full regulation under Section R316-261-5, the generator shall comply with the following requirements:

(1) Section R315-262-11;

(2) The conditionally exempt small quantity generator may accumulate hazardous waste on-site. If he accumulates at any time 1,000 kilograms or greater of his hazardous wastes, all of those accumulated wastes are subject to regulation under the special provisions of Rule R315-262 applicable to generators of greater than 100 kg and less than 1000 kg of hazardous waste in a calendar month as well as the requirements of Rules R315-263 through 266, 268, 270 and 124, and the applicable notification requirements of section 3010 of RCRA. The time period of Subsection R315-262-34(d) for accumulation of wastes on-site begins for a conditionally exempt small quantity generator when the accumulated wastes equal or exceed 1000 kilograms;

(3) A conditionally exempt small quantity generator may either treat or dispose of his hazardous waste in an on-site facility or ensure delivery to an off-site treatment, storage or disposal facility, either of which, if located in the U.S., is:

(i) Permitted under Rule R315-270;

(ii) In interim status under Rules R315-265 and 270;

(iii) Authorized to manage hazardous waste by a State with a

hazardous waste management program approved under 40 CFR 271;

(iv) Permitted, licensed, or registered to manage municipal solid waste and, if managed in a municipal solid waste landfill is subject to Rules R315-301 through 320;

(v) Permitted, licensed, or registered by a State to manage non-municipal non-hazardous waste and, if managed in a non-municipal non-hazardous waste disposal unit after January 1, 1998, is subject to the requirements in 40 CFR 257.5 through 257.30; or

(vi) A facility which:

(A) Beneficially uses or reuses, or legitimately recycles or reclaims its waste; or

(B) Treats its waste prior to beneficial use or reuse, or legitimate recycling or reclamation; or

(vii) For universal waste managed under Rule R315-273, a universal waste handler or destination facility subject to the requirements of Rule R315-273.

(h) Hazardous waste subject to the reduced requirements of Section R315-261-5 may be mixed with non-hazardous waste and remain subject to these reduced requirements even though the resultant mixture exceeds the quantity limitations identified in Section R315-261-5, unless the mixture meets any of the characteristics of hazardous waste identified in Sections R315-261-20 through 24.

(i) If any person mixes a solid waste with a hazardous waste that exceeds a quantity exclusion level of Section R315-261-5, the mixture is subject to full regulation.

(j) If a conditionally exempt small quantity generator's wastes are mixed with used oil, the mixture is subject to Rule R315-15. Any material produced from such a mixture by processing, blending, or other treatment is also so regulated.

#### **]R315-261-6. Requirements for Recyclable Materials.**

(a)(1) Hazardous wastes that are recycled are subject to the requirements for generators, transporters, and storage facilities of Subsections R315-261-6(b) and (c), except for the materials listed in Subsections R315-261-6(a)(2) and (a)(3). Hazardous wastes that are recycled shall be known as "recyclable materials."

(2) The following recyclable materials are not subject to the requirements of Section R315-261-6 but are regulated under Sections R315-266-20 through 23, Section R315-266-70, Section R315-266-80, Sections R315-266-100 through 112, Sections R315-266-200 through 206, and Sections R315-266-210, 220, 225, 230, 235, 240, 245, 250, 255, 260, 310, 315, 320, 325, 330, 335, 340, 345, 350, 355, and 360 and all applicable provisions in Rules R315-268, 270 and 124.

(i) Recyclable materials used in a manner constituting disposal, Sections R315-266-20 through 23;

(ii) Hazardous wastes burned, as defined in Subsection R315-266-100(a), in boilers and industrial furnaces that are not regulated under Sections R315-264-340 through 345, 347 and 351; Sections R315-370, 373, 375, 377, and 381 through 383; and Section R315-266-100 through 112;

(iii) Recyclable materials from which precious metals are reclaimed, Section R315-266-70;

(iv) Spent lead-acid batteries that are being reclaimed, Section R315-266-80.

(3) The following recyclable materials are not subject to regulation under Rules R315-262 through 268, 270 and 124, and are not subject to the notification requirements of section 3010 of RCRA:

(i) Industrial ethyl alcohol that is reclaimed except that, unless provided otherwise in an international agreement as specified in Section R315-262-58:

(A) A person initiating a shipment for reclamation in a foreign country, and any intermediary arranging for the shipment, shall comply with the requirements applicable to a primary exporter in Section R315-262-53, Subsections R315-262-56(a)(1) through (4), (6), and (b), and Section R315-262-57, export such materials only upon consent of the receiving country and in conformance with the EPA Acknowledgment of Consent as defined in Sections R315-262-50 through 58, and provide a copy of the EPA Acknowledgment of Consent to the shipment to the transporter transporting the shipment for export;

(B) Transporters transporting a shipment for export may not accept a shipment if he knows the shipment does not conform to the EPA Acknowledgment of Consent, shall ensure that a copy of the EPA Acknowledgment of Consent accompanies the shipment and shall ensure that it is delivered to the facility designated by the person initiating the shipment.

(ii) Scrap metal that is not excluded under Subsection R315-261-4(a)(13);

(iii) Fuels produced from the refining of oil-bearing hazardous waste along with normal process streams at a petroleum refining facility if such wastes result from normal petroleum refining, production, and transportation practices, this exemption does not apply to fuels produced from oil recovered from oil-bearing hazardous waste, where such recovered oil is already excluded under Subsection R315-261-4(a)(12);

(iv)(A) Hazardous waste fuel produced from oil-bearing hazardous wastes from petroleum refining, production, or transportation practices, or produced from oil reclaimed from such hazardous wastes, where such hazardous wastes are reintroduced into a process that does not use distillation or does not produce products from crude oil so long as the resulting fuel meets the used oil specification under Subsection R315-15-1.2(c) and so long as no other hazardous wastes are used to produce the hazardous waste fuel;

(B) Hazardous waste fuel produced from oil-bearing hazardous waste from petroleum refining production, and transportation practices, where such hazardous wastes are reintroduced into a refining process after a point at which contaminants are removed, so long as the fuel meets the used oil fuel specification under Subsection R315-15-1.2(c); and

(C) Oil reclaimed from oil-bearing hazardous wastes from petroleum refining, production, and transportation practices, which reclaimed oil is burned as a fuel without reintroduction to a refining process, so long as the reclaimed oil meets the used oil fuel specification under Subsection R315-15-1.2(c).

(4) Used oil that is recycled and is also a hazardous waste solely because it exhibits a hazardous characteristic is not subject to the requirements of Rules R315-260 through 268, but is regulated under Rule R315-15. Used oil that is recycled includes any used oil which is reused, following its original use, for any purpose, including

the purpose for which the oil was originally used. Such term includes, but is not limited to, oil which is re-refined, reclaimed, burned for energy recovery, or reprocessed.

(5) Hazardous waste that is exported to or imported from designated member countries of the Organization for Economic Cooperation and Development (OECD), as defined in Subsection R315-262-58(a)(1), for purpose of recovery is subject to the requirements of Sections R315-262-80 through 87 and 89, if it is subject to either the manifesting requirements of Rule R315-262, to the universal waste management standards of Rule R315-273.

(b) Generators and transporters of recyclable materials are subject to the applicable requirements of Rules R315-262 and 263 and the notification requirements under section 3010 of RCRA, except as provided in Subsection R315-261-6(a).

(c)(1) Owners and operators of facilities that store recyclable materials before they are recycled are regulated under all applicable provisions of Rules R315-264 and 265, and under Rules R315-266, 268, 270 and 124 and the notification requirements under section 3010 of RCRA, except as provided in Subsection R315-261-6(a). The recycling process itself is exempt from regulation except as provided in Subsection R315-261-6(d).

(2) Owners or operators of facilities that recycle recyclable materials without storing them before they are recycled are subject to the following requirements, except as provided in R315-261-6(a):

- (i) Notification requirements under section 3010 of RCRA;
- (ii) 40 CFR 265.71 and 72, which are adopted by reference; dealing with the use of the manifest and manifest discrepancies[+];
- (iii) Subsection R315-261-6(d)[+]; and
- (iv) Section R315-265-75, addressing biennial reporting requirements.

(d) Owners or operators of facilities subject to permitting requirements under Section 19-6-108 with hazardous waste management units that recycle hazardous wastes are subject to the requirements of Sections R315-264-1030 through 1036; and Sections R315-264-1050 through 1065; 40 CFR 265.1030 through 1035, which are adopted and incorporated by reference; or 40 CFR 265.1050 through 1064.

**R315-261-33. Lists of Hazardous Wastes - Discarded Commercial Chemical Products, Off-Specification Species, Container Residues, and Spill Residues Thereof.**

The following materials or items are hazardous wastes if and when they are discarded or intended to be discarded as described in Subsection R315-261-2(a)(2)(i), when they are mixed with waste oil or used oil or other material and applied to the land for dust suppression or road treatment, when they are otherwise applied to the land in lieu of their original intended use or when they are contained in products that are applied to the land in lieu of their original intended use, or when, in lieu of their original intended use, they are produced for use as, or a component of, a fuel, distributed for use as a fuel, or burned as a fuel.

(a) Any commercial chemical product, or manufacturing chemical intermediate having the generic name listed in Subsections R315-261-33(e) or (f).

(b) Any off-specification commercial chemical product or

manufacturing chemical intermediate which, if it met specifications, would have the generic name listed in Subsection R315-261-33(e) or (f).

(c) Any residue remaining in a container or in an inner liner removed from a container that has held any commercial chemical product or manufacturing chemical intermediate having the generic name listed in Subsection R315-261-33(e) or (f), unless the container is empty as defined in Subsection R315-261-7(b). Unless the residue is being beneficially used or reused, or legitimately recycled or reclaimed; or being accumulated, stored, transported or treated prior to such use, re-use, recycling or reclamation, the Director considers the residue to be intended for discard, and thus, a hazardous waste. An example of a legitimate re-use of the residue would be where the residue remains in the container and the container is used to hold the same commercial chemical product or manufacturing chemical intermediate it previously held. An example of the discard of the residue would be where the drum is sent to a drum reconditioner who reconditions the drum but discards the residue.

(d) Any residue or contaminated soil, water or other debris resulting from the cleanup of a spill into or on any land or water of any commercial chemical product or manufacturing chemical intermediate having the generic name listed in Subsection R315-261-33(e) or (f), or any residue or contaminated soil, water or other debris resulting from the cleanup of a spill, into or on any land or water, of any off-specification chemical product and manufacturing chemical intermediate which, if it met specifications, would have the generic name listed in Subsection R315-261-33(e) or (f). The phrase "commercial chemical product or manufacturing chemical intermediate having the generic name listed in..." refers to a chemical substance which is manufactured or formulated for commercial or manufacturing use which consists of the commercially pure grade of the chemical, any technical grades of the chemical that are produced or marketed, and all formulations in which the chemical is the sole active ingredient. It does not refer to a material, such as a manufacturing process waste, that contains any of the substances listed in Subsection R315-261-33(e) or (f). Where a manufacturing process waste is deemed to be a hazardous waste because it contains a substance listed in Subsection R315-261-33(e) or (f), such waste shall be listed in either Sections R315-261-31 or 32 or shall be identified as a hazardous waste by the characteristics set forth in Sections R315-261-20 through 24.

(e) The commercial chemical products, manufacturing chemical intermediates or off-specification commercial chemical products or manufacturing chemical intermediates referred to in Subsections R315-261-33(a) through (d), are identified as acute hazardous wastes (H) [~~and are subject to the small quantity exclusion defined in Subsection R315-261-5(e)~~].

For the convenience of the regulated community the primary hazardous properties of these materials have been indicated by the letters T (Toxicity), and R (Reactivity). Absence of a letter indicates that the compound only is listed for acute toxicity. Wastes are first listed in alphabetical order by substance and then listed again in numerical order by Hazardous Waste Number. These wastes and their corresponding

EPA Hazardous Waste Numbers are:

TABLE

Hazardous waste No.	Chemical abstracts No.	Substance
P023	107-20-0	Acetaldehyde, chloro-
P002	591-08-2	Acetamide, N-(aminothioxomethyl)-
P057	640-19-7	Acetamide, 2-fluoro-
P058	62-74-8	Acetic acid, fluoro-, sodium salt
P002	591-08-2	1-Acetyl-2-thiourea
P003	107-02-8	Acrolein
P070	116-06-3	Aldicarb
P203	1646-88-4	Aldicarb sulfone.
P004	309-00-2	Aldrin
P005	107-18-6	Allyl alcohol
P006	20859-73-8	Aluminum phosphide (R,T)
P007	2763-96-4	5-(Aminomethyl)-3-isoxazolol
P008	504-24-5	4-Aminopyridine
P009	131-74-8	Ammonium picrate (R)
P119	7803-55-6	Ammonium vanadate
P099	506-61-6	Argentate(1-), bis(cyano-C)-, potassium
P010	7778-39-4	Arsenic acid H3 AsO4
P012	1327-53-3	Arsenic oxide As2 O3
P011	1303-28-2	Arsenic oxide As2 O5
P011	1303-28-2	Arsenic pentoxide
P012	1327-53-3	Arsenic trioxide
P038	692-42-2	Arsine, diethyl-
P036	696-28-6	Arsonous dichloride, phenyl-
P054	151-56-4	Aziridine
P067	75-55-8	Aziridine, 2-methyl-
P013	542-62-1	Barium cyanide
P024	106-47-8	Benzenamine, 4-chloro-
P077	100-01-6	Benzenamine, 4-nitro-
P028	100-44-7	Benzene, (chloromethyl)-
P042	51-43-4	1,2-Benzenediol, 4-(1-hydroxy-2-(methylamino)ethyl)-, (R)-
P046	122-09-8	Benzeneethanamine, alpha,alpha-dimethyl-
P014	108-98-5	Benzenethiol
P127	1563-66-2	7-Benzofuranol, 2,3-dihydro-2,2-dimethyl-,methylcarbamate.
P188	57-64-7	Benzoic acid, 2-hydroxy-, compd. with (3aS-cis)-1,2,3,3a,8,8a-hexahydro-1,3a,8-trimethylpyrrolo(2,3-b)indol-5-ylmethylcarbamate ester (1:1).
P001	(1)81-81-2	2H-1-Benzopyran-2-one, 4-hydroxy-3-(3-oxo-1-phenylbutyl)-, and salts, when present at concentrations greater than 0.3%

P028	100-44-7	Benzyl chloride
P015	7440-41-7	Beryllium powder
P017	598-31-2	Bromoacetone
P018	357-57-3	Brucine
P045	39196-18-4	2-Butanone, 3,3-dimethyl-1-(methylthio)-, O-(methylamino)carbonyl) oxime
P021	592-01-8	Calcium cyanide
P021	592-01-8	Calcium cyanide Ca(CN) <sub>2</sub>
P189	55285-14-8	Carbamic acid, ((dibutylamino)thio)methyl-, 2,3-dihydro-2,2-dimethyl- 7-benzofuranyl ester.
P191	644-64-4	Carbamic acid, dimethyl-, 1-((dimethyl-amino)carbonyl)-5-methyl-1H-pyrazol-3-yl ester.
P192	119-38-0	Carbamic acid, dimethyl-, 3-methyl-1-(1-methylethyl)-1H-pyrazol-5-yl ester.
P190	1129-41-5	Carbamic acid, methyl-, 3-methylphenyl ester.
P127	1563-66-2	Carbofuran.
P022	75-15-0	Carbon disulfide
P095	75-44-5	Carbonic dichloride
P189	55285-14-8	Carbosulfan.
P023	107-20-0	Chloroacetaldehyde
P024	106-47-8	p-Chloroaniline
P026	5344-82-1	1-(o-Chlorophenyl)thiourea
P027	542-76-7	3-Chloropropionitrile
P029	544-92-3	Copper cyanide
P029	544-92-3	Copper cyanide Cu(CN)
P202	64-00-6	m-Cumenyl methylcarbamate.
P030		Cyanides (soluble cyanide salts), not otherwise specified
P031	460-19-5	Cyanogen
P033	506-77-4	Cyanogen chloride
P033	506-77-4	Cyanogen chloride (CN)Cl
P034	131-89-5	2-Cyclohexyl-4,6-dinitrophenol
P016	542-88-1	Dichloromethyl ether
P036	696-28-6	Dichlorophenylarsine
P037	60-57-1	Dieldrin
P038	692-42-2	Diethylarsine
P041	311-45-5	Diethyl-p-nitrophenyl phosphate
P040	297-97-2	O,O-Diethyl O-pyrazinyl phosphorothioate
P043	55-91-4	Diisopropylfluorophosphate (DFP)
P004	309-00-2	1,4,5,8-Dimethanonaphthalene, 1,2,3,4,10,10-hexa-chloro-1,4,4a,5,8,8a,-hexahydro-, (1alpha, 4alpha, 4abeta, 5alpha, 8alpha, 8abeta)-
P060	465-73-6	1,4,5,8-Dimethanonaphthalene, 1,2,3,4,10,10-hexa-chloro-1,4,4a,5,8,8ahexahydro-, (1alpha, 4alpha, 4abeta, 5beta, 8beta, 8abeta)-

P037	60-57-1	2,7:3,6-Dimethanonaphth(2,3-b)oxirene, 3,4,5,6,9,9-hexachloro-1a,2,2a,3,6,6a,7,7a-octahydro-, (1aalpha, 2beta, 2aalpha, 3beta, 6beta, 6aalpha,7beta, 7aalpha)-
P051	(1)72-20-8	2,7:3,6-Dimethanonaphth(2,3-b)oxirene, 3,4,5,6,9,9-hexachloro-1a,2,2a,3,6,6a,7,7a-octahydro-, (1aalpha, 2beta, 2abeta, 3alpha, 6alpha, 6abeta, 7beta, 7aalpha)-, and metabolites
P044	60-51-5	Dimethoate
P046	122-09-8	alpha,alpha-Dimethylphenethylamine
P191	644-64-4	Dimetilan.
P047	(1)534-52-1	4,6-Dinitro-o-cresol, and salts
P048	51-28-5	2,4-Dinitrophenol
P020	88-85-7	Dinoseb
P085	152-16-9	Diphosphoramidate, octamethyl-
P111	107-49-3	Diphosphoric acid, tetraethyl ester
P039	298-04-4	Disulfoton
P049	541-53-7	Dithiobiuret
P185	26419-73-8	1,3-Dithiolane-2-carboxaldehyde, 2,4-dimethyl-, O-((methylamino)-carbonyl)oxime.
P050	115-29-7	Endosulfan
P088	145-73-3	Endothall
P051	72-20-8	Endrin
P051	72-20-8	Endrin, and metabolites
P042	51-43-4	Epinephrine
P031	460-19-5	Ethanedinitrile
P194	23135-22-0	Ethanimidothioic acid, 2-(dimethylamino)-N-(((methylamino) carbonyl)oxy)-2-oxo-, methyl ester.
P066	16752-77-5	Ethanimidothioic acid, N-(((methylamino)carbonyl)oxy)-, methyl ester
P101	107-12-0	Ethyl cyanide
P054	151-56-4	Ethyleneimine
P097	52-85-7	Famphur
P056	7782-41-4	Fluorine
P057	640-19-7	Fluoroacetamide
P058	62-74-8	Fluoroacetic acid, sodium salt
P198	23422-53-9	Formetanate hydrochloride.
P197	17702-57-7	Formparanate.
P065	628-86-4	Fulminic acid, mercury(2+) salt (R,T)
P059	76-44-8	Heptachlor
P062	757-58-4	Hexaethyl tetraphosphate
P116	79-19-6	Hydrazinecarbothioamide
P068	60-34-4	Hydrazine, methyl-
P063	74-90-8	Hydrocyanic acid
P063	74-90-8	Hydrogen cyanide
P096	7803-51-2	Hydrogen phosphide
P060	465-73-6	Isodrin

P192 119-38-0 Isolan.  
 P202 64-00-6 3-Isopropylphenyl N-methylcarbamate.  
 P007 2763-96-4 3(2H)-Isoxazolone, 5-(aminomethyl)-  
 P196 15339-36-3 Manganese,  
 bis(dimethylcarbamodithioato-S,S')-,  
 P196 15339-36-3 Manganese dimethyldithiocarbamate.  
 P092 62-38-4 Mercury, (acetato-O)phenyl-  
 P065 628-86-4 Mercury fulminate (R,T)  
 P082 62-75-9 Methanamine, N-methyl-N-nitroso-  
 P064 624-83-9 Methane, isocyanato-  
 P016 542-88-1 Methane, oxybis(chloro-  
 P112 509-14-8 Methane, tetranitro- (R)  
 P118 75-70-7 Methanethiol, trichloro-  
 P198 23422-53-9 Methanimidamide, N,N-dimethyl-N'-(3-  
 ((methylamino)-carbonyl)oxy)phenyl)-,  
 monohydrochloride.  
 P197 17702-57-7 Methanimidamide, N,N-dimethyl-N'-(2-  
 methyl-  
 4-((methylamino)carbonyl)oxy)phenyl)-  
 P050 115-29-7 6,9-Methano-2,4,3-benzodioxathiepin,  
 6,7,8,9,10,10- hexachloro-  
 1,5,5a,6,9,9a-hexahydro-, 3-oxide  
 P059 76-44-8 4,7-Methano-1H-indene, 1,4,5,6,7,8,8-  
 heptachloro- 3a,4,7,7a-tetrahydro-  
 P199 2032-65-7 Methiocarb.  
 P066 16752-77-5 Methomyl  
 P068 60-34-4 Methyl hydrazine  
 P064 624-83-9 Methyl isocyanate  
 P069 75-86-5 2-Methylactonitrile  
 P071 298-00-0 Methyl parathion  
 P190 1129-41-5 Metolcarb.  
 P128 315-8-4 Mexacarbate.  
 P072 86-88-4 alpha-Naphthylthiourea  
 P073 13463-39-3 Nickel carbonyl  
 P073 13463-39-3 Nickel carbonyl Ni(CO)<sub>4</sub>, (T-4)-  
 P074 557-19-7 Nickel cyanide  
 P074 557-19-7 Nickel cyanide Ni(CN)<sub>2</sub>  
 P075 (1)54-11-5 Nicotine, and salts  
 P076 10102-43-9 Nitric oxide  
 P077 100-01-6 p-Nitroaniline  
 P078 10102-44-0 Nitrogen dioxide  
 P076 10102-43-9 Nitrogen oxide NO  
 P078 10102-44-0 Nitrogen oxide NO<sub>2</sub>  
 P081 55-63-0 Nitroglycerine (R)  
 P082 62-75-9 N-Nitrosodimethylamine  
 P084 4549-40-0 N-Nitrosomethylvinylamine  
 P085 152-16-9 Octamethylpyrophosphoramidate  
 P087 20816-12-0 Osmium oxide OsO<sub>4</sub>, (T-4)-  
 P087 20816-12-0 Osmium tetroxide  
 P088 145-73-3 7-Oxabicyclo(2.2.1)heptane-2,3-  
 dicarboxylic acid  
 P194 23135-22-0 Oxamyl.  
 P089 56-38-2 Parathion  
 P034 131-89-5 Phenol, 2-cyclohexyl-4,6-dinitro-

P048	51-28-5	Phenol, 2,4-dinitro-
P047	(1)534-52-1	Phenol, 2-methyl-4,6-dinitro-, and salts
P020	88-85-7	Phenol, 2-(1-methylpropyl)-4,6-dinitro-
P009	131-74-8	Phenol, 2,4,6-trinitro-, ammonium salt (R)
P128	315-18-4	Phenol, 4-(dimethylamino)-3,5-dimethyl-, methylcarbamate (ester).
P199	2032-65-7	Phenol, (3,5-dimethyl-4-(methylthio)-, methylcarbamate
P202	64-00-6	Phenol, 3-(1-methylethyl)-, methyl carbamate.
P201	2631-37-0	Phenol, 3-methyl-5-(1-methylethyl)-, methyl carbamate.
P092	62-38-4	Phenylmercury acetate
P093	103-85-5	Phenylthiourea
P094	298-02-2	Phorate
P095	75-44-5	Phosgene
P096	7803-51-2	Phosphine
P041	311-45-5	Phosphoric acid, diethyl 4-nitrophenyl ester
P039	298-04-4	Phosphorodithioic acid, O,O-diethyl S-(2-(ethylthio)ethyl) ester
P094	298-02-2	Phosphorodithioic acid, O,O-diethyl S-((ethylthio)methyl) ester
P044	60-51-5	Phosphorodithioic acid, O,O-dimethyl S-(2-(methylamino)-2-oxoethyl) ester
P043	55-91-4	Phosphorofluoridic acid, bis(1-methylethyl) ester
P089	56-38-2	Phosphorothioic acid, O,O-diethyl O-(4-nitrophenyl) ester
P040	297-97-2	Phosphorothioic acid, O,O-diethyl O-pyrazinyl ester
P097	52-85-7	Phosphorothioic acid, O-(4-((dimethylamino)sulfonyl)phenyl) O,O-dimethyl ester
P071	298-00-0	Phosphorothioic acid, O,O,-dimethyl O-(4-nitrophenyl) ester
P204	57-47-6	Physostigmine.
P188	57-64-7	Physostigmine salicylate.
P110	78-00-2	Plumbane, tetraethyl-
P098	151-50-8	Potassium cyanide
P098	151-50-8	Potassium cyanide K(CN)
P099	506-61-6	Potassium silver cyanide
P201	2631-37-0	Promecarb
P070	116-06-3	Propanal, 2-methyl-2-(methylthio)-, O-((methylamino)carbonyl)oxime
P203	1646-88-4	Propanal, 2-methyl-2-(methylsulfonyl)-, O-((methylamino)carbonyl)oxime.
P101	107-12-0	Propanenitrile
P027	542-76-7	Propanenitrile, 3-chloro-

P069	75-86-5	Propanenitrile, 2-hydroxy-2-methyl-
P081	55-63-0	1,2,3-Propanetriol, trinitrate (R)
P017	598-31-2	2-Propanone, 1-bromo-
P102	107-19-7	Propargyl alcohol
P003	107-02-8	2-Propenal
P005	107-18-6	2-Propen-1-ol
P067	75-55-8	1,2-Propylenimine
P102	107-19-7	2-Propyn-1-ol
P008	504-24-5	4-Pyridinamine
P075	(1)54-11-5	Pyridine, 3-(1-methyl-2-pyrrolidinyl)-, (S)-, and salts
P204	57-47-6	Pyrrolo(2,3-b)indol-5-ol, 1,2,3,3a,8,8a-hexahydro-1,3a,8-trimethyl-, methylcarbamate (ester), (3aS-cis)-.
P114	12039-52-0	Selenious acid, dithallium(1+) salt
P103	630-10-4	Selenourea
P104	506-64-9	Silver cyanide
P104	506-64-9	Silver cyanide Ag(CN)
P105	26628-22-8	Sodium azide
P106	143-33-9	Sodium cyanide
P106	143-33-9	Sodium cyanide Na(CN)
P108	(1)57-24-9	Strychnidin-10-one, and salts
P018	357-57-3	Strychnidin-10-one, 2,3-dimethoxy-
P108	(1)57-24-9	Strychnine, and salts
P115	7446-18-6	Sulfuric acid, dithallium(1+) salt
P109	3689-24-5	Tetraethyldithiopyrophosphate
P110	78-00-2	Tetraethyl lead
P111	107-49-3	Tetraethyl pyrophosphate
P112	509-14-8	Tetranitromethane (R)
P062	757-58-4	Tetrphosphoric acid, hexaethyl ester
P113	1314-32-5	Thallic oxide
P113	1314-32-5	Thallium oxide Tl <sub>2</sub> O <sub>3</sub>
P114	12039-52-0	Thallium(I) selenite
P115	7446-18-6	Thallium(I) sulfate
P109	3689-24-5	Thiodiphosphoric acid, tetraethyl ester
P045	39196-18-4	Thiofanox
P049	541-53-7	Thioimidodicarbonic diamide ((H <sub>2</sub> N)C(S)) <sub>2</sub> NH
P014	108-98-5	Thiophenol
P116	79-19-6	Thiosemicarbazide
P026	5344-82-1	Thiourea, (2-chlorophenyl)-
P072	86-88-4	Thiourea, 1-naphthalenyl-
P093	103-85-5	Thiourea, phenyl-
P185	26419-73-8	Tirpate.
P123	8001-35-2	Toxaphene
P118	75-70-7	Trichloromethanethiol
P119	7803-55-6	Vanadic acid, ammonium salt
P120	1314-62-1	Vanadium oxide V <sub>2</sub> O <sub>5</sub>
P120	1314-62-1	Vanadium pentoxide
P084	4549-40-0	Vinylamine, N-methyl-N-nitroso-
P001	(1)81-81-2	Warfarin, and salts, when present at concentrations greater than 0.3%

P205	137-30-4	Zinc, bis(dimethylcarbamo-dithioato-S,S')-,
P121	557-21-1	Zinc cyanide
P121	557-21-1	Zinc cyanide Zn(CN) <sub>2</sub>
P122	1314-84-7	Zinc phosphide Zn <sub>3</sub> P <sub>2</sub> , when present at concentrations greater than 10% (R,T)
P205	137-30-4	Ziram.
P001	(1)81-81-2	2H-1-Benzopyran-2-one, 4-hydroxy-3-(3-oxo-1-phenylbutyl)-, and salts, when present at concentrations greater than 0.3%
P001	(1)81-81-2	Warfarin, and salts, when present at concentrations greater than 0.3%
P002	591-08-2	Acetamide, -(aminothioxomethyl)-
P002	591-08-2	1-Acetyl-2-thiourea
P003	107-02-8	Acrolein
P003	107-02-8	2-Propenal
P004	309-00-2	Aldrin
P004	309-00-2	1,4,5,8-Dimethanonaphthalene, 1,2,3,4,10,10-hexa-chloro-1,4,4a,5,8,8a,- hexahydro-, (1alpha, 4alpha, 4abeta, 5alpha, 8alpha,8abeta)-
P005	107-18-6	Allyl alcohol
P005	107-18-6	2-Propen-1-ol
P006	20859-73-8	Aluminum phosphide (R,T)
P007	2763-96-4	5-(Aminomethyl)-3-isoxazolol
P007	2763-96-4	3(2H)-Isoxazolone, 5-(aminomethyl)-
P008	504-24-5	4-Aminopyridine
P008	504-24-5	4-Pyridinamine
P009	131-74-8	Ammonium picrate (R)
P009	131-74-8	Phenol, 2,4,6-trinitro-, ammonium salt (R)
P010	7778-39-4	Arsenic acid H <sub>3</sub> AsO <sub>4</sub>
P011	1303-28-2	Arsenic oxide As <sub>2</sub> O <sub>5</sub>
P011	1303-28-2	Arsenic pentoxide
P012	1327-53-3	Arsenic oxide As <sub>2</sub> O <sub>3</sub>
P012	1327-53-3	Arsenic trioxide
P013	542-62-1	Barium cyanide
P014	108-98-5	Benzenethiol
P014	108-98-5	Thiophenol
P015	7440-41-7	Beryllium powder
P016	542-88-1	Dichloromethyl ether
P016	542-88-1	Methane, oxybis(chloro-
P017	598-31-2	Bromoacetone
P017	598-31-2	2-Propanone, 1-bromo-
P018	357-57-3	Brucine
P018	357-57-3	Strychnidin-10-one, 2,3-dimethoxy-
P020	88-85-7	Dinoseb
P020	88-85-7	Phenol, 2-(1-methylpropyl)-4,6-dinitro-
P021	592-01-8	Calcium cyanide
P021	592-01-8	Calcium cyanide Ca(CN) <sub>2</sub>
P022	75-15-0	Carbon disulfide

P023	107-20-0	Acetaldehyde, chloro-
P023	107-20-0	Chloroacetaldehyde
P024	106-47-8	Benzenamine, 4-chloro-
P024	106-47-8	p-Chloroaniline
P026	5344-82-1	1-(o-Chlorophenyl)thiourea
P026	5344-82-1	Thiourea, (2-chlorophenyl)-
P027	542-76-7	3-Chloropropionitrile
P027	542-76-7	Propanenitrile, 3-chloro-
P028	100-44-7	Benzene, (chloromethyl)-
P028	100-44-7	Benzyl chloride
P029	544-92-3	Copper cyanide
P029	544-92-3	Copper cyanide Cu(CN)
P030		Cyanides (soluble cyanide salts), not otherwise specified
P031	460-19-5	Cyanogen
P031	460-19-5	Ethanedinitrile
P033	506-77-4	Cyanogen chloride
P033	506-77-4	Cyanogen chloride (CN)Cl
P034	131-89-5	2-Cyclohexyl-4,6-dinitrophenol
P034	131-89-5	Phenol, 2-cyclohexyl-4,6-dinitro-
P036	696-28-6	Arsonous dichloride, phenyl-
P036	696-28-6	Dichlorophenylarsine
P037	60-57-1	Dieldrin
P037	60-57-1	2,7:3,6-Dimethanonaphth(2,3-b)oxirene, 3,4,5,6,9,9-hexachloro-1a,2,2a,3,6,6a,7,7a-octahydro-, (1aalpha, 2beta, 2aalpha, 3beta, 6beta, 6aalpha, 7beta, 7aalpha)-
P038	692-42-2	Arsine, diethyl-
P038	692-42-2	Diethylarsine
P039	298-04-4	Disulfoton
P039	298-04-4	Phosphorodithioic acid, O,O-diethyl S-(2-(ethylthio)ethyl) ester
P040	297-97-2	O,O-Diethyl O-pyrazinyl phosphorothioate
P040	297-97-2	Phosphorothioic acid, O,O-diethyl O-pyrazinyl ester
P041	311-45-5	Diethyl-p-nitrophenyl phosphate
P041	311-45-5	Phosphoric acid, diethyl 4-nitrophenyl ester
P042	51-43-4	1,2-Benzenediol, 4-(1-hydroxy-2-(methylamino)ethyl)-, (R)-
P042	51-43-4	Epinephrine
P043	55-91-4	Diisopropylfluorophosphate (DFP)
P043	55-91-4	Phosphorofluoridic acid, bis(1-methylethyl) ester
P044	60-51-5	Dimethoate
P044	60-51-5	Phosphorodithioic acid, O,O-dimethyl S-(2-(methyl amino)-2-oxoethyl) ester
P045	39196-18-4	2-Butanone, 3,3-dimethyl-1-(methylthio)-, O-((methylamino)carbonyl) oxime
P045	39196-18-4	Thiofanox
P046	122-09-8	Benzeneethanamine, alpha,alpha-

		dimethyl-
P046	122-09-8	alpha,alpha-Dimethylphenethylamine
P047	(1)534-52-1	4,6-Dinitro-o-cresol, and salts
P047	(1)534-52-1	Phenol, 2-methyl-4,6-dinitro-, and salts
P048	51-28-5	2,4-Dinitrophenol
P048	51-28-5	Phenol, 2,4-dinitro-
P049	541-53-7	Dithiobiuret
P049	541-53-7	Thioimidodicarbonic diamide ((H2 N)C(S))2 NH
P050	115-29-7	Endosulfan
P050	115-29-7	6,9-Methano-2,4,3-benzodioxathiepin, 6,7,8,9,10,10-hexachloro- 1,5,5a,6,9,9a- hexahydro-, 3-oxide
P051	(1)72-20-8	2,7:3,6-Dimethanonaphth (2,3- b)oxirene, 3,4,5,6,9,9-hexachloro- 1a,2,2a,3,6,6a,7,7a-octahydro-, (1alpha, 2beta,2abeta, 3alpha, 6alpha, 6abeta,7beta, 7aalpha)-, and metabolites
P051	72-20-8	Endrin
P051	72-20-8	Endrin, and metabolites
P054	151-56-4	Aziridine
P054	151-56-4	Ethyleneimine
P056	7782-41-4	Fluorine
P057	640-19-7	Acetamide, 2-fluoro-
P057	640-19-7	Fluoroacetamide
P058	62-74-8	Acetic acid, fluoro-, sodium salt
P058	62-74-8	Fluoroacetic acid, sodium salt
P059	76-44-8	Heptachlor
P059	76-44-8	4,7-Methano-1H-indene, 1,4,5,6,7,8,8- heptachloro-3a,4,7,7a-tetrahydro-
P060	465-73-6	1,4,5,8-Dimethanonaphthalene, 1,2,3,4,10,10-hexa-chloro- 1,4,4a,5,8,8a-hexahydro-, (1alpha, 4alpha,4abeta,5beta, 8beta,8abeta)-
P060	465-73-6	Isodrin
P062	757-58-4	Hexaethyl tetraphosphate
P062	757-58-4	Tetraphosphoric acid, hexaethyl ester
P063	74-90-8	Hydrocyanic acid
P063	74-90-8	Hydrogen cyanide
P064	624-83-9	Methane, isocyanato-
P064	624-83-9	Methyl isocyanate
P065	628-86-4	Fulminic acid, mercury(2+) salt (R,T)
P065	628-86-4	Mercury fulminate (R,T)
P066	16752-77-5	Ethanimidothioic acid, N- (((methylamino)carbonyl)oxy)-, methyl ester
P066	16752-77-5	Methomyl
P067	75-55-8	Aziridine, 2-methyl-
P067	75-55-8	1,2-Propylenimine
P068	60-34-4	Hydrazine, methyl-
P068	60-34-4	Methyl hydrazine
P069	75-86-5	2-Methylactonitrile

P069	75-86-5	Propanenitrile, 2-hydroxy-2-methyl-
P070	116-06-3	Aldicarb
P070	116-06-3	Propanal, 2-methyl-2-(methylthio)-, O- ((methylamino)carbonyl)oxime
P071	298-00-0	Methyl parathion
P071	298-00-0	Phosphorothioic acid, O,O,-dimethyl O- (4-nitrophenyl) ester
P072	86-88-4	alpha-Naphthylthiourea
P072	86-88-4	Thiourea, 1-naphthalenyl-
P073	13463-39-3	Nickel carbonyl
P073	13463-39-3	Nickel carbonyl Ni(CO) <sub>4</sub> , (T-4)-
P074	557-19-7	Nickel cyanide
P074	557-19-7	Nickel cyanide Ni(CN) <sub>2</sub>
P075	(1)54-11-5	Nicotine, and salts
P075	(1)54-11-5	Pyridine, 3-(1-methyl-2-pyrrolidinyl)- , S)-, and salts
P076	10102-43-9	Nitric oxide
P076	10102-43-9	Nitrogen oxide NO
P077	100-01-6	Benzenamine, 4-nitro-
P077	100-01-6	p-Nitroaniline
P078	10102-44-0	Nitrogen dioxide
P078	10102-44-0	Nitrogen oxide NO <sub>2</sub>
P081	55-63-0	Nitroglycerine (R)
P081	55-63-0	1,2,3-Propanetriol, trinitrate (R)
P082	62-75-9	Methanamine, -methyl-N-nitroso-
P082	62-75-9	N-Nitrosodimethylamine
P084	4549-40-0	N-Nitrosomethylvinylamine
P084	4549-40-0	Vinylamine, -methyl-N-nitroso-
P085	152-16-9	Diphosphoramidate, octamethyl-
P085	152-16-9	Octamethylpyrophosphoramidate
P087	20816-12-0	Osmium oxide OsO <sub>4</sub> , (T-4)-
P087	20816-12-0	Osmium tetroxide
P088	145-73-3	Endothall
P088	145-73-3	7-Oxabicyclo(2.2.1)heptane-2,3- dicarboxylic acid
P089	56-38-2	Parathion
P089	56-38-2	Phosphorothioic acid, O,O-diethyl O- (4-nitrophenyl) ester
P092	62-38-4	Mercury, (acetato-O)phenyl-
P092	62-38-4	Phenylmercury acetate
P093	103-85-5	Phenylthiourea
P093	103-85-5	Thiourea, phenyl-
P094	298-02-2	Phorate
P094	298-02-2	Phosphorodithioic acid, O,O-diethyl S- ((ethylthio)methyl) ester
P095	75-44-5	Carbonic dichloride
P095	75-44-5	Phosgene
P096	7803-51-2	Hydrogen phosphide
P096	7803-51-2	Phosphine
P097	52-85-7	Famphur
P097	52-85-7	Phosphorothioic acid, O-(4- ((dimethylamino)sulfonyl)phenyl) O,O- dimethyl ester
P098	151-50-8	Potassium cyanide

P098	151-50-8	Potassium cyanide K(CN)
P099	506-61-6	Argentate(1-), bis(cyano-C)-, potassium
P099	506-61-6	Potassium silver cyanide
P101	107-12-0	Ethyl cyanide
P101	107-12-0	Propanenitrile
P102	107-19-7	Propargyl alcohol
P102	107-19-7	2-Propyn-1-ol
P103	630-10-4	Selenourea
P104	506-64-9	Silver cyanide
P104	506-64-9	Silver cyanide Ag(CN)
P105	26628-22-8	Sodium azide
P106	143-33-9	Sodium cyanide
P106	143-33-9	Sodium cyanide Na(CN)
P108	(1)157-24-9	Strychnidin-10-one, and salts
P108	(1)157-24-9	Strychnine, and salts
P109	3689-24-5	Tetraethyldithiopyrophosphate
P109	3689-24-5	Thiodiphosphoric acid, tetraethyl ester
P110	78-00-2	Plumbane, tetraethyl-
P110	78-00-2	Tetraethyl lead
P111	107-49-3	Diphosphoric acid, tetraethyl ester
P111	107-49-3	Tetraethyl pyrophosphate
P112	509-14-8	Methane, tetranitro-(R)
P112	509-14-8	Tetranitromethane (R)
P113	1314-32-5	Thallic oxide
P113	1314-32-5	Thallium oxide Tl <sub>2</sub> O <sub>3</sub>
P114	12039-52-0	Selenious acid, dithallium(1+) salt
P114	12039-52-0	Tetraethyldithiopyrophosphate
P115	7446-18-6	Thiodiphosphoric acid, tetraethyl ester
P115	7446-18-6	Plumbane, tetraethyl-
P116	79-19-6	Tetraethyl lead
P116	79-19-6	Thiosemicarbazide
P118	75-70-7	Methanethiol, trichloro-
P118	75-70-7	Trichloromethanethiol
P119	7803-55-6	Ammonium vanadate
P119	7803-55-6	Vanadic acid, ammonium salt
P120	1314-62-1	Vanadium oxide V <sub>2</sub> O <sub>5</sub>
P120	1314-62-1	Vanadium pentoxide
P121	557-21-1	Zinc cyanide
P121	557-21-1	Zinc cyanide Zn(CN) <sub>2</sub>
P122	1314-84-7	Zinc phosphide Zn <sub>3</sub> P <sub>2</sub> , when present at concentrations greater than 10% (R,T)
P123	8001-35-2	Toxaphene
P127	1563-66-2	7-Benzofuranol, 2,3-dihydro-2,2-dimethyl-, methylcarbamate.
P127	1563-66-2	Carbofuran
P128	315-8-4	Mexacarbate
P128	315-18-4	Phenol, 4-(dimethylamino)-3,5-dimethyl-, methylcarbamate (ester)
P185	26419-73-8	1,3-Dithiolane-2-carboxaldehyde, 2,4-dimethyl-, O-((methylamino)-

carbonyl)oxime.

P185 26419-73-8 Tirpate

P188 57-64-7 Benzoic acid, 2-hydroxy-, compd. with (3aS-cis)-1,2,3,3a,8,8a-hexahydro-1,3a,8-trimethylpyrrolo(2,3-b)indol-5-yl methylcarbamate ester (1:1)

P188 57-64-7 Physostigmine salicylate

P189 55285-14-8 Carbamic acid, ((dibutylamino)-thio)methyl-, 2,3-dihydro-2,2-dimethyl-7-benzofuranyl ester

P189 55285-14-8 Carbosulfan

P190 1129-41-5 Carbamic acid, methyl-, 3-methylphenyl ester

P190 1129-41-5 Metolcarb

P191 644-64-4 Carbamic acid, dimethyl-, 1-((dimethyl-amino)carbonyl)-5-methyl-1H-pyrazol-3-yl ester

P191 644-64-4 Dimetilan

P192 119-38-0 Carbamic acid, dimethyl-, 3-methyl-1-(1-methylethyl)-1H-pyrazol-5-yl ester

P192 119-38-0 Isolan

P194 23135-22-0 Ethanimidthioic acid, 2-(dimethylamino)-N-(((methylamino)carbonyl)oxy)-2-oxo-, methyl ester

P194 23135-22-0 Oxamyl

P196 15339-36-3 Manganese, bis(dimethylcarbomodithioato-S,S')-,

P196 15339-36-3 Manganese dimethyldithiocarbamate

P197 17702-57-7 Formparanate

P197 17702-57-7 Methanimidamide, N,N-dimethyl-N'-(2-methyl-4-(((methylamino)carbonyl)oxy)phenyl)-

P198 23422-53-9 Formetanate hydrochloride

P198 23422-53-9 Methanimidamide, N,N-dimethyl-N'-(3-(((methylamino)-carbonyl)oxy)phenyl)-monohydrochloride

P199 2032-65-7 Methiocarb

P199 2032-65-7 Phenol, (3,5-dimethyl-4-(methylthio)-, methylcarbamate

P201 2631-37-0 Phenol, 3-methyl-5-(1-methylethyl)-, methyl carbamate

P201 2631-37-0 Promecarb

P202 64-00-6 m-Cumenyl methylcarbamate

P202 64-00-6 3-Isopropylphenyl N-methylcarbamate

P202 64-00-6 Phenol, 3-(1-methylethyl)-, methyl carbamate

P203 1646-88-4 Aldicarb sulfone

P203 1646-88-4 Propanal, 2-methyl-2-(methylsulfonyl)-, O-(((methylamino)carbonyl)oxime

P204 57-47-6 Physostigmine

P204 57-47-6 Pyrrolo(2,3-b)indol-5-ol, 1,2,3,3a,8,8a-hexahydro-1,3a,8-

		trimethyl-, methylcarbamate (ester), (3aS-cis)-
P205	137-30-4	Zinc, bis(dimethylcarbamodithioato- S,S')-,
P205	137-30-4	Ziram
P999		Nerve, Military, and Chemical Agents (i.e., CX, GA, GB, GD, H, HD, HL, HN- 1, HN-2, HN-3, HT, L, T, and VX.)

Note (1) CAS Number given for parent compound only.

(f) The commercial chemical products, manufacturing chemical intermediates, or off-specification commercial chemical products referred to in Subsections R315-261-33(a) through (d), are identified as toxic wastes (T), unless otherwise designated [~~and are subject to the small quantity generator exclusion defined in Subsection R315-261-5(a) and (g)~~].

For the convenience of the regulated community, the primary hazardous properties of these materials have been indicated by the letters T (Toxicity), R (Reactivity), I (Ignitability) and C (Corrosivity). Absence of a letter indicates that the compound is only listed for toxicity. Wastes are first listed in alphabetical order by substance and then listed again in numerical order by Hazardous Waste Number. These wastes and their corresponding EPA Hazardous Waste Numbers are:

TABLE

Hazardous waste No.	Chemical abstracts No.	Substance
U394	30558-43-1	A2213.
U001	75-07-0	Acetaldehyde (I)
U034	75-87-6	Acetaldehyde, trichloro-
U187	62-44-2	Acetamide, N-(4-ethoxyphenyl)-
U005	53-96-3	Acetamide, N-9H-fluoren-2-yl-
U240	(1)94-75-7	Acetic acid, (2,4-dichlorophenoxy)-, salts and esters
U112	141-78-6	Acetic acid ethyl ester (I)
U144	301-04-2	Acetic acid, lead(2+) salt
U214	563-68-8	Acetic acid, thallium(1+) salt
see F027	93-76-5	Acetic acid, (2,4,5-trichlorophenoxy)-
U002	67-64-1	Acetone (I)
U003	75-05-8	Acetonitrile (I,T)
U004	98-86-2	Acetophenone
U005	53-96-3	2-Acetylaminofluorene
U006	75-36-5	Acetyl chloride (C,R,T)
U007	79-06-1	Acrylamide
U008	79-10-7	Acrylic acid (I)
U009	107-13-1	Acrylonitrile
U011	61-82-5	Amitrole
U012	62-53-3	Aniline (I,T)

U136	75-60-5	Arsinic acid, dimethyl-
U014	492-80-8	Auramine
U015	115-02-6	Azaserine
U010	50-07-7	Azirino(2',3':3,4)pyrrolo(1,2-a)indole-4,7-dione, 6-amino-8-(((aminocarbonyl)oxy) methyl)-1,1a,2,8,8a,8b-hexahydro-8a-methoxy-5-methyl-, (1aS-(1aalpha,8beta, 8aalpha,8balpha))-
U280	101-27-9	Barban.
U278	22781-23-3	Bendiocarb.
U364	22961-82-6	Bendiocarb phenol.
U271	17804-35-2	Benomyl.
U157	56-49-5	Benz(j)aceanthrylene, 1,2-dihydro-3-methyl-
U016	225-51-4	Benz(c)acridine
U017	98-87-3	Benzal chloride
U192	23950-58-5	Benzamide, 3,5-dichloro-N-(1,1-dimethyl-2-propynyl)-
U018	56-55-3	Benz(a)anthracene
U094	57-97-6	Benz(a)anthracene, 7,12-dimethyl-
U012	62-53-3	Benzenamine (I,T)
U014	492-80-8	Benzenamine, 4,4'-carbonimidoylbis(N,N-dimethyl-
U049	3165-93-3	Benzenamine, 4-chloro-2-methyl-, hydrochloride
U093	60-11-7	Benzenamine, N,N-dimethyl-4-(phenylazo)-
U328	95-53-4	Benzenamine, 2-methyl-
U353	106-49-0	Benzenamine, 4-methyl-
U158	101-14-4	Benzenamine, 4,4'-methylenebis(2-chloro-
U222	636-21-5	Benzenamine, 2-methyl-, hydrochloride
U181	99-55-8	Benzenamine, 2-methyl-5-nitro-
U019	71-43-2	Benzene (I,T)
U038	510-15-6	Benzeneacetic acid, 4-chloro-alpha-(4-chlorophenyl)-alpha-hydroxy-, ethyl ester
U030	101-55-3	Benzene, 1-bromo-4-phenoxy-
U035	305-03-3	Benzenebutanoic acid, 4-(bis(2-chloroethyl)amino)-
U037	108-90-7	Benzene, chloro-
U221	25376-45-8	Benzenediamine, ar-methyl-
U028	117-81-7	1,2-Benzenedicarboxylic acid, bis(2-ethylhexyl) ester
U069	84-74-2	1,2-Benzenedicarboxylic acid, dibutyl ester
U088	84-66-2	1,2-Benzenedicarboxylic acid, diethyl ester
U102	131-11-3	1,2-Benzenedicarboxylic acid, dimethyl ester
U107	117-84-0	1,2-Benzenedicarboxylic acid, dioctyl ester
U070	95-50-1	Benzene, 1,2-dichloro-

U071	541-73-1	Benzene, 1,3-dichloro-
U072	106-46-7	Benzene, 1,4-dichloro-
U060	72-54-8	Benzene, 1,1'-(2,2-dichloroethylidene) bis(4-chloro-
U017	98-87-3	Benzene, (dichloromethyl)-
U223	26471-62-5	Benzene, 1,3-diisocyanatomethyl- (R,T)
U239	1330-20-7	Benzene, dimethyl- (I)
U201	108-46-3	1,3-Benzenediol
U127	118-74-1	Benzene, hexachloro-
U056	110-82-7	Benzene, hexahydro- (I)
U220	108-88-3	Benzene, methyl-
U105	121-14-2	Benzene, 1-methyl-2,4-dinitro-
U106	606-20-2	Benzene, 2-methyl-1,3-dinitro-
U055	98-82-8	Benzene, (1-methylethyl)- (I)
U169	98-95-3	Benzene, nitro-
U183	608-93-5	Benzene, pentachloro-
U185	82-68-8	Benzene, pentachloronitro-
U020	98-09-9	Benzenesulfonic acid chloride (C,R)
U020	98-09-9	Benzenesulfonyl chloride (C,R)
U207	95-94-3	Benzene, 1,2,4,5-tetrachloro-
U061	50-29-3	Benzene, 1,1'-(2,2,2-trichloroethylidene) bis(4-chloro-
U247	72-43-5	Benzene, 1,1'-(2,2,2-trichloroethylidene) bis(4-methoxy-
U023	98-07-7	Benzene, (trichloromethyl)-
U234	99-35-4	Benzene, 1,3,5-trinitro-
U021	92-87-5	Benzidine
U278	22781-23-3	1,3-Benzodioxol-4-ol, 2,2-dimethyl-, methyl carbamate.
U364	22961-82-6	1,3-Benzodioxol-4-ol, 2,2-dimethyl-,
U203	94-59-7	1,3-Benzodioxole, 5-(2-propenyl)-
U141	120-58-1	1,3-Benzodioxole, 5-(1-propenyl)-
U367	1563-38-8	7-Benzofuranol, 2,3-dihydro-2,2-dimethyl-
U090	94-58-6	1,3-Benzodioxole, 5-propyl-
U064	189-55-9	Benzo(rst)pentaphene
U248	(1)81-81-2	2H-1-Benzopyran-2-one, 4-hydroxy-3-(3-oxo-1-phenyl-butyl)-, and salts, when present at concentrations of 0.3% or less
U022	50-32-8	Benzo(a)pyrene
U197	106-51-4	p-Benzoquinone
U023	98-07-7	Benzotrichloride (C,R,T)
U085	1464-53-5	2,2'-Bioxirane
U021	92-87-5	(1,1'-Biphenyl)-4,4'-diamine
U073	91-94-1	(1,1'-Biphenyl)-4,4'-diamine, 3,3'-dichloro-
U091	119-90-4	(1,1'-Biphenyl)-4,4'-diamine, 3,3'-dimethoxy-
U095	119-93-7	(1,1'-Biphenyl)-4,4'-diamine, 3,3'-dimethyl-
U225	75-25-2	Bromoform
U030	101-55-3	4-Bromophenyl phenyl ether

U128	87-68-3	1,3-Butadiene, 1,1,2,3,4,4-hexachloro-
U172	924-16-3	1-Butanamine, N-butyl-N-nitroso-
U031	71-36-3	1-Butanol (I)
U159	78-93-3	2-Butanone (I,T)
U160	1338-23-4	2-Butanone, peroxide (R,T)
U053	4170-30-3	2-Butenal
U074	764-41-0	2-Butene, 1,4-dichloro- (I,T)
U143	303-34-4	2-Butenoic acid, 2-methyl-, 7-((2,3-dihydroxy-2-(1-methoxyethyl)-3-methyl-1-oxobutoxy)methyl)-2,3,5,7a-tetrahydro-1H-pyrrolizin-1-yl ester, (1S-(1alpha(Z),7(2S*,3R*)),7aalpha))-
U031	71-36-3	n-Butyl alcohol (I)
U136	75-60-5	Cacodylic acid
U032	13765-19-0	Calcium chromate
U372	10605-21-7	Carbamic acid, 1H-benzimidazol-2-yl, methyl ester.
U271	17804-35-2	Carbamic acid, (1-((butylamino)carbonyl)-1H-benzimidazol-2-yl)-, methyl ester.
U280	101-27-9	Carbamic acid, (3-chlorophenyl)-, 4-chloro-2-butynyl ester.
U238	51-79-6	Carbamic acid, ethyl ester
U178	615-53-2	Carbamic acid, methylnitroso-, ethyl ester
U373	122-42-9	Carbamic acid, phenyl-, 1-methylethyl ester.
U409	23564-05-8	Carbamic acid, (1,2-phenylenebis(iminocarbonothioyl))bis-, dimethyl ester.
U097	79-44-7	Carbamic chloride, dimethyl-
U389	2303-17-5	Carbamothioic acid, bis(1-methylethyl)-, S-(2,3,3-trichloro-2-propenyl) ester.
U387	52888-80-9	Carbamothioic acid, dipropyl-, S-(phenylmethyl) ester.
U114	(1)111-54-6	Carbamodithioic acid, 1,2-ethanediylbis-, salts and esters
U062	2303-16-4	Carbamothioic acid, bis(1-methylethyl)-, S-(2,3-dichloro-2-propenyl) ester
U279	63-25-2	Carbaryl.
U372	10605-21-7	Carbendazim.
U367	1563-38-8	Carbofuran phenol.
U215	6533-73-9	Carbonic acid, dithallium(1+) salt
U033	353-50-4	Carbonic difluoride
U156	79-22-1	Carbonochloridic acid, methyl ester (I,T)
U033	353-50-4	Carbon oxyfluoride (R,T)
U211	56-23-5	Carbon tetrachloride
U034	75-87-6	Chloral
U035	305-03-3	Chlorambucil
U036	57-74-9	Chlordane, alpha and gamma isomers

U026	494-03-1	Chlornaphazin
U037	108-90-7	Chlorobenzene
U038	510-15-6	Chlorobenzilate
U039	59-50-7	p-Chloro-m-cresol
U042	110-75-8	2-Chloroethyl vinyl ether
U044	67-66-3	Chloroform
U046	107-30-2	Chloromethyl methyl ether
U047	91-58-7	beta-Chloronaphthalene
U048	95-57-8	o-Chlorophenol
U049	3165-93-3	4-Chloro-o-toluidine, hydrochloride
U032	13765-19-0	Chromic acid H <sub>2</sub> CrO <sub>4</sub> , calcium salt
U050	218-01-9	Chrysene
U051		Creosote
U052	1319-77-3	Cresol (Cresylic acid)
U053	4170-30-3	Crotonaldehyde
U055	98-82-8	Cumene (I)
U246	506-68-3	Cyanogen bromide (CN)Br
U197	106-51-4	2,5-Cyclohexadiene-1,4-dione
U056	110-82-7	Cyclohexane (I)
U129	58-89-9	Cyclohexane, 1,2,3,4,5,6-hexachloro-, (1alpha,2alpha,3beta,4alpha,5alpha, 6beta)-
U057	108-94-1	Cyclohexanone (I)
U130	77-47-4	1,3-Cyclopentadiene, 1,2,3,4,5,5- hexachloro-
U058	50-18-0	Cyclophosphamide
U240	(1)94-75-7	2,4-D, salts and esters
U059	20830-81-3	Daunomycin
U060	72-54-8	DDD
U061	50-29-3	DDT
U062	2303-16-4	Diallate
U063	53-70-3	Dibenz(a,h)anthracene
U064	189-55-9	Dibenzo(a,i)pyrene
U066	96-12-8	1,2-Dibromo-3-chloropropane
U069	84-74-2	Dibutyl phthalate
U070	95-50-1	o-Dichlorobenzene
U071	541-73-1	m-Dichlorobenzene
U072	106-46-7	p-Dichlorobenzene
U073	91-94-1	3,3'-Dichlorobenzidine
U074	764-41-0	1,4-Dichloro-2-butene (I,T)
U075	75-71-8	Dichlorodifluoromethane
U078	75-35-4	1,1-Dichloroethylene
U079	156-60-5	1,2-Dichloroethylene
U025	111-44-4	Dichloroethyl ether
U027	108-60-1	Dichloroisopropyl ether
U024	111-91-1	Dichloromethoxy ethane
U081	120-83-2	2,4-Dichlorophenol
U082	87-65-0	2,6-Dichlorophenol
U084	542-75-6	1,3-Dichloropropene
U085	1464-53-5	1,2:3,4-Diepoxybutane (I,T)
U108	123-91-1	1,4-Diethyleneoxide
U028	117-81-7	Diethylhexyl phthalate
U395	5952-26-1	Diethylene glycol, dicarbamate.
U086	1615-80-1	N,N'-Diethylhydrazine

U087	3288-58-2	O,O-Diethyl S-methyl dithiophosphate
U088	84-66-2	Diethyl phthalate
U089	56-53-1	Diethylstilbesterol
U090	94-58-6	Dihydrosafrole
U091	119-90-4	3,3'-Dimethoxybenzidine
U092	124-40-3	Dimethylamine (I)
U093	60-11-7	p-Dimethylaminoazobenzene
U094	57-97-6	7,12-Dimethylbenz(a)anthracene
U095	119-93-7	3,3'-Dimethylbenzidine
U096	80-15-9	alpha,alpha-Dimethylbenzylhydroperoxide (R)
U097	79-44-7	Dimethylcarbamoyl chloride
U098	57-14-7	1,1-Dimethylhydrazine
U099	540-73-8	1,2-Dimethylhydrazine
U101	105-67-9	2,4-Dimethylphenol
U102	131-11-3	Dimethyl phthalate
U103	77-78-1	Dimethyl sulfate
U105	121-14-2	2,4-Dinitrotoluene
U106	606-20-2	2,6-Dinitrotoluene
U107	117-84-0	Di-n-octyl phthalate
U108	123-91-1	1,4-Dioxane
U109	122-66-7	1,2-Diphenylhydrazine
U110	142-84-7	Dipropylamine (I)
U111	621-64-7	Di-n-propylnitrosamine
U041	106-89-8	Epichlorohydrin
U001	75-07-0	Ethanal (I)
U404	121-44-8	Ethanamine, N,N-diethyl-
U174	55-18-5	Ethanamine, N-ethyl-N-nitroso-
U155	91-80-5	1,2-Ethanediamine, N,N-dimethyl-N'-2-pyridinyl-N'-(2-thienylmethyl)-
U067	106-93-4	Ethane, 1,2-dibromo-
U076	75-34-3	Ethane, 1,1-dichloro-
U077	107-06-2	Ethane, 1,2-dichloro-
U131	67-72-1	Ethane, hexachloro-
U024	111-91-1	Ethane, 1,1'-(methylenebis(oxy))bis(2-chloro-
U117	60-29-7	Ethane, 1,1'-oxybis-(I)
U025	111-44-4	Ethane, 1,1'-oxybis(2-chloro-
U184	76-01-7	Ethane, pentachloro-
U208	630-20-6	Ethane, 1,1,1,2-tetrachloro-
U209	79-34-5	Ethane, 1,1,2,2-tetrachloro-
U218	62-55-5	Ethanethioamide
U226	71-55-6	Ethane, 1,1,1-trichloro-
U227	79-00-5	Ethane, 1,1,2-trichloro-
U410	59669-26-0	Ethanimidothioic acid, N,N'-(thiobis((methylimino)carbonyloxy))bis-, dimethyl ester
U394	30558-43-1	Ethanimidothioic acid, 2-(dimethylamino)-N-hydroxy-2-oxo-, methyl ester.
U359	110-80-5	Ethanol, 2-ethoxy-
U173	1116-54-7	Ethanol, 2,2'-(nitrosoimino)bis-
U395	5952-26-1	Ethanol, 2,2'-oxybis-, dicarbamate.
U004	98-86-2	Ethanone, 1-phenyl-

U043	75-01-4	Ethene, chloro-
U042	110-75-8	Ethene, (2-chloroethoxy)-
U078	75-35-4	Ethene, 1,1-dichloro-
U079	156-60-5	Ethene, 1,2-dichloro-, (E)-
U210	127-18-4	Ethene, tetrachloro-
U228	79-01-6	Ethene, trichloro-
U112	141-78-6	Ethyl acetate (I)
U113	140-88-5	Ethyl acrylate (I)
U238	51-79-6	Ethyl carbamate (urethane)
U117	60-29-7	Ethyl ether (I)
U114	(1)111-54-6	Ethylenebisdithiocarbamic acid, salts and esters
U067	106-93-4	Ethylene dibromide
U077	107-06-2	Ethylene dichloride
U359	110-80-5	Ethylene glycol monoethyl ether
U115	75-21-8	Ethylene oxide (I,T)
U116	96-45-7	Ethylenethiourea
U076	75-34-3	Ethylidene dichloride
U118	97-63-2	Ethyl methacrylate
U119	62-50-0	Ethyl methanesulfonate
U120	206-44-0	Fluoranthene
U122	50-00-0	Formaldehyde
U123	64-18-6	Formic acid (C,T)
U124	110-00-9	Furan (I)
U125	98-01-1	2-Furancarboxaldehyde (I)
U147	108-31-6	2,5-Furandione
U213	109-99-9	Furan, tetrahydro-(I)
U125	98-01-1	Furfural (I)
U124	110-00-9	Furfuran (I)
U206	18883-66-4	Glucopyranose, 2-deoxy-2-(3-methyl-3- nitrosoureido)-, D-
U206	18883-66-4	D-Glucose, 2-deoxy-2- (((methylnitrosoamino)- carbonyl)amino)-
U126	765-34-4	Glycidylaldehyde
U163	70-25-7	Guanidine, N-methyl-N'-nitro-N- nitroso-
U127	118-74-1	Hexachlorobenzene
U128	87-68-3	Hexachlorobutadiene
U130	77-47-4	Hexachlorocyclopentadiene
U131	67-72-1	Hexachloroethane
U132	70-30-4	Hexachlorophene
U243	1888-71-7	Hexachloropropene
U133	302-01-2	Hydrazine (R,T)
U086	1615-80-1	Hydrazine, 1,2-diethyl-
U098	57-14-7	Hydrazine, 1,1-dimethyl-
U099	540-73-8	Hydrazine, 1,2-dimethyl-
U109	122-66-7	Hydrazine, 1,2-diphenyl-
U134	7664-39-3	Hydrofluoric acid (C,T)
U134	7664-39-3	Hydrogen fluoride (C,T)
U135	7783-06-4	Hydrogen sulfide
U135	7783-06-4	Hydrogen sulfide H2 S
U096	80-15-9	Hydroperoxide, 1-methyl-1-phenylethyl- (R)

U116	96-45-7	2-Imidazolidinethione
U137	193-39-5	Indeno(1,2,3-cd)pyrene
U190	85-44-9	1,3-Isobenzofurandione
U140	78-83-1	Isobutyl alcohol (I,T)
U141	120-58-1	Isosafrole
U142	143-50-0	Kepone
U143	303-34-4	Lasiocarpine
U144	301-04-2	Lead acetate
U146	1335-32-6	Lead, bis(acetato-O)tetrahydroxytri-
U145	7446-27-7	Lead phosphate
U146	1335-32-6	Lead subacetate
U129	58-89-9	Lindane
U163	70-25-7	MNNG
U147	108-31-6	Maleic anhydride
U148	123-33-1	Maleic hydrazide
U149	109-77-3	Malononitrile
U150	148-82-3	Melphalan
U151	7439-97-6	Mercury
U152	126-98-7	Methacrylonitrile (I, T)
U092	124-40-3	Methanamine, N-methyl- (I)
U029	74-83-9	Methane, bromo-
U045	74-87-3	Methane, chloro- (I, T)
U046	107-30-2	Methane, chloromethoxy-
U068	74-95-3	Methane, dibromo-
U080	75-09-2	Methane, dichloro-
U075	75-71-8	Methane, dichlorodifluoro-
U138	74-88-4	Methane, iodo-
U119	62-50-0	Methanesulfonic acid, ethyl ester
U211	56-23-5	Methane, tetrachloro-
U153	74-93-1	Methanethiol (I, T)
U225	75-25-2	Methane, tribromo-
U044	67-66-3	Methane, trichloro-
U121	75-69-4	Methane, trichlorofluoro-
U036	57-74-9	4,7-Methano-1H-indene, 1,2,4,5,6,7,8,8- octachloro-2,3,3a,4,7,7a-hexahydro-
U154	67-56-1	Methanol (I)
U155	91-80-5	Methapyrilene
U142	143-50-0	1,3,4-Metheno-2H- cyclobuta(cd)pentalen-2- one, 1,1a,3,3a,4,5,5,5a,5b,6- decachlorooctahydro-
U247	72-43-5	Methoxychlor
U154	67-56-1	Methyl alcohol (I)
U029	74-83-9	Methyl bromide
U186	504-60-9	1-Methylbutadiene (I)
U045	74-87-3	Methyl chloride (I,T)
U156	79-22-1	Methyl chlorocarbonate (I,T)
U226	71-55-6	Methyl chloroform
U157	56-49-5	3-Methylcholanthrene
U158	101-14-4	4,4'-Methylenebis(2-chloroaniline)
U068	74-95-3	Methylene bromide
U080	75-09-2	Methylene chloride
U159	78-93-3	Methyl ethyl ketone (MEK) (I,T)

U160	1338-23-4	Methyl ethyl ketone peroxide (R,T)
U138	74-88-4	Methyl iodide
U161	108-10-1	Methyl isobutyl ketone (I)
U162	80-62-6	Methyl methacrylate (I,T)
U161	108-10-1	4-Methyl-2-pentanone (I)
U164	56-04-2	Methylthiouracil
U010	50-07-7	Mitomycin C
U059	20830-81-3	5,12-Naphthacenedione, 8-acetyl-10- ((3-amino-2,3,6-trideoxy)-alpha-L- lyxo-hexopyranosyl)oxy)-7,8,9,10- tetrahydro-6,8,11-trihydroxy-1- methoxy-, (8S-cis)-
U167	134-32-7	1-Naphthalenamine
U168	91-59-8	2-Naphthalenamine
U026	494-03-1	Naphthalenamine, N,N'-bis(2- chloroethyl)-
U165	91-20-3	Naphthalene
U047	91-58-7	Naphthalene, 2-chloro-
U166	130-15-4	1,4-Naphthalenedione
U236	72-57-1	2,7-Naphthalenedisulfonic acid, 3,3'- ((3,3'- dimethyl(1,1'-biphenyl)-4,4'- diyl)bis(azo)bis(5-amino-4-hydroxy)-, tetrasodium salt
U279	63-25-2	1-Naphthalenol, methylcarbamate.
U166	130-15-4	1,4-Naphthoquinone
U167	134-32-7	alpha-Naphthylamine
U168	91-59-8	beta-Naphthylamine
U217	10102-45-1	Nitric acid, thallium(1+) salt
U169	98-95-3	Nitrobenzene (I,T)
U170	100-02-7	p-Nitrophenol
U171	79-46-9	2-Nitropropane (I,T)
U172	924-16-3	N-Nitrosodi-n-butylamine
U173	1116-54-7	N-Nitrosodiethanolamine
U174	55-18-5	N-Nitrosodiethylamine
U176	759-73-9	N-Nitroso-N-ethylurea
U177	684-93-5	N-Nitroso-N-methylurea
U178	615-53-2	N-Nitroso-N-methylurethane
U179	100-75-4	N-Nitrosopiperidine
U180	930-55-2	N-Nitrosopyrrolidine
U181	99-55-8	5-Nitro-o-toluidine
U193	1120-71-4	1,2-Oxathiolane, 2,2-dioxide
U058	50-18-0	2H-1,3,2-Oxazaphosphorin-2-amine, N,N- bis(2-chloroethyl)tetrahydro-, 2-oxide
U115	75-21-8	Oxirane (I,T)
U126	765-34-4	Oxiranecarboxyaldehyde
U041	106-89-8	Oxirane, (chloromethyl)-
U182	123-63-7	Paraldehyde
U183	608-93-5	Pentachlorobenzene
U184	76-01-7	Pentachloroethane
U185	82-68-8	Pentachloronitrobenzene (PCNB)
See F027	87-86-5	Pentachlorophenol
U161	108-10-1	Pentanol, 4-methyl-
U186	504-60-9	1,3-Pentadiene (I)
U187	62-44-2	Phenacetin

U188	108-95-2	Phenol
U048	95-57-8	Phenol, 2-chloro-
U039	59-50-7	Phenol, 4-chloro-3-methyl-
U081	120-83-2	Phenol, 2,4-dichloro-
U082	87-65-0	Phenol, 2,6-dichloro-
U089	56-53-1	Phenol, 4,4'-(1,2-diethyl-1,2-ethenediyl)bis-, (E)-
U101	105-67-9	Phenol, 2,4-dimethyl-
U052	1319-77-3	Phenol, methyl-
U132	70-30-4	Phenol, 2,2'-methylenebis(3,4,6-trichloro-
U411	114-26-1	Phenol, 2-(1-methylethoxy)-, methylcarbamate.
U170	100-02-7	Phenol, 4-nitro-
See F027	87-86-5	Phenol, pentachloro-
See F027	58-90-2	Phenol, 2,3,4,6-tetrachloro-
See F027	95-95-4	Phenol, 2,4,5-trichloro-
See F027	88-06-2	Phenol, 2,4,6-trichloro-
U150	148-82-3	L-Phenylalanine, 4-(bis(2-chloroethyl)amino)-
U145	7446-27-7	Phosphoric acid, lead(2+) salt (2:3)
U087	3288-58-2	Phosphorodithioic acid, O,O-diethyl S-methyl ester
U189	1314-80-3	Phosphorus sulfide (R)
U190	85-44-9	Phthalic anhydride
U191	109-06-8	2-Picoline
U179	100-75-4	Piperidine, 1-nitroso-
U192	23950-58-5	Pronamide
U194	107-10-8	1-Propanamine (I,T)
U111	621-64-7	1-Propanamine, N-nitroso-N-propyl-
U110	142-84-7	1-Propanamine, N-propyl- (I)
U066	96-12-8	Propane, 1,2-dibromo-3-chloro-
U083	78-87-5	Propane, 1,2-dichloro-
U149	109-77-3	Propanedinitrile
U171	79-46-9	Propane, 2-nitro- (I,T)
U027	108-60-1	Propane, 2,2'-oxybis(2-chloro-
U193	1120-71-4	1,3-Propane sultone
See F027	93-72-1	Propanoic acid, 2-(2,4,5-trichlorophenoxy)-
U235	126-72-7	1-Propanol, 2,3-dibromo-, phosphate (3:1)
U140	78-83-1	1-Propanol, 2-methyl- (I,T)
U002	67-64-1	2-Propanone (I)
U007	79-06-1	2-Propenamide
U084	542-75-6	1-Propene, 1,3-dichloro-
U243	1888-71-7	1-Propene, 1,1,2,3,3,3-hexachloro-
U009	107-13-1	2-Propenenitrile
U152	126-98-7	2-Propenenitrile, 2-methyl- (I,T)
U008	79-10-7	2-Propenoic acid (I)
U113	140-88-5	2-Propenoic acid, ethyl ester (I)
U118	97-63-2	2-Propenoic acid, 2-methyl-, ethyl ester
U162	80-62-6	2-Propenoic acid, 2-methyl-, methyl ester (I,T)

U373	122-42-9	Propham.
U411	114-26-1	Propoxur.
U387	52888-80-9	Prosulfocarb.
U194	107-10-8	n-Propylamine (I,T)
U083	78-87-5	Propylene dichloride
U148	123-33-1	3,6-Pyridazinedione, 1,2-dihydro-
U196	110-86-1	Pyridine
U191	109-06-8	Pyridine, 2-methyl-
U237	66-75-1	2,4-(1H,3H)-Pyrimidinedione, 5-(bis(2-chloroethyl)amino)-
U164	56-04-2	4(1H)-Pyrimidinone, 2,3-dihydro-6-methyl-2-thioxo-
U180	930-55-2	Pyrrolidine, 1-nitroso-
U200	50-55-5	Reserpine
U201	108-46-3	Resorcinol
U203	94-59-7	Safrole
U204	7783-00-8	Selenious acid
U204	7783-00-8	Selenium dioxide
U205	7488-56-4	Selenium sulfide
U205	7488-56-4	Selenium sulfide SeS <sub>2</sub> (R,T)
U015	115-02-6	L-Serine, diazoacetate (ester)
See F027	93-72-1	Silvex (2,4,5-TP)
U206	18883-66-4	Streptozotocin
U103	77-78-1	Sulfuric acid, dimethyl ester
U189	1314-80-3	Sulfur phosphide (R)
See F027	93-76-5	2,4,5-T
U207	95-94-3	1,2,4,5-Tetrachlorobenzene
U208	630-20-6	1,1,1,2-Tetrachloroethane
U209	79-34-5	1,1,2,2-Tetrachloroethane
U210	127-18-4	Tetrachloroethylene
See F027	58-90-2	2,3,4,6-Tetrachlorophenol
U213	109-99-9	Tetrahydrofuran (I)
U214	563-68-8	Thallium(I) acetate
U215	6533-73-9	Thallium(I) carbonate
U216	7791-12-0	Thallium(I) chloride
U216	7791-12-0	thallium chloride TlCl
U217	10102-45-1	Thallium(I) nitrate
U218	62-55-5	Thioacetamide
U410	59669-26-0	Thiodicarb.
U153	74-93-1	Thiomethanol (I,T)
U244	137-26-8	Thioperoxydicarbonic diamide ((H <sub>2</sub> N)C(S)) <sub>2</sub> S <sub>2</sub> , tetramethyl-
U409	23564-05-8	Thiophanate-methyl.
U219	62-56-6	Thiourea
U244	137-26-8	Thiram
U220	108-88-3	Toluene
U221	25376-45-8	Toluenediamine
U223	26471-62-5	Toluene diisocyanate (R,T)
U328	95-53-4	o-Toluidine
U353	106-49-0	p-Toluidine
U222	636-21-5	o-Toluidine hydrochloride
U389	2303-17-5	Triallate.
U011	61-82-5	1H-1,2,4-Triazol-3-amine

U226	71-55-6	1,1,1-Trichloroethane
U227	79-00-5	1,1,2-Trichloroethane
U228	79-01-6	Trichloroethylene
U121	75-69-4	Trichloromonofluoromethane
See F027	95-95-4	2,4,5-Trichlorophenol
See F027	88-06-2	2,4,6-Trichlorophenol
U404	121-44-8	Triethylamine.
U234	99-35-4	1,3,5-Trinitrobenzene (R,T)
U182	123-63-7	1,3,5-Trioxane, 2,4,6-trimethyl-
U235	126-72-7	Tris(2,3-dibromopropyl) phosphate
U236	72-57-1	Trypan blue
U237	66-75-1	Uracil shallard
U176	759-73-9	Urea, N-ethyl-N-nitroso-
U177	684-93-5	Urea, N-methyl-N-nitroso-
U043	75-01-4	Vinyl chloride
U248	(1)81-81-2	Warfarin, and salts, when present at concentrations of 0.3% or less
U239	1330-20-7	Xylene (I)
U200	50-55-5	Yohimban-16-carboxylic acid, 11,17-dimethoxy-18-((3,4,5-trimethoxybenzoyl) oxy)-, methyl ester, (3beta,16beta, 17alpha,18beta, 20alpha)-
U249	1314-84-7	Zinc phosphide Zn <sub>3</sub> P <sub>2</sub> , when present at concentrations of 10% or less
U001	75-07-0	Acetaldehyde (I)
U001	75-07-0	Ethanal (I)
U002	67-64-1	Acetone (I)
U002	67-64-1	2-Propanone (I)
U003	75-05-8	Acetonitrile (I,T)
U004	98-86-2	Acetophenone
U004	98-86-2	Ethanone, 1-phenyl-
U005	53-96-3	Acetamide, -9H-fluoren-2-yl-
U005	53-96-3	2-Acetylaminofluorene
U006	75-36-5	Acetyl chloride (C,R,T)
U007	79-06-1	Acrylamide
U007	79-06-1	2-Propenamide
U008	79-10-7	Acrylic acid (I)
U008	79-10-7	2-Propenoic acid (I)
U009	107-13-1	Acrylonitrile
U009	107-13-1	2-Propenenitrile
U010	50-07-7	Azirino(2',3':3,4)pyrrolo(1,2-a)indole-4,7-dione, 6-amino-8-(((aminocarbonyl) oxy)methyl)-1,1a,2,8,8a,8b-hexahydro-8a-methoxy-5-methyl-, (1aS-(1aalpha, 8beta, 8alpha,8balph))-
U010	50-07-7	Mitomycin C
U011	61-82-5	Amitrole
U011	61-82-5	1H-1,2,4-Triazol-3-amine
U012	62-53-3	Aniline (I,T)
U012	62-53-3	Benzenamine (I,T)
U014	492-80-8	Auramine
U014	492-80-8	Benzenamine, 4,4'-

		carbonimidoylbis(N,N-dimethyl-
U015	115-02-6	Azaserine
U015	115-02-6	L-Serine, diazoacetate (ester)
U016	225-51-4	Benz(c)acridine
U017	98-87-3	Benzal chloride
U017	98-87-3	Benzene, (dichloromethyl)-
U018	56-55-3	Benz(a)anthracene
U019	71-43-2	Benzene (I,T)
U020	98-09-9	Benzenesulfonic acid chloride (C,R)
U020	98-09-9	Benzenesulfonyl chloride (C,R)
U021	92-87-5	Benzidine
U021	92-87-5	(1,1'-Biphenyl)-4,4'-diamine
U022	50-32-8	Benzo(a)pyrene
U023	98-07-7	Benzene, (trichloromethyl)-
U023	98-07-7	Benzotrichloride (C,R,T)
U024	111-91-1	Dichloromethoxy ethane
U024	111-91-1	Ethane, 1,1'-(methylenebis(oxy))bis(2-chloro-
		chloro-
U025	111-44-4	Dichloroethyl ether
U025	111-44-4	Ethane, 1,1'-oxybis(2-chloro-
U026	494-03-1	Chlornaphazin
U026	494-03-1	Naphthalenamine, N,N'-bis(2-chloroethyl)-
		chloroethyl)-
U027	108-60-1	Dichloroisopropyl ether
U027	108-60-1	Propane, 2,2'-oxybis(2-chloro-
U028	117-81-7	1,2-Benzenedicarboxylic acid, bis(2-ethylhexyl) ester
		ethylhexyl) ester
U028	117-81-7	Diethylhexyl phthalate
U029	74-83-9	Methane, bromo-
U029	74-83-9	Methyl bromide
U030	101-55-3	Benzene, 1-bromo-4-phenoxy-
U030	101-55-3	4-Bromophenyl phenyl ether
U031	71-36-3	1-Butanol (I)
U031	71-36-3	n-Butyl alcohol (I)
U032	13765-19-0	Calcium chromate
U032	13765-19-0	Chromic acid H <sub>2</sub> CrO <sub>4</sub> , calcium salt
U033	353-50-4	Carbonic difluoride
U033	353-50-4	Carbon oxyfluoride (R,T)
U034	75-87-6	Acetaldehyde, trichloro-
U034	75-87-6	Chloral
U035	305-03-3	Benzenebutanoic acid, 4-(bis(2-chloroethyl)amino)-
		chloroethyl)amino)-
U035	305-03-3	Chlorambucil
U036	57-74-9	Chlordane, alpha and gamma isomers
U036	57-74-9	4,7-Methano-1H-indene, 1,2,4,5,6,7,8,8-octachloro-2,3,3a,4,7,7a-hexahydro-
		2,3,3a,4,7,7a-hexahydro-
U037	108-90-7	Benzene, chloro-
U037	108-90-7	Chlorobenzene
U038	510-15-6	Benzeneacetic acid, 4-chloro-alpha-(4-chlorophenyl)-alpha-hydroxy-, ethyl ester
		ester
U038	510-15-6	Chlorobenzilate
U039	59-50-7	p-Chloro-m-cresol

U039	59-50-7	Phenol, 4-chloro-3-methyl-
U041	106-89-8	Epichlorohydrin
U041	106-89-8	Oxirane, (chloromethyl)-
U042	110-75-8	2-Chloroethyl vinyl ether
U042	110-75-8	Ethene, (2-chloroethoxy)-
U043	75-01-4	Ethene, chloro-
U043	75-01-4	Vinyl chloride
U044	67-66-3	Chloroform
U044	67-66-3	Methane, trichloro-
U045	74-87-3	Methane, chloro- (I,T)
U045	74-87-3	Methyl chloride (I,T)
U046	107-30-2	Chloromethyl methyl ether
U046	107-30-2	Methane, chloromethoxy-
U047	91-58-7	beta-Chloronaphthalene
U047	91-58-7	Naphthalene, 2-chloro-
U048	95-57-8	o-Chlorophenol
U048	95-57-8	Phenol, 2-chloro-
U049	3165-93-3	Benzenamine, 4-chloro-2-methyl-, hydrochloride
U049	3165-93-3	4-Chloro-o-toluidine, hydrochloride
U050	218-01-9	Chrysene
U051		Creosote
U052	1319-77-3	Cresol (Cresylic acid)
U052	1319-77-3	Phenol, methyl-
U053	4170-30-3	2-Butenal
U053	4170-30-3	Crotonaldehyde
U055	98-82-8	Benzene, (1-methylethyl)-(I)
U055	98-82-8	Cumene (I)
U056	110-82-7	Benzene, hexahydro-(I)
U056	110-82-7	Cyclohexane (I)
U057	108-94-1	Cyclohexanone (I)
U058	50-18-0	Cyclophosphamide
U058	50-18-0	2H-1,3,2-Oxazaphosphorin-2-amine, N,N- bis(2-chloroethyl)tetrahydro-, 2-oxide
U059	20830-81-3	Daunomycin
U059	20830-81-3	5,12-Naphthacenedione, 8-acetyl-10- (3- amino-2,3,6-trideoxy)-alpha-L-lyxo- hexopyranosyl)oxy)-7,8,9,10- tetrahydro-6,8,11-trihydroxy-1- methoxy-, (8S-cis)-
U060	72-54-8	Benzene, 1,1'-(2,2- dichloroethylidene)bis(4-chloro-
U060	72-54-8	DDD
U061	50-29-3	Benzene, 1,1'-(2,2,2- trichloroethylidene)bis(4-chloro-
U061	50-29-3	DDT
U062	2303-16-4	Carbamothioic acid, bis(1- methylethyl)-, S- (2,3-di chloro-2- propenyl) ester
U062	2303-16-4	Diallate
U063	53-70-3	Dibenz(a,h)anthracene
U064	189-55-9	Benzo(rst)pentaphene
U064	189-55-9	Dibenzo(a,i)pyrene

U066	96-12-8	1,2-Dibromo-3-chloropropane
U066	96-12-8	Propane, 1,2-dibromo-3-chloro-
U067	106-93-4	Ethane, 1,2-dibromo-
U067	106-93-4	Ethylene dibromide
U068	74-95-3	Methane, dibromo-
U068	74-95-3	Methylene bromide
U069	84-74-2	1,2-Benzenedicarboxylic acid, dibutyl ester
U069	84-74-2	Dibutyl phthalate
U070	95-50-1	Benzene, 1,2-dichloro-
U070	95-50-1	o-Dichlorobenzene
U071	541-73-1	Benzene, 1,3-dichloro-
U071	541-73-1	m-Dichlorobenzene
U072	106-46-7	Benzene, 1,4-dichloro-
U072	106-46-7	p-Dichlorobenzene
U073	91-94-1	(1,1'-Biphenyl)-4,4'-diamine, 3,3'-dichloro-
U073	91-94-1	3,3'-Dichlorobenzidine
U074	764-41-0	2-Butene, 1,4-dichloro-(I,T)
U074	764-41-0	1,4-Dichloro-2-butene (I,T)
U075	75-71-8	Dichlorodifluoromethane
U075	75-71-8	Methane, dichlorodifluoro-
U076	75-34-3	Ethane, 1,1-dichloro-
U076	75-34-3	Ethylidene dichloride
U077	107-06-2	Ethane, 1,2-dichloro-
U077	107-06-2	Ethylene dichloride
U078	75-35-4	1,1-Dichloroethylene
U078	75-35-4	Ethene, 1,1-dichloro-
U079	156-60-5	1,2-Dichloroethylene
U079	156-60-5	Ethene, 1,2-dichloro-, (E)-
U080	75-09-2	Methane, dichloro-
U080	75-09-2	Methylene chloride
U081	120-83-2	2,4-Dichlorophenol
U081	120-83-2	Phenol, 2,4-dichloro-
U082	87-65-0	2,6-Dichlorophenol
U082	87-65-0	Phenol, 2,6-dichloro-
U083	78-87-5	Propane, 1,2-dichloro-
U083	78-87-5	Propylene dichloride
U084	542-75-6	1,3-Dichloropropene
U084	542-75-6	1-Propene, 1,3-dichloro-
U085	1464-53-5	2,2'-Bioxirane
U085	1464-53-5	1,2:3,4-Diepoxybutane (I,T)
U086	1615-80-1	N,N'-Diethylhydrazine
U086	1615-80-1	Hydrazine, 1,2-diethyl-
U087	3288-58-2	O,O-Diethyl S-methyl dithiophosphate
U087	3288-58-2	Phosphorodithioic acid, O,O-diethyl S-methyl ester
U088	84-66-2	1,2-Benzenedicarboxylic acid, diethyl ester
U088	84-66-2	Diethyl phthalate
U089	56-53-1	Diethylstilbesterol
U089	56-53-1	Phenol, 4,4'-(1,2-diethyl-1,2-ethenediyl)bis-, (E)-
U090	94-58-6	1,3-Benzodioxole, 5-propyl-

U090	94-58-6	Dihydrosafrole
U091	119-90-4	(1,1'-Biphenyl)-4,4'-diamine, 3,3'-dimethoxy-
U091	119-90-4	3,3'-Dimethoxybenzidine
U092	124-40-3	Dimethylamine (I)
U092	124-40-3	Methanamine, -methyl-(I)
U093	60-11-7	Benzenamine, N,N-dimethyl-4-(phenylazo)-
U093	60-11-7	p-Dimethylaminoazobenzene
U094	57-97-6	Benz(a)anthracene, 7,12-dimethyl-
U094	57-97-6	7,12-Dimethylbenz(a)anthracene
U095	119-93-7	(1,1'-Biphenyl)-4,4'-diamine, 3,3'-dimethyl-
U095	119-93-7	3,3'-Dimethylbenzidine
U096	80-15-9	alpha,alpha-Dimethylbenzylhydroperoxide (R)
U096	80-15-9	Hydroperoxide, 1-methyl-1-phenylethyl-(R)
U097	79-44-7	Carbamic chloride, dimethyl-
U097	79-44-7	Dimethylcarbonyl chloride
U098	57-14-7	1,1-Dimethylhydrazine
U098	57-14-7	Hydrazine, 1,1-dimethyl-
U099	540-73-8	1,2-Dimethylhydrazine
U099	540-73-8	Hydrazine, 1,2-dimethyl-
U101	105-67-9	2,4-Dimethylphenol
U101	105-67-9	Phenol, 2,4-dimethyl-
U102	131-11-3	1,2-Benzenedicarboxylic acid, dimethyl ester
U102	131-11-3	Dimethyl phthalate
U103	77-78-1	Dimethyl sulfate
U103	77-78-1	Sulfuric acid, dimethyl ester
U105	121-14-2	Benzene, 1-methyl-2,4-dinitro-
U105	121-14-2	2,4-Dinitrotoluene
U106	606-20-2	Benzene, 2-methyl-1,3-dinitro-
U106	606-20-2	2,6-Dinitrotoluene
U107	117-84-0	1,2-Benzenedicarboxylic acid, dioctyl ester
U107	117-84-0	Di-n-octyl phthalate
U108	123-91-1	1,4-Diethyleneoxide
U108	123-91-1	1,4-Dioxane
U109	122-66-7	1,2-Diphenylhydrazine
U109	122-66-7	Hydrazine, 1,2-diphenyl-
U110	142-84-7	Dipropylamine (I)
U110	142-84-7	1-Propanamine, N-propyl-(I)
U111	621-64-7	Di-n-propylnitrosamine
U111	621-64-7	1-Propanamine, N-nitroso-N-propyl-
U112	141-78-6	Acetic acid ethyl ester (I)
U112	141-78-6	Ethyl acetate (I)
U113	140-88-5	Ethyl acrylate (I)
U113	140-88-5	2-Propenoic acid, ethyl ester (I)
U114	(1)111-54-6	Carbamodithioic acid, 1,2-ethanediylbis-, salts and esters
U114	(1)111-54-6	Ethylenebisdithiocarbamic acid, salts and esters

U115	75-21-8	Ethylene oxide (I,T)
U115	75-21-8	Oxirane (I,T)
U116	96-45-7	Ethylenethiourea
U116	96-45-7	2-Imidazolidinethione
U117	60-29-7	Ethane, 1,1'-oxybis-(I)
U117	60-29-7	Ethyl ether (I)
U118	97-63-2	Ethyl methacrylate
U118	97-63-2	2-Propenoic acid, 2-methyl-, ethyl ester
U119	62-50-0	Ethyl methanesulfonate
U119	62-50-0	Methanesulfonic acid, ethyl ester
U120	206-44-0	Fluoranthene
U121	75-69-4	Methane, trichlorofluoro-
U121	75-69-4	Trichloromonofluoromethane
U122	50-00-0	Formaldehyde
U123	64-18-6	Formic acid (C,T)
U124	110-00-9	Furan (I)
U124	110-00-9	Furfuran (I)
U125	98-01-1	2-Furancarboxaldehyde (I)
U125	98-01-1	Furfural (I)
U126	765-34-4	Glycidylaldehyde
U126	765-34-4	Oxiranecarboxyaldehyde
U127	118-74-1	Benzene, hexachloro-
U127	118-74-1	Hexachlorobenzene
U128	87-68-3	1,3-Butadiene, 1,1,2,3,4,4-hexachloro-
U128	87-68-3	Hexachlorobutadiene
U129	58-89-9	Cyclohexane, 1,2,3,4,5,6-hexachloro-, (1alpha,2alpha,3beta,4alpha,5alpha,6beta)-
U129	58-89-9	Lindane
U130	77-47-4	1,3-Cyclopentadiene, 1,2,3,4,5,5-hexachloro-
U130	77-47-4	Hexachlorocyclopentadiene
U131	67-72-1	Ethane, hexachloro-
U131	67-72-1	Hexachloroethane
U132	70-30-4	Hexachlorophene
U132	70-30-4	Phenol, 2,2'-methylenebis(3,4,6-trichloro-
U133	302-01-2	Hydrazine (R,T)
U134	7664-39-3	Hydrofluoric acid (C,T)
U134	7664-39-3	Hydrogen fluoride (C,T)
U135	7783-06-4	Hydrogen sulfide
U135	7783-06-4	Hydrogen sulfide H2S
U136	75-60-5	Arsinic acid, dimethyl-
U136	75-60-5	Cacodylic acid
U137	193-39-5	Indeno(1,2,3-cd)pyrene
U138	74-88-4	Methane, iodo-
U138	74-88-4	Methyl iodide
U140	78-83-1	Isobutyl alcohol (I,T)
U140	78-83-1	1-Propanol, 2-methyl- (I,T)
U141	120-58-1	1,3-Benzodioxole, 5-(1-propenyl)-
U141	120-58-1	Isosafrole
U142	143-50-0	Kepone
U142	143-50-0	1,3,4-Metheno-2H-

		cyclobuta(cd)pentalen-2-one, 1,1a,3,3a,4,5,5,5a,5b,6- decachlorooctahydro-
U143	303-34-4	2-Butenoic acid, 2-methyl-, 7-((2,3- dihydroxy-2-(1-methoxyethyl)-3- methyl-1-oxobutoxy)methyl)-2,3,5,7a- tetrahydro-1H-pyrrolizin-1-yl ester, (1S- (1alpha(Z),7(2S*,3R*)), 7alpha))-
U143	303-34-4	Lasiocarpine
U144	301-04-2	Acetic acid, lead(2+) salt
U144	301-04-2	Lead acetate
U145	7446-27-7	Lead phosphate
U145	7446-27-7	Phosphoric acid, lead(2+) salt (2:3)
U146	1335-32-6	Lead, bis(acetato-O)tetrahydroxytri-
U146	1335-32-6	Lead subacetate
U147	108-31-6	2,5-Furandione
U147	108-31-6	Maleic anhydride
U148	123-33-1	Maleic hydrazide
U148	123-33-1	3,6-Pyridazinedione, 1,2-dihydro-
U149	109-77-3	Malononitrile
U149	109-77-3	Propanedinitrile
U150	148-82-3	Melphalan
U150	148-82-3	L-Phenylalanine, 4-(bis(2- chloroethyl)amino)-
U151	7439-97-6	Mercury
U152	126-98-7	Methacrylonitrile (I,T)
U152	126-98-7	2-Propenenitrile, 2-methyl- (I,T)
U153	74-93-1	Methanethiol (I,T)
U153	74-93-1	Thiomethanol (I,T)
U154	67-56-1	Methanol (I)
U154	67-56-1	Methyl alcohol (I)
U155	91-80-5	1,2-Ethanediamine, N,N-dimethyl-N'-2- pyridinyl-N'-(2-thienylmethyl)-
U155	91-80-5	Methapyrilene
U156	79-22-1	Carbonochloridic acid, methyl ester (I,T)
U156	79-22-1	Methyl chlorocarbonate (I,T)
U157	56-49-5	Benz(j)aceanthrylene, 1,2-dihydro-3- methyl-
U157	56-49-5	3-Methylcholanthrene
U158	101-14-4	Benzenamine, 4,4'-methylenebis(2- chloro-
U158	101-14-4	4,4'-Methylenebis(2-chloroaniline)
U159	78-93-3	2-Butanone (I,T)
U159	78-93-3	Methyl ethyl ketone (MEK) (I,T)
U160	1338-23-4	2-Butanone, peroxide (R,T)
U160	1338-23-4	Methyl ethyl ketone peroxide (R,T)
U161	108-10-1	Methyl isobutyl ketone (I)
U161	108-10-1	4-Methyl-2-pentanone (I)
U161	108-10-1	Pentanol, 4-methyl-
U162	80-62-6	Methyl methacrylate (I,T)
U162	80-62-6	2-Propenoic acid, 2-methyl-, methyl ester (I,T)

U163	70-25-7	Guanidine, -methyl-N'-nitro-N-nitroso-
U163	70-25-7	MNNG
U164	56-04-2	Methylthiouracil
U164	56-04-2	4(1H)-Pyrimidinone, 2,3-dihydro-6-methyl-2-thioxo-
U165	91-20-3	Naphthalene
U166	130-15-4	1,4-Naphthalenedione
U166	130-15-4	1,4-Naphthoquinone
U167	134-32-7	1-Naphthalenamine
U167	134-32-7	alpha-Naphthylamine
U168	91-59-8	2-Naphthalenamine
U168	91-59-8	beta-Naphthylamine
U169	98-95-3	Benzene, nitro-
U169	98-95-3	Nitrobenzene (I,T)
U170	100-02-7	p-Nitrophenol
U170	100-02-7	Phenol, 4-nitro-
U171	79-46-9	2-Nitropropane (I,T)
U171	79-46-9	Propane, 2-nitro- (I,T)
U172	924-16-3	1-Butanamine, N-butyl-N-nitroso-
U172	924-16-3	N-Nitrosodi-n-butylamine
U173	1116-54-7	Ethanol, 2,2'-(nitrosoimino)bis-
U173	1116-54-7	N-Nitrosodiethanolamine
U174	55-18-5	Ethanamine, -ethyl-N-nitroso-
U174	55-18-5	N-Nitrosodiethylamine
U176	759-73-9	N-Nitroso-N-ethylurea
U176	759-73-9	Urea, N-ethyl-N-nitroso-
U177	684-93-5	N-Nitroso-N-methylurea
U177	684-93-5	Urea, N-methyl-N-nitroso-
U178	615-53-2	Carbamic acid, methylnitroso-, ethyl ester
U178	615-53-2	N-Nitroso-N-methylurethane
U179	100-75-4	N-Nitrosopiperidine
U179	100-75-4	Piperidine, 1-nitroso-
U180	930-55-2	N-Nitrosopyrrolidine
U180	930-55-2	Pyrrolidine, 1-nitroso-
U181	99-55-8	Benzenamine, 2-methyl-5-nitro-
U181	99-55-8	5-Nitro-o-toluidine
U182	123-63-7	1,3,5-Trioxane, 2,4,6-trimethyl-
U182	123-63-7	Paraldehyde
U183	608-93-5	Benzene, pentachloro-
U183	608-93-5	Pentachlorobenzene
U184	76-01-7	Ethane, pentachloro-
U184	76-01-7	Pentachloroethane
U185	82-68-8	Benzene, pentachloronitro-
U185	82-68-8	Pentachloronitrobenzene (PCNB)
U186	504-60-9	1-Methylbutadiene (I)
U186	504-60-9	1,3-Pentadiene (I)
U187	62-44-2	Acetamide, -(4-ethoxyphenyl)-
U187	62-44-2	Phenacetin
U188	108-95-2	Phenol
U189	1314-80-3	Phosphorus sulfide (R)
U189	1314-80-3	Sulfur phosphide (R)
U190	85-44-9	1,3-Isobenzofurandione
U190	85-44-9	Phthalic anhydride

U191	109-06-8	2-Picoline
U191	109-06-8	Pyridine, 2-methyl-
U192	23950-58-5	Benzamide, 3,5-dichloro-N-(1,1-dimethyl-2-propynyl)-
U192	23950-58-5	Pronamide
U193	1120-71-4	1,2-Oxathiolane, 2,2-dioxide
U193	1120-71-4	1,3-Propane sultone
U194	107-10-8	1-Propanamine (I,T)
U194	107-10-8	n-Propylamine (I,T)
U196	110-86-1	Pyridine
U197	106-51-4	p-Benzoquinone
U197	106-51-4	2,5-Cyclohexadiene-1,4-dione
U200	50-55-5	Reserpine
U200	50-55-5	Yohimban-16-carboxylic acid, 11,17-dimethoxy-18-((3,4,5-trimethoxybenzoyl)oxy)-, methyl ester, (3beta,16beta,17alpha,18beta,20alpha)-
U201	108-46-3	1,3-Benzenediol
U201	108-46-3	Resorcinol
U203	94-59-7	1,3-Benzodioxole, 5-(2-propenyl)-
U203	94-59-7	Safrole
U204	7783-00-8	Selenious acid
U204	7783-00-8	Selenium dioxide
U205	7488-56-4	Selenium sulfide
U205	7488-56-4	Selenium sulfide SeS <sub>2</sub> (R,T)
U206	18883-66-4	Glucopyranose, 2-deoxy-2-(3-methyl-3-nitrosoureido)-, D-
U206	18883-66-4	D-Glucose, 2-deoxy-2-(((methylnitrosoamino)-carbonyl)amino)-
U206	18883-66-4	Streptozotocin
U207	95-94-3	Benzene, 1,2,4,5-tetrachloro-
U207	95-94-3	1,2,4,5-Tetrachlorobenzene
U208	630-20-6	Ethane, 1,1,1,2-tetrachloro-
U208	630-20-6	1,1,1,2-Tetrachloroethane
U209	79-34-5	Ethane, 1,1,2,2-tetrachloro-
U209	79-34-5	1,1,2,2-Tetrachloroethane
U210	127-18-4	Ethene, tetrachloro-
U210	127-18-4	Tetrachloroethylene
U211	56-23-5	Carbon tetrachloride
U211	56-23-5	Methane, tetrachloro-
U213	109-99-9	Furan, tetrahydro-(I)
U213	109-99-9	Tetrahydrofuran (I)
U214	563-68-8	Acetic acid, thallium(1+) salt
U214	563-68-8	Thallium(I) acetate
U215	6533-73-9	Carbonic acid, dithallium(1+) salt
U215	6533-73-9	Thallium(I) carbonate
U216	7791-12-0	Thallium(I) chloride
U216	7791-12-0	Thallium chloride TlCl
U217	10102-45-1	Nitric acid, thallium(1+) salt
U217	10102-45-1	Thallium(I) nitrate
U218	62-55-5	Ethanethioamide
U218	62-55-5	Thioacetamide

U219	62-56-6	Thiourea
U220	108-88-3	Benzene, methyl-
U220	108-88-3	Toluene
U221	25376-45-8	Benzenediamine, ar-methyl-
U221	25376-45-8	Toluenediamine
U222	636-21-5	Benzenamine, 2-methyl-, hydrochloride
U222	636-21-5	o-Toluidine hydrochloride
U223	26471-62-5	Benzene, 1,3-diisocyanatomethyl- (R,T)
U223	26471-62-5	Toluene diisocyanate (R,T)
U225	75-25-2	Bromoform
U225	75-25-2	Methane, tribromo-
U226	71-55-6	Ethane, 1,1,1-trichloro-
U226	71-55-6	Methyl chloroform
U226	71-55-6	1,1,1-Trichloroethane
U227	79-00-5	Ethane, 1,1,2-trichloro-
U227	79-00-5	1,1,2-Trichloroethane
U228	79-01-6	Ethene, trichloro-
U228	79-01-6	Trichloroethylene
U234	99-35-4	Benzene, 1,3,5-trinitro-
U234	99-35-4	1,3,5-Trinitrobenzene (R,T)
U235	126-72-7	1-Propanol, 2,3-dibromo-, phosphate (3:1)
U235	126-72-7	Tris(2,3-dibromopropyl) phosphate
U236	72-57-1	2,7-Naphthalenedisulfonic acid, 3,3'-((3,3'-dimethyl(1,1'-biphenyl)-4,4'-diyl)bis(azo)bis(5-amino-4-hydroxy)-, tetrasodium salt
U236	72-57-1	Trypan blue
U237	66-75-1	2,4-(1H,3H)-Pyrimidinedione, 5-(bis(2-chloroethyl)amino)-
U237	66-75-1	Uracil shallard
U238	51-79-6	Carbamic acid, ethyl ester
U238	51-79-6	Ethyl carbamate (urethane)
U239	1330-20-7	Benzene, dimethyl- (I,T)
U239	1330-20-7	Xylene (I)
U240	(1)94-75-7	Acetic acid, (2,4-dichlorophenoxy)-, salts and esters
U240	(1)94-75-7	2,4-D, salts and esters
U243	1888-71-7	Hexachloropropene
U243	1888-71-7	1-Propene, 1,1,2,3,3,3-hexachloro-
U244	137-26-8	Thioperoxydicarbonic diamide ((H <sub>2</sub> N)C(S)) <sub>2</sub> S <sub>2</sub> , tetramethyl-
U244	137-26-8	Thiram
U246	506-68-3	Cyanogen bromide (CN)Br
U247	72-43-5	Benzene, 1,1'-(2,2,2-trichloroethylidene)bis(4-methoxy-
U247	72-43-5	Methoxychlor
U248	(1)81-81-2	2H-1-Benzopyran-2-one, 4-hydroxy-3-(3-oxo-1-phenyl-butyl)-, and salts, when present at concentrations of 0.3% or less
U248	(1)81-81-2	Warfarin, and salts, when present at concentrations of 0.3% or less
U249	1314-84-7	Zinc phosphide Zn <sub>3</sub> P <sub>2</sub> , when present at

concentrations of 10% or less

U271	17804-35-2	Benomyl
U271	17804-35-2	Carbamic acid, (1- ((butylamino)carbonyl)- 1H-benzimidazol-2-yl)-, methyl ester
U278	22781-23-3	Bendiocarb
U278	22781-23-3	1,3-Benzodioxol-4-ol, 2,2-dimethyl-, methyl carbamate
U279	63-25-2	Carbaryl
U279	63-25-2	1-Naphthalenol, methylcarbamate
U280	101-27-9	Barban
U280	101-27-9	Carbamic acid, (3-chlorophenyl)-, 4- chloro-2-butynyl ester
U328	95-53-4	Benzenamine, 2-methyl-
U328	95-53-4	o-Toluidine
U353	106-49-0	Benzenamine, 4-methyl-
U353	106-49-0	p-Toluidine
U359	110-80-5	Ethanol, 2-ethoxy-
U359	110-80-5	Ethylene glycol monoethyl ether
U364	22961-82-6	Bendiocarb phenol
U364	22961-82-6	1,3-Benzodioxol-4-ol, 2,2-dimethyl-,
U367	1563-38-8	7-Benzofuranol, 2,3-dihydro-2,2- dimethyl-
U367	1563-38-8	Carbofuran phenol
U372	10605-21-7	Carbamic acid, 1H-benzimidazol-2-yl, methyl ester
U372	10605-21-7	Carbendazim
U373	122-42-9	Carbamic acid, phenyl-, 1-methylethyl ester
U373	122-42-9	Propham
U387	52888-80-9	Carbamothioic acid, dipropyl-, S- (phenylmethyl) ester
U387	52888-80-9	Prosulfocarb
U389	2303-17-5	Carbamothioic acid, bis(1- methylethyl)-, S- (2,3,3-trichloro-2- propenyl) ester
U389	2303-17-5	Triallate
U394	30558-43-1	A2213
U394	30558-43-1	Ethanimidothioic acid, 2- (dimethylamino)-N- hydroxy-2-oxo-, methyl ester
U395	5952-26-1	Diethylene glycol, dicarbamate
U395	5952-26-1	Ethanol, 2,2'-oxybis-, dicarbamate
U404	121-44-8	Ethanamine, N,N-diethyl-
U404	121-44-8	Triethylamine
U409	23564-05-8	Carbamic acid, (1,2-phenylenebis (iminocarbonothioyl))bis-, dimethyl ester
U409	23564-05-8	Thiophanate-methyl
U410	59669-26-0	Ethanimidothioic acid, N,N'- (thiobis((methylimino)carbonyloxy)) bis-, dimethyl ester
U410	59669-26-0	Thiodicarb
U411	114-26-1	Phenol, 2-(1-methylethoxy)-,

		methylcarbamate
U411	114-26-1	Propoxur
See F027	93-76-5	Acetic acid, (2,4,5-trichlorophenoxy)-
See F027	7-86-5	Pentachlorophenol
See F027	87-86-5	Phenol, pentachloro-
See F027	58-90-2	Phenol, 2,3,4,6-tetrachloro-
See F027	95-95-4	Phenol, 2,4,5-trichloro-
See F027	88-06-2	Phenol, 2,4,6-trichloro-
See F027	93-72-1	Propanoic acid, 2-(2,4,5-trichlorophenoxy)-
See F027	93-72-1	Silvex (2,4,5-TP)
See F027	93-76-5	2,4,5-T
See F027	58-90-2	2,3,4,6-Tetrachlorophenol
See F027	95-95-4	2,4,5-Trichlorophenol
See F027	88-06-2	2,4,6-Trichlorophenol

**R315-261-420. Emergency Preparedness and Response for Management of Excluded Hazardous Secondary Materials - Contingency Planning and Emergency Procedures for Facilities Generating or Accumulating More Than 6000 Kg of Hazardous Secondary Material.**

A generator or an intermediate or reclamation facility operating under a verified recycler exclusion under Subsection R315-260-31(d) that generates or accumulates more than 6000 kg of hazardous secondary material shall comply with the following requirements:

(a) Purpose and implementation of contingency plan.

(1) Each generator or an intermediate or reclamation facility operating under a verified recycler exclusion under Subsection R315-260-31(d) that accumulates more than 6000 kg of hazardous secondary material shall have a contingency plan for his facility.

The contingency plan shall be designed to minimize hazards to human health or the environment from fires, explosions, or any unplanned sudden or non-sudden release of hazardous secondary material or hazardous secondary material constituents to air, soil, or surface water.

(2) The provisions of the plan shall be carried out immediately whenever there is a fire, explosion, or release of hazardous secondary material or hazardous secondary material constituents which could threaten human health or the environment.

(b) Content of contingency plan.

(1) The contingency plan shall describe the actions facility personnel shall take to comply with Subsection R315-261-420(a) and (f) in response to fires, explosions, or any unplanned sudden or non-sudden release of hazardous secondary material or hazardous secondary material constituents to air, soil, or surface water at the facility.

(2) If the generator or an intermediate or reclamation facility operating under a verified recycler exclusion under Subsection R315-260-31(d) accumulating more than 6000 kg of hazardous secondary material has already prepared a Spill Prevention, Control, and Countermeasures (SPCC) Plan in accordance with 40 CFR 112, or some other emergency or contingency plan, he need only amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with the requirements of Rule R315-261. The hazardous secondary material generator or an intermediate or

reclamation facility operating under a verified recycler exclusion under Subsection R315-260-31(d) may develop one contingency plan which meets all regulatory requirements. The Director recommends that the plan be based on the National Response Team's Integrated Contingency Plan Guidance ("One Plan"). When modifications are made to non-hazardous waste provisions in an integrated contingency plan, the changes do not trigger the need for a hazardous waste permit modification.

(3) The plan shall describe arrangements agreed to by local police departments, fire departments, hospitals, contractors, and State and local emergency response teams to coordinate emergency services, pursuant to Subsection R315-262-410(f).

(4) The plan shall list names, addresses, and phone numbers, office and home, of all persons qualified to act as emergency coordinator, see Subsection R315-261-420(e), and this list shall be kept up-to-date. Where more than one person is listed, one shall be named as primary emergency coordinator and others shall be listed in the order in which they shall assume responsibility as alternates.

(5) The plan shall include a list of all emergency equipment at the facility, such as fire extinguishing systems, spill control equipment, communications and alarm systems, internal and external, and decontamination equipment, where this equipment is required. This list shall be kept up to date. In addition, the plan shall include the location and a physical description of each item on the list, and a brief outline of its capabilities.

(6) The plan shall include an evacuation plan for facility personnel where there is a possibility that evacuation could be necessary. This plan shall describe signal(s) to be used to begin evacuation, evacuation routes, and alternate evacuation routes, in cases where the primary routes could be blocked by releases of hazardous waste or fires.

(c) Copies of contingency plan. A copy of the contingency plan and all revisions to the plan shall be:

(1) Maintained at the facility; and

(2) Submitted to all local police departments, fire departments, hospitals, and State and local emergency response teams that may be called upon to provide emergency services.

(d) Amendment of contingency plan. The contingency plan shall be reviewed, and immediately amended, if necessary, whenever:

(1) Applicable regulations are revised;

(2) The plan fails in an emergency;

(3) The facility changes-in its design, construction, operation, maintenance, or other circumstances-in a way that materially increases the potential for fires, explosions, or releases of hazardous secondary material or hazardous secondary material constituents, or changes the response necessary in an emergency;

(4) The list of emergency coordinators changes; or

(5) The list of emergency equipment changes.

(e) Emergency coordinator. At all times, there shall be at least one employee either on the facility premises or on call, i.e., available to respond to an emergency by reaching the facility within a short period of time, with the responsibility for coordinating all emergency response measures. This emergency coordinator shall be thoroughly familiar with all aspects of the facility's contingency

plan, all operations and activities at the facility, the location and characteristics of hazardous secondary material handled, the location of all records within the facility, and the facility layout.

In addition, this person shall have the authority to commit the resources needed to carry out the contingency plan. The emergency coordinator's responsibilities are more fully spelled out in Subsection R315-261-420(f). Applicable responsibilities for the emergency coordinator vary, depending on factors such as type and variety of hazardous secondary material(s) handled by the facility, and type and complexity of the facility.

(f) Emergency procedures.

(1) Whenever there is an imminent or actual emergency situation, the emergency coordinator, or his designee when the emergency coordinator is on call, shall immediately:

(i) Activate internal facility alarms or communication systems, where applicable, to notify all facility personnel; and

(ii) Notify appropriate State or local agencies with designated response roles if their help is needed.

(2) Whenever there is a release, fire, or explosion, the emergency coordinator shall immediately identify the character, exact source, amount, and areal extent of any released materials. The emergency coordinator may do this by observation or review of facility records or manifests and, if necessary, by chemical analysis.

(3) Concurrently, the emergency coordinator shall assess possible hazards to human health or the environment that may result from the release, fire, or explosion. This assessment shall consider both direct and indirect effects of the release, fire, or explosion, e.g., the effects of any toxic, irritating, or asphyxiating gases that are generated, or the effects of any hazardous surface water run-offs from water or chemical agents used to control fire and heat-induced explosions.

(4) If the emergency coordinator determines that the facility has had a release, fire, or explosion which could threaten human health, or the environment, outside the facility, he shall report his findings as follows:

(i) If his assessment indicates that evacuation of local areas may be advisable, the emergency coordinator shall immediately notify appropriate local authorities. The emergency coordinator shall be available to help appropriate officials decide whether local areas should be evacuated; and

(ii) The emergency coordinator shall immediately notify the Utah Department of Environmental Quality 24 hour answering service at 801/536-4123, and the National Response Center, using their 24-hour toll free number 800/424-8802. The report shall include:

(A) Name and telephone number of reporter;

(B) Name and address of facility;

(C) Time and type of incident, e.g., release, fire;

(D) Name and quantity of material(s) involved, to the extent known;

(E) The extent of injuries, if any; and

(F) The possible hazards to human health, or the environment, outside the facility.

(5) During an emergency, the emergency coordinator shall take all reasonable measures necessary to ensure that fires, explosions,

and releases do not occur, recur, or spread to other hazardous secondary material at the facility. These measures shall include, where applicable, stopping processes and operations, collecting and containing released material, and removing or isolating containers.

(6) If the facility stops operations in response to a fire, explosion or release, the emergency coordinator shall monitor for leaks, pressure buildup, gas generation, or ruptures in valves, pipes, or other equipment, wherever this is appropriate.

(7) Immediately after an emergency, the emergency coordinator shall provide for treating, storing, or disposing of recovered secondary material, contaminated soil or surface water, or any other material that results from a release, fire, or explosion at the facility. Unless the hazardous secondary material generator can demonstrate, in accordance with Subsections R315-261-3(c) or (d), that the recovered material is not a hazardous waste, the owner or operator becomes a generator of hazardous waste and shall manage it in accordance with all applicable requirements of Rules R315-262, 263, and 265.

(8) The emergency coordinator shall ensure that, in the affected area(s) of the facility:

(i) No secondary material that may be incompatible with the released material is treated, stored, or disposed of until cleanup procedures are completed; and

(ii) All emergency equipment listed in the contingency plan is cleaned and fit for its intended use before operations are resumed.

(9) The hazardous secondary material generator shall note in the operating record the time, date, and details of any incident that requires implementing the contingency plan. Within 15 days after the incident, he shall submit a written report on the incident to the Director. The report shall include:

(i) Name, address, and telephone number of the hazardous secondary material generator;

(ii) Name, address, and telephone number of the facility;

(iii) Date, time, and type of incident, e.g., fire, explosion;

(iv) Name and quantity of material(s) involved;

(v) The extent of injuries, if any;

(vi) An assessment of actual or potential hazards to human health or the environment, where this is applicable; and

(vii) Estimated quantity and disposition of recovered material that resulted from the incident.

(g) Personnel training. All employees must be thoroughly familiar with proper waste handling and emergency procedures relevant to their responsibilities during normal facility operations and emergencies.

**KEY: hazardous waste**

**Date of Enactment or Last Substantive Amendment: August 15, 2016**

**Authorizing, and Implemented or Interpreted Law: 19-6-105; 19-6-106**

**R315. Environmental Quality, Waste Management and Radiation Control, Waste Management.**

**R315-262. Hazardous Waste Generator Requirements.**

**R315-262-1. General - Terms Used in this Part.**

(a) As used in Rule R315-262:

(1) "Condition for exemption" means any requirement in Sections R315-262-14, R315-262-15, R315-262-16, R315-262-17, R315-262-70, or Sections R315-262-200 through R315-262-216 or Sections R315-262-230 through R315-262-233 that states an event, action, or standard that shall occur or be met in order to obtain an exemption from any applicable requirement in Rule R315-124, R315-264 through R315-268, and R315-270, or from any requirement for notification under section 3010 of RCRA.

(2) "Independent requirement" means a requirement of Rule R315-262 that states an event, action, or standard that shall occur or be met; and that applies without relation to, or irrespective of, the purpose of obtaining a conditional exemption from storage facility permit, interim status, and operating requirements under Sections R315-262-14, R315-262-15, R315-262-16, R315-262-17, or Sections R315-262-200 through R315-262-216 or Sections R315-262-230 through R315-262-233.

**R315-262-10. General - Purpose, Scope, and Applicability.**

(a) ~~[Rule R315-262 establish standards for generators of hazardous waste]~~The regulations in Rule R315-262 establish standards for generators of hazardous waste as defined by Section R315-260-10.

(1) A person who generates a hazardous waste as defined by Rule R315-261 is subject to all the applicable independent requirements in the sections listed below:

(i) Independent requirements of a very small quantity generator.

(A) Subsections R315-262-11(a) through (d) Hazardous waste determination and recordkeeping; and

(B) Section R315-262-13 Generator category determination.

(ii) Independent requirements of a small quantity generator.

(A) Section R315-262-11 Hazardous waste determination and recordkeeping;

(B) Section R315-262-13 Generator category determination;

(C) Section R315-262-18 EPA identification numbers and re-notification for small quantity generators and large quantity generators;

(D) Sections R315-262-20 through R315-262-27--Manifest requirements applicable to small and large quantity generators;

(E) Sections R315-262-30 through R315-262-34--Pre-transport requirements applicable to small and large quantity generators;

(F) Section R315-262-40 Recordkeeping;

(G) Section R315-262-44 Recordkeeping for small quantity generators; and

(H) Sections R315-262-80 through R315-262-89--Transboundary movements of hazardous waste for recovery or disposal.

(iii) Independent requirements of a large quantity generator.

(A) Section R315-262-11 Hazardous waste determination and recordkeeping;

(B) Section R315-262-13 Generator category determination;

(C) Section R315-262-18 EPA identification numbers and re-notification for small quantity generators and large quantity generators;

(D) Sections R315-262-20 through R315-262-27--Manifest requirements applicable to small and large quantity generators;

(E) Sections R315-262-30 through R315-262-34--Pre-transport requirements applicable to small and large quantity generators;

(F) Sections R315-262-40 through R315-262-44--Recordkeeping and reporting applicable to small and large quantity generators, except Section R315-262-44; and

(G) Sections R315-262-80 through R315-262-89--Transboundary movements of hazardous waste for recovery or disposal.

(2) A generator that accumulates hazardous waste on site is a person that stores hazardous waste; such generator is subject to the applicable requirements of Rule R315-124, R315-264 through R315-266, R315-270 and section 3010 of RCRA, unless it is one of the following:

(i) A very small quantity generator that meets the conditions for exemption in Section R315-262-14;

(ii) A small quantity generator that meets the conditions for exemption in Sections R315-262-15 and R315-262-16; or

(iii) A large quantity generator that meets the conditions for exemption in Sections R315-262-15 and R315-262-17.

(3) A generator shall not transport, offer its hazardous waste for transport, or otherwise cause its hazardous waste to be sent to a facility that is not a designated facility, as defined in Section R315-260-10, or not otherwise authorized to receive the generator's hazardous waste.

(b) [Subsections R315-261-5(c) and (d) shall be used to determine the applicability of provisions of Rule R315-262 that are dependent on calculations of the quantity of hazardous waste generated per month]Determining generator category. A generator shall use Section R315-262-13 to determine which provisions of Rule R315-262 are applicable to the generator based on the quantity of hazardous waste generated per calendar month.

(c) [A generator who treats, stores, or disposes of hazardous waste on-site shall only comply with the following Subsections of Rule R315-262 with respect to that waste: Subsection R315-262-11 for determining whether or not he has a hazardous waste, Subsection R315-262-12 for obtaining an EPA identification number, Subsection R315-262-34 for accumulation of hazardous waste, Subsection R315-262-40(c) and (d) for recordkeeping, Subsection R315-262-43 for additional reporting, and if applicable, Subsection R315-262-70 for farmers.]Reserved.

(d) Any person who exports or imports hazardous wastes [that are considered hazardous under U.S. national procedures to or from the countries listed in Subsection R315-262-58(a)(1) for recovery] shall comply with Section R315-262-18 and Sections R315-262-80 through R315-262-89. [A waste is considered hazardous under U.S. national procedures if the waste meets the definition of hazardous waste in Section R315-261-3 and is subject to either the manifesting

~~requirements at Sections R315-262-20 through 25 and 27, the universal waste management standards of Rule R315-273, the export requirements in the spent lead-acid battery management standards of Section R315-266-80.]~~

(e) Any person who imports hazardous waste into the United States shall comply with the standards applicable to generators established in Rule R315-262.

(f) A farmer who generates waste pesticides which are hazardous waste and who complies with all of the requirements of Section R315-262-70 is not required to comply with other standards in Rule R315-262 or Rules R315- 270, 264, 265, or 268 with respect to such pesticides.

~~(g) [— A person who generates a hazardous waste as defined Rule R315-261 is subject to the compliance requirements and penalties prescribed in The Utah Solid and Hazardous Waste Act if he does not comply with the requirements of Rule R315-262.]~~(1) A generator's violation of an independent requirement is subject to penalty and injunctive relief under Sections 19-6-112 and 19-6-113.

(2) A generator's noncompliance with a condition for exemption in Rule R315-262 is not subject to penalty or injunctive relief under Sections 19-6-112 and 19-6-113 as a violation of a Rule R315-262 condition for exemption. Noncompliance by any generator with an applicable condition for exemption from storage permit and operations requirements means that the facility is a storage facility operating without an exemption from the permit, interim status, and operations requirements in Rules R315-124, R315-264 through R315-266, and R315-270, and the notification requirements of section 3010 of RCRA. Without an exemption, any violations of such storage requirements are subject to penalty and injunctive relief under Sections 19-6-112 and 19-6-113.

(h) An owner or operator who initiates a shipment of hazardous waste from a treatment, storage, or disposal facility shall comply with the generator standards established in Rule R315-262.

Note 1: The provisions of Section R315-262-34 are applicable to the on-site accumulation of hazardous waste by generators. Therefore, the provisions of Section R315-262-34 only apply to owners or operators who are shipping hazardous waste which they generated at that facility.

Note 2: A generator who treats, stores, or disposes of hazardous waste on-site shall comply with the applicable standards and permit requirements set forth in Rules R315-264, 265, 266, 268, and 270.

(i) Reserved

(j) Reserved

(k) Reserved

(l) The laboratories owned by an eligible academic entity that chooses to be subject to the requirements of Sections R315-262-200 through R315-262-216 are not subject to, [~~+~~]for purposes of Subsection R315-262-10(1), the terms "laboratory" and "eligible academic entity" shall have the meaning as defined in Section R315-262-200[~~+~~]:

(1) The independent requirements of Section R315-262-11 or the regulations in [Subsection R315-262-34(e),]Section R315-262-15 for large quantity generators and small quantity generators, except as provided in Sections R315-262-200 through R315-262-216, and

(2) The conditions of [~~Subsection R315-261-5(b)]Section~~

R315-262-14, for ~~[conditionally exempt]~~very small quantity generators, except as provided in Sections R315-262-200 through R315-262-216.

(m) Generators of lamps, as defined in Section R315-273-9, using a drum-top crusher, as defined in Section R315-273-9, shall meet the requirements of Subsection R315-273-13(d)(3), except for the registration requirement; and Subsections R315-273-13(d)(4) and (5).

~~[Note 1: The provisions of Section R315-262-34 are applicable to the on-site accumulation of hazardous waste by generators. Therefore, the provisions of Section R315-262-34 only apply to owners or operators who are shipping hazardous waste which they generated at that facility.~~

~~]~~Note~~[-2]:~~ A generator who treats, stores, or disposes of hazardous waste on-site shall comply with the applicable standards and permit requirements set forth in Rules R315-264, R315-265, R315-266, R315-268, and R315-270.

### **R315-262-11. General - Hazardous Waste Determination and Recordkeeping.**

A person who generates a solid waste, as defined in Section R315-261-2, shall ~~[determine if that waste is a hazardous waste using the following method]~~make an accurate determination as to whether that waste is a hazardous waste in order to ensure wastes are properly managed according to applicable regulations. A hazardous waste determination is made using the following steps:

(a) ~~[He should first determine if the waste is excluded from regulation under Section R315-261-4]~~The hazardous waste determination for each solid waste shall be made at the point of waste generation, before any dilution, mixing, or other alteration of the waste occurs, and at any time in the course of its management that it has, or may have, changed its properties as a result of exposure to the environment or other factors that may change the properties of the waste such that the hazardous classification of the waste may change.

(b) ~~[He shall then determine if the waste is listed as a hazardous waste in Sections R315-261-30 through 35.~~

~~Note: Even if the waste is listed, the generator still has an opportunity under Section R315-260-22 to demonstrate to the Director that the waste from his particular facility or operation is not a hazardous waste]~~A person shall determine whether the solid waste is excluded from regulation under Section R315-261-4.

(c) ~~[For purposes of compliance with Rule R315-268, or if the waste is not listed in Sections R315-261-30 through 35, the generator shall then determine whether the waste is identified in Sections R315-261-20 through 24 by either:~~

~~(1) Testing the waste according to the methods set forth in Sections R315-261-20 through 24, or according to an equivalent method approved by the Board under Section R315-260-21; or~~

~~(2) Applying knowledge of the hazard characteristic of the waste in light of the materials or the processes used]~~If the waste is not excluded under Section R315-261-4, the person shall then use knowledge of the waste to determine whether the waste meets any of the listing descriptions under Sections R315-261-30 through R315-261-35. Acceptable knowledge that may be used in making an accurate determination as to whether the waste is listed may include waste

origin, composition, the process producing the waste, feedstock, and other reliable and relevant information. If the waste is listed, the person may file a delisting petition under Sections R315-260-20 and R315-260-22 to demonstrate to the Director that the waste from this particular site or operation is not a hazardous waste.

(d) [If the waste is determined to be hazardous, the generator shall refer to Rules R315-261, 264, 265, 266, 268, and 273 for possible exclusions or restrictions pertaining to management of the specific waste.] The person then shall also determine whether the waste exhibits one or more hazardous characteristics as identified in Sections R315-261-20 through R315-261-24 by following the procedures in Subsections R315-262-11(d)(1) or (2), or a combination of both.

(1) The person shall apply knowledge of the hazard characteristic of the waste in light of the materials or the processes used to generate the waste. Acceptable knowledge may include process knowledge, for example, information about chemical feedstocks and other inputs to the production process; knowledge of products, by-products, and intermediates produced by the manufacturing process; chemical or physical characterization of wastes; information on the chemical and physical properties of the chemicals used or produced by the process or otherwise contained in the waste; testing that illustrates the properties of the waste; or other reliable and relevant information about the properties of the waste or its constituents. A test other than a test method set forth in Sections R315-261-20 through R315-261-24, or an equivalent test method approved by the Director under Section R315-260-21, may be used as part of a person's knowledge to determine whether a solid waste exhibits a characteristic of hazardous waste. However, such tests do not, by themselves, provide definitive results. Persons testing their waste shall obtain a representative sample of the waste for the testing, as defined at Section R315-260-10.

(2) When available knowledge is inadequate to make an accurate determination, the person shall test the waste according to the applicable methods set forth in Sections R315-261-20 through R315-261-24 or according to an equivalent method approved by the Director under Section R315-260-21 and in accordance with the following:

(i) Persons testing their waste shall obtain a representative sample of the waste for the testing, as defined at Section R315-260-10.

(ii) Where a test method is specified in Sections R315-261-20 through R315-261-24, the results of the regulatory test, when properly performed, are definitive for determining the regulatory status of the waste.

(e) If the waste is determined to be hazardous, the generator shall refer to Rules R315-261, R315-264, R315-265, R315-266, R315-268, and R315-273 for other possible exclusions or restrictions pertaining to management of the specific waste.

(f) Recordkeeping for small and large quantity generators. A small or large quantity generator shall maintain records supporting its hazardous waste determinations, including records that identify whether a solid waste is a hazardous waste, as defined by Section R315-261-3. Records shall be maintained for at least three years from the date that the waste was last sent to on-site or off-site treatment, storage, or disposal. These records shall comprise the

generator's knowledge of the waste and support the generator's determination, as described at Subsections R315-262-11(c) and (d). The records shall include, but are not limited to, the following types of information: The results of any tests, sampling, waste analyses, or other determinations made in accordance with this section; records documenting the tests, sampling, and analytical methods used to demonstrate the validity and relevance of such tests; records consulted in order to determine the process by which the waste was generated, the composition of the waste, and the properties of the waste; and records which explain the knowledge basis for the generator's determination, as described at Subsection R315-262-11(d)(1). The periods of record retention referred to in Subsection R315-262-11(2)(f) are extended automatically during the course of any unresolved enforcement action regarding the regulated activity or as requested by the Director.

(g) Identifying hazardous waste numbers for small and large quantity generators. If the waste is determined to be hazardous, small quantity generators and large quantity generators shall identify all applicable EPA hazardous waste numbers, EPA hazardous waste codes, in Sections R315-261-20 through R315-261-24 and R315-261-30 through R315-261-35. Prior to shipping the waste off site, the generator also shall mark its containers with all applicable EPA hazardous waste numbers, EPA hazardous waste codes, according to Section R315-262-32.

**[R315-262-12. EPA Identification Numbers.]**

(a) A generator shall not treat, store, dispose of, transport, or offer for transportation, hazardous waste without having received an EPA identification number from the Director.

(b) A generator who has not received an EPA identification number may obtain one by applying to the Director using EPA form 8700-12. Upon receiving the request the Director shall assign an EPA identification number to the generator.

(c) A generator shall not offer his hazardous waste to transporters or to treatment, storage, or disposal facilities that have not received an EPA identification number.

**[R315-262-13. General - Generator Category Determination.]**

A generator shall determine its generator category. A generator's category is based on the amount of hazardous waste generated each month and may change from month to month. This section sets forth procedures to determine whether a generator is a very small quantity generator, a small quantity generator, or a large quantity generator for a particular month, as defined in Section R315-260-10.

(a) Generators of either acute hazardous waste or non-acute hazardous waste. A generator who either generates acute hazardous waste or non-acute hazardous waste in a calendar month shall determine its generator category for that month by doing the following:

(1) Counting the total amount of hazardous waste generated in the calendar month;

(2) Subtracting from the total any amounts of waste exempt from counting as described in Subsections R315-262-13(c) and (d); and

(3) Determining the resulting generator category for the hazardous waste generated using Table 1 below.

(b) Generators of both acute and non-acute hazardous wastes.

A generator who generates both acute hazardous waste and non-acute hazardous waste in the same calendar month shall determine its generator category for that month by doing the following:

(1) Counting separately the total amount of acute hazardous waste and the total amount of non-acute hazardous waste generated in the calendar month;

(2) Subtracting from each total any amounts of waste exempt from counting as described in Subsections R315-262-13(c) and (d);

(3) Determining separately the resulting generator categories for the quantities of acute and non-acute hazardous waste generated using Table 1 below; and

(4) Comparing the resulting generator categories from Subsection R315-262-13(b)(3) and applying the more stringent generator category to the accumulation and management of both non-acute hazardous waste and acute hazardous waste generated for that month.

Table 1 to Section R315-262-13 - Generator Categories Based on Quantity of Waste Generated in a Calendar Month

Quantity of acute hazardous waste generated in a calendar month	Quantity of non-acute hazardous waste generated in a calendar month	Quantity of residues from a hazardous waste generated in a calendar month	Generator category
>1kg	Any amount	Any amount	Large quantity generator
Any amount	> or = 1,000kg	Any amount	Large quantity generator
Any amount	Any Amount	>100kg	Large quantity generator
< or = 1 kg	>100 kg and < 1,000 kg	< or = 100 kg	Small quantity Generator
< or = 1 kg	< or = 100 kg	< or = 100 kg	Very small quantity generator

(c) When making the monthly quantity-based determinations required by Rule R315-262, the generator shall include all hazardous waste that it generates, except hazardous waste that:

(1) Is exempt from regulation under Subsections R315-261-4(c) through (f), 261-6(a)(3), R315-261-7(a)(1), or Section R315-261-8;

(2) Is managed immediately upon generation only in on-site elementary neutralization units, wastewater treatment units, or totally enclosed treatment facilities as defined in Section R315-260-10;

(3) Is recycled, without prior storage or accumulation, only in an on-site process subject to regulation under Subsection R315-261-6(c)(2);

(4) Is used oil managed under the requirements of Subsection R315-261-6(a)(4) and R315-15;

(5) Is spent lead-acid batteries managed under the requirements of Section R315-266-80;

(6) Is universal waste managed under Section R315-261-9 and Rule R315-273;

(7) Is a hazardous waste that is an unused commercial chemical product, listed in Sections R315-261-30 through R315-261-35 or exhibiting one or more characteristics in Sections R315-261-20 through R315-261-24, that is generated solely as a result of a laboratory clean-out conducted at an eligible academic entity pursuant to Section R315-262-213. For purposes of this provision, the term eligible academic entity shall have the meaning as defined in Section R315-262-200; or

(8) Is managed as part of an episodic event in compliance with the conditions of Sections R315-262-230 through R315-262-233.

(d) In determining the quantity of hazardous waste generated in a calendar month, a generator need not include:

(1) Hazardous waste when it is removed from on-site accumulation, so long as the hazardous waste was previously counted once;

(2) Hazardous waste generated by on-site treatment (including reclamation) of the generator's hazardous waste, so long as the hazardous waste that is treated was previously counted once; and

(3) Hazardous waste spent materials that are generated, reclaimed, and subsequently reused on site, so long as such spent materials have been previously counted once.

(e) Based on the generator category as determined under Section R315-262-13, the generator shall meet the applicable independent requirements listed in Section R315-262-10. A generator's category also determines which of the provisions of Sections R315-262-14, R315-262-15, R315-262-16 or R315-262-17 shall be met to obtain an exemption from the storage facility permit, interim status, and operating requirements when accumulating hazardous waste.

(f) Mixing hazardous wastes with solid wastes

(1) Very small quantity generator wastes.

(i) Hazardous wastes generated by a very small quantity generator may be mixed with solid wastes. Very small quantity generators may mix a portion or all of its hazardous waste with solid waste and remain subject to Section R315-262-14 even though the resultant mixture exceeds the quantity limits identified in the definition of very small quantity generator at Section R315-260-10, unless the mixture exhibits one or more of the characteristics of hazardous waste identified in Sections R315-261-20 through R315-261-24.

(ii) If the resulting mixture exhibits a characteristic of hazardous waste, this resultant mixture is a newly-generated hazardous waste. The very small quantity generator shall count both the resultant mixture amount plus the other hazardous waste generated in the calendar month to determine whether the total quantity exceeds the very small quantity generator calendar month quantity limits identified in the definition of generator categories found in Section R315-260-10. If so, to remain exempt from the permitting, interim status, and operating standards, the very small quantity generator shall meet the conditions for exemption applicable to either a small quantity

generator or a large quantity generator. The very small quantity generator shall also comply with the applicable independent requirements for either a small quantity generator or a large quantity generator.

(iii) If a very small quantity generator's wastes are mixed with used oil, the mixture is subject to Rule R315-15. Any material produced from such a mixture by processing, blending, or other treatment is also regulated under Rule R315-15.

(2) Small quantity generator and large quantity generator wastes.

(i) Hazardous wastes generated by a small quantity generator or large quantity generator may be mixed with solid waste. These mixtures are subject to the following: the mixture rule in Subsections R315-261-3(a)(2)(iv), (b)(2) and (3), and (g)(2)(i); the prohibition of dilution rule at Subsection R315-268-3(a); the land disposal restriction requirements of Section R315-268-40 if a characteristic hazardous waste is mixed with a solid waste so that it no longer exhibits the hazardous characteristic; and the hazardous waste determination requirement at Section R315-262-11.

(ii) If the resulting mixture is found to be a hazardous waste, this resultant mixture is a newly-generated hazardous waste. A small quantity generator shall count both the resultant mixture amount plus the other hazardous waste generated in the calendar month to determine whether the total quantity exceeds the small quantity generator calendar monthly quantity limits identified in the definition of generator categories found in Section R315-260-10. If so, to remain exempt from the permitting, interim status, and operating standards, the small quantity generator shall meet the conditions for exemption applicable to a large quantity generator. The small quantity generator shall also comply with the applicable independent requirements for a large quantity generator.

**R315-262-14. General - Conditions For Exemption for a Very Small Quantity Generator.**

(a) Provided that the very small quantity generator meets all the conditions for exemption listed in Section R315-262-14, hazardous waste generated by the very small quantity generator is not subject to the requirements of Rules R315-124, 262 (except Sections R315-262-10 through R315-262-14) through R315-268, and R315-270, and the notification requirements of section 3010 of RCRA and the very small quantity generator may accumulate hazardous waste on site without complying with such requirements. The conditions for exemption are as follows:

(1) In a calendar month the very small quantity generator generates less than or equal to the amounts specified in the definition of "very small quantity generator" in Section R315-260-10;

(2) The very small quantity generator complies with Subsections R315-262-11(a) through (d);

(3) If the very small quantity generator accumulates at any time greater than 1 kilogram (2.2 lbs) of acute hazardous waste or 100 kilograms (220 lbs) of any residue or contaminated soil, water, or other debris resulting from the cleanup of a spill, into or on any land or water, of any acute hazardous waste listed in Section R315-261-31 or Subsection R315-261-33(e), all quantities of that acute

hazardous waste are subject to the following additional conditions for exemption:

(i) Such waste is held on site for no more than 90 days beginning on the date when the accumulated wastes exceed the amounts provided in Subsection R315-262-14(a)(3); and

(ii) The conditions for exemption in Subsections R315-262-17(a) through (g).

(4) If the very small quantity generator accumulates at any time 1,000 kilograms (2,200 lbs) or greater of non-acute hazardous waste, all quantities of that hazardous waste are subject to the following additional conditions for exemption:

(i) Such waste is held on site for no more than 180 days, or 270 days, if applicable, beginning on the date when the accumulated waste exceed the amounts provided in Subsection R315-262-14(a)(4);

(ii) The quantity of waste accumulated on site never exceeds 6,000 kilograms (13,200 lbs); and

(iii) The conditions for exemption in Subsections R315-262-16(b)(2) through (f).

(5) A very small quantity generator that accumulates hazardous waste in amounts less than or equal to the limits in Subsections R315-262-14(a)(3) and (4) shall either treat or dispose of its hazardous waste in an on-site facility or ensure delivery to an off-site treatment, storage, or disposal facility, either of which, if located in the U.S., is:

(i) Permitted under Rule R315-270;

(ii) In interim status under Rules R315-265 and 270;

(iii) Authorized to manage hazardous waste by a state with a hazardous waste management program approved under 40 CFR 271;

(iv) Permitted, licensed, or registered by a state to manage municipal solid waste and, if managed in a municipal solid waste landfill is subject to Rules R315-301 through R315-320;

(v) Permitted, licensed, or registered by a state to manage non-municipal non-hazardous waste and, if managed in a non-municipal non-hazardous waste disposal unit, is subject to the requirements in Rules R315-301 through R315-320 or 40 CFR 257.5 through 257.30;

(vi) A facility which:

(A) Beneficially uses or reuses, or legitimately recycles or reclaims its waste; or

(B) Treats its waste prior to beneficial use or reuse, or legitimate recycling or reclamation;

(vii) For universal waste managed under Rule R315-273, a universal waste handler or destination facility subject to the requirements of Rule R315-273;

(viii) A large quantity generator under the control of the same person as the very small quantity generator, provided the following conditions are met:

(A) The very small quantity generator and the large quantity generator are under the control of the same person as defined in Section R315-260-10. ``Control,'' for the purposes of Subsection R315-262-14(a)(5)(viii), means the power to direct the policies of the generator, whether by the ownership of stock, voting rights, or otherwise, except that contractors who operate generator facilities on behalf of a different person as defined in Section R315-260-10 shall not be deemed to ``control'' such generators.

(B) The very small quantity generator marks its container(s) of hazardous waste with:

(1) The words "Hazardous Waste" and

(2) An indication of the hazards of the contents, examples include, but are not limited to:

(I) the applicable hazardous waste characteristic(s), i.e., ignitable, corrosive, reactive, toxic;

(II) hazard communication consistent with the Department of Transportation requirements at 49 CFR part 172 subpart E, labeling, or subpart F, placarding;

(III) a hazard statement or pictogram consistent with the Occupational Safety and Health Administration Hazard Communication Standard at 29 CFR 1910.1200; or

(IV) a chemical hazard label consistent with the National Fire Protection Association code 704.

(b) The placement of bulk or non-containerized liquid hazardous waste or hazardous waste containing free liquids (whether or not sorbents have been added) in any landfill is prohibited.

(c) A very small quantity generator experiencing an episodic event may generate and accumulate hazardous waste in accordance with Sections R315-262-230 through 233 in lieu of Sections R315-262-15, 16, and 17.

#### **R315-262-15. General - Satellite Accumulation Area Regulations for Small and Large Quantity Generators.**

(a) A generator may accumulate as much as 55 gallons of non-acute hazardous waste and/or either one quart of liquid acute hazardous waste listed in Section R315-261-31 or Subsection R315-261-33(e) or 1 kg (2.2 lbs) of solid acute hazardous waste listed in Section R315-261-31 or Subsection R315-261-33(e) in containers at or near any point of generation where wastes initially accumulate which is under the control of the operator of the process generating the waste, without a permit or interim status and without complying with the requirements of Rules R315-124, R315-264 through R315-266, and R315-270, provided that all of the conditions for exemption in Section R315-262-15 are met. A generator may comply with the conditions for exemption in Section R315-262-15 instead of complying with the conditions for exemption in Subsection R315-262-16(b) or 17(a), except as required in Subsections R315-262-15(a)(7) and (8). The conditions for exemption for satellite accumulation are:

(1) If a container holding hazardous waste is not in good condition, or if it begins to leak, the generator shall immediately transfer the hazardous waste from this container to a container that is in good condition and does not leak, or immediately transfer and manage the waste in a central accumulation area operated in compliance with Subsections R315-262-16(b) or 17(a).

(2) The generator shall use a container made of or lined with materials that will not react with, and are otherwise compatible with, the hazardous waste to be accumulated, so that the ability of the container to contain the waste is not impaired.

(3) Special standards for incompatible wastes.

(i) Incompatible wastes, or incompatible wastes and materials, (see appendix V of 40 CFR 265 for examples) shall not be placed in the same container, unless 40 CFR 265.17(b), which is incorporated

by reference in Section R315-265-1, is complied with.

(ii) Hazardous waste shall not be placed in an unwashed container that previously held an incompatible waste or material (see appendix V of 40 CFR 265 for examples), unless 40 CFR 265.17(b), which is incorporated by reference in Section R315-265-1, is complied with.

(iii) A container holding a hazardous waste that is incompatible with any waste or other materials accumulated nearby in other containers shall be separated from the other materials or protected from them by any practical means.

(4) A container holding hazardous waste shall be closed at all times during accumulation, except:

(i) When adding, removing, or consolidating waste; or

(ii) When temporary venting of a container is necessary:

(A) For the proper operation of equipment, or

(B) To prevent dangerous situations, such as build-up of extreme pressure.

(5) A generator shall mark or label its container with the following:

(i) The words "Hazardous Waste" and

(ii) An indication of the hazards of the contents, examples include, but are not limited to:

(A) the applicable hazardous waste characteristic(s), i.e., ignitable, corrosive, reactive, toxic;

(B) hazard communication consistent with the Department of Transportation requirements at 49 CFR part 172 subpart E, labeling, or subpart F, placarding;

(C) a hazard statement or pictogram consistent with the Occupational Safety and Health Administration Hazard Communication Standard at 29 CFR 1910.1200; or

(D) a chemical hazard label consistent with the National Fire Protection Association code 704.

(6) A generator who accumulates either acute hazardous waste listed in Section R315-261-31 or Subsection R315-261-33(e) or non-acute hazardous waste in excess of the amounts listed in Subsection R315-262-15(a) at or near any point of generation shall do the following:

(i) Comply within three consecutive calendar days with the applicable central accumulation area regulations in Subsection R315-262-16(b) or 17(a), or

(ii) Remove the excess from the satellite accumulation area within three consecutive calendar days to either:

(A) A central accumulation area operated in accordance with the applicable regulations in Subsection R315-262-16(b) or 17(a);

(B) An on-site interim status or permitted treatment, storage, or disposal facility, or

(C) An off-site designated facility; and

(iii) During the three-consecutive-calendar-day period the generator shall continue to comply with Subsections R315-262-15(a)(1) through (5). The generator shall mark or label the container(s) holding the excess accumulation of hazardous waste with the date the excess amount began accumulating.

(7) All satellite accumulation areas operated by a small quantity generator shall meet the preparedness and prevention regulations of Subsection R315-262-16(b)(8) and emergency procedures

at Subsection R315-262-16(b)(9).

(8) All satellite accumulation areas operated by a large quantity generator shall meet the Preparedness, Prevention and Emergency Procedures in Sections R315-262-250 through R315-262-265.

(b) Reserved

**R315-262-16. General - Conditions for Exemption for a Small Quantity Generator that Accumulates Hazardous Waste.**

A small quantity generator may accumulate hazardous waste on site without a permit or interim status, and without complying with the requirements of Rules R315-124, R315-264 through R315-266, and R315-270, or the notification requirements of section 3010 of RCRA, provided that all the conditions for exemption listed in Section R315-262-16 are met:

(a) Generation. The generator generates in a calendar month no more than the amounts specified in the definition of "small quantity generator" in Section R315-260-10.

(b) Accumulation. The generator accumulates hazardous waste on site for no more than 180 days, unless in compliance with the conditions for exemption for longer accumulation in Subsections R315-262-16(d) and (e). The following accumulation conditions also apply:

(1) Accumulation limit. The quantity of hazardous waste accumulated on site never exceeds 6,000 kilograms (13,200 pounds);

(2) Accumulation of hazardous waste in containers.

(i) Condition of containers. If a container holding hazardous waste is not in good condition, or if it begins to leak, the small quantity generator shall immediately transfer the hazardous waste from this container to a container that is in good condition, or immediately manage the waste in some other way that complies with the conditions for exemption of Section R315-262-16.

(ii) Compatibility of waste with container. The small quantity generator shall use a container made of or lined with materials that will not react with, and are otherwise compatible with, the hazardous waste to be accumulated, so that the ability of the container to contain the waste is not impaired.

(iii) Management of containers.

(A) A container holding hazardous waste shall always be closed during accumulation, except when it is necessary to add or remove waste.

(B) A container holding hazardous waste shall not be opened, handled, or accumulated in a manner that may rupture the container or cause it to leak.

(iv) Inspections. At least weekly, the small quantity generator shall inspect central accumulation areas. The small quantity generator shall look for leaking containers and for deterioration of containers caused by corrosion or other factors. See Subsection R315-262-16(b)(2)(i) for remedial action required if deterioration or leaks are detected.

(v) Special conditions for accumulation of incompatible wastes.

(A) Incompatible wastes, or incompatible wastes and materials, (see appendix V of 40 CFR 265 for examples) shall not be placed in the same container, unless 40 CFR 265.17(b), which is incorporated by reference in Section R315-265-1, is complied with.

(B) Hazardous waste shall not be placed in an unwashed container that previously held an incompatible waste or material (see appendix V of 40 CFR 265 for examples), unless 40 CFR 265.17(b), which is incorporated by reference in Section R315-265-1, is complied with.

(C) A container accumulating hazardous waste that is incompatible with any waste or other materials accumulated or stored nearby in other containers, piles, open tanks, or surface impoundments shall be separated from the other materials or protected from them by means of a dike, berm, wall, or other device.

(3) Accumulation of hazardous waste in tanks.

(i) Reserved

(ii) A small quantity generator of hazardous waste shall comply with the following general operating conditions:

(A) Treatment or accumulation of hazardous waste in tanks shall comply with 40 CFR 265.17(b), which is incorporated by reference in Section R315-265-1.

(B) Hazardous wastes or treatment reagents shall not be placed in a tank if they could cause the tank or its inner liner to rupture, leak, corrode, or otherwise fail before the end of its intended life.

(C) Uncovered tanks shall be operated to ensure at least 60 centimeters (2 feet) of freeboard, unless the tank is equipped with a containment structure (e.g., dike or trench), a drainage control system, or a diversion structure (e.g., standby tank) with a capacity that equals or exceeds the volume of the top 60 centimeters (2 feet) of the tank.

(D) Where hazardous waste is continuously fed into a tank, the tank shall be equipped with a means to stop this inflow (e.g., waste feed cutoff system or by-pass system to a stand-by tank).

(iii) Except as noted in Subsection R315-262-16(b)(3)(iv), a small quantity generator that accumulates hazardous waste in tanks shall inspect, where present:

(A) Discharge control equipment (e.g., waste feed cutoff systems, by-pass systems, and drainage systems) at least once each operating day, to ensure that it is in good working order;

(B) Data gathered from monitoring equipment (e.g., pressure and temperature gauges) at least once each operating day to ensure that the tank is being operated according to its design;

(C) The level of waste in the tank at least once each operating day to ensure compliance with Subsection R315-262-16(b)(3)(ii)(C);

(D) The construction materials of the tank at least weekly to detect corrosion or leaking of fixtures or seams; and

(E) The construction materials of, and the area immediately surrounding, discharge confinement structures (e.g., dikes) at least weekly to detect erosion or obvious signs of leakage (e.g., wet spots or dead vegetation). The generator shall remedy any deterioration or malfunction of equipment or structures which the inspection reveals on a schedule which ensures that the problem does not lead to an environmental or human health hazard. Where a hazard is imminent or has already occurred, remedial action shall be taken immediately.

(iv) A small quantity generator accumulating hazardous waste in tanks or tank systems that have full secondary containment and that either use leak detection equipment to alert personnel to leaks, or implement established workplace practices to ensure leaks are promptly identified, shall inspect at least weekly, where applicable,

the areas identified in Subsections R315-262-16(b)(3)(iii)(A) through (E). Use of the alternate inspection schedule shall be documented in the generator's operating record. This documentation shall include a description of the established workplace practices at the generator.

(v) Reserved

(vi) A small quantity generator accumulating hazardous waste in tanks shall, upon closure of the facility, remove all hazardous waste from tanks, discharge control equipment, and discharge confinement structures. At closure, as throughout the operating period, unless the small quantity generator can demonstrate, in accordance with Subsection R315-261-3(c) or (d), that any solid waste removed from its tank is not a hazardous waste, then it shall manage such waste in accordance with all applicable provisions of Rules R315-262, R315-263, R315-265, and R315-268.

(vii) A small quantity generator shall comply with the following special conditions for accumulation of ignitable or reactive waste:

(A) Ignitable or reactive waste shall not be placed in a tank, unless:

(I) The waste is treated, rendered, or mixed before or immediately after placement in a tank so that the resulting waste, mixture, or dissolution of material no longer meets the definition of ignitable or reactive waste under Section R315-261-21 or R315-261-23 and 40 CFR 265.17(b), which is incorporated by reference in Section R315-265-1, is complied with; or

(II) The waste is accumulated or treated in such a way that it is protected from any material or conditions that may cause the waste to ignite or react; or

(III) The tank is used solely for emergencies.

(B) A small quantity generator which treats or accumulates ignitable or reactive waste in covered tanks shall comply with the buffer zone requirements for tanks contained in Tables 2-1 through 2-6 of the National Fire Protection Association's "Flammable and Combustible Liquids Code" (1977 or 1981), incorporated by reference, see Section R315-260-11.

(C) A small quantity generator shall comply with the following special conditions for incompatible wastes:

(I) Incompatible wastes, or incompatible wastes and materials, (see 40 CFR 265 appendix V for examples) shall not be placed in the same tank, unless 40 CFR 265.17(b), which is incorporated by reference in Section R315-265-1, is complied with.

(II) Hazardous waste shall not be placed in an unwashed tank that previously held an incompatible waste or material, unless 40 CFR 265.17(b), which is incorporated by reference in Section R315-265-1, is complied with.

(4) Accumulation of hazardous waste on drip pads. If the waste is placed on drip pads, the small quantity generator shall comply with the following:

(i) 40 CFR 265.440 through 265.445, which is incorporated by reference in Section R315-265-1, except 265.445(c);

(ii) The small quantity generator shall remove all wastes from the drip pad at least once every 90 days. Any hazardous wastes that are removed from the drip pad at least once every 90 days are then subject to the 180-day accumulation limit in Subsections R315-262-16(b) and Section R315-262-15 if hazardous wastes are being

managed in satellite accumulation areas prior to being moved to the central accumulation area; and

(iii) The small quantity generator shall maintain on site at the facility the following records readily available for inspection:

(A) A written description of procedures that are followed to ensure that all wastes are removed from the drip pad and associated collection system at least once every 90 days; and

(B) Documentation of each waste removal, including the quantity of waste removed from the drip pad and the sump or collection system and the date and time of removal.

(5) Accumulation of hazardous waste in containment buildings. If the waste is placed in containment buildings, the small quantity generator shall comply with 40 CFR 265.1100 through 265.1102, which is incorporated by reference in Section R315-265-1. The generator shall label its containment buildings with the words "Hazardous Waste" in a conspicuous place easily visible to employees, visitors, emergency responders, waste handlers, or other persons on site and also in a conspicuous place provide an indication of the hazards of the contents, examples include, but are not limited to, the applicable hazardous waste characteristic(s), i.e., ignitable, corrosive, reactive, toxic; hazard communication consistent with the Department of Transportation requirements at 49 CFR part 172 subpart E, labeling, or subpart F, placarding; a hazard statement or pictogram consistent with the Occupational Safety and Health Administration Hazard Communication Standard at 29 CFR 1910.1200; or a chemical hazard label consistent with the National Fire Protection Association code 704. The generator shall also maintain:

(i) The professional engineer certification that the building complies with the design standards specified in 40 CFR 265.1101, which is incorporated by reference in Section R315-265-1. This certification shall be in the generator's files prior to operation of the unit; and

(ii) The following records by use of inventory logs, monitoring equipment, or any other effective means:

(A) A written description of procedures to ensure that each waste volume remains in the unit for no more than 90 days, a written description of the waste generation and management practices for the facility showing that the generator is consistent with maintaining the 90 day limit, and documentation that the procedures are complied with; or

(B) Documentation that the unit is emptied at least once every 90 days.

(C) Inventory logs or records with the above information shall be maintained on site and readily available for inspection.

(6) Labeling and marking of containers and tanks.

(i) Containers. A small quantity generator shall mark or label its containers with the following:

(A) The words "Hazardous Waste";

(B) An indication of the hazards of the contents, examples include, but are not limited to:

(I) the applicable hazardous waste characteristic(s), i.e., ignitable, corrosive, reactive, toxic;

(II) hazard communication consistent with the Department of Transportation requirements at 49 CFR part 172 subpart E, labeling,

or subpart F, placarding;

(III) a hazard statement or pictogram consistent with the Occupational Safety and Health Administration Hazard Communication Standard at 29 CFR 1910.1200; or

(IV) a chemical hazard label consistent with the National Fire Protection Association code 704; and

(C) The date upon which each period of accumulation begins clearly visible for inspection on each container.

(ii) Tanks. A small quantity generator accumulating hazardous waste in tanks shall do the following:

(A) Mark or label its tanks with the words "Hazardous Waste";

(B) Mark or label its tanks with an indication of the hazards of the contents, examples include, but are not limited to:

(I) the applicable hazardous waste characteristic(s), i.e., ignitable, corrosive, reactive, toxic;

(II) hazard communication consistent with the Department of Transportation requirements at 49 CFR part 172 subpart E, labeling, or subpart F, placarding;

(III) a hazard statement or pictogram consistent with the Occupational Safety and Health Administration Hazard Communication Standard at 29 CFR 1910.1200; or

(IV) a chemical hazard label consistent with the National Fire Protection Association code 704;

(C) Use inventory logs, monitoring equipment, or other records to demonstrate that hazardous waste has been emptied within 180 days of first entering the tank if using a batch process, or in the case of a tank with a continuous flow process, demonstrate that estimated volumes of hazardous waste entering the tank daily exit the tank within 180 days of first entering; and

(D) Keep inventory logs or records with the above information on site and readily available for inspection.

(7) Land disposal restrictions. A small quantity generator shall comply with all the applicable requirements under Rule R315-268.

(8) Preparedness and prevention.

(i) Maintenance and operation of facility. A small quantity generator shall maintain and operate its facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.

(ii) Required equipment. All areas where hazardous waste is either generated or accumulated shall be equipped with the items in Subsections R315-262-16(b)(8)(ii)(A) through (D), unless none of the hazards posed by waste handled at the facility could require a particular kind of equipment specified below or the actual waste generation or accumulation area does not lend itself for safety reasons to have a particular kind of equipment specified below. A small quantity generator may determine the most appropriate locations to locate equipment necessary to prepare for and respond to emergencies.

(A) An internal communications or alarm system capable of providing immediate emergency instruction, voice or signal, to facility personnel;

(B) A device, such as a telephone, immediately available at the scene of operations, or a hand-held two-way radio, capable of

summoning emergency assistance from local police departments, fire departments, or State or local emergency response teams;

(C) Portable fire extinguishers, fire control equipment, including special extinguishing equipment, such as that using foam, inert gas, or dry chemicals, spill control equipment, and decontamination equipment; and

(D) Water at adequate volume and pressure to supply water hose streams, or foam producing equipment, or automatic sprinklers, or water spray systems.

(iii) Testing and maintenance of equipment. All communications or alarm systems, fire protection equipment, spill control equipment, and decontamination equipment, where required, shall be tested and maintained as necessary to assure its proper operation in time of emergency.

(iv) Access to communications or alarm system.

(A) Whenever hazardous waste is being poured, mixed, spread, or otherwise handled, all personnel involved in the operation shall have immediate access, e.g., direct or unimpeded access, to an internal alarm or emergency communication device, either directly or through visual or voice contact with another employee, unless such a device is not required under Subsection R315-262-16(a)(8)(ii).

(B) In the event there is just one employee on the premises while the facility is operating, the employee shall have immediate access, e.g., direct or unimpeded access, to a device, such as a telephone, immediately available at the scene of operation, or a hand-held two-way radio, capable of summoning external emergency assistance, unless such a device is not required under Subsection R315-262-16(a)(8)(ii).

(v) Required aisle space. The small quantity generator shall maintain aisle space to allow the unobstructed movement of personnel, fire protection equipment, spill control equipment, and decontamination equipment to any area of facility operation in an emergency, unless aisle space is not needed for any of these purposes.

(vi) Arrangements with local authorities.

(A) The small quantity generator shall attempt to make arrangements with the local police department, fire department, other emergency response teams, emergency response contractors, equipment suppliers and local hospitals, taking into account the types and quantities of hazardous wastes handled at the facility. Arrangements may be made with the Local Emergency Planning Committee, if it is determined to be the appropriate organization with which to make arrangements.

(I) A small quantity generator attempting to make arrangements with its local fire department shall determine the potential need for the services of the local police department, other emergency response teams, emergency response contractors, equipment suppliers and local hospitals.

(II) As part of this coordination, the small quantity generator shall attempt to make arrangements, as necessary, to familiarize the above organizations with the layout of the facility, the properties of hazardous waste handled at the facility and associated hazards, places where facility personnel would normally be working, entrances to roads inside the facility, and possible evacuation routes as well as the types of injuries or illnesses that could result from fires,

explosions, or releases at the facility.

(III) Where more than one police or fire department might respond to an emergency, the small quantity generator shall attempt to make arrangements designating primary emergency authority to a specific fire or police department, and arrangements with any others to provide support to the primary emergency authority.

(B) A small quantity generator shall maintain records documenting the arrangements with the local fire department as well as any other organization necessary to respond to an emergency. This documentation shall include documentation in the operating record that either confirms such arrangements actively exist or, in cases where no arrangements exist, confirms that attempts to make such arrangements were made.

(C) A facility possessing 24-hour response capabilities may seek a waiver from the authority having jurisdiction (AHJ) over the fire code within the facility's state or locality as far as needing to make arrangements with the local fire department as well as any other organization necessary to respond to an emergency, provided that the waiver is documented in the operating record.

(9) Emergency procedures. The small quantity generator complies with the following conditions for those areas of the generator facility where hazardous waste is generated and accumulated:

(i) At all times there shall be at least one employee either on the premises or on call, i.e., available to respond to an emergency by reaching the facility within a short period of time, with the responsibility for coordinating all emergency response measures specified in Subsection R315-262-16(b)(9)(iv). This employee is the emergency coordinator.

(ii) The small quantity generator shall post the following information next to telephones or in areas directly involved in the generation and accumulation of hazardous waste:

(A) The name and emergency telephone number of the emergency coordinator;

(B) Location of fire extinguishers and spill control material, and, if present, fire alarm; and

(C) The telephone number of the fire department, unless the facility has a direct alarm.

(iii) The small quantity generator shall ensure that all employees are thoroughly familiar with proper waste handling and emergency procedures, relevant to their responsibilities during normal facility operations and emergencies;

(iv) The emergency coordinator or his designee shall respond to any emergencies that arise. The applicable responses are as follows:

(A) In the event of a fire, call the fire department or attempt to extinguish it using a fire extinguisher;

(B) In the event of a spill, the small quantity generator is responsible for containing the flow of hazardous waste to the extent possible, and as soon as is practicable, cleaning up the hazardous waste and any contaminated materials or soil. Such containment and cleanup can be conducted either by the small quantity generator or by a contractor on behalf of the small quantity generator;

(C) In the event of a fire, explosion, or other release that could threaten human health outside the facility or when the small quantity generator has knowledge that a spill has reached surface

water, the small quantity generator shall immediately notify the National Response Center, using their 24-hour toll free number 800/424-8802 and the state environmental incident reporting program at 801/536-0200 or after hours at 801/536-4123. The report shall include the following information:

(I) The name, address, and U.S. EPA identification number of the small quantity generator;

(II) Date, time, and type of incident, e.g., spill or fire;

(III) Quantity and type of hazardous waste involved in the incident;

(IV) Extent of injuries, if any; and

(V) Estimated quantity and disposition of recovered materials, if any.

(c) Transporting over 200 miles. A small quantity generator who shall transport its waste, or offer its waste for transportation, over a distance of 200 miles or more for off-site treatment, storage or disposal may accumulate hazardous waste on site for 270 days or less without a permit or without having interim status provided that the generator complies with the conditions of Subsection R315-262-16(b).

(d) Accumulation time limit extension. A small quantity generator who accumulates hazardous waste for more than 180 days (or for more than 270 days if it shall transport its waste, or offer its waste for transportation, over a distance of 200 miles or more) is subject to the requirements of Rules R315-264, R315-265, R315-268, and R315-270 unless it has been granted an extension to the 180-day (or 270-day if applicable) period. Such extension may be granted by the Director if hazardous wastes shall remain on site for longer than 180 days (or 270 days if applicable) due to unforeseen, temporary, and uncontrollable circumstances. An extension of up to 30 days may be granted at the discretion of the Director on a case-by-case basis.

(e) Rejected load. A small quantity generator who sends a shipment of hazardous waste to a designated facility with the understanding that the designated facility can accept and manage the waste and later receives that shipment back as a rejected load or residue in accordance with the manifest discrepancy provisions of Section R315-264-72 or 40 CFR 265.72, which is incorporated by reference in R315-265-1, may accumulate the returned waste on site in accordance with Subsections R315-262-16(a)-(d). Upon receipt of the returned shipment, the generator shall:

(1) Sign Item 18c of the manifest, if the transporter returned the shipment using the original manifest; or

(2) Sign Item 20 of the manifest, if the transporter returned the shipment using a new manifest.

(f) A small quantity generator experiencing an episodic event may accumulate hazardous waste in accordance with Sections R315-262-230 through R315-262-233 in lieu of Section R315-262-17.

**R315-262-17. General - Conditions for Exemption for a Large Quantity Generator that Accumulates Hazardous Waste.**

A large quantity generator may accumulate hazardous waste on site without a permit or interim status, and without complying with the requirements of Rules R315-124, R315-264 through R315-266, and R315-270, or the notification requirements of section 3010 of RCRA,

provided that all of the following conditions for exemption are met:

(a) Accumulation. A large quantity generator accumulates hazardous waste on site for no more than 90 days, unless in compliance with the accumulation time limit extension or F006 accumulation conditions for exemption in Subsections R315-262-17(b) through (e). The following accumulation conditions also apply:

(1) Accumulation of hazardous waste in containers. If the hazardous waste is placed in containers, the large quantity generator shall comply with the following:

(i) Air emission standards. The applicable requirements of 40 CFR 265.1030 through 265.1035, 265.1050 through 265.1064, and 265.1080 through 265.1090, which are incorporated by reference in Section R315-265-1;

(ii) Condition of containers. If a container holding hazardous waste is not in good condition, or if it begins to leak, the large quantity generator shall immediately transfer the hazardous waste from this container to a container that is in good condition, or immediately manage the waste in some other way that complies with the conditions for exemption of this section;

(iii) Compatibility of waste with container. The large quantity generator shall use a container made of or lined with materials that will not react with, and are otherwise compatible with, the hazardous waste to be stored, so that the ability of the container to contain the waste is not impaired;

(iv) Management of containers.

(A) A container holding hazardous waste shall always be closed during accumulation, except when it is necessary to add or remove waste.

(B) A container holding hazardous waste shall not be opened, handled, or stored in a manner that may rupture the container or cause it to leak.

(v) Inspections. At least weekly, the large quantity generator shall inspect central accumulation areas. The large quantity generator shall look for leaking containers and for deterioration of containers caused by corrosion or other factors. See Subsection R315-262-17(a)(1)(ii) for remedial action required if deterioration or leaks are detected.

(vi) Special conditions for accumulation of ignitable and reactive wastes.

(A) Containers holding ignitable or reactive waste shall be located at least 15 meters (50 feet) from the facility's property line unless a written approval is obtained from the authority having jurisdiction over the local fire code allowing hazardous waste accumulation to occur within this restricted area. A record of the written approval shall be maintained as long as ignitable or reactive hazardous waste is accumulated in this area.

(B) The large quantity generator shall take precautions to prevent accidental ignition or reaction of ignitable or reactive waste. This waste shall be separated and protected from sources of ignition or reaction including but not limited to the following: Open flames, smoking, cutting and welding, hot surfaces, frictional heat, sparks (static, electrical, or mechanical), spontaneous ignition, e.g., from heat-producing chemical reactions, and radiant heat. While ignitable or reactive waste is being handled, the large quantity

generator shall confine smoking and open flame to specially designated locations. "No Smoking" signs shall be conspicuously placed wherever there is a hazard from ignitable or reactive waste.

(vii) Special conditions for accumulation of incompatible wastes.

(A) Incompatible wastes, or incompatible wastes and materials, see appendix V of 40 CFR 265 for examples, shall not be placed in the same container, unless 40 CFR 265.17(b), which is incorporated by reference in Section R315-265-1, is complied with.

(B) Hazardous waste shall not be placed in an unwashed container that previously held an incompatible waste or material, see appendix V of 40 CFR 265 for examples, unless 40 CFR 265.17(b), which is incorporated by reference in Section R315-265-1, is complied with.

(C) A container holding a hazardous waste that is incompatible with any waste or other materials accumulated or stored nearby in other containers, piles, open tanks, or surface impoundments shall be separated from the other materials or protected from them by means of a dike, berm, wall, or other device.

(2) Accumulation of hazardous waste in tanks. If the waste is placed in tanks, the large quantity generator shall comply with the applicable requirements of 40 CFR 265.109 through 265.202, except 265.197(c) of Closure and post-closure care and 265.200, Waste analysis and trial tests, as well as the applicable requirements of 265.1030 through 265.1035, 265.1050 through 265.1064, and 265.1080 through 265.1090, which are incorporated by reference in Section R315-265-1.

(3) Accumulation of hazardous waste on drip pads. If the hazardous waste is placed on drip pads, the large quantity generator shall comply with the following:

(i) 40 CFR 265.440 through 265.445, which are incorporated by reference in Section R315-265-1;

(ii) The large quantity generator shall remove all wastes from the drip pad at least once every 90 days. Any hazardous wastes that are removed from the drip pad are then subject to the 90-day accumulation limit in Subsection R315-262-17(a) and Section R315-262-15, if the hazardous wastes are being managed in satellite accumulation areas prior to being moved to a central accumulation area; and

(iii) The large quantity generator shall maintain on site at the facility the following records readily available for inspection:

(A) A written description of procedures that are followed to ensure that all wastes are removed from the drip pad and associated collection system at least once every 90 days; and

(B) Documentation of each waste removal, including the quantity of waste removed from the drip pad and the sump or collection system and the date and time of removal.

(4) Accumulation of hazardous waste in containment buildings. If the waste is placed in containment buildings, the large quantity generator shall comply with 40 CFR 265.1100 through 265.1102, which are incorporated by reference in Section R315-265-1. The generator shall label its containment building with the words "Hazardous Waste" in a conspicuous place easily visible to employees, visitors, emergency responders, waste handlers, or other persons on site, and also in a conspicuous place provide an indication of the hazards of

the contents, examples include, but are not limited to, the applicable hazardous waste characteristic(s), i.e., ignitable, corrosive, reactive, toxic); hazard communication consistent with the Department of Transportation requirements at 49 CFR part 172 subpart E, labeling, or subpart F, placarding; a hazard statement or pictogram consistent with the Occupational Safety and Health Administration Hazard Communication Standard at 29 CFR 1910.1200; or a chemical hazard label consistent with the National Fire Protection Association code 704. The generator shall also maintain:

(i) The professional engineer certification that the building complies with the design standards specified in 40 CFR 265.1101, which is incorporated by reference in Section R315-265-1. This certification shall be in the generator's files prior to operation of the unit; and

(ii) The following records by use of inventory logs, monitoring equipment, or any other effective means:

(A) A written description of procedures to ensure that each waste volume remains in the unit for no more than 90 days, a written description of the waste generation and management practices for the facility showing that the generator is consistent with respecting the 90 day limit, and documentation that the procedures are complied with; or

(B) Documentation that the unit is emptied at least once every 90 days.

(C) Inventory logs or records with the above information shall be maintained on site and readily available for inspection.

(5) Labeling and marking of containers and tanks.

(i) Containers. A large quantity generator shall mark or label its containers with the following:

(A) The words "Hazardous Waste";

(B) An indication of the hazards of the contents, examples include, but are not limited to:

(I) the applicable hazardous waste characteristic(s), i.e., ignitable, corrosive, reactive, toxic;

(II) hazard communication consistent with the Department of Transportation requirements at 49 CFR part 172 subpart E, labeling, or subpart F, placarding;

(III) a hazard statement or pictogram consistent with the Occupational Safety and Health Administration Hazard Communication Standard at 29 CFR 1910.1200; or

(IV) a chemical hazard label consistent with the National Fire Protection Association code 704; and

(C) The date upon which each period of accumulation begins clearly visible for inspection on each container.

(ii) Tanks. A large quantity generator accumulating hazardous waste in tanks shall do the following:

(A) Mark or label its tanks with the words "Hazardous Waste";

(B) Mark or label its tanks with an indication of the hazards of the contents, examples include, but are not limited to:

(I) the applicable hazardous waste characteristic(s), i.e., ignitable, corrosive, reactive, toxic;

(II) hazard communication consistent with the Department of Transportation requirements at 49 CFR part 172 subpart E, labeling, or subpart F, placarding;

(III) a hazard statement or pictogram consistent with the Occupational Safety and Health Administration Hazard Communication Standard at 29 CFR 1910.1200; or

(IV) a chemical hazard label consistent with the National Fire Protection Association code 704;

(C) Use inventory logs, monitoring equipment or other records to demonstrate that hazardous waste has been emptied within 90 days of first entering the tank if using a batch process, or in the case of a tank with a continuous flow process, demonstrate that estimated volumes of hazardous waste entering the tank daily exit the tank within 90 days of first entering; and

(D) Keep inventory logs or records with the above information on site and readily available for inspection.

(6) Emergency procedures. The large quantity generator complies with the standards in Section R315-262-250 through R315-262-265, Preparedness, Prevention and Emergency Procedures for Large Quantity Generators.

(7) Personnel training.

(i)(A) Facility personnel shall successfully complete a program of classroom instruction, online training, e.g., computer-based or electronic, or on-the-job training that teaches them to perform their duties in a way that ensures compliance with this part. The large quantity generator shall ensure that this program includes all the elements described in the document required under Subsection R315-262-17(a)(7)(iv).

(B) This program shall be directed by a person trained in hazardous waste management procedures, and shall include instruction which teaches facility personnel hazardous waste management procedures, including contingency plan implementation, relevant to the positions in which they are employed.

(C) At a minimum, the training program shall be designed to ensure that facility personnel are able to respond effectively to emergencies by familiarizing them with emergency procedures, emergency equipment, and emergency systems, including where applicable:

(I) Procedures for using, inspecting, repairing, and replacing facility emergency and monitoring equipment;

(II) Key parameters for automatic waste feed cut-off systems;

(III) Communications or alarm systems;

(IV) Response to fires or explosions;

(V) Response to ground-water contamination incidents; and

(VI) Shutdown of operations.

(D) For facility employees that receive emergency response training pursuant to Occupational Safety and Health Administration regulations 29 CFR 1910.120(p)(8) and 1910.120(q), the large quantity generator is not required to provide separate emergency response training pursuant to Section R315-262-17, provided that the overall facility training meets all the conditions of exemption in Section R315-262-17.

(ii) Facility personnel shall successfully complete the program required in Subsection R315-262-17(a)(7)(i) within six months after the date of their employment or assignment to the facility, or to a new position at the facility, whichever is later. Employees shall not work in unsupervised positions until they have completed the

training standards of Subsection R315-262-17(a)(7)(i).

(iii) Facility personnel shall take part in an annual review of the initial training required in Subsection R315-262-17(a)(7)(i).

(iv) The large quantity generator shall maintain the following documents and records at the facility:

(A) The job title for each position at the facility related to hazardous waste management, and the name of the employee filling each job;

(B) A written job description for each position listed under Subsection R315-262-17(a)(7)(iv)(A). This description may be consistent in its degree of specificity with descriptions for other similar positions in the same company location or bargaining unit, but shall include the requisite skill, education, or other qualifications, and duties of facility personnel assigned to each position;

(C) A written description of the type and amount of both introductory and continuing training that will be given to each person filling a position listed under Subsection R315-262-17(a)(7)(iv)(A);

(D) Records that document that the training or job experience, required under Subsections R315-262-17(a)(7)(i), (ii), and (iii), has been given to, and completed by, facility personnel.

(v) Training records on current personnel shall be kept until closure of the facility. Training records on former employees shall be kept for at least three years from the date the employee last worked at the facility. Personnel training records may accompany personnel transferred within the same company.

(8) Closure. A large quantity generator accumulating hazardous wastes in containers, tanks, drip pads, and containment buildings, prior to closing a unit at the facility, or prior to closing the facility, shall meet the following conditions:

(i) Notification for closure of a waste accumulation unit. A large quantity generator shall perform one of the following when closing a waste accumulation unit:

(A) Place a notice in the operating record within 30 days after closure identifying the location of the unit within the facility; or

(B) Meet the closure performance standards of Subsection R315-262-17(a)(8)(iii) for container, tank, and containment building waste accumulation units or Subsection R315-262-17(a)(8)(iv) for drip pads and notify the Director following the procedures in Subsection R315-262-17(a)(8)(ii)(B) for the waste accumulation unit. If the waste accumulation unit is subsequently reopened, the generator may remove the notice from the operating record.

(ii) Notification for closure of the facility.

(A) Notify the Director using EPA form 8700-12 no later than 30 days prior to closing the facility.

(B) Notify EPA using EPA form 8700-12 within 90 days after closing the facility that it has complied with the closure performance standards of Subsection R315-262-17(a)(8)(iii) or (iv). If the facility cannot meet the closure performance standards of Subsection R315-262-17(a)(8)(iii) or (iv), notify the Director using EPA form 8700-12 that it will close as a landfill under 40 CFR 265.310, which is incorporated by reference in Section R315-265-1, in the case of a container, tank or containment building unit(s), or for a facility

with drip pads, notify using EPA form 8700-12 that it will close under the standards of 40 CFR 265.445(b), which is incorporated by reference in Section R315-265-1.

(C) A large quantity generator may request additional time to clean close, but it shall notify the Director using EPA form 8700-12 within 75 days after the date provided in Subsection R315-262-17(a)(8)(ii)(A) to request an extension and provide an explanation as to why the additional time is required.

(iii) Closure performance standards for container, tank systems, and containment building waste accumulation units.

(A) At closure, the generator shall close the waste accumulation unit or facility in a manner that:

(I) Minimizes the need for further maintenance by controlling, minimizing, or eliminating, to the extent necessary to protect human health and the environment, the post-closure escape of hazardous waste, hazardous constituents, leachate, contaminated run-off, or hazardous waste decomposition products to the ground or surface waters or to the atmosphere,

(II) Removes or decontaminates all contaminated equipment, structures and soil and any remaining hazardous waste residues from waste accumulation units including containment system components (pads, liners, etc.), contaminated soils and subsoils, bases, and structures and equipment contaminated with waste, unless Subsection R315-261-3(d) applies.

(III) Any hazardous waste generated in the process of closing either the generator's facility or unit(s) accumulating hazardous waste shall be managed in accordance with all applicable standards of Rules R315-262, R315-263, R315-265 and R315-268, including removing any hazardous waste contained in these units within 90 days of generating it and managing these wastes in a hazardous waste permitted treatment, storage and disposal facility or interim status facility.

(IV) If the generator demonstrates that any contaminated soils and wastes cannot be practicably removed or decontaminated as required in Subsection R315-262-17(a)(8)(ii)(A)(II), then the waste accumulation unit is considered to be a landfill and the generator shall close the waste accumulation unit and perform post-closure care in accordance with the closure and post-closure care requirements that apply to landfills (40 CFR 265.310, which is incorporated by reference in Section R315-265-1). In addition, for the purposes of closure, post-closure, and financial responsibility, such a waste accumulation unit is then considered to be a landfill, and the generator shall meet all of the requirements for landfills specified in 40 CFR 265.110 through 265.121 and 265.140 through 265.148, which are incorporated by reference in Section R315-265-1.

(iv) Closure performance standards for drip pad waste accumulation units. At closure, the generator shall comply with the closure requirements of Subsections R315-262-17(a)(8)(ii) and (a)(8)(iii)(A)(I) and (III), and 40 CFR 265.445(a) and (b), which are incorporated by reference in Section R315-265-1.

(v) The closure requirements of Subsection R315-262-17(a)(8) do not apply to satellite accumulation areas.

(9) Land disposal restrictions. The large quantity generator complies with all applicable requirements under Rule R315-268.

(b) Accumulation time limit extension. A large quantity

generator who accumulates hazardous waste for more than 90 days is subject to the requirements of Rules R315-124, R315-264 through R315-266, R315-268, and R315-270 and the notification requirements of section 3010 of RCRA, unless it has been granted an extension to the 90-day period. Such extension may be granted by the Director if hazardous wastes shall remain on site for longer than 90 days due to unforeseen, temporary, and uncontrollable circumstances. An extension of up to 30 days may be granted at the discretion of the Director on a case-by-case basis.

(c) Accumulation of F006. A large quantity generator who also generates wastewater treatment sludges from electroplating operations that meet the listing description for the EPA hazardous waste number F006, may accumulate F006 waste on site for more than 90 days, but not more than 180 days without being subject to Rules R315-124, R315-264 through R315-266 and R315-270, and the notification requirements of section 3010 of RCRA, provided that it complies with all of the following additional conditions for exemption:

(1) The large quantity generator has implemented pollution prevention practices that reduce the amount of any hazardous substances, pollutants, or contaminants entering F006 or otherwise released to the environment prior to its recycling;

(2) The F006 waste is legitimately recycled through metals recovery;

(3) No more than 20,000 kilograms of F006 waste is accumulated on site at any one time; and

(4) The F006 waste is managed in accordance with the following:

(i)(A) If the F006 waste is placed in containers, the large quantity generator shall comply with the applicable conditions for exemption in Subsection R315-262-17(a)(1); and/or

(B) If the F006 is placed in tanks, the large quantity generator shall comply with the applicable conditions for exemption of Subsection R315-262-17(a)(2); and/or

(C) If the F006 is placed in containment buildings, the large quantity generator shall comply with 40 CFR 265.1100 through 265.1102, which are incorporated by reference in Section R315-265-1, and has placed its professional engineer certification that the building complies with the design standards specified in 40 CFR 265.1101, which is incorporated by reference in Section R315-265-1, in the facility's files prior to operation of the unit. The large quantity generator shall maintain the following records:

(I) A written description of procedures to ensure that the F006 waste remains in the unit for no more than 180 days, a written description of the waste generation and management practices for the facility showing that they are consistent with the 180-day limit, and documentation that the large quantity generator is complying with the procedures; or

(II) Documentation that the unit is emptied at least once every 180 days.

(ii) The large quantity generator is exempt from all the requirements in 40 CFR 265.110 through 265.121 and 265.140 through 265.148, which are incorporated by reference in Section R315-265-1, except for those referenced in Subsection R315-262-17(a)(8).

(iii) The date upon which each period of accumulation begins is clearly marked and shall be clearly visible for inspection on each

container;

(iv) While being accumulated on site, each container and tank is labeled or marked clearly with:

(A) The words "Hazardous Waste"; and

(B) An indication of the hazards of the contents, examples include, but are not limited to:

(I) the applicable hazardous waste characteristic(s), i.e., ignitable, corrosive, reactive, toxic;

(II) hazard communication consistent with the Department of Transportation requirements at 49 CFR part 172 subpart E, labeling, or subpart F, placarding;

(III) a hazard statement or pictogram consistent with the Occupational Safety and Health Administration Hazard Communication Standard at 29 CFR 1910.1200; or

(IV) a chemical hazard label consistent with the National Fire Protection Association code 704.

(v) The large quantity generator complies with the requirements in Subsection R315-262-17(a)(6) and (7).

(d) F006 transported over 200 miles. A large quantity generator who also generates wastewater treatment sludges from electroplating operations that meet the listing description for the EPA hazardous waste number F006, and who shall transport this waste, or offer this waste for transportation, over a distance of 200 miles or more for off-site metals recovery, may accumulate F006 waste on site for more than 90 days, but not more than 270 days without being subject to Rules R315-124, R315-264 through R315-266, R315-270, and the notification requirements of section 3010 of RCRA, if the large quantity generator complies with all of the conditions for exemption of Subsections R315-262-17(c)(1) through (4).

(e) F006 accumulation time extension. A large quantity generator accumulating F006 in accordance with Subsections R315-262-17(c) and (d) who accumulates F006 waste on site for more than 180 days, or for more than 270 days if the generator shall transport this waste, or offer this waste for transportation, over a distance of 200 miles or more, or who accumulates more than 20,000 kilograms of F006 waste on site is an operator of a storage facility and is subject to the requirements of Rules R315-124, R315-264, R315-265, and R315-270, and the notification requirements of section 3010 of RCRA, unless the generator has been granted an extension to the 180-day, or 270-day if applicable, period or an exception to the 20,000 kilogram accumulation limit. Such extensions and exceptions may be granted by the Director if F006 waste shall remain on site for longer than 180 days (or 270 days if applicable) or if more than 20,000 kilograms of F006 waste shall remain on site due to unforeseen, temporary, and uncontrollable circumstances. An extension of up to 30 days or an exception to the accumulation limit may be granted at the discretion of the Director on a case-by-case basis.

(f) Consolidation of hazardous waste received from very small quantity generators. Large quantity generators may accumulate on site hazardous waste received from very small quantity generators under control of the same person, as defined in Section R315-260-10, without a storage permit or interim status and without complying with the requirements of Rules R315-124, R315-264 through R315-266, R315-268, and R315-270, and the notification requirements of section 3010 of

RCRA, provided that they comply with the following conditions. "Control," for the purposes of this section, means the power to direct the policies of the generator, whether by the ownership of stock, voting rights, or otherwise, except that contractors who operate generator facilities on behalf of a different person shall not be deemed to "control" such generators.

(1) The large quantity generator notifies the Director at least thirty (30) days prior to receiving the first shipment from a very small quantity generator(s) using EPA Form 8700-12; and

(i) Identifies on the form the name(s) and site address(es) for the very small quantity generator(s) as well as the name and business telephone number for a contact person for the very small quantity generator(s); and

(ii) Submits an updated Site ID form (EPA Form 8700-12) within 30 days after a change in the name or site address for the very small quantity generator.

(2) The large quantity generator maintains records of shipments for three years from the date the hazardous waste was received from the very small quantity generator. These records shall identify the name, site address, and contact information for the very small quantity generator and include a description of the hazardous waste received, including the quantity and the date the waste was received.

(3) The large quantity generator complies with the independent requirements identified in Subsection R315-262-10(a)(1)(iii) and the conditions for exemption in Subsection R315-262-17(f) for all hazardous waste received from a very small quantity generator. For purposes of the labeling and marking regulations in Subsection R315-262-17(a)(5), the large quantity generator shall label the container or unit with the date accumulation started, i.e., the date the hazardous waste was received from the very small quantity generator. If the large quantity generator is consolidating incoming hazardous waste from a very small quantity generator with either its own hazardous waste or with hazardous waste from other very small quantity generators, the large quantity generator shall label each container or unit with the earliest date any hazardous waste in the container was accumulated on site.

(g) Rejected load. A large quantity generator who sends a shipment of hazardous waste to a designated facility with the understanding that the designated facility can accept and manage the waste and later receives that shipment back as a rejected load or residue in accordance with the manifest discrepancy provisions of Sections R315-264-72 or 40 CFR 265.72, which is incorporated by reference in Section R315-265-1, may accumulate the returned waste on site in accordance with Subsections R315-262-17(a) and (b). Upon receipt of the returned shipment, the generator shall:

(1) Sign Item 18c of the manifest, if the transporter returned the shipment using the original manifest; or

(2) Sign Item 20 of the manifest, if the transporter returned the shipment using a new manifest.

**R315-262-18. General - EPA Identification Numbers and Re-Notification for Small Quantity Generators and Large Quantity Generators.**

(a) A generator shall not treat, store, dispose of, transport,

or offer for transportation, hazardous waste without having received an EPA identification number from the Director.

(b) A generator who has not received an EPA identification number shall obtain one by applying to the Director using EPA Form 8700-12. Upon receiving the request the Director will assign an EPA identification number to the generator.

(c) A generator shall not offer its hazardous waste to transporters or to treatment, storage, or disposal facilities that have not received an EPA identification number.

(d) Re-notification.

(1) A small quantity generator shall re-notify the Director starting in 2021 and every four years thereafter using EPA Form 8700-12. This re-notification shall be submitted by September 1st of each year in which re-notifications are required.

(2) A large quantity generator shall re-notify the Director by March 1 of each even-numbered year thereafter using EPA Form 8700-12. A large quantity generator may submit this re-notification as part of its Biennial Report required under Section R315-262-41.

(e) A recognized trader shall not arrange for import or export of hazardous waste without having received an EPA identification number from the Director.

**R315-262-20. Manifest Requirements Applicable to Small and Large Quantity Generators- General Requirements.**

(a)(1) A generator who transports, or offers for transport a hazardous waste for offsite treatment, storage, or disposal, or a treatment, storage, and disposal facility who offers for transport a rejected hazardous waste load, shall prepare a Manifest (OMB Control number 2050-0039) on EPA Form 8700-22, and, if necessary, EPA Form 8700-22A, according to the instructions included in the appendix to Rule R315-262.

(2) Reserved

(3) Electronic manifest. In lieu of using the manifest form specified in Subsection R315-262-20(a)(1), a person required to prepare a manifest under Subsection R315-262-20(a)(1) may prepare and use an electronic manifest, provided that the person:

(i) Complies with the requirements in Section R315-262-24 for use of electronic manifests, and

(ii) Complies with the requirements of 40 CFR 3.10 for the reporting of electronic documents to EPA.

(b) A generator shall designate on the manifest one facility which is permitted to handle the waste described on the manifest.

(c) A generator may also designate on the manifest one alternate facility which is permitted to handle his waste in the event an emergency prevents delivery of the waste to the primary designated facility.

(d) If the transporter is unable to deliver the hazardous waste to the designated facility or the alternate facility, the generator shall either designate another facility or instruct the transporter to return the waste.

(e) The requirements of Section R315-262-20 through 27 do not apply to hazardous waste produced by generators of greater than 100 kg but less than 1000 kg in a calendar month where:

(1) The waste is reclaimed under a contractual agreement

pursuant to which:

(i) The type of waste and frequency of shipments are specified in the agreement;

(ii) The vehicle used to transport the waste to the recycling facility and to deliver regenerated material back to the generator is owned and operated by the reclaimer of the waste; and

(2) The generator maintains a copy of the reclamation agreement in his files for a period of at least three years after termination or expiration of the agreement.

(f) The requirements of Sections R315-262-20 through 27 and Subsection R315-262-32(b) do not apply to the transport of hazardous wastes on a public or private right-of-way within or along the border of contiguous property under the control of the same person, even if such contiguous property is divided by a public or private right-of-way. Notwithstanding Subsection R315-263-10(a), the generator or transporter shall comply with the requirements for transporters set forth in Sections R315-263-30 and 31 in the event of a discharge of hazardous waste on a public or private right-of-way.

**R315-262-21. Manifest Requirements Applicable to Small and Large Quantity Generators - Manifest Tracking Numbers, Manifest Printing, and Obtaining Manifests.**

(a)(1) A registrant may not print, or have printed, the manifest for use of distribution unless it has received approval from the EPA Director of the Office of Resource Conservation and Recovery to do so under Subsection R315-262-21(c) and (e).

(2) The approved registrant is responsible for ensuring that the organizations identified in its application are in compliance with the procedures of its approved application and the requirements of Section R315-262-21. The registrant is responsible for assigning manifest tracking numbers to its manifests.

(b) A registrant shall submit an initial application to the EPA Director of the Office of Resource Conservation and Recovery that contains the following information:

(1) Name and mailing address of registrant;

(2) Name, telephone number and email address of contact person;

(3) Brief description of registrant's government or business activity;

(4) EPA identification number of the registrant, if applicable;

(5) Description of the scope of the operations that the registrant plans to undertake in printing, distributing, and using its manifests, including:

(i) A description of the printing operation. The description should include an explanation of whether the registrant intends to print its manifests in-house, i.e., using its own printing establishments, or through a separate, i.e., unaffiliated, printing company. If the registrant intends to use a separate printing company to print the manifest on its behalf, the application shall identify this printing company and discuss how the registrant will oversee the company. If this includes the use of intermediaries, e.g., prime and subcontractor relationships, the role of each shall be discussed.

The application shall provide the name and mailing address of each company. It also shall provide the name and telephone number of the contact person at each company.

(ii) A description of how the registrant will ensure that its organization and unaffiliated companies, if any, comply with the requirements of Section R315-262-21. The application shall discuss how the registrant will ensure that a unique manifest tracking number will be pre-printed on each manifest. The application shall describe the internal control procedures to be followed by the registrant and unaffiliated companies to ensure that numbers are tightly controlled and remain unique. In particular, the application shall describe how the registrant will assign manifest tracking numbers to its manifests. If computer systems or other infrastructure will be used to maintain, track, or assign numbers, these should be indicated. The application shall also indicate how the printer will pre-print a unique number on each form, e.g., crash or press numbering. The application also shall explain the other quality procedures to be followed by each establishment and printing company to ensure that all required print specifications are consistently achieved and that printing violations are identified and corrected at the earliest practicable time.

(iii) An indication of whether the registrant intends to use the manifests for its own business operations or to distribute the manifests to a separate company or to the general public, e.g., for purchase.

(6) A brief description of the qualifications of the company that will print the manifest. The registrant may use readily available information to do so, e.g., corporate brochures, product samples, customer references, documentation of ISO certification, so long as such information pertains to the establishments or company being proposed to print the manifest.

(7) Proposed unique three-letter manifest tracking number suffix. If the registrant is approved to print the manifest, the registrant shall use this suffix to pre-print a unique manifest tracking number on each manifest.

(8) A signed certification by a duly authorized employee of the registrant that the organizations and companies in its application will comply with the procedures of its approved application and the requirements of Section R315-262-21 and that it will notify the EPA Director of the Office of Resource Conservation and Recovery of any duplicated manifest tracking numbers on manifests that have been used or distributed to other parties as soon as this becomes known.

(c) EPA shall review the application submitted under Subsection R315-262-21(b) and either approve it or request additional information or modification before approving it.

(d)(1) Upon EPA approval of the application under Subsection R315-262-21(c), EPA shall provide the registrant an electronic file of the manifest, continuation sheet, and manifest instructions and ask the registrant to submit three fully assembled manifests and continuation sheet samples, except as noted in Subsection R315-262-21(d)(3). The registrant's samples shall meet all of the specifications in Subsection R315-262-21(f) and be printed by the company that will print the manifest as identified in the application approved under Subsection R315-262-21(c).

(2) The registrant shall submit a description of the manifest samples as follows:

(i) Paper type, i.e., manufacturer and grade of the manifest

paper;

(ii) Paper weight of each copy;

(iii) Ink color of the manifest's instructions. If screening of the ink was used, the registrant shall indicate the extent of the screening; and

(iv) Method of binding the copies.

(3) The registrant need not submit samples of the continuation sheet if it will print its continuation sheet using the same paper type, paper weight of each copy, ink color of the instructions, and binding method as its manifest form samples.

(e) EPA shall evaluate the forms and either approve the registrant to print them as proposed or request additional information or modification to them before approval. EPA shall notify the registrant of its decision by mail. The registrant cannot use or distribute its forms until EPA approves them. An approved registrant shall print the manifest and continuation sheet according to its application approved under Subsection R315-262-21(c) and the manifest specifications in Subsection R315-262-21(f). It also shall print the forms according to the paper type, paper weight, ink color of the manifest instructions and binding method of its approved forms.

(f) Paper manifests and continuation sheets shall be printed according to the following specifications:

(1) The manifest and continuation sheet shall be printed with the exact format and appearance as EPA Forms 8700-22 and 8700-22A, respectively. However, information required to complete the manifest may be pre-printed on the manifest form.

(2) A unique manifest tracking number assigned in accordance with a numbering system approved by EPA shall be pre-printed in Item 4 of the manifest. The tracking number shall consist of a unique three-letter suffix following nine digits.

(3) The manifest and continuation sheet shall be printed on 8 1/2 x 11-inch white paper, excluding common stubs, e.g., top- or side-bound stubs. The paper shall be durable enough to withstand normal use.

(4) The manifest and continuation sheet shall be printed in black ink that can be legibly photocopied, scanned, or faxed, except that the marginal words indicating copy distribution shall be printed with a distinct ink color or with another method; e.g., white text against black background in text box, or, black text against grey background in text box; that clearly distinguishes the copy distribution notations from the other text and data entries on the form.

(5) The manifest and continuation sheet shall be printed as six-copy forms. Copy-to-copy registration shall be exact within 1/32 nd of an inch. Handwritten and typed impressions on the form shall be legible on all six copies. Copies shall be bound together by one or more common stubs that reasonably ensure that they will not become detached inadvertently during normal use.

(6) Each copy of the manifest and continuation sheet shall indicate how the copy shall be distributed, as follows:

(i) Page 1, top copy: "Designated facility to destination State, if required".

(ii) Page 2: "Designated facility to generator State, if required".

- (iii) Page 3: "Designated facility to generator".
- (iv) Page 4: "Designated facility's copy".
- (v) Page 5: "Transporter's copy".
- (vi) Page 6 (bottom copy): "Generator's initial copy".

(7) The instructions in the appendix to Rule R315-262 shall appear legibly on the back of the copies of the manifest and continuation sheet as provided in Subsection R315-262-21(f). The instructions shall not be visible through the front of the copies when photocopied or faxed.

(i) Manifest EPA Form 8700-22.

(A) The "Instructions for Generators" on Copy 6;

(B) The "Instructions for International Shipment Block" and "Instructions for Transporters" on Copy 5; and

(C) The "Instructions for Treatment, Storage, and Disposal Facilities" on Copy 4.

(ii) Manifest EPA Form 8700-22A.

(A) The "Instructions for Generators" on Copy 6;

(B) The "Instructions for Transporters" on Copy 5; and

(C) The "Instructions for Treatment, Storage, and Disposal Facilities" on Copy 4.

(g)(1) A generator may use manifests printed by any source so long as the source of the printed form has received approval from EPA to print the manifest under Subsections R315-262-21(c) and (e).

A registered source may be a:

(i) State agency;

(ii) Commercial printer;

(iii) Hazardous waste generator, transporter or TSDf; or

(iv) Hazardous waste broker or other preparer who prepares or arranges shipments of hazardous waste for transportation.

(2) A generator shall determine whether the generator state or the consignment state for a shipment regulates any additional wastes, beyond those regulated Federally, as hazardous wastes under these states' authorized programs. Generators also shall determine whether the consignment state or generator state requires the generator to submit any copies of the manifest to these states. In cases where the generator shall supply copies to either the generator's state or the consignment state, the generator is responsible for supplying legible photocopies of the manifest to these states.

(h)(1) If an approved registrant would like to update any of the information provided in its application approved under Subsection R315-262-21(c), e.g., to update a company phone number or name of contact person, the registrant shall revise the application and submit it to the EPA Director of the Office of Resource Conservation and Recovery, along with an indication or explanation of the update, as soon as practicable after the change occurs. The Agency either shall approve or deny the revision. If the Agency denies the revision, it shall explain the reasons for the denial, and it shall contact the registrant and request further modification before approval.

(2) If the registrant would like a new tracking number suffix, the registrant shall submit a proposed suffix to the EPA Director of the Office of Resource Conservation and Recovery, along with the reason for requesting it. The Agency shall either approve the suffix or deny the suffix and provide an explanation why it is not acceptable.

(3) If a registrant would like to change the paper type, paper

weight, ink color of the manifest instructions, or binding method of its manifest or continuation sheet subsequent to approval under Subsection R315-262-21(e), then the registrant shall submit three samples of the revised form for EPA review and approval. If the approved registrant would like to use a new printer, the registrant shall submit three manifest samples printed by the new printer, along with a brief description of the printer's qualifications to print the manifest. EPA shall evaluate the manifests and either approve the registrant to print the forms as proposed or request additional information or modification to them before approval. EPA shall notify the registrant of its decision by mail. The registrant cannot use or distribute its revised forms until EPA approves them.

(i) If, subsequent to its approval under Subsection R315-262-21(e), a registrant typesets its manifest or continuation sheet instead of using the electronic file of the forms provided by EPA, it shall submit three samples of the manifest or continuation sheet to the registry for approval. EPA shall evaluate the manifests or continuation sheets and either approve the registrant to print them as proposed or request additional information or modification to them before approval. EPA shall notify the registrant of its decision by mail. The registrant cannot use or distribute its typeset forms until EPA approves them.

(j) EPA may exempt a registrant from the requirement to submit form samples under Subsection R315-262-21(d) or (h)(3) if the Agency is persuaded that a separate review of the registrant's forms would serve little purpose in informing an approval decision; e.g., a registrant certifies that it will print the manifest using the same paper type, paper weight, ink color of the instructions and binding method of the form samples approved for some other registrant. A registrant may request an exemption from EPA by indicating why an exemption is warranted.

(k) An approved registrant shall notify EPA by phone or email as soon as it becomes aware that it has duplicated tracking numbers on any manifests that have been used or distributed to other parties.

(l) If, subsequent to approval of a registrant under Subsection R315-262-21(e), EPA becomes aware that the approved paper type, paper weight, ink color of the instructions, or binding method of the registrant's form is unsatisfactory, EPA shall contact the registrant and require modifications to the form.

(m)(1) EPA may suspend and, if necessary, revoke printing privileges if we find that the registrant:

(i) Has used or distributed forms that deviate from its approved form samples in regard to paper weight, paper type, ink color of the instructions, or binding method; or

(ii) Exhibits a continuing pattern of behavior in using or distributing manifests that contain duplicate manifest tracking numbers.

(2) EPA shall send a warning letter to the registrant that specifies the date by which it shall come into compliance with the requirements. If the registrant does not come in compliance by the specified date, EPA shall send a second letter notifying the registrant that EPA has suspended or revoked its printing privileges. An approved registrant shall provide information on its printing activities to EPA if requested.

**R315-262-22. Manifest Requirements Applicable to Small and Large Quantity Generators - Number of Copies.**

The manifest consists of at least the number of copies which will provide the generator, each transporter, and the owner or operator of the designated facility with one copy each for their records and another copy to be returned to the generator.

**R315-262-23. Manifest Requirements Applicable to Small and Large Quantity Generators - Use of the Manifest.**

(a) The generator shall:

- (1) Sign the manifest certification by hand; and
- (2) Obtain the handwritten signature of the initial transporter and date of acceptance on the manifest; and
- (3) Retain one copy, in accordance with Subsection R315-262-40(a).

(b) The generator shall give the transporter the remaining copies of the manifest.

(c) For shipments of hazardous waste within Utah solely by water, bulk shipments only, the generator shall send three copies of the manifest dated and signed in accordance with Section R315-262-23 to the owner or operator of the designated facility or the last water, bulk shipment, transporter to handle the waste in the United States if exported by water. Copies of the manifest are not required for each transporter.

(d) For rail shipments of hazardous waste within Utah which originate at the site of generation, the generator shall send at least three copies of the manifest dated and signed in accordance with Section R315-262-23 to:

- (1) The next non-rail transporter, if any; or
- (2) The designated facility if transported solely by rail; or
- (3) The last rail transporter to handle the waste in the United States if exported by rail.

(e) For shipments of hazardous waste to a designated facility in an authorized State which has not yet obtained federal authorization to regulate that particular waste as hazardous, the generator shall assure that the designated facility agrees to sign and return the manifest to the generator, and that any out-of-state transporter signs and forwards the manifest to the designated facility.

Note: See Subsections R315-263-20(e) and (f) for special provisions for rail or water, bulk shipment, transporters.

(f) For rejected shipments of hazardous waste or container residues contained in non-empty containers that are returned to the generator by the designated facility, following the procedures of Subsections R315-264-72(f) or 40 CFR 265.72(f) [ ], which is adopted by reference in Section R315-265-1; the generator shall:

- (1) Sign either:
  - (i) Item 20 of the new manifest if a new manifest is used for the returned shipment; or
  - (ii) Item 18c of the original manifest if the original manifest is used for the returned shipment;
- (2) Provide the transporter a copy of the manifest;
- (3) Within 30 days of delivery of the rejected shipment or container residues contained in non-empty containers, send a copy

of the manifest to the designated facility that returned the shipment to the generator; and

(4) Retain at the generator's site a copy of each manifest for at least three years from the date of delivery.

**R315-262-24. Manifest Requirements Applicable to Small and Large Quantity Generators - Use of the Electronic Manifest.**

(a) Legal equivalence to paper manifests. Electronic manifests that are obtained, completed, and transmitted in accordance with Subsection R315-262-20(a)(3), and used in accordance with Section R315-262-24 in lieu of EPA Forms 8700-22 and 8700-22A are the legal equivalent of paper manifest forms bearing handwritten signatures, and satisfy for all purposes any requirement in these regulations to obtain, complete, sign, provide, use, or retain a manifest.

(1) Any requirement in these regulations to sign a manifest or manifest certification by hand, or to obtain a handwritten signature, is satisfied by signing with or obtaining a valid and enforceable electronic signature within the meaning of Section R315-262-25.

(2) Any requirement in these regulations to give, provide, send, forward, or return to another person a copy of the manifest is satisfied when an electronic manifest is transmitted to the other person by submission to the system.

(3) Any requirement in these regulations for a generator to keep or retain a copy of each manifest is satisfied by retention of a signed electronic manifest in the generator's account on the national e-Manifest system, provided that such copies are readily available for viewing and production if requested by any EPA or Utah inspector.

(4) No generator may be held liable for the inability to produce an electronic manifest for inspection under Section R315-262-24 if the generator can demonstrate that the inability to produce the electronic manifest is due exclusively to a technical difficulty with the electronic manifest system for which the generator bears no responsibility.

(b) A generator may participate in the electronic manifest system either by accessing the electronic manifest system from its own electronic equipment, or by accessing the electronic manifest system from portable equipment brought to the generator's site by the transporter who accepts the hazardous waste shipment from the generator for off-site transportation.

(c) Restriction on use of electronic manifests. A generator may prepare an electronic manifest for the tracking of hazardous waste shipments involving any RCRA hazardous waste only if it is known at the time the manifest is originated that all waste handlers named on the manifest participate in the electronic manifest system.

(d) Requirement for one printed copy. To the extent the Hazardous Materials regulation on shipping papers for carriage by public highway requires shippers of hazardous materials to supply a paper document for compliance with 49 CFR 177.817, a generator originating an electronic manifest shall also provide the initial transporter with one printed copy of the electronic manifest.

(e) Special procedures when electronic manifest is unavailable. If a generator has prepared an electronic manifest for a hazardous waste shipment, but the electronic manifest system becomes unavailable

for any reason prior to the time that the initial transporter has signed electronically to acknowledge the receipt of the hazardous waste from the generator, then the generator shall obtain and complete a paper manifest and if necessary, a continuation sheet (EPA Forms 8700-22 and 8700-22A) in accordance with the manifest instructions in the appendix to Rule R315-262, and use these paper forms from this point forward in accordance with the requirements of Section R315-262-23.

(f) Special procedures for electronic signature methods undergoing tests. If a generator has prepared an electronic manifest for a hazardous waste shipment, and signs this manifest electronically using an electronic signature method which is undergoing pilot or demonstration tests aimed at demonstrating the practicality or legal dependability of the signature method, then the generator shall also sign with an ink signature the generator/offeror certification on the printed copy of the manifest provided under Subsection R315-262-24(d).

(g) Imposition of user fee. A generator who is a user of the electronic manifest may be assessed a user fee by EPA for the origination of each electronic manifest. EPA shall maintain and update from time-to-time the current schedule of electronic manifest user fees, which shall be determined based on current and projected system costs and level of use of the electronic manifest system. The current schedule of electronic manifest user fees shall be published as an appendix to Rule R315-262.

**R315-262-25. Manifest Requirements Applicable to Small and Large Quantity Generators - Electronic Manifest Signatures.**

Electronic signature methods for the e-Manifest system shall:

(a) Be a legally valid and enforceable signature under applicable EPA and other Federal requirements pertaining to electronic signatures; and

(b) Be a method that is designed and implemented in a manner that EPA considers to be as cost-effective and practical as possible for the users of the manifest.

**R315-262-27. Manifest Requirements Applicable to Small and Large Quantity Generators - Waste Minimization Certification.**

A generator who initiates a shipment of hazardous waste shall certify to one of the following statements in Item 15 of the uniform hazardous waste manifest:

(a) "I am a large quantity generator. I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment;" or

(b) "I am a small quantity generator. I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford."

**R315-262-30. Pre-Transport Requirements Applicable to Small and Large Quantity Generators - Packaging.**

Before transporting hazardous waste or offering hazardous waste

for transportation off-site, a generator shall package the waste in accordance with the applicable Department of Transportation regulations on packaging under 49 CFR parts 173, 178, and 179.

**R315-262-31. Pre-Transport Requirements Applicable to Small and Large Quantity Generators - Labeling.**

Before transporting or offering hazardous waste for transportation off-site, a generator shall label each package in accordance with the applicable Department of Transportation regulations on hazardous materials under 49 CFR part 172.

**R315-262-32. Pre-Transport Requirements Applicable to Small and Large Quantity Generators - Marking.**

(a) Before transporting or offering hazardous waste for transportation off-site, a generator shall mark each package of hazardous waste in accordance with the applicable Department of Transportation regulations on hazardous materials under 49 CFR part 172;

(b) [Before transporting hazardous waste or offering hazardous waste for transportation off-site, a generator shall mark each container of 119 gallons or less used in such transportation with the following words and information in accordance with the requirements of 49 CFR 172.304:

HAZARDOUS WASTE-Federal Law Prohibits Improper Disposal. If found, contact the nearest police or public safety authority or the U.S. Environmental Protection Agency.

Generator's Name and Address.

Generator's EPA Identification Number.

Manifest Tracking Number.] Before transporting hazardous waste or offering hazardous waste for transportation off site, a generator shall mark each container of 119 gallons or less used in such transportation with the following words and information in accordance with the requirements of 49 CFR 172.304:

(1) HAZARDOUS WASTE-Federal Law Prohibits Improper Disposal. If found, contact the nearest police or public safety authority or the U.S. Environmental Protection Agency.

(2) Generator's Name and Address \_\_\_\_\_.

(3) Generator's EPA Identification Number \_\_\_\_\_.

(4) Manifest Tracking Number \_\_\_\_\_.

(5) EPA Hazardous Waste Number(s) \_\_\_\_\_.

(c) A generator may use a nationally recognized electronic system, such as bar coding, to identify the EPA Hazardous Waste Number(s), as required by Subsection R315-262-32(b)(5) or paragraph (d).

(d) Lab packs that will be incinerated in compliance with Subsection R315-268-42(c) are not required to be marked with EPA Hazardous Waste Number(s), except D004, D005, D006, D007, D008, D010, and D011, where applicable.

**R315-262-33. Pre-Transport Requirements Applicable to Small and Large Quantity Generators - Placarding.**

Before transporting hazardous waste or offering hazardous waste for transportation off-site, a generator shall placard or offer the initial transporter the appropriate placards according to Department

of Transportation regulations for hazardous materials under 49 CFR part 172, subpart F.

**[R315-262-34. Accumulation Time.**

(a) Except as provided in Subsections R315-262-34(d), (e), and (f), a generator may accumulate hazardous waste on-site for 90 days or less without a permit or without having interim status, provided that:

(1) The waste is placed:

(i) In containers and the generator complies with the applicable requirements of 40 CFR 265.170 through 178, 1030 through 1049, 1050 through 1079, and 1080 through 1091, which are adopted by reference; and/or

(ii) In tanks and the generator complies with the applicable requirements of 40 CFR 265.190 through 201, 1030 through 1049, 1050 through 1079, and 1080 through 1091, which are adopted by reference, except 40 CFR 265.197(c) and 200; and/or

(iii) On drip pads and the generator complies with 40 CFR 265.440 through 445, which are adopted by reference, and maintains the following records at the facility:

(A) A description of procedures that shall be followed to ensure that all wastes are removed from the drip pad and associated collection system at least once every 90 days; and

(B) Documentation of each waste removal, including the quantity of waste removed from the drip pad and the sump or collection system and the date and time of removal; and/or

(iv) In containment buildings and the generator complies with 40 CFR 265.1100 Through 1102, which are adopted by reference, has placed its professional engineer certification that the building complies with the design standards specified in 40 CFR 265.1101, which is adopted by reference, in the facility's operating record no later than 60 days after the date of initial operation of the unit. After February 18, 1993, PE certification shall be required prior to operation of the unit. The owner or operator shall maintain the following records at the facility:

(A) A written description of procedures to ensure that each waste volume remains in the unit for no more than 90 days, a written description of the waste generation and management practices for the facility showing that they are consistent with respecting the 90 day limit, and documentation that the procedures are complied with; or

(B) Documentation that the unit is emptied at least once every 90 days. In addition, such a generator is exempt from all the requirements in 40 CFR 265.110 through 121 and 140 through 150, except for 40 CFR 265.111 and 114. 40 CFR 265 is adopted by reference in R315-265.

(2) The date upon which each period of accumulation begins is clearly marked and visible for inspection on each container;

(3) While being accumulated on-site, each container and tank is labeled or marked clearly with the words, "Hazardous Waste"; and

(4) The generator complies with the requirements for owners or operators in 40 CFR 265.16, 30 through 37, and 50 through 56, which are adopted by reference; and with all applicable requirements under Rule R315-268.

(b) A generator of 1,000 kilograms or greater of hazardous waste

in a calendar month, or greater than 1 kg of acute hazardous waste listed in Section R315-261-31 or Subsection R315-261-33(e) in a calendar month, who accumulates hazardous waste or acute hazardous waste for more than 90 days is an operator of a storage facility and is subject to the requirements of Rules R315-264 and 265 and the permit requirements of Rule R315-270 unless he has been granted an extension to the 90-day period. Such extension may be granted by the Director if hazardous wastes shall remain on-site for longer than 90 days due to unforeseen, temporary, and uncontrollable circumstances. An extension of up to 30 days may be granted at the discretion of the Director on a case-by-case basis.

\_\_\_\_\_ (c)(1) A generator may accumulate as much as 55 gallons of hazardous waste or one quart of acutely hazardous waste listed in Section R315-261-31 or Subsection R315-261-33(e) in containers at or near any point of generation where wastes initially accumulate which is under the control of the operator of the process generating the waste, without a permit or interim status and without complying with Subsections R315-262-34(a) or (d) provided he:

\_\_\_\_\_ (i) Complies with 40 CFR 265.171, 172, and 173(a), which are adopted by reference; and

\_\_\_\_\_ (ii) Marks his containers either with the words "Hazardous Waste" or with other words that identify the contents of the containers.

\_\_\_\_\_ (2) A generator who accumulates either hazardous waste or acutely hazardous waste listed in Section R315-261-31 or Subsection R315-261-33(e) in excess of the amounts listed in Subsection R315-262-34(c)(1) at or near any point of generation shall, with respect to that amount of excess waste, comply within three days with Subsection R315-262-34(a) or other applicable provisions of the rules adopted by the Waste Management and Radiation Control Board. During the three day period the generator shall continue to comply with Subsections R315-262-34(c)(1)(i) and (ii). The generator shall mark the container holding the excess accumulation of hazardous waste with the date the excess amount began accumulating.

\_\_\_\_\_ (d) A generator who generates greater than 100 kilograms but less than 1000 kilograms of hazardous waste in a calendar month may accumulate hazardous waste on-site for 180 days or less without a permit or without having interim status provided that:

\_\_\_\_\_ (1) The quantity of waste accumulated on-site never exceeds 6000 kilograms;

\_\_\_\_\_ (2) The generator complies with the requirements of 40 CFR 265.170 through 178, which are adopted by reference; except for 176 and 178;

\_\_\_\_\_ (3) The generator complies with the requirements of 40 CFR 265.201, which is adopted by reference;

\_\_\_\_\_ (4) The generator complies with the requirements of Subsections R315-262-34(a)(2) and (a)(3), the requirements of 40 CFR 265.30 through 35 and 37, which are adopted by reference; with all applicable requirements under Rule R315-268; and

\_\_\_\_\_ (5) The generator complies with the following requirements:

\_\_\_\_\_ (i) At all times there shall be at least one employee either on the premises or on call, i.e., available to respond to an emergency by reaching the facility within a short period of time, with the responsibility for coordinating all emergency response measures

specified in Subsection R315-262-34(d)(5)(iv). This employee is the emergency coordinator.

(ii) The generator shall post the following information next to the telephone:

(A) The name and telephone number of the emergency coordinator;

(B) Location of fire extinguishers and spill control material, and, if present, fire alarm; and

(C) The telephone number of the fire department, unless the facility has a direct alarm.

(iii) The generator shall ensure that all employees are thoroughly familiar with proper waste handling and emergency procedures, relevant to their responsibilities during normal facility operations and emergencies;

(iv) The emergency coordinator or his designee shall respond to any emergencies that arise. The applicable responses are as follows:

(A) In the event of a fire, call the fire department or attempt to extinguish it using a fire extinguisher;

(B) In the event of a spill, contain the flow of hazardous waste to the extent possible, and as soon as is practicable, clean up the hazardous waste and any contaminated materials or soil;

(C) In the event of a fire, explosion, or other release which could threaten human health outside the facility or when the generator has knowledge that a spill has reached surface water, the generator shall immediately notify the National Response Center (using their 24-hour toll free number 800/424-8802) and the Director or the 24-hour answering service at 801-536-4123. The report shall include the following information:

(1) The name, address, and U.S. EPA Identification Number of the generator;

(2) Date, time, and type of incident (e.g., spill or fire);

(3) Quantity and type of hazardous waste involved in the incident;

(4) Extent of injuries, if any; and

(5) Estimated quantity and disposition of recovered materials, if any.

(e) A generator who generates greater than 100 kilograms but less than 1000 kilograms of hazardous waste in a calendar month and who shall transport his waste, or offer his waste for transportation, over a distance of 200 miles or more for off-site treatment, storage or disposal may accumulate hazardous waste on-site for 270 days or less without a permit or without having interim status provided that he complies with the requirements of Subsection R315-262-34(d).

(f) A generator who generates greater than 100 kilograms but less than 1000 kilograms of hazardous waste in a calendar month and who accumulates hazardous waste in quantities exceeding 6000 kg or accumulates hazardous waste for more than 180 days; or for more than 270 days if he shall transport his waste, or offer his waste for transportation, over a distance of 200 miles or more; is an operator of a storage facility and is subject to the requirements of Rules R315-264 and 265, and the permit requirements of Rule R315-270 unless he has been granted an extension to the 180-day, or 270-day if applicable, period. Such extension may be granted by the Director if hazardous wastes shall remain on-site for longer than 180 days, or 270 days if applicable, due to unforeseen, temporary, and

uncontrollable circumstances. An extension of up to 30 days may be granted at the discretion of the Director on a case-by-case basis.

(g) A generator who generates 1,000 kilograms or greater of hazardous waste per calendar month who also generates wastewater treatment sludges from electroplating operations that meet the listing description for the RCRA hazardous waste code F006, may accumulate F006 waste on-site for more than 90 days, but not more than 180 days without a permit or without having interim status provided that:

(1) The generator has implemented pollution prevention practices that reduce the amount of any hazardous substances, pollutants or contaminants entering F006 or otherwise released to the environment prior to its recycling;

(2) The F006 waste is legitimately recycled through metals recovery;

(3) No more than 20,000 kilograms of F006 waste is accumulated on-site at any one time; and

(4) The F006 waste is managed in accordance with the following:

(i) The F006 waste is placed:

(A) In containers and the generator complies with the applicable requirements of 40 CFR 265.170 through 178, 1030 through 1035, 1050 through 1064, and 1080 through 1090, which are adopted by reference; and/or

(B) In tanks and the generator complies with the applicable requirements of 40 CFR 265.190 through 202, 1030 through 1035, 1050 through 1064, and 1080 through 1090, which are adopted by reference; except 40 CFR 265.197(c) and 200; and/or

(C) In containment buildings and the generator complies with 40 CFR 265.1100 through 1102, which are adopted by reference; and has placed its professional engineer certification that the building complies with the design standards specified in 40 CFR 265.1101, which is adopted by reference, in the facility's operating record prior to operation of the unit. The owner or operator shall maintain the following records at the facility:

(1) A written description of procedures to ensure that the F006 waste remains in the unit for no more than 180 days, a written description of the waste generation and management practices for the facility showing that they are consistent with the 180-day limit, and documentation that the generator is complying with the procedures; or

(2) Documentation that the unit is emptied at least once every 180 days.

(ii) In addition, such a generator is exempt from all the requirements in 40 CFR 265.110 through 121 and 140 through 150, which are adopted by reference; except for 40 CFR 265.111 and 114.

(iii) The date upon which each period of accumulation begins is clearly marked and visible for inspection on each container;

(iv) While being accumulated on-site, each container and tank is labeled or marked clearly with the words, "Hazardous Waste;" and

(v) The generator complies with the requirements for owners or operators in 40 CFR 265.16, 30 through 35, 37, and 50 through 56, which are adopted by reference; and Subsection R315-268-7(a)(5).

(h) A generator who generates 1,000 kilograms or greater of hazardous waste per calendar month who also generates wastewater treatment sludges from electroplating operations that meet the listing

description for the RCRA hazardous waste code F006, and who shall transport this waste, or offer this waste for transportation, over a distance of 200 miles or more for off-site metals recovery, may accumulate F006 waste on-site for more than 90 days, but not more than 270 days without a permit or without having interim status if the generator complies with the requirements of Subsections R315-262-34(g)(1) through (g)(4).

(i) A generator accumulating F006 in accordance with Subsection R315-262-34(g) and (h) who accumulates F006 waste on-site for more than 180 days; or for more than 270 days if the generator shall transport this waste, or offer this waste for transportation, over a distance of 200 miles or more; or who accumulates more than 20,000 kilograms of F006 waste on-site is an operator of a storage facility and is subject to the requirements of Rules R315-264 and 265, and the permit requirements of Rule R315-270 unless the generator has been granted an extension to the 180-day, or 270-day if applicable, period or an exception to the 20,000 kilogram accumulation limit. Such extensions and exceptions may be granted by the Director if F006 waste shall remain on-site for longer than 180 days, or 270 days if applicable, or if more than 20,000 kilograms of F006 waste shall remain on-site due to unforeseen, temporary, and uncontrollable circumstances. An extension of up to 30 days or an exception to the accumulation limit may be granted at the discretion of the Director on a case-by-case basis.

(j) Reserved.

(k) Reserved.

(l) Reserved.

(m) A generator who sends a shipment of hazardous waste to a designated facility with the understanding that the designated facility can accept and manage the waste and later receives that shipment back as a rejected load or residue in accordance with the manifest discrepancy provisions of Sections R315-264-72 or 40 CFR 265.72, which is adopted by reference, may accumulate the returned waste on-site in accordance with Subsections R315-262-34(a) and (b) or (d), (e) and (f), depending on the amount of hazardous waste on-site in that calendar month. Upon receipt of the returned shipment, the generator shall:

(1) Sign Item 18c of the manifest, if the transporter returned the shipment using the original manifest; or

(2) Sign Item 20 of the manifest, if the transporter returned the shipment using a new manifest.]

#### **R315-262-35. Pre-Transport Requirements Applicable to Small and Large Quantity Generators - Liquids in Landfills Prohibition.**

The placement of bulk or non-containerized liquid hazardous waste or hazardous waste containing free liquids (whether or not sorbents have been added) in any landfill is prohibited. Prior to disposal in a hazardous waste landfill, liquids shall meet additional requirements as specified in Sections R315-264-314 and 40 CFR 265.314, which is incorporated by reference in Section R315-265-1.

#### **R315-262-40. Recordkeeping and Reporting Applicable to Small and Large Quantity Generators - Recordkeeping.**

(a) A generator shall keep a copy of each manifest signed in

accordance with Subsection R315-262-23(a) for three years or until he receives a signed copy from the designated facility which received the waste. This signed copy shall be retained as a record for at least three years from the date the waste was accepted by the initial transporter.

(b) A generator shall keep a copy of each Biennial Report and Exception Report for a period of at least three years from the due date of the report.

(c) A generator shall [keep records of any test results, waste analyses, or other determinations made in accordance with Section R315-262-11 for at least three years from the date that the waste was last sent to on-site or off-site treatment, storage, or disposal] follow Subsection R315-262-11(f) for recordkeeping requirements for documenting hazardous waste determinations.

(d) The periods or retention referred to in Section R315-262-40 are extended automatically during the course of any unresolved enforcement action regarding the regulated activity or as requested by the Director.

(e) Records maintained in accordance with Section R315-262-40 and any other records which the Director deems necessary to determine quantities and disposition of hazardous waste or other determinations, test results, or waste analyses made in accordance with R315-262-11 shall be available for inspection by any duly authorized officer, employee or representative of the Department or the Director as provided in R315-260-5 for a period of at least three years from the date the waste was last sent to on-site or off-site treatment, storage, or disposal facilities.

**R315-262-41. Recordkeeping and Reporting Applicable to Small and Large Quantity Generators - Biennial Report for Large Quantity Generators.**

(a) [A generator who ships any hazardous waste off-site to a treatment, storage or disposal facility within the United States shall prepare and submit a single copy of a Biennial Report to the Regional Administrator by March 1 of each even numbered year. The Biennial Report shall be submitted on EPA Form 8700-13A, shall cover generator activities during the previous year, and shall include the following information:

(1) The EPA identification number, name, and address of the generator;

(2) The calendar year covered by the report;

(3) The EPA identification number, name, and address for each off-site treatment, storage, or disposal facility in the United States to which waste was shipped during the year;

(4) The name and EPA identification number of each transporter used during the reporting year for shipments to a treatment, storage or disposal facility within the United States;

(5) A description, EPA hazardous waste number, from Sections R315-261-21 through 24 or 30 through 35, DOT hazard class, and quantity of each hazardous waste shipped off-site for shipments to a treatment, storage or disposal facility within the United States. This information shall be listed by EPA identification number of each such off-site facility to which waste was shipped.

(6) A description of the efforts undertaken during the year

to reduce the volume and toxicity of waste generated.

(7) A description of the changes in volume and toxicity of waste actually achieved during the year in comparison to previous years to the extent such information is available for years prior to 1984.

(8) The certification signed by the generator or authorized representative.

(b) Any generator who treats, stores, or disposes of hazardous waste on-site shall submit a biennial report covering those wastes in accordance with the provisions of Rules R315-270, 264, 265, and 266. Reporting for exports of hazardous waste is not required on the Biennial Report form. A separate annual report requirement is set forth at Section R315-262-56. A generator who is a large quantity generator for at least one month of an odd-numbered year, reporting year, who ships any hazardous waste off-site to a treatment, storage or disposal facility within the United States shall complete and submit EPA Form 8700-13 A/B to the Director by March 1 of the following even-numbered year and shall cover generator activities during the previous year.

(b) Any generator who is a large quantity generator for at least one month of an odd-numbered year (reporting year) who treats, stores, or disposes of hazardous waste on site shall complete and submit EPA Form 8700-13 A/B to the Director by March 1 of the following even-numbered year covering those wastes in accordance with the provisions of Rules R315-264, R315-265, R315-266, and R315-270. This requirement also applies to large quantity generators that receive hazardous waste from very small quantity generators pursuant to Subsection R315-262-17(f).

(c) Exports of hazardous waste to foreign countries are not required to be reported on the Biennial Report form. A separate annual report requirement is set forth at Subsection R315-262-83(g) for hazardous waste exporters.

**R315-262-42. Recordkeeping and Reporting Applicable to Small and Large Quantity Generators - Exception Reporting.**

(a)(1) A generator of 1,000 kilograms or greater of hazardous waste in a calendar month, or greater than 1 kg of acute hazardous waste listed in Section R315-261-31 or Subsection R315-261-33(e) in a calendar month, who does not receive a copy of the manifest with the handwritten signature of the owner or operator of the designated facility within 35 days of the date the waste was accepted by the initial transporter shall contact the transporter and/or the owner or operator of the designated facility to determine the status of the hazardous waste.

(2) A generator of 1,000 kilograms or greater of hazardous waste in a calendar month, or greater than 1 kg of acute hazardous waste listed in Section R315-261-31 or Subsection R315-261-33(e) in a calendar month, shall submit an Exception Report to the Director if he has not received a copy of the manifest with the handwritten signature of the owner or operator of the designated facility within 45 days of the date the waste was accepted by the initial transporter.

The Exception Report shall include:

(i) A legible copy of the manifest for which the generator does not have confirmation of delivery;

(ii) A cover letter signed by the generator or his authorized

representative explaining the efforts taken to locate the hazardous waste and the results of those efforts.

(b) A generator of greater than 100 kilograms but less than 1000 kilograms of hazardous waste in a calendar month who does not receive a copy of the manifest with the handwritten signature of the owner or operator of the designated facility within 60 days of the date the waste was accepted by the initial transporter shall submit a legible copy of the manifest, with some indication that the generator has not received confirmation of delivery, to the Director.

Note: The submission to the Director need only be a handwritten or typed note on the manifest itself, or on an attached sheet of paper, stating that the return copy was not received.

(c) For rejected shipments of hazardous waste or container residues contained in non-empty containers that are forwarded to an alternate facility by a designated facility using a new manifest, following the procedures of Subsections R315-264-72(e)(1) through (6) or 40 CFR 265.72(e)(1) through (6), which are adopted by reference; the generator shall comply with the requirements of Subsections R315-262-42(a) or (b), as applicable, for the shipment forwarding the material from the designated facility to the alternate facility instead of for the shipment from the generator to the designated facility. For purposes of Subsection R315-262-42(a) or (b) for a shipment forwarding such waste to an alternate facility by a designated facility:

(1) The copy of the manifest received by the generator shall have the handwritten signature of the owner or operator of the alternate facility in place of the signature of the owner or operator of the designated facility, and

(2) The 35/45/60-day timeframes begin the date the waste was accepted by the initial transporter forwarding the hazardous waste shipment from the designated facility to the alternate facility.

**R315-262-43. Recordkeeping and Reporting Applicable to Small and Large Quantity Generators - Additional Reporting.**

The Director, as he deems necessary, may require generators to furnish additional reports concerning the quantities and disposition of wastes identified or listed in Rule R315-261.

**R315-262-44. Recordkeeping and Reporting Applicable to Small and Large Quantity Generators - [Special Requirements for Generators of Between 100 and 1000 kg/mo]Recordkeeping for Small Quantity Generators.**

[A generator of greater than 100 kilograms but less than 1000 kilograms of hazardous waste in a calendar month is subject only to the following]A small quantity generator is subject only to the following independent requirements in Sections R315-262-40 through R315-262-43:

- (a) Subsection R315-262-40(a), (c), and (d), recordkeeping;
- (b) Subsection R315-262-42(b), exception reporting; and
- (c) Section R315-262-43, additional reporting.

**R315-262-50. Exports of Hazardous Waste - Applicability.**

Sections R315-262-50 through 58 establish requirements applicable to exports of hazardous waste. Except to the extent Section

R315-262-58 provides otherwise, a primary exporter of hazardous waste shall comply with the special requirements of Sections R315-262-50 through 58 and a transporter transporting hazardous waste for export shall comply with applicable requirements of Rule R315-263. Section R315-262-58 sets forth the requirements of international agreements between the United States and receiving countries which establish different notice, export, and enforcement procedures for the transportation, treatment, storage and disposal of hazardous waste for shipments between the United States and those countries.

**R315-262-51. Exports of Hazardous Waste - Definitions.**

In addition to the definitions set forth at Section R315-260-10, the following definitions apply to Sections R315-262-50 through 58:

Consignee means the ultimate treatment, storage or disposal facility in a receiving country to which the hazardous waste will be sent.

EPA Acknowledgement of Consent means the cable sent to EPA from the U.S. Embassy in a receiving country that acknowledges the written consent of the receiving country to accept the hazardous waste and describes the terms and conditions of the receiving country's consent to the shipment. Primary Exporter means any person who is required to originate the manifest for a shipment of hazardous waste in accordance with Sections R315-262-20 through 25 and 27 which specifies a treatment, storage, or disposal facility in a receiving country as the facility to which the hazardous waste will be sent and any intermediary arranging for the export.

Receiving country means a foreign country to which a hazardous waste is sent for the purpose of treatment, storage or disposal, except short-term storage incidental to transportation. Transit country means any foreign country, other than a receiving country, through which a hazardous waste is transported.

**R315-262-52. Exports of Hazardous Waste - General Requirements.**

Exports of hazardous waste are prohibited except in compliance with the applicable requirements of Sections R315-262-50 through 58 and Rule R315-263. Exports of hazardous waste are prohibited unless:

(a) Notification in accordance with Section R315-262-53 has been provided;

(b) The receiving country has consented to accept the hazardous waste;

(c) A copy of the EPA Acknowledgment of Consent to the shipment accompanies the hazardous waste shipment and, unless exported by rail, is attached to the manifest; or shipping paper for exports by water, bulk shipment.

(d) The hazardous waste shipment conforms to the terms of the receiving country's written consent as reflected in the EPA Acknowledgment of Consent.

**R315-262-53. Exports of Hazardous Waste - Notification of Intent to Export.**

(a) A primary exporter of hazardous waste shall notify EPA of an intended export before such waste is scheduled to leave the United States. A complete notification should be submitted sixty days before the initial shipment is intended to be shipped off site. This

notification may cover export activities extending over a twelve month or lesser period. The notification shall be in writing, signed by the primary exporter, and include the following information:

(1) Name, mailing address, telephone number and EPA ID number of the primary exporter;

(2) By consignee, for each hazardous waste type:

(i) A description of the hazardous waste and the EPA hazardous waste number, from Sections R315-261-20 through 24, and R315-261-30 through 35, U.S. DOT proper shipping name, hazard class and ID number (UN/NA) for each hazardous waste as identified in 49 CFR parts 171 through 177;

(ii) The estimated frequency or rate at which such waste is to be exported and the period of time over which such waste is to be exported.

(iii) The estimated total quantity of the hazardous waste in units as specified in the instructions to the Uniform Hazardous Waste Manifest Form (8700-22);

(iv) All points of entry to and departure from each foreign country through which the hazardous waste will pass;

(v) A description of the means by which each shipment of the hazardous waste will be transported; e.g., mode of transportation vehicle, air, highway, rail, water, etc.; type(s) of container, drums, boxes, tanks, etc.;

(vi) A description of the manner in which the hazardous waste will be treated, stored or disposed of in the receiving country, e.g., land or ocean incineration, other land disposal, ocean dumping, recycling;

(vii) The name and site address of the consignee and any alternate consignee; and

(viii) The name of any transit countries through which the hazardous waste will be sent and a description of the approximate length of time the hazardous waste will remain in such country and the nature of its handling while there;

(b) Notifications submitted by mail should be sent to the following mailing address: Office of Enforcement and Compliance Assurance, Office of Federal Activities, International Compliance Assurance Division (2254A), Environmental Protection Agency, 1200 Pennsylvania Ave., NW., Washington, DC 20460. Hand-delivered notifications should be sent to: Office of Enforcement and Compliance Assurance, Office of Federal Activities, International Compliance Assurance Division, Environmental Protection Agency, Ariel Rios Bldg., Room 6144, 12th St. and Pennsylvania Ave., NW., Washington, DC 20004. In both cases, the following shall be prominently displayed on the front of the envelope: "Attention: Notification of Intent to Export."

(c) Except for changes to the telephone number in Subsection R315-262-53(a)(1), changes to Subsection R315-262-53(a)(2)(v) and decreases in the quantity indicated pursuant to Subsection R315-262-53(a)(2)(iii) when the conditions specified on the original notification change, including any exceedance of the estimate of the quantity of hazardous waste specified in the original notification, the primary exporter shall provide EPA with a written renotification of the change. The shipment cannot take place until consent of the receiving country to the changes, except for changes to Subsection

R315-262-53(a)(2)(viii) and in the ports of entry to and departure from transit countries pursuant to Subsection R315-262-53(a)(2)(iv), has been obtained and the primary exporter receives an EPA Acknowledgment of Consent reflecting the receiving country's consent to the changes.

(d) Upon request by EPA, a primary exporter shall furnish to EPA any additional information which a receiving country requests in order to respond to a notification.

(e) In conjunction with the Department of State, EPA shall provide a complete notification to the receiving country and any transit countries. A notification is complete when EPA receives a notification which EPA determines satisfies the requirements of Subsection R315-262-53(a). Where a claim of confidentiality is asserted with respect to any notification information required by Subsection R315-262-53(a), EPA may find the notification not complete until any such claim is resolved in accordance with Section R315-260-2.

(f) Where the receiving country consents to the receipt of the hazardous waste, EPA shall forward an EPA Acknowledgment of Consent to the primary exporter for purposes of Subsection R315-262-54(h).

Where the receiving country objects to receipt of the hazardous waste or withdraws a prior consent, EPA shall notify the primary exporter in writing. EPA shall also notify the primary exporter of any responses from transit countries.

**R315-262-54. Exports of Hazardous Waste - Special Manifest Requirements.**

A primary exporter shall comply with the manifest requirements of Sections R315-262-20 through 23 except that:

(a) In lieu of the name, site address and EPA ID number of the designated permitted facility, the primary exporter shall enter the name and site address of the consignee;

(b) In lieu of the name, site address and EPA ID number of a permitted alternate facility, the primary exporter may enter the name and site address of any alternate consignee.

(c) In the International Shipments block, the primary exporter shall check the export box and enter the point of exit, city and State, from the United States.

(d) The following statement shall be added to the end of the first sentence of the certification set forth in Item 16 of the Uniform Hazardous Waste Manifest Form: "and conforms to the terms of the attached EPA Acknowledgment of Consent";

(e) The primary exporter may obtain the manifest from any source that is registered with the U.S. EPA as a supplier of manifests (e.g., states, waste handlers, and/or commercial forms printers).

(f) The primary exporter shall require the consignee to confirm in writing the delivery of the hazardous waste to that facility and to describe any significant discrepancies, as defined in Subsection R315-264-72(a), between the manifest and the shipment. A copy of the manifest signed by such facility may be used to confirm delivery of the hazardous waste.

(g) In lieu of the requirements of Subsection R315-262-20(d), where a shipment cannot be delivered for any reason to the designated or alternate consignee, the primary exporter shall:

(1) Renotify EPA of a change in the conditions of the original

notification to allow shipment to a new consignee in accordance with Subsection R315-262-53(c) and obtain an EPA Acknowledgment of Consent prior to delivery; or

(2) Instruct the transporter to return the waste to the primary exporter in the United States or designate another facility within the United States; and

(3) Instruct the transporter to revise the manifest in accordance with the primary exporter's instructions.

(h) The primary exporter shall attach a copy of the EPA Acknowledgment of Consent to the shipment to the manifest which shall accompany the hazardous waste shipment. For exports by rail or water (bulk shipment), the primary exporter shall provide the transporter with an EPA Acknowledgment of Consent which shall accompany the hazardous waste but which need not be attached to the manifest except that for exports by water (bulk shipment) the primary exporter shall attach the copy of the EPA Acknowledgment of Consent to the shipping paper.

(i) The primary exporter shall provide the transporter with an additional copy of the manifest for delivery to the U.S. Customs official at the point the hazardous waste leaves the United States in accordance with Subsection R315-263-20(g)(4).

**R315-262-55. Exports of Hazardous Waste - Exception Reports.**

In lieu of the requirements of Section R315-262-42, a primary exporter shall file an exception report with the Office of Enforcement and Compliance Assurance, Office of Federal Activities, International Compliance Assurance Division (2254A), Environmental Protection Agency, 1200 Pennsylvania Avenue, NW., Washington, DC 20460, if any of the following occurs:

(a) He has not received a copy of the manifest signed by the transporter stating the date and place of departure from the United States within forty-five days from the date it was accepted by the initial transporter;

(b) Within ninety days from the date the waste was accepted by the initial transporter, the primary exporter has not received written confirmation from the consignee that the hazardous waste was received;

(c) The waste is returned to the United States.

**R315-262-56. Exports of Hazardous Waste - Annual Reports.**

(a) Primary exporters of hazardous waste shall file with the Administrator no later than March 1 of each year, a report summarizing the types, quantities, frequency, and ultimate destination of all hazardous waste exported during the previous calendar year. Such reports shall include the following:

(1) The EPA identification number, name, and mailing and site address of the exporter;

(2) The calendar year covered by the report;

(3) The name and site address of each consignee;

(4) By consignee, for each hazardous waste exported, a description of the hazardous waste, the EPA hazardous waste number, from Sections R315-261-20 through 24 and R315-261-30 through 35, DOT hazard class, the name and US EPA ID number, where applicable, for each transporter used, the total amount of waste shipped and number

of shipments pursuant to each notification;

(5) Except for hazardous waste produced by exporters of greater than 100 kg but less than 1000 kg in a calendar month, unless provided pursuant to Section R315-262-41, in even numbered years:

(i) A description of the efforts undertaken during the year to reduce the volume and toxicity of waste generated; and

(ii) A description of the changes in volume and toxicity of waste actually achieved during the year in comparison to previous years to the extent such information is available for years prior to 1984.

(6) A certification signed by the primary exporter which states: I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

(b) Annual reports submitted by mail should be sent to the following mailing address: Office of Enforcement and Compliance Assurance, Office of Federal Activities, International Compliance Assurance Division (2254A), Environmental Protection Agency, 1200 Pennsylvania Ave., NW., Washington, DC 20460. Hand-delivered reports should be sent to: Office of Enforcement and Compliance Assurance, Office of Federal Activities, International Compliance Assurance Division, Environmental Protection Agency, Ariel Rios Bldg., Room 6144, 12th St. and Pennsylvania Ave., NW., Washington, DC 20004.

**R315-262-57. Exports of Hazardous Waste - Recordkeeping.**

(a) For all exports a primary exporter shall:

(1) Keep a copy of each notification of intent to export for a period of at least three years from the date the hazardous waste was accepted by the initial transporter;

(2) Keep a copy of each EPA Acknowledgment of Consent for a period of at least three years from the date the hazardous waste was accepted by the initial transporter;

(3) Keep a copy of each confirmation of delivery of the hazardous waste from the consignee for at least three years from the date the hazardous waste was accepted by the initial transporter; and

(4) Keep a copy of each annual report for a period of at least three years from the due date of the report.

(b) The periods of retention referred to in Section R315-262-57 are extended automatically during the course of any unresolved enforcement action regarding the regulated activity or as requested by the Administrator.

**R315-262-58. Exports of Hazardous Waste - International Agreements.**

(a) Any person who exports or imports wastes that are considered hazardous under U.S. national procedures to or from designated Member countries of the Organization for Economic Cooperation and Development (OECD) as defined in Subsection R315-262-58(a)(1) for purposes of recovery is subject to Sections R315-262-80 through 89. The requirements of Sections R315-262-50 through 58 and R315-262-60 do not apply to such exports and imports. A waste is considered hazardous

under U.S. national procedures if the waste meets the Federal definition of hazardous waste in Section R315-261-3 and is subject to either the manifesting requirements Sections R315-262-20 through 25 and 27, the universal waste management standards of Rule R315-273, the export requirements in the spent lead-acid battery management standards of Section R315-266-80.

(1) For the purposes of Sections R315-262-80 through 89, the designated OECD Member countries consist of Australia, Austria, Belgium, the Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Japan, Luxembourg, the Netherlands, New Zealand, Norway, Poland, Portugal, the Republic of Korea, the Slovak Republic, Spain, Sweden, Switzerland, Turkey, the United Kingdom, and the United States.

(2) For the purposes of Sections R315-262-80 through 89, Canada and Mexico are considered OECD Member countries only for the purpose of transit.

(b) Any person who exports hazardous waste to or imports hazardous waste from: A designated OECD Member country for purposes other than recovery; e.g., incineration, disposal; Mexico, for any purpose; or Canada, for any purpose, remains subject to the requirements of Sections R315-262-50 through 58 and 60, and is not subject to the requirements of Sections R315-262-80 through 89.

#### **R315-262-60. Imports of Hazardous Waste.**

(a) Any person who imports hazardous waste from a foreign country into the United States shall comply with the requirements of Rule R315-262.

(b) When importing hazardous waste, a person shall meet all the requirements of Section R315-262-20 for the manifest except that:

(1) In place of the generator's name, address and EPA identification number, the name and address of the foreign generator and the importer's name, address and EPA identification number shall be used.

(2) In place of the generator's signature on the certification statement, the U.S. importer or his agent shall sign and date the certification and obtain the signature of the initial transporter.

(c) A person who imports hazardous waste may obtain the manifest form from any source that is registered with the U.S. EPA as a supplier of manifests; e.g., states, waste handlers, and/or commercial forms printers.

(d) In the International Shipments block, the importer shall check the import box and enter the point of entry, city and State, into the United States.

(e) The importer shall provide the transporter with an additional copy of the manifest to be submitted by the receiving facility to U.S. EPA in accordance with Subsections R315-264-71(a)(3) and 40 CFR 265.71(a)(3), which is adopted by reference.

#### **R315-262-70. Farmers.**

A farmer disposing of waste pesticides from his own use which are hazardous wastes is not required to comply with the standards in Rule R315-262 or other standards in Rules R315-264, R315-265, R315-268, or R315-270 for those wastes provided he triple rinses each emptied pesticide container in accordance with Subsection

R315-261-7(b)(3) and disposes of the pesticide residues on his own farm in a manner consistent with the disposal instructions on the pesticide label.

**R315-262-80. Transboundary Movements of Hazardous Waste for Recovery or Disposal - Applicability.**

(a) The requirements of Sections R315-262-80 through 89 apply to imports and exports of wastes that are considered hazardous under U.S. national procedures and are destined for recovery operations in the countries listed in Subsection R315-262-58(a)(1). A waste is considered hazardous under U.S. national procedures if the waste:

(1) Meets the Federal definition of hazardous waste in Section R315-261-3; and

(2) Is subject to either the manifesting requirements Sections R315-262-20 through 25 and 27, the universal waste management standards of Rule R315-273, the export requirements in the spent lead-acid battery management standards of Section R315-266-80.

(b) Any person; exporter, importer, or recovery facility operator; who mixes two or more wastes, including hazardous and non-hazardous wastes, or otherwise subjects two or more wastes, including hazardous and non-hazardous wastes, to physical or chemical transformation operations, and thereby creates a new hazardous waste, becomes a generator and assumes all subsequent generator duties under RCRA and any exporter duties, if applicable, under Sections R315-262-80 through 89.

**R315-262-81. Transboundary Movements of Hazardous Waste for Recovery or Disposal - Definitions.**

The following definitions apply to Sections R315-262-80 through 89.

Competent authority means the regulatory authority or authorities of concerned countries having jurisdiction over transboundary movements of wastes destined for recovery operations.

Countries concerned means the OECD Member countries of export or import and any OECD Member countries of transit.

Country of export means any designated OECD Member country listed in Subsection R315-262-58(a)(1) from which a transboundary movement of hazardous wastes is planned to be initiated or is initiated.

Country of import means any designated OECD Member country listed in Subsection R315-262-58(a)(1) to which a transboundary movement of hazardous wastes is planned or takes place for the purpose of submitting the wastes to recovery operations therein.

Country of transit means any designated OECD Member country listed in Subsections R315-262-58(a)(1) and (a)(2) other than the country of export or country of import across which a transboundary movement of hazardous wastes is planned or takes place.

Exporter means the person under the jurisdiction of the country of export who has, or will have at the time the planned transboundary movement commences, possession or other forms of legal control of the wastes and who proposes transboundary movement of the hazardous wastes for the ultimate purpose of submitting them to recovery operations. When the United States (U.S.) is the country of export, exporter is interpreted to mean a person domiciled in the United States.

Importer means the person to whom possession or other form of legal control of the waste is assigned at the time the waste is received in the country of import.

OECD area means all land or marine areas under the national jurisdiction of any OECD Member country listed in Section R315-262-58.

When the regulations refer to shipments to or from an OECD Member country, this means OECD area.

OECD means the Organization for Economic Cooperation and Development.

Recognized trader means a person who, with appropriate authorization of countries concerned, acts in the role of principal to purchase and subsequently sell wastes; this person has legal control of such wastes from time of purchase to time of sale; such a person may act to arrange and facilitate transboundary movements of wastes destined for recovery operations.

Recovery facility means a facility which, under applicable domestic law, is operating or is authorized to operate in the country of import to receive wastes and to perform recovery operations on them.

Recovery operations means activities leading to resource recovery, recycling, reclamation, direct re-use or alternative uses, which include:

R1 Use as a fuel (other than in direct incineration) or other means to generate energy.

R2 Solvent reclamation/regeneration.

R3 Recycling/reclamation of organic substances which are not used as solvents.

R4 Recycling/reclamation of metals and metal compounds.

R5 Recycling/reclamation of other inorganic materials.

R6 Regeneration of acids or bases.

R7 Recovery of components used for pollution abatement.

R8 Recovery of components used from catalysts.

R9 Used oil re-refining or other reuses of previously used oil.

R10 Land treatment resulting in benefit to agriculture or ecological improvement.

R11 Uses of residual materials obtained from any of the operations numbered R1-R10.

R12 Exchange of wastes for submission to any of the operations numbered R1-R11.

R13 Accumulation of material intended for any operation numbered R1-R12.

Transboundary movement means any movement of wastes from an area under the national jurisdiction of one OECD Member country to an area under the national jurisdiction of another OECD Member country

**R315-262-82. Transboundary Movements of Hazardous Waste for Recovery or Disposal - General Conditions.**

(a) Scope. The level of control for exports and imports of waste is indicated by assignment of the waste to either a list of wastes subject to the Green control procedures or a list of wastes subject to the Amber control procedures and by the national procedures of the United States, as defined in Subsection R315-262-80(a). The OECD Green and Amber lists are incorporated by reference in Subsection R315-262-89(d).

(1) Listed wastes subject to the Green control procedures.

(i) Green wastes that are not considered hazardous under U.S. national procedures as defined in Subsection R315-262-80(a) are subject to existing controls normally applied to commercial transactions.

(ii) Green wastes that are considered hazardous under U.S. national procedures as defined in Section R315-262-80(a) are subject to the Amber control procedures set forth in Sections R315-262-80 through 89.

(2) Listed wastes subject to the Amber control procedures.

(i) Amber wastes that are considered hazardous under U.S. national procedures as defined in Subsection R315-262-80(a) are subject to the Amber control procedures set forth in Sections R315-262-80 through 89.

(ii) Amber wastes that are considered hazardous under U.S. national procedures as defined in Subsection R315-262-80(a), are subject to the Amber control procedures in the United States, even if they are imported to or exported from a designated OECD Member country listed in Subsection R315-262-58(a)(1) that does not consider the waste to be hazardous. In such an event, the responsibilities of the Amber control procedures shift as provided:

(A) For U.S. exports, the United States shall issue an acknowledgement of receipt and assume other responsibilities of the competent authority of the country of import.

(B) For U.S. imports, the U.S. recovery facility/importer and the United States shall assume the obligations associated with the Amber control procedures that normally apply to the exporter and country of export, respectively.

(iii) Amber wastes that are not considered hazardous under U.S. national procedures as defined in Subsection R315-262-80(a), but are considered hazardous by an OECD Member country are subject to the Amber control procedures in the OECD Member country that considers the waste hazardous. All responsibilities of the U.S. importer/exporter shift to the importer/exporter of the OECD Member country that considers the waste hazardous unless the parties make other arrangements through contracts. Note to Subsection R315-262-82(a)(2): Some wastes subject to the Amber control procedures are not listed or otherwise identified as hazardous under RCRA, and therefore are not subject to the Amber control procedures of Sections R315-262-80 through 89. Regardless of the status of the waste under RCRA, however, other Federal environmental statutes, e.g., the Toxic Substances Control Act, restrict certain waste imports or exports. Such restrictions continue to apply with regard to Sections R315-262-80 through 89.

(3) Procedures for mixtures of wastes.

(i) A Green waste that is mixed with one or more other Green wastes such that the resulting mixture is not considered hazardous under U.S. national procedures as defined in Subsection R315-262-80(a) shall be subject to the Green control procedures, provided the composition of this mixture does not impair its environmentally sound recovery. Note to Subsection R315-262-82(a)(3)(i): The regulated community should note that some OECD Member countries may require, by domestic law, that mixtures of different Green wastes be subject to the Amber control procedures.

(ii) A Green waste that is mixed with one or more Amber wastes, in any amount, de minimis or otherwise, or a mixture of two or more Amber wastes, such that the resulting waste mixture is considered hazardous under U.S. national procedures as defined in Subsection R315-262-80(a) are subject to the Amber control procedures, provided the composition of this mixture does not impair its environmentally sound recovery. Note to Subsection R315-262-82(a)(3)(ii): The regulated community should note that some OECD Member countries may require, by domestic law, that a mixture of a Green waste and more than a de minimis amount of an Amber waste or a mixture of two or more Amber wastes be subject to the Amber control procedures.

(4) Wastes not yet assigned to an OECD waste list are eligible for transboundary movements, as follows:

(i) If such wastes are considered hazardous under U.S. national procedures as defined in Subsection R315-262-80(a), such wastes are subject to the Amber control procedures.

(ii) If such wastes are not considered hazardous under U.S. national procedures as defined in Subsection R315-262-80(a), such wastes are subject to the Green control procedures.

(b) General conditions applicable to transboundary movements of hazardous waste:

(1) The waste shall be destined for recovery operations at a facility that, under applicable domestic law, is operating or is authorized to operate in the importing country;

(2) The transboundary movement shall be in compliance with applicable international transport agreements; and

Note to Subsection R315-262-82(b)(2): These international agreements include, but are not limited to, the Chicago Convention (1944), ADR (1957), ADN (1970), MARPOL Convention (1973/1978), SOLAS Convention (1974), IMDG Code (1985), COTIF (1985), and RID (1985).

(3) Any transit of waste through a non-OECD Member country shall be conducted in compliance with all applicable international and national laws and regulations.

(c) Provisions relating to re-export for recovery to a third country:

(1) Re-export of wastes subject to the Amber control procedures from the United States, as the country of import, to a third country listed in Subsection R315-262-58(a)(1) may occur only after an exporter in the United States provides notification to and obtains consent from the competent authorities in the third country, the original country of export, and any transit countries. The notification shall comply with the notice and consent procedures in Section R315-262-83 for all countries concerned and the original country of export. The competent authorities of the original country of export, as well as the competent authorities of all other countries concerned have thirty days to object to the proposed movement.

(i) The thirty day period begins once the competent authorities of both the initial country of export and new country of import issue Acknowledgements of Receipt of the notification.

(ii) The transboundary movement may commence if no objection has been lodged after the thirty day period has passed or immediately after written consent is received from all relevant OECD importing and transit countries.

(2) In the case of re-export of Amber wastes to a country other

than those listed in Subsection R315-262-58(a)(1), notification to and consent of the competent authorities of the original OECD Member country of export and any OECD Member countries of transit is required as specified in Subsection R315-262-82(c)(1), in addition to compliance with all international agreements and arrangements to which the first importing OECD Member country is a party and all applicable regulatory requirements for exports from the first country of import.

(d) Duty to return or re-export wastes subject to the Amber control procedures. When a transboundary movement of wastes subject to the Amber control procedures cannot be completed in accordance with the terms of the contract or the consent(s) and alternative arrangements cannot be made to recover the waste in an environmentally sound manner in the country of import, the waste shall be returned to the country of export or re-exported to a third country. The provisions of Subsection R315-262-82(c) apply to any shipments to be re-exported to a third country. The following provisions apply to shipments to be returned to the country of export as appropriate:

(1) Return from the United States to the country of export: The U.S. importer shall inform EPA at the specified address in Subsection R315-262-83(b)(1)(i) of the need to return the shipment. EPA shall then inform the competent authorities of the countries of export and transit, citing the reason(s) for returning the waste. The U.S. importer shall complete the return within ninety days from the time EPA informs the country of export of the need to return the waste, unless informed in writing by EPA of another timeframe agreed to by the concerned Member countries. If the return shipment will cross any transit country, the return shipment may only occur after EPA provides notification to and obtains consent from the competent authority of the country of transit, and provides a copy of that consent to the U.S. importer.

(2) Return from the country of import to the United States: The U.S. exporter shall provide for the return of the hazardous waste shipment within ninety days from the time the country of import informs EPA of the need to return the waste or such other period of time as the concerned Member countries agree. The U.S. exporter shall submit an exception report to EPA in accordance with Subsection R315-262-87(b).

(e) Duty to return wastes subject to the Amber control procedures from a country of transit. When a transboundary movement of wastes subject to the Amber control procedures does not comply with the requirements of the notification and movement documents or otherwise constitutes illegal shipment, and if alternative arrangements cannot be made to recover these wastes in an environmentally sound manner, the waste shall be returned to the country of export. The following provisions apply as appropriate:

(1) Return from the United States, as country of transit, to the country of export: The U.S. transporter shall inform EPA at the specified address in Subsection R315-262-83(b)(1)(i) of the need to return the shipment. EPA shall then inform the competent authority of the country of export, citing the reason(s) for returning the waste. The U.S. transporter shall complete the return within ninety days from the time EPA informs the country of export of the need to return the waste, unless informed in writing by EPA of another timeframe agreed to by the concerned Member countries.

(2) Return from the country of transit to the United States, as country of export: The U.S. exporter shall provide for the return of the hazardous waste shipment within ninety days from the time the competent authority of the country of transit informs EPA of the need to return the waste or such other period of time as the concerned Member countries agree. The U.S. exporter shall submit an exception report to EPA in accordance with Subsection R315-262-87(b).

(f) Requirements for wastes destined for and received by R12 and R13 facilities. The transboundary movement of wastes destined for R12 and R13 operations shall comply with all Amber control procedures for notification and consent as set forth in Section R315-262-83 and for the movement document as set forth in Section R315-262-84. Additional responsibilities of R12/R13 facilities include:

(1) Indicating in the notification document the foreseen recovery facility or facilities where the subsequent R1-R11 recovery operation takes place or may take place.

(2) Within three days of the receipt of the wastes by the R12/R13 recovery facility or facilities, the facility(ies) shall return a signed copy of the movement document to the exporter and to the competent authorities of the countries of export and import. The facility(ies) shall retain the original of the movement document for three years.

(3) As soon as possible, but no later than thirty (30) days after the completion of the R12/R13 recovery operation and no later than one calendar year following the receipt of the waste, the R12 or R13 facility(ies) shall send a certificate of recovery to the foreign exporter and to the competent authority of the country of export and to the Office of Enforcement and Compliance Assurance, Office of Federal Activities, International Compliance Assurance Division (2254A), Environmental Protection Agency, 1200 Pennsylvania Avenue, NW, Washington, DC 20460, by mail, e-mail without digital signature followed by mail, or fax followed by mail.

(4) When an R12/R13 recovery facility delivers wastes for recovery to an R1-R11 recovery facility located in the country of import, it shall obtain as soon as possible, but no later than one calendar year following delivery of the waste, a certification from the R1-R11 facility that recovery of the wastes at that facility has been completed. The R12/R13 facility shall promptly transmit the applicable certification to the competent authorities of the countries of import and export, identifying the transboundary movements to which the certification pertain.

(5) When an R12/R13 recovery facility delivers wastes for recovery to an R1-R11 recovery facility located:

(i) In the initial country of export, Amber control procedures apply, including a new notification;

(ii) In a third country other than the initial country of export, Amber control procedures apply, with the additional provision that the competent authority of the initial country of export shall also be notified of the transboundary movement.

(g) Laboratory analysis exemption. The transboundary movement of an Amber waste is exempt from the Amber control procedures if it is in certain quantities and destined for laboratory analysis to assess its physical or chemical characteristics, or to determine its

suitability for recovery operations. The quantity of such waste shall be determined by the minimum quantity reasonably needed to perform the analysis in each particular case adequately, but in no case exceed twenty-five kilograms. Waste destined for laboratory analysis shall still be appropriately packaged and labeled

**R315-262-83. Transboundary Movements of Hazardous Waste for Recovery or Disposal - Notification and Consent.**

(a) Applicability. Consent shall be obtained from the competent authorities of the relevant OECD countries of import and transit prior to exporting hazardous waste destined for recovery operations subject to Sections R315-262-80 through 89. Hazardous wastes subject to the Amber control procedures are subject to the requirements of Subsection R315-262-83(b); and wastes not identified on any list are subject to the requirements of Subsection R315-262-83(c).

(b) Amber wastes. Exports of hazardous wastes from the United States as described in Subsection R315-262-80(a) that are subject to the Amber control procedures are prohibited unless the notification and consent requirements of Subsections R315-262-83(b)(1) or (b)(2) are met.

(1) Transactions requiring specific consent:

(i) Notification. At least forty-five days prior to commencement of each transboundary movement, the exporter shall provide written notification in English of the proposed transboundary movement to the Office of Enforcement and Compliance Assurance, Office of Federal Activities, International Compliance Assurance Division (2254A), Environmental Protection Agency, 1200 Pennsylvania Avenue, NW., Washington, DC 20460, with the words "Attention: OECD Export Notification" prominently displayed on the envelope. This notification shall include all of the information identified in Subsection R315-262-83(d). In cases where wastes having similar physical and chemical characteristics, the same United Nations classification, the same RCRA waste codes, and are to be sent periodically to the same recovery facility by the same exporter, the exporter may submit one general notification of intent to export these wastes in multiple shipments during a period of up to one year. Even when a general notification is used for multiple shipments, each shipment still shall be accompanied by its own movement document pursuant to Section R315-262-84.

(ii) Tacit consent. If no objection has been lodged by any countries concerned; i.e., exporting, importing, or transit; to a notification provided pursuant to Subsection R315-262-83(b)(1)(i) within thirty days after the date of issuance of the Acknowledgement of Receipt of notification by the competent authority of the country of import, the transboundary movement may commence. Tacit consent expires one calendar year after the close of the thirty day period; renotification and renewal of all consents is required for exports after that date.

(iii) Written consent. If the competent authorities of all the relevant OECD importing and transit countries provide written consent in a period less than thirty days, the transboundary movement may commence immediately after all necessary consents are received.

Written consent expires for each relevant OECD importing and transit country one calendar year after the date of that country's consent

unless otherwise specified; renotification and renewal of each expired consent is required for exports after that date.

(2) Transboundary movements to facilities pre-approved by the competent authorities of the importing countries to accept specific wastes for recovery:

(i) Notification. The exporter shall provide EPA a notification that contains all the information identified in Subsection R315-262-83(d) in English, at least ten days in advance of commencing shipment to a pre-approved facility. The notification shall indicate that the recovery facility is pre-approved, and may apply to a single specific shipment or to multiple shipments as described in Subsection R315-262-83(b)(1)(i). This information shall be sent to the Office of Enforcement and Compliance Assurance, Office of Federal Activities, International Compliance Assurance Division (2254A), Environmental Protection Agency, 1200 Pennsylvania Avenue, NW., Washington, DC 20460, with the words "OECD Export Notification-Pre-approved Facility" prominently displayed on the envelope. General notifications that cover multiple shipments as described in Subsection R315-262-83(b)(1)(i) may cover a period of up to three years. Even when a general notification is used for multiple shipments, each shipment still shall be accompanied by its own movement document pursuant to Section R315-262-84.

(ii) Exports to pre-approved facilities may take place after the elapse of seven working days from the issuance of an Acknowledgement of Receipt of the notification by the competent authority of the country of import unless the exporter has received information indicating that the competent authority of any countries concerned objects to the shipment.

(c) Wastes not covered in the OECD Green and Amber lists. Wastes destined for recovery operations, that have not been assigned to the OECD Green and Amber lists, incorporated by reference in Subsection R315-262-89(d), but which are considered hazardous under U.S. national procedures as defined in Subsection R315-262-80(a), are subject to the notification and consent requirements established for the Amber control procedures in accordance with Subsection R315-262-83(b). Wastes destined for recovery operations, that have not been assigned to the OECD Green and Amber lists incorporated by reference in Subsection R315-262-89(d), and are not considered hazardous under U.S. national procedures as defined by Subsection R315-262-80(a) are subject to the Green control procedures.

(d) Notifications submitted under Section R315-262-83 shall include the information specified in Subsections R315-262-83(d)(1) through (d)(14):

(1) Serial number or other accepted identifier of the notification document;

(2) Exporter name and EPA identification number, if applicable, address, telephone, fax numbers, and e-mail address;

(3) Importing recovery facility name, address, telephone, fax numbers, e-mail address, and technologies employed;

(4) Importer name, if not the owner or operator of the recovery facility, address, telephone, fax numbers, and e-mail address; whether the importer will engage in waste exchange recovery operation R12 or waste accumulation recovery operation R13 prior to delivering the waste to the final recovery facility and identification of recovery

operations to be employed at the final recovery facility;

(5) Intended transporter(s) and/or their agent(s); address, telephone, fax, and e-mail address;

(6) Country of export and relevant competent authority, and point of departure;

(7) Countries of transit and relevant competent authorities and points of entry and departure;

(8) Country of import and relevant competent authority, and point of entry;

(9) Statement of whether the notification is a single notification or a general notification. If general, include period of validity requested;

(10) Date(s) foreseen for commencement of transboundary movement(s);

(11) Means of transport envisaged;

(12) Designation of waste type(s) from the appropriate OECD list incorporated by reference in Subsection R315-262-89(d), description(s) of each waste type, estimated total quantity of each, RCRA waste code, and the United Nations number for each waste type;

(13) Specification of the recovery operation(s) as defined in Section R315-262-81.

(14) Certification/Declaration signed by the exporter that states:

I certify that the above information is complete and correct to the best of my knowledge. I also certify that legally-enforceable written contractual obligations have been entered into, and that any applicable insurance or other financial guarantees are or shall be in force covering the transboundary movement.

Name:

Signature:

Date:

Note to Subsection R315-262-83(d)(14): The United States does not currently require financial assurance for these waste shipments. However, U.S. exporters may be asked by other governments to provide and certify to such assurance as a condition of obtaining consent to a proposed movement.

(e) Certificate of Recovery. As soon as possible, but no later than thirty days after the completion of recovery and no later than one calendar year following receipt of the waste, the U.S. recovery facility shall send a certificate of recovery to the exporter and to the competent authorities of the countries of export and import by mail, e-mail without a digital signature followed by mail, or fax followed by mail. The certificate of recovery shall include a signed, written and dated statement that affirms that the waste materials were recovered in the manner agreed to by the parties to the contract required under Section R315-262-85

**R315-262-84. Transboundary Movements of Hazardous Waste for Recovery or Disposal - Movement Document.**

(a) All U.S. parties subject to the contract provisions of Section R315-262-85 shall ensure that a movement document meeting the conditions of Subsection R315-262-84(b) accompanies each transboundary movement of wastes subject to the Amber control procedures from the initiation of the shipment until it reaches the

final recovery facility, including cases in which the waste is stored and/or sorted by the importer prior to shipment to the final recovery facility, except as provided in Subsections R315-262-84(a)(1) and (2).

(1) For shipments of hazardous waste within the United States solely by water, bulk shipments only, the generator shall forward the movement document with the manifest to the last water, bulk shipment, transporter to handle the waste in the United States if exported by water, in accordance with the manifest routing procedures at Subsection R315-262-23(c).

(2) For rail shipments of hazardous waste within the United States which originate at the site of generation, the generator shall forward the movement document with the manifest, in accordance with the routing procedures for the manifest in Subsection R315-262-23(d), to the next non-rail transporter, if any, or the last rail transporter to handle the waste in the United States if exported by rail.

(b) The movement document shall include all information required under Section R315-262-83, for notification, as well as the following Subsection R315-262-84(b)(1) through (b)(7):

(1) Date movement commenced;

(2) Name; if not exporter, address; telephone; fax numbers; and e-mail of primary exporter;

(3) Company name and EPA ID number of all transporters;

(4) Identification; license, registered name or registration number; of means of transport, including types of packaging envisaged;

(5) Any special precautions to be taken by transporter(s);

(6) Certification/declaration signed by the exporter that no objection to the shipment has been lodged, as follows:

I certify that the above information is complete and correct to the best of my knowledge. I also certify that legally-enforceable written contractual obligations have been entered into, that any applicable insurance or other financial guarantees are or shall be in force covering the transboundary movement, and that:

1. All necessary consents have been received; or

2. The shipment is directed to a recovery facility within the OECD area and no objection has been received from any of the countries concerned within the thirty day tacit consent period; or

3. The shipment is directed to a recovery facility pre-approved for that type of waste within the OECD area; such an authorization has not been revoked, and no objection has been received from any of the countries concerned.

Delete sentences that are not applicable

Name:

Signature:

Date:

(7) Appropriate signatures for each custody transfer, e.g., transporter, importer, and owner or operator of the recovery facility.

(c) Exporters also shall comply with the special manifest requirements of Subsections R315-262-54(a), (b), (c), (e), and (i) and importers shall comply with the import requirements of Section R315-262-60.

(d) Each U.S. person that has physical custody of the waste from the time the movement commences until it arrives at the recovery facility shall sign the movement document; e.g., transporter,

importer, and owner or operator of the recovery facility.

(e) Within three working days of the receipt of imports subject to Sections R315-262-80 through 89, the owner or operator of the U.S. recovery facility shall send signed copies of the movement document to the exporter, to the Office of Enforcement and Compliance Assurance, Office of Federal Activities, International Compliance Assurance Division (2254A), Environmental Protection Agency, 1200 Pennsylvania Avenue, NW., Washington, DC 20460, and to the competent authorities of the countries of export and transit. If the concerned U.S. recovery facility is a R12/R13 recovery facility as defined under Section R315-262-81, the facility shall retain the original of the movement document for three years

**R315-262-85. Contracts.**

(a) Transboundary movements of hazardous wastes subject to the Amber control procedures are prohibited unless they occur under the terms of a valid written contract, chain of contracts, or equivalent arrangements, when the movement occurs between parties controlled by the same corporate or legal entity. Such contracts or equivalent arrangements shall be executed by the exporter and the owner or operator of the recovery facility, and shall specify responsibilities for each. Contracts or equivalent arrangements are valid for the purposes of Section R315-262-85 only if persons assuming obligations under the contracts or equivalent arrangements have appropriate legal status to conduct the operations specified in the contract or equivalent arrangements.

(b) Contracts or equivalent arrangements shall specify the name and EPA ID number, where available, of Subsections R315-262-85(b)(1) through (b)(4):

- (1) The generator of each type of waste;
- (2) Each person who will have physical custody of the wastes;
- (3) Each person who will have legal control of the wastes; and
- (4) The recovery facility.

(c) Contracts or equivalent arrangements shall specify which party to the contract will assume responsibility for alternate management of the wastes if their disposition cannot be carried out as described in the notification of intent to export. In such cases, contracts shall specify that:

(1) The person having actual possession or physical control over the wastes will immediately inform the exporter and the competent authorities of the countries of export and import and, if the wastes are located in a country of transit, the competent authorities of that country; and

(2) The person specified in the contract will assume responsibility for the adequate management of the wastes in compliance with applicable laws and regulations including, if necessary, arranging the return of wastes and, as the case may be, shall provide the notification for re-export.

(d) Contracts shall specify that the importer will provide the notification required in Subsection R315-262-82(c) prior to the re-export of controlled wastes to a third country.

(e) Contracts or equivalent arrangements shall include provisions for financial guarantees, if required by the competent authorities of any countries concerned, in accordance with applicable

national or international law requirements.

Note to Subsection R315-262-85(e): Financial guarantees so required are intended to provide for alternate recycling, disposal or other means of sound management of the wastes in cases where arrangements for the shipment and the recovery operations cannot be carried out as foreseen. The United States does not require such financial guarantees at this time; however, some OECD Member countries do. It is the responsibility of the exporter to ascertain and comply with such requirements; in some cases, transporters or importers may refuse to enter into the necessary contracts absent specific references or certifications to financial guarantees.

(f) Contracts or equivalent arrangements shall contain provisions requiring each contracting party to comply with all applicable requirements of Sections R315-262-80 through 89.

(g) Upon request by EPA, U.S. exporters, importers, or recovery facilities shall submit to EPA copies of contracts, chain of contracts, or equivalent arrangements, when the movement occurs between parties controlled by the same corporate or legal entity. Information contained in the contracts or equivalent arrangements for which a claim of confidentiality is asserted in accordance with 40 CFR 2.203(b) shall be treated as confidential and shall be disclosed by EPA only as provided in 40 CFR 260.2.

Note to Subsection R315-262-85(g): Although the United States does not require routine submission of contracts at this time, the OECD Decision allows Member countries to impose such requirements.

When other OECD Member countries require submission of partial or complete copies of the contract as a condition to granting consent to proposed movements, EPA shall request the required information; absent submission of such information, some OECD Member countries may deny consent for the proposed movement.

**R315-262-86. Provisions Relating to Recognized Traders.**

(a) A recognized trader who takes physical custody of a waste and conducts recovery operations, including storage prior to recovery, is acting as the owner or operator of a recovery facility and shall be so authorized in accordance with all applicable Federal laws.

(b) A recognized trader acting as an exporter or importer for transboundary shipments of waste shall comply with all the requirements of Sections R315-262-80 through 89 associated with being an exporter or importer.

**R315-262-87. Reporting and Recordkeeping.**

(a) Annual reports. For all waste movements subject to Sections R315-262-80 through 89, persons, e.g., exporters, recognized traders, who meet the definition of primary exporter in Section R315-262-51 or who initiate the movement documentation under Section R315-262-84 shall file an annual report with the Office of Enforcement and Compliance Assurance, Office of Federal Activities, International Compliance Assurance Division (2254A), Environmental Protection Agency, 1200 Pennsylvania Avenue, NW., Washington, DC 20460, no later than March 1 of each year summarizing the types, quantities, frequency, and ultimate destination of all such hazardous waste exported during the previous calendar year. If the primary exporter or the person who initiates the movement document under Section R315-262-84 is

required to file an annual report for waste exports that are not covered under Sections R315-262-80 through 89, he may include all export information in one report provided the following information on exports of waste destined for recovery within the designated OECD Member countries is contained in a separate section. Such reports shall include all of the following Sections R315-262-87(a)(1) through (a)(6) specified as follows:

(1) The EPA identification number, name, and mailing and site address of the exporter filing the report;

(2) The calendar year covered by the report;

(3) The name and site address of each final recovery facility;

(4) By final recovery facility, for each hazardous waste exported, a description of the hazardous waste, the EPA hazardous waste number, from Sections R315-261-20 through 24 or R315-262-30 through 35, designation of waste type(s) and applicable waste code(s) from the appropriate OECD waste list incorporated by reference in Subsection R315-262-89(d), DOT hazard class, the name and U.S. EPA identification number, where applicable, for each transporter used, the total amount of hazardous waste shipped pursuant to Sections R315-262-80 through 89, and number of shipments pursuant to each notification;

(5) In even numbered years, for each hazardous waste exported, except for hazardous waste produced by exporters of greater than 100kg but less than 1,000kg in a calendar month, and except for hazardous waste for which information was already provided pursuant to Section R315-262-41:

(i) A description of the efforts undertaken during the year to reduce the volume and toxicity of the waste generated; and

(ii) A description of the changes in volume and toxicity of the waste actually achieved during the year in comparison to previous years to the extent such information is available for years prior to 1984; and

(6) A certification signed by the person acting as primary exporter or initiator of the movement document under Section R315-262-84 that states:

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information including the possibility of fine and imprisonment.

(b) Exception reports. Any person who meets the definition of primary exporter in Section R315-262-51 or who initiates the movement document under Section R315-262-84 shall file an exception report in lieu of the requirements of Section R315-262-42, if applicable, with the Office of Enforcement and Compliance Assurance, Office of Federal Activities, International Compliance Assurance Division (2254A), Environmental Protection Agency, 1200 Pennsylvania Avenue, NW., Washington, DC 20460, if any of the following occurs:

(1) He has not received a copy of the RCRA hazardous waste manifest, if applicable, signed by the transporter identifying the point of departure of the waste from the United States, within forty-five days from the date it was accepted by the initial

transporter;

(2) Within ninety days from the date the waste was accepted by the initial transporter, the exporter has not received written confirmation from the recovery facility that the hazardous waste was received;

(3) The waste is returned to the United States.

(c) Recordkeeping.

(1) Persons who meet the definition of primary exporter in Section R315-262-51 or who initiate the movement document under Section R315-262-84 shall keep the following records in Subsections R315-262-87(c)(1)(i) through (c)(1)(iv):

(i) A copy of each notification of intent to export and all written consents obtained from the competent authorities of countries concerned for a period of at least three years from the date the hazardous waste was accepted by the initial transporter;

(ii) A copy of each annual report for a period of at least three years from the due date of the report;

(iii) A copy of any exception reports and a copy of each confirmation of delivery, i.e., movement document, sent by the recovery facility to the exporter for at least three years from the date the hazardous waste was accepted by the initial transporter or received by the recovery facility, whichever is applicable; and

(iv) A copy of each certificate of recovery sent by the recovery facility to the exporter for at least three years from the date that the recovery facility completed processing the waste shipment.

(2) The periods of retention referred to in Section R315-262-87 are extended automatically during the course of any unresolved enforcement action regarding the regulated activity or as requested by the Administrator.

#### **R315-262-89. OECD Waste Lists.**

(a) General. For the purposes of Sections R315-262-80 through 89, a waste is considered hazardous under U.S. national procedures, and hence subject to Sections R315-262-80 through 89, if the waste:

(1) Meets the Federal definition of hazardous waste in Section R315-261-3; and

(2) Is subject to either Sections R315-262-20 through 25 and 27, the universal waste management standards of Rule R315-273, the export requirements in the spent lead-acid battery management standards of Section R315-266-80.

(b) If a waste is hazardous under Subsection R315-262-89(a), it is subject to the Amber control procedures, regardless of whether it appears in Appendix 4 of the OECD Decision, as defined in Section R315-262-81.

(c) The appropriate control procedures for hazardous wastes and hazardous waste mixtures are addressed in Section R315-262-82.

(d) The OECD waste lists, as set forth in Annex B ("Green List") and Annex C ("Amber List") (collectively "OECD waste lists") of the 2009 "Guidance Manual for the Implementation of Council Decision C(2001)107/FINAL, as Amended, on the Control of Transboundary Movements of Wastes Destined for Recovery Operations," are incorporated by reference. This incorporation by reference was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. This material is incorporated as

it exists on the date of the approval and a notice of any change in these materials shall be published in the Federal Register. The materials are available for inspection at: the U.S. Environmental Protection Agency, Docket Center Public Reading Room, EPA West, Room 3334, 1301 Constitution Avenue NW., Washington, DC 20004 (Docket # EPA-HQ-RCRA-2005-0018) or at the National Archives and Records Administration (NARA), and may be obtained from the Organization for Economic Cooperation and Development, Environment Directorate, 2 rue André Pascal, F-75775 Paris Cedex 16, France. For information on the availability of this material at NARA, call 202-741-6030, or go to: <http://www.archives.gov/federal-register/cfr/ibr-locations.html>. To contact the EPA Docket Center Public Reading Room, call (202) 566-1744. To contact the OECD, call +33 (0) 1 45 24 81 67.

**R315-262-200. Alternative Requirements for Hazardous Waste Determination and Accumulation of Unwanted Material for Laboratories Owned by Eligible Academic Entities -- Definitions for Sections R315-262-200 through R315-262-216.**

(a) The following definitions apply to Sections R315-262-200 through 216:

~~(1) ["Central accumulation area" means an on-site hazardous waste accumulation area subject to either Subsections R315-262-34(a) through (b), large quantity generators, or Subsections R315-262-34(d) through (f), small quantity generators. A central accumulation area at an eligible academic entity that chooses to be subject to Section R315-262-200 through 216 shall also comply with Section R315-262-211 when accumulating unwanted material and/or hazardous waste.~~

~~(2)~~ "College/University" means a private or public, post-secondary, degree-granting, academic institution, that is accredited by an accrediting agency listed annually by the U.S. Department of Education.

~~(3)~~(2) "Eligible academic entity" means a college or university, or a non-profit research institute that is owned by or has a formal written affiliation agreement with a college or university, or a teaching hospital that is owned by or has a formal written affiliation agreement with a college or university.

~~(4)~~(3) "Formal written affiliation agreement for a non-profit research institute" means a written document that establishes a relationship between institutions for the purposes of research and/or education and is signed by authorized representatives, as defined by Section R315-260-10, from each institution. A relationship on a project-by-project or grant-by-grant basis is not considered a formal written affiliation agreement. A formal written affiliation agreement for a teaching hospital means a master affiliation agreement and program letter of agreement, as defined by the Accreditation Council for Graduate Medical Education, with an accredited medical program or medical school.

~~(5)~~(4) Laboratory means an area owned by an eligible academic entity where relatively small quantities of chemicals and other substances are used on a non-production basis for teaching or research, or diagnostic purposes at a teaching hospital, and are stored and used in containers that are easily manipulated by one person. Photo laboratories, art studios, and field laboratories are considered laboratories. Areas such as chemical stockrooms and preparatory

laboratories that provide a support function to teaching or research laboratories, or diagnostic laboratories at teaching hospitals, are also considered laboratories.

~~[(6)]~~(5) "Laboratory clean-out" means an evaluation of the inventory of chemicals and other materials in a laboratory that are no longer needed or that have expired and the subsequent removal of those chemicals or other unwanted materials from the laboratory. A clean-out may occur for several reasons. It may be on a routine basis, e.g., at the end of a semester or academic year, or as a result of a renovation, relocation, or change in laboratory supervisor/occupant. A regularly scheduled removal of unwanted material as required by Section R315-262-208 does not qualify as a laboratory clean-out.

~~[(7)]~~(6) "Laboratory worker" means a person who handles chemicals and/or unwanted material in a laboratory and may include, but is not limited to, faculty, staff, post-doctoral fellows, interns, researchers, technicians, supervisors/managers, and principal investigators. A person does not need to be paid or otherwise compensated for his/her work in the laboratory to be considered a laboratory worker. Undergraduate and graduate students in a supervised classroom setting are not laboratory workers.

~~[(8)]~~(7) "Non-profit research institute" means an organization that conducts research as its primary function and files as a non-profit organization under the tax code of 26 U.S.C. 501(c)(3).

~~[(9)]~~(8) "Reactive acutely hazardous unwanted material" means an unwanted material that is one of the acutely hazardous commercial chemical products listed in Subsection R315-261-33(e) for reactivity.

~~[(10)]~~(9) "Teaching hospital" means a hospital that trains students to become physicians, nurses or other health or laboratory personnel.

~~[(11)]~~(10) "Trained professional" means a person who has completed the applicable RCRA training requirements of ~~[Section R315-265-16]~~40 CFR 265.16, which is incorporated by reference in ~~Section R315-265-1~~, for large quantity generators, or is knowledgeable about normal operations and emergencies in accordance with Subsection R315-262-~~[34(d)(5)(iii)]~~17 for small quantity generators and ~~[conditionally exempt]~~very small quantity generators. A trained professional may be an employee of the eligible academic entity or may be a contractor or vendor who meets the requisite training requirements.

~~[(12)]~~(11) "Unwanted material" means any chemical, mixtures of chemicals, products of experiments or other material from a laboratory that is no longer needed, wanted or usable in the laboratory and that is destined for hazardous waste determination by a trained professional. Unwanted materials include reactive acutely hazardous unwanted materials and materials that may eventually be determined not to be solid waste pursuant to Section R315-261-2, or a hazardous waste pursuant to Section R315-261-3. If an eligible academic entity elects to use another equally effective term in lieu of "unwanted material," as allowed by Subsection R315-262-206(a)(1)(i), the equally effective term has the same meaning and is subject to the same requirements as "unwanted material" under Section R315-262-200 through 216.

~~[(13)]~~(12) "Working container" means a small container, i.e.,

two gallons or less, that is in use at a laboratory bench, hood, or other work station, to collect unwanted material from a laboratory experiment or procedure.

**R315-262-201. Alternative Requirements for Hazardous Waste Determination and Accumulation of Unwanted Material for Laboratories Owned by Eligible Academic Entities -- Applicability of Sections R315-262-200 through R315-262-216.**

(a) Large quantity generators and small quantity generators. Sections R315-262-200 through R315-262-216 provides alternative requirements to the requirements in [Section R315-262-11 and Subsection R315-262-34(c) for the hazardous waste determination and accumulation of hazardous waste in laboratories owned by eligible academic entities that choose to be subject to Sections R315-262-200 through 216, provided that they complete the notification requirements of Section R315-262-203.]

~~(b) Conditionally exempt small quantity generators. Sections R315-262-200 through 216 provides alternative requirements to the conditional exemption in Subsection R315-261-5(b) for the accumulation of hazardous waste in laboratories owned by eligible academic entities that choose to be subject to Sections R315-262-200 through 216, provided that they complete the notification requirements of Section R315-262-203.]~~ Sections R315-262-11 and R315-262-15 for the hazardous waste determination and accumulation of hazardous waste in laboratories owned by eligible academic entities that choose to be subject to Sections R315-262-200 through R315-262-216, provided that they complete the notification requirements of Section R315-262-203.

(b) Very small quantity generators. Sections R315-262-200 through R315-262-216 provide alternative requirements to the conditional exemption in Section R315-262-14 for the accumulation of hazardous waste in laboratories owned by eligible academic entities that choose to be subject to Sections R315-262-200 through R315-262-216, provided that they complete the notification requirements of Section R315-262-203.

**R315-262-202. Alternative Requirements for Hazardous Waste Determination and Accumulation of Unwanted Material for Laboratories Owned by Eligible Academic Entities -- Sections R315-262-200 through R315-262-216 are Optional.**

(a) Large quantity generators and small quantity generators. Eligible academic entities have the option of complying with Sections R315-262-200 through R315-262-216 with respect to its laboratories, as an alternative to complying with the requirements of Section R315-262-11 and [Subsection R315- 262-34(c)]Section R315-262-15.

(b) [Conditionally exempt]Very small quantity generators. Eligible academic entities have the option of complying with Sections R315-262-200 through 216 with respect to [its-]laboratories, as an alternative to complying with the conditional exemption of [Subsection R315-261-5(b)]Section R315-262-14.

**R315-262-203. Alternative Requirements for Hazardous Waste Determination and Accumulation of Unwanted Material for Laboratories Owned by Eligible Academic Entities -- How an Eligible Academic Entity**

**Indicates it will be Subject to the Requirements of Sections R315-262-200 through R315-262-216.**

(a) An eligible academic entity shall notify the Director in writing, using the RCRA Subtitle C Site Identification Form, EPA Form 8700-12, that it is electing to be subject to the requirements of Sections R315-262-200 through R315-262-216 for all the laboratories owned by the eligible academic entity under the same EPA Identification Number. An eligible academic entity that is a [~~conditionally exempt~~]very small quantity generator and does not have an EPA Identification Number shall notify that it is electing to be subject to the requirements of Sections R315-262-200 through R315-262-216 for all the laboratories owned by the eligible academic entity that are on-site, as defined by Section R315-260-10. An eligible academic entity shall submit a separate notification, Site Identification Form, for each EPA Identification Number, or site, for [~~conditionally exempt~~]very small quantity generators, that is electing to be subject to the requirements of Sections R315-262-200 through R315-262-216, and shall submit the Site Identification Form before it begins operating under Sections R315-262-200 through R315-262-216.

(b) When submitting the Site Identification Form, the eligible academic entity shall, at a minimum, fill out the following fields on the form:

(1) Reason for Submittal.

(2) Site EPA Identification Number, except for [~~conditionally exempt~~]very small quantity generators.

(3) Site Name.

(4) Site Location Information.

(5) Site Land Type.

(6) North American Industry Classification System (NAICS) Code(s) for the Site.

(7) Site Mailing Address.

(8) Site Contact Person.

(9) Operator and Legal Owner of the Site.

(10) Type of Regulated Waste Activity.

(11) Certification.

(c) An eligible academic entity shall keep a copy of the notification on file at the eligible academic entity for as long as its laboratories are subject to Sections R315-262-200 through R315-262-216.

(d) A teaching hospital that is not owned by a college or university shall keep a copy of its formal written affiliation agreement with a college or university on file at the teaching hospital for as long as its laboratories are subject to Sections R315-262-200 through R315-262-216.

(e) A non-profit research institute that is not owned by a college or university shall keep a copy of its formal written affiliation agreement with a college or university on file at the non-profit research institute for as long as its laboratories are subject to Sections R315-262-200 through R315-262-216.

**R315-262-204. Alternative Requirements for Hazardous Waste Determination and Accumulation of Unwanted Material for Laboratories Owned by Eligible Academic Entities - How an Eligible Academic Entity Indicates It Will Withdraw from the Requirements of Sections**

**R315-262-200 Through 216.**

(a) An eligible academic entity shall notify the Director in writing, using the RCRA Subtitle C Site Identification Form (EPA Form 8700-12), that it is electing to no longer be subject to the requirements of Sections R315-262-200 through R315-262-216 for all the laboratories owned by the eligible academic entity under the same EPA Identification Number and that it will comply with the requirements of ~~[Section]~~Sections R315-262-11 and ~~[Subsection R315-262-34(c)]~~R315-262-15 for small quantity generators and large quantity generators. An eligible academic entity that is a ~~[conditionally exempt]~~very small quantity generator and does not have an EPA Identification Number shall notify that it is withdrawing from the requirements of Sections R315-262-200 through R315-262-216 for all the laboratories owned by the eligible academic entity that are on-site and that it will comply with the conditional exemption in ~~[Subsection R315-261-5(b)]~~Section R315-262-14. An eligible academic entity shall submit a separate notification, Site Identification Form, for each EPA Identification Number, or site, for ~~[conditionally exempt]~~very small quantity generators, that is withdrawing from the requirements of Sections R315-262-200 through R315-262-216 and shall submit the Site Identification Form before it begins operating under the requirements of ~~[Section]~~Sections R315-262-11 and ~~[Subsection R315-262-34(c)]~~ R315-262-15 for small quantity generators and large quantity generators, or ~~[Subsection R315-261-5(b)]~~Section R315-262-14 for ~~[conditionally exempt]~~very small quantity generators.

(b) When submitting the Site Identification Form, the eligible academic entity shall, at a minimum, fill out the following fields on the form:

(1) Reason for Submittal.

(2) Site EPA Identification Number, except for ~~[conditionally exempt]~~very small quantity generators.

(3) Site Name.

(4) Site Location Information.

(5) Site Land Type.

(6) North American Industry Classification System (NAICS) Code(s) for the Site.

(7) Site Mailing Address.

(8) Site Contact Person.

(9) Operator and Legal Owner of the Site.

(10) Type of Regulated Waste Activity.

(11) Certification.

(c) An eligible academic entity shall keep a copy of the withdrawal notice on file at the eligible academic entity for three years from the date of the notification.

**R315-262-205. Alternative Requirements for Hazardous Waste Determination and Accumulation of Unwanted Material for Laboratories Owned by Eligible Academic Entities -- Summary of the Requirements of Sections R315-262-200 through R315-262-216.**

An eligible academic entity that chooses to be subject to Sections R315-262-200 through 216 is not required to have interim status or a RCRA Part B permit for the accumulation of unwanted material and hazardous waste in its laboratories, provided the laboratories comply with the provisions of Sections R315-262-200 through 216 and the

eligible academic entity has a Laboratory Management Plan (LMP) in accordance with Section R315-262-214 that describes how the laboratories owned by the eligible academic entity will comply with the requirements of Sections R315-262-200 through 216.

**R315-262-206. Alternative Requirements for Hazardous Waste Determination and Accumulation of Unwanted Material for Laboratories Owned by Eligible Academic Entities -- Labeling and Management Standards for Containers of Unwanted Material in the Laboratory.**

An eligible academic entity shall manage containers of unwanted material while in the laboratory in accordance with the requirements in Section R315-262-206.

(a) Labeling: Label unwanted material as follows:

(1) The following information shall be affixed or attached to the container:

(i) The words "unwanted material" or another equally effective term that is to be used consistently by the eligible academic entity and that is identified in Part I of the Laboratory Management Plan, and

(ii) Sufficient information to alert emergency responders to the contents of the container. Examples of information that would be sufficient to alert emergency responders to the contents of the container include, but are not limited to:

(A) The name of the chemical(s),

(B) The type or class of chemical, such as organic solvents or halogenated organic solvents.

(2) The following information may be affixed or attached to the container, but shall at a minimum be associated with the container:

(i) The date that the unwanted material first began accumulating in the container, and

(ii) Information sufficient to allow a trained professional to properly identify whether an unwanted material is a solid and hazardous waste and to assign the proper hazardous waste code(s), pursuant to Section R315-262-11. Examples of information that would allow a trained professional to properly identify whether an unwanted material is a solid or hazardous waste include, but are not limited to:

(A) The name and/or description of the chemical contents or composition of the unwanted material, or, if known, the product of the chemical reaction,

(B) Whether the unwanted material has been used or is unused,

(C) A description of the manner in which the chemical was produced or processed, if applicable.

(b) Management of Containers in the Laboratory. An eligible academic entity shall properly manage containers of unwanted material in the laboratory to assure safe storage of the unwanted material, to prevent leaks, spills, emissions to the air, adverse chemical reactions, and dangerous situations that may result in harm to human health or the environment. Proper container management shall include the following:

(1) Containers are maintained and kept in good condition and damaged containers are replaced, overpacked, or repaired, and

(2) Containers are compatible with their contents to avoid reactions between the contents and the container; and are made of,

or lined with, material that is compatible with the unwanted material so that the container's integrity is not impaired, and

(3) Containers shall be kept closed at all times, except:

(i) When adding, removing or bulking unwanted material, or

(ii) A working container may be open until the end of the procedure or work shift, or until it is full, whichever comes first, at which time the working container shall either be closed or the contents emptied into a separate container that is then closed, or

(iii) When venting of a container is necessary[+]:

(A) For the proper operation of laboratory equipment, such as with in-line collection of unwanted materials from high performance liquid chromatographs[+]; or

(B) To prevent dangerous situations, such as build-up of extreme pressure.

**R315-262-207. Alternative Requirements for Hazardous Waste Determination and Accumulation of Unwanted Material for Laboratories Owned by Eligible Academic Entities -- Training.**

An eligible academic entity shall provide training to all individuals working in a laboratory at the eligible academic entity, as follows:

(a) Training for laboratory workers and students shall be commensurate with their duties so they understand the requirements in Sections R315-262-200 through 216 and can implement them.

(b) An eligible academic entity can provide training for laboratory workers and students in a variety of ways, including, but not limited to:

(1) Instruction by the professor or laboratory manager before or during an experiment; or

(2) Formal classroom training; or

(3) Electronic/written training; or

(4) On-the-job training; or

(5) Written or oral exams.

(c) An eligible academic entity that is a large quantity generator shall maintain documentation for the durations specified in 40 CFR 265.16(e), which is incorporated by reference in R315-265-1, demonstrating training for all laboratory workers that is sufficient to determine whether laboratory workers have been trained. Examples of documentation demonstrating training can include, but are not limited to, the following:

(1) Sign-in/attendance sheet(s) for training session(s); or

(2) Syllabus for training session; or

(3) Certificate of training completion; or

(4) Test results.

(d) A trained professional shall:

(1) Accompany the transfer of unwanted material and hazardous waste when the unwanted material and hazardous waste is removed from the laboratory, and

(2) Make the hazardous waste determination, pursuant to [Section]Subsections R315-262-11(a) through (d), for unwanted material.

**R315-262-208. Alternative Requirements for Hazardous Waste Determination and Accumulation of Unwanted Material for Laboratories**

**Owned by Eligible Academic Entities -- Removing Containers of Unwanted Material from the Laboratory.**

(a) Removing containers of unwanted material on a regular schedule. An eligible academic entity shall either:

(1) Remove all containers of unwanted material from each laboratory on a regular interval, not to exceed [6]12 months; or

(2) Remove containers of unwanted material from each laboratory within [6]12 months of each container's accumulation start date.

(b) The eligible academic entity shall specify in Part I of its Laboratory Management Plan whether it will comply with Subsection R315-262-208(a)(1) or (a)(2) for the regular removal of unwanted material from its laboratories.

(c) The eligible academic entity shall specify in Part II of its Laboratory Management Plan how it will comply with Subsection R315-262-208(a)(1) or (a)(2) and develop a schedule for regular removals of unwanted material from its laboratories.

(d) Removing containers of unwanted material when volumes are exceeded.

(1) If a laboratory accumulates a total volume of unwanted material, including reactive acutely hazardous unwanted material, in excess of 55 gallons before the regularly scheduled removal, the eligible academic entity shall ensure that all containers of unwanted material in the laboratory, including reactive acutely hazardous unwanted material:

(i) Are marked on the label that is associated with the container, or on the label that is affixed or attached to the container, if that is preferred, with the date that 55 gallons is exceeded; and

(ii) Are removed from the laboratory within 10 calendar days of the date that 55 gallons was exceeded, or at the next regularly scheduled removal, whichever comes first.

~~(2) [If a laboratory accumulates more than 1 quart of reactive acutely hazardous unwanted material before the regularly scheduled removal, then the eligible academic entity shall ensure that all containers of reactive acutely hazardous unwanted material:]~~If a laboratory accumulates more than 1 quart of liquid reactive acutely hazardous unwanted material or more than 1 kg (2.2 pounds) of solid reactive acutely hazardous unwanted material before the regularly scheduled removal, then the eligible academic entity shall ensure that all containers of reactive acutely hazardous unwanted material:

~~(i) [Are marked on the label that is associated with the container, or on the label that is affixed or attached to the container, if that is preferred, with the date that 1 quart is exceeded]~~Are marked on the label that is associated with the container, or on the label that is affixed or attached to the container, if that is preferred, with the date that 1 quart or 1 kg is exceeded; and

~~(ii) Are removed from the laboratory within 10 calendar days of the date that 1 quart or 1 kg was exceeded, or at the next regularly scheduled removal, whichever comes first.~~

**R315-262-209. Alternative Requirements for Hazardous Waste Determination and Accumulation of Unwanted Material for Laboratories Owned by Eligible Academic Entities -- Where and When to Make the Hazardous Waste Determination and Where to Send Containers of Unwanted Material Upon Removal from the Laboratory.**

(a) Large quantity generators and small quantity generators-an eligible academic entity shall ensure that a trained professional makes a hazardous waste determination, pursuant to Section R315-262-11, for unwanted material in any of the following areas:

(1) In the laboratory before the unwanted material is removed from the laboratory, in accordance with Section R315-262-210;

(2) Within 4 calendar days of arriving at an on-site central accumulation area, in accordance with Section R315-262-211; and

(3) Within 4 calendar days of arriving at an on-site interim status or permitted treatment, storage or disposal facility, in accordance with Section R315-262-212.

(b) ~~Conditionally exempt~~ Very small quantity generators~~---~~an eligible academic entity shall ensure that a trained professional makes a hazardous waste determination, pursuant to ~~Section~~ Subsections R315-262-11(a) through (d), for unwanted material in the laboratory before the unwanted material is removed from the laboratory, in accordance with Section R315-262-210.

**R315-262-210. Alternative Requirements for Hazardous Waste Determination and Accumulation of Unwanted Material for Laboratories Owned by Eligible Academic Entities -- Making the Hazardous Waste Determination in the Laboratory Before the Unwanted Material is Removed from the Laboratory.**

If an eligible academic entity makes the hazardous waste determination, pursuant to Section R315-262-11, for unwanted material in the laboratory, it shall comply with the following:

(a) A trained professional shall make the hazardous waste determination, pursuant to ~~Section~~ Subsections R315-262-11(a) through (d), before the unwanted material is removed from the laboratory.

(b) If an unwanted material is a hazardous waste, the eligible academic entity shall:

(1) Write the words "hazardous waste" on the container label that is affixed or attached to the container, before the hazardous waste may be removed from the laboratory; and

(2) Write the appropriate hazardous waste code(s) on the label that is associated with the container, or on the label that is affixed or attached to the container, if that is preferred, before the hazardous waste is transported off-site.

(3) Count the hazardous waste toward the eligible academic entity's generator status, pursuant to ~~Subsections R315-261-5(c) and (d)~~ Section R315-262-13, in the calendar month that the hazardous waste determination was made.

(c) A trained professional shall accompany all hazardous waste that is transferred from the laboratory(ies) to an on-site central accumulation area or on-site interim status or permitted treatment, storage or disposal facility.

(d) When hazardous waste is removed from the laboratory:

(1) Large quantity generators and small quantity generators shall ensure it is taken directly from the laboratory(ies) to an on-site central accumulation area, or on-site interim status or permitted treatment, storage or disposal facility, or transported off-site.

(2) ~~Conditionally exempt small quantity generators shall~~

ensure it is taken directly from the laboratory(ies) to any of the types of facilities listed in Subsection R315-261-5(f)(3) for acute hazardous waste, or Subsection R315-261-5(g)(3) for hazardous waste]Very small quantity generators shall ensure it is taken directly from the laboratory(ies) to any of the types of facilities listed in Section R315-262-14.

(e) An unwanted material that is a hazardous waste is subject to all applicable hazardous waste regulations when it is removed from the laboratory.

**R315-262-211. Alternative Requirements for Hazardous Waste Determination and Accumulation of Unwanted Material for Laboratories Owned by Eligible Academic Entities - Making the Hazardous Waste Determination at an On-Site Central Accumulation Area.**

If an eligible academic entity makes the hazardous waste determination, pursuant to Section R315-262-11, for unwanted material at an on-site central accumulation area, it shall comply with the following:

(a) A trained professional shall accompany all unwanted material that is transferred from the laboratory(ies) to an on-site central accumulation area.

(b) All unwanted material removed from the laboratory(ies) shall be taken directly from the laboratory(ies) to the on-site central accumulation area.

(c) [The unwanted material becomes subject to the generator accumulation regulations of Subsection R315-262-34(a) for large quantity generators or Subsections R315-262-34(d) through (f) for small quantity generators as soon as it arrives in the central accumulation area, except for the "hazardous waste" labeling requirements of Subsection R315-262-34(a)(3)]The unwanted material becomes subject to the generator accumulation regulations of Section R315-262-16 for small quantity generators or Section R315-262-17 for large quantity generators as soon as it arrives in the central accumulation area, except for the "hazardous waste" labeling conditions of Subsections R315-262-16(b)(6) and 17(a)(5).

(d) A trained professional shall determine, pursuant to [Section]Subsections R315-262-11(a) through (d), if the unwanted material is a hazardous waste within 4 calendar days of the unwanted materials' arrival at the on-site central accumulation area.

(e) If the unwanted material is a hazardous waste, the eligible academic entity shall:

(1) Write the words "hazardous waste" on the container label that is affixed or attached to the container, within 4 calendar days of arriving at the on-site central accumulation area and before the hazardous waste may be removed from the on-site central accumulation area, and

(2) Write the appropriate hazardous waste code(s) on the container label that is associated with the container, or on the label that is affixed or attached to the container, if that is preferred, before the hazardous waste may be treated or disposed of on-site or transported off-site, and

(3) Count the hazardous waste toward the eligible academic entity's generator [status]category, pursuant to [Subsection R315-261-5(c) and (d)]Section R315-262-13 in the calendar month that

the hazardous waste determination was made, and

(4) Manage the hazardous waste according to all applicable hazardous waste regulations.

**R315-262-212. Alternative Requirements for Hazardous Waste Determination and Accumulation of Unwanted Material for Laboratories Owned by Eligible Academic Entities -- Making the Hazardous Waste Determination at an On-Site Interim Status or Permitted Treatment, Storage or Disposal Facility.**

If an eligible academic entity makes the hazardous waste determination, pursuant to Section R315-262-11, for unwanted material at an on-site interim status or permitted treatment, storage or disposal facility, it shall comply with the following:

(a) A trained professional shall accompany all unwanted material that is transferred from the laboratory(ies) to an on-site interim status or permitted treatment, storage or disposal facility.

(b) All unwanted material removed from the laboratory(ies) shall be taken directly from the laboratory(ies) to the on-site interim status or permitted treatment, storage or disposal facility.

(c) The unwanted material becomes subject to the terms of the eligible academic entity's hazardous waste permit or interim status as soon as it arrives in the on-site treatment, storage or disposal facility.

(d) A trained professional shall determine, pursuant to [Section]Subsections R315-262-11(a) through (d), if the unwanted material is a hazardous waste within 4 calendar days of the unwanted materials' arrival at an on-site interim status or permitted treatment, storage or disposal facility.

(e) If the unwanted material is a hazardous waste, the eligible academic entity shall:

(1) Write the words "hazardous waste" on the container label that is affixed or attached to the container within 4 calendar days of arriving at the on-site interim status or permitted treatment, storage or disposal facility and before the hazardous waste may be removed from the on-site interim status or permitted treatment, storage or disposal facility, and

(2) Write the appropriate hazardous waste code(s) on the container label that is associated with the container, or on the label that is affixed or attached to the container, if that is preferred, before the hazardous waste may be treated or disposed on-site or transported off-site, and

(3) Count the hazardous waste toward the eligible academic entity's generator status, pursuant to Subsections R315-261-5(c) and (d) in the calendar month that the hazardous waste determination was made, and

(4) Manage the hazardous waste according to all applicable hazardous waste regulations.

**R315-262-213. Alternative Requirements for Hazardous Waste Determination and Accumulation of Unwanted Material for Laboratories Owned by Eligible Academic Entities -- Laboratory Clean-outs.**

(a) One time per 12 month period for each laboratory, an eligible academic entity may opt to conduct a laboratory clean-out that is subject to all the applicable requirements of Sections R315-262-200

through 216, except that:

(1) [If the volume of unwanted material in the laboratory exceeds 55 gallons, or 1 quart of reactive acutely hazardous unwanted material, the eligible academic entity is not required to remove all unwanted materials from the laboratory within 10 calendar days of exceeding 55 gallons, or 1 quart of reactive acutely hazardous unwanted material, as required by Section R315-262-208. Instead, the eligible academic entity shall remove all unwanted materials from the laboratory within 30 calendar days from the start of the laboratory clean-out] If the volume of unwanted material in the laboratory exceeds 55 gallons, or 1 quart of liquid reactive acutely hazardous unwanted material or 1 kg of solid reactive acutely hazardous unwanted material, the eligible academic entity is not required to remove all unwanted materials from the laboratory within 10 calendar days of exceeding 55 gallons, or 1 quart of liquid reactive acutely hazardous unwanted material or 1 kg or solid reactive acutely hazardous unwanted material, as required by Section R315-262-208. Instead, the eligible academic entity shall remove all unwanted materials from the laboratory within 30 calendar days from the start of the laboratory clean-out; and

(2) [For the purposes of on-site accumulation, an eligible academic entity is not required to count a hazardous waste that is an unused commercial chemical product, listed in Sections R315-261-30 through 35 or exhibiting one or more characteristics in Sections R315-261-20 through 24, generated solely during the laboratory clean-out toward its hazardous waste generator status, pursuant to Subsections R315-261-5(c) and (d). An unwanted material that is generated prior to the beginning of the laboratory clean-out and is still in the laboratory at the time the laboratory clean-out commences shall be counted toward hazardous waste generator status, pursuant to Subsections R315-261-5(c) and (d), if it is determined to be hazardous waste] For the purposes of on-site accumulation, an eligible academic entity is not required to count a hazardous waste that is an unused commercial chemical product, listed in Sections R315-261-30 through R315-261-35 or exhibiting one or more characteristics in Sections R315-261-20 through R315-261-24, generated solely during the laboratory clean-out toward its hazardous waste generator category, pursuant to Section R315-262-13. An unwanted material that is generated prior to the beginning of the laboratory clean-out and is still in the laboratory at the time the laboratory clean-out commences shall be counted toward hazardous waste generator category, pursuant to Section R315-262-13, if it is determined to be hazardous waste; and

(3) [For the purposes of off-site management, an eligible academic entity shall count all its hazardous waste, regardless of whether the hazardous waste was counted toward generator status under Subsection R315-262-213(a)(2), and if it generates more than 1 kg/month of acute hazardous waste or more than 100 kg/month of hazardous waste, i.e., the conditionally exempt small quantity generator limits of Section R315-261-5, the hazardous waste is subject to all applicable hazardous waste regulations when it is transported off-site] For the purposes of off-site management, an eligible academic entity shall count all its hazardous waste, regardless of whether the hazardous waste was counted toward generator category under Subsection R315-262-213(a)(2), and if it generates more than 1 kg

per month of acute hazardous waste or more than 100 kg per month of non-acute hazardous waste, i.e., the very small quantity generator limits as defined in Section R315-260-10, the hazardous waste is subject to all applicable hazardous waste regulations when it is transported off site; and

(4) An eligible academic entity shall document the activities of the laboratory clean-out. The documentation shall, at a minimum, identify the laboratory being cleaned out, the date the laboratory clean-out begins and ends, and the volume of hazardous waste generated during the laboratory clean-out. The eligible academic entity shall maintain the records for a period of three years from the date the clean-out ends; and

(b) For all other laboratory clean-outs conducted during the same 12-month period, an eligible academic entity is subject to all the applicable requirements of Sections R315-262-200 through 216, including, but not limited to:

(1) The requirement to remove all unwanted materials from the laboratory within 10 calendar days of exceeding 55 gallons, or 1 quart of reactive acutely hazardous unwanted material, as required by Section R315-262-208; and

(2) The requirement to count all hazardous waste, including unused hazardous waste, generated during the laboratory clean-out toward its hazardous waste generator [status]category, pursuant to [Subsections R315-261-5(c) and (d)]Section R315-262-13.

**R315-262-214. Alternative Requirements for Hazardous Waste Determination and Accumulation of Unwanted Material for Laboratories Owned by Eligible Academic Entities Laboratory Management Plan.**

An eligible academic entity shall develop and retain a written Laboratory Management Plan, or revise an existing written plan. The Laboratory Management Plan is a site-specific document that describes how the eligible academic entity will manage unwanted materials in compliance with Sections R315-262-200 through 216. An eligible academic entity may write one Laboratory Management Plan for all the laboratories owned by the eligible academic entity that have opted into Sections R315-262-200 through 216, even if the laboratories are located at sites with different EPA Identification Numbers. The Laboratory Management Plan shall contain two parts with a total of nine elements identified in Subsections R315-262-214(a) and (b). In Part I of its Laboratory Management Plan, an eligible academic entity shall describe its procedures for each of the elements listed in Subsection R315-262-214(a). An eligible academic entity shall implement and comply with the specific provisions that it develops to address the elements in Part I of the Laboratory Management Plan.

In Part II of its Laboratory Management Plan, an eligible academic entity shall describe its best management practices for each of the elements listed in Subsection R315-262-214(b). The specific actions taken by an eligible academic entity to implement each element in Part II of its Laboratory Management Plan may vary from the procedures described in the eligible academic entity's Laboratory Management Plan, without constituting a violation of Sections R315-262-200 through 216. An eligible academic entity may include additional elements and best management practices in Part II of its Laboratory Management Plan if it chooses.

(a) The eligible academic entity shall implement and comply with the specific provisions of Part I of its Laboratory Management Plan. In Part I of its Laboratory Management Plan, an eligible academic entity shall:

(1) Describe procedures for container labeling in accordance with Subsection R315-262-206(a), as follows:

(i) Identifying whether the eligible academic entity will use the term "unwanted material" on the containers in the laboratory. If not, identify an equally effective term that will be used in lieu of "unwanted material" and consistently by the eligible academic entity. The equally effective term, if used, has the same meaning and is subject to the same requirements as "unwanted material."

(ii) Identifying the manner in which information that is "associated with the container" will be imparted.

(2) Identify whether the eligible academic entity will comply with Subsection R315-262-208(a)(1) or (a)(2) for regularly scheduled removals of unwanted material from the laboratory.

(b) In Part II of its Laboratory Management Plan, an eligible academic entity shall:

(1) Describe its intended best practices for container labeling and management, see the required standards at Section R315-262-206.

(2) Describe its intended best practices for providing training for laboratory workers and students commensurate with their duties, see the required standards at Subsection R315-262-207(a).

(3) Describe its intended best practices for providing training to ensure safe on-site transfers of unwanted material and hazardous waste by trained professionals, see the required standards at Subsection R315-262-207(d)(1).

(4) Describe its intended best practices for removing unwanted material from the laboratory, including:

(i) For regularly scheduled removals-Develop a regular schedule for identifying and removing unwanted materials from its laboratories, see the required standards at Subsections R315-262-208(a)(1) and (a)(2).

(ii) For removals when maximum volumes are exceeded:

(A) Describe its intended best practices for removing unwanted materials from the laboratory within 10 calendar days when unwanted materials have exceeded their maximum volumes, see the required standards at Subsection R315-262-208(d).

(B) Describe its intended best practices for communicating that unwanted materials have exceeded their maximum volumes.

(5) Describe its intended best practices for making hazardous waste determinations, including specifying the duties of the individuals involved in the process, see the required standards at [Section]Subsections R315-262-11(a) through (d) and Sections R315-262-209 through R315-262-212.

(6) Describe its intended best practices for laboratory clean-outs, if the eligible academic entity plans to use the incentives for laboratory clean-outs provided in Section R315-262-213, including:

(i) Procedures for conducting laboratory clean-outs, see the required standards at Subsections R315-262-213(a)(1) through (3); and

(ii) Procedures for documenting laboratory clean-outs, see the

required standards at Subsection R315-262-213(a)(4).

(7) Describe its intended best practices for emergency prevention, including:

(i) Procedures for emergency prevention, notification, and response, appropriate to the hazards in the laboratory; and

(ii) A list of chemicals that the eligible academic entity has, or is likely to have, that become more dangerous when they exceed their expiration date and/or as they degrade; and

(iii) Procedures to safely dispose of chemicals that become more dangerous when they exceed their expiration date and/or as they degrade; and

(iv) Procedures for the timely characterization of unknown chemicals.

(c) An eligible academic entity shall make its Laboratory Management Plan available to laboratory workers, students, or any others at the eligible academic entity who request it.

(d) An eligible academic entity shall review and revise its Laboratory Management Plan, as needed.

**R315-262-215. Alternative Requirements for Hazardous Waste Determination and Accumulation of Unwanted Material for Laboratories Owned by Eligible Academic Entities -- Unwanted Material that Is Not Solid or Hazardous Waste.**

(a) If an unwanted material does not meet the definition of solid waste in Section R315-261-2, it is no longer subject to Sections R315-262-200 through 216 or to Rules R315-260 through 266, 268, or 270.

(b) If an unwanted material does not meet the definition of hazardous waste in Section R315-261-3, it is no longer subject to Sections R315-262-200 through 216 or to Rules R315-260 through 266, 268, or 270, but shall be managed in compliance with any other applicable regulations and/or conditions.

**R315-262-216. Alternative Requirements for Hazardous Waste Determination and Accumulation of Unwanted Material for Laboratories Owned by Eligible Academic Entities -- Non-Laboratory Hazardous Waste Generated at an Eligible Academic Entity.**

An eligible academic entity that generates hazardous waste outside of a laboratory is not eligible to manage that hazardous waste under Sections R315-262-200 through 216; and

(a) Remains subject to the generator requirements of [Section]Sections R315-262-11 and [Subsection R315-262-34(c)]R315-262-15 for large quantity generators and small quantity generators, if the hazardous waste is managed in a satellite accumulation area, and all other applicable generator requirements of Rule R315-262, with respect to that hazardous waste; or

(b) Remains subject to the conditional exemption of [Subsection R315-261-5(b) for conditionally exempt]Section R315-262-14 for very small quantity generators, with respect to that hazardous waste.

**R315-262-217. Appendix.**

[Appendix to 40 CFR 262, 2015 edition, is adopted and incorporated by reference.]Appendix to Rule R315-262 - Uniform Hazardous Waste

## Manifest and Instructions (EPA Forms 8700-22 and 8700-22A and Their Instructions)

U.S. EPA Forms 8700-22 and Manifest Continuation Sheet (EPA Form 8700-22A) found in appendix to 40 CFR 262, 2015 edition, are incorporated and incorporated by reference.

Read all instructions before completing this form.

1. This form has been designed for use on a 12-pitch (elite) typewriter which is also compatible with standard computer printers; a firm point pen may also be used - press down hard.

2. Federal regulations require generators and transporters of hazardous waste and owners or operators of hazardous waste treatment, storage, and disposal facilities to complete this form (FORM 8700-22) and, if necessary, the continuation sheet (FORM 8700-22A) for both inter- and intrastate transportation of hazardous waste.

### Manifest 8700-22

The following statement shall be included with each Uniform Hazardous Waste Manifest, either on the form, in the instructions to the form, or accompanying the form:

Public reporting burden for this collection of information is estimated to average: 30 minutes for generators, 10 minutes for transporters, and 25 minutes for owners or operators of treatment, storage, and disposal facilities. This includes time for reviewing instructions, gathering data, completing, reviewing and transmitting the form. Any correspondence regarding the PRA burden statement for the manifest shall be sent to the Director of the Collection Strategies Division in EPA's Office of Information Collection at the following address: U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW., Washington, DC 20460. Do not send the completed form to this address.

### I. Instructions for Generators

#### Manifest 8700-22

The following statement shall be included with each Uniform Hazardous Waste Manifest, either on the form, in the instructions to the form, or accompanying the form:

Public reporting burden for this collection of information is estimated to average: 30 minutes for generators, 10 minutes for transporters, and 25 minutes for owners or operators of treatment, storage, and disposal facilities. This includes time for reviewing instructions, gathering data, completing, reviewing and transmitting the form. Send comments regarding the burden estimate, including suggestions for reducing this burden, to: Chief, Information Policy Branch (2136), U.S. Environmental Protection Agency, Ariel Rios Building; 1200 Pennsylvania Ave., NW., Washington, DC 20460; and to

the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

Item 1. Generator's U.S. EPA Identification Number

Enter the generator's U.S. EPA twelve digit identification number, or the State generator identification number if the generator site does not have an EPA identification number.

Item 2. Page 1 of \_

Enter the total number of pages used to complete this Manifest (i.e., the first page (EPA Form 8700-22) plus the number of Continuation Sheets (EPA Form 8700-22A), if any).

Item 3. Emergency Response Phone Number

Enter a phone number for which emergency response information can be obtained in the event of an incident during transportation. The emergency response phone number shall:

1. Be the number of the generator or the number of an agency or organization who is capable of and accepts responsibility for providing detailed information about the shipment;

2. Reach a phone that is monitored 24 hours a day at all times the waste is in transportation (including transportation related storage); and

3. Reach someone who is either knowledgeable of the hazardous waste being shipped and has comprehensive emergency response and spill cleanup/incident mitigation information for the material being shipped or has immediate access to a person who has that knowledge and information about the shipment.

Note: Emergency Response phone number information should only be entered in Item 3 when there is one phone number that applies to all the waste materials described in Item 9b. If a situation (e.g., consolidated shipments) arises where more than one Emergency Response phone number applies to the various wastes listed on the manifest, the phone numbers associated with each specific material should be entered after its description in Item 9b.

Item 4. Manifest Tracking Number

This unique tracking number shall be pre-printed on the manifest by the forms printer.

Item 5. Generator's Mailing Address, Phone Number and Site Address

Enter the name of the generator, the mailing address to which the completed manifest signed by the designated facility should be mailed, and the generator's telephone number. Note, the telephone number (including area code) should be the normal business number for the

generator, or the number where the generator or his authorized agent may be reached to provide instructions in the event the designated and/or alternate (if any) facility rejects some or all of the shipment. Also enter the physical site address from which the shipment originates only if this address is different than the mailing address.

Item 6. Transporter 1 Company Name, and U.S. EPA ID Number

Enter the company name and U.S. EPA ID number of the first transporter who will transport the waste. Vehicle or driver information may not be entered here.

Item 7. Transporter 2 Company Name and U.S. EPA ID Number

If applicable, enter the company name and U.S. EPA ID number of the second transporter who will transport the waste. Vehicle or driver information may not be entered here.

If more than two transporters are needed, use a Continuation Sheet(s) (EPA Form 8700-22A).

Item 8. Designated Facility Name, Site Address, and U.S. EPA ID Number

Enter the company name and site address of the facility designated to receive the waste listed on this manifest. Also enter the facility's phone number and the U.S. EPA twelve digit identification number of the facility.

Item 9. U.S. DOT Description (Including Proper Shipping Name, Hazard Class or Division, Identification Number, and Packing Group)

Item 9a. If the wastes identified in Item 9b consist of both hazardous and nonhazardous materials, then identify the hazardous materials by entering an "X" in this Item next to the corresponding hazardous material identified in Item 9b.

If applicable, enter the name of the person accepting the waste on behalf of the second transporter. That person shall acknowledge acceptance of the waste described on the manifest by signing and entering the date of receipt.

Item 9b. Enter the U.S. DOT Proper Shipping Name, Hazard Class or Division, Identification Number (UN/NA) and Packing Group for each waste as identified in 49 CFR 172. Include technical name(s) and reportable quantity references, if applicable.

Note: If additional space is needed for waste descriptions, enter these additional descriptions in Item 27 on the Continuation Sheet (EPA Form 8700-22A). Also, if more than one Emergency Response phone number applies to the various wastes described in either Item 9b or Item 27, enter applicable Emergency Response phone numbers immediately following the shipping descriptions for those Items.

Item 10. Containers (Number and Type)

Enter the number of containers for each waste and the appropriate abbreviation from Table I (below) for the type of container.

Table I—Types of Containers

BA = Burlap, cloth, paper, or plastic bags.

CF = Fiber or plastic boxes, cartons, cases.

CM = Metal boxes, cartons, cases (including roll-offs).

CW = Wooden boxes, cartons, cases.

CY = Cylinders.

DF = Fiberboard or plastic drums, barrels, kegs.

DM = Metal drums, barrels, kegs.

DT = Dump truck.

DW = Wooden drums, barrels, kegs.

HG = Hopper or gondola cars.

TC = Tank cars.

TP = Portable tanks.

TT = Cargo tanks (tank trucks).

Item 11. Total Quantity

Enter, in designated boxes, the total quantity of waste. Round partial units to the nearest whole unit, and do not enter decimals or fractions. To the extent practical, report quantities using appropriate units of measure that will allow you to report quantities with precision. Waste quantities entered should be based on actual measurements or reasonably accurate estimates of actual quantities shipped. Container capacities are not acceptable as estimates.

Item 12. Units of Measure (Weight/Volume)

Enter, in designated boxes, the appropriate abbreviation from Table II (below) for the unit of measure.

Table II—Units of Measure

G = Gallons (liquids only).

K = Kilograms.

L = Liters (liquids only).

M = Metric Tons (1000 kilograms).

N = Cubic Meters.

P = Pounds.

T = Tons (2000 pounds).

Y = Cubic Yards.

Note: Tons, Metric Tons, Cubic Meters, and Cubic Yards should only be reported in connection with very large bulk shipments, such as rail cars, tank trucks, or barges.

Item 13. Waste Codes

Enter up to six federal and state waste codes to describe each waste stream identified in Item 9b. State waste codes that are not redundant with federal codes shall be entered here, in addition to the federal waste codes which are most representative of the properties of the

waste.

#### Item 14. Special Handling Instructions and Additional Information.

1. Generators may enter any special handling or shipment-specific information necessary for the proper management or tracking of the materials under the generator's or other handler's business processes, such as waste profile numbers, container codes, bar codes, or response guide numbers. Generators also may use this space to enter additional descriptive information about their shipped materials, such as chemical names, constituent percentages, physical state, or specific gravity of wastes identified with volume units in Item 12.

2. This space may be used to record limited types of federally required information for which there is no specific space provided on the manifest, including any alternate facility designations; the manifest tracking number of the original manifest for rejected wastes and residues that are re-shipped under a second manifest; and the specification of PCB waste descriptions and PCB out-of-service dates required under 40 CFR 761.207. Generators, however, cannot be required to enter information in this space to meet state regulatory requirements.

#### Item 15. Generator's/Offeror's Certifications

1. The generator shall read, sign, and date the waste minimization certification statement. In signing the waste minimization certification statement, those generators who have not been exempted by statute or regulation from the duty to make a waste minimization certification under section 3002(b) of RCRA are also certifying that they have complied with the waste minimization requirements. The Generator's Certification also contains the required attestation that the shipment has been properly prepared and is in proper condition for transportation (the shipper's certification). The content of the shipper's certification statement is as follows: "I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked, and labeled/placarded, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent." When a party other than the generator prepares the shipment for transportation, this party may also sign the shipper's certification statement as the offeror of the shipment.

2. Generator or Offeror personnel may preprint the words, "On behalf of" in the signature block or may hand write this statement in the signature block prior to signing the generator/offeror certification, to indicate that the individual signs as the employee or agent of the named principal.

Note: All of the above information except the handwritten signature required in Item 15 may be pre-printed.

## II. Instructions for International Shipment Block

### Item 16. International Shipments

For export shipments, the primary exporter shall check the export box, and enter the point of exit (city and state) from the United States. For import shipments, the importer shall check the import box and enter the point of entry (city and state) into the United States. For exports, the transporter shall sign and date the manifest to indicate the day the shipment left the United States.

## III. Instructions for Transporters

### Item 17. Transporters' Acknowledgments of Receipt

Enter the name of the person accepting the waste on behalf of the first transporter. That person shall acknowledge acceptance of the waste described on the manifest by signing and entering the date of receipt. Only one signature per transportation company is required. Signatures are not required to track the movement of wastes in and out of transfer facilities, unless there is a change of custody between transporters.

If applicable, enter the name of the person accepting the waste on behalf of the second transporter. That person shall acknowledge acceptance of the waste described on the manifest by signing and entering the date of receipt.

Note: Transporters carrying imports, who are acting as importers, may have responsibilities to enter information in the International Shipments Block. Transporters carrying exports may also have responsibilities to enter information in the International Shipments Block. See above instructions for Item 16.

## IV. Instructions for Owners and Operators of Treatment, Storage, and Disposal Facilities

### Item 18. Discrepancy

#### Item 18a. Discrepancy Indication Space

1. The authorized representative of the designated (or alternate) facility's owner or operator shall note in this space any discrepancies between the waste described on the Manifest and the waste actually received at the facility. Manifest discrepancies are: significant differences (as defined by Subsections R315-264-72(b) and 40 CFR 265.72(b)), which is incorporated by reference in Section R315-265-1, between the quantity or type of hazardous waste designated on the manifest or shipping paper, and the quantity and type of hazardous waste a facility actually receives, rejected wastes, which may be a full or partial shipment of hazardous waste that the TSDF cannot accept, or container residues, which are residues that exceed the quantity limits for "empty" containers set forth in Subsection

R315-261-7(b).

2. For rejected loads and residues (Subsections R315-264-72(d), (e), and (f), or CFR 265.72(d), (e), or (f)), which are incorporated by reference in Section R315-265-1, check the appropriate box if the shipment is a rejected load (i.e., rejected by the designated and/or alternate facility and is sent to an alternate facility or returned to the generator) or a regulated residue that cannot be removed from a container. Enter the reason for the rejection or the inability to remove the residue and a description of the waste. Also, reference the manifest tracking number for any additional manifests being used to track the rejected waste or residue shipment on the original manifest. Indicate the original manifest tracking number in Item 14, the Special Handling Block and Additional Information Block of the additional manifests.

3. Owners or operators of facilities located in unauthorized States (i.e., states in which the U.S. EPA administers the hazardous waste management program) who cannot resolve significant differences in quantity or type within 15 days of receiving the waste shall submit to their Regional Administrator a letter with a copy of the Manifest at issue describing the discrepancy and attempts to reconcile it (Subsections R315-264-72(c) and CFR 265.72(c), which is incorporated by reference in Section R315-265-1).

4. Owners or operators of facilities located in authorized States (i.e., those States that have received authorization from the U.S. EPA to administer the hazardous waste management program) should contact their State agency for information on where to report discrepancies involving "significant differences" to state officials.

Item 18b. Alternate Facility (or Generator) for Receipt of Full Load Rejections

Enter the name, address, phone number, and EPA Identification Number of the Alternate Facility which the rejecting TSDF has designated, after consulting with the generator, to receive a fully rejected waste shipment. In the event that a fully rejected shipment is being returned to the generator, the rejecting TSDF may enter the generator's site information in this space. This field is not to be used to forward partially rejected loads or residue waste shipments.

Item 18c. Alternate Facility (or Generator) Signature

The authorized representative of the alternate facility (or the generator in the event of a returned shipment) shall sign and date this field of the form to acknowledge receipt of the fully rejected wastes or residues identified by the initial TSDF.

Item 19. Hazardous Waste Report Management Method Codes

Enter the most appropriate Hazardous Waste Report Management Method code for each waste listed in Item 9. The Hazardous Waste Report Management Method code is to be entered by the first treatment,

storage, or disposal facility (TSDF) that receives the waste and is the code that best describes the way in which the waste is to be managed when received by the TSDF.

Item 20. Designated Facility Owner or Operator Certification of Receipt (Except As Noted in Item 18a)

Enter the name of the person receiving the waste on behalf of the owner or operator of the facility. That person shall acknowledge receipt or rejection of the waste described on the Manifest by signing and entering the date of receipt or rejection where indicated. Since the Facility Certification acknowledges receipt of the waste except as noted in the Discrepancy Space in Item 18a, the certification should be signed for both waste receipt and waste rejection, with the rejection being noted and described in the space provided in Item 18a. Fully rejected wastes may be forwarded or returned using Item 18b after consultation with the generator. Enter the name of the person accepting the waste on behalf of the owner or operator of the alternate facility or the original generator. That person shall acknowledge receipt or rejection of the waste described on the Manifest by signing and entering the date they received or rejected the waste in Item 18c. Partially rejected wastes and residues shall be re-shipped under a new manifest, to be initiated and signed by the rejecting TSDF as offeror of the shipment.

Instructions - Continuation Sheet, U.S. EPA Form 8700-22A

Read all instructions before completing this form. This form has been designed for use on a 12-pitch (elite) typewriter; a firm point pen may also be used—press down hard.

This form shall be used as a continuation sheet to U.S. EPA Form 8700-22 if:

- More than two transporters are to be used to transport the waste; or
- More space is required for the U.S. DOT descriptions and related information in Item 9 of U.S. EPA Form 8700-22.

Federal regulations require generators and transporters of hazardous waste and owners or operators of hazardous waste treatment, storage, or disposal facilities to use the uniform hazardous waste manifest (EPA Form 8700-22) and, if necessary, this continuation sheet (EPA Form 8700-22A) for both interstate and intrastate transportation.

Item 21. Generator's ID Number

Enter the generator's U.S. EPA twelve digit identification number or, the State generator identification number if the generator site does not have an EPA identification number.

Item 22. Page \_-

Enter the page number of this Continuation Sheet.

Item 23. Manifest Tracking Number

Enter the Manifest Tracking number from Item 4 of the Manifest form to which this continuation sheet is attached.

Item 24. Generator's Name

Enter the generator's name as it appears in Item 5 on the first page of the Manifest.

Item 25. Transporter-Company Name

If additional transporters are used to transport the waste described on this Manifest, enter the company name of each additional transporter in the order in which they will transport the waste. Enter after the word "Transporter" the order of the transporter. For example, Transporter 3 Company Name. Also enter the U.S. EPA twelve digit identification number of the transporter described in Item 25.

Item 26. Transporter-Company Name

If additional transporters are used to transport the waste described on this Manifest, enter the company name of each additional transporter in the order in which they will transport the waste. Enter after the word "Transporter" the order of the transporter. For example, Transporter 4 Company Name. Each Continuation Sheet can record the names of two additional transporters. Also enter the U.S. EPA twelve digit identification number of the transporter named in Item 26.

Item 27. U.S. D.O.T. Description Including Proper Shipping Name, Hazardous Class, and ID Number (UN/NA)

For each row enter a sequential number under Item 27b that corresponds to the order of waste codes from one continuation sheet to the next, to reflect the total number of wastes being shipped. Refer to instructions for Item 9 of the manifest for the information to be entered.

Item 28. Containers (No. And Type)

Refer to the instructions for Item 10 of the manifest for information to be entered.

Item 29. Total Quantity

Refer to the instructions for Item 11 of the manifest form.

Item 30. Units of Measure (Weight/Volume)

Refer to the instructions for Item 12 of the manifest form.

Item 31. Waste Codes

Refer to the instructions for Item 13 of the manifest form.

Item 32. Special Handling Instructions and Additional Information

Refer to the instructions for Item 14 of the manifest form.

Transporters

Item 33. Transporter - Acknowledgment of Receipt of Materials

Enter the same number of the Transporter as identified in Item 25. Enter also the name of the person accepting the waste on behalf of the Transporter (Company Name) identified in Item 25. That person shall acknowledge acceptance of the waste described on the Manifest by signing and entering the date of receipt.

Item 34. Transporter - Acknowledgment of Receipt of Materials

Enter the same number of the Transporter as identified in Item 26. Enter also the name of the person accepting the waste on behalf of the Transporter (Company Name) identified in Item 26. That person shall acknowledge acceptance of the waste described on the Manifest by signing and entering the date of receipt.

Owner and Operators of Treatment, Storage, or Disposal Facilities

Item 35. Discrepancy Indication Space

Refer to Item 18. This space may be used to more fully describe information on discrepancies identified in Item 18a of the manifest form.

Item 36. Hazardous Waste Report Management Method Codes

For each field here, enter the sequential number that corresponds to the waste materials described under Item 27, and enter the appropriate process code that describes how the materials will be processed when received. If additional continuation sheets are attached, continue numbering the waste materials and process code fields sequentially, and enter on each sheet the process codes corresponding to the waste materials identified on that sheet.

**R315-262-230. Alternative Standards for Episodic Generation - Applicability.**

**Sections R315-262-230 through 233 are applicable to very small quantity generators and small quantity generators as defined in Section R315-260-10.**

**R315-262-231. Alternative Standards for Episodic Generation - Definitions for Sections R315-262-230 through 233.**

**(a) "Episodic event" means an activity or activities, either planned or unplanned, that does not normally occur during generator**

operations, resulting in an increase in the generation of hazardous wastes that exceeds the calendar month quantity limits for the generator's usual category.

(b) "Planned episodic event" means an episodic event that the generator planned and prepared for, including regular maintenance, tank cleanouts, short-term projects, and removal of excess chemical inventory

(c) "Unplanned episodic event" means an episodic event that the generator did not plan or reasonably did not expect to occur, including production process upsets, product recalls, accidental spills, or "acts of nature," such as tornado, hurricane, or flood.

**R315-262-232. Alternative Standards for Episodic Generation - Conditions for a Generator Managing Hazardous Waste from an Episodic Event.**

(a) Very small quantity generator. A very small quantity generator may maintain its existing generator category for hazardous waste generated during an episodic event provided that the generator complies with the following conditions:

(1) The very small quantity generator is limited to one episodic event per calendar year, unless a petition is granted under Section R315-262-233;

(2) Notification. The very small quantity generator shall notify the Director no later than thirty (30) calendar days prior to initiating a planned episodic event using EPA Form 8700-12. In the event of an unplanned episodic event, the generator shall notify the Director within 72 hours of the unplanned event via phone, email, or fax and subsequently submit EPA Form 8700-12. The generator shall include the start date and end date of the episodic event, the reason(s) for the event, types and estimated quantities of hazardous waste expected to be generated as a result of the episodic event, and shall identify a facility contact and emergency coordinator with 24-hour telephone access to discuss the notification submittal or respond to an emergency in compliance with Subsection R315-262-16(b)(9)(i);

(3) EPA ID Number. The very small quantity generator shall have an EPA identification number or obtain an EPA identification number using EPA Form 8700-12;

(4) Accumulation. A very small quantity generator is prohibited from accumulating hazardous waste generated from an episodic event on drip pads and in containment buildings. When accumulating hazardous waste in containers and tanks the following conditions apply:

(i) Containers. A very small quantity generator accumulating in containers shall mark or label its containers with the following:

(A) The words "Episodic Hazardous Waste";

(B) An indication of the hazards of the contents, examples include:

(I) the applicable hazardous waste characteristic(s), i.e., ignitable, corrosive, reactive, toxic;

(II) hazard communication consistent with the Department of Transportation requirements at 49 CFR part 172 subpart E, labeling, or subpart F, placarding;

(III) a hazard statement or pictogram consistent with the Occupational Safety and Health Administration Hazard Communication Standard at 29 CFR 1910.1200; or

(IV) a chemical hazard label consistent with the National Fire Protection Association code 704; and

(C) The date upon which the episodic event began, clearly visible for inspection on each container.

(ii) Tanks. A very small quantity generator accumulating episodic hazardous waste in tanks shall do the following:

(A) Mark or label the tank with the words "Episodic Hazardous Waste";

(B) Mark or label its tanks with an indication of the hazards of the contents, examples include, but are not limited to:

(I) the applicable hazardous waste characteristic(s), i.e., ignitable, corrosive, reactive, toxic;

(II) hazard communication consistent with the Department of Transportation requirements at 49 CFR part 172 subpart E, labeling, or subpart F, placarding;

(III) a hazard statement or pictogram consistent with the Occupational Safety and Health Administration Hazard Communication Standard at 29 CFR 1910.1200; or

(IV) a chemical hazard label consistent with the National Fire Protection Association code 704;

(C) Use inventory logs, monitoring equipment or other records to identify the date upon which each episodic event begins; and

(D) Keep inventory logs or records with the above information on site and readily available for inspection.

(iii) Hazardous waste shall be managed in a manner that minimizes the possibility of a fire, explosion, or release of hazardous waste or hazardous waste constituents to the air, soil, or water;

(A) Containers shall be in good condition and compatible with the hazardous waste being accumulated therein. Containers shall be kept closed except to add or remove waste; and

(B) Tanks shall be in good condition and compatible with the hazardous waste accumulated therein. Tanks shall have procedures in place to prevent the overflow (e.g., be equipped with a means to stop inflow with systems such as a waste feed cutoff system or bypass system to a standby tank when hazardous waste is continuously fed into the tank). Tanks shall be inspected at least once each operating day to ensure all applicable discharge control equipment, such as waste feed cutoff systems, bypass systems, and drainage systems are in good working order and to ensure the tank is operated according to its design by reviewing the data gathered from monitoring equipment such as pressure and temperature gauges from the inspection.

(5) The very small quantity generator shall comply with the hazardous waste manifest provisions of Sections R315-262-20 through 27 when it sends its episodic event hazardous waste off site to a designated facility, as defined in Section R315-260-10.

(6) The very small quantity generator has up to sixty (60) calendar days from the start of the episodic event to manifest and send its hazardous waste generated from the episodic event to a designated facility, as defined in Section R315-260-10.

(7) Very small quantity generators shall maintain the following records for three (3) years from the end date of the episodic event:

(i) Beginning and end dates of the episodic event;

(ii) A description of the episodic event;

(iii) A description of the types and quantities of hazardous

wastes generated during the event;

(iv) A description of how the hazardous waste was managed as well as the name of the designated facility that received the hazardous waste;

(v) Name(s) of hazardous waste transporters; and

(vi) An approval letter from the Director if the generator petitioned to conduct one additional episodic event per calendar year.

(b) Small quantity generators. A small quantity generator may maintain its existing generator category during an episodic event provided that the generator complies with the following conditions:

(1) The small quantity generator is limited to one episodic event per calendar year unless a petition is granted under Section R315-262-233;

(2) Notification. The small quantity generator shall notify the Director no later than thirty (30) calendar days prior to initiating a planned episodic event using EPA Form 8700-12. In the event of an unplanned episodic event, the small quantity generator shall notify the Director within 72 hours of the unplanned event via phone, email, or fax, and subsequently submit EPA Form 8700-12. The small quantity generator shall include the start date and end date of the episodic event and the reason(s) for the event, types and estimated quantities of hazardous wastes expected to be generated as a result of the episodic event, and identify a facility contact and emergency coordinator with 24-hour telephone access to discuss the notification submittal or respond to emergency;

(3) EPA ID Number. The small quantity generator shall have an EPA identification number or obtain an EPA identification number using EPA Form 8700-12; and

(4) Accumulation by small quantity generators. A small quantity generator is prohibited from accumulating hazardous wastes generated from an episodic event waste on drip pads and in containment buildings. When accumulating hazardous waste generated from an episodic event in containers and tanks, the following conditions apply:

(i) Containers. A small quantity generator accumulating episodic hazardous waste in containers shall meet the standards at Subsection R315-262-16(b)(2) and shall mark or label its containers with the following:

(A) The words "Episodic Hazardous Waste";

(B) An indication of the hazards of the contents, examples include, but are not limited to:

(I) the applicable hazardous waste characteristic(s), i.e., ignitable, corrosive, reactive, toxic;

(II) hazard communication consistent with the Department of Transportation requirements at 49 CFR part 172 subpart E, labeling, or subpart F, placarding;

(III) a hazard statement or pictogram consistent with the Occupational Safety and Health Administration Hazard Communication Standard at 29 CFR 1910.1200; or

(IV) a chemical hazard label consistent with the National Fire Protection Association code 704; and

(C) The date upon which the episodic event began, clearly visible for inspection on each container.

(ii) Tanks. A small quantity generator accumulating episodic hazardous waste in tanks shall meet the standards at Subsection

R315-262-16(b)(3) and shall do the following:

(A) Mark or label its tank with the words "Episodic Hazardous Waste";

(B) Mark or label its tanks with an indication of the hazards of the contents, examples include, but are not limited to:

(I) the applicable hazardous waste characteristic(s), i.e., ignitable, corrosive, reactive, toxic;

(II) hazard communication consistent with the Department of Transportation requirements at 49 CFR part 172 subpart E, labeling, or subpart F, placarding;

(III) a hazard statement or pictogram consistent with the Occupational Safety and Health Administration Hazard Communication Standard at 29 CFR 1910.1200; or

(IV) a chemical hazard label consistent with the National Fire Protection Association code 704;

(C) Use inventory logs, monitoring equipment or other records to identify the date upon which each period of accumulation begins and ends; and

(D) Keep inventory logs or records with the above information on site and available for inspection.

(5) The small quantity generator shall treat hazardous waste generated from an episodic event on site or manifest and ship such hazardous waste off site to a designated facility (as defined by Section R315-260-10) within sixty (60) calendar days from the start of the episodic event.

(6) The small quantity generator shall maintain the following records for three (3) years from the end date of the episodic event:

(i) Beginning and end dates of the episodic event;

(ii) A description of the episodic event;

(iii) A description of the types and quantities of hazardous wastes generated during the event;

(iv) A description of how the hazardous waste was managed as well as the name of the designated facility (as defined by Section R315-260-10) that received the hazardous waste;

(v) Name(s) of hazardous waste transporters; and

(vi) An approval letter from the Director if the generator petitioned to conduct one additional episodic event per calendar year.

### **R315-262-233 Alternative Standards for Episodic Generation - Petition to Manage One Additional Episodic Event Per Calendar Year.**

(a) A generator may petition the Director for a second episodic event in a calendar year without impacting its generator category under the following conditions:

(1) If a very small quantity generator or small quantity generator has already held a planned episodic event in a calendar year, the generator may petition the Director for an additional unplanned episodic event in that calendar year within 72 hours of the unplanned event.

(2) If a very small quantity generator or small quantity generator has already held an unplanned episodic event in a calendar year, the generator may petition the Director for an additional planned episodic event in that calendar year.

(b) The petition shall include the following:

(1) The reason(s) why an additional episodic event is needed

and the nature of the episodic event;

(2) The estimated amount of hazardous waste to be managed from the event;

(3) How the hazardous waste is to be managed;

(4) The estimated length of time needed to complete management of the hazardous waste generated from the episodic event - not to exceed sixty (60) days; and

(5) Information regarding the previous episodic event managed by the generator, including the nature of the event, whether it was a planned or unplanned event, and how the generator complied with the conditions.

(c) The petition shall be made to the Director in writing, either on paper or electronically.

(d) The generator shall retain written approval in its records for three (3) years from the date the episodic event ended.

**R315-262-250. Preparedness, Prevention, and Emergency Procedures for Large Quantity Generators - Applicability.**

The regulations of Sections R315-262-250 through 265 apply to those areas of a large quantity generator where hazardous waste is generated or accumulated on site.

**R315-262-251. Preparedness, Prevention, and Emergency Procedures for Large Quantity Generators - Maintenance and Operation of Facility.**

A large quantity generator shall maintain and operate its facility to minimize the possibility of a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water which could threaten human health or the environment.

**R315-262-252. Preparedness, Prevention, and Emergency Procedures for Large Quantity Generators - Required Equipment.**

All areas deemed applicable by Section R315-262-250 shall be equipped with the items in Subsections R315-262-252(a) through (d) (unless none of the hazards posed by waste handled at the facility could require a particular kind of equipment specified below or the actual hazardous waste generation or accumulation area does not lend itself for safety reasons to have a particular kind of equipment specified below). A large quantity generator may determine the most appropriate locations within its facility to locate equipment necessary to prepare for and respond to emergencies:

(a) An internal communications or alarm system capable of providing immediate emergency instruction (voice or signal) to facility personnel;

(b) A device, such as a telephone (immediately available at the scene of operations) or a hand-held two-way radio, capable of summoning emergency assistance from local police departments, fire departments, or state or local emergency response teams;

(c) Portable fire extinguishers, fire control equipment (including special extinguishing equipment, such as that using foam, inert gas, or dry chemicals), spill control equipment, and decontamination equipment; and

(d) Water at adequate volume and pressure to supply water hose streams, or foam producing equipment, or automatic sprinklers, or

water spray systems.

**R315-262-253. Preparedness, Prevention, and Emergency Procedures for Large Quantity Generators - Testing and Maintenance of Equipment.**

All communications or alarm systems, fire protection equipment, spill control equipment, and decontamination equipment, where required, shall be tested and maintained as necessary to assure its proper operation in time of emergency.

**R315-262-254. Preparedness, Prevention, and Emergency Procedures for Large Quantity Generators - Access to Communications or Alarm System.**

(a) Whenever hazardous waste is being poured, mixed, spread, or otherwise handled, all personnel involved in the operation shall have immediate access (e.g., direct or unimpeded access) to an internal alarm or emergency communication device, either directly or through visual or voice contact with another employee, unless such a device is not required under Section R315-262-252.

(b) In the event there is just one employee on the premises while the facility is operating, the employee shall have immediate access, e.g., direct or unimpeded access, to a device, such as a telephone, immediately available at the scene of operation, or a hand-held two-way radio, capable of summoning external emergency assistance, unless such a device is not required under Section R315-262-252.

**R315-262-255. Preparedness, Prevention, and Emergency Procedures for Large Quantity Generators - Required Aisle Space.**

The large quantity generator shall maintain aisle space to allow the unobstructed movement of personnel, fire protection equipment, spill control equipment, and decontamination equipment to any area of facility operation in an emergency, unless aisle space is not needed for any of these purposes.

**R315-262-256. Preparedness, Prevention, and Emergency Procedures for Large Quantity Generators - Arrangements with Local Authorities.**

(a) The large quantity generator shall attempt to make arrangements with the local police department, fire department, other emergency response teams, emergency response contractors, equipment suppliers, and local hospitals, taking into account the types and quantities of hazardous wastes handled at the facility. Arrangements may be made with the Local Emergency Planning Committee, if it is determined to be the appropriate organization with which to make arrangements.

(1) A large quantity generator attempting to make arrangements with its local fire department shall determine the potential need for the services of the local police department, other emergency response teams, emergency response contractors, equipment suppliers and local hospitals.

(2) As part of this coordination, the large quantity generator shall attempt to make arrangements, as necessary, to familiarize the above organizations with the layout of the facility, the properties of the hazardous waste handled at the facility and associated hazards, places where personnel would normally be working, entrances to roads

inside the facility, and possible evacuation routes as well as the types of injuries or illnesses which could result from fires, explosions, or releases at the facility.

(3) Where more than one police or fire department might respond to an emergency, the large quantity generator shall attempt to make arrangements designating primary emergency authority to a specific fire or police department, and arrangements with any others to provide support to the primary emergency authority.

(b) The large quantity generator shall maintain records documenting the arrangements with the local fire department as well as any other organization necessary to respond to an emergency. This documentation shall include documentation in the operating record that either confirms such arrangements actively exist or, in cases where no arrangements exist, confirms that attempts to make such arrangements were made.

(c) A facility possessing 24-hour response capabilities may seek a waiver from the State Fire Marshal or locality as far as needing to make arrangements with the local fire department as well as any other organization necessary to respond to an emergency, provided that the waiver is documented in the operating record.

**R315-262-260. Preparedness, Prevention, and Emergency Procedures for Large Quantity Generators - Purpose and Implementation of Contingency Plan.**

(a) A large quantity generator shall have a contingency plan for the facility. The contingency plan shall be designed to minimize hazards to human health or the environment from fires, explosions, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water.

(b) The provisions of the plan shall be carried out immediately whenever there is a fire, explosion, or release of hazardous waste or hazardous waste constituents which could threaten human health or the environment.

**R315-262-261. Preparedness, Prevention, and Emergency Procedures for Large Quantity Generators - Content of Contingency Plan.**

(a) The contingency plan shall describe the actions facility personnel shall take to comply with Sections R315-262-260 and 265 in response to fires, explosions, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water at the facility.

(b) If the generator has already prepared a Spill Prevention, Control, and Countermeasures (SPCC) Plan in accordance with some other emergency or contingency plan, it need only amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with the standards of Rule R315-262. The generator may develop one contingency plan that meets all regulatory standards. The plan should be based on the National Response Team's Integrated Contingency Plan Guidance, "One Plan."

(c) The plan shall describe arrangements agreed to with the local police department, fire department, other emergency response teams, emergency response contractors, equipment suppliers, local hospitals or, if applicable, the Local Emergency Planning Committee, pursuant to Section R315-262-256.

(d) The plan shall list names and emergency telephone numbers of all persons qualified to act as emergency coordinator (see Section R315-262-264), and this list shall be kept up to date. Where more than one person is listed, one shall be named as primary emergency coordinator and others shall be listed in the order in which they will assume responsibility as alternates. In situations where the generator facility has an emergency coordinator continuously on duty because it operates 24 hours per day, every day of the year, the plan may list the staffed position, e.g., operations manager, shift coordinator, shift operations supervisor, as well as an emergency telephone number that can be guaranteed to be answered at all times.

(e) The plan shall include a list of all emergency equipment at the facility, such as fire extinguishing systems, spill control equipment, communications and alarm systems, internal and external, and decontamination equipment, where this equipment is required. This list shall be kept up to date. In addition, the plan shall include the location and a physical description of each item on the list, and a brief outline of its capabilities.

(f) The plan shall include an evacuation plan for generator personnel where there is a possibility that evacuation could be necessary. This plan shall describe signal(s) to be used to begin evacuation, evacuation routes, and alternate evacuation routes, in cases where the primary routes could be blocked by releases of hazardous waste or fires.

**R315-262-262. Preparedness, Prevention, and Emergency Procedures for Large Quantity Generators - Copies of Contingency Plan.**

A copy of the contingency plan and all revisions to the plan shall be maintained at the large quantity generator and:

(a) The large quantity generator shall submit a copy of the contingency plan and all revisions to all local emergency responders (i.e., police departments, fire departments, hospitals and State and local emergency response teams that may be called upon to provide emergency services). This document may also be submitted to the Local Emergency Planning Committee, as appropriate.

(b) A large quantity generator that first becomes subject to these provisions after May 30, 2017 or a large quantity generator that is otherwise amending its contingency plan shall at that time submit a quick reference guide of the contingency plan to the local emergency responders identified at Subsection R315-262-262(a) or, as appropriate, the Local Emergency Planning Committee. The quick reference guide shall include the following elements:

(1) The types/names of hazardous wastes in layman's terms and the associated hazard associated with each hazardous waste present at any one time, e.g., toxic paint wastes, spent ignitable solvent, corrosive acid;

(2) The estimated maximum amount of each hazardous waste that may be present at any one time;

(3) The identification of any hazardous wastes where exposure would require unique or special treatment by medical or hospital staff;

(4) A map of the facility showing where hazardous wastes are generated, accumulated and treated and routes for accessing these wastes;

(5) A street map of the facility in relation to surrounding

businesses, schools and residential areas to understand how best to get to the facility and also evacuate citizens and workers;

(6) The locations of water supply, e.g., fire hydrant and its flow rate;

(7) The identification of on-site notification systems, e.g., a fire alarm that rings off site, smoke alarms; and

(8) The name of the emergency coordinator(s) and 7/24-hour emergency telephone number(s) or, in the case of a facility where an emergency coordinator is continuously on duty, the emergency telephone number for the emergency coordinator.

(c) Generators shall update, if necessary, their quick reference guides, whenever the contingency plan is amended and submit these documents to the local emergency responders identified at Subsection R315-262-262(a) or, as appropriate, the Local Emergency Planning Committee.

**R315-262-263. Preparedness, Prevention, and Emergency Procedures for Large Quantity Generators - Amendment of Contingency Plan.**

The contingency plan shall be reviewed, and immediately amended, if necessary, whenever:

(a) Applicable regulations are revised;

(b) The plan fails in an emergency;

(c) The generator facility changes--in its design, construction, operation, maintenance, or other circumstances--in a way that materially increases the potential for fires, explosions, or releases of hazardous waste or hazardous waste constituents, or changes the response necessary in an emergency;

(d) The list of emergency coordinators changes; or

(e) The list of emergency equipment changes.

**R315-262-264. Preparedness, Prevention, and Emergency Procedures for Large Quantity Generators - Emergency Coordinator.**

At all times, there shall be at least one employee either on the generator's premises or on call, i.e., available to respond to an emergency by reaching the facility within a short period of time, with the responsibility for coordinating all emergency response measures and implementing the necessary emergency procedures outlined in Section R315-262-265. Although responsibilities may vary depending on factors such as type and variety of hazardous waste(s) handled by the facility, as well as type and complexity of the facility, this emergency coordinator shall be thoroughly familiar with all aspects of the generator's contingency plan, all operations and activities at the facility, the location and characteristics of hazardous waste handled, the location of all records within the facility, and the facility's layout. In addition, this person shall have the authority to commit the resources needed to carry out the contingency plan.

**R315-262-265. Preparedness, Prevention, and Emergency Procedures for Large Quantity Generators - Emergency Procedures.**

(a) Whenever there is an imminent or actual emergency situation, the emergency coordinator (or designee when the emergency coordinator is on call) shall immediately:

(1) Activate internal facility alarms or communication systems, where applicable, to notify all facility personnel; and

(2) Notify appropriate state or local agencies with designated response roles if their help is needed.

(b) Whenever there is a release, fire, or explosion, the emergency coordinator shall immediately identify the character, exact source, amount, and areal extent of any released materials. The emergency coordinator may do this by observation or review of the facility records or manifests and, if necessary, by chemical analysis.

(c) Concurrently, the emergency coordinator shall assess possible hazards to human health or the environment that may result from the release, fire, or explosion. This assessment shall consider both direct and indirect effects of the release, fire, or explosion, e.g., the effects of any toxic, irritating, or asphyxiating gases that are generated, or the effects of any hazardous surface water run-offs from water or chemical agents used to control fire and heat-induced explosions.

(d) If the emergency coordinator determines that the facility has had a release, fire, or explosion which could threaten human health, or the environment, outside the facility, the emergency coordinator shall report the findings as follows:

(1) If the assessment indicates that evacuation of local areas may be advisable, the emergency coordinator shall immediately notify appropriate local authorities. The emergency coordinator shall be available to help appropriate officials decide whether local areas should be evacuated; and

(2) The emergency coordinator shall immediately notify either the government official designated as the on-scene coordinator for that geographical area, or the National Response Center, using their 24-hour toll free number 800-424-8802, and the Division of Waste Management and Radiation Control at 801-536-0200 or after hours at 801-536-4123. The report shall include:

(i) Name and telephone number of reporter;

(ii) Name and address of the generator;

(iii) Time and type of incident (e.g., release, fire);

(iv) Name and quantity of material(s) involved, to the extent known;

(v) The extent of injuries, if any; and

(vi) The possible hazards to human health, or the environment, outside the facility.

(e) During an emergency, the emergency coordinator shall take all reasonable measures necessary to ensure that fires, explosions, and releases do not occur, recur, or spread to other hazardous waste at the generator's facility. These measures shall include, where applicable, stopping processes and operations, collecting and containing released hazardous waste, and removing or isolating containers.

(f) If the generator stops operations in response to a fire, explosion or release, the emergency coordinator shall monitor for leaks, pressure buildup, gas generation, or ruptures in valves, pipes, or other equipment, wherever this is appropriate.

(g) Immediately after an emergency, the emergency coordinator shall provide for treating, storing, or disposing of recovered waste, contaminated soil or surface water, or any other material that results from a release, fire, or explosion at the facility. Unless the generator can demonstrate, in accordance with Subsections

R315-261-3(c) or (d), that the recovered material is not a hazardous waste, then it is a newly generated hazardous waste that shall be managed in accordance with all the applicable requirements and conditions for exemption in Rules R315-262, 263, and 265.

(h) The emergency coordinator shall ensure that, in the affected area(s) of the facility:

(1) No hazardous waste that may be incompatible with the released material is treated, stored, or disposed of until cleanup procedures are completed; and

(2) All emergency equipment listed in the contingency plan is cleaned and fit for its intended use before operations are resumed.

(i) The generator shall note in the operating record the time, date, and details of any incident that requires implementing the contingency plan. Within 15 days after the incident, the generator shall submit a written report on the incident to the Director. The report shall include:

(I) Name, address, and telephone number of the generator;

(II) Date, time, and type of incident, e.g., fire, explosion;

(III) Name and quantity of material(s) involved;

(IV) The extent of injuries, if any;

(V) An assessment of actual or potential hazards to human health or the environment, where this is applicable; and

(VI) Estimated quantity and disposition of recovered material that resulted from the incident.

**KEY: hazardous waste, generators**

**Date of Enactment or Last Substantive Amendment: June 10, 2016**

**Authorizing, and Implemented or Interpreted Law: 19-6-105; 19-6-106**

R315. Environmental Quality, Waste Management and Radiation Control, Waste Management.

R315-263. Standards Applicable to Transporters of Hazardous Waste and Standards Applicable to Emergency Control of Spills for All Hazardous Waste Handlers.

R315-263-12. Transfer Facility Requirements.

~~[A transporter who stores manifested shipments of hazardous waste in containers meeting the requirements of Section R315-262-30 at a transfer facility for a period of ten days or less is not subject to regulation under Rules R315-270, 264, 265, and 268 with respect to the storage of those wastes.]~~(a) A transporter who stores manifested shipments of hazardous waste in containers meeting the independent requirements of Section R315-262-30 at a transfer facility for a period of ten (10) days or less is not subject to regulation under Rules R315-264, 265, 268, and 270 with respect to the storage of those wastes.

(b) When consolidating the contents of two or more containers with the same hazardous waste into a new container, or when combining and consolidating two different hazardous wastes that are compatible with each other, the transporter must mark its containers of 119 gallons or less with the following information:

(1) The words "Hazardous Waste" and

(2) The applicable EPA hazardous waste number(s), EPA hazardous waste codes, in Sections R315-261-20 through 24 and 30 through 35, or in compliance with Section R315-262-32(c).

**KEY: hazardous waste**

**Date of Enactment or Last Substantive Amendment: April 15, 2016**

**Authorizing, and Implemented or Interpreted Law: 19-6-105; 19-6-106**

**R315. Environmental Quality, Waste Management and Radiation Control, Waste Management.**

**R315-264. Standards for Owners and Operators of Hazardous Waste Treatment, Storage, and Disposal Facilities.**

**R315-264-1. General - Purpose, Scope and Applicability.**

(a) The purpose of Rule R315-264 is to establish minimum State of Utah standards which define the acceptable management of hazardous waste.

(b) The standards in Rule R315-264 apply to owners and operators of all facilities which treat, store, or dispose of hazardous waste, except as specifically provided otherwise in Rules R315-264 or 261.

(c) Reserved

(d) The requirements of Rule R315-264 apply to a person disposing of hazardous waste by means of underground injection subject to a permit issued under an Underground Injection Control (UIC) program approved or promulgated under the Safe Drinking Water Act only to the extent they are required by 40 CFR 144.14. Rule R315-264 applies to the above-ground treatment or storage of hazardous waste before it is injected underground.

(e) The requirements of Rule R315-264 apply to the owner or operator of a POTW which treats, stores, or disposes of hazardous waste only to the extent they are included in a RCRA permit by rule granted to such a person under Rule R315-270.

(f) Reserved

(g) The requirements of Rule R315-264 do not apply to:

(1) The owner or operator of a facility permitted under Rules R315-301 through 320 to manage municipal or industrial solid waste, if the only hazardous waste the facility treats, stores, or disposes of is excluded from regulation under [Section R315-261-5] Rule R315-264 by Section R315-262-14;

(2) The owner or operator of a facility managing recyclable materials described in Subsections R315-261-6(a)(2), (3), and (4), except to the extent they are referred to in Rule R315-15 or Sections R315-266-20 through 23, 70, 80, or 100 through 112.

(3) A generator accumulating waste [~~on-site~~] on site in compliance with Section [R315-262-34] R315-262-14, R315-262-15, R315-262-16, or R315-262-17;

(4) A farmer disposing of waste pesticides from his own use in compliance with Section R315-262-70; or

(5) The owner or operator of a totally enclosed treatment facility, as defined in Section R315-260-10.

(6) The owner or operator of an elementary neutralization unit or a wastewater treatment unit as defined in Section R315-260-10, provided that if the owner or operator is diluting hazardous ignitable (D001) wastes, other than the D001 High TOC Subcategory defined in Section R315-268-40, or reactive (D003) waste, to remove the characteristic before land disposal, the owner/operator shall comply with the requirements set out in Subsection R315-264-17(b).

(7) Reserved

(8)(i) Except as provided in Subsection R315-264-1(g)(8)(ii), a person engaged in treatment or containment activities during

immediate response to any of the following situations:

(A) A discharge of a hazardous waste;

(B) An imminent and substantial threat of a discharge of hazardous waste;

(C) A discharge of a material which, when discharged, becomes a hazardous waste.

(ii) An owner or operator of a facility otherwise regulated by Rule R315-264 shall comply with all applicable requirements of Sections R315-264-30 through 35, 37 and 50 through 56.

(iii) Any person who is covered by Subsection R315-264-1(g)(8)(i) and who continues or initiates hazardous waste treatment or containment activities after the immediate response is over is subject to all applicable requirements of Rule R315-264 and 40 CFR 122 and 123 and Rule R315-124 for those activities.

(iv) In the case of an explosives or munitions emergency response, if a Federal, State, Tribal or local official acting within the scope of his or her official responsibilities, or an explosives or munitions emergency response specialist, determines that immediate removal of the material or waste is necessary to protect human health or the environment, that official or specialist may authorize the removal of the material or waste by transporters who do not have EPA identification numbers and without the preparation of a manifest. In the case of emergencies involving military munitions, the responding military emergency response specialist's organizational unit shall retain records for three years identifying the dates of the response, the responsible persons responding, the type and description of material addressed, and its disposition.

(9) A transporter storing manifested shipments of hazardous waste in containers meeting the requirements of Section R315-262-30 at a transfer facility for a period of ten days or less.

(10) The addition of absorbent material to waste in a container, as defined in Section R315-260-10, or the addition of waste to absorbent material in a container, provided that these actions occur at the time waste is first placed in the container; and Subsections R315-264-17(b), 264-171, and 264-172 are complied with.

(11) Universal waste handlers and universal waste transporters, as defined in Section R315-260-10, handling the wastes listed below. These handlers are subject to regulation under Rule R315-273, when handling the below listed universal wastes.

(i) Batteries as described in Section R315-273-2;

(ii) Pesticides as described in Section R315-273-3;

(iii) Mercury-containing equipment as described in Section R315-273-4;

(iv) Lamps as described in Section R315-273-5;

(v) Antifreeze as described in Subsection R315-272-6(a); and

(vi) Aerosol cans as described in Subsection R315-273-6(b).

(h) The requirements of Rule R315-264 apply to owners or operators of all facilities which treat, store, or dispose of hazardous wastes referred to in Rule R315-268.

(i) Reserved

(j) The requirements of Sections R315-264-10 through 19, 30 through 37, 50 through 56, and 101 do not apply to remediation waste management sites. However, some remediation waste management sites may be a part of a facility that is subject to a traditional hazardous

waste permit because the facility is also treating, storing or disposing of hazardous wastes that are not remediation wastes. In these cases, Sections R315-264-10 through 19, 30 through 37, 50 through 56, and 101 do apply to the facility subject to the traditional hazardous waste permit. Instead of the requirements of Sections R315-264-10 through 19, 30 through 37, and 50 through 56, owners or operators of remediation waste management sites shall:

(1) Obtain an EPA identification number by applying to the Administrator using EPA Form 8700-12;

(2) Obtain a detailed chemical and physical analysis of a representative sample of the hazardous remediation wastes to be managed at the site. At a minimum, the analysis shall contain all of the information which shall be known to treat, store or dispose of the waste according to Rules R315-264 and 268, and shall be kept accurate and up to date;

(3) Prevent people who are unaware of the danger from entering, and minimize the possibility for unauthorized people or livestock to enter onto the active portion of the remediation waste management site, unless the owner or operator can demonstrate to the Director that:

(i) Physical contact with the waste, structures, or equipment within the active portion of the remediation waste management site shall not injure people or livestock who may enter the active portion of the remediation waste management site; and

(ii) Disturbance of the waste or equipment by people or livestock who enter onto the active portion of the remediation waste management site, shall not cause a violation of the requirements of Rule R315-264;

(4) Inspect the remediation waste management site for malfunctions, deterioration, operator errors, and discharges that may be causing, or may lead to, a release of hazardous waste constituents to the environment, or a threat to human health. The owner or operator shall conduct these inspections often enough to identify problems in time to correct them before they harm human health or the environment, and shall remedy the problem before it leads to a human health or environmental hazard. Where a hazard is imminent or has already occurred, the owner/operator shall take remedial action immediately;

(5) Provide personnel with classroom or on-the-job training on how to perform their duties in a way that ensures the remediation waste management site complies with the requirements of Rule R315-264, and on how to respond effectively to emergencies;

(6) Take precautions to prevent accidental ignition or reaction of ignitable or reactive waste, and prevent threats to human health and the environment from ignitable, reactive and incompatible waste;

(7) For remediation waste management sites subject to regulation under Sections R315-264-170 through 179, 190 through 200, 220 through 232, 250 through 259, 270 Through 283, 300 through 317, 340 through 351, and 600 through 603, the owner/operator shall design, construct, operate, and maintain a unit within a 100-year floodplain to prevent washout of any hazardous waste by a 100-year flood, unless the owner/operator can meet the demonstration of Subsection R315-264-18(b);

(8) Not place any non-containerized or bulk liquid hazardous

waste in any salt dome formation, salt bed formation, underground mine or cave;

(9) Develop and maintain a construction quality assurance program for all surface impoundments, waste piles and landfill units that are required to comply with Subsections R315-264-221(c) and (d), 264-251(c) and (d), and 264-301(c) and (d) at the remediation waste management site, according to the requirements of Section R315-264-19;

(10) Develop and maintain procedures to prevent accidents and a contingency and emergency plan to control accidents that occur. These procedures shall address proper design, construction, maintenance, and operation of remediation waste management units at the site. The goal of the plan shall be to minimize the possibility of, and the hazards from a fire, explosion, or any unplanned sudden or non-sudden release of hazardous waste or hazardous waste constituents to air, soil, or surface water that could threaten human health or the environment. The plan shall explain specifically how to treat, store and dispose of the hazardous remediation waste in question, and shall be implemented immediately whenever a fire, explosion, or release of hazardous waste or hazardous waste constituents which could threaten human health or the environment;

(11) Designate at least one employee, either on the facility premises or on call (that is, available to respond to an emergency by reaching the facility quickly), to coordinate all emergency response measures. This emergency coordinator shall be thoroughly familiar with all aspects of the facility's contingency plan, all operations and activities at the facility, the location and characteristics of waste handled, the location of all records within the facility, and the facility layout. In addition, this person shall have the authority to commit the resources needed to carry out the contingency plan;

(12) Develop, maintain and implement a plan to meet the requirements in Subsections R315-264-1(j)(2) through (j)(6) and (j)(9) through (j)(10); and

(13) Maintain records documenting compliance with Subsections R315-264-1(j)(1) through (j)(12).

**R315-264-15. General Facility Standards - General Inspection Requirements.**

(a) The owner or operator shall inspect his facility for malfunctions and deterioration, operator errors, and discharges which may be causing-or may lead to-release of hazardous waste constituents to the environment or a threat to human health. The owner or operator shall conduct these inspections often enough to identify problems in time to correct them before they harm human health or the environment.

(b)(1) The owner or operator shall develop and follow a written schedule for inspecting monitoring equipment, safety and emergency equipment, security devices, and operating and structural equipment, such as dikes and sump pumps, that are important to preventing, detecting, or responding to environmental or human health hazards.

(2) He shall keep this schedule at the facility.

(3) The schedule shall identify the types of problems, e.g., malfunctions or deterioration, which are to be looked for during the

inspection, e.g., inoperative sump pump, leaking fitting, eroding dike, etc.

(4) The frequency of inspection may vary for the items on the schedule. However, the frequency should be based on the rate of deterioration of the equipment and the probability of an environmental or human health incident if the deterioration, malfunction, or operator error goes undetected between inspections. Areas subject to spills, such as loading and unloading areas, shall be inspected daily when in use. At a minimum, the inspection schedule shall include the items and frequencies called for in Sections R315-264-174, 193, 195, 226, 254, 278, 303, 347, 602, 1033, 1052, 1053, 1058, and 1083 through 1089, where applicable. Rule R315-270 requires the inspection schedule to be submitted with part B of the permit application. The Director shall evaluate the schedule along with the rest of the application to ensure that it adequately protects human health and the environment. As part of this review, The Director may modify or amend the schedule as may be necessary.

(c) The owner or operator shall remedy any deterioration or malfunction of equipment or structures which the inspection reveals on a schedule which ensures that the problem does not lead to an environmental or human health hazard. Where a hazard is imminent or has already occurred, remedial action shall be taken immediately.

(d) The owner or operator shall record inspections in an inspection log or summary. He shall keep these records for at least three years from the date of inspection. At a minimum, these records shall include the date and time of the inspection, the name of the inspector, a notation of the observations made, and the date and nature of any repairs or other remedial actions.

**R315-264-71. Manifest System, Recordkeeping, and Reporting - Use of Manifest System.**

(a)(1) If a facility receives hazardous waste accompanied by a manifest, the owner, operator or his/her agent shall sign and date the manifest as indicated in Subsection R315-264-71(a)(2) to certify that the hazardous waste covered by the manifest was received, that the hazardous waste was received except as noted in the discrepancy space of the manifest, or that the hazardous waste was rejected as noted in the manifest discrepancy space.

(2) If the facility receives a hazardous waste shipment accompanied by a manifest, the owner, operator, or his agent shall:

(i) Sign and date, by hand, each copy of the manifest;

(ii) Note any discrepancies, as defined in Subsection R315-264-72(a), on each copy of the manifest;

(iii) Immediately give the transporter at least one copy of the manifest;

(iv) Within 30 days of delivery, send a copy, Page 3, of the manifest to the generator,

(v) Within 30 days of delivery, send the top copy, Page 1, of the Manifest to the e-Manifest system for purposes of data entry and processing. In lieu of mailing this paper copy to EPA, the owner or operator may transmit to the EPA system an image file of Page 1 of the manifest, or both a data string file and the image file corresponding to Page 1 of the manifest. Any data or image files

transmitted to EPA under Subsection R315-264-71(a) shall be submitted in data file and image file formats that are acceptable to EPA and that are supported by EPA's electronic reporting requirements and by the electronic manifest system.

(vi) Retain at the facility a copy of each manifest for at least three years from the date of delivery.

(3) If a facility receives hazardous waste imported from a foreign source, the receiving facility shall mail a copy of the manifest and documentation confirming EPA's consent to the import of hazardous waste to the following address within thirty days of delivery: Office of Enforcement and Compliance Assurance, Office of Federal Activities, International Compliance Assurance Division (2254A), Environmental Protection Agency, 1200 Pennsylvania Avenue, NW., Washington, DC 20460 and Utah Division of Waste Management and Radiation Control, P O Box 144880, Salt Lake City, Utah 84114-4880.

(b) If a facility receives, from a rail or water (bulk shipment) transporter, hazardous waste which is accompanied by a shipping paper containing all the information required on the manifest; excluding the EPA identification numbers, generator's certification, and signatures; the owner or operator, or his agent, shall:

(1) Sign and date each copy of the manifest or shipping paper, if the manifest has not been received, to certify that the hazardous waste covered by the manifest or shipping paper was received;

(2) Note any significant discrepancies, as defined in Subsection R315-264-72(a), in the manifest or shipping paper, if the manifest has not been received, on each copy of the manifest or shipping paper. The Director does not intend that the owner or operator of a facility whose procedures under R315-264-13(c) include waste analysis shall perform that analysis before signing the shipping paper and giving it to the transporter. Subsection R315-264-72(b), however, requires reporting an unreconciled discrepancy discovered during later analysis.

(3) Immediately give the rail or water (bulk shipment) transporter at least one copy of the manifest or shipping paper, if the manifest has not been received;

(4) Within 30 days after the delivery, send a copy of the signed and dated manifest or a signed and dated copy of the shipping paper, if the manifest has not been received within 30 days after delivery, to the generator; and

Comment: Subsection R315-262-23(c) requires the generator to send three copies of the manifest to the facility when hazardous waste is sent by rail or water (bulk shipment).

(5) Retain at the facility a copy of the manifest and shipping paper, if signed in lieu of the manifest at the time of delivery, for at least three years from the date of delivery.

(c) [Whenever a shipment of hazardous waste is initiated from a facility, the owner or operator of that facility shall comply with the requirements of Rule R315-262. The provisions of Section R315-262-34 are applicable to the on-site accumulation of hazardous wastes by generators. Therefore, the provisions of Section R315-262-34 only apply to owners or operators who are shipping hazardous waste which they generated at that facility.]Whenever a shipment of hazardous waste is initiated from a facility, the owner or operator of that facility shall comply with the requirements of

Rule R315-262. The provisions of Sections R315-262-15, R315-262-16, and R315-262-17 are applicable to the on-site accumulation of hazardous wastes by generators. Therefore, the provisions of Sections R315-262-15, R315-262-16, and R315-262-17 only apply to owners or operators who are shipping hazardous waste which they generated at that facility or operating as a large quantity generator consolidating hazardous waste from very small quantity generators under Subsection R315-262-17(f).

(d) Within three working days of the receipt of a shipment subject to Sections R315-262-80 through 89 the owner or operator of a facility shall provide a copy of the movement document bearing all required signatures to the exporter, to the Office of Enforcement and Compliance Assurance, Office of Federal Activities, International Compliance Assurance Division (2254A), Environmental Protection Agency, 1200 Pennsylvania Avenue, NW., Washington, DC 20460, and to competent authorities of all other concerned countries. The original copy of the movement document shall be maintained at the facility for at least three years from the date of signature.

(e) A facility shall determine whether the consignment state for a shipment regulates any additional wastes, beyond those regulated Federally, as hazardous wastes under its state hazardous waste program. Facilities shall also determine whether the consignment state or generator state requires the facility to submit any copies of the manifest to these states.

(f) Legal equivalence to paper manifests. Electronic manifests that are obtained, completed, and transmitted in accordance with Subsection R315-262-20(a)(3), and used in accordance with Section R315-264-71 in lieu of the paper manifest form are the legal equivalent of paper manifest forms bearing handwritten signatures, and satisfy for all purposes any requirement in these regulations to obtain, complete, sign, provide, use, or retain a manifest.

(1) Any requirement in these regulations for the owner or operator of a facility to sign a manifest or manifest certification by hand, or to obtain a handwritten signature, is satisfied by signing with or obtaining a valid and enforceable electronic signature within the meaning of Section R315-262-25.

(2) Any requirement in these regulations to give, provide, send, forward, or to return to another person a copy of the manifest is satisfied when a copy of an electronic manifest is transmitted to the other person.

(3) Any requirement in these regulations for a manifest to accompany a hazardous waste shipment is satisfied when a copy of an electronic manifest is accessible during transportation and forwarded to the person or persons who are scheduled to receive delivery of the waste shipment.

(4) Any requirement in these regulations for an owner or operator to keep or retain a copy of each manifest is satisfied by the retention of the facility's electronic manifest copies in its account on the e-Manifest system, provided that such copies are readily available for viewing and production if requested by any EPA or Division of Waste Management and Radiation Control inspector.

(5) No owner or operator may be held liable for the inability to produce an electronic manifest for inspection under Section R315-264-71 if the owner or operator can demonstrate that the inability

to produce the electronic manifest is due exclusively to a technical difficulty with the electronic manifest system for which the owner or operator bears no responsibility.

(g) An owner or operator may participate in the electronic manifest system either by accessing the electronic manifest system from the owner's or operator's electronic equipment, or by accessing the electronic manifest system from portable equipment brought to the owner's or operator's site by the transporter who delivers the waste shipment to the facility.

(h) Special procedures applicable to replacement manifests. If a facility receives hazardous waste that is accompanied by a paper replacement manifest for a manifest that was originated electronically, the following procedures apply to the delivery of the hazardous waste by the final transporter:

(1) Upon delivery of the hazardous waste to the designated facility, the owner or operator shall sign and date each copy of the paper replacement manifest by hand in Item 20, Designated Facility Certification of Receipt, and note any discrepancies in Item 18, Discrepancy Indication Space, of the paper replacement manifest,

(2) The owner or operator of the facility shall give back to the final transporter one copy of the paper replacement manifest,

(3) Within 30 days of delivery of the waste to the designated facility, the owner or operator of the facility shall send one signed and dated copy of the paper replacement manifest to the generator, and send an additional signed and dated copy of the paper replacement manifest to the electronic manifest system, and

(4) The owner or operator of the facility shall retain at the facility one copy of the paper replacement manifest for at least three years from the date of delivery.

(i) Special procedures applicable to electronic signature methods undergoing tests. If an owner or operator using an electronic manifest signs this manifest electronically using an electronic signature method which is undergoing pilot or demonstration tests aimed at demonstrating the practicality or legal dependability of the signature method, then the owner or operator shall also sign with an ink signature the facility's certification of receipt or discrepancies on the printed copy of the manifest provided by the transporter. Upon executing its ink signature on this printed copy, the owner or operator shall retain this original copy among its records for at least 3 years from the date of delivery of the waste.

(j) Imposition of user fee for electronic manifest use. An owner or operator who is a user of the electronic manifest format may be assessed a user fee by EPA for the origination or processing of each electronic manifest. An owner or operator may also be assessed a user fee by EPA for the collection and processing of paper manifest copies that owners or operators shall submit to the electronic manifest system operator under Subsection R315-264-71(a)(2)(v). EPA shall maintain and update from time-to-time the current schedule of electronic manifest system user fees, which shall be determined based on current and projected system costs and level of use of the electronic manifest system. The current schedule of electronic manifest user fees shall be published as an appendix to 40 CFR 262.

(k) Electronic manifest signatures. Electronic manifest signatures shall meet the criteria described in Section R315-262-25.

**R315-264-75. Manifest System, Recordkeeping, and Reporting - Biennial Report.**

[The owner or operator shall prepare and submit a single copy of a biennial report to the Director by March 1 of each even numbered year. The biennial report shall be submitted on EPA form 8700-13B. The report shall cover facility activities during the previous calendar year and shall include:

(a) The EPA identification number, name, and address of the facility;

(b) The calendar year covered by the report;

(c) For off-site facilities, the EPA identification number of each hazardous waste generator from which the facility received a hazardous waste during the year; for imported shipments, the report shall give the name and address of the foreign generator;

(d) A description and the quantity of each hazardous waste the facility received during the year. For off-site facilities, this information shall be listed by EPA identification number of each generator;

(e) The method of treatment, storage, or disposal for each hazardous waste;

(f) Reserved

(g) The most recent closure cost estimate under Sections R315-264-142, and, for disposal facilities, the most recent post-closure cost estimate under Section R315-264-144; and

(h) For generators who treat, store, or dispose of hazardous waste on-site, a description of the efforts undertaken during the year to reduce the volume and toxicity of waste generated.

(i) For generators who treat, store, or dispose of hazardous waste on-site, a description of the changes in volume and toxicity of waste actually achieved during the year in comparison to previous years to the extent such information is available for the years prior to 1984.

(j) The certification signed by the owner or operator of the facility or his authorized representative.] The owner or operator shall complete and submit EPA Form 8700-13 A/B to the Director by March 1 of the following even numbered year and shall cover activities during the previous year.

**R315-264-151. Financial Requirements - Wording of the Instruments.**

(a)(1) A trust agreement for a trust fund, as specified in Subsection R315-264-143(a) or Subsection R315-264-145(a) or 40 CFR 265.143(a) or 265.145(a), which are adopted by reference in Section R315-265-1; shall be worded as follows, except that instructions in parentheses, ( ), are to be replaced with the relevant information and the parentheses deleted:

Trust Agreement

Trust Agreement, the "Agreement," entered into as of (date) by and between (name of the owner or operator), a (name of State) (insert "corporation," "partnership," "association," or "proprietorship"), the "Grantor," and (name of corporate trustee), (insert "incorporated in the State of \_\_\_\_\_" or "a national bank"), the "Trustee."

Whereas, the Utah Waste Management and Radiation Control Board

has established certain regulations applicable to the Grantor, requiring that an owner or operator of a hazardous waste management facility shall provide assurance that funds will be available when needed for closure and/or post-closure care of the facility,

Whereas, the Grantor has elected to establish a trust to provide all or part of such financial assurance for the facilities identified herein,

Whereas, the Grantor, acting through its duly authorized officers, has selected the Trustee to be the trustee under this agreement, and the Trustee is willing to act as trustee,

Now, Therefore, the Grantor and the Trustee agree as follows:

Section 1. Definitions. As used in this Agreement:

(a) The term "Grantor" means the owner or operator who enters into this Agreement and any successors or assigns of the Grantor.

(b) The term "Trustee" means the Trustee who enters into this Agreement and any successor Trustee.

(c) The term "Board" means the "Waste Management and Radiation Control Board" created pursuant to Utah Code Annotated 19-1-106.

(d) The term "Director" means the Director of the Division of Waste Management and Radiation Control, his successors, designees, and any subsequent entity of the State of Utah upon whom the duties of regulation and enforcement of regulations governing hazardous waste are granted.

Section 2. Identification of Facilities and Cost Estimates. This Agreement pertains to the facilities and cost estimates identified on attached Schedule A (on Schedule A, for each facility list the EPA Identification Number, name, address, and the current closure and/or post-closure cost estimates, or portions thereof, for which financial assurance is demonstrated by this Agreement).

Section 3. Establishment of Fund. The Grantor and the Trustee hereby establish a trust fund, the "Fund," for the benefit of the Director of the Utah Division of Waste Management and Radiation Control. The Grantor and the Trustee intend that no third party have access to the Fund except as herein provided. The Fund is established initially as consisting of the property, which is acceptable to the Trustee, described in Schedule B attached hereto. Such property and any other property subsequently transferred to the Trustee is referred to as the Fund, together with all earnings and profits thereon, less any payments or distributions made by the Trustee pursuant to this Agreement. The Fund shall be held by the Trustee, IN TRUST, as hereinafter provided. The Trustee shall not be responsible nor shall it undertake any responsibility for the amount or adequacy of, nor any duty to collect from the Grantor, any payments necessary to discharge any liabilities of the Grantor established by the Director.

Section 4. Payment for Closure and Post-Closure Care. The Trustee shall make payments from the Fund as the Director shall direct, in writing, to provide for the payment of the costs of closure and/or post-closure care of the facilities covered by this Agreement. The Trustee shall reimburse the Grantor or other persons as specified by the Director from the Fund for closure and post-closure expenditures in such amounts as the Director shall direct in writing. In addition, the Trustee shall refund to the Grantor such amounts as the Director specifies in writing. Upon refund, such funds shall no longer

constitute part of the Fund as defined herein.

Section 5. Payments Comprising the Fund. Payments made to the Trustee for the Fund shall consist of cash or securities acceptable to the Trustee.

Section 6. Trustee Management. The Trustee shall invest and reinvest the principal and income of the Fund and keep the Fund invested as a single fund, without distinction between principal and income, in accordance with general investment policies and guidelines which the Grantor may communicate in writing to the Trustee from time to time, subject, however, to the provisions Section R315-264-151. In investing, reinvesting, exchanging, selling, and managing the Fund, the Trustee shall discharge his duties with respect to the trust fund solely in the interest of the beneficiary and with the care, skill, prudence, and diligence under the circumstances then prevailing which persons of prudence, acting in a like capacity and familiar with such matters, would use in the conduct of an enterprise of a like character and with like aims; except that:

(i) Securities or other obligations of the Grantor, or any other owner or operator of the facilities, or any of their affiliates as defined in the Investment Company Act of 1940, as amended, 15 U.S.C. 80a-2.(a), shall not be acquired or held, unless they are securities or other obligations of the Federal or a State government;

(ii) The Trustee is authorized to invest the Fund in time or demand deposits of the Trustee, to the extent insured by an agency of the Federal or State government; and

(iii) The Trustee is authorized to hold cash awaiting investment or distribution uninvested for a reasonable time and without liability for the payment of interest thereon.

Section 7. Commingling and Investment. The Trustee is expressly authorized in its discretion:

(a) To transfer from time to time any or all of the assets of the Fund to any common, commingled, or collective trust fund created by the Trustee in which the Fund is eligible to participate, subject to all of the provisions thereof, to be commingled with the assets of other trusts participating therein; and

(b) To purchase shares in any investment company registered under the Investment Company Act of 1940, 15 U.S.C. 80a-1 et seq., including one which may be created, managed, underwritten, or to which investment advice is rendered or the shares of which are sold by the Trustee. The Trustee may vote such shares in its discretion.

Section 8. Express Powers of Trustee. Without in any way limiting the powers and discretions conferred upon the Trustee by the other provisions of this Agreement or by law, the Trustee is expressly authorized and empowered:

(a) To sell, exchange, convey, transfer, or otherwise dispose of any property held by it, by public or private sale. No person dealing with the Trustee shall be bound to see to the application of the purchase money or to inquire into the validity or expediency of any such sale or other disposition;

(b) To make, execute, acknowledge, and deliver any and all documents of transfer and conveyance and any and all other instruments that may be necessary or appropriate to carry out the powers herein granted;

(c) To register any securities held in the Fund in its own name

or in the name of a nominee and to hold any security in bearer form or in book entry, or to combine certificates representing such securities with certificates of the same issue held by the Trustee in other fiduciary capacities, or to deposit or arrange for the deposit of such securities in a qualified central depository even though, when so deposited, such securities may be merged and held in bulk in the name of the nominee of such depository with other securities deposited therein by another person, or to deposit or arrange for the deposit of any securities issued by the United States Government, or any agency or instrumentality thereof, with a Federal Reserve bank, but the books and records of the Trustee shall at all times show that all such securities are part of the Fund;

(d) To deposit any cash in the Fund in interest-bearing accounts maintained or savings certificates issued by the Trustee, in its separate corporate capacity, or in any other banking institution affiliated with the Trustee, to the extent insured by an agency of the Federal or State government; and

(e) To compromise or otherwise adjust all claims in favor of or against the Fund.

Section 9. Taxes and Expenses. All taxes of any kind that may be assessed or levied against or in respect of the Fund and all brokerage commissions incurred by the Fund shall be paid from the Fund. All other expenses incurred by the Trustee in connection with the administration of this Trust, including fees for legal services rendered to the Trustee, the compensation of the Trustee to the extent not paid directly by the Grantor, and all other proper charges and disbursements of the Trustee shall be paid from the Fund.

Section 10. Annual Valuation. The Trustee shall annually, at least 30 days prior to the anniversary date of establishment of the Fund, furnish to the Grantor and to the appropriate Director a statement confirming the value of the Trust. Any securities in the Fund shall be valued at market value as of no more than 60 days prior to the anniversary date of establishment of the Fund. The failure of the Grantor to object in writing to the Trustee within 90 days after the statement has been furnished to the Grantor and the Director shall constitute a conclusively binding assent by the Grantor, barring the Grantor from asserting any claim or liability against the Trustee with respect to matters disclosed in the statement.

Section 11. Advice of Counsel. The Trustee may from time to time consult with counsel, who may be counsel to the Grantor, with respect to any question arising as to the construction of this Agreement or any action to be taken hereunder. The Trustee shall be fully protected, to the extent permitted by law, in acting upon the advice of counsel.

Section 12. Trustee Compensation. The Trustee shall be entitled to reasonable compensation for its services as agreed upon in writing from time to time with the Grantor.

Section 13. Successor Trustee. The Trustee may resign or the Grantor may replace the Trustee, but such resignation or replacement shall not be effective until the Grantor has appointed a successor trustee and this successor accepts the appointment. The successor trustee shall have the same powers and duties as those conferred upon the Trustee hereunder. Upon the successor trustee's acceptance of the appointment, the Trustee shall assign, transfer, and pay over

to the successor trustee the funds and properties then constituting the Fund. If for any reason the Grantor cannot or does not act in the event of the resignation of the Trustee, the Trustee may apply to a court of competent jurisdiction for the appointment of a successor trustee or for instructions. The successor trustee shall specify the date on which it assumes administration of the trust in a writing sent to the Grantor, the Director, and the present Trustee by certified mail 10 days before such change becomes effective. Any expenses incurred by the Trustee as a result of any of the acts contemplated by this Section shall be paid as provided in Section 9.

Section 14. Instructions to the Trustee. All orders, requests, and instructions by the Grantor to the Trustee shall be in writing, signed by such persons as are designated in the attached Exhibit A or such other designees as the Grantor may designate by amendment to Exhibit A. The Trustee shall be fully protected in acting without inquiry in accordance with the Grantor's orders, requests, and instructions. All orders, requests, and instructions by the Director to the Trustee shall be in writing, signed by the Director, and the Trustee shall act and shall be fully protected in acting in accordance with such orders, requests, and instructions. The Trustee shall have the right to assume, in the absence of written notice to the contrary, that no event constituting a change or a termination of the authority of any person to act on behalf of the Grantor or EPA hereunder has occurred. The Trustee shall have no duty to act in the absence of such orders, requests, and instructions from the Grantor and/or the Director, except as provided for herein.

Section 15. Notice of Nonpayment. The Trustee shall notify the Grantor and the Director and the appropriate Regional Administrator(s), by certified mail within 10 days following the expiration of the 30-day period after the anniversary of the establishment of the Trust, if no payment is received from the Grantor during that period. After the pay-in period is completed, the Trustee shall not be required to send a notice of nonpayment.

Section 16. Amendment of Agreement. This Agreement may be amended by an instrument in writing executed by the Grantor, the Trustee, and the Director, or by the Trustee and the Director if the Grantor ceases to exist.

Section 17. Irrevocability and Termination. Subject to the right of the parties to amend this Agreement as provided in Section 16, this Trust shall be irrevocable and shall continue until terminated at the written agreement of the Grantor, the Trustee, and the Director, or by the Trustee and the Director, if the Grantor ceases to exist.

Upon termination of the Trust, all remaining trust property, less final trust administration expenses, shall be delivered to the Grantor.

Section 18. Immunity and Indemnification. The Trustee shall not incur personal liability of any nature in connection with any act or omission, made in good faith, in the administration of this Trust, or in carrying out any directions by the Grantor or the Director issued in accordance with this Agreement. The Trustee shall be indemnified and saved harmless by the Grantor or from the Trust Fund, or both, from and against any personal liability to which the Trustee may be subjected by reason of any act or conduct in its official capacity, including all expenses reasonably incurred in its defense

in the event the Grantor fails to provide such defense.

Section 19. Choice of Law. This Agreement shall be administered, construed, and enforced according to the laws of the State of Utah.

Section 20. Interpretation. As used in this Agreement, words in the singular include the plural and words in the plural include the singular. The descriptive headings for each Section of this Agreement shall not affect the interpretation or the legal efficacy of this Agreement.

In Witness Whereof the parties have caused this Agreement to be executed by their respective officers duly authorized and their corporate seals to be hereunto affixed and attested as of the date first above written: The parties below certify that the wording of this Agreement is identical to the wording specified in Subsection R315-264-151(a)(1) as such regulations were constituted on the date first above written.

(Signature of Grantor)

(Title)

Attest:

(Title)

(Seal)

(Signature of Trustee)

Attest:

(Title)

(Seal)

(2) The following is an example of the certification of acknowledgment which shall accompany the trust agreement for a trust fund as specified in Subsections R315-264-143(a) and 145(a) or 40 CFR 265.143(a) or 145(a), which is adopted by reference. State requirements may differ on the proper content of this acknowledgment.

State of

County of

On this (date), before me personally came (owner or operator) to me known, who, being by me duly sworn, did depose and say that she/he resides at (address), that she/he is (title) of (corporation), the corporation described in and which executed the above instrument; that she/he knows the seal of said corporation; that the seal affixed to such instrument is such corporate seal; that it was so affixed by order of the Board of Directors of said corporation, and that she/he signed her/his name thereto by like order.

(Signature of Notary Public)

(b) A surety bond guaranteeing payment into a trust fund, as specified in Subsection R315-264-143(b) or 145(b) or 40 CFR 265.143(b) or 145(b), which are adopted by reference, shall be worded as follows, except that instructions in parentheses, (), are to be replaced with the relevant information and the parentheses deleted:

Financial Guarantee Bond

Date bond executed:

Effective date:

Principal: (legal name and business address of owner or operator)

Type of Organization: (insert "individual," "joint venture," "partnership," or "corporation")

State of incorporation:

Surety(ies): (name(s) and business address(es))

EPA Identification Number, name, address and closure and/or post-closure amount(s) for each facility guaranteed by this bond (indicate closure and post-closure amounts separately):

Total penal sum of bond: \$

Surety's bond number:

Know All Persons By These Presents, That we, the Principal and Surety(ies) hereto are firmly bound to the Director of the Utah Division of Waste Management and Radiation Control (hereinafter called Director), in the above penal sum for the payment of which we bind ourselves, our heirs, executors, administrators, successors, and assigns jointly and severally; provided that, where the Surety(ies) are corporations acting as co-sureties, we, the Sureties, bind ourselves in such sum "jointly and severally" only for the purpose of allowing a joint action or actions against any or all of us, and for all other purposes each Surety binds itself, jointly and severally with the Principal, for the payment of such sum only as is set forth opposite the name of such Surety, but if no limit of liability is indicated, the limit of liability shall be the full amount of the penal sum.

Whereas said Principal is required, under the Utah Solid and Hazardous Waste Act (the Act), to have a permit or interim status in order to own or operate each hazardous waste management facility identified above, and

Whereas said Principal is required to provide financial assurance for closure, or closure and post-closure care, as a condition of the permit or interim status, and

Whereas said Principal shall establish a standby trust fund as is required when a surety bond is used to provide such financial assurance;

Now, Therefore, the conditions of the obligation are such that if the Principal shall faithfully, before the beginning of final closure of each facility identified above, fund the standby trust fund in the amount(s) identified above for the facility,

Or, if the Principal shall fund the standby trust fund in such amount(s) within 15 days after a final order to begin closure is issued by an the Director or a U.S. district court or other court of competent jurisdiction,

Or, if the Principal shall provide alternate financial assurance, as specified in Sections R315-264-140 through 148 or 40 CFR 265.140 through 148, which are adopted by reference; as applicable, and obtain the Director's written approval of such assurance, within 90 days after the date notice of cancellation is received by both the Principal and the Director from the Surety(ies), then this obligation shall be null and void; otherwise it is to remain in full force and effect.

The Surety(ies) shall become liable on this bond obligation only when the Principal has failed to fulfill the conditions described above. Upon notification by an the Director that the Principal has failed to perform as guaranteed by this bond, the Surety(ies) shall place funds in the amount guaranteed for the facility(ies) into the standby trust fund as directed by the Director.

The liability of the Surety(ies) shall not be discharged by any payment or succession of payments hereunder, unless and until such payment or payments shall amount in the aggregate to the penal sum of the bond, but in no event shall the obligation of the Surety(ies)

hereunder exceed the amount of said penal sum.

The Surety(ies) may cancel the bond by sending notice of cancellation by certified mail to the Principal and to the Director, provided, however, that cancellation shall not occur during the 120 days beginning on the date of receipt of the notice of cancellation by both the Principal and the Director, as evidenced by the return receipts.

The Principal may terminate this bond by sending written notice to the Surety(ies), provided, however, that no such notice shall become effective until the Surety(ies) receive(s) written authorization for termination of the bond by the Director.

(The following paragraph is an optional rider that may be included but is not required.)

Principal and Surety(ies) hereby agree to adjust the penal sum of the bond yearly so that it guarantees a new closure and/or post-closure amount, provided that the penal sum does not increase by more than 20 percent in any one year, and no decrease in the penal sum takes place without the written permission of the Director.

In Witness Whereof, the Principal and Surety(ies) have executed this Financial Guarantee Bond and have affixed their seals on the date set forth above.

The persons whose signatures appear below hereby certify that they are authorized to execute this surety bond on behalf of the Principal and Surety(ies) and that the wording of this surety bond is identical to the wording specified in Subsection R315-264-151(b) as such regulations were constituted on the date this bond was executed.

Principal

(Signature(s))

(Name(s))

(Title(s))

(Corporate seal)

Corporate Surety(ies)

(Name and address)

State of incorporation:

Liability limit: \$

(Signature(s))

(Name(s) and title(s))

(Corporate seal)

(For every co-surety, provide signature(s), corporate seal, and other information in the same manner as for Surety above.)

Bond premium: \$

(c) A surety bond guaranteeing performance of closure and/or post-closure care, as specified in Subsection R315-264-143(c) or 145(c), shall be worded as follows, except that the instructions in parentheses, ( ), are to be replaced with the relevant information and the parentheses deleted:

Performance Bond

Date bond executed:

Effective date:

Principal: (legal name and business address of owner or operator)

Type of organization: (insert "individual," "joint venture," "partnership," or "corporation")

State of incorporation:

Surety(ies): (name(s) and business address(es))  
EPA Identification Number, name, address, and closure and/or  
post-closure amount(s) for each facility guaranteed by this bond  
(indicate closure and post-closure amounts separately): \_\_\_\_\_

Total penal sum of bond: \$

Surety's bond number:

Know All Persons By These Presents, That we, the Principal and Surety(ies) hereto are firmly bound to the Director of the Utah Division of Waste Management and Radiation Control (hereinafter called Director), in the above penal sum for the payment of which we bind ourselves, our heirs, executors, administrators, successors, and assigns jointly and severally; provided that, where the Surety(ies) are corporations acting as co-sureties, we, the Sureties, bind ourselves in such sum "jointly and severally" only for the purpose of allowing a joint action or actions against any or all of us, and for all other purposes each Surety binds itself, jointly and severally with the Principal, for the payment of such sum only as is set forth opposite the name of such Surety, but if no limit of liability is indicated, the limit of liability shall be the full amount of the penal sum.

Whereas said Principal is required, under the Utah Solid and Hazardous Waste Act (the Act), to have a permit in order to own or operate each hazardous waste management facility identified above, and

Whereas said Principal is required to provide financial assurance for closure, or closure and post-closure care, as a condition of the permit, and

Whereas said Principal shall establish a standby trust fund as is required when a surety bond is used to provide such financial assurance;

Now, Therefore, the conditions of this obligation are such that if the Principal shall faithfully perform closure, whenever required to do so, of each facility for which this bond guarantees closure, in accordance with the closure plan and other requirements of the permit as such plan and permit may be amended, pursuant to all applicable laws, statutes, rules, and regulations, as such laws, statutes, rules, and regulations may be amended,

And, if the Principal shall faithfully perform post-closure care of each facility for which this bond guarantees post-closure care, in accordance with the post-closure plan and other requirements of the permit, as such plan and permit may be amended, pursuant to all applicable laws, statutes, rules, and regulations, as such laws, statutes, rules, and regulations may be amended,

Or, if the Principal shall provide alternate financial assurance as specified in Sections R315-264-140 through 148, and obtain the Director's written approval of such assurance, within 90 days after the date notice of cancellation is received by both the Principal and the Director from the Surety(ies), then this obligation shall be null and void, otherwise it is to remain in full force and effect.

The Surety(ies) shall become liable on this bond obligation only when the Principal has failed to fulfill the conditions described above.

Upon notification by an Director that the Principal has been found in violation of the closure requirements of Rule R315-264, for

a facility for which this bond guarantees performance of closure, the Surety(ies) shall either perform closure in accordance with the closure plan and other permit requirements or place the closure amount guaranteed for the facility into the standby trust fund as directed by the Director.

Upon notification by the Director that the Principal has been found in violation of the post-closure requirements of Rule R315-264 for a facility for which this bond guarantees performance of post-closure care, the Surety(ies) shall either perform post-closure care in accordance with the post-closure plan and other permit requirements or place the post-closure amount guaranteed for the facility into the standby trust fund as directed by the Director.

Upon notification by the Director that the Principal has failed to provide alternate financial assurance as specified in Sections 315-264-140 through 148, and obtain written approval of such assurance from the Director during the 90 days following receipt by both the Principal and the Director of a notice of cancellation of the bond, the Surety(ies) shall place funds in the amount guaranteed for the facility(ies) into the standby trust fund as directed by the Director.

The surety(ies) hereby waive(s) notification of amendments to closure plans, permits, applicable laws, statutes, rules, and regulations and agrees that no such amendment shall in any way alleviate its (their) obligation on this bond.

The liability of the Surety(ies) shall not be discharged by any payment or succession of payments hereunder, unless and until such payment or payments shall amount in the aggregate to the penal sum of the bond, but in no event shall the obligation of the Surety(ies) hereunder exceed the amount of said penal sum.

The Surety(ies) may cancel the bond by sending notice of cancellation by certified mail to the owner or operator and to the Director and the appropriate Regional Administrator, provided, however, that cancellation shall not occur during the 120 days beginning on the date of receipt of the notice of cancellation by both the Principal and the Director, as evidenced by the return receipts.

The principal may terminate this bond by sending written notice to the Surety(ies), provided, however, that no such notice shall become effective until the Surety(ies) receive(s) written authorization for termination of the bond by the Director.

(The following paragraph is an optional rider that may be included but is not required.)

Principal and Surety(ies) hereby agree to adjust the penal sum of the bond yearly so that it guarantees a new closure and/or post-closure amount, provided that the penal sum does not increase by more than 20 percent in any one year, and no decrease in the penal sum takes place without the written permission of the Director.

In Witness Whereof, The Principal and Surety(ies) have executed this Performance Bond and have affixed their seals on the date set forth above.

The persons whose signatures appear below hereby certify that they are authorized to execute this surety bond on behalf of the Principal and Surety(ies) and that the wording of this surety bond is identical to the wording specified in Subsection R315-264-151(c) as such regulation was constituted on the date this bond was executed.

Principal  
(Signature(s))  
(Name(s))  
(Title(s))  
(Corporate seal)  
Corporate Surety(ies)  
(Name and address)  
State of incorporation:  
Liability limit: \$  
(Signature(s))  
(Name(s) and title(s))  
(Corporate seal)

(For every co-surety, provide signature(s), corporate seal, and other information in the same manner as for Surety above.)

Bond premium: \$

(d) A letter of credit, as specified in Subsection R315-264-143(d) or 145(d) or 40 CFR 265.143(c) or 145(c), which are adopted by reference, shall be worded as follows, except that instructions in parentheses, (), are to be replaced with the relevant information and the parentheses deleted:

Irrevocable Standby Letter of Credit

Director of the Division of Waste Management and Radiation Control

195 North 1950 West

P.O. Box 144880

Salt Lake City, UT 84114-4880

Dear Director: We hereby establish our Irrevocable Standby Letter of Credit No. \_\_\_ in your favor, at the request and for the account of (owner's or operator's name and address) up to the aggregate amount of (in words) U.S. dollars \$\_\_\_, available upon presentation of

(1) your sight draft, bearing reference to this letter of credit No. \_\_\_, and

(2) your signed statement reading as follows: "I certify that the amount of the draft is payable pursuant to regulations issued under authority of the Utah Solid and Hazardous Waste Act."

This letter of credit is effective as of (date) and shall expire on (date at least 1 year later), but such expiration date shall be automatically extended for a period of (at least 1 year) on (date) and on each successive expiration date, unless, at least 120 days before the current expiration date, we notify both you and (owner's or operator's name) by certified mail that we have decided not to extend this letter of credit beyond the current expiration date. In the event you are so notified, any unused portion of the credit shall be available upon presentation of your sight draft for 120 days after the date of receipt by both the Director and (owner's or operator's name), as shown on the signed return receipts.

Whenever this letter of credit is drawn on under and in compliance with the terms of this credit, we shall duly honor such draft upon presentation to us, and we shall deposit the amount of the draft directly into the standby trust fund of (owner's or operator's name) in accordance with the Director's instructions.

We certify that the wording of this letter of credit is identical to the wording specified in Subsection R315-264-151(d) as such regulations were constituted on the date shown immediately below.

(Signature(s) and title(s) of official(s) of issuing institution) (Date)

This credit is subject to (insert "the most recent edition of the Uniform Customs and Practice for Documentary Credits, published and copyrighted by the International Chamber of Commerce," or "the Uniform Commercial Code").

(e) A certificate of insurance, as specified in Subsection R315-264-143(e) or 145(e) or 40 CFR 265.143(d) or 145(d), which are adopted by reference, shall be worded as follows, except that instructions in parentheses, (), are to be replaced with the relevant information and the parentheses deleted:

Certificate of Insurance for Closure or Post-Closure Care

Name and Address of Insurer

(herein called the "Insurer"):

Name and Address of Insured

(herein called the "Insured"):

Facilities Covered: (List for each facility: The EPA Identification Number, name, address, and the amount of insurance for closure and/or the amount for post-closure care (these amounts for all facilities covered shall total the face amount shown below).)

Face Amount:

Policy Number:

Effective Date:

The Insurer hereby certifies that it has issued to the Insured the policy of insurance identified above to provide financial assurance for (insert "closure" or "closure and post-closure care" or "post-closure care") for the facilities identified above. The Insurer further warrants that such policy conforms in all respects with the requirements of Subsections R315-264-143(e), or 145(e), or 40 CFR 265.143(d), and 145(d), which are adopted by reference, as applicable and as such regulations were constituted on the date shown immediately below. It is agreed that any provision of the policy inconsistent with such regulations is hereby amended to eliminate such inconsistency.

Whenever requested by the Director of the Utah Division of Waste Management and Radiation Control, the Insurer agrees to furnish to the Director a duplicate original of the policy listed above, including all endorsements thereon.

I hereby certify that the wording of this certificate is identical to the wording specified in Subsection R315-264-151(e) as such regulations were constituted on the date shown immediately below.

(Authorized signature for Insurer)

(Name of person signing)

(Title of person signing)

Signature of witness or notary:

(Date)

(f) A letter from the chief financial officer, as specified in Subsection R315-264-143(f) or 145(f), or 40 CFR 265.143(e) or 145(e), which are adopted by reference, shall be worded as follows, except that instructions in parentheses, (), are to be replaced with the relevant information and the parentheses deleted:

Letter From Chief Financial Officer

Director, Utah Division of Waste Management and Radiation Control.

195 North 1950 West  
P.O. Box 144880  
Salt Lake City, UT 84114-4880

I am the chief financial officer of (name and address of firm).

This letter is in support of this firm's use of the financial test to demonstrate financial assurance for closure and/or post-closure costs, as specified in Sections R315-264-140 through 148 and 40 CFR 265.140 through 148, which are adopted by reference.

(Fill out the following five paragraphs regarding facilities and associated cost estimates. If your firm has no facilities that belong in a particular paragraph, write "None" in the space indicated.

For each facility, include its EPA Identification Number, name, address, and current closure and/or post-closure cost estimates. Identify each cost estimate as to whether it is for closure or post-closure care).

1. This firm is the owner or operator of the following facilities for which financial assurance for closure or post-closure care is demonstrated through the financial test specified in Sections R315-264-140 through 148 and 40 CFR 265.140 through 148, which are adopted by reference. The current closure and/or post-closure cost estimates covered by the test are shown for each facility: \_\_\_\_.

2. This firm guarantees, through the guarantee specified in Sections R315-264-140 through 148 and 40 CFR 265.140 through 148, which are adopted by reference, the closure or post-closure care of the following facilities owned or operated by the guaranteed party.

The current cost estimates for the closure or post-closure care so guaranteed are shown for each facility: \_\_\_\_\_. The firm identified above is (insert one or more: (1) The direct or higher-tier parent corporation of the owner or operator; (2) owned by the same parent corporation as the parent corporation of the owner or operator, and receiving the following value in consideration of this guarantee \_\_\_\_; or (3) engaged in the following substantial business relationship with the owner or operator \_\_\_\_, and receiving the following value in consideration of this guarantee \_\_\_\_). (Attach a written description of the business relationship or a copy of the contract establishing such relationship to this letter).

3. In other jurisdictions, and states where the Director is not authorized to administer the financial requirements of R315-264-140 through 151 or 40 CFR 265.140 through 148, which are adopted by reference, this firm, as owner or operator or guarantor, is demonstrating financial assurance for the closure or post-closure care of the following facilities through the use of a test equivalent or substantially equivalent to the financial test specified in Sections R315-264-140 through 148 and 40 CFR 265.140 through 148, which are adopted by reference. The current closure and/or post-closure cost estimates covered by such a test are shown for each facility: \_\_\_\_\_.

4. This firm is the owner or operator of the following hazardous waste management facilities for which financial assurance for closure or, if a disposal facility, post-closure care, is not demonstrated either to EPA or a State through the financial test or any other financial assurance mechanism specified in Sections R315-264-140 through 148 and 40 CFR 265.140 through 148, which are adopted by reference, or equivalent or substantially equivalent State

mechanisms. The current closure and/or post-closure cost estimates not covered by such financial assurance are shown for each facility:

\_\_\_\_\_.  
5. This firm is the owner or operator of the following UIC facilities for which financial assurance for plugging and abandonment is required under 40 CFR 144. The current closure cost estimates as required by 40 CFR 144.62 are shown for each facility: \_\_\_\_\_.

This firm (insert "is required" or "is not required") to file a Form 10K with the Securities and Exchange Commission (SEC) for the latest fiscal year.

The fiscal year of this firm ends on (month, day). The figures for the following items marked with an asterisk are derived from this firm's independently audited, year-end financial statements for the latest completed fiscal year, ended (date).

(Fill in Alternative I if the criteria of Subsection R315-264-143(f)(1)(i) or Subsection R315-264-145(f)(1)(i), or 40 CFR 265.143(e)(1)(i) or 145(e)(1)(i), which are adopted by reference, are used. Fill in Alternative II if the criteria of Subsection R315-264-143(f)(1)(ii) or 40 CFR 265.143(e)(1)(ii) or 145(e)(1)(ii) or 145(f)(1)(ii), which are adopted by reference, are used.)

Alternative I

1. Sum of current closure and post-closure cost estimate (total of all cost estimates shown in the five paragraphs above) \$\_\_\_\_\_

\*2. Total liabilities (if any portion of the closure or post-closure cost estimates is included in total liabilities, you may deduct the amount of that portion from this line and add that amount to lines 3 and 4) \$\_\_\_\_\_

\*3. Tangible net worth \$\_\_\_\_\_

\*4. Net worth \$\_\_\_\_\_

\*5. Current assets \$\_\_\_\_\_

\*6. Current liabilities \$\_\_\_\_\_

7. Net working capital (line 5 minus line 6) \$\_\_\_\_\_

\*8. The sum of net income plus depreciation, depletion, and amortization \$\_\_\_\_\_

\*9. Total assets in U.S. (required only if less than 90% of firm's assets are located in the U.S.) \$\_\_\_\_\_

10. Is line 3 at least \$10 million? (Yes/No) \_\_\_\_\_

11. Is line 3 at least 6 times line 1? (Yes/No) \_\_\_\_\_

12. Is line 7 at least 6 times line 1? (Yes/No) \_\_\_\_\_

\*13. Are at least 90% of firm's assets located in the U.S.? If not, complete line 14 (Yes/No) \_\_\_\_\_

14. Is line 9 at least 6 times line 1? (Yes/No) \_\_\_\_\_

15. Is line 2 divided by line 4 less than 2.0? (Yes/No) \_\_\_\_\_

16. Is line 8 divided by line 2 greater than 0.1? (Yes/No) \_\_\_\_\_

17. Is line 5 divided by line 6 greater than 1.5? (Yes/No) \_\_\_\_\_

Alternative II

1. Sum of current closure and post-closure cost estimates (total of all cost estimates shown in the five paragraphs above) \$\_\_\_\_\_

2. Current bond rating of most recent issuance of this firm and name of rating service \_\_\_\_\_

3. Date of issuance of bond \_\_\_\_\_

4. Date of maturity of bond \_\_\_\_\_

\*5. Tangible net worth (if any portion of the closure and post-closure cost estimates is included in "total liabilities" on

your firm's financial statements, you may add the amount of that portion to this line) \$\_\_\_\_\_

\*6. Total assets in U.S. (required only if less than 90% of firm's assets are located in the U.S.) \$\_\_\_\_\_

7. Is line 5 at least \$10 million ? (Yes/No) \_\_\_\_\_

8. Is line 5 at least 6 times line 1? (Yes/No) \_\_\_\_\_

\*9. Are at least 90% of firm's assets located in the U.S.? If not, complete line 10 (Yes/No) \_\_\_\_\_

10. Is line 6 at least 6 times line 1? (Yes/No) \_\_\_\_\_

I hereby certify that the wording of this letter is identical to the wording specified in Subsection R315-264-151(f) as such regulations were constituted on the date shown immediately below.

(Signature)

(Name)

(Title)

(Date)

(g) A letter from the chief financial officer, as specified in Subsection R315-264-147(f) or 40 CFR 265.147(f), which is adopted by reference, shall be worded as follows, except that instructions in parentheses, ( ), are to be replaced with the relevant information and the parentheses deleted.

Letter From Chief Financial Officer

Director, Utah Division of Waste Management and Radiation Control.

195 North 1950 West

P.O. Box 144880

Salt Lake City, UT 84114-4880

I am the chief financial officer of (firm's name and address).

This letter is in support of the use of the financial test to demonstrate financial responsibility for liability coverage (insert "and closure and/or post-closure care" if applicable) as specified in Sections R315-264-140 through 148 and 40 CFR 265.140 through 148, which are adopted by reference.

(Fill out the following paragraphs regarding facilities and liability coverage. If there are no facilities that belong in a particular paragraph, write "None" in the space indicated. For each facility, include its EPA Identification Number, name, and address).

The firm identified above is the owner or operator of the following facilities for which liability coverage for (insert "sudden" or "nonsudden" or "both sudden and nonsudden") accidental occurrences is being demonstrated through the financial test specified in Sections R315-264-140 through 148 and 40 CFR 265.140 through 148, which are adopted by reference]:\_\_\_\_\_

The firm identified above guarantees, through the guarantee specified in Sections R315-264-140 through 148 and 40 CFR 265.140 through 148, which are adopted by reference, liability coverage for (insert "sudden" or "nonsudden" or "both sudden and nonsudden") accidental occurrences at the following facilities owned or operated by the following: \_\_\_\_\_. The firm identified above is (insert one or more: (1) The direct or higher-tier parent corporation of the owner or operator; (2) owned by the same parent corporation as the parent corporation of the owner or operator, and receiving the following value in consideration of this guarantee \_\_\_\_; or (3) engaged in the following substantial business relationship with the owner or operator

\_\_\_\_, and receiving the following value in consideration of this guarantee \_\_\_\_). (Attach a written description of the business relationship or a copy of the contract establishing such relationship to this letter.)

(If you are using the financial test to demonstrate coverage of both liability and closure and post-closure care, fill in the following five paragraphs regarding facilities and associated closure and post-closure cost estimates. If there are no facilities that belong in a particular paragraph, write "None" in the space indicated. For each facility, include its EPA identification number, name, address, and current closure and/or post-closure cost estimates. Identify each cost estimate as to whether it is for closure or post-closure care.)

1. The firm identified above owns or operates the following facilities for which financial assurance for closure or post-closure care or liability coverage is demonstrated through the financial test specified in Sections R315-264-140 through 148 and 40 CFR 265.140 through 148, which are adopted by reference. The current closure and/or post-closure cost estimate covered by the test are shown for each facility: \_\_\_\_.

2. The firm identified above guarantees, through the guarantee specified in Sections R315-264-140 through 148 and 40 CFR 265.140 through 148, which are adopted by reference, the closure and post-closure care or liability coverage of the following facilities owned or operated by the guaranteed party. The current cost estimates for closure or post-closure care so guaranteed are shown for each facility: \_\_\_\_.

3. In other jurisdictions, and states where the Director is not authorized to administer the financial requirements of R315-264-140 through 151 or 40 CFR 265.140 through 148, which are adopted by reference, this firm is demonstrating financial assurance for the closure or post-closure care of the following facilities through the use of a test equivalent or substantially equivalent to the financial test specified in Sections R315-264-140 through 148 and 40 CFR 265.140 through 148, which are adopted by reference. The current closure or post-closure cost estimates covered by such a test are shown for each facility: \_\_\_\_.

4. The firm identified above owns or operates the following hazardous waste management facilities for which financial assurance for closure or, if a disposal facility, post-closure care, is not demonstrated either to EPA or a State through the financial test or any other financial assurance mechanisms specified in Sections R315-264-140 through 148 and 40 CFR 265.140 through 148, which are adopted by reference, or equivalent or substantially equivalent State mechanisms. The current closure and/or post-closure cost estimates not covered by such financial assurance are shown for each facility: \_\_\_\_.

5. This firm is the owner or operator or guarantor of the following UIC facilities for which financial assurance for plugging and abandonment is required under 40 CFR 144 and is assured through a financial test. The current closure cost estimates as required by 40 CFR 144.62 are shown for each facility: \_\_\_\_.

This firm (insert "is required" or "is not required") to file a Form 10K with the Securities and Exchange Commission (SEC) for the

latest fiscal year.

The fiscal year of this firm ends on (month, day). The figures for the following items marked with an asterisk are derived from this firm's independently audited, year-end financial statements for the latest completed fiscal year, ended (date).

Part A. Liability Coverage for Accidental Occurrences

(Fill in Alternative I if the criteria of Subsection R315-264-147(f)(1)(i) or 40 CFR 265.147(f)(1)(i), which is adopted by reference, are used. Fill in Alternative II if the criteria of Subsection R315-264-147(f)(1)(ii) or 40 CFR 265.147(f)(1)(ii), which is adopted by reference, are used.)

Alternative I

1. Amount of annual aggregate liability coverage to be demonstrated \$\_\_\_\_\_.

\*2. Current assets \$\_\_\_\_\_.

\*3. Current liabilities \$\_\_\_\_\_.

4. Net working capital (line 2 minus line 3) \$\_\_\_\_\_.

\*5. Tangible net worth \$\_\_\_\_\_.

\*6. If less than 90% of assets are located in the U.S., give total U.S. assets \$\_\_\_\_\_.

7. Is line 5 at least \$10 million? (Yes/No) \_\_\_\_\_.

8. Is line 4 at least 6 times line 1? (Yes/No) \_\_\_\_\_.

9. Is line 5 at least 6 times line 1? (Yes/No) \_\_\_\_\_.

\*10. Are at least 90% of assets located in the U.S.? (Yes/No) \_\_\_\_\_.

11. Is line 6 at least 6 times line 1? (Yes/No) \_\_\_\_\_.

Alternative II

1. Amount of annual aggregate liability coverage to be demonstrated \$\_\_\_\_\_.

2. Current bond rating of most recent issuance and name of rating service \_\_\_\_\_.

3. Date of issuance of bond \_\_\_\_\_.

4. Date of maturity of bond \_\_\_\_\_.

\*5. Tangible net worth \$\_\_\_\_\_.

\*6. Total assets in U.S. (required only if less than 90% of assets are located in the U.S.) \$\_\_\_\_\_.

7. Is line 5 at least \$10 million? (Yes/No) \_\_\_\_\_.

8. Is line 5 at least 6 times line 1? \_\_\_\_\_.

9. Are at least 90% of assets located in the U.S.? If not, complete line 10. (Yes/No) \_\_\_\_\_.

10. Is line 6 at least 6 times line 1? \_\_\_\_\_.

(Fill in part B if you are using the financial test to demonstrate assurance of both liability coverage and closure or post-closure care.)

Part B. Closure or Post-Closure Care and Liability Coverage

(Fill in Alternative I if the criteria of Subsection R315-264-143(f)(1)(i) or Subsection R315-264-145(f)(1)(i) and of Subsection R315-264-147(f)(1)(i) are used or if the criteria of 40 CFR 265.143(e)(1)(i) or 145(e)(1)(i), which are adopted by reference, and of 40 CFR 265.147(f)(1)(i), which is adopted by reference, are used. Fill in Alternative II if the criteria of Subsection R315-264-143(f)(1)(ii) or Subsection R315-264-145(f)(1)(ii) and of Subsection R315-264-147(f)(1)(ii) are used or if the criteria of 40 CFR 265.143(e)(1)(i) or 145(e)(1)(i), which are adopted by reference,

and of 40 CFR 265.147(f)(1)(ii), which is adopted by reference, are used.)

Alternative I

1. Sum of current closure and post-closure cost estimates (total of all cost estimates listed above) \$\_\_\_\_\_
2. Amount of annual aggregate liability coverage to be demonstrated \$\_\_\_\_\_
3. Sum of lines 1 and 2 \$\_\_\_\_\_
- \*4. Total liabilities (if any portion of your closure or post-closure cost estimates is included in your total liabilities, you may deduct that portion from this line and add that amount to lines 5 and 6) \$\_\_\_\_\_
- \*5. Tangible net worth \$\_\_\_\_\_
- \*6. Net worth \$\_\_\_\_\_
- \*7. Current assets \$\_\_\_\_\_
- \*8. Current liabilities \$\_\_\_\_\_
9. Net working capital (line 7 minus line 8) \$\_\_\_\_\_
- \*10. The sum of net income plus depreciation, depletion, and amortization \$\_\_\_\_\_
- \*11. Total assets in U.S. (required only if less than 90% of assets are located in the U.S.) \$\_\_\_\_\_
12. Is line 5 at least \$10 million? (Yes/No)
13. Is line 5 at least 6 times line 3? (Yes/No)
14. Is line 9 at least 6 times line 3? (Yes/No)
- \*15. Are at least 90% of assets located in the U.S.? (Yes/No)

If not, complete line 16.

16. Is line 11 at least 6 times line 3? (Yes/No)
17. Is line 4 divided by line 6 less than 2.0? (Yes/No)
18. Is line 10 divided by line 4 greater than 0.1? (Yes/No)
19. Is line 7 divided by line 8 greater than 1.5? (Yes/No)

Alternative II

1. Sum of current closure and post-closure cost estimates (total of all cost estimates listed above) \$\_\_\_\_\_
2. Amount of annual aggregate liability coverage to be demonstrated \$\_\_\_\_\_
3. Sum of lines 1 and 2 \$\_\_\_\_\_
4. Current bond rating of most recent issuance and name of rating service \_\_\_\_\_
5. Date of issuance of bond \_\_\_\_\_
6. Date of maturity of bond \_\_\_\_\_
- \*7. Tangible net worth (if any portion of the closure or post-closure cost estimates is included in "total liabilities" on your financial statements you may add that portion to this line) \$\_\_\_\_\_
- \*8. Total assets in the U.S. (required only if less than 90% of assets are located in the U.S.) \$\_\_\_\_\_
9. Is line 7 at least \$10 million? (Yes/No)
10. Is line 7 at least 6 times line 3? (Yes/No)
- \*11. Are at least 90% of assets located in the U.S.? (Yes/No)

If not complete line 12.

12. Is line 8 at least 6 times line 3? (Yes/No)

I hereby certify that the wording of this letter is identical to the wording specified in Subsection R315-264-151(g) as such regulations were constituted on the date shown immediately below.

(Signature)

(Name)  
(Title)  
(Date)

(h)(1) A corporate guarantee, as specified in Subsection R315-264-143(f) or 145(f), or 40 CFR 265.143(e) or 145(e), which are adopted by reference, shall be worded as follows, except that instructions in parentheses, (), are to be replaced with the relevant information and the parentheses deleted:

Corporate Guarantee for Closure or Post-Closure Care

Guarantee made this (date) by (name of guaranteeing entity), a business corporation organized under the laws of the State of (insert name of State), herein referred to as guarantor. This guarantee is made on behalf of the (owner or operator) of (business address), which is (one of the following: "our subsidiary"; "a subsidiary of (name and address of common parent corporation), of which guarantor is a subsidiary"; or "an entity with which guarantor has a substantial business relationship, as defined in (either Subsection R315-264-141(h) or 40 CFR 265.141(h), which is adopted by reference,)" to the Director of the Utah Division of Waste Management and Radiation Control (Director).

Recitals

1. Guarantor meets or exceeds the financial test criteria and agrees to comply with the reporting requirements for guarantors as specified in Subsections R315-264-143(f) and 145(f) or 40 CFR 265.143(e) and 145(e), which are adopted by reference.

2. (Owner or operator) owns or operates the following hazardous waste management facility(ies) covered by this guarantee: (List for each facility: EPA Identification Number, name, and address. Indicate for each whether guarantee is for closure, post-closure care, or both.)

3. "Closure plans" and "post-closure plans" as used below refer to the plans maintained as required by Sections R315-264-110 through 120 and 40 CFR 265.110 through 120, which are adopted by reference, for the closure and post-closure care of facilities as identified above.

4. For value received from (owner or operator), guarantor guarantees to the Director that in the event that (owner or operator) fails to perform (insert "closure," "post-closure care" or "closure and post-closure care") of the above facility(ies) in accordance with the closure or post-closure plans and other permit or interim status requirements whenever required to do so, the guarantor shall do so or establish a trust fund as specified in Sections R315-264-140 through 148 or 40 CFR 265.140 through 148, which are adopted by reference, as applicable, in the name of (owner or operator) in the amount of the current closure or post-closure cost estimates as specified in Sections R315-264-140 through 148 or 40 CFR 265.140 through 148, which are adopted by reference.

5. Guarantor agrees that if, at the end of any fiscal year before termination of this guarantee, the guarantor fails to meet the financial test criteria, guarantor shall send within 90 days, by certified mail, notice to the Director and to (owner or operator) that he intends to provide alternate financial assurance as specified in Sections R315-264-140 through 148 or 40 CFR 265.140 through 148, which are adopted by reference, as applicable, in the name of (owner

or operator). Within 120 days after the end of such fiscal year, the guarantor shall establish such financial assurance unless (owner or operator) has done so.

6. The guarantor agrees to notify the Director and the appropriate Regional Administrator by certified mail, of a voluntary or involuntary proceeding under Title 11, Bankruptcy, U.S. Code, naming guarantor as debtor, within 10 days after commencement of the proceeding.

7. Guarantor agrees that within 30 days after being notified by the Director of a determination that guarantor no longer meets the financial test criteria or that he is disallowed from continuing as a guarantor of closure or post-closure care, he shall establish alternate financial assurance as specified in Sections R315-264-140 through 148 or 40 CFR 265.140 through 148, which are adopted by reference, as applicable, in the name of (owner or operator) unless (owner or operator) has done so.

8. Guarantor agrees to remain bound under this guarantee notwithstanding any or all of the following: amendment or modification of the closure or post-closure plan, amendment or modification of the permit, the extension or reduction of the time of performance of closure or post-closure, or any other modification or alteration of an obligation of the owner or operator pursuant to Rules R315-264 or 265.

9. Guarantor agrees to remain bound under this guarantee for as long as (owner or operator) shall comply with the applicable financial assurance requirements of Sections R315-264-140 through 148 or 40 CFR 265.140 through 148, which are adopted by reference, for the above-listed facilities, except as provided in paragraph 10 of this agreement.

10. (Insert the following language if the guarantor is (a) a direct or higher-tier corporate parent, or (b) a firm whose parent corporation is also the parent corporation of the owner or operator):

Guarantor may terminate this guarantee by sending notice by certified mail to the Director and to (owner or operator) and to the appropriate Regional Administrator, provided that this guarantee may not be terminated unless and until (the owner or operator) obtains, and the Director approves, alternate closure and/or post-closure care coverage complying with Sections R315-264-143 and/or 264-145, or 40 CFR 265.143, and/or 145, which are adopted by reference.

(Insert the following language if the guarantor is a firm qualifying as a guarantor due to its "substantial business relationship" with its owner or operator)

Guarantor may terminate this guarantee 120 days following the receipt of notification, through certified mail, by the Director and by (the owner or operator).

11. Guarantor agrees that if (owner or operator) fails to provide alternate financial assurance as specified in Sections R315-264-140 through 148 or 40 CFR 265.140 through 148, which are adopted by reference, as applicable, and obtain written approval of such assurance from the Director within 90 days after a notice of cancellation by the guarantor is received by the Director from guarantor, guarantor shall provide such alternate financial assurance in the name of (owner or operator).

12. Guarantor expressly waives notice of acceptance of this

guarantee by the Director or by (owner or operator). Guarantor also expressly waives notice of amendments or modifications of the closure and/or post-closure plan and of amendments or modifications of the facility permit(s).

I hereby certify that the wording of this guarantee is identical to the wording specified in Subsection R315-264-151(h) as such regulations were constituted on the date first above written.

Effective date:

(Name of guarantor)

(Authorized signature for guarantor)

(Name of person signing)

(Title of person signing)

Signature of witness or notary:

(2) A guarantee, as specified in Subsection R315-264-147(g) or 40 CFR 265.147(g), which is adopted by reference, shall be worded as follows, except that instructions in parentheses, (), are to be replaced with the relevant information and the parentheses deleted:

Guarantee for Liability Coverage

Guarantee made this (date) by (name of guaranteeing entity), a business corporation organized under the laws of (if incorporated within the United States insert "the State of \_\_\_\_" and insert name of State; if incorporated outside the United States insert the name of the country in which incorporated, the principal place of business within the United States, and the name and address of the registered agent in the State of the principal place of business), herein referred to as guarantor. This guarantee is made on behalf of (owner or operator) of (business address), which is one of the following: "our subsidiary;" "a subsidiary of (name and address of common parent corporation), of which guarantor is a subsidiary;" or "an entity with which guarantor has a substantial business relationship, as defined in (either Subsection R315-264-141(h) or 40 CFR 265.141(h), which is adopted by reference,)", to any and all third parties who have sustained or may sustain bodily injury or property damage caused by (sudden and/or nonsudden) accidental occurrences arising from operation of the facility(ies) covered by this guarantee.

Recitals

1. Guarantor meets or exceeds the financial test criteria and agrees to comply with the reporting requirements for guarantors as specified in Subsection R315-264-147(g) and 40 CFR 265.147(g), which is adopted by reference].

2. (Owner or operator) owns or operates the following hazardous waste management facility(ies) covered by this guarantee: (List for each facility: EPA identification number, name, and address; and if guarantor is incorporated outside the United States list the name and address of the guarantor's registered agent in each State.) This corporate guarantee satisfies the third-party liability requirements for (insert "sudden" or "nonsudden" or "both sudden and nonsudden") accidental occurrences in above-named owner or operator facilities for coverage in the amount of (insert dollar amount) for each occurrence and (insert dollar amount) annual aggregate.

3. For value received from (owner or operator), guarantor guarantees to any and all third parties who have sustained or may sustain bodily injury or property damage caused by (sudden and/or nonsudden) accidental occurrences arising from operations of the

facility(ies) covered by this guarantee that in the event that (owner or operator) fails to satisfy a judgment or award based on a determination of liability for bodily injury or property damage to third parties caused by (sudden and/or nonsudden) accidental occurrences, arising from the operation of the above-named facilities, or fails to pay an amount agreed to in settlement of a claim arising from or alleged to arise from such injury or damage, the guarantor shall satisfy such judgment(s), award(s) or settlement agreement(s) up to the limits of coverage identified above.

4. Such obligation does not apply to any of the following:

(a) Bodily injury or property damage for which (insert owner or operator) is obligated to pay damages by reason of the assumption of liability in a contract or agreement. This exclusion does not apply to liability for damages that (insert owner or operator) would be obligated to pay in the absence of the contract or agreement.

(b) Any obligation of (insert owner or operator) under a workers' compensation, disability benefits, or unemployment compensation law or any similar law.

(c) Bodily injury to:

(1) An employee of (insert owner or operator) arising from, and in the course of, employment by (insert owner or operator); or

(2) The spouse, child, parent, brother, or sister of that employee as a consequence of, or arising from, and in the course of employment by (insert owner or operator). This exclusion applies:

(A) Whether (insert owner or operator) may be liable as an employer or in any other capacity; and

(B) To any obligation to share damages with or repay another person who shall pay damages because of the injury to persons identified in paragraphs (1) and (2).

(d) Bodily injury or property damage arising out of the ownership, maintenance, use, or entrustment to others of any aircraft, motor vehicle or watercraft.

(e) Property damage to:

(1) Any property owned, rented, or occupied by (insert owner or operator);

(2) Premises that are sold, given away or abandoned by (insert owner or operator) if the property damage arises out of any part of those premises;

(3) Property loaned to (insert owner or operator);

(4) Personal property in the care, custody or control of (insert owner or operator);

(5) That particular part of real property on which (insert owner or operator) or any contractors or subcontractors working directly or indirectly on behalf of (insert owner or operator) are performing operations, if the property damage arises out of these operations.

5. Guarantor agrees that if, at the end of any fiscal year before termination of this guarantee, the guarantor fails to meet the financial test criteria, guarantor shall send within 90 days, by certified mail, notice to the Director and to (owner or operator) and to the appropriate Regional Administrator that he intends to provide alternate liability coverage as specified in Section R315-264-147 and 40 CFR 265.147, which is adopted by reference, as applicable, in the name of (owner or operator). Within 120 days after the end of such fiscal year, the guarantor shall establish such

liability coverage unless (owner or operator) has done so.

6. The guarantor agrees to notify the Director and the appropriate Regional Administrator by certified mail of a voluntary or involuntary proceeding under title 11, Bankruptcy, U.S. Code, naming guarantor as debtor, within 10 days after commencement of the proceeding.

7. Guarantor agrees that within 30 days after being notified by the Director of a determination that guarantor no longer meets the financial test criteria or that he is disallowed from continuing as a guarantor, he shall establish alternate liability coverage as specified in Section R315-264-147 or 40 CFR 265.147, which is adopted by reference, in the name of (owner or operator), unless (owner or operator) has done so.

8. Guarantor reserves the right to modify this agreement to take into account amendment or modification of the liability requirements set by Section R315-264-147 and 40 CFR 265.147, which is adopted by reference, provided that such modification shall become effective only if the Director does not disapprove the modification within 30 days of receipt of notification of the modification.

9. Guarantor agrees to remain bound under this guarantee for so long as (owner or operator) shall comply with the applicable requirements of Sections R315-264-147 and 40 CFR 265.147, which is adopted by reference, for the above-listed facility(ies), except as provided in paragraph 10 of this agreement.

10. (Insert the following language if the guarantor is (a) a direct or higher-tier corporate parent, or (b) a firm whose parent corporation is also the parent corporation of the owner or operator):

Guarantor may terminate this guarantee by sending notice by certified mail to the Director and to (owner or operator) and to the appropriate Regional Administrator, provided that this guarantee may not be terminated unless and until (the owner or operator) obtains, and the Director approves, alternate liability coverage complying with Sections R315-264-147 and/or 40 CFR 265.147, which is adopted by reference.

(Insert the following language if the guarantor is a firm qualifying as a guarantor due to its "substantial business relationship" with the owner or operator):

Guarantor may terminate this guarantee 120 days following receipt of notification, through certified mail, by the Director and by (the owner or operator).

11. Guarantor hereby expressly waives notice of acceptance of this guarantee by any party.

12. Guarantor agrees that this guarantee is in addition to and does not affect any other responsibility or liability of the guarantor with respect to the covered facilities.

13. The Guarantor shall satisfy a third-party liability claim only on receipt of one of the following documents:

(a) Certification from the Principal and the third-party claimant(s) that the liability claim should be paid. The certification shall be worded as follows, except that instructions in parentheses, (), are to be replaced with the relevant information and the parentheses deleted:

Certification of Valid Claim

The undersigned, as parties (insert Principal) and (insert name

and address of third-party claimant(s)), hereby certify that the claim of bodily injury and/or property damage caused by a (sudden or nonsudden) accidental occurrence arising from operating (Principal's) hazardous waste treatment, storage, or disposal facility should be paid in the amount of \$ .

(Signatures)

Principal

(Notary) Date

(Signatures)

Claimant(s)

(Notary) Date

(b) A valid final court order establishing a judgment against the Principal for bodily injury or property damage caused by sudden or nonsudden accidental occurrences arising from the operation of the Principal's facility or group of facilities.

14. In the event of combination of this guarantee with another mechanism to meet liability requirements, this guarantee shall be considered (insert "primary" or "excess") coverage.

I hereby certify that the wording of the guarantee is identical to the wording specified in Subsection R315-264-151(h)(2) as such regulations were constituted on the date shown immediately below.

Effective date:

(Name of guarantor)

(Authorized signature for guarantor)

(Name of person signing)

(Title of person signing)

Signature of witness or notary:

(i) A hazardous waste facility liability endorsement as required in Section R315-264-147 or 40 CFR 265.147, which is adopted by reference, shall be worded as follows, except that instructions in parentheses, (), are to be replaced with the relevant information and the parentheses deleted:

Hazardous Waste Facility Liability Endorsement

1. This endorsement certifies that the policy to which the endorsement is attached provides liability insurance covering bodily injury and property damage in connection with the insured's obligation to demonstrate financial responsibility under Sections R315-264-147 or 40 CFR 265.147, which is adopted by reference. The coverage applies at (list EPA Identification Number, name, and address for each facility) for (insert "sudden accidental occurrences," "nonsudden accidental occurrences," or "sudden and nonsudden accidental occurrences"; if coverage is for multiple facilities and the coverage is different for different facilities, indicate which facilities are insured for sudden accidental occurrences, which are insured for nonsudden accidental occurrences, and which are insured for both).

The limits of liability are (insert the dollar amount of the "each occurrence" and "annual aggregate" limits of the Insurer's liability), exclusive of legal defense costs.

2. The insurance afforded with respect to such occurrences is subject to all of the terms and conditions of the policy; provided, however, that any provisions of the policy inconsistent with subsections (a) through (e) of this Paragraph 2 are hereby amended to conform with subsections (a) through (e):

(a) Bankruptcy or insolvency of the insured shall not relieve

the Insurer of its obligations under the policy to which this endorsement is attached.

(b) The Insurer is liable for the payment of amounts within any deductible applicable to the policy, with a right of reimbursement by the insured for any such payment made by the Insurer. This provision does not apply with respect to that amount of any deductible for which coverage is demonstrated as specified in Subsections R315-264-147(f) or 40 CFR 265.147(f), which is adopted by reference.

(c) Whenever requested by the Director of the Utah Division of Waste Management and Radiation Control (Director), the Insurer agrees to furnish to the Director a signed duplicate original of the policy and all endorsements.

(d) Cancellation of this endorsement, whether by the Insurer, the insured, a parent corporation providing insurance coverage for its subsidiary, or by a firm having an insurable interest in and obtaining liability insurance on behalf of the owner or operator of the hazardous waste management facility, shall be effective only upon written notice and only after the expiration of 60 days after a copy of such written notice is received by the Director and by the appropriate Regional Administrator.

(e) Any other termination of this endorsement shall be effective only upon written notice and only after the expiration of thirty (30) days after a copy of such written notice is received by the Director.

Attached to and forming part of policy No. \_\_\_ issued by (name of Insurer), herein called the Insurer, of (address of Insurer) to (name of insured) of (address) this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_. The effective date of said policy is \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_.

I hereby certify that the wording of this endorsement is identical to the wording specified in Subsection R315-264-151(i) as such regulation was constituted on the date first above written, and that the Insurer is licensed to transact the business of insurance, or eligible to provide insurance as an excess or surplus lines insurer, in one or more States.

(Signature of Authorized Representative of Insurer)

(Type name)

(Title), Authorized Representative of (name of Insurer)

(Address of Representative)

(j) A certificate of liability insurance as required in Section R315-264-147 or 40 CFR 265.147, which is adopted by reference, shall be worded as follows, except that the instructions in parentheses, (), are to be replaced with the relevant information and the parentheses deleted:

Hazardous Waste Facility Certificate of Liability Insurance

1. (Name of Insurer), (the "Insurer"), of (address of Insurer) hereby certifies that it has issued liability insurance covering bodily injury and property damage to (name of insured), (the "insured"), of (address of insured) in connection with the insured's obligation to demonstrate financial responsibility under Sections R315-264-147 or 40 CFR 265.147, which is adopted by reference. The coverage applies at (list EPA Identification Number, name, and address for each facility) for (insert "sudden accidental occurrences," "nonsudden accidental occurrences," or "sudden and nonsudden accidental occurrences"; if coverage is for multiple facilities and the coverage is different for different facilities, indicate which

facilities are insured for sudden accidental occurrences, which are insured for nonsudden accidental occurrences, and which are insured for both). The limits of liability are (insert the dollar amount of the "each occurrence" and "annual aggregate" limits of the Insurer's liability), exclusive of legal defense costs. The coverage is provided under policy number \_\_\_\_, issued on (date). The effective date of said policy is (date).

2. The Insurer further certifies the following with respect to the insurance described in Paragraph 1:

(a) Bankruptcy or insolvency of the insured shall not relieve the Insurer of its obligations under the policy.

(b) The Insurer is liable for the payment of amounts within any deductible applicable to the policy, with a right of reimbursement by the insured for any such payment made by the Insurer. This provision does not apply with respect to that amount of any deductible for which coverage is demonstrated as specified in Subsection R315-264-147(f) or 40 CFR 265.147(f), which is adopted by reference.

(c) Whenever requested by the Director of the Utah Division of Waste Management and Radiation Control, the Insurer agrees to furnish to the Director a signed duplicate original of the policy and all endorsements.

(d) Cancellation of the insurance, whether by the insurer, the insured, a parent corporation providing insurance coverage for its subsidiary, or by a firm having an insurable interest in and obtaining liability insurance on behalf of the owner or operator of the hazardous waste management facility, shall be effective only upon written notice and only after the expiration of 60 days after a copy of such written notice is received by the Director and by the appropriate Regional Administrator.

(e) Any other termination of the insurance shall be effective only upon written notice and only after the expiration of thirty (30) days after a copy of such written notice is received by the Director.

I hereby certify that the wording of this instrument is identical to the wording specified in Subsection R315-264-151(j) as such regulation was constituted on the date first above written, and that the Insurer is licensed to transact the business of insurance, or eligible to provide insurance as an excess or surplus lines insurer, in one or more States.

(Signature of authorized representative of Insurer)

(Type name)

(Title), Authorized Representative of (name of Insurer)

(Address of Representative)

(k) A letter of credit, as specified in Subsection R315-264-147(h) or 40 CFR 265.147(h), which is adopted by reference, shall be worded as follows, except that instructions in parentheses, (), are to be replaced with the relevant information and the parentheses deleted:

Irrevocable Standby Letter of Credit

Director, Utah Division of Waste Management and Radiation Control

195 North 1950 West

P.O. Box 144880

Salt Lake City, UT 84114-4880

Dear Sir or Madam: We hereby establish our Irrevocable Standby Letter of Credit No. \_\_\_\_\_ in the favor of ("any and all third-party

liability claimants" or insert name of trustee of the standby trust fund), at the request and for the account of (owner or operator's name and address) for third-party liability awards or settlements up to (in words) U.S. dollars \$\_\_\_\_\_ per occurrence and the annual aggregate amount of (in words) U.S. dollars \$\_\_\_\_\_, for sudden accidental occurrences and/or for third-party liability awards or settlements up to the amount of (in words) U.S. dollars \$\_\_\_\_\_ per occurrence, and the annual aggregate amount of (in words) U.S. dollars \$\_\_\_\_\_, for nonsudden accidental occurrences available upon presentation of a sight draft bearing reference to this letter of credit No. \_\_\_\_\_, and (insert the following language if the letter of credit is being used without a standby trust fund: (1) a signed certificate reading as follows:

Certificate of Valid Claim

The undersigned, as parties (insert principal) and (insert name and address of third party claimant(s)), hereby certify that the claim of bodily injury and/or property damage caused by a (sudden or nonsudden) accidental occurrence arising from operations of (principal's) hazardous waste treatment, storage, or disposal facility should be paid in the amount of \$(\_\_\_\_\_). We hereby certify that the claim does not apply to any of the following:

(a) Bodily injury or property damage for which (insert principal) is obligated to pay damages by reason of the assumption of liability in a contract or agreement. This exclusion does not apply to liability for damages that (insert principal) would be obligated to pay in the absence of the contract or agreement.

(b) Any obligation of (insert principal) under a workers' compensation, disability benefits, or unemployment compensation law or any similar law.

(c) Bodily injury to:

(1) An employee of (insert principal) arising from, and in the course of, employment by (insert principal); or

(2) The spouse, child, parent, brother or sister of that employee as a consequence of, or arising from, and in the course of employment by (insert principal).

This exclusion applies:

(A) Whether (insert principal) may be liable as an employer or in any other capacity; and

(B) To any obligation to share damages with or repay another person who shall pay damages because of the injury to persons identified in paragraphs (1) and (2).

(d) Bodily injury or property damage arising out of the ownership, maintenance, use, or entrustment to others of any aircraft, motor vehicle or watercraft.

(e) Property damage to:

(1) Any property owned, rented, or occupied by (insert principal);

(2) Premises that are sold, given away or abandoned by (insert principal) if the property damage arises out of any part of those premises;

(3) Property loaned to (insert principal);

(4) Personal property in the care, custody or control of (insert principal);

(5) That particular part of real property on which (insert

principal) or any contractors or subcontractors working directly or indirectly on behalf of (insert principal) are performing operations, if the property damage arises out of these operations.

(Signatures)

Grantor

(Signatures)

Claimant(s) or

(2) a valid final court order establishing a judgment against the Grantor for bodily injury or property damage caused by sudden or nonsudden accidental occurrences arising from the operation of the Grantor's facility or group of facilities.)

This letter of credit is effective as of (date) and shall expire on (date at least one year later), but such expiration date shall be automatically extended for a period of (at least one year) on (date and on each successive expiration date, unless, at least 120 days before the current expiration date, we notify you, the Director of the Utah Division of Waste Management and Radiation Control, and (owner's or operator's name) and the appropriate Regional Administrator by certified mail that we have decided not to extend this letter of credit beyond the current expiration date.

Whenever this letter of credit is drawn on under and in compliance with the terms of this credit, we shall duly honor such draft upon presentation to us.

(Insert the following language if a standby trust fund is not being used: "In the event that this letter of credit is used in combination with another mechanism for liability coverage, this letter of credit shall be considered (insert "primary" or "excess" coverage)."

We certify that the wording of this letter of credit is identical to the wording specified in Subsection R315-264-151(k) as such regulations were constituted on the date shown immediately below. (Signature(s) and title(s) of official(s) of issuing institution) (Date).

This credit is subject to (insert "the most recent edition of the Uniform Customs and Practice for Documentary Credits, published and copyrighted by the International Chamber of Commerce," or "the Uniform Commercial Code").

(1) A surety bond, as specified in Subsection R315-264-147(i) or 40 CFR 265.147(i), which is adopted by reference, shall be worded as follows: except that instructions in parentheses, (), are to be replaced with the relevant information and the parentheses deleted:

Payment Bond

Surety Bond No. (Insert number)

Parties (Insert name and address of owner or operator), Principal, incorporated in (Insert State of incorporation) of (Insert city and State of principal place of business) and (Insert name and address of surety company(ies)), Surety Company(ies), of (Insert surety(ies) place of business).

EPA Identification Number, name, and address for each facility guaranteed by this bond: \_\_\_\_\_

Table

Sudden accidental

Nonsudden accidental

	occurrences	occurrences
Penal Sum Per Occurrence	(insert amount)	(insert amount)
Annual Aggregate	(insert amount)	(insert amount)

Purpose: This is an agreement between the Surety(ies) and the Principal under which the Surety(ies), its(their) successors and assignees, agree to be responsible for the payment of claims against the Principal for bodily injury and/or property damage to third parties caused by ("sudden" and/or "nonsudden") accidental occurrences arising from operations of the facility or group of facilities in the sums prescribed herein; subject to the governing provisions and the following conditions.

Governing Provisions:

(1) Section 3004 of the Resource Conservation and Recovery Act of 1976, as amended.

(2) Rules adopted by the Utah Waste Management and Radiation Control Board under the Utah Solid and Hazardous Waste Act, particularly ("Subsection R315-264-147" or "40 CFR 265.147, which is adopted by reference") (if applicable).

Conditions:

(1) The Principal is subject to the applicable governing provisions that require the Principal to have and maintain liability coverage for bodily injury and property damage to third parties caused by ("sudden" and/or "nonsudden") accidental occurrences arising from operations of the facility or group of facilities. Such obligation does not apply to any of the following:

(a) Bodily injury or property damage for which (insert principal) is obligated to pay damages by reason of the assumption of liability in a contract or agreement. This exclusion does not apply to liability for damages that (insert principal) would be obligated to pay in the absence of the contract or agreement.

(b) Any obligation of (insert principal) under a workers' compensation, disability benefits, or unemployment compensation law or similar law.

(c) Bodily injury to:

(1) An employee of (insert principal) arising from, and in the course of, employment by (insert principal); or

(2) The spouse, child, parent, brother or sister of that employee as a consequence of, or arising from, and in the course of employment by (insert principal). This exclusion applies:

(A) Whether (insert principal) may be liable as an employer or in any other capacity; and

(B) To any obligation to share damages with or repay another person who shall pay damages because of the injury to persons identified in paragraphs (1) and (2).

(d) Bodily injury or property damage arising out of the ownership, maintenance, use, or entrustment to others of any aircraft, motor vehicle or watercraft.

(e) Property damage to:

(1) Any property owned, rented, or occupied by (insert principal);

(2) Premises that are sold, given away or abandoned by (insert

principal) if the property damage arises out of any part of those premises;

(3) Property loaned to (insert principal);

(4) Personal property in the care, custody or control of (insert principal);

(5) That particular part of real property on which (insert principal) or any contractors or subcontractors working directly or indirectly on behalf of (insert principal) are performing operations, if the property damage arises out of these operations.

(2) This bond assures that the Principal shall satisfy valid third party liability claims, as described in condition 1.

(3) If the Principal fails to satisfy a valid third party liability claim, as described above, the Surety(ies) becomes liable on this bond obligation.

(4) The Surety(ies) shall satisfy a third party liability claim only upon the receipt of one of the following documents:

(a) Certification from the Principal and the third party claimant(s) that the liability claim should be paid. The certification shall be worded as follows, except that instructions in parentheses, (), are to be replaced with the relevant information and the parentheses deleted:

Certification of Valid Claim

The undersigned, as parties (insert name of Principal) and (insert name and address of third party claimant(s)), hereby certify that the claim of bodily injury and/or property damage caused by a (sudden or nonsudden) accidental occurrence arising from operating (Principal's) hazardous waste treatment, storage, or disposal facility should be paid in the amount of \$( ).

(Signature)

Principal

(Notary) Date

(Signature(s))

Claimant(s)

(Notary) Date

or (b) A valid final court order establishing a judgment against the Principal for bodily injury or property damage caused by sudden or nonsudden accidental occurrences arising from the operation of the Principal's facility or group of facilities.

(5) In the event of combination of this bond with another mechanism for liability coverage, this bond shall be considered (insert "primary" or "excess") coverage.

(6) The liability of the Surety(ies) shall not be discharged by any payment or succession of payments hereunder, unless and until such payment or payments shall amount in the aggregate to the penal sum of the bond. In no event shall the obligation of the Surety(ies) hereunder exceed the amount of said annual aggregate penal sum, provided that the Surety(ies) furnish(es) notice to the Director forthwith of all claims filed and payments made by the Surety(ies) under this bond.

(7) The Surety(ies) may cancel the bond by sending notice of cancellation by certified mail to the Principal and the Director and the appropriate Regional Administrator, provided, however, that cancellation shall not occur during the 120 days beginning on the date of receipt of the notice of cancellation by the Principal and

the Director, as evidenced by the return receipt.

(8) The Principal may terminate this bond by sending written notice to the Surety(ies) and to the Director.

(9) The Surety(ies) hereby waive(s) notification of amendments to applicable laws, statutes, rules and regulations and agree(s) that no such amendment shall in any way alleviate its (their) obligation on this bond.

(10) This bond is effective from (insert date) (12:01 a.m., standard time, at the address of the Principal as stated herein) and shall continue in force until terminated as described above.

In Witness Whereof, the Principal and Surety(ies) have executed this Bond and have affixed their seals on the date set forth above.

The persons whose signatures appear below hereby certify that they are authorized to execute this surety bond on behalf of the Principal and Surety(ies) and that the wording of this surety bond is identical to the wording specified in Subsection R315-264-151(1), as such regulations were constituted on the date this bond was executed.

PRINCIPAL

(Signature(s))

(Name(s))

(Title(s))

(Corporate Seal)

CORPORATE SURETY(IES)

(Name and address)

State of incorporation:

Liability Limit: \$

(Signature(s))

(Name(s) and title(s))

(Corporate seal)

(For every co-surety, provide signature(s), corporate seal, and other information in the same manner as for Surety above.)

Bond premium: \$

(m)(1) A trust agreement, as specified in Subsection R315-264-147(j) or 40 CFR 265.147(j), which is adopted by reference, shall be worded as follows, except that instructions in parentheses, (), are to be replaced with the relevant information and the parentheses deleted:

Trust Agreement

Trust Agreement, the "Agreement," entered into as of (date) by and between (name of the owner or operator) a (name of State) (insert "corporation," "partnership," "association," or "proprietorship"), the "Grantor," and (name of corporate trustee), (insert, "incorporated in the State of \_\_\_\_" or "a national bank"), the "trustee."

Whereas, the Utah Waste Management and Radiation Control Board, has established certain regulations applicable to the Grantor, requiring that an owner or operator of a hazardous waste management facility or group of facilities shall demonstrate financial responsibility for bodily injury and property damage to third parties caused by sudden accidental and/or nonsudden accidental occurrences arising from operations of the facility or group of facilities.

Whereas, the Grantor has elected to establish a trust to assure all or part of such financial responsibility for the facilities identified herein.

Whereas, the Grantor, acting through its duly authorized officers, has selected the Trustee to be the trustee under this agreement, and the Trustee is willing to act as trustee.

Now, therefore, the Grantor and the Trustee agree as follows:

Section 1. Definitions. As used in this Agreement:

(a) The term "Board", "Waste Management and Radiation Control Board" created pursuant to Utah Code Annotated 19-1-106.

(b) The term "Director" means the Director, of the Division of Waste Management and Radiation Control his successors, designees, and any subsequent entity of the State of Utah upon whom the duties of regulation and enforcement of regulations governing hazardous waste.

(c) The term "Grantor" means the owner or operator who enters into this Agreement and any successors or assigns of the Grantor.

(d) The term "Trustee" means the Trustee who enters into this Agreement and any successor Trustee.

Section 2. Identification of Facilities. This agreement pertains to the facilities identified on attached schedule A (on schedule A, for each facility list the EPA Identification Number, name, and address of the facility(ies) and the amount of liability coverage, or portions thereof, if more than one instrument affords combined coverage as demonstrated by this Agreement).

Section 3. Establishment of Fund. The Grantor and the Trustee hereby establish a trust fund, hereinafter the "Fund," for the benefit of any and all third parties injured or damaged by (sudden and/or nonsudden) accidental occurrences arising from operation of the facility(ies) covered by this guarantee, in the amounts of \_\_\_\_\_ (up to \$1 million) per occurrence and \_\_\_\_\_ (up to \$2 million) annual aggregate for sudden accidental occurrences and \_\_\_\_\_ (up to \$3 million) per occurrence and \_\_\_\_\_ (up to \$6 million) annual aggregate for nonsudden occurrences, except that the Fund is not established for the benefit of third parties for the following:

(a) Bodily injury or property damage for which (insert Grantor) is obligated to pay damages by reason of the assumption of liability in a contract or agreement. This exclusion does not apply to liability for damages that (insert Grantor) would be obligated to pay in the absence of the contract or agreement.

(b) Any obligation of (insert Grantor) under a workers' compensation, disability benefits, or unemployment compensation law or any similar law.

(c) Bodily injury to:

(1) An employee of (insert Grantor) arising from, and in the course of, employment by (insert Grantor); or

(2) The spouse, child, parent, brother or sister of that employee as a consequence of, or arising from, and in the course of employment by (insert Grantor).

This exclusion applies:

(A) Whether (insert Grantor) may be liable as an employer or in any other capacity; and

(B) To any obligation to share damages with or repay another person who shall pay damages because of the injury to persons identified in paragraphs (1) and (2).

(d) Bodily injury or property damage arising out of the ownership, maintenance, use, or entrustment to others of any aircraft,

motor vehicle or watercraft.

(e) Property damage to:

(1) Any property owned, rented, or occupied by (insert Grantor);

(2) Premises that are sold, given away or abandoned by (insert Grantor) if the property damage arises out of any part of those premises;

(3) Property loaned to (insert Grantor);

(4) Personal property in the care, custody or control of (insert Grantor);

(5) That particular part of real property on which (insert Grantor) or any contractors or subcontractors working directly or indirectly on behalf of (insert Grantor) are performing operations, if the property damage arises out of these operations.

In the event of combination with another mechanism for liability coverage, the fund shall be considered (insert "primary" or "excess") coverage.

The Fund is established initially as consisting of the property, which is acceptable to the Trustee, described in Schedule B attached hereto. Such property and any other property subsequently transferred to the Trustee is referred to as the Fund, together with all earnings and profits thereon, less any payments or distributions made by the Trustee pursuant to this Agreement. The Fund shall be held by the Trustee, IN TRUST, as hereinafter provided. The Trustee shall not be responsible nor shall it undertake any responsibility for the amount or adequacy of, nor any duty to collect from the Grantor, any payments necessary to discharge any liabilities of the Grantor established by Director.

Section 4. Payment for Bodily Injury or Property Damage. The Trustee shall satisfy a third party liability claim by making payments from the Fund only upon receipt of one of the following documents;

(a) Certification from the Grantor and the third party claimant(s) that the liability claim should be paid. The certification shall be worded as follows, except that instructions in parentheses, (), are to be replaced with the relevant information and the parentheses deleted:

Certification of Valid Claim

The undersigned, as parties (insert Grantor) and (insert name and address of third party claimant(s)), hereby certify that the claim of bodily injury and/or property damage caused by a (sudden or nonsudden) accidental occurrence arising from operating (Grantor's) hazardous waste treatment, storage, or disposal facility should be paid in the amount of \$( ).

(Signatures)

Grantor

(Signatures)

Claimant(s)

(b) A valid final court order establishing a judgment against the Grantor for bodily injury or property damage caused by sudden or nonsudden accidental occurrences arising from the operation of the Grantor's facility or group of facilities.

Section 5. Payments Comprising the Fund. Payments made to the Trustee for the Fund shall consist of cash or securities acceptable to the Trustee.

Section 6. Trustee Management. The Trustee shall invest and

reinvest the principal and income, in accordance with general investment policies and guidelines which the Grantor may communicate in writing to the Trustee from time to time, subject, however, to the provisions Section R315-264-151. In investing, reinvesting, exchanging, selling, and managing the Fund, the Trustee shall discharge his duties with respect to the trust fund solely in the interest of the beneficiary and with the care, skill, prudence, and diligence under the circumstance then prevailing which persons of prudence, acting in a like capacity and familiar with such matters, would use in the conduct of an enterprise of a like character and with like aims; except that:

(i) Securities or other obligations of the Grantor, or any other owner or operator of the facilities, or any of their affiliates as defined in the Investment Company Act of 1940, as amended, 15 U.S.C. 80a-2.(a), shall not be acquired or held unless they are securities or other obligations of the Federal or a State government;

(ii) The Trustee is authorized to invest the Fund in time or demand deposits of the Trustee, to the extent insured by an agency of the Federal or State government; and

(iii) The Trustee is authorized to hold cash awaiting investment or distribution uninvested for a reasonable time and without liability for the payment of interest thereon.

Section 7. Commingling and Investment. The Trustee is expressly authorized in its discretion:

(a) To transfer from time to time any or all of the assets of the Fund to any common commingled, or collective trust fund created by the Trustee in which the fund is eligible to participate, subject to all of the provisions thereof, to be commingled with the assets of other trusts participating therein; and

(b) To purchase shares in any investment company registered under the Investment Company Act of 1940, 15 U.S.C. 81a-1 et seq., including one which may be created, managed, underwritten, or to which investment advice is rendered or the shares of which are sold by the Trustee. The Trustee may vote such shares in its discretion.

Section 8. Express Powers of Trustee. Without in any way limiting the powers and discretions conferred upon the Trustee by the other provisions of this Agreement or by law, the Trustee is expressly authorized and empowered:

(a) To sell, exchange, convey, transfer, or otherwise dispose of any property held by it, by public or private sale. No person dealing with the Trustee shall be bound to see to the application of the purchase money or to inquire into the validity or expediency of any such sale or other disposition;

(b) To make, execute, acknowledge, and deliver any and all documents of transfer and conveyance and any and all other instruments that may be necessary or appropriate to carry out the powers herein granted;

(c) To register any securities held in the Fund in its own name or in the name of a nominee and to hold any security in bearer form or in book entry, or to combine certificates representing such securities with certificates of the same issue held by the Trustee in other fiduciary capacities, or to deposit or arrange for the deposit of such securities in a qualified central depository even though, when so deposited, such securities may be merged and held in bulk

in the name of the nominee of such depository with other securities deposited therein by another person, or to deposit or arrange for the deposit of any securities issued by the United States Government, or any agency or instrumentality thereof, with a Federal Reserve bank, but the books and records of the Trustee shall at all times show that all such securities are part of the Fund;

(d) To deposit any cash in the Fund in interest-bearing accounts maintained or savings certificates issued by the Trustee, in its separate corporate capacity, or in any other banking institution affiliated with the Trustee, to the extent insured by an agency of the Federal or State government; and

(e) To compromise or otherwise adjust all claims in favor of or against the Fund.

Section 9. Taxes and Expenses. All taxes of any kind that may be assessed or levied against or in respect of the Fund and all brokerage commissions incurred by the Fund shall be paid from the Fund. All other expenses incurred by the Trustee in connection with the administration of this Trust, including fees for legal services rendered to the Trustee, the compensation of the Trustee to the extent not paid directly by the Grantor, and all other proper charges and disbursements of the Trustee shall be paid from the Fund.

Section 10. Annual Valuations. The Trustee shall annually, at least 30 days prior to the anniversary date of establishment of the Fund, furnish to the Grantor and to the Director a statement confirming the value of the Trust. Any securities in the Fund shall be valued at market value as of no more than 60 days prior to the anniversary date of establishment of the Fund. The failure of the Grantor to object in writing to the Trustee within 90 days after the statement has been furnished to the Grantor and the Director shall constitute a conclusively binding assent by the Grantor barring the Grantor from asserting any claim or liability against the Trustee with respect to matters disclosed in the statement.

Section 11. Advice of Counsel. The Trustee may from time to time consult with counsel, who may be counsel to the Grantor with respect to any question arising as to the construction of this Agreement or any action to be taken hereunder. The Trustee shall be fully protected, to the extent permitted by law, in acting upon the advice of counsel.

Section 12. Trustee Compensation. The Trustee shall be entitled to reasonable compensation for its services as agreed upon in writing from time to time with the Grantor.

Section 13. Successor Trustee. The Trustee may resign or the Grantor may replace the Trustee, but such resignation or replacement shall not be effective until the Grantor has appointed a successor trustee and this successor accepts the appointment. The successor trustee shall have the same powers and duties as those conferred upon the Trustee hereunder. Upon the successor trustee's acceptance of the appointment, the Trustee shall assign, transfer, and pay over to the successor trustee the funds and properties then constituting the Fund. If for any reason the Grantor cannot or does not act in the event of the resignation of the Trustee, the Trustee may apply to a court of competent jurisdiction for the appointment of a successor trustee or for instructions. The successor trustee shall specify the date on which it assumes administration of the trust in a writing

sent to the Grantor, the Director, and the present Trustee by certified mail 10 days before such change becomes effective. Any expenses incurred by the Trustee as a result of any of the acts contemplated by this section shall be paid as provided in Section 9.

Section 14. Instructions to the Trustee. All orders, requests, and instructions by the Grantor to the Trustee shall be in writing, signed by such persons as are designated in the attached Exhibit A or such other designees as the Grantor may designate by amendments to Exhibit A. The Trustee shall be fully protected in acting without inquiry in accordance with the Grantor's orders, requests, and instructions. All orders, requests, and instructions by the Director to the Trustee shall be in writing, signed by the Director and the Trustee shall act and shall be fully protected in acting in accordance with such orders, requests, and instructions. The Trustee shall have the right to assume, in the absence of written notice to the contrary, that no event constituting a change or a termination of the authority of any person to act on behalf of the Grantor or the Director hereunder has occurred. The Trustee shall have no duty to act in the absence of such orders, requests, and instructions from the Grantor and/or the Director, except as provided for herein.

Section 15. Notice of Nonpayment. If a payment for bodily injury or property damage is made under Section 4 of this trust, the Trustee shall notify the Grantor of such payment and the amount(s) thereof within five (5) working days. The Grantor shall, on or before the anniversary date of the establishment of the Fund following such notice, either make payments to the Trustee in amounts sufficient to cause the trust to return to its value immediately prior to the payment of claims under Section 4, or shall provide written proof to the Trustee that other financial assurance for liability coverage has been obtained equalling the amount necessary to return the trust to its value prior to the payment of claims. If the Grantor does not either make payments to the Trustee or provide the Trustee with such proof, the Trustee shall within 10 working days after the anniversary date of the establishment of the Fund provide a written notice of nonpayment to the Director and to the appropriate Regional Administrator.

Section 16. Amendment of Agreement. This Agreement may be amended by an instrument in writing executed by the Grantor, the Trustee, and the Director, or by the Trustee and the Director if the Grantor ceases to exist.

Section 17. Irrevocability and Termination. Subject to the right of the parties to amend this Agreement as provided in Section 16, this Trust shall be irrevocable and shall continue until terminated at the written agreement of the Grantor, the Trustee, and the Director, or by the Trustee and the Director, if the Grantor ceases to exist.

Upon termination of the Trust, all remaining trust property, less final trust administration expenses, shall be delivered to the Grantor.

The Director shall agree to termination of the Trust when the owner or operator substitutes alternate financial assurance as specified in this section.

Section 18. Immunity and Indemnification. The Trustee shall not incur personal liability of any nature in connection with any act or omission, made in good faith, in the administration of this

Trust, or in carrying out any directions by the Grantor or the Director issued in accordance with this Agreement. The Trustee shall be indemnified and saved harmless by the Grantor or from the Trust Fund, or both, from and against any personal liability to which the Trustee may be subjected by reason of any act or conduct in its official capacity, including all expenses reasonably incurred in its defense in the event the Grantor fails to provide such defense.

Section 19. Choice of Law. This Agreement shall be administered, construed, and enforced according to the laws of the State of Utah.

Section 20. Interpretation. As used in this Agreement, words in the singular include the plural and words in the plural include the singular. The descriptive headings for each section of this Agreement shall not affect the interpretation or the legal efficacy of this Agreement.

In Witness Whereof the parties have caused this Agreement to be executed by their respective officers duly authorized and their corporate seals to be hereunto affixed and attested as of the date first above written. The parties below certify that the wording of this Agreement is identical to the wording specified in Subsection R315-264-151(m) as such regulations were constituted on the date first above written.

(Signature of Grantor)

(Title)

Attest:

(Title)

(Seal)

(Signature of Trustee)

Attest:

(Title)

(Seal)

(2) The following is an example of the certification of acknowledgement which shall accompany the trust agreement for a trust fund as specified in Subsection R315-264-147(j) or 40 CFR 265.147(j), which is adopted by reference.

State of

County of

On this (date), before me personally came (owner or operator) to me known, who, being by me duly sworn, did depose and say that she/he resides at (address), that she/he is (title) of (corporation), the corporation described in and which executed the above instrument; that she/he knows the seal of said corporation; that the seal affixed to such instrument is such corporate seal; that it was so affixed by order of the Board of Directors of said corporation, and that she/he signed her/his name thereto by like order.

(Signature of Notary Public)

(n)(1) A standby trust agreement, as specified in Subsection R315-264-147(h) or 40 CFR 265.147(h), which is adopted by reference, shall be worded as follows, except that instructions in parentheses, (), are to be replaced with the relevant information and the parentheses deleted:

Standby Trust Agreement

Trust Agreement, the "Agreement," entered into as of (date) by and between (name of the owner or operator) a (name of a State) (insert

"corporation," "partnership," "association," or "proprietorship"), the "Grantor," and (name of corporate trustee), (insert, "incorporated in the State of \_\_\_\_\_" or "a national bank"), the "trustee."

Whereas the Utah Waste Management and Radiation Control Board, in accordance with the Utah Solid and Hazardous Waste Act, has established certain regulations applicable to the Grantor, requiring that an owner or operator of a hazardous waste management facility or group of facilities shall demonstrate financial responsibility for bodily injury and property damage to third parties caused by sudden accidental and/or nonsudden accidental occurrences arising from operations of the facility or group of facilities.

Whereas, the Grantor has elected to establish a standby trust into which the proceeds from a letter of credit may be deposited to assure all or part of such financial responsibility for the facilities identified herein.

Whereas, the Grantor, acting through its duly authorized officers, has selected the Trustee to be the trustee under this agreement, and the Trustee is willing to act as trustee.

Now, therefore, the Grantor and the Trustee agree as follows:

Section 1. Definitions. As used in this Agreement:

(a) The term "Board", "Waste Management and Radiation Control Board" created pursuant to Utah Code Annotated 19-1-106.

(b) The term "Director" means the Director[      ], of the Division of Waste Management and Radiation Control, his successors, designees, and any subsequent entity of the State of Utah upon whom the duties of regulation and enforcement of regulations governing hazardous waste are granted.

(c) The term Grantor means the owner or operator who enters into this Agreement and any successors or assigns of the Grantor.

(d) The term Trustee means the Trustee who enters into this Agreement and any successor Trustee.

Section 2. Identification of Facilities. This agreement pertains to the facilities identified on attached schedule A (on schedule A, for each facility list the EPA Identification Number, name, and address of the facility(ies) and the amount of liability coverage, or portions thereof, if more than one instrument affords combined coverage as demonstrated by this Agreement).

Section 3. Establishment of Fund. The Grantor and the Trustee hereby establish a standby trust fund, hereafter the "Fund," for the benefit of any and all third parties injured or damaged by (sudden and/or nonsudden) accidental occurrences arising from operation of the facility(ies) covered by this guarantee, in the amounts of \_\_\_\_\_ (up to \$1 million) per occurrence and \_\_\_\_\_ (up to \$2 million) annual aggregate for sudden accidental occurrences and \_\_\_\_\_ (up to \$3 million) per occurrence and \_\_\_\_\_ (up to \$6 million) annual aggregate for nonsudden occurrences, except that the Fund is not established for the benefit of third parties for the following:

(a) Bodily injury or property damage for which (insert Grantor) is obligated to pay damages by reason of the assumption of liability in a contract or agreement. This exclusion does not apply to liability for damages that (insert Grantor) would be obligated to pay in the absence of the contract or agreement.

(b) Any obligation of (insert Grantor) under a workers' compensation, disability benefits, or unemployment compensation law

or any similar law.

(c) Bodily injury to:

(1) An employee of (insert Grantor) arising from [redacted], and in the course of, employment by (insert Grantor); or

(2) The spouse, child, parent, brother or sister of that employee as a consequence of, or arising from, and in the course of employment by (insert Grantor).

This exclusion applies:

(A) Whether (insert Grantor) may be liable as an employer or in any other capacity; and

(B) To any obligation to share damages with or repay another person who shall pay damages because of the injury to persons identified in paragraphs (1) and (2).

(d) Bodily injury or property damage arising out of the ownership, maintenance, use, or entrustment to others of any aircraft, motor vehicle or watercraft.

(e) Property damage to:

(1) Any property owned, rented, or occupied by (insert Grantor);

(2) Premises that are sold, given away or abandoned by (insert Grantor) if the property damage arises out of any part of those premises;

(3) Property loaned by (insert Grantor);

(4) Personal property in the care, custody or control of (insert Grantor);

(5) That particular part of real property on which (insert Grantor) or any contractors or subcontractors working directly or indirectly on behalf of (insert Grantor) are performing operations, if the property damage arises out of these operations.

In the event of combination with another mechanism for liability coverage, the fund shall be considered (insert "primary" or "excess") coverage.

The Fund is established initially as consisting of the proceeds of the letter of credit deposited into the Fund. Such proceeds and any other property subsequently transferred to the Trustee is referred to as the Fund, together with all earnings and profits thereon, less any payments or distributions made by the Trustee pursuant to this Agreement. The Fund shall be held by the Trustee, IN TRUST, as hereinafter provided. The Trustee shall not be responsible nor shall it undertake any responsibility for the amount or adequacy of, nor any duty to collect from the Grantor, any payments necessary to discharge any liabilities of the Grantor established by the Director of the Utah Division of Waste Management and Radiation Control.

Section 4. Payment for Bodily Injury or Property Damage. The Trustee shall satisfy a third party liability claim by drawing on the letter of credit described in Schedule B and by making payments from the Fund only upon receipt of one of the following documents:

(a) Certification from the Grantor and the third party claimant(s) that the liability claim should be paid. The certification shall be worded as follows, except that instructions in parentheses, (), are to be replaced with the relevant information and the parentheses deleted:

Certification of Valid Claim

The undersigned, as parties (insert Grantor) and (insert name and address of third party claimant(s)), hereby certify that the claim

of bodily injury and/or property damage caused by a (sudden or nonsudden) accidental occurrence arising from operating (Grantor's) hazardous waste treatment, storage, or disposal facility should be paid in the amount of \$(                    ).

(Signature)

Grantor

(Signatures)

Claimant(s)

(b) A valid final court order establishing a judgment against the Grantor for bodily injury or property damage caused by sudden or nonsudden accidental occurrences arising from the operation of the Grantor's facility or group of facilities.

Section 5. Payments Comprising the Fund. Payments made to the Trustee for the Fund shall consist of the proceeds from the letter of credit drawn upon by the Trustee in accordance with the requirements of Subsection R315-264-151(k) and Section 4 of this Agreement.

Section 6. Trustee Management. The Trustee shall invest and reinvest the principal and income, in accordance with general investment policies and guidelines which the Grantor may communicate in writing to the Trustee from time to time, subject, however, to the provisions Section R315-264-151. In investing, reinvesting, exchanging, selling, and managing the Fund, the Trustee shall discharge his duties with respect to the trust fund solely in the interest of the beneficiary and with the care, skill, prudence, and diligence under the circumstances then prevailing which persons of prudence, acting in a like capacity and familiar with such matters, would use in the conduct of an enterprise of a like character and with like aims; except that:

(i) Securities or other obligations of the Grantor, or any other owner or operator of the facilities, or any of their affiliates as defined in the Investment Company Act of 1940, as amended, 15 U.S.C. 80a-2(a), shall not be acquired or held, unless they are securities or other obligations of the Federal or a State government;

(ii) The Trustee is authorized to invest the Fund in time or demand deposits of the Trustee, to the extent insured by an agency of the Federal or a State government; and

(iii) The Trustee is authorized to hold cash awaiting investment or distribution uninvested for a reasonable time and without liability for the payment of interest thereon.

Section 7. Commingling and Investment. The Trustee is expressly authorized in its discretion:

(a) To transfer from time to time any or all of the assets of the Fund to any common, commingled, or collective trust fund created by the Trustee in which the Fund is eligible to participate, subject to all of the provisions thereof, to be commingled with the assets of other trusts participating therein; and

(b) To purchase shares in any investment company registered under the Investment Company Act of 1940, 15 U.S.C. 80a-1 et seq., including one which may be created, managed, underwritten, or to which investment advice is rendered or the shares of which are sold by the Trustee. The Trustee may vote such shares in its discretion.

Section 8. Express Powers of Trustee. Without in any way limiting the powers and discretions conferred upon the Trustee by the other provisions of this Agreement or by law, the Trustee is

expressly authorized and empowered:

(a) To sell, exchange, convey, transfer, or otherwise dispose of any property held by it, by public or private sale. No person dealing with the Trustee shall be bound to see to the application of the purchase money or to inquire into the validity or expediency of any such sale or other disposition;

(b) To make, execute, acknowledge, and deliver any and all documents of transfer and conveyance and any and all other instruments that may be necessary or appropriate to carry out the powers herein granted;

(c) To register any securities held in the Fund in its own name or in the name of a nominee and to hold any security in bearer form or in book entry, or to combine certificates representing such securities with certificates of the same issue held by the Trustee in other fiduciary capacities, or to deposit or arrange for the deposit of such securities in a qualified central depository even though, when so deposited, such securities may be merged and held in bulk in the name of the nominee of such depository with other securities deposited therein by another person, or to deposit or arrange for the deposit of any securities issued by the United States Government, or any agency or instrumentality thereof, with a Federal Reserve Bank, but the books and records of the Trustee shall at all times show that all such securities are part of the Fund;

(d) To deposit any cash in the Fund in interest-bearing accounts maintained or savings certificates issued by the Trustee, in its separate corporate capacity, or in any other banking institution affiliated with the Trustee, to the extent insured by an agency of the Federal or State government; and

(e) To compromise or otherwise adjust all claims in favor of or against the Fund.

Section 9. Taxes and Expenses. All taxes of any kind that may be assessed or levied against or in respect of the Fund and all brokerage commissions incurred by the Fund shall be paid from the Fund. All other expenses incurred by the Trustee in connection with the administration of this Trust, including fees for legal services rendered to the Trustee, the compensation of the Trustee to the extent not paid directly by the Grantor, and all other proper charges and disbursements to the Trustee shall be paid from the Fund.

Section 10. Advice of Counsel. The Trustee may from time to time consult with counsel, who may be counsel to the Grantor, with respect to any question arising as to the construction of this Agreement or any action to be taken hereunder. The Trustee shall be fully protected, to the extent permitted by law, in acting upon the advice of counsel.

Section 11. Trustee Compensation. The Trustee shall be entitled to reasonable compensation for its services as agreed upon in writing from time to time with the Grantor.

Section 12. Successor Trustee. The Trustee may resign or the Grantor may replace the Trustee, but such resignation or replacement shall not be effective until the Grantor has appointed a successor trustee and this successor accepts the appointment. The successor trustee shall have the same powers and duties as those conferred upon the Trustee hereunder. Upon the successor trustee's acceptance of the appointment, the Trustee shall assign, transfer, and pay over

to the successor trustee the funds and properties then constituting the Fund. If for any reason the Grantor cannot or does not act in the event of the resignation of the Trustee, the Trustee may apply to a court of competent jurisdiction for the appointment of a successor trustee or for instructions. The successor trustee shall specify the date on which it assumes administration of the trust in a writing sent to the Grantor, the Director and the present Trustee by certified mail 10 days before such change becomes effective. Any expenses incurred by the Trustee as a result of any of the acts contemplated by this Section shall be paid as provided in Section 9.

Section 13. Instructions to the Trustee. All orders, requests, certifications of valid claims, and instructions to the Trustee shall be in writing, signed by such persons as are designated in the attached Exhibit A or such other designees as the Grantor may designate by amendments to Exhibit A. The Trustee shall be fully protected in acting without inquiry in accordance with the Grantor's orders, requests, and instructions. The Trustee shall have the right to assume, in the absence of written notice to the contrary, that no event constituting a change or a termination of the authority of any person to act on behalf of the Grantor or the Director hereunder has occurred. The Trustee shall have no duty to act in the absence of such orders, requests, and instructions from the Grantor and/or the Director, except as provided for herein.

Section 14. Amendment of Agreement. This Agreement may be amended by an instrument in writing executed by the Grantor, the Trustee, and the Director, or by the Trustee and the Director if the Grantor ceases to exist.

Section 15. Irrevocability and Termination. Subject to the right of the parties to amend this Agreement as provided in Section 14, this Trust shall be irrevocable and shall continue until terminated at the written agreement of the Grantor, the Trustee, and the Director, or by the Trustee and the Director, if the Grantor ceases to exist.

Upon termination of the Trust, all remaining trust property, less final trust administration expenses, shall be paid to the Grantor.

The Director shall agree to termination of the Trust when the owner or operator substitutes alternative financial assurance as specified in this section.

Section 16. Immunity and indemnification. The Trustee shall not incur personal liability of any nature in connection with any act or omission, made in good faith, in the administration of this Trust, or in carrying out any directions by the Grantor and the Director issued in accordance with this Agreement. The Trustee shall be indemnified and saved harmless by the Grantor or from the Trust Fund, or both, from and against any personal liability to which the Trustee may be subjected by reason of any act or conduct in its official capacity, including all expenses reasonably incurred in its defense in the event the Grantor fails to provide such defense.

Section 17. Choice of Law. This Agreement shall be administered, construed, and enforced according to the laws of the State of Utah.

Section 18. Interpretation. As used in this Agreement, words in the singular include the plural and words in the plural include the singular. The descriptive headings for each Section of this Agreement shall not affect the interpretation of the legal efficacy

of this Agreement.

In Witness Whereof the parties have caused this Agreement to be executed by their respective officers duly authorized and their corporate seals to be hereunto affixed and attested as of the date first above written. The parties below certify that the wording of this Agreement is identical to the wording specified in Subsection R315-264-151(n) as such regulations were constituted on the date first above written.

(Signature of Grantor)

(Title)

Attest:

(Title)

(Seal)

(Signature of Trustee)

Attest:

(Title)

(Seal)

(2) The following is an example of the certification of acknowledgement which shall accompany the trust agreement for a standby trust fund as specified in Subsection R315-264-147(h) or 40 CFR 265.147(h) , which is adopted by reference.

State of

County of

On this (date), before me personally came (owner or operator) to me known, who, being by me duly sworn, did depose and say that she/he resides at (address), that she/he is (title) of (corporation), the corporation described in and which executed the above instrument; that she/he knows the seal of said corporation; that the seal affixed to such instrument is such corporate seal; that it was so affixed by order of the Board of Directors of said corporation, and that she/he signed her/his name thereto by like order.

(Signature of Notary Public)

**R315-264-170. Use and Management of Containers - [---]Applicability.**

The regulations in Sections R315-264-170 through 179 apply to owners and operators of all hazardous waste facilities that store ~~containers of~~ hazardous waste in containers, except as Section R315-264-1 provides otherwise.

Under Section R315-261-7 and Subsection R315-261-33(c), if a hazardous waste is emptied from a container the residue remaining in the container is not considered a hazardous waste if the container is "empty" as defined in Section R315-261-7. In that event, management of the container is exempt from the requirements of Sections R315-264-170 through 179.

**R315-264-174. Use and Management of Containers - Inspections.**

At least weekly, the owner or operator shall inspect areas where containers are stored. The owner or operator shall look for leaking containers and for deterioration of containers and the containment system caused by corrosion or other factors.

See Subsection R315-264-15(c) and Section R315-264-171 for remedial action required if deterioration or leaks are detected.

**R315-264-191. Tank Systems - Assessment of Existing Tank System's Integrity.**

(a) For each existing tank system that does not have secondary containment meeting the requirements of Section R315-264-193, the owner or operator shall determine that the tank system is not leaking or is [~~unfit~~]otherwise fit for use. Except as provided in Subsection R315-264-191(c), the owner or operator shall obtain and keep on file at the facility a written assessment reviewed and certified by a qualified Professional Engineer, in accordance with Subsection R315-270-11(d), that attests to the tank system's integrity.

(b) This assessment shall determine that the tank system is adequately designed and has sufficient structural strength and compatibility with the waste(s) to be stored or treated, to ensure that it will not collapse, rupture, or fail. At a minimum, this assessment shall consider the following:

(1) Design standard(s), if available, according to which the tank and ancillary equipment were constructed;

(2) Hazardous characteristics of the waste(s) that have been and will be handled;

(3) Existing corrosion protection measures;

(4) Documented age of the tank system, if available (otherwise, an estimate of the age); and

(5) Results of a leak test, internal inspection, or other tank integrity examination such that:

(i) For non-enterable underground tanks, the assessment shall include a leak test that is capable of taking into account the effects of temperature variations, tank end deflection, vapor pockets, and high water table effects, and

(ii) For other than non-enterable underground tanks and for ancillary equipment, this assessment shall include either a leak test, as described above, or other integrity examination that is certified by a qualified Professional Engineer in accordance with Subsection R315-270-11(d), that addresses cracks, leaks, corrosion, and erosion.

Note: The practices described in the American Petroleum Institute (API) Publication, Guide for Inspection of Refinery Equipment, Chapter XIII, "Atmospheric and Low-Pressure Storage Tanks," 4th edition, 1981, may be used, where applicable, as guidelines in conducting other than a leak test.

(c) Tank systems that store or treat materials that become hazardous wastes subsequent to July 14, 1986, shall conduct this assessment within 12 months after the date that the waste becomes a hazardous waste.

(d) If, as a result of the assessment conducted in accordance with Subsection R315-264-191(a), a tank system is found to be leaking or unfit for use, the owner or operator shall comply with the requirements of Section R315-264-196.

**R315-264-195. Tank Systems - Inspections.**

(a) The owner or operator shall develop and follow a schedule and procedure for inspecting overflow controls.

(b) The owner or operator shall inspect at least once each

operating day data gathered from monitoring and leak detection equipment, e.g., pressure or temperature gauges, monitoring wells, to ensure that the tank system is being operated according to its design.

Note: Subsection R315-264-15(c) requires the owner or operator to remedy any deterioration or malfunction he finds. Section R315-264-196 requires the owner or operator to notify the Director within 24 hours of confirming a leak. Also, 40 CFR part 302 may require the owner or operator to notify the National Response Center of a release.

(c) In addition, except as noted under Subsection R315-264-195(d), the owner or operator shall inspect at least once each operating day:

(1) Above ground portions of the tank system, if any, to detect corrosion or releases of waste.

(2) The construction materials and the area immediately surrounding the externally accessible portion of the tank system, including the secondary containment system, e.g., dikes, to detect erosion or signs of releases of hazardous waste, e.g., wet spots, dead vegetation.

(d) Owners or operators of tank systems that either use leak detection systems to alert facility personnel to leaks, or implement established workplace practices to ensure leaks are promptly identified, shall inspect at least weekly those areas described in Subsections R315-264-195(c)(1) and (c)(2). Use of the alternate inspection schedule shall be documented in the facility's operating record. This documentation shall include a description of the established workplace practices at the facility.

**(e) Reserved**

(f) Ancillary equipment that is not provided with secondary containment, as described in Subsections R315-264-193(f)(1) through (4), shall be inspected at least once each operating day.

(g) The owner or operator shall inspect cathodic protection systems, if present, according to, at a minimum, the following schedule to ensure that they are functioning properly:

(1) The proper operation of the cathodic protection system shall be confirmed within six months after initial installation and annually thereafter; and

(2) All sources of impressed current shall be inspected and/or tested, as appropriate, at least bimonthly, i.e., every other month.

Note: The practices described in the National Association of Corrosion Engineers (NACE) standard, "Recommended Practice (RP-02-85)-Control of External Corrosion on Metallic Buried, Partially Buried, or Submerged Liquid Storage Systems," and the American Petroleum Institute (API) Publication 1632, "Cathodic Protection of Underground Petroleum Storage Tanks and Piping Systems," may be used, where applicable, as guidelines in maintaining and inspecting cathodic protection systems.

(h) The owner or operator shall document in the operating record of the facility an inspection of those items in Subsections R315-264-195(a) through (c).

**R315-264-1030. Air Emission Standards for Process Vents -[=]**

**Applicability.**

(a) The regulations in Sections R315-1030 through 1036 apply to owners and operators of facilities that treat, store, or dispose of hazardous wastes, except as provided in Section R315-264-1.

(b) Except for Subsections R315-264-1034(d) and (e), Sections R315-1030 through 1036 apply to process vents associated with distillation, fractionation, thin-film evaporation, solvent extraction, or air or steam stripping operations that manage hazardous wastes with organic concentrations of at least 10 ppmw, if these operations are conducted in one of the following:

(1) A unit that is subject to the permitting requirements of Rule R315-270, or

(2) A unit, including a hazardous waste recycling unit, that is not exempt from permitting under the provisions of [~~Subsection R315-262-34(a)~~]Section R315-262-17, i.e., a hazardous waste recycling unit that is not a 90-day tank or container, and that is located at a hazardous waste management facility otherwise subject to the permitting requirements of Rule R315-270, or

(3) A unit that is exempt from permitting under the provisions of Subsection R315-262-34(a), i.e., a "90-day" tank or container, and is not a recycling unit under the provisions of Section R315-261-6.

(c) For the owner and operator of a facility subject to Sections R315-264-1030 through R315-264-1036 and who received a final permit under Section 19-6-108 prior to December 6, 1996, the requirements of Sections R315-264-1030 through 1036 shall be incorporated into the permit when the permit is reissued in accordance with the requirements of Section R315-124-15 or reviewed in accordance with the requirements of Subsection R315-270-50(d). Until such date when the owner and operator receive a final permit incorporating the requirements of Sections R315-264-1030 through R315-264-1036, the owner and operator are subject to the requirements of [~~which is adopted by reference,~~]40 CFR 265.1030 through 265.1035, which is adopted by reference in Section R315-265-1.

Note: The requirements of Sections R315-264-1032 through 1036 apply to process vents on hazardous waste recycling units previously exempt under Subsection R315-261-6(c)(1). Other exemptions under Section R315-261-4, and Subsection R35-264-1(g) are not affected by these requirements.

(d) The requirements of [~~Sections R315-264-1030 through 1036~~]Subpart AA 40 CFR do not apply to the pharmaceutical manufacturing facility, commonly referred to as the Stonewall Plant, located at Route 340 South, Elkton, Virginia, provided that facility is operated in compliance with the requirements contained in a permit issued pursuant to [~~the Utah Air Conservation Act~~]40 CFR 52.2454. The requirements of [~~Sections R315-264-1030 through 1036~~]Subpart AA 40 CFR shall apply to the facility upon termination of the permit issued pursuant to the [~~Utah Air Conservation Act~~]40 CFR 52.2454.

(e) The requirements of Sections R315-264-1030 through 1036 do not apply to the process vents at a facility where the facility owner or operator certifies that all of the process vents that would otherwise be subject to Sections R315-264-1030 through 1036 are equipped with and operating air emission controls in accordance with the process vent requirements of an applicable regulation codified under the Utah Air Conservation Act. The documentation of compliance

under regulations codified under the Utah Air Conservation Act shall be kept with, or made readily available with, the facility operating record.

**R315-264-1050. Air Emission Standards for Equipment Leaks -[=] Applicability.**

(a) The regulations in Sections R315-264-1050 through 1065 apply to owners and operators of facilities that treat, store, or dispose of hazardous wastes, except as provided in Section R315-264-1.

(b) Except as provided in Subsection R315-264-1064(k), Sections R315-264-1050 through 1065 apply to equipment that contains or contacts hazardous wastes with organic concentrations of at least 10 percent by weight that are managed in one of the following:

(1) A unit that is subject to the permitting requirements of Rule R315-270, or

(2) A unit, including a hazardous waste recycling unit, that is not exempt from permitting under the provisions of Subsection R315-262-34(a), i.e., a hazardous waste recycling unit that is not a "90-day" tank or container, and that is located at a hazardous waste management facility otherwise subject to the permitting requirements of Rule R315-270, or

(3) A unit that is exempt from permitting under the provisions of ~~[Subsection R315-262-34(a)]~~Section R315-262-17, i.e., a "90-day" tank or container, and is not a recycling unit under the provisions of Section R315-261-6.

(c) For the owner or operator of a facility subject to Sections R315-264-1050 through 1065 and who received a final permit under RCRA section 3005 prior to December 6, 1996, the requirements of Sections R315-264-1050 through 1065 shall be incorporated into the permit when the permit is reissued in accordance with the requirements of Section R315-124-15 or reviewed in accordance with the requirements of Subsection R315-270-50(d). Until such date when the owner or operator receives a final permit incorporating the requirements of Sections R315-264-1050 through 1065, the owner or operator is subject to the requirements of 40 CFR 265.1050 through 265.1064, which are adopted by reference in Section R315-265-1.

(d) Each piece of equipment to which Sections R315-264-1050 through 1065 applies shall be marked in such a manner that it can be distinguished readily from other pieces of equipment.

(e) Equipment that is in vacuum service is excluded from the requirements of Sections R315-264-1052 ~~[to 1060]~~through R315-264-1060 if it is identified as required in Subsection R315-264-1064(g)(5).

(f) Equipment that contains or contacts hazardous waste with an organic concentration of at least 10 percent by weight for less than 300 hours per calendar year is excluded from the requirements of Sections R315-264-1052 through 1060 if it is identified, as required in Subsection R315-264-1064(g)(6).

(g) The requirements of [Sections R315-264-1050 through 1065]Subpart BB 40 CFR do not apply to the pharmaceutical manufacturing facility, commonly referred to as the Stonewall Plant, located at Route 340 South, Elkton, Virginia, provided that facility is operated in compliance with the requirements contained in a permit issued pursuant to [the Utah Air Conservation Act]40 CFR 52.2454. The

requirements of [~~Sections R315-264-1050 through 1065~~]Subpart BB 40 CFR shall apply to the facility upon termination of the permit issued pursuant to the [~~Utah Air Conservation Act~~]40 CFR 52.2454.

(h) Purged coatings and solvents from surface coating operations subject to the national emission standards for hazardous air pollutants (NESHAP) for the surface coating of automobiles and light-duty trucks at R307-214-2(61), which incorporates 40 CFR part 63 subpart IIII, are not subject to the requirements of Sections R315-264-1050 through 1065.

Note: The requirements of Sections R315-264-1052 through 1065 apply to equipment associated with hazardous waste recycling units previously exempt under Subsection R315-261-6(c)(1). Other exemptions under Section R315-261-4, and Subsection R315-264-1(g) are not affected by these requirements.

**R315-264-1101. Containment Buildings - Design and Operating Standards.**

(a) All containment buildings shall comply with the following design standards:

(1) The containment building shall be completely enclosed with a floor, walls, and a roof to prevent exposure to the elements, e.g., precipitation, wind, run-on, and to assure containment of managed wastes.

(2) The floor and containment walls of the unit, including the secondary containment system if required under Subsection R315-264-1101(b), shall be designed and constructed of materials of sufficient strength and thickness to support themselves, the waste contents, and any personnel and heavy equipment that operate within the unit, and to prevent failure due to pressure gradients, settlement, compression, or uplift, physical contact with the hazardous wastes to which they are exposed; climatic conditions; and the stresses of daily operation, including the movement of heavy equipment within the unit and contact of such equipment with containment walls. The unit shall be designed so that it has sufficient structural strength to prevent collapse or other failure. All surfaces to be in contact with hazardous wastes shall be chemically compatible with those wastes. the Director shall consider standards established by professional organizations generally recognized by the industry such as the American Concrete Institute (ACI) and the American Society of Testing Materials (ASTM) in judging the structural integrity requirements of Subsection R315-264-1101(a). If appropriate to the nature of the waste management operation to take place in the unit, an exception to the structural strength requirement may be made for light-weight doors and windows that meet these criteria:

(i) They provide an effective barrier against fugitive dust emissions under Subsection R315-264-1101(c)(1)(iv); and

(ii) The unit is designed and operated in a fashion that assures that wastes will not actually come in contact with these openings.

(3) Incompatible hazardous wastes or treatment reagents shall not be placed in the unit or its secondary containment system if they could cause the unit or secondary containment system to leak, corrode, or otherwise fail.

(4) A containment building shall have a primary barrier designed

to withstand the movement of personnel, waste, and handling equipment in the unit during the operating life of the unit and appropriate for the physical and chemical characteristics of the waste to be managed.

(b) For a containment building used to manage hazardous wastes containing free liquids or treated with free liquids, the presence of which is determined by the paint filter test, a visual examination, or other appropriate means, the owner or operator shall include:

(1) A primary barrier designed and constructed of materials to prevent the migration of hazardous constituents into the barrier, e.g., a geomembrane covered by a concrete wear surface.

(2) A liquid collection and removal system to minimize the accumulation of liquid on the primary barrier of the containment building:

(i) The primary barrier shall be sloped to drain liquids to the associated collection system; and

(ii) Liquids and waste shall be collected and removed to minimize hydraulic head on the containment system at the earliest practicable time.

(3) A secondary containment system including a secondary barrier designed and constructed to prevent migration of hazardous constituents into the barrier, and a leak detection system that is capable of detecting failure of the primary barrier and collecting accumulated hazardous wastes and liquids at the earliest practicable time.

(i) The requirements of the leak detection component of the secondary containment system are satisfied by installation of a system that is, at a minimum:

(A) Constructed with a bottom slope of 1 percent or more; and

(B) Constructed of a granular drainage material with a hydraulic conductivity of  $1 \times 10^{-2}$  cm/sec or more and a thickness of 30.5 cm (12 inches) or more, or constructed of synthetic or geonet drainage materials with a transmissivity of  $3 \times 10^{-5}$  m<sup>2</sup>/sec or more.

(ii) If treatment is to be conducted in the building, an area in which such treatment will be conducted shall be designed to prevent the release of liquids, wet materials, or liquid aerosols to other portions of the building.

(iii) The secondary containment system shall be constructed of materials that are chemically resistant to the waste and liquids managed in the containment building and of sufficient strength and thickness to prevent collapse under the pressure exerted by overlaying materials and by any equipment used in the containment building. Containment buildings can serve as secondary containment systems for tanks placed within the building under certain conditions. A containment building can serve as an external liner system for a tank, provided it meets the requirements of Subsection R315-264-193(e)(1).

In addition, the containment building shall meet the requirements of Subsections R315-264-193(b) and 193(c)(1) and (2) to be considered an acceptable secondary containment system for a tank.

(4) For existing units other than 90-day generator units, the Director may delay the secondary containment requirement for up to two years, based on a demonstration by the owner or operator that the unit substantially meets the standards of Sections R315-264-1100

and 1102. In making this demonstration, the owner or operator shall:

(i) Provide written notice to the Director of their request by November 16, 1992. This notification shall describe the unit and its operating practices with specific reference to the performance of existing containment systems, and specific plans for retrofitting the unit with secondary containment;

(ii) Respond to any comments from the Director on these plans within 30 days; and

(iii) Fulfill the terms of the revised plans, if such plans are approved by the Director.

(c) Owners or operators of all containment buildings shall:

(1) Use controls and practices to ensure containment of the hazardous waste within the unit; and, at a minimum:

(i) Maintain the primary barrier to be free of significant cracks, gaps, corrosion, or other deterioration that could cause hazardous waste to be released from the primary barrier;

(ii) Maintain the level of the stored/treated hazardous waste within the containment walls of the unit so that the height of any containment wall is not exceeded;

(iii) Take measures to prevent the tracking of hazardous waste out of the unit by personnel or by equipment used in handling the waste. An area shall be designated to decontaminate equipment and any rinsate shall be collected and properly managed; and

(iv) Take measures to control fugitive dust emissions such that any openings, doors, windows, vents, cracks, etc., exhibit no visible emissions, see 40 CFR part 60, appendix A, Method 22-Visual Determination of Fugitive Emissions from Material Sources and Smoke Emissions from Flares. In addition, all associated particulate collection devices, e.g., fabric filter, electrostatic precipitator, shall be operated and maintained with sound air pollution control practices, see 40 CFR part 60 subpart 292 for guidance. This state of no visible emissions shall be maintained effectively at all times during routine operating and maintenance conditions, including when vehicles and personnel are entering and exiting the unit.

(2) Obtain and keep on-site a certification by a qualified Professional Engineer that the containment building design meets the requirements of Subsections R315-264-1101(a), (b), and (c).

(3) Throughout the active life of the containment building, if the owner or operator detects a condition that could lead to or has caused a release of hazardous waste, the owner or operator shall repair the condition promptly, in accordance with the following procedures.

(i) Upon detection of a condition that has led to a release of hazardous waste, e.g., upon detection of leakage from the primary barrier, the owner or operator shall:

(A) Enter a record of the discovery in the facility operating record;

(B) Immediately remove the portion of the containment building affected by the condition from service;

(C) Determine what steps shall be taken to repair the containment building, remove any leakage from the secondary collection system, and establish a schedule for accomplishing the cleanup and repairs; and

(D) Within 7 days after the discovery of the condition, notify

the Director of the condition, and within 14 working days, provide a written notice to the Director with a description of the steps taken to repair the containment building, and the schedule for accomplishing the work.

(ii) The Director shall review the information submitted, make a determination regarding whether the containment building shall be removed from service completely or partially until repairs and cleanup are complete, and notify the owner or operator of the determination and the underlying rationale in writing.

(iii) Upon completing all repairs and cleanup the owner or operator shall notify the Director in writing and provide a verification, signed by a qualified, registered professional engineer, that the repairs and cleanup have been completed according to the written plan submitted in accordance with Subsection R315-264-1101(c)(3)(i)(D).

(4) Inspect and record in the [~~facility's~~facility operating record, at least once every seven days, data gathered from monitoring and leak detection equipment as well as the containment building and the area immediately surrounding the containment building to detect signs of releases of hazardous waste.

(d) For a containment building that contains both areas with and without secondary containment, the owner or operator shall:

(1) Design and operate each area in accordance with the requirements enumerated in Subsections R315-264-1101(a) through (c);

(2) Take measures to prevent the release of liquids or wet materials into areas without secondary containment; and

(3) Maintain in the facility's operating log a written description of the operating procedures used to maintain the integrity of areas without secondary containment.

(e) Notwithstanding any other provision of Subsection R315-264-1100 through 1102 the Director may waive requirements for secondary containment for a permitted containment building where the owner operator demonstrates that the only free liquids in the unit are limited amounts of dust suppression liquids required to meet occupational health and safety requirements, and where containment of managed wastes and liquids can be assured without a secondary containment system.

**KEY: hazardous waste**

**Date of Enactment or Last Substantive Amendment: June 10, 2016**

**Authorizing, and Implemented or Interpreted Law: 19-6-105; 19-6-106**

**R315. Environmental Quality, Waste Management and Radiation Control, Waste Management.**

**R315-265. Interim Status Standards for Owners and Operators of Hazardous Waste Treatment, Storage, and Disposal Facilities.**

**R315-265-1. Incorporation.**

40 CFR 265, 2015 edition, as amended by 81 FR 85827, are[is] adopted and incorporated by reference with the following exceptions:

(a) Substitute "Director" for all references to "Regional Administrator:"

(b) Substitute "Director" or "Board" for EPA as appropriate except for references to "EPA identification number and where EPA is used in reference to actions under 40 CFR 268.42(b) and in 265.71(a)(3);

(c) Substitute "Utah Division of Waste Management and Radiation Control " or "Director" as appropriate for "Environmental Protection Agency;" and

(d) The language that reads "If the facilities covered by the mechanism are in more than one Region, identical evidence of financial assurance must be submitted to and maintained with the Regional Administrators of all such Regions" in 40 CFR 265.143(g) and 256.145(g) is changed to read as follows: If the facilities covered by the mechanism are in more than one State, identical evidence of financial assurance must be submitted to the Director as is submitted to all other states and to all appropriate EPA Regional Administrators.

(e) Add, following December 6, 1990, in 40 CFR 265.440(a), "for all HSWA drip pads or January 31, 1992 for all non-HSWA drip pads."

(f) Add, following December 24, 1992, in 40 CFR 265-440(a), "for all HSWA drip pads or July 30, 1993 for all non-HSWA drip pads."

**KEY: hazardous waste**

**Date of Enactment or Last Substantive Amendment: April 15, 2016**

**Authorizing, and Implemented or Interpreted Law: 19-6-105; 19-6-106**

**R315. Environmental Quality, Waste Management and Radiation Control, Waste Management.**

**R315-266. Standards for the Management of Specific Hazardous Wastes and Specific Types of Hazardous Waste Management Facilities.**

**R315-266-80. Spent Lead-Acid Batteries Being Reclaimed -- Applicability and Requirements.**

(a) Are spent lead-acid batteries exempt from hazardous waste management requirements? If you generate, collect, transport, store, or regenerate lead-acid batteries for reclamation purposes, you may be exempt from certain hazardous waste management requirements. Use Subsections R315-266-80(a)(1) through (7) to determine which requirements apply to you. Alternatively, you may choose to manage your spent lead-acid batteries under the "Universal Waste" rule in Rule R315-273.

(1) If your batteries will be reclaimed through regeneration, such as by electrolyte replacement, then you are exempt from Rules R315-262, except for Section R315-262-11; 263; 264; 265; 266; 268; 270; and 124, and the notification requirements at section 3010 of RCRA and you are subject to Rule R315-261 and Section R315-262-11.

(2) If your batteries will be reclaimed other than through regeneration and if you generate, collect, and/or transport these batteries then you are exempt from Rule R315-262, except for Section R315-262-11; 263; 264; 265; 266; 270; and 124, and the notification requirements at section 3010 of RCRA and you are subject to Rule R315-261 and Section R315-262-11, and applicable provisions under Rule R315-268.

(3) If your batteries will be reclaimed other than through regeneration and if you store these batteries but you aren't the reclaimer then you are exempt from Rule R315-262, except for Section R315-262-11; 263; 264; 265; 266; 270; and 124, and the notification requirements at section 3010 of RCRA and you are subject to Rule R315-261 and Section R315-262-11, and applicable provisions under Rule R315-268.

(4) If your batteries will be reclaimed other than through regeneration and if you store these batteries before you reclaim them then you shall comply with Subsection R315-266-80(b) and as appropriate other regulatory provisions described in Subsection R315-266-80(b) and you are subject to Rule R315-261 and Section R315-262-11, and applicable provisions under Rule R315-268.

(5) If your batteries will be reclaimed other than through regeneration and if you don't store these batteries before you reclaim them then you are exempt from Rule R315-262, except for Section R315-262-11; 263; 264; 265; 266; 270; and 124, and the notification requirements at section 3010 of RCRA and you are subject to Rule R315-261 and Section R315-262-11, and applicable provisions under Rule R315-268.

(6) If your batteries will be reclaimed through regeneration or any other means and if you export these batteries for reclamation in a foreign country [the]then you are exempt from Rules R315-262 (except for Sections R315-262-11, R315-262-18, and R315-262-80

through R315-2626-84) R315-263, R315-264, R315-265, R315-266, R315-268, R315-270, R315-124, and the notification requirements at section 3010 of RCRA[+] and [You]you are [also exempt from Rule R315-262, except for Section R315-262-11, and except for the applicable requirements in either: Sections R315-262-80 through 89; or Section R315-262-53 "Notification of Intent to Export, Subsection R315-262-56(a)(1) through (4)(6) and (b) "Annual Reports," and Section R315-262-57 "Recordkeeping" and you are subject to Rule R315-261 and Section R315-262-11, and either shall comply with Sections R315-262-80 through 89, if shipping to one of the OECD countries specified in Subsection R315-262-58(a)(1)), or shall:

(i) Comply with the requirements applicable to a primary exporter in Subsections R315-262-53, 56(a)(1) through (4), (6), and (b) and Section R315-262-57; and

(ii) Export these batteries only upon consent of the receiving country and in conformance with the EPA Acknowledgment of Consent as defined in Sections R315-262-50 through 58; and

(iii) Provide a copy of the EPA Acknowledgment of Consent for the shipment to the transporter transporting the shipment for export]subject to Rule R315-261, Sections R315-262-11 and R315-262-18, and Sections R315-262-80 through R315-262-84.

(7) If your batteries will be reclaimed through regeneration or any other means and if you transport these batteries in the U.S. to export them for reclamation in a foreign country then you are exempt from Rules R315-263, 264, 265, 266, 268, 270, 124, and the notification requirements at section 3010 of RCRA and you shall comply with applicable requirements in Sections R315-262-80 through [89]R315-262-84, if shipping to one of the OECD countries specified in Subsection R315-262-58(a)(1), or shall comply with the following:

(i) you may not accept a shipment if you know the shipment does not conform to the EPA Acknowledgment of Consent;

(ii) you shall ensure that a copy of the EPA Acknowledgment of Consent accompanies the shipment; and

(iii) you shall ensure that the shipment is delivered to the facility designated by the person initiating the shipment.

(b) If I store spent lead-acid batteries before I reclaim them but not through regeneration, which requirements apply? The requirements of Subsection R315-266-80(b) apply to you if you store spent lead-acid batteries before you reclaim them, but you don't reclaim them through regeneration. The requirements are slightly different depending on your permit status.

(1) For Interim Status Facilities, you shall comply with:

(i) Notification requirements under section 3010 of RCRA.

(ii) All applicable provisions in 40 CFR 265.1 through[4]265.4, which are adopted by reference in Section R315-265-1.

(iii) All applicable provisions in 40 CFR 265.10 through [19]265.19, which are adopted by reference in Section R315-265-1, except Section 265.13, waste analysis.

(iv) All applicable provisions in 40 CFR 265.30 through 265.56, which [is]are adopted by reference in Section R315-265-1.

(v) All applicable provisions in 40 CFR 265.70 through 77, which are adopted by reference, except 265.71 and 265.72, dealing with the use of the manifest and manifest discrepancies.

(vi) All applicable provisions in 40 CFR 265.90 through 265.260,

which are adopted by reference in Section R315-265-1.

- (vii) All applicable provisions in Rules R315-270 and 124.
- (2) For Permitted Facilities:
  - (i) Notification requirements under section 3010 of RCRA.
  - (ii) All applicable provisions in Sections R315-264-1 through 4.
  - (iii) All applicable provisions in Sections R315-264-10 through 19, but not Section R315-264-13, waste analysis.
  - (iv) All applicable provisions in Sections R315-264-30 through 56.
  - (v) All applicable provisions in Sections R315-264-70 through 77, but not Sections R315-264-71 or 72, dealing with the use of the manifest and manifest discrepancies.
  - (vi) All applicable provisions in Sections R315-264-90 through 259.
  - (vii) All applicable provisions in Rules R315-270 and 124.

**KEY: hazardous waste**

**Date of Enactment or Last Substantive Amendment: April 15, 2016**

**Authorizing, and Implemented or Interpreted Law: 19-6-105; 19-6-106**

**R315. Environmental Quality, Waste Management and Radiation Control, Waste Management.**

**R315-268. Land Disposal Restrictions.**

**R315-268-1. Land Disposal Restrictions -- Purpose, Scope, and Applicability.**

(a) Rule R315-268 identifies hazardous wastes that are restricted from land disposal and defines those limited circumstances under which an otherwise prohibited waste may continue to be land disposed.

(b) Except as specifically provided otherwise in Rule R315-268 or Rule R315-261, the requirements of Rule R315-268 apply to persons who generate or transport hazardous waste and owners and operators of hazardous waste treatment, storage, and disposal facilities.

(c) Restricted wastes may continue to be land disposed as follows:

(1) Where persons have been granted an extension to the effective date of a prohibition under Sections R315-268-20 through 39 or pursuant to Section R315-268-5, with respect to those wastes covered by the extension;

(2) Where persons have been granted an exemption from a prohibition pursuant to a petition under Section R315-268-6, with respect to those wastes and units covered by the petition;

(3) Wastes that are hazardous only because they exhibit a hazardous characteristic, and which are otherwise prohibited under Rule R315-268, or 40 CFR 148, are not prohibited if the wastes:

(i) Are disposed into a nonhazardous or hazardous injection well as defined under 40 CFR 146.6(a); and

(ii) Do not exhibit any prohibited characteristic of hazardous waste identified in Sections R315-261-20 through 24, at the point of injection.

(4) Wastes that are hazardous only because they exhibit a hazardous characteristic, and which are otherwise prohibited under Rule R315-268, are not prohibited if the wastes meet any of the following criteria, unless the wastes are subject to a specified method of treatment other than DEACT in Section R315-268-40, or are D003 reactive cyanide:

(i) The wastes are managed in a treatment system which subsequently discharges to waters of the U.S. pursuant to a permit issued under section 402 of the Clean Water Act; or

(ii) The wastes are treated for purposes of the pretreatment requirements of section 307 of the Clean Water Act; or

(iii) The wastes are managed in a zero discharge system engaged in Clean Water Act-equivalent treatment as defined in Subsection R315-268-37(a); and

(iv) The wastes no longer exhibit a prohibited characteristic at the point of land disposal, i.e., placement in a surface impoundment.

(d) The requirements of Rule R315-268 shall not affect the availability of a waiver under section 121(d)(4) of the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA).

(e) The following hazardous wastes are not subject to any provision of Rule R315-268:

(1) Waste generated by very small quantity generators [~~of less than 100 kilograms of non-acute hazardous waste or less than 1 kilogram of acute hazardous waste per month, as defined in Section R315-261-5], as defined in Section R315-260-10;~~

(2) Waste pesticides that a farmer disposes of pursuant to Section R315-262-70;

(3) Wastes identified or listed as hazardous after November 8, 1984 for which EPA has not promulgated land disposal prohibitions or treatment standards;

(4) De minimis losses of characteristic wastes to wastewaters are not considered to be prohibited wastes and are defined as losses from normal material handling operations, e.g., spills from the unloading or transfer of materials from bins or other containers, leaks from pipes, valves or other devices used to transfer materials; minor leaks of process equipment, storage tanks or containers; leaks from well-maintained pump packings and seals; sample purgings; and relief device discharges; discharges from safety showers and rinsing and cleaning of personal safety equipment; rinsate from empty containers or from containers that are rendered empty by that rinsing; and laboratory wastes not exceeding one per cent of the total flow of wastewater into the facility's headworks on an annual basis, or with a combined annualized average concentration not exceeding one part per million in the headworks of the facility's wastewater treatment or pretreatment facility.

(f) Universal waste handlers and universal waste transporters, as defined in Section R315-260-10, are exempt from Sections R315-268-7 and 268-50 for the hazardous wastes listed below. These handlers are subject to regulation under Rule R315-273.

(1) Batteries as described in Section R315-273-2;

(2) Pesticides as described in Section R315-273-3;

(3) Mercury-containing equipment as described in Section R315-273-4; and

(4) Lamps as described in Section R315-273-5.

**R315-268-7. Land Disposal Restrictions -- Testing, Tracking, and Recordkeeping Requirements for Generators, Treaters, and Disposal Facilities.**

(a) Requirements for generators:

(1) A generator of hazardous waste shall determine if the waste has to be treated before it can be land disposed. This is done by determining if the hazardous waste meets the treatment standards in Sections R315-268-40, 45, or 49. This determination can be made concurrently with the hazardous waste determination required in Section R315-262-11, in either of two ways: testing the waste or using knowledge of the waste. If the generator tests the waste, testing would normally determine the total concentration of hazardous constituents, or the concentration of hazardous constituents in an extract of the waste obtained using test method 1311 in "Test Methods of Evaluating Solid Waste, Physical/Chemical Methods," EPA Publication SW-846, incorporated by reference, see Section R315-260-11, depending on whether the treatment standard for the waste is expressed as a total concentration or concentration of hazardous

constituent in the waste's extract. Alternatively, the generator shall send the waste to a hazardous waste treatment facility permitted under Section 19-6-108, where the waste treatment facility shall comply with the requirements of Section R315-264-13 and Subsection R315-268-7(b). In addition, some hazardous wastes shall be treated by particular treatment methods before they can be land disposed and some soils are contaminated by such hazardous wastes. These treatment standards are also found in Section R315-268-40, and are described in detail in Section R315-268-42, Table 1. These wastes, and soils contaminated with such wastes, do not need to be tested, however, if they are in a waste mixture, other wastes with concentration level treatment standards would have to be tested. If a generator determines they are managing a waste or soil contaminated with a waste, that displays a hazardous characteristic of ignitability, corrosivity, reactivity, or toxicity, they shall comply with the special requirements of Section R315-268-9 in addition to any applicable requirements in Section R315-268-7.

(2) If the waste or contaminated soil does not meet the treatment standards, or if the generator chooses not to make the determination of whether his waste shall be treated, with the initial shipment of waste to each treatment or storage facility, the generator shall send a one-time written notice to each treatment or storage facility receiving the waste, and place a copy in the file. The notice shall include the information in column "268-7(a)(2)" of the Generator Paperwork Requirements Table in Subsection R315-268-7(a)(4). Alternatively, if the generator chooses not to make the determination of whether the waste shall be treated, the notification shall include the EPA Hazardous Waste Numbers and Manifest Number of the first shipment and shall state "This hazardous waste may or may not be subject to the LDR treatment standards. The treatment facility shall make the determination." No further notification is necessary until such time that the waste or facility change, in which case a new notification shall be sent and a copy placed in the generator's file.

(3) If the waste or contaminated soil meets the treatment standard at the original point of generation:

(i) With the initial shipment of waste to each treatment, storage, or disposal facility, the generator shall send a one-time written notice to each treatment, storage, or disposal facility receiving the waste, and place a copy in the file. The notice shall include the information indicated in column "268-7(a)(3)" of the Generator Paperwork Requirements Table in Subsection R315-268-7(a)(4) and the following certification statement, signed by an authorized representative:

I certify under penalty of law that I personally have examined and am familiar with the waste through analysis and testing or through knowledge of the waste to support this certification that the waste complies with the treatment standards specified in Sections R315-268-40 through 49. I believe that the information I submitted is true, accurate, and complete. I am aware that there are significant penalties for submitting a false certification, including the possibility of a fine and imprisonment.

(ii) For contaminated soil, with the initial shipment of wastes to each treatment, storage, or disposal facility, the generator shall send a one-time written notice to each facility receiving the waste

and place a copy in the file. The notice shall include the information in column "268-7(a)(3)" of the Generator Paperwork Requirements Table in Subsection R315-268-7(a)(4).

(iii) If the waste changes, the generator shall send a new notice and certification to the receiving facility, and place a copy in their files. Generators of hazardous debris excluded from the definition of hazardous waste under Subsection R315-261-3(f) are not subject to these requirements.

(4) For reporting, tracking, and recordkeeping when exceptions allow certain wastes or contaminated soil that do not meet the treatment standards to be land disposed: There are certain exemptions from the requirement that hazardous wastes or contaminated soil meet treatment standards before they can be land disposed. These include, but are not limited to case-by-case extensions under Section R315-268-5, disposal in a no-migration unit under Section R315-268-6, or a national capacity variance or case-by-case capacity variance under Sections R315-268-20 through 39. If a generator's waste is so exempt, then with the initial shipment of waste, the generator shall send a one-time written notice to each land disposal facility receiving the waste. The notice shall include the information indicated in column "268-7(a)(4)" of the Generator Paperwork Requirements Table below. If the waste changes, the generator shall send a new notice to the receiving facility, and place a copy in their files.

Table

Generator Paperwork Requirements

Required information	268-7 (a)(2)	268-7 (a)(3)	268-7 (a)(4)	268-7 (a)(9)
1. EPA Hazardous Waste Numbers and Manifest Number of first shipment	X	X	X	X
2. Statement: this waste is not prohibited from land disposal			X	
3. The waste is subject to the LDRs. The constituents of concern for F001-F005, and F039, and underlying hazardous constituents in characteristic wastes, unless the waste will be treated and monitored for all constituents. If all constituents will be treated and monitored, there is no need to put them all on the LDR notice	X	X		
4. The notice shall include the applicable wastewater/nonwastewater category (see Section R315-268-2(d) and (f)) and subdivisions made within a	X		X	

waste code based on  
waste-specific criteria (such  
as D003 reactive cyanide)

5. Waste analysis data, when available	X	X	X
6. Date the waste is subject to the prohibition			X
7. For hazardous debris, when treating with the alternative treatment technologies provided by Section R315-268-45: the contaminants subject to treatment, as described in Section R315-268-45(b); and an indication that these contaminants are being treated to comply with Section R315-268-45	X		X
8. For contaminated soil subject to LDRs as provided in Section R315-268-49(a), the constituents subject to treatment as described in Section R315-268-49(d), and the following statement: This contaminated soil, does/does not, contain listed hazardous waste and, does/does not, exhibit a characteristic of hazardous waste and, is subject to/complies with, the soil treatment standards as provided by Section R315-268-49(c) or the universal treatment standards	X	X	
9. A certification is needed, see applicable section for exact wording		X	X

(5) ~~[If a generator is managing and treating prohibited waste or contaminated soil in tanks, containers, or containment buildings regulated under Section R315-262-34 to meet applicable LDR treatment standards found at Section R315-268-40, the generator shall develop and follow a written waste analysis plan which describes the procedures they will carry out to comply with the treatment standards. Generators treating hazardous debris under the alternative treatment standards of Table 1, Section R315-268-45, however, are not subject to these waste analysis requirements. The plan shall be kept on site in the generator's records, and the following requirements shall be met]~~If a generator is managing and treating prohibited waste or contaminated soil in tanks, containers, or containment buildings regulated under Sections R315-262-15, 16, and 17 to meet applicable LDR treatment standards found at Section R315-268-40, the generator shall develop and follow a written waste analysis plan which describes

the procedures it will carry out to comply with the treatment standards. Generators treating hazardous debris under the alternative treatment standards of Table 1 to Section R315-268-45, however, are not subject to these waste analysis requirements. The plan must be kept on site in the generator's records, and the following requirements must be met:

(i) The waste analysis plan shall be based on a detailed chemical and physical analysis of a representative sample of the prohibited waste(s) being treated, and contain all information necessary to treat the waste(s) in accordance with the requirements of Rule R315-268, including the selected testing frequency.

(ii) Such plan shall be kept in the facility's on-site files and made available to inspectors.

(iii) Wastes shipped off-site pursuant to Subsection R315-268-7(a) shall comply with the notification requirements of Subsection R315-268-7(a)(3).

(6) If a generator determines that the waste or contaminated soil is restricted based solely on his knowledge of the waste, all supporting data used to make this determination shall be retained on-site in the generator's files. If a generator determines that the waste is restricted based on testing this waste or an extract developed using the test method 1311 in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Publication SW-846, as referenced in Section R315-260-11, and all waste analysis data shall be retained on-site in the generator's files.

(7) If a generator determines that he is managing a prohibited waste that is excluded from the definition of hazardous or solid waste or is exempted from regulation under Sections R315-261-2 through 6 subsequent to the point of generation, including deactivated characteristic hazardous wastes managed in wastewater treatment systems subject to the Clean Water Act (CWA) as specified at Subsection R315-261-4(a)(2) or that are CWA-equivalent, or are managed in an underground injection well regulated by the SDWA, he shall place a one-time notice describing such generation, subsequent exclusion from the definition of hazardous or solid waste or exemption from regulation under Sections R315-261-2 through 6, and the disposition of the waste, in the facility's on-site files.

(8) Generators shall retain on-site a copy of all notices, certifications, waste analysis data, and other documentation produced pursuant to Section R315-268-7 for at least three years from the date that the waste that is the subject of such documentation was last sent to on-site or off-site treatment, storage, or disposal. The three year record retention period is automatically extended during the course of any unresolved enforcement action regarding the regulated activity or as requested by the Director. The requirements of Subsection R315-268-7(a) apply to solid wastes even when the hazardous characteristic is removed prior to disposal, or when the waste is excluded from the definition of hazardous or solid waste under Sections R315-261-2 through 6, or exempted from hazardous waste regulation, subsequent to the point of generation.

(9) If a generator is managing a lab pack containing hazardous wastes and wishes to use the alternative treatment standard for lab packs found at Subsection R315-268-42(c):

(i) With the initial shipment of waste to a treatment facility,

the generator shall submit a notice that provides the information in column "268-7(a)(9)" in the Generator Paperwork Requirements Table of Subsection R315-268-7(a)(4), and the following certification. The certification, which shall be signed by an authorized representative and shall be placed in the generator's files, shall say the following:

I certify under penalty of law that I personally have examined and am familiar with the waste and that the lab pack contains only wastes that have not been excluded under appendix IV to Rule R315-268 and that this lab pack will be sent to a combustion facility in compliance with the alternative treatment standards for lab packs at Subsection R315-268-42(c). I am aware that there are significant penalties for submitting a false certification, including the possibility of fine or imprisonment.

(ii) No further notification is necessary until such time that the wastes in the lab pack change, or the receiving facility changes, in which case a new notice and certification shall be sent and a copy placed in the generator's file.

(iii) If the lab pack contains characteristic hazardous wastes, D001-D043 excluding D009, underlying hazardous constituents, as defined in Subsection R315-268-2(i) need not be determined.

(iv) The generator shall also comply with the requirements in Subsections R315-268-7(a)(6) and (a)(7).

(10) Small quantity generators with tolling agreements pursuant to Subsection R315-262-20(e) shall comply with the applicable notification and certification requirements of Subsection R315-268-7(a) for the initial shipment of the waste subject to the agreement. Such generators shall retain on-site a copy of the notification and certification, together with the tolling agreement, for at least three years after termination or expiration of the agreement. The three-year record retention period is automatically extended during the course of any unresolved enforcement action regarding the regulated activity or as requested by the Director.

(b) Treatment facilities shall test their wastes according to the frequency specified in their waste analysis plans as required by Section R315-264-13, for permitted TSDs, or 40 CFR 265.13, which is adopted by reference, for interim status facilities. Such testing shall be performed as provided in Subsections R315-268-7(b)(1), (b)(2) and (b)(3).

(1) For wastes or contaminated soil with treatment standards expressed in the waste extract (TCLP), the owner or operator of the treatment facility shall test an extract of the treatment residues, using test method 1311, the Toxicity Characteristic Leaching Procedure, described in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Publication SW-846 as incorporated by reference in Section R315-260-11, to assure that the treatment residues extract meet the applicable treatment standards.

(2) For wastes or contaminated soil with treatment standards expressed as concentrations in the waste, the owner or operator of the treatment facility shall test the treatment residues, not an extract of such residues, to assure that they meet the applicable treatment standards.

(3) A one-time notice shall be sent with the initial shipment of waste or contaminated soil to the land disposal facility. A copy

of the notice shall be placed in the treatment facility's file.

(i) No further notification is necessary until such time that the waste or receiving facility change, in which case a new notice shall be sent and a copy placed in the treatment facility's file.

(ii) The one-time notice shall include these requirements:

#### Table

#### Treatment Facility Paperwork Requirements

Required information	268-7(b)
1. EPA Hazardous Waste Numbers and Manifest Number of first shipment	X
2. The waste is subject to the LDRs. The constituents of concern for F001-F005, and F039, and underlying hazardous constituents in characteristic wastes, unless the waste will be treated and monitored for all constituents. If all constituents will be treated and monitored, there is no need to put them all on the LDR notice.	X
3. The notice shall include the applicable wastewater/ nonwastewater category, see Subsections R315-268-2(d) and (f)) and subdivisions made within a waste code based on waste-specific criteria, such as D003 reactive cyanide	X
4. Waste analysis data, when available	X
5. For contaminated soil subject to LDRs as provided in Subsection R315-268-49(a), the constituents subject to treatment as described in Subsection R315-268-49(d) and the following statement, "this contaminated soil, does/does not, exhibit a characteristic of hazardous waste and, is subject to/complies with, the soil treatment standards as provided by Subsection R315-268-49(c)".	X
6. A certification is needed, see applicable section for exact wording	X

(4) The treatment facility shall submit a one-time certification signed by an authorized representative with the initial shipment of waste or treatment residue of a restricted waste to the land disposal facility. The certification shall state:

I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification. Based on my inquiry of those individuals immediately responsible for obtaining this information, I believe that the treatment process has been operated and maintained properly so as to comply with the treatment standards specified in Section R315-268-40 without impermissible dilution of the prohibited waste. I am aware there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.

A certification is also necessary for contaminated soil and it

shall state:

I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification and believe that it has been maintained and operated properly so as to comply with treatment standards specified in Section R315-268-49 without impermissible dilution of the prohibited wastes. I am aware there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.

(i) A copy of the certification shall be placed in the treatment facility's on-site files. If the waste or treatment residue changes, or the receiving facility changes, a new certification shall be sent to the receiving facility, and a copy placed in the file.

(ii) Debris excluded from the definition of hazardous waste under Subsection R315-261-3(f), i.e., debris treated by an extraction or destruction technology provided by Table 1, Section R315-268-45, and debris that the Director has determined does not contain hazardous waste, however, is subject to the notification and certification requirements of Subsection R315-268-7(d) rather than the certification requirements of Subsection R315-268-7(b).

(iii) For wastes with organic constituents having treatment standards expressed as concentration levels, if compliance with the treatment standards is based in whole or in part on the analytical detection limit alternative specified in Subsection R315-268-40(d), the certification, signed by an authorized representative, shall state the following:

I certify under penalty of law that I have personally examined and am familiar with the treatment technology and operation of the treatment process used to support this certification. Based on my inquiry of those individuals immediately responsible for obtaining this information, I believe that the nonwastewater organic constituents have been treated by combustion units as specified in Section R315-268-42, Table 1. I have been unable to detect the nonwastewater organic constituents, despite having used best good-faith efforts to analyze for such constituents. I am aware there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.

(iv) For characteristic wastes that are subject to the treatment standards in Section R315-268-40, other than those expressed as a method of treatment, or Section R315-268-49, and that contain underlying hazardous constituents as defined in Subsection R315-268-2(i); if these wastes are treated on-site to remove the hazardous characteristic; and are then sent off-site for treatment of underlying hazardous constituents, the certification shall state the following:

I certify under penalty of law that the waste has been treated in accordance with the requirements of Section R315-268-40 or 49 to remove the hazardous characteristic. This decharacterized waste contains underlying hazardous constituents that require further treatment to meet treatment standards. I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.

(v) For characteristic wastes that contain underlying hazardous constituents as defined Subsection R315-268-2(i) that are treated

on-site to remove the hazardous characteristic to treat underlying hazardous constituents to levels in Section R315-268-48 Universal Treatment Standards, the certification shall state the following:

I certify under penalty of law that the waste has been treated in accordance with the requirements of Section R315-268-40 to remove the hazardous characteristic and that underlying hazardous constituents, as defined in Subsection R315-268-2(i) have been treated on-site to meet the Section R315-268-48 Universal Treatment Standards.

I am aware that there are significant penalties for submitting a false certification, including the possibility of fine and imprisonment.

(5) If the waste or treatment residue will be further managed at a different treatment, storage, or disposal facility, the treatment, storage, or disposal facility sending the waste or treatment residue off-site shall comply with the notice and certification requirements applicable to generators under Section R315-268-7.

(6) Where the wastes are recyclable materials used in a manner constituting disposal subject to the provisions of Subsection R315-266-20(b) regarding treatment standards and prohibition levels, the owner or operator of a treatment facility, i.e., the recycler, shall, for the initial shipment of waste, prepare a one-time certification described in Subsection R315-268-7(b)(4), and a one-time notice which includes the information in Subsection R315-268-7(b)(3), except the manifest number. The certification and notification shall be placed in the facility's on-site files. If the waste or the receiving facility changes, a new certification and notification shall be prepared and placed in the on-site files. In addition, the recycling facility shall also keep records of the name and location of each entity receiving the hazardous waste-derived product.

(c) Except where the owner or operator is disposing of any waste that is a recyclable material used in a manner constituting disposal pursuant to Subsection R315-266-20(b), the owner or operator of any land disposal facility disposing any waste subject to restrictions under Rule R315-268 shall:

(1) Have copies of the notice and certifications specified in Subsection R315-268-7(a) or (b).

(2) Test the waste, or an extract of the waste or treatment residue developed using test method 1311, the Toxicity Characteristic Leaching Procedure, described in "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Publication SW-846 as incorporated by reference in Section R315-260-11, to assure that the wastes or treatment residues are in compliance with the applicable treatment standards set forth in Sections R315-268-40 through 49. Such testing shall be performed according to the frequency specified in the facility's waste analysis plan as required by Section R315-264-13 or 40 CFR 265.13, which is adopted by reference.

(d) Generators or treaters who first claim that hazardous debris is excluded from the definition of hazardous waste under Subsection R315-261-3(f), i.e., debris treated by an extraction or destruction technology provided by Table 1, Section R315-268-45, and debris that the Director has determined does not contain hazardous waste, are subject to the following notification and certification requirements:

(1) A one-time notification, including the following information, shall be submitted to the Director:

(i) The name and address of the Subtitle D facility receiving the treated debris;

(ii) A description of the hazardous debris as initially generated, including the applicable EPA Hazardous Waste Number(s); and

(iii) For debris excluded under Subsection R315-261-3(f)(1), the technology from Table 1, Section R315-268-45, used to treat the debris.

(2) The notification shall be updated if the debris is shipped to a different facility, and, for debris excluded under Subsection R315-261-2(f)(1), if a different type of debris is treated or if a different technology is used to treat the debris.

(3) For debris excluded under Subsection R315-261-3(f)(1), the owner or operator of the treatment facility shall document and certify compliance with the treatment standards of Table 1, Section R315-268-45, as follows:

(i) Records shall be kept of all inspections, evaluations, and analyses of treated debris that are made to determine compliance with the treatment standards;

(ii) Records shall be kept of any data or information the treater obtains during treatment of the debris that identifies key operating parameters of the treatment unit; and

(iii) For each shipment of treated debris, a certification of compliance with the treatment standards shall be signed by an authorized representative and placed in the facility's files. The certification shall state the following: "I certify under penalty of law that the debris has been treated in accordance with the requirements of Section R315-268-45. I am aware that there are significant penalties for making a false certification, including the possibility of fine and imprisonment."

(e) Generators and treaters who first receive from the Director a determination that a given contaminated soil subject to LDRs as provided in Subsection R315-268-49(a) no longer contains a listed hazardous waste and generators and treaters who first determine that a contaminated soil subject to LDRs as provided in Subsection R315-268-49(a) no longer exhibits a characteristic of hazardous waste shall:

(1) Prepare a one-time only documentation of these determinations including all supporting information; and,

(2) Maintain that information in the facility files and other records for a minimum of three years.

**R315-268-50. Land Disposal Restrictions -- Prohibitions on Storage of Restricted Wastes.**

(a) Except as provided in Section R315-268-50, the storage of hazardous wastes restricted from land disposal under Sections R315-268-20 through 39 is prohibited, unless the following conditions are met:

(1) A generator stores such wastes in tanks, containers, or containment buildings on-site solely for the purpose of the accumulation of such quantities of hazardous waste as necessary to facilitate proper recovery, treatment, or disposal and the generator

complies with the requirements in [~~Section R315-262-34~~]Sections R315-262-16 and R315-262-17, and Rules R315-264 and R315-265.

(2) An owner/operator of a hazardous waste treatment, storage, or disposal facility stores such wastes in tanks, containers, or containment buildings solely for the purpose of the accumulation of such quantities of hazardous waste as necessary to facilitate proper recovery, treatment, or disposal and:

(i) Each container is clearly marked to identify its contents and [~~the date each period of accumulation begins~~]with:

(A) The words "Hazardous Waste";

(B) The applicable EPA hazardous waste number(s), EPA hazardous waste codes. in Sections R315-261-20 through R315-261-24 and R315-261-30 through R315-261-35; or use a nationally recognized electronic system, such as bar coding, to identify the EPA hazardous waste number(s);

(C) An indication of the hazards of the contents, examples include:

(I) the applicable hazardous waste characteristic(s), i.e., ignitable, corrosive, reactive, toxic;

(II) hazard communication consistent with the Department of Transportation requirements at 49 CFR part 172 subpart E, labeling, or subpart F, placarding;

(III) a hazard statement or pictogram consistent with the Occupational Safety and Health Administration Hazard Communication Standard at 29 CFR 1910.1200; or

(IV) a chemical hazard label consistent with the National Fire Protection Association code 704; and

(D) The date each period of accumulation begins;

(ii) Each tank is clearly marked with a description of its contents, the quantity of each hazardous waste received, and the date each period of accumulation begins, or such information for each tank is recorded and maintained in the operating record at that facility.

Regardless of whether the tank itself is marked, an owner/operator shall comply with the operating record requirements specified in Section R315-264-73 or 40 CFR 265.73, which are adopted by reference.

(3) A transporter stores manifested shipments of such wastes at a transfer facility for 10 days or less.

(b) An owner/operator of a treatment, storage or disposal facility may store such wastes for up to one year unless the Director can demonstrate that such storage was not solely for the purpose of accumulation of such quantities of hazardous waste as are necessary to facilitate proper recovery, treatment, or disposal.

(c) An owner/operator of a treatment, storage or disposal facility may store such wastes beyond one year; however, the owner/operator bears the burden of proving that such storage was solely for the purpose of accumulation of such quantities of hazardous waste as are necessary to facilitate proper recovery, treatment, or disposal.

(d) If a generator's waste is exempt from a prohibition on the type of land disposal utilized for the waste, for example, because of an approved case-by-case extension under Section R315-268-5, an approved Section R315-268-6 petition, or a national capacity variance under Sections R315-268-20 through 39, the prohibition in Subsection R315-268-50(a) does not apply during the period of such exemption.

(e) The prohibition in Subsection R315-268-50(a) does not apply to hazardous wastes that meet the treatment standards specified under Sections R315-268-41, 42, and 43 or the treatment standards specified under the variance in Section R315-268-44, or, where treatment standards have not been specified, is in compliance with the applicable prohibitions specified in Section R315-268-32 or RCRA section 3004.

(f) Liquid hazardous wastes containing polychlorinated biphenyls (PCBs) at concentrations greater than or equal to 50 ppm shall be stored at a facility that meets the requirements of 40 CFR 761.65(b) and shall be removed from storage and treated or disposed as required by Rule R315-268 within one year of the date when such wastes are first placed into storage. The provisions of Subsection R315-268-50(c) do not apply to such PCB wastes prohibited under Section R315-268-32.

(g) The prohibition and requirements in Section R315-268-50 do not apply to hazardous remediation wastes stored in a staging pile approved pursuant to Section R315-264-554.

**KEY: hazardous waste**

**Date of Enactment or Last Substantive Amendment: April 15, 2016**

**Authorizing, and Implemented or Interpreted Law: 19-6-105; 19-6-106**

**R315. Environmental Quality, Waste Management and Radiation Control, Waste Management.**

**R315-270. Hazardous Waste Permit Program.**

**R315-270-1. Hazardous Waste Permit Program -- Purpose and Scope of These Regulations.**

(a) No person shall own, construct, modify, or operate any facility for the purpose of treating, storing, or disposing of hazardous waste without first submitting, and receiving the approval of the Director for, a hazardous waste permit for that facility. However, any person owning or operating a facility on or before November 19, 1980, who has given timely notification as required by section 3010 of the Resource Conservation and Recovery Act (RCRA) of 1976, 42 U.S.C., section 6921, et seq., and who has submitted a proposed hazardous waste permit as required by Section R315-270-1 and Section 19-6-108 for that facility, may continue to operate that facility without violating Section R315-270-1 until such time as the permit is approved or disapproved pursuant to Section R315-270-1.

(b)(1) The Director shall review each proposed hazardous waste permit application to determine whether the application will be in accord with the provisions of Rules R315-260 through 266, 268, 270 and 273, and Section 19-6-108 and, on that basis, shall approve or disapprove the application within the applicable time period specified in Section 19-6-108. If, after the receipt of plans, specifications, or other information required under Rule R315-270 and Section 19-6-108 and within the applicable time period of Section 19-6-108, the Director determines that the proposed construction, installation or establishment or any part of it will not be in accord with the requirements of Rule R315-270 or other applicable rules, he shall issue an order prohibiting the construction, installation or establishment of the proposal in whole or in part. The date of submission shall be deemed to be the date of all required information is provided to the Director as required by Rule R315-270.

(2) Any permit application which does not meet the requirements of Rules 315-260 through 266, 268 270 and 273 shall be disapproved within the applicable time period specified in Section 19-6-108. If within the applicable time period specified in Section 19-6-108 the Director fails to approve or disapprove the permit application or to request the submission of any additional information or modification to the application, the application shall not be deemed approved but the applicant may petition the Director for a decision or seek judicial relief requiring a decision of approval or disapproval.

(3) An application for approval of a hazardous waste permit consists of two parts, part A and part B. For an existing facility, the requirement is satisfied by submitting only part A of the application until the date the Director sets for each individual facility for submitting part B of the application, which date shall be in no case less than six months after the Director gives notice to a particular facility that it shall submit part B of the application.

(c) Scope of the hazardous waste permit requirement. Section 19-6-108 requires a permit for the "treatment," "storage," and "disposal" of any "hazardous waste" as identified or listed in Rule

R315-261. The terms "treatment," "storage," "disposal," and "hazardous waste" are defined in Section R315-270-2. Owners and operators of hazardous waste management units shall have permits during the active life, including the closure period, of the unit. Owners and operators of surface impoundments, landfills, land treatment units, and waste pile units that received waste after July 26, 1982, or that certified closure, according to 40 CFR 265.115, which is adopted by reference, after January 26, 1983, shall have post-closure permits, unless they demonstrate closure by removal or decontamination as provided under Subsections R315-270-1(c)(5) and (6), or obtain an enforceable document in lieu of a post-closure permit, as provided under Subsection R315-270-1(c)(7). If a post-closure permit is required, the permit shall address applicable Rule R315-264 groundwater monitoring, unsaturated zone monitoring, corrective action, and post-closure care requirements. The denial of a permit for the active life of a hazardous waste management facility or unit does not affect the requirement to obtain a post-closure permit under Section R315-270-1.

(1) Specific inclusions. Owners and operators of certain facilities require hazardous waste permits as well as permits under other programs for certain aspects of the facility operation. Hazardous waste permits are required for:

(i) Injection wells that dispose of hazardous waste, and associated surface facilities that treat, store or dispose of hazardous waste. However, the owner and operator with a Utah or Federal UIC permit, shall be deemed to have a "permit by rule" for the injection well itself if they comply with the requirements of Subsection R315-270-60(b).

(ii) Treatment, storage, or disposal of hazardous waste at facilities requiring an NPDES permit. However, the owner and operator of a publicly owned treatment works receiving hazardous waste shall be deemed to have a "permit by rule" for that waste if they comply with the requirements of Section R315-270-60(c).

(2) Specific exclusions and exemptions. The following persons are among those who are not required to obtain a hazardous waste permit:

(i) Generators who accumulate hazardous waste on-site [for less than the time periods provided in Section R315-262-34] in compliance with all of the conditions for exemption provided in Sections R315-262-14, R315-262-15, R315-262-16, and R315-262-17.

(ii) Farmers who dispose of hazardous waste pesticides from their own use as provided in Section R315-262-70;

(iii) Persons who own or operate facilities solely for the treatment, storage or disposal of hazardous waste excluded from regulations under Rule R315-270 by [Sections] Section R315-261-4 or [5] Section R315-262-14, very small quantity generator exemption.

(iv) Owners or operators of totally enclosed treatment facilities as defined in Section R315-260-10.

(v) Owners and operators of elementary neutralization units or wastewater treatment units as defined in Section R315-260-10.

(vi) Transporters storing manifested shipments of hazardous waste in containers meeting the requirements of Section R315-262-30 at a transfer facility for a period of ten days or less.

(vii) Persons adding absorbent material to waste in a container, as defined in Section R315-260-10, and persons adding waste to

absorbent material in a container, provided that these actions occur at the time waste is first placed in the container; and Subsection R315-264-17(b) and Sections R315-264-171, and 172 are complied with.

(viii) Universal waste handlers and universal waste transporters, as defined in Section R315-260-10, managing the wastes listed below. These handlers are subject to regulation under Rule R315-273.

(A) Batteries as described in Section R315-273-2;

(B) Pesticides as described in Section R315-273-3;

(C) Mercury-containing equipment as described in Section R315-273-4; and

(D) Lamps as described in Section R315-273-5.

(3) Further exclusions.

(i) A person is not required to obtain a permit for treatment or containment activities taken during immediate response to any of the following situations:

(A) A discharge of a hazardous waste;

(B) An imminent and substantial threat of a discharge of hazardous waste;

(C) A discharge of a material which, when discharged, becomes a hazardous waste.

(ii) Any person who continues or initiates hazardous waste treatment or containment activities after the immediate response is over is subject to all applicable requirements of Rule R315-270 for those activities.

(iii) In the case of emergency responses involving military munitions, the responding military emergency response specialist's organizational unit shall retain records for three years identifying the dates of the response, the responsible persons responding, the type and description of material addressed, and its disposition.

(4) Permits for less than an entire facility. The Director may issue or deny a permit for one or more units at a facility without simultaneously issuing or denying a permit to all of the units at the facility. The interim status of any unit for which a permit has not been issued or denied is not affected by the issuance or denial of a permit to any other unit at the facility.

(5) Closure by removal. Owners/operators of surface impoundments, land treatment units, and waste piles closing by removal or decontamination under Rule R315-265 standards shall obtain a post-closure permit unless they can demonstrate to the Director that the closure met the standards for closure by removal or decontamination in Section R315-264-228, Subsection R315-264-280(e), or Section R315-264-258, respectively. The demonstration may be made in the following ways:

(i) If the owner/operator has submitted a part B application for a post-closure permit, the owner/operator may request a determination, based on information contained in the application, that Rule R315-264 closure by removal standards were met. If the Director believes that Rule R315-264 standards were met, The Director shall notify the public of this proposed decision, allow for public comment, and reach a final determination according to the procedures in Subsection R315-270-1(c)(6).

(ii) If the owner/operator has not submitted a part B application for a post-closure permit, the owner/operator may petition

the Director for a determination that a post-closure permit is not required because the closure met the applicable Rule R315-264 closure standards.

(A) The petition shall include data demonstrating that closure by removal or decontamination standards of Rule R315-264 were met.

(B) The Director shall approve or deny the petition according to the procedures outlined in Subsection R315-270-1(c)(6).

(6) Procedures for closure equivalency determination.

(i) If a facility owner/operator seeks an equivalency demonstration under Subsection R315-270-1(c)(5), the Director shall provide the public, through a newspaper notice, the opportunity to submit written comments on the information submitted by the owner/operator within 30 days from the date of the notice. The Director shall also, in response to a request or at the Director's discretion, hold a public hearing whenever such a hearing might clarify one or more issues concerning the equivalence of the Rule R315-265 closure to a Rule R315-264 closure. The Director shall give public notice of the hearing at least 30 days before it occurs. Public notice of the hearing may be given at the same time as notice of the opportunity for the public to submit written comments, and the two notices may be combined.

(ii) The Director shall determine whether the Rule R315-265 closure met the Rule R315-264 closure by removal or decontamination requirements within 90 days of its receipt. If the Director finds that the closure did not meet the applicable Rule R315-264 standards, the Director shall provide the owner/operator with a written statement of the reasons why the closure failed to meet Rule R315-264 standards.

The owner/operator may submit additional information in support of an equivalency demonstration within 30 days after receiving such written statement. The Director shall review any additional information submitted and make a final determination within 60 days.

(iii) If the Director determines that the facility did not close in accordance with Rule R315-264 closure by removal standards, the facility is subject to post-closure permitting requirements.

(7) Enforceable documents for post-closure care. At the discretion of the Director, an owner or operator may obtain, in lieu of a post-closure permit, an enforceable document imposing the requirements of 40 CFR 265.121, which is adopted by reference. "Enforceable document" means an order, a permit, or other document issued by the Director including, but not limited to, a corrective action order issued by EPA under section 3008(h), a CERCLA remedial action, or a closure or post-closure permit.

**KEY: hazardous waste**

**Date of Enactment or Last Substantive Amendment: April 15, 2016**

**Authorizing, and Implemented or Interpreted Law: 19-6-105; 19-6-106**

**R315. Environmental Quality, Waste Management and Radiation Control, Waste Management.**

**R315-273. Standards for Universal Waste Management.**

**R315-273-8. Standards for Universal Waste Management -- Applicability -- Household and ~~Conditionally Exempt~~ Very Small Quantity Generator Waste.**

(a) Persons managing the wastes listed below may, at their option, manage them under the requirements of Rule R315-273:

(1) Household wastes that are exempt under Subsection R315-261-4(b)(1) and are also of the same type as the universal wastes defined at Section R315-273-9; and/or

(2) ~~Conditionally exempt~~ Very small quantity generator wastes that are exempt under Section ~~R315-261-5~~ R315-262-14 and are also of the same type as the universal wastes defined at Section R315-273-9.

(b) Persons who commingle the wastes described in Subsections R315-273-8(a)(1) and (a)(2) together with universal waste regulated under Rule R315-273 shall manage the commingled waste under the requirements of Rule R315-273.

**R315-273-81. Standards for Universal Waste Management -- Factors for Petitions to Include Other Wastes Under Rule R315-273.**

(a) The waste or category of waste, as generated by a wide variety of generators, is listed in Sections R315-261-30 through 3, or, if not listed, a proportion of the waste stream exhibits one or more characteristics of hazardous waste identified in Sections R315-261-20 through 24. When a characteristic waste is added to the universal waste regulations of this Rule R315-273 by using a generic name to identify the waste category, e.g., batteries, the definition of universal waste in Section R315-260-10 and Section R315-273-9 shall be amended to include only the hazardous waste portion of the waste category, e.g., hazardous waste batteries. Thus, only the portion of the waste stream that does exhibit one or more characteristics, i.e., is hazardous waste, is subject to the universal waste regulations of Rule R315-273;

(b) The waste or category of waste is not exclusive to a specific industry or group of industries, is commonly generated by a wide variety of types of establishments, including, for example, households, retail and commercial businesses, office complexes, ~~conditionally exempt~~ very small quantity generators, small businesses, government organizations, as well as large industrial facilities;

(c) The waste or category of waste is generated by a large number of generators, e.g., more than 1,000 nationally, and is frequently generated in relatively small quantities by each generator;

(d) Systems to be used for collecting the waste or category of waste, including packaging, marking, and labeling practices, would ensure close stewardship of the waste;

(e) The risk posed by the waste or category of waste during accumulation and transport is relatively low compared to other hazardous wastes, and specific management standards proposed or

referenced by the petitioner, e.g., waste management requirements appropriate to be added to Sections R315-273-13, 33, and 52; and/or applicable Department of Transportation requirements, would be protective of human health and the environment during accumulation and transport;

(f) Regulation of the waste or category of waste under Rule R315-273 will increase the likelihood that the waste will be diverted from non-hazardous waste management systems; e.g., the municipal waste stream, non-hazardous industrial or commercial waste stream, municipal sewer or stormwater systems; to recycling; treatment; or disposal in compliance with Title 19 Chapter 6.

(g) Regulation of the waste or category of waste under Rule R315-273 will improve implementation of and compliance with the hazardous waste regulatory program; and/or

(h) Such other factors as may be appropriate.

**KEY: hazardous waste**

**Date of Enactment or Last Substantive Amendment: June 10, 2016**

**Authorizing, and Implemented or Interpreted Law: 19-6-105; 19-6-106**

**R315. Environmental Quality, Waste Management and Radiation Control, Waste Management.**

**R315-301. Solid Waste Authority, Definitions, and General Requirements.**

**R315-301-2. Definitions.**

Terms used in Rules R315-301 through R315-320 are defined in Sections 19-1-103, 19-6-102, and 19-6-803. In addition, for the purpose of Rules R315-301 through 320, the following definitions apply.

(1) "Active area" means that portion of a facility where solid waste recycling, reuse, treatment, storage, or disposal operations are being conducted.

(2) "Airport" means a public-use airport open to the public without prior permission and without restrictions within the physical capacities of available facilities.

(3) "Aquifer" means a geological formation, group of formations, or portion of a formation that contains sufficiently saturated permeable material to yield useable quantities of ground water to wells or springs.

(4) "Areas susceptible to mass movement" means those areas of influence, characterized as having an active or substantial possibility of mass movement, where the movement of earth material at, beneath, or adjacent to the landfill unit, because of natural or human-induced events, results in the downslope transport of soil and rock material by means of gravitational influence. Areas of mass movement include landslides, avalanches, debris slides and flows, soil fluctuation, block sliding, and rock falls.

(5) "Asbestos waste" means friable asbestos, which is any material containing more than 1% asbestos as determined using the method specified in Appendix A, 40 CFR Part 763.1, 2001 ed., which is adopted and incorporated by reference, that when dry, can be crumbled, pulverized, or reduced to powder by hand pressure.

(6) "Background concentration" means the concentration of a contaminant in ground water upgradient or a lateral hydraulically equivalent point from a facility, practice, or activity, and which has not been affected by that facility, practice, or activity.

(7) "Class I Landfill" means a non-commercial landfill or a landfill that meets the definition found in Subsection 19-6-102(3)(a)(iii) and is permitted by the Director

(a) to receive for disposal:

(i) municipal solid waste;

(ii) any other nonhazardous solid waste, not otherwise limited by rule or solid waste permit; or

(iii) in conjunction with municipal solid waste or other nonhazardous solid waste, waste from a ~~conditionally exempt~~ very small quantity generator of hazardous waste, as defined by Section ~~[R315-2-5]~~ R315-260-10; and

(b) does not meet the standards of Subsection R315-303-3(3)(e)(v).

(8) "Class II Landfill" means a non-commercial landfill or a

landfill that is permitted by the Director

(a) to receive for disposal:

(i) municipal solid waste;

(ii) any other nonhazardous solid waste, not otherwise limited by rule or solid waste permit; or

(iii) in conjunction with municipal solid waste or other nonhazardous solid waste, waste from a ~~conditionally exempt~~ very small quantity generator of hazardous waste, as defined by Section ~~[R315-2-5]~~R315-260-10.

(b) meets the standards of Subsection R315-303-3(3)(e)(v).

(9) "Class III Landfill" means a non-commercial landfill that is permitted by the Director to receive for disposal only industrial solid waste.

(10) "Class IV Landfill" means a non-commercial landfill that is permitted by the Director to receive for disposal only:

(a) construction/demolition waste;

(b) yard waste;

(c) inert waste;

(d) dead animals, as approved by the Director and upon meeting the requirements of Section R315-315-6;

(e) waste tires and materials derived from waste tires, upon meeting the requirements of Section 19-6-804 and Section R315-320-3; and

(f) petroleum-contaminated soils, upon meeting the requirements of Subsection R315-315-8(3).

(11) "Class V Landfill" means a commercial nonhazardous solid waste disposal facility, as defined by Subsection 19-6-102(3), that is permitted by the Director to receive for disposal:

(a) municipal solid waste;

(b) any other nonhazardous solid waste, not otherwise limited by rule or solid waste permit; and

(c) in conjunction with municipal solid waste or other nonhazardous solid waste, waste from a ~~conditionally exempt~~ very small quantity generator of hazardous waste, as defined by Section ~~[R315-2-5]~~R315-260-10.

(12) "Class VI Landfill" means a commercial nonhazardous solid waste landfill that is permitted by the Director to receive for disposal only:

(a) construction/demolition waste, excluding waste from a ~~conditionally exempt~~ very small quantity generator of hazardous waste, as defined by Section ~~[R315-2-5]~~R315-260-10;

(b) yard waste;

(c) inert waste;

(d) dead animals, as approved by the Director and upon meeting the requirements of Section R315-315-6;

(e) waste tires and materials derived from waste tires, upon meeting the requirements of Section 19-6-804 and Subsection R315-320-3(1) or (2); and

(f) petroleum-contaminated soils, upon meeting the requirements of Subsection R315-315-8(3).

(g) A Class VI Landfill may not receive for disposal:

(i) hazardous waste;

(ii) construction/demolition waste containing PCBs, except as allowed by Section R315-315-7;

- (iii) garbage;
- (iv) municipal solid waste; or
- (v) industrial solid waste.

(h) The wastes received at a Class VI Landfill may be further limited by a solid waste permit.

(i) A Class VI Landfill may not change to a Class V Landfill except by meeting all requirements for a Class V Landfill including obtaining a new Class V Landfill permit and completing the requirements specified in Subsection R315-310-3(2).

(13) "Closed facility" means any facility that no longer receives solid waste and has completed an approved closure plan, and any landfill on which an approved final cover has been installed.

(14) "Commercial solid waste" means all types of solid waste generated by stores, offices, restaurants, warehouses, and other nonmanufacturing activities, excluding household waste and industrial wastes.

(15) "Composite liner" means a liner system consisting of two components: the upper component consisting of a synthetic flexible membrane liner, and the lower component consisting of a layer of compacted soil. The composite liner must have the synthetic flexible membrane liner installed in direct and uniform contact with the compacted soil component and be constructed of specified materials and compaction to meet specified permeabilities.

(16) "Composting" means a method of solid waste management whereby the organic component of the waste stream is biologically decomposed under controlled aerobic conditions, at a temperature of 140 degrees Fahrenheit (60 degrees Celsius), or higher, for at least some part of each day of a consecutive seven day period, to a state in which the end product or compost can be handled, stored, or applied to the land without adversely affecting human health or the environment.

(17) "Construction/demolition waste" means solid waste from building materials, packaging, and rubble resulting from construction, remodeling, repair, abatement, rehabilitation, renovation, and demolition operations on pavements, houses, commercial buildings, and other structures, including waste from a ~~conditionally exempt~~ very small quantity generator of hazardous waste, as defined by Section ~~[R315-2-5]~~ R315-260-10, that may be generated by these operations.

(a) Such waste may include:

- (i) concrete, bricks, and other masonry materials;
- (ii) soil and rock;
- (iii) waste asphalt;
- (iv) rebar contained in concrete; and
- (v) untreated wood, and tree stumps.

(b) Construction/demolition waste does not include:

- (i) friable asbestos;
- (ii) treated wood; or
- (iii) contaminated soils or tanks resulting from remediation or clean-up at any release or spill.

(18) "Contaminant" means any physical, chemical, biological, or radiological substance or matter in water or soil that is a result of human activity.

(19) "Displaced" or "displacement" means the relative movement

of any two sides of a fault measured in any direction.

(20) "Drop box facility" means a facility used for the placement of a large detachable container or drop box for the collection of solid waste for transport to a solid waste disposal facility. The facility includes the area adjacent to the containers for necessary entrance, exit, unloading, and turn-around areas. Drop box facilities normally serve the general public with uncompacted loads and receive waste from off site. Drop box facilities do not include residential or commercial waste containers on the site of waste generation.

(21) "Energy recovery" means the recovery of energy in a useable form from incineration, burning, or any other means of using the heat of combustion of solid waste that involves high temperature (above 1200 degrees Fahrenheit) processing.

(22) "Existing facility" means any facility that has:

(a) a current valid solid waste permit or other valid approval issued under Rules R315-301 through 320 by the Director; and

(b) received final approval to accept waste as required by Subsection R315-301-5(1).

(23) "Expansion of a solid waste disposal facility" means any lateral expansion beyond the property boundaries outlined in the permit application for the current permit under which the facility is operating.

(24) "Facility" means all contiguous land, structures, other appurtenances, and improvements on the land used for treating, storing, or disposing of solid waste. A facility may consist of several treatment, storage, or disposal operational units, e.g., one or more incinerators, landfills, container storage areas, or combinations of these.

(25) "Floodplain" means the land that has been or may be hereafter covered by flood water which has a 1% chance of occurring any given year. The flood is also referred to as the base flood or 100-year flood.

(26) "Free liquids" means liquids which readily separate from the solid portion of a waste under ambient temperature and pressure or as determined by EPA test method 9095 (Paint Filter Liquids Test) as provided in EPA Report SW-846 "Test Methods for Evaluating Solid Waste" as revised December (1996) which is adopted and incorporated by reference.

(27) "Garbage" means discarded animal and vegetable wastes resulting from the handling, preparation, cooking and consumption of food, and of such a character and proportion as to be capable of attracting or providing food for vectors. Garbage does not include sewage and sewage sludge.

(28) "Ground water" means subsurface water that is in the zone of saturation including perched ground water.

(29) "Ground water quality standard" means a standard for maximum allowable contamination in ground water as set by Section R315-308-4.

(30) "Hazardous waste" means hazardous waste as defined by Subsection 19-6-102(9) and Section ~~R315-2-3~~R315-261-3.

(31) "Holocene fault" means a fracture or zone of fractures along which rocks on one side of the fracture have been displaced with respect to those on the other side, which has occurred in the

most recent epoch of the Quaternary period extending from the end of the Pleistocene, approximately 11,000 years ago, to the present.

(32) "Household size" means a container for a material or product that is normally and reasonably associated with households or household activities. The containers are of a size and design to hold materials or products generally for immediate use and not for storage, five gallons or less in size.

(33) "Household waste" means any solid waste, including garbage, trash, and sanitary waste in septic tanks, derived from households including single and multiple residences, hotels, motels, bunkhouses, ranger stations, crew quarters, campgrounds, picnic grounds, and day-use recreation areas.

(34) "Incineration" means a controlled thermal process by which solid wastes are physically or chemically altered to gas, liquid, or solid residues that are also regulated solid wastes. Incineration includes the thermal destruction of solid waste for energy recovery. Incineration does not include smelting operations where metals are reprocessed or the refining, processing, or burning of used oil for energy recovery as described in Rule R315-15.

(35) "Industrial solid waste" means any solid waste generated at a manufacturing or other industrial facility that is not a hazardous waste or that is a hazardous waste from a ~~conditionally exempt~~ very small quantity generator of hazardous waste, as defined by Section ~~[R315-2-5]~~ R315-260-10, generated by an industrial facility. Industrial solid waste includes waste from the following industries or resulting from the following manufacturing processes and associated activities: electric power generation; fertilizer or agricultural chemical industries; food and related products or by-products industries; inorganic chemical industries; iron and steel manufacturing; leather and leather product industries; nonferrous metals manufacturing or foundry industries; organic chemical industries; plastics and resins manufacturing; pulp and paper industry; rubber and miscellaneous plastic product industries; stone, glass, clay, and concrete product industries; textile manufacturing; transportation equipment manufacturing; and water treatment industries. This term does not include mining waste; oil and gas waste; or other waste excluded by Subsection 19-6-102(18)(b).

(36) "Industrial solid waste facility" means a facility that receives only industrial solid waste from on-site or off-site sources for disposal.

(37) "Inert waste" means noncombustible, nonhazardous solid wastes that retain their physical and chemical structure under expected conditions of disposal, including wastes that exhibit resistance to biological or chemical change.

(38) "Landfill" means a disposal facility where solid waste is or has been placed in or on the land and that is not a landtreatment facility or surface impoundment.

(39) "Land treatment, landfarming, or landspreading facility" means a facility or unit within a facility where solid waste is applied onto or incorporated into the soil surface for the purpose of biodegradation.

(40) "Lateral expansion of the solid waste disposal area" means:

(a) any horizontal expansion of the waste boundaries of an existing landfill cell, module, or unit;

(b) the construction of a new cell, module, or unit within the boundaries outlined in the permit application of the current permit under which the facility is operating; or

(c) any horizontal expansion not consistent with past normal operating practices.

(41) "Lateral hydraulically equivalent point" means a point located hydraulically equal to a facility and in the same ground water with similar geochemistry such that the ground water, at that point, has not been affected by the facility.

(42) "Leachate" means a liquid that has passed through or emerged from solid waste and that may contain soluble, suspended, miscible, or immiscible materials removed from such waste.

(43) "Lithified earth material" means all rock, including all naturally occurring and naturally formed aggregates or masses of minerals or small particles of older rock that formed by crystallization of magma or by induration of loose sediments. This term does not include human-made materials, such as fill, concrete and asphalt, or unconsolidated earth materials, soil, or regolith lying at or near the earth surface.

(44) "Lower explosive limit" means the lowest percentage by volume of a mixture of explosive gases that will propagate a flame in air at 25 degrees Celsius (77 degrees Fahrenheit) and atmospheric pressure.

(45) "Maximum horizontal acceleration in lithified earth material" means the maximum expected horizontal acceleration depicted on a seismic hazard map, with a 90% or greater probability that the acceleration will not be exceeded in 250 years, or the maximum expected horizontal acceleration based on site specific seismic risk assessment.

(46) "Municipal solid waste landfill" means a permitted nonhazardous solid waste landfill that may receive municipal solid waste for disposal.

(47) "Municipal solid waste" means household waste, nonhazardous commercial solid waste, and non-hazardous sludge.

(48) "New facility" means any facility that:

(a) has applied for a permit or other valid approval issued under Rules R315-301 through 320 by the Director;

(b) did not have a permit or other valid approval issued under Rules R315-301 through 320 at the time of the application; and

(c) has not received final approval to accept waste as required by Subsection R315-301-5(1).

(49) "Off site" means any site which is not on site.

(50) "On site" means the same or geographically contiguous property that may be divided by public or private right-of-way, provided that the entrance and exit between the properties is at a cross-roads intersection, and access is by crossing, as opposed to going along the right-of-way. Property separated by a private right-of-way, which the site owner or operator controls, and to which the public does not have access, is also considered on-site property.

(51) "Operator" means the person, as defined by Subsection 19-1-103(4), responsible for the overall operation of a facility.

(52) "Owner" means the person, as defined by Subsection 19-1-103(4), who has an ownership interest in a facility or part of a facility.

(53) "PCB" or "PCBs" means any chemical substance that is limited to the biphenyl molecule that has been chlorinated to varying degrees or any combination of materials which contain such substances.

(54) "Permeability" means the ease with which a porous material allows water and the solutes contained therein to flow through it. This is usually expressed in units of centimeters per second (cm/sec) and termed hydraulic conductivity. Soils and synthetic liners with a permeability for water of  $1 \times 10^{-7}$  cm/sec or less may be considered impermeable.

(55) "Permit" means the plan approval as required by Subsection 19-6-108(3)(a), or equivalent control document issued by the Director to implement the requirements of the Utah Solid and Hazardous Waste Act.

(56) "Pile" means any noncontainerized accumulation of solid waste that is used for treatment or storage.

(57) "Poor foundation conditions" means those areas where features exist which indicate that a natural or human-induced event may result in inadequate foundation support for the structural components of a landfill unit.

(58) "Putrescible waste" means solid waste which contains organic matter capable of being decomposed by microorganisms and of such a character and proportion as to be capable of attracting or providing food for vectors including birds and mammals.

(59) "Qualified ground water scientist" means a scientist or engineer who has received a baccalaureate or post-graduate degree in the natural sciences or engineering and has sufficient training and experience in ground water hydrology and related fields as may be demonstrated by state registration, professional certification, or completion of accredited university programs that enable that individual to make sound professional judgements regarding ground water monitoring, contaminant fate and transport, and corrective action.

(60) "Recycling" means extracting valuable materials from the waste stream and transforming or remanufacturing them into usable materials that have a demonstrated or potential market.

(a) Recycling does not include processes that generate such volumes of material that no market exists for the material.

(b) Any part of the waste stream entering a recycling facility and subsequently returning to a waste stream or being otherwise disposed has the same regulatory designation as the original waste.

(c) Recycling includes the substitution of nonhazardous solid waste fuels for conventional fuels (such as coal, natural gas, and petroleum products) for the purpose of generating the heat necessary to manufacture a product.

(61) "Recyclable materials" means those solid wastes that can be recovered from or otherwise diverted from the waste stream for the purpose of recycling, such as metals, paper, glass, and plastics.

(62) "Run-off" means any rainwater, leachate, or other liquid that has contacted solid waste and drains over land from any part of a facility.

(63) "Run-on" means any rainwater, leachate, or other liquid that drains over land onto the active area of a facility.

(64) "Scavenging" means the unauthorized removal of solid waste from a facility.

(65) "Seismic impact zone" means an area with a 10% or greater probability that the maximum horizontal acceleration in lithified earth material, expressed as a percentage of the earth's gravitational pull, will exceed 0.10g in 250 years.

(66) "Septage" means a semisolid consisting of settled sewage solids combined with varying amounts of water and dissolved materials generated from septic tank systems.

(67) "Sharps" means any discarded or contaminated article or instrument from a health facility that may cause puncture or cuts. Such waste may include needles, syringes, blades, needles with attached tubing, pipettes, pasteurs, broken glass, and blood vials.

(68) "Sludge" means any solid, semisolid, or liquid waste, including grit and screenings generated from a:

(a) municipal, commercial, or industrial waste water treatment plant;

(b) water supply treatment plant;

(c) car wash facility;

(d) air pollution control facility; or

(e) any other such waste having similar characteristics.

(69) "Solid waste disposal facility" means a landfill, incinerator, or land treatment area.

(70) "Solid waste incinerator facility" means a facility at which solid waste is received from on-site or off-site sources and is subjected to the incineration process. An incinerator facility that incinerates solid waste for any reason, including energy recovery, volume reduction, or to render it non-infectious, is a solid waste incinerator facility and is subject to Rules R315-301 through 320.

(71) "Special waste" means discarded solid waste that may require special handling or other solid waste that may pose a threat to public safety, human health, or the environment.

(a) Special waste may include:

(i) ash;

(ii) automobile bodies;

(iii) furniture and appliances;

(iv) infectious waste;

(v) waste tires;

(vi) dead animals;

(vii) asbestos;

(viii) waste exempt from the hazardous waste regulations under Section ~~[R315-2-4]~~R315-261-4;

(ix) ~~[conditionally exempt]~~very small quantity generator hazardous waste as defined by Section ~~[R315-2-5]~~R315-260-10;

(x) waste containing PCBs;

(xi) petroleum contaminated soils;

(xii) waste asphalt; and

(xiii) sludge.

(b) Special waste must be handled and disposed according to the requirements of Rule R315-315.

(72) "State" means the State of Utah.

(73) "Structural components" means liners, leachate collection systems, final covers, run-on or run-off systems, and any other component used in the construction and operation of a landfill that is necessary for the protection of human health and the environment.

(74) "Surface impoundment or impoundment" means a facility or part of a facility which is a natural topographic depression, human-made excavation, or diked area formed primarily of earthen materials, although it may be lined with synthetic materials, which is designed to hold an accumulation of liquid waste or waste containing free liquids, and which is not an injection well. Examples of surface impoundments are holding, storage, settling, and aeration pits, ponds, and lagoons.

(75) "Transfer station" means a permanent, fixed, supplemental collection and transportation facility that is staffed by a minimum of one employee of the owner or operator during hours of operation and is used by persons and route collection vehicles to deposit collected solid waste from off-site into a transfer vehicle for transport to a solid waste handling or disposal facility.

(76) "Transport vehicle" means a vehicle capable of hauling solid waste such as a truck, packer, or trailer that may be used by refuse haulers to transport solid waste from the point of generation to a transfer station or a disposal facility.

(77) "Treated wood" means any wood item that has been treated with the following or compounds containing the following:

- (a) creosote or related compounds;
- (b) Arsenic;
- (c) Chromium; or
- (d) Copper.

(78) "Twenty-five year storm" means a 24-hour storm of such intensity that it has a 4% probability of being equaled or exceeded any given year. The storm could result in what is referred to as a 25-year flood.

(79) "Unit" or "Solid Waste Management Unit" means a distinct operational storage, treatment, or disposal area at a solid waste management facility that contains all features to render it capable of performing its intended function and of being closed as a separate entity.

(80) "Unit boundary" means a vertical surface located at the hydraulically downgradient limit of a landfill unit or other solid waste disposal facility unit which is required to monitor ground water. This vertical surface extends down into the ground water.

(81) "Unstable area" means a location that is susceptible to natural or human induced events or forces capable of impairing the integrity of some or all of the landfill structural components responsible for preventing releases from a facility. Unstable areas can include poor foundation conditions, areas susceptible to mass movements, and karst terrains.

(82) "Vadose zone" means the zone of aeration including soil and capillary water. The zone is bound above by the land surface and below by the water table.

(83) "Vector" means a living animal including insect or other arthropod which is capable of transmitting an infectious disease from one organism to another.

(84) "Washout" means the carrying away of solid waste by waters of a base or 100-year flood.

(85) "Waste tire storage facility" or "waste tire pile" means any site where more than 1,000 waste tires or 1,000 passenger tire equivalents are stored on the ground.

(a) A waste tire storage facility includes:  
(i) whole waste tires used as a fence;  
(ii) whole waste tires used as a windbreak; and  
(iii) waste tire generators where more than 1,000 waste tires are held.

(b) A waste tire storage facility does not include:  
(i) a site where waste tires are stored exclusively in buildings or in trailers;

(ii) if whole waste tires are stored for five or fewer days, the site of a registered tire recycler or a processor for a registered tire recycler;

(iii) a permitted solid waste disposal facility that stores whole tires in piles for not longer than one year;

(iv) a staging area where tires are temporarily placed on the ground, not stored, to accommodate activities such as sorting, assembling, or loading or unloading of trucks; or

(v) a site where waste tires or material derived from waste tires are stored for five or fewer days and are used for ballast to maintain covers on agricultural materials or to maintain covers at a construction site or are to be recycled or applied to a beneficial use.

(c) Tires attached to a vehicle are not considered waste tires until they are removed from the vehicle.

(86) "Wetlands" means those areas that are inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and under normal conditions do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs, and similar areas.

(87) "Yard waste" means vegetative matter resulting from landscaping, land maintenance, and land clearing operations including grass clippings, prunings, and other discarded material generated from yards, gardens, parks, and similar types of facilities. Yard waste does not include garbage, paper, plastic, processed wood, sludge, septage, or manure.

**KEY: solid waste management, waste disposal**

**Date of Enactment or Last Substantive Amendment: April 25, 2013**

**Notice of Continuation: February 13, 2013**

**Authorizing, and Implemented or Interpreted Law: 19-6-105; 19-6-108; 19-6-109; 40 CFR 258**

**R315. Environmental Quality, Waste Management and Radiation Control,  
Waste Management.**

**R315-304. Industrial Solid Waste Landfill Requirements.**

**R315-304-3. Definitions.**

Terms used in Rule R315-304 are defined in Section R315-301-2. In addition, for the purpose of Rule R315-304, the following definitions apply.

(1) "Class IIIa Landfill" means a landfill as defined by Subsection R315-301-2(9) that may accept:

(a) any nonhazardous industrial waste;

(b) waste that is exempt from hazardous waste regulations under Section R315-2-4; or

(c) ~~conditionally exempt~~ very small quantity generator hazardous waste as defined by Section ~~[R315-2-5]~~ R315-260-10.

(2) "Class IIIb Landfill" means a landfill as defined by Subsection R315-301-2(9) that may accept any nonhazardous industrial solid waste except:

(a) waste that is exempt from hazardous waste regulations under Section R315-2-4, excluding Subsections R315-2-4(b)(3), (4), (5), (7), and (14), unless approved by the Director; or

(b) ~~conditionally exempt~~ very small quantity generator hazardous waste as defined by Section ~~[R315-2-5]~~ R315-260-10.

**KEY: solid waste management, waste disposal**

**Date of Enactment or Last Substantive Amendment: April 25, 2013**

**Notice of Continuation: February 13, 2013**

**Authorizing, and Implemented or Interpreted Law: 19-6-105; 19-6-108;  
40 CFR 257**

**R315. Environmental Quality, Waste Management and Radiation Control, Waste Management.**

**R315-305. Class IV and VI Landfill Requirements.**

**R315-305-3. Definitions.**

Terms used in Rule R315-305 are defined in Section R315-301-2. In addition, for the purpose of Rule R315-305, the following definitions apply.

(1) "Class IVa Landfill" means a Class IV Landfill that receives, based on an annual average, over 20 tons of waste per day and may receive, as a component of construction/demolition waste, waste from a [~~conditionally exempt~~]very small quantity generator of hazardous waste, as defined by Section [~~R315-2-5~~]R315-260-10.

(2) "Class IVb Landfill" means a Class IV Landfill that receives, based on an annual average, 20 tons, or less, of waste per day or demonstrates that no waste from a [~~conditionally exempt~~]very small quantity generator of hazardous waste, as defined by Section R315-260-10 is accepted.

**KEY: solid waste management, waste disposal**

**Date of Enactment or Last Substantive Amendment: April 25, 2013**

**Notice of Continuation: February 13, 2013**

**Authorizing, and Implemented or Interpreted Law: 19-6-104; 19-6-105; 19-6-108; 19-6-109; 40 CFR 257**