



CAPACITIES (BY LOCATION)		
BUILDING	55 GALLON CONTAINERS	GALLONS
E1	1048	57,640
E2	1,524	83,820
E3	2,930	161,150
E4	1,644	90,420
E5	1160	63,800
E6	2,096	115,280
E7	2,792	153,560
E2 (WS1-WS3) (each)	4	220
E4 REPACK	4	220
E4 DECANT		220
E1 & E5 DOCKS (each)	140	7,700
E1 & E5 DOCKS (each) (3 refrigerated trailers)	252	13,860
E1 & E5 DOCKS (each) (bulk container)	1	4,888
CYLINDER STORAGE	800	
LABORATORY COOLER	2	110
BLDG #68	56	3,080
BLDG #69	56	3,080
E8	2304	126,720
E8 DOCKS (each) (bulk container)	1	4,888
E8 DOCKS (5 refrigerated trailers)	420	23,100
E8 DOCKS	200	11,000
BLDG #70 EAST	32	1,760
BLDG #70 WEST	32	1,760
BLDG #71 EAST	32	1,760
BLDG #71 WEST	32	1,760

- DESIGN CRITERIA:
- 6" MINIMUM CURB AT EXTERIOR OPENINGS
 - BUILDING E6 "H" ROW IS ONLY ONE LEVEL HIGH IN SPACES 1 THROUGH 4.
 - 6" RAMP AT FIREWALLS.
 - PALLETS ARE SHOWN FOR ILLUSTRATION ONLY.
 - EXITS PER U.B.C.
 - ALL CONVEYORS & DECANT STATIONS INSIDE CONTAINER PROCESSING BUILDING WILL BE FLOOR MOUNTED.
 - DOCKS 1, 2, 3, & 4 CAN EACH STORE A REFRIGERATED TRAILER, SIMULTANEOUSLY.
 - PIPING FURNISHED TO PROCESSING AREA:
 - 3 LINES TO TANK FARM.
 - COMPRESSED AIR
 - NITROGEN
 - PLANT WATER & FIRE PROTECTION WATER
 - PENETRATION FOR EQUIP. VENT TO ATMOSPHERE
 - ROLL UP DOOR WITH TWO FUSIBLE LINKS ON EACH FIRE WALL PENETRATION.
 - DIMENSIONS ARE NOMINAL INSIDE DIMENSIONS.
 - E6 ROW D&F 24 ONLY 2 HIGH DUE TO DUCT. E7 F 21 ONLY 2 HIGH DUE TO DUCT.



FIRE RATINGS:

4 HR. FIREWALL	—————
2 HR. FIREWALL	—————
UNRATED WALL	—————



NOTES:
 (1) ROWS "A" IN STORAGE BLDGS. E2, E3, E6, & E7 MAY HAVE CONTAINERS IN EITHER PERMANENT OR TEMPORARY STORAGE OR BOTH.

APPROVALS

DRAWN	CHECKED	BY	DATE
EJC	EJC	BJP/ZM	07-29-21
MECH			
STRUCT			
PROJECT ENG			
ENGINEERING MGR			



UTAH ENVIRONMENTAL SERVICE CENTER
 INCINERATOR PLANT FOR INDUSTRIAL WASTES
 CONTAINER STORAGE BUILDING PLAN

FOR TOOELE SITE	CAD NO. MA300
SCALE 1" = 20'-0"	SAFETY-KLEEN DWG NO. D-800-M-402
REGISTERED PROFESSIONAL ENGINEER	DATE: _____

REFERENCE DRAWINGS				REVISIONS				REVISIONS					
DRAWING NO.	TITLE	NO.	DESCRIPTION	DATE	BY	CHK.	ENG. MGR.	NO.	DESCRIPTION	DATE	BY	CHK.	ENG. MGR.
		1	AS-BUILT (MODULAR BUILDINGS)	12-10-21	KB	TH	KB	2	E1 & E5 LAYOUT, CORRECT BLDG STORAGE, AS BUILT	07-02-20	KB	TH	KB
		2	AS-BUILT (WAREHOUSE EXPANSION)	11-08-22	KB	JSC	KB	3	ADDED BLDG STORAGE, CHNG LOCATIONS, ADD NOTES	07-21-20	KB	TH	KB
		3	MODIFY E-8 NW EGRESS, MODIFY STORAGE LAYOUT	01-11-23	KB	TH	KB	4	ADDED BLDG STORAGE, CHNG LOCATIONS, ADD NOTES	02-22-21	KB	TH	MM
		4	EXT. & ADD ADD'L DOCKS ON E-1 & E5, MOD TABLE	02-10-23	KB	TH	JSC	5	ADD E-8 BLDG, ADD E1/E5 DOCKS, UPDATE TABLE	03-25-21	KB	TH	MM
		5	MOVE WS1 & WS2 ADD BIN WASHING SYSTEM	12/21/17	JWR			6	ADD FIRE DOORS TO FORKLIFT CORRIDORS	07-12-21	KB	TH	SS