



Denison Mines (USA) Corp.  
1050 17th Street, Suite 950  
Denver, CO 80265  
USA

Tel : 303 628-7798  
Fax : 303 389-4125

[www.denisonmines.com](http://www.denisonmines.com)

**VIA FEDERAL EXPRESS**

June 1, 2007

Dane L. Finerfrock, Executive Secretary  
Utah Radiation Control Board  
Utah Department of Environmental Quality  
168 North 1950 West  
P.O. Box 144810  
Salt Lake City, Utah 84114-4810



Dear Mr. Finerfrock:

**Re: Transmittal of 1st Quarter 2007 Chloroform Monitoring Report-White Mesa Uranium Mill**

Enclosed are two copies of the White Mesa Uranium Mill Chloroform Monitoring Report for the 1st Quarter of 2007, as required under the State of Utah Notice of Violation and Groundwater Corrective Action Order No. UGQ-20-01.

Yours very truly,

A handwritten signature in black ink, appearing to read "S. Landau".

**DENISON MINES (USA) CORP.**  
Steven D. Landau  
Manager-Environmental Affairs

**White Mesa Uranium Mill**  
**Chloroform Monitoring Report**

**State of Utah**  
**Notice of Violation and Groundwater Corrective Action Order UDEQ**  
**Docket No. UGQ-20-01**

**1<sup>st</sup> Quarter (January through March)**  
**2007**



Prepared by:

**Denison Mines (USA) Corp. (DUSA)**  
1050 17<sup>th</sup> Street, Suite 950  
Denver CO 80265

**May 31, 2007**

## 1. INTRODUCTION

This is the Quarterly Chloroform Monitoring Report, as required under State of Utah Notice of Violation and Groundwater Corrective Action Order State of Utah Department of Environmental Quality (“UDEQ”) Docket No. UGQ-20-01 for the 1<sup>st</sup> Quarter of 2007 (the “Quarter”) for Denison Mines (USA) Corp.’s (“DUSA’s”) White Mesa Uranium Mill (the “Mill”). This Report also includes the Operations Report for the Long Term Pump Test at MW-4, TW4-19, TW4-15 (MW-26) and TW4-20 for the Quarter.

## 2. SAMPLING AND MONITORING PLAN

### 2.1. Description of Monitor Wells Sampled During the Quarter

During the Quarter, the following chloroform contaminant investigation groundwater samples and measurements were taken:

#### 2.1.1. Groundwater Monitoring

Groundwater Monitoring was performed in all of the chloroform monitoring wells, being the following wells:

- MW-4
- TW4-A
- TW4-1
- TW4-2
- TW4-3
- TW4-4
- TW4-5
- TW4-6
- TW4-7
- TW4-8
- TW4-9
- TW4-10
- TW4-11
- TW4-12
- TW4-13
- TW4-14
- TW4-15 (MW-26)
- TW4-16
- TW4-17 (MW-32)
- TW4-18
- TW4-19
- TW4-20
- TW4-21
- TW4-22

The locations of these wells are indicated on the map attached under Tab A.

Each of these wells was sampled for the following constituents on February 28, 2007:

- Chloroform
- Chloromethane
- Carbon tetrachloride
- Methylene chloride
- Chloride
- Nitrogen, Nitrate + Nitrite as N

As UDEQ is aware, Denison has experienced difficulty in obtaining chloroform samples from well TW4-14. The difficulty arises from the very limited recovery rate encountered at that location. More specifically, it is generally necessary that there be at least 1.5 feet of water within the well in order to obtain a sample which is not influenced by sedimentation from the bottom of the well. At the request of UDEQ, the recovery rate from the TW4-14 location was evaluated by bailing and routine water level measurements in order to determine the necessary time between purging and sample collection. Such an evaluation was undertaken between September 21 and October 20 with limited success in water recovery experienced during this study period. Nonetheless, quarterly samples were able to be collected from well TW4-14 during the 4<sup>th</sup> Quarter of 2006 (November 8, 2006) and for this 1<sup>st</sup> Quarter, 2007 sampling (February 28, 2007). Because of the limited data base, trend analyses is not possible for TW4-14 at this time and, as such, is not included in the graphic display at Tab L of this report. The chloroform concentration in this well was less than the detection limit for the November 8, 2006 and February 28, 2007 samplings at this location.

### 2.1.2. Groundwater Head Monitoring

Depth to groundwater was taken in the following wells and/or piezometers during the Quarter:

- a) All of the chloroform contaminant investigation wells listed in paragraph 2.1.1 above on February 27, 2007;
- b) The following point of compliance monitoring wells under the Mill's Groundwater Discharge Permit ("GWDP") during the period March 16, 2007: MW-1, MW-2, MW-3, MW-3A, MW-5, MW-11, MW-12, MW-14, MW-15, MW-17, MW-18, MW-19, MW-23, MW-24, MW-25, MW-26, MW-27, MW-28, MW-29, MW-30, MW-31 and MW-32;
- c) Piezometers – P-1, P-2, P-3, P-4 and P-5 on March 21, 2007; and
- d) Existing monitoring wells – MW-20 and MW-22 on March 21, 2007

In addition, weekly depth to groundwater was taken in MW-4, TW4-15 (MW-26), TW4-19 and TW4-20, as part of the long term pumping test for MW-4.

## 2.2. **Sampling Methodology, Equipment and Decontamination Procedures**

The sampling methodology, equipment and decontamination procedures that were performed for the chloroform contaminant investigation during the Quarter can be summarized as follows:

### 2.2.1. Well Purging and Depth to Groundwater

- a) A list is gathered of the wells in order of increasing chloroform contamination. The order for purging is thus established. Mill personnel start purging with all of the non-detect wells and then move to the more contaminated wells in order of

chloroform contamination, starting with the wells having the lowest chloroform contamination; and

- b) Before leaving the Mill office, the pump and hose are rinsed with de-ionized ("DI") water. Mill personnel then proceed to the first well which is the well indicating the lowest concentration of chloroform based on the previous quarters sampling results. Well depth measurements are taken and the two casing volumes are calculated (measurements are made using the same instrument used for the monitoring wells under the Mill's GWDP). The Grundfos pump (a 6 gpm pump) is then lowered to the bottom of the well and purging is begun. At the first well, the purge rate is established for the purging event by using a calibrated 5 gallon bucket. After the evacuation of the first well has been completed, the pump is removed from the well and the process is repeated at each well location moving from least contaminated to most contaminated. All wells are capped and secured prior to leaving the sampling location.

c)

#### 2.2.2. Sampling

- a) Following the purging of all chloroform investigation wells, the sampling takes place (usually the next morning). Prior to leaving the Mill office to sample, a cooler along with blue ice is prepared. The trip blank is also gathered at that time (the trip blank for these events is provided by the Analytical Laboratory). Once Mill Personnel arrive at the well sites, labels are filled out for the various samples to be collected. All personnel involved with the collection of water and samples are outfitted with rubber gloves. Chloroform investigation samples are collected by means of dedicated bailers and the wells are purged by means of a dedicated portable pump. Each quarterly pumping and sample collection event begins at the location least affected by chloroform (based on the previous quarters sampling event) and proceeds by affected concentration to the most affected location. The dedicated portable pump is appropriately decontaminated prior to each purging sampling event and the QA rinsate sample is collected after said decontamination but prior to the commencement of the sampling event.
- b) Mill personnel use a disposable bailer to sample each well. The bailer is attached to a reel of approximately 150 feet of nylon rope and then lowered into the well. After coming into contact with the water, the bailer is allowed to sink into the water in order to fill. Once full, the bailer is reeled up out of the well and the sample bottles are filled as follows;
  - (i) First, a set of VOC vials is filled. This set consists of three 40 ml vials provided by the Analytical Laboratory. The set is not filtered and is preserved with HCL;

- (ii) Second, a 500 ml sample is collected for Nitrates/Nitrites. This sample is also not filtered and is preserved with H<sub>2</sub>SO<sub>4</sub> (the bottle for this set is also provided by the Analytical Laboratory);
  - (iii) Third, a 500 ml sample is collected for Chloride. This sample is not filtered and is not preserved; and
- c) After the samples have been collected for a particular well, the bailer is disposed of and the samples are placed into the cooler that contains blue ice. The well is then recapped and Mill personnel proceed to the next well.

DUSA completed (and transmitted to UDEQ on May 25, 2006) a revised Quality Assurance Plan ("QAP") for sampling under the Mill's GWDP. The GWDP QAP was reviewed by UDEQ and has been approved for implementation. The QAP provides a detailed presentation of procedures utilized for groundwater sampling activities under the GWDP. While the water sampling conducted for chloroform investigation purposes has been conformant with the general principles set out in the QAP, some of the requirements in the QAP were not fully implemented for reasons set out in correspondence to UDEQ dated December 8, 2006. Subsequent to the delivery of the December 8, 2006 letter, DUSA discussed the issues brought forward in the letter with UDEQ and has received correspondence from UDEQ about those issues. In response to UDEQ's letter and subsequent discussions with UDEQ, DUSA has incorporated changes in chloroform QA procedures in the form of a separate document. The chloroform QA document describes the differing needs of the chloroform program and attaches the GWDP QAP to that document for QA needs other than those described in the chloroform QA document.

### **2.3 Field Data Worksheets**

Attached under Tab B are copies of all Field Data Worksheets that were completed during the Quarter for the chloroform contaminant investigation monitoring wells listed in paragraph 2.1.1 above and sampled on February 28, 2007.

### **2.4 Depth to Groundwater Sheets**

Attached under Tab C are copies of the Depth to Water Sheets for the weekly monitoring of MW-4, TW4-15 (MW-26), TW4-19 and TW4-20 as well as the monthly depth to groundwater monitoring for all of the chloroform contaminant investigation wells. Depth-to-groundwater measurements for February, 2007 (the quarterly sampling event) are included on the Field Data Worksheets included under Tab B.

## **3. DATA INTERPRETATION**

### **3.1. Interpretation of Groundwater Levels, Gradients and Flow Directions.**

#### **3.1.1. Current Site Groundwater Contour Map**

Included under Tab D is a water table contour map, which provides the location of all of the wells and piezometers listed in item 2.1.2 above for which depth to groundwater was taken during the Quarter, the groundwater elevation at each such well and piezometer, measured in feet above mean sea level, and isocontour lines to delineate groundwater flow directions observed during the Quarter's sampling event. The contour map uses the February 27, 2007 data for the wells listed in paragraph 2.1.2 (a) above; March 16, 2007 data for the wells listed in paragraph 2.1.2 (b), and March 21, 2007 for the piezometers listed in paragraph 2.1.2 (c) above and the wells listed in paragraph 2.1.2 (d) above.

Also included under Tab D is a groundwater contour map of the portion of the Mill site where the four chloroform pumping wells are located, with hand-drawn stream tubes, in order to demonstrate hydraulic capture from the pumping

### 3.1.2. Comparison of Current Groundwater Contour Maps to Groundwater Contour Maps for Previous Quarter

The groundwater contour maps for the Mill site for the fourth quarter of 2006, as submitted with the Chloroform Monitoring Report for the fourth quarter of 2006, dated January 31, 2007, are attached under Tab E.

A comparison of the water table contour maps for the Quarter to the water table contour maps for the previous quarter indicates similar patterns of drawdown related to pumping of MW-4, MW-26 (TW4-15), TW4-19 and TW4-20. Water levels and water level contours for the site have not changed significantly since the last quarter, except for decreases in water levels at pumping wells MW-26 and TW4-19, and increases in water levels at TW4-12 and TW4-13.

Water levels decreased (and drawdowns increased) by approximately 10 feet at MW-26, and by approximately 5 feet at TW4-19. Water level fluctuations in these pumping wells are due in part to fluctuations in pumping conditions just prior to and at the time the measurements are taken.

Water levels increased by approximately 4 feet in TW4-12, and by approximately 6 feet in TW4-13. These increases appear consistent with a general increasing trend in water levels in these wells that is likely related to seepage from the wildlife ponds located to the north of the wells.

### 3.1.3. Hydrographs

Attached under Tab F are hydrographs showing groundwater elevation in each chloroform contaminant investigation monitor well over time.

### 3.1.4. Depth to Groundwater Measured and Groundwater Elevation

Attached under Tab G are tables showing depth to groundwater measured and groundwater elevation over time for each of the wells listed in Section 2.1.1 above.

### 3.1.5. Evaluation of the Effectiveness of Hydraulic Capture

Perched water containing chloroform has been removed from the subsurface by pumping MW-4, TW4-19, MW-26 (formerly TW4-15), and TW4-20. The purpose of the pumping is to reduce total chloroform mass in the perched zone as rapidly as is practical. These wells were chosen for pumping because 1) they are located in areas of the perched zone having relatively high permeability and saturated thickness, and 2) high concentrations of chloroform were detected at these locations. The relatively high transmissivity of the perched zone in the vicinity of the pumping wells results in the wells having a relatively high productivity. The combination of relatively high productivity and high chloroform concentrations allows a high rate of chloroform mass removal.

The impact of pumping these wells is indicated by the water level contour maps attached under Tabs D and E. Cones of depression have developed in the vicinity of the pumping wells which continue to remove significant quantities of chloroform from the perched zone. The water level contour maps indicate that effective capture of water containing high chloroform concentrations in the vicinity of the pumping wells is occurring. As noted in Section 3.1.2, little change in measured water levels occurred between the first quarter, 2007 and the previous quarter, except for the increased drawdowns at MW-26 and TW4-19, and increases in water levels at TW4-12 and TW4-13. Overall, the combined capture of TW4-19, TW4-20, MW-4 and MW-26 (TW4-15) has not changed significantly since the last quarter.

Although high chloroform concentrations exist at some locations downgradient of the pumping wells (for example, near TW4-4), the low permeability of the perched zone at these locations would prevent significant rates of chloroform mass removal should these wells be pumped. By pumping at the more productive, upgradient locations, however, the rate of downgradient chloroform migration will be diminished because of the reduction in hydraulic gradients, and natural attenuation will be more effective.

## 3.2. **Interpretation of Analytical Results**

### 3.2.1. Copy of Laboratory Results

Included under Tab H of this Report are copies of all laboratory analytical results for the groundwater quality samples collected under the chloroform contaminant investigation on November 8-9, 2006, along with the laboratory analytical results for a trip blank.

### 3.2.2. Electronic Data Files and Format

DUSA has provided to the Executive Secretary an electronic copy of all laboratory results for groundwater quality monitoring conducted under the chloroform contaminant



investigation during the Quarter, in Comma Separated Values (CSV). A copy of the transmittal e-mail is included under Tab I.

### 3.2.3 Current Chloroform Isoconcentration Map

Included under Tab J of this Report is a current chloroform isoconcentration map for the Mill site.

### 3.2.4 Data and Graphs Showing Chloroform Concentration Trends

Attached under Tab K is a table summarizing chloroform and nitrate values for each well over time. TW4-14 had a small amount of water just sufficient for sampling (see the discussion in Section 2.1.1 above)

Attached under Tab L are graphs showing chloroform concentration trends in each monitor well over time. As TW4-14 was previously dry, a trend graph for that well has not been included.

### 3.2.5 Analysis of Analytical Results

Comparing the analytical results to those of the previous quarter, as summarized in the table included under Tab K, the following observations can be made:

- a) Chloroform concentrations have increased by more than 20% in the following wells, compared to last quarter: MW-26 (TW4-15) and TW4-22.
- b) Chloroform concentrations have decreased by more than 20% in the following wells, compared to last quarter: TW4-5, TW4-16, TW4-18, and TW4-20;
- c) Chloroform concentrations have remained within 20% in the following wells compared to last quarter: MW-4, TW-4-1, TW4-2, TW4-4, TW4-6, TW4-7, TW4-10, TW4-11, TW4-19 and TW4-21;
- d) Chloroform concentrations at TW4-8 increased from non-detect to 2.5µg/L; and
- e) TW4-3, TW4-9, TW4-12, TW4-13, TW4-14, and MW-32 (TW4-17) remained non-detect.

In addition, the chloroform concentration in well TW4-20 decreased from 11,000 µg/L in the fourth quarter 2006 to 4,400 µg/L in the first quarter 2007 and the concentration in MW-26 (TW4-15) increased from 282 µg/L in the fourth quarter 2006 to 570 µg/L in the first quarter 2007. Chloroform concentrations in TW4-6, which is the most downgradient temporary perched well, increased slightly from 43 to 46 µg/L. This slight increase in concentration is consistent with continued slow rates of downgradient chloroform migration. Chloroform migration rates in this area are slow due to low permeability conditions and the effects of upgradient chloroform removal by pumping.

### **3.3. Quality Assurance Evaluation And Data Validation**

Quality assurance evaluation and data validation procedures in effect at the time of sampling were followed. These involve three basic types of evaluations: field QC checks; Analytical Laboratory checks; and checks performed by DUSA personnel, as described below.

#### 3.3.1 Field QC Checks

Field Quality Control samples for the chloroform investigation program consist of a field duplicate sample, a field blank and a trip blank. These check samples are to be generated for each quarterly sampling episode. During the 1<sup>st</sup> Quarter of 2006 duplicates (TW4-65, duplicate of TW4-20 and TW4-70, duplicate of TW4-5), a DI blank (TW4-60) and a trip blank were collected and analyzed. The results of these analyses are included with the routine analyses under Tab H.

#### 3.3.2 Analytical Laboratory QA/QC Procedures

The Analytical Laboratory has provided summary reports of the analytical quality assurance/quality control (QA/QC) measurements necessary to maintain conformance with NELAC certification and reporting protocol. The Analytical Laboratory QA/QC Summary Report, including copies of the Mill's Chain of Custody and Analytical Request Record forms, for the November sampling event, are included under Tab H.

#### 3.3.3 Mill QA Manager Review

The Mill QA Manager, which, for these sampling events was DUSA's Manager of Environmental Affairs, performed four types of reviews: a determination of whether Mill sampling personnel followed Mill sampling procedures; a review of the results from the Field QC Checks; a review of analytical reports for holding times and qualifying indicators for the data; and a review of the Analytical Laboratory QA/QC analysis. The results of the QA Manager's review are discussed below.

##### *a) Adherence to Mill Sampling SOPs*

On a review of adherence by Mill personnel to the sampling procedures summarized in Section 2.2 above, the QA Manager concluded that such procedures had been followed.

##### *b) Results From Field QC Checks*

The duplicate samples of TW4-5 and TW4-20 indicated a relative percent difference above the prescribed standard of 20%. More specifically, the results of TW4-5 and its

duplicate MW-70 exhibited an RPD of -113.8% for chloroform and -91.2% for carbon tetrachloride. TW4-20 and its duplicate MW-65 indicated an RPD of -21.6%, slightly out of tolerance for this QA parameter. Upon reanalysis, the results of analysis were similar to the first analytical determination. In addition, both the DI Blank and Risate samples indicated some presence of chloroform.

In response to these conditions, the QA Manager has investigated possible causes of these Quality Assurance anomalies. The areas of inquiry have included possible sources of chloroform from the DI distribution system and methods of sample duplication. As a result of these discussions, the following actions are under consideration:

- Eliminating the receipt of chlorinated water to the DI ion-exchange cylinder.
- Providing carbon filtration as a polishing (final) step in the DI water generation process.
- Developing a VOC duplicate sampling plan which ensures the collection of a single homogeneous sample into one common container from which duplicate splits are distributed for analytical purposes. The duplicate method is designed to accomplish this same end result but may be improved upon. Any modification in this procedure will be provided to UDEQ for review and concurrence.

*c) Review of Analytical Laboratory QA/QC Analysis and Analytical Reports*

The QA Manager reviewed the Analytical Laboratory's QA/QC Summary Reports and made the following conclusions;

- (i) Check samples were analyzed for each method used in analyzing the Chloroform investigation samples. These methods were:

<u>Parameter</u>	<u>Method</u>
Nitrogen, (Nitrate + Nitrite as N)	E353.2
Chloroform,	E624
Carbon tetrachloride	E624
Chloromethane	E624
Methylene chloride	E624
Chloride	A4500-CL B

- (ii) The check samples included at least the following: a method blank, a laboratory control spike (sample), a matrix spike and a matrix spike duplicate;
- (iii) All qualifiers, if any, and the corresponding explanations in the summary reports are reviewed by the QA Manager. The only qualifiers reported were for matrix interference in some of the analyzed monitoring location samples, however, the reporting limit was maintained below the parameter standard in these instances.

- (iv) The laboratory holding time for all analyses was within chloroform specification and sample temperature was acceptable upon receipt.

#### **4. LONG TERM PUMP TEST AT MW-4, TW4-15 (MW-26), TW4-19 AND TW4-20, OPERATIONS REPORT**

##### **4.1. Introduction**

As a part of the investigation of chloroform contamination at the Mill site, IUSA has been conducting a Long Term Pump Test on MW-4, TW4-19, TW4-15 (MW-26) and TW4-20. The purpose of the test is to serve as an interim action that will remove a significant amount of chloroform-contaminated water while gathering additional data on hydraulic properties in the area of investigation. The following information documents the operational activities during the Quarter.

##### **4.2. Pump Test Data Collection**

The long term pump test for MW-4 was started on April 14, 2003, followed by the start of pumping from TW4-19 on April 30, 2003, from TW4-15 (MW-26) on August 8, 2003 and from TW4-20 on August 4, 2005. Personnel from Hydro Geo Chem, Inc. were on site to conduct the first phase of the pump test and collect the initial two days of monitoring data for MW-4. IUSA personnel have gathered subsequent water level and pumping data.

Analyses of hydraulic parameters and discussions of perched zone hydrogeology near MW-4 has been provided by Hydro Geo Chem in a separate report, dated November 12, 2001, and in the May 26, 2004 Final Report on the Long Term Pumping Test.

Data collected during the Quarter included the following:

- a) Measurement of water levels at MW-4, TW4-19, TW4-15 (MW-26); and TW4-20 on a weekly basis, and at selected temporary wells and permanent monitoring wells on a monthly basis (See Section 3.1 and Tabs B and C for a discussion of the water levels);
- b) Measurement of pumping history:
  - (i) pumping rates
  - (ii) total pumped volume
  - (iii) operational and non-operational periods;
- c) Periodic sampling of pumped water for chloroform and nitrate & nitrite analysis and other constituents, as discussed in detail in Section 3.2 above.

### **4.3. Water Level Measurements**

Beginning August 16, 2003, the frequency of water level measurements from MW-4, TW4-15 (MW-26), and TW4-19 was reduced to weekly. From commencement of pumping TW4-20, water levels in that well have been measured weekly. Depth to groundwater in all other chloroform contaminant investigation wells is monitored monthly. Copies of the weekly Depth to Water monitoring sheets for MW-4, TW4-15 (MW-26), TW4-19 and TW4-20 and the October and December monthly Depth to Water monitoring sheets for all of the chloroform contaminant investigation wells are included under Tab C. Monthly depth to water measurements for November are recorded in the Field Data Worksheets included under Tab B.

### **4.4. Pumping Rates and Volumes**

#### **4.4.1. MW-4**

Approximately 81,230 gallons of water were pumped from MW-4 during the Quarter. The average pumping rate from MW-4, when the pump was pumping, was approximately 4.0 gpm throughout the Quarter. The well is not purging continuously, but is on a delay device. The well purges for a set amount of time and then shuts off to allow the well to recharge. Water from MW-4 was transferred to the Cell 1 evaporation pond through a pipeline installed specifically for that purpose. At the end of the 1<sup>st</sup> Quarter, 2007, and since commencement of pumping on April 14, 2003, an estimated total of approximately 1,307,110 gallons of water have been purged from MW-4.

#### **4.4.2. TW4-19**

Approximately 605,400 gallons of water were pumped from TW4-19 during the Quarter. The average pumping rate from TW4-19, when the pump was pumping, was approximately 6.0 gpm throughout the Quarter. The pump in this well is operating on a delay. It pumps for approximately one and a half minutes and then is off for two to three minutes. Water from TW4-19 was directly transferred to the Cell 1 evaporation pond through a pipeline installed specifically for that purpose. At the end of the 1<sup>st</sup> Quarter, 2007, and since commencement of pumping on April 30, 2003, an estimated total of approximately 6,768,986 gallons of water have been purged from TW4-19.

#### **4.4.3. TW4-15 (MW-26)**

Approximately 54,400 gallons of water were pumped from TW4-15 (MW-26) during the Quarter. The average flow rate from TW4-15, when the pump was pumping, was approximately 1.5 gpm throughout the Quarter. The well is not purging continuously, but is on a delay device. The well now purges for a set amount of time and then shuts off to allow the well to recharge. The water is directly transferred to the Cell 1 evaporation pond through a pipeline installed specifically for that purpose. At the end of the 1<sup>st</sup> Quarter, 2006, and since commencement of pumping on August 8, 2003, an estimated total of approximately 930,510 gallons of water have been purged from TW4-15.

#### 4.4.4. TW4-20

Approximately 163,520 gallons of water were pumped from TW4-20 during the Quarter. The average flow rate from TW4-20, when the pump was pumping, was approximately 6.0 gpm throughout the Quarter. The well is not purging continuously but is on a delay device. The well pump is set on a water elevation device. When the water reaches a set point, the pump turns on until the water level drops to another set point. The water is directly transferred to the Cell 1 evaporation pond through a pipeline installed specifically for that purpose. Since commencement of pumping on August 4, 2005, an estimated total of approximately 642,290 gallons of water have been purged from TW4-20.

#### 4.5 Daily Inspections

Denison has submitted an *Operations and Maintenance Plan, Chloroform Pumping System, White Mesa Mill, Blanding, Utah*, Revision 1.0 to UDEQ for approval. Upon approval of that plan, the Mill will commence documenting its daily inspections of the operational status of the chloroform pumping wells on the daily inspection form, an example of the form of which is attached as Tab M.

#### 4.6 Operational Problems

Operational problems experienced during the 1<sup>th</sup> Quarter of 2007 included:

- a) A flow meter was replaced on well TW-4-20 (3-21-07) and four replacements of the flow meters on well TW4-16 were necessary (January 9, January 22, February 26 and March 26, 2007). Well TW4-16 continued to experience sedimentation problems during this reporting period.
- b) The line, pump and flow meter on TW4-15 (MW26) on January 29, 2007 were found frozen due to extremely cold temperatures. The well was back on and pumping on February 19, 2007.

#### 4.7 Conditions That May Affect Water Levels in Piezometers

No water was added to any of the three wildlife diversion ponds during the Quarter.

#### 4.8 Chloroform Analysis


Monthly chloroform sampling ceased on November 8, 2003. From that time all chloroform contaminant investigation wells were sampled on a quarterly basis. During the Quarter, samples from MW-4, TW4-19, TW4-15 (MW-26) and TW4-20 were taken from a small valve and tee placed in the discharge line downstream from the pump control valve for each well. The sample results are discussed above in Section 3.2.

## 5. CONCLUSIONS AND RECOMMENDATIONS

The water level contour map for the Quarter indicates that effective capture of water containing high chloroform concentrations in the vicinity of the pumping wells is occurring.

The chloroform concentration in temporary well TW4-20 decreased from 11,000  $\mu\text{g/L}$  to 4,400  $\mu\text{g/L}$  between the fourth quarter of 2006 and the first quarter of 2007. This fluctuation in concentration is likely related to variations in pumping in this well and nearby wells, and its location immediately downgradient of the suspected former office leach field source area. The increase in chloroform in MW-26 (TW4-15) from 282 to 570  $\mu\text{g/L}$  between the fourth quarter of 2006 and the first quarter of 2007 is also likely related to changes in pumping rates and its location close to the suspected source area. Regardless of these measured fluctuations in chloroform concentrations, pumping these wells helps to reduce downgradient chloroform migration by removing chloroform mass and reducing average hydraulic gradients, thereby allowing natural attenuation to be more effective. Continued pumping of wells that are currently pumping is recommended.

The slight increase in chloroform concentrations at downgradient well TW4-6 from 43 to 46  $\mu\text{g/L}$  is consistent with the generally slow migration of chloroform to the south in this area. Migration rates in this area are low primarily due to low-permeability conditions, although the overall rate of chloroform migration is also slowed by pumping at the upgradient locations.



**EXPLANATION**

- MW-20 perched monitoring well
- TW4-19 temporary perched monitoring well
- PIEZ-1 perched piezometer
- MW-31 perched monitoring well installed April, 2005
- TW4-20 temporary perched monitoring well installed April, 2005



**HYDRO  
GEO  
CHEM, INC.**

**PERCHED WELL LOCATIONS  
WHITE MESA SITE**

APPROVED	DATE	REFERENCE	FIGURE
		H:/718000/mar07/welloc.srf	



**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Quarterly Chloroform Purging Event

Location (well name) MW-4      Sampler Charles Orvin  
Name and initials Daniel ~~Orvin~~ Mower

Date and Time for Purging 2/27/07 and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:    pump or    bailer    Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event \_\_\_\_\_      Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_      pH Buffer 4.0 \_\_\_\_\_

Specific Conductance 10,900 uMHOS/cm      Well Depth 124'

Depth to Water ~~Before Purging~~ 76.43      Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp.(prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.

Time to evacuate two casing volumes (2V)

S/60 = \_\_\_\_\_

T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____		_____		If a preservative is used, Specify Type and Quantity of Preservative: _____
_____				
_____				
_____				

Comments Continuous pumping well - Charles  
Orvin present. Weather is cold - breezy - cloudy.  
Took well depth - left site at 0725.

Meter - 0865020 Flow Rate 4.5 gpm

Continuous pumping Well

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Quarterly Chloroform Purging Event +

Location (well name) TW4-6      Sampler \_\_\_\_\_  
Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging 2/27/07 and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:  pump or  bailer      Well Pump (if other than Bennet) Grundfos

Sampling Event \_\_\_\_\_      Prev. Well Sampled in Sampling Event TW4-16

pH Buffer 7.0 7.0      pH Buffer 4.0 4.0

Specific Conductance 10,900 uMHOS/cm      Well Depth 100'

Depth to Water Before Purging 74.69      Casing Volume (V) 4" Well: 16.52 (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp.(prior to sampling event) \_\_\_\_\_

Time: 1244 Gal. Purged 12      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance 4097      Conductance \_\_\_\_\_

pH 10.88      pH \_\_\_\_\_

Temperature 56.4      Temperature \_\_\_\_\_

Redox Potential (Eh) 375      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Quarterly Chloroform Purging Event

Location (well name) MW-4 Sampler Name and initials Charles Orvin  
Daniel Orvin Mower

Date and Time for Purging 2/27/07 and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:    pump or    bailer Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event \_\_\_\_\_ Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_ pH Buffer 4.0 \_\_\_\_\_

Specific Conductance 10,900 uMHOS/cm Well Depth 124'

Depth to Water ~~Before Purging~~ 76.43 Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_ pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_ Ext'l Amb. Temp.(prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm. \_\_\_\_\_ Time to evacuate two casing volumes (2V)  
 S/60 = \_\_\_\_\_ T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____		_____		If a preservative is used, Specify Type and Quantity of Preservative: _____
_____		_____		
_____		_____		

Comments Continuous pumping well - Charles  
Orvin present. Weather is cold - breezy - cloudy.  
Took well depth - left site at 0725.

Meter - 0865020 Flow Rate 4.5 gpm

Continuous pumping Well

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Quarterly Chloroform Purging Event

Location (well name) TW4-A      Sampler Name and initials Daniel Mower  
Charles Orvik

Date and Time for Purging 2/27/07 and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:    pump or    bailer      Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event \_\_\_\_\_      Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_      pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm      Well Depth 102' \_\_\_\_\_

Depth to Water Before Purging 77.01      Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp.(prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.

Time to evacuate two casing volumes (2V)

S/60 = \_\_\_\_\_

T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____		_____		
_____				
_____				
_____				

If a preservative is used, Specify Type and Quantity of Preservative:

Comments Tied with MW-4 - Charles Orvin  
present. Cold overcast to cloudy - breezy.  
Took depth at 0703 - left site.

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling

Location (well name) TW4-A      Sampler Name and initials Daniel Moyer  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/28/07

Well Purging Equip Used:    pump or    bailer      Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event 1st quarter      Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_      pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm      Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_      Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_



Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in-gpm.

Time to evacuate two casing volumes (2V)

S/60 = \_\_\_\_\_

T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	<input checked="" type="radio"/> Y <input type="radio"/> N	3x40 ml	Y <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y <input type="radio"/> N
Nutrients	<input checked="" type="radio"/> Y <input type="radio"/> N	100 ml	Y <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y <input type="radio"/> N
Heavy Metals	Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	HNO <sub>3</sub> Y <input type="radio"/> N
All Other Non-Radiologics	Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	No Preservative Added
Gross Alpha	Y <input type="radio"/> N	1,000 ml	Y <input type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> Y <input type="radio"/> N
Other (specify)	<input checked="" type="radio"/> Y <input type="radio"/> N	Sample volume 250 ml	Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> N
Inorganic Chloride				If a preservative is used, Specify Type and Quantity of Preservative:

Comments Arrived on Site 1546, Daniel Mower, Charles Orvin present. Weather is Cold-windy-Cloudy Very-Cloudy. This is a sampling event only via use of bailer. Samples taken 1550.

Left site 1955

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Quarterly Chloroform Purging Event +

Location (well name) TW4-1      Sampler Daniel Mower  
Name and initials Charles Orvin

Date and Time for Purging 2/27/07 and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:  pump or  bailer      Well Pump (if other than Bennet) Grundfos

Sampling Event \_\_\_\_\_      Prev. Well Sampled in Sampling Event 4-7

pH Buffer 7.0 7.0      pH Buffer 4.0 4.0

Specific Conductance 10,900 uMHOS/cm      Well Depth 111'

Depth to Water Before Purging 64.23      Casing Volume (V) 4" Well: 30.54 (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: 1253 Gal. Purged 12      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance 2348      Conductance \_\_\_\_\_

pH 6.97      pH \_\_\_\_\_

Temperature 56.1      Temperature \_\_\_\_\_

Redox Potential (Eh) 163      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm. Time to evacuate two casing volumes (2V)  
 6.0 S/60 = 10.18 T = 2V/Q = 61.08

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____		_____		If a preservative is used, Specify Type and Quantity of Preservative: _____
_____				
_____				
_____				

Comments Arrived on site 1248 - Daniel Mower  
 Charles Orvin present. Weather is Cool-breezy-Cloudy  
 This is a purging event only. Purge began at 1251 ended  
 at 1301. Water is very cloudy - lots of sediment, no odor  
 Left site at 1304



Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in.gpm.

Time to evacuate two casing volumes (2V)

S/60 = \_\_\_\_\_

T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	<input checked="" type="radio"/> Y <input type="radio"/> N	3x40 ml	Y <input type="radio"/> <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y <input type="radio"/> N
Nutrients	<input checked="" type="radio"/> Y <input type="radio"/> N	100 ml	Y <input type="radio"/> <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y <input type="radio"/> N
Heavy Metals	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> <input type="radio"/> N	HNO <sub>3</sub> <input type="radio"/> Y <input type="radio"/> N
All Other Non-Radiologics	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> <input type="radio"/> N	No Preservative Added
Gross Alpha	<input type="radio"/> Y <input type="radio"/> N	1,000 ml	Y <input type="radio"/> <input type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input type="radio"/> Y <input type="radio"/> N
Other (specify) <u>Inorganic Chloride</u>	<input checked="" type="radio"/> Y <input type="radio"/> N	Sample volume <u>250 ml</u>	Y <input type="radio"/> <input checked="" type="radio"/> N	Y <input type="radio"/> <input checked="" type="radio"/> N  If a preservative is used, Specify Type and Quantity of Preservative:

Comments Arrived on Site 1515. Daniel Mower  
Charles Orvin present. Weather is Overcast - cold  
Windy. This is a sampling event only via  
use of bailer. Samples taken 1518.  
Left site 1521

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Quarterly Chloroform Purging Event

Location (well name) TW4-2      Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging 2/27/07 and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:  pump or  bailer      Well Pump (if other than Bennet) Grundfos

Sampling Event \_\_\_\_\_      Prev. Well Sampled in Sampling Event 4-4

pH Buffer 7.0 7.0      pH Buffer 4.0 4.0

Specific Conductance 10,900 uMHOS/cm      Well Depth 121.13'

Depth to Water Before Purging 71.83      Casing Volume (V) 4" Well: 32.18 (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: 1530 Gal. Purged 12      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance 2698      Conductance \_\_\_\_\_

pH 6.93      pH \_\_\_\_\_

Temperature 56.1      Temperature \_\_\_\_\_

Redox Potential (Eh) 351      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.      Time to evacuate two casing volumes (2V)  
 S/60 = 6.0 = 10.72      T = 2V/Q = 64.37

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL      Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____		_____		If a preservative is used, Specify Type and Quantity of Preservative:  _____
_____		_____		
_____		_____		
_____		_____		

Comments Arrived on site 1524 - Daniel Mower  
Charles Orvin present. Weather is Very Windy - Very Cloudy - Cool  
This is a purging event only. Purge began at 1528 ended  
at 1539. Water is clear to sight - Heavy sand - no odor  
Left site at 1342

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling

Location (well name) TW4-2      Sampler \_\_\_\_\_  
Name and initials Daniel Moyer  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/28/07

Well Purging Equip Used:    pump or    bailer      Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event 1st quarter      Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_      pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm      Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_      Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_



Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in.gpm.

S/60 = \_\_\_\_\_ = \_\_\_\_\_

Time to evacuate two casing volumes (2V)

T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	<input checked="" type="radio"/> Y <input type="radio"/> N	3x40 ml	Y <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y <input type="radio"/> N
Nutrients	<input checked="" type="radio"/> Y <input type="radio"/> N	100 ml	Y <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y <input type="radio"/> N
Heavy Metals	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	HNO <sub>3</sub> <input type="radio"/> Y <input type="radio"/> N
All Other Non-Radiologics	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	No Preservative Added
Gross Alpha	<input type="radio"/> Y <input type="radio"/> N	1,000 ml	Y <input type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input type="radio"/> Y <input type="radio"/> N
Other (specify)	<input checked="" type="radio"/> Y <input type="radio"/> N	Sample volume <u>250 ml</u>	Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> N
<u>Inorganic Chloride</u>				If a preservative is used, Specify Type and Quantity of Preservative:
_____				
_____				

Comments Arrived on Site 1557. Daniel Mower  
Charles Orvin present. Weather is Snowing - cold  
Wendy. This is a sampling event only via  
use of bailer. Samples taken 1603.  
 \_\_\_\_\_  
 \_\_\_\_\_  
Left site 1606

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Quarterly Chloroform Purging Event

Location (well name) TW4-3 Sampler Daniel Mower  
Name and initials Charles Orvin

Date and Time for Purging 2/27/07 0925 and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:  pump or  bailer Well Pump (if other than Bennet) Grundfos

Sampling Event \_\_\_\_\_ Prev. Well Sampled in Sampling Event N/A

pH Buffer 7.0 7.0 pH Buffer 4.0 4.0

Specific Conductance 10,900 uMHOS/cm Well Depth 100'

Depth to Water Before Purging 48.88 Casing Volume (V) 4" Well: 33.38 (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_ pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_ Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: 0927 Gal. Purged 12 Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance 2496 Conductance \_\_\_\_\_

pH 6.80 pH \_\_\_\_\_

Temperature 56.7 Temperature \_\_\_\_\_

Redox Potential (Eh) 420 Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

ORP 420

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.      Time to evacuate two casing volumes (2V)  
 S/60 = 6.0      11.12      T = 2V/Q = 66.72

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL      Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____				If a preservative is used, Specify Type and Quantity of Preservative: _____
_____				
_____				
_____				

Comments Arrived on site 0921 - Daniel Mower  
 Charles Orvin present. Weather is Sunny-clear skies - breezy  
 This is a purging event only. Purge began at 0925 ended  
 at 0936. Water is little cloudy - small amount of sediment present.  
 Left site at 0940

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling

Location (well name) TW4-3 Sampler Name and initials Daniel Moyer  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/28/07

Well Purging Equip Used:    pump or    bailer Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event 1st quarter Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_ pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_ Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_ pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_ Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.

Time to evacuate two casing volumes (2V)

S/60 = \_\_\_\_\_

T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	<input checked="" type="radio"/> Y <input type="radio"/> N	3x40 ml	Y <input type="radio"/> <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y <input type="radio"/> N
Nutrients	<input checked="" type="radio"/> Y <input type="radio"/> N	100 ml	Y <input type="radio"/> <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y <input type="radio"/> N
Heavy Metals	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> <input type="radio"/> N	HNO <sub>3</sub> <input type="radio"/> Y <input type="radio"/> N
All Other Non-Radiologics	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> <input type="radio"/> N	No Preservative Added
Gross Alpha	<input type="radio"/> Y <input type="radio"/> N	1,000 ml	Y <input type="radio"/> <input type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input type="radio"/> Y <input type="radio"/> N
Other (specify) <u>Inorganic Chloride</u>	<input checked="" type="radio"/> Y <input type="radio"/> N	Sample volume <u>250 ml</u>	Y <input type="radio"/> <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> <input type="radio"/> N  If a preservative is used, Specify Type and Quantity of Preservative:

Comments Arrived on Site 1028, Daniel Mower, Charles Orvin present. Weather is Snow on ground - Very Cloudy. This is a sampling event only via use of bailer. Samples taken 10:33.

Left site 1048

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Quarterly Chloroform Purging Event

Location (well name) TW4-4      Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging 2/27/07 and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:  pump or  bailer      Well Pump (if other than Bennet) Grundfos

Sampling Event \_\_\_\_\_      Prev. Well Sampled in Sampling Event TW4-1

pH Buffer 7.0 7.0      pH Buffer 4.0 4.0

Specific Conductance 10,900 uMHOS/cm      Well Depth 114.5'

Depth to Water Before Purging 66.81      Casing Volume (V) 4" Well: 31.14 (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: 1511 Gal. Purged 12      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance 2709      Conductance \_\_\_\_\_

pH 6.71      pH \_\_\_\_\_

Temperature 57.0      Temperature \_\_\_\_\_

Redox Potential (Eh) 326      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm. \_\_\_\_\_ Time to evacuate two casing volumes (2V)  
 S/60 = = 6.0 10.38 T = 2V/Q = 62.28

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____				If a preservative is used, Specify Type and Quantity of Preservative:  _____
_____				
_____				
_____				

Comments Arrived on site 1506 - Daniel Mower  
Charles Orvin present. Weather is Cloudy-windy-cool  
This is a purging event only. Purge began at 1509 ended  
at 1519. Water is clear to sight - very little sediment - no odor  
Left site at 1422

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling

Location (well name) TW4-4 Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/28/07

Well Purging Equip Used:    pump or    bailer Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event 1st quarter Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_ pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_ Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_ pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_ Ext'l Amb. Temp.(prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_



Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.

Time to evacuate two casing volumes (2V)

S/60 = \_\_\_\_\_

T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	<input checked="" type="radio"/> Y <input type="radio"/> N	3x40 ml	Y <input type="radio"/> <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y <input type="radio"/> N
Nutrients	<input checked="" type="radio"/> Y <input type="radio"/> N	100 ml	Y <input type="radio"/> <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y <input type="radio"/> N
Heavy Metals	Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	HNO <sub>3</sub> Y <input type="radio"/> N
All Other Non-Radiologics	Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	No Preservative Added
Gross Alpha	Y <input type="radio"/> N	1,000 ml	Y <input type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> Y <input type="radio"/> N
Other (specify)	<input checked="" type="radio"/> Y <input type="radio"/> N	Sample volume <u>250 ml</u>	Y <input type="radio"/> <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> <input type="radio"/> N
<u>Inorganic Chloride</u>				If a preservative is used, Specify Type and Quantity of Preservative:
_____				
_____				

Comments Arrived on Site 1523, Daniel Mower Charles Orvin present. Weather is Partly Sunny breezy-cool. This is a sampling event only via use of bailer. Samples taken 1528.

Left site 1534

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Quarterly Chloroform Purge Event

Location (well name) TW4-5      Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging 2/27/07 and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:  pump or  bailer      Well Pump (if other than Bennet) Grundfos

Sampling Event \_\_\_\_\_      Prev. Well Sampled in Sampling Event TW4-6

pH Buffer 7.0 7.0      pH Buffer 4.0 4.0

Specific Conductance 10,900 uMHOS/cm      Well Depth 121.75'

Depth to Water Before Purging 54.89      Casing Volume (V) 4" Well: 43.65 (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: 1257 Gal. Purged 12      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance 22.86      Conductance \_\_\_\_\_

pH 6.72      pH \_\_\_\_\_

Temperature 57.2      Temperature \_\_\_\_\_

Redox Potential (Eh) 368      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.      Time to evacuate two casing volumes (2V)  
 S/60 =      = 6.0      14.55      T = 2V/Q = 87.31

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL      Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____		_____		If a preservative is used, Specify Type and Quantity of Preservative:  _____
_____		_____		
_____		_____		

Comments Arrived on site 1252 - Daniel Mower  
Charles Orvin present. Weather is Very Windy - Very Cloudy Cool  
This is a purging event only. Purge began at 1255 ended  
at 1310. Water is clear to sight - no odor present - very little sediment  
Left site at 1315

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling  
Location (well name) TW4-5      Sampler Name and initials Daniel Mower  
Charles Orvin  
Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/28/07

Well Purging Equip Used:    pump or    bailer      Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event 1st Quarter      Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_      pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm      Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_      Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm. \_\_\_\_\_ Time to evacuate two casing volumes (2V)  
 S/60 = \_\_\_\_\_ T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	<input checked="" type="radio"/> Y <input type="radio"/> N	3x40 ml	Y <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y <input type="radio"/> N
Nutrients	<input checked="" type="radio"/> Y <input type="radio"/> N	100 ml	Y <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y <input type="radio"/> N
Heavy Metals	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	HNO <sub>3</sub> <input type="radio"/> Y <input type="radio"/> N
All Other Non-Radiologics	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	No Preservative Added
Gross Alpha	<input type="radio"/> Y <input type="radio"/> N	1,000 ml	Y <input type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input type="radio"/> Y <input type="radio"/> N
Other (specify)	<input checked="" type="radio"/> Y <input type="radio"/> N	Sample volume 250 ml	Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> N
Inorganic Chloride				If a preservative is used, Specify Type and Quantity of Preservative:

Comments Arrived on Site 1354. Daniel Mower  
 Charles Orrin present. Weather is cold - windy  
 Overcast. This is a sampling event only via use  
 of a bailer. Samples taken 1358

Left site 1402

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm  
 S/60 = = 6.0 5.50

Time to evacuate two casing volumes (2V)  
 T = 2V/Q = 33.05

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N

If a preservative is used, Specify Type and Quantity of Preservative:

Comments Arrived on site 1238 - Daniel Mower  
 Charles Orvin present. Weather is Very Very Windy - Cloudy  
 This is a purging event only. Purge began at 1242 ended  
 at 1247. Water is ~~is~~ Very Cloudy - sediment present - no odor  
 Left site at 1250

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling

Location (well name) TW4-6 Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/28/07

Well Purging Equip Used:    pump or    bailer Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event 1st quarter Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_ pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_ Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_ pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_ Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in-gpm.      Time to evacuate two casing volumes (2V)  
 S/60 = \_\_\_\_\_      T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

Type of Sample	Sample Taken (circle)	Sample Volume (indicate if other than as specified below)	Filtered (circle)	Preservative Added (circle)
VOCs	<input checked="" type="radio"/> Y   N	3x40 ml	Y <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y   N
Nutrients	<input checked="" type="radio"/> Y   N	100 ml	Y <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y   N
Heavy Metals	Y   N	250 ml	Y   N	HNO <sub>3</sub> Y   N
All Other Non-Radiologics	Y   N	250 ml	Y   N	No Preservative Added
Gross Alpha	Y   N	1,000 ml	Y   N	H <sub>2</sub> SO <sub>4</sub> Y   N
Other (specify) <u>Inorganic Chloride</u>	<input checked="" type="radio"/> Y   N	Sample volume <u>250 ml</u>	Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> N
_____				If a preservative is used, Specify Type and Quantity of Preservative:
_____				_____

Comments Arrived on Site 1256, Daniel Mower Charles Orvin present. Weather is Cloudy-windy-cold Overcast. This is a sampling event only via use of bailer. Samples taken 1300.  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_ Left site 1306



**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Quarter Chloroform Purging Event  
Location (well name) TW4-7      Sampler Name and initials Daniel Mower  
Charles Orvin  
Date and Time for Purging 2/27/07 <sup>1435</sup> ~~1427~~ and Sampling (if different) \_\_\_\_\_  
Well Purging Equip Used:  pump or  bailer      Well Pump (if other than Bennet) Grundfos  
Sampling Event \_\_\_\_\_      Prev. Well Sampled in Sampling Event TW4-10  
pH Buffer 7.0 7.0      pH Buffer 4.0 4.0  
Specific Conductance 10,900 uMHOS/cm      Well Depth 121'  
Depth to Water Before Purging 70.63      Casing Volume (V) 4" Well: 3289 (.653h)  
3" Well: \_\_\_\_\_ (.367h)  
Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_  
Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_  
Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: <u>1435</u> Gal. Purged <u>12</u>	Time: _____ Gal. Purged _____
Conductance <u>3406</u>	Conductance _____
pH <u>7.01</u>	pH _____
Temperature <u>56.6</u>	Temperature _____
Redox Potential (Eh) <u>254</u>	Redox Potential (Eh) _____
Turbidity _____	Turbidity _____
Time: _____ Gal. Purged _____	Time: _____ Gal. Purged _____
Conductance _____	Conductance _____
pH _____	pH _____
Temperature _____	Temperature _____
Redox Potential (Eh) _____	Redox Potential (Eh) _____

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.      Time to evacuate two casing volumes (2V)  
 S/60 =      = 10.96      T = 2V/Q = 65.78

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL      Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____		_____		If a preservative is used, Specify Type and Quantity of Preservative:  _____
_____				
_____				

Comments Arrived on site 1429 - Daniel Mower  
 Charles Crvin present. Weather is Windy - cloudy - Cool  
 This is a purging event only. Purge began at 1433 ended  
 at 1443. Water is Clear with sand present - no odor  
 Left site at 1446

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling

Location (well name) TW4-7      Sampler \_\_\_\_\_  
Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/25/07

Well Purging Equip Used:    pump or    bailer      Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event 1st quarter      Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_      pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm      Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_      Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp.(prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in-gpm. \_\_\_\_\_ Time to evacuate two casing volumes (2V)  
 S/60 = \_\_\_\_\_ T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	<input checked="" type="radio"/> Y   N	3x40 ml	Y <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y   N
Nutrients	<input checked="" type="radio"/> Y   N	100 ml	Y <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y   N
Heavy Metals	Y   N	250 ml	Y   N	HNO <sub>3</sub> Y   N
All Other Non-Radiologics	Y   N	250 ml	Y   N	No Preservative Added
Gross Alpha	Y   N	1,000 ml	Y   N	H <sub>2</sub> SO <sub>4</sub> Y   N
Other (specify)	<input checked="" type="radio"/> Y   N	Sample volume <u>250 ml</u>	Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> N
<u>Inorganic Chloride</u>				If a preservative is used, Specify Type and Quantity of Preservative:
_____				
_____				

Comments Arrived on Site 1455. Daniel Mower  
Charles Orvin present. Weather is Partly Sunny-cold  
Windy-cloudy. This is a sampling event only via  
use of bailer. Samples taken 1500.

Left site 1512



Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.      Time to evacuate two casing volumes (2V)  
 S/60 =      = 6.0      12.12      T = 2V/Q =      75.75

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL      Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____		_____		If a preservative is used, Specify Type and Quantity of Preservative:  _____
_____		_____		
_____		_____		

Comments Arrived on site 1038 - Daniel Mower  
 Charles Orvin present. Weather is Cloudy-windy-cool  
 This is a purging event only. Purge began at 1042 ended  
 at 1054. Water is Cloudy - sediment is very present - no odor present  
 Left site at 1059

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling

Location (well name) TW4-8      Sampler \_\_\_\_\_  
Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/28/07

Well Purging Equip Used:    pump or    bailer    Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event 1st quarter      Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_      pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm      Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_      Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in.gpm.

Time to evacuate two casing volumes (2V)

S/60 = \_\_\_\_\_

T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	<input checked="" type="radio"/> Y <input type="radio"/> N	3x40 ml	Y <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y <input type="radio"/> N
Nutrients	<input checked="" type="radio"/> Y <input type="radio"/> N	100 ml	Y <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y <input type="radio"/> N
Heavy Metals	Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	HNO <sub>3</sub> Y <input type="radio"/> N
All Other Non-Radiologics	Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	No Preservative Added
Gross Alpha	Y <input type="radio"/> N	1,000 ml	Y <input type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> Y <input type="radio"/> N
Other (specify)	<input checked="" type="radio"/> Y <input type="radio"/> N	Sample volume 250 ml	Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> N
Inorganic Chloride				If a preservative is used, Specify Type and Quantity of Preservative:

Comments Arrived on Site 1217. Daniel Mower Charles Orvin present. Weather is Cold and Snowing. This is a sampling event only via use of bailer. Samples taken 12/21.  
 Left site 12/24



**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Quarterly Chloroform Purge Event

Location (well name) TW4-9      Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:  pump or  bailer      Well Pump (if other than Bennet) Grundfos

Sampling Event \_\_\_\_\_      Prev. Well Sampled in Sampling Event TW4-17

pH Buffer 7.0 7.0      pH Buffer 4.0 4.0

Specific Conductance 10,900 uMHOS/cm      Well Depth 121.33'

Depth to Water Before Purging 52.92      Casing Volume (V) 4" Well: 44.67 (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: 1017 Gal. Purged 12      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance 2670      Conductance \_\_\_\_\_

pH 6.85      pH \_\_\_\_\_

Temperature 56.5      Temperature \_\_\_\_\_

Redox Potential (Eh) 170      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

ORP-170

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.      Time to evacuate two casing volumes (2V)  
 S/60 = = 60    14.89      T = 2V/Q = 89.39

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

Type of Sample	Sample Taken (circle)	Sample Volume (indicate if other than as specified below)	Filtered (circle)	Preservative Added (circle)
VOCs	Y N	3x40 ml	Y N	HCL      Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____		_____		
_____				
_____				
				If a preservative is used, Specify Type and Quantity of Preservative:
				_____

Comments Arrived on site 1011 - Daniel Mower  
Charles Orvin present. Weather is Windy - cool - Partly Sunny  
This is a purging event only. Purge began at 1015 ended  
at 1030. Water is Cloudy - Sediment is present - no odor  
Left site at 1033.

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling

Location (well name) TW4-9      Sampler Name and initials Daniel Moyer  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/28/07

Well Purging Equip Used:    pump or    bailer      Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event 1st quarter      Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_      pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm      Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_      Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in. gpm.

Time to evacuate two casing volumes (2V)

S/60 = \_\_\_\_\_

T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

Type of Sample	Sample Taken (circle)	Sample Volume (indicate if other than as specified below)	Filtered (circle)	Preservative Added (circle)
VOCs	<input checked="" type="radio"/> Y    N	3x40 ml	Y <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y    N
Nutrients	<input checked="" type="radio"/> Y    N	100 ml	Y <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y    N
Heavy Metals	Y    N	250 ml	Y    N	HNO <sub>3</sub> Y    N
All Other Non-Radiologics	Y    N	250 ml	Y    N	No Preservative Added
Gross Alpha	Y    N	1,000 ml	Y    N	H <sub>2</sub> SO <sub>4</sub> Y    N
Other (specify)	<input checked="" type="radio"/> Y    N	Sample volume <u>250 ml</u>	Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> N
<u>Inorganic Chloride</u>				
_____				
_____				
_____				

If a preservative is used, Specify Type and Quantity of Preservative:  
 \_\_\_\_\_

Comments Arrived on Site 1205. Daniel Mower Charles Orvin present. Weather is showing - windy cold. This is a sampling event only via use of bailer. Samples taken 1208.  
 \_\_\_\_\_  
 \_\_\_\_\_ Left Site 1212

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Quarterly Chloroform Purge Event

Location (well name) TW4-10      Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging 2/27/07 and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:  pump or  bailer      Well Pump (if other than Bennet) Grundfos

Sampling Event \_\_\_\_\_      Prev. Well Sampled in Sampling Event TW4-22

pH Buffer 7.0 7.0      pH Buffer 4.0 4.0

Specific Conductance 10,900 uMHOS/cm      Well Depth 113'

Depth to Water Before Purging 55.81      Casing Volume (V) 4" Well: #13<sup>CO</sup> (.653h) 37.341  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp.(prior to sampling event) \_\_\_\_\_

Time: 1312 Gal. Purged 12      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance 2760      Conductance \_\_\_\_\_

pH 6.52      pH \_\_\_\_\_

Temperature ~~65.9~~ 57.0      Temperature \_\_\_\_\_

Redox Potential (Eh) 401      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm. Time to evacuate two casing volumes (2V)  
 S/60 = = 12.44 T = 2V/Q = 74.69

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

Type of Sample	Sample Taken (circle)	Sample Volume (indicate if other than as specified below)	Filtered (circle)	Preservative Added (circle)
VOCs	Y N	3x40 ml	Y N	HCL Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____				If a preservative is used, Specify Type and Quantity of Preservative:  _____
_____				
_____				
_____				

Comments Arrived on site 1306 - Daniel Mower  
 Charles Crvin present. Weather is Very Windy - Very Cool - Cloudy  
 This is a purging event only. Purge began at 1310 ended  
 at 1323. Water is Clear to sight - very little sediment - no odor present  
 Left site at 1425

**ATTACHMENT 1**

**WHITE MESA URANIUM MILL**

**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling

Location (well name) TW4-10      Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/28/07

Well Purging Equip Used:    pump or    bailer      Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event 1st quarter      Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_      pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm      Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_      Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp.(prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in-gpm.

S/60 = \_\_\_\_\_

Time to evacuate two casing volumes (2V)

T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	<input checked="" type="radio"/> Y <input type="radio"/> N	3x40 ml	Y <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y <input type="radio"/> N
Nutrients	<input checked="" type="radio"/> Y <input type="radio"/> N	100 ml	Y <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y <input type="radio"/> N
Heavy Metals	Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	HNO <sub>3</sub> Y <input type="radio"/> N
All Other Non-Radiologics	Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	No Preservative Added
Gross Alpha	Y <input type="radio"/> N	1,000 ml	Y <input type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> Y <input type="radio"/> N
Other (specify) <u>Inorganic Chloride</u>	<input checked="" type="radio"/> Y <input type="radio"/> N	Sample volume <u>250ml</u>	Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> N
_____				If a preservative is used, Specify Type and Quantity of Preservative: _____
_____				

Comments Arrived on Site 1441. Daniel Mower  
Charles Orvin present. Weather is cold-very windy,  
cloudy. This is a sampling event only via  
use of bailer. Samples taken 1445.

Left site 1450



**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Quarterly Chloroform Purging Event

Location (well name) TW4-11      Sampler Name and initials Daniel Mower  
Charles Orrin

Date and Time for Purging 2/27/07 and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:  pump or  bailer      Well Pump (if other than Bennet) Grundfos

Sampling Event \_\_\_\_\_      Prev. Well Sampled in Sampling Event TW4-2

pH Buffer 7.0 7.0      pH Buffer 4.0 4.0

Specific Conductance 10900 uMHOS/cm      Well Depth 100'

Depth to Water Before Purging 65.70      Casing Volume (V) 4" Well: 22.39 (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: 1552 Gal. Purged 12      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance 4274      Conductance \_\_\_\_\_

pH 6.81      pH \_\_\_\_\_

Temperature 55.6      Temperature \_\_\_\_\_

Redox Potential (Eh) 316      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.      Time to evacuate two casing volumes (2V)  
 S/60 =      = 7.46      T = 2V/Q = 44.79

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL      Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____		_____		If a preservative is used, Specify Type and Quantity of Preservative: _____
_____				
_____				
_____				

Comments Arrived on site 1546 - Daniel Mower  
Charles Drvin present. Weather is Cool-Cloudy-Windy  
This is a purging event only. Purge began at 1550 ended  
at 1557. Water is  
Left site at 1605

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling

Location (well name) TW4-11      Sampler \_\_\_\_\_  
Name and initials Daniel Moyer  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/28/07

Well Purging Equip Used:    pump or    bailer      Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event 1st quarter      Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_      pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm      Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_      Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in. gpm.

Time to evacuate two casing volumes (2V)

S/60 = \_\_\_\_\_

T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	<input checked="" type="radio"/> Y <input type="radio"/> N	3x40 ml	Y <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y <input type="radio"/> N
Nutrients	<input checked="" type="radio"/> Y <input type="radio"/> N	100 ml	Y <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y <input type="radio"/> N
Heavy Metals	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	HNO <sub>3</sub> <input type="radio"/> Y <input type="radio"/> N
All Other Non-Radiologics	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	No Preservative Added
Gross Alpha	<input type="radio"/> Y <input type="radio"/> N	1,000 ml	Y <input type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input type="radio"/> Y <input type="radio"/> N
Other (specify)	<input checked="" type="radio"/> Y <input type="radio"/> N	Sample volume <u>250 ml</u>	Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> N
<u>Inorganic Chloride</u>				If a preservative is used, Specify Type and Quantity of Preservative:
_____				
_____				

Comments Arrived on Site 1608. Daniel Mower  
Charles Orvin present. Weather is Snowing - Cold  
Windy. This is a sampling event only via  
use of bailer. Samples taken 1613.

Left site 1615

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Quarterly Chloroform Purge Event  
Location (well name) TW4-12      Sampler Name and initials Daniel Mower  
Charles Orvin  
Date and Time for Purging 2/27/07 and Sampling (if different) \_\_\_\_\_  
Well Purging Equip Used:  pump or  bailer      Well Pump (if other than Bennet) Grundfos  
Sampling Event \_\_\_\_\_      Prev. Well Sampled in Sampling Event TW4-3  
pH Buffer 7.0 7.0      pH Buffer 4.0 4.0  
Specific Conductance 10,900 uMHOS/cm      Well Depth 101.5  
Depth to Water Before Purging 35.38      Casing Volume (V) 4" Well: CO 43.17  
6672 (.653h)  
3" Well: \_\_\_\_\_ (.367h)  
Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_  
Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_  
Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: <u>0850</u> Gal. Purged <u>12</u>	Time: _____ Gal. Purged _____
Conductance <u>702.1</u>	Conductance _____
pH <u>7.18</u>	pH _____
Temperature <u>56.5</u>	Temperature _____
Redox Potential (Eh) <u>404</u>	Redox Potential (Eh) _____
Turbidity _____	Turbidity _____
Time: _____ Gal. Purged _____	Time: _____ Gal. Purged _____
Conductance _____	Conductance _____
pH _____	pH _____
Temperature _____	Temperature _____
Redox Potential (Eh) _____	Redox Potential (Eh) _____

ORP- 404

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.      Time to evacuate two casing volumes (2V)  
 S/60 = 6.0 14.39      T = 2V/Q = 86.35

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL      Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____		_____		If a preservative is used, Specify Type and Quantity of Preservative:  _____
_____				
_____				
_____				

Comments Arrived on site 0843 - Daniel Mower  
Charles Orvin present. Weather is Sunny - cool breeze - clear sky  
This is a purging event only. Purge began at 0848 ended  
at 0903. Water is clear to sight - no odor present.  
Left site at 0909

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling

Location (well name) TW4-12      Sampler \_\_\_\_\_  
Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/28/07

Well Purging Equip Used:    pump or    bailer      Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event 1st quarter      Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_      pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm      Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_      Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in-gpm. \_\_\_\_\_ Time to evacuate two casing volumes (2V)  
 S/60 = \_\_\_\_\_ T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

Type of Sample	Sample Taken (circle)	Sample Volume (indicate if other than as specified below)	Filtered (circle)	Preservative Added (circle)
VOCs	<input checked="" type="radio"/> Y <input type="radio"/> N	3x40 ml	Y <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y <input type="radio"/> N
Nutrients	<input checked="" type="radio"/> Y <input type="radio"/> N	100 ml	Y <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y <input type="radio"/> N
Heavy Metals	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	HNO <sub>3</sub> <input type="radio"/> Y <input type="radio"/> N
All Other Non-Radiologics	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	No Preservative Added
Gross Alpha	<input type="radio"/> Y <input type="radio"/> N	1,000 ml	Y <input type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input type="radio"/> Y <input type="radio"/> N
Other (specify)	<input checked="" type="radio"/> Y <input type="radio"/> N	Sample volume 250 ml	Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> N
Inorganic Chloride				If a preservative is used, Specify Type and Quantity of Preservative:

Comments Arrived on Site 1107. Daniel Mower  
 Charles Orvin present. Weather is Cold-Windy-Snowy  
 Very Cloudy This is a sampling event only via  
 use of bailer. Samples taken 1110.  
 \_\_\_\_\_  
 \_\_\_\_\_ Left site 1114



**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: TW 4-13 Purging Event

Location (well name) TW 4-13 Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging 2/27/07/809 and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:  pump or  bailer Well Pump (if other than Bennet) Grundfos

Sampling Event \_\_\_\_\_ Prev. Well Sampled in Sampling Event TW 4-12

pH Buffer 7.0 7.0 pH Buffer 4.0 4.0

Specific Conductance 10,900 uMHOS/cm Well Depth 105.5

Depth to Water Before Purging 48.86 Casing Volume (V) 4" Well: 36.98 (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_ pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_ Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: 0820 Gal. Purged 12 Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance 1591 Conductance \_\_\_\_\_

pH 7.00 pH \_\_\_\_\_

Temperature 57.5 Temperature \_\_\_\_\_

Redox Potential (Eh) 402 Redox Potential (Eh) \_\_\_\_\_

Turbidity 402 Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

ORP

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.      Time to evacuate two casing volumes (2V)  
 $S/60 =$       = 12.32       $T = 2V/Q =$  73.97

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL      Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____				If a preservative is used, Specify Type and Quantity of Preservative:  _____
_____				
_____				
_____				

Comments Arrived on site 0809 - Daniel Mower  
Charles Orvin present. Weather is Cool - Sunny - slight breeze  
This is a purging event only. Purge began at 0818 ended  
at 0830. Water is clear to sight - small amount sediment - No odor  
Left site at 0838

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling

Location (well name) TW4-13 Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/28/07

Well Purging Equip Used:    pump or    bailer Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event 1st quarter Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_ pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_ Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_ pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_ Ext'l Amb. Temp.(prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in.gpm.

S/60 = \_\_\_\_\_

Time to evacuate two casing volumes (2V)

T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

Type of Sample	Sample Taken (circle)	Sample Volume (indicate if other than as specified below)	Filtered (circle)	Preservative Added (circle)
VOCs	<input checked="" type="radio"/> Y <input type="radio"/> N	3x40 ml	Y <input type="radio"/> <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y <input type="radio"/> N
Nutrients	<input checked="" type="radio"/> Y <input type="radio"/> N	100 ml	Y <input type="radio"/> <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y <input type="radio"/> N
Heavy Metals	<input type="radio"/> Y <input type="radio"/> N	250 ml	<input type="radio"/> Y <input type="radio"/> N	HNO <sub>3</sub> <input type="radio"/> Y <input type="radio"/> N
All Other Non-Radiologics	<input type="radio"/> Y <input type="radio"/> N	250 ml	<input type="radio"/> Y <input type="radio"/> N	No Preservative Added
Gross Alpha	<input type="radio"/> Y <input type="radio"/> N	1,000 ml	<input type="radio"/> Y <input type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input type="radio"/> Y <input type="radio"/> N
Other (specify) <i>Inorganic Chloride</i>	<input checked="" type="radio"/> Y <input type="radio"/> N	Sample volume <i>250 ml</i>	<input type="radio"/> Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/>  If a preservative is used, Specify Type and Quantity of Preservative:

Comments Arrived on Site 1122. Daniel Mower Charles Orvin present. Weather is Snowing - Very Wendy Cold. This is a sampling event only via use of bailer. Samples taken 1125.

Left site 1130

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: TW4-14 - Quarterly Chloroform Purging Event

Location (well name) TW4-14      Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging 2/27/07 and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:  pump or  bailer      Well Pump (if other than Bennet) Grunfos

Sampling Event \_\_\_\_\_      Prev. Well Sampled in Sampling Event TW4-13

pH Buffer 7.0 \_\_\_\_\_      pH Buffer 4.0 \_\_\_\_\_

Specific Conductance 10,900 uMHOS/cm      Well Depth 95'

Depth to Water Before Purging 90.53      Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp.(prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.      Time to evacuate two casing volumes (2V)  
 S/60 =      =      T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL      Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____		_____		If a preservative is used, Specify Type and Quantity of Preservative:  _____
_____				
_____				

Comments Arrived on site 0758 Daniel Mower  
Charles Orvin Present. Weather is cool - Sun is out  
After taking well depth not enough to purge.  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling

Location (well name) TW4-14 Sampler Name and initials Daniel Moyer  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/28/07

Well Purging Equip Used:    pump or    bailer Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event 1st quarter Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_ pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_ Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_ pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_ Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in. gpm.  
 S/60 = \_\_\_\_\_

Time to evacuate two casing volumes (2V)  
 T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	<input checked="" type="radio"/> Y <input type="radio"/> N	3x40 ml	Y <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y <input type="radio"/> N
Nutrients	<input checked="" type="radio"/> Y <input type="radio"/> N	100 ml	Y <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y <input type="radio"/> N
Heavy Metals	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	HNO <sub>3</sub> <input type="radio"/> Y <input type="radio"/> N
All Other Non-Radiologics	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	No Preservative Added
Gross Alpha	<input type="radio"/> Y <input type="radio"/> N	1,000 ml	Y <input type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input type="radio"/> Y <input type="radio"/> N
Other (specify)	<input checked="" type="radio"/> Y <input type="radio"/> N	Sample volume <u>250 ml</u>	Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> N
<u>Inorganic Chloride</u>				

Comments Arrived on Site 1133, Daniel Mower  
Charles Orvin present. Weather is partly cloudy-cool-breezy  
stormy. This is a sampling event only via  
use of bailer. Samples taken 1137.  
 \_\_\_\_\_  
 \_\_\_\_\_  
Left site 1146



**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Quarterly Chloroform Purging Event

Location (well name) TW4-15 Sampler Name and initials Charles Orvin

Date and Time for Purging 2/27/07 and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:    pump or    bailer Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event \_\_\_\_\_ Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_ pH Buffer 4.0 \_\_\_\_\_

Specific Conductance 10,900 uMHOS/cm Well Depth 122.5'

Depth to Water ~~Before Purging~~ 83.01' Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_ pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_ Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.      Time to evacuate two casing volumes (2V)  
 S/60 = \_\_\_\_\_ T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL      Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume _____	Y N	Y N  If a preservative is used, Specify Type and Quantity of Preservative: _____

Comments Continuous pumping well - Charles Orvick present. Weather is cool - breezy - some clouds - cool  
Took well depth - left site 0803.

Meter 0001080      Meter will not move.

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling  
Location (well name) TW4-15 Sampler Name and initials Daniel Mower  
Charles Orvin  
Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/28/07  
Well Purging Equip Used:    pump or    bailer Well Pump (if other than Bennet) \_\_\_\_\_  
Sampling Event 1st quarter Prev. Well Sampled in Sampling Event \_\_\_\_\_  
pH Buffer 7.0 \_\_\_\_\_ pH Buffer 4.0 122.5'  
Specific Conductance \_\_\_\_\_ uMHOS/cm Well Depth \_\_\_\_\_  
Depth to Water Before Purging 83.01' Casing Volume (V) 4" Well: ~~37.44~~ (.653h)  
3" Well: \_\_\_\_\_ (.367h)  
Conductance (avg) \_\_\_\_\_ pH of Water (avg) \_\_\_\_\_  
Well Water Temp. (avg) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_  
Weather Cond. \_\_\_\_\_ Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: _____ Gal. Purged _____	Time: _____ Gal. Purged _____
Conductance _____	Conductance _____
pH _____	pH _____
Temperature _____	Temperature _____
Redox Potential (Eh) _____	Redox Potential (Eh) _____
Turbidity _____	Turbidity _____
Time: _____ Gal. Purged _____	Time: _____ Gal. Purged _____
Conductance _____	Conductance _____
pH _____	pH _____
Temperature _____	Temperature _____
Redox Potential (Eh) _____	Redox Potential (Eh) _____

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in. gpm.

Time to evacuate two casing volumes (2V)

S/60 = \_\_\_\_\_

T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	<input checked="" type="radio"/> Y <input type="radio"/> N	3x40 ml	Y <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y <input type="radio"/> N
Nutrients	<input checked="" type="radio"/> Y <input type="radio"/> N	100 ml	Y <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y <input type="radio"/> N
Heavy Metals	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	HNO <sub>3</sub> <input type="radio"/> Y <input type="radio"/> N
All Other Non-Radiologics	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	No Preservative Added
Gross Alpha	<input type="radio"/> Y <input type="radio"/> N	1,000 ml	Y <input type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input type="radio"/> Y <input type="radio"/> N
Other (specify)	<input checked="" type="radio"/> Y <input type="radio"/> N	Sample volume 250 ml	Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> N
Inorganic Chloride				If a preservative is used, Specify Type and Quantity of Preservative:

Comments Arrived on Site 1418. Daniel Mower Charles Orvin present. Weather is Cold - Cloudy Very Windy. This is a sampling event only via use of bailer. Samples taken 1422.

Left site 1427

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Quarterly Chloroform Purging Event

Location (well name) TW4-16      Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging 2/27/07 and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:  pump or  bailer      Well Pump (if other than Bennet) Grundfos

Sampling Event \_\_\_\_\_      Prev. Well Sampled in Sampling Event 4-18

pH Buffer 7.0 7.0      pH Buffer 4.0 4.0

Specific Conductance 10,900 uMHOS/cm      Well Depth 142'

Depth to Water Before Purging 66.68      Casing Volume (V) 4" Well: 49.18 (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: 1212 Gal. Purged 12      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance 3985      Conductance \_\_\_\_\_

pH 6.78      pH \_\_\_\_\_

Temperature 56.6      Temperature \_\_\_\_\_

Redox Potential (Eh) 362      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm      Time to evacuate two casing volumes (2V)  
 S/60 = = 6.0      16.39      T = 2V/Q = 98.36

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

Type of Sample	Sample Taken (circle)	Sample Volume (indicate if other than as specified below)	Filtered (circle)	Preservative Added (circle)
VOCs	Y N	3x40 ml	Y N	HCL      Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____		_____		
_____				
_____				
				If a preservative is used, Specify Type and Quantity of Preservative: _____

Comments Arrived on site 1205 - Daniel Mower  
 Charles Orvin present. Weather is Very Windy - Cool - Cloudy  
 This is a purging event only. Purge began at 1210 ended  
 at 1226. Water is Clear to sight - no odor present.  
 Left site at 1233

**ATTACHMENT 1**

**WHITE MESA URANIUM MILL**

**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling

Location (well name) TW4-16 Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/28/07

Well Purging Equip Used:    pump or    bailer Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event 1st quarter Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_ pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_ Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_ pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_ Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in-gpm.

Time to evacuate two casing volumes (2V)

S/60 = \_\_\_\_\_

T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

Type of Sample	Sample Taken (circle)	Sample Volume (indicate if other than as specified below)	Filtered (circle)	Preservative Added (circle)
VOCs	<input checked="" type="radio"/> Y <input type="radio"/> N	3x40 ml	Y <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y <input type="radio"/> N
Nutrients	<input checked="" type="radio"/> Y <input type="radio"/> N	100 ml	Y <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y <input type="radio"/> N
Heavy Metals	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	HNO <sub>3</sub> <input type="radio"/> Y <input type="radio"/> N
All Other Non-Radiologics	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	No Preservative Added
Gross Alpha	<input type="radio"/> Y <input type="radio"/> N	1,000 ml	Y <input type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input type="radio"/> Y <input type="radio"/> N
Other (specify)	<input checked="" type="radio"/> Y <input type="radio"/> N	Sample volume <u>250 ml</u>	Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> N
<u>Inorganic Chloride</u>				If a preservative is used, Specify Type and Quantity of Preservative:

Comments Arrived on Site 1242, Daniel Mower, Charles Orvin present. Weather is Snowing - wendy cold. This is a sampling event only via use of bailer. Samples taken 1246.  
 Left site 1251



**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: ~~Quarterly~~ Quarterly Chlorobrom Purge Event

Location (well name) TW4-17      Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:  pump or  bailer      Well Pump (if other than Bennet) Grundfos

Sampling Event \_\_\_\_\_      Prev. Well Sampled in Sampling Event 4-14

pH Buffer 7.0 7.0      pH Buffer 4.0 4.0

Specific Conductance 10,900 uMHOS/cm      Well Depth 130'

Depth to Water Before Purging 78.43      Casing Volume (V) 4" Well: 33.67 (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: 0954 Gal. Purged 12      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance 3979      Conductance \_\_\_\_\_

pH 6.54      pH \_\_\_\_\_

Temperature 56.7      Temperature \_\_\_\_\_

Redox Potential (Eh) 171      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

ORP 171

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm. Time to evacuate two casing volumes (2V)  
 S/60 = 6.0 11.22 T = 2V/Q = 67.39

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____		_____		If a preservative is used, Specify Type and Quantity of Preservative: _____
_____				
_____				
_____				

Comments Arrived on site 0948 - Daniel Mower  
 Charles Orvin present. Weather is Windy - cool - sunny  
 This is a purging event only. Purge began at 0952 ended  
 at 1003. Water is cloudy - sediment is present - no odor.  
 Left site at 1006

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling

Location (well name) TW4-17      Sampler \_\_\_\_\_  
Name and initials Daniel Moyer  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/28/07

Well Purging Equip Used:    pump or    bailer      Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event 1st quarter      Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_      pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm      Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_      Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in-gpm. \_\_\_\_\_ Time to evacuate two casing volumes (2V)  
 S/60 = \_\_\_\_\_ T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	<input checked="" type="radio"/> Y <input type="radio"/> N	3x40 ml	Y <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y <input type="radio"/> N
Nutrients	<input checked="" type="radio"/> Y <input type="radio"/> N	100 ml	Y <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y <input type="radio"/> N
Heavy Metals	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	HNO <sub>3</sub> <input type="radio"/> Y <input type="radio"/> N
All Other Non-Radiologics	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	No Preservative Added
Gross Alpha	<input type="radio"/> Y <input type="radio"/> N	1,000 ml	Y <input type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input type="radio"/> Y <input type="radio"/> N
Other (specify)	<input checked="" type="radio"/> Y <input type="radio"/> N	Sample volume <u>250 ml</u>	Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> N
<u>Inorganic Chloride</u>				
_____				
_____				

Comments Arrived on Site 1150, Daniel Mower  
Charles Orvin present. Weather is Windy - cold  
snowing. This is a sampling event only via  
use of bailer. Samples taken 1153.  
 \_\_\_\_\_  
 \_\_\_\_\_ Left site 1202

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Quarterly Chloroform Pulse Event

Location (well name) TW4-18      Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging 2/27/07 <sup>4:00</sup> and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:  pump or  bailer      Well Pump (if other than Bennet) Grundfos

Sampling Event \_\_\_\_\_      Prev. Well Sampled in Sampling Event 4-8

pH Buffer 7.0 \_\_\_\_\_      pH Buffer 4.0 \_\_\_\_\_

Specific Conductance 10,900 uMHOS/cm      Well Depth 137.5

Depth to Water Before Purging 55.45      Casing Volume (V) 4" Well: 53.58 (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: 1110 Gal. Purged 12      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance 1524      Conductance \_\_\_\_\_

pH 7.27      pH \_\_\_\_\_

Temperature 56.8      Temperature \_\_\_\_\_

Redox Potential (Eh) 144      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

ORP-144

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.  
 S/60 = = 17.85

Time to evacuate two casing volumes (2V)  
 T = 2V/Q = 107.15

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____		_____		If a preservative is used, Specify Type and Quantity of Preservative:  _____
_____				
_____				
_____				

Comments Arrived on site 1105 - Daniel Mower  
Charles Orvin present. Weather is Very Windy - Cloudy - cool  
This is a purging event only. Purge began at 1108 ended  
at 1126. Water is very cloudy - sediment is very present no odor  
Left site at 1138

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling

Location (well name) TW4-18      Sampler Name and initials Daniel Moyer  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/28/07

Well Purging Equip Used:    pump or    bailer      Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event 1st quarter      Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_      pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm      Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_      Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in.gpm.

S/60 = \_\_\_\_\_

Time to evacuate two casing volumes (2V)

T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	<input checked="" type="radio"/> Y <input type="radio"/> N	3x40 ml	Y <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y <input type="radio"/> N
Nutrients	<input checked="" type="radio"/> Y <input type="radio"/> N	100 ml	Y <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y <input type="radio"/> N
Heavy Metals	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	HNO <sub>3</sub> <input type="radio"/> Y <input type="radio"/> N
All Other Non-Radiologics	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	No Preservative Added
Gross Alpha	<input type="radio"/> Y <input type="radio"/> N	1,000 ml	Y <input type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input type="radio"/> Y <input type="radio"/> N
Other (specify)	<input checked="" type="radio"/> Y <input type="radio"/> N	Sample volume <u>250 ml</u>	Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> N
<u>Inorganic Chloride</u>				If a preservative is used, Specify Type and Quantity of Preservative:
_____				
_____				

Comments Arrived on Site 1228. Daniel Mower  
Charles Orvin present. Weather is Cold-windy  
showing. This is a sampling event only via  
use of bailer. Samples taken 1234  
 \_\_\_\_\_  
 \_\_\_\_\_  
Left site 1238



**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Quarterly Chloroform Purging Event

Location (well name) TW4-19 Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging 2/27/07 and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:    pump or    bailer Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event \_\_\_\_\_ Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_ pH Buffer 4.0 \_\_\_\_\_

Specific Conductance 10,900 uMHOS/cm Well Depth 125' 125' CO

Depth to Water ~~Before Purging~~ 87.80 Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_ pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_ Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.      Time to evacuate two casing volumes (2V)  
 S/60 = \_\_\_\_\_      T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL      Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____		_____		If a preservative is used, Specify Type and Quantity of Preservative: _____
_____		_____		
_____		_____		

Comments Continuous pumping well - Charles  
Drain present, weather is cool - some clouds.  
Took well depth - left site 0703.

Meter 0112600      Flow Rate 6 gpm

**ATTACHMENT 1**

**WHITE MESA URANIUM MILL**

**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling

Location (well name) TW4-19 Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/28/07

Well Purging Equip Used:    pump or    bailer Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event 1st quarter Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_ pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_ Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_ pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_ Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in. gpm.  
 S/60 = \_\_\_\_\_

Time to evacuate two casing volumes (2V)  
 T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

Type of Sample	Sample Taken (circle)	Sample Volume (indicate if other than as specified below)	Filtered (circle)	Preservative Added (circle)
VOCs	<input checked="" type="radio"/> Y <input type="radio"/> N	3x40 ml	Y <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y <input type="radio"/> N
Nutrients	<input checked="" type="radio"/> Y <input type="radio"/> N	100 ml	Y <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y <input type="radio"/> N
Heavy Metals	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	HNO <sub>3</sub> <input type="radio"/> Y <input type="radio"/> N
All Other Non-Radiologics	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	No Preservative Added
Gross Alpha	<input type="radio"/> Y <input type="radio"/> N	1,000 ml	Y <input type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input type="radio"/> Y <input type="radio"/> N
Other (specify)	<input checked="" type="radio"/> Y <input type="radio"/> N	Sample volume	Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> N
Inorganic Chloride				

If a preservative is used, Specify Type and Quantity of Preservative:

Comments Arrived on Site 1630. Daniel Mower Charles Orvin present. Weather is Windy - Cold Cloudy. This is a sampling event only via use of bailer. Samples taken 1635

Left site 1643

**ATTACHMENT 1**

**WHITE MESA URANIUM MILL**

**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Quarterly Chloroform Purging Event

Location (well name) TW4-20 Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging 2/27/06 and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:     pump or     bailer Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event \_\_\_\_\_ Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_ pH Buffer 4.0 \_\_\_\_\_

Specific Conductance 10,900 uMHOS/cm Well Depth 107.5'

Depth to Water ~~Before Purging~~ 80.28 Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_ pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_ Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.      Time to evacuate two casing volumes (2V)  
 S/60 = \_\_\_\_\_      T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL      Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume _____	Y N	Y N  If a preservative is used, Specify Type and Quantity of Preservative: _____

Comments Continuous pumping well - Charles O'vich present. Weather is cool-cloudy-cold actually. Slight breeze. Took well depth - left site at 0713

Meter 0218400      Flow Rate 6.3 gpm

**ATTACHMENT 1**

**WHITE MESA URANIUM MILL**

**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling

Location (well name) TW4-20      Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/28/07

Well Purging Equip Used:    pump or    bailer      Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event 1st quarter      Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_      pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm      Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_      Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in.gpm.  
 S/60 = \_\_\_\_\_

Time to evacuate two casing volumes (2V)  
 T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	<input checked="" type="radio"/> Y <input type="radio"/> N	3x40 ml	Y <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y <input type="radio"/> N
Nutrients	<input checked="" type="radio"/> Y <input type="radio"/> N	100 ml	Y <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y <input type="radio"/> N
Heavy Metals	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	HNO <sub>3</sub> <input type="radio"/> Y <input type="radio"/> N
All Other Non-Radiologics	<input type="radio"/> Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	No Preservative Added
Gross Alpha	<input type="radio"/> Y <input type="radio"/> N	1,000 ml	Y <input type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input type="radio"/> Y <input type="radio"/> N
Other (specify)	<input checked="" type="radio"/> Y <input type="radio"/> N	Sample volume <u>250ml</u>	Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> N
<u>Inorganic Chloride</u>				If a preservative is used, Specify Type and Quantity of Preservative:
_____				
_____				

Comments Arrived on Site 1618, Daniel Mower  
Charles Orvin present. Weather is Cold - Windy  
Cloudy. This is a sampling event only via  
use of bailer. Samples taken 1623.  
 \_\_\_\_\_  
 \_\_\_\_\_ Left site 1627



**ATTACHMENT 1**

**WHITE MESA URANIUM MILL**

**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Quarterly Chloroform Purging Event

Location (well name) TW4-21 Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging 2/27/07 and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:    pump or    bailer Well Pump (if other than Bennet) Grundfos

Sampling Event \_\_\_\_\_ Prev. Well Sampled in Sampling Event 4-5

pH Buffer 7.0 7.0 pH Buffer 4.0 4.0

Specific Conductance 10,900 uMHOS/cm Well Depth 125'

Depth to Water Before Purging 59.82 Casing Volume (V) 4" Well: 42.56 (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_ pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_ Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: 1324 Gal. Purged 12 Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance 3374 Conductance \_\_\_\_\_

pH 6.99 pH \_\_\_\_\_

Temperature 58.1 Temperature \_\_\_\_\_

Redox Potential (Eh) 399 Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.  
 S/60 = = 14.18

Time to evacuate two casing volumes (2V)  
 T = 2V/Q = 85.12

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
				If a preservative is used, Specify Type and Quantity of Preservative:

Comments Arrived on site 1319 - Daniel Mower  
 Charles Orvin present. Weather is Very Windy - Very Cloudy - Cold  
 This is a purging event only. Purge began at 1322 ended  
 at 1336. Water is Clear to sight, no odor, very very little sediment  
 Left site at 1340

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling  
Location (well name) TW4-21 Sampler Name and initials Daniel Mower  
Charles Orvin  
Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/28/07  
Well Purging Equip Used:    pump or    bailer Well Pump (if other than Bennet) \_\_\_\_\_  
Sampling Event 1st quarter Prev. Well Sampled in Sampling Event \_\_\_\_\_  
pH Buffer 7.0 \_\_\_\_\_ pH Buffer 4.0 \_\_\_\_\_  
Specific Conductance \_\_\_\_\_ uMHOS/cm Well Depth \_\_\_\_\_  
Depth to Water Before Purging \_\_\_\_\_ Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)  
Conductance (avg) \_\_\_\_\_ pH of Water (avg) \_\_\_\_\_  
Well Water Temp. (avg) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_  
Weather Cond. \_\_\_\_\_ Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: _____ Gal. Purged _____	Time: _____ Gal. Purged _____
Conductance _____	Conductance _____
pH _____	pH _____
Temperature _____	Temperature _____
Redox Potential (Eh) _____	Redox Potential (Eh) _____
Turbidity _____	Turbidity _____
Time: _____ Gal. Purged _____	Time: _____ Gal. Purged _____
Conductance _____	Conductance _____
pH _____	pH _____
Temperature _____	Temperature _____
Redox Potential (Eh) _____	Redox Potential (Eh) _____



**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Quarterly Chloroform Purging Event

Location (well name) TW4-22      Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging 2/27/07 and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:  pump or  bailer      Well Pump (if other than Bennet) Grundfos

Sampling Event \_\_\_\_\_      Prev. Well Sampled in Sampling Event 4-21

pH Buffer 7.0 7.0      pH Buffer 4.0 4.0

Specific Conductance 10,900 uMHOS/cm      Well Depth 115'

Depth to Water Before Purging 57.76      Casing Volume (V) 4" Well: 37.37 (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: 1349 Gal. Purged 12      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance 4653      Conductance \_\_\_\_\_

pH 6.77      pH \_\_\_\_\_

Temperature 57.7      Temperature \_\_\_\_\_

Redox Potential (Eh) 413      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.      Time to evacuate two casing volumes (2V)  
 S/60 =      = 60 12.45      T = 2V/Q = 74.75

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL      Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____		_____		If a preservative is used, Specify Type and Quantity of Preservative:  _____
_____		_____		
_____		_____		

Comments: Arrived on site 1343 - Daniel Mower  
 Charles Orvin present. Weather is Very Windy - Very Cloudy Cool  
 This is a purging event only. Purge began at 1347 ended  
 at 1400. Water is Clear to sight - very little sediment  
 Left site at 1403

**ATTACHMENT 1**

**WHITE MESA URANIUM MILL**

**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling

Location (well name) TW4-22      Sampler Name and initials Daniel Moyer  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/25/07

Well Purging Equip Used:    pump or    bailer      Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event 1st quarter      Prev. Well Sampled in Sampling Event \_\_\_\_\_

pH Buffer 7.0 \_\_\_\_\_      pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm      Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_      Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_      Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_      Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_      Conductance \_\_\_\_\_

pH \_\_\_\_\_      pH \_\_\_\_\_

Temperature \_\_\_\_\_      Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in-gpm.  
 S/60 = \_\_\_\_\_

Time to evacuate two casing volumes (2V)  
 T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	<input checked="" type="radio"/> Y <input type="radio"/> N	3x40 ml	Y <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y <input type="radio"/> N
Nutrients	<input checked="" type="radio"/> Y <input type="radio"/> N	100 ml	Y <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y <input type="radio"/> N
Heavy Metals	Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	HNO <sub>3</sub> Y <input type="radio"/> N
All Other Non-Radiologics	Y <input type="radio"/> N	250 ml	Y <input type="radio"/> N	No Preservative Added
Gross Alpha	Y <input type="radio"/> N	1,000 ml	Y <input type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> Y <input type="radio"/> N
Other (specify) <u>Inorganic Chloride</u>	<input checked="" type="radio"/> Y <input type="radio"/> N	Sample volume <u>250 ml</u>	Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> N  If a preservative is used, Specify Type and Quantity of Preservative:

Comments Arrived on Site 1430. Daniel Mower Charles Orvin present. Weather is Very Windy-Cold partly cloudy. This is a sampling event only via use of bailer. Samples taken 1434.

Left site 1438



**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**

**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling

Location (well name) MW-60 Sampler Name and initials Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/26/07

Well Purging Equip Used: \_\_\_\_\_ pump or \_\_\_\_\_ bailer Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event Quarterly Chloroform Prev. Well Sampled in Sampling Event N/A

pH Buffer 7.0 \_\_\_\_\_ pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_ Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)

Conductance (avg) \_\_\_\_\_ pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_ Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

DI Blank

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.

Time to evacuate two casing volumes (2V)

S/60 = \_\_\_\_\_

T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	Y N	3x40 ml	Y N	HCL Y N
Nutrients	Y N	100 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify)	Y N	Sample volume	Y N	Y N
_____		_____		If a preservative is used, Specify Type and Quantity of Preservative:  _____
_____				
_____				
_____				

Comments DI Blank

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling  
Location (well name) MW-63      Sampler \_\_\_\_\_  
Name and initials David Turk - Daniel Mowers  
Charles, @ruin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) \_\_\_\_\_

Well Purging Equip Used:    pump or    bailer    Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event Quarterly Chloroform rev. Well Sampled in Sampling Event N/A

pH Buffer 7.0 \_\_\_\_\_      pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm    Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_    Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_    pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_    Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_    Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_    Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_    Conductance \_\_\_\_\_

pH \_\_\_\_\_    pH \_\_\_\_\_

Temperature \_\_\_\_\_    Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_    Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_    Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_    Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_    Conductance \_\_\_\_\_

pH \_\_\_\_\_    pH \_\_\_\_\_

Temperature \_\_\_\_\_    Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_    Redox Potential (Eh) \_\_\_\_\_

Rinsate Sample

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.  
 S/60 = \_\_\_\_\_ = \_\_\_\_\_

Time to evacuate two casing volumes (2V)  
 T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	<input checked="" type="radio"/> Y <input type="radio"/> N	3x40 ml	Y <input checked="" type="radio"/> N	HCL Y N
Nutrients	<input checked="" type="radio"/> Y <input type="radio"/> N	100 ml	Y <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> Y N
Heavy Metals	Y N	250 ml	Y N	HNO <sub>3</sub> Y N
All Other Non-Radiologics	Y N	250 ml	Y N	No Preservative Added
Gross Alpha	Y N	1,000 ml	Y N	H <sub>2</sub> SO <sub>4</sub> Y N
Other (specify) <u>Inorganic Chloride</u>	<input checked="" type="radio"/> Y <input type="radio"/> N	Sample volume <u>250 ml</u>	Y <input checked="" type="radio"/> N	Y N  If a preservative is used, Specify Type and Quantity of Preservative:

Comments This is a rinseate sample of the Grundfos pump. 40 gallons of Nitric Acid followed by 40 gallons of liq. Nox followed by 50 gallons DI water or DI-H<sub>2</sub>O.

**ATTACHMENT 1**  
**WHITE MESA URANIUM MILL**  
**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling  
Location (well name) TW4-65      Sampler Name and initials Daniel Mower  
Charles Orvin  
Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 8/28/07  
Well Purging Equip Used:    pump or    bailer      Well Pump (if other than Bennet) \_\_\_\_\_  
Sampling Event Quarterly Chloroform      Prev. Well Sampled in Sampling Event N/A  
pH Buffer 7.0 \_\_\_\_\_      pH Buffer 4.0 \_\_\_\_\_  
Specific Conductance \_\_\_\_\_ uMHOS/cm      Well Depth \_\_\_\_\_  
Depth to Water Before Purging \_\_\_\_\_      Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)  
3" Well: \_\_\_\_\_ (.367h)  
Conductance (avg) \_\_\_\_\_      pH of Water (avg) \_\_\_\_\_  
Well Water Temp. (avg) \_\_\_\_\_      Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_  
Weather Cond. \_\_\_\_\_      Ext'l Amb. Temp. (prior to sampling event) \_\_\_\_\_

Time: _____ Gal. Purged _____	Time: _____ Gal. Purged _____
Conductance _____	Conductance _____
pH _____	pH _____
Temperature _____	Temperature _____
Redox Potential (Eh) _____	Redox Potential (Eh) _____
Turbidity _____	Turbidity _____
Time: _____ Gal. Purged _____	Time: _____ Gal. Purged _____
Conductance _____	Conductance _____
pH _____	pH _____
Temperature _____	Temperature _____
Redox Potential (Eh) _____	Redox Potential (Eh) _____

Duplicate TW4-20

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm. : \_\_\_\_\_ Time to evacuate two casing volumes (2V)  
 S/60 = \_\_\_\_\_ T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	3x40 ml	Y <input type="checkbox"/> <input checked="" type="checkbox"/> N	HCL <input type="checkbox"/> Y <input checked="" type="checkbox"/> N
Nutrients	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	100 ml	Y <input type="checkbox"/> <input checked="" type="checkbox"/> N	H <sub>2</sub> SO <sub>4</sub> <input type="checkbox"/> Y <input checked="" type="checkbox"/> N
Heavy Metals	Y <input type="checkbox"/> N	250 ml	Y <input type="checkbox"/> N	HNO <sub>3</sub> Y <input type="checkbox"/> N
All Other Non-Radiologics	Y <input type="checkbox"/> N	250 ml	Y <input type="checkbox"/> N	No Preservative Added
Gross Alpha	Y <input type="checkbox"/> N	1,000 ml	Y <input type="checkbox"/> N	H <sub>2</sub> SO <sub>4</sub> Y <input type="checkbox"/> N
Other (specify) <i>Inorganic Chloride</i>	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Sample volume <i>250 ml</i>	Y <input type="checkbox"/> <input checked="" type="checkbox"/> N	Y <input type="checkbox"/> <input checked="" type="checkbox"/> N  If a preservative is used, Specify Type and Quantity of Preservative:

Comments \_\_\_\_\_

\_\_\_\_\_  
 Duplicate TW4-20  
 \_\_\_\_\_  
 \_\_\_\_\_

**ATTACHMENT 1**

**WHITE MESA URANIUM MILL**

**FIELD DATA WORKSHEET FOR GROUND WATER**

Description of Sampling Event: Chloroform Quarterly Sampling

Location (well name) TW4-70 Sampler Name and initials Daniel Mower  
Charles Orvin

Date and Time for Purging \_\_\_\_\_ and Sampling (if different) 2/28/07

Well Purging Equip Used:    pump or    bailer Well Pump (if other than Bennet) \_\_\_\_\_

Sampling Event 1st quarter Prev. Well Sampled in Sampling Event N/A  
Chloroform

pH Buffer 7.0 \_\_\_\_\_ pH Buffer 4.0 \_\_\_\_\_

Specific Conductance \_\_\_\_\_ uMHOS/cm Well Depth \_\_\_\_\_

Depth to Water Before Purging \_\_\_\_\_ Casing Volume (V) 4" Well: \_\_\_\_\_ (.653h)

3" Well: \_\_\_\_\_ (.367h)

Conductance (avg) \_\_\_\_\_ pH of Water (avg) \_\_\_\_\_

Well Water Temp. (avg) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_ Turbidity \_\_\_\_\_

Weather Cond. \_\_\_\_\_ Ext'l Amb. Temp.(prior to sampling event) \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_ Time: \_\_\_\_\_ Gal. Purged \_\_\_\_\_

Conductance \_\_\_\_\_ Conductance \_\_\_\_\_

pH \_\_\_\_\_ pH \_\_\_\_\_

Temperature \_\_\_\_\_ Temperature \_\_\_\_\_

Redox Potential (Eh) \_\_\_\_\_ Redox Potential (Eh) \_\_\_\_\_

Duplicate TW4-5

Turbidity \_\_\_\_\_ Turbidity \_\_\_\_\_

Volume of Water Purged When Field Parameters are Measured \_\_\_\_\_

Pumping Rate Calculation

Flow Rate (Q), in gpm.

S/60 = \_\_\_\_\_

Time to evacuate two casing volumes (2V)

T = 2V/Q = \_\_\_\_\_

Number of casing volumes evacuated (if other than two) \_\_\_\_\_

If well evacuated to dryness, number of gallons evacuated \_\_\_\_\_

Name of Certified Analytical Laboratory if Other Than Energy Labs \_\_\_\_\_

<u>Type of Sample</u>	<u>Sample Taken (circle)</u>	<u>Sample Volume (indicate if other than as specified below)</u>	<u>Filtered (circle)</u>	<u>Preservative Added (circle)</u>
VOCs	<input checked="" type="radio"/> Y <input type="radio"/> N	3x40 ml	Y <input checked="" type="radio"/> N	HCL <input checked="" type="radio"/> Y <input type="radio"/> N
Nutrients	<input checked="" type="radio"/> Y <input type="radio"/> N	100 ml	Y <input checked="" type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input checked="" type="radio"/> Y <input type="radio"/> N
Heavy Metals	<input type="radio"/> Y <input type="radio"/> N	250 ml	<input type="radio"/> Y <input type="radio"/> N	HNO <sub>3</sub> <input type="radio"/> Y <input type="radio"/> N
All Other Non-Radiologics	<input type="radio"/> Y <input type="radio"/> N	250 ml	<input type="radio"/> Y <input type="radio"/> N	No Preservative Added
Gross Alpha	<input type="radio"/> Y <input type="radio"/> N	1,000 ml	<input type="radio"/> Y <input type="radio"/> N	H <sub>2</sub> SO <sub>4</sub> <input type="radio"/> Y <input type="radio"/> N
Other (specify)	<input checked="" type="radio"/> Y <input type="radio"/> N	Sample volume 250 ml	Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> N
Inorganic Chloride				If a preservative is used, Specify Type and Quantity of Preservative:

Comments Duplicate of TW4-5

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



833.38 mm Hg

Depth to Water

Date	Time	Well	Depth		Flow		Time	
1/2/02								
	1348	MW-4	76.28			meter	081705	
						Flow		
	1353	TW4-15	75.18			Meter	002222	
						Flow		
	1403	TW4-19	91.18			Meter	234273	
						Flow	5.8 gpm	
	1358	TW4-20	79.30			Meter	016408	
						Flow	"	

1997 2000 Form 40 Depth to Water for Private

492166

821.43 mm Hg

Depth to Water

Date	Depth to Water						
	Time	Well	Depth		Flow		Time
<del>1/8/07</del>	0838	MW-4	75.38				
1/8/07	0840	MW4a	74.78				
	0844	TW4-1	64.78				
	0858	TW4-2	72.88				
	0925	TW4-3	48.89				
	0902	TW4-4	67.08				
	0930	TW4-5	55.88				
	0908	TW4-6	74.83				
	0842	TW4-7	71.97				
	0847	TW4-8	71.22				
	0933	TW4-9	53.06				
	0937	TW4-10	55.54				
	0942	TW4-11	65.93				
	0918	TW4-12	35.14				
	0915	TW4-13	50.47				
	0911	TW4-14	90.98				
	0946	TW4-15	81.89				
	0950	TW4-16	66.47				
	0953	TW4-17	78.37				
	1008	TW4-18	55.69				
	1018	TW4-19	90.83				
	0958	TW4-20	78.68				
	1013	TW4-21	61.42				
	1003	TW4-22	54.59 *				

\* Possible instrument Error

838.45 mm Hg

Depth to Water

Date	Depth to Water						
	Time	Well	Depth		Flow		Time
1/8/07							
	0903	MW-4	78.80		Meter 082292		
					Flow 5.7gpm		
	0908	TW415	91.13		Meter 002222		
					Flow		
						Changed meter on 1-9-07	
	1053	TW419	91.38		Meter 239105		
					Flow		
	0918	TW420	79.60		Meter 016933		
					Flow		

497894

834.88 mm Hg

Depth to Water

Date	Depth to Water						
	Time	Well	Depth		Flow		Time
1/15/07							
	1020	MW4	79.48		Meter	0830180	
					Flow		
	1025	TW415	73.58		Meter	0002200	
					Flow		
	<del>1358</del> <del>758</del>	TW419	88.65		Meter	2449460	
					Flow		
	1033	TW420	88.33		Meter	0175660	
					Flow		

MSW 2000 Form #0 with 10' Bar. Inc. 2/1/08

503341

831.85 mmHg

Date	Depth to Water						
	Time		Time		Time		Time
1/22/06							
	0912	MW4	77.86			Flow	71.98
						Meter	11836120
	0918	TW4-15	90.32			Flow	69.15
						Meter	0002210
							changed out water meter. 1/24/06
							over
	1038	TW4-19	84.89			Flow	<del>83.63</del>
						Meter	<del>0181900</del> 5498290 -CO
	0925	TW4-20	83.28			Flow	83.63
						Meter	0181900

831.85 mmHg

Date	Depth to Water						
	Time		Time		Time		Time
1/29/07							
	9:30	M TW-4	67.41				Flow Meter 0836120
	9:36	TW-15	68.28				Flow Meter over →
	10:23	TW-4-19	91.12				Flow Meter 2562200
	9:41	TW4-20	87.35				Flow Meter 0187600

837.94

Date	Depth to Water						
	Time		Time		Time		Time
2/5/07							
	1105	MW-4	72.78				Flow Meter 0842260
	1109	TW4-15	70.58				Flow Meter out of service
	1202	TW4-19	90.38				Flow Meter 2610250
	1114	TW4-20	81.48				Flow Meter 0194000
	Changed meter on TW4-19 on 2-16-07						
	Turned TW4-15 back on 2-13-07						

618.74

Date	Depth to Water						
	Time		Time		Time		Time
2/12/07	1242	MW-4	74.88				Flow Meter 0848560
	1248	TW4-15	72.13				Flow Meter <del>0848560</del> Out of Service
	1415	TW4-19	82.19				Flow Meter 2613430
	1948	TW4-20	81.83				Flow Meter 0200700
		4-15	turned <del>to</del>	back on	Tuesday	13th	-

531518



619.93

2/19/07

Date	Depth to Water						
	Time		Time		Time		Time
2/19/07	0953	MW-4	75.10				Flow Meter 0855590
	1000	TW4-15	83.78				Flow Meter 0000080
	1145	TW4-19	82.18				Flow Meter 0033470
	1120	TW4-19	80.43				Flow Meter 0208510

539823

616.45 minhg

Depth to Water

Date	Depth to Water						
	Time		Time		Time		Time
2/26/07	1039	MW-4	74.58				Flow Meter 0862730
2/26/07	1045	TW415	73.59				Flow Meter 0100000 New Meter
2/26/07	<del>1047</del>	TW419	86.28				Flow Meter 0093800
2/26/07	1047	TW420	81.03				Flow Meter 0216070

mmhg 616.39

Date	Depth to Water						
	Time		Time		Time		Time
2/27/07	↓		Well		Depth		
	0725		MW-4		76.43		
	0703		TW4-A		77.01	Tied With MW-4	
	1448		TW4-1		64.23		
	1524		TW4-2		71.83		
	0921		TW4-3		48.88		
	1506		TW4-4		66.81		
	1252		TW4-5		54.89		
	1238		TW4-6		74.69		
	1429		TW4-7		70.63		
	1038		TW4-8		70.29		
	1033		TW4-9		52.92		
	1806		TW4-10		55.81		
	1546		TW4-11		65.70		
	0843		TW4-12		35.38		
	0809		TW4-13		48.86		
	0758		TW4-14		90.53		
	0803		TW4-15		83.01		
	1205		TW4-16		66.68		
	0948		TW4-17		78.43		
	1105		TW4-18		55.45		
	0703		TW4-19		87.80		
	0713		TW4-20		80.28		
	1319		TW4-21		59.82		
	1343		TW4-22		<del>37.57</del>	CO	

57.76

627.88 mmHg

Date	Depth to Water							
	Time		Time		Time		Time	
3-5-07	1053	MW-4	75.16				Flow Meter 0870910	
	1057	TW415	72.72				Flow Meter Meter Stopped	
	1538	TW419	88.82				Flow Meter 0161300	
	1104	TW420	85.91				Flow Meter 0223130	
		Meter changed out on 3-6-07						

551858

625.602 mmhg.

Date	Depth to Water						
	Time		Time		Time		Time
3/12/07		MW-4	75.15	<del>77.87</del>			Flow 0876870 Meter Not Running
		TW4-15	74.88				Flow 0003150 Meter Not Running
		TW4-19	89.56				Flow 02.12080 Meter 5.89/m
		TW4-20	81.37				Flow 230020 Meter Not Running

Water Meter: 561360 @ 0950

mmhg 616.45

Date	Depth to Water							
	Time		Time		Time		Time	
3/21/07	0750	MW-4	71.43				Flow	4.30gpm
							Meter	0886170
	0808	TW4-15	78.03				Flow	2.30gpm
							Meter	New- Change out
	1233	TW4-19	89.51				Flow	5.80gpm
							Meter	0288160
	0803	TW4-20	92.93				Flow	5.90gpm
							Meter	0238800

Water Meter: 583768 @ 0818

mmhg 616.45

Date	Depth to Water						
	Time		Time		Time		Time
3/21/07	0750		Well MW-4		depth 71.43		4.30 gpm
	0849		TW4-A		71.48		
	0848		TW4-1		64.49		
	0825		TW4-2		71.35		
	0821		TW4-3		49.18		
	0851		TW4-4		66.67		
	0815		TW4-5		55.38		
	0853		TW4-6		74.79		
	0830		TW4-7		71.25		
	0838		TW4-8		70.78		
	0818		TW4-9		53.33		
	0813		TW4-10	<del>██████</del>	56.18		
	0938		TW4-11		65.90		
	0903		TW4-12		35.40		
	0906		TW4-13		50.46		
	0909		TW4-14		90.53		
	0808		TW4-15		78.03	2.30 gpm	slow
	0943		TW4-16		67.70		
	0935		TW4-17		78.65		
	10.47		TW4-18		55.98		
	1233		TW4-19		89.51	5.80 gpm	
	0803		TW4-20	●	92.93	5.90 gpm	
	1038		TW4-21		61.30		
	0922		TW4-22		58.08		

On my way to MW4- noticed Cap was off

TW4-11.

mmhg 621.03

Date	Depth to Water						
	Time		Time		Time		Time
3/26/07							
	1010	MW4	75.98			Flow	4.3gpm
						Meter	0891130
	1028	MW4-15	97.98			Flow	Not running
						Meter	0000080
	0950	MW4-19	83.89			Flow	5.8gpm
						Meter	0327770
	1043	MW4-20	72.68			Flow	6.0gpm
						Meter	0008880

592783



mm hg 616.45


Date	Depth to Water						
	Time	Well	Time		Time		Time
3/21/09							
	1154	MW20	79.38				
	1139	MW22	67.95				
	1109	P-1	65.40				
	1108	P-2	14.30				
	1100	P-3	31.66				
	0917	P-4	51.90				
	0921	P-5	46.47				

PROPERTY  
BOUNDARY

WESTWATER CREEK


US 191  
TO BLANDING

US 191  
TO WHITE MESA



**EXPLANATION**


- MW-20 ● 5461 perched monitoring well showing elevation in feet amsl
- 5551 temporary perched monitoring well showing elevation in feet amsl
- PIEZ-1 ● 5590 perched piezometer showing elevation in feet amsl
- MW-31 ● 5544 perched monitoring well installed April, 2005 showing elevation in feet amsl
- ◆ 5571 temporary perched monitoring well installed April, 2005 showing elevation in feet amsl






**HYDRO  
GEO  
CHEM, INC.**

**KRIGED 1st QUARTER, 2007 WATER LEVELS  
WHITE MESA SITE**

APPROVED	DATE	REFERENCE	FIGURE
		H:/718000/mar07/wl0307.srf	



**EXPLANATION**

-  estimated capture zone boundary stream tubes resulting from pumping
-  TW4-4 5547 temporary perched monitoring well showing elevation in feet amsl
-  MW-32 5546 perched monitoring well showing elevation in feet amsl


NOTE: MW-4, MW-26, TW4-19, AND TW4-20 ARE PUMPING WELLS



**HYDRO  
GEO  
CHEM, INC.**


**KRIGED 1st QUARTER, 2007 WATER LEVELS  
AND ESTIMATED CAPTURE ZONES  
WHITE MESA SITE  
(detail map)**

APPROVED	DATE	REFERENCE	FIGURE
		H:/718000/mar07/wl0307cz.srf	



**EXPLANATION**

- MW-20 ● 5461 perched monitoring well showing elevation in feet amsl
- 5551 temporary perched monitoring well showing elevation in feet amsl
- PIEZ-1 ● 5589 perched piezometer showing elevation in feet amsl
- MW-31 ◆ 5544 perched monitoring well installed April, 2005 showing elevation in feet amsl
- ◆ 5571 temporary perched monitoring well installed April, 2005 showing elevation in feet amsl



**HYDRO  
GEO  
CHEM, INC.**

**KRIGED 4th QUARTER, 2006 WATER LEVELS  
DUSA WHITE MESA**


APPROVED	DATE	REFERENCE	FIGURE
		H:/718000/dec06/w1206.srf	

# White Mesa Monitor Well 4 Depth Over Time


Date



# White Mesa Temporary Well (4-A) Over Time




# White Mesa Mill Temporary Well (4-2) Water Level Over Time




# White Mesa Mill Temporary Well (4-3) Water Level Over Time

Date of Measurement







# White Mesa Mill Temporary Well (4-4) Water Level Over Time




# White Mesa Mill Temporary Well (4-5) Water Level Over Time




# White Mesa Mill Temporary Well (4-6) Water Level Over Time




# White Mesa Mill Temporary Well (4-7) Water Level Over Time



# White Mesa Mill Temporary Well (4-8) Water Level Over Time




# White Mesa Temporary Well (4-9) Over Time




# White Mesa Temporary Well (4-10) Over Time

Date Of Measurement




# White Mesa Temporary Well (4-11) Over Time

Date Of Measurement







# White Mesa Temporary Well (4-12) Over Time




# White Mesa Temporary Well (4-13) Over Time




# White Mesa Temporary Well (4-14) Over Time




# White Mesa Temporary Well (4-15) (MW-26) Over Time




# White Mesa Temporary Well (4-16) Over Time




# White Mesa Temporary Well (4-17) (MW-32) Over Time



# White Mesa Temporary Well (4-18) Over Time




# White Mesa Temporary Well (4-19) Over Time







# White Mesa Temporary Well (4-20) Over Time



# White Mesa Temporary Well (4-21) Over Time



# White Mesa Temporary Well (4-22) Over Time



**Water Levels and Data over Time**  
**White Mesa Mill - Well MW4**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,620.77	5,622.33	1.56				123.6
5,527.63				9/25/1979	94.70	93.14	
5,527.63				10/10/1979	94.70	93.14	
5,528.43				1/10/1980	93.90	92.34	
5,529.93				3/20/1980	92.40	90.84	
5,528.03				6/17/1980	94.30	92.74	
5,528.03				9/15/1980	94.30	92.74	
5,527.93				10/8/1980	94.40	92.84	
5,527.93				2/12/1981	94.40	92.84	
5,525.93				9/1/1984	96.40	94.84	
5,528.33				12/1/1984	94.00	92.44	
5,528.13				2/1/1985	94.20	92.64	
5,528.33				6/1/1985	94.00	92.44	
5,528.93				9/1/1985	93.40	91.84	
5,528.93				10/1/1985	93.40	91.84	
5,528.93				11/1/1985	93.40	91.84	
5,528.83				12/1/1985	93.50	91.94	
5,512.33				3/1/1986	110.00	108.44	
5,528.91				6/19/1986	93.42	91.86	
5,528.83				9/1/1986	93.50	91.94	
5,529.16				12/1/1986	93.17	91.61	
5,526.66				2/20/1987	95.67	94.11	
5,529.16				4/28/1987	93.17	91.61	
5,529.08				8/14/1987	93.25	91.69	
5,529.00				11/20/1987	93.33	91.77	
5,528.75				1/26/1988	93.58	92.02	
5,528.91				6/1/1988	93.42	91.86	
5,528.25				8/23/1988	94.08	92.52	
5,529.00				11/2/1988	93.33	91.77	
5,528.33				3/9/1989	94.00	92.44	
5,529.10				6/21/1989	93.23	91.67	
5,529.06				9/1/1989	93.27	91.71	
5,529.21				11/15/1989	93.12	91.56	
5,529.22				2/16/1990	93.11	91.55	
5,529.43				5/8/1990	92.90	91.34	
5,529.40				8/7/1990	92.93	91.37	
5,529.53				11/13/1990	92.80	91.24	
5,529.86				2/27/1991	92.47	90.91	
5,529.91				5/21/1991	92.42	90.86	
5,529.77				8/27/1991	92.56	91.00	
5,529.79				12/3/1991	92.54	90.98	
5,530.13				3/17/1992	92.20	90.64	
5,529.85				6/11/1992	92.48	90.92	
5,529.90				9/13/1992	92.43	90.87	

**Water Levels and Data over Time**  
**White Mesa Mill - Well MW4**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,620.77	5,622.33	1.56				123.6
5,529.92				12/9/1992	92.41	90.85	
5,530.25				3/24/1993	92.08	90.52	
5,530.20				6/8/1993	92.13	90.57	
5,530.19				9/22/1993	92.14	90.58	
5,529.75				12/14/1993	92.58	91.02	
5,530.98				3/24/1994	91.35	89.79	
5,531.35				6/15/1994	90.98	89.42	
5,531.62				8/18/1994	90.71	89.15	
5,532.58				12/13/1994	89.75	88.19	
5,533.42				3/16/1995	88.91	87.35	
5,534.70				6/27/1995	87.63	86.07	
5,535.44				9/20/1995	86.89	85.33	
5,537.16				12/11/1995	85.17	83.61	
5,538.37				3/28/1996	83.96	82.40	
5,539.10				6/7/1996	83.23	81.67	
5,539.13				9/16/1996	83.20	81.64	
5,542.29				3/20/1997	80.04	78.48	
5,551.58				4/7/1999	70.75	69.19	
5,552.08				5/11/1999	70.25	68.69	
5,552.83				7/6/1999	69.50	67.94	
5,553.47				9/28/1999	68.86	67.30	
5,554.63				1/3/2000	67.70	66.14	
5,555.13				4/4/2000	67.20	65.64	
5,555.73				5/2/2000	66.60	65.04	
5,556.03				5/11/2000	66.30	64.74	
5,555.73				5/15/2000	66.60	65.04	
5,555.98				5/25/2000	66.35	64.79	
5,556.05				6/9/2000	66.28	64.72	
5,556.18				6/16/2000	66.15	64.59	
5,556.05				6/26/2000	66.28	64.72	
5,556.15				7/6/2000	66.18	64.62	
5,556.18				7/13/2000	66.15	64.59	
5,556.17				7/18/2000	66.16	64.60	
5,556.26				7/25/2000	66.07	64.51	
5,556.35				8/2/2000	65.98	64.42	
5,556.38				8/9/2000	65.95	64.39	
5,556.39				8/15/2000	65.94	64.38	
5,556.57				8/31/2000	65.76	64.20	
5,556.68				9/8/2000	65.65	64.09	
5,556.73				9/13/2000	65.60	64.04	
5,556.82				9/20/2000	65.51	63.95	
5,556.84				9/29/2000	65.49	63.93	
5,556.81				10/5/2000	65.52	63.96	

**Water Levels and Data over Time**  
**White Mesa Mill - Well MW4**

Water Elevation (WL)	Land Surface (LSD)	Measuring		Date Of Monitoring	Total or	Total	Total Depth Of Well
		Point Elevation (MP)	Length Of Riser (L)		Measured Depth to Water (blw.MP)	Depth to Water (blw.LSD)	
	5,620.77	5,622.33	1.56				123.6
5,556.89				10/12/2000	65.44	63.88	
5,556.98				10/19/2000	65.35	63.79	
5,557.01				10/23/2000	65.32	63.76	
5,557.14				11/9/2000	65.19	63.63	
5,557.17				11/14/2000	65.16	63.60	
5,556.95				11/21/2000	65.38	63.82	
5,557.08				11/30/2000	65.25	63.69	
5,557.55				12/7/2000	64.78	63.22	
5,557.66				1/14/2001	64.67	63.11	
5,557.78				2/9/2001	64.55	62.99	
5,558.28				3/29/2001	64.05	62.49	
5,558.23				4/30/2001	64.10	62.54	
5,558.31				5/31/2001	64.02	62.46	
5,558.49				6/22/2001	63.84	62.28	
5,558.66				7/10/2001	63.67	62.11	
5,559.01				8/20/2001	63.32	61.76	
5,559.24				9/19/2001	63.09	61.53	
5,559.26				10/2/2001	63.07	61.51	
5,559.27				11/8/2001	63.06	61.50	
5,559.77				12/3/2001	62.56	61.00	
5,559.78				1/3/2002	62.55	60.99	
5,559.96				2/6/2002	62.37	60.81	
5,560.16				3/26/2002	62.17	60.61	
5,560.28				4/9/2002	62.05	60.49	
5,560.76				5/23/2002	61.57	60.01	
5,560.58				6/5/2002	61.75	60.19	
5,560.43				7/8/2002	61.90	60.34	
5,560.44				8/23/2002	61.89	60.33	
5,560.71				9/11/2002	61.62	60.06	
5,560.89				10/23/2002	61.44	59.88	
5,557.86				11/22/2002	64.47	62.91	
5,561.10				12/3/2002	61.23	59.67	
5,561.39				1/9/2003	60.94	59.38	
5,561.41				2/12/2003	60.92	59.36	
5,561.93				3/26/2003	60.40	58.84	
5,561.85				4/2/2003	60.48	58.92	
5,536.62				5/1/2003	85.71	84.15	
5,528.56				6/9/2003	93.77	92.21	
5,535.28				7/7/2003	87.05	85.49	
5,534.44				8/4/2003	87.89	86.33	
5,537.10				9/11/2003	85.23	83.67	
5,539.96				10/2/2003	82.37	80.81	
5,535.91				11/7/2003	86.42	84.86	

**Water Levels and Data over Time  
White Mesa Mill - Well MW4**

<b>Water Elevation (WL)</b>	<b>Land Surface (LSD)</b>	<b>Measuring Point Elevation (MP)</b>	<b>Length Of Riser (L)</b>	<b>Date Of Monitoring</b>	<b>Total or Measured Depth to Water (blw.MP)</b>	<b>Total Depth to Water (blw.LSD)</b>	<b>Total Depth Of Well</b>
	5,620.77	5,622.33	1.56				123.6
5,550.70				12/3/2003	71.63	70.07	
5,557.58				1/15/2004	64.75	63.19	
5,558.80				2/10/2004	63.53	61.97	
5,560.08				3/28/2004	62.25	60.69	
5,560.55				4/12/2004	61.78	60.22	
5,561.06				5/13/2004	61.27	59.71	
5,561.48				6/18/2004	60.85	59.29	
5,561.86				7/28/2004	60.47	58.91	
5,529.17				8/30/2004	93.16	91.60	
5,536.55				9/16/2004	85.78	84.22	
5,529.00				10/11/2004	93.33	91.77	
5,541.55				11/16/2004	80.78	79.22	
5,541.12				12/22/2004	81.21	79.65	
5,540.59				1/18/2005	81.74	80.18	
5,542.85				2/28/2005	79.48	77.92	
5,537.91				3/15/2005	84.42	82.86	
5,548.67				4/26/2005	73.66	72.10	
5,549.53				5/24/2005	72.80	71.24	
5,544.36				6/30/2005	77.97	76.41	
5,545.16				07/29/05	77.17	75.61	
5,544.67				09/12/05	77.66	76.10	
5,541.28				09/27/05	81.05	79.49	
5,536.96				12/7/2005	85.37	83.81	
5,546.49				3/8/2006	75.84	74.28	
5,546.15				6/13/2006	76.18	74.62	
5,545.15				7/18/2006	77.18	75.62	
5,545.91				11/17/206	76.42	74.86	
5,545.90				2/27/2007	76.43	74.87	

**Water Levels and Data over Time**  
**White Mesa Mill - Well MW-4A**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,620.51	5,622.31	1.80				121.33
5,560.53				8/23/2002	61.78	59.98	
5,560.76				9/11/2002	61.55	59.75	
5,560.96				10/23/2002	61.35	59.55	
5,561.00				11/22/2002	61.31	59.51	
5,561.19				12/3/2002	61.12	59.32	
5,561.46				1/9/2003	60.85	59.05	
5,561.48				2/12/2003	60.83	59.03	
5,561.96				3/26/2003	60.35	58.55	
5,561.94				4/2/2003	60.37	58.57	
5,536.88				5/1/2003	85.43	83.63	
5,529.35				6/9/2003	92.96	91.16	
5,535.54				7/7/2003	86.77	84.97	
5,534.74				8/4/2003	87.57	85.77	
5,536.74				9/11/2003	85.57	83.77	
5,540.24				10/2/2003	82.07	80.27	
5,536.13				11/7/2003	86.18	84.38	
5,550.77				12/3/2003	71.54	69.74	
5,557.67				1/15/2004	64.64	62.84	
5,558.87				2/10/2004	63.44	61.64	
5,560.16				3/28/2004	62.15	60.35	
5,560.63				4/12/2004	61.68	59.88	
5,561.14				5/13/2004	61.17	59.37	
5,561.56				6/18/2004	60.75	58.95	
5,561.95				7/28/2004	60.36	58.56	
5,529.25				8/30/2004	93.06	91.26	
5,536.63				9/16/2004	85.68	83.88	
5,529.08				10/11/2004	93.23	91.43	
5,541.63				11/16/2004	80.68	78.88	
5,541.20				12/22/2004	81.11	79.31	
5,540.67				1/18/2005	81.64	79.84	
5,543.45				2/28/2005	78.86	77.06	
5,537.99				3/15/2005	84.32	82.52	
5,549.27				4/26/2005	73.04	71.24	
5,545.08				5/24/2005	77.23	75.43	
5,544.94				6/30/2005	77.37	75.57	
5,544.71				07/29/05	77.60	75.80	
5,545.23				09/12/05	77.08	75.28	
5,545.00				09/27/05	77.31	75.51	
5,537.45				12/7/2005	84.86	83.06	
5,546.86				3/8/2006	75.45	73.65	
5,546.66				6/13/2006	75.65	73.85	
5,545.63				7/18/2006	76.68	74.88	
5,546.18				11/7/2006	76.13	74.33	



5,545.30

2/27/2007 77.01 75.21

**Water Levels and Data over Time  
White Mesa Mill - Well TW4-2**

<b>Water Elevation (z)</b>	<b>Land Surface (LSD)</b>	<b>Measuring Point Elevation (MP)</b>	<b>Length Of Riser (L)</b>	<b>Date Of Monitoring</b>	<b>Total or Measured Depth to Water (blw.MP)</b>	<b>Total Depth to Water (blw.LSD)</b>	<b>Total Depth Of Well</b>
	5,623.10	5,625.00	1.90				121.125
5,548.85				11/8/1999	76.15	74.25	
5,548.85				11/9/1999	76.15	74.25	
5,548.60				1/2/2000	76.40	74.50	
5,548.80				1/10/2000	76.20	74.30	
5,548.60				1/17/2000	76.40	74.50	
5,549.00				1/24/2000	76.00	74.10	
5,548.90				2/1/2000	76.10	74.20	
5,548.90				2/7/2000	76.10	74.20	
5,549.30				2/14/2000	75.70	73.80	
5,549.40				2/23/2000	75.60	73.70	
5,549.50				3/1/2000	75.50	73.60	
5,549.60				3/8/2000	75.40	73.50	
5,549.50				3/15/2000	75.50	73.60	
5,550.20				3/20/2000	74.80	72.90	
5,550.00				3/29/2000	75.00	73.10	
5,549.70				4/4/2000	75.30	73.40	
5,549.80				4/13/2000	75.20	73.30	
5,550.00				4/21/2000	75.00	73.10	
5,550.10				4/28/2000	74.90	73.00	
5,550.10				5/1/2000	74.90	73.00	
5,550.40				5/11/2000	74.60	72.70	
5,550.10				5/15/2000	74.90	73.00	
5,550.40				5/25/2000	74.60	72.70	
5,550.40				6/9/2000	74.60	72.70	
5,550.50				6/16/2000	74.50	72.60	
5,550.35				6/26/2000	74.65	72.75	
5,550.45				7/6/2000	74.55	72.65	
5,550.45				7/13/2000	74.55	72.65	
5,550.46				7/18/2000	74.54	72.64	
5,550.61				7/27/2000	74.39	72.49	
5,550.66				8/2/2000	74.34	72.44	
5,550.68				8/9/2000	74.32	72.42	
5,550.70				8/15/2000	74.30	72.40	
5,550.82				8/31/2000	74.18	72.28	
5,551.15				9/8/2000	73.85	71.95	
5,551.25				9/13/2000	73.75	71.85	
5,551.32				9/20/2000	73.68	71.78	
5,546.11				10/5/2000	78.89	76.99	
5,546.75				11/9/2000	78.25	76.35	
5,547.16				12/6/2000	77.84	75.94	
5,552.46				1/26/2001	72.54	70.64	
5,552.48				2/2/2001	72.52	70.62	
5,551.38				3/29/2001	73.62	71.72	


5,551.87	4/30/2001	73.13	71.23
5,552.31	5/31/2001	72.69	70.79
5,552.61	6/21/2001	72.39	70.49
5,552.92	7/10/2001	72.08	70.18
5,553.60	8/20/2001	71.40	69.50
5,554.01	9/19/2001	70.99	69.09
5,554.26	10/2/2001	70.74	68.84
5,554.42	11/08/01	70.58	68.68
5,555.07	12/03/01	69.93	68.03
5,555.02	01/03/02	69.98	68.08
5,555.19	02/06/02	69.81	67.91
5,555.43	03/26/02	69.57	67.67
5,555.67	04/09/02	69.33	67.43
5,556.01	05/23/02	68.99	67.09
5,556.07	06/05/02	68.93	67.03
5,556.19	07/08/02	68.81	66.91
5,556.32	08/23/02	68.68	66.78
5,556.53	09/11/02	68.47	66.57
5,557.00	10/23/02	68.00	66.10
5,556.70	11/22/02	68.30	66.40
5,557.29	12/03/02	67.71	65.81
5,557.48	01/09/03	67.52	65.62
5,557.63	02/12/03	67.37	65.47
5,558.11	03/26/03	66.89	64.99
5,558.15	04/02/03	66.85	64.95
5,553.99	05/01/03	71.01	69.11
5,549.26	06/09/03	75.74	73.84
5,548.42	07/07/03	76.58	74.68
5,548.03	08/04/03	76.97	75.07
5,547.50	09/11/03	77.50	75.60
5,547.96	10/02/03	77.04	75.14
5,547.80	11/07/03	77.20	75.30
5,548.57	12/03/03	76.43	74.53
5,554.28	01/15/04	70.72	68.82
5,555.74	02/10/04	69.26	67.36
5,557.18	03/28/04	67.82	65.92
5,557.77	04/12/04	67.23	65.33
5,558.35	05/13/04	66.65	64.75
5,558.47	06/18/04	66.53	64.63
5,559.28	07/28/04	65.72	63.82
5,554.54	08/30/04	70.46	68.56
5,552.25	09/16/04	72.75	70.85
5,549.93	10/11/04	75.07	73.17
5,550.17	11/16/04	74.83	72.93
5,550.65	12/22/04	74.35	72.45
5,550.23	01/18/05	74.77	72.87
5,550.37	02/28/05	74.63	72.73
5,550.41	03/15/05	74.59	72.69
5,550.46	04/26/05	74.54	72.64
5,550.60	05/24/05	74.40	72.50
5,550.49	06/30/05	74.51	72.61
5,550.39	07/29/05	74.61	72.71

5,550.61  
5,550.57  
5,551.58  
5,551.70  
5,550.80  
5550.80  
5553.17

\*

09/12/05	74.39	72.49
12/07/05	74.43	72.53
03/08/06	73.42	71.52
06/14/06	73.3	71.40
07/18/06	74.20	72.30
11/07/06	74.20	72.30
2/27/2007	71.83	69.93

# White Mesa Mill Temporary Well (4-1) Water Level Over Time



**Water Levels and Data over Time**  
**White Mesa Mill - Well TW4-1**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
z	5,620.77	5,622.33	1.02				111.04
5,540.98				11/8/1999	81.35	80.33	
5,541.13				11/9/1999	81.20	80.18	
5,541.23				1/2/2000	81.10	80.08	
5,541.23				1/10/2000	81.10	80.08	
5,540.98				1/17/2000	81.35	80.33	
5,541.03				1/24/2000	81.30	80.28	
5,541.03				2/1/2000	81.30	80.28	
5,540.93				2/7/2000	81.40	80.38	
5,541.23				2/14/2000	81.10	80.08	
5,541.23				2/23/2000	81.10	80.08	
5,541.33				3/1/2000	81.00	79.98	
5,541.43				3/8/2000	80.90	79.88	
5,541.73				3/15/2000	80.60	79.58	
5,541.43				3/20/2000	80.90	79.88	
5,541.43				3/29/2000	80.90	79.88	
5,541.18				4/4/2000	81.15	80.13	
5,540.93				4/13/2000	81.40	80.38	
5,541.23				4/21/2000	81.10	80.08	
5,541.43				4/28/2000	80.90	79.88	
5,541.33				5/1/2000	81.00	79.98	
5,541.63				5/11/2000	80.70	79.68	
5,541.33				5/15/2000	81.00	79.98	
5,541.63				5/25/2000	80.70	79.68	
5,541.63				6/9/2000	80.70	79.68	
5,541.65				6/16/2000	80.68	79.66	
5,541.63				6/26/2000	80.70	79.68	
5,541.85				7/6/2000	80.48	79.46	
5,541.79				7/13/2000	80.54	79.52	
5,541.91				7/18/2000	80.42	79.40	
5,542.17				7/27/2000	80.16	79.14	
5,542.31				8/2/2000	80.02	79.00	
5,542.43				8/9/2000	79.90	78.88	
5,542.41				8/15/2000	79.92	78.90	
5,542.08				8/31/2000	80.25	79.23	
5,542.93				9/1/2000	79.40	78.38	
5,542.87				9/8/2000	79.46	78.44	
5,543.09				9/13/2000	79.24	78.22	
5,543.25				9/20/2000	79.08	78.06	
5,543.44				10/5/2000	78.89	77.87	
5,544.08				11/9/2000	78.25	77.23	
5,544.49				12/6/2000	77.84	76.82	
5,546.14				1/14/2001	76.19	75.17	
5,547.44				2/2/2001	74.89	73.87	

5,548.71	3/29/2001	73.62	72.60
5,549.20	4/30/2001	73.13	72.11
5,549.64	5/31/2001	72.69	71.67
5,549.94	6/22/2001	72.39	71.37
5,550.25	7/10/2001	72.08	71.06
5,550.93	8/10/2001	71.40	70.38
5,551.34	9/19/2001	70.99	69.97
5,551.59	10/2/2001	70.74	69.72
5,549.64	5/31/2001	72.69	71.67
5,549.94	6/21/2001	72.39	71.37
5,550.25	7/10/2001	72.08	71.06
5,550.93	8/20/2001	71.40	70.38
5,551.34	9/19/2001	70.99	69.97
5,551.59	10/2/2001	70.74	69.72
5,551.87	11/8/2001	70.46	69.44
5,552.40	12/3/2001	69.93	68.91
5,552.62	1/3/2002	69.71	68.69
5,553.12	2/6/2002	69.21	68.19
5,553.75	3/26/2002	68.58	67.56
5,553.97	4/9/2002	68.36	67.34
5,554.56	5/23/2002	67.77	66.75
5,554.54	6/5/2002	67.79	66.77
5,554.83	7/8/2002	67.50	66.48
5,555.29	8/23/2002	67.04	66.02
5,555.54	9/11/2002	66.79	65.77
5,555.94	10/23/2002	66.39	65.37
5,556.02	11/22/2002	66.31	65.29
5,556.23	12/3/2002	66.10	65.08
5,556.49	1/9/2003	65.84	64.82
5,556.67	2/12/2003	65.66	64.64
5,557.15	3/26/2003	65.18	64.16
5,557.23	4/2/2003	65.10	64.08
5,556.07	5/1/2003	66.26	65.24
5,554.28	6/9/2003	68.05	67.03
5,553.84	7/7/2003	68.49	67.47
5,553.39	8/4/2003	68.94	67.92
5,553.06	9/11/2003	69.27	68.25
5,553.33	10/2/2003	69.00	67.98
5,553.25	11/7/2003	69.08	68.06
5,553.82	12/3/2003	68.51	67.49
5,555.61	1/15/2004	66.72	65.70
5,556.32	2/10/2004	66.01	64.99
5,557.38	3/28/2004	64.95	63.93
5,557.79	4/12/2004	64.54	63.52
5,558.35	5/13/2004	63.98	62.96
5,560.03	6/18/2004	62.30	61.28
5,560.36	7/28/2004	61.97	60.95
5,557.96	8/30/2004	64.37	63.35
5,557.24	9/16/2004	65.09	64.07
5,556.28	10/11/2004	66.05	65.03
5,556.17	11/16/2004	66.16	65.14
5,556.21	12/22/2004	66.12	65.10

5,555.82	1/18/2005	66.51	65.49
5,555.96	2/28/2005	66.37	65.35
5,556.01	3/15/2005	66.32	65.30
5,556.05	4/26/2005	66.28	65.26
5,556.00	5/24/2005	66.33	65.31
5,555.97	6/30/2005	66.36	65.34
5,555.90	7/29/05	66.43	65.41
5,556.22	9/12/05	66.11	65.09
5,556.25	12/7/2005	66.08	65.06
5,556.71	3/8/2006	65.62	64.60
5,556.98	6/14/2006	65.35	64.33
5,560.95	7/18/2006	61.38	60.36
5,557.07	11/7/2006	65.26	64.24
5,558.10	2/27/2007	64.23	63.21



**Water Levels and Data over Time**  
**White Mesa Mill - Well TW4-3**

Water Elevation (z)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,631.21	5,632.23	1.02				141
5,565.78				11/29/1999	66.45	65.43	
5,566.93				1/2/2000	65.30	64.28	
5,567.03				1/10/2000	65.20	64.18	
5,566.83				1/17/2000	65.40	64.38	
5,567.13				1/24/2000	65.10	64.08	
5,567.33				2/1/2000	64.90	63.88	
5,567.13				2/7/2000	65.10	64.08	
5,567.43				2/14/2000	64.80	63.78	
5,567.63				2/23/2000	64.60	63.58	
5,567.73				3/1/2000	64.50	63.48	
5,567.83				3/8/2000	64.40	63.38	
5,567.70				3/15/2000	64.53	63.51	
5,568.03				3/20/2000	64.20	63.18	
5,567.93				3/29/2000	64.30	63.28	
5,567.63				4/4/2000	64.60	63.58	
5,567.83				4/13/2000	64.40	63.38	
5,568.03				4/21/2000	64.20	63.18	
5,568.23				4/28/2000	64.00	62.98	
5,568.13				5/1/2000	64.10	63.08	
5,568.53				5/11/2000	63.70	62.68	
5,568.23				5/15/2000	64.00	62.98	
5,568.53				5/25/2000	63.70	62.68	
5,568.61				6/9/2000	63.62	62.60	
5,568.69				6/16/2000	63.54	62.52	
5,568.45				6/26/2000	63.78	62.76	
5,568.61				7/6/2000	63.62	62.60	
5,568.61				7/6/2000	63.62	62.60	
5,568.49				7/13/2000	63.74	62.72	
5,568.55				7/18/2000	63.68	62.66	
5,568.65				7/27/2000	63.58	62.56	
5,568.73				8/2/2000	63.50	62.48	
5,568.77				8/9/2000	63.46	62.44	
5,568.76				8/16/2000	63.47	62.45	
5,568.95				8/31/2000	63.28	62.26	
5,568.49				9/8/2000	63.74	62.72	
5,568.67				9/13/2000	63.56	62.54	
5,568.96				9/20/2000	63.27	62.25	
5,568.93				10/5/2000	63.3	62.28	
5,569.34				11/9/2000	62.89	61.87	
5,568.79				12/6/2000	63.44	62.42	
5,569.11				1/3/2001	63.12	62.10	
5,569.75				2/9/2001	62.48	61.46	
5,570.34				3/28/2001	61.89	60.87	

5,570.61	4/30/2001	61.62	60.60
5,570.70	5/31/2001	61.53	60.51
5,570.88	6/21/2001	61.35	60.33
5,571.02	7/10/2001	61.21	60.19
5,571.70	8/20/2001	60.53	59.51
5,572.12	9/19/2001	60.11	59.09
5,572.08	10/2/2001	60.15	59.13
5,570.70	5/31/2001	61.53	60.51
5,570.88	6/21/2001	61.35	60.33
5,571.02	7/10/2001	61.21	60.19
5,571.70	8/20/2001	60.53	59.51
5,572.12	9/19/2001	60.11	59.09
5,572.08	10/2/2001	60.15	59.13
5,572.78	11/8/2001	59.45	58.43
5,573.27	12/3/2001	58.96	57.94
5,573.47	1/3/2002	58.76	57.74
5,573.93	2/6/2002	58.30	57.28
5,574.75	3/26/2002	57.48	56.46
5,574.26	4/9/2002	57.97	56.95
5,575.39	5/23/2002	56.84	55.82
5,574.84	6/5/2002	57.39	56.37
5,575.33	7/8/2002	56.90	55.88
5,575.79	8/23/2002	56.44	55.42
5,576.08	9/11/2002	56.15	55.13
5,576.30	10/23/2002	55.93	54.91
5,576.35	11/22/2002	55.88	54.86
5,576.54	12/3/2002	55.69	54.67
5,576.96	1/9/2003	55.27	54.25
5,577.11	2/12/2003	55.12	54.10
5,577.61	3/26/2003	54.62	53.60
5,572.80	4/2/2003	59.43	58.41
5,577.89	5/1/2003	54.34	53.32
5,577.91	6/9/2003	54.32	53.30
5,577.53	7/7/2003	54.70	53.68
5,577.50	8/4/2003	54.73	53.71
5,577.71	9/11/2003	54.52	53.50
5,577.31	10/2/2003	54.92	53.90
5,577.33	11/7/2003	54.90	53.88
5,577.34	12/3/2003	54.89	53.87
5,578.24	1/15/2004	53.99	52.97
5,578.38	2/10/2004	53.85	52.83
5,578.69	3/28/2004	53.54	52.52
5,579.15	4/12/2004	53.08	52.06
5,579.47	5/13/2004	52.76	51.74
5,579.53	6/18/2004	52.70	51.68
5,580.17	7/28/2004	52.06	51.04
5,580.20	8/30/2004	52.03	51.01
5,580.26	9/16/2004	51.97	50.95
5,580.12	10/11/2004	52.11	51.09
5,579.93	11/16/2004	52.30	51.28
5,580.07	12/22/2004	52.16	51.14
5,579.80	1/18/2005	52.43	51.41

5,580.35	2/28/2005	51.88	50.86
5,580.57	3/15/2005	51.66	50.64
5,580.86	4/26/2005	51.37	50.35
5,581.20	5/24/2005	51.03	50.01
5,581.51	6/30/2005	50.72	49.70
5,581.55	07/29/05	50.68	49.66
5,581.68	09/12/05	50.55	49.53
5,581.83	12/7/2005	50.4	49.38
5,564.92	3/8/2006	67.31	66.29
5,582.73	6/13/2006	49.50	48.48
5,582.33	7/18/2006	49.90	48.88
5,582.75	11/7/2006	49.48	48.46
5583.35	2/27/2007	48.88	47.86

**Water Levels and Data over Time  
White Mesa Mill - Well TW4-4**

<b>Water Elevation (z)</b>	<b>Land Surface (LSD)</b>	<b>Measuring Point Elevation (MP)</b>	<b>Length Of Riser (L)</b>	<b>Date Of Monitoring</b>	<b>Total or Measured Depth to Water (blw.MP)</b>	<b>Total Depth to Water (blw.LSD)</b>	<b>Total Depth Of Well</b>
	5,612.301	5,613.485	1.184				114.5
5,512.145				5/25/2000	101.34	100.16	
5,518.985				6/9/2000	94.50	93.32	
5,512.145				6/16/2000	101.34	100.16	
5,517.465				6/26/2000	96.02	94.84	
5,520.145				7/6/2000	93.34	92.16	
5,521.435				7/13/2000	92.05	90.87	
5,522.005				7/18/2000	91.48	90.30	
5,522.945				7/27/2000	90.54	89.36	
5,523.485				8/2/2000	90.00	88.82	
5,523.845				8/9/2000	89.64	88.46	
5,523.885				8/15/2000	89.60	88.42	
5,524.555				9/1/2000	88.93	87.75	
5,513.235				9/8/2000	100.25	99.07	
5,516.665				9/13/2000	96.82	95.64	
5,519.085				9/20/2000	94.40	93.22	
5,522.165				10/5/2000	91.32	90.14	
5,524.665				11/9/2000	88.82	87.64	
5,518.545				12/6/2000	94.94	93.76	
5,527.695				1/3/2001	85.79	84.61	
5,529.085				2/9/2001	84.40	83.22	
5,529.535				3/27/2001	83.95	82.77	
5,530.235				4/30/2001	83.25	82.07	
5,530.265				5/31/2001	83.22	82.04	
5,534.405				6/22/2001	79.08	77.90	
5,533.145				7/10/2001	80.34	79.16	
5,534.035				8/20/2001	79.45	78.27	
5,534.465				9/19/2001	79.02	77.84	
5,533.285				10/2/2001	80.20	79.02	
5,530.265				5/31/2001	83.22	82.04	
5,534.405				6/21/2001	79.08	77.90	
5,533.145				7/10/2001	80.34	79.16	
5,534.035				8/20/2001	79.45	78.27	
5,534.465				9/19/2001	79.02	77.84	
5,533.285				10/2/2001	80.20	79.02	
5,533.865				11/8/2001	79.62	78.44	
5,534.275				12/3/2001	79.21	78.03	
5,534.715				1/3/2002	78.77	77.59	
5,535.435				2/6/2002	78.05	76.87	
5,536.445				3/26/2002	77.04	75.86	
5,536.405				4/9/2002	77.08	75.90	
5,537.335				5/23/2002	76.15	74.97	
5,537.325				6/5/2002	76.16	74.98	
5,537.975				7/8/2002	75.51	74.33	

5,538.825	8/23/2002	74.66	73.48
5,539.275	9/11/2002	74.21	73.03
5,539.765	10/23/2002	73.72	72.54
5,540.205	11/22/2002	73.28	72.10
5,540.295	12/3/2002	73.19	72.01
5,540.795	1/9/2003	72.69	71.51
5,540.985	2/12/2003	72.50	71.32
5,541.675	3/26/2003	71.81	70.63
5,541.765	4/2/2003	71.72	70.54
5,541.885	5/1/2003	71.60	70.42
5,542.025	6/9/2003	71.46	70.28
5,541.925	7/7/2003	71.56	70.38
5,541.885	8/4/2003	71.60	70.42
5,541.825	9/11/2003	71.66	70.48
5,541.885	10/2/2003	71.60	70.42
5,541.995	11/7/2003	71.49	70.31
5,542.005	12/3/2003	71.48	70.30
5,542.555	1/15/2004	70.93	69.75
5,542.705	2/10/2004	70.78	69.60
5,543.225	3/28/2004	70.26	69.08
5,543.555	4/12/2004	69.93	68.75
5,543.865	5/13/2004	69.62	68.44
5,543.915	6/18/2004	69.57	68.39
5,544.655	7/28/2004	68.83	67.65
5,544.795	8/30/2004	68.69	67.51
5,544.845	9/16/2004	68.64	67.46
5,544.705	10/11/2004	68.78	67.60
5,544.525	11/16/2004	68.96	67.78
5,544.625	12/22/2004	68.86	67.68
5,544.305	1/18/2005	69.18	68.00
5,544.585	2/28/2005	68.90	67.72
5,544.685	3/15/2005	68.80	67.62
5,544.675	4/26/2005	68.81	67.63
5,544.785	5/24/2005	68.70	67.52
5,544.795	6/30/2005	68.69	67.51
5,544.775	7/29/2005	68.71	67.53
5,545.005	9/12/2005	68.48	67.30
5,545.225	12/7/2005	68.26	67.08
5,545.735	3/8/2006	67.75	66.57
5,545.785	6/14/2006	67.70	66.52
5,545.855	7/18/2006	67.63	66.45
5,545.805	11/7/2006	67.68	66.50
5546.675	2/27/2007	66.81	65.63

**Water Levels and Data over Time  
White Mesa Mill - Well TW4-5**

<b>Water Elevation (z)</b>	<b>Land Surface (LSD)</b>	<b>Measuring Point Elevation (MP)</b>	<b>Length Of Riser (L)</b>	<b>Date Of Monitoring</b>	<b>Total or Measured Depth to Water (blw.MP)</b>	<b>Total Depth to Water (blw.LSD)</b>	<b>Total Depth Of Well</b>
	5,638.75	5,640.70	1.95				121.75
5,579.30				1/2/00	61.40	59.45	
5,579.60				1/10/00	61.10	59.15	
5,579.35				1/17/00	61.35	59.40	
5,579.60				1/24/00	61.10	59.15	
5,579.50				2/1/00	61.20	59.25	
5,579.50				2/7/00	61.20	59.25	
5,579.90				2/14/00	60.80	58.85	
5,579.90				2/23/00	60.80	58.85	
5,580.20				3/1/00	60.50	58.55	
5,580.00				3/8/00	60.70	58.75	
5,580.04				3/15/00	60.66	58.71	
5,580.70				3/20/00	60.00	58.05	
5,580.30				3/29/00	60.40	58.45	
5,580.00				4/4/00	60.70	58.75	
5,580.20				4/13/00	60.50	58.55	
5,580.40				4/21/00	60.30	58.35	
5,580.50				4/28/00	60.20	58.25	
5,580.50				5/1/00	60.20	58.25	
5,580.90				5/11/00	59.80	57.85	
5,580.50				5/15/00	60.20	58.25	
5,580.75				5/25/00	59.95	58.00	
5,580.80				6/9/00	59.90	57.95	
5,580.92				6/16/00	59.78	57.83	
5,580.80				6/26/00	59.90	57.95	
5,580.90				7/6/00	59.80	57.85	
5,581.05				7/13/00	59.65	57.70	
5,580.90				7/18/00	59.80	57.85	
5,581.05				7/27/00	59.65	57.70	
5,581.06				8/2/00	59.64	57.69	
5,581.08				8/9/00	59.62	57.67	
5,581.07				8/16/00	59.63	57.68	
5,581.25				8/31/00	59.45	57.50	
5,581.32				9/8/00	59.38	57.43	
5,581.34				9/13/00	59.36	57.41	
5,581.41				9/20/00	59.29	57.34	
5,581.37				10/5/00	59.33	57.38	
5,581.66				11/9/00	59.04	57.09	
5,581.63				12/6/00	59.07	57.12	
5,581.92				1/3/01	58.78	56.83	
5,582.20				2/9/01	58.50	56.55	
5,582.54				3/28/01	58.16	56.21	
5,582.72				4/30/01	57.98	56.03	
5,582.72				5/31/01	57.98	56.03	

5,582.81	6/22/01	57.89	55.94
5,582.92	7/10/01	57.78	55.83
5,583.17	8/20/01	57.53	55.58
5,583.28	9/19/01	57.42	55.47
5,583.36	10/2/01	57.34	55.39
5,582.72	5/31/01	57.98	56.03
5,582.81	6/21/01	57.89	55.94
5,582.92	7/10/01	57.78	55.83
5,583.17	8/20/01	57.53	55.58
5,583.28	9/19/01	57.42	55.47
5,583.36	10/2/01	57.34	55.39
5,583.49	11/8/01	57.21	55.26
5,583.84	12/3/01	56.86	54.91
5,583.79	1/3/02	56.91	54.96
5,583.96	2/6/02	56.74	54.79
5,584.39	3/26/02	56.31	54.36
5,584.12	4/9/02	56.58	54.63
5,584.55	5/23/02	56.15	54.20
5,584.42	6/5/02	56.28	54.33
5,583.65	7/8/02	57.05	55.10
5,584.90	8/23/02	55.80	53.85
5,585.02	9/11/02	55.68	53.73
5,585.20	10/23/02	55.50	53.55
5,585.15	11/22/02	55.55	53.60
5,585.42	12/3/02	55.28	53.33
5,585.65	1/9/03	55.05	53.10
5,585.65	2/12/03	55.05	53.10
5,585.92	3/26/03	54.78	52.83
5,586.22	4/2/03	54.48	52.53
5,586.01	5/1/03	54.69	52.74
5,584.81	6/9/03	55.89	53.94
5,584.34	7/7/03	56.36	54.41
5,584.40	8/4/03	56.30	54.35
5,583.88	9/11/03	56.82	54.87
5,583.57	10/2/03	57.13	55.18
5,583.39	11/7/03	57.31	55.36
5,583.97	12/3/03	56.73	54.78
5,585.28	1/15/04	55.42	53.47
5,585.50	2/10/04	55.20	53.25
5,585.87	3/28/04	54.83	52.88
5,586.20	4/12/04	54.50	52.55
5,586.45	5/13/04	54.25	52.30
5,586.50	6/18/04	54.20	52.25
5,587.13	7/28/04	53.57	51.62
5,586.22	8/30/04	54.48	52.53
5,585.69	9/16/04	55.01	53.06
5,585.17	10/11/04	55.53	53.58
5,584.64	11/16/04	56.06	54.11
5,584.77	12/22/04	55.93	53.98
5,584.65	1/18/05	56.05	54.10
5,584.98	2/28/05	55.72	53.77
5,585.15	3/15/05	55.55	53.60

5,586.25	4/26/05	54.45	52.50
5,586.79	5/24/05	53.91	51.96
5,586.52	6/30/05	54.18	52.23
5,586.03	7/29/05	54.67	52.72
5,586.05	9/12/05	54.65	52.70
5,585.80	12/7/05	54.90	52.95
5,587.06	3/8/06	53.64	51.69
5,585.90	6/13/06	54.80	52.85
5,585.32	7/18/06	55.38	53.43
5,585.35	11/7/06	55.35	53.40
5585.81	2/27/07	54.89	52.94



5,524.36	8/23/02	84.42	82.97
5,524.49	9/11/02	84.29	82.84
5,524.71	10/23/02	84.07	82.62
5,524.60	11/22/02	84.18	82.73
5,524.94	12/3/02	83.84	82.39
5,525.10	1/9/03	83.68	82.23
5,525.15	2/12/03	83.63	82.18
5,525.35	3/26/03	83.43	81.98
5,525.68	4/2/03	83.10	81.65
5,525.74	5/1/03	83.04	81.59
5,525.98	6/9/03	82.80	81.35
5,526.04	7/7/03	82.74	81.29
5,526.07	8/4/03	82.71	81.26
5,526.42	9/11/03	82.36	80.91
5,526.30	10/2/03	82.48	81.03
5,526.41	11/7/03	82.37	80.92
5,526.46	12/3/03	82.32	80.87
5,526.83	1/15/04	81.95	80.50
5,526.81	2/10/04	81.97	80.52
5,527.14	3/28/04	81.64	80.19
5,527.39	4/12/04	81.39	79.94
5,527.64	5/13/04	81.14	79.69
5,527.70	6/18/04	81.08	79.63
5,528.16	7/28/04	80.62	79.17
5,528.30	8/30/04	80.48	79.03
5,528.52	9/16/04	80.26	78.81
5,528.71	10/11/04	80.07	78.62
5,528.74	11/16/04	80.04	78.59
5,529.20	12/22/04	79.58	78.13
5,528.92	1/18/05	79.86	78.41
5,529.51	2/28/05	79.27	77.82
5,529.74	3/15/05	79.04	77.59
5,529.96	4/26/05	78.82	77.37
5,530.15	5/24/05	78.63	77.18
5,530.35	6/30/05	78.43	76.98
5,530.47	7/29/05	78.31	76.86
5,530.95	9/12/05	77.83	76.38
5,531.50	12/7/05	77.28	75.83
5,532.43	3/8/06	76.35	74.90
5,533.49	6/13/06	75.29	73.84
5,532.58	7/18/06	76.20	74.75
5,532.88	11/7/06	75.90	74.45
5534.09	2/27/07	74.69	73.24

**Water Levels and Data over Time**  
**White Mesa Mill - Well TW4-7**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well (blw.LSD)
	5,619.87	5,621.07	1.20				119.8
5,552.37				11/29/1999	68.70	67.50	
5,553.57				1/2/2000	67.50	66.30	
5,553.87				1/10/2000	67.20	66.00	
5,553.72				1/17/2000	67.35	66.15	
5,553.97				1/24/2000	67.10	65.90	
5,553.87				2/1/2000	67.20	66.00	
5,553.87				2/7/2000	67.20	66.00	
5,554.17				2/14/2000	66.90	65.70	
5,554.27				2/23/2000	66.80	65.60	
5,554.37				3/1/2000	66.70	65.50	
5,554.37				3/8/2000	66.70	65.50	
5,554.27				3/15/2000	66.80	65.60	
5,554.77				3/20/2000	66.30	65.10	
5,554.57				3/29/2000	66.50	65.30	
5,554.27				4/4/2000	66.80	65.60	
5,554.57				4/13/2000	66.50	65.30	
5,554.77				4/21/2000	66.30	65.10	
5,554.87				4/28/2000	66.20	65.00	
5,554.87				5/1/2000	66.20	65.00	
5,555.27				5/11/2000	65.80	64.60	
5,554.97				5/15/2000	66.10	64.90	
5,555.27				5/25/2000	65.80	64.60	
5,555.33				6/9/2000	65.74	64.54	
5,555.45				6/16/2000	65.62	64.42	
5,555.22				6/26/2000	65.85	64.65	
5,555.45				7/6/2000	65.62	64.42	
5,555.40				7/13/2000	65.67	64.47	
5,555.45				7/18/2000	65.62	64.42	
5,555.59				7/27/2000	65.48	64.28	
5,555.65				8/2/2000	65.42	64.22	
5,555.70				8/9/2000	65.37	64.17	
5,555.74				8/16/2000	65.33	64.13	
5,555.96				8/31/2000	65.11	63.91	
5,555.87				9/8/2000	65.20	64.00	
5,555.95				9/13/2000	65.12	63.92	
5,556.05				9/20/2000	65.02	63.82	
5,556.06				10/5/2000	65.01	63.81	
5,556.17				10/12/2000	64.90	63.70	
5,556.20				10/19/2000	64.87	63.67	
5,556.22				10/23/2000	64.85	63.65	
5,556.36				11/9/2000	64.71	63.51	
5,556.42				11/14/2000	64.65	63.45	
5,556.45				11/30/2000	64.62	63.42	

**Water Levels and Data over Time  
White Mesa Mill - Well TW4-7**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well (blw.LSD)
	5,619.87	5,621.07	1.20				119.8
5,556.15				12/6/2000	64.92	63.72	
5,556.89				1/14/2001	64.18	62.98	
5,557.07				2/9/2001	64.00	62.80	
5,557.62				3/29/2001	63.45	62.25	
5,557.51				4/30/2001	63.56	62.36	
5,557.77				5/31/2001	63.30	62.10	
5,557.84				6/21/2001	63.23	62.03	
5,557.98				7/10/2001	63.09	61.89	
5,558.33				8/20/2001	62.74	61.54	
5,558.57				9/19/2001	62.50	61.30	
5,558.53				10/2/2001	62.54	61.34	
5,558.62				11/8/2001	62.45	61.25	
5,559.03				12/3/2001	62.04	60.84	
5,559.08				1/3/2002	61.99	60.79	
5,559.32				2/6/2002	61.75	60.55	
5,559.63				3/26/2002	61.44	60.24	
5,559.55				4/9/2002	61.52	60.32	
5,560.06				5/23/2002	61.01	59.81	
5,559.91				6/5/2002	61.16	59.96	
5,560.09				7/8/2002	60.98	59.78	
5,560.01				8/23/2002	61.06	59.86	
5,560.23				9/11/2002	60.84	59.64	
5,560.43				10/23/2002	60.64	59.44	
5,560.39				11/22/2002	60.68	59.48	
5,560.61				12/3/2002	60.46	59.26	
5,560.89				1/9/2003	60.18	58.98	
5,560.94				2/12/2003	60.13	58.93	
5,561.28				3/26/2003	59.79	58.59	
5,561.35				4/2/2003	59.72	58.52	
5,546.20				5/1/2003	74.87	73.67	
5,539.47				6/9/2003	81.60	80.40	
5,541.87				7/7/2003	79.20	78.00	
5,542.12				8/4/2003	78.95	77.75	
5,541.91				9/11/2003	79.16	77.96	
5,544.62				10/2/2003	76.45	75.25	
5,542.67				11/7/2003	78.40	77.20	
5,549.96				12/3/2003	71.11	69.91	
5,557.17				1/15/2004	63.90	62.70	
5,558.65				2/10/2004	62.42	61.22	
5,559.90				3/28/2004	61.17	59.97	
5,560.36				4/12/2004	60.71	59.51	
5,560.87				5/13/2004	60.20	59.00	
5,560.95				6/18/2004	60.12	58.92	

**Water Levels and Data over Time  
White Mesa Mill - Well TW4-7**

<b>Water Elevation (WL)</b>	<b>Land Surface (LSD)</b>	<b>Measuring Point Elevation (MP)</b>	<b>Length Of Riser (L)</b>	<b>Date Of Monitoring</b>	<b>Total or Measured Depth to Water (blw.MP)</b>	<b>Total Depth to Water (blw.LSD)</b>	<b>Total Depth Of Well (blw.LSD)</b>
	5,619.87	5,621.07	1.20				119.8
5,561.64				7/28/2004	59.43	58.23	
5,543.00				8/30/2004	78.07	76.87	
5,541.91				9/16/2004	79.16	77.96	
5,540.08				10/11/2004	80.99	79.79	
5,546.92				11/16/2004	74.15	72.95	
5,546.97				12/22/2004	74.10	72.90	
5,546.51				1/18/2005	74.56	73.36	
5,546.66				2/28/2005	74.41	73.21	
5,546.81				3/15/2005	74.26	73.06	
5,548.19				4/26/2005	72.88	71.68	
5,547.11				5/24/2005	73.96	72.76	
5,546.98				6/30/2005	74.09	72.89	
5,546.92				7/29/2005	74.15	72.95	
5,547.26				9/12/2005	73.81	72.61	
5,547.26				12/7/2005	73.81	72.61	
5,548.86				3/8/2006	72.21	71.01	
5,548.62				6/13/2006	72.45	71.25	
5,550.04				7/18/2006	71.03	69.83	
5,548.32				11/7/2006	72.75	71.55	
5,550.44				2/27/2007	70.63	69.43	

**Water Levels and Data over Time**  
**White Mesa Mill - Well TW4-8**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,616.80	5,618.21	1.41				126.00
5,543.21				11/29/1999	75.00	73.59	
5,543.01				1/2/2000	75.20	73.79	
5,543.31				1/10/2000	74.90	73.49	
5,543.11				1/17/2000	75.10	73.69	
5,543.41				1/24/2000	74.80	73.39	
5,543.31				2/1/2000	74.90	73.49	
5,543.31				2/7/2000	74.90	73.49	
5,543.71				2/14/2000	74.50	73.09	
5,543.76				2/23/2000	74.45	73.04	
5,543.86				3/1/2000	74.35	72.94	
5,543.86				3/8/2000	74.35	72.94	
5,543.91				3/15/2000	74.30	72.89	
5,544.31				3/20/2000	73.90	72.49	
5,544.21				3/29/2000	74.00	72.59	
5,544.01				4/4/2000	74.20	72.79	
5,544.21				4/13/2000	74.00	72.59	
5,544.41				4/21/2000	73.80	72.39	
5,544.51				4/28/2000	73.70	72.29	
5,544.51				5/1/2000	73.70	72.29	
5,544.81				5/11/2000	73.40	71.99	
5,544.51				5/15/2000	73.70	72.29	
5,544.71				5/25/2000	73.50	72.09	
5,544.71				6/9/2000	73.50	72.09	
5,544.81				6/16/2000	73.40	71.99	
5,544.68				6/26/2000	73.53	72.12	
5,544.76				7/6/2000	73.45	72.04	
5,544.77				7/13/2000	73.44	72.03	
5,544.76				7/18/2000	73.45	72.04	
5,544.92				7/27/2000	73.29	71.88	
5,544.96				8/2/2000	73.25	71.84	
5,544.98				8/9/2000	73.23	71.82	
5,544.97				8/15/2000	73.24	71.83	
5,545.21				8/31/2000	73.00	71.59	
5,545.31				9/8/2000	72.90	71.49	
5,545.43				9/13/2000	72.78	71.37	
5,545.56				9/20/2000	72.65	71.24	
5,545.57				10/5/2000	72.64	71.23	
5,545.81				11/9/2000	72.40	70.99	
5,545.66				12/6/2000	72.55	71.14	
5,546.28				1/3/2001	71.93	70.52	
5,546.70				2/9/2001	71.51	70.10	
5,547.18				3/27/2001	71.03	69.62	
5,547.31				4/30/2001	70.90	69.49	

**Water Levels and Data over Time**  
**White Mesa Mill - Well TW4-8**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,616.80	5,618.21	1.41				126.00
5,547.49				5/31/2001	70.72	69.31	
5,547.49				6/20/2001	70.72	69.31	
5,547.83				7/10/2001	70.38	68.97	
5,548.13				8/20/2001	70.08	68.67	
5,548.30				9/19/2001	69.91	68.50	
5,548.45				10/2/2001	69.76	68.35	
5,547.49				5/31/2001	70.72	69.31	
5,547.54				6/21/2001	70.67	69.26	
5,547.83				7/10/2001	70.38	68.97	
5,548.13				8/20/2001	70.08	68.67	
5,548.30				9/19/2001	69.91	68.50	
5,548.45				10/2/2001	69.76	68.35	
5,548.62				11/8/2001	69.59	68.18	
5,549.03				12/3/2001	69.18	67.77	
5,548.97				1/3/2002	69.24	67.83	
5,549.19				2/6/2002	69.02	67.61	
5,549.66				3/26/2002	68.55	67.14	
5,549.64				4/9/2002	68.57	67.16	
5,550.01				5/23/2002	68.20	66.79	
5,549.97				6/5/2002	68.24	66.83	
5,550.13				7/8/2002	68.08	66.67	
5,550.30				8/23/2002	67.91	66.50	
5,550.50				9/11/2002	67.71	66.30	
5,550.90				10/23/2002	67.31	65.90	
5,550.83				11/22/2002	67.38	65.97	
5,551.04				12/3/2002	67.17	65.76	
5,551.24				1/9/2003	66.97	65.56	
5,551.23				2/12/2003	66.98	65.57	
5,551.52				3/26/2003	66.69	65.28	
5,551.64				4/2/2003	66.57	65.16	
5,549.02				5/1/2003	69.19	67.78	
5,544.74				6/9/2003	73.47	72.06	
5,543.78				7/7/2003	74.43	73.02	
5,543.39				8/4/2003	74.82	73.41	
5,543.05				9/11/2003	75.16	73.75	
5,543.19				10/2/2003	75.02	73.61	
5,543.21				11/7/2003	75.00	73.59	
5,543.40				12/3/2003	74.81	73.40	
5,548.10				1/15/2004	70.11	68.70	
5,549.50				2/10/2004	68.71	67.30	
5,550.87				3/28/2004	67.34	65.93	
5,551.33				4/12/2004	66.88	65.47	
5,551.87				5/13/2004	66.34	64.93	

**Water Levels and Data over Time  
White Mesa Mill - Well TW4-8**

<b>Water Elevation (WL)</b>	<b>Land Surface (LSD)</b>	<b>Measuring Point Elevation (MP)</b>	<b>Length Of Riser (L)</b>	<b>Date Of Monitoring</b>	<b>Total or Measured Depth to Water (blw.MP)</b>	<b>Total Depth to Water (blw.LSD)</b>	<b>Total Depth Of Well</b>
	5,616.80	5,618.21	1.41				126.00
5,551.92				6/18/2004	66.29	64.88	
5,552.69				7/28/2004	65.52	64.11	
5,549.78				8/30/2004	68.43	67.02	
5,547.46				9/16/2004	70.75	69.34	
5,545.21				10/11/2004	73.00	71.59	
5,545.09				11/16/2004	73.12	71.71	
5,545.61				12/22/2004	72.60	71.19	
5,545.24				1/18/2005	72.97	71.56	
5,545.42				2/28/2005	72.79	71.38	
5,545.45				3/15/2005	72.76	71.35	
5,545.46				4/26/2005	72.75	71.34	
5,545.66				5/24/2005	72.55	71.14	
5,545.54				6/30/2005	72.67	71.26	
5,545.43				7/29/2005	72.78	71.37	
5,545.61				9/12/2005	72.60	71.19	
5,545.52				12/7/2005	72.69	71.28	
5,546.53				3/8/2006	71.68	70.27	
5,546.51				6/13/2006	71.70	70.29	
5,546.51				7/18/2006	71.70	70.29	
5,546.46				11/7/2006	71.75	70.34	
5,547.92				2/27/2007	70.29	68.88	

**Water Levels and Data over Time**  
**White Mesa Mill - Well TW4-9**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,636.11	5,637.59	1.48				121.33
5,577.09				12/20/99	60.5	59.02	
5,577.09				1/2/00	60.5	59.02	
5,577.29				1/10/00	60.3	58.82	
5,577.09				1/17/00	60.5	59.02	
5,577.39				1/24/00	60.2	58.72	
5,577.29				2/1/00	60.3	58.82	
5,577.19				2/7/00	60.4	58.92	
5,577.69				2/14/00	59.9	58.42	
5,577.69				2/23/00	59.9	58.42	
5,577.79				3/1/00	59.8	58.32	
5,577.79				3/8/00	59.8	58.32	
5,577.89				3/15/00	59.7	58.22	
5,568.49				3/20/00	69.1	67.62	
5,578.14				3/29/00	59.45	57.97	
5,577.84				4/4/00	59.75	58.27	
5,578.04				4/13/00	59.55	58.07	
5,578.24				4/21/00	59.35	57.87	
5,578.39				4/28/00	59.2	57.72	
5,578.39				5/1/00	59.2	57.72	
5,578.79				5/11/00	58.8	57.32	
5,578.39				5/15/00	59.2	57.72	
5,578.79				5/25/00	58.8	57.32	
5,578.81				6/9/00	58.78	57.30	
5,578.89				6/16/00	58.7	57.22	
5,578.74				6/26/00	58.85	57.37	
5,578.86				7/6/00	58.73	57.25	
5,578.87				7/13/00	58.72	57.24	
5,578.84				7/18/00	58.75	57.27	
5,579.03				7/27/00	58.56	57.08	
5,579.03				8/2/00	58.56	57.08	
5,579.05				8/9/00	58.54	57.06	
5,579.04				8/15/00	58.55	57.07	
5,579.25				8/31/00	58.34	56.86	
5,579.35				9/8/00	58.24	56.76	
5,579.40				9/13/00	58.19	56.71	
5,579.46				9/20/00	58.13	56.65	
5,579.44				10/5/00	58.15	56.67	
5,579.79				11/9/00	57.8	56.32	
5,579.73				12/6/00	57.86	56.38	
5,580.01				1/3/01	57.58	56.10	
5,580.30				2/9/01	57.29	55.81	
5,580.66				3/27/01	56.93	55.45	
5,580.75				4/30/01	56.84	55.36	



**Water Levels and Data over Time  
White Mesa Mill - Well TW4-9**

Water Elevation (WL)	Land Surface (LSD)	Measuring		Date Of Monitoring	Total or	Total	Total Depth Of Well
		Point Elevation (MP)	Length Of Riser (L)		Measured Depth to Water (blw.MP)	Depth to Water (blw.LSD)	
	5,636.11	5,637.59	1.48				121.33
5,581.04				5/31/01	56.55	55.07	
5,581.12				6/21/01	56.47	54.99	
5,581.15				7/10/01	56.44	54.96	
5,581.51				8/20/01	56.08	54.60	
5,581.70				9/19/01	55.89	54.41	
5,581.61				10/2/01	55.98	54.50	
5,581.04				5/31/01	56.55	55.07	
5,581.12				6/21/01	56.47	54.99	
5,581.15				7/10/01	56.44	54.96	
5,581.51				8/20/01	56.08	54.60	
5,581.70				9/19/01	55.89	54.41	
5,581.61				10/2/01	55.98	54.50	
5,581.83				11/8/01	55.76	54.28	
5,582.17				12/3/01	55.42	53.94	
5,582.21				1/3/02	55.38	53.90	
5,582.57				2/6/02	55.02	53.54	
5,583.12				3/26/02	54.47	52.99	
5,582.77				4/9/02	54.82	53.34	
5,583.21				5/23/02	54.38	52.90	
5,582.94				6/5/02	54.65	53.17	
5,582.71				7/8/02	54.88	53.40	
5,583.67				8/23/02	53.92	52.44	
5,583.82				9/11/02	53.77	52.29	
5,584.01				10/23/02	53.58	52.10	
5,583.88				11/22/02	53.71	52.23	
5,583.81				12/3/02	53.78	52.30	
5,584.28				1/9/03	53.31	51.83	
5,584.41				2/12/03	53.18	51.70	
5,584.68				3/26/03	52.91	51.43	
5,584.49				4/2/03	53.10	51.62	
5,584.51				5/1/03	53.08	51.60	
5,583.59				6/9/03	54.00	52.52	
5,582.96				7/7/03	54.63	53.15	
5,582.98				8/4/03	54.61	53.13	
5,582.57				9/11/03	55.02	53.54	
5,582.25				10/2/03	55.34	53.86	
5,582.09				11/7/03	55.50	54.02	
5,582.48				12/3/03	55.11	53.63	
5,583.69				1/15/04	53.90	52.42	
5,583.89				2/10/04	53.70	52.22	
5,584.30				3/28/04	53.29	51.81	
5,584.59				4/12/04	53.00	51.52	
5,584.87				5/13/04	52.72	51.24	

**Water Levels and Data over Time  
White Mesa Mill - Well TW4-9**

<b>Water Elevation (WL)</b>	<b>Land Surface (LSD)</b>	<b>Measuring Point Elevation (MP)</b>	<b>Length Of Riser (L)</b>	<b>Date Of Monitoring</b>	<b>Total or Measured Depth to Water (blw.MP)</b>	<b>Total Depth to Water (blw.LSD)</b>	<b>Total Depth Of Well</b>
	5,636.11	5,637.59	1.48				121.33
5,584.96				6/18/04	52.63	51.15	
5,585.50				7/28/04	52.09	50.61	
5,584.81				8/30/04	52.78	51.30	
5,584.40				9/16/04	53.19	51.71	
5,583.91				10/11/04	53.68	52.20	
5,583.39				11/16/04	54.20	52.72	
5,583.54				12/22/04	54.05	52.57	
5,583.34				1/18/05	54.25	52.77	
5,583.66				2/28/05	53.93	52.45	
5,583.87				3/15/05	53.72	52.24	
5,584.74				4/26/05	52.85	51.37	
5,585.26				5/24/05	52.33	50.85	
5,585.06				6/30/05	52.53	51.05	
5,584.67				7/29/05	52.92	51.44	
5,584.75				9/12/05	52.84	51.36	
5,584.51				12/7/05	53.08	51.60	
5,585.74				3/8/06	51.85	50.37	
5,584.74				6/13/06	52.85	51.37	
5,584.26				7/18/06	53.33	51.85	
5,584.21				11/7/06	53.38	51.90	
5,584.67				2/27/07	52.92	51.44	

**Water Levels and Data over Time  
White Mesa Mill - Well TW4-10**

<b>Water Elevation (WL)</b>	<b>Land Surface (LSD)</b>	<b>Measuring Point Elevation (MP)</b>	<b>Length Of Riser (L)</b>	<b>Date Of Monitoring</b>	<b>Total or Measured Depth to Water (blw.MP)</b>	<b>Total Depth to Water (blw.LSD)</b>	<b>Total Depth Of Well</b>
	5,631.99	5,634.24	2.25				121.33
5,576.75				1/3/02	57.49	55.24	
5,576.92				2/6/02	57.32	55.07	
5,577.43				3/26/02	56.81	54.56	
5,577.22				4/9/02	57.02	54.77	
5,577.80				5/23/02	56.44	54.19	
5,577.47				6/5/02	56.77	54.52	
5,577.55				7/8/02	56.69	54.44	
5,578.10				8/23/02	56.14	53.89	
5,578.24				9/11/02	56.00	53.75	
5,578.49				10/23/02	55.75	53.50	
5,578.43				11/22/02	55.81	53.56	
5,578.43				12/3/02	55.81	53.56	
5,578.66				1/9/03	55.58	53.33	
5,578.66				2/12/03	55.58	53.33	
5,578.78				3/26/03	55.46	53.21	
5,578.90				4/2/03	55.34	53.09	
5,578.83				5/1/03	55.41	53.16	
5,578.05				6/9/03	56.19	53.94	
5,577.38				7/7/03	56.86	54.61	
5,577.15				8/4/03	57.09	54.84	
5,576.76				9/11/03	57.48	55.23	
5,576.36				10/2/03	57.88	55.63	
5,576.05				11/7/03	58.19	55.94	
5,576.20				12/3/03	58.04	55.79	
5,577.43				1/15/04	56.81	54.56	
5,577.81				2/10/04	56.43	54.18	
5,578.47				3/28/04	55.77	53.52	
5,578.69				4/12/04	55.55	53.30	
5,578.93				5/13/04	55.31	53.06	
5,578.99				6/18/04	55.25	53.00	
5,579.18				7/28/04	55.06	52.81	
5,579.06				8/30/04	55.18	52.93	
5,578.78				9/16/04	55.46	53.21	
5,577.80				10/11/04	56.44	54.19	
5,577.13				11/16/04	57.11	54.86	
5,576.96				12/22/04	57.28	55.03	
5,576.63				1/18/05	57.61	55.36	
5,576.82				2/28/05	57.42	55.17	
5,576.86				3/15/05	57.38	55.13	
5,577.52				4/26/05	56.72	54.47	
5,578.01				5/24/05	56.23	53.98	
5,578.15				6/30/05	56.09	53.84	
5,577.90				7/29/05	56.34	54.09	

**Water Levels and Data over Time  
White Mesa Mill - Well TW4-10**

<b>Water Elevation (WL)</b>	<b>Land Surface (LSD)</b>	<b>Measuring Point Elevation (MP)</b>	<b>Length Of Riser (L)</b>	<b>Date Of Monitoring</b>	<b>Total or Measured Depth to Water (blw.MP)</b>	<b>Total Depth to Water (blw.LSD)</b>	<b>Total Depth Of Well</b>
	5,631.99	5,634.24	2.25				121.33
5,578.02				9/12/05	56.22	53.97	
5,577.56				12/7/05	56.68	54.43	
5,579.69				3/8/06	54.55	52.30	
5,578.34				6/13/06	55.90	53.65	
5,577.94				7/18/06	56.30	54.05	
5,578.01				11/7/06	56.23	53.98	
5578.43				2/27/07	55.81	53.56	

**Water Levels and Data over Time  
White Mesa Mill - Well TW4-11**

Water Elevation (WL)	Land Surface (LSD)	Measuring		Date Of Monitoring	Total or	Total	Total Depth Of Well
		Point Elevation (MP)	Length Of Riser (L)		Measured Depth to Water (blw.MP)	Depth to Water (blw.LSD)	
	5,621.92	5,623.62	1.70				121.33
5,548.32				1/3/02	75.30	73.60	
5,548.73				2/6/02	74.89	73.19	
5,549.03				3/26/02	74.59	72.89	
5,548.84				4/9/02	74.78	73.08	
5,549.30				5/23/02	74.32	72.62	
5,549.01				6/5/02	74.61	72.91	
5,549.22				7/8/02	74.40	72.70	
5,549.44				8/23/02	74.18	72.48	
5,549.57				9/11/02	74.05	72.35	
5,549.64				10/23/02	73.98	72.28	
5,549.58				11/22/02	74.04	72.34	
5,549.62				12/3/02	74.00	72.30	
5,549.85				1/9/03	73.77	72.07	
5,549.91				2/12/03	73.71	72.01	
5,550.15				3/26/03	73.47	71.77	
5,550.01				4/2/03	73.61	71.91	
5,550.31				5/1/03	73.31	71.61	
5,550.44				6/9/03	73.18	71.48	
5,550.33				7/7/03	73.29	71.59	
5,550.35				8/4/03	73.27	71.57	
5,550.44				9/11/03	73.18	71.48	
5,550.47				10/2/03	73.15	71.45	
5,550.60				11/7/03	73.02	71.32	
5,550.60				12/3/03	73.02	71.32	
5,550.94				1/15/04	72.68	70.98	
5,551.00				2/10/04	72.62	70.92	
5,550.34				3/28/04	73.28	71.58	
5,551.54				4/12/04	72.08	70.38	
5,551.89				5/13/04	71.73	70.03	
5,551.94				6/18/04	71.68	69.98	
5,552.49				7/28/04	71.13	69.43	
5,552.74				8/30/04	70.88	69.18	
5,553.01				9/16/04	70.61	68.91	
5,553.11				10/11/04	70.51	68.81	
5,553.19				11/16/04	70.43	68.73	
5,553.53				12/22/04	70.09	68.39	
5,553.31				1/18/05	70.31	68.61	
5,553.84				2/28/05	69.78	68.08	
5,554.04				3/15/05	69.58	67.88	
5,554.23				4/26/05	69.39	67.69	
5,553.87				5/24/05	69.75	68.05	
5,554.46				6/30/05	69.16	67.46	
5,554.57				7/29/05	69.05	67.35	

**Water Levels and Data over Time  
White Mesa Mill - Well TW4-11**

<b>Water Elevation (WL)</b>	<b>Land Surface (LSD)</b>	<b>Measuring Point Elevation (MP)</b>	<b>Length Of Riser (L)</b>	<b>Date Of Monitoring</b>	<b>Total or Measured Depth to Water (blw.MP)</b>	<b>Total Depth to Water (blw.LSD)</b>	<b>Total Depth Of Well</b>
	5,621.92	5,623.62	1.70				121.33
5,553.86				9/12/05	69.76	68.06	
5,555.30				12/7/05	68.32	66.62	
5,556.20				3/8/06	67.42	65.72	
5,556.48				6/14/06	67.14	65.44	
5,556.37				7/18/06	67.25	65.55	
5,556.94				11/7/06	66.68	64.98	
5557.92				2/27/07	65.7	64	

**Water Levels and Data over Time  
White Mesa Mill - Well TW4-12**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point		Date Of Monitoring	Total or Measured	Total	Total Depth Of Well
		Elevation (MP)	Length Of Riser (L)		Depth to Water (blw.MP)	Depth to Water (blw.LSD)	
	5,622.38	5,624.03	1.65				121.33
5,580.71				8/23/02	43.32	41.67	
5,581.34				9/11/02	42.69	41.04	
5,581.13				10/23/02	42.90	41.25	
5,581.27				11/22/02	42.76	41.11	
5,581.35				12/3/02	42.68	41.03	
5,582.38				1/9/03	41.65	40.00	
5,582.27				2/12/03	41.76	40.11	
5,582.51				3/26/03	41.52	39.87	
5,581.91				4/2/03	42.12	40.47	
5,582.72				5/1/03	41.31	39.66	
5,582.93				6/9/03	41.10	39.45	
5,583.01				7/7/03	41.02	39.37	
5,583.11				8/4/03	40.92	39.27	
5,583.35				9/11/03	40.68	39.03	
5,583.52				10/2/03	40.51	38.86	
5,583.57				11/7/03	40.46	38.81	
5,583.81				12/3/03	40.22	38.57	
5,584.17				1/15/04	39.86	38.21	
5,584.19				2/10/04	39.84	38.19	
5,584.31				3/28/04	39.72	38.07	
5,584.70				4/12/04	39.33	37.68	
5,584.68				5/13/04	39.35	37.70	
5,584.73				6/18/04	39.30	37.65	
5,585.16				7/28/04	38.87	37.22	
5,585.18				8/30/04	38.85	37.20	
5,585.29				9/16/04	38.74	37.09	
5,585.65				10/11/04	38.38	36.73	
5,585.71				11/16/04	38.32	36.67	
5,586.15				12/22/04	37.88	36.23	
5,585.94				1/18/05	38.09	36.44	
5,586.36				2/28/05	37.67	36.02	
5,586.75				3/15/05	37.28	35.63	
5,587.00				4/26/05	37.03	35.38	
5,587.15				5/24/05	36.88	35.23	
5,587.38				6/30/05	36.65	35.00	
5,587.38				7/29/05	36.65	35.00	
5,587.74				9/12/05	36.29	34.64	
5,588.23				12/7/05	35.80	34.15	
5,588.72				3/8/06	35.31	33.66	
5,588.14				6/13/06	35.89	34.24	
5,588.13				7/18/06	35.90	34.25	
5,584.50				11/7/06	39.53	37.88	
5588.65				2/27/07	35.38	33.73	

**Water Levels and Data over Time  
White Mesa Mill - Well TW4-13**

Water Elevation (WL)	Land Surface (LSD)	Measuring		Date Of Monitoring	Total or	Total	Total Depth Of Well
		Point Elevation (MP)	Length Of Riser (L)		Measured Depth to Water (blw.MP)	Depth to Water (blw.LSD)	
	5,618.09	5,619.94	1.85				121.33
5,529.66				8/23/02	90.28	88.43	
5,530.66				9/11/02	89.28	87.43	
5,529.10				10/23/02	90.84	88.99	
5,530.58				11/22/02	89.36	87.51	
5,530.61				12/3/02	89.33	87.48	
5,529.74				1/9/03	90.20	88.35	
5,531.03				2/12/03	88.91	87.06	
5,531.82				3/26/03	88.12	86.27	
5,524.63				4/2/03	95.31	93.46	
5,531.54				5/1/03	88.40	86.55	
5,538.46				6/9/03	81.48	79.63	
5,539.38				7/7/03	80.56	78.71	
5,540.72				8/4/03	79.22	77.37	
5,541.25				9/11/03	78.69	76.84	
5,541.34				10/2/03	78.60	76.75	
5,541.69				11/7/03	78.25	76.40	
5,541.91				12/3/03	78.03	76.18	
5,542.44				1/15/04	77.50	75.65	
5,542.47				2/10/04	77.47	75.62	
5,542.84				3/28/04	77.10	75.25	
5,543.08				4/12/04	76.86	75.01	
5,543.34				5/13/04	76.60	74.75	
5,543.40				6/18/04	76.54	74.69	
5,544.06				7/28/04	75.88	74.03	
5,544.61				8/30/04	75.33	73.48	
5,545.23				9/16/04	74.71	72.86	
5,546.20				10/11/04	73.74	71.89	
5,547.43				11/16/04	72.51	70.66	
5,548.96				12/22/04	70.98	69.13	
5,549.02				1/18/05	70.92	69.07	
5,550.66				2/28/05	69.28	67.43	
5,551.26				3/15/05	68.68	66.83	
5,552.23				4/26/05	67.71	65.86	
5,552.87				5/24/05	67.07	65.22	
5,553.42				6/30/05	66.52	64.67	
5,554.00				7/29/05	65.94	64.09	
5,555.21				9/12/05	64.73	62.88	
5,558.13				12/7/05	61.81	59.96	
5,562.93				3/8/06	57.01	55.16	
5,564.39				6/13/06	55.55	53.70	
5,562.09				7/18/06	57.85	56.00	
5,565.49				11/7/06	54.45	52.60	
5571.08				2/27/07	48.86	47.01	



**Water Levels and Data over Time  
White Mesa Mill - Well TW4-14**

<b>Water Elevation (WL)</b>	<b>Land Surface (LSD)</b>	<b>Measuring Point Elevation (MP)</b>	<b>Length Of Riser (L)</b>	<b>Date Of Monitoring</b>	<b>Total or Measured Depth to Water (blw.MP)</b>	<b>Total Depth to Water (blw.LSD)</b>	<b>Total Depth Of Well</b>
	5,610.92	5,612.77	1.85				121.33
5,518.90				8/23/02	93.87	92.02	
5,519.28				9/11/02	93.49	91.64	
5,519.95				10/23/02	92.82	90.97	
5,520.32				11/22/02	92.45	90.60	
5,520.42				12/3/02	92.35	90.50	
5,520.70				1/9/03	92.07	90.22	
5,520.89				2/12/03	91.88	90.03	
5,521.12				3/26/03	91.65	89.80	
5,521.12				4/2/03	91.65	89.80	
5,521.24				5/1/03	91.53	89.68	
5,521.34				6/9/03	91.43	89.58	
5,521.36				7/7/03	91.41	89.56	
5,521.35				8/4/03	91.42	89.57	
5,521.30				9/11/03	91.47	89.62	
5,521.35				10/2/03	91.42	89.57	
5,521.36				11/7/03	91.41	89.56	
5,521.16				12/3/03	91.61	89.76	
5,521.29				1/15/04	91.48	89.63	
5,521.36				2/10/04	91.41	89.56	
5,521.46				3/28/04	91.31	89.46	
5,521.54				4/12/04	91.23	89.38	
5,521.59				5/13/04	91.18	89.33	
5,521.69				6/18/04	91.08	89.23	
5,521.71				7/28/04	91.06	89.21	
5,521.76				8/30/04	91.01	89.16	
5,521.77				9/16/04	91.00	89.15	
5,521.79				10/11/04	90.98	89.13	
5,521.80				11/16/04	90.97	89.12	
5,521.82				12/22/04	90.95	89.10	
5,521.82				1/18/05	90.95	89.10	
5,521.86				2/28/05	90.91	89.06	
5,521.85				3/15/05	90.92	89.07	
5,521.91				4/26/05	90.86	89.01	
5,521.93				5/24/05	90.84	88.99	
5,521.94				6/30/05	90.83	88.98	
5,521.84				7/29/05	90.93	89.08	
5,521.99				9/12/05	90.78	88.93	
5,522.04				12/7/05	90.73	88.88	
5,522.05				3/8/06	90.72	88.87	
5,522.27				6/13/06	90.50	88.65	
5,521.92				7/18/06	90.85	89.00	
5,520.17				11/7/06	92.60	90.75	
5522.24				2/27/07	90.53	88.68	

**Water Levels and Data over Time**  
**White Mesa Mill - Well TW4-15 (MW-26)**

<b>Water Elevation (WL)</b>	<b>Land Surface (LSD)</b>	<b>Measuring Point Elevation (MP)</b>	<b>Length Of Riser (L)</b>	<b>Date Of Monitoring</b>	<b>Total or Measured Depth to Water (blw.MP)</b>	<b>Total Depth to Water (blw.LSD)</b>	<b>Total Depth Of Well</b>
	5,624.15	5,625.45	1.30				121.33
5,574.75				8/23/02	50.70	49.40	
5,574.97				9/11/02	50.48	49.18	
5,575.10				10/23/02	50.35	49.05	
5,574.99				11/22/02	50.46	49.16	
5,575.28				12/3/02	50.17	48.87	
5,575.41				1/9/03	50.04	48.74	
5,575.43				2/12/03	50.02	48.72	
5,575.63				3/26/03	49.82	48.52	
5,575.91				4/2/03	49.54	48.24	
5,575.81				5/1/03	49.64	48.34	
5,572.36				6/9/03	53.09	51.79	
5,570.70				7/7/03	54.75	53.45	
5,570.29				8/4/03	55.16	53.86	
5,560.94				9/11/03	64.51	63.21	
5,560.63				10/2/03	64.82	63.52	
5,560.56				11/7/03	64.89	63.59	
5,564.77				12/3/03	60.68	59.38	
5,570.89				1/15/04	54.56	53.26	
5,572.55				2/10/04	52.90	51.60	
5,574.25				3/28/04	51.20	49.90	
5,574.77				4/12/04	50.68	49.38	
5,575.53				5/13/04	49.92	48.62	
5,575.59				6/18/04	49.86	48.56	
5,576.82				7/28/04	48.63	47.33	
5,527.47				9/16/04	97.98	96.68	
5,553.97				11/16/04	71.48	70.18	
5,562.33				12/22/04	63.12	61.82	
5,550.00				1/18/05	75.45	74.15	
5,560.02				4/26/05	65.43	64.13	
5,546.11				5/24/05	79.34	78.04	
5,556.71				6/30/05	68.74	67.44	
5,554.95				7/29/05	70.50	69.20	
5,555.48				9/12/05	69.97	68.67	
5,551.09				12/7/05	74.36	73.06	
5,552.85				3/8/06	72.60	71.30	
5,554.30				6/13/06	71.15	69.85	
5,554.87				7/18/06	70.58	69.28	
5,550.88				11/7/06	74.57	73.27	
5558.77				2/27/07	66.68	65.38	

**Water Levels and Data over Time  
White Mesa Mill - Well TW4-16**

<b>Water Elevation (WL)</b>	<b>Land Surface (LSD)</b>	<b>Measuring Point Elevation (MP)</b>	<b>Length Of Riser (L)</b>	<b>Date Of Monitoring</b>	<b>Total or Measured Depth to Water (blw.MP)</b>	<b>Total Depth to Water (blw.LSD)</b>	<b>Total Depth Of Well</b>
	5,622.19	5,624.02	1.83				121.33
5,562.91				8/23/02	61.11	59.28	
5,563.45				9/11/02	60.57	58.74	
5,563.75				10/23/02	60.27	58.44	
5,563.68				11/22/02	60.34	58.51	
5,563.68				12/3/02	60.34	58.51	
5,564.16				1/9/03	59.86	58.03	
5,564.25				2/12/03	59.77	57.94	
5,564.53				3/26/03	59.49	57.66	
5,564.46				4/2/03	59.56	57.73	
5,564.79				5/1/03	59.23	57.40	
5,564.31				6/9/03	59.71	57.88	
5,563.29				7/7/03	60.73	58.90	
5,562.76				8/4/03	61.26	59.43	
5,561.73				9/11/03	62.29	60.46	
5,561.04				10/2/03	62.98	61.15	
5,560.39				11/7/03	63.63	61.80	
5,559.79				12/3/03	64.23	62.40	
5,561.02				1/15/04	63.00	61.17	
5,561.75				2/10/04	62.27	60.44	
5,562.98				3/28/04	61.04	59.21	
5,563.29				4/12/04	60.73	58.90	
5,564.03				5/13/04	59.99	58.16	
5,564.09				6/18/04	59.93	58.10	
5,565.08				7/28/04	58.94	57.11	
5,564.56				8/30/04	59.46	57.63	
5,563.55				9/16/04	60.47	58.64	
5,561.79				10/11/04	62.23	60.40	
5,560.38				11/16/04	63.64	61.81	
5,559.71				12/22/04	64.31	62.48	
5,559.14				1/18/05	64.88	63.05	
5,558.65				2/28/05	65.37	63.54	
5,558.54				3/15/05	65.48	63.65	
5,558.22				4/26/05	65.80	63.97	
5,558.54				5/24/05	65.48	63.65	
5,559.24				6/30/05	64.78	62.95	
5,559.38				7/29/05	64.64	62.81	
5,559.23				9/12/05	64.79	62.96	
5,557.67				12/7/05	66.35	64.52	
5,557.92				3/8/06	66.10	64.27	
5,558.47				6/13/06	65.55	63.72	
5,558.42				7/18/06	65.60	63.77	
5,558.09				11/7/06	65.93	64.10	
5557.34				2/27/07	66.68	64.85	

**Water Levels and Data over Time**  
**White Mesa Mill - Well TW4-17 (MW-32)**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or		Total Depth Of Well
					Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	
	5,623.41	5,625.24	1.83				121.33
5,542.17				8/23/02	83.07	81.24	
5,542.39				9/11/02	82.85	81.02	
5,542.61				10/23/02	82.63	80.80	
5,542.49				11/22/02	82.75	80.92	
5,542.82				12/3/02	82.42	80.59	
5,543.03				1/9/03	82.21	80.38	
5,543.04				2/12/03	82.20	80.37	
5,543.41				3/26/03	81.83	80.00	
5,543.69				4/2/03	81.55	79.72	
5,543.77				5/1/03	81.47	79.64	
5,544.01				6/9/03	81.23	79.40	
5,544.05				7/7/03	81.19	79.36	
5,543.99				8/4/03	81.25	79.42	
5,544.17				9/11/03	81.07	79.24	
5,544.06				10/2/03	81.18	79.35	
5,544.03				11/7/03	81.21	79.38	
5,543.94				12/3/03	81.30	79.47	
5,543.98				1/15/04	81.26	79.43	
5,543.85				2/10/04	81.39	79.56	
5,544.05				3/28/04	81.19	79.36	
5,544.33				4/12/04	80.91	79.08	
5,544.55				5/13/04	80.69	78.86	
5,544.59				6/18/04	80.65	78.82	
5,545.08				7/28/04	80.16	78.33	
5,545.26				8/30/04	79.98	78.15	
5,545.48				9/16/04	79.76	77.93	
5,545.61				10/11/04	79.63	77.80	
5,545.46				11/16/04	79.78	77.95	
5,545.66				12/22/04	79.58	77.75	
5,545.33				1/18/05	79.91	78.08	
5,545.51				2/28/05	79.73	77.90	
5,545.57				3/15/05	79.67	77.84	
5,545.46				4/26/05	79.78	77.95	
5,545.45				5/24/05	79.79	77.96	
5,545.33				6/30/05	79.91	78.08	
5,545.16				7/29/05	80.08	78.25	
5,545.54				9/12/05	79.70	77.87	
5,545.77				12/7/05	79.47	77.64	
5,546.09				3/8/06	79.15	77.32	
5,545.94				6/13/06	79.30	77.47	
5,545.94				7/18/06	79.30	77.47	
5,546.24				11/7/06	79.00	77.17	
5546.81				2/27/07	78.43	76.6	

**Water Levels and Data over Time  
White Mesa Mill - Well TW4-18**

Water Elevation (WL)	Land Surface (LSD)	Measuring Point Elevation (MP)	Length Of Riser (L)	Date Of Monitoring	Total or Measured Depth to Water (blw.MP)	Total Depth to Water (blw.LSD)	Total Depth Of Well
	5,639.13	5,641.28	2.15				121.33
5,585.13				8/23/02	56.15	54.00	
5,585.41				9/11/02	55.87	53.72	
5,585.47				10/23/02	55.81	53.66	
5,585.40				11/22/02	55.88	53.73	
5,585.68				12/3/02	55.60	53.45	
5,585.90				1/9/03	55.38	53.23	
5,590.79				2/12/03	50.49	48.34	
5,586.18				3/26/03	55.10	52.95	
5,586.36				4/2/03	54.92	52.77	
5,586.24				5/1/03	55.04	52.89	
5,584.93				6/9/03	56.35	54.20	
5,584.46				7/7/03	56.82	54.67	
5,584.55				8/4/03	56.73	54.58	
5,584.01				9/11/03	57.27	55.12	
5,583.67				10/2/03	57.61	55.46	
5,583.50				11/7/03	57.78	55.63	
5,584.08				12/3/03	57.20	55.05	
5,585.45				1/15/04	55.83	53.68	
5,585.66				2/10/04	55.62	53.47	
5,586.13				3/28/04	55.15	53.00	
5,586.39				4/12/04	54.89	52.74	
5,586.66				5/13/04	54.62	52.47	
5,586.77				6/18/04	54.51	52.36	
5,587.35				7/28/04	53.93	51.78	
5,586.34				8/30/04	54.94	52.79	
5,585.85				9/16/04	55.43	53.28	
5,585.22				10/11/04	56.06	53.91	
5,584.70				11/16/04	56.58	54.43	
5,584.81				12/22/04	56.47	54.32	
5,584.68				1/18/05	56.60	54.45	
5,585.02				2/28/05	56.26	54.11	
5,585.25				3/15/05	56.03	53.88	
5,586.31				4/26/05	54.97	52.82	
5,586.97				5/24/05	54.31	52.16	
5,586.58				6/30/05	54.70	52.55	
5,586.10				7/29/05	55.18	53.03	
5,586.05				9/12/05	55.23	53.08	
5,585.86				12/7/05	55.42	53.27	
5,587.13				3/8/06	54.15	52.00	
5,585.93				6/13/06	55.35	53.20	
5,585.40				7/18/06	55.88	53.73	
5,585.38				11/7/06	55.90	53.75	
5585.83				2/27/07	55.45	53.30	

**Water Levels and Data over Time  
White Mesa Mill - Well TW4-19**

<b>Water Elevation (WL)</b>	<b>Land Surface (LSD)</b>	<b>Measuring Point Elevation (MP)</b>	<b>Length Of Riser (L)</b>	<b>Date Of Monitoring</b>	<b>Total or Measured Depth to Water (blw.MP)</b>	<b>Total Depth to Water (blw.LSD)</b>	<b>Total Depth Of Well</b>
	5,629.53	5,631.39	1.86				121.33
5,581.88				8/23/02	49.51	47.65	
5,582.14				9/11/02	49.25	47.39	
5,582.06				10/23/02	49.33	47.47	
5,582.07				11/22/02	49.32	47.46	
5,582.16				12/3/02	49.23	47.37	
5,582.28				1/9/03	49.11	47.25	
5,582.29				2/12/03	49.10	47.24	
5,582.74				3/26/03	48.65	46.79	
5,582.82				4/2/03	48.57	46.71	
5,548.47				5/1/03	82.92	81.06	
5,564.76				6/9/03	66.63	64.77	
5,562.53				7/7/03	68.86	67.00	
5,564.10				8/4/03	67.29	65.43	
5,566.01				8/30/04	65.38	63.52	
5,555.16				9/16/04	76.23	74.37	
5,549.80				10/11/04	81.59	79.73	
5,546.04				11/16/04	85.35	83.49	
5,547.34				12/22/04	84.05	82.19	
5,548.77				1/18/05	82.62	80.76	
5,551.18				2/28/05	80.21	78.35	
5,556.81				3/15/05	74.58	72.72	
5,562.63				4/26/05	68.76	66.90	
5,573.42				5/24/05	57.97	56.11	
5,552.94				7/29/05	78.45	76.59	
5,554.00				9/12/05	77.39	75.53	
5,555.98				12/7/05	75.41	73.55	
5,552.00				3/8/06	79.39	77.53	
5,545.74				6/13/06	85.65	83.79	
5,544.06				7/18/06	87.33	85.47	
5,548.81				11/7/06	82.58	80.72	
5543.59				2/27/07	87.8	85.94	

**Water Levels and Data over Time**  
**White Mesa Mill - Well TW4-20**

<b>Water Elevation (WL)</b>	<b>Land Surface (LSD)</b>	<b>Measuring Point Elevation (MP)</b>	<b>Length Of Riser (L)</b>	<b>Date Of Monitoring</b>	<b>Total or Measured Depth to Water (blw.MP)</b>	<b>Total Depth to Water (blw.LSD)</b>	<b>Total Depth Of Well</b>
	5,628.52	5,629.53	1.01				106.0
5,565.70				7/29/05	63.83		
5,546.53				8/30/05	83.00		
5,540.29				9/12/05	89.24		
5,541.17				12/7/05	88.36		
5,540.33				3/8/06	89.20		
5,530.43				6/13/06	99.10		
5,569.13				7/18/06	60.40		
5,547.95				11/7/06	81.58		
5549.25				2/27/07	80.28		

**Water Levels and Data over Time  
White Mesa Mill - Well TW4-21**

<b>Water Elevation (WL)</b>	<b>Land Surface (LSD)</b>	<b>Measuring Point Elevation (MP)</b>	<b>Length Of Riser (L)</b>	<b>Date Of Monitoring</b>	<b>Total or Measured Depth to Water (blw.MP)</b>	<b>Total Depth to Water (blw.LSD)</b>	<b>Total Depth Of Well</b>
	5,638.20	5,639.35	1.15				120.92
5,582.98				7/29/05	56.37		
5,583.43				8/30/05	55.92		
5,581.87				9/12/05	57.48		
5,580.50				12/7/05	58.85		
5,583.64				3/8/06	55.71		
5,580.55				6/13/06	58.80		
5,578.95				7/18/06	60.40		
5,578.47				11/7/06	60.88		
5579.53				2/27/07	59.82		



**Water Levels and Data over Time  
White Mesa Mill - Well TW4-22**

<b>Water Elevation (WL)</b>	<b>Land Surface (LSD)</b>	<b>Measuring Point Elevation (MP)</b>	<b>Length Of Riser (L)</b>	<b>Date Of Monitoring</b>	<b>Total or Measured Depth to Water (blw.MP)</b>	<b>Total Depth to Water (blw.LSD)</b>	<b>Total Depth Of Well</b>
	5,627.83	5,629.00	1.17				113.5
5,571.89				7/29/05	57.11		
5,572.20				8/30/05	56.80		
5,572.08				9/12/05	56.92		
5,571.61				12/7/05	57.39		
5,571.85				3/8/06	57.15		
5,571.62				6/13/06	57.38		
5,571.42				7/18/06	57.58		
5,571.02				11/7/06	57.98		
5571.24				2/27/07	57.76		



## ANALYTICAL SUMMARY REPORT

March 28, 2007

Denison Mines  
6425 S Hwy 191  
PO Box 808  
Blanding, UT 84511

Workorder No.: C07030109

Project Name: 1st Quarter Chloroform Sampling Event

Energy Laboratories, Inc. received the following 29 samples from Denison Mines on 3/2/2007 for analysis.

Sample ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
C07030109-001	MW-4	02/28/07 15:40	03/02/07	Aqueous	Chloride Nitrogen, Nitrate & Nitrite SW8250B VOCs, Standard List
C07030109-002	TW4-A	02/28/07 15:50	03/02/07	Aqueous	Same As Above
C07030109-003	TW4-1	02/28/07 15:18	03/02/07	Aqueous	Same As Above
C07030109-004	TW4-2	02/28/07 16:03	03/02/07	Aqueous	Same As Above
C07030109-005	TW4-3	02/28/07 10:33	03/02/07	Aqueous	Same As Above
C07030109-006	TW4-4	02/28/07 15:28	03/02/07	Aqueous	Same As Above
C07030109-007	TW4-5	02/28/07 13:59	03/02/07	Aqueous	Same As Above
C07030109-008	TW4-6	02/28/07 13:00	03/02/07	Aqueous	Same As Above
C07030109-009	TW4-7	02/28/07 15:00	03/02/07	Aqueous	Same As Above
C07030109-010	TW4-8	02/28/07 12:21	03/02/07	Aqueous	Same As Above
C07030109-011	TW4-9	02/28/07 12:08	03/02/07	Aqueous	Same As Above
C07030109-012	TW4-10	02/28/07 14:45	03/02/07	Aqueous	Same As Above
C07030109-013	TW4-11	02/28/07 16:13	03/02/07	Aqueous	Same As Above
C07030109-014	TW4-12	02/28/07 11:10	03/02/07	Aqueous	Same As Above
C07030109-015	TW4-13	02/28/07 11:25	03/02/07	Aqueous	Same As Above
C07030109-016	TW4-14	02/28/07 11:37	03/02/07	Aqueous	Same As Above
C07030109-017	TW4-15	02/28/07 14:22	03/02/07	Aqueous	Same As Above
C07030109-018	TW4-16	02/28/07 12:46	03/02/07	Aqueous	Same As Above
C07030109-019	TW4-17	02/28/07 11:53	03/02/07	Aqueous	Same As Above
C07030109-020	TW4-18	02/28/07 12:34	03/02/07	Aqueous	Same As Above
C07030109-021	TW4-19	02/28/07 16:35	03/02/07	Aqueous	Same As Above
C07030109-022	TW4-20	02/28/07 16:23	03/02/07	Aqueous	Same As Above
C07030109-023	TW4-21	02/28/07 14:10	03/02/07	Aqueous	Same As Above
C07030109-024	TW4-22	02/28/07 14:34	03/02/07	Aqueous	Same As Above



C07030109-025 TW4-60	02/28/07 13:33	03/02/07	Aqueous	Same As Above
C07030109-026 TW4-63	02/28/07 13:48	03/02/07	Aqueous	Same As Above
C07030109-027 TW4-65	02/28/07 16:23	03/02/07	Aqueous	Same As Above
C07030109-028 TW4-70	02/28/07 13:58	03/02/07	Aqueous	Same As Above
C07030109-029 Trip Blank	02/28/07 00:00	03/02/07	Aqueous	SW8260B VOCs, Standard List

There were no problems with the analyses and all data for associated QC met EPA or laboratory specifications except where noted in the Case Narrative or Report.

If you have any questions regarding these tests results, please call.

Report Approved By:

P.O. Leung  
POWER LAB, INC.  
LABORATORY SUPERVISOR



### LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
Project: 1st Quarter Chloroform Sampling Event  
Lab ID: C07030109-001  
Client Sample ID: MW-4

Report Date: 03/23/07  
Collection Date: 02/28/07 15:40  
Date Received: 03/02/07  
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	47	mg/L		1		A4502-C/B	03/08/07 12:48 / jl
Nitrogen, Nitrate+Nitrite as N	6.3	mg/L	D	0.2		E353.2	03/06/07 10:38 / ljl
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	1.6	ug/L		1.0		SW8260B	03/06/07 04:59 / dkh
Chloroform	2300	ug/L	D	50		SW8260E	03/06/07 17:14 / dkh
Chloromethane	ND	ug/L		1.0		SW8260B	03/06/07 04:59 / dkh
Methylene chloride	ND	ug/L		1.0		SW8260F	03/06/07 04:59 / dkh
Surr: 1,2-Dichlorobenzene-d4	101	%REC			80-120	SW8260B	03/06/07 04:59 / dkh
Surr: 1,1-Dibromofluoromethane	98.0	%REC			70-130	SW8260D	03/06/07 04:59 / dkh
Surr: p-Bromofluorobenzene	99.0	%REC			80-120	SW8260B	03/06/07 04:59 / dkh
Surr: Toluene-d8	98.0	%REC			80-120	SW8260B	03/06/07 04:59 / dkh

Report Definitions: RL - Analyte reporting limit.  
QCL - Quality control limit.  
D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.  
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event  
 Lab ID: C07030109-002  
 Client Sample ID: TW4-A

Report Date: 03/23/07  
 Collection Date: 02/28/07 15:50  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	80	mg/L		1		A4500-Cl B	03/08/07 13:03 / jl
Nitrogen, Nitrate+Nitrite as N	7.1	mg/L	D	0.2		E353.2	03/08/07 10:40 / ljt
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	1.9	ug/L		1.0		SW8260B	03/08/07 05:38 / dkh
Chloroform	2500	ug/L	D	50		SW8260B	03/05/07 17:53 / dkh
Chloromethane	ND	ug/L		1.0		SW8260B	03/05/07 05:38 / dkh
Methylene chloride	ND	ug/L		1.0		SW8260B	03/05/07 05:38 / dkh
Surr: 1,2-Dichlorobenzene-d4	101	%REC			83-120	SW8260B	03/05/07 05:38 / dkh
Surr: Dichlorofluoromethane	102	%REC			73-133	SW8260B	03/05/07 05:38 / dkh
Surr: p-Bromofluorobenzene	100	%REC			83-120	SW8260B	03/05/07 05:38 / dkh
Surr: Toluene-d8	98.0	%REC			83-120	SW8260B	03/05/07 05:38 / dkh

Report Definitions: RL - Analyte reporting limit.  
 QCL - Quality control limit.  
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.  
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event  
 Lab ID: C07030109-003  
 Client Sample ID: TW4-1

Report Date: 03/23/07  
 Collection Date: 02/28/07 15:18  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	47	mg/L		1		A4500-Cl B	03/03/07 13:05 / jl
Nitrogen, Nitrate+Nitrite as N	8.9	mg/L	D	0.3		E353.2	03/03/07 10:43 / jl
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	1.2	ug/L		1.0		SW826CB	03/06/07 06:17 / dkh
Chloroform	1500	ug/L	D	50		SW8260B	03/06/07 18:32 / dkh
Chloromethane	ND	ug/L		1.0		SW8260B	03/06/07 06:17 / dkh
Methylene chloride	ND	ug/L		1.0		SW8260B	03/06/07 06:17 / dkh
Surr: 1,2-Dichlorobenzene-d4	101	%REC			80-120	SW8230B	03/06/07 06:17 / dkh
Surr: Dibromofluoromethane	102	%REC			70-730	SW8260B	03/06/07 06:17 / dkh
Surr: p-Bromofluorobenzene	88.0	%REC			80-120	SW8260B	03/06/07 06:17 / dkh
Surr: Toluene-d3	89.0	%REC			80-120	SW8260B	03/06/07 06:17 / dkh

Report: RL - Analyte reporting limit.  
 Definitions: QCL - Quality control limit.  
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.  
 ND - Not detected at the reporting limit.



### LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event  
 Lab ID: CD7030109-004  
 Client Sample ID: TW4-2

Report Date: 03/23/07  
 Collection Date: 02/28/07 16:03  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	54	mg/L				A4500-ClB	03/05/07 13:08 / ji
Nitrogen, Nitrate+Nitrite as N	7.3	mg/L	D	0.2		E353.2	03/08/07 10:45 / ji
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	1.8	ug/L		1.0		SW8260B	03/06/07 05:56 / dkh
Chloroform	2300	ug/L	D	50		SW8260B	03/05/07 19:11 / dkh
Chloromethane	ND	ug/L		1.0		SW8260B	03/06/07 05:56 / dkh
Methylene chloride	ND	ug/L		1.0		SW8260B	03/06/07 05:56 / dkh
Surr: 1,2-Dichlorobenzene-d4	102	%REC			80-120	SW8260B	03/06/07 05:56 / dkh
Surr: Dibromofluoromethane	100	%REC			7C-130	SW8260B	03/06/07 05:56 / dkh
Surr: p-Bromofluorobenzene	98.0	%REC			80-120	SW8260B	03/06/07 05:56 / dkh
Surr: Toluene-d8	87.0	%REC			80-120	SW8260B	03/06/07 05:56 / dkh

Report Definitions: RL - Analyte reporting limit.  
 DCL - Quality control limit.  
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.  
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event  
 Lab ID: C07030109-005  
 Client Sample ID: TW4-3

Report Date: 03/23/07  
 Collection Date: 02/28/07 10:33  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	22	mg/L		1		A4503-C' B	03/06/07 13:09 / jl
Nitrogen, Nitrate+Nitrite as N	3.1	mg/L		0.1		E353.2	03/06/07 10:48 / jl
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	03/05/07 23:06 / dkh
Chloroform	ND	ug/L		1.0		SW8260B	03/05/07 23:06 / dkh
Chloromethane	ND	ug/L		1.0		SW8260B	03/05/07 23:06 / dkh
Methylene chloride	ND	ug/L		1.0		SW8260B	03/05/07 23:06 / dkh
Surr: 1,2-Dichlorobenzene-d4	101	%REC			80-120	SW8260B	03/05/07 23:06 / dkh
Surr: Dibromofluoromethane	99.0	%REC			70-130	SW8260B	03/05/07 23:06 / dkh
Surr: p-Bromofluorobenzene	99.0	%REC			80-120	SW8260B	03/05/07 23:06 / dkh
Surr: Toluene-d8	99.0	%REC			80-120	SW8260B	03/05/07 23:06 / dkh

Report Definitions: RL - Analyte reporting limit.  
 QCL - Quality control limit.

MCL - Maximum contaminant level.  
 ND - Not detected at the reporting limit.





### LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event  
 Lab ID: C07030109-005  
 Client Sample ID: TW4-4

Report Date: 03/23/07  
 Collection Date: 02/28/07 15:28  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	49	mg/L		1		AZ500-Cl B	03/06/07 13:11 / jl
Nitrogen, Nitrate+Nitrite as N	9.0	mg/L	D	0.2		E353.2	03/06/07 10:56 / jl
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	1.5	ug/L		1.0		SW8260B	03/06/07 07:36 / dkh
Chloroform	2200	ug/L	D	50		SW8260B	03/05/07 19:51 / dkh
Chloromethane	ND	ug/L		1.0		SW8260B	03/06/07 07:36 / dkh
Methylene chloride	ND	ug/L		1.0		SW8260B	03/06/07 07:36 / dkh
Surr: 1,2-Dichlorobenzene-d4	101	%REC			80-120	SW8260B	03/06/07 07:36 / dkh
Surr: Dibromofluoromethane	101	%REC			70-130	SW8260B	03/06/07 07:36 / dkh
Surr: p-Bromofluorobenzene	100	%REC			80-120	SW8260B	03/06/07 07:36 / dkh
Surr: Toluene-d8	97.0	%REC			80-120	SW8260B	03/06/07 07:36 / dkh

Report Definitions: RL - Analyte reporting limit.  
 QCL - Quality control limit.  
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.  
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event  
 Lab ID: C07030109-007  
 Client Sample ID: TW4-5

Report Date: 03/23/07  
 Collection Date: 02/28/07 13:58  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ CCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	57	mg/L		1		A4500-Cl B	03/05/07 13:12 / jf
Nitrogen, Nitrate+Nitrite as N	7.8	mg/L	D	0.2		E353.2	03/05/07 11:30 / jt
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	03/05/07 22:27 / dkh
Chloroform	33	ug/L		1.0		SW8260B	03/05/07 22:27 / dkh
Chloroethane	ND	ug/L		1.0		SW8260B	03/05/07 22:27 / dkh
Methylene chloride	ND	ug/L		1.0		SW8260B	03/05/07 22:27 / dkh
Surr: 1,2-Dichlorobenzene-d4	101	%REC			80-120	SW8260B	03/05/07 22:27 / dkh
Surr: Dibromofluoromethane	101	%REC			70-130	SW8260B	03/05/07 22:27 / dkh
Surr: p-Bromofluorobenzene	100	%REC			80-120	SW8260B	03/05/07 22:27 / dkh
Surr: Toluene-d8	97.0	%REC			80-120	SW8260B	03/05/07 22:27 / dkh

Report: RL - Analyte reporting limit.  
 Definitions: CCL - Quality control limit.  
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level  
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event  
 Lab ID: C07030109-008  
 Client Sample ID: TW4-6

Report Date: 03/23/07  
 Collection Date: 02/28/07 13:00  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	32	mg/L		1		A4503-C' B	03/06/07 13:13 / jl
Nitrogen, Nitrate+Nitrite as N	1.6	mg/L		0.1		E353.2	03/06/07 11:03 / jl
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	03/05/07 23:45 / dlk
Chloroform	46	ug/L		1.0		SW8260B	03/05/07 23:45 / dlk
Chloromethane	ND	ug/L		1.0		SW8260B	03/05/07 23:45 / dlk
Methylene chloride	ND	ug/L		1.0		SW8260B	03/05/07 23:45 / dlk
Sum: 1,2-Dichlorobenzene-d4	102	%REC			80-120	SW8260B	03/05/07 23:45 / dlk
Sum: D-bromofluoromethane	102	%REC			70-130	SW8260B	03/05/07 23:45 / dlk
Sum: p-Bromofluorobenzene	99.0	%REC			80-120	SW8260B	03/05/07 23:45 / dlk
Sum: Toluene-d8	97.0	%REC			80-120	SW8260B	03/05/07 23:45 / dlk

Report Definitions: RL - Analyte reporting limit.  
 QCL - Quality control limit.

MCL - Maximum contaminant level.  
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event  
 Lab ID: C07030109-009  
 Client Sample ID: TW4-7

Report Date: 03/23/07  
 Collection Date: 02/28/07 15:00  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL QCL	Method	Analysts Date / By
<b>MAJOR IONS</b>							
Chloride	47	mg/L		1		A4500-Cl B	03/06/07 13:14 / jl
Nitrogen, Nitrate+Nitrite as N	6.0	mg/L	D	0.2		E353.2	03/06/07 11:05 / lj
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	1.1	ug/L		1.0		SW8260B	03/06/07 08:15 / dkh
Chloroform	18.00	ug/L	D	50		SW8260B	03/06/07 20:31 / dkh
Chloromethane	ND	ug/L		1.0		SW8260B	03/06/07 08:15 / dkh
Methylene chloride	ND	ug/L		1.0		SW8260B	03/06/07 08:15 / dkh
Surr: 1,2-Dichlorobenzene-d4	101	%REC			80-120	SW8260B	03/06/07 08:15 / dkh
Surr: Dibromofluoromethane	99.0	%REC			70-130	SW8260B	03/06/07 08:15 / dkh
Surr: p-Bromofluorobenzene	100	%REC			80-120	SW8260B	03/06/07 08:15 / dkh
Surr: Toluene-d8	95.0	%REC			80-120	SW8260B	03/06/07 08:15 / dkh

Report: RL - Analyte reporting limit.  
 Definitions: QCL - Quality control limit.  
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.  
 ND - Not detected at the reporting limit.



**LABORATORY ANALYTICAL REPORT**

Client: Denison Mines  
 Project: 1s: Quarter Chloroform Sampling Event  
 Lab ID: C07030109-010  
 Client Sample ID: TW4-8

Report Date: 03/23/07  
 Collection Date: 02/28/07 12:21  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analytes	Result	Units	Qualifiers	RL	MCL/QCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	39	mg/L		1		A4500-Cl B	03/06/07 13:17 / jf
Nitrogen, Nitrate+Nitrite as N	0.7	mg/L		0.1		E363.2	03/06/07 11:00 / lj
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	03/06/07 00:25 / dkh
Chloroform	2.5	ug/L		1.0		SW8260B	03/06/07 00:25 / dkh
Chloromethane	ND	ug/L		1.0		SW8260B	03/06/07 00:25 / dkh
Methylene chloride	ND	ug/L		1.0		SW8260B	03/06/07 00:25 / dkh
Surr: 1,2-Dichlorobenzene-d4	102	%REC			80-120	SW8260C	03/06/07 00:25 / dkh
Surr: Dibromofluoromethane	101	%REC			70-130	SW8260B	03/06/07 00:25 / dkh
Surr: p-Bromofluorobenzene	99.0	%REC			80-120	SW8260B	03/06/07 00:25 / dkh
Surr: Toluene-d8	98.0	%REC			80-120	SW8260B	03/06/07 00:25 / dkh

Report Definitions: RL - Analyte reporting limit.  
 QCL - Quality control limit.

MCL - Maximum contaminant level.  
 ND - Not detected at the reporting limit.



### LABORATORY ANALYTICAL REPORT

Client: Den son Mines  
Project: 1st Quarter Chloroform Sampling Event  
Lab ID: C07030100-013  
Client Sample ID: TW4-9

Report Date: 03/23/07  
Collection Date: 02/26/07 12:08  
Data Received: 03/02/07  
Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	44	mg/L		1		A4503 ClB	03/06/07 13:18 / jl
Nitrogen, Nitrate+Nitrite as N	0.5	mg/L		0.1		E353.2	03/06/07 11:15 / jl
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	ND	ug/L		1.0		SW82603	03/06/07 01:04 / dkh
Chloroform	ND	ug/L		1.0		SW8260B	03/06/07 01:04 / dkh
Chloromethane	ND	ug/L		1.0		SW8260B	03/06/07 01:04 / dkh
Methylene chloride	ND	ug/L		1.0		SW82603	03/06/07 01:04 / dkh
Surr: 1,2-Dichlorobenzene-d4	102	%REC			80-120	SW8260B	03/06/07 01:04 / dkh
Surr: Dibromofluoromethane	97.0	%REC			70-130	SW8260B	03/06/07 01:04 / dkh
Surr: p-Bromofluorobenzene	100	%REC			80-120	SW82603	03/06/07 01:04 / dkh
Surr: Toluene-d8	89.0	%REC			80-120	SW82603	03/06/07 01:04 / dkh

Report Definitions: RL - Analyte reporting limit.  
QCL - Quality control limit.

MCL - Maximum contaminant level.  
ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event  
 Lab ID: C07030109-012  
 Client Sample ID: 1W4-10

Report Date: 03/23/07  
 Collection Date: 02/28/07 14:45  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	62	mg/L		1		A4503-C1B	03/06/07 13:19 / jt
Nitrogen, Nitrate+Nitrite as N	7.8	mg/L	D	0.2		F353.2	03/06/07 11:18 / jt
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	ND	ug/L		1.0		SW82603	03/06/07 08:54 / dkh
Chloroform	500	ug/L	D	10		SW82605	03/05/07 21:48 / dkh
Chloromethane	ND	ug/L		1.0		SW82608	03/06/07 08:54 / dkh
Methylene chloride	ND	ug/L		1.0		SW82608	03/06/07 08:54 / dkh
Surr: 1,2-Dichlorobenzene-d4	100	%REC			60-120	SW82608	03/06/07 08:54 / dkh
Surr: Dibromofluoromethane	99.0	%REC			70-130	SW82608	03/06/07 08:54 / dkh
Surr: p-Bromofluorobenzene	98.0	%REC			80-120	SW82608	03/06/07 08:54 / dkh
Surr: Toluene-d8	98.0	%REC			80-120	SW82608	03/06/07 08:54 / dkh

Report Definitions: RL - Analyte reporting limit.  
 QCL - Quality control limit.  
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.  
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event  
 Lab ID: C07030109-013  
 Client Sample ID: TW4-11

Report Date: 03/23/07  
 Collection Date: 02/28/07 16:13  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ OCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	54	mg/L		1		A4500-Cl B	03/08/07 13:20 / jh
Nitrogen, Nitrate+Nitrite as N	10.1	mg/L	D	0.2		E353.2	03/08/07 11:20 / jh
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	1.3	ug/L		1.0		SW8260D	03/08/07 09:32 / dkh
Chloroform	3500	ug/L	D	50		SW8260B	03/08/07 21:10 / dkh
Chloromethane	ND	ug/L		1.0		SW8260B	03/08/07 09:32 / dkh
Methylene chloride	1.8	ug/L		1.0		SW8260B	03/08/07 09:32 / dkh
Surr: 1,2-Dichlorobenzene-d4	102	%REC			80-120	SW8260B	03/08/07 09:32 / dkh
Surr: Dibromofluoromethane	102	%REC			70-130	SW8260B	03/08/07 09:32 / dkh
Surr: p-Bromofluorobenzene	98.0	%REC			80-120	SW8260B	03/08/07 09:32 / dkh
Surr: Toluene-d8	97.0	%REC			80-120	SW8260B	03/08/07 09:32 / dkh

Report Definitions: RL - Analyte reporting limit  
 OCL - Quality control limit  
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.  
 ND - Not detected at the reporting limit.





LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event  
 Lab ID: C07030109-014  
 Client Sample ID: TV/4-12

Report Date: 03/23/07  
 Collection Date: 02/26/07 11:10  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	16	mg/L		1		A4503-Cl B	03/06/07 13:21 / jfj
Nitrogen, Nitrate+Nitrite as N	1.5	mg/L		0.1		E353.2	03/06/07 11:23 / jfj
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	ND	ug/L		1.0		SW82603	03/06/07 03:01 / dkh
Chloroform	ND	ug/L		1.0		SW82608	03/06/07 03:01 / dkh
Chloromethane	ND	ug/L		1.0		SW82603	03/06/07 03:01 / dkh
Methylene chloride	ND	ug/L		1.0		SW82608	03/06/07 03:01 / dkh
Sum: 1,2-Dichlorobenzene-d4	13	%REC			80-120	SW82609	03/06/07 03:01 / dkh
Sum: Dibromofluoromethane	100	%REC			70-130	SW82608	03/06/07 03:01 / dkh
Sum: o-Bromofluorobenzene	98.0	%REC			80-120	SW82608	03/06/07 03:01 / dkh
Sum: Trifluoro-d8	97.0	%REC			80-120	SW82603	03/06/07 03:01 / dkh

Report: RL - Analyte reporting limit.  
 Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.  
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Samp'ing Event  
 Lab ID: C07030109-015  
 Client Sample ID: TW4-13

Report Date: 03/23/07  
 Collection Date: 02/28/07 11:25  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	59	mg/L		1		A4500-ClB	03/06/07 13:22 / jf
Nitrogen, Nitrate+Nitrites as N	4.0	mg/L	D	0.2		E353.2	03/06/07 11:25 / lj
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	03/06/07 03:40 / dkh
Chloroform	ND	ug/L		1.0		SW8260B	03/06/07 03:40 / dkh
Chloromethane	ND	ug/L		1.0		SW8260B	03/06/07 03:40 / dkh
Methylene chloride	ND	ug/L		1.0		SW8260B	03/06/07 03:40 / dkh
Surr: 1,2-Dichlorobenzene-d4	102	%REC			60-120	SW8260B	03/06/07 03:40 / dkh
Surr: Dibromofluoromethane	99.0	%REC			70-130	SW8260B	03/06/07 03:40 / dkh
Surr: p-Bromofluorobenzene	99.0	%REC			80-120	SW8260B	03/06/07 03:40 / dkh
Surr: Toluene-d8	97.0	%REC			60-120	SW8260B	03/06/07 03:40 / dkh

Report Definitions: RL - Analyte reporting limit.  
 QCL - Quality control limit.  
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.  
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event  
 Lab ID: C07030109-016  
 Client Sample ID: TW4-14

Report Date: 03/23/07  
 Collection Date: 02/28/07 11:37  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	33	mg/L		1		A4500-Cl B	03/06/07 13:23 / jt
Nitrogen, Nitrate+Nitrite as N	2.3	mg/L		0.1		E353.2	03/06/07 11:35 / ljt
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	03/06/07 04:19 / dkh
Chloroform	ND	ug/L		1.0		SW8260B	03/06/07 04:19 / dkh
Chloromethane	ND	ug/L		1.0		SW8260B	03/06/07 04:19 / dkh
Methylene chloride	ND	ug/L		1.0		SW8260B	03/06/07 04:19 / dkh
Surr: 1,2-Dichlorobenzene-d4	100	%REC			80-120	SW8260B	03/06/07 04:19 / dkh
Surr: Dibromofluoromethane	98.0	%REC			70-130	SW8260B	03/06/07 04:19 / dkh
Surr: p-Bromofluorobenzene	98.0	%REC			80-120	SW8260B	03/06/07 04:19 / dkh
Surr: Toluene d8	98.0	%REC			80-120	SW8260B	03/06/07 04:19 / dkh

Report Definitions: RL - Analyte reporting limit  
 QCL - Quality control limit

MCL - Maximum contaminant level  
 ND - Not detected at the reporting limit.



**LABORATORY ANALYTICAL REPORT**

**Client:** Denison Mines  
**Project:** 1st Quarter Chloroform Sampling Event  
**Lab ID:** C07030109-017  
**Client Sample ID:** TW4-15

**Report Date:** 03/23/07  
**Collection Date:** 03/28/07 14:22  
**Date Received:** 03/02/07  
**Matrix:** Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / Dy
<b>MAJOR IONS</b>							
Chloride	56	mg/L		1		A4500-Cl R	03/06/07 13:24 / jj
Nitrogen, Nitrate+Nitrite as N	0.5	mg/L		0.1		E353.2	03/06/07 11:38 / lj
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	03/07/07 09:14 / dkh
Chloroform	570	ug/L	D	50		SW8260B	03/06/07 21:23 / dkh
Chloromethane	ND	ug/L		1.0		SW8260B	03/07/07 09:14 / dkh
Methylene chloride	5.5	ug/L		1.0		SW8260B	03/07/07 09:14 / dkh
Surr. 1,2-Dichlorobenzene-d4	101	%REC			80-120	SW8260B	03/07/07 09:14 / dkh
Surr. Dibromochloromethane	107	%REC			70-130	SW8260B	03/07/07 09:14 / dkh
Surr. p-Bromofluorobenzene	96.0	%REC			80-120	SW8260B	03/07/07 09:14 / dkh
Surr. Toluene-d8	95.0	%REC			80-120	SW8260B	03/07/07 09:14 / dkh

**Report:** RL - Analyte reporting limit.  
**Definitions:** QCL - Quality control limit.  
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level  
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event  
 Lab ID: C07030109-018  
 Client Sample ID: TW4-15

Report Date: 03/23/07  
 Collection Date: 02/28/07 12:46  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analysis	Result	Units	Qualifiers	RL	MCL/QCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	79	mg/L		1		A4500-Cl B	03/06/07 13:25 / jj
Nitrogen, Nitrate+Nitrite as N	12.3	mg/L	D	0.3		E353.2	03/06/07 11:40 / jji
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	03/07/07 05:16 / dkh
Chloroform	8.7	ug/L		1.0		SW2260B	03/07/07 05:16 / dkh
Chloromethane	ND	ug/L		1.0		SW8260B	03/07/07 05:16 / dkh
Methylene chloride	6.6	ug/L		1.0		SW8260B	03/07/07 05:16 / dkh
Surr: 1,2-Dichlorobenzene-d4	103	%REC			80-120	SW8260B	03/07/07 05:16 / dkh
Surr: Dibromofluoromethane	108	%REC			70-130	SW2260B	03/07/07 05:16 / dkh
Surr: p-Bromofluorobenzene	99.0	%REC			80-120	SW5260B	03/07/07 05:16 / dkh
Surr: Toluene-d8	99.0	%REC			80-120	SW5260B	03/07/07 05:16 / dkh

Report RL - Analyte reporting limit.

Definitions: QCL - Quality control limit

D - RL Increased due to sample matrix interference.

MCL - Maximum contaminant level.

ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event  
 Lab ID: C07030109-019  
 Client Sample ID: TW4-17

Report Date: 03/23/07  
 Collection Date: 02/28/07 11:53  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ OCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	32	mg/L		1		A4500-Cl B	03/05/07 13:26 / j
Nitrogen, Nitrate+N:trite as N	ND	mg/L		0.1		E353.2	03/05/07 11:43 / j
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	ND	ug/L		1.0		SW826CB	03/07/07 05:57 / dkh
Chloroform	ND	ug/L		1.0		SW826CB	03/07/07 05:57 / dkh
Chloromethane	ND	ug/L		1.0		SW826CB	03/07/07 05:57 / dkh
Methylene chloride	ND	ug/L		1.0		SW826CB	03/07/07 05:57 / dkh
Surr: 1,2-Dichlorobenzene-d4	102	%REC			80-120	SW8260B	03/07/07 05:57 / dkh
Surr: Dichlorofluoromethane	104	%REC			70-130	SW8260B	03/07/07 05:57 / dkh
Surr: p-Bromofluorobenzene	37.0	%REC			80-120	SW8260B	03/07/07 05:57 / dkh
Surr: Toluene-d8	99.0	%REC			80-120	SW8260B	03/07/07 05:57 / dkh

Report HL - Analyte reporting limit.  
 Definitions: OCL - Quality control limit.

MCL - Maximum contaminant level.  
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1s: Quarter Chloroform Sampling Event  
 Lab ID: C07D3010S-020  
 Client Sample ID: 1W4-18

Report Date: 03/23/07  
 Collection Date: 02/28/07 12:34  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysts Date / By
<b>MAJOR IONS</b>							
Chloride	30	mg/L		1		A4500-Cl B	03/06/07 13:32 / jl
Nitrogen, Nitrate+Nitrite as N	5.1	mg/L	D	0.2		E353.2	03/06/07 11:45 / jl
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	03/07/07 09:53 / dkh
Chloroform	9.2	ug/L		1.0		SW8260B	03/07/07 09:53 / dkh
Chloromethane	ND	ug/L		1.0		SW8260B	03/07/07 09:53 / dkh
Methylene chloride	ND	ug/L		1.0		SW8260B	03/07/07 09:53 / dkh
Surr: 1,2-Dichlorobenzene-d4	102	%REC			80-120	SW8260B	03/07/07 09:53 / dkh
Surr: D-bromofluoromethane	102	%REC			70-130	SW8260B	03/07/07 09:53 / dkh
Surr: p-Bromofluorobenzene	100	%REC			80-120	SW8260B	03/07/07 09:53 / dkh
Surr: Toluene-d8	98.0	%REC			80-120	SW8260B	03/07/07 09:53 / dkh

Report Definitions: RL - Analyte reporting limit.  
 QCL - Quality control limit.  
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.  
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event  
 Lab ID: C07030109-021  
 Client Sample ID: TW4-19

Report Date: 03/23/07  
 Collection Date: 02/28/07 16:35  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	133	mg/L		1		A4500-Cl B	03/06/07 13:34 /jl
Nitrogen, N (rate+Nitrite as N)	4.0	mg/L		0.1		E353.2	03/06/07 11:55 /jl
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	1.3	ug/L		1.0		SW8260B	03/07/07 10:32 /dkh
Chloroform	1230	ug/L	D	50		SW8260B	03/06/07 22:02 /dkh
Chloromethane	ND	ug/L		1.0		SW8260B	03/07/07 10:32 /dkh
Methylene chloride	ND	ug/L		1.0		SW8260B	03/07/07 10:32 /dkh
Surr. 1,2-Dichlorobenzene-d4	101	%REC			60-120	SW8260B	03/07/07 10:32 /dkh
Surr. Dibromofluoromethane	103	%REC			70-130	SW8260B	03/07/07 10:32 /dkh
Surr. p-Bromofluorobenzene	98.0	%REC			80-120	SW8260B	03/07/07 10:32 /dkh
Surr. Toluene-d8	99.0	%REC			60-120	SW8260B	03/07/07 10:32 /dkh

Report: RL - Analyte reporting limit.  
 Definitions: QCL - Quality control limit.  
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level  
 ND - Not detected at the reporting limit.





LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event  
 Lab ID: C07030109-022  
 Client Sample ID: TW4-20

Report Date: 03/23/07  
 Collection Date: 02/28/07 16:23  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	124	mg/L		1		A4500-Cl B	03/08/07 13:35 / jl
Nitrogen, Nitrate+N.rite as N	4.2	mg/L		0.1		E353.2	03/08/07 11:57 / lj
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	3.1	ug/L		1.0		SW8260B	03/07/07 05:37 / dkh
Chloroform	4400	ug/L	D	50		SW8260B	03/08/07 15:38 / dkh
Chloroethane	ND	ug/L		1.0		SW8260B	03/07/07 05:37 / dkh
Methylene chloride	1.1	ug/L		1.0		SW8260B	03/07/07 05:37 / dkh
Surr: 1,2-Dichlorobenzene-d4	102	%REC			80-120	SW8260B	03/07/07 05:37 / dkh
Surr: Dibromomethane	100	%REC			70-130	SW8260B	03/07/07 05:37 / dkh
Surr: p-Bromofluorobenzene	98.0	%REC			80-120	SW8260B	03/07/07 05:37 / dkh
Surr: Toluene-d8	96.0	%REC			80-120	SW8260B	03/07/07 05:37 / dkh

Report Definitions: RL - Analyte reporting limit.  
 QCL - Quality control limit.  
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.  
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event  
 Lab ID: C07030109-023  
 Client Sample ID: TW4-21

Report Date: 03/23/07  
 Collection Date: 02/28/07 14:10  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	306	mg/L		1		A4500-Cl B	03/06/07 13:36 / jfj
Nitrogen, Nitrate + Nitrite as N	87	mg/L	D	0.2		E353.9	03/06/07 12:00 / jfj
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	1.8	ug/L		1.0		SW8260B	03/07/07 07:17 / dkh
Chloroform	16C	ug/L	D	5.0		SW8260B	03/08/07 16:17 / dkh
Chloromethane	ND	ug/L		10		SW8260B	03/07/07 07:17 / dkh
Methylene chloride	ND	ug/L		10		SW8260B	03/07/07 07:17 / dkh
Surr: 1,2-Dichlorobenzene-d4	101	%REC			8C-12C	SW8260B	03/07/07 07:17 / dkh
Surr: Dichlorofluoromethane	103	%REC			7C-13C	SW8260B	03/07/07 07:17 / dkh
Surr: p-Bromofluorobenzene	99.0	%REC			8C-12C	SW8260B	03/07/07 07:17 / dkh
Surr: Toluene-d8	100	%REC			8C-12C	SW8260B	03/07/07 07:17 / dkh

Report: RL - Analyte reporting limit.  
 Definitions: DCL - Quality control limit.  
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.  
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event  
 Lab ID: C07030109-024  
 Client Sample ID: TV4 22

Report Date: 03/23/07  
 Collection Date: 02/28/07 14:34  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	347	mg/L		1		A4500 Cl B	03/06/07 13:37 / jf
Nitrogen, Nitrate+Nitrite as N	20.9	mg/L	D	0.3		E353.2	03/06/07 12:03 / jf
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	ND	ug/L		1.0		SWS260B	03/07/07 11:11 / dkh
Chloroform	440	ug/L	D	10		SW8260B	03/07/07 03:17 / dkh
Chloromethane	ND	ug/L		1.0		SW0260D	03/07/07 11:11 / dkh
Methylene chloride	ND	ug/L		1.0		SW8260B	03/07/07 11:11 / dkh
Surr: 1,2-Dichlorobenzene-d4	102	%REC			80-120	SWE260B	03/07/07 11:11 / dkh
Surr: Dibromofluoromethane	102	%REC			70-130	SW8260B	03/07/07 11:11 / dkh
Surr: p-Bromofluorobenzene	101	%REC			80-120	SWE260B	03/07/07 11:11 / dkh
Surr: Toluene-d8	97.0	%REC			80-120	SW8260B	03/07/07 11:11 / dkh

Report Definitions: RL - Analyte reporting limit.  
 QCL - Quality control limit  
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.  
 ND - Not detected at the reporting limit.



**LABORATORY ANALYTICAL REPORT**

**Client:** Denison Mines  
**Project:** 1st Quarter Chloroform Sampling Event  
**Lab ID:** C07030109-025  
**Client Sample ID:** TW4-60

**Report Date:** 03/23/07  
**Collection Date:** 02/20/07 13:33  
**Date Received:** 03/02/07  
**Matrix:** Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ OCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	ND	mg/L		1		A4500-Cl B	03/06/07 13:41 / JJ
Nitrogen, Nitrate+Nitrite as N	ND	mg/L		0.1		E353.2	03/06/07 12:05 / JJ
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	03/07/07 07:57 / dkh
Chloroform	25	ug/L		1.0		SW8260B	03/07/07 07:57 / dkh
Chloroethane	ND	ug/L		1.0		SW8260B	03/07/07 07:57 / dkh
Methylene chloride	ND	ug/L		1.0		SW8260B	03/07/07 07:57 / dkh
Surr: 1,2-Dichlorobenzene-d4	102	%REC			80-120	SW8260B	03/07/07 07:57 / dkh
Surr: Dibromofluoromethane	104	%REC			70-130	SW8260B	03/07/07 07:57 / dkh
Surr: p-Bromofluorobenzene	100	%REC			80-120	SW8260B	03/07/07 07:57 / dkh
Surr: Toluene-d8	96.0	%REC			80-120	SW8260B	03/07/07 07:57 / dkh

**Report Definitions:** RL - Analyte reporting limit.  
 OCL - Quality control limit

MCL - Maximum contaminant level.  
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event  
 Lab ID: C07030109-026  
 Client Sample ID: TW4-50

Report Date: 03/23/07  
 Collection Date: 02/28/07 13:48  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ OCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	ND	mg/L		1		A4500-Cl R	03/06/07 13:43 / jf
Nitrogen, Nitrate+Nitrite as N	ND	mg/L		0.1		E353.2	03/06/07 12:15 / lj
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	03/07/07 11:50 / dkh
Chloroform	20	ug/L		1.0		SW8260B	03/07/07 11:50 / dkh
Chloromethane	ND	ug/L		1.0		SW8260B	03/07/07 11:50 / dkh
Methylene chloride	ND	ug/L		1.0		SW8260B	03/07/07 11:50 / dkh
Surr: 1,2-Dichlorobenzene-d4	102	%REC			80-120	SW8260B	03/07/07 11:50 / dkh
Surr: Dibromofluoromethane	102	%REC			70-130	SW8260B	03/07/07 11:50 / dkh
Surr: p-Bromofluorobenzene	98.0	%REC			80-120	SW8260B	03/07/07 11:50 / dkh
Surr: Toluene-d8	98.0	%REC			80-120	SW8260B	03/07/07 11:50 / dkh

Report Definitions: RL - Analyte reporting limit.  
 OCL - Quality control limit.

MCL - Maximum contaminant level.  
 ND - Not detected at the reporting limit.



LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event  
 Lab ID: C07030109-027  
 Client Sample ID: TW4-65

Report Date: 03/23/07  
 Collection Date: 02/28/07 16:23  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	139	mg/l		1		A4500-Cl B	03/06/07 13:44 / jl
Nitrogen, Nitrate+Nitrite as N	4.3	mg/L		0.1		E353 2	03/06/07 12:18 / ljt
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	8.3	ug/L		1.0		SW8250B	03/07/07 12:29 / dkh
Chloroform	16000	ug/L	D	250		SW8250B	03/06/07 19:27 / dkh
Chloromethane	ND	ug/L		1.0		SW8250B	03/07/07 12:29 / dkh
Methylene chloride	1.0	ug/L		1.0		SW8260B	03/07/07 12:29 / dkh
Surf: 1,2-Dichlorobenzene-d4	101	%REC			80-120	SW8260D	03/07/07 12:29 / dkh
Surf: Dibromofluoromethane	101	%REC			70-130	SW8260B	03/07/07 12:29 / dkh
Surf: p-Bromofluorobenzene	98.0	%REC			80-120	SW8260B	03/07/07 12:29 / dkh
Surf: Toluene-d8	98.0	%REC			80-120	SW8260B	03/07/07 12:29 / dkh

Report: RL - Analyte reporting limit.  
 Definitions: QCL - Quality control limit.  
 D - RL increased due to sample matrix interference.

MCL - Maximum contaminant level.  
 ND - Not detected at the reporting limit.



### LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event  
 Lab ID: CD7030109-028  
 Client Sample ID: TW4-70

Report Date: 03/23/07  
 Collection Date: 02/28/07 13:58  
 Date Received: 03/02/07  
 Matrix: Aqueous

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
<b>MAJOR IONS</b>							
Chloride	55	mg/L		1		A4500-Cl B	03/06/07 13:45 / jf
Nitrogen, Nitrate+Nitrite as N	8.1	mg/L	D	0.2		E353.2	03/05/07 12:20 / jf
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	03/07/07 08:36 / dkh
Chloroform	41	ug/L		1.0		SW8260D	03/07/07 08:36 / dkh
Chloromethane	ND	ug/L		1.0		SW8260B	03/07/07 08:36 / dkh
Methylene chloride	ND	ug/L		1.0		SW8260B	03/07/07 08:36 / dkh
Surr: 1,2-Dichlorobenzene-d4	101	%REC			80-120	SW8260B	03/07/07 08:36 / dkh
Surr: Dibromofluoromethane	102	%REC			70-130	SW8260B	03/07/07 08:36 / dkh
Surr: p-Bromofluorobenzene	98.0	%REC			80-120	SW8260B	03/07/07 08:36 / dkh
Surr: Toluene-c6	07.0	%REC			80-120	SW8260B	03/07/07 08:36 / dkh

Report: RL - Analyte reporting limit.  
 Definitions: QCL - Quality control limit.  
 D - RL Increased due to sample matrix interference.

MCL - Maximum contaminant level  
 ND - Not detected at the reporting limit.



### LABORATORY ANALYTICAL REPORT

Client: Denison Mines  
Project: 1st Quarter Chloroform Sampling Event  
Lab ID: C07030109-029  
Client Sample ID: Trip Blank

Report Date: 03/23/07  
Collection Date: 02/28/07  
Date Received: 03/02/07  
Matrix: Aqueous

Analytes	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
<b>VOLATILE ORGANIC COMPOUNDS</b>							
Carbon tetrachloride	ND	ug/L		1.0		SW8260B	03/06/07 17:30 / dkh
Chloroform	ND	ug/L		1.0		SW8260B	03/06/07 17:30 / dkh
Chloromethane	ND	ug/L		1.0		SW8260B	03/06/07 17:30 / dkh
Methylene chloride	ND	ug/L		1.0		SW8260B	03/06/07 17:30 / dkh
Surr; 1,2-D chlorobenzene-d4	101	%REC			90-120	SW8260B	03/06/07 17:30 / dkh
Surr; Dibromofluoromethane	99.0	%REC			70-130	SW8260B	03/06/07 17:30 / dkh
Surr; p-Bromofluorobenzene	99.0	%REC			80-120	SW8260B	03/06/07 17:30 / dkh
Surr; Toluene-d8	98.0	%REC			80-120	SW8260B	03/06/07 17:30 / dkh

Report: RL - Analyte reporting limit.  
Definitions: QCL - Quality control limit.

MCL - Maximum contaminant level.  
ND - Not detected at the reporting limit.





## QA/QC Summary Report

Client: Den son Mines  
 Project: 1st Quarter Chloroform Sampling Event

Report Date: 03/23/07  
 Work Order: C07030109

Analyte	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: A4500-C1 B							Batch: 070306A-CL-TTR-W		
Sample ID: MBLK9-070306A Chloride	Method Blank ND	mg/L	0.4						Run: TITRATION_070306A 03/06/07 11:15
Sample ID: C07030064-010BMS Chloride	Sample Matrix Spike 305	mg/L	1.0	100	90	110			Run: TITRATION_070306A 03/06/07 12:48
Sample ID: C37030064-013BMSD Chloride	Sample Matrix Spike Duplicate 311	mg/L	1.0	101	90	110	0.7	10	Run: TITRATION_070306A 03/06/07 12:48
Sample ID: LCS35-070306A Chloride	Laboratory Control Sample 3530	mg/L	1.0	98	90	110			Run: TITRATION_070306A 03/06/07 12:50
Sample ID: MBLK36-070306A Chloride	Method Blank ND	mg/L	0.4						Run: TITRATION_070306A 03/06/07 12:50
Sample ID: C07030109-009BMS Chloride	Sample Matrix Spike 118	mg/L	1.0	99	90	110			Run: TITRATION_070306A 03/06/07 13:15
Sample ID: C07030109-009BMSD Chloride	Sample Matrix Spike Duplicate 119	mg/L	1.0	101	90	110	1.2	10	Run: TITRATION_070306A 03/06/07 13:16
Sample ID: C07030109-019BMS Chloride	Sample Matrix Spike 101	mg/L	1.0	97	90	110			Run: TITRATION_070306A 03/06/07 13:27
Sample ID: C07030109-019BMSD Chloride	Sample Matrix Spike Duplicate 104	mg/L	1.0	101	90	110	3.4	10	Run: TITRATION_070306A 03/06/07 13:28

**Qualifiers:**

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.



## QA/QC Summary Report

**Client:** Denison Mines  
**Project:** 1st Quarter Chloroform Sampling Event

**Report Date:** 03/23/07  
**Work Order:** C07030109

Analyte	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: E353.2		Batch: A2007 03-06_1_N03_01							
Sample ID: MBLK-1 Nitrogen, Nitrate+Nitrite as N	Method Blank ND	mg/L	0.03						Run: TECHNICON_070306A 03/06/07 10:33
Sample ID: LCS-2 Nitrogen, Nitrate+Nitrite as N	Laboratory Control Sample 2.54	mg/L	0.10	100	90	110			Run: TECHNICON_070306A 03/06/07 10:35
Sample ID: C07030109-005AMS Nitrogen, Nitrate+Nitrite as N	Sample Matrix Spike 5.09	mg/L	0.10	101	90	110			Run: TECHNICON_070306A 03/06/07 10:50
Sample ID: C07030109-006AMSD Nitrogen, Nitrate+Nitrite as N	Sample Matrix Spike Duplicate 5.13	mg/L	0.10	103	90	110	0.8	10	Run: TECHNICON_070306A 03/06/07 10:53
Sample ID: C07030109-014AMS Nitrogen, Nitrate+Nitrite as N	Sample Matrix Spike 3.42	mg/L	0.10	97	90	110			Run: TECHNICON_070306A 03/06/07 11:28
Sample ID: C07030109-014AMSD Nitrogen, Nitrate+Nitrite as N	Sample Matrix Spike Duplicate 3.44	mg/L	0.10	98	90	110	0.6	10	Run: TECHNICON_070306A 03/06/07 11:30
Sample ID: MBLK-32 Nitrogen, Nitrate+Nitrite as N	Method Blank ND	mg/L	0.03						Run: TECHNICON_070306A 03/06/07 11:50
Sample ID: LCS-33 Nitrogen, Nitrate+Nitrite as N	Laboratory Control Sample 2.55	mg/L	0.10	100	90	110			Run: TECHNICON_070306A 03/06/07 11:53
Sample ID: C07030109-025AMS Nitrogen, Nitrate+Nitrite as N	Sample Matrix Spike 1.97	mg/L	0.10	99	90	110			Run: TECHNICON_070306A 03/06/07 12:08
Sample ID: C07030109-025AMSD Nitrogen, Nitrate+Nitrite as N	Sample Matrix Spike Duplicate 1.96	mg/L	0.10	98	90	110	0.5	10	Run: TECHNICON_070306A 03/06/07 12:10

**Qualifiers:**

RL - Analyte reporting limit

ND - Not detected at the reporting limit.



### QA/QC Summary Report

Client: Denison Mines  
 Project: 1st Quarter Chloroform Sampling Event

Report Date: 03/23/07  
 Work Order: C07030109

Analyte	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8260B							Batch: H80429		
Sample ID: 05-Mar-07_LCS_3	Laboratory Control Sample				Run: GCMS2_070305A		03/05/07 13:21		
Carbon tetrachloride	4.2	ug/L	1.0	83	70	130			
Chloroform	4.6	ug/L	1.0	83	70	130			
Chloromethane	4.3	ug/L	1.0	86	70	130			
Methylene chloride	5.0	ug/L	1.0	100	70	130			
Surr: 1,2-Dichlorobenzene-d4			1.0	88	80	120			
Surr: Dibromofluoromethane			1.0	84	70	130			
Surr: p-Bromofluorobenzene			1.0	100	80	130			
Surr: Toluene-d8			1.0	88	80	120			
Sample ID: 05-Mar-07_MBLK_6	Method Blank				Run: GCMS2_070305A		03/05/07 15:18		
Carbon tetrachloride	ND	ug/L	0.6						
Chloroform	ND	ug/L	0.5						
Chloromethane	ND	ug/L	0.5						
Methylene chloride	ND	ug/L	0.5						
Surr: 1,2-Dichlorobenzene-d4				100	80	120			
Surr: Dibromofluoromethane				82	70	130			
Surr: p-Bromofluorobenzene				100	80	120			
Surr: Toluene-d8				98	80	120			
Sample ID: C07030109-012CMS	Sample Matrix Spike				Run: GCMS2_070306A		03/06/07 12:08		
Carbon tetrachloride	180	ug/L	10	91	70	130			
Chloroform	670	ug/L	10	80	70	130			
Surr: 1,2-Dichlorobenzene-d4			1.0	102	80	120			
Surr: Dibromofluoromethane			1.0	98	70	130			
Surr: p-Bromofluorobenzene			1.0	102	80	120			
Surr: Toluene-d8			1.0	96	80	120			
Sample ID: C07030109-012CMSD	Sample Matrix Spike Duplicate				Run: GCMS2_070306A		03/06/07 12:47		
Carbon tetrachloride	180	ug/L	10	90	70	130	0.9	20	
Chloroform	650	ug/L	10	79	70	130	2.2	20	
Surr: 1,2-Dichlorobenzene-d4			1.0	100	80	120	0.0	10	
Surr: Dibromofluoromethane			1.0	86	70	130	0.0	10	
Surr: p-Bromofluorobenzene			1.0	98	80	120	0.0	10	
Surr: Toluene-d8			1.0	98	80	120	0.0	10	

**Qualifiers:**

RL - Analyte reporting limit

ND - Not detected at the reporting limit.



## QA/QC Summary Report

Client: Denison Mines

Report Date: 03/23/07

Project: 1st Quarter Chloroform Sampling Event

Work Order: C07030109

Analyte	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: SW8280B <span style="float: right;">Batch: R80550</span>									
Sample ID: 06-Mar-07_LCS_1	Laboratory Control Sample					Run: GCMS2_070306A			03/08/07 14:54
Carbon tetrachloride	5.4	ug/L	1.0	107	70	130			
Chloroform	5.5	ug/L	1.0	110	70	130			
Chloromethane	5.0	ug/L	1.0	101	70	130			
Methylene chloride	5.8	ug/L	1.0	115	70	130			
Surr: 1,2-Dichlorobenzene-d4			1.0	99	80	120			
Surr: Dibromofluoromethane			1.0	99	70	130			
Surr: p-Bromofluorobenzene			1.0	100	80	130			
Surr: Toluene-d8			1.0	99	80	120			
Sample ID: 06-Mar-07_MBLK_3 <span style="float: right;">Run: GCMS2_070306A <span style="margin-left: 20px;">03/08/07 16:12</span></span>									
Carbon tetrachloride	ND	ug/L	0.5						
Chloroform	ND	ug/L	0.5						
Chloromethane	ND	ug/L	0.5						
Methylene chloride	ND	ug/L	0.5						
Surr: 1,2-Dichlorobenzene-d4				99	80	120			
Surr: Dibromofluoromethane				96	70	130			
Surr: p-Bromofluorobenzene				98	80	120			
Surr: Toluene-d8				98	80	120			
Sample ID: C07030109-020CMS <span style="float: right;">Run: GCMS2_070306A <span style="margin-left: 20px;">03/07/07 14:26</span></span>									
Carbon tetrachloride	190	ug/L	10	97	70	130			
Chloroform	220	ug/L	10	108	70	130			
Surr: 1,2-Dichlorobenzene-d4			1.0	102	80	120			
Surr: Dibromofluoromethane			1.0	99	70	130			
Surr: p-Bromofluorobenzene			1.0	102	80	120			
Surr: Toluene-d8			1.0	99	80	120			
Sample ID: C07030109-020CMSD <span style="float: right;">Run: GCMS2_070306A <span style="margin-left: 20px;">03/07/07 15:05</span></span>									
Carbon tetrachloride	210	ug/L	10	106	70	130	8.7	20	
Chloroform	240	ug/L	10	118	70	130	9.2	20	
Surr: 1,2-Dichlorobenzene d4			1.0	102	80	120	0.0	10	
Surr: Dibromofluoromethane			1.0	99	70	130	0.0	10	
Surr: p-Bromofluorobenzene			1.0	103	80	120	0.0	10	
Surr: Toluene-d8			1.0	98	80	120	0.0	10	

**Qualifiers:**

RL - Analyte reporting limit.

ND - Not detected at the reporting limit.

PLEASE PRINT, provide as much information as possible. Refer to corresponding notes on reverse side.

Company Name: <u>International Uranium (USA) Corporation</u> Repor. Mail Address: <u>P.O. Box 809</u> <u>Blanding, Utah 84511</u> Invoice Address: <u>- Same -</u>		Project Name, PWS #, Permit #, Etc.: <u>1st Quarter Chloroform Sampling Event</u> Contact Name, Phone, Fax, E-mail: <u>Charles Divin 435-678-3221 / 435-678-2224</u> Invoice Contact & Phone #: <u>David Turk 435-678-3221</u> Purchase Order #: <u>1435-678-2224</u> ELI Quota #: _____	
Report Required For: <input type="checkbox"/> POTW/WTP <input type="checkbox"/> DW <input type="checkbox"/> Other: _____ Special Report Formats - ELI must be notified prior to sample submittal for the following: NELAC <input type="checkbox"/> AZLA <input type="checkbox"/> Level IV <input type="checkbox"/> Other: _____ EDD/EDIT U Format _____		Notify ELI prior to RUSH sample submittal for additional changes and scheduling Comments: <u>SEE ATTACHED</u> PLUS Turnaround (TAT) _____ Normal Turnaround (TAT) _____ Shipped by: <u>ASAP</u> Cooler (lbs): <u>2-1440</u> Receipt Temp: <u>5.0</u> Custody Seal: <u>Y/N</u> Signature: <u>Y/N</u> Match: <u>Y/N</u> Lab ID: _____	
SAMPLE IDENTIFICATION (Name, Location, Interval, etc.) 1. <u>Mw4</u> 2. <u>TW4-A</u> 3. <u>TW4-1</u> 4. <u>TW4-2</u> 5. <u>TW4-3</u> 6. <u>TW4-4</u> 7. <u>TW4-5</u> 8. <u>TW4-6</u> 9. <u>TW4-7</u> 10. <u>TW4-8</u>		Number of Containers Sample Type A W S V B C MATRIX M: Water S: Solids V: Volatile B: Biosolids C: Chloroform W: Wastewater S: Sludge V: Volatile B: Biosolids C: Chloroform	
Collection Date 2/28/07 2/28/07 2/28/07 2/28/07 2/28/07 2/28/07 2/28/07 2/28/07 2/28/07		Collection Time 1530 1500 1518 1603 1033 1528 1358 1300 1500 1221	
Custody Record MUST be Signed Submitted by (name): <u>Charles Divin 3/10/07</u> Submitted by (phone): <u>(1100) Charles Divin</u> Signature: _____ Date/TIME: <u>3/10/07 0950</u> Rechecked by (name): _____ Rechecked by (phone): _____ Signature: _____ Date/TIME: _____		LABORATORY USE ONLY 0720101	
Sample Disposal: _____ Return to client: _____ Lab Disposal: _____		Sample Type: _____ # of fractions: _____ LABORATORY USE ONLY	

In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This service is available at the discretion of the laboratory. All sub-contract data will be clearly noted on your analytical report. Visit our web site at [www.energylab.com](http://www.energylab.com) for additional information, downloadable fee schedule, forms, & links.



# Chain of Custody and Analytical Request Record

PLEASE PRINT, provide as much information as possible. Refer to corresponding notes on reverse side.



ENERGY LABORATORIES, INC. • 2363 Salt Creek Highway (82601) • P.O. Box 3258 • Casper, WY 82602  
Toll Free 888.235.0515 • 307.235.0515 • Fax 307.234.1639 • casper@energylab.com • www.energylab.com

Company Name: TUSA  
 Report Mail Address: P.O. Box 809  
Blanding, Ut 84511  
 Invoice Address: - Same -

Project Name, Phys #, Permit #, Etc.: 1st Quarter Chloroform Sampling Event  
 Contact Name, Phone, Fax, E-mail: Charles Ovin 435-678-2221 / 435-678-2221  
 Invoice Contact & Phone #: David Turk 435-678-2221  
 Purchase Order #: 435-678-2221  
 ELI Quote #:

Report Required For:  POTW/MWTP  DW  Other \_\_\_\_\_  
 Special Report Formats - ELI must be notified prior to sample submittal for the following:  
 NELAC  A2LA  Level IV  Other \_\_\_\_\_  
 EDD/EDT  Format \_\_\_\_\_


SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)	Collection Date	Collection Time	Number of Containers	Sample Type: A W S V D Air Water Solids/Solids Xestation Drossary Other	MATRIX	ANALYSIS REQUESTED		Normal Turnaround (TAT)	RUSH Turnaround (TAT)	Comments:	Notify ELI prior to RUSH sample submittal for additional charges and scheduling	Shipped by
						Chloroform	Nitrate/Nitrite					
1 TW4-9	2/28/07	1208	5-W			Chloroform		SEE ATTACHED				NSA
2 TW4-10	2/28/07	1445	5-W									NSA
3 TW4-11	2/28/07	1613	5-W									NSA
4 TW4-12	2/28/07	1110	5-W									NSA
5 TW4-13	2/28/07	1125	5-W									NSA
6 TW4-14	2/28/07	1137	5-W									NSA
7 TW4-15	2/28/07	1422	5-W									NSA
8 TW4-16	2/28/07	1246	5-W									NSA
9 TW4-17	2/28/07	1153	5-W									NSA
10 TW4-18	2/28/07	1234	5-W									NSA

Signature of (Client): Charles Ovin 3/1/07 (100)  
 Signature of (Company): Charles Ovin  
 Signature of (Lab): Charles Ovin  
 Date/Time: 3/1/07 0950  
 Received by (Unit): Tim Hellen  
 Date/Time: 3/2/07 0950  
 Signature: [Signature]  
 Date/Time: \_\_\_\_\_

Signature of (Lab): [Signature]  
 Date/Time: \_\_\_\_\_

Signature of (Client): [Signature]  
 Date/Time: \_\_\_\_\_

Sample Disposal: \_\_\_\_\_ Lab Disposal: \_\_\_\_\_  
 Return to Client: \_\_\_\_\_  
 In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report.  
 Visit our web site at [www.energylab.com](http://www.energylab.com) for additional information, downloadable fee schedule, forms, & links.





# Chain of Custody and Analytical Request Record

PLEASE PRINT, provide as much information as possible. Refer to corresponding notes on reverse side.



ENERGY LABORATORIES, INC. • 2383 Salt Creek Highway (82601) • P.O. Box 3258 • Casper, WY 82602  
Toll Free 888.235.0515 • 307.235.0515 • Fax 307.234.1639 • casper@energylab.com • www.energylab.com

Company Name: International Uranium (USA) Corp  
 Project Name: P215 #, Permit #, Etc.  
 Report Mail Address: P.O. Box 809  
 Contact Name: Charles Orvin  
 Phone: 435-678-2221 Fax: 435-678-2224  
 Blanding Utah 87411  
 Invoice Contact & Phone #: David Turk 435-678-2021  
 E-mail: - Same -  
 Repon Required For:  POTW/WTP  DW   
 Other: \_\_\_\_\_  
 Special Report Formats - ELI must be notified prior to sample submittal for the following:  
 NELAC  A2LA  Level IV   
 Other: \_\_\_\_\_  
 EDD/EDT  Format \_\_\_\_\_

SAMPLE IDENTIFICATION (Name, Location, Interval, etc.)	Collection Date	Collection Time	Number of Containers Sample Type: A W S V B O	Matrix	ANALYSIS REQUESTED	Notify ELI prior to RUSH sample submittal for additional charges and scheduling		Shipped By: N.A.A.
						Normal Turnaround (TAT)	RUSH Turnaround (TAT)	
1. TW4-19	2/28/07	1635	5-W		Chloroform			Receipt Temp 5.0 °C
2. TW4-20	2/28/07	1623	5-W		Inorganic Chloride			Custody Seal N
3. TW4-21	2/28/07	1410	5-W		Mercury (Nitrite)			Intact Y
4. TW4-22	2/28/07	1434	5-W					Signature Y
5. TW4-60	2/28/07	1333	5-W					Match Y
6. TW4-63	2/28/07	1348	5-W					Lab ID
7. TW4-65	2/28/07	1623	5-W					
8. TW4-70	2/28/07	1358	5-W					
9. Trip Blank	2/28/07		5-W					
10. Trip Blank	2/28/07		5-W					

Comments: \_\_\_\_\_  
 Notify ELI prior to RUSH sample submittal for additional charges and scheduling  
 Signature: Charles Orvin Date/TIME: 3/1/07 0950  
 Signature: David Turk Date/TIME: 3/1/07 0950  
 Signature: \_\_\_\_\_ Date/TIME: \_\_\_\_\_  
 Signature: \_\_\_\_\_ Date/TIME: \_\_\_\_\_

LABORATORY USE ONLY

Sample Type: \_\_\_\_\_ # of fractions: \_\_\_\_\_  
 Sample Disposal: \_\_\_\_\_ Lab Drawn: \_\_\_\_\_  
 Return to client: \_\_\_\_\_  
 In certain circumstances, samples submitted to Energy Laboratories, Inc. may be subcontracted to other certified laboratories in order to complete the analysis requested. This serves as notice of this possibility. All sub-contract data will be clearly notated on your analytical report.  
 Visit our web site at [www.energylab.com](http://www.energylab.com) for additional information, downloadable fee schedule, forms, & links.





Energy Laboratories, Inc.

Sample Receipt Checklist

Client Name Conison Mines

Date and Time Received: 3/2/2007 09:50:00

Work Order Number C0730109

Received by lin

Login completed by: Corinne Wagner  
Signature

3/2/2007 09:50:00  
Date

Reviewed by \_\_\_\_\_  
Initials Date

Carrier name Next Day Air

- Shipping container/cooler in good condition? Yes  No  Not Present
- Custody seals intact on shipping container/cooler? Yes  No  Not Present
- Custody seals intact on sample bottles? Yes  No  Not Present
- Chain of custody present? Yes  No
- Chain of custody signed when relinquished and received? Yes  No
- Chain of custody agrees with sample labels? Yes  No
- Samples in proper container/bottle? Yes  No
- Sample containers intact? Yes  No
- Sufficient sample volume for indicated test? Yes  No
- All samples received with in holding time? Yes  No
- Container/Temp Blank temperature in compliance? Yes  No  5.0°C On Ice
- Water - VOA vials have zero headspace? Yes  No  No VOA vials submitted
- Water - pH acceptable upon receipt? Yes  No  Not Applicable

Adjusted? \_\_\_\_\_ Checked by \_\_\_\_\_

Contact and Corrective Action Comments:  
None



Date: 23-Mar-07

CLIENT: Denison Mines  
Project: 1st Quarter Chloroform Sampling Event  
Sample Delivery Group: C07030109

## CASE NARRATIVE

THIS IS THE FINAL PAGE OF THE LABORATORY ANALYTICAL REPORT

### ORIGINAL SAMPLE SUBMITTAL(S)

All original sample submittals have been returned with the data package. A copy of the submittal(s) has been included and tracked in the data package.

### SAMPLE TEMPERATURE COMPLIANCE: 4°C (±2°C)

Temperature of samples received may not be considered properly preserved by accepted standards. Samples that are hand delivered immediately after collection shall be considered acceptable if there is evidence that the chilling process has begun.

### SOIL/SOLID SAMPLES

All samples reported on an as received basis unless otherwise indicated.

### PCR ANALYSIS USING EPA 505

Data reported by ELI using EPA method 505 reflects the results for seven individual Aroclors. When the results for all seven are ND (not detected), the sample meets EPA compliance criteria for PCB monitoring.

### SUBCONTRACTING ANALYSIS

Subcontracting of sample analyses to an outside laboratory may be required. If so, ENERGY LABORATORIES will utilize its branch laboratories or qualified contract laboratories for this service. Any such laboratories will be indicated within the Laboratory Analytical Report.

### BRANCH LABORATORY LOCATIONS

eli-b - Energy Laboratories, Inc. - Billings, MT  
eli-f - Energy Laboratories, Inc. - Idaho Falls, ID  
eli-g - Energy Laboratories, Inc. - Gillette, WY  
eli-h - Energy Laboratories, Inc. - Helena, MT  
eli-r - Energy Laboratories, Inc. - Rapid City, SD  
eli-t - Energy Laboratories, Inc. - College Station, TX

### CERTIFICATIONS:

USEPA: WY00002; FL-DOH NELAC: E87841; Arizona: AZ0699; California: 02118CA  
Oregon: WY200001; Utah: 3072350515; Virginia: G0057; Washington: C1903

ENERGY LABORATORIES, INC. - CASPER, WY certifies that certain method selections contained in this report meet requirements as set forth by the above accrediting authorities. Some result requested by the client may not be covered under these certifications. All analysis data to be submitted for regulatory enforcement should be certified in the sample state of origin. Please verify ELI's certification coverage by visiting [www.energylab.com](http://www.energylab.com)

ELI appreciates the opportunity to provide you with this analytical service. For additional information and services visit our web page [www.energylab.com](http://www.energylab.com).

The total number of pages of this report are indicated by the page number located in the lower right corner.

**Steve Landau**

---

**From:** Steve Landau [slandau@denisonmines.com]  
**Sent:** Friday, June 01, 2007 4:54 PM  
**To:** 'Dane Finerfrock'  
**Cc:** 'dfrydenlund@denisonmines.com'  
**Subject:** First Quarter 2007 Chloroform Report  
**Attachments:** C07030109 1st Qtr.csv


Dear Mr. Finerfrock,

Attached to this email is an electronic copy of all laboratory results for chloroform monitoring conducted during the 1<sup>st</sup> Quarter, 2007, in Comma Separated Value (CSV) format.

Yours truly,

Steven D. Landau  
Manager of Environmental Affairs  
Denison Mines Corporation  
1050 17th Street, Suite 950  
Denver, CO 80265  
(303) 389-4132  
(303) 389-4125 Fax


6/1/2007



**EXPLANATION**

NOTE: ND = not detected, NS = not sampled

- MW-4 ● 2300 perched monitoring well showing concentration in uG/l
- 2200 temporary perched monitoring well showing concentration in uG/l
- PIEZ-1 ○ NS perched piezometer (not sampled)
- MW-32 † ND perched monitoring well installed April, 2005 showing concentration in uG/l
- 160 temporary perched monitoring well installed April, 2005 showing concentration in uG/l



<b>KRIGED 1st QUARTER, 2007 CHLOROFORM (uG/L) WHITE MESA SITE</b>			
APPROVED	DATE	REFERENCE	FIGURE
		H:/718000/mar07/chl0307.srf	

Date of Sample	MW4	CHCl3 Values	Nitrate Values	Sampling Event
28-Sep-99		6200		Shallow Sample
28-Sep-99		5820		Deep Sample
28-Sep-99		6020		Total Sample
15-Mar-00		5520		Quarterly
15-Mar-00		5430		Quarterly
2-Sep-00		5420	9.63	Quarterly
30-Nov-00		6470	9.37	Quarterly & Split Sample
29-Mar-01		4360	8.77	Quarterly
22-Jun-01		6300	9.02	Quarterly
20-Sep-01		5300	9.45	Quarterly
8-Nov-01		5200	8	UDEQ Split Sampling Event
26-Mar-02		4700	8.19	First 1/4 2002 Sample
22-May-02		4300	8.21	Quarterly
12-Sep-02		6000	8.45	UDEQ Split Sampling Event
24-Nov-02		2500	8.1	Quarterly
28-Mar-03		2000	8.3	Quarterly
30-Apr-03		3300	NA	Well Pumping Event Sample
30-May-03		3400	8.2	Well Pumping Event Sample
23-Jun-03		4300	8.2	2nd Quarter Sampling Event
30-Jul-03		3600	8.1	Well Pumping Event Sample
29-Aug-03		4100	8.4	Well Pumping Event Sample
12-Sep-03		3500	8.5	3rd Quarter Sampling Event
15-Oct-03		3800	8.1	Well Pumping Event Sample
8-Nov-03		3800	8.0	4th Quarter Sampling Event
29-Mar-04			NA	Unable to purge/sample
22-Jun-04			NA	Unable to purge/sample
17-Sep-04		3300	6.71	3rd Quarter Sampling Event
17-Nov-04		4300	7.5	4th Quarter Sampling Event
16-Mar-05		2900	6.3	1st Quarter Sampling Event
25-May-05		3170	7.1	2nd Quarter Sampling Event
31-Aug-05		3500	7.0	3rd Quarter Sampling Event
1-Dec-05		3000	7.0	4th Quarter Sampling Event
9-Mar-06		3100	6.0	1st Quarter Sampling Event
14-Jun-06		3000	6.0	2nd Quarter Sampling Event
20-Jul-06		2820	1.2	3rd Quarter Sampling Event
9-Nov-06		2830	6.4	4th Quarter Sampling Event
28-Feb-07		2300	6.3	1st Quarter Sampling Event

Date of Sample	TW4-A	CHCl3 Values	Nitrate Values	Sampling Event
12-Sep-02		5700	8.3	UDEQ Split Sampling Event
24-Nov-02		5000	8.5	Quarterly
28-Mar-03		4500	8.2	Quarterly
23-Jun-03		4700	8.4	2nd Quarter Sampling Event
12-Sep-03		3400	8.6	3rd Quarter Sampling Event
10-Nov-03		4500	8.4	4th Quarter Sampling Event
29-Mar-04			NA	Unable to purge/sample
22-Jun-04			NA	Unable to purge/sample
17-Sep-04		3300	6.83	3rd Quarter Sampling Event
17-Nov-04		4100	8	4th Quarter Sampling Event
16-Mar-05		3700	7.1	1st Quarter Sampling Event
25-May-05		3740	7.8	2nd Quarter Sampling Event
31-Aug-05		3800	6.9	3rd Quarter Sampling Event
1-Dec-05		3000	6.7	4th Quarter Sampling Event
9-Mar-06		3700	5.8	1st Quarter Sampling Event
14-Jun-06		3300	7.3	2nd Quarter Sampling Event
20-Jul-06		3190	1.2	3rd Quarter Sampling Event
8-Nov-06		3370	7.1	4th Quarter Sampling Event
28-Feb-07		2500	7.1	1st Quarter Sampling Event

Date of Sample	TW4-1	CHCl3 Values	Nitrate Values	Sampling Event
28-Jun-99		1700	7.2	Quarterly
10-Nov-99		5.79		Quarterly
15-Mar-00		1100		Quarterly
10-Apr-00		1490		Grab Sample
6-Jun-00		1530		Quarterly
2-Sep-00		2320	5.58	Quarterly
30-Nov-00		3440	7.79	Quarterly & Split Sample
29-Mar-01		2340	7.15	Quarterly
22-Jun-01		6000	8.81	Quarterly
20-Sep-01			12.8	Quarterly
8-Nov-01		3200	12.4	UDEQ Split Sampling Event
26-Mar-02		3200	13.1	First 1/4 2002 Sample
22-May-02		2800	12.7	Quarterly
12-Sep-02		3300	12.8	UDEQ Split Sampling Event
24-Nov-02		3500	13.6	Quarterly
28-Mar-03		3000	12.4	Quarterly
23-Jun-03		3600	12.5	2nd Quarter Sampling Event
12-Sep-03		2700	12.5	3rd Quarter Sampling Event
8-Nov-03		3400	11.8	4th Quarter Sampling Event
29-Mar-04		3200	11	1st Quarter Sampling Event
22-Jun-04		3100	8.78	2nd Quarter Sampling Event
17-Sep-04		2800	10.8	3rd Quarter Sampling Event
17-Nov-04		3000	11.1	4th Quarter Sampling Event
16-Mar-05		2700	9.1	1st Quarter Sampling Event
25-May-05		3080	10.6	2nd Quarter Sampling Event
31-Aug-05		2900	9.8	3rd Quarter Sampling Event
1-Dec-05		2400	9.7	4th Quarter Sampling Event
9-Mar-06		2700	9.4	1st Quarter Sampling Event
14-Jun-06		2200	9.6	2nd Quarter Sampling Event
20-Jul-06		2840	9.2	3rd Quarter Sampling Event
8-Nov-06		2260	9.2	4th Quarter Sampling Event
28-Feb-07		1900	8.9	1st Quarter Sampling Event

Date of Sample	TW4-2	CHCl3 Values	Nitrate Values	Sampling Event
10-Nov-99		2510		Quarterly
2-Sep-00		5220		Quarterly
28-Nov-00		4220	10.7	Quarterly & Split Sample
29-Mar-01		3890	10.2	Quarterly
22-Jun-01		5500	9.67	Quarterly
20-Sep-01		4900	11.4	Quarterly
8-Nov-01		5300	10.1	UDEQ Split Sampling Event
26-Mar-02		5100	9.98	First 1/4 2002 Sample
23-May-02		4700	9.78	Quarterly
12-Sep-02		6000	9.44	UDEQ Split Sampling Event
24-Nov-02		5400	10.4	Quarterly
28-Mar-03		4700	9.5	Quarterly
23-Jun-03		5100	9.6	2nd Quarter Sampling Event
12-Sep-03		3200	8.6	3rd Quarter Sampling Event
8-Nov-03		4700	9.7	4th Quarter Sampling Event
29-Mar-04		4200	9.14	1st Quarter Sampling Event
22-Jun-04		4300	8.22	2nd Quarter Sampling Event
17-Sep-04		4100	8.4	3rd Quarter Sampling Event
17-Nov-04		4500	8.6	4th Quarter Sampling Event
16-Mar-05		3700	7.7	1st Quarter Sampling Event
25-May-05		3750	8.6	2nd Quarter Sampling Event
31-Aug-05		3900	8.0	3rd Quarter Sampling Event
1-Dec-05		3500	7.8	4th Quarter Sampling Event
9-Mar-06		3800	7.5	1st Quarter Sampling Event
14-Jun-06		3200	7.1	2nd Quarter Sampling Event
20-Jul-06		4120	7.4	3rd Quarter Sampling Event
8-Nov-06		3420	7.6	4th Quarter Sampling Event
28-Feb-07		2900	7.3	1st Quarter Sampling Event



Date of Sample	TW4-3	CHCl3 Values	Nitrate Values	Sampling Event
28-Jun-99		3500	7.6	Quarterly
29-Nov-99		702		Quarterly
15-Mar-00		834		Quarterly
2-Sep-00		836	1.56	Quarterly
29-Nov-00		836	1.97	Quarterly & Split Sample
27-Mar-01		347	1.85	Quarterly
21-Jun-01		390	2.61	Quarterly
20-Sep-01		300	3.06	Quarterly
7-Nov-01		170	3.6	UDEQ Split Sampling Event
26-Mar-02		11	3.87	First 1/4 2002 Sample
21-May-02		204	4.34	Quarterly
12-Sep-02		203	4.32	UDEQ Split Sampling Event
24-Nov-02		102	4.9	Quarterly
28-Mar-03		ND	4.6	Quarterly
23-Jun-03		ND	4.8	2nd Quarter Sampling Event
12-Sep-03		ND	4.3	3rd Quarter Sampling Event
8-Nov-03		ND	4.8	4th Quarter Sampling Event
29-Mar-04		ND	4.48	1st Quarter Sampling Event
22-Jun-04		ND	3.68	2nd Quarter Sampling Event
17-Sep-04		ND	3.88	3rd Quarter Sampling Event
17-Nov-04		ND	4.1	4th Quarter Sampling Event
16-Mar-05		ND	3.5	1st Quarter Sampling Event
25-May-05		ND	3.7	2nd Quarter Sampling Event
31-Aug-05		ND	3.5	3rd Quarter Sampling Event
1-Dec-05		ND	3.3	4th Quarter Sampling Event
9-Mar-06		ND	3.3	1st Quarter Sampling Event
14-Jun-06		ND	3.2	2nd Quarter Sampling Event
20-Jul-06		ND	2.9	3rd Quarter Sampling Event
8-Nov-06		ND	1.5	4th Quarter Sampling Event
28-Feb-07		ND	3.1	1st Quarter Sampling Event

Date of Sample	TW4-4	CHCl3 Values	Nitrate Values	Sampling Event
6-Jun-00		ND		Initial
2-Sep-00		ND		Quarterly
28-Nov-00		3.85	1.02	Quarterly & Split Sample
28-Mar-01		2260	14.5	Quarterly
20-Jun-01		3100	14	Quarterly
20-Sep-01		3200	14.8	Quarterly
8-Nov-01		2900	15	UDEQ Split Sampling Event
26-Mar-02		3400	13.2	First 1/4 2002 Sample
22-May-02		3200	13.4	Quarterly
12-Sep-02		4000	12.6	UDEQ Split Sampling Event
24-Nov-02		3800	13.4	Quarterly
28-Mar-03		3300	12.8	Quarterly
23-Jun-03		3600	12.3	2nd Quarter Sampling Event
12-Sep-03		2900	12.3	3rd Quarter Sampling Event
8-Nov-03		3500	12.2	4th Quarter Sampling Event
29-Mar-04		3200	12.1	1st Quarter Sampling Event
22-Jun-04		3500	11.1	2nd Quarter Sampling Event
17-Sep-04		3100	10.8	3rd Quarter Sampling Event
17-Nov-04		3600	11.6	4th Quarter Sampling Event
16-Mar-05		3100	10	1st Quarter Sampling Event
25-May-05		2400	11.3	2nd Quarter Sampling Event
31-Aug-05		3200	9.9	3rd Quarter Sampling Event
1-Dec-05		2800	10.2	4th Quarter Sampling Event
9-Mar-06		2900	9.5	1st Quarter Sampling Event
14-Jun-06		2600	8.6	2nd Quarter Sampling Event
20-Jul-06		2850	9.7	3rd Quarter Sampling Event
8-Nov-06		2670	10.1	4th Quarter Sampling Event
28-Feb-07		2200	9	1st Quarter Sampling Event

Date of Sample	TW4-6	CHCl3 Values	Nitrate Values	Sampling Event
6-Jun-00		ND		Initial
2-Sep-00		ND		Quarterly
28-Nov-00		ND	ND	Quarterly & Split Sample
26-Mar-01		ND	.13	Quarterly
20-Jun-01		ND	ND	Quarterly
20-Sep-01		3.6	ND	Quarterly
7-Nov-01		ND	ND	UDEQ Split Sampling Event
26-Mar-02		ND	ND	First 1/4 2002 Sample
21-May-02		ND	ND	Quarterly
12-Sep-02		ND	ND	UDEQ Split Sampling Event
24-Nov-02		ND	ND	Quarterly
28-Mar-03		ND	0.1	Quarterly
23-Jun-03		ND	ND	2nd Quarter Sampling Event
12-Sep-03		ND	ND	3rd Quarter Sampling Event
8-Nov-03		ND	ND	4th Quarter Sampling Event
29-Mar-04		ND	ND	1st Quarter Sampling Event
22-Jun-04		ND	ND	2nd Quarter Sampling Event
17-Sep-04		ND	ND	3rd Quarter Sampling Event
17-Nov-04		ND	ND	4th Quarter Sampling Event
16-Mar-05		ND	0.2	1st Quarter Sampling Event
25-May-05		2.5	0.4	2nd Quarter Sampling Event
31-Aug-05		10.0	0.5	3rd Quarter Sampling Event
1-Dec-05		17.0	0.9	4th Quarter Sampling Event
9-Mar-06		31.0	1.2	1st Quarter Sampling Event
14-Jun-06		19.0	1.0	2nd Quarter Sampling Event
20-Jul-06		11.00	0.6	3rd Quarter Sampling Event
8-Nov-06		42.80	1.4	4th Quarter Sampling Event
28-Feb-07		46	1.5	1st Quarter Sampling Event

Date of Sample	TW4-7	CHCl3 Values	Nitrate Values	Sampling Event
29-Nov-99		256		Quarterly
15-Mar-00		616		Quarterly
2-Sep-00		698		Quarterly
29-Nov-00		684	1.99	Quarterly & Split Sample
28-Mar-01		747	2.46	Quarterly
20-Jun-01		1100	2.65	Quarterly
20-Sep-01		1200	3.38	Quarterly
8-Nov-01		1100	2.5	UDEQ Split Sampling Event
26-Mar-02		1500	3.76	First 1/4 2002 Sample
23-May-02		1600	3.89	Quarterly
12-Sep-02		1500	3.18	UDEQ Split Sampling Event
24-Nov-02		2300	4.6	Quarterly
28-Mar-03		1800	4.8	Quarterly
23-Jun-03		5200	7.6	2nd Quarter Sampling Event
12-Sep-03		3600	7.6	3rd Quarter Sampling Event
8-Nov-03		4500	7.1	4th Quarter Sampling Event
29-Mar-04		2500	4.63	1st Quarter Sampling Event
22-Jun-04		2900	4.83	2nd Quarter Sampling Event
17-Sep-04		3100	5.59	3rd Quarter Sampling Event
17-Nov-04		3800	6	4th Quarter Sampling Event
16-Mar-05		3100	5.2	1st Quarter Sampling Event
25-May-05		2700	5.4	2nd Quarter Sampling Event
31-Aug-05		3100	5.2	3rd Quarter Sampling Event
1-Dec-05		2500	5.3	4th Quarter Sampling Event
9-Mar-06		1900	1.0	1st Quarter Sampling Event
14-Jun-06		2200	4.5	2nd Quarter Sampling Event
20-Jul-06		2140	4.7	3rd Quarter Sampling Event
8-Nov-06		2160	4.6	4th Quarter Sampling Event
28-Feb-07		1800	5	1st Quarter Sampling Event

Date of Sample	TW4-8	CHCl3 Values	Nitrate Values	Sampling Event
29-Nov-99		ND		Quarterly
15-Mar-00		21.8		Quarterly
2-Sep-00		102		Quarterly
29-Nov-00		107	ND	Quarterly & Split Sample
26-Mar-01		116	ND	Quarterly
20-Jun-01		180	ND	Quarterly
20-Sep-01		180	0.35	Quarterly
7-Nov-01		180	ND	UDEQ Split Sampling Event
26-Mar-02		190	0.62	First 1/4 2002 Sample
22-May-02		210	0.77	Quarterly
12-Sep-02		300	ND	UDEQ Split Sampling Event
24-Nov-02		450	ND	Quarterly
28-Mar-03		320	0.8	Quarterly
23-Jun-03		420	ND	2nd Quarter Sampling Event
12-Sep-03		66	ND	3rd Quarter Sampling Event
8-Nov-03		21.0	0.1	4th Quarter Sampling Event
29-Mar-04		24	0.65	1st Quarter Sampling Event
22-Jun-04		110	0.52	2nd Quarter Sampling Event
17-Sep-04		120	ND	3rd Quarter Sampling Event
17-Nov-04		120	ND	4th Quarter Sampling Event
16-Mar-05		10.0	ND	1st Quarter Sampling Event
25-May-05		ND	0.2	2nd Quarter Sampling Event
31-Aug-05		1.1	ND	3rd Quarter Sampling Event
1-Dec-05		ND	ND	4th Quarter Sampling Event
9-Mar-06		1.3	0.3	1st Quarter Sampling Event
14-Jun-06		1.00	ND	2nd Quarter Sampling Event
20-Jul-06		ND	0.1	3rd Quarter Sampling Event
8-Nov-06		ND	ND	4th Quarter Sampling Event
28-Feb-07		2.50	0.7	1st Quarter Sampling Event

Date of Sample	TW4-9	CHCl3 Values	Nitrate Values	Sampling Event
20-Dec-99		4.24		Quarterly
15-Mar-00		1.88		Quarterly
2-Sep-00		14.2		Quarterly
29-Nov-00		39.4	ND	Quarterly & Split Sample
27-Mar-01		43.6	ND	Quarterly
20-Jun-01		59	.15	Quarterly
20-Sep-01		19	0.40	Quarterly
7-Nov-01		49	0.1	UDEQ Split Sampling Event
26-Mar-02		41	0.5	First 1/4 2002 Sample
22-May-02		38	0.65	Quarterly
12-Sep-02		49	0.2	UDEQ Split Sampling Event
24-Nov-02		51	0.6	Quarterly
28-Mar-03		34	0.6	Quarterly
23-Jun-03		33	0.8	2nd Quarter Sampling Event
12-Sep-03		32	1.1	3rd Quarter Sampling Event
8-Nov-03		46	1.1	4th Quarter Sampling Event
29-Mar-04		48	0.82	1st Quarter Sampling Event
22-Jun-04		48	0.75	2nd Quarter Sampling Event
17-Sep-04		39	0.81	3rd Quarter Sampling Event
17-Nov-04		26	1.2	4th Quarter Sampling Event
16-Mar-05		3.8	1.3	1st Quarter Sampling Event
25-May-05		1.2	1.3	2nd Quarter Sampling Event
31-Aug-05		ND	1.3	3rd Quarter Sampling Event
1-Dec-05		ND	1.3	4th Quarter Sampling Event
9-Mar-06		ND	1.5	1st Quarter Sampling Event
14-Jun-06		ND	1.5	2nd Quarter Sampling Event
20-Jul-06		ND	0.9	3rd Quarter Sampling Event
8-Nov-06		ND	0.7	4th Quarter Sampling Event
28-Feb-07		ND	0.6	1st Quarter Sampling Event

Date of Sample	TW4-10	CHCl3 Values	Nitrate Values	Sampling Event
21-Jan-02		14		Initial Sample
26-Mar-02		16	0.14	First 1/4 2002 Sample
21-May-02		17	0.11	Quarterly
12-Sep-02		6.0	ND	UDEQ Split Sampling Event
24-Nov-02		14	ND	Quarterly
28-Mar-03		29	0.2	Quarterly
23-Jun-03		110	0.4	2nd Quarter Sampling Event
12-Sep-03		74	0.4	3rd Quarter Sampling Event
8-Nov-03		75	0.3	4th Quarter Sampling Event
29-Mar-04		22	0.1	1st Quarter Sampling Event
22-Jun-04		32	ND	2nd Quarter Sampling Event
17-Sep-04		63	0.46	3rd Quarter Sampling Event
17-Nov-04		120	0.4	4th Quarter Sampling Event
16-Mar-05		140	1.6	1st Quarter Sampling Event
25-May-05		62.4	0.8	2nd Quarter Sampling Event
31-Aug-05		110	1.1	3rd Quarter Sampling Event
1-Dec-05		300	3.3	4th Quarter Sampling Event
9-Mar-06		190	2.4	1st Quarter Sampling Event
14-Jun-06		300	3.5	2nd Quarter Sampling Event
20-Jul-06		504	6.8	3rd Quarter Sampling Event
8-Nov-06		452	5.7	4th Quarter Sampling Event
28-Feb-07		500	7.6	1st Quarter Sampling Event

Date of Sample	TW4-11	CHCl3 Values	Nitrate Values	Sampling Event
21-Jan-02		4700		Initial Sample
26-Mar-02		4900	9.60	First 1/4 2002 Sample
22-May-02		5200	9.07	Quarterly
12-Sep-02		6200	8.84	UDEQ Split Sampling Event
24-Nov-02		5800	9.7	Quarterly
28-Mar-03		5100	9.7	Quarterly
23-Jun-03		5700	9.4	2nd Quarter Sampling Event
12-Sep-03		4600	9.9	3rd Quarter Sampling Event
8-Nov-03		5200	9.3	4th Quarter Sampling Event
29-Mar-04		5300	9.07	1st Quarter Sampling Event
22-Jun-04		5700	8.74	2nd Quarter Sampling Event
17-Sep-04		4800	8.75	3rd Quarter Sampling Event
17-Nov-04		5800	9.7	4th Quarter Sampling Event
16-Mar-05		4400	8.7	1st Quarter Sampling Event
25-May-05		3590	10.3	2nd Quarter Sampling Event
31-Aug-05		4400	9.4	3rd Quarter Sampling Event
1-Dec-05		4400	9.4	4th Quarter Sampling Event
9-Mar-06		4400	9.2	1st Quarter Sampling Event
14-Jun-06		4300	10	2nd Quarter Sampling Event
20-Jul-06		4080	10	3rd Quarter Sampling Event
8-Nov-06		3660	10	4th Quarter Sampling Event
28-Feb-07		3500	10.1	1st Quarter Sampling Event



Date of Sample	TW4-12	CHCl3 Values	Nitrate Values	Sampling Event
12-Sep-02		1.5	2.54	UDEQ Split Sampling Event
24-Nov-02		ND	2.2	Quarterly
28-Mar-03		ND	1.9	Quarterly
23-Jun-03		ND	1.8	2nd Quarter Sampling Event
12-Sep-03		ND	1.8	3rd Quarter Sampling Event
9-Nov-03		ND	1.6	4th Quarter Sampling Event
29-Mar-04		ND	1.58	1st Quarter Sampling Event
22-Jun-04		ND	1.4	2nd Quarter Sampling Event
17-Sep-04		ND	1.24	3rd Quarter Sampling Event
17-Nov-04		ND	1.5	4th Quarter Sampling Event
16-Mar-05		ND	1.4	1st Quarter Sampling Event
25-May-05		ND	1.6	2nd Quarter Sampling Event
31-Aug-05		ND	1.5	3rd Quarter Sampling Event
1-Dec-05		ND	1.4	4th Quarter Sampling Event
9-Mar-06		ND	1.3	1st Quarter Sampling Event
14-Jun-06		ND	1.4	2nd Quarter Sampling Event
20-Jul-06		ND	1.4	3rd Quarter Sampling Event
8-Nov-06		ND	1.4	4th Quarter Sampling Event
28-Feb-07		ND	1.5	1st Quarter Sampling Event

Date of Sample	TW4-13	CHCl3 Values	Nitrate Values	Sampling Event
12-Sep-02		ND	ND	UDEQ Split Sampling Event
24-Nov-02		ND	ND	Quarterly
28-Mar-03		ND	0.2	Quarterly
23-Jun-03		ND	0.2	2nd Quarter Sampling Event
12-Sep-03		ND	ND	3rd Quarter Sampling Event
9-Nov-03		ND	0.9	4th Quarter Sampling Event
29-Mar-04		ND	0.12	1st Quarter Sampling Event
22-Jun-04		ND	0.17	2nd Quarter Sampling Event
17-Sep-04		ND	4.43	3rd Quarter Sampling Event
17-Nov-04		ND	4.7	4th Quarter Sampling Event
16-Mar-05		ND	4.2	1st Quarter Sampling Event
25-May-05		ND	4.3	2nd Quarter Sampling Event
31-Aug-05		ND	4.6	3rd Quarter Sampling Event
1-Dec-05		ND	4.3	4th Quarter Sampling Event
9-Mar-06		ND	4.2	1st Quarter Sampling Event
14-Jun-06		ND	4.9	2nd Quarter Sampling Event
20-Jul-06		ND	4.3	3rd Quarter Sampling Event
8-Nov-06		ND	0.8	4th Quarter Sampling Event
28-Feb-07		ND	4.0	1st Quarter Sampling Event

Date of Sample	TW4-15	CHCl3 Values	Nitrate Values	Sampling Event
12-Sep-02		2.6	ND	UDEQ Split Sampling Event
24-Nov-02		ND	ND	Quarterly
28-Mar-03		ND	0.1	Quarterly
23-Jun-03		7800	14.5	2nd Quarter Sampling Event
15-Aug-03		7400	16.8	Well Pumping Event Sample
12-Sep-03		2500	2.7	3rd Quarter Sampling Event
25-Sep-03		2600	2.5	Well Pumping Event Sample
29-Oct-03		3100	3.1	Well Pumping Event Sample
8-Nov-03		3000	2.8	4th Quarter Sampling Event
29-Mar-04		NA	NA	Unable to purge/sample
22-Jun-04		NA	NA	Unable to purge/sample
17-Sep-04		1400	0.53	3rd Quarter Sampling Event
17-Nov-04		300	0.2	4th Quarter Sampling Event
16-Mar-05		310	0.3	1st Quarter Sampling Event
30-Mar-05		230	0.2	1st Quarter POC Sampling
25-May-05		442	0.2	2nd Quarter Sampling Event
31-Aug-05		960	0.2	3rd Quarter Sampling Event
1-Dec-05		1000	0.3	4th Quarter Sampling Event
9-Mar-06		1100	0.2	1st Quarter Sampling Event
14-Jun-06		830	0.2	2nd Quarter Sampling Event
20-Jul-06		2170	1.4	3rd Quarter Sampling Event
8-Nov-06		282	0.3	4th Quarter Sampling Event
28-Feb-07		570	0.5	1st Quarter Sampling Event

Date of Sample	TW4-16	CHCl3 Values	Nitrate Values	Sampling Event
12-Sep-02		140	ND	UDEQ Split Sampling Event
24-Nov-02		200	ND	Quarterly
28-Mar-03		260	ND	Quarterly
23-Jun-03		370	ND	2nd Quarter Sampling Event
12-Sep-03		350	ND	3rd Quarter Sampling Event
8-Nov-03		400	ND	4th Quarter Sampling Event
29-Mar-04		430	ND	1st Quarter Sampling Event
22-Jun-04		530	ND	2nd Quarter Sampling Event
17-Sep-04		400	ND	3rd Quarter Sampling Event
17-Nov-04		350	ND	4th Quarter Sampling Event
16-Mar-05		240	ND	1st Quarter Sampling Event
25-May-05		212	ND	2nd Quarter Sampling Event
31-Aug-05		85	ND	3rd Quarter Sampling Event
1-Dec-05		14	1.4	4th Quarter Sampling Event
9-Mar-06		39	3.0	1st Quarter Sampling Event
14-Jun-06		13	1.9	2nd Quarter Sampling Event
20-Jul-06		5	2.7	3rd Quarter Sampling Event
8-Nov-06		13.6	5.6	4th Quarter Sampling Event
28-Feb-07		8.70	12.3	1st Quarter Sampling Event

Date of Sample	TW4-17	CHCl3 Values	Nitrate Values	Sampling Event
12-Sep-02		1.6	ND	UDEQ Split Sampling Event
24-Nov-02		ND	ND	Quarterly
28-Mar-03		ND	ND	Quarterly
23-Jun-03		ND	ND	2nd Quarter Sampling Event
12-Sep-03		ND	ND	3rd Quarter Sampling Event
8-Nov-03		ND	ND	4th Quarter Sampling Event
29-Mar-04		ND	ND	1st Quarter Sampling Event
22-Jun-04		ND	ND	2nd Quarter Sampling Event
17-Sep-04		ND	ND	3rd Quarter Sampling Event
17-Nov-04		ND	ND	4th Quarter Sampling Event
16-Mar-05		ND	ND	1st Quarter Sampling Event
30-Mar-05		ND	ND	1st Quarter POC Sampling
25-May-05		ND	ND	2nd Quarter Sampling Event
31-Aug-05		ND	ND	3rd Quarter Sampling Event
1-Dec-05		ND	ND	4th Quarter Sampling Event
9-Mar-06		ND	ND	1st Quarter Sampling Event
14-Jun-06		ND	ND	2nd Quarter Sampling Event
20-Jul-06		ND	ND	3rd Quarter Sampling Event
8-Nov-06		ND	ND	4th Quarter Sampling Event
28-Feb-07		ND	ND	1st Quarter Sampling Event

Date of Sample	TW4-18	CHCl3 Values	Nitrate Values	Sampling Event
12-Sep-02		440	1.49	UDEQ Split Sampling Event
24-Nov-02		240	13.3	Quarterly
28-Mar-03		160	13.1	Quarterly
23-Jun-03		110	19	2nd Quarter Sampling Event
12-Sep-03		68	19.9	3rd Quarter Sampling Event
9-Nov-03		84	20.7	4th Quarter Sampling Event
29-Mar-04		90	14	1st Quarter Sampling Event
22-Jun-04		82	12.2	2nd Quarter Sampling Event
17-Sep-04		38	14.5	3rd Quarter Sampling Event
17-Nov-04		51	17.3	4th Quarter Sampling Event
16-Mar-05		38	14.1	1st Quarter Sampling Event
25-May-05		29.8	12.9	2nd Quarter Sampling Event
31-Aug-05		39	13.3	3rd Quarter Sampling Event
1-Dec-05		14	7.3	4th Quarter Sampling Event
9-Mar-06		12	5.9	1st Quarter Sampling Event
14-Jun-06		12	4.7	2nd Quarter Sampling Event
20-Jul-06		10.80	6.1	3rd Quarter Sampling Event
8-Nov-06		139.00	8.7	4th Quarter Sampling Event
28-Feb-07		9.2	5.1	1st Quarter Sampling Event

Date of Sample	TW4-19	CHCl3 Values	Nitrate Values	Sampling Event
12-Sep-02		7700	47.6	UDEQ Split Sampling Event
24-Nov-02		5400	42	Quarterly
28-Mar-03		4200	61.4	Quarterly
15-May-03		4700	NA	Well Pumping Event Sample
23-Jun-03		4500	11.4	2nd Quarter Sampling Event
15-Jul-03		2400	6.8	Well Pumping Event Sample
15-Aug-03		2600	4	Well Pumping Event Sample
12-Sep-03		2500	5.7	3rd Quarter Sampling Event
25-Sep-03		4600	9.2	Well Pumping Event Sample
29-Oct-03		4600	7.7	Well Pumping Event Sample
9-Nov-03		2600	4.8	4th Quarter Sampling Event
29-Mar-04			NA	Unable to purge/sample
22-Jun-04			NA	Unable to purge/sample
16-Aug-04		7100	9.91	Well Pumping Event Sample
17-Sep-04		2600	4.5	3rd Quarter Sampling Event
17-Nov-04		1800	3.6	4th Quarter Sampling Event
16-Mar-05		2200	5.3	1st Quarter Sampling Event
25-May-05		1200	5.7	2nd Quarter Sampling Event
31-Aug-05		1400	4.6	3rd Quarter Sampling Event
1-Dec-05		2800	ND	4th Quarter Sampling Event
9-Mar-06		1200	4.0	1st Quarter Sampling Event
14-Jun-06		1100	5.2	2nd Quarter Sampling Event
20-Jul-06		1120	4.3	3rd Quarter Sampling Event
8-Nov-07		1050	4.6	4th Quarter Sampling Event
28-Feb-07		1200	4	1st Quarter Sampling Event


Date of Sample	TW4-20	CHCl3 Values	Nitrate Values	Sampling Event
25-May-05		39000	10.1	2nd Quarter Sampling Event
31-Aug-05		3800	2.9	3rd Quarter Sampling Event
1-Dec-05		19000	1.8	4th Quarter Sampling Event
9-Mar-06		9200	3.8	1st Quarter Sampling Event
14-Jun-06		61000	9.4	2nd Quarter Sampling Event
20-Jul-06		5300	2.9	3rd Quarter Sampling Event
8-Nov-06		11000	3.5	4th Quarter Sampling Event
28-Feb-07		4400	4.2	1st Quarter Sampling Event




Date of Sample	TW4-22	CHCl3 Values	Nitrate Values	Sampling Event
25-May-05		340	18.2	2nd Quarter Sampling Event
31-Aug-05		290	15.7	3rd Quarter Sampling Event
1-Dec-05		320	15.1	4th Quarter Sampling Event
9-Mar-06		390	15.3	1st Quarter Sampling Event
06/14/06		280	14.3	2nd Quarter Sampling Event
07/20/06		864	14.5	3rd Quarter Sampling Event
11/08/06		350	15.9	4th Quarter Sampling Event
28-Feb-07		440	20.9	1st Quarter Sampling Event

Date of Sample	TW4-21	CHCl3 Values	Nitrate Values	Sampling Event
25-May-05		192	14.6	2nd Quarter Sampling Event
31-Aug-05		78	10.1	3rd Quarter Sampling Event
1-Dec-05		86	9.6	4th Quarter Sampling Event
9-Mar-06		120	8.5	1st Quarter Sampling Event
14-Jun-06		130	10.2	2nd Quarter Sampling Event
20-Jul-06		106	8.9	3rd Quarter Sampling Event
8-Nov-06		12.5	5.7	4th Quarter Sampling Event
28-Feb-07		160.0	8.7	1st Quarter Sampling Event


MW-4 Chloroform Values (ug/L)



TW4-A Chloroform Values (ug/L)




TW4-1 Chlororm Values (ug/L)







TW4-2 Chloroform Values (ug/L)



TW4-3 Chloroform Values (ug/L)




TW4-4 Chloroform Values (ug/L)







TW4-6 Chloroform Values (ug/L)



TW4-7 Chloroform Values (ug/L)




TW4-8 Chloroform Values (ug/L)







TW4-9 Chloroform Values (ug/L)



TW4-10 Chloroform Values (ug/L)




TW4-11 Chloroform Values (ug/L)






TW4-12 Chloroform Values (ug/L)




# TW4-13 - Chloroform Values (ug/L)




Sample Date




TW4-15 (MW 26) - Chloroform Values (ug/L)




TW4-16 Chloroform Values (ug/L)



TW4-17 (MW-32) - Chloroform Values (ug/L)




TW4-18 - Chloroform Values (ug/L)







TW4-19 Chloroform Values (ug/L)



TW4-20 - Chloroform Values



TW4-21 - Chloroform Values (ug/L)



TW4-22 - Chloroform Values (ug/L)

