

DIVISION OF WASTE MANAGEMENT  
AND RADIATION CONTROL  
SOLID WASTE LANDFILL PERMIT

---

**Weber Basin Water – Class IIIb Monofill**

Pursuant to *Utah Solid and Hazardous Waste Act*, Title 19, Chapter 6, Part 1, Utah Code Annotated (Utah Code Ann.) (the Act) and the *Utah Solid Waste Permitting and Management Rules*, Utah Administrative Code R315-301 through 320 adopted thereunder, a Permit is issued to

Weber Basin Water Conservancy District as owner and operator,

to own and operate the Weber Basin Water – Class IIIb Monofill located in SW quarter of Section 25, Township 5 North, Range 1 West, Salt Lake Base and Meridian; and the SE quarter of Section 26, Township 5 North, Range 1 West, Salt Lake Base and Meridian, Weber County, Utah as shown in the Permit Renewal Application that was determined complete on April 20, 2021.

The Permittee is subject to the requirements of R315-301 through 320 of the Utah Administrative Code and the requirements set forth herein.

All references to R315-301 through 320 of the Utah Administrative Code are to regulations that are in effect on the date that this permit becomes effective.

This Permit shall become effective \_\_\_\_\_.

This Permit shall expire at midnight \_\_\_\_\_.

Closure Cost Revision Date: \_\_\_\_\_.

Signed this \_\_\_\_ day of \_\_\_\_\_, 2021.

\_\_\_\_\_  
**XXXXXXXXXX**, Director  
Utah Division of Waste Management and Radiation Control

## FACILITY OWNER/OPERATOR INFORMATION

LANDFILL NAME: Weber Basin Water – Class IIIb Monofill

OWNER NAME: Weber Basin Water Conservancy District

OWNER ADDRESS: 2837 East Highway 193, Layton, UT 84040

OWNER PHONE NO.: 801-771-1677

OPERATOR NAME: Weber Basin Water Conservancy District

OPERATOR ADDRESS: 2837 East Highway 193, Layton, UT 84040

OPERATOR PHONE NO.: 801-771-1677

TYPE OF PERMIT: Class III Landfill

PERMIT NUMBER: 1002R1

LOCATION: Landfill site is located in Township 5 North, Range 1 West, Section 25, SLMB Weber County, Lat. 41° 8' 20", Long. 111° 54' 43"

2805 East 6600 South  
Uintah UT, 84405

PERMIT HISTORY This facility first received a permit to accept solid waste on 11/01/2010. This is the first renewal of the permit. This renewal permit is effective on the date shown on the signature page.

---

The term, "Permit," as used in this document is defined in R315-301-2(55) of the Utah Administrative Code. Director as used throughout this permit refers to the Director of the Division of Waste Management and Radiation Control.

The Permit renewal application for the Weber Basin Water – Class IIIb Monofill received by the division on January 15<sup>th</sup>, 2021 and assigned tracking number DSHW-2021-000910. The permit renewal application was deemed complete on the date shown on the signature page of this Permit. All representations made in the attachments of this permit are enforceable under R315-301-5(2) of the Utah Administrative Code. Where differences in wording exist between this Permit and the attachments, the wording of this Permit supersedes that of the attachments.

This Permit consists of the signature page, Facility Owner/Operator Information section, sections I through V, and all attachments to this Permit.

The facility as described in this Permit consists of a Class IIIb monofill consisting of a single large cell. The monofill accepts only water treatment residuals and clean earthen fill. There is a single source for the water treatment residuals. All waste entering the landfill shall meet applicable regional screening levels (RSLs) and TCLP for metals in soil.

Compliance with this Permit does not constitute a defense to actions brought under any other local, state, or federal laws. This Permit does not exempt the Permittee from obtaining any other local, state, or federal permits or approvals required for the facility operation.

The issuance of this Permit does not convey any property rights, other than the rights inherent in this Permit, in either real or personal property, or any exclusive privileges other than those inherent in this Permit. Nor does this Permit authorize any injury to private property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations, including zoning ordinances.

The provisions of this Permit are severable. If any provision of this Permit is held invalid for any reason, the remaining provisions shall remain in full force and effect. If the application of any provision of this Permit to any circumstance is held invalid, its application to other circumstances shall not be affected.

By this Permit, the Permittee is subject to the following conditions.

## PERMIT REQUIREMENTS

### I. GENERAL COMPLIANCE RESPONSIBILITIES

#### I.A. General Operation

I.A.1. The Permittee shall operate the landfill in accordance with all applicable requirements of R315-304 of the Utah Administrative Code, that are in effect as of the date of this Permit unless otherwise noted in this Permit. Any permit noncompliance or noncompliance with any applicable portions of Utah Code Ann. § 19-6-101 through 125 and applicable portions of R315-301 through 320 of the Utah Administrative Code constitutes a violation of the Permit or applicable statute or rule and is grounds for appropriate enforcement action, permit revocation, modification, termination, or denial of a permit renewal application.

#### I.B. Acceptable Waste

I.B.1. This Permit is for disposal of nonhazardous industrial solid waste, as defined in R315-301-2(35) of the Utah Administrative Code, generated by the Weber Basin Water Conservancy District, consisting of drinking water treatment residual solids and clean earthen materials. No outside waste is to be accepted at the landfill.

#### I.C. Prohibited Waste

I.C.1. Any wastes which are not drinking water treatment residual solids and clean earthen materials generated by the Weber Basin Water Conservancy District.

I.C.2. Any prohibited waste received and accepted for disposal at the facility shall constitute a violation of this Permit, of Utah Code Ann. § 19-6-101 through 125 and of R315-301 through 320 of the Utah Administrative Code.

#### I.D. Inspections and Inspection Access

I.D.1. The Permittee shall allow the Director or an authorized representative, or representatives from the Weber-Morgan Health Department, to enter at reasonable times and:

I.D.1.a Inspect the landfill or other premises, practices or operations regulated or required under the terms and conditions of this Permit or R315-301 through 320 of the Utah Administrative Code;

I.D.1.b Have access to and copy any records required to be kept under the terms and conditions of this Permit or R315-301 through 320 of the Utah Administrative Code;

I.D.1.c Inspect any loads of waste, treatment facilities or processes, pollution management facilities or processes, or control facilities or processes required under this Permit or regulated under R315-301 through 320 of the Utah Administrative Code; and

I.D.1.d Create a record of any inspection by photographic, video, electronic, or any other reasonable means.

I.E. Noncompliance

I.E.1. If monitoring, inspection, or testing indicates that any permit condition or any applicable rule under R315-301 through 320 of the Utah Administrative Code may be or is being violated, the Permittee shall promptly make corrections to the operation or other activities to bring the facility into compliance with all permit conditions or rules.

I.E.2. In the event of noncompliance with any permit condition or violation of an applicable rule, the Permittee shall promptly take any action reasonably necessary to correct the noncompliance or violation and mitigate any risk to the human health or the environment. Actions may include eliminating the activity causing the noncompliance or violation and containment of any waste or contamination using barriers or access restrictions, placing of warning signs, or permanently closing areas of the facility.

I.E.3. The Permittee shall:

I.E.3.a Document the noncompliance or violation in the daily operating record, on the day the event occurred or the day it was discovered;

I.E.3.b Notify the Director of the Utah Division of Waste Management and Radiation Control by telephone within 24 hours, or the next business day following documentation of the event; and

I.E.3.c Give written notice of the noncompliance or violation and measures taken to protect human health and the environment within seven days after Director notification.

I.E.4. Within thirty days after the documentation of the event, the Permittee shall submit to the Director a written report describing the nature and extent of the noncompliance or violation and the remedial measures taken or to be taken to protect human health and the environment and to eliminate the noncompliance or violation. Upon receipt and review of the assessment report, the Director may order the Permittee to perform appropriate remedial measures including development of a site remediation plan for approval by the Director.

I.E.5. In an enforcement action, the Permittee may not claim as a defense that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with R315-301 through 320 of the Utah Administrative Code and this Permit.

I.F. Revocation

I.F.1. This Permit is subject to revocation if the Permittee fails to comply with any condition of the Permit. The Director will notify the Permittee in writing prior to any proposed revocation action and such action shall be subject to all applicable hearing procedures established under R305-7 of the Utah Administrative Code and the Utah Administrative Procedures Act.

I.G. Attachment Incorporation

- I.G.1. Attachments to the Permit Application are incorporated by reference into this Permit and are enforceable conditions of this Permit, as are documents incorporated by reference into the attachments. Language in this Permit supersedes any conflicting language in the attachments or documents incorporated into the attachments.

**II. DESIGN AND CONSTRUCTION**

II.A. Design and Construction

- II.A.1. The landfill shall be constructed according to the design outlined and in the area designated in Attachment 1, including landfill cells, fences, gates, and berms prior to acceptance of waste.
- II.A.2. The Permittee shall notify the Director upon completion of construction of any landfill cells or run-on and run-off diversion systems. No landfill cells or run-on and run-off diversion system may be used until construction is approved by the Director and this permit modified.
- II.A.3. The Permittee shall notify the Director of the completion of construction of any final cover system and shall provide all necessary documentation and shall apply for approval of the construction from the Director and modification of this permit.
- II.A.4. If ground water is encountered during excavation of the landfill, the Director shall be notified immediately, and an alternative construction design developed and submitted for approval.
- II.A.5. All engineering drawings submitted to the Director shall be stamped by a professional engineer with a current registration in Utah.

II.B. Run-On Control

- II.B.1. The Permittee shall construct drainage channels and diversions as specified in Attachment 1, and shall ensure that they are well maintained at all times, to effectively prevent runoff from the surrounding area from entering the landfill.

**III. LANDFILL OPERATION**

III.A. Operations Plan

- III.A.1. The Permittee shall keep the Operations Plan included in Attachment 2 on site at the landfill or at the location designated in section III.H of this Permit. The Permittee shall operate the landfill in accordance with the operations plan. If necessary, the Permittee may modify the Operations Plan following the procedures of R315-311-2(1) of the Utah Administrative Code and approved of by the Director. The Permittee shall note any modification to the Operations Plan in the daily operating record.

### III.B. Security

III.B.1. The Permittee shall operate the Landfill so that unauthorized entry to the facility is restricted. The Permittee shall:

III.B.1.a Lock all facility gates and other access routes during the time the landfill is closed.

III.B.1.b Have at least one person employed by the Permittee at the landfill during all hours that the landfill is open.

III.B.1.c Construct and maintain all fencing and any other access controls to prevent access by persons or livestock by other routes.

### III.C. Training

III.C.1. The Permittee shall provide training for on-site personnel in landfill operation, including waste load inspection, hazardous waste identification, and personal safety and protection.

### III.D. Burning of Waste

III.D.1. Intentional burning of solid waste is prohibited and is a violation of R315-303-4(2)(b) of the Utah Administrative Code.

III.D.2. The permittee is responsible to ensure that all accidental fires are extinguished as soon as reasonably possible.

### III.E. Cover

III.E.1. The Daily and Intermediate Cover Requirements of the Utah Administrative Code R315-303-4(4) shall not apply when only the waste listed in I.B are accepted.

III.E.2. If the permittee voluntarily places an intermediate cover, the Permittee shall use a minimum of six inches of earthen cover. This cover may consist of soil or gravel; no alternative may be used.

III.E.3. The Permittee shall record in the daily operating record and the operator shall certify, at the end of each day of operation when cover is placed, the amount and type of cover placed and the area receiving cover.

### III.F. Waste Inspections

III.F.1. The Permittee shall visually inspect all incoming loads when they are offloaded to ensure that no wastes other than those allowed by this permit are disposed in the landfill.

III.F.2. Personnel who visually inspect incoming loads shall be trained to recognize unacceptable waste.

III.F.3. Personnel conducting the inspection shall record the results of the inspection on a waste inspection form as found in Attachment 3. The Permittee shall place the form in the

daily operating record at the end of the operating day on which the inspection is conducted.

III.F.4. The Permittee or the waste transporter shall properly dispose of any waste found that is not acceptable at the facility at an approved disposal site for the waste type and handle the waste according to the rules covering the waste type.

III.G. Self Inspections

III.G.1. The Permittee shall inspect the facility to prevent malfunctions and deterioration, operator errors, and discharges that may cause or lead to the release of wastes or contaminated materials to the environment or create a threat to human health or the environment. The Permittee shall complete these general inspections no less than quarterly and shall cover the following areas: Waste placement, compaction, cover; fences and access controls; roads; run-on/run-off controls; litter controls; and records. The Permittee shall place a record of the inspections in the daily operating record on the day of the inspection. The Permittee shall correct the problems identified in the inspections in a timely manner and document the corrective actions in the daily operating record.

III.H. Recordkeeping

III.H.1. The Permittee shall maintain and keep on file at the Weber Basin Water Conservancy District office, a daily operating record and other general records of landfill operation as required by R315-302-2(3) of the Utah Administrative Code. The landfill operator, or other designated personnel, shall date and sign the daily operating record at the end of each operating day. Each record to be kept shall contain the signature of the appropriate operator or personnel and the date signed. The Daily operating record shall consist of the following two types of documents:

III.H.1.a Records related to the daily landfill operation or periodic events including:

III.H.1.a.(i) The number of loads of waste and the weights or estimates of weights or volume of waste received each day of operation and recorded at the end of each operating day;

III.H.1.a.(ii) Major deviations from the approved plan of operation recorded at the end of the operating day the deviation occurred;

III.H.1.a.(iii) Results of monitoring required by this Permit recorded in the daily operating record on the day of the event or the day the information is received;

III.H.1.a.(iv) Records of all inspections conducted by the Permittee, results of the inspections, and corrective actions taken shall be recorded in the record on the day of the event.

III.H.1.b Records of a general nature including:

III.H.1.b.(i) A copy of this Permit, including all attachments;



III.H.1.b.(ii) Results of inspections conducted by representatives of the Director of the Division of Waste Management and Radiation Control, and representatives of the local Health Department, when forwarded to the Permittee;

III.H.1.b.(iii) Closure and Post-closure care plans; and

III.H.1.b.(iv) Records of employee training.

III.I. Reporting

III.I.1. The Permittee shall prepare and submit to the Director an Annual Report as required by R315-302-2(4) of the Utah Administrative Code. The Annual Report shall include: the period covered by the report, the annual quantity of waste received, an annual update of the financial assurance mechanism, and all training programs completed.

III.I.2. The Permittee shall take an unbiased sample of the approved wastes being taken to landfill and have the sample analyzed by a National Environmental Laboratory Accreditation Program (NELAP) accredited laboratory for TCLP metals and report the results as part of the Annual Report submitted to the Director. The frequency of testing shall be no less than once per year.

III.J. Roads

III.J.1. The Permittee shall improve and maintain all access roads within the landfill boundary that are used for transporting waste to the landfill for disposal shall be improved and maintained as necessary to assure safe and reliable all-weather access to the disposal area.

III.K. Litter Control

III.K.1. Litter resulting from operations of the landfill shall be minimized. The Permittee shall implement the following procedures when high wind conditions are present:

III.K.1.a Reduce the size of the tipping face;

III.K.1.b Reduce the number of vehicles allowed to discharge at the tipping face at one time;

III.K.1.c Orient vehicles to reduce wind effects on unloading and waste compaction;

III.K.1.d Reconfigure tipping face to reduce wind effect;

III.K.1.e Use portable and permanent wind fencing as needed; and

III.K.1.f Should high winds present a situation that the windblown debris cannot be controlled, the Permittee shall cease operations of the landfill until the winds diminish.

III.L. Disposal of Special Wastes

III.L.1. Special Wastes shall not be accepted at this Monofill.

### III.M. Ground Water Monitoring

- III.M.1. The ground water monitoring requirement for the Weber Basin Water – Class IIIb Monofill landfill has been waived according to the previously issued permit and in accordance with R315-308-1(3) of the Utah Administrative Code. Any contamination of ground water resulting from operation of the landfill shall result in the revocation of this waiver.

## IV. **CLOSURE REQUIREMENTS**

### IV.A. Closure

- IV.A.1. The final cover shall meet, at a minimum, the standard design for closure as specified in R315-305-5(5)(b) of the Utah Administrative Code.

### IV.B. Title Recording

- IV.B.1. The Permittee shall meet the requirements of R315-302-2(6) of the Utah Administrative Code by recording a notice with the Weber County Recorder as part of the record of title that the property has been used as a landfill. The notice shall include waste disposal locations and types of waste disposed. The Permittee shall provide the Director the notice as recorded.

### IV.C. Post-Closure Care

- IV.C.1. The Permittee shall perform post-closure care at the closed landfill in accordance with the Post-Closure Care Plan contained in the Permit Application. Post-closure care shall continue until all waste disposal sites at the landfill have stabilized and the finding of R315-302-3(7)(c) of the Utah Administrative Code is made.

### IV.D. Financial Assurance

- IV.D.1. The Permittee shall keep in effect and active the currently approved financial assurance mechanism or another approved mechanism that meets the requirements of R315-309 of the Utah Administrative Code and is approved by the Director to cover the costs of closure and post-closure care at the landfill. The Permittee shall adequately fund and maintain the financial assurance mechanism to provide for the cost of closure at any stage or phase or anytime during the life of the landfill or the permit life, whichever is shorter.

### IV.E. Financial Assurance Annual Update

- IV.E.1. The Permittee shall submit an annual revision of closure and post-closure costs for inflation and financial assurance funding as required by R315-309-2(2) of the Utah Administrative Code, to the Director as part of the annual report. The Permittee shall submit the information as required in R315-309-9 of the Utah Administrative Code and shall meet the qualifications for the "Local Government Financial Test" each year.

IV.F. Closure Cost and Post-Closure Cost Revision

- IV.F.1. The Permittee shall submit a complete revision of the closure and post-closure cost estimates by the Closure Cost Revision Date listed on the signature page of this Permit and any time the facility is expanded, any time a new cell is constructed, or any time a cell is expanded.

**V. ADMINISTRATIVE REQUIREMENTS**

V.A. Permit Modification

- V.A.1. Modifications to this Permit may be made upon application by the Permittee or by the Director following the procedures specified in R315-311-2 of the Utah Administrative Code. The Permittee shall be given written notice of any permit modification initiated by the Director.

V.A.2. Permit Transfer

- V.A.2.a This Permit may be transferred to a new Permittee or new Permittee by complying with the permit transfer provisions specified in R315-310-11 of the Utah Administrative Code.

V.B. Expansion

- V.B.1. This Permit is for the operation of a Class IIIb Landfill according to the design and Operation Plan described and explained in Attachments 1 and 2. Any expansion of the current footprint as designated in the description contained in the Permit Application, as well as in Attachment 1, but within the property boundaries, shall require the submittal of plans and specifications to the Director. The plans and specifications shall be approved by the Director prior to construction.

- V.B.2. Any expansion of the landfill facility beyond the property boundaries designated in the description contained in this Permit shall require submittal of a new Permit Application in accordance with the requirements of R315-310 of the Utah Administrative Code.

- V.B.3. Any addition to the list of acceptable waste in Section I-B shall require submittal of all necessary information to the Director and the approval of the Director.

V.C. Expiration

- V.C.1. If the Permittee desires to continue operating this landfill after the expiration date of this Permit, the Permittee shall submit an application for permit renewal at least six months prior to the expiration date, as shown on the signature (cover) page of this Permit. If the Permittee timely submits a permit renewal application and the permit renewal is not complete by the expiration date, this Permit shall continue in force until the renewal is completed or denied.

**VI. ATTACHMENTS**

Attachment 1 – Landfill Design and Construction

Attachment 2 – Plan of Operations

Attachment 3 – Waste Inspection Form

DRAFT