

# Department of Environmental Quality

Kimberly D. Shelley Executive Director

DIVISION OF WATER QUALITY John K. Mackey, P.E. Director

## **December 14, 2023**

UTAH DEPARTMENT OF ENVIRONMENTAL QUALITY DIVISION OF WATER QUALITY

PUBLIC NOTICE OF EXPEDITED SETTLEMENT OFFER, RELADYNE INC., PERMIT NO. UTR290817

## PURPOSE OF PUBLIC NOTICE

This notice is to declare that the State of Utah has issued an Expedited Settlement Offer to RelaDyne, Inc. This Public Notice is issued pursuant to Utah Administrative Code R305-7-402 and R317-8-1.9, to provide opportunity for public comment on the proposed settlement of an enforcement action. The proposed offer is for the purpose of resolving alleged violations of Utah Code Annotated 19-5 (Water Quality Act), and is a resolution of enforcement proceedings brought against RelaDyne, Inc.

#### **PUBLIC COMMENTS**

Public comments are invited any time prior to close of business January 16, 2024. Comments may be directed to the Department of Environmental Quality, Division of Water Quality, 195 North 1950 West, P.O. Box 144870, Salt Lake City, Utah 84114-4870.

#### **FURTHER INFORMATION**

The settlement agreement is available for public review under "Public Notices" at <a href="https://www.utah.gov/pmn/index.html">www.waterquality.utah.gov/publicNotices</a> and/or <a href="https://www.utah.gov/pmn/index.html">https://www.utah.gov/pmn/index.html</a>.

If internet access is not available, a copy may be obtained by calling Eric Castrejon at (385) 341-3503. Written public comments can be submitted to: Eric Castrejon, P.O. Box 144870, Salt LakeCity, Utah 84114-4870 or by email at: <a href="mailto:ecastrejon@utah.gov">ecastrejon@utah.gov</a>. The deadline to receive comments is close of business January 16, 2024. After considering public comment the Director of the Division of Water Quality may execute the Expedited Settlement Offer, revise it, or abandon it.

DWQ-2023-004064

EQ Docs/DWQ/Compliance and Enforcement/RelaDyne West, LLC/2022-07 ESO RelaDyne West UTR290817/2023-03 ESO Public Notice RelaDyne UTR290817