UTAH DEPARTMENT of ENVIRONMENTAL QUALITY WATER		<b>UPDES General Permit For</b>					
				<b>Treated Groundwater and Surface</b>			
		UALITY		Water			
Notice of Intent (NOI)     for Coverage Under the     UPDES General Permit for Treated Groundwater and Surface Water     UPDES Permit No. UTG790000							
Submission of this Notice of Intent constitutes notice that the party identified in Part II. of this form intends to be authorized by UPDES General Permit No. UTG790000, issued for discharges of treated water to surface waters in the State of Utah. Coverage of this permit obligates such dischargers to comply with the terms and conditions of the permit.							
		PLE	ASE PROVIDE A	LL REQUIRED I	INFORMATIO	DN	
copy of the	completed	NOI form for	your records.	•	0	returned. You must m	
PART I. (N	OTE: TH					LY. Skip to Part II.)	
			ION FOR DIVIS	ION OF WATER	QUALITY US	SE ONLY	
Coverage N		UTG79-					
COVERAG	GE DATES	S: / _	/20	TO	/	/20	_
RECEIVIN	IG WATE	R:		CLASSIF	FICATION:		
ADDITION	NAL MON	ITORING AN	ND/OR EFFLUEN	T LIMITATION	S:		
DIVISION	PERMIT	OF COVERA	GE ISSUANCE:				
DATE:	/	/ 20	SIGNATURE	:			
Once covera	ge is assign	ed discharge mo	 nitoring reports will	be generated and pro	ovided to the oper	ator.	
PART II. CONTACT INFORMATION (used for permit correspondence)							
Organization Name:							
Contact Nat	me:			Tit	le:		
Phone Num	one Number: Email:						
Mailing Ad	dress:	Street (PO Box):					
		City:			State:	Zip:	
Owner/Manager Name:							
Phone Num	ber:				Email:		
Legal Status	Legal Status of Owner/Operator:						



# NOI UPDES General Permit For Treated Groundwater and Surface Water

PART III. PROJECT SITE LOCATION						
Project Lead Name: Project Lead Phone:						
Project Site Name:			_			
Project Street/Location:						
City:	County:		State:	UTAH	Zip:	
Project Site Phone:						
Project latitude and longitude locati	on in <b>degree decimal.</b>					
Latitude		Longitude				
PART IV. PROJECT DESCRIPT						
and any additional contamination	anticipated in the local grou	undwater from other	possible	e sources:		
PART V. MAP						
Attach a topographical map of the area extending to at least 1 mile beyond the property boundaries. The map must show the outline of the facility, the location of each of its existing and proposed intake and discharge structures, each of its waste treatment, storage, or disposal facilities, and discharge locations. Include all springs, rivers, and other surface water bodies in the map.						
PART VI. PROJECT DATES						
Filing your permit will grant you on If you project ends early, you must			s of the j	project du	ation outlined below.	
Project Start Date:	//20					
Project Completion Date:	_ / /20					



PART VII. DISCH	HARGE LOCATION(S)						
List the Latitude and Longitude of the Discharge Point(s) in <b>degree decimal</b> with the Receiving Water.							
Outfall No. Latitude Longitude Receiving Surface Waters (No.							
Does the receivi 13? Class 1C waters Utah Division of Is the project loc If the facility is Navajo Reservat Does the dischar Be Advised: Dis	Are any of the discharge points located in the Colorado River Basin?   Yes   No     Does the receiving water designated uses include Class 1C drinking water as defined by R317-2-   Yes   No     13?   Class 1C waters are "Protected for domestic purposes with prior treatment by treatment processes as required by the Utah Division of Drinking Water".   Is the project located on tribal lands?   Yes   No     If the facility is located on Tribal Lands the permittee must contact EPA Region VIII except for facilities on the Navajo Reservation or the Goshute Reservation, for which the permittee must contact EPA Region IX.   Does the discharge flow into a storm drain before entering the receiving water body?   Yes   No     Be Advised: Discharges to storm drains must be approved by the storm drain authority/owner.   Is the project part of the Utah Voluntary Cleanup Program (VCP)?   Yes   No						
	UENT AND EFFLUENT CONCE Table A and list any additional pollu		e A) with influent and/or effluent				



## PART VIII. INFLUENT AND EFFLUENT CONCENTRATIONS continued

Discharge **IS** to Class 1C Water:

- 1. In addition to completing Table A, influent sampling including total toxic organics (TTO results must be attached. See attached Table B for list of TTO constituents. No permits for discharge to Class 1C Waters will be issued prior to influent sampling being conducted and results received.
- 2. An analysis of alternative disposal methods of the treated groundwater must be attached. This analysis must include an economic comparison of the alternative disposal methods. If no other disposal methods are feasible the analysis must demonstrated the consideration of other methods such as trucking and/or discharge to a treatment facility.

Discharge is **NOT** to Class 1C Water:

- 1. In addition to completing Table A, influent sampling including total toxic organics **OR** a report documenting why influent sampling is not needed for this project and an estimation of anticipated influent constituents concentrations.
- 2. In accordance with *Part I.D.* the permittee may petition Total Petroleum Hydrocarbon (TPH-GRO and TPH-DRO) analyses may be substituted for the TTO analyses. If approved maximum daily effluent limitations of 1.0 mg/LTPH-GRO and TPH-DRO will be substituted for the TTO effluent limitation.

## PART IX. DESCRIPTION OF TREATMENT SYSTEM

Description of the current or proposed treatment system, including discharge flow rate (attach a flow diagram):

### □ FLOW DIAGRAM ATTACHED

#### PART X. CERTIFICATION AND SIGNATURE

I certify under penalty of law that this submission was prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those person(s) directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitted false information, including the possibility of fine and imprisonment for knowing violations. I further certify that the applicant has sufficient title, right or interest in the property where the proposed activity occurs.

PRINT Signatory Authority

Signature

Title

Date



# PART XI. ADDITIONAL APPLICATIONS AND APPROVALS

- 1. You may need to file for a temporary application to appropriate water rights form the Division of Water Rights. Call 801.583.7240 for more information.
- 2. You may need to obtain approval from the Division of Air Quality if any air stripping equipment is to be employed at the cleanup site. Call 801.536.4000 for more information.

## The Division of Water Quality may request addition information.

#### Important:

The UPDES Permit Application, must be signed as follows: (Refer to *Part IV.G. Signatory Requirements*, of the General Permit.)

1) For a corporation, a responsible corporate officer shall sign the NOT, a responsible corporate officer means:

- a. A President, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy- or decision-making functions for the corporation; or
- b. The manager of one or more manufacturing, production, or operating facilities, if
  - i. The manager is authorized to make management decisions that govern the operation of the regulated facility, including having the explicit or implicit duty of making major capital investment recommendations, and initiating and directing other comprehensive measures to assure long term environmental compliance with environmental statutes and regulations:
  - ii. The manager can ensure that the necessary systems are established or actions taken to gather complete and accurate information for permit application requirements; and
  - iii. Authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures.
- 2) For a partnership of sole proprietorship, the general partner or the proprietor, respectively; or
- 3) For a municipality, state or other public agency, either a principal executive officer or ranking elected official shall sign the application; in this subsection, a principal executive officer of any agency means;
  - a. The chief executive officer of the agency; or
  - b. A senior executive officer having responsibility for the overall operations of a principal geographic unit or division of the agency.

#### Where to File the UPDES Permit Application form:

Please submit the original form with signature via the DWQ Electronic Documents Submission Portal:

https://deq.utah.gov/water-quality/water-quality-electronic-submissions

You can also send by mail or hand deliver to the below address. Remember to retain a copy for your records.

Division of Water Quality Department of Environmental Quality 195 North 1950 West PO Box 144870 Salt Lake City, UT 84114-4870



# TABLE A

# Analysis of Treatment System Influent and Effluent

You must report concentrations for each pollutant listed. Please refer to Part I.D. and Part I.E. of the permit or NOI to determine if actual influent values are required or if estimated values will be accepted.

Are influent values:	Estimated	Or	Actual
Are effluent values:	Estimated	Or	Actual

	Influent			Effluent		
Parameters	Avg (mg/L)	Max (mg/L)	Number of Samples	Avg (mg/L)	Max (mg/L)	Number of Samples
pH (range in standard units)						
Total Suspended Solids						
Total Dissolved Solids						
Total Lead						
Oil & Grease						
Benzene						
Toluene						
Ethylbenzene						
Xylenes						
Naphthalene						
MTBE						
TTO's (attach full list if required)						



TABLE B
<b>Metals Detection to Determine Required Monitoring</b>

Effluent Characteristics	Results (mg/L)	Effluent Limitations (mg/L)
Arsenic		0.01 / 0.10
Barium		1.0
Beryllium		0.0004
Cadmium		0.026
Chromium		0.05 / 0.10
Copper		0.003
Mercury		0.002
Selenium		0.05
Silver		0.05
Zinc		0.04



NOI UPDES General Permit For Treated Groundwater and Surface Water

# TABLE C

## **Total Toxic Organic List**

(These are the parameters that shall be analyzed for initially determining the total toxic organic (TTO) concentration of the wastewater)

#### **Volatile Organic Compounds**

Acrolein Acrylonitrile Benzene Bromoform Carbon Tetrachloride Chlorobenzene Chlorodibromomethane Chloroethane 2-Chloroethylvinyl Ether Chloroform Dichlorobromomethane 1,1-Dichloroethane 1,2-Dichloroethane 1,1-Dichloroethylene 1,2-Dichloropropane 1,3-Dichloropropylene Ethylbenzene Methyl Bromide Methyl Chloride Methylene Chloride 1,1,2,2-Tetrachloroethane Tetrachloroethylene Toluene 1,2-Cis,Trans- Dichloroethylene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethylene Vinyl Chloride

# Semi-Volatile Organic

Compounds 2-Chlorophenol 2,4-Dichlorophenol 2,4-Dimethylphenol 4,6-Dinitro-O-Cresol 2,4-Dinitrophenol 2-Nitrophenol

4-Nitrophenol P-Chloro-M-Cresol Pentachlorophenol Phenol 2,4,6-Trichlorophenol Acenaphthene Acenaphthylene Anthracene Benzidine Benzo(A)Anthracene Benzo(A)Pyrene 3,4-Benzofluoranthene Benzo(Ghi)Pervlene Benzo(K)Fluoranthene Bis(2-Chloroethoxy)Methane Bis(2-Chloroethyl)Ether Bis(2-Chloroisopropyl)Ether Bis (2-Ethylhexyl)Phthalate 4-Bromophenyl Phenyl Ether Butylbenzyl Phthalate 2-Chloronaphthalene Ether 4-Chlorophenyl Phenyl Chrysene Dibenzo(A,H)Anthracene 1.2-Dichlorobenzene 1.3-Dichlorobenzene 1,4-Dichlorobenzene 3.3'-Dichlorobenzidine Diethyl Phthalate Dimethyl Phthalate Di-N-Butyl Phthalate 2,4-Dinitrotoluene 2,6-Dinitrotoluene Di-N-Octyl Phthalate 1,2-Diphenylhydrazine (As Azobenzene) Fluroranthene Fluorene Hexachlorobenzene Hexachlorobutadiene

Hexachlorocyclopentadiene Hexachloroethane Indeno(1,2,3-Cd)Pyrene Isophorone Napthalene Nitrobenzene N-Nitrosodimethylamine N-Nitrosodi-N-Propylamine N-Nitrosodiphenylamine Phenanthrene Pyrene 1,2,4-Trichlorobenzene

#### **Pesticides and PCBs**

Aldrin Alpha-Bhc Beta-Bhc Gamma-Bhc Delta-Bhc Chlordane 4,4'-Ddt 4,4'-Dde 4,4'-Ddd Dieldrin Alpha-Endosulfan Beta-Endosulfan Endosulfan Sulfate Endrin Endrin Aldehyde Heptachlor Heptachlor Epoxide Pcb-1242 Pcb-1254 Pcb-1221 Pcb-1232 Pcb-1248 Pcb-1260 Pcb-1016 Toxaphene