

APPENDIX I.B - Storm Water Discharges Associated with Industrial Activity from Paper and Allied Products Manufacturing Facilities

A. Coverage of This Section.

1. Discharges Covered Under This Section. The requirements listed under this Part shall apply to storm water discharges from the following activities:

Table I.B.1 – Sector B: Paper and Allied Products Manufacturing

SIC Code	Activity Represented
2611	Pulp Mills
2621	Paper Mills
2631	Paperboard Mills
2652 – 2657	Paperboard Containers and Boxes
2671 – 2679	Converted Paper and Paperboard Products, Except Containers and Boxes

2. Sector Specific Limitations on Coverage. There are no additional limitations on coverage other than those listed in *Part I.C.*
3. Sector Specific Prohibition of Non-Stormwater Discharges. There are no additional prohibited non-stormwater discharges beyond those in *Part I.D.2* of this permit.

B. Sector Specific Control Measures and Effluent Limits.

There are no additional control measures and effluent limits beyond those in *Part III* of this permit.

C. Sector Specific Inspection Requirements.

There are no additional inspection requirements beyond those in *Part IV.A* of this permit.

D. Sector Specific Plan Requirements.

There are no additional Plan requirements beyond those in *Part VII.D* of this permit.

E. Monitoring Requirements.

1. Analytical Benchmark Monitoring. The following analytical benchmark monitoring parameters shall apply specifically to sector B facilities. Parameters found in this Part apply to both primary industrial activities and any co-located industrial activities. The facility may be subject to the requirements of more than one of the following:

Table I.B.2 – Analytical Benchmark Monitoring Parameters for Paperboard Mills (SIC 2631)

Parameter	Benchmark Monitoring Concentration
Chemical Oxygen Demand	120 mg/L

2. Numeric Effluent Limitation Monitoring. There are no numeric effluent limitation parameters for Sector B facilities in this permit. Any additional monitoring and reporting requirements shall be based on the nature of activities at the facility and the facility stormwater discharges, in accordance with *Part V.D.2*.