



State of Utah

GARY R. HERBERT
Governor

SPENCER J. COX
Lieutenant Governor

Department of
Environmental Quality

Amanda Smith
Executive Director

DIVISION OF SOLID AND
HAZARDOUS WASTE
Scott T. Anderson
Director

Solid and Hazardous Waste Control Board
Kevin Murray, *Chair*
Dennis Riding, *Vice-Chair*
Eugene Cole, *DrPH*
Jeff Coombs, *MPH, LEHS*
Mark Franc
Brett Mickelson
Amanda Smith
Shane Whitney
Dwayne Woolley
Scott T. Anderson
Executive Secretary

May 13, 2015

Ross Stevens, Town Councilman
Holden Town Corporation
P.O. Box 360127
Holden, UT 84636

RE: Holden Town Landfill Permit

Dear Mr. Stevens:

Enclosed is the approved permit for the Holden Town Class IVb Landfill. The public comment period for the permit ended on May 1, 2015. No comments were received.

Periodic inspections of the landfill will be conducted by representatives of the Division of Solid and Hazardous Waste and the Central Utah Public Health Department to assess compliance with permit conditions and applicable Solid Waste Rules.

If you have any questions, please call Matt Sullivan at (801) 536-0241.

Sincerely,

Scott T. Anderson, Director
Division of Solid and Hazardous Waste

STA/MBS/kl

Enclosures: Holden Town Landfill Permit

c: Tamara Dallin, Holden Town Clerk
Bruce Costa, PhD., Health Officer, Central Utah Public Health Dept.
Nathan Selin, Env. Health Director, Central Utah Public Health Dept.
John Chartier, P.E., DEQ District Engineer

DSHW-2015-005550

**UTAH DIVISION OF SOLID AND HAZARDOUS WASTE
CLASS IVb SOLID WASTE PERMIT**

**Holden Town
CLASS IVb LANDFILL**

Pursuant to the provisions of the *Utah Solid and Hazardous Waste Act*, Title 19, Chapter 6, Part 1, Utah Code Annotated (Utah Code Ann.) (the Act) and the *Utah Solid Waste Permitting and Management Rules*, Utah Administrative Code R315-301 through 320 adopted thereunder, a Permit is issued to

Holden Town Corporation as owner and operator

to own and operate the Holden Town Landfill located in Section 35, Township 19 South, Range 4 West, Salt Lake Base and Meridian, Millard County, Utah as shown in the Permit Application that was determined complete on May 13, 2015, DSHW-2015-005550.

The Permittee is subject to the requirements of R315-301 through 320 of the Utah Administrative Code and the requirements set forth herein.


All references to R315-301 through 320 of the Utah Administrative Code are to regulations that are in effect on the date that this Permit becomes effective.

This Permit shall become effective: May 15, 2015 .

This Permit shall expire at midnight: May 15, 2025 .

Closure Cost Revision Date: May 15, 2020 .

Signed this 13th day of May, 2015.



Scott T. Anderson, Director
Division of Solid and Hazardous Waste

FACILITY OWNER/OPERATOR INFORMATION

LANDFILL NAME: Holden Town Landfill

OWNER NAME: Holden Town Corporation

OWNER ADDRESS: P.O. Box 360127
Holden, Utah 84636

OWNER PHONE NO.: (435) 795-2213

OPERATOR NAME: same as above

OPERATOR ADDRESS: same as above

OPERATOR PHONE NO.: same as above

TYPE OF PERMIT: Class IVb Landfill

PERMIT NUMBER: 1401

LOCATION: Landfill site is located in Township 19 South, Range 4 West,
Section 35, SLMB; Millard County, Latitude N 39° 07' 08",
Longitude West 112° 16 min' 23 sec"

PERMIT HISTORY Permit signed May 13, 2015

The term "Permit" as used in this document is defined in R315-301-2(55) of the Utah Administrative Code. "Director" as used throughout this Permit refers to the Director of the Division of Solid and Hazardous Waste.

Attachments to this Permit are hereby incorporated into this Permit. All representations made in the attachments of this Permit are enforceable under R315-301-5(2) of the Utah Administrative Code. Where differences in wording exist between this Permit and the attachments, the wording of this Permit supersedes that of the attachments.

This Permit consists of the signature page, Facility Owner/Operator Information section, Sections I through V and attachments.

The facility as described in this Permit consists of a Class IVb waste disposal cell.

Compliance with this Permit does not constitute a defense to actions brought under any other local, state or federal laws. This Permit does not exempt the Permittee from obtaining any other local, state or federal permits or approvals required for operation of the landfill.

The issuance of this Permit does not convey any property rights, other than the rights inherent in this Permit, in either real or personal property or any exclusive privileges other than those inherent in this Permit. This Permit does not authorize any injury to private property or any invasion of personal rights, or any infringement of federal, state or local laws or regulations, including zoning ordinances.

The provisions of this Permit are severable. If any provision of this Permit is held invalid for any reason, the remaining provisions shall remain in full force and effect. If the application of any provision of this Permit to any circumstance is held invalid, its application to other circumstances shall not be affected.

By this Permit, the Permittee is subject to the following conditions.

I. GENERAL COMPLIANCE RESPONSIBILITIES

A. General Operation

The Permittee shall operate the landfill in accordance with all applicable requirements of R315-305 of the Utah Administrative Code that are in effect as of the date of this Permit unless otherwise noted in this Permit. Any permit noncompliance or noncompliance with any applicable portions of Utah Code Ann § 19-6-101 through 125 and applicable portions of R315-301 through 320 of the Utah Administrative Code constitutes a violation of the Permit or applicable statute or rule and is grounds for appropriate enforcement action, permit revocation, modification or denial of a permit renewal application.

B. Acceptable Waste

1. Construction/demolition waste as defined in R315-301-2(17) of the Utah Administrative Code;
2. Yard waste as defined in R315-301-2(87) of the Utah Administrative Code;
3. Inert waste as defined in R315-301-2(37) of the Utah Administrative Code;
4. Petroleum contaminated soils as allowed in R315-315-8(3) of the Utah Administrative Code; and
5. Dead animals as defined in R315-315-6 of the Utah Administrative Code.

C. Prohibited Waste

1. Hazardous waste as defined by R315-1 and R315-2 of the Utah Administrative Code;
2. PCBs as defined by R315-301-2(53) of the Utah Administrative Code, except PCBs specified by R315-315-7(2)(a) and (c) of the Utah Administrative Code;
3. Household waste, except waste resulting from the abatement, rehabilitation, renovation and remodeling of homes and other residences;
4. Municipal waste;
5. Special waste except as specified in this Permit;
6. Regulated asbestos-containing material;
7. Industrial waste as defined in R315-301-2(35) of the Utah Administrative Code;
8. Commercial waste as defined in R315-301-2(14) of the Utah Administrative Code; and
9. Containers larger than household size (five gallons) holding any liquid, non-containerized material containing free liquids or any waste containing free liquids in containers larger than five gallons.

Any prohibited waste accepted for disposal at the facility shall constitute a violation of this Permit, of 19-6-101 through 123 and of R315-301 through 320 of the Utah Administrative Code.

D. Inspections and Inspection Access

The Permittee shall allow the Director or his authorized representative or representatives from the Central Utah Public Health Department to enter at reasonable times and:

1. Inspect the landfill or other premises, practices or operations regulated or required under the terms and conditions of this Permit or R315-301 through 320 of the Utah Administrative Code;
2. Have access to and copy any records required to be kept under the terms and conditions of this Permit or R315-301 through 320 of the Utah Administrative Code;

3. Inspect any loads of waste, treatment facilities or processes, pollution management facilities or processes, or control facilities or processes required under this Permit or regulated under R315-301 through 320 of the Utah Administrative Code; and
4. Create a record of any inspection by photographic, video, electronic, or any other reasonable means.

E. Noncompliance

If monitoring, inspection or testing indicates that any permit condition or any applicable rule under R315-301 through 320 of the Utah Administrative Code may be or is being violated, the Permittee shall promptly make corrections to the operation or other activities to bring the facility into compliance with all permit conditions or rules.

In the event of noncompliance with any permit condition or violation of an applicable rule, the Permittee shall promptly take any action reasonably necessary to correct the noncompliance or violation and mitigate any risk to the human health or the environment. Actions may include eliminating the activity causing the noncompliance or violation and containment of any waste or contamination using barriers or access restrictions, placing of warning signs or permanently closing areas of the facility.

The Permittee shall:

1. Document the noncompliance or violation in the daily operating record, including the day the event occurred or the day it was discovered;
2. Notify the Director by telephone within 24 hours, or the next business day following documentation of the event; and
3. Provide a written notice of the noncompliance or violation and description of measures taken to protect human health and the environment within seven days after notification of the Director.

Within thirty days after the documentation of the event, the Permittee shall submit to the Director a written report describing the nature and extent of the noncompliance or violation and a complete description of all remedial measures taken or to be taken to protect human health and the environment and to eliminate the noncompliance or violation. After review of the assessment report, the Director may order the Permittee to perform additional remedial measures including development of a site remediation plan for approval by the Director.

In an enforcement action, the Permittee may not claim as a defense that it would have been necessary to halt or reduce the permitted activity in order to maintain

compliance with R315-301 through 320 of the Utah Administrative Code and this Permit.

F. Revocation

This Permit may be revoked if the Permittee fails to comply with any condition of the Permit. The Director will notify the Permittee in writing prior to any proposed revocation and such action shall be subject to all applicable hearing procedures established under R305-7 of the Utah Administrative Code and the Utah Administrative Procedures Act.

G. Attachment Incorporation

Attachments to the Permit are incorporated by reference into this Permit and are enforceable conditions of this Permit, as are documents incorporated by reference into the attachments. Language in this Permit supersedes any conflicting language in the attachments or documents incorporated into the attachments.

II. DESIGN AND CONSTRUCTION

A. Design and Construction

The Permittee shall notify the Director upon completion of construction of any landfill cells or run-on and run-off diversion systems. No landfill cells or run-on and run-off diversion system may be used until construction is approved by the Director.

The Permittee shall notify the Director of the completion of construction of any final cover system and shall provide all necessary documentation and shall apply for approval of the construction from the Director.

If ground water is encountered during excavation of the landfill, the Director shall be notified immediately, and a contingency plan implemented or alternative construction design developed and submitted for approval.

B. Run-On Control

The Permittee shall construct drainage channels and diversions as specified in the Plan of Operations in Attachment 2 and shall maintain them at all times to effectively prevent run-on and runoff from the surrounding area from entering the landfill.

III. LANDFILL OPERATION

A. Plan of Operations

The Permittee shall keep the Plan of Operations in Attachment 2 at the location designated in section III-H of this Permit. The Permittee shall operate the landfill in accordance with the Plan of Operations. If necessary, and with the approval of the Director, the Permittee may modify the Plan of Operations, provided that the modification meets all of the requirements of R315-301 through 320 of the Utah Administrative Code, and is as protective of human health and the environment as the Plan of Operations approved as part of this Permit. Any modification must be approved by the Director as a minor modification under R315-311-2(1)(a) of the Utah Administrative Code. The Permittee shall note any modification to the Plan of Operations in the daily operating record.

B. Security

The Permittee shall operate the landfill so that unauthorized entry to the facility is restricted. The Permittee shall:

1. Lock all facility gates and other access routes during the time the landfill is closed.
2. Construct all fencing and any other access controls as described in the Plan of Operations in Attachment 2 to prevent access by persons or livestock by other routes.

C. Training

The Permittee shall provide training for on-site personnel in landfill operation, including waste load inspection, hazardous waste identification and personal safety and protection.

D. Burning of Waste

Intentional burning of solid waste is prohibited and is a violation of R315-303-4(2)(b) of the Utah Administrative Code.

Except as provided in this paragraph, intentional burning of solid waste is prohibited and is a violation of R315-303-4(2)(b) of the Utah Administrative Code. The Permittee is allowed to burn material by complying with the requirements of R307-202-5 of the Utah Administrative Code. The Permittee shall perform such burning in a segregated area within the landfill site. The Permittee's noncompliance with R307-202-5 of the Utah Administrative Code, as determined by the Director, also constitutes non-compliance with this Permit.

The Permittee shall extinguish all accidental fires as soon as reasonably possible.

E. Cover

The Permittee shall cover the waste with a minimum of six inches of earthen cover or as needed to prevent fires and to control vectors, blowing litter, odor, scavenging and fugitive dust.

The Permittee may use an alternative cover material when the material and operation meets the requirements of R315-303-4(4)(b) through (e) of the Utah Administrative Code.

The Permittee shall record in the daily operating record, and the operator shall certify as appropriate, when soil or an alternative cover is placed as needed, the amount and type of cover placed and the area receiving it. Cover requirements for dead animals are found in Section III-L of this Permit.

F. Waste Inspections

The Permittee shall visually inspect incoming waste loads to verify that no wastes other than those allowed by this permit are disposed in the landfill. The Permittee shall conduct one complete inspection per day during landfill hours.

The Permittee shall inspect all loads suspected or known to have one or more containers capable of holding more than five gallons of liquid to ensure that each container is empty.

The Permittee shall inspect all loads that the Permittee suspects may contain a waste not allowed for disposal at the landfill.

G. Self Inspections

The Permittee shall inspect the facility to prevent malfunctions and deterioration, operator errors and discharges that may cause or lead to the release of wastes or contaminated materials to the environment or create a threat to human health or the environment. The Permittee shall complete these general inspections no less than quarterly in the following areas: waste placement, adequate covering to avoid a fire hazard, compaction, cover, fences and access controls, roads, run-on/run-off controls, final and intermediate cover, litter controls and records. The Permittee shall record the inspections in the daily operating record on the day of the inspection. The Permittee shall correct the problems identified in the inspections in a timely manner and document the corrective actions in the daily operating record.

H. Recordkeeping

The Permittee shall maintain and keep on file at the local post office, a daily operating record and other general records of landfill operation as required by R315-302-2(3) of the Utah Administrative Code. The landfill operator, or other designated personnel, shall date and sign the daily operating record at the end of each operating day. The daily operating record shall consist of the following two types of documents:

1. Records related to the daily landfill operation or periodic events including:
 - a. The number of loads of waste and the weights or estimates of weights or volume of waste received each day of operation and recorded at the end of each operating day;
 - b. Major deviations from the approved plan of operation recorded at the end of the operating day the deviation occurred;
 - c. Results of monitoring required by this Permit recorded in the daily operating record on the day of the event or the day the information is received;
 - d. Records of all inspections conducted by the Permittee, results of the inspections, and corrective actions taken.
2. Records of a general nature including:
 - a. A copy of this Permit including all attachments;
 - b. Results of inspections conducted by representatives of the Director and representatives of the local health department, when forwarded to the Permittee;
 - c. Closure and Post-closure care plans; and
 - d. Records of employee training.

I. Reporting

The Permittee shall prepare and submit to the Director an annual report as required by R315-302-2(4) of the Utah Administrative Code. The annual report shall include the period covered by the report, the annual quantity of waste received, an annual update of the financial assurance mechanism and all training programs completed.

J. Roads

The Permittee shall improve and maintain all access roads within the landfill boundary that are used for transporting waste to the landfill for disposal as necessary to assure safe and reliable all-weather access to the disposal area.

K. Litter Control

Litter resulting from operations of the landfill shall be minimized as described in the Plan of Operations Attachment 2.

L. Disposal of Special Wastes

The Permittee may dispose of animal carcasses at the landfill working face and shall cover them with other solid waste or earth by the end of the operating day on which the carcasses are received. Alternatively, the Permittee may dispose of animal carcasses in a special trench or pit prepared for the acceptance of dead animals. If a special trench is used, the Permittee shall cover animals placed in the trench with at least six inches of earth at the end of each operating day.

IV. CLOSURE REQUIREMENTS

A. Closure

The Permittee shall place the final cover of the landfill as described in Attachment 4. The final cover shall meet, at a minimum, the standard design for closure as specified in R315-305-5(5)(b) of the Utah Administrative Code.

B. Title Recording

The Permittee shall meet the requirements of R315-302-2(6) of the Utah Administrative Code by recording a notice with the Millard County Recorder as part of the record of title that the property has been used as a landfill. The notice shall include waste disposal locations and types of waste disposed. The Permittee shall provide the Director a copy of the recorded notice.

C. Post-Closure Care

The Permittee shall perform Post-Closure Care at the closed landfill in accordance with the Post-Closure Care Plan in Attachment 4. Post-closure care shall continue until all waste disposal sites at the landfill have stabilized and the finding of R315-302-3(7)(c) of the Utah Administrative Code is made.

D. Financial Assurance

The Permittee shall keep in effect and active the currently approved financial assurance mechanism or another approved mechanism that meets the requirements of R315-309 of the Utah Administrative Code and is approved by the Director to cover the costs of closure and post-closure care at the landfill. The Permittee shall adequately fund and maintain the financial assurance mechanism(s) to provide for the cost of closure and post-closure until termination of financial assurance in accordance with R315-309-11 of the Utah Administrative Code.

With each annual revision of the closure and post-closure care cost estimate, the Permittee shall determine the annual payments to be made to the trust fund by the following formula:

$$NP=[CE-CV]/Y$$

where NP is the next payment, CE is the current cost estimate for closure and post-closure care (updated for inflation or other changes), CV is the current value of the trust fund, and Y is the number of years remaining in the pay-in period.

E. Financial Assurance Annual Update

The Permittee shall submit an annual revision of closure and post-closure costs for inflation and financial assurance to the Director as part of the annual report as required by R315-309-2(2) of the Utah Administrative Code.

F. Closure Cost and Post-Closure Cost Revision

The Permittee shall submit a complete revision of the closure and post-closure cost estimates by the Closure Cost Revision Date listed on the signature page of this Permit.

V. ADMINISTRATIVE REQUIREMENTS

A. Permit Modification

Modifications to this Permit may be made upon application by the Permittee or by the Director. The Permittee shall be given written notice of any permit modification initiated by the Director.

B. Permit Transfer

This Permit may be transferred to a new Permittee in accordance with R315-310-11 of the Utah Administrative Code.

C. Expansion

This Permit is for the operation of a Class IVb Landfill according to the Plan of Operations described in Attachment 2.

Any expansion of the landfill facility beyond the property boundaries designated in the description contained Attachment 2 shall require submittal of a new permit application in accordance with R315-310 of the Utah Administrative Code.

Any addition to the acceptable wastes described in Section I-B shall require a permit modification in accordance with R315-311 of the Utah Administrative Code.


D. Expiration

If the Permittee desires to continue operating this landfill after the expiration date of this Permit, the Permittee shall submit an application for permit renewal at least six months prior to the expiration date, as shown on the signature (cover) page of this Permit. If the Permittee submits a timely permit renewal application and the permit renewal is not complete by the expiration date, this Permit shall continue in force until renewal is completed or denied.

Attachment 1

Land Map with Plat Description

HOLDEN TOWN LANDFILL AREA MAP



HOLDEN TOWN LANDFILL

T19S R4W 34

T19S R4W 35

T19S R4W 36

T20S R4W 3

T20S R4W 2

T20S R4W 1

HOLDEN TOWN


T20S R4W 10

T20S R4W 11

T20S R4W 12

SECTION 35, T 19 S R 4 W S.L.B. & M.

(6)



U.S.T.C. approval Date	PLAT DEPARTMENT	Section 35 T19S R 4
	MILLARD COUNTY, UTAH	drawn by: A.L. date: 7

Attachment 2
Plan of Operations

Plan Of Operations

Holden Town is submitting the following Plan of Operation for a Class IVb permit as required by the State of Utah. This plan of Operation presents the general procedures for handling of various types of waste which are either prohibited or accepted for disposal at this facility. The intended schedule of landfill construction, inspections and maintenance; fire control and contingency plans in the event of a fire or explosion; litter prevention; procedures for controlling disease vectors; general training and safety plan for site personnel; and , other information pertaining to the operation and maintenance of the facility. Information related to closure construction, post closure maintenance care, and financial assurance is also included.

The Holden Town landfill has no hours of operation. Those wishing to dump at the landfill must check out a key with the Holden Town offices during normal business hours.

There is a fence along the boundary of the disposal area to impede unauthorized entry by the public and large animals. There is a locked gate at the entry to the landfill. The landfill is locked 24 hours a day and those who want to enter must check out a key.

The Holden Town Maintenance employee is the landfill site attendant. His responsibilities include site inspections, monitoring, filing the required paperwork, burial of flesh pit, and reporting any problems to the Councilmember over the landfill. The equipment currently utilized at the landfill is a back hoe.

Holden Town Landfill accepts: Inert material – rocks, cement bricks, and dirt in one area. There is a section of the landfill that accepts – only (green waste) limbs, leaves, and unpainted wood. Open burning of stockpiled tree limbs and woody yard waste takes place twice a year in accordance with Air Quality Rules. The third area is for construction debris and painted wood. There is an area for tires and scrap metal (this is sold and recycled) and a flesh pit, the animals disposed of here are covered within 24 hours.

The rules are simple – All loads must be separated, and household waste is not accepted.

Household, commercial and industrial waste, hazardous materials such as paints, thinners, fuels, pesticides, and oil or chemical fertilizers are not accepted.

Waste handling procedures: At the landfill, there are signs posted to direct patrons to the appropriate area to dump. Signs are: tires, metal, flesh pit, limbs and branches, construction debris, and concrete.

An example of the form used by Holden Town when patrons check out a key to dump debris is attached to permit. See appendix D.

The quantity of debris/waste is visually estimated by the person depositing of the waste and is recorded by them when checking out the key to enter the landfill. Daily logs are kept of all waste/debris being dumped and will be entered into the operating record. Incoming loads will be randomly selected for a more detailed inspection by the town employee, who will check to make sure no illegal dumping is taking place.

Hazardous waste -there will be an assessment made of what was dumped illegally and the Holden Fire Chief will be contacted or another authorized person/department. Wastes that are suspected of being hazardous will be handled as hazardous waste. Holden Volunteer Fire Department will be responsible for the proper management of any waste deemed hazardous or otherwise. If the hazardous waste is to be transported, it must be stored in an appropriate container and transported by a licensed individual.

Schedule for conducting inspections and monitoring – there is a daily record kept of what is dumped. See appendix D. The Holden Town maintenance employee performs random inspections and monitoring. There are quarterly inspections performed where the maintenance employee walks the perimeter and inspects what has been dumped. They also monitor if material is in the proper location. Refer to appendix P.

The landfill has developed contingency plan to be implemented in the event of an emergency at the site. The plan includes an organized, coordinated, and technically and financially feasible course of action for response to fire or explosion, releases of toxic or hazardous material. In the event of a fire, explosion, or suspicious material/dangerous material the local fire department (911) will be contacted immediately or another local emergency/authority. In the event of a fire at one of the dump areas, stockpiled dirt will be used to cover the burning or smoldering area. Water will not be applied to the active face unless absolutely necessary.

A general emergency operations plan has been developed by the Holden Town CERT team. In addition, the County Sheriff maintains a hazardous materials' response plan. It is anticipated that one of these plans will be invoked by county personnel if the severity of an event at the landfill facility requires the participation of an emergency response team.

Holden Town Landfill will be operated in a manner which does not create odors, unsightliness, or other nuisances.

Fugitive dust control – the traffic is not enough to generate a dust control problem, speed limit is minimal and road is paved until you get 23ft from the landfill locked gate. The area on and around the facility is native grasses; so dust is not a problem.

Litter control and collection – no waste is dumped that could create a litter problem.

Procedures for prohibited waste: Hazardous, PCB waste and other none acceptable waste will be handled accordingly. The waste will be identified and then the local fire department or another authorized department will be contacted. Then the waste will be properly disposed of.

Procedure for controlling disease vectors: all material disposed of at the Holden landfill doesn't attract vectors. The material allowed is: limbs, leaves and unpainted wood, rocks cement bricks and dirt, construction debris, and scrap metal. All animals dumped in flesh pit are buried within 24 hours.

Plan for alternative waste handling – In the unlikely event, requiring the short term closure of the landfill, several options are available. Waste haulers may be temporarily diverted to the Fillmore or Delta Transfer Station or the Millard County landfill, located six miles east of Delta, Utah.

General Training Plan – there are two (2) people responsible for the landfill, an elected official and the town maintenance employee. The town provides opportunities for in-house and other outside trainings. Appendix O is an example of the training log used by Holden Town.

Recycling programs are not available in Millard County.

There are maps included with this permit. See appendices A and B. They will give a clear picture of the landfill in relation to state and county boundaries, zoning of the landfill property and the surrounding land. There are no structures within a half – mile of the facility. The closest weather station for which prevailing wind information is available is near Delta, Utah. According to the Utah State Climatologist's Office, the prevailing winds in the Delta area blow from the northwest to the southeast.

Engineering Reports, Plans, Specifications, and Calculations

Landfill cover design and fill method – landfill will be covered with 18 inches of fill soil and 6 inches of native top soil, at a low grade slant to minimize erosion and allow native grasses to grow. Materials (dirt) will be provided by Holden Town three miles north of landfill. See appendix J.

The run-off control system for the Holden Town landfill will be designed to control and redirect the flow of water caused by rain fall. The landfill is continually being leveled and grated with a backhoe and new soil is continually being unearthed or added regularly. The uneven surfaces will minimize the volume of contact water generated during precipitation events. Rough contouring could be performed and/or temporary berms constructed throughout the life of the site if needed.

Design and location of run-on and run-off – Run-off controls during the active life of the facility will be reviewed and instigated if needed. The landfill is located in a relatively flat area, all water stays in the landfill area and any water that would run-off is absorbed into the soil and doesn't impact the landfill in anyway.

Anticipated facility life of landfill – Holden Town landfill was first opened in the late 1990's, and in no way is filled to capacity. There is still adequate land to expand. With this information the life expectancy is estimated to be 20 + years.

Borrow sources – material to cover landfill if needed will be collected three miles north of landfill and onsite. Refer to appendix J.

Facility General Information

Capacity of site in volume and tonnage – annual average site volume is 79.5 tons per year.

79.5 x 20 = 1,590 tons over the next 20 years, the landfill can accommodate this much debris.

Final inspection by regulatory agency –Will be coordinated by The State of Utah, Department of Environmental Quality

Post – Closure Requirements

Closure Plan has been prepared for the Holden Town Landfill in accordance with the Utah State Code. Closure of the landfill will be performed in accordance with this plan and in such a manner as to:

- **Minimize the need for further maintenance**
- **Minimize or eliminate threats to human health in the environment from post-closure run-off or other issues**
- **Adequately prepare the facility for the post-closure period**

The final cover will consist of 18 inches of fill soil, with 6 inches of native top soil. Then reseeding of surrounding area vegetation will cover the landfill.

As of this date, Holden Town holds the title to the landfill property. Upon closure, the landfill site will be recorded as part of the record of title with the County Recorder no later than 60 days after certification of closure. If required by local authorities, records may also include information regarding the dates of landfill operation, the amount of debris disposed of at the site, and the location of disposal areas.

At least 60 days before the projected final receipt of debris is dumped in the landfill, Holden Town will notify the Executive Secretary of the intent to close the Holden Town landfill and

Attachment 3

Random and Quarterly Inspection Forms

APPENDIX P
RANDOM INSPECTION FORM
QUARTERLY INSPECTION FORM

HOLDEN TOWN LANDFILL
Quarterly Site Inspection

Area of Inspection	Condition	Repairs Needed	Comments
Date:	Inspector:		

Year

Attachment 4

Closure and Post-Closure Requirements

Design and location of run-on and run-off – Run-off controls during the active life of the facility will be reviewed and instigated if needed. The landfill is located in a relatively flat area, all water stays in the landfill area and any water that would run-off is absorbed into the soil and doesn't impact the landfill in anyway.

Anticipated facility life of landfill – Holden Town landfill was first opened in the late 1990's, and in no way is filled to capacity. There is still adequate land to expand. With this information the life expectancy is estimated to be 20 + years.

Borrow sources – material to cover landfill if needed will be collected three miles north of landfill and onsite. Refer to appendix J.

Facility General Information

Capacity of site in volume and tonnage – annual average site volume is 79.5 tons per year.

$79.5 \times 20 = 1,590$ tons over the next 20 years, the landfill can accommodate this much debris.

Final inspection by regulatory agency – Will be coordinated by The State of Utah, Department of Environmental Quality

Post – Closure Requirements

Closure Plan has been prepared for the Holden Town Landfill in accordance with the Utah State Code. Closure of the landfill will be performed in accordance with this plan and in such a manner as to:

- Minimize the need for further maintenance
- Minimize or eliminate threats to human health in the environment from post-closure run-off or other issues
- Adequately prepare the facility for the post-closure period

The final cover will consist of 18 inches of fill soil, with 6 inches of native top soil. Then reseeding of surrounding area vegetation will cover the landfill.

As of this date, Holden Town holds the title to the landfill property. Upon closure, the landfill site will be recorded as part of the record of title with the County Recorder no later than 60 days after certification of closure. If required by local authorities, records may also include information regarding the dates of landfill operation, the amount of debris disposed of at the site, and the location of disposal areas.

At least 60 days before the projected final receipt of debris is dumped in the landfill, Holden Town will notify the Executive Secretary of the intent to close the Holden Town landfill and

implement the closure plan. Within 30 days after the final receipt of debris, Holden Town will implement the approved closure plan. The closure activities described in this plan will be completed within 180 days of initiation.

Following the completion of closure activities, a final report will be prepared and entered into the operating record of the facility. The report will summarize all closure activity that has been completed on the landfill. The Executive Secretary will be notified upon the completion of closure activities. Following final approval by UDEQ, the post-closure maintenance plan will be initiated pursuant to the approved Post – Closure Plan, outlined in this permit.

All land around landfill is native grasses and in the past has been used for cattle grazing, if landfill closed, the land would then again be used for cattle grazing. There has been no material deposited of on this property to create a problem.

At this time there are no zoning restrictions.

Maintenance – the landfill will be inspected semi annually, the cover and run-on/run-off systems will be maintained and monitored for problems, fencing will be inspected and repaired if needed. All post closure costs will be managed and adjusted as needed.

The closure cost estimate, detailed in appendix Q, has been prepared by Sunrise Engineering * 25 East 500 North * Fillmore, Utah 84631 * (435)743-6151 * Licensed Professional Engineer, Zane W. Pentz, No. 186879. The cost estimate is based on 2013 dollars.

The PTIF Financial Assurance trust fund account # 1464 is in place with a current balance of \$56,000. Holden Town no longer contributes to this PTIF fund and believes that with accrued interest there will be adequate money to cover closure and post-closure operations. See appendix K

Post Closure inspections will continue on a bi-annual basis for a period of thirty years. If post closure monitoring reviews indicate that the site has stabilized and does not pose a threat to human health or the environment, Holden Town may petition the Executive Secretary for a decrease in the length of the post- closure monitoring period.

All information will be made available to UDEQ upon request.

Closure Costs – See appendix J and K

Post Closure care costs – See appendix Q