

GARY HERBERT Governor

GREG BELL Lieutenant Governor

Environmental Quality

Amanda Smith Executive Director

DIVISION OF SOLID AND HAZARDOUS WASTE Scott T. Anderson Director Solid and Hazardous Waste Control Board John D Newman, Chair Michael D. Brehm, P.E., Vice-Chair Scott Bruce Carlton Christensen Kory Coleman Jeff Coombs, MPH, LEHS R. Ryan Dupont, Ph.D. Larry A. Ellertson Brad Mertz Gary Mossor Kevin Murray Dennis Riding Amanda Smith Scott T. Anderson

Executive Secretary

March 1, 2011

Gary C. Laird, Director of Solid Waste Weber County 867 West Wilson Lane Ogden, Utah 84401

and

Randy Moulding 910 West 21st Street Ogden, Utah 84401

RE: Class VI Weber County C&D Landfill Solid Waste Permit

Dear Mr. Laird and Mr. Moulding:

Enclosed is the solid waste permit for the Class VI Weber County C&D Landfill. The permit is valid for ten years from the effective date.

If you have any questions, please contact Phil Burns or Ralph Bohn at (801) 536-0200.

Sincerely,

Scott T. Anderson, Executive Secretary Utah Solid and Hazardous Waste Control Board

STA/PEB/kk

Enclosure: Weber County C&D Class VI Landfill Permit

c: Gary House, M.P.H., Health Officer, Weber-Morgan Health Department

201100182

195 North 1950 West • Salt Lake City, UT Mailing Address: P.O. Box 144880 • Salt Lake City, UT 84114-4880 Telephone (801) 536-0200 • Fax (801) 536-0222 • T.D.D. (801) 536-4414 www.deq.utah.gov Printed on 100% recycled paper

UTAH SOLID AND HAZARDOUS WASTE CONTROL BOARD SOLID WASTE PERMIT

Weber County C&D Landfill CLASS VI LANDFILL

Pursuant to the provisions of the Utah Solid and Hazardous Waste Act, Title 19, Chapter 6, Part 1, Utah Code Annotated (UCA) 1953, as amended (the Act) and the Utah Solid Waste Permitting and Management Rules, Utah Administrative Code (UAC) R315-301 through 320 adopted thereunder, a Permit is issued to

Weber County as owner, and

Moulding and Sons Landfill, LLC. as operator, (Permittees)

to own and operate the Weber County C&D Landfill located in the NW quarter of Section 19, Township 6 North, Range 3 West, Salt Lake Base and Meridian, Weber County, Utah as shown in the permit application that was determined complete on January 25, 2011.

The Permittees are subject to the requirements of UAC R315-301 through 320 and the requirements set forth herein.

All references to UAC R315-301 through 320 are to regulations that are in effect on the date that this Permit becomes effective.

Effective date: <u>March 1, 2011</u>.

Expiration date: February 28, 2021

Closure Cost Revision Date: February 28, 2016.

Signed this <u>1st</u> day of <u>March</u> 2011.

Scott T. Anderson, Executive Secretary Utah Solid and Hazardous Waste Control Board

FACILITY OWNER/OPERATOR INFORMATION

LANDFILL NAME:	Weber County C&D Landfill
OWNER NAME:	Weber County Corporation
OWNER ADDRESS:	867 West Wilson Lane Ogden, Utah 84401
OWNER PHONE NO .:	801-399-8803
OPERATOR NAME:	Moulding & Sons Landfill, LLC
OPERATOR ADDRESS:	910 West 21 st Street Ogden, Utah 84401
OPERATOR PHONE NO .:	801-725-2722
TYPE OF PERMIT:	Class VI Solid Waste Landfill
PERMIT NUMBER:	1101
LOCATION:	Landfill site is located in Township 6 North, Range 3 West, Section 19, SLBM; Weber County, Lat. 41° 14' 55", Long. 112° 13' 50"
FACILITY ADDRESS:	10485 West 900 South, Ogden, Utah 84404

PERMIT REQUIREMENTS

Permit as used in this document is defined in UAC R315-301-2(55).

The application, as deemed complete on the date shown on the signature page of this permit, is hereby approved and incorporated by reference into this Solid Waste Permit and will be referred to as the permit application throughout this permit. All representations made in the permit application are part of this permit and are enforceable under UAC R315-301-5(2). The permit application will become part of the operating record of the Landfill. Where differences in wording exist between this permit and the application, the wording of the permit supersedes that of the application.

Page 2 of 14 Signed 3/1/2011 This permit consists of the cover page, Facility Owner/Operator Information, Sections I through V, Attachment A, and the permit application as defined above.

The facility as described in this permit and the permit application consists of scale house, maintenance building, disposal cell for all permitted waste, prohibited waste storage bunker, and areas for storage of recyclable materials.

By this permit to operate, the Permittees shall be subject to the following conditions.

I. GENERAL COMPLIANCE RESPONSIBILITIES

A. General Operation

This Permit is for the operation of a Class VI Landfill as defined by UAC R315-301-2(12). The landfill may not begin operations as a commercial landfill until the Executive Secretary has received documentation that the Permittees have received approval from the local government, the Utah State Legislature, and the Governor of Utah. Prior to the start of operations as a commercial landfill, the Permittee shall receive written approval from the Executive Secretary to accept waste.

The Permittees shall operate the Class VI landfill in accordance with the conditions of this Permit and with all requirements of UAC R315-305 that are in effect as of the date of this Permit unless otherwise noted in this Permit. Any Permit noncompliance or noncompliance with any applicable portions of UCA 19-6-101 through 123 and applicable portions of UAC R315-301 through 320 constitutes a violation of this Permit or applicable statute or rule and is grounds for appropriate enforcement action, Permit revocation, modification, or denial of a Permit renewal application.

B. Noncompliance

If monitoring, inspection, or testing indicates that any Permit condition or any applicable rule under UAC R315-301 through 320 may be or is being violated, the Permittees shall promptly make corrections to the operation or other activities to bring the facility into compliance with all Permit conditions or rules.

In the event of any noncompliance with any Permit condition or violation of an applicable rule, the Permittees shall promptly take any feasible action reasonably necessary to correct the noncompliance or violation and mitigate any risk to the human health or the environment. Actions may include eliminating the activity causing the noncompliance or violation and containment of any waste or

> Page 3 of 14 Signed 3/1/2011

contamination using barriers or access restrictions, placing of warning signs, or permanently closing areas of the facility.

The Permittees shall document the noncompliance or violation in the operating record, on the day the event occurred or the day it was discovered. Permittees shall notify the Executive Secretary of the Solid and Hazardous Waste Control Board by telephone within 24 hours, or the next business day following documentation of the event. Permittees shall give written notice of the noncompliance or violation and measures taken to protect human health and the environment within seven days of Executive Secretary notification.

Within thirty days of the documentation of the noncompliance, the Permittees shall submit to the Executive Secretary a written report describing the nature and extent of the noncompliance or violation and the remedial measures taken or to be taken to protect human health and the environment and to eliminate the noncompliance or violation. Upon review of the assessment report, the Executive Secretary may order the Permittees to perform appropriate remedial measures including development of a site remediation plan for approval by the Executive Secretary.

In an enforcement action, the Permittees may not claim as a defense that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with UAC R315-301 through 320 and this Permit.

Compliance with this Permit does not constitute a defense to actions brought under any other local, state, or federal laws. This Permit does not exempt the Permittees from obtaining any other local, state or federal permits or approvals required for the facility operation.

The issuance of this Permit does not convey any property rights, other than the rights inherent in this Permit, in either real or personal property, or any exclusive privileges other than those inherent in this Permit. Nor does this Permit authorize any injury to private property or any invasion of personal rights, nor any infringement of federal, state or local laws or regulations including zoning ordinances.

The provisions of this Permit are severable. If any provision of this Permit is held invalid for any reason, the remaining provisions shall remain in full force and effect. If the application of any provision of this Permit to any circumstance is held invalid, its application to other circumstances shall not be affected.

C. Inspection and Inspection Access

Page 4 of 14 Signed 3/1/2011 The Permittees shall allow the Executive Secretary of the Utah Solid and Hazardous Waste Control Board or an authorized representative of the Board, or representatives from the Weber-Morgan Health Department, to enter at reasonable times and:

- 1. Inspect the landfill or other premises, practices or operations regulated or required under the terms and conditions of this Permit or UAC R315-301 through 320;
- 2. Have access to and copy any records required to be kept under the terms and conditions of this Permit or UAC R315-301 through 320;
- 3. Inspect any loads of waste, treatment facilities or processes, pollution management facilities or processes, or control facilities or processes required under this Permit or regulated under UAC R315-301 through 320; and
- 4. Create a record of any inspection by photographic, videotape, electronic, or any other reasonable means.

D. <u>Prohibited Waste</u>

- 1. Hazardous waste as defined by UAC R315-1 and R315-2;
- 2. PCBs as defined by UAC R315-301-2(53), except construction/demolition waste containing PCB's as specified by UAC R315-315-7(2)(a) and (c);
- 3. Household waste, except waste resulting from the abatement, rehabilitation, renovation and remodeling of homes and other residences;
- 4. Municipal waste;
- 5. Special waste, except as specified in this Permit;
- 6. Commercial waste;
- 7. Regulated asbestos-containing material;
- 8. Industrial waste;
- 9. Containers larger than household size (five gallons) holding any liquid, non-containerized material containing free liquids or any waste containing free liquids in containers larger than five gallons; and

Page 5 of 14 Signed 3/1/2011

10. Dead animals.

Any prohibited waste received and accepted for treatment, storage, or disposal at the facility shall constitute a violation of this Permit, of UCA 19-6-101 through 123 and of UAC R315-301 through 320.

E. Acceptable Waste

- 1. Construction/demolition waste, as defined in UAC R315-301-2(17);
- Yard waste, as defined in UAC R315-301-2(87); 2.
- 3. Inert waste, as defined in UAC R315-301-2(37);
- 4. Waste tires, when the requirements of UAC R315-320 are met; and
- 5. Petroleum contaminated soils as allowed in UAC R315-315-8(3).

F. Revocation

This Permit is subject to revocation if any condition of this Permit is not being met. The Permittees shall be notified in writing prior to any proposed revocation action and such action shall be subject to all applicable hearing procedures established under UAC R315-12 and the Utah Administrative Procedures Act.

As part of the revocation the Executive Secretary shall exercise the option to require payment of funds under the financial assurance mechanism held by the Executive Secretary.

G. Attachments Incorporation

Attachments to the Permit Application are incorporated by reference into this Permit and are enforceable conditions of this Permit, as are documents incorporated by reference into the attachments. Language in this Permit supersedes any conflicting language in the attachments or documents incorporated into the attachments.

DESIGN AND CONSTRUCTION Construction A.

> Page 6 of 14 Signed 3/1/2011

II.

The landfill shall be constructed according to the design outlined in the Permit Application and in the area designated in the Permit Application, including landfill cells, fences, gates, and berms.

The Permittees shall notify the Executive Secretary upon completion of construction of any landfill cells or run-on and run-off diversion systems. No landfill cells or run-on and run-off diversion system may be used until construction is approved by the Executive Secretary.

The Permittees shall notify the Executive Secretary of the completion of construction of any final cover system and shall provide all necessary documentation and shall apply for approval of the construction from the Executive Secretary.

All engineering drawings submitted to the Executive Secretary shall be stamped by a professional engineer with a current registration in Utah.

B. Run-On Control

Perimeter drainage channels and berms shall be constructed as specified in the Permit Application. These channels shall be maintained at all times to effectively prevent run-off from the surrounding property from entering the landfill.

C. Waste - Ground Water Separation

A minimum five foot separation shall be maintained between the lowest level of waste in the landfill and the historic high ground water level. For the reasons outlined in Attachment A "Statement of Basis," attached to this permit, the ground water separation requirement for the Weber C&D Landfill has been reduced from ten feet to five feet in accordance with R315-302-3 UAC.

III. LANDFILL OPERATION

A. Operations Plan

The Operations Plan included in the Permit Application and this Permit shall be kept on site at the landfill or at the location designated in Section III-G of this Permit. The landfill shall be operated in accordance with the Operations Plan. If necessary, the Permittees may modify the Operations Plan, provided that the modification meets all of the requirements of UAC R315-301 through 320, is as protective of human health and the environment as that approved in the Permit Application, and is approved by the Executive Secretary as a minor modification

Page 7 of 14 Signed 3/1/2011 under UAC R315-311-2(1)(a)(xiii). Any modification to the Operations Plan shall be noted in the operating record.

Any modification to the Operations Plan shall be submitted to the Executive Secretary for approval and is considered a minor permit modification in compliance with UAC R315-311-2(1)(a)(xiii) unless the Executive Secretary determines the change should be subject to public comment under UAC R315-311-2(1)(b).

B. Security

The Permittees shall operate the Landfill so that unauthorized entry to the facility is restricted. All facility gates and other access routes shall be locked during the time the landfill is closed. At least one person employed by the Permittees shall be at the landfill during all hours that the landfill is open. Fencing and any other access controls as shown in the Permit Application shall be constructed to prevent access of persons or livestock by other routes.

C. Waste Inspections

The Permittees shall visually inspect incoming waste loads to verify that no wastes other than those allowed by this Permit are disposed in the landfill. A complete waste inspection shall be conducted at a minimum frequency of 1 % of loads received, but no less than one complete inspection per day. Loads to be inspected shall be selected on a random basis.

All loads suspected or known to have one or more containers capable of holding more than five gallons of liquid shall be inspected to ensure that each container is empty.

All loads that the operator suspects may contain a waste not allowed for disposal at the landfill shall be inspected.

Complete inspections shall be conducted as follows:

- 1. The operator shall conduct the random waste inspection at the working face or an area designated by the operator;
- 2. Loads subjected to complete inspection shall be unloaded at the designated area;
- 3. Loads shall be spread by equipment or by hand tools;

Page 8 of 14 Signed 3/1/2011

- 4. A visual inspection of the waste shall be conducted by personnel trained in hazardous waste recognition and recognition of other unacceptable waste; and
- 5. The inspection shall be recorded on the waste inspection form in the permit application. The form shall be placed in the operating record at the end of the operating day.

D. <u>Cover</u>

The Permittees shall cover the waste as necessary to prevent fires and to control vectors, blowing litter, odor, scavenging, and fugitive dust. Wastes that are capable of attracting or providing food for vectors, materials that may become windblown litter, or fine materials that may become fugitive dust shall be covered with a minimum of six inches of earth at the end of the working day in which they are received. An alternative cover material may be used when the material and operation meets the requirements of UAC R315-303-4(4)(b) through (d) or when the alternative daily cover meets the requirement of UAC R315-303-4(4)(e).

A minimum of six inches of earthen cover shall be provided no less than once each month for all other wastes received at the landfill. This cover shall consist of soil, no alternative may be used.

At the end of each day of operation, when soil or an alternative cover is placed, the amount and type of cover placed and the area receiving cover shall be recorded in the operating record and certified by the operator.

E. <u>Disposal of Liquids</u>

Disposal of containers larger than household size (five gallons) holding any liquid, noncontainerized material containing free liquids, or any waste containing free liquids in containers larger than five gallons is prohibited.

F. Roads

All access roads within the landfill boundary shall be improved and maintained as necessary to ensure safe and reliable all-weather access.

G. <u>Burning of Waste</u>

Intentional burning of solid waste is prohibited and is a violation of UAC R315-303-4(2)(b). Burning of material when meeting the requirements of UAC R307-

> Page 9 of 14 Signed 3/1/2011

202-5 is allowed in a segregated area within the landfill site. All accidental fires shall be extinguished as soon as possible.

H. Record Keeping

The Permittees shall maintain and keep on file at the landfill office a daily operating record and other general records of landfill operation as required by UAC R315-302-2(3). The landfill operator, or other designated personnel, shall date and sign the daily operating record at the end of each operating day. Each record to be kept shall contain the signature of the appropriate operator or personnel and the date signed.

- 1. The daily operating record shall include the following items:
 - a. The number of loads of waste and the weights or estimates of weights or volume of waste received each day of operation and recorded at the end of each operating day;
 - b. Major deviations from the approved plan of operation recorded at the end of the operating day the deviation occurred;
 - c. Results of other monitoring required by this Permit recorded in the operating record on the day of the event or the day the information is received;
 - d. Records of all inspections conducted by the Permittees, results of the inspections, and corrective actions taken shall be recorded in the record on the day of the event;
- 2. The general record of landfill operations shall include the following items:
 - a. A copy of the Permit including the Permit Application;
 - b. Results of inspections conducted by representatives of the Utah Solid and Hazardous Waste Control Board representatives of the Weber-Morgan Health Department, or both when forwarded to the Permittees;
 - c. Closure and Post-closure care plans; and
 - d. Records of employee training.

I. <u>Reporting</u>

Page 10 of 14 Signed 3/1/2011

The Permittees shall prepare and submit, to the Executive Secretary, an Annual Report as required in UAC R315-302-2(4). The Annual Report shall include: the period covered by the report, the annual quantity of waste received, an annual update of the closure and post-closure cost estimates, a re-application for approval of the local government financial test as the financial assurance mechanism, and all training programs completed.

J. <u>Self Inspections</u>

The Permittees shall inspect the facility to prevent malfunctions and deterioration, operator errors, and discharges that may cause or lead to the release of wastes or contaminated materials to the environment or create a threat to human health or the environment. These general inspections shall be completed no less than quarterly and shall cover the following areas: Waste placement, compaction, and cover; fences and access controls; roads; run-on/run-off controls; final and intermediate cover; litter controls; and records. A record of the inspections shall be placed in the daily operating record on the day of the inspection. Areas needing correction, as noted on the inspection report, shall be corrected in a timely manner. The corrective actions taken shall be documented in the daily operating record.

K. Training

The Permittees shall provide training for on-site personnel in landfill operation, including waste load inspection, hazardous waste identification, and personal safety and protection.

IV. CLOSURE REQUIREMENTS

A. <u>Closure</u>

The Permittees shall close and maintain the facility in accordance with the closure and post-closure plans included in the Permit Application and as required by R315-305-5(5) UAC.

B. Title Recording

The Permittees shall meet the requirements of UAC R315-302-2(6) by recording a notice with the Weber County Recorder as part of the record of title that the property has been used as a landfill. The notice shall include waste disposal locations and types of waste disposed.

Page 11 of 14 Signed 3/1/2011

C. <u>Post-Closure Care</u>

Post-closure care at the closed landfill shall be done in accordance with the Post-Closure Care Plan contained in the Permit Application. Post-closure care shall continue until all waste disposal sites at the landfill have stabilized and the finding of UAC R315-302-3(7)(c) is made.

D. <u>Financial Assurance</u>

The Permittees shall keep in effect and active the currently approved financial assurance mechanism or another approved mechanism that meets the requirements of UAC R315-309 to cover the costs of closure and post-closure care at the landfill. The financial assurance mechanism(s) shall be adequately maintained to provide for the cost of closure and post-closure care at any stage or phase or anytime during the life of the landfill or the permit life, whichever is shorter.

E. Financial Assurance Annual Update

An annual revision of closure and post-closure costs for inflation and financial assurance funding as required by R315-309-2(2), shall be submitted to the Executive Secretary as part of the annual report. The Permittees shall submit the information as required in R315-309-8 and shall meet the qualifications for the "Local Government Financial Test" each year.

F. Closure Cost and Post-Closure Cost Revision

The Permittees shall submit a complete revision of the closure and post-closure cost estimates by the Closure Cost Revision Date listed on the signature page of this Permit any time the facility is expanded, any time a new cell is constructed, or any time a cell is expanded.

V. ADMINISTRATIVE REQUIREMENTS

A. <u>Transfers</u>

This Permit may be transferred to a new permittee or new permittees by meeting the requirements of the permit transfer provision specified in UAC R315-310-11.

B. Permit Modifications

Page 12 of 14 Signed 3/1/2011

Modifications to this Permit may be made upon application by the Permittees or by the Executive Secretary. The Permittees shall be given written notice of any permit modification initiated by the Executive Secretary. Acceptance of any waste type not allowed by UAC R315-305-1 shall require a new Permit Application and meeting the requirements of UAC R315-310-3(1), (2), & (3); R315-310-4; and R315-310-5.

C. <u>Expiration</u>

Application for Permit renewal shall be made at least six months prior to the expiration date, as shown on the signature (cover) page of this Permit. If a timely renewal application is made and the Permit renewal is not complete by the expiration date, this Permit shall continue in force until renewal is completed or denied.

D. Expansion

This Permit is for the operation of a Class VI Landfill according to the design and Operation Plan described and explained in the Permit Application. Any expansion of the current footprint designated in the description contained in the Permit Application, but within the property boundaries designated in the Permit Application, shall require submittal of plans and specifications to the Executive Secretary. The plans and specifications shall be approved by the Executive Secretary prior to construction.

Any expansion of the landfill facility beyond the property boundaries designated in the description contained in the Permit Application shall require submittal of a new Permit Application in accordance with the requirements of UAC R315-310. Expansion of the landfill site outside the boundaries shown on the initial Permit Application shall require a new Permit Application and satisfying the requirements of UAC R315-310-3(1), (2), & (3); R315-310-4; and R315-310-5.

Any addition to the list of acceptable waste in Section IE will require submittal of all necessary information to the Executive Secretary and the approval of the Executive Secretary. Acceptance of any waste type not allowed by UAC R315-305-1 will require the Permittees to submit a new Permit Application and meet all applicable requirements of UAC R315-310 including R315-310-3(3).

Attachment A Statement of Basis

Waste - Ground Water Separation

At the request of Weber County Solid Waste, the required separation between the bottom of the waste in the Weber County C&D Landfill and the historic high ground water level has been reduced from ten feet for unlined landfills (R315-302-2(e)(B) UAC) to five feet. This reduction, provided for in R315-302-1(3) UAC, is based on the very poor quality of ground water under the site, the type of waste to be disposed in the Landfill, and the presence of low permeability clay and silt soils beneath the Landfill. Total Dissolved Solids concentration is in the range of approximately 23,000 to 29,000 mg/l in ground water samples taken from soil borings on the site. Ground water with TDS values over 10,000 mg/l are defined by the Utah Division of Water Quality as Class IV or Saline Ground Water. The Landfill will accept only construction and demolition waste, which has little potential for leachate generation and ground water contamination.

Page 14 of 14 Signed 3/1/2011